

CITATION REPORT

List of articles citing

Correlation of tissue and blood plasminogen activation system in breast cancer

DOI: 10.1016/s0304-3835(99)00376-6
Cancer Letters, 2000, 150, 137-45.

Source: <https://exaly.com/paper-pdf/32037989/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
21	Regulation of DNA methylation in human breast cancer. Effect on the urokinase-type plasminogen activator gene production and tumor invasion. <i>Journal of Biological Chemistry</i> , 2002 , 277, 41571-9	5.4	90
20	Expression of proteinases and inhibitors in human breast cancer progression and survival. <i>Journal of Clinical Pathology</i> , 2002 , 55, 300-4		54
19	Detection of urokinase plasminogen activator receptor and c-erbB-2 in sera of patients with breast and ovarian carcinoma. <i>Clinical Biochemistry</i> , 2003 , 36, 537-43	3.5	7
18	Nipple aspirate fluid expression of urokinase-type plasminogen activator, plasminogen activator inhibitor-1, and urokinase-type plasminogen activator receptor predicts breast cancer diagnosis and advanced disease. <i>Annals of Surgical Oncology</i> , 2003 , 10, 948-53	3.1	15
17	Clinical significance of urokinase-type plasminogen activator receptor (uPAR) expression in cancer. <i>Medicinal Research Reviews</i> , 2004 , 24, 13-39	14.4	121
16	Suppression of tumor growth and invasion in 9,10 dimethyl benz(a) anthracene induced mammary carcinoma by the plant bioflavonoid quercetin. <i>Chemico-Biological Interactions</i> , 2006 , 162, 106-13	5	35
15	Antiplasmin activity of natural occurring polyphenols. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008 , 1784, 995-1001	4	17
14	A pilot study of urokinase-type plasminogen activator (uPA) overexpression in the brush cytology of patients with malignant pancreatic or biliary strictures. <i>HPB Surgery</i> , 2009 , 2009, 805971		7
13	Natural occurring polyphenols as template for drug design. Focus on serine proteases. <i>Chemical Biology and Drug Design</i> , 2009 , 74, 1-15	2.9	35
12	Co-detection of members of the urokinase plasminogen activator system in tumour tissue and serum correlates with a poor prognosis for soft-tissue sarcoma patients. <i>British Journal of Cancer</i> , 2010 , 102, 731-7	8.7	40
11	Taguchi design-based optimization of sandwich immunoassay microarrays for detecting breast cancer biomarkers. <i>Analytical Chemistry</i> , 2011 , 83, 5767-74	7.8	21
10	Prognostic significance of urokinase-type plasminogen activator (uPA) and plasminogen activator inhibitor (PAI-1) in patients with primary invasive ductal breast carcinoma: A 7.5-year follow-up study. <i>Tumori</i> , 2011 , 97, 532-539	1.7	11
9	Clinical applications of the urokinase receptor (uPAR) for cancer patients. <i>Current Pharmaceutical Design</i> , 2011 , 17, 1890-910	3.3	50
8	Right choice of a method for determination of cut-off values: A statistical tool for a diagnostic test. <i>Asian Journal of Medical Sciences</i> , 2014 , 5, 30-34	0.4	22
7	Use of DNA aptamer for sandwich type detection of <i>Listeria monocytogenes</i> . <i>Analytical Biochemistry</i> , 2018 , 557, 27-33	3.1	15
6	Aberrant cystatin-C expression in blood from patients with breast cancer is a suitable marker for monitoring tumor burden. <i>Oncology Letters</i> , 2018 , 16, 5583-5590	2.6	5
5	Plasminogen activator inhibitor-1 in cancer research. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 105, 83-94	7.5	65

- 4 Adipocyte-Derived Leptin Promotes PAI-1 -Mediated Breast Cancer Metastasis in a STAT3/miR-34a Dependent Manner. *Cancers*, **2020**, 12, 6.6 5
- 3 Precisi3n discriminatoria de pruebas serol3gicas para *Trypanosoma cruzi* aplicando metodolog3a est3ndar y de curva COR. *Revista Facultad De Medicina*, **2020**, 68, 0.4
- 2 Serum uPAR as Biomarker in Breast Cancer Recurrence: A Mathematical Model. *PLoS ONE*, **2016**, 11, e0153508 14
- 1 Serum concentration of sex hormone-binding globulin in healthy volunteers and patients with breast cancer stratified by sex and age. *Oncology Letters*, **2020**, 20, 364-372 2.6