

CITATION REPORT

List of articles citing

Loop-mediated isothermal amplification of DNA

DOI: 10.1093/nar/28.12.e63

Nucleic Acids Research, 2000, 28, E63.

Source: <https://exaly.com/paper-pdf/32054644/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2273	Detection of loop-mediated isothermal amplification reaction by turbidity derived from magnesium pyrophosphate formation. 2001 , 289, 150-4		1224
2272	Progress on methods of gene detection in preimplantation embryos. 2001 , 55, 23-34		24
2271	Loop-mediated Isothermal Amplification Reaction Using a Nondenatured Template. 2001 , 47, 1742-1743		327
2270	Recent developments in laboratory automation using magnetic particles for genome analysis. 2002 , 3, 697-708		16
2269	Application of a microchamber array for DNA amplification using a novel dispensing method. 2002 , 65, 481-8		17
2268	Accelerated reaction by loop-mediated isothermal amplification using loop primers. 2002 , 16, 223-9		1257
2267	Isolation of single-stranded DNA from loop-mediated isothermal amplification products. 2002 , 290, 1195-8		105
2266	Rolling-circle amplification in DNA diagnostics: the power of simplicity. 2002 , 2, 542-8		108
2265	Detection of tomato yellow leaf curl virus by loop-mediated isothermal amplification reaction. 2003 , 112, 35-40		134
2264	Detection of single nucleotide substitution by competitive allele-specific short oligonucleotide hybridization (CASSOH) with immunochromatographic strip. 2003 , 22, 166-72		20
2263	Loop-mediated isothermal amplification for direct detection of Mycobacterium tuberculosis complex, M. avium, and M. intracellulare in sputum samples. 2003 , 41, 2616-22		499
2262	Detection of bacteria carrying the stx2 gene by in situ loop-mediated isothermal amplification. 2003 , 69, 5023-8		119
2261	Loop-mediated isothermal amplification for detection of African trypanosomes. 2003 , 41, 5517-24		273
2260	Use of loop-mediated isothermal amplification of the IS900 sequence for rapid detection of cultured Mycobacterium avium subsp. paratuberculosis. 2003 , 41, 4359-65		131
2259	[Principle of LAMP method--a simple and rapid gene amplification method]. 2004 , 54, 107-12		23
2258	Rapid detection of the severe acute respiratory syndrome (SARS) coronavirus by a loop-mediated isothermal amplification assay. 2004 , 50, 1050-2		100
2257	Sensitive and rapid detection of edwardsiellosis in fish by a loop-mediated isothermal amplification method. 2004 , 70, 621-4		74

2256	Development and evaluation of a novel loop-mediated isothermal amplification method for rapid detection of severe acute respiratory syndrome coronavirus. 2004 , 42, 1956-61	322
2255	Sensitive and specific detection of <i>Yersinia pseudotuberculosis</i> by loop-mediated isothermal amplification. 2004 , 42, 5349-52	56
2254	Detection of human herpesvirus 7 DNA by loop-mediated isothermal amplification. 2004 , 42, 1348-52	58
2253	Molecular evidence of infections with <i>Babesia gibsoni</i> parasites in Japan and evaluation of the diagnostic potential of a loop-mediated isothermal amplification method. 2004 , 42, 2465-9	89
2252	Rapid diagnosis of human herpesvirus 6 infection by a novel DNA amplification method, loop-mediated isothermal amplification. 2004 , 42, 140-5	87
2251	Molecular method to quantitatively detect micrometastases and its clinical significance in gastrointestinal malignancies. 2004 , 38, 87-110	9
2250	Detection of koi herpesvirus in common carp, <i>Cyprinus carpio</i> L., by loop-mediated isothermal amplification. 2004 , 27, 583-9	64
2249	Detection of gp43 of <i>Paracoccidioides brasiliensis</i> by the loop-mediated isothermal amplification (LAMP) method. 2004 , 234, 93-97	83
2248	Combinatorics of peptide sextets encoded by a single microgene. 2004 , 28, 215-221	2
2247	Detection of white spot syndrome virus in shrimp by loop-mediated isothermal amplification. 2004 , 115, 59-65	119
2246	Development of immunocapture reverse transcription loop-mediated isothermal amplification for the detection of tomato spotted wilt virus from chrysanthemum. 2004 , 121, 49-55	105
2245	Rapid detection of a fish iridovirus using loop-mediated isothermal amplification (LAMP). 2004 , 121, 155-61	68
2244	Real-time loop-mediated isothermal amplification for the CaMV-35S promoter as a screening method for genetically modified organisms. 2004 , 218, 496-500	51
2243	Rapid detection of varicella-zoster virus infection by a loop-mediated isothermal amplification method. 2004 , 74, 677-82	46
2242	Electrochemical DNA quantification based on aggregation induced by Hoechst 33258. 2004 , 6, 337-343	75
2241	Analysis of specific gene by integration of isothermal amplification and electrophoresis on poly(methyl methacrylate) microchips. 2004 , 76, 3689-93	75
2240	Rapid and sensitive diagnosis of adenoviral keratoconjunctivitis by loop-mediated isothermal amplification (LAMP) method. 2004 , 28, 445-50	10
2239	Rapid sexing of bovine preimplantation embryos using loop-mediated isothermal amplification. 2004 , 62, 887-96	64

2238	Real-time turbidimetry of LAMP reaction for quantifying template DNA. 2004 , 59, 145-57	417
2237	An isothermal amplification system based on the tandem-repeated DNA probe. 2004 , 18, 383-8	
2236	On-chip nanoliter-volume multiplex TaqMan polymerase chain reaction from a single copy based on counting fluorescence released microchambers. 2004 , 76, 6434-9	56
2235	Real-time reverse transcription loop-mediated isothermal amplification for rapid detection of West Nile virus. 2004 , 42, 257-63	333
2234	Chapter 19 Nucleic acids and their constituents. 2004 , 905-943	
2233	Evaluation of real-time reverse transcriptase PCR and real-time loop-mediated amplification assays for severe acute respiratory syndrome coronavirus detection. 2005 , 43, 3457-9	48
2232	Detection of periodontal pathogen Porphyromonas gingivalis by loop-mediated isothermal amplification method. 2005 , 43, 233-9	55
2231	Evaluation of loop-mediated isothermal amplification (LAMP), PCR and parasitological tests for detection of Trypanosoma evansi in experimentally infected pigs. 2005 , 130, 327-30	60
2230	Sensitive and rapid detection of Shigella and enteroinvasive Escherichia coli by a loop-mediated isothermal amplification method. 2005 , 243, 259-63	81
2229	Multiple displacement amplification of isolated DNA from human gallstones: molecular identification of Helicobacter DNA by means of 16S rDNA-based pyrosequencing analysis. 2005 , 10, 592-600	19
2228	Detection of canine distemper virus in blood samples by reverse transcription loop-mediated isothermal amplification. 2005 , 52, 410-3	24
2227	Relationship between oxygen consumption and sex of bovine in vitro fertilized embryos. 2005 , 40, 51-6	24
2226	Development of a rapid assay for the diagnosis of Myxobolus cerebralis in fish and oligochaetes using loop-mediated isothermal amplification. 2005 , 28, 549-57	15
2225	Loop-mediated isothermal amplification: an emerging technology for detection of fish and shellfish pathogens. 2005 , 28, 573-81	75
2224	Lamp for tadpoles. 2005 , 2, 635; author reply 635-6	17
2223	Comparison of loop-mediated isothermal amplification, real-time PCR, and virus isolation for the detection of herpes simplex virus in genital lesions. 2005 , 75, 583-7	27
2222	A simple method for the detection of measles virus genome by loop-mediated isothermal amplification (LAMP). 2005 , 76, 406-13	45
2221	Detection of respiratory syncytial virus genome by subgroups-A, B specific reverse transcription loop-mediated isothermal amplification (RT-LAMP). 2005 , 77, 121-7	46

2220	Rapid detection of herpes simplex virus DNA in cerebrospinal fluid: comparison between loop-mediated isothermal amplification and real-time PCR. 2005 , 194, 181-5	17
2219	Rapid diagnosis of <i>Tetracapsuloides bryosalmonae</i> , the causative agent of proliferative kidney disease (PKD) in salmonid fish by a novel DNA amplification method, loop-mediated isothermal amplification (LAMP). 2005 , 96, 277-84	22
2218	Development of reverse transcription loop-mediated isothermal amplification (RT-LAMP) method for detection of two viruses and chrysanthemum stunt viroid. 2005 , 47, 31-36	21
2217	Simplification of template DNA preparation for the loop-mediated isothermal amplification (LAMP) method to detect tomato yellow leaf curl virus. 2005 , 47, 37-41	8
2216	Loop-mediated isothermal amplification method targeting the <i>lytA</i> gene for detection of <i>Streptococcus pneumoniae</i> . 2005 , 43, 1581-6	72
2215	Detection of <i>Salmonella enterica</i> in naturally contaminated liquid eggs by loop-mediated isothermal amplification, and characterization of <i>Salmonella</i> isolates. 2005 , 71, 6730-5	123
2214	Sensitive and rapid detection of herpes simplex virus and varicella-zoster virus DNA by loop-mediated isothermal amplification. 2005 , 43, 3290-6	67
2213	Current and Future Developments in Nucleic Acid-Based Diagnostics. 2005 , 211-244	1
2212	Loop-mediated isothermal amplification method for rapid detection of the periodontopathic bacteria <i>Porphyromonas gingivalis</i> , <i>Tannerella forsythia</i> , and <i>Treponema denticola</i> . 2005 , 43, 2418-24	48
2211	Detection of human influenza A viruses by loop-mediated isothermal amplification. 2005 , 43, 427-30	117
2210	Performance of single-step gel-based reverse transcription-PCR (RT-PCR) assays equivalent to that of real-time RT-PCR assays for detection of the severe acute respiratory syndrome-associated coronavirus. 2005 , 43, 4262-5	4
2209	Current and developing technologies for monitoring agents of bioterrorism and biowarfare. 2005 , 18, 583-607	320
2208	Loop-mediated isothermal amplification for rapid detection of Newcastle disease virus. 2005 , 43, 1646-50	92
2207	Rapid diagnosis of herpes simplex virus infection by a loop-mediated isothermal amplification method. 2005 , 43, 951-5	98
2206	An inexpensive and rapid diagnostic method of Koi Herpesvirus (KHV) infection by loop-mediated isothermal amplification. 2005 , 2, 83	47
2205	Rapid detection and differentiation of dengue virus serotypes by a real-time reverse transcription-loop-mediated isothermal amplification assay. 2005 , 43, 2895-903	262
2204	Rapid diagnostic method for detection of mumps virus genome by loop-mediated isothermal amplification. 2005 , 43, 1625-31	62
2203	Duplex shuttle PCR for differential diagnosis of budgerigar fledgling disease and psittacine beak and feather disease. 2005 , 49, 227-37	33

2202	Evaluation of a loop-mediated isothermal amplification method for rapid detection of channel catfish <i>Ictalurus punctatus</i> important bacterial pathogen <i>Edwardsiella ictaluri</i> . 2005 , 63, 36-44	71
2201	Multiple displacement amplification of DNA from human colon and rectum biopsies: bacterial profiling and identification of <i>Helicobacter pylori</i> -DNA by means of 16S rDNA-based TTGE and pyrosequencing analysis. 2005 , 63, 239-47	23
2200	Characterization of the <i>tufB</i> - <i>secE</i> - <i>nusG</i> - <i>rplKAJL</i> - <i>rpoB</i> Gene Cluster of the Citrus Greening Organism and Detection by Loop-Mediated Isothermal Amplification. 2005 , 89, 705-711	88
2199	Reverse Transcription Loop-Mediated Isothermal Amplification of DNA for Detection of Potato virus Y. 2005 , 89, 605-610	116
2198	Development and evaluation of a loop-mediated isothermal amplification assay for rapid detection of <i>Mycoplasma pneumoniae</i> . 2005 , 54, 1037-1041	65
2197	Molecular Zipper: a fluorescent probe for real-time isothermal DNA amplification. <i>Nucleic Acids Research</i> , 2006 , 34, e81	20.1 44
2196	Real-time quantitative LAMP (loop-mediated isothermal amplification of DNA) as a simple method for monitoring ammonia-oxidizing bacteria. 2006 , 125, 484-91	65
2195	Genetic testing for pharmacogenetics and its clinical application in drug therapy. 2006 , 363, 177-86	33
2194	Diagnostic developments involving cell-free (circulating) nucleic acids. 2006 , 363, 187-96	136
2193	Rapid detection of Epstein-Barr virus DNA by loop-mediated isothermal amplification method. 2006 , 37, 128-33	35
2192	Rapid sexing of water buffalo (<i>Bubalus bubalis</i>) embryos using loop-mediated isothermal amplification. 2006 , 66, 1249-56	35
2191	Development of H5-RT-LAMP (loop-mediated isothermal amplification) system for rapid diagnosis of H5 avian influenza virus infection. 2006 , 24, 6679-82	130
2190	Sensitive and Rapid Detection of Koi Herpesvirus by LAMP Method. 2006 , 41, 19-27	12
2189	Effect of maturation culture period of oocytes on the sex ratio of in vitro fertilized bovine embryos. 2006 , 52, 123-7	30
2188	?????????????????????????????????????. 2006 , 52, 13-22	
2187	Sequence specific visual detection of LAMP reactions by addition of cationic polymers. 2006 , 6, 3	132
2186	Identification of <i>Mycobacterium</i> species by comparative analysis of the <i>dnaA</i> gene. 2006 , 254, 232-9	12
2185	Sensitive and rapid diagnosis of human parvovirus B19 infection by loop-mediated isothermal amplification. 2006 , 155, 50-5	16

2184	Sensitive and rapid detection of <i>Flavobacterium columnare</i> in channel catfish <i>Ictalurus punctatus</i> by a loop-mediated isothermal amplification method. 2006 , 100, 919-25	32
2183	Detection of fish nocardiosis by loop-mediated isothermal amplification. 2006 , 100, 1381-7	33
2182	Detection of infectious haematopoietic necrosis virus and infectious salmon anaemia virus by molecular padlock amplification. 2006 , 29, 201-13	8
2181	An autonomous fueled machine that replicates catalytic nucleic acid templates for the amplified optical analysis of DNA. 2006 , 1, 554-8	8
2180	Rapid detection of <i>Macrobrachium rosenbergii</i> nodavirus (MrNV) and extra small virus (XSV), the pathogenic agents of white tail disease of <i>Macrobrachium rosenbergii</i> (De Man), by loop-mediated isothermal amplification. 2006 , 29, 275-83	58
2179	Significant enhancement of fluorescence on hybridization of a molecular beacon to a target DNA in the presence of a site-specific DNA nickase. 2006 , 348, 123-6	17
2178	Real-time monitoring of DNA colonies growing in a polyacrylamide gel. 2006 , 356, 300-2	11
2177	Advances in molecular phytodiagnostics - new solutions for old problems. 2006 , 116, 1-19	105
2176	Novel reverse transcription loop-mediated isothermal amplification for rapid detection of foot-and-mouth disease virus. 2006 , 151, 1093-106	174
2175	Assessment of lymph node micrometastasis in early gastric cancer in relation to sentinel nodes. 2006 , 9, 197-202	34
2174	Development of loop-mediated isothermal amplification (LAMP)-based SNP markers for shelf-life in melon (<i>Cucumis melo</i> L.). 2006 , 47, 303-8	19
2173	Detection and identification of IHN and ISA viruses by isothermal DNA amplification in microcapillary tubes. 2006 , 386, 1975-84	10
2172	Reverse transcription loop-mediated isothermal amplification (RT-LAMP) for rapid detection of viral hemorrhagic septicaemia virus (VHS). 2006 , 114, 205-13	63
2171	Transmission control for schistosomiasis - why it matters now. 2006 , 22, 575-82	106
2170	Sensitive and rapid detection of infectious hypodermal and hematopoietic necrosis virus (IHHNV) in shrimps by loop-mediated isothermal amplification. 2006 , 131, 41-6	54
2169	Development of the loop-mediated isothermal amplification method for rapid detection of cytomegalovirus DNA. 2006 , 132, 216-21	27
2168	Detection of yellow head virus in shrimp by loop-mediated isothermal amplification (LAMP). 2006 , 135, 151-6	46
2167	Rapid detection and typing of influenza A and B by loop-mediated isothermal amplification: comparison with immunochromatography and virus isolation. 2006 , 135, 272-5	67

2166	Use of reverse transcription loop-mediated isothermal amplification for the detection of Plum pox virus. 2006 , 138, 184-90	90
2165	Rapid detection of metastasis of gastric cancer using reverse transcription loop-mediated isothermal amplification. 2007 , 120, 1063-9	30
2164	Combination analysis of a whole lymph node by one-step nucleic acid amplification and histology for intraoperative detection of micrometastasis. 2006 , 73, 183-91	26
2163	Molecular dipstick test for diagnosis of sleeping sickness. 2006 , 44, 2884-9	75
2162	Development and evaluation of reverse transcription-loop-mediated isothermal amplification assay for rapid and real-time detection of Japanese encephalitis virus. 2006 , 44, 4172-8	86
2161	Rapid detection of norovirus from fecal specimens by real-time reverse transcription-loop-mediated isothermal amplification assay. 2006 , 44, 1376-81	97
2160	Detection of canine parvovirus in fecal samples using loop-mediated isothermal amplification. 2006 , 18, 81-4	31
2159	Development of a new method for diagnosis of rubella virus infection by reverse transcription-loop-mediated isothermal amplification. 2006 , 44, 3268-73	22
2158	Development and evaluation of a loop-mediated isothermal amplification method for rapid diagnosis of Bordetella pertussis infection. 2006 , 44, 1899-902	68
2157	Rapid detection and quantification of Japanese encephalitis virus by real-time reverse transcription loop-mediated isothermal amplification. 2006 , 50, 379-87	69
2156	Molecular Methods of Virus Detection in Foods. 2006 , 121-149	4
2155	Sensitive and inexpensive molecular test for falciparum malaria: detecting Plasmodium falciparum DNA directly from heat-treated blood by loop-mediated isothermal amplification. 2006 , 52, 303-6	364
2154	Use of a combination of brushing technique and the loop-mediated isothermal amplification method as a novel, rapid, and safe system for detection of Helicobacter pylori. 2006 , 44, 4032-7	26
2153	Human African trypanosomiasis: Epidemiology and control. 2006 , 61, 167-221	73
2152	Sensitive and rapid detection of Vero toxin-producing Escherichia coli using loop-mediated isothermal amplification. 2007 , 56, 398-406	75
2151	Molecular diagnostics for the detection of human flavivirus infections. 2007 , 1, 521-30	7
2150	Development and preliminary evaluation of a loop-mediated isothermal amplification procedure for sensitive detection of cryptosporidium oocysts in fecal and water samples. 2007 , 73, 5660-2	93
2149	. 2007 ,	1

2148	Rapid and real-time detection of Chikungunya virus by reverse transcription loop-mediated isothermal amplification assay. 2007 , 45, 351-7	133
2147	Development of a loop-mediated isothermal amplification assay for rapid detection of BK virus. 2007 , 45, 1581-7	50
2146	Detection of four Plasmodium species by genus- and species-specific loop-mediated isothermal amplification for clinical diagnosis. 2007 , 45, 2521-8	216
2145	Operational feasibility of using loop-mediated isothermal amplification for diagnosis of pulmonary tuberculosis in microscopy centers of developing countries. 2007 , 45, 1936-40	251
2144	OPTIMAL HEPATITIS B VIRUS PRIMER SEQUENCE DESIGN FOR ISOTHERMAL AMPLIFICATION. 2007 , 19, 137-144	5
2143	Faster, simpler, more-specific methods for improved molecular detection of Phytophthora ramorum in the field. 2007 , 73, 4040-7	124
2142	Outbreaks of multidrug-resistant Pseudomonas aeruginosa in community hospitals in Japan. 2007 , 45, 979-89	79
2141	Rapid identification of Curcuma longa and C. aromatica by LAMP. 2007 , 30, 2229-30	24
2140	Evaluation of Quenching Probe (QProbe)-PCR Assay for Quantification of the Koi Herpes Virus (KHV). 2007 , 22, 223-231	2
2139	A trypanosome species isolated from naturally infected Haemaphysalis hystricis ticks in Kagoshima Prefecture, Japan. 2007 , 134, 967-74	26
2138	Simple differentiation method of mumps Hoshino vaccine strain from wild strains by reverse transcription loop-mediated isothermal amplification (RT-LAMP). 2007 , 25, 1281-6	12
2137	Species-specific loop-mediated isothermal amplification (LAMP) for diagnosis of trypanosomosis. 2007 , 102, 182-9	94
2136	Rapid sex chromosomal chimerism analysis in heterosexual twin female calves by Loop-mediated Isothermal Amplification. 2007 , 101, 38-44	12
2135	Detection of Helicobacter pylori by enzyme-linked immunosorbent assay of thermophilic helicase-dependent isothermal DNA amplification. 2007 , 59, 243-9	22
2134	Direct detection of human herpesvirus 6 DNA in serum by the loop-mediated isothermal amplification method. 2007 , 39, 22-6	42
2133	Rapid and sensitive detection of heat-labile I and heat-stable I enterotoxin genes of enterotoxigenic Escherichia coli by Loop-Mediated Isothermal Amplification. 2007 , 68, 414-20	55
2132	Development of a multiplex loop-mediated isothermal amplification (mLAMP) method for the simultaneous detection of bovine Babesia parasites. 2007 , 71, 281-7	118
2131	Rapid, sensitive and cheap molecular diagnosis of malaria: is microscopy on the way out?. 2007 , 2, 477-480	6

2130	Highly efficient isothermal DNA amplification system using three elements of 5'-DNA-RNA-3' chimeric primers, RNaseH and strand-displacing DNA polymerase. 2007 , 142, 273-81	29
2129	One-step nucleic acid amplification for intraoperative detection of lymph node metastasis in breast cancer patients. 2007 , 13, 4807-16	335
2128	Detection of six single-nucleotide polymorphisms associated with rheumatoid arthritis by a loop-mediated isothermal amplification method and an electrochemical DNA chip. 2007 , 79, 9484-93	52
2127	N.BspD6I DNA nickase strongly stimulates template-independent synthesis of non-palindromic repetitive DNA by Bst DNA polymerase. 2007 , 388, 367-72	42
2126	Molecular Epidemiology of Food-Borne Parasitic Zoonoses. 2007 , 383-415	3
2125	Sample preparation: a challenge in the development of point-of-care nucleic acid-based assays for resource-limited settings. 2007 , 132, 1193-9	124
2124	Clinical relevance of new diagnostic methods for bloodstream infections. 2007 , 30 Suppl 1, S2-6	36
2123	Quantitative method for specific nucleic acid sequences using competitive polymerase chain reaction with an alternately binding probe. 2007 , 79, 974-9	25
2122	Technique for quantitative detection of specific DNA sequences using alternately binding quenching probe competitive assay combined with loop-mediated isothermal amplification. 2007 , 79, 5608-13	49
2121	Identification of Beer-Spoilage Microorganisms Using the Loop-Mediated Isothermal Amplification Method. 2007 , 65, 77-80	5
2120	Current issues on molecular and immunological diagnosis of tuberculosis. 2007 , 48, 347-59	17
2119	Loop-mediated isothermal amplification for influenza A (H5N1) virus. 2007 , 13, 899-901	70
2118	Evaluation and application of reverse transcription loop-mediated isothermal amplification for detection of noroviruses. 2007 , 79, 326-34	47
2117	Loop-mediated isothermal amplification method for detection of human papillomavirus type 6, 11, 16, and 18. 2007 , 79, 605-15	55
2116	Development of loop-mediated isothermal amplification (LAMP) method for diagnosis of equine piroplasmiasis. 2007 , 143, 155-60	60
2115	American tegumentary leishmaniasis: direct species identification of Leishmania in non-invasive clinical samples. 2007 , 101, 368-71	35
2114	Molecular beacons for isothermal fluorescence enhancement by the cleavage of RNase HIII from Chlamydia pneumoniae. 2007 , 371, 162-6	6
2113	Scientific and practical applications of molecular colonies. 2007 , 41, 250-261	6

2112	Loop-mediated isothermal amplification method for the rapid detection of <i>Enterococcus faecalis</i> in infected root canals. 2007 , 22, 131-5	18
2111	Rapid detection of <i>Actinobacillus actinomycetemcomitans</i> using a loop-mediated isothermal amplification method. 2007 , 22, 252-9	20
2110	Rapid detection of the cariogenic pathogens <i>Streptococcus mutans</i> and <i>Streptococcus sobrinus</i> using loop-mediated isothermal amplification. 2007 , 22, 361-8	18
2109	Rapid detection of enterotoxigenic <i>Staphylococcus aureus</i> harbouring genes for four classical enterotoxins, SEA, SEB, SEC and SED, by loop-mediated isothermal amplification assay. 2007 , 45, 100-7	36
2108	Detection of gene point mutation in paraffin sections using in situ loop-mediated isothermal amplification. 2007 , 57, 594-9	34
2107	Tolerance of loop-mediated isothermal amplification to a culture medium and biological substances. 2007 , 70, 499-501	464
2106	Diagnosis of human respiratory syncytial virus infection using reverse transcription loop-mediated isothermal amplification. 2007 , 139, 78-84	50
2105	Rapid and simple detection of Ebola virus by reverse transcription-loop-mediated isothermal amplification. 2007 , 141, 78-83	79
2104	Rapid diagnosis of H5N1 avian influenza virus infection by newly developed influenza H5 hemagglutinin gene-specific loop-mediated isothermal amplification method. 2007 , 141, 173-80	112
2103	Optimization of the virus concentration method using polyethyleneimine-conjugated magnetic beads and its application to the detection of human hepatitis A, B and C viruses. 2007 , 143, 95-103	30
2102	Rapid detection of human herpesvirus 8 DNA using loop-mediated isothermal amplification. 2007 , 144, 79-85	18
2101	Rapid and real-time detection of hepatitis A virus by reverse transcription loop-mediated isothermal amplification assay. 2007 , 145, 162-8	51
2100	Rapid and sensitive detection of Taura syndrome virus by reverse transcription loop-mediated isothermal amplification. 2007 , 146, 125-8	38
2099	Specific detection of reverse transcription-loop-mediated isothermal amplification amplicons for Taura syndrome virus by colorimetric dot-blot hybridization. 2007 , 146, 317-26	45
2098	[Express hybridization of molecular colonies with fluorescent probes]. 2007 , 33, 456-63	5
2097	Application of loop-mediated isothermal amplification technique to rapid and direct detection of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) in blood cultures. 2007 , 13, 134-40	77
2096	Loop-mediated isothermal amplification for rapid detection of <i>Bacillus anthracis</i> spores. 2007 , 29, 1939-46	47
2095	Partial protection against challenge with the highly pathogenic H5N1 influenza virus isolated in Japan in chickens infected with the H9N2 influenza virus. 2007 , 152, 1395-400	18

2094	Comparative evaluation of the sensitivity of LAMP, PCR and in vitro culture methods for the diagnosis of equine piroplasmiasis. 2007 , 100, 1165-8	37
2093	Edwardsiellosis in fish: a brief review. 2007 , 32, 1331-44	266
2092	Nucleic acid sensing by regenerable surface-associated isothermal rolling circle amplification. 2007 , 22, 1236-44	11
2091	Loop-mediated isothermal amplification of a single DNA molecule in polyacrylamide gel-based microchamber. 2008 , 10, 539-46	39
2090	Exploiting generic platform technologies for the detection and identification of plant pathogens. 2008 , 121, 355-363	80
2089	Alternative DNA amplification methods to PCR and their application in GMO detection: a review. 2008 , 227, 1287-1297	50
2088	One new method of nucleic acid amplification—loop-mediated isothermal amplification of DNA. 2008 , 23, 167-172	9
2087	Rapid and real-time detection technologies for emerging viruses of biomedical importance. 2008 , 33, 617-28	46
2086	Development of loop-mediated isothermal amplification (LAMP) assay for rapid diagnosis of ovine theileriosis in China. 2008 , 103, 1407-12	30
2085	Loop-mediated isothermal amplification as an emerging technology for detection of <i>Yersinia ruckeri</i> the causative agent of enteric red mouth disease in fish. 2008 , 4, 31	29
2084	Loop mediated isothermal amplification (LAMP): a new generation of innovative gene amplification technique; perspectives in clinical diagnosis of infectious diseases. 2008 , 18, 407-21	449
2083	Mumps virus reinfection is not a rare event confirmed by reverse transcription loop-mediated isothermal amplification. 2008 , 80, 517-23	38
2082	Intra-operative rapid diagnostic method based on CK19 mRNA expression for the detection of lymph node metastases in breast cancer. 2008 , 122, 2562-7	147
2081	Compact optical diagnostic device for isothermal nucleic acids amplification. 2008 , 133, 493-501	46
2080	Estimation of single-nucleotide polymorphism allele frequency by alternately binding probe competitive polymerase chain reaction. 2008 , 608, 211-6	8
2079	A thermostat chip of indium tin oxide glass substrate for static polymerase chain reaction and in situ real time fluorescence monitoring. 2008 , 610, 89-96	5
2078	Sensitive and specific detection of <i>Cryptosporidium</i> species in PCR-negative samples by loop-mediated isothermal DNA amplification and confirmation of generated LAMP products by sequencing. 2008 , 158, 11-22	83
2077	Simple, rapid and sensitive detection of <i>Orientia tsutsugamushi</i> by loop-isothermal DNA amplification. 2008 , 102, 1239-46	44

2076	Specific versus nonspecific isothermal DNA amplification through thermophilic polymerase and nicking enzyme activities. 2008 , 47, 9987-99	135
2075	Loop-mediated isothermal amplification method for rapid detection of the toxic dinoflagellate <i>Alexandrium</i> , which causes algal blooms and poisoning of shellfish. 2008 , 282, 15-21	23
2074	Establishment of loop-mediated isothermal amplification method (LAMP) for the detection of <i>Vibrio nigripulchritudo</i> in shrimp. 2008 , 288, 171-7	13
2073	Rapid and simple detection of eight major periodontal pathogens by the loop-mediated isothermal amplification method. 2008 , 53, 314-21	10
2072	Loop-mediated isothermal amplification (LAMP) of gene sequences and simple visual detection of products. 2008 , 3, 877-82	1157
2071	Detection and significance of koi herpesvirus (KHV) in freshwater environments. 2008 , 53, 1262-1272	36
2070	Detection of spring viraemia of carp virus (SVCV) by loop-mediated isothermal amplification (LAMP) in koi carp, <i>Cyprinus carpio</i> L. 2008 , 31, 249-58	29
2069	Rapid detection of <i>Brucella</i> spp. by the loop-mediated isothermal amplification method. 2008 , 104, 1815-23	48
2068	Rapid and sensitive detection of Singapore grouper iridovirus by loop-mediated isothermal amplification. 2008 , 105, 389-97	32
2067	Development and evaluation of a one-step loop-mediated isothermal amplification for detection of spring viraemia of carp virus. 2008 , 105, 1220-6	26
2066	Loop-mediated isothermal amplification for the rapid, sensitive, and specific detection of the O9 group of <i>Salmonella</i> in chickens. 2008 , 132, 197-204	47
2065	Development of a loop-mediated isothermal amplification assay for sensitive and rapid detection of <i>Vibrio parahaemolyticus</i> . 2008 , 8, 163	103
2064	Sensitive and rapid detection of cholera toxin-producing <i>Vibrio cholerae</i> using a loop-mediated isothermal amplification. 2008 , 8, 94	60
2063	Rapid sequence-based diagnosis of viral infection. 2008 , 79, 1-5	29
2062	The development and evaluation of a loop-mediated isothermal amplification (LAMP) method for detection of <i>Babesia</i> spp. infective to sheep and goats in China. 2008 , 120, 39-44	43
2061	<i>Cryptosporidium</i> --biotechnological advances in the detection, diagnosis and analysis of genetic variation. 2008 , 26, 304-17	91
2060	Toward practical, DNA-based diagnostic methods for parasitic nematodes of livestock--bionomic and biotechnological implications. 2008 , 26, 325-34	113
2059	African trypanosomiasis: sensitive and rapid detection of the sub-genus <i>Trypanozoon</i> by loop-mediated isothermal amplification (LAMP) of parasite DNA. 2008 , 38, 589-99	168

2058	Development and evaluation of a loop-mediated isothermal amplification method for diagnosis of tropical theileriosis. 2008 , 55, 238-43	30
2057	Advances in the molecular based techniques for the diagnosis and characterization of avian influenza virus infections. 2008 , 55, 329-38	29
2056	A one-step reverse transcriptase loop-mediated isothermal amplification assay for simple and rapid detection of swine vesicular disease virus. 2008 , 147, 188-93	56
2055	Rapid detection of porcine circovirus type 2 by loop-mediated isothermal amplification. 2008 , 149, 264-8	36
2054	Loop-mediated isothermal amplification establishment for detection of pseudorabies virus. 2008 , 151, 35-9	40
2053	Rapid detection of HIV-1 by reverse-transcription, loop-mediated isothermal amplification (RT-LAMP). 2008 , 151, 264-270	168
2052	Development of reverse transcription loop-mediated isothermal amplification for rapid detection of H9 avian influenza virus. 2008 , 151, 200-203	69
2051	Shrimp Taura syndrome virus detection by reverse transcription loop-mediated isothermal amplification combined with a lateral flow dipstick. 2008 , 153, 214-7	106
2050	Loop-mediated isothermal amplification for discriminating between human herpesvirus 6 A and B. 2008 , 154, 223-5	16
2049	Reverse transcription loop-mediated isothermal amplification for the detection of highly pathogenic porcine reproductive and respiratory syndrome virus. 2008 , 153, 266-8	19
2048	Shrimp hepatopancreatic parvovirus detection by combining loop-mediated isothermal amplification with a lateral flow dipstick. 2008 , 154, 56-60	66
2047	Evaluation of loop-mediated isothermal amplification (LAMP) to rapidly detect arbuscular mycorrhizal fungi. 2008 , 40, 540-543	19
2046	Rapid and real-time assays for detection and quantification of Chikungunya virus. 2008 , 3, 179-192	15
2045	Molecular colony technique: a new tool for biomedical research and clinical practice. 2008 , 82, 219-55	8
2044	Development of an in-house loop-mediated isothermal amplification (LAMP) assay for detection of Mycobacterium tuberculosis and evaluation in sputum samples of Nepalese patients. 2008 , 57, 439-443	85
2043	Development and evaluation of a loop-mediated isothermal amplification assay for rapid and simple detection of Campylobacter jejuni and Campylobacter coli. 2008 , 57, 444-451	65
2042	Evaluation of a loop-mediated isothermal amplification assay for detecting Vibrio vulnificus in raw oysters. 2008 , 5, 311-20	41
2041	Detection of Ralstonia solanacearum by loop-mediated isothermal amplification. 2008 , 98, 1045-51	81

2040	Development and evaluation of real-time loop-mediated isothermal amplification for hepatitis B virus DNA quantification: a new tool for HBV management. 2008 , 41, 270-6	76
2039	Evaluation of the Loopamp (loop-mediated isothermal amplification) kit for detecting Norovirus RNA in faecal samples. 2008 , 42, 389-93	32
2038	Nucleic acid isothermal amplification technologies: a review. 2008 , 27, 224-43	338
2037	Rapid identification of Plasmodium-carrying mosquitoes using loop-mediated isothermal amplification. 2008 , 376, 671-6	44
2036	Specific and rapid detection of foodborne Salmonella by loop-mediated isothermal amplification method. 2008 , 41, 69-74	94
2035	Sensitive and rapid detection of Aeromonas caviae in stool samples by loop-mediated isothermal amplification. 2008 , 60, 113-6	6
2034	Evaluation of loop-mediated isothermal amplification for detection of Toxoplasma gondii in water samples and comparative findings by polymerase chain reaction and immunofluorescence test (IFT). 2008 , 62, 357-65	77
2033	Molecular Techniques for Detection of Microbial Pathogens. 2008 , 7-158	1
2032	Rapid and simple sex determination method from dental pulp by loop-mediated isothermal amplification. 2008 , 2, 349-53	17
2031	Rapid detection of Bacillus cereus in pasteurized milk using loop-mediated isothermal amplification method and FTA filtering technique. 2008 , 136, S51-S52	2
2030	DNA-dependent DNA polymerases. 2008 , Chapter 3, Unit3.5	6
2029	Intraoperative Evaluation of Axillary Sentinel Lymph Nodes in Breast Cancer. 2008 , 19, 211-217	
2028	Loop-mediated isothermal amplification assay for rapid detection of common strains of Escherichia coli. 2008 , 46, 2800-4	181
2027	Rapid diagnostics for methicillin-resistant Staphylococcus aureus: current status. 2008 , 12, 15-24	65
2026	Real-time reverse-transcription loop-mediated isothermal amplification for rapid detection of rift valley Fever virus. 2008 , 46, 3653-9	56
2025	PCR-based detection in a micro-fabricated platform. 2008 , 8, 1130-6	35
2024	Development of isothermal TaqMan assays for detection of bioterror organisms. 2008 , 45, 543-57	39
2023	A simplified and standardized polymerase chain reaction format for the diagnosis of leishmaniasis. 2008 , 198, 1565-72	62

2022	Enzyme-free signal amplification of analyte in a single closed tube by fluorescent hybridization chain reaction. 2008 , 46, 1384-7	1
2021	Clinical features and molecular diagnosis of Chikungunya fever from South India. 2008 , 46, 1436-42	100
2020	Real-time quantitative polymerase chain reaction for virus infection diagnostics. 2008 , 2, 1155-71	6
2019	Novel loop-mediated isothermal amplification method for detection of the JP2 clone of <i>Aggregatibacter actinomycetemcomitans</i> in subgingival plaque. 2008 , 46, 1113-5	10
2018	Development of a loop-mediated isothermal amplification method for diagnosing <i>Pneumocystis pneumonia</i> . 2008 , 57, 50-57	61
2017	Efficient identification of clinically relevant <i>Candida</i> yeast species by use of an assay combining panfungal loop-mediated isothermal DNA amplification with hybridization to species-specific oligonucleotide probes. 2008 , 46, 713-20	64
2016	New molecular tools for the identification of trypanosome species. 2008 , 3, 167-76	18
2015	Loop-mediated isothermal amplification method targeting the TTS1 gene cluster for detection of <i>Burkholderia pseudomallei</i> and diagnosis of melioidosis. 2008 , 46, 568-73	49
2014	Discriminating between varicella-zoster virus vaccine and wild-type strains by loop-mediated isothermal amplification. 2008 , 46, 2665-70	27
2013	Rapid detection of <i>Panax ginseng</i> by loop-mediated isothermal amplification and its application to authentication of Ginseng. 2008 , 31, 1806-8	41
2012	Coupled rolling circle amplification loop-mediated amplification for rapid detection of short DNA sequences. 2008 , 45, 275-80	21
2011	DETECTION AND APPLICATION OF MICROFLUIDIC ISOTHERMAL AMPLIFICATION ON CHIP. 2008 , 01, 257-265	6
2010	Tuberculosis in the developing world: recent advances in diagnosis with special consideration of extensively drug-resistant tuberculosis. 2008 , 21, 454-61	22
2009	Detection of <i>Acidovorax avenae</i> subsp. <i>citrulli</i> from seed using LAMP method. 2008 , 74, 304-310	8
2008	On-farm sources of microbial contamination of persimmon fruit in Japan. 2008 , 71, 52-9	30
2007	Conditions for loop-mediated isothermal amplification (LAMP) and a nonmacerating DNA extraction method to assay for huanglongbing (citrus greening) disease. 2008 , 74, 316-320	7
2006	Leaf Primordia-Free Shoot Apical Meristem Culture: A New Method for Production of Viroid-Free Plants. 2008 , 77, 341-349	11
2005	Suppression of Bst DNA Polymerase Inhibition by Nonionic Surfactants and Its Application for <i>Cryptosporidium parvum</i> DNA Detection. 2008 , 44, 203-208	3

2004	Potential sources of microbial contamination of satsuma mandarin fruit in Japan, from production through packing shed. 2008 , 71, 530-8	20
2003	Rapid Detection and Quantification of Infectious Hypodermal and Hematopoietic Necrosis Virus in Whiteleg Shrimp <i>Penaeus vannamei</i> Using Real-time Loop-mediated Isothermal Amplification. 2008 , 43, 170-173	10
2002	Rapid and specific detection of the thermostable direct hemolysin gene in <i>Vibrio parahaemolyticus</i> by loop-mediated isothermal amplification. 2009 , 72, 748-54	48
2001	<i>T. cruzi</i> OligoC-Test: a simplified and standardized polymerase chain reaction format for diagnosis of Chagas disease. 2009 , 3, e450	16
2000	Simultaneous enrichment of shiga toxin-producing <i>Escherichia coli</i> O157 and O26 and <i>Salmonella</i> in food samples using universal preenrichment broth. 2009 , 72, 2065-70	9
1999	Rapid detection of Infectious bursal disease virus by reverse transcription loop-mediated isothermal amplification assay. 2009 , 21, 841-3	10
1998	Reverse transcription loop-mediated isothermal amplification for the detection of Porcine reproductive and respiratory syndrome virus. 2009 , 21, 350-4	18
1997	Reverse transcription-loop-mediated isothermal amplification assay for rapid detection of hepatitis E virus. 2009 , 47, 2304-6	37
1996	Study on Loop-Mediated Isothermal Amplification Assay for Detection of <i>Salmonella</i> in Meat Products. 2009 ,	1
1995	Molecular discrimination of mosquito vectors and their pathogens. 2009 , 9, 757-65	11
1994	Multi-channel turbidity detection of shrimp virus by loop-mediated isothermal amplification reaction. 2009 ,	1
1993	Diagnosis of parasitic diseases: old and new approaches. 2009 , 2009, 278246	82
1992	Development and evaluation of a real-time reverse transcription-loop-mediated isothermal amplification assay for rapid detection of Rift Valley fever virus in clinical specimens. 2009 , 47, 645-51	84
1991	Loop-mediated isothermal amplification method for differentiation and rapid detection of <i>Taenia</i> species. 2009 , 47, 168-74	96
1990	Multiwavelength Photosensor for On-Chip Real-Time Monitoring of Fluorescence and Turbidity. 2009 , 48, 067003	5
1989	Emerging technologies for the detection of rabies virus: challenges and hopes in the 21st century. 2009 , 3, e530	89
1988	Advances in disease diagnosis, vaccine development and other emerging methods to control pathogens in aquaculture. 2009 , 197-214	2
1987	Development of loop-mediated isothermal amplification assay for detection of <i>Entamoeba histolytica</i> . 2009 , 47, 1892-5	52

1986	Molecular detection of lymph node metastases in breast cancer patients: results of a multicenter trial using the one-step nucleic acid amplification assay. 2009 , 15, 2879-84	170
1985	New testing approach in HLA genotyping helps overcome barriers in effective clinical practice. 2009 , 55, 1568-72	22
1984	Sensitive and rapid identification of <i>Vibrio vulnificus</i> by loop-mediated isothermal amplification. 2009 , 164, 514-21	21
1983	LAMP--a powerful and flexible tool for monitoring microbial pathogens. 2009 , 25, 498-9	53
1982	Rapid and accurate in vitro assays for detection of West Nile virus in blood and tissues. 2009 , 23, 146-54	24
1981	Rapid detection of porcine reproductive and respiratory syndrome virus by reverse transcription loop-mediated isothermal amplification assay. 2009 , 155, 55-60	29
1980	Detection of porcine parvovirus by loop-mediated isothermal amplification. 2009 , 155, 122-5	19
1979	Detection of shrimp infectious myonecrosis virus by reverse transcription loop-mediated isothermal amplification combined with a lateral flow dipstick. 2009 , 156, 27-31	58
1978	Rapid identification of virus-carrying mosquitoes using reverse transcription-loop-mediated isothermal amplification. 2009 , 156, 32-6	10
1977	Development of a loop-mediated isothermal amplification for rapid detection of orf virus. 2009 , 157, 200-4	56
1976	Rapid detection of human immunodeficiency virus type 1 group M by a reverse transcription-loop-mediated isothermal amplification assay. 2009 , 157, 195-9	19
1975	Rapid diagnosis of turbot reddish body iridovirus in turbot using the loop-mediated isothermal amplification method. 2009 , 158, 18-23	43
1974	Sensitive and rapid detection of infectious pancreatic necrosis virus by reverse transcription loop mediated isothermal amplification. 2009 , 158, 77-83	12
1973	Rapid detection of porcine parvovirus DNA by sensitive loop-mediated isothermal amplification. 2009 , 158, 100-3	21
1972	Reverse transcription loop-mediated isothermal amplification for rapid and sensitive detection of nervous necrosis virus in groupers. 2009 , 159, 206-10	17
1971	Sensitive and rapid detection of peach latent mosaic viroid by the reverse transcription loop-mediated isothermal amplification. 2009 , 160, 63-8	74
1970	Development of reverse-transcription loop-mediated isothermal amplification for the detection of infectious bursal disease virus. 2009 , 162, 267-71	23
1969	Real-time reverse transcription loop-mediated isothermal amplification for rapid detection of yellow head virus in shrimp. 2009 , 162, 81-7	14

1968	Immunocapture and direct binding loop mediated isothermal amplification simplify molecular diagnosis of Cyprinid herpesvirus-3. 2009 , 162, 91-5	24
1967	Rapid and sensitive detection of <i>Penaeus monodon</i> nucleopolyhedrovirus by loop-mediated isothermal amplification. 2009 , 162, 188-93	14
1966	Development of a loop-mediated isothermal amplification assay for sensitive and rapid detection of <i>Campylobacter fetus</i> . 2009 , 136, 393-6	23
1965	Rapid identification of <i>Acanthamoeba</i> from contact lens case using loop-mediated isothermal amplification method. 2009 , 121, 342-5	5
1964	<i>Toxoplasma gondii</i> : sensitive and rapid detection of infection by loop-mediated isothermal amplification (LAMP) method. 2009 , 122, 47-50	65
1963	A loop-mediated isothermal amplification method targets the <i>phoP</i> gene for the detection of <i>Salmonella</i> in food samples. 2009 , 133, 252-8	53
1962	A combined microscopic-molecular method for the diagnosis of strongylid infections in sheep. 2009 , 39, 1277-87	82
1961	Sequence-specific detection method for reverse transcription, loop-mediated isothermal amplification of HIV-1. 2009 , 81, 966-72	50
1960	Loop-mediated isothermal amplification-based diagnostic assay for monkeypox virus infections. 2009 , 81, 1102-8	13
1959	Application of a modified loop-mediated isothermal amplification kit for detecting Norovirus genogroups I and II. 2009 , 81, 2072-8	14
1958	One-step nucleic acid amplification-a molecular method for the detection of lymph node metastases in breast cancer patients; results of the German study group. 2009 , 454, 203-10	89
1957	Rapid identification of <i>Giardia duodenalis</i> by loop-mediated isothermal amplification (LAMP) from faecal and environmental samples and comparative findings by PCR and real-time PCR methods. 2009 , 104, 1527-33	62
1956	Loop-mediated isothermal amplification (LAMP): a rapid, accurate, and cost-effective diagnostic method for infectious diseases. 2009 , 15, 62-9	663
1955	Recombinant plant dsRNA-binding protein as an effective tool for the isolation of viral replicative form dsRNA and universal detection of RNA viruses. 2009 , 75, 87-91	20
1954	Development and evaluation of a loop-mediated isothermal amplification method for the rapid detection of <i>Chlamydomonas pneumoniae</i> . 2009 , 28, 801-5	5
1953	An improved reverse transcription loop-mediated isothermal amplification assay for sensitive and specific detection of Newcastle disease virus. 2009 , 154, 1433-40	19
1952	Microfluidic devices harboring unsealed reactors for real-time isothermal helicase-dependent amplification. 2009 , 7, 325	51
1951	Real-time reverse transcription loop-mediated isothermal amplification for rapid and simple quantification of WT1 mRNA. 2009 , 42, 515-20	9

1950	Development of a reverse transcription-loop-mediated isothermal amplification (RT-LAMP) system for a highly sensitive detection of enterovirus in the stool samples of acute flaccid paralysis cases. 2009 , 9, 208	21
1949	Detection of genetically modified organisms (GMOs) using isothermal amplification of target DNA sequences. 2009 , 9, 7	83
1948	Rapid, sensitive and simple detection method for koi herpesvirus using loop-mediated isothermal amplification. 2009 , 53, 375-83	19
1947	Rapid and simple detection of Clostridium botulinum types A and B by loop-mediated isothermal amplification. 2009 , 106, 1252-9	14
1946	Comparative genomics-guided loop-mediated isothermal amplification for characterization of Pseudomonas syringae pv. phaseolicola. 2009 , 107, 717-26	12
1945	A simple and sensitive method for detection of Bacillus anthracis by loop-mediated isothermal amplification. 2009 , 107, 1947-56	24
1944	A sensitive loop-mediated isothermal amplification (LAMP) method for detection of Renibacterium salmoninarum, causative agent of bacterial kidney disease in salmonids. 2009 , 32, 491-7	9
1943	Development of a method for the detection of infectious myonecrosis virus by reverse-transcription loop-mediated isothermal amplification and nucleic acid lateral flow hybrid assay. 2009 , 32, 911-24	16
1942	Development and evaluation of a loop-mediated isothermal amplification assay for rapid and simple detection of Flavobacterium psychrophilum. 2009 , 32, 873-81	14
1941	SENSITIVE AND RAPID DETECTION OF ENTEROBACTER SAKAZAKII IN INFANT FORMULA BY LOOP-MEDIATED ISOTHERMAL AMPLIFICATION METHOD. 2009 , 29, 83-94	10
1940	DEVELOPMENT AND EVALUATION OF A LOOP-MEDIATED ISOTHERMAL AMPLIFICATION METHOD FOR DETECTING ESCHERICHIA COLI O157 IN RAW MILK. 2009 , 17, 55-66	16
1939	RAPID DETECTION OF BRUCELLA ABORTUS BY A NOVEL PROXIMITY LIGATION-BASED LOOP-MEDIATED ISOTHERMAL AMPLIFICATION METHOD. 2009 , 17, 154-163	3
1938	SIMPLE AND RAPID METHOD FOR DETECTING FOODBORNE SHIGELLA BY A LOOP-MEDIATED ISOTHERMAL AMPLIFICATION. 2009 , 17, 465-475	10
1937	LOOP-MEDIATED ISOTHERMAL AMPLIFICATION IN AN ASSAY FOR THE DETECTION OF ATYPICAL FURUNCULOSIS CAUSED BY AEROMONAS SALMONICIDA IN ATLANTIC COD, GADUS MORHUA. 2009 , 17, 476-489	7
1936	USE OF LOOP-MEDIATED ISOTHERMAL AMPLIFICATION ASSAY FOR THE DETECTION OF VIBRIO ANGUILLARUM O2 THE CAUSATIVE AGENT OF VIBRIOSIS IN ATLANTIC COD, GADUS MORHUA. 2009 , 17, 503-518	6
1935	Loop-mediated isothermal amplification targeting the apxIVA gene for detection of Actinobacillus pleuropneumoniae. 2009 , 300, 83-9	15
1934	Codeposition of dNTPs detection for rapid LAMP-based sexing of bovine embryos. 2009 , 44, 116-21	10
1933	Real-time quantitative loop-mediated isothermal amplification as a simple method for detecting white spot syndrome virus. 2009 , 48, 25-32	33

1932	A highly sensitive quantitative real-time PCR assay based on the groEL gene of contemporary Thai strains of <i>Orientia tsutsugamushi</i> . 2009 , 15, 488-95	57
1931	Development of loop-mediated isothermal amplification (LAMP) as a diagnostic tool of toxoplasmosis. 2009 , 162, 327-31	30
1930	Loop-mediated isothermal amplification (LAMP) detection of <i>Babesia orientalis</i> in water buffalo (<i>Bubalus bubalis</i> , Linnaeus, 1758) in China. 2009 , 165, 36-40	27
1929	Clinical verification of a combination technology of a loop-mediated isothermal amplification method and an electrochemical DNA chip for personalized medicine. 2009 , 42, 1158-61	9
1928	Enzymatic conversion of long DNA to small DNA fragments for the construction of short hairpin RNA expression libraries. 2009 , 385, 80-4	
1927	Determination of sex and scrapie resistance genotype in preimplantation ovine embryos. 2009 , 76, 183-90	7
1926	Application of a loop-mediated isothermal amplification method for the detection of pathogenic <i>Leptospira</i> . 2009 , 63, 237-42	51
1925	Sensitive and rapid detection of <i>Karenia mikimotoi</i> (Dinophyceae) by loop-mediated isothermal amplification. 2009 , 8, 839-842	40
1924	Rapid diagnosis of duck plague virus infection by loop-mediated isothermal amplification. 2009 , 87, 53-8	17
1923	Rapid pre-clinical detection of classical swine fever by reverse transcription loop-mediated isothermal amplification. 2009 , 23, 71-4	20
1922	Rapid and sensitive detection of white spot syndrome virus by loop-mediated isothermal amplification combined with a lateral flow dipstick. 2009 , 23, 65-70	120
1921	In situ reverse-transcription loop-mediated isothermal amplification (in situ RT-LAMP) for detection of Japanese encephalitis viral RNA in host cells. 2009 , 46, 49-54	64
1920	Evaluation of reverse transcription loop-mediated isothermal amplification in conjunction with ELISA-hybridization assay for molecular detection of <i>Mycobacterium tuberculosis</i> . 2009 , 76, 174-80	40
1919	Application of loop-mediated isothermal amplification for detection of <i>Yersinia enterocolitica</i> in pork meat. 2009 , 77, 198-201	21
1918	Use of visual loop-mediated isothermal amplification of rimM sequence for rapid detection of <i>Mycobacterium tuberculosis</i> and <i>Mycobacterium bovis</i> . 2009 , 78, 339-43	44
1917	Detection of <i>Nucleospora salmonis</i> in cutthroat trout (<i>Oncorhynchus clarki</i>) and rainbow trout (<i>Oncorhynchus mykiss</i>) by loop-mediated isothermal amplification. 2009 , 288, 27-31	8
1916	Rapid diagnosis of lymph node metastasis in lung cancer with loop-mediated isothermal amplification assay using carcinoembryonic antigen-mRNA. 2009 , 65, 324-7	9
1915	Diagnostic techniques in bloodstream infections: where are we going?. 2009 , 34 Suppl 4, S9-12	15

1914	Loop-mediated isothermal amplification applied to filarial parasites detection in the mosquito vectors: <i>Dirofilaria immitis</i> as a study model. 2009 , 2, 15	45
1913	DNA-basierte Wege zur Identifizierung von Gewürzen. 2009 , 57, 1015-1018	0
1912	Universal quenching probe system: flexible, specific, and cost-effective real-time polymerase chain reaction method. 2009 , 81, 5678-85	28
1911	Real-Time PCR – The Basic Principles. 2009 , 27-46	2
1910	A rapid and precise diagnostic method for detecting the Pinewood nematode <i>Bursaphelenchus xylophilus</i> by loop-mediated isothermal amplification. 2009 , 99, 1365-9	143
1909	Laser-triggered carbon nanotube microdevice for remote control of biocatalytic reactions. 2009 , 9, 788-94	21
1908	Comparison of loop-mediated isothermal amplification assay and conventional culture methods for detection of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> in naturally contaminated chicken meat samples. 2009 , 75, 1597-603	61
1907	Electrochemical genosensor for the rapid detection of GMO using loop-mediated isothermal amplification. 2009 , 134, 966-72	60
1906	Miniaturized thermocontrol devices enable analysis of biomolecular behavior on their timescales, second to millisecond. 2009 , 1, 363-70	13
1905	Emerging molecular assays for detection and characterization of respiratory viruses. 2009 , 29, 673-93	47
1904	Evolution in an RNA world. 2009 , 74, 17-23	14
1903	Stability of Loop-Mediated Isothermal Amplification (LAMP) reagents and its amplification efficiency on crude trypanosome DNA templates. 2009 , 71, 471-5	57
1902	Colorimetric detection of loop-mediated isothermal amplification reaction by using hydroxy naphthol blue. 2009 , 46, 167-72	640
1901	The rapid detection of <i>Salmonella</i> from food samples by loop-mediated isothermal amplification (LAMP). 2009 , 14, 73-6	36
1900	Nucleic acid detection and quantification in the developing world. 2009 , 37, 419-23	13
1899	Rapid and sensitive detection of <i>Lophophora williamsii</i> by loop-mediated isothermal amplification. 2009 , 32, 887-91	7
1898	Bacterial Fish Diseases and Molecular Tools for Bacterial Fish Pathogens Detection. 2009 , 73-99	
1897	Differentiation of Species Belonging to <i>Saccharomyces Sensu Stricto</i> Using a Loop-Mediated Isothermal Amplification Method. 2009 , 67, 118-126	2

1896	Sensitive and Rapid Detection of Cryptosporidium and Giardia by Loop-Mediated Isothermal Amplification. 2009 , 32, 321-324	1
1895	Loop-Mediated Amplification for Sensitive and Specific Detection of Viruses. 2010 , 24, 1559-1561	5
1894	Rapid and Sensitive Diagnosis of Porcine Parvovirus by Loop-mediated Isothermal Amplification (LAMP) Method. 2010 , 37, 113-116	2
1893	Emerging trends in the diagnosis of human African Trypanosomiasis. 2010 , 137, 1977-86	10
1892	Detection of equine rotavirus by reverse transcription loop-mediated isothermal amplification (RT-LAMP). 2010 , 72, 823-6	29
1891	Development of rapid and specific molecular discrimination methods for pathogenic emericella species. 2010 , 51, 109-16	12
1890	Development of reverse transcription-loop-mediated isothermal amplification (RT-LAMP) assay for detection of avian influenza viruses in field specimens. 2010 , 72, 519-23	16
1889	Rapid, sensitive detection of <i>Vibrio anguillarum</i> using loop-mediated isothermal amplification. 2010 , 28, 62-66	7
1888	Rapid detection of <i>Vibrio parahaemolyticus</i> strains and virulent factors by loop-mediated isothermal amplification assays. 2010 , 19, 1191-1197	62
1887	Sensitive and rapid detection of <i>Clonorchis sinensis</i> infection in fish by loop-mediated isothermal amplification (LAMP). 2010 , 106, 1379-83	49
1886	Rapid and sensitive detection of infectious spleen and kidney necrosis virus by loop-mediated isothermal amplification combined with a lateral flow dipstick. 2010 , 155, 385-9	42
1885	Rapid detection of tobacco mosaic virus using the reverse transcription loop-mediated isothermal amplification method. 2010 , 155, 1681-5	28
1884	A novel RT-LAMP assay for rapid and simple detection of classical swine fever virus. 2010 , 25, 59-64	15
1883	A culture-free method for detection of <i>Vibrio vulnificus</i> from coastal seawater based on loop-mediated isothermal amplification targeting <i>vcgC</i> gene. 2010 , 29, 93-97	7
1882	Visual and Rapid Detection of Two Genetically Modified Soybean Events Using Loop-mediated Isothermal Amplification Method. 2010 , 3, 313-320	70
1881	Advances in pediatric neurovirology. 2010 , 10, 147-54	7
1880	Development and application of a loop-mediated isothermal amplification method on rapid detection <i>Escherichia coli</i> O157 strains from food samples. 2010 , 37, 2183-8	137
1879	Development of a novel LAMP diagnostic method for visible detection of swine <i>Pasteurella multocida</i> . 2010 , 34, 649-57	10

1878	Development and validation of reverse transcription loop-mediated isothermal amplification for detection of PRRSV. 2010 , 40, 76-83	7
1877	A novel and more sensitive loop-mediated isothermal amplification assay targeting IS6110 for detection of <i>Mycobacterium tuberculosis</i> complex. 2010 , 165, 211-20	113
1876	Detection of red-spotted grouper nervous necrosis virus by loop-mediated isothermal amplification. 2010 , 163, 123-8	31
1875	Development and evaluation of a loop-mediated isothermal amplification assay for rapid detection of lymphocystis disease virus. 2010 , 163, 378-84	20
1874	Detection of African swine fever virus by loop-mediated isothermal amplification. 2010 , 164, 68-74	84
1873	Rapid detection of infectious laryngotracheitis virus isolates by loop-mediated isothermal amplification. 2010 , 165, 71-5	14
1872	Direct detection of human herpesvirus 6 DNA in serum by variant specific loop-mediated isothermal amplification in hematopoietic stem cell transplant recipients. 2010 , 167, 103-6	11
1871	Optimisation of reverse transcriptase loop-mediated isothermal amplification assay for rapid detection of <i>Macrobrachium rosenbergii</i> nodavirus and extra small virus in <i>Macrobrachium rosenbergii</i> . 2010 , 167, 61-7	14
1870	Validation of a loop-mediated isothermal amplification assay for visualised detection of wild-type classical swine fever virus. 2010 , 167, 74-8	18
1869	Visual detection of pandemic influenza A H1N1 Virus 2009 by reverse-transcription loop-mediated isothermal amplification with hydroxynaphthol blue dye. 2010 , 167, 214-7	68
1868	A method for simultaneous detection and identification of Brazilian dog- and vampire bat-related rabies virus by reverse transcription loop-mediated isothermal amplification assay. 2010 , 168, 13-7	25
1867	Development of a loop-mediated isothermal amplification method for rapid detection of reticuloendotheliosis virus. 2010 , 168, 82-6	14
1866	Rapid detection of squash leaf curl virus by loop-mediated isothermal amplification. 2010 , 169, 61-5	48
1865	Reverse transcription loop-mediated isothermal amplification of DNA for detection of Barley yellow dwarf viruses in China. 2010 , 169, 211-4	26
1864	Development of a loop-mediated isothermal amplification assay for rapid and sensitive detection of ostreid herpesvirus 1 DNA. 2010 , 170, 30-6	14
1863	Rapid detection of peste des petits ruminants virus by a reverse transcription loop-mediated isothermal amplification assay. 2010 , 170, 37-41	35
1862	Molecular detection of nine rice viruses by a reverse-transcription loop-mediated isothermal amplification assay. 2010 , 170, 90-3	55
1861	Landmarks in the evolution of technologies for identifying trypanosomes in tsetse flies. 2010 , 26, 388-94	10

1860	Detection of <i>Francisella piscicida</i> in Atlantic cod (<i>Gadus morhua</i> L) by the loop-mediated isothermal amplification (LAMP) reaction. 2010 , 184, 357-61	11
1859	Molecular and cellular evidence for biased mitotic gene conversion in hybrid scallop. 2010 , 10, 6	10
1858	Rapid and sensitive detection of Citrus Bacterial Canker by loop-mediated isothermal amplification combined with simple visual evaluation methods. 2010 , 10, 176	67
1857	Development of loop-mediated isothermal amplification (LAMP) assays for rapid detection of <i>Ehrlichia ruminantium</i> . 2010 , 10, 296	53
1856	Development of a <i>toxR</i> -based loop-mediated isothermal amplification assay for detecting <i>Vibrio parahaemolyticus</i> . 2010 , 10, 41	71
1855	Toward routine, DNA-based detection methods for marine pests. 2010 , 28, 706-14	45
1854	A single fluorescence-based LAMP reaction for identifying multiple parasites in mosquitoes. 2010 , 125, 179-83	43
1853	Detection of <i>Fusarium graminearum</i> DNA using a loop-mediated isothermal amplification (LAMP) assay. 2010 , 140, 183-91	134
1852	The CYP51C gene, a reliable marker to resolve interspecific phylogenetic relationships within the <i>Fusarium</i> species complex and a novel target for species-specific PCR. 2010 , 144, 301-9	20
1851	Sensitive and rapid detection of <i>Schistosoma japonicum</i> DNA by loop-mediated isothermal amplification (LAMP). 2010 , 40, 327-31	114
1850	Isothermal Detection of DNA by Beacon-Assisted Detection Amplification. 2010 , 122, 2780-2783	33
1849	Isothermal detection of DNA by beacon-assisted detection amplification. 2010 , 49, 2720-3	138
1848	Loop-mediated isothermal amplification (LAMP) assay for detection of <i>Theileria sergenti</i> infection targeting the <i>p33</i> gene. 2010 , 171, 159-62	22
1847	Rapid identification and differentiation of <i>Fasciola hepatica</i> and <i>Fasciola gigantica</i> by a loop-mediated isothermal amplification (LAMP) assay. 2010 , 174, 228-33	47
1846	Electrochemical DNA biosensor based on chitosan/nano-V2O5/MWCNTs composite film modified carbon ionic liquid electrode and its application to the LAMP product of <i>Yersinia enterocolitica</i> gene sequence. 2010 , 25, 1264-70	127
1845	Differentiation of <i>Cryptococcus neoformans</i> varieties and <i>Cryptococcus gattii</i> using CAP59-based loop-mediated isothermal DNA amplification. 2010 , 16, 711-4	26
1844	Rapid and sensitive detection of <i>Vibrio cholerae</i> by loop-mediated isothermal amplification targeted to the gene of outer membrane protein <i>ompW</i> . 2010 , 50, 36-42	32
1843	Rapid detection of <i>mecA</i> and <i>spa</i> by the loop-mediated isothermal amplification (LAMP) method. 2010 , 50, 386-92	15

1842	Loop-mediated isothermal amplification method for rapid detection of <i>Vibrio alginolyticus</i> , the causative agent of vibriosis in mariculture fish. 2010 , 50, 480-5	27
1841	Evaluation of a loop-mediated isothermal amplification method for the rapid detection of <i>Vibrio harveyi</i> in cultured marine shellfish. 2010 , 51, 24-9	12
1840	Sensitive and rapid detection of <i>Vibrio corallilyticus</i> by loop-mediated isothermal amplification targeted to the alpha subunit gene of RNA polymerase. 2010 , 51, 301-7	9
1839	Detection of <i>Botrytis cinerea</i> by loop-mediated isothermal amplification. 2010 , 51, 650-7	93
1838	DEVELOPMENT AND EVALUATION OF A LOOP-MEDIATED ISOTHERMAL AMPLIFICATION (LAMP) METHOD FOR DETECTING <i>LISTERIA MONOCYTOGENES</i> IN RAW MILK. 2010 , 30, 251-262	29
1837	Development and evaluation of loop-mediated isothermal amplification (LAMP) for the rapid diagnosis of <i>Penicillium marneffeii</i> in archived tissue samples. 2010 , 58, 381-8	26
1836	Development and evaluation of loop-mediated isothermal amplification for rapid detection of <i>Haemophilus parasuis</i> . 2010 , 313, 54-60	9
1835	Heat denaturation increases the sensitivity of the cytomegalovirus loop-mediated isothermal amplification method. 2010 , 54, 466-70	20
1834	Development and evaluation of a one-hour DNA extraction and loop-mediated isothermal amplification assay for rapid detection of phytoplasmas. 2010 , 59, 465-471	72
1833	Plant and veterinary disease diagnosis: a generic approach to the development of field tools for rapid decision making?. 2010 , 40, 34-39	7
1832	Development and evaluation of a loop-mediated isothermal amplification assay for rapid detection of chicken anaemia virus. 2010 , 108, 917-924	31
1831	Rapid and specific detection of H3 swine influenza virus using reverse transcription loop-mediated isothermal amplification method. 2010 , 108, 1145-54	10
1830	Simple and rapid detection of <i>Salmonella</i> serovar Enteritidis under field conditions by loop-mediated isothermal amplification. 2010 , 109, 1715-23	35
1829	Molecular Detection of Multiple Respiratory Viruses. 2010 , 289-300	8
1828	Polymerase-endonuclease amplification reaction (PEAR) for large-scale enzymatic production of antisense oligonucleotides. 2010 , 5, e8430	6
1827	Development of loop-mediated isothermal amplification (LAMP) markers for GluB3, GluA3 and GluA1 of hexaploid wheat. 2010 , 12, 87-95	4
1826	Effects of the turn-back primer on intermediate product generation in isothermal DNA amplification. 2010 , 49, 888-92	4
1825	Detection of enteroaggregative <i>Escherichia coli</i> by loop-mediated isothermal amplification. 2010 , 73, 1064-72	8

1824	Detection of early and single infections of <i>Schistosoma japonicum</i> in the intermediate host snail, <i>Oncomelania hupensis</i> , by PCR and loop-mediated isothermal amplification (LAMP) assay. 2010 , 83, 542-8	57
1823	Detection of <i>Trypanosoma cruzi</i> and <i>T. rangeli</i> infections from <i>Rhodnius pallescens</i> bugs by loop-mediated isothermal amplification (LAMP). 2010 , 82, 855-60	30
1822	Specific, sensitive, and rapid diagnosis of active toxoplasmosis by a loop-mediated isothermal amplification method using blood samples from patients. 2010 , 48, 3698-702	78
1821	Molecular Amplification Methods in Diagnostic Virology. 2010 , 19-39	1
1820	Comparative diagnosis of malaria infections by microscopy, nested PCR, and LAMP in northern Thailand. 2010 , 83, 56-60	75
1819	Development and evaluation of a simple assay for Marburg virus detection using a reverse transcription-loop-mediated isothermal amplification method. 2010 , 48, 2330-6	28
1818	Detection of <i>Schistosoma mansoni</i> and <i>Schistosoma haematobium</i> DNA by loop-mediated isothermal amplification: identification of infected snails from early prepatency. 2010 , 83, 427-32	88
1817	Development of a reverse transcription-loop-mediated isothermal amplification assay for detection of pandemic (H1N1) 2009 virus as a novel molecular method for diagnosis of pandemic influenza in resource-limited settings. 2010 , 48, 728-35	64
1816	Development of a loop-mediated isothermal amplification assay for sensitive and rapid detection of the <i>tdh</i> and <i>trh</i> genes of <i>Vibrio parahaemolyticus</i> and related <i>Vibrio</i> species. 2010 , 76, 820-8	42
1815	Microbe hunting in laboratory animal research. 2010 , 51, 245-54	1
1814	Loop-mediated isothermal amplification assays for detection of Equid herpesvirus 1 and 4 and differentiating a gene-deleted candidate vaccine strain from wild-type Equid herpesvirus 1 strains. 2010 , 22, 30-6	10
1813	Mitochondrial DNA targets increase sensitivity of malaria detection using loop-mediated isothermal amplification. 2010 , 48, 2866-71	123
1812	Molecular detection of Muscovy duck parvovirus by loop-mediated isothermal amplification assay. 2010 , 89, 477-83	31
1811	Evaluation of a loop-mediated isothermal amplification method as a tool for diagnosis of infection by the zoonotic simian malaria parasite <i>Plasmodium knowlesi</i> . 2010 , 48, 2509-14	58
1810	Isothermal DNA amplification using the T4 replisome: circular nicking endonuclease-dependent amplification and primase-based whole-genome amplification. <i>Nucleic Acids Research</i> , 2010 , 38, e201	20.1 22
1809	Evaluation of two commercial loop-mediated isothermal amplification assays for detection of avian influenza H5 and H7 hemagglutinin genes. 2010 , 22, 61-6	22
1808	Development of a reverse transcriptase loop-mediated isothermal amplification (LAMP) assay for the sensitive detection of <i>Leishmania</i> parasites in clinical samples. 2010 , 82, 591-6	77
1807	Analysis of Genetically Modified Food Using High-Performance Separation Methods. 2010 , 43, 1653-1679	8

1806 Immunodiagnostics with a Focus on Lateral Flow Point-of-Care Devices. **2010**, 495-515

1805 Methods for molecular surveillance of influenza. **2010**, 8, 517-27 62

1804 Development and evaluation of loop-mediated isothermal amplification assay for rapid and inexpensive detection of cytomegalovirus DNA in vitreous specimens from suspected cases of viral retinitis. **2010**, 48, 2050-2 8

1803 Development of a loop-mediated isothermal amplification assay for rapid detection of subgroup J avian leukosis virus. **2010**, 48, 2116-21 39

1802 Microbe hunting. **2010**, 74, 363-77 91

1801 "Piggy-backing" on diagnostic platforms brings hope to neglected diseases: the case of sleeping sickness. **2010**, 4, e715 13

1800 LAMP for human African trypanosomiasis: a comparative study of detection formats. **2010**, 4, e865 95

1799 Evaluation of a loop-mediated isothermal amplification method using fecal specimens for differential detection of *Taenia* species from humans. **2010**, 48, 3350-2 74

1798 Single-molecule DNA amplification and analysis using microfluidics. **2010**, 110, 4910-47 117

1797 Methylation-specific loop-mediated isothermal amplification for detecting hypermethylated DNA in simplex and multiplex formats. **2010**, 56, 1287-96 25

1796 Development of a reverse transcription-loop-mediated isothermal amplification (RT-LAMP) for clinical detection of *Plasmodium falciparum* gametocytes. **2010**, 59, 414-20 44

1795 One step nucleic acid amplification (OSNA) - a new method for lymph node staging in colorectal carcinomas. **2010**, 8, 83 30

1794 A simple and rapid method for detection of Goose Parvovirus in the field by loop-mediated isothermal amplification. **2010**, 7, 14 26

1793 Detection of swine transmissible gastroenteritis coronavirus using loop-mediated isothermal amplification. **2010**, 7, 206 15

1792 Development of LAMP and real-time PCR methods for the rapid detection of *Xylella fastidiosa* for quarantine and field applications. **2010**, 100, 1282-8 162

1791 Nanoliter multiplex PCR arrays on a SlipChip. **2010**, 82, 4606-12 94

1790 Microfluidic lab-on-a-foil for nucleic acid analysis based on isothermal recombinase polymerase amplification (RPA). **2010**, 10, 887-93 271

1789 Rapid detection of pathogenic fungi using loop-mediated isothermal amplification, exemplified by *Fonsecaea* agents of chromoblastomycosis. **2010**, 80, 19-24 51

1788	Rapid detection of <i>Pseudomonas aeruginosa</i> in mouse feces by colorimetric loop-mediated isothermal amplification. 2010 , 81, 247-52	41
1787	One-tube loop-mediated isothermal amplification combined with restriction endonuclease digestion and ELISA for colorimetric detection of resistance to isoniazid, ethambutol and streptomycin in <i>Mycobacterium tuberculosis</i> isolates. 2010 , 83, 53-8	15
1786	Loop mediated isothermal amplification combined with nucleic acid lateral flow strip for diagnosis of cyprinid herpes virus-3. 2010 , 24, 38-43	31
1785	Rapid and sensitive detection of <i>Penaeus monodon</i> nucleopolyhedrovirus (PemoNPV) by loop-mediated isothermal amplification combined with a lateral-flow dipstick. 2010 , 24, 1-5	37
1784	Reverse transcription loop-mediated isothermal amplification for the rapid detection of infectious bronchitis virus in infected chicken tissues. 2010 , 24, 104-6	29
1783	Loop-mediated isothermal amplification method targets to the <i>phoP</i> gene for detection of <i>Yersinia enterocolitica</i> . 2010 , 24, 68-71	12
1782	Homogenous, real-time duplex loop-mediated isothermal amplification using a single fluorophore-labeled primer and an intercalator dye: Its application to the simultaneous detection of Shiga toxin genes 1 and 2 in Shiga toxigenic <i>Escherichia coli</i> isolates. 2010 , 24, 190-5	35
1781	Rapid and sensitive detection of <i>Macrobrachium rosenbergii</i> nodavirus in giant freshwater prawns by reverse transcription loop-mediated isothermal amplification combined with a lateral flow dipstick. 2010 , 24, 244-9	36
1780	Visual detection of turkey coronavirus RNA in tissues and feces by reverse-transcription loop-mediated isothermal amplification (RT-LAMP) with hydroxynaphthol blue dye. 2010 , 24, 415-7	39
1779	Meat species identification based on the loop mediated isothermal amplification and electrochemical DNA sensor. 2010 , 21, 599-605	84
1778	A rapid, simple, and sensitive loop-mediated isothermal amplification method to detect toxigenic <i>Vibrio cholerae</i> in rectal swab samples. 2010 , 66, 135-9	39
1777	Sequential changes of <i>Legionella</i> antigens and bacterial load in the lungs and urines of a mouse model of pneumonia. 2010 , 66, 253-60	7
1776	Is intra-operative nodal assessment essential in a modern breast practice?. 2010 , 36, 1162-4	6
1775	Simple and accurate determination of <i>CYP2D6</i> gene copy number by a loop-mediated isothermal amplification method and an electrochemical DNA chip. 2010 , 411, 568-73	21
1774	Detection of <i>Plasmodium vivax</i> infection in the Republic of Korea by loop-mediated isothermal amplification (LAMP). 2010 , 113, 61-5	30
1773	A rapid method for sexing the bovine embryo. 2010 , 119, 92-6	16
1772	Loop-mediated Isothermal Amplification (LAMP) test for detection of <i>Trypanosoma evansi</i> strain B. 2010 , 125, 196-201	21
1771	Non-instrumented nucleic acid amplification (NINA): instrument-free molecular malaria diagnostics for low-resource settings. 2010 , 2010, 1097-9	27

1770	Microbead-based rolling circle amplification in a microchip for sensitive DNA detection. 2010 , 10, 1262-6	88
1769	Ante- and post-mortem diagnosis of rabies using nucleic acid-amplification tests. 2010 , 10, 207-18	41
1768	Digital PCR on a SlipChip. 2010 , 10, 2666-72	205
1767	Isothermal target and signaling probe amplification method, based on a combination of an isothermal chain amplification technique and a fluorescence resonance energy transfer cycling probe technology. 2010 , 82, 5937-43	41
1766	A large volume, portable, real-time PCR reactor. 2010 , 10, 3170-7	40
1765	Loop-mediated isothermal amplification assay for detection and discrimination of <i>Toxocara canis</i> and <i>Toxocara cati</i> eggs directly from sand samples. 2010 , 96, 1224-7	27
1764	Loop-mediated isothermal amplification integrated on microfluidic chips for point-of-care quantitative detection of pathogens. 2010 , 82, 3002-6	227
1763	Rapid detection of <i>Phytophthora ramorum</i> and <i>P. kernoviae</i> by two-minute DNA extraction followed by isothermal amplification and amplicon detection by generic lateral flow device. 2010 , 100, 143-9	131
1762	Turbidity detection of shrimp Taura Syndrome Virus by loop-mediated isothermal amplification reaction. 2010 ,	
1761	Comparison of detection methods for <i>Escherichia coli</i> O157 in beef livers and carcasses. 2010 , 7, 1563-7	17
1760	A self-heating cartridge for molecular diagnostics. 2011 , 11, 2686-92	66
1759	Integrated glass microdevice for nucleic acid purification, loop-mediated isothermal amplification, and online detection. 2011 , 83, 3336-42	55
1758	Rapid detection of Marek's disease virus in feather follicles by loop-mediated amplification. 2011 , 55, 462-7	22
1757	Semi-real time electrochemical monitoring for influenza virus RNA by reverse transcription loop-mediated isothermal amplification using a USB powered portable potentiostat. 2011 , 136, 5143-50	62
1756	A magnetic bead-based assay for the rapid detection of methicillin-resistant <i>Staphylococcus aureus</i> by using a microfluidic system with integrated loop-mediated isothermal amplification. 2011 , 11, 1521-31	136
1755	An isothermal amplification reactor with an integrated isolation membrane for point-of-care detection of infectious diseases. 2011 , 136, 2069-76	141
1754	DNA amplification techniques in pharmacogenomics. 2011 , 12, 845-60	4
1753	Ultrasmall volume molecular isothermal amplification in microfluidic chip with advanced surface processing. 2011 , 277, 012013	

1752	Detection of tip-enhanced fluorescence from loop-mediated isothermal amplification of hepatitis B virus by two-photon microscopy. 2011 , 2011, 490-3		1
1751	Optimization of turn-back primers in isothermal amplification. <i>Nucleic Acids Research</i> , 2011 , 39, e59	20.1	54
1750	Development and evaluation of reverse transcription loop-mediated isothermal amplification assay for rapid and real-time detection of the swine-origin influenza A H1N1 virus. 2011 , 13, 100-7		52
1749	On-chip real-time nucleic acid sequence-based amplification for RNA detection and amplification. 2011 , 3, 2127		16
1748	A review of hemorrhagic septicemia in cattle and buffalo. 2011 , 12, 67-82		72
1747	Digital isothermal quantification of nucleic acids via simultaneous chemical initiation of recombinase polymerase amplification reactions on SlipChip. 2011 , 83, 3533-40		174
1746	Development of the visual loop-mediated isothermal amplification assays for seven genetically modified maize events and their application in practical samples analysis. 2011 , 59, 5914-8		50
1745	ECHO probes: a concept of fluorescence control for practical nucleic acid sensing. 2011 , 40, 5815-28		126
1744	Development of loop-mediated isothermal amplification method for detecting <i>Wuchereria bancrofti</i> DNA in human blood and vector mosquitoes. 2011 , 60, 493-7		44
1743	Microfluidic devices for diagnostic applications. 2011 , 11, 505-19		44
1742	Multiplexed quantification of nucleic acids with large dynamic range using multivolume digital RT-PCR on a rotational SlipChip tested with HIV and hepatitis C viral load. 2011 , 133, 17705-12		173
1741	Adaptation of a visualized loop-mediated isothermal amplification technique for field detection of <i>Plasmodium vivax</i> infection. 2011 , 4, 115		83
1740	Loop-mediated isothermal amplification: rapid detection of <i>Angiostrongylus cantonensis</i> infection in <i>Pomacea canaliculata</i> . 2011 , 4, 204		27
1739	Evaluation of Loop-Mediated Isothermal Amplification for Rapid Detection of <i>Erwinia amylovora</i> on Pear and Apple Fruit Flowers. 2011 , 95, 423-430		35
1738	Predicting viruses accurately by a multiplex microfluidic loop-mediated isothermal amplification chip. 2011 , 83, 690-5		116
1737	Rapid detection of group I avian adenoviruses by a loop-mediated isothermal amplification. 2011 , 55, 575-9		16
1736	An optimized protocol for DNA extraction from wheat seeds and Loop-Mediated Isothermal Amplification (LAMP) to detect <i>Fusarium graminearum</i> contamination of wheat grain. 2011 , 12, 3459-72		45
1735	Development and evaluation of a loop-mediated isothermal amplification assay for rapid detection and identification of <i>Pectobacterium atrosepticum</i> . 2011 , 33, 447-457		19

1734	Molecular analysis of breast sentinel lymph nodes. 2011 , 20, 467-85, viii	4
1733	Functional Viral Metagenomics and the Development of New Enzymes for DNA and RNA Amplification and Sequencing. 2011 , 563-577	
1732	Real-time electrochemical monitoring of isothermal helicase-dependent amplification of nucleic acids. 2011 , 136, 3635-42	60
1731	The Application of Genomics, Proteomics, and Metabolomics to Studies of Fish Health. 2011 , 81-104	1
1730	Microfluidic reactors for diagnostics applications. 2011 , 13, 321-43	49
1729	Point-of-care testing system enabling 30 min detection of influenza genes. 2011 , 11, 1166-7	34
1728	Development of a multiplex loop-mediated isothermal amplification (mLAMP) method for the simultaneous detection of white spot syndrome virus and infectious hypodermal and hematopoietic necrosis virus in penaeid shrimp. 2011 , 311, 94-99	36
1727	Comparison of short-term and long-term protocols for stabilization and preservation of RNA and DNA of Leishmania, Trypanosoma, and Plasmodium. 2011 , 69, 66-73	11
1726	Rapid and sensitive detection of human African trypanosomiasis by loop-mediated isothermal amplification combined with a lateral-flow dipstick. 2011 , 69, 205-9	75
1725	Development and clinical validation of a loop-mediated isothermal amplification method for the rapid detection of Neisseria meningitidis. 2011 , 69, 137-44	39
1724	Simple and rapid detection of human enterovirus 71 by reverse-transcription and loop-mediated isothermal amplification: cryopreservation affected the detection ability. 2011 , 71, 244-51	11
1723	Application of in situ loop-mediated isothermal amplification method for detection of Salmonella in foods. 2011 , 22, 438-444	37
1722	Rational, modular adaptation of enzyme-free DNA circuits to multiple detection methods. <i>Nucleic Acids Research</i> , 2011 , 39, e110	20.1 363
1721	Isothermal DNA amplification in bioanalysis: strategies and applications. 2011 , 3, 227-39	131
1720	Development of a novel genotype-specific loop-mediated isothermal amplification technique for Hepatitis B virus genotypes B and C genotyping and quantification. 2011 , 52, 288-94	18
1719	Loop-mediated isothermal amplification assays for identification of antiseptic- and methicillin-resistant Staphylococcus aureus. 2011 , 84, 251-4	19
1718	Detection of phytoplasma by loop-mediated isothermal amplification of DNA (LAMP). 2011 , 84, 312-6	39
1717	Loop-mediated isothermal amplification assay targeting the omp25 gene for rapid detection of Brucella spp. 2011 , 25, 126-9	25

1716	Rapid and sensitive detection of <i>Vibrio vulnificus</i> by loop-mediated isothermal amplification combined with lateral flow dipstick targeted to rpoS gene. 2011 , 25, 158-63	43
1715	Specific detection of <i>Angiostrongylus cantonensis</i> in the snail <i>Achatina fulica</i> using a loop-mediated isothermal amplification (LAMP) assay. 2011 , 25, 164-7	13
1714	DNA amplification approaches for the diagnosis of key parasitic helminth infections of humans. 2011 , 25, 143-52	54
1713	A rapid improved method for sexing embryo of water buffalo. 2011 , 76, 83-7	27
1712	An inexpensive, battery powered and portable instrument for the optical detection of pathogens. 2011 ,	
1711	Species and sex identification of Formosa landlocked salmon using loop-mediated isothermal amplification. 2011 , 11, 802-7	10
1710	Nanoparticles in molecular diagnostics. 2011 , 104, 427-88	36
1709	One-step ultrasensitive detection of microRNAs with loop-mediated isothermal amplification (LAMP). 2011 , 47, 2595-7	164
1708	Miniaturized isothermal nucleic acid amplification, a review. 2011 , 11, 1420-30	317
1707	Non-Instrumented Nucleic Acid Amplification (NINA) for Rapid Detection of Race 3 Biovar 2. 2011 , 4, 69-80	20
1706	Evaluation of Loop-Mediated Isothermal Amplification (LAMP) Assay for Diagnosis of Equine Herpesvirus 1 Infection Using Aborted Fetuses. 2011 , 64, 950-953	
1705	Rapid identification of transgenic cotton (<i>Gossypium hirsutum</i> L.) plants by loop-mediated isothermal amplification. 2011 , 47, 140-148	9
1704	An Updated Loop-Mediated Isothermal Amplification Method for Rapid Diagnosis of H5N1 Avian Influenza Viruses. 2011 , 39, 3-7	43
1703	A Brief Review on Diagnosis of Foot-and-Mouth Disease of Livestock: Conventional to Molecular Tools. 2011 , 2011, 905768	53
1702	Using detergent to enhance detection sensitivity of African trypanosomes in human CSF and blood by loop-mediated isothermal amplification (LAMP). 2011 , 5, e1249	25
1701	Evaluation of the reverse transcription loop-mediated isothermal amplification (RT-LAMP) as a screening method for the detection of influenza viruses in the fecal materials of water birds. 2011 , 73, 753-8	16
1700	Direct detection of equine herpesvirus type 1 DNA in nasal swabs by loop-mediated isothermal amplification (LAMP). 2011 , 73, 1225-7	12
1699	Rapid Identification of Rice Cultivar "Koshihikari" Using Loop-mediated Isothermal Amplification (LAMP). 2011 , 58, 591-596	0

1698	Rapid and Precise Detection of Latent Infections of Wheat Stripe Rust in Wheat Leaves using Loop-Mediated Isothermal Amplification. 2011 , 159, 582-584	13
1697	Development of diagnostics for aquaculture: challenges and opportunities. 2011 , 42, 93-102	30
1696	Rapid detection of Lassa virus by reverse transcription-loop-mediated isothermal amplification. 2011 , 55, 44-50	18
1695	M-specific reverse transcription loop-mediated isothermal amplification for detection of pandemic (H1N1) 2009 virus. 2011 , 41, 434-41	7
1694	Diagnosis of the sentinel lymph node in breast cancer: a reproducible molecular method: a multicentric Spanish study. 2011 , 58, 863-9	59
1693	Rapid and sensitive detection of <i>Streptococcus iniae</i> by loop-mediated isothermal amplification (LAMP). 2011 , 34, 395-8	13
1692	Koi herpesvirus epizootic in cultured carp and koi, <i>Cyprinus carpio</i> L., in Taiwan. 2011 , 34, 547-54	21
1691	<i>Vibrio anguillarum</i> as a fish pathogen: virulence factors, diagnosis and prevention. 2011 , 34, 643-61	276
1690	The development of loop-mediated isothermal amplification combined with lateral flow dipstick for detection of <i>Vibrio parahaemolyticus</i> . 2011 , 52, 344-51	49
1689	Rapid and simple detection of the <i>invA</i> gene in <i>Salmonella</i> spp. by isothermal target and probe amplification (ITPA). 2011 , 52, 399-405	9
1688	Comparison of loop-mediated isothermal amplification and real-time PCR for the diagnosis of tuberculous pleurisy. 2011 , 53, 525-31	17
1687	Loop-mediated isothermal amplification assay for the diagnosis of retinitis caused by herpes simplex virus-1. 2011 , 17, 210-3	15
1686	Fast and reliable detection of Plum pox virus in woody host plants using the Blue LAMP protocol. 2011 , 159, 456-466	29
1685	DETECTION OF BACILLUS CEREUS CONTAINING VOITOXIN IN FOOD BY LOOP-MEDIATED ISOTHERMAL AMPLIFICATION METHOD. 2011 , 31, 313-319	6
1684	STUDY ON DETECTION OF VIBRIO PARAHAEMOLYTICUS IN SHELLFISH BY USE OF LOOP-MEDIATED ISOTHERMAL AMPLIFICATION METHOD. 2011 , 31, 371-378	6
1683	A LOOP-MEDIATED ISOTHERMAL AMPLIFICATION ASSAY FOR RAPID DETECTION OF LISTERIA MONOCYTOGENES. 2011 , 31, 546-552	4
1682	A simple identification method of saliva by detecting <i>Streptococcus salivarius</i> using loop-mediated isothermal amplification. 2011 , 56 Suppl 1, S158-61	18
1681	Robustness of a loop-mediated isothermal amplification reaction for diagnostic applications. 2011 , 62, 41-8	291

1680	Rapid detection of hepatitis C virus RNA by a reverse transcription loop-mediated isothermal amplification assay. 2011 , 63, 144-7	9
1679	Rapid DNA detection by beacon-assisted detection amplification. 2011 , 6, 772-8	34
1678	Towards a point-of-care test for active tuberculosis: obstacles and opportunities. 2011 , 9, 204-13	152
1677	Rapid detection of <i>Listeria monocytogenes</i> in raw milk with loop-mediated isothermal amplification and chemosensor. 2011 , 76, M611-5	18
1676	Development of a loop-mediated isothermal amplification assay for the detection of <i>Mycobacterium bovis</i> . 2011 , 187, 393-6	11
1675	Diagnosis of human sleeping sickness: sense and sensitivity. 2011 , 27, 394-402	41
1674	Development of a loop-mediated isothermal amplification for visual detection of the HCLV vaccine against classical swine fever in China. 2011 , 171, 200-5	12
1673	A reverse-transcription, loop-mediated isothermal amplification assay for detection of bovine ephemeral fever virus in the blood of infected cattle. 2011 , 171, 306-9	7
1672	Development of loop-mediated isothermal amplification for rapid detection of avian leukosis virus subgroup A. 2011 , 173, 31-6	16
1671	One-step reverse transcription loop-mediated isothermal amplification assay for rapid detection of <i>Cymbidium mosaic virus</i> . 2011 , 173, 43-8	35
1670	Real-time target-specific detection of loop-mediated isothermal amplification for white spot syndrome virus using fluorescence energy transfer-based probes. 2011 , 173, 67-74	47
1669	Evaluation of a loop-mediated isothermal amplification assay for rapid diagnosis of soft-shelled turtle iridovirus. 2011 , 173, 328-33	7
1668	Development of loop-mediated isothermal amplification assay for detection of human coronavirus-NL63. 2011 , 175, 133-6	34
1667	Detection of shrimp Taura syndrome virus by loop-mediated isothermal amplification using a designed portable multi-channel turbidimeter. 2011 , 175, 141-8	16
1666	Visual detection of human enterovirus 71 subgenotype C4 and Coxsackievirus A16 by reverse transcription loop-mediated isothermal amplification with the hydroxynaphthol blue dye. 2011 , 175, 283-6	21
1665	Loop-mediated isothermal amplification for rapid detection of Chinese sacbrood virus. 2011 , 176, 115-9	19
1664	Rapid and sensitive detection of Laem-Singh virus by reverse transcription loop-mediated isothermal amplification combined with a lateral flow dipstick. 2011 , 177, 71-4	24
1663	Development and evaluation of a reverse transcription loop-mediated isothermal amplification assay for H3N8 equine influenza virus. 2011 , 178, 239-42	16

1662	Rapid detection of the most common high-risk human papillomaviruses by loop-mediated isothermal amplification. 2011 , 178, 22-30	33
1661	Rapid and sensitive detection of mud crab <i>Scylla serrata</i> reovirus by a reverse transcription loop-mediated isothermal amplification assay. 2011 , 178, 153-60	9
1660	A one-step reverse transcription loop-mediated isothermal amplification for detection and discrimination of infectious bursal disease virus. 2011 , 8, 108	18
1659	Loop-mediated isothermal amplification for detection of porcine circovirus type 2. 2011 , 8, 497	16
1658	Rapid detection of wheat yellow mosaic virus by reverse transcription loop-mediated isothermal amplification. 2011 , 8, 550	26
1657	Rapid detection of <i>Meloidogyne</i> spp. by LAMP assay in soil and roots. 2011 , 30, 1063-1069	35
1656	Evaluation of a loop-mediated isothermal amplification assay for rapid and simple detection of <i>Vibrio parahaemolyticus</i> in naturally contaminated seafood samples. 2011 , 28, 1238-41	39
1655	Development of multiplex loop-mediated isothermal amplification-RFLP (mLAMP-RFLP) to detect <i>Salmonella</i> spp. and <i>Shigella</i> spp. in milk. 2011 , 148, 75-9	82
1654	Ultrasensitive signal-on DNA biosensor based on nicking endonuclease assisted electrochemistry signal amplification. 2011 , 29, 215-8	42
1653	Handheld device for real-time, quantitative, LAMP-based detection of <i>Salmonella enterica</i> using assimilating probes. 2011 , 30, 255-60	42
1652	Detection of LAMP Products Using CNT Array Electrode. 2011 , 58, 590-592	2
1651	Molecular diagnosis of flaviviruses. 2011 , 6, 1059-1074	13
1650	One-step nucleic acid amplification (OSNA) for the application of sentinel node concept in gastric cancer. 2011 , 18, 2289-96	64
1649	Development of multisample detection system using a tag insertion primer and an electrochemical DNA chip. 2011 , 419, 190-5	9
1648	A CCD-based fluorescence imaging system for real-time loop-mediated isothermal amplification-based rapid and sensitive detection of waterborne pathogens on microchips. 2011 , 13, 929-37	56
1647	Comparison of reverse transcription loop-mediated isothermal amplification, conventional PCR and real-time PCR assays for Japanese encephalitis virus. 2011 , 38, 4063-70	24
1646	Development of reverse transcription loop-mediated isothermal amplification for rapid detection of porcine epidemic diarrhea virus. 2011 , 42, 229-35	40
1645	Real-time loop-mediated isothermal amplification assay for rapid and sensitive detection of anthrax spores in spiked soil and talcum powder. 2011 , 27, 1407-13	8

1644	Sensitive and rapid detection of <i>Paragonimus westermani</i> infection in humans and animals by loop-mediated isothermal amplification (LAMP). 2011 , 108, 1193-8	36
1643	Use of loop-mediated isothermal amplification of DNA for the rapid detection of <i>Mycobacterium tuberculosis</i> in clinical specimens. 2011 , 30, 937-42	34
1642	Detection of hepatitis C virus by an improved loop-mediated isothermal amplification assay. 2011 , 156, 1387-96	10
1641	In silico genomic subtraction guides development of highly accurate, DNA-based diagnostics for <i>Ralstonia solanacearum</i> race 3 biovar 2 and blood disease bacterium. 2011 , 77, 182-193	24
1640	A disposable, integrated loop-mediated isothermal amplification cassette with thermally actuated valves. 2011 , 11, 209-220	39
1639	Reverse transcription loop-mediated isothermal amplification for rapid detection of transmissible gastroenteritis virus. 2011 , 62, 1074-80	10
1638	Rapid and sensitive detection of <i>Listeria monocytogenes</i> by loop-mediated isothermal amplification. 2011 , 63, 511-6	78
1637	Sensitive and rapid detection of the insect pathogenic fungus <i>Metarhizium anisopliae</i> var. <i>anisopliae</i> by loop-mediated isothermal amplification. 2011 , 62, 1400-4	3
1636	Development and evaluation of a loop-mediated isothermal amplification assay for the rapid detection of <i>Staphylococcus aureus</i> in food. 2011 , 232, 769-776	23
1635	LAMP-based method for a rapid identification of <i>Legionella</i> spp. and <i>Legionella pneumophila</i> . 2011 , 92, 179-87	21
1634	An integrated microfluidic loop-mediated-isothermal-amplification system for rapid sample pre-treatment and detection of viruses. 2011 , 26, 2045-52	76
1633	Applications of loop-mediated isothermal DNA amplification. 2011 , 163, 845-50	109
1632	Detection of porcine circovirus type 1 in commercial porcine vaccines by loop-mediated isothermal amplification. 2011 , 56, 483-9	5
1631	Development of a loop-mediated isothermal amplification assay for porcine circovirus type 2. 2011 , 26, 214-20	3
1630	Rapid and sensitive detection of PRRSV by a reverse transcription-loop-mediated isothermal amplification assay. 2011 , 26, 252-9	4
1629	Detection of viruses in farmed rainbow trout (<i>Oncorhynchus mykiss</i>) in Korea by RT-LAMP assay. 2011 , 49, 741-6	5
1628	<i>Penicillium marneffei</i> Infection: Knowledge, Gaps, and Future Directions. 2011 , 5, 193	0
1627	Inhibition of fish nodavirus by gymnemagenol extracted from <i>Gymnema sylvestre</i> . 2011 , 10, 402-408	6

1626	Development and evaluation of reverse transcription-loop-mediated isothermal amplification assay for rapid detection of enterovirus 71. 2011 , 11, 197	21
1625	Multiple strategies to improve sensitivity, speed and robustness of isothermal nucleic acid amplification for rapid pathogen detection. 2011 , 11, 50	35
1624	Specific, sensitive and rapid detection of human plasmodium knowlesi infection by loop-mediated isothermal amplification (LAMP) in blood samples. 2011 , 10, 197	51
1623	Specific, simple and rapid detection of porcine circovirus type 2 using the loop-mediated isothermal amplification method. 2011 , 8, 126	23
1622	Visual detection of H3 subtype avian influenza viruses by reverse transcription loop-mediated isothermal amplification assay. 2011 , 8, 337	27
1621	Simultaneous detection and differentiation of dengue virus serotypes 1-4, Japanese encephalitis virus, and West Nile virus by a combined reverse-transcription loop-mediated isothermal amplification assay. 2011 , 8, 360	38
1620	Loop-mediated isothermal amplification (LAMP) assays for the species-specific detection of Eimeria that infect chickens. 2011 , 7, 67	22
1619	Genetic characterization, species differentiation and detection of Fasciola spp. by molecular approaches. 2011 , 4, 101	45
1618	Application of DNA-based diagnostics in detection of schistosomal DNA in early infection and after drug treatment. 2011 , 4, 164	39
1617	LAVA: an open-source approach to designing LAMP (loop-mediated isothermal amplification) DNA signatures. 2011 , 12, 240	47
1616	Sensitive Detection of Influenza A (H1N1) Virus by Isothermal Amplification in A Single Tube. 2011 , 39, 335-340	6
1615	Sensitive and rapid detection of Alicyclobacillus acidoterrestris using loop-mediated isothermal amplification. 2011 , 91, 1070-4	13
1614	Evaluation of reverse transcription loop-mediated isothermal amplification assays for rapid diagnosis of pandemic influenza A/H1N1 2009 virus. 2011 , 83, 10-5	33
1613	Mobile and accurate detection system for infection by the 2009 pandemic influenza A (H1N1) virus with a pocket-warmer reverse-transcriptase loop-mediated isothermal amplification. 2011 , 83, 568-73	18
1612	Microfluidic chips for point-of-care immunodiagnostics. 2011 , 23, H151-76	349
1611	Recording the Reaction Process of Loop-Mediated Isothermal Amplification (LAMP) by Monitoring the Voltammetric Response of 2'-Deoxyguanosine 5'-Triphosphate. 2011 , 23, 2438-2445	12
1610	A novel automated assay for the rapid identification of metastatic breast carcinoma in sentinel lymph nodes. 2011 , 117, 2599-607	67
1609	Intraoperative molecular assay for sentinel lymph node metastases in early stage breast cancer: a comparative analysis between one-step nucleic acid amplification whole node assay and routine frozen section histology. 2011 , 117, 4365-74	74

1608	Ultrasensitive DNA Detection by Cascade Enzymatic Signal Amplification Based on Afu Flap Endonuclease Coupled with Nicking Endonuclease. 2011 , 123, 7533-7536	5
1607	Ultrasensitive DNA detection by cascade enzymatic signal amplification based on Afu flap endonuclease coupled with nicking endonuclease. 2011 , 50, 7395-8	82
1606	Multicentre evaluation of intraoperative molecular analysis of sentinel lymph nodes in breast carcinoma. 2011 , 98, 527-35	84
1605	Real-time colorimetric detection of target DNA using isothermal target and signaling probe amplification and gold nanoparticle cross-linking assay. 2011 , 26, 1953-8	27
1604	Sensitive sequence-specific molecular identification system comprising an aluminum micro-nanofluidic chip and associated real-time confocal detector. 2011 , 695, 1-10	9
1603	Loop-mediated isothermal amplification test for <i>Trypanosoma vivax</i> based on satellite repeat DNA. 2011 , 180, 358-62	17
1602	Development of a reverse transcription loop-mediated isothermal amplification assay for detection of Porcine teschovirus. 2011 , 23, 516-8	4
1601	Detection of Group 1 <i>Trypanosoma brucei gambiense</i> by loop-mediated isothermal amplification. 2011 , 49, 1530-6	28
1600	Molecular identification of mycotoxigenic fungi in food and feed. 2011 , 298-331	5
1599	Evaluation of rapid and sensitive reverse transcription loop-mediated isothermal amplification method for detecting infectious pancreatic necrosis virus in chum salmon (<i>Oncorhynchus keta</i>). 2011 , 23, 704-9	6
1598	Instrument-free nucleic acid amplification assays for global health settings. 2011 , 8029,	14
1597	Loop-mediated isothermal amplification for rapid and reliable diagnosis of tuberculous meningitis. 2011 , 49, 1861-5	55
1596	Rapid detection of viable salmonellae in produce by coupling propidium monoazide with loop-mediated isothermal amplification. 2011 , 77, 4008-16	131
1595	Evaluation of loop-mediated isothermal amplification (LAMP) for malaria diagnosis in a field setting. 2011 , 85, 594-6	61
1594	Identification of <i>Pseudallescheria</i> and <i>Scedosporium</i> species by three molecular methods. 2011 , 49, 960-7	47
1593	Loop-Mediated Isothermal Amplification Method for Rapid Detection of <i>Shigella dysenteriae</i> . 2011 , 140, 369-373	2
1592	Detecting potentially virulent <i>Vibrio vulnificus</i> strains in raw oysters by quantitative loop-mediated isothermal amplification. 2011 , 77, 2589-95	37
1591	Loop-mediated isothermal amplification assay for detection of <i>Haemophilus influenzae</i> type b in cerebrospinal fluid. 2011 , 49, 3621-6	33

1590	Rapid, simple, and sensitive detection of <i>Anaplasma phagocytophilum</i> by loop-mediated isothermal amplification of the <i>msp2</i> gene. 2011 , 49, 4117-20	16
1589	Development and evaluation of a loop-mediated isothermal amplification method for rapid detection of <i>Anaplasma ovis</i> . 2011 , 49, 2143-6	22
1588	Development and evaluation of a reverse transcription-loop-mediated isothermal amplification assay for rapid detection of enterovirus 71. 2011 , 49, 870-4	24
1587	Comparison of real-time PCR, reverse transcriptase real-time PCR, loop-mediated isothermal amplification, and the FDA conventional microbiological method for the detection of <i>Salmonella</i> spp. in produce. 2011 , 77, 6495-501	75
1586	Reverse transcriptase loop-mediated isothermal amplification assay for infectious hematopoietic necrosis virus in <i>Oncorhynchus keta</i> . 2011 , 94, 1-8	8
1585	Investigations and comparative detection of <i>Cryptosporidium</i> species by microscopy, nested PCR and LAMP in water supplies of Ordu, Middle Black Sea, Turkey. 2011 , 105, 607-15	21
1584	Applied genomics: data mining reveals species-specific malaria diagnostic targets more sensitive than 18S rRNA. 2011 , 49, 2411-8	58
1583	Rapid and sensitive loop-mediated isothermal amplification test for <i>Clostridium difficile</i> detection challenges cytotoxin B cell test and culture as gold standard. 2011 , 49, 710-1	64
1582	Accurate staging of axillary lymph nodes from breast cancer patients using a novel molecular method. 2011 , 105, 1197-202	21
1581	Real-Time Detection of Loop-Mediated Isothermal Amplification Reaction on Microfluidic Chip. 2011 ,	1
1580	Visual detection of high-risk human papillomavirus genotypes 16, 18, 45, 52, and 58 by loop-mediated isothermal amplification with hydroxynaphthol blue dye. 2011 , 49, 3545-50	47
1579	Loop-mediated amplification accelerated by stem primers. 2011 , 12, 9108-24	45
1578	Development of a new method for diagnosis of Group B Coxsackie genome by reverse transcription loop-mediated isothermal amplification. 2011 , 29, 110-7	5
1577	Molecular techniques for pathogen identification and fungus detection in the environment. 2011 , 2, 177-89	67
1576	Accuracy of loop-mediated isothermal amplification for diagnosis of human leptospirosis in Thailand. 2011 , 84, 614-20	39
1575	Diagnostic accuracy of a loop-mediated isothermal PCR assay for detection of <i>Orientia tsutsugamushi</i> during acute Scrub Typhus infection. 2011 , 5, e1307	53
1574	Development and evaluation of a loop-mediated isothermal amplification assay for rapid and sensitive detection of <i>Vibrio parahaemolyticus</i> . 2011 , 74, 1462-7	22
1573	Cross priming amplification: mechanism and optimization for isothermal DNA amplification. 2012 , 2, 246	123

1572	Diagnosis of brugian filariasis by loop-mediated isothermal amplification. 2012 , 6, e1948	46
1571	Updated values for molecular diagnosis for highly pathogenic avian influenza virus. 2012 , 4, 1235-57	22
1570	Detection of Mycobacterium ulcerans by the loop mediated isothermal amplification method. 2012 , 6, e1590	35
1569	Development and evaluation of reverse-transcription loop-mediated isothermal amplification for rapid detection of human immunodeficiency virus type 1. 2012 , 30, 391-6	3
1568	Human african trypanosomiasis diagnosis in first-line health services of endemic countries, a systematic review. 2012 , 6, e1919	44
1567	Endpoint visual detection of three genetically modified rice events by loop-mediated isothermal amplification. 2012 , 13, 14421-33	53
1566	Loop-mediated isothermal amplification for detection of Staphylococcus aureus in dairy cow suffering from mastitis. 2012 , 2012, 435982	12
1565	Localization of Bovine papillomavirus in equine sarcoids and inflammatory skin conditions of horses using laser microdissection and two forms of DNA amplification. 2012 , 24, 32-41	23
1564	The development of a loop-mediated isothermal amplification method (LAMP) for Echinococcus granulosus [corrected] coprodetection. 2012 , 87, 883-7	36
1563	Emerging nucleic acid-based tests for point-of-care detection of malaria. 2012 , 87, 223-230	93
1562	Current advances in detection and treatment of babesiosis. 2012 , 19, 1504-18	168
1561	Rapid detection of the Marek's disease viral genome in chicken feathers by loop-mediated isothermal amplification. 2012 , 50, 961-5	35
1560	Megalocytivirus infection in fish. 2012 , 4, 221-233	55
1559	Pathogen detection from phalaenopsis orchids by using an integrated microfluidic system. 2012 ,	1
1558	Detection of Mycobacterium tuberculosis by using loop-mediated isothermal amplification combined with a lateral flow dipstick biosensor. 2012 ,	1
1557	Breast cancer sentinel lymph node and axillary lymphadenectomy: new tools for new challenges. 2012 , 12, 147-58	3
1556	Incidence and possible pathogenesis of sentinel node micrometastases in ductal carcinoma in situ of the breast detected using molecular whole lymph node assay. 2012 , 106, 1675-81	21
1555	Potential molecular tools for assessing the public health risk associated with waterborne Cryptosporidium oocysts. 2012 , 61, 1039-1051	22

1554	Update on influenza diagnostics: lessons from the novel H1N1 influenza A pandemic. 2012 , 25, 344-61	102
1553	Sensitive and rapid detection of the new Delhi metallo-beta-lactamase gene by loop-mediated isothermal amplification. 2012 , 50, 1580-5	51
1552	A novel, highly sensitive and rapid allele-specific loop-mediated amplification assay for the detection of the JAK2V617F mutation in chronic myeloproliferative neoplasms. 2012 , 97, 1394-400	19
1551	Loop-mediated isothermal amplification assays for detecting shiga toxin-producing <i>Escherichia coli</i> in ground beef and human stools. 2012 , 50, 91-7	82
1550	Development and clinical verification of a loop-mediated isothermal amplification method for detection of <i>Salmonella</i> species in suspect infected ducks. 2012 , 91, 979-86	17
1549	Reverse transcription loop-mediated isothermal amplification for rapid detection of Japanese encephalitis virus in swine and mosquitoes. 2012 , 12, 1042-52	15
1548	Development of a loop-mediated isothermal amplification assay for sensitive and rapid detection of <i>Cronobacter sakazakii</i> . 2012 , 9, 1111-8	14
1547	Detection of Coxsackievirus A16 by reverse transcription loop-mediated isothermal amplification. 2012 , 7, 519-525	1
1546	A low-cost microfluidic chip for rapid genotyping of malaria-transmitting mosquitoes. 2012 , 7, e42222	38
1545	Loop-mediated isothermal amplification technology: towards point of care diagnostics. 2012 , 6, e1572	167
1544	Rapid detection of Betacoronavirus 1 from clinical fecal specimens by a novel reverse transcription loop-mediated isothermal amplification assay. 2012 , 24, 174-7	4
1543	Towards Point-of-Care Diagnostic and Staging Tools for Human African Trypanosomiasis. 2012 , 2012, 340538	17
1542	Rapid and specific detection of <i>Escherichia coli</i> serogroups O26, O45, O103, O111, O121, O145, and O157 in ground beef, beef trim, and produce by loop-mediated isothermal amplification. 2012 , 78, 2727-36	60
1541	Development of a loop-mediated isothermal amplification assay for rapid detection of capripoxviruses. 2012 , 50, 1613-20	51
1540	Malaria elimination: surveillance and response. 2012 , 106, 224-31	14
1539	Comparison of a TaqMan real-time polymerase chain reaction assay with a loop-mediated isothermal amplification assay for detection of Gallid herpesvirus 1. 2012 , 24, 138-41	12
1538	Lebensmittelchemie 2011. 2012 , 60, 346-351	
1537	Simultaneous multiple target detection in real-time loop-mediated isothermal amplification. 2012 , 53, 81-9	151

1536	Development of a loop-mediated isothermal amplification assay for rapid, sensitive and specific detection of a <i>Campylobacter jejuni</i> clone. 2012 , 74, 591-6	12
1535	Development of a reverse transcription loop-mediated isothermal amplification assay for H7N7 equine influenza virus. 2012 , 74, 929-31	10
1534	Label-free Fluorescent Detection of Loop-mediated Isothermal Amplification of Nucleic Acid Using Pyrophosphate-selective Xanthene-based Zn(II)-coordination Chemosensor. 2012 , 41, 1666-1668	4
1533	Rapid detection of <i>Opisthorchis viverrini</i> copro-DNA using loop-mediated isothermal amplification (LAMP). 2012 , 61, 178-82	52
1532	DNA Analyses in Food Safety and Quality: Current Status and Expectations. 2012 , 25-63	2
1531	Study of DNA extraction methods for use in loop-mediated isothermal amplification detection of single resting cysts in the toxic dinoflagellates <i>Alexandrium tamarense</i> and <i>A. catenella</i> . 2012 , 7, 51-6	38
1530	Molecular detection and genotyping of noroviruses. 2012 , 4, 153-67	27
1529	Development of a loop-mediated isothermal amplification procedure as a sensitive and rapid method for detection of 'candidate <i>Liberibacter solanacearum</i> ' in potatoes and Psyllids. 2012 , 102, 899-907	38
1528	Miniaturized technology for protein and nucleic acid point-of-care testing. 2012 , 160, 332-45	20
1527	Development of a propidium monoazide treatment combined with loop-mediated isothermal amplification (PMA-LAMP) assay for rapid detection of viable <i>Listeria monocytogenes</i> . 2012 , 47, 2460-2467	25
1526	Gene-Z: a device for point of care genetic testing using a smartphone. 2012 , 12, 1454-62	150
1525	Diagnostic devices for isothermal nucleic acid amplification. 2012 , 12, 8319-37	100
1524	Rapid detection of <i>Trichinella spiralis</i> larvae in muscles by loop-mediated isothermal amplification. 2012 , 42, 1119-26	25
1523	Rapid sex identification of papaya (<i>Carica papaya</i>) using multiplex loop-mediated isothermal amplification (mLAMP). 2012 , 236, 1239-46	17
1522	Development of a loop-mediated isothermal amplification method for rapid detection of caprine arthritis-encephalitis virus proviral DNA. 2012 , 157, 1463-9	17
1521	Development of a fluorescent-intercalating-dye-based reverse transcription loop-mediated isothermal amplification assay for rapid detection of seasonal Japanese B encephalitis outbreaks in pigs. 2012 , 157, 1481-8	5
1520	Development and evaluation of a reverse transcription loop-mediated isothermal amplification assay for rapid detection of a new SFTS bunyavirus. 2012 , 157, 1779-83	26
1519	Development of RT-LAMP and real-time RT-PCR assays for the rapid detection of the new duck Tembusu-like BYD virus. 2012 , 157, 2273-80	31

1518	Rapid detection of tobacco viruses by reverse transcription loop-mediated isothermal amplification. 2012 , 157, 2291-8	18
1517	Detection of <i>Mycoplasma pneumoniae</i> by loop-mediated isothermal amplification (LAMP) assay and serology in pediatric community-acquired pneumonia. 2012 , 18, 662-7	30
1516	A successful diagnostic case of <i>Pneumocystis pneumonia</i> by the loop-mediated isothermal amplification method in a patient with dermatomyositis. 2012 , 18, 965-9	4
1515	Detection of two exogenous genes in transgenic cattle by loop-mediated isothermal amplification. 2012 , 21, 1367-73	8
1514	Detection of <i>Mycoplasma wenyonii</i> in cattle and transmission vectors by the loop-mediated isothermal amplification (LAMP) assay. 2013 , 45, 247-50	14
1513	Development and application of a reverse transcription loop-mediated isothermal amplification method for rapid detection of Duck hepatitis A virus type 1. 2012 , 45, 585-9	10
1512	Biology, Host Range, Pathogenesis and Diagnosis of White spot syndrome virus. 2012 , 23, 161-74	53
1511	Molecular Biology and Epidemiology of Hepatopancreatic parvovirus of Penaeid Shrimp. 2012 , 23, 191-202	9
1510	Development and application of a loop-mediated isothermal amplification assay for rapid identification of aflatoxigenic molds and their detection in food samples. 2012 , 159, 214-24	36
1509	Rapid and sensitive detection of shrimp yellow head virus using loop-mediated isothermal amplification and a colorogenic nanogold hybridization probe. 2012 , 186, 36-42	39
1508	Rapid detection of influenza infection with magnetic MnFe ₂ O ₄ nanoparticle-based immunoassay by using an integrated microfluidic system. 2012 ,	2
1507	Reverse transcription loop-mediated isothermal amplification for sensitive and rapid detection of Korean sacbrood virus. 2012 , 186, 147-51	10
1506	Gold nanoparticle aggregation for quantification of oligonucleotides: optimization and increased dynamic range. 2012 , 431, 99-105	32
1505	Using Loop-mediated Isothermal DNA Amplification (LAMP) and Spectral Surface Plasmon Resonance (SPR) to Detect Methicillin-resistance <i>S. aureus</i> (MRSA). 2012 ,	3
1504	Self-priming compartmentalization digital LAMP for point-of-care. 2012 , 12, 4755-63	106
1503	Model of elongation of short DNA sequence by thermophilic DNA polymerase under isothermal conditions. 2012 , 51, 7846-53	9
1502	Evaluation of three enzyme immunoassays and a loop-mediated isothermal amplification test for the laboratory diagnosis of <i>Clostridium difficile</i> infection. 2012 , 31, 3035-9	26
1501	Blue EaLAMP _β specific and sensitive method for visual detection of genomic <i>Erwinia amylovora</i> DNA. 2012 , 134, 835-845	7

1500	Intraoperative molecular assessment for lymph node metastasis in head and neck squamous cell carcinoma using one-step nucleic acid amplification (OSNA) assay. 2012 , 19, 3865-70	22
1499	Production and manipulation of bovine embryos: techniques and terminology. 2012 , 78, 937-50	9
1498	A novel loop-mediated isothermal amplification approach for sex identification of Columbidae birds. 2012 , 78, 1329-38	8
1497	Molecular epidemiology and a loop-mediated isothermal amplification method for diagnosis of infection with rabies virus in Zambia. 2012 , 163, 160-8	21
1496	Loop-mediated isothermal amplification for the detection of plant pathogens. 2012 , 862, 161-70	17
1495	New grower-friendly methods for plant pathogen monitoring. 2012 , 50, 197-218	78
1494	Development of mitochondrial loop-mediated isothermal amplification for detection of the small liver fluke <i>Opisthorchis viverrini</i> (Opisthorchiidae; Trematoda; Platyhelminthes). 2012 , 50, 1178-84	49
1493	Development and evaluation of loop-mediated isothermal amplification assay for rapid and sensitive detection of canine parvovirus DNA directly in faecal specimens. 2012 , 55, 202-9	17
1492	Simple and rapid detection of swine hepatitis E virus by reverse transcription loop-mediated isothermal amplification. 2012 , 157, 2383-8	14
1491	Genotyping SSR length variants by isothermal DNA amplification. 2012 , 55, 691-5	2
1490	Miniaturized nucleic acid amplification systems for rapid and point-of-care diagnostics: a review. 2012 , 733, 1-15	134
1489	Development and evaluation of a loop-mediated isothermal amplification method in conjunction with an enzyme-linked immunosorbent assay for specific detection of <i>Salmonella</i> serogroup D. 2012 , 733, 64-70	43
1488	Mitogen-activated protein kinase 5, a novel molecular marker for the identification and detection of <i>Trypanozoon</i> species. 2012 , 122, 183-8	1
1487	Loop-mediated isothermal amplification (LAMP) for malarial parasites of humans: would it come to clinical reality as a point-of-care test?. 2012 , 122, 233-40	78
1486	Efficiency of two fragments of VP28 against White Spot Syndrome Virus in <i>Litopenaeus vannamei</i> . 2012 , 338-341, 2-12	9
1485	Development and evaluation of a novel reverse transcription loop-mediated isothermal amplification (RT-LAMP) assay for detection of type II porcine reproductive and respiratory syndrome virus. 2012 , 185, 18-23	12
1484	Development of a visual loop-mediated isothermal amplification method for rapid detection of the bacterial pathogen <i>Pseudomonas putida</i> of the large yellow croaker (<i>Pseudosciaena crocea</i>). 2012 , 89, 179-84	25
1483	Detection of <i>Bacillus anthracis</i> from spores and cells by loop-mediated isothermal amplification without sample preparation. 2012 , 90, 280-4	21

1482	Establishment of loop-mediated isothermal amplification (LAMP) for rapid detection of <i>Brucella</i> spp. and application to milk and blood samples. 2012 , 90, 292-7	34
1481	ATP citrate lyase 1 (<i>acl1</i>) gene-based loop-mediated amplification assay for the detection of the <i>Fusarium tricinctum</i> species complex in pure cultures and in cereal samples. 2012 , 158, 171-85	32
1480	Rapid detection of microbial DNA by a novel isothermal genome exponential amplification reaction (GEAR) assay. 2012 , 420, 738-42	5
1479	Evaluation of the analytical sensitivity of a polymerase chain reaction assay for the detection of chicken infectious anemia virus in avian vaccines. 2012 , 40, 266-9	2
1478	An electrochemical aptasensor based on hybridization chain reaction with enzyme-signal amplification for interferon-gamma detection. 2012 , 36, 129-34	64
1477	Development of a <i>fimY</i> -based loop-mediated isothermal amplification assay for detection of <i>Salmonella</i> in food. 2012 , 45, 1011-1015	26
1476	Development and application of loop-mediated isothermal amplification assays on rapid detection of various types of staphylococci strains. 2012 , 47, 166-173	95
1475	A loop-mediated isothermal amplification method for rapid detection of the multidrug-resistance gene <i>cfr</i> . 2012 , 504, 140-3	9
1474	Viability of <i>Alexandrium tamarense</i> cysts in the sediment of Funka Bay, Hokkaido, Japan: Over a hundred year survival times for cysts. 2012 , 16, 81-88	57
1473	Assessment of performance ability of three diagnostic methods for detection of Potato Leafroll virus (PLRV) using different visualizing systems. 2012 , 168, 770-84	15
1472	Electrochemical Behavior of Calcein and the Interaction Between Calcein and DNA. 2012 , 24, 1878-1886	11
1471	Loop-linker PCR: an advanced PCR technique for genome walking. 2012 , 64, 841-5	15
1470	Rapid, simple, and sensitive detection of the <i>ompB</i> gene of spotted fever group rickettsiae by loop-mediated isothermal amplification. 2012 , 12, 254	25
1469	GMO detection using a bioluminescent real time reporter (BART) of loop mediated isothermal amplification (LAMP) suitable for field use. 2012 , 12, 15	98
1468	Loop-mediated isothermal amplification for the detection of goose circovirus. 2012 , 9, 110	27
1467	Visual detection of the human metapneumovirus using reverse transcription loop-mediated isothermal amplification with hydroxynaphthol blue dye. 2012 , 9, 138	15
1466	One-step detection of Bean pod mottle virus in soybean seeds by the reverse-transcription loop-mediated isothermal amplification. 2012 , 9, 187	34
1465	Development and evaluation of a loop-mediated isothermal amplification assay for the rapid detection of porcine cytomegalovirus under field conditions. 2012 , 9, 321	7

1464	Diagnostic accuracy of loop-mediated isothermal amplification (LAMP) for detection of Leishmania DNA in buffy coat from visceral leishmaniasis patients. 2012 , 5, 280	57
1463	The use of Loop-mediated Isothermal Amplification (LAMP) to detect the re-emerging Human African Trypanosomiasis (HAT) in the Luangwa and Zambezi valleys. 2012 , 5, 282	31
1462	Development of a single-tube loop-mediated isothermal amplification assay for detection of four pathogens of bacterial meningitis. 2012 , 337, 25-30	29
1461	A review of the current status of cultural and rapid detection of <i>Vibrio parahaemolyticus</i> . 2012 , 47, 885-899	28
1460	Abiotic self-replication. 2012 , 45, 2097-105	32
1459	Laboratory diagnostics for hepatitis C virus infection. 2012 , 55 Suppl 1, S43-8	113
1458	Comparison of three DNA extraction methods for feed products and four amplification methods for the 5'-junction fragment of Roundup Ready soybean. 2012 , 60, 4586-95	25
1457	Molecular Techniques. 2012 , 407-461	1
1456	Molecular biology and genetic diversity of Rift Valley fever virus. 2012 , 95, 293-310	91
1455	Amplified detection of nucleic acid by G-quadruplex based hybridization chain reaction. 2012 , 38, 258-63	87
1454	Biotechnological advances in the diagnosis, species differentiation and phylogenetic analysis of <i>Schistosoma</i> spp. 2012 , 30, 1381-9	18
1453	Genomics and molecular genetics of <i>Clonorchis sinensis</i> : current status and perspectives. 2012 , 61, 71-6	34
1452	A loop-mediated isothermal amplification method for a differential identification of <i>Taenia</i> tapeworms from human: application to a field survey. 2012 , 61, 723-5	33
1451	Loop-mediated isothermal amplification (LAMP) method based on two species-specific primer sets for the rapid identification of Chinese <i>Babesia bovis</i> and <i>B. bigemina</i> . 2012 , 61, 658-63	20
1450	Specific detection of the toxic dinoflagellates <i>Alexandrium tamarense</i> and <i>Alexandrium catenella</i> from single vegetative cells by a loop-mediated isothermal amplification method. 2012 , 7, 43-9	24
1449	Development of a novel primer combination to detect pathogenic <i>Leptospira</i> by loop-mediated isothermal amplification. 2012 , 91, 171-3	15
1448	Aptameric molecular switch for cascade signal amplification. 2012 , 58, 384-90	19
1447	Rapid identification of Chikungunya and Dengue virus by a real-time reverse transcription-loop-mediated isothermal amplification method. 2012 , 87, 947-53	35

1446	Lab-on-a-chip pathogen sensors for food safety. 2012 , 12, 10713-41	127
1445	Malaria in pregnancy: diagnosing infection and identifying fetal risk. 2012 , 10, 1331-42	16
1444	Ligation with nucleic acid sequence-based amplification. 2012 , 14, 206-13	7
1443	Development of a loop-mediated isothermal amplification (LAMP) for the detection of F5 fimbriae gene in enterotoxigenic <i>Escherichia coli</i> (ETEC). 2012 , 65, 633-8	6
1442	Rapid and sensitive detection of Banana bunchy top virus by loop-mediated isothermal amplification. 2012 , 185, 254-8	24
1441	A reverse transcription loop-mediated isothermal amplification method for rapid detection of bovine viral diarrhoea virus. 2012 , 186, 43-8	16
1440	Molecular Techniques for the Detection and Differentiation of Host and Parasitoid Species and the Implications for Fruit Fly Management. 2012 , 3, 763-88	24
1439	Adapting enzyme-free DNA circuits to the detection of loop-mediated isothermal amplification reactions. 2012 , 84, 8371-7	78
1438	Reverse transcription loop-mediated isothermal amplification assay for rapid detection of Bovine Rotavirus. 2012 , 8, 133	11
1437	Development of an allele-specific, loop-mediated, isothermal amplification method (AS-LAMP) to detect the L1014F <i>kdr-w</i> mutation in <i>Anopheles gambiae</i> s. l. 2012 , 11, 227	35
1436	Molecular-Level Dengue Fever Diagnostics: Developing a Combination of RT-LAMP and Paper-Based Devices. 2012 , 6, 26-30	10
1435	. 2012 ,	1
1434	Compatible immuno-NASBA LOC device for quantitative detection of waterborne pathogens: design and validation. 2012 , 12, 602-12	71
1433	Development of a loop-mediated isothermal amplification method to rapidly detect porcine circovirus genotypes 2a and 2b. 2012 , 9, 318	10
1432	Etiologic diagnosis of lower respiratory tract bacterial infections using sputum samples and quantitative loop-mediated isothermal amplification. 2012 , 7, e38743	18
1431	Rapid and sensitive detection of <i>Plesiomonas shigelloides</i> by loop-mediated isothermal amplification of the <i>hugA</i> gene. 2012 , 7, e41978	15
1430	Evaluation of a direct reverse transcription loop-mediated isothermal amplification method without RNA extraction for the detection of human enterovirus 71 subgenotype C4 in nasopharyngeal swab specimens. 2012 , 7, e52486	35
1429	A rapid loop-mediated isothermal amplification assay targeting <i>hspX</i> for the detection of <i>Mycobacterium tuberculosis</i> complex. 2012 , 65, 247-51	27

1428	New technologies to diagnose and monitor infectious diseases of livestock: challenges for sub-Saharan Africa. 2012 , 79, 456	6
1427	Detection of Haemophilus parasuis isolates from South China by loop-mediated isothermal amplification and isolate characterisation. 2012 , 79, E1-6	4
1426	Rapid identification of Mycobacterium tuberculosis in BACTEC MGIT960 cultures by in-house loop-mediated isothermal amplification. 2012 , 65, 306-11	13
1425	Application of molecular diagnostic techniques for viral testing. 2012 , 6, 104-14	39
1424	Loop-mediated isothermal amplification (LAMP): early detection of Toxoplasma gondii infection in mice. 2012 , 5, 2	67
1423	A loop-mediated isothermal amplification method for rapid detection of NDM-1 gene. 2012 , 18, 359-63	15
1422	Identification and Detection of Phytophthora: Reviewing Our Progress, Identifying Our Needs. 2012 , 96, 1080-1103	140
1421	Multiplex loop-mediated isothermal amplification detection by sequence-based barcodes coupled with nicking endonuclease-mediated pyrosequencing. 2012 , 84, 3758-63	56
1420	Detection of cucumber mosaic virus isolates from banana by one-step reverse transcription loop-mediated isothermal amplification. 2012 , 157, 2213-7	28
1419	Amplified electrochemiluminescence detection of nucleic acids by hairpin probe-based isothermal amplification. 2012 , 137, 4188-92	7
1418	Digital LAMP in a sample self-digitization (SD) chip. 2012 , 12, 2247-54	135
1417	Development of loop-mediated isothermal amplification method for rapid detection of Streptococcus iniae, the causative agent of streptococciosis in fish. 2012 , 52, 116-22	8
1416	Diagnostic performance of one-step nucleic acid amplification for intraoperative sentinel node metastasis detection in breast cancer patients. 2012 , 130, 2377-86	48
1415	Isothermal nucleic acid amplification technologies for point-of-care diagnostics: a critical review. 2012 , 12, 2469-86	495
1414	A portable and integrated nucleic acid amplification microfluidic chip for identifying bacteria. 2012 , 12, 1495-9	70
1413	Rapid, Sensitive, and Quantitative Detection of Pathogenic DNA at the Point of Care through Microfluidic Electrochemical Quantitative Loop-Mediated Isothermal Amplification. 2012 , 124, 4980-4984	55
1412	Rapid, sensitive, and quantitative detection of pathogenic DNA at the point of care through microfluidic electrochemical quantitative loop-mediated isothermal amplification. 2012 , 51, 4896-900	193
1411	Molecular investigation of lymph nodes in colon cancer patients using one-step nucleic acid amplification (OSNA): a new road to better staging?. 2012 , 118, 6039-45	55

1410	Sensitive and rapid detection of two toxic microalgae <i>Alexandrium</i> by loop-mediated isothermal amplification. 2012 , 31, 139-146	9
1409	Loop-Mediated Isothermal Amplification Assay for Rapid Detection of Hepatitis C virus. 2012 , 23, 18-23	16
1408	Rapid and Real-time Detection of Human Viral Infections: Current Trends and Future Perspectives. 2012 , 82, 199-207	2
1407	Development and evaluation of a loop-mediated isothermal amplification assay for detection of <i>Erwinia amylovora</i> based on chromosomal DNA. 2012 , 133, 609-620	30
1406	Development of a new loop-mediated isothermal amplification assay for prt (rfbS) gene to improve the identification of <i>Salmonella</i> serogroup D. 2012 , 28, 2101-6	21
1405	Nucleic acid-based diagnostics for infectious diseases in public health affairs. 2012 , 6, 173-86	25
1404	A loop-mediated isothermal amplification method targets the HisJ gene for the detection of foodborne <i>Salmonella</i> . 2012 , 234, 1055-1062	20
1403	An improved method for detection of by loop-mediated isothermal amplification by targeting the gene. 2012 , 30, 595-603	6
1402	Molecular test for vivax malaria with loop-mediated isothermal amplification method in central China. 2012 , 110, 2439-44	20
1401	Application of loop-mediated isothermal amplification (LAMP)-based technology for authentication of <i>Catharanthus roseus</i> (L.) G. Don. 2012 , 249, 417-22	16
1400	Sample pretreatment and nucleic acid-based detection for fast diagnosis utilizing microfluidic systems. 2012 , 40, 1367-83	10
1399	A polymer microfluidic chip for quantitative detection of multiple water- and foodborne pathogens using real-time fluorogenic loop-mediated isothermal amplification. 2012 , 14, 769-78	57
1398	Comparison of oligonucleotide-labeled antibody probe assays for prostate-specific antigen detection. 2012 , 424, 1-7	20
1397	Detection of human Enterovirus 71 reverse transcription loop-mediated isothermal amplification (RT-LAMP). 2012 , 54, 233-9	16
1396	Evaluation of loop-mediated isothermal amplification (LAMP) assays based on 5S rDNA-IGS2 regions for detecting <i>Meloidogyne enterolobii</i> . 2012 , 61, 809-819	57
1395	DETECTION OF ENTEROTOXIGENIC STAPHYLOCOCCI BY LOOP-MEDIATED ISOTHERMAL AMPLIFICATION METHOD. 2012 , 32, 59-65	5
1394	Hyd5 gene-based detection of the major gushing-inducing <i>Fusarium</i> spp. in a loop-mediated isothermal amplification (LAMP) assay. 2012 , 156, 189-96	31
1393	Microfluidic electrochemical assay for rapid detection and quantification of <i>Escherichia coli</i> . 2012 , 31, 523-8	94

1392	A polycarbonate based surface plasmon resonance sensing cartridge for high sensitivity HBV loop-mediated isothermal amplification. 2012 , 32, 89-95	64
1391	Rapid and simple DNA extraction method for the detection of enterotoxigenic <i>Staphylococcus aureus</i> directly from food samples: comparison of PCR and LAMP methods. 2012 , 113, 106-13	24
1390	Development of a loop-mediated isothermal amplification assay for detection of <i>Phytophthora sojae</i> . 2012 , 334, 27-34	67
1389	Rapid detection of Tembusu virus by reverse-transcription, loop-mediated isothermal amplification (RT-LAMP). 2012 , 59, 208-13	20
1388	Development of a reverse transcription loop-mediated isothermal amplification method for the rapid detection of avian influenza virus subtype H7. 2012 , 179, 33-7	20
1387	Rapid and sensitive detection of infectious bursal disease virus by reverse transcription loop-mediated isothermal amplification combined with a lateral flow dipstick. 2012 , 181, 117-24	25
1386	Detection of enterovirus 71 using reverse transcription loop-mediated isothermal amplification (RT-LAMP). 2012 , 179, 330-4	26
1385	Development of a loop-mediated isothermal amplification method for rapid detection of porcine bocavirus. 2012 , 179, 390-5	12
1384	Reverse transcription loop-mediated isothermal amplification of RNA for sensitive and rapid detection of southern rice black-streaked dwarf virus. 2012 , 180, 91-5	43
1383	Hendra virus detection using Loop-Mediated Isothermal Amplification. 2012 , 181, 93-6	11
1382	Comparison of real-time reverse transcription loop-mediated isothermal amplification and real-time reverse transcription polymerase chain reaction for duck Tembusu virus. 2012 , 182, 50-5	17
1381	Rapid detection of duck hepatitis virus type-1 by reverse transcription loop-mediated isothermal amplification. 2012 , 182, 76-81	11
1380	Development of loop-mediated isothermal amplification assay for specific and rapid detection of camelpox virus in clinical samples. 2012 , 183, 34-9	15
1379	Development of a rapid and specific loop-mediated isothermal amplification detection method that targets Marek's disease virus meq gene. 2012 , 183, 196-200	8
1378	Molecular methods for pathogen and microbial community detection and characterization: current and potential application in diagnostic microbiology. 2012 , 12, 505-21	104
1377	Detection of <i>Trypanosoma lewisi</i> from wild rats in Southern China and its genetic diversity based on the ITS1 and ITS2 sequences. 2012 , 12, 1046-51	13
1376	Advances in molecular identification, taxonomy, genetic variation and diagnosis of <i>Toxocara</i> spp. 2012 , 12, 1344-8	47
1375	The molecular epidemiology of parasite infections: tools and applications. 2012 , 181, 102-16	55

1374	Ultrasensitive DNA detection based on coulometric measurement of enzymatic silver deposition on gold nanoparticle-modified screen-printed carbon electrode. 2012 , 162, 384-390	29
1373	Survey on the contamination of <i>Toxoplasma gondii</i> oocysts in the soil of public parks of Wuhan, China. 2012 , 184, 141-6	46
1372	Comparison of loop-mediated isothermal amplification (LAMP) and real-time PCR method targeting a 529-bp repeat element for diagnosis of toxoplasmosis. 2012 , 185, 296-300	54
1371	Simple and specific detection of <i>Bordetella holmesii</i> by using a loop-mediated isothermal amplification assay. 2012 , 56, 486-9	7
1370	Prevalence of human papillomavirus in mobile tongue cancer with particular reference to young patients. 2012 , 103, 161-8	31
1369	Rapid Detection of Banana Streak Virus by Loop-mediated Isothermal Amplification Assay in South China. 2012 , 160, 248-250	10
1368	Recent progress in West Nile virus diagnosis and vaccination. 2012 , 43, 16	107
1367	A quick and cost effective method for the diagnosis of <i>Mycobacterium ulcerans</i> infection. 2012 , 12, 8	25
1366	Rapid detection of sacbrood virus (SBV) by one-step reverse transcription loop-mediated isothermal amplification assay. 2012 , 9, 47	3
1365	Surveillance of adenovirus D in patients with epidemic keratoconjunctivitis from Fukui Prefecture, Japan, 1995-2010. 2012 , 84, 81-6	28
1364	A loop-mediated isothermal amplification method for rapid detection of <i>Vibrio parahaemolyticus</i> in seafood. 2012 , 62, 263-271	6
1363	Rapid detection methods for <i>Bacillus anthracis</i> in environmental samples: a review. 2012 , 93, 1411-22	63
1362	A modified visual loop-mediated isothermal amplification method for diagnosis and differentiation of main pathogens from <i>Mycobacterium tuberculosis</i> complex. 2012 , 28, 523-31	34
1361	Development of a loop-mediated isothermal amplification assay for detection of <i>Cronobacter</i> spp. (<i>Enterobacter sakazakii</i>). 2012 , 28, 1013-20	26
1360	Sentinel lymph node analysis in breast cancer: contribution of one-step nucleic acid amplification (OSNA). 2012 , 131, 509-16	29
1359	Rapid detection of food-borne <i>Listeria monocytogenes</i> by real-time quantitative loop-mediated isothermal amplification. 2012 , 21, 101-106	33
1358	Development of a loop-mediated isothermal amplification method for detection of <i>Theileria lestoquardi</i> . 2012 , 110, 533-8	9
1357	Diagnosis of visceral leishmaniasis: developments over the last decade. 2012 , 110, 1065-78	91

1356	Real-time PCR, a method fit for detection and quantification of <i>Erwinia amylovora</i> . 2012 , 26, 165-178	7
1355	Molecular detection, quantification, and diversity evaluation of microalgae. 2012 , 14, 129-42	72
1354	Genomics-informed design of loop-mediated isothermal amplification for detection of phytopathogenic <i>Xanthomonas arboricola</i> pv. <i>pruni</i> at the intraspecific level. 2013 , 62, 475-484	33
1353	Pepino mosaic virus genotype shift in North America and development of a loop-mediated isothermal amplification for rapid genotype identification. 2013 , 10, 117	21
1352	An overview of control strategy and diagnostic technology for foot-and-mouth disease in China. 2013 , 10, 78	23
1351	Development of simple and rapid assay to detect viral RNA of tick-borne encephalitis virus by reverse transcription-loop-mediated isothermal amplification. 2013 , 10, 68	16
1350	Rapid detection of human rotavirus using NSP4 gene specific reverse transcription loop-mediated isothermal amplification assay. 2013 , 24, 265-71	6
1349	Comparison of three molecular detection methods for detection of <i>Trichinella</i> in infected pigs. 2013 , 112, 2087-93	13
1348	Optimization of malaria detection based on third harmonic generation imaging of hemozoin. 2013 , 405, 5431-40	10
1347	Detection of viruses directly from the fresh leaves of a <i>Phalaenopsis</i> orchid using a microfluidic system. 2013 , 9, 1274-82	23
1346	Gold nanoparticles based colorimetric detection of target DNA after loop-mediated isothermal amplification. 2013 , 29, 424-428	12
1345	Development and evaluation of an IS711-based loop mediated isothermal amplification method (LAMP) for detection of <i>Brucella</i> spp. on clinical samples. 2013 , 95, 489-94	21
1344	Evaluation of in-house loop-mediated isothermal amplification (LAMP) assay for rapid diagnosis of <i>M. tuberculosis</i> in pulmonary specimens. 2013 , 27, 272-6	17
1343	Simple and Sensitive Electrochemical DNA Detection of Primer Generation-Rolling Circle Amplification. 2013 , 25, 1310-1315	18
1342	Isothermal loop-mediated amplification (LAMP) for diagnosis of contagious bovine pleuro-pneumonia. 2013 , 9, 108	15
1341	Detection of capripoxvirus DNA using a novel loop-mediated isothermal amplification assay. 2013 , 9, 90	17
1340	Evaluation of LAMP assay using phenotypic tests and conventional PCR for detection of blaNDM-1 and blaKPC genes among carbapenem-resistant clinical Gram-negative isolates. 2013 , 62, 1540-1544	15
1339	Present technology and future trends in point-of-care microfluidic diagnostics. 2013 , 949, 3-23	27

1338	Laboratory Diagnosis of Rabies. 2013 , 409-459	4
1337	Alternative molecular tests for virological diagnosis. 2013 , 53, 352-62	17
1336	One-step multiplex reverse transcription-polymerase chain reaction for the simultaneous detection of three rice viruses. 2013 , 193, 674-8	14
1335	Quantitative Molecular Detection of <i>Xanthomonas hortorum</i> pv. <i>carotae</i> in Carrot Seed Before and After Hot-Water Treatment. 2013 , 97, 1585-1592	16
1334	RT-isoPCR: nested, high multiplex mRNA amplification. 2013 , 138, 5871-4	2
1333	Reverse transcription loop-mediated isothermal amplification for rapid detection of the newly emerged poultry Flavivirus. 2013 , 58, 277-82	1
1332	Detection of <i>Pythium aphanidermatum</i> in tomato using loop-mediated isothermal amplification (LAMP) with species-specific primers. 2013 , 136, 689-701	41
1331	Development and evaluation of specific PCR and LAMP assays for the rapid detection of <i>Phytophthora melonis</i> . 2013 , 137, 597-607	28
1330	Point-of-care nucleic acid detection using nanotechnology. 2013 , 5, 10141-54	65
1329	Semiconductor technology for early detection of DNA methylation for cancer: From concept to practice. 2013 , 178, 572-580	36
1328	Application of novel loop-mediated isothermal amplification (LAMP) for rapid authentication of the herbal tea ingredient <i>Hedyotis diffusa</i> Willd. 2013 , 141, 2522-5	37
1327	Development and evaluation of a loop-mediated isothermal amplification assay for rapid detection of <i>Leishmania infantum</i> in canine leishmaniasis based on cysteine protease B genes. 2013 , 198, 78-84	30
1326	One-step reverse transcription loop-mediated isothermal amplification for the rapid detection of cucumber green mottle mosaic virus. 2013 , 193, 583-8	28
1325	Identification of ochratoxin A producing <i>Aspergillus carbonarius</i> and <i>A. niger</i> clade isolated from grapes using the loop-mediated isothermal amplification (LAMP) reaction. 2013 , 114, 1193-200	16
1324	Application of loop-mediated isothermal amplification assay for the sensitive and rapid diagnosis of visceral leishmaniasis and post-kala-azar dermal leishmaniasis. 2013 , 75, 390-5	47
1323	Development of a rapid assay to detect the dinoflagellate <i>Amyloodinium ocellatum</i> using loop-mediated isothermal amplification (LAMP). 2013 , 196, 265-71	6
1322	A loop-mediated isothermal amplification-based method for confirmation of <i>Guignardia citricarpa</i> in citrus black spot lesions. 2013 , 136, 217-224	17
1321	Evaluation of colorimetric loop-mediated isothermal amplification assay for visual detection of <i>Streptococcus agalactiae</i> and <i>Streptococcus iniae</i> in tilapia. 2013 , 57, 317-24	31

1320	Development of a loop-mediated isothermal amplification assay for rapid and sensitive detection of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> race 4. 2013 , 135, 903-911	37
1319	Detection of HLA-B*58:01, the susceptible allele for allopurinol-induced hypersensitivity, by loop-mediated isothermal amplification. 2013 , 168, 526-32	10
1318	Loop-mediated isothermal amplification for the rapid detection of <i>Chrysanthemum chlorotic mottle viroid</i> (CChMVd). 2013 , 193, 232-7	13
1317	Sensitive and rapid detection of <i>Trueperella pyogenes</i> using loop-mediated isothermal amplification method. 2013 , 93, 124-6	10
1316	Rapid and sensitive diagnosis of <i>Acanthamoeba</i> keratitis by loop-mediated isothermal amplification. 2013 , 19, 1042-8	18
1315	Rapid detection of Piper yellow mottle virus and Cucumber mosaic virus infecting black pepper (<i>Piper nigrum</i>) by loop-mediated isothermal amplification (LAMP). 2013 , 193, 190-6	45
1314	Self-assembled carbon nanotube honeycomb networks using a butterfly wing template as a multifunctional nanobiohybrid. 2013 , 7, 8736-42	35
1313	Mechanistic evaluation of the pros and cons of digital RT-LAMP for HIV-1 viral load quantification on a microfluidic device and improved efficiency via a two-step digital protocol. 2013 , 85, 1540-6	67
1312	Nickase-dependent isothermal DNA amplification. 2013 , 04, 539-542	5
1311	Improved loop-mediated isothermal amplification for HLA-DRB1 genotyping using RecA and a restriction enzyme for enhanced amplification specificity. 2013 , 65, 405-15	7
1310	Loop-mediated isothermal amplification for rapid and convenient detection of <i>Mycoplasma hyopneumoniae</i> . 2013 , 29, 607-16	6
1309	Molecular diagnostics in a teacup: Non-Instrumented Nucleic Acid Amplification (NINA) for rapid, low cost detection of. 2013 , 58, 1162-1168	16
1308	An overview on the marine neurotoxin, saxitoxin: genetics, molecular targets, methods of detection and ecological functions. 2013 , 11, 991-1018	166
1307	A loop-mediated isothermal amplification method for the detection of members of the genus <i>Ranavirus</i> . 2013 , 158, 2121-6	5
1306	Detection of Pepino mosaic virus isolates from tomato by one-step reverse transcription loop-mediated isothermal amplification. 2013 , 158, 2153-6	18
1305	Rapid detection of orf virus by loop-mediated isothermal amplification based on the DNA polymerase gene. 2013 , 158, 793-8	14
1304	Comparison of loop-mediated isothermal amplification and PCR for the detection and differentiation of Marek's disease virus serotypes 1, 2, and 3. 2013 , 57, 539-43	10
1303	Rapid and sensitive detection of <i>Acinetobacter baumannii</i> using loop-mediated isothermal amplification. 2013 , 92, 197-200	18

1302	Visual detection of Potato Leafroll virus by loop-mediated isothermal amplification of DNA with the GeneFinder dye. 2013 , 192, 51-4	29
1301	A new accurate assay for Coxsackievirus A 16 by fluorescence detection of isothermal RNA amplification. 2013 , 193, 459-62	3
1300	Rapid isolation and detection of aquaculture pathogens in an integrated microfluidic system using loop-mediated isothermal amplification. 2013 , 180, 96-106	41
1299	Loop-mediated isothermal amplification (LAMP) method for detection of genetically modified maize T25. 2013 , 1, 432-8	26
1298	Reverse transcription-loop-mediated isothermal amplification for the detection of rodent coronaviruses. 2013 , 187, 222-7	5
1297	Development of a LAMP assay for rapid detection of different intimin variants of attaching and effacing microbial pathogens. 2013 , 62, 1665-1672	6
1296	Translation of human African trypanosomiasis biomarkers towards field application. 2013 , 1, 12-24	4
1295	Development and evaluation of loop-mediated isothermal amplification assay for detection of Crimean Congo hemorrhagic fever virus in Sudan. 2013 , 190, 4-10	25
1294	Evaluation of colorimetric detection methods for Shigella, Salmonella, and Vibrio cholerae by loop-mediated isothermal amplification. 2013 , 77, 321-3	31
1293	Membrane-based, sedimentation-assisted plasma separator for point-of-care applications. 2013 , 85, 10463-70	82
1292	Advance Techniques in Enzyme Research. 2013 , 89-109	1
1291	Development of a sensitive loop-mediated isothermal amplification assay that provides specimen-to-result diagnosis of respiratory syncytial virus infection in 30 minutes. 2013 , 51, 2696-701	33
1290	Detection of mutation by allele-specific loop-mediated isothermal amplification (AS-LAMP). 2013 , 1039, 121-7	4
1289	Non-phenotypic tests to detect and characterize antibiotic resistance mechanisms in Enterobacteriaceae. 2013 , 77, 179-94	61
1288	Development of reverse transcription loop-mediated isothermal amplification (RT-LAMP) as a diagnostic tool of Toxoplasma gondii in pork. 2013 , 192, 98-103	14
1287	Visual detection and evaluation of latent and lytic gene expression during Epstein-Barr virus infection using one-step reverse transcription loop-mediated isothermal amplification. 2013 , 14, 23922-40	6
1286	Fusarium genetic traceability: Role for mycotoxin control in small grain cereals agro-food chains. 2013 , 57, 175-182	19
1285	Detection of mink enteritis virus by loop-mediated isothermal amplification (LAMP). 2013 , 187, 401-5	14

1284	Loop-mediated isothermal amplification for rapid detection of the causal agents of cassava brown streak disease. 2013 , 191, 148-54	39
1283	A multiplexed nucleic acid microsystem for point-of-care detection of HIV co-infection with MTB and PCP. 2013 , 117, 532-5	10
1282	Detection of HbsAg and hATIII genetically modified goats (Caprahircus) by loop-mediated isothermal amplification. 2013 , 40, 6177-82	4
1281	Rapid detection of Akabane virus by a novel reverse transcription loop-mediated isothermal amplification assay (RT-LAMP). 2013 , 10, 288	3
1280	Detection of dengue viruses using reverse transcription-loop-mediated isothermal amplification. 2013 , 13, 387	71
1279	Diagnostic Methodology and Technology in Molecular Genetic Pathology. 2013 , 211-300	0
1278	Evolving gene targets and technology in influenza detection. 2013 , 17, 273-86	2
1277	Foot-and-mouth disease: past, present and future. 2013 , 44, 116	219
1276	Protein detection through different platforms of immuno-loop-mediated isothermal amplification. 2013 , 8, 485	39
1275	Rapid detection of Grapevine leafroll-associated virus type 3 using a reverse transcription loop-mediated amplification method. 2013 , 194, 308-16	23
1274	Molecular detection of lymph node metastasis in breast cancer patients treated with preoperative systemic chemotherapy: a prospective multicentre trial using the one-step nucleic acid amplification assay. 2013 , 109, 1693-8	15
1273	Rapid Detection of Mycobacterium tuberculosis Complex by Loop-Mediated Isothermal Amplification Combined with Chemosensor. 2013 , 749, 449-452	
1272	Portable nucleic acid thermocyclers. 2013 , 42, 8769-98	53
1271	Virological diagnosis of African swine fever--comparative study of available tests. 2013 , 173, 150-8	58
1270	A rapid and sensitive method for field detection of Prorocentrum donghaiense using reverse transcription-coupled loop-mediated isothermal amplification. 2013 , 29, 31-39	24
1269	Inertial microfluidics for circulating tumor cell separation and detection. 2013 ,	
1268	Simple method for differentiating measles vaccine from wild-type strains using loop-mediated isothermal amplification. 2013 , 57, 246-51	6
1267	Development of a real-time fluorescence loop-mediated isothermal amplification assay for rapid and quantitative detection of Fusarium oxysporum f. sp. niveum in soil. 2013 , 349, 127-34	22

1266	Identification of the Meam1 Cryptic Species of <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae) by Loop-Mediated Isothermal Amplification. 2013 , 96, 756-764	6
1265	Detection of Roundup Ready soybean by loop-mediated isothermal amplification combined with a lateral-flow dipstick. 2013 , 29, 213-220	36
1264	One simple DNA extraction device and its combination with modified visual loop-mediated isothermal amplification for rapid on-field detection of genetically modified organisms. 2013 , 85, 75-82	53
1263	In-field diagnostics using loop-mediated isothermal amplification. 2013 , 938, 291-300	13
1262	Detection of <i>Toxoplasma gondii</i> oocysts in different water resources by Loop Mediated Isothermal Amplification (LAMP). 2013 , 125, 231-6	37
1261	A novel method of real-time reverse-transcription loop-mediated isothermal amplification developed for rapid and quantitative detection of human astrovirus. 2013 , 188, 126-31	17
1260	Real-time electrochemical detection of pathogen DNA using electrostatic interaction of a redox probe. 2013 , 138, 907-15	83
1259	An Introduction to In Vitro Nucleic Acid Amplification Techniques. 2013 , 263-271	
1258	Non-PCR Target Amplification Techniques. 2013 , 293-306	1
1257	Real-Time Detection of Amplification Products Through Fluorescence Quenching or Energy Transfer. 2013 , 413-440	
1256	Application of quantitative PCR for the detection of microorganisms in water. 2013 , 405, 91-108	68
1255	Rapid and sensitive detection of <i>Pseudomonas aeruginosa</i> in bottled water by loop-mediated isothermal amplification. 2013 , 236, 209-215	9
1254	The impact of the waterborne transmission of <i>Toxoplasma gondii</i> and analysis efforts for water detection: an overview and update. 2013 , 20, 86-99	44
1253	Use of loop-mediated isothermal amplification for detection of <i>Ophiostoma clavatum</i> , the primary blue stain fungus associated with <i>Ips acuminatus</i> . 2013 , 79, 2527-33	34
1252	Point-of-care assays for tuberculosis: role of nanotechnology/microfluidics. 2013 , 31, 438-49	90
1251	Development of a reverse transcription loop-mediated isothermal amplification assay for rapid detection of grass carp reovirus. 2013 , 187, 384-9	27
1250	Development of a triplex loop-mediated isothermal amplification method for rapid on-site detection of three <i>Vibrio</i> species associated with fish diseases. 2013 , 414-415, 267-273	13
1249	Evaluation of the TRCRtest NV-W for norovirus detection in stools by the Transcription-Reverse Transcription Concerted method. 2013 , 193, 620-6	2

1248	Development of a loop-mediated isothermal amplification assay for rapid detection of iridovirus in the Chinese giant salamander. 2013 , 194, 211-6	12
1247	Sentinel node tumour burden quantified based on cytokeratin 19 mRNA copy number predicts non-sentinel node metastases in breast cancer: molecular whole-node analysis of all removed nodes. 2013 , 49, 1187-95	24
1246	High throughput low cost electrochemical device for S.aureus bacteria detection. 2013 ,	
1245	Development of loop-mediated isothermal amplification (LAMP) for detection of Theileria equi. 2013 , 127, 245-50	6
1244	Development of a loop-mediated isothermal amplification assay for the detection of porcine hokovirus. 2013 , 193, 415-8	6
1243	Development of a reverse-transcription loop-mediated isothermal amplification method for detection of rabbit hemorrhagic disease virus. 2013 , 187, 274-7	4
1242	Visual detection of white spot syndrome virus using DNA-functionalized gold nanoparticles as probes combined with loop-mediated isothermal amplification. 2013 , 27, 71-9	66
1241	Development and evaluation of a loop-mediated isothermal amplification assay for diagnosis of Cyprinid herpesvirus 2. 2013 , 194, 206-10	18
1240	Development of a loop-mediated isothermal amplification assay for rapid detection of bovine parvovirus. 2013 , 191, 155-61	8
1239	Rapid and sensitive detection of shrimp yellow head virus by loop-mediated isothermal amplification combined with a lateral flow dipstick. 2013 , 188, 51-6	39
1238	Detection of Plant Viruses in Seeds. 2013 , 101-163	
1237	Nucleic acid amplification using microfluidic systems. 2013 , 13, 1225-42	99
1236	Cleavage-based signal amplification of RNA. 2013 , 4, 1493	69
1235	Molecular Identification of Traditional Medicinal Materials. 2013 , 45-66	3
1234	Loop-mediated isothermal amplification for detection of HLA-B*58:01 allele. 2013 , 81, 83-92	8
1233	IsoPCR: an analytically sensitive, nested, multiplex nucleic acid amplification method. 2013 , 59, 436-9	7
1232	Loop-mediated isothermal amplification test for the molecular diagnosis of malaria. 2013 , 13, 205-18	52
1231	Liposome-quantum dot complexes enable multiplexed detection of attomolar DNAs without target amplification. 2013 , 135, 2056-9	127

1230	Reverse transcription loop-mediated isothermal amplification (RT-LAMP) combined with colorimetric gold nanoparticle (AuNP) probe assay for visual detection of <i>Penaeus vannamei</i> nodavirus (PvNV). 2013 , 56, 428-35	17
1229	Visual Detection of Potato leafroll virus by One-step Reverse Transcription Loop-Mediated Isothermal Amplification of DNA with Hydroxynaphthol Blue Dye. 2013 , 161, 120-124	26
1228	Loop-mediated isothermal amplification (LAMP)-based method for rapid mushroom species identification. 2013 , 61, 1833-40	43
1227	Detection of <i>Mycobacterium tuberculosis</i> using a capillary-array microsystem with integrated DNA extraction, loop-mediated isothermal amplification, and fluorescence detection. 2013 , 85, 4698-704	49
1226	Sensitive and rapid detection of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> using loop-mediated isothermal amplification. 2013 , 943, 267-77	11
1225	Loop mediated isothermal amplification of 5.8S rDNA for specific detection of <i>Tritrichomonas foetus</i> . 2013 , 193, 59-65	17
1224	Loop-mediated isothermal amplification (LAMP): recent progress in research and development. 2013 , 19, 404-11	179
1223	Development of an in situ loop-mediated isothermal amplification technique for chromosomal localization of DNA sequences. 2013 , 31, 128-133	1
1222	Isothermal amplification methods for the detection of nucleic acids in microfluidic devices. 2013 , 3, 18-43	146
1221	Development and evaluation of multiplex RT-LAMP assays for rapid and sensitive detection of foot-and-mouth disease virus. 2013 , 192, 18-24	44
1220	A new generation of food-borne pathogen detection based on ribosomal RNA. 2013 , 4, 313-25	6
1219	Identification of Pathogens by Nonculturing Molecular Techniques. 2013 , 91-106	
1218	Loop-mediated isothermal amplification (LAMP) assay for rapid detection of <i>Entamoeba histolytica</i> in amoebic liver abscess. 2013 , 29, 27-32	14
1217	A one-step molecular biology method for simple and rapid detection of grass carp <i>Ctenopharyngodon idella</i> reovirus (GCRV) HZ08 strain. 2013 , 82, 1545-55	11
1216	Real-time, label-free isothermal solid-phase amplification/detection (ISAD) device for rapid detection of genetic alteration in cancers. 2013 , 13, 2106-14	70
1215	Loop region-specific oligonucleotide probes for loop-mediated isothermal amplification-enzyme-linked immunosorbent assay truly minimize the instrument needed for detection process. 2013 , 439, 102-8	23
1214	Simultaneous DNA amplification and detection using a pH-sensing semiconductor system. 2013 , 10, 641-6	241
1213	A real-time reverse transcription loop-mediated isothermal amplification assay for the rapid detection of yellow fever virus. 2013 , 193, 23-7	40

1212	Current trends in detecting non-O157 Shiga toxin-producing Escherichia coli in food. 2013 , 10, 665-77	80
1211	Detection of <i>Vibrio parahaemolyticus</i> in food samples using in situ loop-mediated isothermal amplification method. 2013 , 515, 421-5	31
1210	Detection of Panton-Valentine Leukocidin DNA from methicillin-resistant <i>Staphylococcus aureus</i> by resistive pulse sensing and loop-mediated isothermal amplification with gold nanoparticles. 2013 , 782, 46-53	19
1209	Rapid diagnostic tests for neurological infections in central Africa. 2013 , 13, 546-58	40
1208	Loop-Mediated Isothermal Amplification and Polymerase Chain Reaction Methods for Specific and Rapid Detection of <i>Rhodococcus fascians</i> . 2013 , 97, 517-529	13
1207	Visual detection of human infection with influenza A (H7N9) virus by subtype-specific reverse transcription loop-mediated isothermal amplification with hydroxynaphthol blue dye. 2013 , 19, E372-5	32
1206	Differential detection of Wheat yellow mosaic virus, Japanese soil-borne wheat mosaic virus and Chinese wheat mosaic virus by reverse transcription loop-mediated isothermal amplification reaction. 2013 , 189, 348-54	31
1205	Comparative evaluation of conventional polymerase chain reaction (PCR), with loop-mediated isothermal amplification and SYBR green I-based real-time PCR for the quantitation of porcine circovirus-1 DNA in contaminated samples destined for vaccine production. 2013 , 191, 1-8	10
1204	The application of loop-mediated isothermal amplification (LAMP) in food testing for bacterial pathogens and fungal contaminants. 2013 , 36, 191-206	100
1203	Clinical value of IS6110-based loop-mediated isothermal amplification for detection of <i>Mycobacterium tuberculosis</i> complex in respiratory specimens. 2013 , 66, 487-93	20
1202	Sub-microliter scale in-gel loop-mediated isothermal amplification (LAMP) for detection of <i>Mycobacterium tuberculosis</i> . 2013 , 14, 731-741	6
1201	Simple, rapid, inexpensive platform for the diagnosis of malaria by loop mediated isothermal amplification (LAMP). 2013 , 134, 333-40	36
1200	Advances in the diagnosis of key gastrointestinal nematode infections of livestock, with an emphasis on small ruminants. 2013 , 31, 1135-52	44
1199	Loop-mediated isothermal amplification (LAMP): methods for plant species identification in food. 2013 , 61, 2943-9	24
1198	Developing a real-time quantitative loop-mediated isothermal amplification assay as a rapid and accurate method for detection of Brucellosis. 2013 , 115, 828-34	29
1197	Development of loop-mediated isothermal amplification for rapid detection of <i>Entamoeba histolytica</i> . 2013 , 6, 457-61	14
1196	Multiplex loop-mediated isothermal amplification (M-LAMP) assay for the detection of influenza A/H1, A/H3 and influenza B can provide a specimen-to-result diagnosis in 40 min with single genome copy sensitivity. 2013 , 58, 127-31	60
1195	Loop-mediated isothermal amplification (LAMP) method for rapid detection of cry1Ab gene in transgenic rice (<i>Oryza sativa</i> L.). 2013 , 236, 589-598	40

1194	Loop-mediated isothermal amplification combined with colorimetric nanogold for detection of the microsporidian <i>Enterocytozoon hepatopenaei</i> in penaeid shrimp. 2013 , 114, 1254-63	53
1193	Microfluidic Tools for DNA Analysis. 2013 , 113-153	1
1192	Comparison of a loop-mediated isothermal amplification for orf virus with quantitative real-time PCR. 2013 , 10, 138	23
1191	Real-time detection of isothermal amplification reactions with thermostable catalytic hairpin assembly. 2013 , 135, 7430-3	215
1190	Identification of Tunisian <i>Leishmania</i> spp. by PCR amplification of cysteine proteinase B (cpb) genes and phylogenetic analysis. 2013 , 125, 357-65	19
1189	A novel electrochemical aptasensor for thrombin detection based on the hybridization chain reaction with hemin/G-quadruplex DNAzyme-signal amplification. 2013 , 138, 4558-64	33
1188	The development of DNA-based quartz crystal microbalance integrated with isothermal DNA amplification system for human papillomavirus type 58 detection. 2013 , 40, 252-7	36
1187	A surface-initiated enzymatic polymerization strategy for electrochemical DNA sensors. 2013 , 41, 526-31	45
1186	Metallic tip enhanced fluorescence for DNA replication monitoring. 2013 , 2013, 488-91	
1185	Development and Evaluation of a Loop-Mediated Isothermal Amplification (LAMP) Method for Detecting Foodborn Salmonella in Raw Milk. 2013 , 647, 577-582	3
1184	Duck egg drop syndrome virus: an emerging Tembusu-related flavivirus in China. 2013 , 56, 701-10	44
1183	Isothermal DNA amplification coupled to Au-nanoprobes for detection of mutations associated to Rifampicin resistance in <i>Mycobacterium tuberculosis</i> . 2013 , 11, 38	28
1182	Loop-mediated isothermal amplification: rapid visual and real-time methods for detection of genetically modified crops. 2013 , 61, 11338-46	55
1181	Highly sensitive detection of malaria parasitemia in a malaria-endemic setting: performance of a new loop-mediated isothermal amplification kit in a remote clinic in Uganda. 2013 , 208, 645-52	200
1180	Electrochemical real-time nucleic acid amplification: towards point-of-care quantification of pathogens. 2013 , 31, 704-12	50
1179	Reverse transcription loop-mediated isothermal amplification (RT-LAMP) for diagnosis of dengue. 2013 , 69, 246-53	18
1178	Clinical utility of loop-mediated isothermal amplification assay for the diagnosis of common alpha herpesvirus skin infections. 2013 , 40, 1033-7	15
1177	Development and evaluation of a real-time reverse transcription-loop-mediated isothermal amplification assay for rapid serotyping of foot-and-mouth disease virus. 2013 , 187, 195-202	20

1176	Development of a sensitive and specific LAMP PCR assay for detection of fish pathogen <i>Lactococcus garvieae</i> . 2013 , 102, 225-35	13
1175	Development of loop-mediated isothermal amplification for detection of <i>Leifsonia xyli</i> subsp. <i>xyli</i> in sugarcane. 2013 , 2013, 357692	21
1174	A review of haptoglobin typing methods for disease association study and preventing anaphylactic transfusion reaction. 2013 , 2013, 390630	9
1173	Detection of <i>Mycobacterium tuberculosis</i> by using loop-mediated isothermal amplification combined with a lateral flow dipstick in clinical samples. 2013 , 2013, 926230	43
1172	Rapid, simple and sensitive detection of Q fever by loop-mediated isothermal amplification of the <i>htpAB</i> gene. 2013 , 7, e2231	21
1171	Loop-mediated isothermal amplification assay for the rapid detection of <i>Staphylococcus aureus</i> . 2013 , 2013, 895816	33
1170	Detecting <i>Salmonella</i> serovars in shell eggs by loop-mediated isothermal amplification. 2013 , 76, 1790-6	20
1169	Rapid visual detection of highly pathogenic <i>Streptococcus suis</i> serotype 2 isolates by use of loop-mediated isothermal amplification. 2013 , 51, 3250-6	28
1168	Advances in diagnosis and spatial analysis of cysticercosis and taeniasis. 2013 , 140, 1578-88	9
1167	Rapid and sensitive detection of H7N9 avian influenza virus by use of reverse transcription-loop-mediated isothermal amplification. 2013 , 51, 3760-4	29
1166	An optimal mRNA marker for OSNA (One-step nucleic acid amplification) based lymph node metastasis detection in colorectal cancer patients. 2013 , 43, 264-70	17
1165	Microfluidic devices for viral detection. 2013 , 527-556	3
1164	Detection of nucleic acid targets using ramified rolling circle DNA amplification: a single nucleotide polymorphism assay model. 2013 , 8, e65053	5
1163	Development of a loop-mediated isothermal amplification assay targeting the <i>mpb64</i> gene for diagnosis of intraocular tuberculosis. 2013 , 51, 3839-40	27
1162	Development and evaluation of loop-mediated isothermal amplification (LAMP) for rapid detection of <i>Clonorchis sinensis</i> from its first intermediate hosts, freshwater snails. 2013 , 140, 1377-83	23
1161	Nucleic acid amplification: Alternative methods of polymerase chain reaction. 2013 , 5, 245-52	102
1160	Isolation and detection of extended spectrum β -lactamase (ESBL)-producing enterobacteriaceae from meat using chromogenic agars and isothermal loop-mediated amplification (LAMP) assays. 2013 , 78, M1892-8	19
1159	Development of a reverse transcription-loop-mediated isothermal amplification (RT-LAMP) system for rapid detection of HDV genotype 1. 2013 , 56, 229-35	14

1158	Fast real-time detection of Potato spindle tuber viroid by RT-LAMP. 2013 , 62, 1147-1156	38
1157	Specific and rapid diagnosis of <i>Edwardsiella tarda</i> by a novel loop-mediated isothermal amplification targeting the upstream region of hlyb gene. 2013 , 25, 110-8	5
1156	Rapid Detection of Viruses Using Loop-Mediated Isothermal Amplification (LAMP): A Review. 2013 , 287-306	3
1155	Detection of occult invasion in ductal carcinoma in situ of the breast with sentinel node metastasis. 2013 , 104, 453-7	14
1154	Improvement of the Detection Accuracy and Detection Limit of a Filter-less Fluorescence Detector. 2013 , 6, 077001	2
1153	Microfluidic chip-based detection and intraspecies strain discrimination of <i>Salmonella</i> serovars derived from whole blood of septic mice. 2013 , 79, 2302-11	33
1152	[Polyethylene glycol accelerates loop-mediated isothermal amplification (LAMP) reaction]. 2013 , 133, 1121-6	1
1151	Agricultural Applications: Animal Epidemics and Plant Pathogen Detection. 2013 , 127	
1150	Development of a loop-mediated isothermal amplification method for detection of <i>Perkinsus</i> spp. in mollusks. 2013 , 104, 141-8	5
1149	Molecular testing for food allergens. 2013 , 29-48	
1148	Diagnostic techniques for detection of phytoplasma diseases: past and present. 2013 , 120, 16-25	18
1147	Detection and diagnosis of rice-infecting viruses. 2013 , 4, 289	23
1146	Detection of <i>Mycoplasma pneumoniae</i> by colorimetric loop-mediated isothermal amplification. 2013 , 60, 1-9	5
1145	Current Insights into Research on Rice stripe virus. 2013 , 29, 223-33	38
1144	Rapid and sensitive detection of <i>Bordetella bronchiseptica</i> by loop-mediated isothermal amplification (LAMP). 2013 , 33, 1222-1226	1
1143	Applicability of in-house loop-mediated isothermal amplification for rapid identification of <i>Mycobacterium tuberculosis</i> complex grown on solid media. 2013 , 66, 249-51	3
1142	Development of a real-time fluorescence loop-mediated isothermal amplification assay for rapid and quantitative detection of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> tropical race 4 in soil. 2013 , 8, e82841	45
1141	Embryo sexing and sex chromosomal chimerism analysis by loop-mediated isothermal amplification in cattle and water buffaloes. 2013 , 59, 321-6	12

1140	Successful nonsurgical transfer of bovine elongating conceptuses and its application to sexing. 2014 , 60, 210-5	5
1139	A reverse transcription loop-mediated isothermal amplification assay to rapidly diagnose foot-and-mouth disease virus C. 2014 , 15, 423-6	15
1138	Development and evaluation of a novel and rapid detection assay for <i>Botrytis cinerea</i> based on loop-mediated isothermal amplification. 2014 , 9, e111094	47
1137	Validation of a commercial insulated isothermal PCR-based POKKIT test for rapid and easy detection of white spot syndrome virus infection in <i>Litopenaeus vannamei</i> . 2014 , 9, e90545	32
1136	Diagnostic accuracy of the PURE-LAMP test for pulmonary tuberculosis at the county-level laboratory in China. 2014 , 9, e94544	40
1135	Non-instrumented incubation of a recombinase polymerase amplification assay for the rapid and sensitive detection of proviral HIV-1 DNA. 2014 , 9, e108189	97
1134	A simple isothermal DNA amplification method to screen black flies for <i>Onchocerca volvulus</i> infection. 2014 , 9, e108927	20
1133	<i>Sclerotinia homoeocarpa</i> overwinters in turfgrass and is present in commercial seed. 2014 , 9, e110897	16
1132	A loop-mediated isothermal amplification assay for rapid detection of cyprinid herpesvirus 2 in gibel carp (<i>Carassius auratus gibelio</i>). 2014 , 2014, 716413	8
1131	Rapid detection of <i>Salmonella</i> Typhi by loop-mediated isothermal amplification (LAMP) method. 2014 , 45, 1385-91	18
1130	Zoonotic malaria - global overview and research and policy needs. 2014 , 2, 123	47
1129	Development and application of loop-mediated isothermal amplification assays for rapid visual detection of <i>cry2Ab</i> and <i>cry3A</i> genes in genetically-modified crops. 2014 , 15, 15109-21	26
1128	Standing of nucleic acid testing strategies in veterinary diagnosis laboratories to uncover <i>Mycobacterium tuberculosis</i> complex members. 2014 , 1, 16	10
1127	Development of a multiplex loop-mediated isothermal amplification assay to detect shiga toxin-producing <i>Escherichia coli</i> in cattle. 2014 , 15, 317-25	17
1126	Use of Acridine Orange to Visually Improve the Loop-mediated Isothermal Amplification for Detection of Infectious Spleen and Kidney Necrosis Virus. 2014 , 49, 173-180	3
1125	Simple, rapid and accurate molecular diagnosis of acute promyelocytic leukemia by loop mediated amplification technology. 2015 , 2, 50-8	14
1124	Hepatitis A Virus in Ready-to-Eat Foods. 2014 , 393-410	
1123	Strengths and Shortcomings of Advanced Detection Technologies. 2014 , 13-45	2

1122	Rapid Detection of Salmonella enterica Subspecies enterica serovar Typhimurium by Loop Mediated Isothermal Amplification (LAMP) Test From Field Chicken Meat Samples. 2014 , 28, 50-62	17
1121	Development of double loop-mediated isothermal amplification to detect Listeria monocytogenes in food. 2014 , 69, 839-45	22
1120	Molecular diagnosis of infectious diarrhea: focus on enteric protozoa. 2014 , 14, 935-46	8
1119	Direct detection of Marek's disease virus in poultry dust by loop-mediated isothermal amplification. 2014 , 159, 3083-7	19
1118	Comparison of the clinical courses and chemotherapy outcomes in metastatic colorectal cancer patients with and without active Mycobacterium tuberculosis or Mycobacterium kansasii infection: a retrospective study. 2014 , 14, 770	12
1117	Evaluation and comparison of Loop-mediated Isothermal Amplification (LAMP), PCR and nested PCR for detection of Ehrlichia canis in naturally infected dogs. 2014 , 8,	1
1116	Development of reverse-transcription loop-mediated isothermal amplification assay for rapid detection of novel avian influenza A (H7N9) virus. 2014 , 14, 271	16
1115	Rapid and sensitive intraoperative detection of mutations in the isocitrate dehydrogenase 1 and 2 genes during surgery for glioma. 2014 , 120, 1288-97	26
1114	Mismatches improve the performance of strand-displacement nucleic Acid circuits. 2014 , 53, 1845-8	120
1113	A reliable and rapid method for molecular detection of malarial parasites using microwave irradiation and loop mediated isothermal amplification. 2014 , 13, 454	20
1112	Bench-scale experiments for the development of a unified loop-mediated isothermal amplification (LAMP) assay for the in vitro diagnosis of Leishmania species' promastigotes. 2014 , 142, 1671-7	16
1111	Polymerase/nicking enzyme synergetic isothermal quadratic DNA machine and its application for one-step amplified biosensing of lead (II) ions at femtomole level and DNA methyltransferase. 2014 , 6, e131-e131	33
1110	An enzyme-free signal amplification strategy for sensitive detection of microRNA via catalyzed hairpin assembly. 2014 , 6, 9477-9482	21
1109	Influences of gold and silver nanoparticles in loop-mediated isothermal amplification reactions. 2014 , 9, 922-930	2
1108	A novel approach for evaluating the performance of real time quantitative loop-mediated isothermal amplification-based methods. 2014 , 2, 4-10	20
1107	Loop-mediated isothermal amplification (LAMP) test for specific and rapid detection of Brucella abortus in cattle. 2014 , 34, 174-9	19
1106	Development and Application of a Novel Nucleic Amplification Kit on Rapid Detection of Various Types of Staphylococci Strains. 2014 , 618, 288-292	
1105	A loop-mediated isothermal amplification (LAMP) assay for early detection of Schistosoma mansoni in stool samples: a diagnostic approach in a murine model. 2014 , 8, e3126	58

1104	Visual Detection of Mycobacterium tuberculosis Complex with Loop-Mediated Isothermal Amplification and Eriochrome Black T. 2014 , 618, 264-267	4
1103	Development of a reverse transcription loop-mediated isothermal amplification method for the rapid detection of subtype H7N9 avian influenza virus. 2014 , 2014, 525064	11
1102	Challenges in diagnosis of Plasmodium knowlesi infections. 2014 , 4, 25-30	16
1101	Rapid and sensitive detection of Bartonella bacilliformis in experimentally infected sand flies by loop-mediated isothermal amplification (LAMP) of the Pap31 gene. 2014 , 8, e3342	5
1100	Prevalence and detection of Stenotrophomonas maltophilia carrying metallo- β -lactamase blaL1 in Beijing, China. 2014 , 5, 692	24
1099	CRISPR is an optimal target for the design of specific PCR assays for salmonella enterica serotypes Typhi and Paratyphi A. 2014 , 8, e2671	20
1098	Colorimetric detection of Ehrlichia canis via nucleic acid hybridization in gold nano-colloids. 2014 , 14, 14472-87	17
1097	Vibrio parahaemolyticus: a review on the pathogenesis, prevalence, and advance molecular identification techniques. 2014 , 5, 705	225
1096	Development of a loop-mediated isothermal amplification assay for rapid, sensitive detection of Campylobacter jejuni in cattle farm samples. 2014 , 77, 1593-8	28
1095	A Simple Paper-Based Lab-on-a-Chip for the Detection of a Highly Pathogenic Strain of Porcine Reproductive and Respiratory Syndrome Virus. 2014 , 67, 1434	2
1094	Primary Establishment of LAMP Method for Cyprinid Herpesvirus 2 Detection. 2014 , 602-605, 1823-1828	
1093	Strand Invasion Based Amplification (SIBA [®]): a novel isothermal DNA amplification technology demonstrating high specificity and sensitivity for a single molecule of target analyte. 2014 , 9, e112656	25
1092	Point of Care Technologies for HIV. 2014 , 2014, 497046	41
1091	A novel thermostable polymerase for RNA and DNA loop-mediated isothermal amplification (LAMP). 2014 , 5, 395	67
1090	Identification of pork in meat products using real-time loop-mediated isothermal amplification. 2014 , 28, 882-888	36
1089	DEVELOPMENT OF REVERSE-TRANSCRIPTION LOOP-MEDIATED ISOTHERMAL AMPLIFICATION FOR AVIAN LEUKOSIS VIRUS SUBGROUPS A AND J. 2014 , 40, 109-113	1
1088	Development of a Genomics-Based LAMP (Loop-Mediated Isothermal Amplification) Assay for Detection of Pseudomonas fuscovaginae from Rice. 2014 , 98, 909-915	23
1087	Classical and new assays for detecting drug resistance in tuberculosis. 2014 , 8, 1105-14	5

1086	Molecular isothermal techniques for combating infectious diseases: towards low-cost point-of-care diagnostics. 2014 , 14, 827-43	61
1085	A rapid and visual loop-mediated isothermal amplification assay to detect <i>Leifsonia xyli</i> subsp. <i>xyli</i> targeting a transposase gene. 2014 , 59, 648-57	11
1084	Systematic review and meta-analysis of cytokeratin 19-based one-step nucleic acid amplification versus histopathology for sentinel lymph node assessment in breast cancer. 2014 , 101, 298-306	40
1083	Development of a rapid cyprinid herpesvirus 2 detection method by loop-mediated isothermal amplification. 2014 , 59, 432-7	5
1082	Development and application of a loop-mediated isothermal amplification assay for rapid detection of <i>Pythium helicoides</i> . 2014 , 355, 28-35	26
1081	Culture-Dependent and Culture-Independent Nucleic-Acid-Based Methods Used in the Microbial Safety Assessment of Milk and Dairy Products. 2014 , 13, 493-537	40
1080	Loop-mediated isothermal amplification assay targeting the blaCTX-M9 gene for detection of extended spectrum β lactamase-producing <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> . 2014 , 58, 655-65	6
1079	Establishment of an in-House Loop-Mediated Isothermal Amplification (LAMP) for a Rapid Detection of <i>Salmonella Typhi</i> and <i>Salmonella Paratyphi A</i> at Low-Resource Settings. 2014 , 34, 69-75	1
1078	Molecular Methods in Food Safety Microbiology: Interpretation and Implications of Nucleic Acid Detection. 2014 , 13, 551-577	51
1077	Detection of <i>Salmonella</i> spp. by a loop-mediated isothermal amplification (LAMP) method targeting <i>bcfD</i> gene. 2014 , 59, 658-64	30
1076	Development of multiplex loop-mediated isothermal amplification assays to detect medically important yeasts in dairy products. 2014 , 357, 208-16	10
1075	Loop-mediated isothermal amplification of single pollen grains. 2014 , 56, 741-8	4
1074	Genetic point-of-care diagnosis of <i>Mycoplasma pneumoniae</i> infection using LAMP assay. 2014 , 56, 547-52	15
1073	Development of Loop-mediated Isothermal Amplification (LAMP) for the Rapid Detection of <i>Streptococcus agalactiae</i> in <i>Tilapia</i> , <i>Oreochromis niloticus</i> . 2014 , 45, 586-594	5
1072	Development of a loop-mediated isothermal amplification assay for rapid and simple detection of <i>Erysipelothrix rhusiopathiae</i> . 2014 , 58, 362-9	8
1071	Immunocaptured-loop Mediated Isothermal Amplification Assay for Detection of <i>Vibrio Parahaemolyticus</i> in Seafood. 2014 , 34, 21-25	12
1070	Detection of abalone shrivelling syndrome-associated virus using loop-mediated isothermal amplification. 2014 , 37, 63-7	2
1069	Early Holocene chicken domestication in northern China. 2014 , 111, 17564-9	122

1068	Development of a loop-mediated isothermal amplification (LAMP) assay for the sensitive detection of <i>Haemonchus contortus</i> eggs in ovine faecal samples. 2014 , 206, 308-12	21
1067	Loop-mediated isothermal amplification assays for detecting <i>Yersinia pseudotuberculosis</i> in milk powders. 2014 , 79, M967-71	4
1066	Molecular Diagnosis of Ocular Infections. 2014 , 1-18	
1065	Development of loop-mediated isothermal amplification assay for the detection of <i>Pythium myriotylum</i> . 2014 , 59, 49-57	26
1064	Rapid non-invasive tests for diagnostics of infectious disease. 2014 ,	
1063	Development and Evaluation of a Rapid Detection Technology of <i>Streptococcus Pneumoniae</i> Isolates from Specimen without Culture Based on LAMP and Bioinformatics. 2014 , 618, 392-396	
1062	Advances in the Diagnosis of Human Strongyloidiasis. 2014 , 1, 207-215	14
1061	Development of loop-mediated isothermal amplification assay for specific and rapid detection of differential goat pox virus and sheep pox virus. 2014 , 14, 10	19
1060	Clinical utility of loop-mediated isothermal amplification for rapid diagnosis of <i>Mycoplasma pneumoniae</i> in children. 2014 , 63, 248-251	17
1059	Reverse Transcription-Loop-Mediated Isothermal Amplification System for the Detection of Rabies Virus. 2014 , 85-95	
1058	Synthesis. 2014 , 317-331	
1057	Deciphering the Pathogenic Behaviour of Phyto-Pathogens Using Molecular Tools. 2014 , 377-408	
1056	DNA Nanotechnology: From Biology and Beyond. 2014 , 135-169	1
1055	Equipment-free incubation of recombinase polymerase amplification reactions using body heat. 2014 , 9, e112146	146
1054	Recombinase polymerase amplification as a promising tool in hepatitis C virus diagnosis. 2014 , 6, 916-22	47
1053	Evaluation of a qualitative human immunodeficiency virus-1 diagnostic assay based on nucleic acid sequence based amplification and lateral flow readout. 2014 ,	
1052	Detection methods for milk pathogenic bacteria by loop-mediated isothermal amplification. 2014 , 8, 316-21	8
1051	Performance of reversed transcription loop-mediated isothermal amplification technique detecting EV71: a systematic review with meta-analysis. 2014 , 8, 75-83	4

1050	A review approaches to identify enteric bacterial pathogens. 2015 , 8, e17473	18
1049	Malaria in China. 2014 , 53-65	1
1048	Isothermal multiple displacement amplification: a methodical approach enhancing molecular routine diagnostics of microcarcinomas and small biopsies. 2014 , 7, 1441-7	3
1047	Loop-mediated isothermal amplification assays for screening of bacterial integrons. 2014 , 47, 53	3
1046	One-step reverse transcription loop mediated isothermal amplification assay for sensitive and rapid detection of Cucurbit chlorotic yellows virus. 2014 , 195, 63-6	28
1045	Robustness of Salmonella loop-mediated isothermal amplification assays for food applications. 2014 , 116, 81-8	18
1044	Use of Reverse Transcription Loop-Mediated Isothermal Amplification for the Detection of Zucchini yellow mosaic virus. 2014 , 162, 238-244	8
1043	Rapid detection of encephalomyocarditis virus by one-step reverse transcription loop-mediated isothermal amplification method. 2014 , 189, 75-8	9
1042	Reverse transcription loop-mediated isothermal amplification assay for rapid detection of Papaya ringspot virus. 2014 , 204, 93-100	13
1041	Rapid and real-time detection of Porcine Sapelovirus by reverse transcription loop-mediated isothermal amplification assay. 2014 , 203, 5-8	9
1040	Application of loop-mediated isothermal amplification assays for direct identification of pure cultures of <i>Aspergillus flavus</i> , <i>A. nomius</i> , and <i>A. caelatus</i> and for their rapid detection in shelled Brazil nuts. 2014 , 172, 5-12	17
1039	A rapid detection method for the plant pathogen <i>Sclerotinia sclerotiorum</i> based on loop-mediated isothermal amplification (LAMP). 2014 , 43, 61-66	43
1038	Intraoperative diagnosis of lymph node metastasis by transcription-reverse transcription concerted reaction assay in gastric cancer. 2014 , 19, 473-8	1
1037	Ion sensing (EIS) real-time quantitative monitorization of isothermal DNA amplification. 2014 , 52, 50-5	32
1036	Development of Loop-Mediated Isothermal Amplification (LAMP) for Universal Detection of Enteroviruses. 2014 , 54, 80-6	12
1035	The detection of gastric cancer cells in intraoperative peritoneal lavage using the reverse transcription-loop-mediated isothermal amplification method. 2014 , 187, e1-6	13
1034	Loop-Mediated Isothermal Amplification (LAMP) for the Detection of Salmonella in Food. 2014 , 7, 512-526	63
1033	Loop-Mediated Isothermal Amplification for the Event-Specific Detection of Wheat B73-6-1. 2014 , 7, 500-505	16

1032	Development of a loop-mediated isothermal amplification method for rapid detection of pigeon circovirus. 2014 , 159, 921-6	7
1031	Rapid Detection of Turnip mosaic virus by Reverse Transcription Loop-Mediated Isothermal Amplification. 2014 , 162, 693-696	6
1030	Rapid detection of hepatitis B virus in blood plasma by a specific and sensitive loop-mediated isothermal amplification assay. 2014 , 59, 16-23	48
1029	Comparison of loop-mediated isothermal amplification (LAMP) and nested-PCR assay targeting the RE and B1 gene for detection of <i>Toxoplasma gondii</i> in blood samples of children with leukaemia. 2014 , 79, 347-54	47
1028	Loop-mediated isothermal amplification assay for rapid diagnosis of malaria infections in an area of endemicity in Thailand. 2014 , 52, 1471-7	32
1027	A new visually improved and sensitive loop mediated isothermal amplification (LAMP) for diagnosis of symptomatic falciparum malaria. 2014 , 134, 52-7	37
1026	Loop-mediated isothermal amplification test for detection of <i>Neisseria gonorrhoeae</i> in urine samples and tolerance of the assay to the presence of urea. 2014 , 52, 2163-5	25
1025	Evaluation of a loop-mediated isothermal amplification suite for the rapid, reliable, and robust detection of Shiga toxin-producing <i>Escherichia coli</i> in produce. 2014 , 80, 2516-25	15
1024	A loop-mediated isothermal amplification (LAMP) method for the identification of species within the <i>Echinococcus granulosus</i> complex. 2014 , 200, 97-103	26
1023	Caprine arthritis encephalitis virus detection in blood by loop-mediated isothermal amplification (LAMP) assay targeting the proviral gag region. 2014 , 79, 37-42	11
1022	Development of a loop-mediated isothermal amplification assay for detection of <i>Trichomonas vaginalis</i> . 2014 , 79, 337-41	18
1021	Isothermal amplified detection of DNA and RNA. 2014 , 10, 970-1003	271
1020	Loop-mediated isothermal amplification for detection of nucleic acids. 2014 , 105, Unit 15.14.	51
1019	Reverse transcription loop-mediated isothermal amplification assay for rapid and sensitive detection of Banana bract mosaic virus in cardamom (<i>Elettaria cardamomum</i>). 2014 , 138, 209-214	22
1018	Detection of Coconut cadang-cadang viroid (CCCVd) in oil palm by reverse transcription loop-mediated isothermal amplification (RT-LAMP). 2014 , 202, 19-23	15
1017	Development of loop-mediated isothermal amplification and SYBR green real-time PCR methods for the detection of Citrus yellow mosaic badnavirus in citrus species. 2014 , 203, 9-14	18
1016	G-quadruplex based two-stage isothermal exponential amplification reaction for label-free DNA colorimetric detection. 2014 , 56, 237-42	42
1015	Nanomolecular detection of human influenza virus type A using reverse transcription loop-mediated isothermal amplification assisted with rod-shaped gold nanoparticles. 2014 , 4, 13575	12

1014	Molecular testing for clinical diagnosis and epidemiological investigations of intestinal parasitic infections. 2014 , 27, 371-418	138
1013	Development of reverse transcription loop-mediated isothermal amplification assay for rapid detection of an emerging potyvirus: tomato necrotic stunt virus. 2014 , 200, 35-40	18
1012	A PCR method targeting internal transcribed spacers: the simultaneous detection of Babesia bigemina and Babesia bovis in cattle. 2014 , 59, 132-8	20
1011	Rapid and sensitive detection of human astrovirus in water samples by loop-mediated isothermal amplification with hydroxynaphthol blue dye. 2014 , 14, 38	17
1010	Multiplex isothermal solid-phase recombinase polymerase amplification for the specific and fast DNA-based detection of three bacterial pathogens. 2014 , 181, 1715-1723	118
1009	Rapid and simple detection of methicillin-resistance Staphylococcus aureus by orfX loop-mediated isothermal amplification assay. 2014 , 14, 8	24
1008	Loop-mediated isothermal amplification (LAMP) assays for detection and identification of aquaculture pathogens: current state and perspectives. 2014 , 98, 2881-95	29
1007	Rapid quantitative detection of Human immunodeficiency virus type 1 by a reverse transcription-loop-mediated isothermal amplification assay. 2014 , 541, 123-8	10
1006	Rapid visual detection of phytase gene in genetically modified maize using loop-mediated isothermal amplification method. 2014 , 156, 184-9	44
1005	Rapid genome detection of Schmallenberg virus and bovine viral diarrhea virus by use of isothermal amplification methods and high-speed real-time reverse transcriptase PCR. 2014 , 52, 1883-92	38
1004	Development of loop-mediated isothermal amplification method for detection of Kudoa septempunctata (Myxozoa: Multivalvulida) in olive flounder (Paralichthys olivaceus). 2014 , 113, 1759-67	11
1003	Comparison of the illumigene Mycoplasma DNA amplification assay and culture for detection of Mycoplasma pneumoniae. 2014 , 52, 1060-3	40
1002	Easy-to-use rapid gene amplification method for direct detection of RNA and DNA viruses in sera and feces from various animals. 2014 , 201, 31-7	2
1001	High-throughput real-time electrochemical monitoring of LAMP for pathogenic bacteria detection. 2014 , 58, 101-6	59
1000	A novel HBV genotypes detecting system combined with microfluidic chip, loop-mediated isothermal amplification and GMR sensors. 2014 , 54, 372-7	60
999	Development of a reverse transcription loop-mediated isothermal amplification assay for the rapid diagnosis of avian influenza A (H7N9) virus infection. 2014 , 204, 101-4	17
998	Four DNA extraction methods used in loop-mediated isothermal amplification for rapid adenovirus detection. 2014 , 204, 49-52	16
997	Visual detection of norovirus genogroup II by reverse transcription loop-mediated isothermal amplification with hydroxynaphthol blue dye. 2014 , 6, 196-201	17

996	Development and Application of a Loop-Mediated Isothermal Amplification (LAMP) Method for Rapid and Sensitive Detection of Enterococcus faecalis in Drinking Water. 2014 , 34, 103-110	3
995	Toward integrated molecular diagnostic system (i MDx): principles and applications. 2014 , 61, 1506-21	14
994	Advances of DNA-based methods for tracing the botanical origin of food products. 2014 , 60, 163-172	78
993	Simultaneous elimination of carryover contamination and detection of DNA with uracil-DNA-glycosylase-supplemented loop-mediated isothermal amplification (UDG-LAMP). 2014 , 50, 3747-9	110
992	Real-time loop-mediated isothermal amplification (LAMP) assay for group specific detection of important trichothecene producing Fusarium species in wheat. 2014 , 177, 117-27	21
991	Potential of cross-priming amplification and DNA-based lateral-flow strip biosensor for rapid on-site GMO screening. 2014 , 406, 4243-9	30
990	A low cost, safe, disposable, rapid and self-sustainable paper-based platform for diagnostic testing: lab-on-paper. 2014 , 25, 094006	146
989	Exploring the phytoplasmas, plant pathogenic bacteria. 2014 , 80, 210-221	102
988	Fast and quantitative differentiation of single-base mismatched DNA by initial reaction rate of catalytic hairpin assembly. 2014 , 60, 57-63	32
987	Development of a loop-mediated isothermal amplification assay combined with a lateral flow dipstick for rapid and simple detection of classical swine fever virus in the field. 2014 , 197, 14-8	24
986	Methods in virus diagnostics: from ELISA to next generation sequencing. 2014 , 186, 20-31	237
985	A simple cassette as point-of-care diagnostic device for naked-eye colorimetric bacteria detection. 2014 , 139, 482-7	82
984	Development of a loop-mediated isothermal amplification method for rapid mass-screening of sand flies for Leishmania infection. 2014 , 132, 1-6	69
983	Comparison of conventional PCR, multiplex PCR, and loop-mediated isothermal amplification assays for rapid detection of Arcobacter species. 2014 , 52, 557-63	39
982	Electrochemical detection of Francisella tularensis genomic DNA using solid-phase recombinase polymerase amplification. 2014 , 54, 674-8	53
981	Rapid detection of duck hepatitis A virus genotype C using reverse transcription loop-mediated isothermal amplification. 2014 , 196, 193-8	9
980	Rapid detection of HLA-A*31:01 allele in DNA and blood samples using loop-mediated isothermal amplification. 2014 , 171, 90-6	8
979	Differentiation of industrial sake yeast strains by a loop-mediated isothermal amplification method that targets the PHO3 gene. 2014 , 118, 661-4	1

978	Loop-mediated isothermal amplification assay for rapid and sensitive diagnosis of tuberculosis. 2014 , 69, 607-15	28
977	Development of loop-mediated isothermal amplification assays for rapid and easy detection of <i>Coxiella Burnetii</i> . 2014 , 107, 176-81	11
976	A novel and rapid loop-mediated isothermal amplification assay for the specific detection of <i>Verticillium dahliae</i> . 2014 , 116, 942-54	29
975	Incidence and prediction of invasive disease and nodal metastasis in preoperatively diagnosed ductal carcinoma in situ. 2014 , 105, 576-82	23
974	Recombinase-based isothermal amplification of nucleic acids with self-avoiding molecular recognition systems (SAMRS). 2014 , 15, 2268-74	20
973	Isothermal amplification of specific sequences. 2014 , 69-92	2
972	Loop-mediated isothermal amplification assay for detection of <i>Histomonas meleagridis</i> infection in chickens targeting the 18S rRNA sequences. 2014 , 43, 62-7	9
971	Development and evaluation of ITS- and aFlP-based LAMP assays for rapid detection of <i>Aspergillus flavus</i> in food samples. 2014 , 60, 579-84	5
970	A rapid and sensitive detection of HBV DNA using a nanopore sensor. 2014 , 50, 13853-6	17
969	Microfluidic chip for rapid analysis of cerebrospinal fluid infected with <i>Staphylococcus aureus</i> . 2014 , 6, 2015-2019	9
968	Portable pH-inspired electrochemical detection of DNA amplification. 2014 , 50, 8416-9	21
967	Advances in loop-mediated isothermal amplification: integrated with several point-of-care diagnostic methods. 2014 , 6, 7585-7589	11
966	Coordination ligand exchange of a xanthene probe-Ce(III) complex for selective fluorescence sensing of inorganic pyrophosphate. 2014 , 50, 2126-8	13
965	A loop-mediated isothermal amplification (LAMP) assay for <i>Strongyloides stercoralis</i> in stool that uses a visual detection method with SYTO-82 fluorescent dye. 2014 , 90, 306-11	65
964	A versatile PDMS/paper hybrid microfluidic platform for sensitive infectious disease diagnosis. 2014 , 86, 7978-86	152
963	Monitoring the progression of loop-mediated isothermal amplification using conductivity. 2014 , 466, 16-8	9
962	Rapid and quantitative detection of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> race 4 in soil by real-time fluorescence loop-mediated isothermal amplification. 2014 , 117, 1740-9	18
961	Field evaluation of a real-time fluorescence loop-mediated isothermal amplification assay, RealAmp, for the diagnosis of malaria in Thailand and India. 2014 , 210, 1180-7	62

960	Multiplex reverse transcription loop-mediated isothermal amplification for the simultaneous detection of CVB and CSVd in chrysanthemum. 2014 , 210, 26-31	14
959	Development of phage immuno-loop-mediated isothermal amplification assays for organophosphorus pesticides in agro-products. 2014 , 86, 8441-7	27
958	Recombinase polymerase amplification combined with a lateral flow dipstick for discriminating between infectious <i>Penaeus stylirostris</i> densovirus and virus-related sequences in shrimp genome. 2014 , 208, 144-51	63
957	Rapid and sensitive detection of type II porcine reproductive and respiratory syndrome virus by reverse transcription loop-mediated isothermal amplification combined with a vertical flow visualization strip. 2014 , 209, 86-94	9
956	Evaluation of real-time loop-mediated isothermal amplification (RealAmp) for rapid detection of <i>Mycobacterium tuberculosis</i> from sputum samples. 2014 , 104, 55-8	9
955	Rapid detection of mud crab dicistrovirus-1 using loop-mediated isothermal amplification. 2014 , 208, 171-6	4
954	Rapid detection of aflatoxin producing fungi in food by real-time quantitative loop-mediated isothermal amplification. 2014 , 44, 142-8	17
953	One-step reverse transcription-loop-mediated isothermal amplification assay for sensitive and rapid detection of porcine kobuvirus. 2014 , 207, 1-5	3
952	Enhanced biosensing resolution with foundry fabricated individually addressable dual-gated ISFETs. 2014 , 86, 8359-67	33
951	Development of an improved RT-LAMP assay for detection of currently circulating rubella viruses. 2014 , 207, 73-7	7
950	Loop-mediated isothermal amplification assay for 16S rRNA methylase genes in Gram-negative bacteria. 2014 , 20, 635-8	7
949	Application of loop-mediated isothermal amplification assay combined with lateral flow dipstick for detection of <i>Plasmodium falciparum</i> and <i>Plasmodium vivax</i> . 2014 , 63, 777-84	39
948	Rapid detection of <i>Prunus necrotic ringspot virus</i> using magnetic nanoparticle-assisted reverse transcription loop-mediated isothermal amplification. 2014 , 208, 85-9	13
947	Loop-mediated isothermal amplification (LAMP) assays for rapid detection and differentiation of <i>Nosema apis</i> and <i>N. ceranae</i> in honeybees. 2014 , 357, 40-8	14
946	How to detect carbapenemase producers? A literature review of phenotypic and molecular methods. 2014 , 107, 106-18	45
945	Tracing phosphate ions generated during DNA amplification and its simple use for visual detection of isothermal amplified products. 2014 , 50, 14382-5	25
944	Towards rapid genotyping of resistant malaria parasites: could loop-mediated isothermal amplification be the solution?. 2014 , 13, 237	3
943	The development of loop-mediated isothermal amplification targeting alpha-tubulin DNA for the rapid detection of <i>Plasmodium vivax</i> . 2014 , 13, 248	15

942	Detection of Middle East respiratory syndrome coronavirus using reverse transcription loop-mediated isothermal amplification (RT-LAMP). 2014 , 11, 139	105
941	Loop-mediated isothermal amplification (LAMP) assay for the identification of <i>Echinococcus multilocularis</i> infections in canine definitive hosts. 2014 , 7, 254	23
940	Emerging technologies for the clinical microbiology laboratory. 2014 , 27, 783-822	178
939	Mismatches Improve the Performance of Strand-Displacement Nucleic Acid Circuits. 2014 , 126, 1876-1879	50
938	REVIEW: The detection of aquatic animal species using environmental DNA – a review of eDNA as a survey tool in ecology. 2014 , 51, 1450-1459	513
937	Electrical detection of nucleic acid amplification using an on-chip quasi-reference electrode and a PVC REFET. 2014 , 86, 6968-75	28
936	Detection of the food allergen celery via loop-mediated isothermal amplification technique. 2014 , 406, 6827-33	13
935	Detection of <i>Nosema bombycis</i> by FTA cards and loop-mediated isothermal amplification (LAMP). 2014 , 69, 532-40	12
934	Identification of human DNA in forensic evidence by loop-mediated isothermal amplification combined with a colorimetric gold nanoparticle hybridization probe. 2014 , 128, 923-31	16
933	Rapid detection of bovine herpesvirus 1 in bovine semen by loop-mediated isothermal amplification (LAMP) assay. 2014 , 159, 641-8	9
932	Development of a loop-mediated isothermal amplification assay for detecting <i>Listeria monocytogenes</i> prfA in milk. 2014 , 23, 467-474	24
931	Rapid detection and quantification of <i>Prorocentrum minimum</i> by loop-mediated isothermal amplification and real-time fluorescence quantitative PCR. 2014 , 26, 1379-1388	14
930	Point-of-care multiplexed assays of nucleic acids using microcapillary-based loop-mediated isothermal amplification. 2014 , 86, 7057-62	89
929	Research progress on surface antigen 1 (SAG1) of <i>Toxoplasma gondii</i> . 2014 , 7, 180	51
928	<i>Wolbachia</i> detection in insects through LAMP: loop mediated isothermal amplification. 2014 , 7, 228	17
927	Detection of murine norovirus by reverse transcription loop-mediated isothermal amplification. 2014 , 204, 17-24	6
926	3M [™] Molecular detection system versus MALDI-TOF mass spectrometry and molecular techniques for the identification of <i>Escherichia coli</i> O157:H7, <i>Salmonella</i> spp. & <i>Listeria</i> spp. 2014 , 101, 33-43	16
925	Visual endpoint detection of <i>Escherichia coli</i> O157:H7 using isothermal Genome Exponential Amplification Reaction (GEAR) assay and malachite green. 2014 , 98, 122-7	16

924	Circle-to-circle amplification on a digital microfluidic chip for amplified single molecule detection. 2014 , 14, 2983-92	61
923	Development and evaluation of a real-time fluorogenic loop-mediated isothermal amplification assay integrated on a microfluidic disc chip (on-chip LAMP) for rapid and simultaneous detection of ten pathogenic bacteria in aquatic animals. 2014 , 104, 26-35	54
922	Rapid amplification/detection of nucleic acid targets utilizing a HDA/thin film biosensor. 2014 , 139, 3763-9	5
921	Development of a loop-mediated isothermal amplification method for detection of <i>Histoplasma capsulatum</i> DNA in clinical samples. 2014 , 52, 483-8	43
920	Three isothermal amplification techniques for rapid identification of <i>Cladophialophora carrionii</i> , an agent of human chromoblastomycosis. 2014 , 52, 3531-5	4
919	Comparison and evaluation of three diagnostic methods for detection of beet curly top virus in sugar beet using different visualizing systems. 2014 , 173, 1836-48	8
918	Development and evaluation of a one step reverse transcription-loop mediated isothermal amplification assay (RT-LAMP) for rapid detection of foot and mouth disease virus in India. 2014 , 25, 358-64	10
917	Rapid and sensitive detection of <i>Candidatus Liberibacter asiaticus</i> by loop mediated isothermal amplification combined with a lateral flow dipstick. 2014 , 14, 86	65
916	Rapid detection of porcine kobuvirus in feces by reverse transcription loop-mediated isothermal amplification. 2014 , 11, 73	3
915	A loop-mediated isothermal amplification assay for the visual detection of duck circovirus. 2014 , 11, 76	10
914	Ultrasensitive electrochemiluminescent aptasensor for ochratoxin A detection with the loop-mediated isothermal amplification. 2014 , 811, 70-5	46
913	Development and clinical evaluation of <i>sdaA</i> loop-mediated isothermal amplification assay for detection of <i>Mycobacterium tuberculosis</i> with an approach to prevent carryover contamination. 2014 , 52, 2662-4	15
912	Four assay designs and on-chip calibration: gadgets for a sepsis protein array. 2014 , 86, 3174-80	18
911	Capture and detection of DNA hybrids on paper via the anchoring of antibodies with fusions of carbohydrate binding modules and ZZ-domains. 2014 , 86, 4340-7	55
910	Sensitive detection of <i>Xanthomonas oryzae</i> Pathovars <i>oryzae</i> and <i>oryzicola</i> by loop-mediated isothermal amplification. 2014 , 80, 4519-30	28
909	Nucleic acid test to diagnose cryptosporidiosis: lab assessment in animal and patient specimens. 2014 , 86, 2565-71	55
908	Pythium soft rot of ginger: Detection and identification of the causal pathogens, and their control. 2014 , 65, 153-167	24
907	Detection of <i>Plasmodium vivax</i> and <i>Plasmodium falciparum</i> DNA in human saliva and urine: loop-mediated isothermal amplification for malaria diagnosis. 2014 , 136, 44-9	29

906	Development and evaluation of a loop-mediated isothermal amplification method for rapid detection and differentiation of two genotypes of porcine circovirus type 2. 2014 , 47, 363-70	4
905	Comparison of nucleic acid sequence-based amplification and loop-mediated isothermal amplification for diagnosis of human African trypanosomiasis. 2014 , 78, 144-8	17
904	Simple and rapid detection of HLA-A*31:01 for prediction of carbamazepine-induced hypersensitivity using loop-mediated isothermal amplification method. 2014 , 74, 88-92	7
903	Detection of the 35S promoter in transgenic maize via various isothermal amplification techniques: a practical approach. 2014 , 406, 6835-42	23
902	Loop-mediated isothermal amplification for rapid and semiquantitative detection of Loa loa infection. 2014 , 52, 2071-7	38
901	Colorimetric detection of hepatitis E virus based on reverse transcription loop mediated isothermal amplification (RT-LAMP) assay. 2014 , 197, 29-33	23
900	Detailed evaluation of one step nucleic acid (OSNA) molecular assay for intra-operative diagnosis of sentinel lymph node metastasis and prediction of non-sentinel nodal involvement: experience from a London teaching hospital. 2014 , 23, 378-84	17
899	A differential intra-operative molecular biological test for the detection of sentinel lymph node metastases in breast carcinoma. An extended experience from the first U.K. centre routinely offering the service in clinical practice. 2014 , 40, 282-8	9
898	Detection of Papaya leaf distortion mosaic virus by reverse-transcription loop-mediated isothermal amplification. 2014 , 195, 174-9	24
897	Rapid detection of BoHV-1 genomic DNA by loop-mediated isothermal amplification assay. 2014 , 204, 81-5	6
896	Real-time fluorescence loop-mediated isothermal amplification for the diagnosis of hemorrhagic enteritis virus. 2014 , 183, 50-5	4
895	Identification of human metapneumovirus genotypes A and B from clinical specimens by reverse transcription loop-mediated isothermal amplification. 2014 , 196, 133-8	7
894	Real time loop-mediated isothermal amplification using a portable fluorescence scanner for rapid and simple detection of Vibrio parahaemolyticus. 2014 , 41, 91-95	25
893	Development and application of a loop-mediated isothermal amplification assay on rapid and sensitive detection of rotavirus in fecal samples and artificially seeded oysters. 2014 , 41, 151-157	4
892	Ultrasensitive electrochemical DNA sensor based on the target induced structural switching and surface-initiated enzymatic polymerization. 2014 , 55, 231-6	26
891	Development of an electrochemical method for Ochratoxin A detection based on aptamer and loop-mediated isothermal amplification. 2014 , 55, 324-9	75
890	The development of a loop-mediated isothermal amplification assay for rapid and sensitive detection of abalone herpesvirus DNA. 2014 , 196, 199-203	9
889	Enzyme-assisted target recycling (EATR) for nucleic acid detection. 2014 , 43, 6405-38	164

888	Ultrasensitive and closed-tube colorimetric loop-mediated isothermal amplification assay using carboxyl-modified gold nanoparticles. 2014 , 10, 1495-9	41
887	Improved detection limit in rapid detection of human enterovirus 71 and coxsackievirus A16 by a novel reverse transcription-isothermal multiple-self-matching-initiated amplification assay. 2014 , 52, 1862-70	31
886	Loop-mediated isothermal amplification of vanA gene enables a rapid and naked-eye detection of vancomycin-resistant enterococci infection. 2014 , 104, 61-6	11
885	Sensitive and rapid detection of microcystin synthetase E Gene (mcyE) by loop-mediated isothermal amplification: A new assay for detecting the potential microcystin-producing <i>Microcystis</i> in the aquatic ecosystem. 2014 , 37, 8-16	12
884	New method for the visual detection of human respiratory syncytial virus using reverse transcription loop-mediated amplification. 2014 , 206, 84-8	8
883	Emerging technologies for monitoring drug-resistant tuberculosis at the point-of-care. 2014 , 78, 105-17	33
882	Brief review of monitoring methods for loop-mediated isothermal amplification (LAMP). 2014 , 61, 491-9	213
881	Application of one-step reverse transcription loop mediated isothermal amplification (reverse transcription LAMP) for rapid detection of fungal gene expression in pure culture mycelia and in planta. 2014 , 55, 425-430	4
880	Development and evaluation of reverse transcription loop-mediated isothermal amplification assay for the detection of the fathead minnow nidovirus. 2014 , 202, 39-45	7
879	A multicenter study of cross-priming amplification for tuberculosis diagnosis at peripheral level in China. 2014 , 94, 428-33	19
878	Development of the One-step Visual Loop-Mediated Isothermal Amplification Assay for Genetically Modified Rice Event TT51-1. 2014 , 20, 71-77	7
877	Loop-mediated isothermal amplification. 2014 , 61, 100-100	1
876	On-site visual diagnosis of parapoxvirus infection using a portable cordless incubator. 2014 , 30, 1169-73	1
875	Development of a loop-mediated isothermal amplification method for detecting <i>Streptococcus equi</i> subsp. <i>zooepidemicus</i> and analysis of its use with three simple methods of extracting DNA from equine respiratory tract specimens. 2014 , 76, 1271-5	11
874	A strong strand displacement activity of thermostable DNA polymerase markedly improves the results of DNA amplification. 2014 , 57, 81-7	29
873	Recent advances in molecular diagnostics of hepatitis B virus. 2014 , 20, 14615-25	23
872	Rapid and sensitive detection of <i>Listeria ivanovii</i> by loop-mediated isothermal amplification of the smcL gene. 2014 , 9, e115868	17
871	Diagnosing schistosomiasis: where are we?. 2014 , 47, 3-11	32

- 870 Demonstrating a multi-drug resistant *Mycobacterium tuberculosis* amplification microarray. **2014**, 4
- 869 Establishment and application of a loop-mediated isothermal amplification method for simple, specific, sensitive and rapid detection of *Toxoplasma gondii*. **2014**, 76, 9-14 10
- 868 A new high-speed droplet-real-time polymerase chain reaction method can detect bovine respiratory syncytial virus in less than 10 min. **2014**, 76, 477-80 3
- 867 Visual detection of canine parvovirus based on loop-mediated isothermal amplification combined with enzyme-linked immunosorbent assay and with lateral flow dipstick. **2014**, 76, 509-16 18
- 866 Identification of *Fusarium* spp. and *Penicillium Verrucosum* in the Wheat Grain Chain. **2014**, 149-168
- 865 Is PCR-DGGE an Innovative Molecular Tool for the Detection of Microbial Plant Pathogens?. **2014**, 409-433 3
- 864 Exploring the phytoplasmas, plant pathogenic bacteria.. **2014**, 80, S124-S133
- 863 Controlling Strategies (Diagnosis/Quarantine/Eradication) of Plant Pathogenic Bacteria. **2015**, 81-110 1
- 862 Miniaturized systems with microchips for four isothermal amplification reactions. **2015**,
- 861 Selection and electrophoretic characterization of *Salmonella enterica* subsp. *enterica* biocide variants resistant to antibiotics. **2015**, 18, 725-32 7
- 860 LAMP assay and rapid sample preparation method for on-site detection of *Flavescence dorè* phytoplasma in grapevine. **2015**, 64, 286-296 59
- 859 Challenges Associated with Diagnostics, Drug Resistance, and Pathogenesis of *Mycobacterium Tuberculosis*. **2015**, 863-876 1
- 858 Use of the LAMP Method to Discriminate Strain C of *Scirtothrips dorsalis* (Thysanoptera: Thripidae). **2015**, 59, 195-198
- 857 Evaluation of Dormant-Stage Inoculum Sanitation as a Component of a Fire Blight Management Program for Fresh-Market Bartlett Pear. **2015**, 99, 1147-1152 6
- 856 Rapid Diagnosis of Soybean Seedling Blight Caused by *Rhizoctonia solani* and Soybean Charcoal Rot Caused by *Macrophomina phaseolina* Using LAMP Assays. **2015**, 105, 1612-7 12
- 855 Development and evaluation of a loop-mediated isothermal amplification assay combined with enrichment culture for rapid detection of very low numbers of *Vibrio parahaemolyticus* in seafood samples. **2015**, 38, 82-7 16
- 854 Smartphone-Imaged HIV-1 Reverse-Transcription Loop-Mediated Isothermal Amplification (RT-LAMP) on a Chip from Whole Blood. **2015**, 1, 324-335 62
- 853 Phytoplasmas and Their Insect Vectors: Implications for Date Palm. **2015**, 287-314 6

852	FM to aM nucleic acid amplification for molecular diagnostics in a non-stick-coated metal microfluidic bioreactor. 2014 , 4, 7344	3
851	Polymerase Spiral Reaction (PSR): A novel isothermal nucleic acid amplification method. 2015 , 5, 12723	53
850	A novel multiplex isothermal amplification method for rapid detection and identification of viruses. 2015 , 5, 17925	28
849	[Prediction of Post-operative Lymph Node Metastasis with a Molecular Biological Test in Head and Neck Cancer]. 2015 , 118, 135-9	1
848	Development of loop-mediated isothermal amplification methods for detecting <i>Typhlocyba</i> equigenitalis and <i>Typhlocyba asinigenitalis</i> . 2015 , 26, 25-9	1
847	Rapid Visual Event-Specific Detection of Soybean DP-356043-5 by Loop-Mediated Isothermal Amplification (LAMP). 2015 , 21, 517-523	2
846	PURE-LAMP Procedure for the Diagnosis of Extrapulmonary Tuberculosis: A Case Series. 2015 , 54, 1447-50	9
845	PCR, Real-Time PCR, Digital PCR, and Isothermal Amplification. 2015 , 2.3.2-1-2.3.2-13	
844	Management of <i>Pneumocystis jirovecii</i> Pneumonia in Kidney Transplantation to Prevent Further Outbreak. 2015 , 9, 81-90	12
843	Determination of ABO blood group genotypes using the real-time loop-mediated isothermal amplification method. 2015 , 12, 5963-6	8
842	Development and application of loop-mediated isothermal amplification for detecting the highly benzimidazole-resistant isolates in <i>Sclerotinia sclerotiorum</i> . 2015 , 5, 17278	31
841	Ypt1 Gene-Based Detection of <i>Phytophthora Sojae</i> in a Loop-Mediated Isothermal Amplification Assay. 2015 , 122, 66-73	11
840	Human Trichuriasis: Whipworm Genetics, Phylogeny, Transmission and Future Research Directions. 2015 , 2, 209-217	20
839	Field deployment of loop-mediated isothermal amplification for centralized mass-screening of asymptomatic malaria in Zanzibar: a pre-elimination setting. 2015 , 14, 205	31
838	Detection of G119S ace-1 (R) mutation in field-collected <i>Anopheles gambiae</i> mosquitoes using allele-specific loop-mediated isothermal amplification (AS-LAMP) method. 2015 , 14, 477	18
837	Studies of trypanosomiasis in the Luangwa valley, north-eastern Zambia. 2015 , 8, 497	17
836	Rapid detection of the common avian leukosis virus subgroups by real-time loop-mediated isothermal amplification. 2015 , 12, 195	6
835	Detection of the I1781L mutation in fenoxaprop-p-ethyl-resistant American sloughgrass (<i>Beckmannia syzigachne</i> Steud.), based on the loop-mediated isothermal amplification method. 2015 , 71, 123-30	29

834	Development of reverse-transcription loop-mediated isothermal amplification assay for rapid detection and differentiation of dengue virus serotypes 1-4. 2015 , 15, 265	28
833	Development of a rapid recombinase polymerase amplification assay for the detection of <i>Streptococcus pneumoniae</i> in whole blood. 2015 , 15, 481	37
832	A paper and plastic device for the combined isothermal amplification and lateral flow detection of <i>Plasmodium</i> DNA. 2015 , 14, 472	44
831	Development of a real-time reverse transcription loop-mediated isothermal amplification method for the rapid detection of porcine epidemic diarrhea virus. 2015 , 12, 76	23
830	Reverse-transcription, loop-mediated isothermal amplification assay for the sensitive and rapid detection of H10 subtype avian influenza viruses. 2015 , 12, 145	10
829	Development of a fluorescent probe-based recombinase polymerase amplification assay for rapid detection of Orf virus. 2015 , 12, 206	34
828	Diagnosis of toxoplasmosis and typing of <i>Toxoplasma gondii</i> . 2015 , 8, 292	174
827	Assessing the presence of <i>Wuchereria bancrofti</i> in vector and human populations from urban communities in Conakry, Guinea. 2015 , 8, 492	26
826	Development and evaluation of a Loop Mediated Isothermal Amplification (LAMP) technique for the detection of hookworm (<i>Necator americanus</i>) infection in fecal samples. 2015 , 8, 574	27
825	Development of loop-mediated isothermal amplification (LAMP) for simple detection of <i>Leishmania</i> infection. 2015 , 8, 591	46
824	Measurement of fatigue during vertigo episode of Meniere's disease using herpes virus DNA amplification in saliva. 2015 , 74, 8-14	
823	Development and application of a quantitative loop-mediated isothermal amplification method for detecting genetically modified maize MON863. 2015 , 95, 253-9	15
822	RAPID DIAGNOSIS OF BLUETONGUE VIRUS SEROTYPES 2 AND 12 INFECTION BY REVERSE TRANSCRIPTION LOOP-MEDIATED ISOTHERMAL AMPLIFICATION. 2015 , 41, 187-196	
821	Detection and Sequence Analysis of Grapevine Leafroll-Associated Virus 2 Isolates from China. 2015 , 163, 978-986	5
820	Use of loop-mediated isothermal amplification to detect six groups of pathogens causing secondary lower respiratory bacterial infections in horses. 2015 , 59, 365-70	13
819	Cross-priming amplification for detection of bovine viral diarrhoea virus species 1 and 2. 2015 , 119, 632-9	13
818	Development of loop-mediated isothermal amplification assays for genotyping of Type III Secretion System in <i>Pseudomonas aeruginosa</i> . 2015 , 61, 361-6	3
817	One-step nucleic acid amplification testing in medullary thyroid cancer lymph nodes: a case series. 2015 , 11, 137-41	5

816	Improvement of dynamic range of filter-less fluorescence sensor with body-biasing technique. 2015 , 54, 04DL03	9
815	Diagnostic approaches for tick-borne haemoparasitic diseases in livestock. 2015 , 7, 45-56	19
814	LAMP technology: Rapid identification of Brucella and Mycobacterium avium subsp. paratuberculosis. 2015 , 46, 619-26	14
813	Rapid and sensitive detection of iridovirus by loop-mediated isothermal amplification (LAMP). 2015 , 9, 382-387	3
812	Development of a Rapid Detection Method for Potato virus X by Reverse Transcription Loop-Mediated Isothermal Amplification. 2015 , 31, 219-25	23
811	STITCHER: A web resource for high-throughput design of primers for overlapping PCR applications. 2015 , 58, 325-8	5
810	Detection of Kudoa amamiensis Using Loop-Mediated Isothermal Amplification (LAMP). 2015 , 50, 119-122	1
809	Electrical and electrochemical monitoring of nucleic Acid amplification. 2015 , 3, 29	17
808	Development of Primer Sets for Loop-Mediated Isothermal Amplification that Enables Rapid and Specific Detection of Streptococcus dysgalactiae, Streptococcus uberis and Streptococcus agalactiae. 2015 , 12, 5735-42	5
807	The Novel Multiple Inner Primers-Loop-Mediated Isothermal Amplification (MIP-LAMP) for Rapid Detection and Differentiation of Listeria monocytogenes. 2015 , 20, 21515-31	19
806	Improvement of the quantitation method for the tdh (+) Vibrio parahaemolyticus in molluscan shellfish based on most-probable- number, immunomagnetic separation, and loop-mediated isothermal amplification. 2015 , 6, 270	2
805	Survey and rapid detection of Klebsiella pneumoniae in clinical samples targeting the rcsA gene in Beijing, China. 2015 , 6, 519	26
804	Rapid detection of Acinetobacter baumannii and molecular epidemiology of carbapenem-resistant A. baumannii in two comprehensive hospitals of Beijing, China. 2015 , 6, 997	25
803	Rapid detection of Pseudomonas aeruginosa targeting the toxA gene in intensive care unit patients from Beijing, China. 2015 , 6, 1100	32
802	Survey and Visual Detection of Zaire ebolavirus in Clinical Samples Targeting the Nucleoprotein Gene in Sierra Leone. 2015 , 6, 1332	11
801	Shining a light on LAMP assays--a comparison of LAMP visualization methods including the novel use of berberine. 2015 , 58, 189-94	94
800	A reverse transcription loop-mediated isothermal amplification assay optimized to detect multiple HIV subtypes. 2015 , 10, e0117852	15
799	Real-time sequence-validated loop-mediated isothermal amplification assays for detection of Middle East respiratory syndrome coronavirus (MERS-CoV). 2015 , 10, e0123126	96

- 798 The Development and Evaluation of a Loop-Mediated Isothermal Amplification Method for the Rapid Detection of *Salmonella enterica* serovar Typhi. **2015**, 10, e0124507 26
- 797 Detection of Acute HIV-1 Infection by RT-LAMP. **2015**, 10, e0126609 20
- 796 A Simple and Rapid Identification Method for *Mycobacterium bovis* BCG with Loop-Mediated Isothermal Amplification. **2015**, 10, e0133759 8
- 795 The Rapid-Heat LAMPellet Method: A Potential Diagnostic Method for Human Urogenital Schistosomiasis. **2015**, 9, e0003963 31
- 794 Recombinase Polymerase Amplification Assay for Rapid Diagnostics of Dengue Infection. **2015**, 10, e0129682 87
- 793 Tuberculosis Biomarker Extraction and Isothermal Amplification in an Integrated Diagnostic Device. **2015**, 10, e0130260 12
- 792 Clinical Specimen-Direct LAMP: A Useful Tool for the Surveillance of blaOXA-23-Positive Carbapenem-Resistant *Acinetobacter baumannii*. **2015**, 10, e0133204 13
- 791 Survey and Rapid Detection of *Bordetella pertussis* in Clinical Samples Targeting the BP485 in China. **2015**, 3, 39 7
- 790 Severe scrub typhus infection: Clinical features, diagnostic challenges and management. **2015**, 4, 244-50 70
- 789 Evaluation of Loop-Mediated Isothermal Amplification Assay for the Detection of *Pneumocystis jirovecii* in Immunocompromised Patients. **2015**, 2015, 819091 8
- 788 Efficient and Specific Detection of *Salmonella* in Food Samples Using a stn-Based Loop-Mediated Isothermal Amplification Method. **2015**, 2015, 356401 13
- 787 Trends in Biosensors for HPV: Identification and Diagnosis. **2015**, 2015, 1-16 17
- 786 Highly Sensitive Loop-Mediated Isothermal Amplification for the Detection of *Leptospira*. **2015**, 2015, 147173 20
- 785 Development of a loop-mediated isothermal amplification assay for rapid detection of *Trichosporon asahii* in experimental and clinical samples. **2015**, 2015, 732573 8
- 784 Loop Mediated Isothermal Amplification for Detection of *Trypanosoma brucei gambiense* in Urine and Saliva Samples in Nonhuman Primate Model. **2015**, 2015, 867846 12
- 783 Evaluation of Two Loop-mediated Isothermal Amplification Methods for the Detection of Enteritidis and in Artificially Contaminated Ready-to-Eat Fresh Produce. **2015**, 4, 5383 6
- 782 Rapid and quantitative detection of hepatitis B virus. **2015**, 21, 11954-63 21
- 781 Internal and external parasites of camels (*Camelus dromedarius*) slaughtered at Addis Ababa Abattoir, Ethiopia. **2015**, 7, 57-63 3

780	Diagnostic assays developed for the control of foot-and-mouth disease in India. 2015 , 4, 295-302	10
779	Evaluation of LAMP Assay Using Phenotypic Tests and Conventional PCR for Detection of nuc and mecA genes Among Clinical Isolates of Staphylococcus spp. 2015 , 9, DC06-9	9
778	Emergence of tunable resistive pulse sensing as a biosensor. 2015 , 7, 7055-7066	40
777	Tip-enhanced fluorescence with radially polarized illumination for monitoring loop-mediated isothermal amplification on hepatitis C virus cDNA. 2015 , 20, 27005	4
776	Development of reverse transcription loop-mediated isothermal amplification assays to detect Hantaan virus and Seoul virus. 2015 , 221, 68-73	4
775	Detection of Cucurbit chlorotic yellows virus from Bemisia tabaci captured on sticky traps using reverse transcription loop-mediated isothermal amplification (RT-LAMP) and simple template preparation. 2015 , 221, 9-14	13
774	Development of a loop-mediated isothermal amplification targeting a gene within the pyruvate dehydrogenase complex, the pdhA gene, for rapid detection of Mycoplasma gallisepticum. 2015 , 27, 260-7	8
773	Analytical methods for Ebola virus detection. 2022 , 178, 107333	
772	Review of COVID-19 testing and diagnostic methods.. 2022 , 244, 123409	11
771	An RNA-based catalytic hairpin assembly circuit coupled with CRISPR-Cas12a for one-step detection of microRNAs.. 2022 , 207, 114152	0
770	Risk assessment of social insect bumblebees. 2021 , 46, 106-111	
769	Loop-Mediated Isothermal Amplification Detection of SARS-CoV-2 and Myriad Other Applications.. 2021 , 32, 228-275	2
768	Automating the Design of Cancer Specific DNA Probes Using Computational Algorithms. 2021 , 2021, 1852-1856	0
767	Development of a Thermal Cycler for Cell Culture Applications using Isothermal Amplification Technique. 2021 ,	
766	Detection of MGMT methylation status using a Lab-on-Chip compatible isothermal amplification method. 2021 , 2021, 7385-7389	
765	Comparative Diagnostic Performance of a Novel Reverse Transcription Loop-Mediated Isothermal Amplification (RT-LAMP) Kit for the Rapid Detection of SARS-CoV-2.. 2021 , 10,	0
764	Rapid Visual CRISPR Assay: A Naked-Eye Colorimetric Detection Method for Nucleic Acids Based on CRISPR/Cas12a and a Convolutional Neural Network.. 2021 ,	4
763	Coronavirus Disease 2019 (COVID-19): Emerging detection technologies and auxiliary analysis. 2021 , e24152	3

762	Loop-Mediated Isothermal Amplification as a Promising Method for Mass COVID-19 Diagnostics.. 2021 , 57, 845-850	0
761	A Loop-mediated Isothermal Amplification With a Nanoparticle-Based Lateral Flow Biosensor Assay to Detect <i>Pseudomonas aeruginosa</i> in Endophthalmitis.. 2021 , 10, 26	1
760	A loop-mediated isothermal DNA amplification (LAMP) assay for detection of the clubroot pathogen. 2021 ,	1
759	Loop-Mediated Isothermal Amplification (LAMP) as a Promising Point-of-Care Diagnostic Strategy in Avian Virus Research.. 2021 , 12,	0
758	Bacterial keratitis: identifying the areas of clinical uncertainty.. 2021 , 101031	2
757	Development and comparison of loop-mediated isothermal amplification with quantitative PCR for the specific detection of <i>Saprolegnia</i> spp.. 2021 , 16, e0250808	0
756	Detection of SARS-CoV-2 RNA in Urine by RT-LAMP: A Very Rare Finding.. 2021 , 11,	1
755	Qualitative and Quantitative Detection of Potentially Virulent in Drinking Water and Commonly Consumed Aquatic Products by Loop-Mediated Isothermal Amplification.. 2021 , 11,	3
754	Mimotopes for Mycotoxins Diagnosis Based on Random Peptides or Recombinant Antibodies from Phage Library.. 2021 , 26,	1
753	First Report of Crown Gall of Kiwifruit () Caused by in China and the Establishment of Loop-Mediated Isothermal Amplification Technique.. 2021 , 23,	0
752	Programmable High-Speed and Hyper-Efficiency DNA Signal Magnifier.. 2021 , e2104084	3
751	[Evaluation of a Species-specific, Stable, and Endogenous Sequence of Eggplant (<i>Solanum melongena</i>) using LAMP for the Detection of Genetically Modified Eggplants].. 2021 , 62, 180-186	
750	Immunocapture-Reverse Transcriptase Loop-Mediated Isothermal Amplification Assay for Detection of Plant RNA Viruses.. 2022 , 2400, 245-252	0
749	Microfluidic Chip with Two-Stage Isothermal Amplification Method for Highly Sensitive Parallel Detection of SARS-CoV-2 and Measles Virus.. 2021 , 12,	3
748	Evaluation of the efficacy of LAMP-based SARS-CoV-2 detection with simple RNA extraction from nasopharyngeal swabs: A prospective observational study.. 2021 , 16, e0260732	0
747	Automotive Vulnerability Analysis for Deep Learning Blockchain Consensus Algorithm. 2022 , 11, 119	2
746	Parallel implementation of the primer search algorithm for loop-mediated isothermal amplification. 2021 , 2131, 022004	
745	Sensitive detection of fusion transcripts with padlock probe-based continuous cascade amplification (P-CCA).. 2022 ,	

744	Auto-cycling primer extension for amplified microRNA detection.. 2022 ,	1
743	RT-LAMP Based Molecular Diagnostic Set-Up for Rapid Hepatitis C Virus Testing.	
742	Multiple stem-loop primers induced cascaded loop-mediated isothermal amplification for direct recognition and specific detection of circular RNAs.. 2022 ,	
741	eDNA-based detection of the invasive crayfish <i>Pacifastacus leniusculus</i> in streams with a LAMP assay using dependent replicates to gain higher sensitivity.. 2022 , 12, 6553	0
740	Molecular Diagnosis of Two Major Implantation Mycoses: Chromoblastomycosis and Sporotrichosis.. 2022 , 8,	
739	A Rapid and Specific Genotyping Platform for <i>Plasmodium falciparum</i> Chloroquine Resistance via Allele-Specific PCR with a Lateral Flow Assay.. 2022 , e0271921	1
738	Development of molecular detection methods of <i>Bovicola ovis</i> from sheep fleece.. 2022 , 121, 1597	0
737	Elimination of Carryover Contamination in Real-Time Reverse Transcriptase Loop-Mediated Isothermal Amplification for Rapid Detection of the SARS-CoV-2 Virus in Point-of-Care Testing.. 2022 , 12, 856553	1
736	Rotational diffusometric sensor with isothermal amplification for ultra-sensitive and rapid detection of SARS-CoV-2 nsp2 cDNA.. 2022 , 210, 114293	0
735	Development and evaluation of a loop-mediated isothermal amplification (LAMP) technique for rapid, accurate, and specific detection of <i>Blastocystis</i> spp. in AIDS patients.. 2022 , 1	1
734	Isothermal nucleic acid amplification for food safety analysis. 2022 , 116641	4
733	EasyNAT MP Assay: A Simple, Rapid, and Low-Cost Method to Detect <i>Mycoplasma pneumoniae</i> Using Cross-Priming Amplification Technology.. 2022 , 26, 345	
732	Passivated Impedimetric Sensors for Immobilization-Free Pathogen Detection by Isothermal Amplification and Melt Curve Analysis. 2022 , 12, 261	0
731	Rapid and specific detection of <i>Fusarium acuminatum</i> and <i>Fusarium solani</i> associated with root rot on <i>Astragalus membranaceus</i> using loop-mediated isothermal amplification (LAMP). 1	1
730	Epidemiology of SARS-CoV-2 infection in nursing facilities and the impact of their clusters in a Japanese core city.. 2022 ,	0
729	Droplet microfluidic-based loop-mediated isothermal amplification (dLAMP) for simultaneous quantification of multiple targets.. 2022 , 3, 101335	0
728	Ligation-free isothermal nucleic acid amplification.. 2022 , 209, 114256	0
727	Data_Sheet_1.docx. 2020 ,	

726 Table_1.docx. **2020**,

725 Image_1.pdf. **2019**,

724 Image_2.tif. **2019**,

723 Image_3.tif. **2019**,

722 Table_1.DOCX. **2020**,

721 Image_1.TIF. **2019**,

720 Data_Sheet_1.PDF. **2020**,

719 Table_1.XLSX. **2020**,

718 Table_1.docx. **2019**,

717 Data_Sheet_1.docx. **2018**,

716 Table_1.XLSX. **2019**,

715 Image_1.JPEG. **2018**,

714 Image_2.JPEG. **2018**,

713 Image_3.JPEG. **2018**,

712 Image_4.JPEG. **2018**,

711 Image_5.JPEG. **2018**,

710 Table_1.docx. **2020**,

709 Image_1.tif. **2018**,

708 Image_2.tif. **2018**,

707 Image_3.TIF. **2018**,

706 Table_1.DOCX. **2018**,

705 Image_1.JPEG. **2020**,

704 Table_1.DOCX. **2020**,

703 Data_Sheet_1.doc. **2020**,

702 Table_1.doc. **2020**,

701 Image_1.TIF. **2019**,

700 Image_2.tif. **2019**,

699 Image_3.tif. **2019**,

698 Image_4.tif. **2019**,

697 Image_5.tif. **2019**,

696 Image_6.tif. **2019**,

695 Image_7.tif. **2019**,

694 Table_1.DOCX. **2019**,

693 Table_2.XLSX. **2019**,

692 Table_3.XLSX. **2019**,

691 Data_Sheet_1.DOCX. **2018**,

- 690 Enhanced Detection of Viral RNA Species Using FokI-Assisted Digestion of DNA Duplexes and DNA/RNA Hybrids.. **2022**,
- 689 Usefulness of a commercial LAMP assay for detection of malaria infection, including Plasmodium knowlesi cases, in returning travelers in Spain.. **2022**, 15, 147
- 688 An accurate, rapid and simple loop-mediated isothermal amplification method for detection in animals. **2021**, 12, 377-381
- 687 Sensitive and convenient detection of miRNA-145 using a gold nanoparticle-HCR coupled system: computational and in vitro validations.. **2022**, PP, 1
- 686 Polymerase Spiral Reaction (PSR) for the Diagnosis of Porcine Viral Diseases. **2022**, 231-238
- 685 A magnet-actuated microfluidic array chip for high-throughput pretreatment and amplification and detection of multiple pathogens.. **2022**, 1
- 684 Development of a Photothermal Bead-Based Nucleic Acid Amplification Test (Pbbnaat) Technique for a High-Performance Loop-Mediated Isothermal Amplification (Lamp)Based Point-of-Care Test (Poct).
- 683 Colorimetric and Real-Time Loop-Mediated Isothermal Amplification (LAMP) for Detection of Loa loa DNA in Human Blood Samples. **2022**, 12, 1079
- 682 A lyophilized colorimetric RT-LAMP test kit for rapid, low-cost, at-home molecular testing of SARS-CoV-2 and other pathogens.. **2022**, 12, 7043 0
- 681 Rapid Detection of Salmonella spp from Meat: Loop Mediated Isothermal Amplification (LAMP).
- 680 Identification of Two Diamondback Moth Parasitoids, Diadegma fenestrale and Diadegma semiclausum, Using LAMP for Application in Biological Control. **2022**, 8, 366 1
- 679 Real-time Fluorescence and Visual Colorimetric LoopMediated Isothermal Amplification Assays for the Rapid and Visual Identification of the Genus Diodon. 1 0
- 678 Diagnosis of Neisseria Gonorrhoeae by Loop-Mediated Isothermal Amplification: Systematic Review and Meta-Analysis. 1
- 677 Microfluidics-Based Point-of-Care Testing (POCT) Devices in Dealing with Waves of COVID-19 Pandemic: The Emerging Solution.. **2022**, 6
- 676 Molecular Diagnostic Tools Applied for Assessing Microbial Water Quality.. **2022**, 19,
- 675 Current and emerging molecular technologies for the diagnosis of plant diseases [An overview. **2022**, 10, 294-305 0
- 674 Dengue fever as a reemerging disease in upper Egypt: Diagnosis, vector surveillance and genetic diversity using RT-LAMP assay.. **2022**, 17, e0265760 0
- 673 Simple, sensitive, and cost-effective detection of wAlbB Wolbachia in Aedes mosquitoes, using loop mediated isothermal amplification combined with the electrochemical biosensing method.. **2022**, 16, e0009600 0

- 672 A panoptic review of techniques for finfish disease diagnosis: The status quo and future perspectives.. **2022**, 196, 106477
- 671 The History and Future of Basic and Translational Cell-Free DNA Research at a Glance. **2022**, 12, 1192
- 670 VIR-CRISPR: Visual in-one-tube ultrafast RT-PCR and CRISPR method for instant SARS-CoV-2 detection. **2022**, 339937 ○
- 669 Investigation and validation of labelling loop mediated isothermal amplification (LAMP) products with different nucleotide modifications for various downstream analysis.. **2022**, 12, 7137 ○
- 668 A LAMP sequencing approach for high-throughput co-detection of SARS-CoV-2 and influenza virus in human saliva.. **2022**, 11, 1
- 667 Detection of Haemophilus influenzae by loop-mediated isothermal amplification coupled with nanoparticle-based lateral flow biosensor assay.. **2022**, 22, 123 ○
- 666 Development of Loop Mediated Isothermal Amplification (LAMP): A new tool for rapid diagnosis of cotton leaf curl viral disease.. **2022**, 114541
- 665 Plasmodium knowlesi: the game changer for malaria eradication.. **2022**, 21, 140 ○
- 664 A fast extraction-free isothermal LAMP assay for detection of SARS-CoV-2 with potential use in resource-limited settings.. **2022**, 19, 77 1
- 663 Net-shaped DNA nanostructure designed for rapid/sensitive detection and potential inhibition of SARS-CoV-2 virus.
- 662 RT-LAMP-Based Molecular Diagnostic Set-Up for Rapid Hepatitis C Virus Testing. **2022**, 12, 298 1
- 661 Detection of SARS-CoV-2 in different human biofluids using the loop-mediated isothermal amplification assay: A prospective diagnostic study in Fortaleza, Brazil.. **2022**,
- 660 Development of a Highly Sensitive Loop-Mediated Isothermal Amplification Incorporated with Flocculation of Carbon Particles for Rapid On-Site Diagnosis of Blood Disease Bacterium Banana. **2022**, 8, 406
- 659 Development of a Polymerase Spiral Reaction-Based Isothermal Assay for Rapid Identification of .. **2022**, 9, 853339
- 658 CRISPR-Cas12a combination to alleviate the false-positive in loop-mediated isothermal amplification-based diagnosis of Neisseria meningitidis.. **2022**, 22, 429 ○
- 657 Listeria monocytogenes in foods From culture identification to whole-genome characteristics. ○
- 656 Rapid and simple detection of influenza virus via isothermal amplification lateral flow assay.. **2022**, 1 ○
- 655 Genes Encoding Potential Molecular Mimicry Proteins as the Specific Targets for Detecting Bursaphelenchus xylophilus in PCR and Loop-Mediated Isothermal Amplification Assays. **2022**, 13, ○

- 654 Aptamer-based signal amplification strategies coupled with microchips for high-sensitivity bioanalytical applications: A review.. **2022**, 1209, 339893 1
- 653 Diagnostic utility and validation of a newly developed real time loop mediated isothermal amplification method for the detection of SARS CoV-2 infection.. **2022**, 100081 1
- 652 Electronic noses based on metal oxide semiconductor sensors for detecting crop diseases and insect pests. **2022**, 197, 106988 2
- 651 Detection of SARS-CoV-2 RNA through tandem isothermal gene amplification without reverse transcription. **2022**, 1212, 339909 0
- 650 CRISPR/Cas13a induced exponential amplification for highly sensitive and specific detection of circular RNA.. **2022**, 246, 123521 0
- 649 Sequence to size-based separation using microfluidic electrophoresis for targeted cell-free DNA analysis.. **2022**, 649, 114691 0
- 648 Colorimetric detection of SARS-CoV-2 by uracil-DNA glycosylase (UDG) reverse transcription loop-mediated isothermal amplification (RT-LAMP).. **2022**, 120, 132-134 0
- 647 Sandwich hybridization-based loop-mediated isothermal amplification (SHB-LAMP) for high-throughput detection of malaria RNA from asymptomatic infections. **2022**, 365, 131973 0
- 646 Diagnosis of Mycobacterium tuberculosis using GeneXpert MTB / RIF and TB-LAMP techniques from pulmonary and extra-pulmonary TB patients in Iraq. **2022**, 7, 1-8 0
- 645 Ultrasensitive, Specific, and Rapid Detection of Mycoplasma pneumoniae Using the ERA/CRISPR Δ as12a Dual System. **2022**, 13, 0
- 644 A reverse transcription loop-mediated isothermal amplification (RT-LAMP) assay for the detection of plum viroid I (PIVd-I).. **2022**, 114543 0
- 643 Versatility of a Salmonella Loop-Mediated Isothermal Amplification Assay Using Multiple Platforms and Master Mixes in Animal Food Matrices.. **2022**, 0
- 642 African Animal Trypanosomiasis: A Systematic Review on Prevalence, Risk Factors and Drug Resistance in Sub-Saharan Africa.. **2022**, 0
- 641 Molecular Diagnostic Methods For The Detection of Leptospirosis. 0
- 640 JMM profile: Loop-mediated isothermal amplification (LAMP): for the rapid detection of nucleic acid targets in resource-limited settings.. **2022**, 71, 0
- 639 Development and implementation of a simple and rapid extraction-free saliva SARS-CoV-2 RT-LAMP workflow for workplace surveillance. **2022**, 17, e0268692 0
- 638 Detection and Control of Pantoea agglomerans Causing Plum Bacterial Shot-Hole Disease by Loop-Mediated Isothermal Amplification Technique. **2022**, 13, 0
- 637 Development of a Ladder-Shape Melting Temperature Isothermal Amplification (LMTIA) Assay for the Identification of Cassava Component in Sweet Potato Starch Noodles. **2022**, 27, 3414 1

- 636 A comparison between Mini-loop mediated isothermal amplification and polymerase spiral reaction for selective amplification of short template DNA.
- 635 Slipchip-based immunomagnetic separation combined with loop-mediated isothermal amplification for rapid detection of *Bacillus cereus* with tetracycline resistance gene tetL in pasteurized milk. **2022**, 109122 1
- 634 DropCRISPR: A LAMP-Cas12a based digital method for ultrasensitive detection of nucleic acid. **2022**, 211, 114377 4
- 633 A programmable and sensitive CRISPR/Cas12a-based MicroRNA detection platform combined with hybridization chain reaction. **2022**, 211, 114382 2
- 632 Directly interface microreaction tube and test strip for the detection of *Salmonella* in food with combined isothermal amplification and lateral flow assay. **2022**, 107, 104062 1
- 631 Self-Assembled DNA Dendrons as Signal Amplifiers in DNA Probe-Based Chemiluminescent Assay for Enhanced Colorimetric Detection of Short Target Cdna.
- 630 A Highly Sensitive Electrochemical Biosensor Via Short-Stranded DNA Activating Lamp(H+) to Regulate I-Motif Folds for Signal Transduction.
- 629 Sensitive methods for detection of SARS-CoV-2 RNA. **2022**, 1-26 0
- 628 Parasitological, serological and molecular diagnosis of acute and chronic Chagas disease: from field to laboratory. 117, 2
- 627 Analysis of the Application Value of Molecular Diagnostic Technology of *Mycobacterium Tuberculosis*.
- 626 CRISPR/Cas12a-Based Diagnostic Platform Accurately Detects *Nocardia farcinica* Targeting a Novel Species-Specific Gene. **2022**, 12, 0
- 625 Glycerol Additive Boosts 100-fold Sensitivity Enhancement for One-Pot RPA-CRISPR/Cas12a Assay. 4
- 624 Development of loop mediated isothermal amplification for rapid species detection of *Armillaria ostoyae* using assimilating probe. **2022**, 68, 163-169
- 623 Lab-on-chip assay of tumour markers and human papilloma virus for cervical cancer detection at the point-of-care. **2022**, 12, 0
- 622 Fluorescence In Situ Hybridization (FISH) Tests for Identifying Protozoan and Bacterial Pathogens in Infectious Diseases. **2022**, 12, 1286 0
- 621 Triplex immunostrip assay for rapid diagnosis of tobacco mosaic virus, tobacco vein banding mosaic virus and potato virus Y.
- 620 Development of amplification system for point-of-care test of nucleic acid. 1-10 1
- 619 Evaluation of the Clinical Usefulness of Loop-mediated Isothermal Amplification (LAMP) Assay for the Detection of *Chlamydia pneumoniae*. **2022**, 96, 74-81

- 618 Development of loop-mediated isothermal amplification (LAMP) assay for the detection of clover proliferation phytoplasma-associated with sweet cherry witches broom disease. 1
- 617 Molecular and serology methods in the diagnosis of COVID-19: An overview. **2022**, 12, 83-91
- 616 Kinetics of Isothermal Dumbbell Exponential Amplification: Effects of Mix Composition on LAMP and Its Derivatives. **2022**, 12, 346 2
- 615 CRISPR-based point-of-care diagnostics incorporating Cas9, Cas12, and Cas13 enzymes advanced for SARS-CoV-2 detection.
- 614 Analysis and validation of silica-immobilised BST polymerase in loop-mediated isothermal amplification (LAMP) for malaria diagnosis. 0
- 613 Rapid on-site identification of *Lepiota brunneoincarnata*-induced mushroom poisoning by simple DNA extraction and loop-mediated isothermal amplification strategy. **2022**, 113621
- 612 Highly Sensitive Detection of Human Pluripotent Stem Cells by Loop-Mediated Isothermal Amplification. 1
- 611 Light Scattering Technology-Combined Ligation-Dependent Loop-Mediated Isothermal Amplification (LL-LAMP) for Sensitive Detection of RNA. 0
- 610 R/LinkedCharts: A novel approach for simple but powerful interactive data analysis.
- 609 Rapid, Simple, and Highly Specific Detection of *Streptococcus pneumoniae* With Visualized Recombinase Polymerase Amplification. **2022**, 12,
- 608 Electromagnetically-driven integrated microfluidic platform using reverse transcription loop-mediated isothermal amplification for detection of severe acute respiratory syndrome coronavirus 2. **2022**, 340036 0
- 607 Differentiation of the *Xanthomonas hortorum* X*Xanthomonas hydrangeae* Species Complex Using Sensitive and Selective LAMP Assays. **2022**, 4,
- 606 Testing and diagnosis of SARS-CoV-2 infection. **2022**, 49-79
- 605 Multiplexed Lateral Flow Assay Integrated with Orthogonal Crispr-Cas System for Sars-Cov-2 Detection.
- 604 Automated sample-to-answer centrifugal microfluidic system for rapid molecular diagnostics of SARS-CoV-2. 1
- 603 Clinical evaluation of an innovative isothermal amplification detection system for COVID-19 diagnosis.
- 602 Development of a single-molecule biosensor with ultra-low background for simultaneous detection of multiple retroviral DNAs. 0
- 601 Advancing the Biosynthetic and Chemical Understanding of the Carcinogenic Risk Factor Colibactin and Its Producers.

600	Molecular evidence on the presence of <i>Schistosoma japonicum</i> infection in snails along the Yangtze River, 2015-2019. 2022 , 11,	0
599	Recent progress on biosensors for rapid detection of bacterial pathogens in water, food and environment. 2022 , 107357	3
598	A highly sensitive and versatile fluorescent biosensor for pathogen nucleic acid detection based on toehold-mediated strand displacement initiated primer exchange reaction. 2022 , 340125	1
597	Performance of Loop-Mediated Isothermal Amplification (LAMP) Targeting the Nucleocapsid (N) Gene of SARS-CoV-2 for Rapid Diagnosis of COVID-19: Systematic Review and Meta-Analysis. 2022 , 2, 759-766	
596	Detection of <i>Cryptosporidium</i> spp. and <i>Giardia</i> spp. in Environmental Water Samples: A Journey into the Past and New Perspectives. 2022 , 10, 1175	0
595	A LAMP Assay for the Detection of <i>Thecodiplosis japonensis</i> , an Alien Gall Midge Species Pest of Pine Trees. 2022 , 13, 540	0
594	End-point detection of loop-mediated isothermal amplification (LAMP) on malaria by direct observation with colorimetric dyes. 2022 , 108310	0
593	Development and evaluation of a loop-mediated isothermal amplification (LAMP) method for detection of the potato powdery scab pathogen <i>Spongospora subterranea</i> .	
592	Loop-mediated isothermal amplification (LAMP) for rapid and easy identification of <i>Omphalotus japonicus</i> . 2022 , 100115	
591	Diagnostics of COVID-19 Based on CRISPR-Cas Coupled to Isothermal Amplification: A Comparative Analysis and Update. 2022 , 12, 1434	1
590	Molecular diagnostics of <i>Conopomorpha cramerella</i> (Snellen) (Lepidoptera: Gracillariidae).	
589	Evaluation of real-time NASBA assay for the detection of SARS-CoV-2 compared with real-time PCR.	0
588	Evaluation of the loop-mediated isothermal amplification assay for <i>Staphylococcus aureus</i> detection: a systematic review and meta-analysis. 2022 , 21,	0
587	Rapid and sensitive on-site genetic diagnostics of pest fruit flies using CRISPR-Cas12a.	
586	Rapid, Sensitive, and Species-Specific Detection of Conventional and Recombinant Herpesvirus of Turkeys Vaccines Using Loop-Mediated Isothermal Amplification Coupled With a Lateral Flow Device Readout. 9,	
585	SMART-LAMP: A Smartphone-Operated Handheld Device for Real-Time Colorimetric Point-of-Care Diagnosis of Infectious Diseases via Loop-Mediated Isothermal Amplification. 2022 , 12, 424	3
584	Recent Advances in Signal Amplification to Improve Electrochemical Biosensing for Infectious Diseases. 10,	0
583	Competitive SNP-LAMP probes for rapid and robust single-nucleotide polymorphism detection. 2022 , 100242	0

- 582 Recent Advances in the Use of Molecular Methods for the Diagnosis of Bacterial Infections. **2022**, 11, 663 2
- 581 Advanced Technologies in On-Site Detection of Genetically Modified Products. **2022**, 12, 888
- 580 An updated review of SARS-CoV -2 detection methods in the context of a novel coronavirus pandemic. 0
- 579 Photocontrolled crRNA activation enables robust CRISPR-Cas12a diagnostics. **2022**, 119, 1
- 578 Capping Gold Nanoparticles to Achieve a Protein-like Surface for Loop-Mediated Isothermal Amplification Acceleration and Ultrasensitive DNA Detection. **2022**, 14, 27666-27674 1
- 577 RPA-Assisted Cas12a System for Detecting Pathogenic *Xanthomonas oryzae*, a Causative Agent for Bacterial Leaf Blight Disease in Rice. **2022**, 29, 340-352 0
- 576 A novel method for inward fluid displacement in centrifugal microdevices for highly integrated nucleic acid processing with long-term reagent storage. **2022**, 1221, 340063 0
- 575 An HFman probe-based reverse transcription loop-mediated isothermal amplification (RT-LAMP) assay for HIV-1 detection. **2022**, 64, 101834 1
- 574 All-in-one multiplex isothermal reaction combining miniaturized device enables rapid screening of infected samples. **2022**, 368, 132226
- 573 Development of a Lamp Assay for Real-Time Detection of Criniviruses Infecting Tomato.
- 572 Innovative and Integrated Strategies: Case Studies. **2022**, 97-116
- 571 Current challenges and future perspectives on detection of geminiviruses. **2022**, 3-24
- 570 Rapid and highly specific detection of site-specific 5-hydroxymethylcytosine based on peroxotungstate oxidation and mismatch ligation-based LAMP. **2022**, 12, 19885-19889
- 569 Microfluidics in Chemical Biology. **2022**, 71-105
- 568 Globalization, invasive forest pathogen species, and forest tree health. **2022**, 61-76
- 567 Optimized Loop-Mediated Isothermal Amplification (LAMP) Allows Single Copy Detection Using Bioluminescent Assay in Real Time (BART). **2022**, 107-117
- 566 Diagnostic tools and techniques in tree pathology. **2022**, 17-46
- 565 Rapid Molecular Diagnostics in the Field and Laboratory to Detect Plant Pathogen DNA in Potential Insect Vectors. **2022**, 179-199

- 564 Self-Assembled Inkjet Printer for Droplet Digital Loop-Mediated Isothermal Amplification. **2022**, 10, 247
- 563 Evaluation of two commercial kits and two laboratory-developed qPCR assays compared to LAMP for molecular diagnosis of malaria. **2022**, 21,
- 562 Development of a Handheld Microfluidic Chip for On-Site Multiplex Detection of Four Porcine Diarrhea-Related Virus. ○
- 561 Scalable RT-LAMP-based SARS-CoV-2 testing for infection surveillance with applications in pandemic control.
- 560 Diagnostic Accuracy of Loop-Mediated Isothermal Amplification Assay for Group B Streptococcus Detection in Recto-Vaginal Swab: Comparison with Polymerase Chain Reaction Test and Conventional Culture. **2022**, 12, 1569 ○
- 559 Occurrence, Genetic Variability of Tomato Yellow Ring Orthotospovirus Population and the Development of Reverse Transcription Loop-Mediated Isothermal Amplification Assay for Its Rapid Detection. **2022**, 14, 1405
- 558 CRISPR-Based Systems for Sensitive and Rapid On-Site COVID-19 Diagnostics. **2022**, 1
- 557 Nucleic acid quantification with amplicon yield in recombinase polymerase amplification. ○
- 556 Rapid, adaptable and sensitive Cas13-based COVID-19 diagnostics using ADESSO. **2022**, 13, ○
- 555 General Assessment of Approaches to the Identification of Aquatic Bacterial Pathogens: A Methodological Review.
- 554 The Diversity, Distribution and Status of Phytoplasma Diseases in China. 6, ○
- 553 A Reliable Reverse Transcription Loop-Mediated Isothermal Amplification Assay for Detecting Apple stem grooving virus in Pear. **2022**, 28, 92-97
- 552 Development and Clinical Application of a Rapid and Visual Loop-Mediated Isothermal Amplification Test for tetM gene in Clostridioides difficile Strains Cultured from Feces. **2022**, ○
- 551 Allosteric control of type I-A CRISPR-Cas3 complexes and establishment as effective nucleic acid detection and human genome editing tools. **2022**, 1
- 550 Development of real time reverse transcription loop-mediated isothermal amplification assay for rapid detection of genotype VII of Newcastle disease viruses.
- 549 Advances in the Diagnosis of Leprosy. 3,
- 548 A Simple, Affordable, and Rapid Visual CRISPR-Based Field Test for Sex Determination of Earlier Porcine Embryos and Pork Products. 1
- 547 Diagnostic techniques for rapid detection of Vibrio species. **2022**, 738628 ○

- 546 Tobacco Mosaic Virus Infection of Chrysanthemums in Thailand: Development of Colorimetric Reverse-Transcription Loop-Mediated Isothermal Amplification (RT-LAMP) Technique for Sensitive and Rapid Detection. **2022**, 11, 1788 0
- 545 Pathogenicity, diagnosis, prevention strategies and immune response of bacterium *Nocardia seriolae* : A critical review.
- 544 Visual detection of *Shigella* in milk by competitive annealing mediated isothermal amplification with paper-based DNA extraction method.
- 543 Comparison of colourimetric loop-mediated isothermal amplification (LAMP), PCR and high-resolution melt curve analysis and culture based diagnostic assays in the detection of three salmonella serotypes in poultry. 1-32
- 542 An Optimized Visual Loop Mediated Isothermal Amplification Assay for Efficient Detection of Minute Virus of Mice With Hydroxynaphthol Blue Dye. **2022**, 114575 0
- 541 Onsite detection of plant viruses using isothermal amplification assays. 1
- 540 Ultra-rapid somatic variant detection via real-time targeted amplicon sequencing. **2022**, 5,
- 539 Chip-Based and Wearable Tools for Isothermal Amplification and Electrochemical Analysis of Nucleic Acids. **2022**, 10, 278 1
- 538 Phage-free production of artificial ssDNA with *Escherichia coli*. 0
- 537 Nanoparticle-Based Lateral Flow Biosensor Integrated With Loop-Mediated Isothermal Amplification for Rapid and Visual Identification of *Chlamydia trachomatis* for Point-of-Care Use. 13, 0
- 536 Rapid, in-field deployable, avian influenza virus haemagglutinin characterisation tool using MinION technology. **2022**, 12,
- 535 A Visual Assay of a Loop-Mediated Isothermal Amplification Based Vertical Immunoassay for SARS-CoV-2 RNA Detection. 13,
- 534 In-Field LAMP Detection of Flavescence Dorè Phytoplasma in Crude Extracts of the *Scaphoideus titanus* Vector. **2022**, 12, 1645 1
- 533 Isothermal Nucleic Acid Amplification to Detect Infection Caused by Parasites of the Trypanosomatidae Family: A Literature Review and Opinion on the Laboratory to Field Applicability. **2022**, 23, 7543 1
- 532 Molecular characterization and screening of *Xanthomonas oryzae* pv. *oryzae*, isolated from Pakistan for prediction of bacterial leaf blight-resistant basmati rice. **2022**, 121, 101858 0
- 531 Validation of a colorimetric LAMP to detect *Loxosceles* experimental envenomation. **2022**, 216, 50-56
- 530 CRISPR-Cas, Argonaute proteins and the emerging landscape of amplification-free diagnostics. **2022**, 205, 1-10 2
- 529 A comparison of conventional and advanced electroanalytical methods to detect SARS-CoV-2 virus: A concise review. **2022**, 307, 135645

- 528 Application of biosensors for detection of meat species: A short review. **2022**, 142, 109214
- 527 Determination of Endonuclease Activity by an Enzyme-Free Fluorescent Biosensor Using the Hybridization Chain Reaction (HCR). 1-12
- 526 Loop mediated isothermal amplification for detection of foodborne parasites: A journey from lab to lab-on-a-chip. **2022**, 109251 ○
- 525 Prognostic value of molecular cytology by one-step nucleic acid amplification (OSNA) assay of peritoneal washings in advanced gastric cancer patients. **2022**, 12,
- 524 Loop-mediated isothermal amplification (LAMP) assays for detection of the New Guinea fruit fly *Bactrocera trivialis* (Drew) (Diptera: Tephritidae). **2022**, 12, ○
- 523 Universal, Rapid and Visual Detection Methods for Phytoplasmas Associated with Coconut Lethal Yellowing Diseases Targeting 16S rRNA Gene Sequences.
- 522 Development of a photothermal bead-based nucleic acid amplification test (pbbNAAT) technique for a high-performance loop-mediated isothermal amplification (LAMP) based point-of-care test (POCT). **2022**, 114574
- 521 Development of a loop-mediated isothermal amplification assay for living modified canola GT73.
- 520 Innovations in Disease Detection and Forecasting: A Digital Roadmap for Sustainable Management of Fruit and Foliar Disease. **2022**, 12, 1707
- 519 Active case detection and treatment of malaria in pregnancy using LAMP technology (LAMPREG): a pragmatic randomised diagnostic outcomes trial study protocol. **2022**, 12, e058397
- 518 A microfluidic diagnostic device with air plug-in valves for the simultaneous genetic detection of various food allergens. **2022**, 12, ○
- 517 Applications of environmental DNA (eDNA) in agricultural systems: Current uses, limitations and future prospects. **2022**, 157556 ○
- 516 Global distribution and management of peach diseases. **2022**, 4, 1
- 515 Molecular Characterization of a DNA Polymerase from *Thermus thermophilus* MAT72 Phage vB_Tt72: A Novel Type-A Family Enzyme with Strong Proofreading Activity. **2022**, 23, 7945
- 514 Net-Shaped DNA Nanostructures Designed for Rapid/Sensitive Detection and Potential Inhibition of the SARS-CoV-2 Virus. 6
- 513 Rapid detection of porcine circovirus type 4 via multi-enzyme isothermal rapid amplification. 9, 1
- 512 *Toxocara* Species Infection in Pet Dogs and Cats Ensured by Loop-Mediated Isothermal Amplification Assay. **2021**, 9, 108-113
- 511 Loop-mediated isothermal amplification for *Candida* species surveillance in under-resourced setting: a review of evidence. **2022**, 22, 643-653 ○

510	Reverse transcription recombinase-aided amplification assay for H5 subtype avian influenza virus. 2022 , 19,	0
509	Electricity-free nucleic acid extraction method from dried blood spots on filter paper for point-of-care diagnostics.	
508	The Revolution of Lateral Flow Assay in the Field of AMR Detection. 2022 , 12, 1744	3
507	Amine-Functionalized Quantum Dots as a Universal Fluorescent Nanoprobe for a One-Step Loop-Mediated Isothermal Amplification Assay with Single-Copy Sensitivity. 2022 , 14, 35299-35308	0
506	Loop-Mediated Isothermal Amplification Coupled With Nanoparticle-Based Biosensor: A Rapid and Sensitive Method to Detect <i>Mycoplasma pneumoniae</i> . 12,	0
505	Inhibition of Non-specific Amplification in Loop-Mediated Isothermal Amplification via Tetramethylammonium Chloride.	3
504	Development of Loop-Mediated Isothermal Amplification (LAMP) Assays for the Rapid Authentication of Three Swimming Crab Species. 2022 , 11, 2247	0
503	Super-assembly of integrated gold magnetic assay with loop-mediated isothermal amplification for point-of-care testing.	
502	A Rebuilding-Free Nucleic Acid Detection Strategy Enables Ultrasensitive Genotyping, N-in-1 Logic Screening and Accurate Multiplex Assay of Dangerous Pathogens.	0
501	LAMP for in-field quantitative assessments of airborne grapevine downy mildew inoculum.	0
500	Development of Paper Microfluidics with 3D-Printed PDMS Barriers for Flow Control.	2
499	Isothermal Amplification Technology for Disease Diagnosis. 2022 , 12, 677	0
498	Recent molecular techniques for the diagnosis of Zika and Chikungunya infections: A systematic review. 2022 , 8, e10225	
497	An HFman Probe-Based Multiplex Reverse Transcription Loop-Mediated Isothermal Amplification Assay for Simultaneous Detection of Hantaan and Seoul Viruses. 2022 , 12, 1925	1
496	Clinical testing on SARS-CoV-2 swab samples using reverse-transcription loop-mediated isothermal amplification (RT-LAMP). 2022 , 22,	1
495	Digital Droplet Loop-Mediated Isothermal Amplification Featuring a Molecular Beacon Assay, 3D Printed Droplet Generation, and Smartphone Imaging for Sequence-Specific DNA Detection.	0
494	Environmental detection of <i>Fasciola hepatica</i> by loop-mediated isothermal amplification. 10, e13778	
493	Advanced diagnostic methods for identification of bacterial foodborne pathogens: contemporary and upcoming challenges. 1-19	2

- 492 Enhanced Specificity in Loop-Mediated Isothermal Amplification with Poly(ethylene glycol)-Engrafted Graphene Oxide for Detection of Viral Genes. **2022**, 12, 661 1
- 491 Lyophilization of Molecular Biology Reactions - A Review. **2022**, 22,
- 490 An improved, simple and field-deployable CRISPR-Cas12a assay for the detection of SARS-CoV -2. 0
- 489 A four-point molecular handover during Okazaki maturation.
- 488 Loop-Mediated Isothermal Amplification Assay for Identifying *Neisseria gonorrhoeae* Nonmosaic penA- Targeting Strains Potentially Eradicable by Cefixime.
- 487 Development of Colorimetric Reverse Transcription Loop-Mediated Isothermal Amplification Assay for Detecting Feline Coronavirus. **2022**, 12, 2075 2
- 486 Probe-based Loop-Mediated Isothermal Amplification Assay for Multi-target Quantitative Detection of Three Foodborne Pathogens in Seafood. 0
- 485 Detection of YAP1 and AR-V7 mRNA for Prostate Cancer prognosis using an ISFET Lab-On-Chip platform. 0
- 484 A Rebuilding-Free Nucleic Acid Detection Strategy Enables Ultrasensitive Genotyping, N-in-1 Logic Screening and Accurate Multiplex Assay of Dangerous Pathogens.
- 483 Development and Application of Loop-Mediated Isothermal Amplification (LAMP) Assays for Rapid Diagnosis of the Bat White-Nose Disease Fungus *Pseudogymnoascus destructans*.
- 482 Assays for Identification and Differentiation of *Brucella* Species: A Review. **2022**, 10, 1584 2
- 481 First characterisation of chrysanthemum virus B infecting chrysanthemum in Thailand and development of colourimetric RT-LAMP for rapid and sensitive detection. **2022**,
- 480 Rapid detection of SARS-CoV-2 RNA in saliva via Cas13. **2022**, 6, 944-956 0
- 479 A nucleic acid detection assay combining reverse transcription recombinase-aided amplification with a lateral flow dipstick for the rapid visual detection of porcine deltacoronavirus. 1
- 478 Point-of-Care DNA Amplification for Disease Diagnosis and Management. **2022**, 60, 1-20 0
- 477 Metabarcoding and Digital PCR (dPCR): Application in the Study of Neglected Tropical Diseases.
- 476 Portable nucleic acid tests for rapid detection of monkeypox virus. 0
- 475 Role of one-step nucleic acid amplification in colorectal cancer lymph node metastases detection. **2022**, 28, 4019-4043

474	Colorimetric detection platform for banana bunchy top virus (BBTV) based on closed-tube loop mediated isothermal amplification (LAMP) assay.	0
473	Visual Detection of COVID-19 from Materials Aspect.	1
472	Two Years into the COVID-19 Pandemic: Lessons Learned.	4
471	Application of MinION sequencing as a tool for the rapid detection and characterization of <i>Listeria monocytogenes</i> in smoked salmon. 13,	
470	Development of Microfluidic Chip-Based Loop-Mediated Isothermal Amplification (LAMP) Method for Detection of Carbapenemase Producing Bacteria.	0
469	<i>Toxoplasma gondii</i> in Foods: Prevalence, Control, and Safety. 2022 , 11, 2542	0
468	Multiplexed lateral flow assay integrated with orthogonal CRISPR-Cas system for SARS-CoV-2 detection. 2022 , 132537	0
467	A narrative review of nine commercial point of care influenza tests: an overview of methods, benefits, and drawbacks to rapid influenza diagnostic testing. 2022 ,	0
466	Nondestructive and rapid method for sex identification of the tropical sea cucumber <i>Holothuria scabra</i> by anal swab sampling. 2022 , 738749	
465	Simple and Field Amenable Loop-Mediated Isothermal Amplification-Lateral Flow Dipstick Assay for Detection of West Nile Virus in Human Clinical Samples.	0
464	SLIDE: Saliva-Based SARS-CoV-2 Self-Testing with RT-LAMP in a Mobile Device. 2022 , 7, 2370-2378	1
463	Development of a loop-mediated isothermal amplification assay for the rapid detection of <i>Russula subnigricans</i> and <i>Russula japonica</i> . 13,	0
462	Recent Advances in Digital Biosensing Technology. 2022 , 12, 673	1
461	Portable Electrochemical Biosensors Based on Microcontrollers for Detection of Viruses: A Review. 2022 , 12, 666	2
460	WITHDRAWN: Analysis of the application value of molecular diagnostic technology of mycobacterium tuberculosis. 2022 , 100330	
459	Metagenomic data from cerebrospinal fluid permits tracing the origin and spread of <i>Neisseria meningitidis</i> CC4821 in China. 2022 , 5,	
458	Point-of-care system for rapid real-time detection of SARS-CoV-2 virus based on commercially available Arduino platforms. 10,	
457	Two-Stage Detection of <i>Plasmodium</i> spp. by Combination of Recombinase Polymerase Amplification and Loop-Mediated Isothermal Amplification Assay. 2022 ,	

- 456 Development of a loop-mediated isothermal amplification method for detection of *Shewanella* algae in fish. **2022**, 26, 101292
- 455 Microfluidics at the interface of bacteria and fresh produce. **2022**, 128, 102-117 1
- 454 Fluorescence and colorimetric LAMP-based real-time detection of human pathogenic *Cryptosporidium* spp. from environmental samples. **2022**, 235, 106606 0
- 453 Isothermal amplification based on specific signal extraction and output for fluorescence and colorimetric detection of nucleic acids. **2023**, 252, 123823
- 452 Paper functionalization for detection of *Plasmodium falciparum* DNA using square waves voltammetry. **2023**, 252, 123839
- 451 Development of a lateral flow dipstick test for the detection of 4 strains of *Salmonella* spp. in animal products and animal production environmental samples based on loop-mediated isothermal amplification. 0
- 450 Entwicklung von LAMP-basierten Schnelltestverfahren für den Nachweis der Kontaminanten Kurkuma und Fäulnisbakterien in Safran. **2022**, 76, 0
- 449 A comprehensive review of COVID-19 detection techniques: From laboratory systems to wearable devices. **2022**, 149, 106070 1
- 448 Cas12a-assisted RTF-EXPAR for accurate, rapid and simple detection of SARS-CoV-2 RNA. **2022**, 216, 114683 0
- 447 Current trends in COVID-19 diagnosis and its new variants in physiological fluids: Surface antigens, antibodies, nucleic acids, and RNA sequencing. **2022**, 157, 116750 1
- 446 Development and evaluation of a visible reverse transcription-loop-mediated isothermal amplification (RT-LAMP) for the detection of Asian lineage ZIKV in field-caught mosquitoes. **2022**, 236, 106691 0
- 445 Novel indicator and stem-loop-primer assisted isothermal amplification for the visual semi-quantitative detection of *Toxoplasma gondii*. **2022**, 372, 132544 0
- 444 A specially designed DNA-assembled framework structure probe coupled with loop-mediated isothermal amplification (LAMP)-DNA signal transducer for rapid and sensitive electrochemical detection of miRNA. **2022**, 372, 132610 0
- 443 Rapid and visual detection of soybean mosaic virus SC7 with a loop-mediated isothermal amplification strategy. **2022**, 373, 132733 1
- 442 Identification of insect sources of honey in China based on real-time fluorescent LAMP technology. **2023**, 115, 104875 0
- 441 Genomic biosurveillance to protect the world's forest resources. **2023**, 139-151 0
- 440 Future perspectives and challenges. **2022**, 273-293 0
- 439 In-field LAMP quantification of *Plasmopara viticola* airborne inoculum to improve the forecast of epidemic risk. **2022**, 50, 01001 0

438	One-step and highly sensitive quantification of fusion genes with isothermal amplification initiated by a fusion-site anchored stem-loop primer.	0
437	Advanced Molecular Diagnostic Tools for Longhorn Beetles. 2022 , 515-536	0
436	Microfluidics for antibiotic susceptibility testing. 2022 , 22, 3637-3662	2
435	Advances in antimicrobial resistance testing. 2022 ,	0
434	Detection and Identification of Phytophthora Pathogens that Are Threatening Forest Ecosystems Worldwide. 2022 , 113-136	0
433	Impact of Plant Health on Global Food Security: A Holistic View. 2022 , 43-66	0
432	Serological and Molecular Investigations in Leprosy. 2022 , 53-64	0
431	A flap endonuclease 1-assisted universal viral nucleic acid sensing system using surface-enhanced Raman scattering.	1
430	Feasibility of Loop-Mediated Isothermal Amplification for Rapid Detection of Methicillin-Susceptible and Methicillin-Resistant Staphylococcus aureus in Tissue Samples. 2022 , 14, 466	0
429	Determination of Chikungunya Virus RNA by Reverse Transcription Loop-Mediated Isothermal Amplification (RT-LAMP) Assay. 2022 , 12, 398-414	0
428	Red sea bream iridoviral disease. 2022 , 247-266	0
427	In-field LAMP assay for rapid detection of human faecal contamination in environmental water.	0
426	A label-free strategy for visual genotyping based on phosphate induced coloration reaction. 2022 , 12, 22091-22096	0
425	Evaluation of an in-house loop-mediated isothermal amplification for Mycobacterium tuberculosis detection in a remote reference laboratory, Thailand. 64,	0
424	High-efficiency and high-fidelity ssDNA circularisation via the pairing of five 3'-terminal bases to assist LR-LAMP for the genotyping of single-nucleotide polymorphisms. 2022 , 147, 3993-3999	2
423	Bacterial diseases in forest trees. 2023 , 139-166	0
422	An ultra-sensitive test strip combining with RPA and CRISPR/Cas12a system for the rapid detection of GM crops. 2023 , 144, 109383	0
421	Biosensors based on functional nucleic acids and isothermal amplification techniques. 2023 , 253, 123977	2

420	Nucleic acid amplification with specific signal filtration and magnification for ultrasensitive colorimetric detection. 2023 , 253, 123978	0
419	Detection of <i>Campylobacter jejuni</i> Based on a Real-Time Fluorescence Loop-Mediated Isothermal Amplification Method. 2022 , 2022, 1-10	0
418	Perspective Chapter: Recent Progressions on the Colorimetric Diagnosis of SARS-CoV-2 by Loop-Mediated Isothermal Amplification (LAMP) Assay.	0
417	Enhancing CRISPR-Cas-Mediated Detection of Nucleic Acid and Non-nucleic Acid Targets Using Enzyme-Labeled Reporters. 2022 , 144, 16310-16315	6
416	Sacbrood Virus: A Growing Threat to Honeybees and Wild Pollinators. 2022 , 14, 1871	1
415	Viruses of Yams (<i>Dioscorea</i> spp.): Current Gaps in Knowledge and Future Research Directions to Improve Disease Management. 2022 , 14, 1884	1
414	Loop-Mediated Isothermal Amplification for the Rapid Detection of the Mutation of Carbendazim-Resistant Isolates in <i>Didymella bryoniae</i> . 2022 , 12, 2057	0
413	Miniaturized microfluidic-based nucleic acid analyzer to identify new biomarkers of biopsy lung cancer samples for subtyping. 10,	0
412	Entwicklung von LAMP-basierten Schnelltestverfahren für den Nachweis der Kontaminanten Kurkuma und Fäuldiestel in Safran. 2022 , 76,	0
411	Chimeric DNA byproducts in strand displacement amplification using the T7 replisome. 2022 , 17, e0273979	0
410	Accuracy of molecular diagnostic methods for the detection of bovine brucellosis: A systematic review and meta-analysis. 2151-2163	0
409	A Naked-Eye Visual Reverse Transcription Loop-Mediated Isothermal Amplification with Sharp Color Changes for Potential Pen-Side Test of Foot-and-Mouth Disease Virus. 2022 , 14, 1982	0
408	Development and Validation of Reverse Transcriptase Loop-Mediated Isothermal Amplification (RT-LAMP) as a Simple and Rapid Diagnostic Tool for SARS-CoV-2 Detection. 2022 , 12, 2232	0
407	DETERMINATION OF COVID-19 VIRUSES IN SALIVA USING FOURIER TRANSFORM INFRARED SPECTROSCOPY. 2022 , 100178	0
406	Application and evaluation of Loop Mediated Isothermal Amplification (LAMP) diagnostic assay for detection of Enterohemorrhagic <i>Escherichia Coli</i> (O157:H7).	0
405	Nucleic Acid Quantification with Amplicon Yield in Recombinase Polymerase Amplification.	0
404	Improved visual detection of DNA amplification using pyridylazophenol metal sensing dyes. 2022 , 5,	0
403	Development of a Loop-Mediated Isothermal Amplification Method for Rapid and Visual Detection of Monkeypox Virus.	4

402	Rapid and sensitive on-site genetic diagnostics of pest fruit flies using CRISPR-Cas12a.	0
401	Developing a Loop-Mediated Isothermal Amplification Assay for the Rapid Detection of Seven Respiratory Viruses including SARS-CoV-2. 2022 , 58, 1224	0
400	A Systematic Review on Suitability of Molecular Techniques for Diagnosis and Research into Infectious Diseases of Concern in Resource-Limited Settings. 2022 , 44, 4367-4385	2
399	SMARTdigital nucleic acid amplification technologies for lung cancer monitoring from early to advanced stages. 2022 , 116774	1
398	Review in isothermal amplification technology in food microbiological detection.	1
397	Research progress of CRISPR-based biosensors and bioassays for molecular diagnosis. 10,	3
396	Fast bioluminescent nucleic acid detection using one-pot isothermal amplification and dCas9-based split luciferase complementation.	0
395	A rapid RT-LAMP SARS-CoV-2 screening assay for collapsing asymptomatic COVID-19 transmission. 2022 , 17, e0273912	0
394	A robust, low-cost instrument for real-time colorimetric isothermal nucleic acid amplification. 2022 , 17, e0256789	0
393	Investigation of foot and mouth disease virus and other animal pathogens in cattle, buffaloes and goats at the interface with Akagera National Park 2017-2020. 2022 , 18,	0
392	Cleavable molecular beacon-based loop-mediated isothermal amplification assay for the detection of adulterated chicken in meat.	1
391	Characterizing the Impact of Primer-Template Mismatches on Recombinase Polymerase Amplification. 2022 ,	0
390	High-throughput and point-of-care detection of wheat fungal diseases: Potentialities of molecular and phenomics techniques toward in-field applicability. 4,	0
389	Engineering Highly Thermostable Cas12b via De Novo Structural Analyses for One-Pot Detection of Nucleic Acids.	0
388	A novel fluorescence method based on loop-mediated isothermal amplification and universal molecular beacon in Mycobacterium tuberculosis detection. 2022 , 123996	0
387	A colorimetric, sensitive, rapid, and simple diagnostic kit for the HLB putative causal agent detection. 4,	0
386	Utilization of 18s ribosomal RNA LAMP for detecting Plasmodium falciparum in microscopy and rapid diagnostic test negative patients. 2022 , 17, e0275052	0
385	Latent Potential of Current Plant Diagnostics for Detection of Sugarcane Diseases. 2022 ,	0

384	A New Auto-RPA-Fluorescence Detection Platform for SARS-CoV-2.	0
383	Optimization and application of loop-mediated isothermal amplification technique for sex identification in red-whiskered bulbul (<i>Pycnonotus jocosus</i>). 2022 , 12,	0
382	Parasitemia Levels in <i>Trypanosoma cruzi</i> Infection in Spain, an Area Where the Disease Is Not Endemic: Trends by Different Molecular Approaches.	0
381	CRISPR-Based Diagnostics and Microfluidics for COVID-19 Point-of-Care Testing: A Review of Main Applications.	0
380	Recent advances in microfluidic devices for foodborne pathogens detection. 2022 , 116788	1
379	Recent advances in PCR-free nucleic acid detection for SARS-COV-2. 10,	0
378	Duplex real-time fluorescent recombinase polymerase amplification for the rapid and sensitive detection of two resistance genes in drug-resistant <i>Staphylococcus aureus</i> . 2022 , 202, 106590	1
377	SARS-CoV-2 detection methods: A comprehensive review. 2022 , 29, 103465	1
376	Evaluation of SmITS1-LAMP performance to diagnosis schistosomiasis in human stool samples from an endemic area in Brazil. 2022 , 242, 108389	0
375	Detection and Identification of Soil-Borne Pathogens: Classical to Recent Updates. 2022 , 1-45	0
374	Advances in Mycobacterial Laboratories: What Is the Latest Laboratory Approach to Diagnose and Manage Pulmonary TB?. 2022 , 73-99	0
373	A batch processed titanium–manganese oxide nanocomposite based solid-state electrochemical sensor for zeptomolar nucleic acid detection.	0
372	Self-assembled DNA dendrons as signal amplifiers in a DNA probe-based chemiluminescence assay for enhanced colorimetric detection of short target cDNA.	0
371	Rapid and specific detection of <i>Trichophyton rubrum</i> and <i>Trichophyton mentagrophytes</i> using a loop-mediated isothermal amplification assay. 2022 , 9, 101891	0
370	Functional nucleic acid biosensors utilizing rolling circle amplification. 2022 , 51, 9009-9067	3
369	A novel reverse transcription-multiple inner primer loop-mediated isothermal amplification (RT-MIPLAMP) for visual and sensitive detection of SARS-CoV-2.	0
368	Engineering protein and DNA tools for creating DNA-dependent protein switches. 2022 , 1-32	0
367	Molecular Phytopathometry. 2022 , 167-201	0

- 366 CRISPR-Cas13: A new technology for the rapid detection of pathogenic microorganisms. 13, 0
- 365 High-performance LAMP-based method for human sex identification using Y chromosome-specific genetic markers. **2022**, 0
- 364 Advances in the differential molecular diagnosis of vesicular disease pathogens in swine. 13, 0
- 363 A review on molecular detection techniques of white spot syndrome virus: Perspectives of problems and solutions in shrimp farming. 1
- 362 Simple extraction and analysis of environmental DNA using glass fibers in suspension form. 0
- 361 Principles and Applications of Loop-Mediated Isothermal Amplification to Point-of-Care Tests. **2022**, 12, 857 1
- 360 Translating diagnostics and drug delivery technologies to low-resource settings. **2022**, 14, 0
- 359 Development of a Rapid Sex Identification Method for Newborn Pigeons Using Recombinase Polymerase Amplification and a Lateral-Flow Dipstick on Farm. **2022**, 12, 2969 0
- 358 An overview of mycetoma and its diagnostic dilemma: Time to move on to advanced techniques. 1-6 0
- 357 Application of the CRISPR/Cas System in Pathogen Detection: A Review. **2022**, 27, 6999 0
- 356 CRISPR-Cas systems mediated biosensing and applications in food safety detection. 1-26 0
- 355 Application of a low-cost, specific, and sensitive loop-mediated isothermal amplification (LAMP) assay to detect Plasmodium falciparum imported from Africa. **2022**, 111529 1
- 354 Loop-mediated isothermal amplification-microfluidic chip for the detection of Trichophyton infection. 13, 0
- 353 CRISPR/Cas-Based Biosensor As a New Age Detection Method for Pathogenic Bacteria. 0
- 352 Rapid and simultaneous detection of multiple pathogens in the lower reproductive tract during pregnancy based on loop-mediated isothermal amplification-microfluidic chip. **2022**, 22, 0
- 351 Engineered helicase replaces thermocycler in DNA amplification while retaining desired PCR characteristics. **2022**, 13, 0
- 350 Development and Clinical Validation of RT-LAMP-Based Lateral-Flow Devices and Electrochemical Sensor for Detecting Multigene Targets in SARS-CoV-2. **2022**, 23, 13105 1
- 349 Visual and Rapid Detection of Porcine Epidemic Diarrhea Virus (PEDV) Using Reverse Transcription Loop-Mediated Isothermal Amplification Method. **2022**, 12, 2712 0

348	Recent advances on the piezoelectric, electrochemical, and optical biosensors for the detection of protozoan pathogens. 2022 , 116803	0
347	PAM-less Exonuclease-assisted Cas12a for visual detection of Vibrio Species.	0
346	CRISPR/Cas systems usher in a new era of disease treatment and diagnosis. 2022 , 3,	1
345	Tools to Alleviate the Drug Resistance in Mycobacterium tuberculosis. 2022 , 27, 6985	1
344	Advances in Biosensing Technologies for Diagnosis of COVID-19. 2022 , 12, 898	2
343	Loop-Mediated Isothermal Amplification (LAMP) for the Rapid and Sensitive Detection of Alternaria alternata (Fr.) Keissl in Apple Alternaria Blotch Disease with Aapg-1 Encoding the Endopolygalacturonase. 2022 , 11, 1221	0
342	Recombinase Polymerase Amplification Combined with Lateral Flow Strip for Rapid Detection of OXA-48-like Carbapenemase Genes in Enterobacterales. 2022 , 11, 1499	1
341	Rapid visual Candidatus Liberibacter asiaticus detection (citrus greening disease) using simple alkaline heat DNA lysis followed by loop-mediated isothermal amplification coupled hydroxynaphthol blue (AL-LAMP-HNB) for potential local use. 2022 , 17, e0276740	0
340	Development of Loop-mediated Isothermal Amplification (LAMP) Assays Using Five Primers Reduces the False-positive Rate in COVID-19 Diagnosis.	0
339	A loop-mediated isothermal amplification assay to detect Bacteroidales and assess risk of fecal contamination. 2022 , 104173	1
338	RT-LAMP in SARS-CoV-2 detection: point to improve primer designing and decrease molecular diagnosis pitfalls. 1-9	0
337	Validaci3n cl3nica de la prueba RT-LAMP para el diagn3stico r3pido del SARS-CoV-2. 2022 , 42, 59-72	0
336	Outlook of various diagnostics and nanodiagnostic techniques for COVID-19. 2022 , 100276	0
335	Visual Genotyping from Blood and Saliva Directly Based on Tracing Phosphate Ion Generated During Isothermal Amplification. 2022 , 132954	0
334	TriD-LAMP: A pump-free microfluidic chip for duplex droplet digital loop-mediated isothermal amplification analysis. 2022 , 1233, 340513	1
333	The HMOX2 polymorphism contributes to the carotid body chemoreflex in European sea-level residents by regulating hypoxic ventilatory responses. 9,	0
332	Molecular detection of Candidatus Rickettsia tarasevichiae by Loop-mediated Isothermal Amplification (LAMP) of the ompA gene. 2022 , 202, 106601	0
331	Loop-Mediated Isothermal AmplificationBased Microfluidic Platforms for the Detection of Viral Infections.	1

- 330 Canine Leptospirosis Global Distribution, Diagnosis, and Treatment. **2022**, 3, 177-220 ○
- 329 Efficient multiplexing and variant discrimination in reverse-transcription loop-mediated isothermal amplification with sequence-specific hybridization probes. ○
- 328 Loop-mediated isothermal amplification for detecting the Ile-2041-Asn mutation in fenoxaprop- P-ethyl-resistant *Alopecurus aequalis*. ○
- 327 Quantitative analysis of DNA methylation using sequence-specific, real-time loop-mediated isothermal amplification. **2022**, 1235, 340535 ○
- 326 Quick detection and confirmation of microbes in food and water. **2023**, 893-916 ○
- 325 Role of real-time DNA analyses, biomarkers, resistance measurement, and ecosystem management in *Campylobacter* risk analysis. **2023**, 752-776 ○
- 324 Sensitive colorimetric detection of antibiotic resistant *Staphylococcus aureus* on dairy farms using LAMP with pH-responsive polydiacetylene. **2023**, 219, 114824 ○
- 323 A novel cascade signal amplification strategy integrating CRISPR/Cas13a and branched hybridization chain reaction for ultra-sensitive and specific SERS detection of disease-related nucleic acids. **2023**, 219, 114836 1
- 322 Compendium of analytical methods for sampling, characterization and quantification of bioaerosols. **2022**, ○
- 321 Combination of RT-LAMP and fluorescence spectroscopy using chemometric techniques for an ultra-sensitive and rapid alternative for the detection of SARS-CoV-2. ○
- 320 Inhibition of Biofilm Formation Using Fluoroquinolone Antibiotics against *Escherichia coli*; Isolated from Mastitic Dairy Cattle. **2022**, 75, e191-e198 ○
- 319 Noise-reduced nicking enzyme-based isothermal amplification via blocking the 3'-end of the amplicon using a novel fluorophore-immobilized binder. **2023**, 375, 132960 ○
- 318 Integrated microdroplet array platform with temperature controller and micro-stirring for ultra-fast SARS-CoV-2 detection. **2023**, 220, 114903 ○
- 317 Nanosensors for the detections of foodborne pathogens and toxins. **2023**, 183-204 ○
- 316 Lateral flow biosensor based on LAMP-CRISPR/Cas12a for sensitive and visualized detection of *Salmonella* spp.. **2023**, 145, 109494 ○
- 315 Roll-to-roll fabricated self-filling polydimethylsiloxane diagnostic platforms for multiplexed pathogen nucleic acid detection. **2022**, ○
- 314 Development and standardization of a Loop-mediated isothermal amplification (LAMP) test for the detection of *Babesia bigemina*. 9, ○
- 313 Accelerated loop-mediated isothermal amplification method for the rapid detection of *Streptococcus suis* serotypes 2 and 14 based on single nucleotide polymorphisms. 12, ○

312	A loop-mediated isothermal amplification-based microfluidic chip for triplex detection of shrimp pathogens.	1
311	Use of Whole Blood and Dried Blood Spot for detection of HIV-1 Nucleic Acids using Reverse transcription Loop-Mediated Isothermal Amplification.. 2022 , 114642	0
310	The Future of Point-of-Care Nucleic Acid Amplification Diagnostics after COVID-19: Time to Walk the Walk. 2022 , 23, 14110	1
309	Rapid Detection of Attomolar SARS-CoV-2 Nucleic Acids in All-Dielectric Metasurface Biosensors. 2022 , 12, 987	3
308	Detection of YAP1 and AR-V7 mRNA for Prostate Cancer Prognosis Using an ISFET Lab-On-Chip Platform.	0
307	Noninvasive Approach of Plasmodium falciparum Molecular Detection for Malaria Surveillance in Malaria Endemic Areas in Cameroon. 2022 , 2022, 1-8	0
306	Microfluidic chip fabrication in three-dimensional (3D) printer combined with loop-mediated isothermal amplification (LAMP) for detection of Salmonella spp..	0
305	Establishment and application of loop-mediated isothermal amplification coupled with nanoparticle-based lateral flow biosensor (LAMP-LFB) for visual and rapid diagnosis of Candida albicans in clinical samples. 10,	0
304	Graphene oxide-assisted optimized narrow-thermal-cycling amplification for accurate detection of Salmonella spp..	0
303	An Enzymatically Gated Catalytic Hairpin Assembly Delivered by Lipid Nanoparticles for the Tumor-Specific Activation of Signal Amplification in miRNA Imaging.	0
302	Development of Loop-Mediated Isothermal Amplification (LAMP) Assay for Specific and Sensitive Detection of Mycoentrospora acerina (Hart.) Causing Round Leaf Spot Disease in Sanqi (Panax notoginseng). 2022 , 8, 1060	0
301	Development and clinical application of a endonuclease restriction real-time loop-mediated isothermal amplification (ERT-LAMP) assay for rapid detection of Haemophilus influenzae. 13,	0
300	A rapid and closed-tube method based on the dual-color fluorescence loop-mediated isothermal amplification for visual detection of Atlantic salmon (Salmo salar). 2022 , 134975	0
299	An Enzymatically Gated Catalytic Hairpin Assembly Delivered by Lipid Nanoparticles for the Tumor-Specific Activation of Signal Amplification in miRNA Imaging.	1
298	Perspectives on Pathogenic Plant Virus Control with Essential Oils for Sustainability of Agriculture 4.0.	0
297	Loop-mediated isothermal amplification (LAMP) assay for specific and rapid detection of Dickeya fangzhongdai targeting a unique genomic region. 2022 , 12,	0
296	Tapered tip optical fibers for measuring ultra-small refractive index changes with record-high sensitivity.	0
295	Sensitive Dual Electrochemical-Colorimetric Point-of-Care (POC) Sensor for the Rapid Detection of Mycoplasma pneumoniae. 1-15	0

294	CRISPR-Cas-Integrated LAMP. 2022 , 12, 1035	0
293	Internet of medical things-enabled CRISPR diagnostics for rapid detection of SARS-CoV-2 variants of concern. 13,	1
292	Establishment of molecular diagnostics targeting the 23S ribosomal RNA gene for the detection of <i>Mycoplasma suis</i> infection in Thai domestic pigs. 2022 , 106759	0
291	Development of Two Loop-Mediated Isothermal Amplification Assays for Rapid Detection of <i>ermB</i> and <i>mefA</i> Genes in <i>Streptococcus suis</i> .	0
290	Multiplex loop mediated isothermal amplification (m-LAMP) as a point of care technique for diagnosis of malaria. 2022 , 59, 29	0
289	Point-of-care nucleic acid tests: assays and devices.	0
288	Non-amplification nucleic acid detection with thio-NAD cycling. 2023 , 204, 106647	0
287	A duplex-specific nuclease (DSN) and catalytic hairpin assembly (CHA)-mediated dual amplification method for miR-146b detection.	0
286	On-site bioaerosol sampling and detection in microfluidic platforms. 2023 , 158, 116880	0
285	RT-PCR: a science and an art form. 2023 , 223-300	0
284	Molecular diagnostics for gastrointestinal helminths in equids: Past, present and future. 2023 , 313, 109851	0
283	Development of a RT-LAMP assay for real-time detection of criniviruses infecting tomato. 2023 , 312, 114662	0
282	LSDV126 gene based molecular assays for specific detection and characterization of emerging Lumpy Skin Disease virus. 2023 , 312, 114665	0
281	Self-directed molecular diagnostics (SdMDx) system for COVID-19 via one-pot processing. 2023 , 378, 133193	0
280	Prevalence of bovine tropical theileriosis in sub-Himalyan region of northern India. 2019 , 89,	0
279	Diagnosis, Discovery, and Dissection of Viral Diseases. 2022 , 1-16	0
278	Comparative evaluation of loop mediated isothermal amplification assay for rapid detection of <i>Staphylococcus aureus</i> . 2018 , 88, 1003-1009	1
277	IoT's and Loop-Mediated Isothermal Amplification- Based Biosensing using Cloud-Enabled Features. 2022 ,	0

- 276 Thermophilic Nucleic Acid Polymerases and Their Application in Xenobiology. **2022**, 23, 14969 ○
- 275 Rapid, ultrasensitive, and highly specific identification of *Brucella abortus* utilizing multiple cross displacement amplification combined with a gold nanoparticles-based lateral flow biosensor. 13, ○
- 274 Validation of a Portable eDNA Detection Kit for Invasive Carps. **2022**, 7, 363 1
- 273 Molecular Methods for Identification and Quantification of Foodborne Pathogens. **2022**, 27, 8262 1
- 272 A simple and rapid CRISPR-Cas12a-based detection test for diastatic *Saccharomyces cerevisiae*. ○
- 271 LAMP-Based Point-of-Care Biosensors for Rapid Pathogen Detection. **2022**, 12, 1068 1
- 270 Toward Integrated Molecular Lateral Flow Diagnostic Tests Using Advanced Micro- and Nanotechnology. ○
- 269 Using loop-primer mediated PCR to enhance the detection of poorly preserved DNA. 13, ○
- 268 The Use of Big Data in the Field of Food Mycology and Mycotoxins. **2023**, 65-91 ○
- 267 Rapid identification of *Staphylococcus aureus* based on a fluorescence imaging/detection platform that combines loop mediated isothermal amplification assay and the smartphone-based system. **2022**, 12, ○
- 266 Phytoplasma disease detection: morphological, biochemical, molecular, and forecast. **2022**, 275-286 ○
- 265 A colorimetric hydroxy naphthol blue based loop-mediated isothermal amplification detection assay targeting the *β*-tubulin locus of *Sarocladium oryzae* infecting rice seed. 13, ○
- 264 Development of an on-site LAMP assay for identification of *Thaumatococcus leucococcus* and *Helicoverpa armigera* larvae on rose. ○
- 263 Improvements to the Rapid Detection of the Marine Pathogenic Bacterium, *Vibrio harveyi*, Using Loop-Mediated Isothermal Amplification (LAMP) in Combination with SYBR Green. **2022**, 10, 2346 ○
- 262 Nanomaterials to combat SARS-CoV-2: Strategies to prevent, diagnose and treat COVID-19. 10, ○
- 261 Detection Methods for H1N1 Virus. **2023**, 109-127 ○
- 260 Comparison of Reverse Transcriptase (RT) Activities of Various M-MuLV RTs for RT-LAMP Assays. **2022**, 11, 1809 ○
- 259 Comparison of Biosensing Methods Based on Different Isothermal Amplification Strategies: A Case Study with *Erwinia amylovora*. **2022**, 12, 1174 ○

- 258 Development of a visual multiplex fluorescent LAMP assay for the detection of foot-and-mouth disease, vesicular stomatitis and bluetongue viruses. **2022**, 17, e0278451 ○
- 257 CRISPR-Based Diagnostics: Challenges and Potential Solutions toward Point-of-Care Applications. 1
- 256 Nucleic acid testing of SARS-CoV-2: A review of current methods, challenges, and prospects. 13, ○
- 255 Loop-Mediated Isothermal Amplification: From Theory to Practice. **2022**, 48, 1159-1174 ○
- 254 Ultrasensitive Isothermal Detection of SARS-CoV-2 Based on Self-Priming Hairpin-Utilized Amplification of the G-Rich Sequence. **2022**, 94, 17448-17455 ○
- 253 A diagnostic accuracy study comparing RNA LAMP, direct LAMP, and rapid antigen testing from nasopharyngeal swabs. 13, ○
- 252 Rapid, accurate, and novel diagnostic technique for respiratory pathogens: Clinical application of loop-mediated isothermal amplification assay in older patients with pneumonia, a multicenter prospective observational study. 13, ○
- 251 Development of a recombinase polymerase amplification assay with lateral flow dipstick (RPA-LFD) for rapid detection of *Shigella* spp. and enteroinvasive *Escherichia coli*. **2022**, 17, e0278869 ○
- 250 Loop-mediated isothermal amplification assay for fluorescence analysis and lateral flow detection of male DNA. **2022**, 115029 ○
- 249 Recent Advances in Methods Detecting the Dengue Virus. **2022**, 16, 2401-2415 ○
- 248 Angie-LAMP for diagnosis of human eosinophilic meningitis using dog as proxy: A LAMP assay for *Angiostrongylus cantonensis* DNA in cerebrospinal fluid. ○
- 247 Development and field validation of RPA-CRISPR-Cas environmental DNA assays for the detection of brown trout (*Salmo trutta*) and Arctic char (*Salvelinus alpinus*). ○
- 246 Usefulness of quantitative Loop-Mediated Isothermal Amplification Assay in comparison with real time PCR for the diagnosis of invasive pneumococcal disease. ○
- 245 Rapid and precise detection of cryptic tea pathogen *Exobasidium vexans*: RealAmp validation of LAMP approach. **2023**, 39, ○
- 244 Recent Progress in the Diagnosis of *Staphylococcus* in Clinical Settings. ○
- 243 Point-of-Care Diagnostic Platforms for Loop-Mediated Isothermal Amplification. 2201174 1
- 242 Detection of Antimalarial Resistance-Associated Mutations in *Plasmodium falciparum* via a Platform of Allele-Specific PCR Combined with a Gold Nanoparticle-Based Lateral Flow Assay. **2022**, 10, ○
- 241 Recent Development in Detection Systems for Human Viral Pathogens from Clinical Samples with Special Reference to Biosensors. **2023**, 1-25 ○

- 240 A Point-of-care real-time DNA Detection Device (D3) of SARS-CoV-2 from clinical samples. ○
- 239 Smart Nanobiosensing for COVID-19 Diagnosis. **2023**, 123-162 ○
- 238 A novel linear displacement isothermal amplification with strand displacement probes (LDIA-SD) in a pocket-size device for point-of-care testing of infectious diseases. **2022**, 133244 ○
- 237 Microfluidic chip and isothermal amplification technologies for the detection of pathogenic nucleic acid. **2022**, 16, ○
- 236 Development of a loop-mediated isothermal amplification assay for detection of *Austropelea tomentosa* from environmental water samples. **2022**, 2, ○
- 235 Comparison of RT-LAMP and real-time RT-PCR in SARS-CoV-2 diagnostic testing. **2022**, 25, 121-125 ○
- 234 Development of an optimized colorimetric RT-LAMP for SARS-CoV-2 assay with enhanced procedure controls for remote diagnostics. **2022**, 12, ○
- 233 How to design and implement a university-based COVID-19 testing programme? An evaluation of a novel RT-LAMP COVID-19 testing programme in a UK university. **2022**, 22, ○
- 232 *Bursaphelenchus xylophilus* detection and analysis system based on CRISPR/Cas12. 13, ○
- 231 Long-term validation of a reverse transcription loop-mediated isothermal amplification (RT-LAMP) assay for the rapid detection of SARS-CoV-2 from March 2020 to October 2021 in Central Africa, Gabon. **2022**, 16, e0010964 ○
- 230 Development and application of a rapid detection method for *Clariireedia* spp. using loop-mediated isothermal amplification (LAMP) assay. ○
- 229 Aluminum(III)-Based Organic Nanofibrous Gels as an Aggregation-Induced Electrochemiluminescence Emitter Combined with a Rigid Triplex DNA Walker as a Signal Magnifier for Ultrasensitive DNA Assay. ○
- 228 CRISPR/Cas-Based MicroRNA Biosensors. ○
- 227 Assessment of the accuracy of 11 different diagnostic tests for the detection of *Schistosomiasis mansoni* in individuals from a Brazilian area of low endemicity using latent class analysis. 13, ○
- 226 Design and 3D printing of an electrochemical sensor for *Listeria monocytogenes* detection based on loop mediated isothermal amplification. **2022**, e12637 1
- 225 Nanotechnology in Virology. **2023**, 75-107 ○
- 224 Identification of Fish Species and Targeted Genetic Modifications Based on DNA Analysis: State of the Art. **2023**, 12, 228 ○
- 223 A Lab-on-a-Chip Approach for the Detection of the Quarantine Potato Cyst Nematode *Globodera pallida*. **2023**, 23, 647 ○

- 222 Detection of tularemia agent dna by loop isothermal amplification. **2022**, 40, 36 ○
- 221 An Overview of Biomolecules Used in the Development of Point-of-Care Sensor. **2022**, 25-53 ○
- 220 Signal Amplification by the trans-Cleavage Activity of CRISPR-Cas Systems: Kinetics and Performance. **2023**, 95, 206-217 ○
- 219 Development of a Duplex LAMP Assay with Probe-Based Readout for Simultaneous Real-Time Detection of *Schistosoma mansoni* and *Strongyloides* spp. -A Laboratory Approach to Point-Of-Care. **2023**, 24, 893 ○
- 218 RT-LAMP Multicenter Study for SARS-CoV-2 Genome Molecular Detection in Brazilian Swab and Saliva Samples. **2023**, 13, 210 ○
- 217 A novel paper based loop mediated isothermal amplification and lateral flow assay (LAMP-LFA) for point-of-care detection of buffalo tissue origin in diverse foods. ○
- 216 Molecular Mechanisms Underlying CRISPR/Cas-Based Assays for Nucleic Acid Detection. **2023**, 45, 649-662 ○
- 215 Biocontrol of the causal brown patch pathogen *Rhizoctonia solani* by *Bacillus velezensis* GH1-13 and development of a bacterial strain specific detection method. 13, ○
- 214 Preliminary investigation and detection of diseases associated with phytoplasmas in *Brassica napus* L. using loop-mediated isothermal amplification (LAMP). **2023**, ○
- 213 Locus-Specific Detection of DNA Methylation: The Advance, Challenge, and Perspective of CRISPR-Cas Assisted Biosensors. 2201624 ○
- 212 SMART: On-Site Rapid Detection of Nucleic Acid from Plants, Animals, and Microorganisms in under 25 Minutes. **2023**, 13, 82 ○
- 211 Advances and Challenges in Diagnostics of Toxoplasmosis in HIV-Infected Patients. **2023**, 12, 110 ○
- 210 Truenat MTB assays for pulmonary tuberculosis and rifampicin resistance in adults. **2023**, 2023, ○
- 209 Rapid point of care testing for four bacterial sexually transmitted infections using the portable isothermal loop-mediated nucleic acid amplification eazyplex platform. ○
- 208 A Comparative Study on Visual Detection of *Mycobacterium tuberculosis* by Closed Tube Loop-Mediated Isothermal Amplification: Shedding Light on the Use of Eriochrome Black T. **2023**, 13, 155 ○
- 207 Rapid Detection of Hepatitis A Virus in Foods Using a Bioluminescent Assay in Real-Time (BART) and Reverse Transcription Loop-Mediated Isothermal Amplification (RT-LAMP) Technology. ○
- 206 Rapid and Visual Determination of *Cronobacter sakazakii* in Powdered Infant Formula Using Competitive Annealing Mediated Isothermal Amplification (CAMP). 1-13 ○
- 205 Development of rapid and sensitive loop-mediated isothermal method for on-site visual identification of tissue origin of pig by using mitochondrial COI gene sequences. **2023**, ○

204	Application of a Loop-Mediated Isothermal Amplification (LAMP) Assay for the Detection of <i>Listeria monocytogenes</i> in Cooked Ham. 2023 , 12, 193	0
203	Molecular Targets for Foodborne Pathogenic Bacteria Detection. 2023 , 12, 104	0
202	<i>Trichomonas tenax</i> : A Neglected Protozoan Infection in the Oral Cavities of Humans and Dogs: A Scoping Review. 2023 , 8, 60	0
201	Rapid detection of monkeypox virus by multiple cross displacement amplification combined with nanoparticle-based biosensor platform. 2023 , 95,	1
200	Application of loop mediated isothermal amplification (LAMP) assays for the detection of <i>Onchocerca volvulus</i> , <i>Loa loa</i> and <i>Mansonella perstans</i> in humans and vectors. 3,	0
199	Simple and rapid detection of severe fever with thrombocytopenia syndrome virus in cats by reverse transcription-loop-mediated isothermal amplification (RT-LAMP) assay using a dried reagent. 2023 ,	0
198	Fast detection of Citrus chlorotic dwarf-associated virus by loop-mediated isothermal amplification.	0
197	COVID-19 surveillance in wastewater: An epidemiological tool for the monitoring of SARS-CoV-2. 12,	2
196	A multiplex fluorescence-based loop-mediated isothermal amplification assay for identifying chicken parvovirus, chicken infectious anaemia virus, and fowl aviadenovirus serotype 4. 1-9	0
195	An inexpensive and rapid diagnostic method for detection of SARS-CoV-2 RNA by Loop-mediated isothermal amplification (LAMP). 2023 , 102011	0
194	Simultaneous identification of three clinically relevant peruvian pit vipers by multiplex loop-mediated isothermal amplification (mLAMP). 2023 , 223, 107022	0
193	Evaluation of the one-step nucleic acid amplification assay for detecting lymph node metastasis in patients with cervical and endometrial cancer: A multicenter prospective study. 2023 , 170, 70-76	0
192	Sensitive and selective DNA detecting electrochemical sensor via double cleaving CRISPR Cas12a and dual polymerization on hyperbranched rolling circle amplification. 2023 , 224, 115078	0
191	A highly sensitive electrochemical biosensor via short-stranded DNA activating LAMP(H+) to regulate i-motif folds for signal transduction. 2023 , 380, 133354	0
190	A visual diagnostic detection of <i>Helicobacter pylori</i> and the gastric carcinoma-related virulence genes (<i>cagA</i> and <i>vacA</i>) by a fluorescent loop-mediated isothermal amplification (LAMP). 2023 , 256, 124260	0
189	Visual detection of <i>Staphylococcus aureus</i> based on immunomagnetic separation and polymerase spiral reaction. 2023 , 147, 109621	0
188	A facile enzyme-assisted multiple recycling amplification strategy for ultrasensitive fluorescence detection of HIV-1 DNA. 2023 , 380, 133345	0
187	Detection of SARS-CoV-2 by RT-LAMP assay in Human COVID-19 patients. 2022 ,	0

- 186 Detection of *Salmonella enterica* subsp. *enterica* via Quenching of Unincorporated Amplification Signal Reporters in Loop-Mediated Isothermal Amplification. **2022**, 2022, 1-14 ○
- 185 A Landscape of CRISPR/Cas Technique for Emerging Viral Disease Diagnostics and Therapeutics: Progress and Prospects. **2023**, 12, 56 ○
- 184 Emerging Landscape of SARS-CoV-2 Variants and Detection Technologies. ○
- 183 Nucleic Acid-Based Detection of *Pythium insidiosum*: A Systematic Review. **2023**, 9, 27 ○
- 182 Development of Loop-Mediated Isothermal Amplification Assay for the Rapid Detection of *Pyrenophora graminea* in Barley Seeds. **2023**, 13, 62 ○
- 181 Development and evaluation of a rapid, specific, and sensitive loop-mediated isothermal amplification assay to detect *Tenacibaculum* sp. strain pbs-1 associated with black-spot shell disease in Akoya pearl oysters. **2023**, 205, ○
- 180 Development and Evaluation of a Rapid, Specific, and Sensitive Loop-mediated Isothermal Amplification Assay to Detect *Tenacibaculum* sp. Strain Pbs-1 Associated with Black-spot Shell Disease in Akoya Pearl Oysters. ○
- 179 Kinetics of elementary steps in loop-mediated isothermal amplification (LAMP) show that strand invasion during initiation is rate-limiting. **2023**, 51, 488-499 1
- 178 Development of reverse-transcription loop-mediated isothermal amplification assays for point-of-care testing of human influenza virus subtypes H1N1 and H3N2. **2022**, 20, e46 ○
- 177 An immobilization-based, loop-mediated isothermal amplification device for nucleic acid detection of SARS-CoV-2 N gene. **2022**, 36, 838-847 ○
- 176 Fast and Sensitive Detection of Soil-Borne Cereal Mosaic Virus in Leaf Crude Extract of Durum Wheat. **2023**, 15, 140 ○
- 175 Development of a Novel Loop-Mediated Isothermal Amplification Method for the Rapid Detection of Monkeypox Virus Infections. **2023**, 15, 84 ○
- 174 Differential identification of *Mannheimia haemolytica* genotypes 1 and 2 using colorimetric loop-mediated isothermal amplification. **2023**, 16, ○
- 173 Accurate, Sensitive, and Rapid Detection of *Pseudomonas aeruginosa* Based on CRISPR/Cas12b with One Fluid-Handling Step. ○
- 172 Efficient detection of African Swine Fever Virus using minimal equipment through a LAMP PCR method. 13, ○
- 171 Environmental pollutants and their impact on COVID-19 spread: Current problem and future resolutions. **2023**, 2, 127-146 ○
- 170 Enzyme-Assisted Nucleic Acid Amplification in Molecular Diagnosis: A Review. **2023**, 13, 160 ○
- 169 Detection of miRNAs. **2023**, 1-11 ○

- 168 Microfluidics for COVID-19: From Current Work to Future Perspective. **2023**, 13, 163 1
- 167 Rapid and Sensitive Diagnosis of COVID-19 Using an Electricity-Free Self-Testing System. **2023**, 13, 180 0
- 166 A Molecular Study on African Cassava Mosaic Disease Management in Cte d'Ivoire. **2023**, 14, 1-12 0
- 165 Paper-Based Devices for Virus Detection in Water. **2023**, 14, 1-12 0
- 164 CRISPR-Cas Biochemistry and CRISPR-Based Molecular Diagnostics. 0
- 163 Isothermal nucleic acid amplification technology in HIV detection. 0
- 162 Recent advances in fish disease diagnosis, therapeutics, and vaccine development. **2023**, 115-145 0
- 161 Hierarchical Bayesian modeling identifies key considerations in the development of quantitative loop-mediated isothermal amplification assays. 0
- 160 On-site and visual detection of sorghum mosaic virus and rice stripe mosaic virus based on reverse transcription-recombinase-aided amplification and CRISPR/Cas12a. 5, 0
- 159 Diagnosis of Ruminant Viral Diseases with Loop-Mediated Isothermal Amplification. 0
- 158 Recent progress in nucleic acid detection with CRISPR. 1
- 157 Taxonomy and Biological Control: New Challenges in an Old Relationship. 0
- 156 CRISPR-Cas Biochemistry and CRISPR-Based Molecular Diagnostics. 0
- 155 Recent Progress on Optical Biosensors Developed for Nucleic Acid Detection Related to Infectious Viral Diseases. **2023**, 14, 295 1
- 154 Detection Methods for Foodborne Viruses: Current State-of-Art and Future Perspectives. 0
- 153 Current advances in the identification of plant nematode diseases: From lab assays to in-field diagnostics. 14, 1
- 152 Environmental DNA as a Tool for Single Species Detection. **2023**, 14, 1-12 0
- 151 Cost and cost-effectiveness of four different SARS-CoV-2 active surveillance strategies: evidence from a randomised control trial in Germany. 0

- 150 Water-soluble polythiophene-based colorimetry for the quick and accurate detection of SARS-CoV-2 RNA. **2023**, 256, 124320 ○
- 149 Rapid and low-cost identification of common sole (*Solea solea*) in the field using a fast DNA isolation protocol and loop-mediated isothermal amplification (LAMP). **2023**, 118, 105166 ○
- 148 Point-of-care suitable identification of the adulterants *Carthamus tinctorius* and *Curcuma longa* in *Crocus sativus* based on loop-mediated isothermal amplification (LAMP) and lateral-flow-assay (LFA). **2023**, 148, 109637 ○
- 147 Infectious Diseases, Vibrational Spectroscopic Approaches to Rapid Diagnostics. **2012**, 57-73 ○
- 146 Utilidad de las técnicas moleculares aplicadas al diagnóstico de *Babesia bovis* y *Babesia bigemina* en Ganado Bovino: Revisión Sistemática. **2012**, 2, 65-78 ○
- 145 Molecular Techniques for Testing Genetic Purity and Seed Health. **2023**, 365-389 ○
- 144 *Vibrio parahaemolyticus* Epidemiology and Pathogenesis: Novel Insights on an Emerging Foodborne Pathogen. **2023**, 233-251 ○
- 143 Detection of Microbiological Hazards. **2023**, 835-850 ○
- 142 In-the-Field Authentication of Grapevine (*Vitis vinifera* L.) cv: Albariño Using Chlorotype Discrimination and a Single SNP Interrogation by LAMP. **2023**, 2023, 1-9 ○
- 141 Microfabricated Isothermal Eg-Fet Sensor For Lamp Mediated Crispr/Cas12a Detection Of Hepatitis C Virus. **2023**, ○
- 140 Molecular Approaches for Detection of *Trichoderma* Green Mold Disease in Edible Mushroom Production. **2023**, 12, 299 ○
- 139 A Colorimetric LAMP Detection of *Xylella fastidiosa* in Crude Alkaline Sap of Olive Trees in Apulia as a Field-Based Tool for Disease Containment. **2023**, 13, 448 ○
- 138 Electrochemical nucleic acid-based sensors for detection of *Escherichia coli* and Shiga toxin-producing *E. coli* Review of the recent developments. ○
- 137 Research Progress on the detection methods of porcine reproductive and respiratory syndrome virus. 14, ○
- 136 Development and evaluation of loop-mediated isothermal amplification assay for rapid and sensitive detection of potato cyst nematode, *Globodera pallida* from soil. **2023**, 13, ○
- 135 Ultrasensitive and Specific Identification of Monkeypox Virus Congo Basin and West African Strains Using a CRISPR/Cas12b-Based Platform. **2023**, 11, ○
- 134 One-step Reverse Transcription-LoopMediated Isothermal Amplification (RT-LAMP) for closed-tube colorimetric detection of banana bract mosaic virus in Banana (*Musa spp.*). **2023**, 13, ○
- 133 Molecular diagnosis of Tuberculous meningitis: *sdaA*-based multi-targeted LAMP and GeneXpert Ultra. **2023**, 140, 102339 ○

- 132 The use of colorimetric loop-mediated isothermal amplification assay for naked-eye detection of bean common mosaic virus. **2023**, 125, 102017
- 131 A triple-target reverse transcription loop-mediated isothermal amplification (RT-LAMP) for rapid and accurate detection of SARS-CoV-2 virus. **2023**, 1255, 341146
- 130 Bacterial thermophilic DNA polymerases: A focus on prominent biotechnological applications. **2023**, 671, 115150
- 129 Accurate and ultrasensitive detection for PEDV based on photoelectrochemical sensing coupling loop-mediated isothermal amplification. **2023**, 258, 124476
- 128 A rapid nucleic acid detection platform based on phosphorothioate-DNA and sulfur binding domain. **2023**, 8, 213-219
- 127 Copper: DNA extraction and solid phase detection agent for all-in-one molecular diagnostic device coupled with isothermal amplification. **2023**, 229, 115222
- 126 Ultrathin metal-organic framework nanosheets (Cu-TCPP)-based isothermal nucleic acid amplification for food allergen detection. **2023**, 12, 1788-1798
- 125 Feasibility of a DNA biosensor assay based on loop-mediated isothermal amplification combined with a lateral flow dipstick assay for the visual detection of *Ascaridia galli* eggs in faecal samples. 1-10
- 124 Fast and visual detection of nucleic acids using a one-step RPA-CRISPR detection (ORCD) system unrestricted by the PAM. **2023**, 1248, 340938
- 123 Rapid detection of apple latent spherical virus infecting *Angelica sinensis* by gold immunochromatography reverse transcription loop-mediated isothermal amplification assay. **2023**, 169, 106254
- 122 New-Generation Molecular Techniques in POC Biosensors for Detection of Infectious Diseases. **2022**, 79-106
- 121 Lab-on-a-chip systems for cancer biomarker diagnosis. **2023**, 226, 115266
- 120 Starting from scratch: Step-by-step development of diagnostic tests for SARS-CoV-2 detection by RT-LAMP. **2023**, 18, e0279681
- 119 An extraction-free one-step CRISPR-assisted detection platform and a potential *Streptococcus pneumoniae* at-home self-testing kit. **2023**, 233, 123483
- 118 Detection of *Babesia bovis* using loop-mediated isothermal amplification (LAMP) with improved thermostability, sensitivity and alternative visualization methods. **2023**, 13,
- 117 Rapid on-site nucleic acid testing: On-chip sample preparation, amplification, and detection, and their integration into all-in-one systems. 11,
- 116 An Accurate, Rapid and Cost-Effective Method for T-nos Detection Based on CRISPR/Cas12a. **2023**, 12, 615
- 115 Rapid culture-independent loop-mediated isothermal amplification detection of antimicrobial resistance markers from environmental water samples.

- 114 Advantages and limitations of microscopy and molecular detections for diagnosis of soil-transmitted helminths: An overview. **2022**, 59, 321-340 ○
- 113 Next-generation molecular diagnostics: Leveraging digital technologies to enhance multiplexing in real-time PCR. **2023**, 160, 116963 ○
- 112 Global distribution, traditional and modern detection, diagnostic, and management approaches of *Rhizoctonia solani* associated with legume crops. 13, ○
- 111 Development of a simple, rapid, and sensitive molecular diagnostic assay for cholera. **2023**, 17, e0011113 ○
- 110 Can allele-specific loop-mediated isothermal amplification be used for rapid detection of target-site herbicide resistance in *Lolium* spp.?. **2023**, 19, ○
- 109 Rapid quantitative detection of *Klebsiella pneumoniae* in infants with severe infection disease by point-of-care immunochromatographic technique based on nano-fluorescent microspheres. 11, ○
- 108 Analysis of the reliability of rapid diagnostic tests for varicella, including breakthrough cases. **2023**, 95, 1
- 107 Detection of Soybean-Derived Components in Dairy Products Using Proofreading Enzyme-Mediated Probe Cleavage Coupled with Ladder-Shape Melting Temperature Isothermal Amplification (Proofman- Δ MTIA). **2023**, 28, 1685 ○
- 106 Rapid Onsite Visual Detection of Orf Virus Using a Recombinase-Aided Amplification Assay. **2023**, 13, 494 ○
- 105 Rapid detection of monkeypox virus and monkey B virus by a multiplex loop-mediated isothermal amplification assay. **2023**, 86, e114-e116 ○
- 104 Evaluation of a novel lysis-based sample processing method to optimize *Vibrio vulnificus* detecting by Loop-Mediated Isothermal Amplification assay. ○
- 103 Molecular Beacons [Loop-Mediated Amplification (MB-LAMP)]. **2023**, 289-299 ○
- 102 Characterization of the MMP9 Gene and Its Association with *Cryptocaryon irritans* Resistance Traits in *Trachinotus ovatus* (Linnaeus, 1758). **2023**, 14, 475 ○
- 101 Advanced Molecular-Genetic Methods and Prospects for Their Application for the Indication and Identification of *Yersinia pestis* Strains. **2023**, 29-40 ○
- 100 High-Performance PCR for Alleles Discrimination of Chromo-Helicase-DNA Binding Protein (CHD1) Gene in Bird Sexing. **2023**, 12, 300 ○
- 99 Integrating filter paper extraction, isothermal amplification, and lateral flow dipstick methods to detect *Streptococcus agalactiae* in milk within 15 min. 10, ○
- 98 Development of RPA-Cas12a -fluorescence assay for rapid and reliable detection of human bocavirus 1. ○
- 97 Recombinase polymerase amplification using novel thermostable strand-displacing DNA polymerases from *Aeribacillus pallidus* and *Geobacillus zalihae*. **2023**, 135, 282-290 ○

- 96 New Coronavirus 2 (SARS-CoV-2) Detection Method from Human Nucleic Acid Sequences Using Capsule Networks. 66, ○
- 95 Strategies for the Voltammetric Detection of Loop-Mediated Isothermal Amplification. **2023**, 14, 472 ○
- 94 Rapid Detection of A282S Mutation in the RDL1 Gene of Rice Stem Borer via the Mutation-Specific LAMP Technique. **2023**, 13, 601 ○
- 93 Tackling the issue of healthcare associated infections through point-of-care devices. **2023**, 161, 116983 ○
- 92 Specificity and Sensitivity of a Rapid LAMP Assay for Early Detection of Emerald Ash Borer (*Agrilus planipennis*) in Europe. **2023**, 14, 436 ○
- 91 Development of a rapid diagnostic test based on loop-mediated isothermal amplification to identify the most frequent non-typhoidal *Salmonella* serovars from culture. **2023**, 42, 461-470 ○
- 90 Self-Priming DNA Polymerization-Propelled Stochastic Walkers on Magnetic Microbeads for Amplified Detection of miRNA. **2023**, 95, 4529-4535 ○
- 89 Shining a LAMP on the applications of isothermal amplification for monitoring environmental biosecurity. 82, 119-144 ○
- 88 SARS-CoV-2 pandemics: An update of CRISPR in diagnosis and host-virus interaction studies. **2023**, ○
- 87 Age distribution and disease severity of COVID-19 patients continued to change in a time-dependent manner from May 2021 to April 2022 in the regional core hospital in Japan. **2023**, 17, 60-65 ○
- 86 Rapid, visual and highly sensitive sexing of bovine embryos by recombinase polymerase amplification with CFI staining. **2023**, 9, e14116 ○
- 85 Paper-Based Loop Mediated Isothermal Amplification (LAMP) Platforms: Integrating the Versatility of Paper Microfluidics with Accuracy of Nucleic Acid Amplification Tests. **2023**, 11, 163 ○
- 84 Elucidation of the Complete Chemical Structure of Colibactin, a Carcinogenic Risk Factor Produced by *E. coli*: Detection and Structure Determination of Trace and Unstable Unknown Natural Products. **2022**, 60, 123-130 ○
- 83 Emerging Trends and Promising Technologies. **2023**, 415-430 ○
- 82 A comprehensive review and clinical guide to molecular and serological diagnostic tests and future development: In vitro diagnostic testing for COVID-19. **2023**, 12, ○
- 81 A multiplex method for detection of SARS-CoV-2 variants Based on MALDI-TOF mass spectrometry. **2023**, ○
- 80 A Loop-Mediated Isothermal Amplification (Lamp)-Based Point-of-Care System for Rapid on-Site Clinical Detection of Sars-Cov-2 Viruses. **2023**, ○
- 79 Development of environmental loop-mediated isothermal amplification (eLAMP) diagnostic tool for *Bulinus truncatus* field detection. **2023**, 16, ○

- 78 Sensitive and rapid detection of *Culex pipiens* and *Aedes albopictus*. 3, ○
- 77 Vivid COVID-19 LAMP is an ultrasensitive, quadruplexed test using LNA-modified primers and a zinc ion and 5-Br-PAPS colorimetric detection system. **2023**, 6, ○
- 76 Nested Phosphorothioated Hybrid Primer-Mediated Isothermal Amplification for Specific and Dye-Based Subattomolar Nucleic Acid Detection at Low Temperatures. **2023**, 8, 1261-1271 ○
- 75 Immune Control of Avian Influenza Virus Infection and Its Vaccine Development. **2023**, 11, 593 1
- 74 Visual and rapid identification of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* using multiplex loop-mediated isothermal amplification and a gold nanoparticle-based lateral flow biosensor. 13, ○
- 73 From the basics to emerging diagnostic technologies: What is on the horizon for tilapia disease diagnostics?. **2023**, 15, 186-212 ○
- 72 A paper based microfluidic platform combining LAMP-CRISPR/Cas12a for fluorometric detection of nucleic acids. ○
- 71 Rapid, sensitive, and specific detection of SARS-CoV-2 in nasopharyngeal swab samples of suspected patients using a novel one-step loop-mediated isothermal amplification (one-step LAMP) technique. **2023**, 23, ○
- 70 Rapid point-of-care detection of BK virus in urine by an HFman probe-based loop-mediated isothermal amplification assay and a finger-driven microfluidic chip. 11, e14943 ○
- 69 Searching bovine papillomavirus presence in lesions seen on teats of cows. 43, ○
- 68 Comparison of PCR and Loop Mediated Isothermal Amplification Method for Detection of *Salmonella* spp. in Chicken Meat. **2023**, 19, 59-62 ○
- 67 Low-Temperature Loop-Mediated Isothermal Amplification Operating at Physiological Temperature. **2023**, 13, 367 ○
- 66 Intelligent Genetic Decoding System Based on Nucleic Acid Isothermal Amplification for Non-Small Cell Lung Cancer Diagnosis. **2023**, 14, 647 ○
- 65 Recombinase-Aided Amplification Assay for Rapid Detection of Hypervirulent *Klebsiella pneumoniae* (hvKp) and Characterization of the hvKp Pathotype. **2023**, 11, ○
- 64 The Development of Diagnostic and Vaccine Strategies for Early Detection and Control of Human Brucellosis, Particularly in Endemic Areas. **2023**, 11, 654 ○
- 63 Visible label-free detection of bacterial DNA using flocculation of sterically stabilised cationic latexes. ○
- 62 Molecular and serological diagnosis of toxoplasmosis: a systematic review and meta-analysis. 65, ○
- 61 Application of loop-mediated isothermal amplification (LAMP) in the detection of genetically modified RT 73 rapeseed: a qualitative fast inspection. **2018**, 88, 611-614 ○

- 60 RT-LAMP is a potential future molecular diagnostic tool for influenza A virus. **2023**, 18, 165-175 ○
- 59 Glow-in-the-Dark Infectious Disease Diagnostics Using CRISPR-Cas9-Based Split Luciferase Complementation. ○
- 58 A pangenome approach-based loop-mediated isothermal amplification assay for the specific and early detection of *Bordetella pertussis*. **2023**, 13, ○
- 57 Ultrafast, One-Step, Label-Based Biosensor Diagnosis Platform for the Detection of *Mycobacterium tuberculosis* in Clinical Applications. **2023**, 9, 762-772 ○
- 56 Advances in Diagnosis of Schistosomiasis: Focus on Challenges and Future Approaches. Volume 16, 983-995 ○
- 55 Detection of Tularemia Agent DNA by Loop Mediated Isothermal Amplification. **2022**, 37, 202-208 ○
- 54 Multiplex gRNAs Synergically Enhance Detection of SARS-CoV-2 by CRISPR-Cas12a. **2023**, 6, 116-126 ○
- 53 Amplification-Free COVID-19 Detection by Digital Droplet REVEALR. **2023**, 12, 1331-1338 ○
- 52 Scalable RT-LAMP-based SARS-CoV-2 testing for infection surveillance with applications in pandemic preparedness. ○
- 51 Recycling of Polymerase Chain Reaction (PCR) Kits. **2023**, 11, 5524-5536 ○
- 50 Loop-mediated isothermal amplification combined with lateral flow biosensor for rapid and sensitive detection of monkeypox virus. 11, ○
- 49 Research progress of severe acute respiratory syndrome coronavirus 2 on aerosol collection and detection. **2023**, 108378 ○
- 48 Trends in the Determination of Antimicrobial Resistance in Aquaculture and Fisheries. **2023**, 1-22 ○
- 47 Molecular Tools for Characterizing AMR Pathogens. **2023**, 1-25 ○
- 46 Molecular testing devices for on-site detection of *E. coli* in water samples. **2023**, 13, ○
- 45 Modified loop-mediated isothermal amplification method combined with a TaqMan probe for the detection of *Mycoplasma gallisepticum*. ○
- 44 Rolling circle extension-assisted loop-mediated isothermal amplification (RoL-LAMP) method for locus-specific and visible detection of RNA N6-methyladenosine. ○
- 43 An Overview of the Public Health Challenges in Diagnosing and Controlling Human Foodborne Pathogens. **2023**, 11, 725 ○

- 42 Multiplex detection of clinical pathogen nucleic acids via a three-way junction structure-based nucleic acid circuit. **2023**, 415, 2173-2183 ○
- 41 Authentication of olive oil in commercial products using specific, sensitive, and rapid loop-mediated isothermal amplification. ○
- 40 Tapered optical fiber DNA biosensor for detecting *Leptospira* DNA. **2023**, 16, 119 ○
- 39 Detection and Diagnosis of Important Soil-Borne Pathogens. **2023**, 101-126 ○
- 38 Development of loop-mediated isothermal amplification (LAMP) assays using five primers reduces the false-positive rate in COVID-19 diagnosis. **2023**, 13, ○
- 37 Infectious Diseases of Coldwater Fish in Fresh Water. **2023**, 76-124 1
- 36 Diagnosis and Detection of Soil-Borne Fungal Phytopathogens in Major Crops. **2023**, 67-99 ○
- 35 Identification, Characterization and Use of Microorganisms. **2023**, 74-119 ○
- 34 A Novel RT-LAMP for the Detection of Different Genotypes of Crimean-Congo Haemorrhagic Fever Virus in Patients from Spain. **2023**, 24, 6411 ○
- 33 Diagnostic performance of NxTek Eliminate Malaria-Pf test for the detection of *Plasmodium falciparum* in school children with asymptomatic malaria. **2023**, 22, ○
- 32 Novel Identification of the Collection of Pathogenic Fungal Species *Verticillium* with the Development of Species-Specific SSR Markers. **2023**, 12, 535 ○
- 31 Point-of-Care Diagnosis of Malaria Using a Simple, Purification-Free DNA Extraction Method Coupled with Loop-Mediated Isothermal Amplification-Lateral Flow. **2023**, 8, 199 ○
- 30 Recent development of microfluidics-based platforms for respiratory virus detection. **2023**, 17, 024104 ○
- 29 Rapid detection of insect pest with CRISPR-Cas13a-Based Lateral Flow Strip: Using *Locusta migratoria manilensis*. ○
- 28 The molecular techniques to identify plant host-virus interactions and their implications on transmission. **2023**, 285-296 ○
- 27 Clinical Validation of a Colorimetric Loop-Mediated Isothermal Amplification Using a Portable Device for the Rapid Detection of SARS-CoV-2. **2023**, 13, 1355 ○
- 26 Introductory Chapter: Malaria in 2022 [Promises and Unmet Needs. ○
- 25 Direct detection of *Mycobacterium bovis* by a dry loop-mediated isothermal amplification assay in cattle samples collected during routine abattoir examination in Malawi. 104063872311645 ○

- 24 Molecular Diagnosis of Chagas Disease: A Systematic Review and Meta-Analysis.. ○
- 23 Ultrasensitive Reverse Transcriptase Loop-Mediated Isothermal Amplification (US-LAMP)-Based Detection of Malaria Infection from Dried Blood Spots. **2023**, 325-337 ○
- 22 Development and evaluation of a reverse transcription loop-mediated isothermal amplification assay for rapid typing of serotype O foot-and-mouth disease virus in endemic regions of Tanzania. ○
- 21 Molecular detection and characterization of foodborne bacteria: Recent progresses and remaining challenges. ○
- 20 Light-start DNA amplification using light-controlled DNA polymerase. **2023**, 133797 ○
- 19 CRISPR-cas technology: A key approach for SARS-CoV-2 detection. 11, ○
- 18 Development of a real-time loop-mediated isothermal amplification method for monitoring *Pseudomonas lurida* in raw milk throughout the year of pasture. 14, ○
- 17 Auto Flow-Focusing Droplet Reinjection Chip-Based Integrated Portable Droplet System (iPODs). ○
- 16 Combination of ultra-rapid DNA purification (PURE) and loop-mediated isothermal amplification (LAMP) for rapid detection of *Trypanosoma cruzi* DNA in dried blood spots. **2023**, 17, e0011290 ○
- 15 Progress in research on the molecular biological detection techniques of avian encephalomyelitis. **2023**, ○
- 14 Managing Viral Emerging Infectious Diseases via Current and Future Molecular Diagnostics. **2023**, 13, 1421 ○
- 13 Comparative Clinical Evaluation of a Novel FluA/FluB/SARS-CoV-2 Multiplex LAMP and Commercial FluA/FluB/SARS-CoV-2/RSV RT-qPCR Assays. **2023**, 13, 1432 ○
- 12 Rapid detection of the pine wood nematode *Bursaphelenchus xylophilus* using recombinase polymerase amplification combined with CRISPR/Cas12a. **2023**, 106259 ○
- 11 MCDA-CRISPR-Cas12-based diagnostic platform for detection of *Mycoplasma Pneumoniae* Targeting the CARDS gene. ○
- 10 The diversity, distribution, and status of phytoplasma diseases in China. **2023**, 121-147 ○
- 9 Rapid Detection of *Mycobacterium Tuberculosis* Using a Novel Point-of-Care BZ TB/NTM NALF Assay: Integrating LAMP and LFIA Technologies. **2023**, 13, 1497 ○
- 8 Novel methods of phytoplasma detection of phytoplasma in Asian countries. **2023**, 1-19 ○
- 7 Biosensing Using DNA-based Structures Integrated with Nanosheets. **2023**, 108779 ○

- 6 A review of advances in aptamer-based cell detection technology. ○
- 5 Applicability of Smart Tools in Vegetable Disease Diagnostics. **2023**, 13, 1211 ○
- 4 Rapid Screening Detection of Genetically Modified Papaya by Loop-Mediated Isothermal Amplification. **2023**, 46, 713-717 ○
- 3 A digital microfluidic platform coupled with colorimetric loop-mediated isothermal amplification for on-site visual diagnosis of multiple diseases. ○
- 2 Discovery of Diverse CRISPR-Cas Systems and Expansion of the Genome Engineering Toolbox. ○
- 1 Nanotechnologies for the Diagnosis and Treatment of SARS-CoV-2 and Its Variants. ○