

CITATION REPORT

List of articles citing

Risk stratification in hypertension: new insights from the Framingham Study

DOI: 10.1016/s0895-7061(99)00252-6
American Journal of Hypertension, 2000, 13, 3S-10S.

Source: <https://exaly.com/paper-pdf/32057167/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
365	Integration of complementary disciplines into the oncology clinic. Part V. Nutritional counseling. 2000 , 24, 242-67		
364	Preserving renal function in adults with hypertension and diabetes: a consensus approach. National Kidney Foundation Hypertension and Diabetes Executive Committees Working Group. 2000 , 36, 646-61		1093
363	Hipertensi ^o arterial (II). Aspectos m ^o dicos y sanitarios. 2001 , 13, 125-129		
362	Influence of angiotensin II type 1 receptor polymorphism on hypertension in patients with hypercholesterolemia. 2001 , 304, 91-7		20
361	Hipertensi ^o arterial (I). Aspectos fisiopatol ^o gicos. 2001 , 13, 80-84		2
360	[Relationship between severity of essential arterial hypertension and the prevalence hyperuricemia]. 2001 , 117, 85-9		5
359	Integrated Patient Data for Optimal Patient Management: The Value of Laboratory Data in Quality Improvement. 2001 , 47, 1516-1520		8
358	Safety profile of perindopril. 2001 , 88, 36i-40i		21
357	Control of hypertension--an important national priority. 2001 , 345, 534-5		65
356	Risk factors for coronary disease: the time for a paradigm shift?. 2001 , 39, 907-19		7
355	Cardiovascular mortality in hypertensive men according to presence of associated risk factors. 2001 , 37, 1256-61		114
354	The prevalence of calcified carotid artery atheromas on the panoramic radiographs of patients with type 2 diabetes mellitus. 2002 , 133, 1516-23		39
353	Hypertension and obesity. 2002 , 16 Suppl 1, S18-22		30
352	Insulin inhibits acetylcholine responses in rat isolated mesenteric arteries via a non-nitric oxide nonprostanoid pathway. 2002 , 39, 35-40		10
351	Relation of insulin resistance to blood pressure in childhood. 2002 , 20, 509-17		51
350	Firefighters' blood pressure and employment status on hazardous materials teams in Massachusetts: a prospective study. 2002 , 44, 669-76		20
349	NHBPEP: working to reduce death and disability from high blood pressure. National High Blood Pressure Education Program. 2002 , 42, 886-8		

348	Options for pharmacological management of obesity in patients treated with atypical antipsychotics. 2002 , 17, 145-60	70
347	Identification of mechanically induced genes in human monocytic cells by DNA microarrays. 2002 , 20, 685-91	46
346	Antihypertensive treatment in the elderly. 2002 , 14, 319-21	
345	[Treatment of arterial hypertension: does it modify cardiovascular morbidity and mortality?]. 2002 , 23 Suppl 1, 10s-12s	
344	Controlling hypertension to reduce the risk of stroke. 2002 , 17, 186-91	2
343	[Efficiency and safety of ACE-inhibiting imidapril in patients with essential hypertension]. 2002 , 29, 72-6	3
342	Primary and secondary prevention in cardiovascular disease: an old-fashioned concept?. 2002 , 251, 301-6	3
341	Comparing cost-effectiveness analyses of anti-hypertensive drug therapy for decision making: mission impossible?. 2002 , 5, 359-71	10
340	C-reactive protein is associated with renal function abnormalities in a non-diabetic population. 2003 , 63, 654-61	165
339	Multiple modifiable risk factors for first ischemic stroke: a population-based epidemiological study. 2003 , 10, 577-82	18
338	Isolated systolic hypertension: data on a cohort of young subjects from a French working population (IHPAF). 2003 , 17, 93-100	27
337	Prevalence and implications of uncontrolled systolic hypertension. 2003 , 20, 277-86	40
336	Reduction (TELMAR) as assessed by magnetic resonance imaging in patients with mild-to-moderate hypertension--a prospective, randomised, double-blind comparison of telmisartan with metoprolol over a period of six months rationale and study design. 2003 , 4, 234-43	13
335	Primary prevention of coronary heart disease in the elderly. 2003 , 37, 1654-63	17
334	Evaluating the context-dependent effect of family history of stroke in a genome scan for hypertension. 2003 , 34, 1170-5	12
333	Coronary heart disease in HIV-infected individuals. 2003 , 33, 506-12	403
332	Hypertension, hypertension-clustering factors and Alzheimer's disease. 2003 , 25, 675-80	88
331	Is the relation of systolic blood pressure to risk of cardiovascular disease continuous and graded, or are there critical values?. 2003 , 42, 453-6	77

330	Metabolic effects of antihypertensive treatment: long live the debate. 2003 , 21, 1459-62	8
329	. 2003 , 10, 213-220	8
328	Usefulness of a hypertension education program. <i>Southern Medical Journal</i> , 2003 , 96, 1133-7	0.6 10
327	The Bambui Health and Aging Study (BHAS): factors associated with the treatment of hypertension in older adults in the community. 2003 , 19, 817-27	12
326	The case for blood pressure control in risk groups. 2004 , 58, 844-9	4
325	Long-term cardiovascular risk with protease inhibitors and management of the dyslipidemia. 2004 , 94, 901-6	26
324	Hypertension therapy: mixing, matching, and meeting targets. 2004 , 21, 107-22	4
323	Overall obesity and abdominal obesity and the risk of metabolic abnormalities. 2004 , 173, 193-6	2
322	Combined antihypertensive and lipid-lowering treatment. 2004 , 6, 300-6	4
321	Assessment of cardiovascular risk and choice of antihypertensive therapy. 2004 , 6, 346-51	10
320	Ultrasound Monitoring of Carotid Lesions in Hypertension. 2004 , 11, 35-41	
319	Cardiovascular Risk Profile in 14 513 Patients with Essential Hypertension Followed by Italian Specialist Physicians. 2004 , 11, 165-173	5
318	La protecció̃ cardíaca es la estrategia prioritaria de prevenció̃ cardiovascular en hipertensió̃ arterial. 2004 , 21, 187-196	
317	Prevalence of the metabolic syndrome in US populations. 2004 , 33, 333-50	97
316	What is the relationship between exercise and metabolic abnormalities? A review of the metabolic syndrome. 2004 , 34, 371-418	201
315	Glaucoma risk factor assessment and prevention: lessons from coronary heart disease. 2004 , 138, S11-8	21
314	The JNC 7 approach compared to conventional treatment in diabetic patients with hypertension: a double-blind trial of initial monotherapy vs. combination therapy. 2004 , 6, 437-42; quiz 443-4	9
313	Cardiovascular considerations in patients treated with HIV protease inhibitors. 2004 , 15, 30-41	2

312	Is it the the renin-angiotensin-aldosterone blockade a comprehensive tool for the management of cardiovascular risk?. 2004 , 22, 463-5		1
311	Which anthropometric indices best predict metabolic disorders in Taiwan?. <i>Southern Medical Journal</i> , 2004 , 97, 578-82	0.6	12
310	Benchmarking in laboratory medicine: are we measuring the right outcomes?. 2005 , 12, 449-466		10
309	Do we need to target 'prediabetic' hypertensive patients?. 2005 , 23, 2119-25		10
308	Association between highly active antiretroviral therapy and hypertension in a large cohort of men followed from 1984 to 2003. 2005 , 19, 953-60		224
307	Transdermal HRT and Doppler findings in normotensive and hypertensive postmenopausal patients. 2005 , 26, 546-51		10
306	Vascular risk factors in the Swiss population. 2005 , 252, 1210-6		8
305	Treatment of multiple-risk patients: using combination therapy to treat beyond LDL lowering. 2005 , 7, 265-70		1
304	Association between change in systolic blood pressure and cognitive decline among elderly Mexican Americans: data from the Hispanic established population for epidemiology study of the elderly. 2005 , 31, 35-54		14
303	Factores de riesgo cardiovascular asociados a hipertensi ^o arterial en mujeres seg ^u n la edad. 2005 , 22, 48-53		0
302	Factores de riesgo cardiovascular asociados a hipertensi ^o arterial en mujeres seg ^u n la edad. 2005 , 22, 48-53		
301	A Novel Molecule of the Angiotensin II Receptor Blocker Class. 2005 , 12, 79-89		1
300	Pathophysiologic, diagnostic, and therapeutic aspects of the metabolic syndrome. 2005 , 7, 669-78		12
299	Hypertension: a review and rationale of treatment. 2005 , 51, 548-614		8
298	N ^o phropathie diab ^e tique et traitement antihypertenseur : quelles sont les le ^o ns des essais cliniques ?. 2005 , 2, 182-193		
297	Epidemiology of Hypertension. 2005 , 16-28		3
296	Metabolic Syndrome. 2006 , 13, 185-198		15
295	A longitudinal study of hypertension risk factors and their relation to cardiovascular disease: the Strong Heart Study. 2006 , 47, 403-9		145

294	Endothelial function and cardiovascular disease: effects of quercetin and wine polyphenols. 2006 , 40, 1054-65	134
293	Type-2 diabetes mellitus related cardiovascular risk: new options for interventions to reduce risk and treatment goals. 2006 , 7, 29-32	55
292	Global Cardiovascular Risk Reduction: New Concepts and Therapeutic Opportunities. 2006 , 8, 2-4	0
291	Assessment of global risk: a foundation for a new, better definition of hypertension. 2006 , 8, 5-14; quiz 39	17
290	Optimizing hypertension control in patients with multiple cardiovascular risk factors. 2006 , 8, 2-4	0
289	Managing multiple cardiovascular risk factors: state of the science. 2006 , 8, 12-22	13
288	Effect of combination therapy of benidipine hydrochloride and candesartan cilexetil on serum lipid metabolism and blood pressure in elderly hypertensive patients with type 2 diabetes mellitus. 2006 , 13, 149-57	5
287	Telmisartan/hydrochlorothiazide in the treatment of hypertension. 2006 , 2, 395-408	2
286	No association of the CYP3A5*1 allele with blood pressure and left ventricular mass and geometry: the KORA/MONICA Augsburg echocardiographic substudy. 2006 , 111, 365-72	11
285	Therapy modifications in response to poorly controlled hypertension, dyslipidemia, and diabetes mellitus. 2006 , 144, 475-84	145
284	Eplerenone: a selective aldosterone blocker. 2003 , 21, 169-84	16
283	Interactive effects of perceived racism and coping responses predict a school-based assessment of blood pressure in black youth. 2006 , 32, 1-9	43
282	Nitric oxide and the endothelium: history and impact on cardiovascular disease. 2006 , 45, 268-76	174
281	Endothelial Protection, AT1 blockade and Cholesterol-Dependent Oxidative Stress: the EPAS trial. 2006 , 114, 1296-301	64
280	Hypertension. 2007 ,	
279	Calcium channel blockers: their pharmacologic and therapeutic role in hypertension. 2007 , 7 Suppl 1, 5-15	7
278	Treatment patterns of hypertension and dyslipidaemia in hypertensive patients at higher and lower risk of cardiovascular disease in primary care in the United Kingdom. 2007 , 21, 925-33	7
277	Risk of diabetes in a real-world setting among patients initiating antihypertensive therapy with valsartan or amlodipine. 2007 , 21, 374-80	12

276	Preanesthetic Assessment of the Cosmetic Surgery Patient. 171-181	1
275	Metabolic syndrome: treatment of hypertensive patients. 2007 , 14, 386-402	37
274	Prevalence and clinical predictors of atherosclerotic coronary artery disease in asymptomatic patients undergoing coronary multidetector computed tomography. 2007 , 18, 353-60	24
273	Cardiovascular risk assessment in hypertensive patients: major discrepancy according to ESH and SCORE strategies. 2007 , 25, 757-62	10
272	Partnering With Your Patient in HYPERTENSION CONTROL. 2007 , 20, 3-8	
271	A new approach to primary prevention of cardiovascular disease. 2007 , 120, 746-7	9
270	Understanding essential hypertension from the perspective of the cardiometabolic syndrome. 2007 , 1, 120-34	7
269	Epidemiología del riesgo cardiovascular del hipertenso. 2007 , 24, 3-9	
268	2007 ESH-ESC Guidelines for the management of arterial hypertension: the task force for the management of arterial hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). 2007 , 16, 135-232	247
267	Electrocardiographic left ventricular hypertrophy has low diagnostic accuracy in middle-aged subjects. 2007 , 16, 328-34	7
266	Hypertension artérielle-hypertonie oculaire, les parallèles. 2007 , 30, 14-17	1
265	[ESH/ESC 2007 Guidelines for the management of arterial hypertension]. 2007 , 60, 968.e1-94	29
264	Partnering With Your Patient in HYPERTENSION CONTROL. 2007 , 20, 3-8	
263	Hypertension, vascular cognitive disorders and neuroprotection. 2007 , 19, 269-78	2
262	Systemic hypertension. 2007 , 32, 201-59	54
261	The editor's roundtable: concurrent hypertension and dyslipidemia. 2007 , 99, 134-44	0
260	Treating hypercholesterolemia and hypertension based on lifetime global risk. 2007 , 100, 138-42	2
259	Practical management of patients with hypertension and metabolic risk factors: Using lifestyle to reduce risk. 2008 , 2, 262-267	

258	Antihypertensive treatment in elderly hypertensives without a history of stroke and the risk of cognitive disorders. 2008 , 118, 139-45	6
257	Managing hypertension in cardiology practice according to risk profile. 2008 , 62, 1403-12	7
256	Effects of angiotensin II blockade on inflammation-induced alterations of pharmacokinetics and pharmacodynamics of calcium channel blockers. 2008 , 153, 90-9	18
255	Function of dynamically stimulated endothelium and renin-angiotensin-aldosterone system in normotensive subjects with a family history of hypertension. 2008 , 13, 689-93	
254	Prevalence and treatment of isolated and concurrent hypertension and hypercholesterolaemia in the United Kingdom. 2008 , 65, 775-86	19
253	Hypertension and dyslipidaemia in obesity and insulin resistance: pathophysiology, impact on atherosclerotic disease and pharmacotherapy. 2008 , 117, 354-73	67
252	Idiopathic neuropathy patients are at high risk for metabolic syndrome. 2008 , 273, 25-8	89
251	[Pulse pressure and cardiovascular risk: from epidemiology to pathophysiology]. 2008 , 130, 374-5	
250	Stroke prevention: modifying risk factors. 2008 , 2, 287-303	70
249	Coadministration of valsartan 160 and 320 mg and simvastatin 20 and 40 mg in patients with hypertension and hypercholesterolemia: a multicenter, 12-week, double-blind, double-dummy, parallel-group superiority study. 2008 , 30, 1782-93	3
248	High triglyceride level is associated with severe coronary artery disease in hypertensive subjects. 2008 , 42, 146-52	6
247	Cardiovascular Risk Management in Clinical Practice. 2008 , 15, 9-16	3
246	Nebivolol/Hydrochlorothiazide : a new fixed-dose combination for effective simplified antihypertensive therapy. 2008 , 15, 75-84	3
245	Angiotensin II Blockade and Total Cardiovascular Risk : Beyond Blood Pressure Reduction. 2008 , 15, 245-53	1
244	Cardiovascular risk in hypertension - can we ask for more? : focus on aliskiren. 2008 , 15, 255-68	4
243	Amlodipine/atorvastatin fixed-dose combination: a review of its use in the prevention of cardiovascular disease and in the treatment of hypertension and dyslipidemia. 2008 , 8, 51-67	23
242	The frequency and distribution of cardiovascular disease risk factors among Nebraska women enrolled in the WISEWOMAN screening program. 2008 , 17, 607-17	12
241	Prevalence and treatment of hypertensive patients with multiple concomitant cardiovascular risk factors in The Netherlands and Italy. 2008 , 22, 704-13	8

240	Risk of chronic kidney disease in hypertensive patients with other metabolic conditions. 2008 , 22, 132-4	6
239	Combined effects of an 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor and angiotensin II receptor antagonist on nitric oxide bioavailability and atherosclerotic change in myocardial infarction-prone Watanabe heritable hyperlipidemic rabbits. 2008 , 31, 1199-208	12
238	Control of vascular risk factors. 220-234	0
237	Valsartan combination therapy in the management of hypertension - patient perspectives and clinical utility. 2009 , 2, 39-54	4
236	Patient adherence and preference considerations in managing cardiovascular risk: focus on single pill and amlodipine/atorvastatin fixed combination. 2009 , 3, 61-6	4
235	Carotid intima-media thickness in asymptomatic patients with arterial hypertension without clinical cardiovascular disease: relation with left ventricular geometry and mass and coexisting risk factors. 2009 , 60, 705-13	15
234	Inter-regional comparisons of the prevalence of cardiometabolic risk factors in patients with hypertension in Europe: the GOOD survey. 2009 , 23, 316-24	16
233	Lessons in hypertension from new clinical trials. 2009 , 121, 34-43	
232	Blood pressure and lipid control status in Japanese hypertensive patients. 2009 , 31, 298-305	3
231	Pravastatin for cardiovascular event primary prevention in patients with mild-to-moderate hypertension in the Management of Elevated Cholesterol in the Primary Prevention Group of Adult Japanese (MEGA) Study. 2009 , 53, 135-41	31
230	Excess risk of diabetes in persons with hypertension. 2009 , 23, 330-6	19
229	Estimating antihypertensive effects of combination therapy in an observational study using marginal structural models. 2009 , 51, 789-800	3
228	Development and validation of a highly sensitive and robust LC-ESI-MS/MS method for simultaneous quantitation of simvastatin acid, amlodipine and valsartan in human plasma: application to a clinical pharmacokinetic study. 2009 , 23, 615-22	43
227	Generalized cost-effectiveness analysis of a package of interventions to reduce cardiovascular disease in Buenos Aires, Argentina. 2009 , 7, 10	43
226	Management of hypertension and stroke prevention: results of the Italian cardiologist survey. 2009 , 63, 207-16	18
225	Effects of AT1 receptor and beta1 receptor blocking on blood pressure, peripheral hemodynamic and lipid profile in statin-treated hypertensive hypercholesterolemic patients. 2009 , 23, 583-8	6
224	Efficacy and safety of two treatment combinations of hypertension in very elderly patients. 2009 , 48, 401-5	26
223	Does treatment of hypertension decrease the incidence of atrial fibrillation and cardioembolic stroke?. 2009 , 20, 125-31	6

222	Physical activity and prevalence of hypertension in a population-based sample of Brazilian adults and elderly. 2009 , 49, 200-4	14
221	Targeting converging therapeutic pathways to overcome hypertension. 2009 , 132, 297-9	8
220	Documento de consenso sobre hipertensi ^o n arterial y anestesia de las Sociedades Catalanas de Anestesiolog ^o s e Hipertensi ^o n Arterial. 2009 , 26, 218-228	1
219	Valsartan plus hydrochlorothiazide for first-line therapy in hypertension. 2009 , 7, 1491-501	1
218	Assessment of diastolic dysfunction in elderly hypertensive patients using integrated Doppler echocardiography. 2009 , 18, 135-41	4
217	Effects of Telmisartan and Bisoprolol on Blood Pressure, Peripheral Haemodynamic and Lipid Profile in Statin-Treated Hypertensive Hypercholesterolaemic Patients. 2009 , 16, 7-12	1
216	Body weight variation and control of cardiovascular risk factors in essential hypertension. 2009 , 18, 247-54	8
215	[Hypertension and anesthesia: consensus statement of the Catalan Associations of Anesthesiology and Hypertension]. 2009 , 56, 493-502	4
214	Hypertension: reflections on risks and prognostication. 2009 , 93, 541-58, Table of Contents	52
213	Antihypertensive effects of the flavonoid quercetin. 2009 , 61, 67-75	197
212	Human immunodeficiency virus and atherosclerosis. 2009 , 17, 211-5	25
211	2007 ESH/ESC Guidelines for the management of hypertension, from theory to practice: global cardiovascular risk concept. 2009 , 27, S3-11	26
210	Left ventricular hypertrophy, ischemic heart disease and the incidence of cardiovascular events in Japanese high-risk hypertensive patients. 2009 , 73, 1014-5	2
209	Effects of individual risk factors on the residual risk of cardiovascular events in a population of treated Chinese patients with hypertension: data from the Felodipine Event Reduction (FEVER) study. 2010 , 28, 2016-25	13
208	Screening renal artery angiography in hypertensive patients undergoing coronary angiography and 6-month follow-up after ad hoc percutaneous revascularization. 2010 , 28, 842-7	19
207	Role of angiotensin-converting enzyme inhibitors in vascular modulation: beyond the hypertensive effects. 2010 , 17, e11-23	19
206	Clustering of cardiovascular risk factors and blood pressure control status in hypertensive patients. 2010 , 49, 1483-7	17
205	Blood pressure and cardiovascular disease: tracing the steps from Framingham. 2010 , 53, 39-44	12

204	Cardiovascular disease risk factors: epidemiology and risk assessment. 2010 , 105, 3A-9A	171
203	Effect of cardiometabolic risk factors on hypertension management: a cross-sectional study among 28 physician practices in the United States. 2010 , 9, 7	18
202	Heart rate control with adrenergic blockade: clinical outcomes in cardiovascular medicine. <i>Vascular Health and Risk Management</i> , 2010 , 6, 387-97	4-4 12
201	Family history: the neglected risk factor in disease prevention. 2010 , 192, 677-8	10
200	Association of plasma retinol-binding protein 4, adiponectin, and high molecular weight adiponectin with insulin resistance in non-diabetic hypertensive patients. 2010 , 51, 375-84	15
199	The future of aerobic exercise testing in clinical practice: is it the ultimate vital sign?. 2010 , 6, 325-42	54
198	Influence of metabolic syndrome on risk stratification in hypertensive patients: differences between 2003 and 2007 ESH-ESC guidelines. 2010 , 4, 97-103	5
197	What we have learned from risk charts?. 2010 , 6, 285-7	1
196	Dieciannidivitaipi^ Ùrealizzazione e valutazione di un progetto di educazione terapeutica al paziente iperteso. Risultati preliminari. 2010 , 4, 239-246	
195	1,25-dihydroxyvitamin D3 reduces systolic blood pressure in hypertensive adults: a pilot feasibility study. 2010 , 121, 445-7	44
194	Prospective evaluation of the effect of statins on blood pressure control in hypertensive patients in clinical practice. 2010 , 20, 512-8	8
193	The role of nitric oxide in improving endothelial function and cardiovascular health: focus on nebivolol. 2010 , 123, S2-8	11
192	Development of a RP-HPLC method for the simultaneous analysis of diltiazem and statin: Application in pharmaceuticals and human serum. 2010 , 2, 1571	11
191	The new concept of total cardiovascular risk management. 2011 , 5, 169-174	
190	Association of statin therapy with blood pressure control in hypertensive hypercholesterolemic outpatients in clinical practice. 2011 , 2, 44-9	10
189	[Dyslipidemias: a pending challenge in cardiovascular prevention. Consensus document from CEIPC/SEA Committee]. 2011 , 137, 30.e1-30.e13	8
188	Metabolic Remodelling of the Hypertrophied Heart. 2011 , 127-140	
187	Antihypertensive treatment with cerebral hemodynamics monitoring by ultrasonography in elderly hypertensives without a history of stroke may prevent or slow down cognitive decline. A pending issue. 2011 , 76, 434-7	3

186	Association of high-sensitivity C-reactive protein with carotid artery intima-media thickness in hypertensive older adults. 2011 , 5, 395-400	25
185	Predictors of 10-year mortality in a population of community-dwelling Brazilian elderly: the Bambuê Cohort Study of Aging. 2011 , 27 Suppl 3, S360-9	18
184	Utilization of preventive care services and their effect on cardiovascular outcomes in the United States. 2011 , 4, 1-7	21
183	Treatment options for hypertension in high-risk patients. <i>Vascular Health and Risk Management</i> , 2011 , 7, 137-41	4.4 5
182	The effect of the newly developed angiotensin receptor II antagonist fimasartan on the pharmacokinetics of atorvastatin in relation to OATP1B1 in healthy male volunteers. 2011 , 58, 492-9	28
181	Blood pressure reference intervals for healthy adult chimpanzees (<i>Pan troglodytes</i>). 2011 , 40, 171-80	15
180	Highly interactive multi-session programs impact physician behavior on hypertension management: outcomes of a new CME model. 2011 , 13, 97-105	17
179	Improving adherence with amlodipine/atorvastatin therapy: IMPACT study. 2011 , 13, 598-604	9
178	Impact of hypertension, aging, and antihypertensive treatment on the morphology of the pudendal artery. 2011 , 8, 1027-38	22
177	Simultaneous determination of atorvastatin, amlodipine, ramipril and benazepril in human plasma by LC-MS/MS and its application to a human pharmacokinetic study. 2011 , 25, 439-49	39
176	Belgian global implementation of cardiovascular and stroke risk assessment study: methods and baseline data of the BELGICA-STROKE STUDY. 2011 , 18, 635-41	2
175	Synergistic protection against vascular inflammation with a calcium channel blocker and a statin. 2011 , 34, 441-2	1
174	The impact of carvedilol and metoprolol on serum lipid concentrations and symptoms in patients with hyperthyroidism. 2012 , 37, 117-23	6
173	Blood pressure control status and effects of pravastatin on cardiovascular events occurrence in patients with dyslipidaemia. 2012 , 26, 388-95	3
172	Cardiovascular risk factor(s) prevalence in Greek hypertensives. Effect of gender and age. 2012 , 26, 443-51	8
171	Simultaneous Determination of Atorvastatin and Aspirin in Human Plasma by LC-MS/MS: Its Pharmacokinetic Application. 2012 , 80, 923-40	19
170	The antihypertensive actions of statins: modulation by salt intake. <i>American Journal of Hypertension</i> , 2012 , 25, 1140-8	2.3 11
169	Microalbuminuria independently correlates to cardiovascular comorbidity burden in patients with hypertension. 2012 , 101, 761-6	14

168	Riesgo cardiovascular percibido por el paciente hipertenso y grado de cumplimiento terapéutico en hipertensión arterial: estudio Complimenthta. 2012 , 29, 136-144	1
167	The genetic architecture of Alzheimer's disease: beyond APP, PSENs and APOE. 2012 , 33, 437-56	170
166	Age-related divergent remodeling of the cardiac extracellular matrix in heart failure: collagen accumulation in the young and loss in the aged. 2012 , 53, 82-90	71
165	An observational study of the prevalence and incidence of comorbid conditions in older women with breast cancer. 2012 , 23, 1756-65	28
164	Heart rate as a target of treatment of chronic heart failure. 2012 , 60, 86-90	42
163	Hypertension in the elderly. 2012 , 6, 285-294	1
162	Optimal cut-off values of anthropometric markers to predict hypertension in North Indian population. 2012 , 37, 441-7	22
161	Guidelines adherence and hypertension control at a tertiary hospital in Malaysia. 2013 , 19, 798-804	12
160	Elevated blood pressure in pregnancy and subsequent chronic disease risk. 2013 , 127, 681-90	209
159	Increased prevalence of metabolic syndrome among hypertensive population: ten years' trend of the Korean National Health and Nutrition Examination Survey. 2013 , 166, 633-9	22
158	Molecular studies on coronary artery disease-a review. 2013 , 28, 215-26	14
157	2013 ESH/ESC Guidelines for the Management of Arterial Hypertension. 2013 , 22, 193-278	286
156	2013 ESH/ESC guidelines for the management of arterial hypertension: the Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). 2013 , 34, 2159-219	3400
155	Preclinical cardiorenal interrelationships in essential hypertension. 2013 , 3, 38-47	9
154	Epidemiology of hypertension. 2013 , 16-32	
153	2013 ESH/ESC Guidelines for the management of arterial hypertension: the Task Force for the management of arterial hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). 2013 , 31, 1281-357	3363
152	Dietary B deficiency and IOP insult are additive risk factors for ganglion cell dysfunction. 2013 , 22, 269-77	15
151	Prevalence, awareness, treatment and control of hypertension in elderly Chinese. 2013 , 36, 824-8	47

- 150 Hypertension and cardiovascular risk. **2013**, 182-194
- 149 [Advantages of ramipril/amlodipin fixed combination therapy. When should we use it?]. **2013**, 154, 1658-64
- 148 Optimizing combination therapy in the management of hypertension: the role of the aliskiren, amlodipine, and hydrochlorothiazide fixed combination. **2013**, 6, 59-67 4
- 147 The chronergy of recombinant streptokinase thrombolysis in acute myocardial infarction. **2013**, 5, 1363-1366 1
- 146 Does excess weight interfere with bone mass accumulation during adolescence?. **2013**, 5, 2047-61 29
- 145 Comparison of efficacy of intensive versus mild pitavastatin therapy on lipid and inflammation biomarkers in hypertensive patients with dyslipidemia. *PLoS ONE*, **2014**, 9, e89057 3-7 3
- 144 CoCo trial: Color-coded blood pressure Control, a randomized controlled study. **2014**, 8, 1383-92 2
- 143 [Cardiovascular risk factors on the Framingham Risk Score among hypertensive patients attended by family health teams]. **2014**, 19, 1731-9 7
- 142 [Cardiovascular risk and associated factors in schoolchildren in Bel^ m, Par^ t State, Brazil]. **2014**, 30, 577-86 11
- 141 The role of ECG in the diagnosis of left ventricular hypertrophy. **2014**, 10, 257-61 36
- 140 Prevalence of high-risk profile in middle-aged subjects with arterial hypertension: a nationwide survey. **2014**, 23, 281-7 7
- 139 Grade-response relationship between blood pressure and severity of coronary atherosclerosis in asymptomatic adults: assessment with coronary CT angiography. **2014**, 30 Suppl 2, 105-12 8
- 138 First-trimester risk factors for preeclampsia development in women initiating aspirin by 16 weeks of gestation. **2014**, 123, 611-617 22
- 137 Epidemiology of hypertension. **2014**, 8, 760-3; quiz 764 5
- 136 Statins and the risk of type 2 diabetes mellitus: cohort study using the UK clinical practice research datalink. *BMC Cardiovascular Disorders*, **2014**, 14, 85 2-3 45
- 135 Pr^ valenz und medikament^ e Therapie des arteriellen Hypertonus der erwerbst^ igen Bev^ kerung in Deutschland. **2014**, 19, 104-108 1
- 134 Excess body fat negatively affects bone mass in adolescents. **2014**, 30, 847-52 45
- 133 Hyperhomocysteinemia, lipid and lipoprotein disturbances in patients with primary hypertension. **2014**, 59, 68-73 15

132	Blood pressure and pulse wave velocity as metrics for evaluating pathologic ageing of the cardiovascular system. 2014 , 23, 17-30		46
131	The Efficacy of Quercetin in Cardiovascular Health. 2015 , 4, 290-303		20
130	Epidemiology and Management Cost of Myocardial Infarction in North Punjab, Pakistan. <i>Iranian Red Crescent Medical Journal</i> , 2015 , 17, e13776	1.3	2
129	Changes in Peripheral Blood Pressure with Normal and Accelerated Aging. 2015 , 65-73		1
128	Left ventricular hypertrophy as a marker of adverse cardiovascular risk in persons of different age groups. 2015 , 5, 99-106		
127	Natriuresis and blood pressure reduction in hypertensive patients with diabetes mellitus: the NESTOR study. 2015 , 9, 21-8		5
126	Arterial stiffness is increased in young normotensive subjects with high central blood pressure. 2015 , 9, 285-92		21
125	N-Terminal Pro-Brain Natriuretic Peptide (NT-proBNP) and Risk of Hypertension in the Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Hypertension</i> , 2015 , 28, 1262-6	2.3	24
124	Unbreak my heart: targeting mitochondrial autophagy in diabetic cardiomyopathy. 2015 , 22, 1527-44		43
123	Combination of Lipid-Lowering Agents with Antihypertensive Drugs: A Joint Fight Against the Two Most Important Risk Factors?. 2015 , 153-163		1
122	Efficacy and safety of fixed-dose combination therapy with olmesartan medoxomil and rosuvastatin in Korean patients with mild to moderate hypertension and dyslipidemia: an 8-week, multicenter, randomized, double-blind, factorial-design study (OLSTA-D RCT: OLMesartan rosuvaSTAtin from Daewoong). 2016 , 10, 2599-609		17
121	Is Concurrent Training Efficacious Antihypertensive Therapy? A Meta-analysis. 2016 , 48, 2398-2406		53
120	Obesity and hypertensive heart disease: focus on body composition and sex differences. 2016 , 8, 79		21
119	Premenstrual Syndrome and Increased Blood Pressure: A New Risk Factor for Cardiovascular Disease in Women?. 2016 , 25, 1083-1084		4
118	Dynamic Resistance Training as Stand-Alone Antihypertensive Lifestyle Therapy: A Meta-Analysis. 2016 , 5,		110
117	Age-associated changes in human carotid atherosclerotic plaques. 2016 , 48, 541-551		14
116	Cardiovascular Risk Assessment, Summary of Guidelines for the Management of Hypertension and a Critical Appraisal of the 2014 Expert Panel of the National Institutes of Health Report. 2016 , 131-150		
115	Increasing trend of diabetes combined with hypertension or hypercholesterolemia: NHANES data analysis 1999-2012. 2016 , 6, 36093		29

114	Associations of proteins relevant to MAPK signaling pathway (p38MAPK-1,HIF-1 and HO-1) with coronary lesion characteristics and prognosis of peri-menopausal women. 2016 , 15, 187	6
113	Intima-Media Thickness Is Linearly and Continuously Associated With Systolic Blood Pressure in a Population-Based Cohort (STANISLAS Cohort Study). 2016 , 5,	44
112	Serum uric acid is associated with non-dipping circadian pattern in young patients (30-40 years old) with newly diagnosed essential hypertension. 2016 , 38, 233-7	7
111	Limitations of GCTA as a solution to the missing heritability problem. 2016 , 113, E61-70	65
110	Prevalence of hypertension and associated risk factors in people with long-term spinal cord injury living in the Netherlands. 2017 , 39, 919-927	8
109	Global Risk Assessment to Guide Blood Pressure Management in Cardiovascular Disease Prevention. 2017 , 69, e2-e9	23
108	The polypill in cardiovascular prevention: evidence, limitations and perspective - position paper of the European Society of Hypertension. 2017 , 35, 1546-1553	33
107	Feeling the pressure: (patho) physiological mechanisms of weight gain and weight loss in humans. 2017 , 40, 226-236	5
106	Fixed-dose combination orally disintegrating tablets to treat cardiovascular disease: formulation, in vitro characterization and physiologically based pharmacokinetic modeling to assess bioavailability. 2017 , 11, 811-826	13
105	ATIVIDADE FÍSICA E MODULAÇÃO DO RISCO CARDIOVASCULAR. 2017 , 23, 21-25	6
104	Genome-Wide Association Approach Identified Novel Genetic Predictors of Heart Rate Response to β Blockers. 2018 , 7,	14
103	Causal Pathways from Blood Pressure to Larger Qrs Amplitudes a Mendelian Randomization Study. 2018 , 8, 5817	0
102	Resistant Hypertension On Treatment (ResHypOT): sequential nephron blockade compared to dual blockade of the renin-angiotensin-aldosterone system plus bisoprolol in the treatment of resistant arterial hypertension - study protocol for a randomized controlled trial. 2018 , 19, 101	1
101	Cerebral oxygen desaturation occurs frequently in patients with hypertension undergoing major abdominal surgery. 2018 , 32, 285-293	3
100	Early warning system hypertension thresholds to predict adverse outcomes in pre-eclampsia: A prospective cohort study. 2018 , 12, 183-188	17
99	High-throughput LC-MS/MS method with 96-well plate precipitation for the determination of arotinolol and amlodipine in a small volume of rat plasma: Application to a pharmacokinetic interaction study. 2018 , 41, 618-629	7
98	Hypertension and cardiovascular risk: General aspects. 2018 , 129, 95-99	171
97	Association of obesity with hypertension and type 2 diabetes mellitus in India: A meta-analysis of observational studies. 2018 , 9, 40-52	32

96	The mitochondrial tRNA 5587T>C and tRNA 12280A>G mutations may be associated with hypertension in a Chinese family. 2019 , 17, 1855-1862	15
95	Associations of Cardiovascular Risk Factors and Genetic Markers with Development of Arterial Hypertension in the Population of Mountain Shoriya. 2018 , 14, 678-686	4
94	Prevalence of concomitant hypertension and diabetes in Brazilian older adults: individual and contextual inequalities. 2018 , 23, 3829-3840	10
93	Updated American Heart Association/American College of Cardiology; European Society of Hypertension/European Society of Cardiology Guidelines. 2018 , 459-468	1
92	Qing Gan Zi Shen Tang alleviates adipose tissue dysfunction with up-regulation of SIRT1 in spontaneously hypertensive rat. 2018 , 105, 246-255	7
91	(Anti)Fragility and Convex Responses in Medicine. 2018 , 299-325	6
90	Exercise Prescription for Hypertension: New Advances for Optimizing Blood Pressure Benefits. 2018 , 115-136	2
89	Prevalence of cardiovascular risk factors and other comorbidities in patients with hypertension in Portuguese primary health care populations: The PRECISE study. 2019 , 38, 427-437	9
88	Prevalence of cardiovascular risk factors and other comorbidities in patients with hypertension in Portuguese primary health care populations: The PRECISE study. 2019 , 38, 427-437	3
87	Hypertension Management in Older and Frail Older Patients. 2019 , 124, 1045-1060	97
86	The importance of lifestyle in the hypertensive patient on medication. 2019 , 38, 707-708	
85	The importance of lifestyle in the hypertensive patient on medication. 2019 , 38, 707-708	
84	POPs' effect on cardiometabolic and inflammatory profile in a sample of women with obesity and hypertension. 2019 , 74, 310-321	5
83	Arterial Hypertension and Cardiovascular Risk. 2019 , 57-74	
82	Comparaci ³ de la equivalencia terap ³ utica de dos productos de bisoprolol [hidroclorotiazida en pacientes con hipertensi ³ arterial. 2020 , 27, 262-269	
81	Prognostic utility of electrocardiograms in patients with hypertension older than 65 years. The PAFRES study. 2020 , 220, 100-108	
80	Prevalence of cardiometabolic risk factors and selected cardiovascular diseases in hypertensive and normotensive participants in the adult Polish population: The WOBASZ II study. 2020 , 99, e21149	1
79	Effect of Combined Statin and Antihypertensive Therapy in Patients with Hypertension: A Systematic Review and Meta-Analysis. 2020 , 145, 802-812	2

78	Experimental Rodent Models of Cardiovascular Diseases. 2020 , 7, 588075		3
77	Preventive Beneficial Effect of an Aqueous Extract of <i>Phyllanthus amarus</i> Schum. and Thonn. (Euphorbiaceae) on DOCA-Salt-Induced Hypertension, Cardiac Hypertrophy and Dysfunction, and Endothelial Dysfunction in Rats. 2020 , 75, 573-583		0
76	Evaluating Combined Precursor Isotopic Labeling and Isobaric Tagging Performance on Orbitraps To Study the Peripheral Proteome of Alzheimer's Disease. 2020 , 92, 2911-2916		3
75	Epidemiological and clinical profile of hypertensive octogenarian patients and factors associated with uncontrolled hypertension: observational study of 346 patients. 2021 , 39, 202		
74	A Multi-Agent Approach for Personalized Hypertension Risk Prediction. 2021 , 9, 75090-75106		0
73	Impact of ivabradine on the cardiac function of chronic heart failure reduced ejection fraction: Meta-analysis of randomized controlled trials. 2021 , 44, 463-471		1
72	Starting Antihypertensive Drug Treatment With Combination Therapy: Controversies in Hypertension - Pro Side of the Argument. 2021 , 77, 800-805		3
71	Autonomic dysregulation as an early pathologic feature of Huntington Disease. 2021 , 231, 102775		3
70	The relationship between rotating shift work and blood pressure among nurses working in hospitals of Abadan, Iran. 2021 , 38, 1569-1574		0
69	The Role of Essential Oils and Their Main Compounds in the Management of Cardiovascular Disease Risk Factors. 2021 , 26,		4
68	Quality Control and Good Epidemiological Practice. 2014 , 525-576		3
67	Cardiovascular Risk Assessment and Summary of Guidelines for the Management of Hypertension. 2011 , 97-113		1
66	Real-Time Decision Support Using Data Mining to Predict Blood Pressure Critical Events in Intensive Medicine Patients. 2015 , 77-90		6
65	Quality Control and Good Epidemiological Practice. 2005 , 503-556		2
64	Application of anthropometric indices in childhood obesity. <i>Southern Medical Journal</i> , 2004 , 97, 566-70	0.6	6
63	Treatment of chronic hypertension for the prevention of stroke. <i>Southern Medical Journal</i> , 2003 , 96, 359-62	0.6	7
62	Prevalence and Associated Factors of Hypertension among Adults in Rural Uttarakhand: A Community Based Cross Sectional Study. <i>Current Research in Nutrition and Food Science</i> , 2018 , 6, 481-490 ^{1.1}		3
61	Triple Burden of Obesity, Undernutrition, and Cardiovascular Disease Risk among Indian Tribes. <i>PLoS ONE</i> , 2016 , 11, e0147934	3.7	25

60	Health behaviors among older adults with hypertension, Brazil, 2006. <i>Revista De Saude Publica</i> , 2009 , 43 Suppl 2, 18-26	2.4	16
59	Frequency of arterial hypertension and associated factors: Brazil, 2006. <i>Revista De Saude Publica</i> , 2009 , 43 Suppl 2, 98-106	2.4	21
58	Implementation of guidelines for the management of arterial hypertension. The impulsion study. <i>Open Cardiovascular Medicine Journal</i> , 2009 , 3, 26-34	0.7	13
57	Coronary Artery Disease in an Asymptomatic Population Undergoing a Multidetector Computed Tomography (MDCT) Coronary Angiography. <i>Open Cardiovascular Medicine Journal</i> , 2010 , 4, 7-13	0.7	1
56	Body mass index relates to blood pressure among adults. <i>North American Journal of Medical Sciences</i> , 2014 , 6, 89-95	0	87
55	Prevalence and characteristics of the metabolic syndrome among newly diagnosed hypertensive patients. <i>Indian Journal of Endocrinology and Metabolism</i> , 2012 , 16 Suppl 1, S104-9	1.7	17
54	A National Chronic Disease Management Model and Evaluation of Validity of Primary Care Physician(PCP) Model in Korea. <i>Health Policy and Management</i> , 2009 , 19, 92-108		3
53	The impact of metabolic syndrome on metabolic, pro-inflammatory and prothrombotic markers according to the presence of high blood pressure criterion. <i>Clinics</i> , 2013 , 68, 1495-501	2.3	11
52	Cardiovascular Risk Assessment. 2005 , 12-30		
51	Vascular Dysfunction and Obesity. <i>Fundamental and Clinical Cardiology</i> , 2006 , 93-120		
50	Arterial Hypertension. <i>Fundamental and Clinical Cardiology</i> , 2006 , 19-62		
49	Hypertension and the Perioperative Period. 2007 , 512-516		
48	Arterial Hypertension. 2007 , 19-61		0
47	How to increase patients' compliance in hypertension and dyslipidemia?. <i>Arterial Hypertension (Russian Federation)</i> , 2009 , 15, 359-365	0.7	
46	Ath ⁺ loscl ⁺ lose. 2010 , 287-491		
45	The role of nitric oxide in improving endothelial function and cardiovascular health: focus on nebivolol. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2011 , 10, 116-121	0.9	
44	Assessment of Total Cardiovascular Risk in Hypertension: The Role of Subclinical Organ Damage. 2012 , 199-211		
43	Hypertension and the Perioperative Period. 2013 , 385-389		

42	Perfil e gastos dos pacientes dislipidêmicos usuários do componente especializado da assistência farmacêutica do Sistema Único de Saúde. <i>Physis</i> , 2013 , 23, 1215-1227	0.8	
41	THE PREDICTION OF HYPERTENSION IN MINERS. <i>Bulletin of Siberian Medicine</i> , 2014 , 13, 46-50	0.4	1
40	Prevention of Cardiovascular Disease: The Polypill Concept. 2015 , 613-632		
39	Epidemiology and Management Cost of Myocardial Infarction in North Punjab, Pakistan. <i>Iranian Red Crescent Medical Journal</i> , 2015 , 17,	1.3	0
38	Follow-Up of the Hypertensive Patients with Cardiovascular Disease. 2016 , 261-277		
37	A RETROSPECTIVE STUDY OF PATIENTS WITH HYPERTENSION COMPLICATED BY TRANSIENT ISCHEMIC ATTACKS. <i>Meditinskiy Sovet</i> , 2017 , 102-104	0.4	
36	Frequency of metabolic syndrome components in patients with ischemic heart disease. 2018 , 9, 16-26	0	2
35	Hypertension Associated with Atherosclerosis Risk Factors in Patients of Family Health Strategy Highlighting the Framingham Risk Score. <i>Open Journal of Preventive Medicine</i> , 2018 , 08, 229-247	0.3	
34	ESTABLISHED COMORBIDITY IN ARTERIAL HYPERTENSION PATIENTS IN RURAL AREAS. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2018 , 17, 17-23	0.9	
33	Risk predictors of arterial hypertension development in population of Mountain Shoriya of various ethnical origins. <i>Medical Alphabet</i> , 2019 , 1, 39-42	0.3	1
32	Relationship between obesity and blood pressure among employees in the Vhembe district municipality of Limpopo Province, South Africa. <i>Cardiovascular Journal of Africa</i> , 2019 , 30, 1-8	0.7	2
31	Arterial hypertension in older adults: who needs geriatric approach?. <i>Arterial Hypertension (Russian Federation)</i> , 2019 , 25, 357-375	0.7	0
30	Phytochemical analysis and hypotensive activity of Ipomoea pes-caprae on blood pressure of normotensive rats. <i>Rodriguesia</i> , 71,	0.9	1
29	TO THE QUESTION OF CHOOSING OPTIMAL APPROACHES TO THE PREVENTION OF ARTERIAL HYPERTENSION IN THE WORK PLACES IN THE ORGANIZED POPULATION OF BAKU CITY. <i>Eurasian Heart Journal</i> , 2020 , 48-53	0.7	
28	The 10-year incidence of hypertension across blood pressure categories in a population-based cohort in southwestern Sweden. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 523	2.3	1
27	Prognostic utility of electrocardiograms in patients with hypertension older than 65 years. The PAFRES study. <i>Revista Clinica Espanola</i> , 2020 , 220, 100-108	0.7	
26	Management of Hypertension. 2006 , 93-112		
25	Comprehensive cardiovascular risk management--what does it mean in practice?. <i>Vascular Health and Risk Management</i> , 2007 , 3, 587-603	4.4	11

24	Multivariate risk assessment and risk score cards in hypertension. <i>Vascular Health and Risk Management</i> , 2007 , 3, 313-20	4.4	3
23	Summary of the 2007 European Society of Hypertension (ESH) and European Society of Cardiology (ESC) guidelines for the management of arterial hypertension. <i>Vascular Health and Risk Management</i> , 2007 , 3, 783-95	4.4	19
22	Prehypertension and hypertension in a primary care practice. <i>Canadian Family Physician</i> , 2008 , 54, 1418-23	3.9	12
21	Impact of comprehensive cardiovascular risk reduction programme on risk factor clustering associated with elevated blood pressure in an Indian industrial population. <i>Indian Journal of Medical Research</i> , 2012 , 135, 485-93	2.9	10
20	Is prehypertension a risk factors for cardiovascular diseases among Iranian women?. <i>Journal of Research in Medical Sciences</i> , 2012 , 17, 947-51	1.6	4
19	Prevalence of Multiple Coronary Artery Disease Risk Factors in Kerman: A Population-Based Study in Southeast Iran. <i>Iranian Journal of Medical Sciences</i> , 2018 , 43, 140-149	1.2	5
18	Learning to Identify Patients at Risk of Uncontrolled Hypertension Using Electronic Health Records Data. <i>AMIA Summits on Translational Science Proceedings</i> , 2019 , 2019, 533-542	1.1	2
17	Assessment of Selected Baseline and Post-PCI Electrocardiographic Parameters as Predictors of Left Ventricular Systolic Dysfunction after a First ST-Segment Elevation Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
16	Secondary Prevention of Dementia: Combining Risk Factors and Scalable Screening Technology. <i>Frontiers in Neurology</i> , 2021 , 12, 772836	4.1	2
15	Time to benefit for stroke reduction after blood pressure treatment in older adults: A meta-analysis.. <i>Journal of the American Geriatrics Society</i> , 2022 ,	5.6	0
14	CLINICAL PECULIARITIES AND PATHOGENETIC DETERMINANTS OF DEVELOPMENT AND PROGRESSION OF CHRONIC PULMONARY HEART WITH ARTERIAL HYPERTENSION. <i>Wiadomości Lekarskie</i> , 2022 , 75, 237-243	0.3	
13	Cardiovascular Disease Risk Factors in Hypertensive Patients: A Case Study of Jimma University Medical Center.. <i>Health Services Research and Managerial Epidemiology</i> , 2022 , 9, 23333928221078601	1.4	0
12	Remission of diabetes and cardiometabolic risk in patients after 5 years of bariatric surgery: A case-control study. <i>Obesity Medicine</i> , 2022 , 31, 100407	2.6	0
11	Quality Control and Good Epidemiological Practice. 2005 , 503-556		
10	The changing face of Turner syndrome. <i>Endocrine Reviews</i> ,	27.2	2
9	Sex differences in hypertension. Do we need a sex-specific guideline?. 9,		2
8	Potential of combination therapy in patients with hypertension and dyslipidemia. 2022 , 27, 5132		
7	Association between Multiple Health Indicators and Carotid Artery Intima-Media Thickness in a Healthy and Active Elderly Population.		0

- 6 Principled distillation of multidimensional UK Biobank data reveals insights into the correlated human phenome. ○
- 5 Rate and risk factors of metabolic components and component combinations according to hypertension status in Tibetans in a cross-sectional study. **2022**, 101, e31320 1
- 4 Effect of Sequential Nephron Blockade versus Dual Renin-Angiotensin System Blockade Plus Bisoprolol in the Treatment of Resistant Hypertension, a Randomized Controlled Trial (Resistant Hypertension on Treatment - ResHypOT). Volume 18, 867-878 ○
- 3 Calcified Carotid Artery Atheromas on Panoramic Radiographs of Dental Patients with Diabetes. **2010**, 38, 187-192 ○
- 2 Iron deficiency in cardiac surgical patients. **2022**, 73, 235-239 ○
- 1 Soluble and insoluble protein aggregates, endoplasmic reticulum stress, and vascular dysfunction in Alzheimer's disease and cardiovascular diseases. ○