

Two-component and phosphorelay signal transduction

Current Opinion in Microbiology

3, 165-170

DOI: [10.1016/s1369-5274\(00\)00070-9](https://doi.org/10.1016/s1369-5274(00)00070-9)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A role for the Escherichia coli H-NS-like protein StpA in OmpF porin expression through modulation of micF RNA stability. <i>Molecular Microbiology</i> , 2000, 38, 126-139.	1.2	68
2	His kinase or mine? Histidine kinases through evolution. <i>Journal of Biosciences</i> , 2000, 25, 317-322.	0.5	2
3	Transcriptional control of cell type and morphogenesis in <i>Candida albicans</i> . <i>Current Opinion in Microbiology</i> , 2000, 3, 582-588.	2.3	72
4	A Signal Transduction System that Responds to Extracellular Iron. <i>Cell</i> , 2000, 103, 113-125.	13.5	325
5	Rational design of a global inhibitor of the virulence response in <i>Staphylococcus aureus</i> , based in part on localization of the site of inhibition to the receptor-histidine kinase, AgrC. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 13330-13335.	3.3	232
6	General stress response of <i>Bacillus subtilis</i> and other bacteria. <i>Advances in Microbial Physiology</i> , 2001, 44, 35-91.	1.0	274
7	A peptide profile of the <i>Bacillus subtilis</i> genome. <i>Peptides</i> , 2001, 22, 1555-1577.	1.2	22
8	RNAIII inhibiting peptide (RIP), a global inhibitor of <i>Staphylococcus aureus</i> pathogenesis: structure and function analysis. <i>Peptides</i> , 2001, 22, 1609-1620.	1.2	107
9	Lessons and questions from the structure of the Spo0A activation domain. <i>Trends in Microbiology</i> , 2001, 9, 148-150.	3.5	7
10	Histidine Phosphorylation and Two-Component Signaling in Eukaryotic Cells. <i>Chemical Reviews</i> , 2001, 101, 2497-2510.	23.0	84
11	Identification of the High Affinity Mn ²⁺ Binding Site of Bacteriophage λ Phosphoprotein Phosphatase: Effects of Metal Ligand Mutations on Electron Paramagnetic Resonance Spectra and Phosphatase Activities. <i>Biochemistry</i> , 2001, 40, 8918-8929.	1.2	32
12	Protein Phosphatases: A Phylogenetic Perspective. <i>Chemical Reviews</i> , 2001, 101, 2291-2312.	23.0	74
13	Regulatory Roles of the GacS/GacA Two-Component System in Plant-Associated and Other Gram-Negative Bacteria. <i>Molecular Plant-Microbe Interactions</i> , 2001, 14, 1351-1363.	1.4	412
14	Sensors of extracellular nutrients in <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 2001, 40, 91-109.	0.8	183
15	Identification and characterization of BipA, a <i>Bordetella</i> Bvg-intermediate phase protein. <i>Molecular Microbiology</i> , 2001, 39, 65-78.	1.2	105
16	Diversity in the <i>Bordetella</i> virulence regulon: transcriptional control of a Bvg-intermediate phase gene. <i>Molecular Microbiology</i> , 2001, 40, 669-683.	1.2	75
17	Structural Basis for Control by Phosphorylation. <i>Chemical Reviews</i> , 2001, 101, 2209-2242.	23.0	569
18	The <i>Escherichia coli</i> glucose transporter enzyme IICB _{Glc} recruits the global repressor Mlc. <i>EMBO Journal</i> , 2001, 20, 491-498.	3.5	105

#	ARTICLE	IF	CITATIONS
19	Molecular basis of thermosensing: a two-component signal transduction thermometer in <i>Bacillus subtilis</i> . <i>EMBO Journal</i> , 2001, 20, 1681-1691.	3.5	353
20	Novel domains of the prokaryotic two-component signal transduction systems. <i>FEMS Microbiology Letters</i> , 2001, 203, 11-21.	0.7	597
21	Tn10 insertional mutations of <i>Bacillus subtilis</i> that block the biosynthesis of bacilysin. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2001, 1518, 87-94.	2.4	51
22	Phosphoaspartates in bacterial signal transduction. <i>Current Opinion in Structural Biology</i> , 2001, 11, 679-684.	2.6	42
23	Control of a Family of Phosphatase Regulatory Genes (<i>phr</i>) by the Alternate Sigma Factor Sigma-H of <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 2001, 183, 4905-4909.	1.0	63
24	More Than One Way To Sense Chemicals. <i>Journal of Bacteriology</i> , 2001, 183, 4681-4686.	1.0	70
25	SdeK, a Histidine Kinase Required for <i>Myxococcus xanthus</i> Development. <i>Journal of Bacteriology</i> , 2001, 183, 3589-3596.	1.0	37
26	The superfamily of chemotaxis transducers: From physiology to genomics and back. <i>Advances in Microbial Physiology</i> , 2001, 45, 157-198.	1.0	133
27	Rapid Dephosphorylation of the TorR Response Regulator by the TorS Unorthodox Sensor in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2001, 183, 2691-2695.	1.0	40
28	Redox Signal Transduction by the ArcB Sensor Kinase of <i>Haemophilus influenzae</i> Lacking the PAS Domain. <i>Journal of Bacteriology</i> , 2001, 183, 7206-7212.	1.0	49
29	Dynamic localization of a cytoplasmic signal transduction response regulator controls morphogenesis during the <i>Caulobacter</i> cell cycle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 4095-4100.	3.3	104
30	Regulatory Circuitry of the CsrA/CsrB and BarA/UvrY Systems of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2002, 184, 5130-5140.	1.0	257
31	Coping with the cold: the cold shock response in the Gram-positive soil bacterium <i>Bacillus subtilis</i> . <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2002, 357, 895-907.	1.8	55
32	Adaptive, or Stationary-Phase, Mutagenesis, a Component of Bacterial Differentiation in <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 2002, 184, 5641-5653.	1.0	94
33	The BaeSR Two-Component Regulatory System Activates Transcription of the <i>yegMNOB</i> (<i>mdtABCD</i>) Transporter Gene Cluster in <i>Escherichia coli</i> and Increases Its Resistance to Novobiocin and Deoxycholate. <i>Journal of Bacteriology</i> , 2002, 184, 4168-4176.	1.0	237
34	Differential Regulation of the <i>Bordetella bipA</i> Gene: Distinct Roles for Different BvgA Binding Sites. <i>Journal of Bacteriology</i> , 2002, 184, 6942-6951.	1.0	22
35	Biochemical Characterization of Aspartyl Phosphate Phosphatase Interaction with a Phosphorylated Response Regulator and Its Inhibition by a Pentapeptide. <i>Journal of Biological Chemistry</i> , 2002, 277, 20483-20489.	1.6	45
36	Nm23-H1 Metastasis Suppressor Phosphorylation of Kinase Suppressor of Ras via a Histidine Protein Kinase Pathway. <i>Journal of Biological Chemistry</i> , 2002, 277, 32389-32399.	1.6	171

#	ARTICLE	IF	CITATIONS
37	EnvZ-OmpR Interaction and Osmoregulation in Escherichia coli. Journal of Biological Chemistry, 2002, 277, 24155-24161.	1.6	253
38	Escherichia coli Gene Expression Responsive to Levels of the Response Regulator EvgA. Journal of Bacteriology, 2002, 184, 6225-6234.	1.0	159
39	Streptococcus pneumoniae. , 2002, , 1619-1654.		0
40	Endospore Formation in Bacillus subtilis. , 0, , 273-280.		1
41	ä½•ä½ç°èä½žæ, ©æf...å±ä,'ä¼ä,ä½. Kagaku To Seibutsu, 2002, 40, 248-249.	0.0	0
42	Isolation ofCrHPt1, a cDNA encoding a histidine-containing phospho-transfer domain inCatharanthus roseus. Acta Botanica Gallica, 2002, 149, 67-77.	0.9	3
43	Transcription Factors Regulating the Response to Oxidative Stress in Yeast. Antioxidants and Redox Signaling, 2002, 4, 123-140.	2.5	49
44	Generating and Exploiting Polarity in Bacteria. Science, 2002, 298, 1942-1946.	6.0	214
45	Virulence control in group A Streptococcus by a two-component gene regulatory system: Global expression profiling and in vivo infection modeling. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 13855-13860.	3.3	349
46	Bacterial Chemotaxis toward Environmental Pollutants: Role in Bioremediation. Applied and Environmental Microbiology, 2002, 68, 5789-5795.	1.4	277
47	Complete genome sequence of Clostridium perfringens, an anaerobic flesh-eater. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 996-1001.	3.3	651
48	Histidine protein kinases: key signal transducers outside the animal kingdom. Genome Biology, 2002, 3, reviews3013.1.	13.9	312
49	Two-hybrid systems and their usage in infection biology1 This paper is dedicated to the memory of our colleague Maurice Hofnung who passed away in June, 2001.. International Journal of Medical Microbiology, 2002, 292, 17-25.	1.5	11
50	Tuberculosis Drug Targets. Current Drug Targets, 2002, 3, 131-154.	1.0	79
51	Microarray Analysis of Bacterial Gene Expression: Towards the Regulome. Comparative and Functional Genomics, 2002, 3, 352-354.	2.0	3
52	Molecular and biochemical characterization of a novel two-component signal transduction system, amrA - amkA , involved in rifamycin SV production in Amycolatopsis mediterranei U32. Archives of Microbiology, 2002, 178, 376-386.	1.0	8
53	Bacillus subtilis sporulation and stationary phase gene expression. Cellular and Molecular Life Sciences, 2002, 59, 392-402.	2.4	169
54	Identification of a phosphofructokinase-encoding gene from Streptococcus thermophilus CNRZ1205 ä€“ a novel link between carbon metabolism and gene regulation?. Molecular Genetics and Genomics, 2002, 268, 500-509.	1.0	4

#	ARTICLE	IF	CITATIONS
55	Genome sequence of <i>Streptococcus agalactiae</i> , a pathogen causing invasive neonatal disease. <i>Molecular Microbiology</i> , 2002, 45, 1499-1513.	1.2	439
56	Characterization of a membrane-linked Ser/Thr protein kinase in <i>Bacillus subtilis</i> , implicated in developmental processes. <i>Molecular Microbiology</i> , 2002, 46, 571-586.	1.2	136
57	Evolution of signalling in the sporulation phosphorelay. <i>Molecular Microbiology</i> , 2002, 46, 297-304.	1.2	123
58	The dynamic behavior of CheW from <i>Thermotoga maritima</i> in solution, as determined by nuclear magnetic resonance: implications for potential protein-protein interaction sites. <i>Biophysical Chemistry</i> , 2002, 101-102, 359-373.	1.5	16
59	Two-component regulator of <i>Enterococcus faecalis</i> cytolysin responds to quorum-sensing autoinduction. <i>Nature</i> , 2002, 415, 84-87.	13.7	192
60	Dynamic localization of proteins and DNA during a bacterial cell cycle. <i>Nature Reviews Molecular Cell Biology</i> , 2002, 3, 167-176.	16.1	67
61	Genomic analysis of protein kinases, protein phosphatases and two-component regulatory systems of the cyanobacterium <i>Anabaena</i> sp. strain PCC 7120. <i>FEMS Microbiology Letters</i> , 2002, 217, 155-165.	0.7	63
62	Late stages of protein secretion in bacilli. <i>Biochemistry (Moscow)</i> , 2002, 67, 1207-1216.	0.7	8
63	Virulence factors of the human opportunistic pathogen <i>Serratia marcescens</i> identified by in vivo screening. <i>EMBO Journal</i> , 2003, 22, 1451-1460.	3.5	310
64	A supramolecular complex in the environmental stress signalling pathway of <i>Bacillus subtilis</i> . <i>Molecular Microbiology</i> , 2003, 49, 1657-1669.	1.2	104
65	Deletion of <i>vapA</i> encoding Virulence Associated Protein A attenuates the intracellular actinomycete <i>Rhodococcus equi</i> . <i>Molecular Microbiology</i> , 2003, 50, 115-128.	1.2	129
66	Receptor conformational changes enhance methyl-erase activity during chemotaxis by <i>Bacillus subtilis</i> . <i>Molecular Microbiology</i> , 2003, 51, 721-728.	1.2	6
67	Constitutive expression of PcsB suppresses the requirement for the essential VicR (YycF) response regulator in <i>Streptococcus pneumoniae</i> R6. <i>Molecular Microbiology</i> , 2003, 50, 1647-1663.	1.2	131
68	Functions of the CckA histidine kinase in <i>Caulobacter</i> cell cycle control. <i>Molecular Microbiology</i> , 2003, 47, 1279-1290.	1.2	96
69	Regulatory network of acid resistance genes in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2003, 48, 699-712.	1.2	250
70	The σ^{54} regulon (sigmulon) of <i>Pseudomonas putida</i> . <i>Environmental Microbiology</i> , 2003, 5, 1281-1293.	1.8	65
71	Adoption of the transiently non-culturable state - a bacterial survival strategy?. <i>Advances in Microbial Physiology</i> , 2003, 47, 65-129.	1.0	89
72	Spontaneous Subunit Exchange and Biochemical Evidence for Trans-autophosphorylation in a Dimer of <i>Escherichia coli</i> Histidine Kinase (EnvZ). <i>Journal of Molecular Biology</i> , 2003, 329, 495-503.	2.0	40

#	ARTICLE	IF	CITATIONS
73	Virulence factor regulation and regulatory networks in <i>Streptococcus pyogenes</i> and their impact on pathogen-host interactions. <i>Trends in Microbiology</i> , 2003, 11, 224-232.	3.5	267
74	Taxing questions in development. <i>Trends in Microbiology</i> , 2003, 11, 239-242.	3.5	8
75	Phosphorelay control of virulence gene expression in <i>Bordetella</i> . <i>Trends in Microbiology</i> , 2003, 11, 367-373.	3.5	163
76	Computational identification of the Spo0A-phosphate regulon that is essential for the cellular differentiation and development in Gram-positive spore-forming bacteria. <i>Nucleic Acids Research</i> , 2003, 31, 6891-6903.	6.5	27
77	Deletion of Two-Component Regulatory Systems Increases the Virulence of <i>Mycobacterium tuberculosis</i> . <i>Infection and Immunity</i> , 2003, 71, 1134-1140.	1.0	252
78	The H Box-harboring Domain Is Key to the Function of the <i>Salmonella enterica</i> PhoQ Mg ²⁺ -sensor in the Recognition of Its Partner PhoP. <i>Journal of Biological Chemistry</i> , 2003, 278, 23579-23585.	1.6	22
79	The senX-regX3 two-component regulatory system of <i>Mycobacterium tuberculosis</i> is required for virulence. <i>Microbiology (United Kingdom)</i> , 2003, 149, 1423-1435.	0.7	167
80	Identification of rocA, a Positive Regulator of covR Expression in the Group A <i>Streptococcus</i> . <i>Journal of Bacteriology</i> , 2003, 185, 3081-3090.	1.0	77
81	Domain Architectures of σ^{54} -Dependent Transcriptional Activators. <i>Journal of Bacteriology</i> , 2003, 185, 1757-1767.	1.0	272
82	The <i>Escherichia coli</i> BarA-UvrY Two-Component System Is Needed for Efficient Switching between Glycolytic and Gluconeogenic Carbon Sources. <i>Journal of Bacteriology</i> , 2003, 185, 843-853.	1.0	101
83	Archaeal protein kinases and protein phosphatases: insights from genomics and biochemistry. <i>Biochemical Journal</i> , 2003, 370, 373-389.	1.7	94
84	Common Extracellular Sensory Domains in Transmembrane Receptors for Diverse Signal Transduction Pathways in Bacteria and Archaea. <i>Journal of Bacteriology</i> , 2003, 185, 285-294.	1.0	129
85	The master regulator for entry into sporulation in <i>Bacillus subtilis</i> becomes a cell-specific transcription factor after asymmetric division. <i>Genes and Development</i> , 2003, 17, 1166-1174.	2.7	84
86	Histidine Kinases. , 2003, , 563-566.		0
87	Surface Plasmon Resonance Imaging Measurements of DNA, RNA, and Protein Interactions to Biomolecular Arrays. , 0, , 107-129.		2
89	Open Reading Frame sso2387 from the Archaeon <i>Sulfolobus solfataricus</i> Encodes a Polypeptide with Protein-Serine Kinase Activity. <i>Journal of Bacteriology</i> , 2003, 185, 3436-3445.	1.0	26
90	The Sln1-Ypd1-Ssk1 Multistep Phosphorelay System That Regulates an Osmosensing MAP Kinase Cascade in Yeast. , 2003, , 397-419.		1
91	CovS Inactivates CovR and Is Required for Growth under Conditions of General Stress in <i>Streptococcus pyogenes</i> . <i>Journal of Bacteriology</i> , 2004, 186, 3928-3937.	1.0	126

#	ARTICLE	IF	CITATIONS
92	T<sc>he</sc> B<sc>iofilm</sc> C<sc>oncept:</sc> C<sc>onsequences for</sc> F<sc>uture</sc> P<sc>rophylaxis of</sc> O<sc>ral</sc> D<sc>iseases?</sc>. Critical Reviews in Oral Biology and Medicine, 2004, 15, 4-12.	4.4	67
93	Complete Genome Sequence of Yersinia pestis Strain 91001, an Isolate Avirulent to Humans. DNA Research, 2004, 11, 179-197.	1.5	241
94	A Phosphoprotein from the Archaeon Sulfolobus solfataricus with Protein-Serine/Threonine Kinase Activity. Journal of Bacteriology, 2004, 186, 463-472.	1.0	25
95	Bacillus subtilis DesR Functions as a Phosphorylation-activated Switch to Control Membrane Lipid Fluidity. Journal of Biological Chemistry, 2004, 279, 39340-39347.	1.6	74
96	Comparative Analysis of Protein Domain Organization. Genome Research, 2004, 14, 343-353.	2.4	80
97	Post-Transcriptional Regulation in Pseudomonas SPP. Via the Gac/Rsm Regulatory Network. , 2004, , 239-255.		6
98	Surfaces of Spo0A and RNA Polymerase Sigma Factor A That Interact at the spoII G Promoter in Bacillus subtilis. Journal of Bacteriology, 2004, 186, 200-206.	1.0	12
99	Singular structures and operon organizations of essential two-component systems in species of Streptococcus. Microbiology (United Kingdom), 2004, 150, 3096-3098.	0.7	30
100	Control of Membrane Lipid Fluidity by Molecular Thermosensors. Journal of Bacteriology, 2004, 186, 6681-6688.	1.0	265
101	The MisR/MisS Two-component Regulatory System Influences Inner Core Structure and Immunotype of Lipooligosaccharide in Neisseria meningitidis. Journal of Biological Chemistry, 2004, 279, 35053-35062.	1.6	50
102	Role of Streptococcus pyogenes Two-Component Response Regulators in the Temporal Control of Mga and the Mga-Regulated Virulence Gene emm. Infection and Immunity, 2004, 72, 3668-3673.	1.0	21
103	Genetic Characterization of a Multicomponent Signal Transduction System Controlling the Expression of Cable Pili in Burkholderia cenocepacia. Journal of Bacteriology, 2004, 186, 3826-3836.	1.0	15
104	Intracellular autoregulation of the Mycobacterium tuberculosis PrrA response regulator. Microbiology (United Kingdom), 2004, 150, 241-246.	0.7	38
105	Topological and deletion analysis of CorS, a Pseudomonas syringae sensor kinase. Microbiology (United Kingdom), 2004, 150, 2715-2726.	0.7	20
106	The bacterial condensin/cohesin-like protein complex acts in DNA repair and regulation of gene expression. Molecular Microbiology, 2004, 51, 1629-1640.	1.2	53
107	Structure and DNA-binding properties of the cytolysin regulator CylR2 from Enterococcus faecalis. EMBO Journal, 2004, 23, 3632-3642.	3.5	37
108	A simulation model of Escherichia coli osmoregulatory switch using E-CELL system. BMC Microbiology, 2004, 4, 44.	1.3	14
109	A Novel Two-Component System amrB-amkB Involved in the Regulation of Central Carbohydrate Metabolism in Rifamycin SV-Producing Amycolatopsis mediterranei U32. Current Microbiology, 2004, 48, 14-19.	1.0	4

#	ARTICLE	IF	CITATIONS
110	Survey of the number of two-component response regulator genes in the complete and annotated genome sequences of prokaryotes. <i>FEMS Microbiology Letters</i> , 2004, 231, 277-281.	0.7	61
111	The Phosphorylation Site Database: A guide to the serine-, threonine-, and/or tyrosine-phosphorylated proteins in prokaryotic organisms. <i>Proteomics</i> , 2004, 4, 1562-1570.	1.3	40
112	Proteolytic degradation of <i>Escherichia coli</i> transcription activators SoxS and MarA as the mechanism for reversing the induction of the superoxide (SoxRS) and multiple antibiotic resistance (Mar) regulons. <i>Molecular Microbiology</i> , 2004, 51, 1801-1816.	1.2	145
113	Recent advances towards identification of new drug targets for <i>Mycobacterium tuberculosis</i> . <i>Expert Opinion on Therapeutic Targets</i> , 2004, 8, 79-93.	1.5	21
114	The role of bacterial antizyme: From an inhibitory protein to AtoC transcriptional regulator. <i>Microbial Cell Factories</i> , 2004, 3, 8.	1.9	27
115	<i>Pseudomonas</i> . , 2004, , .		3
116	Structure and Mechanism of Action of Sda, an Inhibitor of the Histidine Kinases that Regulate Initiation of Sporulation in <i>Bacillus subtilis</i> . <i>Molecular Cell</i> , 2004, 13, 689-701.	4.5	110
117	YchH Regulates the Activity of the Essential YycFG Two-Component System in <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 2005, 187, 5419-5426.	1.0	75
118	Molecular insights into the initiation of sporulation in Gram-positive bacteria: new technologies for an old phenomenon. <i>FEMS Microbiology Reviews</i> , 2005, 29, 281-301.	3.9	44
119	New insights in the molecular biology and physiology of <i>Streptococcus thermophilus</i> revealed by comparative genomics. <i>FEMS Microbiology Reviews</i> , 2005, 29, 435-463.	3.9	99
120	CsrA posttranscriptionally represses <i>pgaABCD</i> , responsible for synthesis of a biofilm polysaccharide adhesin of <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2005, 56, 1648-1663.	1.2	280
121	VirR, a response regulator critical for <i>Listeria monocytogenes</i> virulence. <i>Molecular Microbiology</i> , 2005, 57, 1367-1380.	1.2	184
122	The HS:1 serostrain of <i>Campylobacter jejuni</i> has a complex teichoic acid-like capsular polysaccharide with nonstoichiometric fructofuranose branches and O-methyl phosphoramidate groups. <i>FEBS Journal</i> , 2005, 272, 4407-4422.	2.2	59
123	New insights in the molecular biology and physiology of revealed by comparative genomics. <i>FEMS Microbiology Reviews</i> , 2005, 29, 435-463.	3.9	289
124	DNA Microarray Analysis of Nitrogen Fixation and Fe(III) Reduction in <i>Geobacter sulfurreducens</i> . <i>Applied and Environmental Microbiology</i> , 2005, 71, 2530-2538.	1.4	86
125	The <i>Campylobacter jejuni</i> Response Regulator, CbrR, Modulates Sodium Deoxycholate Resistance and Chicken Colonization. <i>Journal of Bacteriology</i> , 2005, 187, 3662-3670.	1.0	81
126	Identification of a Novel Essential Two-Component Signal Transduction System, YhcSR, in <i>Staphylococcus aureus</i> . <i>Journal of Bacteriology</i> , 2005, 187, 7876-7880.	1.0	31
127	Correlation between Ceftriaxone Resistance of <i>Salmonella enterica</i> Serovar Typhimurium and Expression of Outer Membrane Proteins OmpW and Ail/OmpX-Like Protein, Which Are Regulated by BaeR of a Two-Component System. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 3955-3958.	1.4	47

#	ARTICLE	IF	CITATIONS
128	Functional Characterization in Vitro of All Two-component Signal Transduction Systems from <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 1448-1456.	1.6	388
129	Protein-Tyrosine Phosphorylation in <i>Bacillus subtilis</i> . <i>Journal of Molecular Microbiology and Biotechnology</i> , 2005, 9, 189-197.	1.0	48
130	Levels and Activity of the <i>Pseudomonas putida</i> Global Regulatory Protein Crc Vary According to Growth Conditions. <i>Journal of Bacteriology</i> , 2005, 187, 3678-3686.	1.0	54
131	Genetic and Functional Characterization of the <i>Escherichia coli</i> BarA-UvrY Two-Component System: Point Mutations in the HAMP Linker of the BarA Sensor Give a Dominant-Negative Phenotype. <i>Journal of Bacteriology</i> , 2005, 187, 7317-7324.	1.0	27
132	Requirement of the Receiver and Phosphotransfer Domains of ArcB for Efficient Dephosphorylation of Phosphorylated ArcA In Vivo. <i>Journal of Bacteriology</i> , 2005, 187, 3267-3272.	1.0	46
133	Distribution and evolution of multiple-step phosphorelay in prokaryotes: lateral domain recruitment involved in the formation of hybrid-type histidine kinases. <i>Microbiology (United Kingdom)</i> , 2005, 151, 2159-2173.	0.7	72
134	Structure/Function Studies of Ser/Thr and Tyr Protein Phosphorylation in <i>Mycobacterium tuberculosis</i> . <i>Journal of Molecular Microbiology and Biotechnology</i> , 2005, 9, 167-181.	1.0	92
135	Solution Structure and Dynamics of LuxU from <i>Vibrio harveyi</i> , a Phosphotransferase Protein Involved in Bacterial Quorum Sensing. <i>Journal of Molecular Biology</i> , 2005, 347, 297-307.	2.0	20
136	The Periplasmic Binding Protein of a Tripartite Tricarboxylate Transporter is Involved in Signal Transduction. <i>Journal of Molecular Biology</i> , 2005, 351, 799-809.	2.0	61
137	Genome-wide Survey of Prokaryotic O-protein Phosphatases. <i>Journal of Molecular Biology</i> , 2005, 352, 736-752.	2.0	13
138	Phosphorylation activity of the response regulator of the two-component signal transduction system AtoS/AtoC in <i>E. coli</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2005, 1725, 257-268.	1.1	34
139	One-component systems dominate signal transduction in prokaryotes. <i>Trends in Microbiology</i> , 2005, 13, 52-56.	3.5	461
140	THE MAGIC BULLETS AND TUBERCULOSIS DRUG TARGETS. <i>Annual Review of Pharmacology and Toxicology</i> , 2005, 45, 529-564.	4.2	371
141	Stimulus Perception in Bacterial Signal-Transducing Histidine Kinases. <i>Microbiology and Molecular Biology Reviews</i> , 2006, 70, 910-938.	2.9	592
142	HR-MAS NMR studies of ¹⁵ N-labeled cells confirm the structure of the O-methyl phosphoramidate CPS modification in <i>Campylobacter jejuni</i> and provide insight into its biosynthesis. <i>Canadian Journal of Chemistry</i> , 2006, 84, 676-684.	0.6	9
143	Metal Bridges between the PhoQ Sensor Domain and the Membrane Regulate Transmembrane Signaling. <i>Journal of Molecular Biology</i> , 2006, 356, 1193-1206.	2.0	116
144	Identification of an HptB-mediated multi-step phosphorelay in <i>Pseudomonas aeruginosa</i> PAO1. <i>Research in Microbiology</i> , 2006, 157, 169-175.	1.0	30
145	Distribution, structure and diversity of bacterial genes encoding two-component proteins in the Euryarchaeota. <i>Archaea</i> , 2006, 2, 11-30.	2.3	26

#	ARTICLE	IF	CITATIONS
146	A Class III Histidine Kinase Acts as a Novel Virulence Factor in <i>Botrytis cinerea</i> . <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 1042-1050.	1.4	149
147	The cofactor-induced pre-active conformation in PhoB. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2006, 62, 1046-1057.	2.5	12
148	Contrasting signal transduction mechanisms in bacterial and eukaryotic gene transcription. <i>FEMS Microbiology Letters</i> , 2006, 261, 155-164.	0.7	24
149	Intramembrane-sensing histidine kinases: a new family of cell envelope stress sensors in Firmicutes bacteria. <i>FEMS Microbiology Letters</i> , 2006, 264, 133-144.	0.7	143
150	Identification of YhdA as a regulator of the <i>Escherichia coli</i> carbon storage regulation system. <i>FEMS Microbiology Letters</i> , 2006, 264, 232-237.	0.7	18
151	Interactions between the YycFG and PhoPR two-component systems in <i>Bacillus subtilis</i> : the PhoR kinase phosphorylates the non-cognate YycF response regulator upon phosphate limitation. <i>Molecular Microbiology</i> , 2006, 59, 1199-1215.	1.2	80
152	Modulation of <i>Mycobacterium tuberculosis</i> proliferation by MtrA, an essential two-component response regulator. <i>Molecular Microbiology</i> , 2006, 60, 643-657.	1.2	152
153	The pseudo-receiver domain of CikA regulates the cyanobacterial circadian input pathway. <i>Molecular Microbiology</i> , 2006, 60, 658-668.	1.2	48
154	Requirement for the acetyl phosphate pathway in <i>Escherichia coli</i> ATP-dependent proteolysis. <i>Molecular Microbiology</i> , 2006, 62, 201-211.	1.2	16
155	Identification of <i>Bacillus cereus</i> internalin and other candidate virulence genes specifically induced during oral infection in insects. <i>Molecular Microbiology</i> , 2006, 62, 339-355.	1.2	84
156	Advances in understanding bacterial outer-membrane biogenesis. <i>Nature Reviews Microbiology</i> , 2006, 4, 57-66.	13.6	405
157	The multi-step phosphorelay mechanism of unorthodox two-component systems in <i>E. coli</i> realizes ultrasensitivity to stimuli while maintaining robustness to noises. <i>Computational Biology and Chemistry</i> , 2006, 30, 438-444.	1.1	65
158	The crystal structure of YycH involved in the regulation of the essential YycFG two-component system in <i>Bacillus subtilis</i> reveals a novel tertiary structure. <i>Protein Science</i> , 2006, 15, 929-934.	3.1	20
159	Bioremediation technologies for treatment of PAH-contaminated soil and strategies to enhance process efficiency. <i>Reviews in Environmental Science and Biotechnology</i> , 2006, 5, 347-374.	3.9	186
160	Two-Component Signal Transduction Systems of <i>Desulfovibrio vulgaris</i> : Structural and Phylogenetic Analysis and Deduction of Putative Cognate Pairs. <i>Journal of Molecular Evolution</i> , 2006, 62, 473-487.	0.8	12
161	Autoregulation of the MisR/MisS Two-Component Signal Transduction System in <i>Neisseria meningitidis</i> . <i>Journal of Bacteriology</i> , 2006, 188, 5055-5065.	1.0	30
162	Requirement of Histidine Kinases HP0165 and HP1364 for Acid Resistance in <i>Helicobacter pylori</i> . <i>Infection and Immunity</i> , 2006, 74, 3052-3059.	1.0	38
163	Regulatory RNAs as Mediators of Virulence Gene Expression in Bacteria. <i>Handbook of Experimental Pharmacology</i> , 2006, , 9-43.	0.9	23

#	ARTICLE	IF	CITATIONS
164	Role of two-component systems in the virulence of <i>Streptococcus pneumoniae</i> . <i>Journal of Medical Microbiology</i> , 2006, 55, 355-363.	0.7	55
165	BopC Is a Novel Type III Effector Secreted by <i>Bordetella bronchiseptica</i> and Has a Critical Role in Type III-dependent Necrotic Cell Death. <i>Journal of Biological Chemistry</i> , 2006, 281, 6589-6600.	1.6	53
166	RscA, a Member of the MDR1 Family of Transporters, Is Repressed by CovR and Required for Growth of <i>Streptococcus pyogenes</i> under Heat Stress. <i>Journal of Bacteriology</i> , 2006, 188, 77-85.	1.0	52
167	Defects in <i>ex vivo</i> and <i>in vivo</i> growth and sensitivity to osmotic stress of group A <i>Streptococcus</i> caused by interruption of response regulator gene <i>vicR</i> . <i>Microbiology (United Kingdom)</i> , 2006, 152, 967-978.	0.7	79
168	Cyanobacterial Two-Component Proteins: Structure, Diversity, Distribution, and Evolution. <i>Microbiology and Molecular Biology Reviews</i> , 2006, 70, 472-509.	2.9	123
169	Negative Regulation of <i>Bacillus anthracis</i> Sporulation by the SpoOE Family of Phosphatases. <i>Journal of Bacteriology</i> , 2007, 189, 2637-2645.	1.0	32
170	The Origins of Specificity in Polyketide Synthase Protein Interactions. <i>PLoS Computational Biology</i> , 2007, 3, e186.	1.5	44
171	The Two-Component Regulatory System <i>senX3-regX3</i> Regulates Phosphate-Dependent Gene Expression in <i>Mycobacterium smegmatis</i> . <i>Journal of Bacteriology</i> , 2007, 189, 5495-5503.	1.0	87
172	<i>YycH</i> and <i>YycI</i> Interact To Regulate the Essential <i>YycFG</i> Two-Component System in <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 2007, 189, 3280-3289.	1.0	97
173	<i>PimM</i> , a PAS domain positive regulator of pimaricin biosynthesis in <i>Streptomyces natalensis</i> . <i>Microbiology (United Kingdom)</i> , 2007, 153, 3174-3183.	0.7	90
174	The Serine/Threonine/Tyrosine Phosphoproteome of the Model Bacterium <i>Bacillus subtilis</i> . <i>Molecular and Cellular Proteomics</i> , 2007, 6, 697-707.	2.5	359
175	Blue-Light-Activated Histidine Kinases: Two-Component Sensors in Bacteria. <i>Science</i> , 2007, 317, 1090-1093.	6.0	226
176	<i>Sll1330</i> controls the expression of glycolytic genes in <i>Synechocystis</i> sp. PCC 6803. <i>Biochemical and Biophysical Research Communications</i> , 2007, 355, 1045-1050.	1.0	52
177	Species-specific diagnostic marker for rapid identification of <i>Staphylococcus aureus</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2007, 59, 379-382.	0.8	23
178	Identification of Sensory and Signal-Transducing Domains in Two-Component Signaling Systems. <i>Methods in Enzymology</i> , 2007, 422, 47-74.	0.4	30
179	The X-ray Crystal Structures of Two Constitutively Active Mutants of the <i>Escherichia coli</i> PhoB Receiver Domain Give Insights into Activation. <i>Journal of Molecular Biology</i> , 2007, 366, 626-641.	2.0	23
180	The Structure of the KinA-Sda Complex Suggests an Allosteric Mechanism of Histidine Kinase Inhibition. <i>Journal of Molecular Biology</i> , 2007, 368, 407-420.	2.0	77
181	Comparative Genomic and Protein Sequence Analyses of a Complex System Controlling Bacterial Chemotaxis. <i>Methods in Enzymology</i> , 2007, 422, 3-31.	0.4	110

#	ARTICLE	IF	CITATIONS
182	The Two-Component System Bacillus Respiratory Response A and B (BrrA~BrrB) Is a Virulence Factor Regulator in Bacillus anthracis. <i>Biochemistry</i> , 2007, 46, 7343-7352.	1.2	26
183	Features of Protein-Protein Interactions in Two-Component Signaling Deduced from Genomic Libraries. <i>Methods in Enzymology</i> , 2007, 422, 75-101.	0.4	44
184	Cell-Free Production of Membrane Proteins in the Presence of Detergents. , 0, , 165-178.		1
186	Interactions of pathogenic mycobacteria with host macrophages. <i>Microbes and Infection</i> , 2007, 9, 1671-1679.	1.0	48
187	Cell-cell communication in sourdough lactic acid bacteria: A proteomic study in <i>Lactobacillus sanfranciscensis</i> CB1. <i>Proteomics</i> , 2007, 7, 2430-2446.	1.3	47
188	Crystal structure of a novel prokaryotic Ser/Thr kinase and its implication in the Cpx stress response pathway. <i>Molecular Microbiology</i> , 2007, 63, 1360-1371.	1.2	35
189	Comparative genomic analysis of two-component regulatory proteins in <i>Pseudomonas syringae</i> . <i>BMC Genomics</i> , 2007, 8, 397.	1.2	33
190	Toxin production in a rare and genetically remote cluster of strains of the <i>Bacillus cereus</i> group. <i>BMC Microbiology</i> , 2007, 7, 43.	1.3	75
191	Cell-cell communication in food related bacteria. <i>International Journal of Food Microbiology</i> , 2007, 120, 34-45.	2.1	74
192	Bacterial Cell Cycle: Completing the Circuit. <i>Current Biology</i> , 2007, 17, R203-R206.	1.8	6
193	Sensor complexes regulating two-component signal transduction. <i>Current Opinion in Structural Biology</i> , 2007, 17, 706-715.	2.6	103
194	Evolution of Gene Overlaps: Relative Reading Frame Bias in Prokaryotic Two-Component System Genes. <i>Journal of Molecular Evolution</i> , 2007, 64, 457-462.	0.8	25
195	CheC is related to the family of flagellar switch proteins and acts independently from CheD to control chemotaxis in <i>Bacillus subtilis</i> . <i>Molecular Microbiology</i> , 2008, 42, 573-585.	1.2	57
196	Insights from site-specific phosphoproteomics in bacteria. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008, 1784, 186-192.	1.1	30
197	The phosphate regulon and bacterial virulence: a regulatory network connecting phosphate homeostasis and pathogenesis. <i>FEMS Microbiology Reviews</i> , 2008, 32, 461-473.	3.9	383
198	The periplasmic regulator ExoR inhibits ExoS/ChvI two-component signalling in <i>Sinorhizobium meliloti</i> . <i>Molecular Microbiology</i> , 2008, 69, 1290-1303.	1.2	59
199	Cytolocalization of the PhoP response regulator in <i>Salmonella enterica</i> : modulation by extracellular Mg ²⁺ and by the SCV environment. <i>Molecular Microbiology</i> , 2008, 70, 479-493.	1.2	12
200	Transcriptome analysis reveals response regulator SO2426-mediated gene expression in <i>Shewanella oneidensis</i> MR-1 under chromate challenge. <i>BMC Genomics</i> , 2008, 9, 395.	1.2	24

#	ARTICLE	IF	CITATIONS
201	The YvfTU Two-component System is involved in plcR expression in <i>Bacillus cereus</i> . <i>BMC Microbiology</i> , 2008, 8, 183.	1.3	28
202	Bacterial bilin- and flavin-binding photoreceptors. <i>Photochemical and Photobiological Sciences</i> , 2008, 7, 1168-1178.	1.6	109
203	Bacterial Growth and Cell Division: a Mycobacterial Perspective. <i>Microbiology and Molecular Biology Reviews</i> , 2008, 72, 126-156.	2.9	324
204	Emerging Environmental Technologies. , 2008, , .		6
205	The Hsp90 Inhibitor Radicicol Interacts with the ATP-Binding Pocket of Bacterial Sensor Kinase PhoQ. <i>Journal of Molecular Biology</i> , 2008, 379, 82-93.	2.0	59
206	Histidine Kinase Regulation by a Cyclophilin-like Inhibitor. <i>Journal of Molecular Biology</i> , 2008, 384, 422-435.	2.0	29
207	Phosphoproteomics in bacteria: towards a systemic understanding of bacterial phosphorylation networks. <i>Expert Review of Proteomics</i> , 2008, 5, 619-627.	1.3	62
208	Functional characterization of the histidine kinase of the <i>E. coli</i> two-component signal transduction system AtoS~AtoC. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2008, 1780, 1023-1031.	1.1	21
209	Expression and characterization of the integral membrane domain of bacterial histidine kinase SCO3062 for structural studies. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 409-413.	1.0	7
210	Rewiring Bacteria, Two Components at a Time. <i>Cell</i> , 2008, 133, 947-948.	13.5	16
211	Mistranslation of Membrane Proteins and Two-Component System Activation Trigger Antibiotic-Mediated Cell Death. <i>Cell</i> , 2008, 135, 679-690.	13.5	459
212	Cyclic-di-GMP Regulates Extracellular Polysaccharide Production, Biofilm Formation, and Rugose Colony Development by <i>Vibrio vulnificus</i> . <i>Applied and Environmental Microbiology</i> , 2008, 74, 4199-4209.	1.4	82
213	Co-Evolving Motions at Protein~Protein Interfaces of Two-Component Signaling Systems Identified by Covariance Analysis. <i>Biochemistry</i> , 2008, 47, 7782-7784.	1.2	22
214	Application of Bacterial Swimming and Chemotaxis for Enhanced Bioremediation. , 2008, , 149-172.		16
215	NblR Is a Novel One-Component Response Regulator in the Cyanobacterium <i>Synechococcus elongatus</i> PCC 7942. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 1072-1079.	0.6	26
216	MisR/MisS Two-Component Regulon in <i>Neisseria meningitidis</i> . <i>Infection and Immunity</i> , 2008, 76, 704-716.	1.0	40
217	Virulence Gene Expression Is Independent of ResDE-Regulated Respiration Control in <i>Bacillus anthracis</i> . <i>Journal of Bacteriology</i> , 2008, 190, 5522-5525.	1.0	17
218	Additive attenuation of virulence and cariogenic potential of <i>Streptococcus mutans</i> by simultaneous inactivation of the ComCDE quorum-sensing system and HK/RR11 two-component regulatory system. <i>Microbiology (United Kingdom)</i> , 2008, 154, 3256-3265.	0.7	49

#	ARTICLE	IF	CITATIONS
220	Signal integration in bacterial two-component regulatory systems. <i>Genes and Development</i> , 2008, 22, 2601-2611.	2.7	316
221	Structural Basis for the Regulation Mechanism of the Tyrosine Kinase CapB from <i>Staphylococcus aureus</i> . <i>PLoS Biology</i> , 2008, 6, e143.	2.6	89
222	Evolution and Dynamics of Regulatory Architectures Controlling Polymyxin B Resistance in Enteric Bacteria. <i>PLoS Genetics</i> , 2008, 4, e1000233.	1.5	88
223	Virulence and Drug Resistance Roles of Multidrug Efflux Pumps in <i>Escherichia coli</i> and <i>Salmonella</i> . <i>Bioscience and Microflora</i> , 2008, 27, 75-85.	0.5	5
224	Ser/Thr/Tyr Protein Phosphorylation in the Archaeon <i>Halobacterium salinarum</i> —A Representative of the Third Domain of Life. <i>PLoS ONE</i> , 2009, 4, e4777.	1.1	84
226	High-resolution protein complexes from integrating genomic information with molecular simulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 22124-22129.	3.3	174
227	The pH-Responsive Regulon of HP0244 (FlgS), the Cytoplasmic Histidine Kinase of <i>Helicobacter pylori</i> . <i>Journal of Bacteriology</i> , 2009, 191, 449-460.	1.0	44
228	A Regulatory Network Controls Expression of the In Vivo-Expressed HreP Protease of <i>Yersinia enterocolitica</i> . <i>Journal of Bacteriology</i> , 2009, 191, 1666-1676.	1.0	9
229	The LiaFSR System Regulates the Cell Envelope Stress Response in <i>Streptococcus mutans</i> . <i>Journal of Bacteriology</i> , 2009, 191, 2973-2984.	1.0	138
230	A model for signal transduction during quorum sensing in <i>Vibrio harveyi</i> . <i>Physical Biology</i> , 2009, 6, 046008.	0.8	19
231	Regulation of the type I protein secretion system by the MisR/MisS two-component system in <i>Neisseria meningitidis</i> . <i>Microbiology (United Kingdom)</i> , 2009, 155, 1588-1601.	0.7	6
232	Gram-Negative Bacterial Sensors for Eukaryotic Signal Molecules. <i>Sensors</i> , 2009, 9, 6967-6990.	2.1	61
233	The PmrA/PmrB Two-Component System of <i>Legionella pneumophila</i> Is a Global Regulator Required for Intracellular Replication within Macrophages and Protozoa. <i>Infection and Immunity</i> , 2009, 77, 374-386.	1.0	70
234	Diverse Transcriptional Programs Associated with Environmental Stress and Hormones in the Arabidopsis Receptor-Like Kinase Gene Family. <i>Molecular Plant</i> , 2009, 2, 84-107.	3.9	88
235	In Vivo Domain-Based Functional Analysis of the Major Sporulation Sensor Kinase, KinA, in <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 2009, 191, 5358-5368.	1.0	35
236	Structural and Functional Analysis of the C-terminal DNA Binding Domain of the <i>Salmonella typhimurium</i> SPI-2 Response Regulator SsrB. <i>Journal of Biological Chemistry</i> , 2009, 284, 12008-12019.	1.6	34
237	The CiaR Response Regulator in Group B <i>Streptococcus</i> Promotes Intracellular Survival and Resistance to Innate Immune Defenses. <i>Journal of Bacteriology</i> , 2009, 191, 2023-2032.	1.0	77
238	ResDE-Dependent Regulation of Enterotoxin Gene Expression in <i>Bacillus cereus</i> : Evidence for Multiple Modes of Binding for ResD and Interaction with Fnr. <i>Journal of Bacteriology</i> , 2009, 191, 4419-4426.	1.0	30

#	ARTICLE	IF	CITATIONS
239	P2CS: a two-component system resource for prokaryotic signal transduction research. <i>BMC Genomics</i> , 2009, 10, 315.	1.2	60
240	A comparative genomics approach to understanding the biosynthesis of the sunscreen scytonemin in cyanobacteria. <i>BMC Genomics</i> , 2009, 10, 336.	1.2	82
241	Coculture of <i>Bifidobacterium longum</i> and <i>Bifidobacterium breve</i> alters their protein expression profiles and enzymatic activities. <i>International Journal of Food Microbiology</i> , 2009, 133, 148-153.	2.1	37
242	Signal transduction and adaptive regulation through bacterial two-component systems: the <i>Escherichia coli</i> AtoSC paradigm. <i>Amino Acids</i> , 2009, 37, 443-458.	1.2	32
243	The influence of triethylene glycol derived from dental composite resins on the regulation of <i>Streptococcus mutans</i> gene expression. <i>Biomaterials</i> , 2009, 30, 452-459.	5.7	64
244	Display of proteins on <i>Bacillus subtilis</i> endospores. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 3127-3136.	2.4	70
245	afsQ1-Q2-sigQ is a pleiotropic but conditionally required signal transduction system for both secondary metabolism and morphological development in <i>Streptomyces coelicolor</i> . <i>Applied Microbiology and Biotechnology</i> , 2009, 81, 1149-1160.	1.7	75
246	NetPhosBac – A predictor for Ser/Thr phosphorylation sites in bacterial proteins. <i>Proteomics</i> , 2009, 9, 116-125.	1.3	67
247	Cloning, purification, crystallization and preliminary X-ray analysis of the receiver domain of the histidine kinase CK1I from <i>Arabidopsis thaliana</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2009, 65, 478-481.	0.7	6
248	Crystallization and preliminary X-ray crystallographic studies of DesR, a thermosensing response regulator in a two-component signalling system from <i>Streptococcus pneumoniae</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2009, 65, 727-729.	0.7	2
249	Expression, purification, crystallization and preliminary X-ray analysis of the DNA-binding domain of a <i>Chlamydia trachomatis</i> OmpR/PhoB-subfamily response regulator homolog, ChxR. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2009, 65, 791-794.	0.7	5
250	QseC-mediated dephosphorylation of QseB is required for expression of genes associated with virulence in uropathogenic <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2009, 73, 1020-1031.	1.2	139
251	Proteome of the bacterium <i>Mycoplasma gallisepticum</i> . <i>Biochemistry (Moscow)</i> , 2009, 74, 165-174.	0.7	21
252	Controlled activation of the Cpx system is essential for growth of <i>Yersinia enterocolitica</i> . <i>FEMS Microbiology Letters</i> , 2009, 296, 274-281.	0.7	15
253	Role of two component signaling response regulators in acid tolerance of <i>Streptococcus mutans</i> . <i>Oral Microbiology and Immunology</i> , 2009, 24, 173-176.	2.8	23
254	Genome Sequence of the Versatile Fish Pathogen <i>Edwardsiella tarda</i> Provides Insights into its Adaptation to Broad Host Ranges and Intracellular Niches. <i>PLoS ONE</i> , 2009, 4, e7646.	1.1	224
255	Regulation of c-di-GMP metabolism in biofilms. <i>Future Microbiology</i> , 2009, 4, 341-358.	1.0	52
256	Global and Site-Specific Quantitative Phosphoproteomics: Principles and Applications. <i>Annual Review of Pharmacology and Toxicology</i> , 2009, 49, 199-221.	4.2	382

#	ARTICLE	IF	CITATIONS
257	Chemotaxis-Like Regulatory Systems: Unique Roles in Diverse Bacteria. Annual Review of Microbiology, 2009, 63, 45-59.	2.9	105
258	Oxidative stress induces phosphorylation of the ABC transporter, ATP-binding protein, in <i>Porphyrromonas gingivalis</i> . Journal of Oral Science, 2010, 52, 561-566.	0.7	7
259	How do bacteria sense and respond to low temperature?. Archives of Microbiology, 2010, 192, 85-95.	1.0	159
260	Point-of-care salivary microbial tests for detection of cariogenic species – Clinical relevance thereof – review. Folia Microbiologica, 2010, 55, 559-568.	1.1	13
261	The <i>Erwinia amylovora</i> PhoPQ system is involved in resistance to antimicrobial peptide and suppresses gene expression of two novel type III secretion systems. Microbiological Research, 2010, 165, 665-673.	2.5	20
262	Proteomics reveals a core molecular response of <i>Pseudomonas putida</i> F1 to acute chromate challenge. BMC Genomics, 2010, 11, 311.	1.2	55
263	Cell wall proteome analysis of <i>Mycobacterium smegmatis</i> strain MC2 155. BMC Microbiology, 2010, 10, 121.	1.3	65
264	Signal Transduction: Bacterial Thermometer Works by Measuring Membrane Thickness. Current Biology, 2010, 20, R707-R709.	1.8	0
265	Long range dynamic effects of point mutations trap a response regulator in an active conformation. FEBS Letters, 2010, 584, 4203-4207.	1.3	8
267	Reaction-Diffusion Systems in Intracellular Molecular Transport and Control. Angewandte Chemie - International Edition, 2010, 49, 4170-4198.	7.2	155
268	Bacterial tyrosine-kinases: Structure-function analysis and therapeutic potential. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2010, 1804, 628-634.	1.1	36
269	Unphosphorylated CsgD controls biofilm formation in <i>Salmonella enterica</i> serovar Typhimurium. Molecular Microbiology, 2010, 77, 771-786.	1.2	102
270	Post-translational control of <i>Bacillus subtilis</i> biofilm formation mediated by tyrosine phosphorylation. Molecular Microbiology, 2010, 78, 947-963.	1.2	38
271	How antibiotics kill bacteria: from targets to networks. Nature Reviews Microbiology, 2010, 8, 423-435.	13.6	1,648
272	A novel hybrid kinase is essential for regulating the σ^B -mediated stress response of <i>Bacillus cereus</i> . Environmental Microbiology, 2010, 12, 730-745.	1.8	30
274	PhoR/PhoP two component regulatory system affects biocontrol capability of <i>Bacillus subtilis</i> NCD-2. Genetics and Molecular Biology, 2010, 33, 333-340.	0.6	21
275	In the <i>Staphylococcus aureus</i> Two-Component System <i>sae</i> , the Response Regulator SaeR Binds to a Direct Repeat Sequence and DNA Binding Requires Phosphorylation by the Sensor Kinase SaeS. Journal of Bacteriology, 2010, 192, 2111-2127.	1.0	104
276	Characterization of a functional C-terminus of the <i>Mycobacterium tuberculosis</i> MtrA responsible for both DNA binding and interaction with its two-component partner protein, MtrB. Journal of Biochemistry, 2010, 148, 549-556.	0.9	16

#	ARTICLE	IF	CITATIONS
277	Computational Modeling of Phosphotransfer Complexes in Two-Component Signaling. <i>Methods in Enzymology</i> , 2010, 471, 43-58.	0.4	18
278	Autophagic Cell Death in <i>Dictyostelium</i> Requires the Receptor Histidine Kinase DhkM. <i>Molecular Biology of the Cell</i> , 2010, 21, 1825-1835.	0.9	16
279	Extracytoplasmic PAS-Like Domains Are Common in Signal Transduction Proteins. <i>Journal of Bacteriology</i> , 2010, 192, 1156-1159.	1.0	37
280	<i>Mycobacterium tuberculosis</i> Origin of Replication and the Promoter for Immunodominant Secreted Antigen 85B Are the Targets of MtrA, the Essential Response Regulator. <i>Journal of Biological Chemistry</i> , 2010, 285, 15816-15827.	1.6	67
281	A transcriptome study of the QseEF two-component system and the QseG membrane protein in enterohaemorrhagic <i>Escherichia coli</i> O157:H7. <i>Microbiology (United Kingdom)</i> , 2010, 156, 1167-1175.	0.7	26
282	Amino acid identity at one position within the ± 1 helix of both the histidine kinase and the response regulator of the WalRK and PhoPR two-component systems plays a crucial role in the specificity of phosphotransfer. <i>Microbiology (United Kingdom)</i> , 2010, 156, 1848-1859.	0.7	1
283	Accidental Selection and Intentional Restoration of Sporulation-Deficient <i>Bacillus anthracis</i> Mutants. <i>Applied and Environmental Microbiology</i> , 2010, 76, 6318-6321.	1.4	12
284	<i>Pseudomonas syringae</i> Two-Component Response Regulator RhpR Regulates Promoters Carrying an Inverted Repeat Element. <i>Molecular Plant-Microbe Interactions</i> , 2010, 23, 927-939.	1.4	24
285	Regulation of Galactose Metabolism through the HisK:GalR Two-Component System in <i>Thermoanaerobacter tengcongensis</i> . <i>Journal of Bacteriology</i> , 2010, 192, 4311-4316.	1.0	6
286	Electron capture dissociation mass spectrometric analysis of lysine-phosphorylated peptides. <i>Bioscience Reports</i> , 2010, 30, 433-443.	1.1	31
287	Role of Acetyl-Phosphate in Activation of the Rrp2-RpoN-RpoS Pathway in <i>Borrelia burgdorferi</i> . <i>PLoS Pathogens</i> , 2010, 6, e1001104.	2.1	78
288	Systematic Domain Deletion Analysis of the Major Sporulation Kinase in <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 2010, 192, 1744-1748.	1.0	8
289	Inference of Direct Residue Contacts in Two-Component Signaling. <i>Methods in Enzymology</i> , 2010, 471, 17-41.	0.4	40
291	Interaction fidelity in two-component signaling. <i>Current Opinion in Microbiology</i> , 2010, 13, 190-197.	2.3	53
292	Response Acceleration in Post-translationally Regulated Genetic Circuits. <i>Journal of Molecular Biology</i> , 2010, 396, 1398-1409.	2.0	8
293	Positive Autoregulation Shapes Response Timing and Intensity in Two-component Signal Transduction Systems. <i>Journal of Molecular Biology</i> , 2010, 401, 671-680.	2.0	28
294	Adaptation of <i>Bacillus cereus</i> , an ubiquitous worldwide-distributed foodborne pathogen, to a changing environment. <i>Food Research International</i> , 2010, 43, 1885-1894.	2.9	76
295	Nitrate-Regulated Auxin Transport by NRT1.1 Defines a Mechanism for Nutrient Sensing in Plants. <i>Developmental Cell</i> , 2010, 18, 927-937.	3.1	870

#	ARTICLE	IF	CITATIONS
296	Specialized and shared functions of the histidine kinase- and HOG1 MAP kinase-mediated signaling pathways in <i>Alternaria alternata</i> , a filamentous fungal pathogen of citrus. <i>Fungal Genetics and Biology</i> , 2010, 47, 818-827.	0.9	92
297	The PmrAB system in <i>Erwinia amylovora</i> renders the pathogen more susceptible to polymyxin B and more resistant to excess iron. <i>Research in Microbiology</i> , 2010, 161, 153-157.	1.0	6
298	Histidine Kinases in Two-Component Signaling Pathways. , 2010, , 581-586.		3
299	Role of Two-component System of <i>Streptococcus mutans</i> in the Adaptive Response to the Oral Environment. <i>Journal of Oral Biosciences</i> , 2010, 52, 252-259.	0.8	3
300	Stochastic kinetic model of two component system signalling reveals all-or-none, graded and mixed mode stochastic switching responses. <i>Molecular BioSystems</i> , 2010, 6, 531-542.	2.9	19
301	Unraveling Persistent Host Cell Infection with <i>Coxiella burnetii</i> by Quantitative Proteomics. <i>Journal of Proteome Research</i> , 2011, 10, 4241-4251.	1.8	8
302	A histidine-kinase <i>cheA</i> gene of <i>Pseudomonas pseudoalcaligenes</i> KF707 not only has a key role in chemotaxis but also affects biofilm formation and cell metabolism. <i>Biofouling</i> , 2011, 27, 33-46.	0.8	22
303	Phosphoproteome Analysis of <i>Streptomyces</i> Development Reveals Extensive Protein Phosphorylation Accompanying Bacterial Differentiation. <i>Journal of Proteome Research</i> , 2011, 10, 5481-5492.	1.8	76
304	Methods for and results from the study of design principles in molecular systems. <i>Mathematical Biosciences</i> , 2011, 231, 3-18.	0.9	13
305	Building interacting partner predictors using co-varying residue pairs between histidine kinase and response regulator pairs of 48 bacterial two-component systems. <i>Proteins: Structure, Function and Bioinformatics</i> , 2011, 79, 1118-1131.	1.5	3
306	Acid Stress Survival Mechanisms of the Cariogenic Bacterium <i>Streptococcus mutans</i> . , 2011, , .		0
307	<i>Bacillus subtilis</i> Two-Component System Sensory Kinase DegS Is Regulated by Serine Phosphorylation in Its Input Domain. <i>PLoS ONE</i> , 2011, 6, e14653.	1.1	47
308	The Effect of the Potential PhoQ Histidine Kinase Inhibitors on <i>Shigella flexneri</i> Virulence. <i>PLoS ONE</i> , 2011, 6, e23100.	1.1	37
309	A role for the essential YycG sensor histidine kinase in sensing cell division. <i>Molecular Microbiology</i> , 2011, 79, 503-522.	1.2	71
310	Characterization of DsbD in <i>Neisseria meningitidis</i> . <i>Molecular Microbiology</i> , 2011, 79, 1557-1573.	1.2	23
311	A cell-cell communication system regulates protease production during sporulation in bacteria of the <i>Bacillus cereus</i> group. <i>Molecular Microbiology</i> , 2011, 82, 619-633.	1.2	111
312	<i>Mycobacterium tuberculosis</i> mtrA merodiploid strains with point mutations in the signal-receiving domain of MtrA exhibit growth defects in nutrient broth. <i>Plasmid</i> , 2011, 65, 210-218.	0.4	21
313	Recognition of peptidoglycan and β -lactam antibiotics by the extracellular domain of the Ser/Thr protein kinase StkP from <i>Streptococcus pneumoniae</i> . <i>FEBS Letters</i> , 2011, 585, 357-363.	1.3	72

#	ARTICLE	IF	CITATIONS
314	Characterization of <i>Streptococcus thermophilus</i> two-component systems: In silico analysis, functional analysis and expression of response regulator genes in pure or mixed culture with its yogurt partner, <i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i> . <i>International Journal of Food Microbiology</i> , 2011, 151, 171-181.	2.1	28
315	Inhibition of the signal transduction through the AtoSC system by histidine kinase inhibitors in <i>Escherichia coli</i> . <i>Cellular Signalling</i> , 2011, 23, 1327-1337.	1.7	7
316	Complete Genome Sequence and Immunoproteomic Analyses of the Bacterial Fish Pathogen <i>Streptococcus parauberis</i> . <i>Journal of Bacteriology</i> , 2011, 193, 3356-3366.	1.0	44
317	Genetically engineered light sensors for control of bacterial gene expression. <i>Biotechnology Journal</i> , 2011, 6, 826-836.	1.8	15
318	A High-Throughput TNP-ATP Displacement Assay for Screening Inhibitors of ATP-Binding in Bacterial Histidine Kinases. <i>Assay and Drug Development Technologies</i> , 2011, 9, 174-183.	0.6	24
319	Analysis of <i>rpoS</i> and <i>boA</i> gene expression under various stress-induced environments in planktonic and biofilm phase using 2â ^â CT method. <i>Molecular and Cellular Biochemistry</i> , 2011, 357, 275-282.	1.4	120
320	Genomic revelations of a mutualism: the pea aphid and its obligate bacterial symbiont. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 1297-1309.	2.4	146
321	Two putative histidine kinases are required for cyst formation in <i>Rhodospirillum Centenum</i> . <i>Archives of Microbiology</i> , 2011, 193, 209-222.	1.0	7
322	From transcriptional landscapes to the identification of biomarkers for robustness. <i>Microbial Cell Factories</i> , 2011, 10, S9.	1.9	29
323	Comparative analyses imply that the enigmatic sigma factor 54 is a central controller of the bacterial exterior. <i>BMC Genomics</i> , 2011, 12, 385.	1.2	93
324	Oxidative Stress Survival in a Clinical <i>Saccharomyces cerevisiae</i> Isolate Is Influenced by a Major Quantitative Trait Nucleotide. <i>Genetics</i> , 2011, 188, 709-722.	1.2	21
325	Eukaryote-Like Serine/Threonine Kinases and Phosphatases in Bacteria. <i>Microbiology and Molecular Biology Reviews</i> , 2011, 75, 192-212.	2.9	333
326	Expression Level of a Chimeric Kinase Governs Entry into Sporulation in <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 2011, 193, 6113-6122.	1.0	14
327	The Atypical Two-component Sensor Kinase Lpl0330 from <i>Legionella pneumophila</i> Controls the Bifunctional Diguanylate Cyclase-Phosphodiesterase Lpl0329 to Modulate Bis-(3â ^â -5â ^â -cyclic Dimeric GMP Synthesis. <i>Journal of Biological Chemistry</i> , 2011, 286, 31136-31144.	1.6	36
328	Identification of the P3 Promoter and Distinct Roles of the Two Promoters of the SaeRS Two-Component System in <i>Staphylococcus aureus</i> . <i>Journal of Bacteriology</i> , 2011, 193, 4672-4684.	1.0	72
329	Direct-coupling analysis of residue coevolution captures native contacts across many protein families. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, E1293-301.	3.3	1,231
330	A Novel Sensor Kinase Is Required for <i>Bordetella bronchiseptica</i> To Colonize the Lower Respiratory Tract. <i>Infection and Immunity</i> , 2011, 79, 3216-3228.	1.0	14
331	Regulation of Virulence by the RevR Response Regulator in <i>Clostridium perfringens</i> . <i>Infection and Immunity</i> , 2011, 79, 2145-2153.	1.0	29

#	ARTICLE	IF	CITATIONS
332	Identification of a Genetic Locus Responsible for Antimicrobial Peptide Resistance in <i>Clostridium difficile</i> . <i>Infection and Immunity</i> , 2011, 79, 167-176.	1.0	118
333	Equation-Free Analysis of Two-Component System Signalling Model Reveals the Emergence of Co-Existing Phenotypes in the Absence of Multistationarity. <i>PLoS Computational Biology</i> , 2012, 8, e1002396.	1.5	8
334	A Two-Component Regulatory System Controls Autoregulated Serpin Expression in <i>Bifidobacterium breve</i> UCC2003. <i>Applied and Environmental Microbiology</i> , 2012, 78, 7032-7041.	1.4	26
335	Bacterial tyrosine kinases: evolution, biological function and structural insights. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2012, 367, 2640-2655.	1.8	109
336	Lactoferricin B Inhibits the Phosphorylation of the Two-Component System Response Regulators BasR and CreB. <i>Molecular and Cellular Proteomics</i> , 2012, 11, M111.014720.	2.5	38
337	The Nla28S/Nla28 Two-Component Signal Transduction System Regulates Sporulation in <i>Myxococcus xanthus</i> . <i>Journal of Bacteriology</i> , 2012, 194, 4698-4708.	1.0	15
338	Involvement of Two-Component System CBO0366/CBO0365 in the Cold Shock Response and Growth of Group I (Proteolytic) <i>Clostridium botulinum</i> ATCC 3502 at Low Temperatures. <i>Applied and Environmental Microbiology</i> , 2012, 78, 5466-5470.	1.4	19
339	The Histidine Kinase PdhS Controls Cell Cycle Progression of the Pathogenic Alphaproteobacterium <i>Brucella abortus</i> . <i>Journal of Bacteriology</i> , 2012, 194, 5305-5314.	1.0	22
340	Global impact of protein arginine phosphorylation on the physiology of <i>Bacillus subtilis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7451-7456.	3.3	133
341	A Conserved Two-Component Signal Transduction System Controls the Response to Phosphate Starvation in <i>Bifidobacterium breve</i> UCC2003. <i>Applied and Environmental Microbiology</i> , 2012, 78, 5258-5269.	1.4	22
342	Dynamics and activation in response regulators: the $\hat{I}^{24}\hat{I}^{\pm 4}$ loop. <i>Biomolecular Concepts</i> , 2012, 3, 175-182.	1.0	4
343	The two-component QseBC signalling system regulates in vitro and in vivo virulence of <i>Aeromonas hydrophila</i> . <i>Microbiology (United Kingdom)</i> , 2012, 158, 259-271.	0.7	60
344	Septal Localization of the <i>Mycobacterium tuberculosis</i> MtrB Sensor Kinase Promotes MtrA Regulon Expression. <i>Journal of Biological Chemistry</i> , 2012, 287, 23887-23899.	1.6	65
345	Stress Response and Pathogenicity of the Necrotrophic Fungal Pathogen <i>Alternaria alternata</i> . <i>Scientifica</i> , 2012, 2012, 1-17.	0.6	73
346	The Two-Component Sensor KinB Acts as a Phosphatase To Regulate <i>Pseudomonas aeruginosa</i> Virulence. <i>Journal of Bacteriology</i> , 2012, 194, 6537-6547.	1.0	23
347	Genome wide search for identification of potential drug targets in <i>Bacillus anthracis</i> . <i>International Journal of Computational Biology and Drug Design</i> , 2012, 5, 164.	0.3	1
348	Effect of the <i>Bacillus atrophaeus</i> subsp. <i>globigii</i> SpoOF H101R Mutation on Strain Fitness. <i>Applied and Environmental Microbiology</i> , 2012, 78, 8601-8610.	1.4	1
349	The auxiliary protein complex <i>SaePQ</i> activates the phosphatase activity of sensor kinase <i>SaeS</i> in the two-component system of <i>Staphylococcus aureus</i> . <i>Molecular Microbiology</i> , 2012, 86, 331-348.	1.2	74

#	ARTICLE	IF	CITATIONS
350	Genetic determination and function of RR proteins, regulators of photoperiodic reactions, and circadian rhythms in plants. <i>Cytology and Genetics</i> , 2012, 46, 319-334.	0.2	3
351	Exploration of a Possible Partnership among Orphan Two-Component System Proteins in <i>Cyanobacterium</i> <i>Synechococcus elongatus</i> PCC 7942. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 1484-1491.	0.6	16
352	Switch-like regulation of signal transduction by small RNA-mediated quorum sensing. , 2012, , .		1
353	Disease-causing mutations in the acidic motif of WNK4 impair the sensitivity of WNK4 kinase to calcium ions. <i>Biochemical and Biophysical Research Communications</i> , 2012, 419, 293-298.	1.0	22
354	Effect of modeled reduced gravity conditions on bacterial morphology and physiology. <i>BMC Microbiology</i> , 2012, 12, 4.	1.3	41
355	Novel regulation targets of the metal-response BasR two-component system of <i>Escherichia coli</i> . <i>Microbiology (United Kingdom)</i> , 2012, 158, 1482-1492.	0.7	56
356	Positive feedback and temperature mediated molecular switch controls differential gene regulation in <i>Bordetella pertussis</i> . <i>BioSystems</i> , 2012, 110, 107-118.	0.9	5
357	Common Regulators of Virulence in Streptococci. <i>Current Topics in Microbiology and Immunology</i> , 2012, 368, 111-153.	0.7	33
358	Regulation of Antibiotics Production in Biocontrol Strains of <i>Pseudomonas</i> spp.. , 2012, , 197-225.		1
359	Phosphoproteomic Analysis of <i>Rhodopseudomonas palustris</i> Reveals the Role of Pyruvate Phosphate Dikinase Phosphorylation in Lipid Production. <i>Journal of Proteome Research</i> , 2012, 11, 5362-5375.	1.8	37
360	Response of Different Antibiotic Resistant Group of <i>Streptococcus pyogenes</i> to Environmental Stresses. <i>Indian Journal of Microbiology</i> , 2012, 52, 354-359.	1.5	0
361	Expression of Multiple Stress Response Genes by <i>Escherichia Coli</i> Under Modeled Reduced Gravity. <i>Microgravity Science and Technology</i> , 2012, 24, 267-279.	0.7	6
362	P2TF: a comprehensive resource for analysis of prokaryotic transcription factors. <i>BMC Genomics</i> , 2012, 13, 628.	1.2	52
363	Structure-Function Studies of DNA Binding Domain of Response Regulator KdpE Reveals Equal Affinity Interactions at DNA Half-Sites. <i>PLoS ONE</i> , 2012, 7, e30102.	1.1	19
364	The Type III Secreted Protein BspR Regulates the Virulence Genes in <i>Bordetella bronchiseptica</i> . <i>PLoS ONE</i> , 2012, 7, e38925.	1.1	25
365	The Two-Component Signal Transduction System ArlRS Regulates <i>Staphylococcus epidermidis</i> Biofilm Formation in an ica-Dependent Manner. <i>PLoS ONE</i> , 2012, 7, e40041.	1.1	52
366	Characterization of the BaeSR two-component system from <i>Salmonella Typhimurium</i> and its role in ciprofloxacin-induced mdtA expression. <i>Archives of Microbiology</i> , 2012, 194, 453-460.	1.0	16
367	Differential proteomic analysis of the response of <i>Stenotrophomonas maltophilia</i> to imipenem. <i>Applied Microbiology and Biotechnology</i> , 2012, 95, 717-733.	1.7	15

#	ARTICLE	IF	CITATIONS
368	Ligand and antagonist driven regulation of the <i>Vibrio cholerae</i> quorum-sensing receptor CqsS. <i>Molecular Microbiology</i> , 2012, 83, 1095-1108.	1.2	43
369	Interplay of RsbM and RsbK controls the σ^B activity of <i>Bacillus cereus</i> . <i>Environmental Microbiology</i> , 2012, 14, 2788-2799.	1.8	9
370	Association of CiaRH with resistance of <i>Streptococcus mutans</i> to antimicrobial peptides in biofilms. <i>Molecular Oral Microbiology</i> , 2012, 27, 124-135.	1.3	31
371	Giant Chloroplast Development in ethylene response1-1 Is Caused by a Second Mutation in ACCUMULATION AND REPLICATION OF CHLOROPLAST3 in Arabidopsis. <i>Molecules and Cells</i> , 2012, 33, 99-104.	1.0	9
372	Role of oxyR KP, a novel LysR-family transcriptional regulator, in antimicrobial resistance and virulence in <i>Klebsiella pneumoniae</i> . <i>Microbiology (United Kingdom)</i> , 2013, 159, 1301-1314.	0.7	32
373	A serine/threonine phosphatase encoded by MG_207 of <i>Mycoplasma genitalium</i> is critical for its virulence. <i>BMC Microbiology</i> , 2013, 13, 44.	1.3	20
374	The Biology of the PmrA/PmrB Two-Component System: The Major Regulator of Lipopolysaccharide Modifications. <i>Annual Review of Microbiology</i> , 2013, 67, 83-112.	2.9	173
375	Polyphosphate kinase 1, a central node in the stress response network of <i>Mycobacterium tuberculosis</i> , connects the two-component systems MprAB and SenX3-RegX3 and the extracytoplasmic function sigma factor, sigma E. <i>Microbiology (United Kingdom)</i> , 2013, 159, 2074-2086.	0.7	44
376	<i>Mycobacterium tuberculosis</i> MtrAY102C is a gain-of-function mutant that potentially acts as a constitutively active protein. <i>Tuberculosis</i> , 2013, 93, S28-S32.	0.8	10
377	<i>Aspergillus</i> : Genomics of a Cosmopolitan Fungus. <i>Soil Biology</i> , 2013, , 89-126.	0.6	4
378	Osmosensory signaling in <i>Mycobacterium tuberculosis</i> mediated by a eukaryotic-like Ser/Thr protein kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E5069-77.	3.3	58
379	Phylogenetic relationship and virulence inference of <i>Streptococcus Anginosus</i> Group: curated annotation and whole-genome comparative analysis support distinct species designation. <i>BMC Genomics</i> , 2013, 14, 895.	1.2	51
380	The two-component system CBO2306/CBO2307 is important for cold adaptation of <i>Clostridium botulinum</i> ATCC 3502. <i>International Journal of Food Microbiology</i> , 2013, 167, 87-91.	2.1	12
381	Interactions between an <i>M. tuberculosis</i> strain overexpressing mtrA and mononuclear phagocytes. <i>Advances in Medical Sciences</i> , 2013, 58, 172-183.	0.9	1
382	Crystal structure of the response regulator spr1814 from <i>Streptococcus pneumoniae</i> reveals unique interdomain contacts among NarL family proteins. <i>Biochemical and Biophysical Research Communications</i> , 2013, 434, 65-69.	1.0	15
383	Studying the fragmentation behavior of peptides with arginine phosphorylation and its influence on phosphosite localization. <i>Proteomics</i> , 2013, 13, 945-954.	1.3	36
384	Engineering Bacterial Two-Component System PmrA/PmrB to Sense Lanthanide Ions. <i>Journal of the American Chemical Society</i> , 2013, 135, 2037-2039.	6.6	29
385	The <i>Brucella</i> pathogens are polarized bacteria. <i>Microbes and Infection</i> , 2013, 15, 998-1004.	1.0	29

#	ARTICLE	IF	CITATIONS
386	Small RNA-mediated switch-like regulation in bacterial quorum sensing. <i>IET Systems Biology</i> , 2013, 7, 182-187.	0.8	6
387	Phosphorelays Provide Tunable Signal Processing Capabilities for the Cell. <i>PLoS Computational Biology</i> , 2013, 9, e1003322.	1.5	18
388	A Novel Two-Component Signaling System Facilitates Uropathogenic <i>Escherichia coli</i> 's Ability to Exploit Abundant Host Metabolites. <i>PLoS Pathogens</i> , 2013, 9, e1003428.	2.1	71
389	The <i>Clostridium difficile</i> <i>cpr</i> Locus Is Regulated by a Noncontiguous Two-Component System in Response to Type A and B Lantibiotics. <i>Journal of Bacteriology</i> , 2013, 195, 2621-2631.	1.0	70
390	The Interacting Cra and KdpE Regulators Are Involved in the Expression of Multiple Virulence Factors in Enterohemorrhagic <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2013, 195, 2499-2508.	1.0	39
391	Quantification of noise in bifunctionality-induced post-translational modification. <i>Physical Review E</i> , 2013, 88, 032716.	0.8	2
393	The <i>Sinorhizobium meliloti</i> <i>ntrX</i> Gene Is Involved in Succinoglycan Production, Motility, and Symbiotic Nodulation on Alfalfa. <i>Applied and Environmental Microbiology</i> , 2013, 79, 7150-7159.	1.4	47
394	Automated immobilized metal affinity chromatography system for enrichment of <i>Escherichia coli</i> phosphoproteome. <i>Electrophoresis</i> , 2013, 34, 1619-1626.	1.3	12
395	Mitogen-activated protein kinase signaling pathways of the tangerine pathotype of <i>Alternaria alternata</i> . <i>MAP Kinase</i> , 2013, 2, .	0.3	10
396	Split Histidine Kinases Enable Ultrasensitivity and Bistability in Two-Component Signaling Networks. <i>PLoS Computational Biology</i> , 2013, 9, e1002949.	1.5	17
397	The Sensory Histidine Kinases TorS and EvgS Tend to Form Clusters in <i>Escherichia coli</i> Cells. <i>PLoS ONE</i> , 2013, 8, e77708.	1.1	15
398	Gene Expression Profiling Reveals Large Regulatory Switches between Succeeding Stipe Stages in <i>Volvariella volvacea</i> . <i>PLoS ONE</i> , 2014, 9, e97789.	1.1	15
399	Dynamic Interaction between the CpxA Sensor Kinase and the Periplasmic Accessory Protein CpxP Mediates Signal Recognition in <i>E. coli</i> . <i>PLoS ONE</i> , 2014, 9, e107383.	1.1	51
400	From Plant Infectivity to Growth Patterns: The Role of Blue-Light Sensing in the Prokaryotic World. <i>Plants</i> , 2014, 3, 70-94.	1.6	23
401	Two-Component Signal Transduction Systems of the Myxobacteria. , 0, , 169-189.		8
402	Computational analysis of 1,3-propanediol operon transcriptional regulators: Insights into <i>Clostridium sp.</i> glycerol metabolism regulation. <i>Universitas Scientiarum</i> , 2014, 20, 129.	0.2	2
403	Interactome analyses of <i>Salmonella</i> pathogenicity islands reveal SicA indispensable for virulence. <i>Journal of Theoretical Biology</i> , 2014, 363, 188-197.	0.8	46
404	CtrS and GltR form a two-component system: the central role of 2-ketogluconate in the expression of exotoxin A and glucose catabolic enzymes in <i>Pseudomonas aeruginosa</i> . <i>Nucleic Acids Research</i> , 2014, 42, 7654-7665.	6.5	41

#	ARTICLE	IF	CITATIONS
405	The hierarchic network of metal-response transcription factors in <i>Escherichia coli</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2014, 78, 737-747.	0.6	11
406	Investigation of sporulation in the <i>D. esulfotomaculum</i> genus: a genomic comparison with the genera <i>B. acillus</i> and <i>C. lostridium</i> . <i>Environmental Microbiology Reports</i> , 2014, 6, 756-766.	1.0	3
407	Histidine kinases mediate differentiation, stress response, and pathogenicity in <i>Magnaporthe oryzae</i> . <i>MicrobiologyOpen</i> , 2014, 3, 668-687.	1.2	55
408	Toward rationally redesigning bacterial two-component signaling systems using coevolutionary information. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E563-71.	3.3	117
409	The CLO3403/CLO3404 Two-Component System of <i>Clostridium botulinum</i> E1 Beluga Is Important for Cold Shock Response and Growth at Low Temperatures. <i>Applied and Environmental Microbiology</i> , 2014, 80, 399-407.	1.4	12
410	<i>C. pseudotuberculosis</i> Phop confers virulence and may be targeted by natural compounds. <i>Integrative Biology (United Kingdom)</i> , 2014, 6, 1088-1099.	0.6	17
411	Crystallization and preliminary X-ray diffraction analysis of full-length spr1814, a response regulator of <i>Streptococcus pneumoniae</i> , in complex with a phosphoryl analogue. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2014, 70, 1428-1430.	0.4	1
412	The phosphoproteome and its physiological dynamics in <i>Staphylococcus aureus</i> . <i>International Journal of Medical Microbiology</i> , 2014, 304, 121-132.	1.5	48
413	Analysis of DevR regulated genes in <i>Mycobacterium tuberculosis</i> . <i>Systems and Synthetic Biology</i> , 2014, 8, 3-20.	1.0	3
414	Co-regulation of polysaccharide production, motility, and expression of type III secretion genes by EnvZ/OmpR and GrrS/GrrA systems in <i>Erwinia amylovora</i> . <i>Molecular Genetics and Genomics</i> , 2014, 289, 63-75.	1.0	20
415	Swimming, Swarming, Twitching, and Chemotactic Responses of <i>Cupriavidus metallidurans</i> CH34 and <i>Pseudomonas putida</i> mt2 in the Presence of Cadmium. <i>Archives of Environmental Contamination and Toxicology</i> , 2014, 66, 407-414.	2.1	8
416	The two-component system NisK/NisR contributes to the virulence of <i>Streptococcus suis</i> serotype 2. <i>Microbiological Research</i> , 2014, 169, 541-546.	2.5	40
417	The <i>Staphylococcus aureus</i> proteome. <i>International Journal of Medical Microbiology</i> , 2014, 304, 110-120.	1.5	39
418	An orphan two-component response regulator Slr1588 involves salt tolerance by directly regulating synthesis of compatible solutes in photosynthetic <i>Synechocystis</i> sp. PCC 6803. <i>Molecular BioSystems</i> , 2014, 10, 1765-1774.	2.9	29
419	Sporulation during Growth in a Gut Isolate of <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 2014, 196, 4184-4196.	1.0	43
420	Integrated proteomic and metabolomic characterization of a novel two-component response regulator Slr1909 involved in acid tolerance in <i>Synechocystis</i> sp. PCC 6803. <i>Journal of Proteomics</i> , 2014, 109, 76-89.	1.2	28
421	Extracellular Ser/Thr/Tyr phosphorylated proteins of <i>Pseudomonas aeruginosa</i> PA14 strain. <i>Proteomics</i> , 2014, 14, 2017-2030.	1.3	23
422	Agents of change – concepts in <i>Mycobacterium tuberculosis</i> Ser/Thr/Tyr phosphosignalling. <i>Molecular Microbiology</i> , 2014, 94, 231-241.	1.2	20

#	ARTICLE	IF	CITATIONS
423	Comparative molecular dynamics simulation studies for determining factors contributing to the thermostability of chemotaxis protein <i>ChcY</i> . <i>Journal of Biomolecular Structure and Dynamics</i> , 2014, 32, 928-949.	2.0	40
424	An orphan response regulator Sll0649 involved in cadmium tolerance and metal homeostasis in photosynthetic <i>Synechocystis</i> sp. PCC 6803. <i>Journal of Proteomics</i> , 2014, 103, 87-102.	1.2	31
425	Iterative Genome Correction Largely Improves Proteomic Analysis of Nonmodel Organisms. <i>Journal of Proteome Research</i> , 2014, 13, 2724-2734.	1.8	14
426	Low Molecular Weight Protein Tyrosine Phosphatases Control Antibiotic Production in <i>Streptomyces coelicolor</i> A3(2). <i>Enzyme Engineering</i> , 2014, 03, .	0.3	0
427	Two-Component Regulatory Systems of Mycobacteria. <i>Microbiology Spectrum</i> , 2014, 2, MGM2-0010-2013.	1.2	71
429	Unlimited multistability and Boolean logic in microbial signalling. <i>Journal of the Royal Society Interface</i> , 2015, 12, 20150234.	1.5	17
430	Dimeric interactions and complex formation using direct coevolutionary couplings. <i>Scientific Reports</i> , 2015, 5, 13652.	1.6	75
431	Two-Component Regulatory Systems of Mycobacteria. , 0, , 209-223.		1
432	Multidrug Efflux Systems in Microaerobic and Anaerobic Bacteria. <i>Antibiotics</i> , 2015, 4, 379-396.	1.5	9
433	Phosphorelay of non-orthodox two component systems functions through a bi-molecular mechanism in vivo: the case of ArcB. <i>Molecular BioSystems</i> , 2015, 11, 1348-1359.	2.9	6
434	The two-component system <i>CpxAR</i> is essential for virulence in the phytopathogen bacteria <i>Dickeya dadantii</i> via <i>EC</i> . <i>Environmental Microbiology</i> , 2015, 17, 4415-4428.	1.8	27
435	Genetic analysis of signal integration by the <i>Sinorhizobium meliloti</i> sensor kinase FeuQ. <i>Microbiology (United Kingdom)</i> , 2015, 161, 244-253.	0.7	3
436	<i>Mycobacterium tuberculosis</i> H37Rv has a single nucleotide polymorphism in PhoR which affects cell wall hydrophobicity and gene expression. <i>Microbiology (United Kingdom)</i> , 2015, 161, 765-773.	0.7	14
437	The PhoP/Q two-component regulatory system is essential for <i>Xylella fastidiosa</i> survival in <i>Vitis vinifera</i> grapevines. <i>Physiological and Molecular Plant Pathology</i> , 2015, 89, 55-61.	1.3	8
438	Evolutionary resurrection of flagellar motility via rewiring of the nitrogen regulation system. <i>Science</i> , 2015, 347, 1014-1017.	6.0	61
439	Derivative of plant phenolic compound inhibits the type III secretion system of <i>Dickeya dadantii</i> via <i>HrpX</i> / <i>HrpY</i> two-component signal transduction and <i>Rsm</i> systems. <i>Molecular Plant Pathology</i> , 2015, 16, 150-163.	2.0	33
440	In vivo functional characterization of the transmembrane histidine kinase KinC in <i>Bacillus subtilis</i> . <i>Microbiology (United Kingdom)</i> , 2015, 161, 1092-1104.	0.7	25
441	Evidence of histidine and aspartic acid phosphorylation in human prostate cancer cells. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2015, 388, 161-173.	1.4	15

#	ARTICLE	IF	CITATIONS
442	Elucidating butanol tolerance mediated by a response regulator Sll0039 in <i>Synechocystis</i> sp. PCC 6803 using a metabolomic approach. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 1845-1857.	1.7	28
443	Factors that mediate and prevent degradation of the inactive and unstable GudB protein in <i>Bacillus subtilis</i> . <i>Frontiers in Microbiology</i> , 2014, 5, 758.	1.5	13
444	The Extracytoplasmic Linker Peptide of the Sensor Protein SaeS Tunes the Kinase Activity Required for Staphylococcal Virulence in Response to Host Signals. <i>PLoS Pathogens</i> , 2015, 11, e1004799.	2.1	51
445	VirR-Mediated Resistance of <i>Listeria monocytogenes</i> against Food Antimicrobials and Cross-Protection Induced by Exposure to Organic Acid Salts. <i>Applied and Environmental Microbiology</i> , 2015, 81, 4553-4562.	1.4	61
446	Regulators essential for nicotine degradation in <i>Shinella</i> sp. HZN7. <i>Process Biochemistry</i> , 2015, 50, 1947-1950.	1.8	10
447	Structure of the DNA-binding domain of the response regulator SaeR from <i>Staphylococcus aureus</i> . <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2015, 71, 1768-1776.	2.5	11
448	Evidence that Autophosphorylation of the Major Sporulation Kinase in <i>Bacillus subtilis</i> Is Able To Occur in trans. <i>Journal of Bacteriology</i> , 2015, 197, 2675-2684.	1.0	10
449	Complete genome sequence and comparative genome analysis of <i>Streptococcus parauberis</i> KCTC11980. <i>Genes and Genomics</i> , 2015, 37, 959-968.	0.5	0
450	Regulation of toxin gene expression in <i>Clostridium perfringens</i> . <i>Research in Microbiology</i> , 2015, 166, 280-289.	1.0	32
451	Advance in Structural Bioinformatics. <i>Advances in Experimental Medicine and Biology</i> , 2015, , .	0.8	6
452	Genomic insights into high exopolysaccharide-producing dairy starter bacterium <i>Streptococcus thermophilus</i> ASCC 1275. <i>Scientific Reports</i> , 2014, 4, 4974.	1.6	109
453	Identification of CiaR Regulated Genes That Promote Group B Streptococcal Virulence and Interaction with Brain Endothelial Cells. <i>PLoS ONE</i> , 2016, 11, e0153891.	1.1	28
454	<i>Staphylococcus aureus</i> SrrAB Affects Susceptibility to Hydrogen Peroxide and Co-Existence with <i>Streptococcus sanguinis</i> . <i>PLoS ONE</i> , 2016, 11, e0159768.	1.1	14
455	Balance between Coiled-Coil Stability and Dynamics Regulates Activity of BvgS Sensor Kinase in <i>Bordetella</i> . <i>MBio</i> , 2016, 7, e02089.	1.8	32
456	Multi-omics analysis on the pathogenicity of <i>Enterobacter cloacae</i> ENHKU01 isolated from sewage outfalls along the Ningbo coastline. <i>Proteome Science</i> , 2016, 14, 15.	0.7	8
457	Structural characterization of the full-length response regulator spr1814 in complex with a phosphate analogue reveals a novel conformational plasticity of the linker region. <i>Biochemical and Biophysical Research Communications</i> , 2016, 473, 625-629.	1.0	8
458	The 228bp upstream non-coding region of haloacids transporter gene <i>dehp2</i> has regulated promoter activity. <i>Gene</i> , 2016, 593, 322-329.	1.0	2
459	Connecting the Sequence-Space of Bacterial Signaling Proteins to Phenotypes Using Coevolutionary Landscapes. <i>Molecular Biology and Evolution</i> , 2016, 33, 3054-3064.	3.5	63

#	ARTICLE	IF	CITATIONS
460	Two-Component Systems Involved in Susceptibility to Nisin A in <i>Streptococcus pyogenes</i> . <i>Applied and Environmental Microbiology</i> , 2016, 82, 5930-5939.	1.4	9
461	Molecular and proteome analyses highlight the importance of the Cpx envelope stress system for acid stress and cell wall stability in <i>Escherichia coli</i> . <i>MicrobiologyOpen</i> , 2016, 5, 582-596.	1.2	25
462	Phosphorylation-Dependent and Phosphorylation-Independent Regulation of <i>Helicobacter pylori</i> Acid Acclimation by the ArsRS Two-Component System. <i>Helicobacter</i> , 2016, 21, 69-81.	1.6	22
465	Lysine and Threonine Biosynthesis from Aspartate Contributes to <i>Staphylococcus aureus</i> Growth in Calf Serum. <i>Applied and Environmental Microbiology</i> , 2016, 82, 6150-6157.	1.4	10
466	The Phosphotransfer Protein CD1492 Represses Sporulation Initiation in <i>Clostridium difficile</i> . <i>Infection and Immunity</i> , 2016, 84, 3434-3444.	1.0	50
467	Comprehensive Identification of Meningococcal Genes and Small Noncoding RNAs Required for Host Cell Colonization. <i>MBio</i> , 2016, 7, .	1.8	22
468	Microbial stress response to heavy metals in the environment. <i>RSC Advances</i> , 2016, 6, 109862-109877.	1.7	136
469	High-frequency Noise Attenuation of a Two-component System Responding to Short-pulse Input. , 2016, , .		2
470	The orphan response regulator EpsW is a substrate of the Dife kinase and it regulates exopolysaccharide in <i>Myxococcus xanthus</i> . <i>Scientific Reports</i> , 2016, 5, 17831.	1.6	15
471	A conserved dimorphism-regulating histidine kinase controls the dimorphic switching in <i>Paracoccidioides brasiliensis</i> . <i>FEMS Yeast Research</i> , 2016, 16, fow047.	1.1	24
472	Gastric Colonization by <i>H. pylori</i> . , 2016, , 23-34.		8
473	Perturbation of the two-component signal transduction system, BprRS, results in attenuated virulence and motility defects in <i>Burkholderia pseudomallei</i> . <i>BMC Genomics</i> , 2016, 17, 331.	1.2	19
474	Gene regulation by the VirS/VirR system in <i>Clostridium perfringens</i> . <i>Anaerobe</i> , 2016, 41, 5-9.	1.0	15
475	AdeR protein regulates adeABC expression by binding to a direct-repeat motif in the intercistronic spacer. <i>Microbiological Research</i> , 2016, 183, 60-67.	2.5	25
476	The <i>Pseudomonas aeruginosa</i> PAO1 Two-Component Regulator CarSR Regulates Calcium Homeostasis and Calcium-Induced Virulence Factor Production through Its Regulatory Targets CarO and CarP. <i>Journal of Bacteriology</i> , 2016, 198, 951-963.	1.0	44
477	Post-translational modifications in <i>Pseudomonas aeruginosa</i> revolutionized by proteomic analysis. <i>Biochimie</i> , 2016, 125, 66-74.	1.3	11
478	Systematic Mutational Analysis of Histidine Kinase Genes in the Nosocomial Pathogen <i>Stenotrophomonas maltophilia</i> Identifies BfmAK System Control of Biofilm Development. <i>Applied and Environmental Microbiology</i> , 2016, 82, 2444-2456.	1.4	14
479	Exploring the diversity of protein modifications: special bacterial phosphorylation systems. <i>FEMS Microbiology Reviews</i> , 2016, 40, 398-417.	3.9	100

#	ARTICLE	IF	CITATIONS
480	Synthetic biology of cell signaling. <i>Natural Computing</i> , 2016, 15, 5-13.	1.8	14
481	QseB mediates biofilm formation and invasion in <i>Salmonella enterica</i> serovar Typhi. <i>Microbial Pathogenesis</i> , 2017, 104, 6-11.	1.3	25
482	Signaling by two-component system noncognate partners promotes intrinsic tolerance to polymyxin B in uropathogenic <i>Escherichia coli</i> . <i>Science Signaling</i> , 2017, 10, .	1.6	37
483	Role of <i>Streptococcus mutans</i> two-component systems in antimicrobial peptide resistance in the oral cavity. <i>Japanese Dental Science Review</i> , 2017, 53, 86-94.	2.0	18
484	Biosorption behavior and proteomic analysis of <i>Escherichia coli</i> P4 under cadmium stress. <i>Chemosphere</i> , 2017, 174, 136-147.	4.2	14
485	Sensory domain contraction in histidine kinase CitA triggers transmembrane signaling in the membrane-bound sensor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 3115-3120.	3.3	26
486	The Histidine Residue of QseC Is Required for Canonical Signaling between QseB and PmrB in Uropathogenic <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2017, 199, .	1.0	25
487	Survival of <i>Helicobacter pylori</i> in gastric acidic territory. <i>Helicobacter</i> , 2017, 22, e12386.	1.6	127
488	The PAS domains of the major sporulation kinase in <i>Bacillus subtilis</i> play a role in tetramer formation that is essential for the autokinase activity. <i>MicrobiologyOpen</i> , 2017, 6, e00481.	1.2	11
489	Conformational Changes of an Interdomain Linker Mediate Mechanical Signal Transmission in Sensor Kinase BvgS. <i>Journal of Bacteriology</i> , 2017, 199, .	1.0	22
490	Functional analysis of BAS2108-2109 two component system: Evidence for protease regulation in <i>Bacillus anthracis</i> . <i>International Journal of Biochemistry and Cell Biology</i> , 2017, 89, 71-84.	1.2	6
491	Involvement of Two-Component Signaling on Bacterial Motility and Biofilm Development. <i>Journal of Bacteriology</i> , 2017, 199, .	1.0	74
492	Alternative Evolutionary Paths to Bacterial Antibiotic Resistance Cause Distinct Collateral Effects. <i>Molecular Biology and Evolution</i> , 2017, 34, 2229-2244.	3.5	133
493	An Essential Regulatory System Originating from Polygenic Transcriptional Rewiring of PhoP-PhoQ of <i>Xanthomonas campestris</i> . <i>Genetics</i> , 2017, 206, 2207-2223.	1.2	6
494	Dehydration and rehydration - induced temporal changes in cytosolic and membrane proteome of the nitrogen fixing cyanobacterium <i>Anabaena</i> sp. PCC 7120. <i>Algal Research</i> , 2017, 27, 244-258.	2.4	20
495	The molecular mechanism and post-transcriptional regulation characteristic of <i>Tetragenococcus halophilus</i> acclimation to osmotic stress revealed by quantitative proteomics. <i>Journal of Proteomics</i> , 2017, 168, 1-14.	1.2	23
496	A screen for kinase inhibitors identifies antimicrobial imidazopyridine aminofurazans as specific inhibitors of the <i>Listeria monocytogenes</i> PASTA kinase PrkA. <i>Journal of Biological Chemistry</i> , 2017, 292, 17037-17045.	1.6	32
497	Expanding the Kinome World: A New Protein Kinase Family Widely Conserved in Bacteria. <i>Journal of Molecular Biology</i> , 2017, 429, 3056-3074.	2.0	24

#	ARTICLE	IF	CITATIONS
498	Osmosensing by the bacterial PhoQ/PhoP two-component system. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E10792-E10798.	3.3	86
499	A glimpse into the modulation of post-translational modifications of human-colonizing bacteria. Journal of Proteomics, 2017, 152, 254-275.	1.2	18
500	Genome Comparison of Pseudomonas fluorescens UM270 with Related Fluorescent Strains Unveils Genes Involved in Rhizosphere Competence and Colonization. Journal of Genomics, 2017, 5, 91-98.	0.6	11
501	Contribution of the RgfD Quorum Sensing Peptide to rgf Regulation and Host Cell Association in Group B Streptococcus. Genes, 2017, 8, 23.	1.0	10
502	The Complex Relationship between Virulence and Antibiotic Resistance. Genes, 2017, 8, 39.	1.0	183
503	The Eukaryote-Like Serine/Threonine Kinase STK Regulates the Growth and Metabolism of Zoonotic Streptococcus suis. Frontiers in Cellular and Infection Microbiology, 2017, 7, 66.	1.8	52
504	A Novel RAYM_RS09735/RAYM_RS09740 Two-Component Signaling System Regulates Gene Expression and Virulence in Riemerella anatipestifer. Frontiers in Microbiology, 2017, 8, 688.	1.5	23
505	Two-Component Signal Transduction Systems of Pathogenic Bacteria As Targets for Antimicrobial Therapy: An Overview. Frontiers in Microbiology, 2017, 8, 1878.	1.5	176
506	Characterization of the CrbS/R Two-Component System in Pseudomonas fluorescens Reveals a New Set of Genes under Its Control and a DNA Motif Required for CrbR-Mediated Transcriptional Activation. Frontiers in Microbiology, 2017, 8, 2287.	1.5	13
507	The role of the two-component systems Cpx and Arc in protein alterations upon gentamicin treatment in Escherichia coli. BMC Microbiology, 2017, 17, 197.	1.3	16
509	A Large-Scale Mutational Analysis of Two-Component Signaling Systems of <i>Lonsdalea quercina</i> Revealed that KdpD-KdpE Regulates Bacterial Virulence Against Host Poplar Trees. Molecular Plant-Microbe Interactions, 2018, 31, 724-736.	1.4	8
510	Coiled-Coil Antagonism Regulates Activity of Venus Flytrap-Domain-Containing Sensor Kinases of the BvgS Family. MBio, 2018, 9, .	1.8	23
511	Salmonella enterica Serovar Typhimurium CpxRA Two-Component System Contributes to Gut Colonization in Salmonella-Induced Colitis. Infection and Immunity, 2018, 86, .	1.0	19
512	Regulation of carbohydrate degradation pathways in <i>Pseudomonas</i> involves a versatile set of transcriptional regulators. Microbial Biotechnology, 2018, 11, 442-454.	2.0	44
513	Characterization of a two component system, Bas1213–1214, important for oxidative stress in Bacillus anthracis. Journal of Cellular Biochemistry, 2018, 119, 5761-5774.	1.2	6
514	Role of Streptococcus mutans surface proteins for biofilm formation. Japanese Dental Science Review, 2018, 54, 22-29.	2.0	153
515	Effect of Sodium Chloride on Surface-Associated Motility of Acinetobacter baumannii and the Role of AdeRS Two-Component System. Journal of Membrane Biology, 2018, 251, 5-13.	1.0	16
516	Streptococcus pneumoniae two-component regulatory systems: The interplay of the pneumococcus with its environment. International Journal of Medical Microbiology, 2018, 308, 722-737.	1.5	69

#	ARTICLE	IF	CITATIONS
517	MtrA Response Regulator Controls Cell Division and Cell Wall Metabolism and Affects Susceptibility of Mycobacteria to the First Line Antituberculosis Drugs. <i>Frontiers in Microbiology</i> , 2018, 9, 2839.	1.5	40
518	The EnvZ-OmpR Two-Component Signaling System Is Inactivated in a Mutant Devoid of Osmoregulated Periplasmic Glucans in <i>Dickeya dadantii</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 2459.	1.5	8
519	Phosphoproteomics in Microbiology: Protocols for Studying <i>Streptomyces coelicolor</i> Differentiation. <i>Methods in Molecular Biology</i> , 2018, 1841, 249-260.	0.4	0
521	Prediction of prkC-mediated protein serine/threonine phosphorylation sites for bacteria. <i>PLoS ONE</i> , 2018, 13, e0203840.	1.1	5
522	Conservation of Two-Component Signal Transduction Systems in <i>E. coli</i> , <i>Salmonella</i> , and Across 100,000 Bacteria of Various Bacterial Phyla. <i>Grand Challenges in Biology and Biotechnology</i> , 2018, , 153-174.	2.4	1
523	Pneumococcal Metabolic Adaptation and Colonization Are Regulated by the Two-Component Regulatory System 08. <i>MSphere</i> , 2018, 3, .	1.3	13
524	Structure and mechanism of bacterial tripartite efflux pumps. <i>Research in Microbiology</i> , 2018, 169, 401-413.	1.0	51
525	GW779439X and Its Pyrazolopyridazine Derivatives Inhibit the Serine/Threonine Kinase Stk1 and Act As Antibiotic Adjuvants against β -Lactam-Resistant <i>Staphylococcus aureus</i> . <i>ACS Infectious Diseases</i> , 2018, 4, 1508-1518.	1.8	27
526	PmrA/PmrB Two-Component System Regulation of lipA Expression in <i>Pseudomonas aeruginosa</i> PAO1. <i>Frontiers in Microbiology</i> , 2018, 8, 2690.	1.5	6
527	CpxR overexpression increases the susceptibility of <i>acrB</i> and <i>cpxR</i> double-deleted <i>Salmonella enterica</i> serovar Typhimurium to colistin. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 3016-3024.	1.3	13
528	Designing bacterial signaling interactions with coevolutionary landscapes. <i>PLoS ONE</i> , 2018, 13, e0201734.	1.1	7
529	Regulation of type III secretion system in <i>Pseudomonas syringae</i> . <i>Environmental Microbiology</i> , 2019, 21, 4465-4477.	1.8	41
530	Cyclic-di-GMP binds to histidine kinase RavS to control RavS-RavR phosphotransfer and regulates the bacterial lifestyle transition between virulence and swimming. <i>PLoS Pathogens</i> , 2019, 15, e1007952.	2.1	19
531	Identification of an Autorepressing Two-Component Signaling System That Modulates Virulence in <i>Streptococcus suis</i> Serotype 2. <i>Infection and Immunity</i> , 2019, 87, .	1.0	10
532	Novel mechanistic insights into physiological signaling pathways mediated by mycobacterial Ser/Thr protein kinases. <i>Microbes and Infection</i> , 2019, 21, 222-229.	1.0	6
533	Transcriptome analysis to understand the effects of the toxoflavin and tropolone produced by phytopathogenic <i>Burkholderia</i> on <i>Escherichia coli</i> . <i>Journal of Microbiology</i> , 2019, 57, 781-794.	1.3	8
534	Cas9 Contributes to Group B Streptococcal Colonization and Disease. <i>Frontiers in Microbiology</i> , 2019, 10, 1930.	1.5	35
535	Nitric Oxide Enters Quorum Sensing via the H-NOX Signaling Pathway in <i>Vibrio parahaemolyticus</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 2108.	1.5	7

#	ARTICLE	IF	CITATIONS
536	The DNA-binding mechanism of the TCS response regulator ArlR from <i>Staphylococcus aureus</i> . <i>Journal of Structural Biology</i> , 2019, 208, 107388.	1.3	8
537	Mgl2 Is a Hypothetical Methyltransferase Involved in Exopolysaccharide Production, Biofilm Formation, and Motility in <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> . <i>Molecular Plant-Microbe Interactions</i> , 2019, 32, 899-911.	1.4	6
538	Key Players and Individualists of Cyclic-di-GMP Signaling in <i>Burkholderia cenocepacia</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 3286.	1.5	21
539	Chemical shift assignments of the catalytic and ATP-binding domain of HK853 from <i>Thermotoga maritima</i> . <i>Biomolecular NMR Assignments</i> , 2019, 13, 173-176.	0.4	2
540	Identification of in vivo Essential Genes of <i>Vibrio vulnificus</i> for Establishment of Wound Infection by Signature-Tagged Mutagenesis. <i>Frontiers in Microbiology</i> , 2019, 10, 123.	1.5	12
541	Structural Analysis of the Hanks-Type Protein Kinase YabT From <i>Bacillus subtilis</i> Provides New Insights in its DNA-Dependent Activation. <i>Frontiers in Microbiology</i> , 2018, 9, 3014.	1.5	3
542	Targeted transcriptional and proteomic studies explicate specific roles of <i>Bacillus subtilis</i> iturin A, fengycin, and surfactin on elicitation of defensive systems in mandarin fruit during stress. <i>PLoS ONE</i> , 2019, 14, e0217202.	1.1	18
543	Roles of two-component regulatory systems in antibiotic resistance. <i>Future Microbiology</i> , 2019, 14, 533-552.	1.0	111
544	Novel mechanistic insights into physiological signaling pathways mediated by mycobacterial Ser/Thr protein kinases. <i>Genes and Immunity</i> , 2019, 20, 383-393.	2.2	16
545	Role of two-component regulatory systems in intracellular survival of <i>Mycobacterium tuberculosis</i> . <i>Journal of Cellular Biochemistry</i> , 2019, 120, 12197-12207.	1.2	11
546	Metatranscriptomic exploration of microbial functioning in clouds. <i>Scientific Reports</i> , 2019, 9, 4383.	1.6	68
547	Structural Basis for the Inhibition of the Autophosphorylation Activity of HK853 by Luteolin. <i>Molecules</i> , 2019, 24, 933.	1.7	11
548	Nanoparticles: Antimicrobial Applications and Its Prospects. <i>Environmental Chemistry for A Sustainable World</i> , 2019, , 321-355.	0.3	31
549	The roles of histidine kinases in sensing host plant and cell-cell communication signal in a phytopathogenic bacterium. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20180311.	1.8	19
550	Energy Exchange Network Model Demonstrates Protein Allosteric Transition: An Application to an Oxygen Sensor Protein. <i>Journal of Physical Chemistry B</i> , 2019, 123, 768-775.	1.2	19
551	Expression and regulatory networks of <i>Mycobacterium tuberculosis</i> PE/PPE family antigens. <i>Journal of Cellular Physiology</i> , 2019, 234, 7742-7751.	2.0	17
552	Ecological selection for small microbial genomes along a temperate-to-thermal soil gradient. <i>Nature Microbiology</i> , 2019, 4, 55-61.	5.9	42
553	Engineering an Osmosensor by Pivotal Histidine Positioning within Disordered Helices. <i>Structure</i> , 2019, 27, 302-314.e4.	1.6	11

#	ARTICLE	IF	CITATIONS
554	The quest for osmosensors in plants. <i>Journal of Experimental Botany</i> , 2020, 71, 595-607.	2.4	37
555	Mechanisms of response to pH shock in microbial fermentation. <i>Bioprocess and Biosystems Engineering</i> , 2020, 43, 361-372.	1.7	9
556	The YdiU Domain Modulates Bacterial Stress Signaling through Mn ²⁺ -Dependent UMPylation. <i>Cell Reports</i> , 2020, 32, 108161.	2.9	17
557	Redefining fundamental concepts of transcription initiation in bacteria. <i>Nature Reviews Genetics</i> , 2020, 21, 699-714.	7.7	100
558	Using a phenotype microarray and transcriptome analysis to elucidate multi-drug resistance regulated by the PhoR/PhoP two-component system in <i>Bacillus subtilis</i> strain NCD-2. <i>Microbiological Research</i> , 2020, 239, 126557.	2.5	7
559	Exploring the Influence of Signal Molecules on Marine Biofilms Development. <i>Frontiers in Microbiology</i> , 2020, 11, 571400.	1.5	16
560	DNA-Binding and Transcription Activation by Unphosphorylated Response Regulator AgrR From <i>Cupriavidus metallidurans</i> Involved in Silver Resistance. <i>Frontiers in Microbiology</i> , 2020, 11, 1635.	1.5	11
561	Adaptation to host-specific bacterial pathogens drive rapid evolution of novel PhoP/PhoQ regulation pathway modulating the virulence. <i>Microbial Pathogenesis</i> , 2020, 141, 103997.	1.3	5
562	Identification of Uncharacterized Components of Prokaryotic Immune Systems and Their Diverse Eukaryotic Reformulations. <i>Journal of Bacteriology</i> , 2020, 202, .	1.0	49
563	LisRK is required for optimal fitness of <i>Listeria monocytogenes</i> in soil. <i>FEMS Microbiology Letters</i> , 2020, 367, .	0.7	7
564	Comprehensive Genome Analysis on the Novel Species <i>Sphingomonas panacis</i> DCY99T Reveals Insights into Iron Tolerance of Ginseng. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2019.	1.8	16
565	Defeating Antibiotic-Resistant Bacteria: Exploring Alternative Therapies for a Post-Antibiotic Era. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1061.	1.8	97
566	A computational framework for a Lyapunov-enabled analysis of biochemical reaction networks. <i>PLoS Computational Biology</i> , 2020, 16, e1007681.	1.5	14
567	Epistatic Effect of Regulators to the Adaptive Growth of <i>Escherichia coli</i> . <i>Scientific Reports</i> , 2020, 10, 3661.	1.6	5
568	Computational study of parameter sensitivity in DevR regulated gene expression. <i>PLoS ONE</i> , 2020, 15, e0228967.	1.1	1
569	Adaptation strategies of <i>Pseudomonas protegens</i> SN15 to hyperosmotic growth environment. <i>Journal of Applied Microbiology</i> , 2020, 128, 1720-1734.	1.4	2
570	Targeted Mutations in <i>Xylella fastidiosa</i> Affect Acquisition and Retention by the Glassy-Winged Sharpshooter, <i>Homalodisca vitripennis</i> (Hemiptera: Cicadellidae). <i>Journal of Economic Entomology</i> , 2020, 113, 612-621.	0.8	4
571	Molecular determinants of surface colonisation in diarrhoeagenic <i>Escherichia coli</i> (DEC): from bacterial adhesion to biofilm formation. <i>FEMS Microbiology Reviews</i> , 2020, 44, 314-350.	3.9	34

#	ARTICLE	IF	CITATIONS
572	Integrative and quantitative view of the CtrA regulatory network in a stalked budding bacterium. <i>PLoS Genetics</i> , 2020, 16, e1008724.	1.5	8
573	Role of post-translational modifications in the acquisition of drug resistance in <i>Mycobacterium tuberculosis</i> . <i>FEBS Journal</i> , 2021, 288, 3375-3393.	2.2	29
575	Structural basis of KdpD histidine kinase binding to the second messenger c-di-AMP. <i>Journal of Biological Chemistry</i> , 2021, 296, 100771.	1.6	13
576	The Genomic Capabilities of Microbial Communities Track Seasonal Variation in Environmental Conditions of Arctic Lagoons. <i>Frontiers in Microbiology</i> , 2021, 12, 601901.	1.5	2
577	The Transcriptional Regulatory Network of <i>Corynebacterium pseudotuberculosis</i> . <i>Microorganisms</i> , 2021, 9, 415.	1.6	4
578	Glucose-6-Phosphate Acts as an Extracellular Signal of SagS To Modulate <i>Pseudomonas aeruginosa</i> c-di-GMP Levels, Attachment, and Biofilm Formation. <i>MSphere</i> , 2021, 6, .	1.3	10
579	The two-component system ActJK is involved in acid stress tolerance and symbiosis in <i>Sinorhizobium meliloti</i> . <i>Journal of Biotechnology</i> , 2021, 329, 80-91.	1.9	10
580	Development of a reversible regulatory system for gene expression in the cyanobacterium <i>Synechocystis</i> sp. PCC 6803 by quorum-sensing machinery from marine bacteria. <i>Journal of Applied Phycology</i> , 2021, 33, 1651-1662.	1.5	5
581	Delineation of the pH-Responsive Regulon Controlled by the <i>Helicobacter pylori</i> ArsRS Two-Component System. <i>Infection and Immunity</i> , 2021, 89, .	1.0	17
582	State of the art of bacterial chemotaxis. <i>Journal of Basic Microbiology</i> , 2021, 61, 366-379.	1.8	51
584	Subtractive Genomics Approach for Identification of Novel Therapeutic Drug Targets in <i>Mycoplasma genitalium</i> . <i>Pathogens</i> , 2021, 10, 921.	1.2	17
585	Mutations in the Two-Component GluS-GluR Regulatory System Confer Resistance to β -Lactam Antibiotics in <i>Burkholderia glumae</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 721444.	1.5	2
586	Multistep Signaling in Nature: A Close-Up of <i>Geobacter</i> Chemotaxis Sensing. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9034.	1.8	3
587	Engineered acetoacetate-inducible whole-cell biosensors based on the AtoSC two-component system. <i>Biotechnology and Bioengineering</i> , 2021, 118, 4278-4289.	1.7	10
588	McpT, a Broad-Range Carboxylate Chemoreceptor in <i>Sinorhizobium meliloti</i> . <i>Journal of Bacteriology</i> , 2021, 203, e0021621.	1.0	7
589	Antibacterial Peptides Resistance in <i>Staphylococcus aureus</i> : Various Mechanisms and the Association with Pathogenicity. <i>Genes</i> , 2021, 12, 1527.	1.0	8
590	Genome analysis of a salinity adapted <i>Achromobacter xylosoxidans</i> rhizobacteria from the date palm. <i>Rhizosphere</i> , 2021, 19, 100401.	1.4	9
591	Prediction of Serine/Threonine Phosphorylation Sites in Bacteria Proteins. <i>Advances in Experimental Medicine and Biology</i> , 2015, 827, 275-285.	0.8	10

#	ARTICLE	IF	CITATIONS
592	Analysis of a bac operon-silenced strain suggests pleiotropic effects of bacilysin in <i>Bacillus subtilis</i> . <i>Journal of Microbiology</i> , 2020, 58, 297-313.	1.3	7
593	The Histidine Kinase Family. , 2003, , 11-24.		3
594	Response Regulator Proteins and Their Interactions with Histidine Protein Kinases. , 2003, , 237-271.		9
595	<i>Mycobacterium smegmatis</i> PrrAB two-component system influences triacylglycerol accumulation during ammonium stress. <i>Microbiology (United Kingdom)</i> , 2018, 164, 1276-1288.	0.7	11
596	Two-component systems regulate ABC transporters in antimicrobial peptide production, immunity and resistance. <i>Microbiology (United Kingdom)</i> , 2020, 166, 4-20.	0.7	24
597	Novel Ĩf B regulation modules of Gram-positive bacteria involve the use of complex hybrid histidine kinases. <i>Microbiology (United Kingdom)</i> , 2011, 157, 3-12.	0.7	31
599	Chemosensory Signal Transduction Systems in <i>Myxococcus xanthus</i> . , 0, , 133-147.		3
600	Signal Transduction in the Interactions of Fungal Pathogens and Mammalian Hosts. , 0, , 143-162.		2
601	Perception and Transduction of Low Temperature in Bacteria. , 0, , 194-207.		13
602	Protein Phosphorylation in Bacteria. <i>Microbe Magazine</i> , 2010, 5, 21-25.	0.4	6
603	Genetic Proclivities of Two-Component Modulated Aerobiosis. <i>Computational Biology and Bioinformatics</i> , 2014, 2, 1.	0.3	2
604	Eukaryotic signal transduction via histidine-aspartate phosphorelay. <i>Journal of Cell Science</i> , 2000, 113, 3141-3150.	1.2	111
605	Generation and Validation of a <i>Shewanella oneidensis</i> MR-1 Clone Set for Protein Expression and Phage Display. <i>PLoS ONE</i> , 2008, 3, e2983.	1.1	15
606	A Framework for Classification of Prokaryotic Protein Kinases. <i>PLoS ONE</i> , 2010, 5, e10608.	1.1	20
607	Dissecting the Specificity of Protein-Protein Interaction in Bacterial Two-Component Signaling: Orphans and Crosstalks. <i>PLoS ONE</i> , 2011, 6, e19729.	1.1	91
608	Functional Assessment of EnvZ/OmpR Two-Component System in <i>Shewanella oneidensis</i> . <i>PLoS ONE</i> , 2011, 6, e23701.	1.1	52
609	Regulation of Sialidase Production in <i>Clostridium perfringens</i> by the Orphan Sensor Histidine Kinase ReeS. <i>PLoS ONE</i> , 2013, 8, e73525.	1.1	15
610	Mechanism of the pH-Induced Conformational Change in the Sensor Domain of the DraK Histidine Kinase via the E83, E105, and E107 Residues. <i>PLoS ONE</i> , 2014, 9, e107168.	1.1	21

#	ARTICLE	IF	CITATIONS
611	covR Mediated Antibiofilm Activity of 3-Furancarboxaldehyde Increases the Virulence of Group A Streptococcus. PLoS ONE, 2015, 10, e0127210.	1.1	38
612	Methylatable Signaling Helix Coordinated Inhibitory Receiver Domain in Sensor Kinase Modulates Environmental Stress Response in Bacillus Cereus. PLoS ONE, 2015, 10, e0137952.	1.1	11
613	Deciphering Parameter Sensitivity in the BvgAS Signal Transduction. PLoS ONE, 2016, 11, e0147281.	1.1	5
614	Revisiting the Life-Cycle of <i>Pasteuria penetrans</i> Infecting <i>Meloidogyne incognita</i> under Soil-Less Medium, and Effect of Streptomycin Sulfate on its Development. Journal of Nematology, 2018, 50, 91-98.	0.4	10
615	The Two-Component Regulatory System VicRK is Important to Virulence of Streptococcus equi Subspecies equi. Open Microbiology Journal, 2008, 2, 89-93.	0.2	8
616	Cell Wall Stress Stimulates the Activity of the Protein Kinase StkP of Streptococcus pneumoniae, Leading to Multiple Phosphorylation. Journal of Molecular Biology, 2021, 433, 167319.	2.0	14
617	A previously uncharacterized two-component signaling system in uropathogenic Escherichia coli coordinates protection against host-derived oxidative stress with activation of hemolysin-mediated host cell pyroptosis. PLoS Pathogens, 2021, 17, e1010005.	2.1	12
618	Bacterial Signal Transduction: Two-Component Signal Transduction as a Model for Therapeutic Intervention. , 2004, , 347-402.		1
619	Learning Robust Dynamic Networks in Prokaryotes by Gene Expression Networks Iterative Explorer (GENIE). Studies in Computational Intelligence, 2008, , 299-311.	0.7	0
622	The Language. SpringerBriefs in Food, Health and Nutrition, 2012, , 1-19.	0.5	0
624	Relationship between CiaRH and Lipoprotein OpcC in the Acid Tolerance of Streptococcus mutans. Dental Medicine Research, 2013, 33, 56-67.	0.1	0
625	Sensing, Signal Transduction, and Posttranslational Modification. , 0, , 224-259.		0
626	Regulation in Response to Environmental Conditions. , 0, , 141-159.		0
629	Staphylococcus aureus Pathogenesis and Virulence Factor Regulation. , 0, , 58-78.		0
635	High-throughput sequence analysis reveals variation in the relative abundance of components of the bacterial and fungal microbiota in the rhizosphere of <i>Ginkgo biloba</i> . PeerJ, 2019, 7, e8051.	0.9	2
637	Osmosensing and Signalling in Plants: Potential Role in Crop Improvement Under Climate Change. , 2021, , 11-46.		3
638	Plant Growth Promoting Rhizobacteria: Mechanisms and Alleviation of Cold Stress in Plants. , 2020, , 185-226.		0
639	ROLE OF TWO-COMPONENT SIGNAL TRANSDUCTION SYSTEMS IN ANTIMICROBIAL RESISTANCE OF GRAM-NEGATIVE PATHOGENS. Postępy Mikrobiologii, 2020, 59, 259-276.	0.1	0

#	ARTICLE	IF	CITATIONS
640	From sequence to information. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020, 375, 20190448.	1.8	5
643	A Genome-Scale Co-Functional Network of Genes Can Accurately Reconstruct Regulatory Circuits Controlled by Two-Component Signaling Systems. <i>Molecules and Cells</i> , 2019, 42, 166-174.	1.0	7
645	Genetic mechanisms governing sporulation initiation in <i>Clostridioides difficile</i> . <i>Current Opinion in Microbiology</i> , 2022, 66, 32-38.	2.3	23
646	Differences in the Accessory Genomes and Methylomes of Strains of <i>Streptococcus equi</i> subsp. <i>equi</i> and <i>Streptococcus equi</i> subsp. <i>zooepidemicus</i> Obtained from the Respiratory Tract of Horses from Texas. <i>Microbiology Spectrum</i> , 2022, 10, e0076421.	1.2	1
648	<i>uvrY</i> Deletion and Acetate Reduce Gut Colonization of Crohn's Disease-Associated Adherent-Invasive <i>Escherichia coli</i> by Decreasing Expression of Type 1 Fimbriae. <i>Infection and Immunity</i> , 2022, 90, eai0066221.	1.0	6
649	The diversity of heme sensor systems and heme-responsive transcriptional regulation mediated by transient heme protein interactions. <i>FEMS Microbiology Reviews</i> , 2022, 46, .	3.9	7
650	The Role of the Two-Component System PhoP/PhoQ in Intrinsic Resistance of <i>Yersinia enterocolitica</i> to Polymyxin. <i>Frontiers in Microbiology</i> , 2022, 13, 758571.	1.5	4
653	Two-component system in <i>Rhizoglyphus aquatilis</i> is impacted by the hyphosphere of the arbuscular mycorrhizal fungus <i>Rhizophagus irregularis</i> . <i>Environmental Microbiology Reports</i> , 2022, 14, 119-129.	1.0	4
654	Transcriptomic and Metabolomic Profiling Reveals That KguR Broadly Impacts the Physiology of Uropathogenic <i>Escherichia coli</i> Under in vivo Relevant Conditions. <i>Frontiers in Microbiology</i> , 2021, 12, 793391.	1.5	1
655	Function and Inhibitory Mechanisms of Multidrug Efflux Pumps. <i>Frontiers in Microbiology</i> , 2021, 12, 737288.	1.5	52
656	Three Orphan Histidine Kinases Inhibit <i>Clostridioides difficile</i> Sporulation. <i>Journal of Bacteriology</i> , 2022, 204, e0010622.	1.0	17
657	iTRAQ-based proteomic analysis of <i>Bacillus subtilis</i> strain NCD-2 regulated by PhoPR two-component system: A comparative analysis with transcriptomics revealed the regulation for fengycin production by branched chain amino acids. <i>Microbiological Research</i> , 2022, 260, 127024.	2.5	5
674	Co-component signal transduction systems: Fast-evolving virulence regulation cassettes discovered in enteric bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	14
675	Microbial quorum sensing systems: new and emerging trends of biotechnology in bioremediation. , 2022, , 795-811.		0
676	Whole-cell FRET monitoring of transcription factor activities enables functional annotation of signal transduction systems in living bacteria. <i>Journal of Biological Chemistry</i> , 2022, 298, 102258.	1.6	1
677	Response Regulator CD1688 Is a Negative Modulator of Sporulation in <i>Clostridioides difficile</i> . <i>Journal of Bacteriology</i> , 2022, 204, .	1.0	7
678	Dual Regulatory Role Exerted by Cyclic Dimeric GMP To Control FsnR-Mediated Bacterial Swimming. <i>MBio</i> , 2022, 13, .	1.8	4
679	The Bacterial MtrAB Two-Component System Regulates the Cell Wall Homeostasis Responding to Environmental Alkaline Stress. <i>Microbiology Spectrum</i> , 2022, 10, .	1.2	35

#	ARTICLE	IF	CITATIONS
680	Expressão gênica de fatores de virulência de <i>Corynebacterium pseudotuberculosis</i> e o seu papel na patogênese da Linfadenite caseosa. <i>Research, Society and Development</i> , 2022, 11, e132111436061.	0.0	0
681	An atlas of bacterial two-component systems reveals function and plasticity in signal transduction. <i>Cell Reports</i> , 2022, 41, 111502.	2.9	8
682	Distribution of two-component signal transduction systems BlpRH and ComDE across streptococcal species. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	3
683	YihE is a novel binding partner of Rho and regulates Rho-dependent transcription termination in the Cpx stress response. <i>IScience</i> , 2022, 25, 105483.	1.9	3
684	Combined transcriptomic and metabolomic analysis of <i>Salmonella</i> in the presence or absence of PhoP/PhoQ system under low Mg ²⁺ conditions. <i>Metabolomics</i> , 2022, 18, .	1.4	2
685	Oddziaływanie Pomini™dzy Małymi, Regulatorowymi RNA a Dwuskładnikowymi Systemami Transdukcji Sygnału u Bakterii Gram-Ujemnych. <i>Postepy Mikrobiologii</i> , 2022, 61, 191-204.	0.1	0
686	âŸšŽN-çŁ.é...°âŸš-æ°âŸšé...æŸšè°æŸšé...Ÿšè½-çŸš»æœ°âŸš. <i>Scientia Sinica Chimica</i> , 2022, , .	0.2	0
687	Potential therapeutic targets for combating <i>Mycoplasma genitalium</i> . <i>3 Biotech</i> , 2023, 13, .	1.1	2
688	<i>Pseudomonas aeruginosa</i> and its multiple strategies to access iron. <i>Environmental Microbiology</i> , 2023, 25, 811-831.	1.8	16
691	<i>Mycobacterium tuberculosis</i> and its secreted tyrosine phosphatases. <i>Biochimie</i> , 2023, , .	1.3	1
692	Some Aspects of the Role of Phosphorylation in Regulation of Spermatozoa Motility in Microgravity. <i>Human Physiology</i> , 2022, 48, 791-800.	0.1	0
693	Genomic Island-Encoded Histidine Kinase and Response Regulator Coordinate Mannose Utilization with Virulence in Enterohemorrhagic <i>Escherichia coli</i> . <i>MBio</i> , 0, , .	1.8	0
710	Gastric Colonization by <i>H. pylori</i> . , 2023, , 25-37.		0