CITATION REPORT List of articles citing

Risk factors for lower urinary tract symptoms in women 40 to 60 years of age

DOI: 10.1016/s0029-7844(00)00915-7 Obstetrics and Gynecology, 2000, 96, 446-451.

Source: https://exaly.com/paper-pdf/32080614/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
108	WomenѢ health literaturewatch. 2000 , 9, 1035-9		
107	Urinary incontinence in Belgium; prevalence, correlates and psychosocial consequences. 2002 , 57, 207-	18	49
106	Urinary Incontinence and Hysterectomy in a Large Prospective Cohort Study in American Women. 2002 , 167, 2088-2092		44
105	Tolterodine: a safe and effective treatment for older patients with overactive bladder. 2002 , 50, 775		
104	Urinary incontinence among mothers of multiples: the protective effect of cesarean delivery. 2003 , 188, 1447-50; discussion 1450-3		31
103	Postpartum urinary incontinence. 2003 , 82, 556-63		53
102	Are smoking and other lifestyle factors associated with female urinary incontinence? The Norwegian EPINCONT Study. 2003 , 110, 247-254		312
101	[Epidemiology and impact of urinary incontinence in women between 40 and 65 in a health area of Madrid]. 2003 , 32, 410-4		10
100	The association of diet and other lifestyle factors with the onset of overactive bladder: a longitudinal study in men. 2004 , 7, 885-91		71
99	Is physical activity influenced by urinary incontinence?. 2004 , 111, 475-80		16
98	Factors associated with pelvic floor dysfunction with emphasis on urinary and fecal incontinence and genital prolapse: an epidemiological study. 2004 , 83, 383-9		125
97	Diet as a risk factor for the development of stress urinary incontinence: a longitudinal study in women. 2004 , 58, 920-6		36
96	Parity and route of delivery: does cesarean delivery reduce bladder symptoms later in life?. 2004 , 191, 463-9		27
95	The short-term prevalence of de novo urinary symptoms after different modes of hysterectomy. 2004 , 15, 14-9; discussion 19		14
94	Urinary incontinence in elderly women: findings from the Health, Aging, and Body Composition Study. <i>Obstetrics and Gynecology</i> , 2004 , 104, 301-7	4.9	149
93	Behavioral therapies at the primary care level: the current state of knowledge. 2004 , 31, 367-76; quiz 377-8		14
92	Female pelvic floor health: a developmental review. 2004 , 31, 130-7		7

(2008-2005)

91	Behavioral Interventions for the Patient With Overactive Bladder. 2005 , 32, S11-s15	5
90	Effectiveness of a computer-based system to deliver a continence health promotion intervention. 2005 , 32, 246-54	4
89	Factors associated with incontinence frequency in a surgical cohort of stress incontinent women. 2005 , 193, 2088-93	68
88	Influence of physical activity on urinary leakage in primiparous women. 2005 , 15, 87-94	54
87	Prevalence and risk factors of lower urinary tract symptoms in Fuzhou Chinese women. 2005 , 48, 309-13	47
86	Conservative strategies for the treatment of stress urinary incontinence. 2005 , 6, 371-5	1
85	Urinary and anal incontinence in morbidly obese women considering weight loss surgery. <i>Obstetrics and Gynecology</i> , 2005 , 106, 1272-7	88
84	Long-term results with tension-free vaginal tape on mixed and stress urinary incontinence. Obstetrics and Gynecology, 2005 , 106, 38-43 4-9	121
83	Developing and validating a Chinese instrument to measure lower urinary tract symptoms among employed women in Taiwan. 2006 , 54, 353-61	14
82	Urinary incontinence and diabetes: a review. 2006 , 33, 619-23	10
81	Postpartum bladder dysfunction. 2006 , 6, 133-139	7
80	Conservative strategies for the treatment of stress urinary incontinence. 2006 , 1, 27-31	
79	Impact of urinary incontinence in morbidly obese women versus women seeking urogynecologic care. 2007 , 70, 1082-5	7
78	Association between physical activity and urinary incontinence in a community-based elderly population aged 70 years and over. 2007 , 52, 868-74	49
77	Perioperative complications in obese women vs normal-weight women who undergo vaginal surgery. 2007 , 197, 98.e1-8	39
76	A systematic review of overweight and obesity as risk factors and targets for clinical intervention for urinary incontinence in women. 2008 , 27, 749-57	183
75	Reproductive factors associated with nocturia and urinary urgency in women: a population-based study in Finland. 2008 , 199, 153.e1-12	28
74	Body weight through adult life and risk of urinary incontinence in middle-aged women: results from a British prospective cohort. 2008 , 32, 1415-22	41

73	Obesity and pelvic floor disorders: a systematic review. <i>Obstetrics and Gynecology</i> , 2008 , 112, 341-9 4.9	78
72	Urinary incontinence in obese adolescent girls. 2009 , 5, 445-50	21
71	Parity is not associated with urgency with or without urinary incontinence. 2010 , 21, 1095-102	12
70	Perioperative and long-term complications among obese women undergoing vaginal surgery. 2010 , 108, 244-6	14
69	Constipation in community-dwelling elders: prevalence and associated factors. 2012 , 39, 640-5	10
68	Contemporary management of overactive bladder. 2012 , 124, 104-16	1
67	Clinical trials and overactive bladder: lessons learned. 2012 , 2, 689-705	
66	Impacto do treinamento dos m\(\mathbb{E}\)culos do assoalho p\(\mathbb{I}\)vico na qualidade de vida em mulheres com incontin\(\mathbb{E}\)cia urin\(\mathbb{E}\)ia. 2012, 58, 155-159	2
65	Impact of pelvic floor muscle training on the quality of life in women with urinary incontinence. 2012 , 58, 155-159	1
64	Clinical presentation of urinary tract infection (UTI) differs with aging in women. 2012 , 55, 145-7	38
63	Determining lower urinary tract symptoms and associated risk factors in young women. 2012 , 118, 27-30	17
62	Antimuscarinic treatment in overactive bladder: special considerations in elderly patients. 2012 , 29, 539-48	24
61	Do the urinary bladder and large bowel interact, in sickness or in health? ICI-RS 2011. 2012 , 31, 352-8	36
60	Lower urinary tract symptoms in women with and without urinary incontinence. 2012 , 6, 22-29	7
59	Association between Metabolic Syndrome and Lower Urinary Tract Symptoms: Evidences from Epidemiological Studies. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012 , 4 Suppl 1, 8-10	
58	Commonly used antihypertensives and lower urinary tract symptoms: results from the Boston Area Community Health (BACH) Survey. 2012 , 109, 1676-84	24
57	The prevalence of urinary incontinence 20 years after childbirth: a national cohort study in singleton primiparae after vaginal or caesarean delivery. 2013 , 120, 144-151	108
56	Clinical impact of body mass index on the outcome of the SPARC-sling system for the treatment of female stress urinary incontinence. 2013 , 31, 875-80	14

55	Urinary incontinence in older people: an overview. 2013 , 41, 20-23	3
54	Systematic review of the relationship between bladder and bowel function: implications for patient management. 2013 , 67, 205-16	49
53	Hypertension in pre- and postmenopausal women. 2013 , 8, 489-497	
52	Do patient characteristics predict responsiveness to treatment of overactive bladder with antimuscarinic agents?. 2014 , 83, 1023-9	14
51	Weight and urinary incontinence: the missing links. 2014 , 25, 725-9	13
50	Does quality of female sexual function improve after a transobturator tape procedure?. 2014 , 34, 512-4	5
49	ACOG Practice Bulletin No. 155: Urinary Incontinence in Women. <i>Obstetrics and Gynecology</i> , 2015 , 126, e66-e81	60
48	The burden of nocturia among middle-aged and older women. <i>Obstetrics and Gynecology</i> , 2015 , 125, 35-43	21
47	Obesity and pelvic floor dysfunction. 2015 , 29, 541-7	42
46	Frequency and Determinants of Urinary Incontinence in Adolescent and Young Nulliparous Women. 2015 , 28, 462-70	28
45	Effect of anticholinergics on the overactive bladder and bowel domain of the electronic personal assessment questionnaire (ePAQ). 2015 , 26, 533-7	7
44	Exploring associations between lower urinary tract symptoms (LUTS) and gastrointestinal (GI) problems in women: a study in women with urological and GI problems vs a control population. 2015 , 115, 958-67	17
43	Nocturia: Current Levels of Evidence and Recommendations From the International Consultation on Male Lower Urinary Tract Symptoms. 2015 , 85, 1291-9	36
42	Obesity and Pelvic Floor Disorders: A Review of the Literature. 2016 , 22, 1880-6	36
41	Clinical Guideline for Female Lower Urinary Tract Symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2016 , 8, 5-29	29
40	Multicenter Analysis of Urinary Urgency and Urge Incontinence in Patients with Anterior Urethral Stricture Disease before and after Urethroplasty. 2016 , 196, 1700-1705	10
39	Does central sensitization help explain idiopathic overactive bladder?. 2016 , 13, 481-91	45
38	Effect of urinary incontinence on the quality of life of asthmatic women. 2016 , 53, 553-8	2

37	Stress Urinary Incontinence: Comparative Efficacy Trials. 2016 , 43, 45-57	15
36	Comparison of the Effect of Laparoscopic and Abdominal Hysterectomy on Lower Urinary Tract Function, Vaginal Length, and Dyspareunia: A Randomized Clinical Trial. 2016 , 26, 116-21	6
35	Prevalence of urinary incontinence among women and analysis of potential risk factors in Germany and Denmark. 2017 , 96, 939-948	65
34	Development of a core set of outcome measures for OAB treatment. 2017 , 28, 1785-1793	15
33	High risk of lower urinary tract symptoms in patients with irritable bowel syndrome. 2017, 21, 433-438	3
32	Impact of Obesity on Gynecological Diseases. 2017 , 65-76	
31	Female Functional Constipation Is Associated with Overactive Bladder Symptoms and Urinary Incontinence. 2017 , 2017, 2138073	16
30	EAU Guidelines on Assessment and Nonsurgical Management of Urinary Incontinence. 2018 , 73, 596-609	146
29	A Behavioral Weight Loss Program and Nonurinary Incontinence Lower Urinary Tract Symptoms in Overweight and Obese Women with Urinary Incontinence: A Secondary Data Analysis of PRIDE. 2018 , 199, 215-222	12
28	Association between parity and the risk for urinary incontinence in women: A meta-analysis of case-control and cohort studies. 2018 , 97, e11443	18
27	Managing nocturia: The multidisciplinary approach. 2018 , 116, 123-129	3
26	Central obesity indicating a higher prevalence of lower urinary tract symptoms: A case-control matching analysis from a Chinese cross-sectional study in males. <i>LUTS: Lower Urinary Tract</i> 1.9 <i>Symptoms</i> , 2019 , 11, O135-O140	1
25	The association between personal history and the outcomes of transobturator sling surgery. 2019 , 65, 864-869	
24	Quality of life in obese women with symptoms of urinary incontinence. 2019 , 32,	
23	Bladder-bowel interactions: Do we understand pelvic organ cross-sensitization? International Consultation on Incontinence Research Society (ICI-RS) 2018. 2019 , 38 Suppl 5, S25-S34	9
22	Long-term effects of episiotomy on urinary incontinence and pelvic organ prolapse: a systematic review. 2019 , 299, 317-325	6
21	A prospective study to assess the association of body mass index and contamination of urinalysis samples. 2020 , 38, 508-511	0
20	Comparison of Physical and Digital Treatment and Documentation of Uncomplicated Cystitis. 2021 , 13, e17342	

19	Diagnosis and Non-Surgical Management of Urinary Incontinence - A Literature Review with Recommendations for Practice. 2021 , 14, 4555-4565		3
18	Epidemiology of Nocturia: Evaluation of Prevalence, Incidence, Impact and Risk Factors. 2012, 77-107		2
17	Effects of Pregnancy and Childbirth on the Pelvic Floor. 2007 , 21-33		4
16	Epidemiology and Psychosocial Impact of Pelvic Floor Disorders. 2007, 44-54		2
15	Impact of pelvic floor muscle training on the quality of life in women with urinary incontinence. 2012 , 58, 155-159		12
14	Urinary Incontinence and Hysterectomy in a Large Prospective Cohort Study in American Women. 2002 , 2088-2092		4
13	Stress urinary incontinence in active elderly women. 2005 , 98, 79-89		21
12	Antimuscarinic Treatment in Overactive Bladder. 2012 , 29, 539		1
11	The Epidemiology and Etiology of Incontinence and Voiding Dysfunction. 2002, 1-9		
10	Obstetric Issues and the Female Pelvis. 2004 , 95-118		
9	Behavioral Treatments. 2004 , 233-265		1
8	Epidemiologa y consecuencias psicosociales de los trastornos del suelo plvico. 2008 , 43-54		
7	Nocturia. 2014 , 223-250		
6	Nutukusilmoterlapimo nelaikymo gydymas atliekant TVT operacijlVilniaus universiteto ligonina Santarikilkliniklurologijos centre. <i>Medicinos Teorija Ir Praktika</i> , 2015 , 21, 192-196		
5	Impact of Obesity on Gynecological Diseases. 2016 , 1-13		
4	The role of prescription drugs in female overactive bladder syndrome-A population-wide cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 189-198	2.6	1
3	finer fikontinansta Kanfi Temelli Tamamlayfilve Alternatif Tedaviler. <i>Kocaeli fiiversitesi Sa</i> llk Bilimleri Dergisi, 83-90	0.4	0
2	Association of lower urinary tract symptoms and diuretic adherence. LUTS: Lower Urinary Tract Symptoms,	1.9	

О

Quality of Life of Saudi Women With Chronic Lower Urinary Tract Symptoms. **2022**,