

CITATION REPORT

List of articles citing

The kinetics of sorption of divalent metal ions onto sphagnum moss peat

DOI: 10.1016/S0043-1354(99)00232-8
Water Research, 2000, 34, 735-742.

Source: <https://exaly.com/paper-pdf/32088543/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2262	New Insights in the Treatment of Waste Water with Graphene: Dual-Site Adsorption by Sodium Dodecylbenzenesulfonate.		
2261	Mechanism of Adsorption of Dyes and Phenols from Water Using Activated Carbons Prepared from Plum Kernels. 2000 , 227, 437-444		134
2260	Kinetic modeling of liquid-phase adsorption of reactive dyes and metal ions on chitosan. <i>Water Research</i> , 2001 , 35, 613-8	12.5	632
2259	RADIOTRACER TECHNIQUE IN ADSORPTION STUDY OF ZINC AND CADMIUM ON PEAT. 2001 , 19, 429-437		4
2258	Enhanced abilities of highly swollen chitosan beads for color removal and tyrosinase immobilization. 2001 , 81, 167-77		205
2257	Potential utilisation of sewage sludge and paper mill waste for biosorption of metals from polluted waterways. 2001 , 79, 35-9		45
2256	Solute adsorption and enzyme immobilization on chitosan beads prepared from shrimp shell wastes. 2001 , 80, 187-93		104
2255	Sorption of chromium (VI) by spent grain under batch conditions. 2001 , 82, 2128-2134		22
2254	Adsorption Kinetic Models Applied to Nickel Ions on Hazelnut Shell Activated Carbons. 2002 , 20, 179-188		8
2253	Modeling of single and competitive metal adsorption onto a natural polysaccharide. 2002 , 36, 2242-8		54
2252	Synthesis, Characterization, and Application as a Mercury(II) Sorbent of Banana Stalk (Musaparadiasiaca) Polyacrylamide Grafted Copolymer Bearing Carboxyl Groups. 2002 , 41, 5341-5352		77
2251	Uptake of Heavy Metals in Batch Systems by Sulfurized Steam Activated Carbon Prepared from Sugarcane Bagasse Pith. 2002 , 41, 5085-5093		97
2250	Removal of mercury(II) from aqueous solutions and chlor-alkali industry wastewater using 2-mercaptopbenzimidazole-clay. <i>Water Research</i> , 2002 , 36, 1609-19	12.5	233
2249	Adsorption of several metal ions onto a low-cost biosorbent: kinetic and equilibrium studies. 2002 , 36, 2067-73		949
2248	Adsorption of dyes and humic acid from water using chitosan-encapsulated activated carbon. 2002 , 77, 1269-1279		64
2247	Removal of trivalent chromium(III) from solution by biosorption in cork powder. 2002 , 77, 1340-1348		55
2246	Removal of mercury(II) from aqueous solutions and chlor-alkali industry effluent by steam activated and sulphurised activated carbons prepared from bagasse pith: kinetics and equilibrium studies. 2002 , 92, 161-83		215

2245	Equilibrium sorption isotherm for metal ions on tree fern. 2002 , 37, 1421-1430	404
2244	Ni(II) and Cu(II) binding properties of native and modified sugar beet pulp. 2002 , 49, 23-31	129
2243	Activated Carbons Developed from a Rapidly Renewable Biosource for Removal of Cadmium(II) and Nickel(II) Ions from Dilute Aqueous Solutions. 2002 , 41, 180-189	93
2242	Kinetic and equilibrium modeling of liquid-phase adsorption of lead and lead chelates on activated carbons. 2003 , 78, 642-653	37
2241	Liquid-phase adsorption of dyes and phenols using pinewood-based activated carbons. 2003 , 41, 487-495	287
2240	Comment on "Adsorption of fluoride, phosphate, and arsenate ions on a new type of ion exchange fiber," by R.X. Liu, J.L. Guo, and H.X. Tang. 2003 , 262, 307-8	18
2239	Effect of particle size of activated clay on the adsorption of paraquat from aqueous solution. 2003 , 263, 29-34	110
2238	Biosorption of nickel(II) ions on Baker's yeast. 2003 , 38, 1389-1395	152
2237	Biosorption of copper by Sphaerotilus natans immobilised in polysulfone matrix: equilibrium and kinetic analysis. 2003 , 70, 101-112	65
2236	Utilization of ICP/OES for the determination of trace metal binding to different humic fractions. 2003 , 97, 207-18	31
2235	Kinetics of biosorption of cadmium on Baker's yeast. 2003 , 89, 281-7	100
2234	Affinity dye-ligand poly(hydroxyethyl methacrylate)/chitosan composite membrane for adsorption lysozyme and kinetic properties. 2003 , 15, 77-78	7
2233	In reaction to the comment by Dr. Y.-S. Ho on our publication Affinity dye-ligand poly(hydroxyethylmethacrylate)/chitosan composite membrane for adsorption lysozyme and kinetic properties, Biochemical Engineering Journal 13 (2003) 354-55. 2003 , 15, 79-80	6
2232	The effects of pH and salinity on kinetics of paraquat sorption onto activated clay. 2003 , 224, 99-105	38
2231	Macroporous Poly(calcium acrylate-divinylbenzene) Bead A Selective Orthophosphite Sorbent. 2003 , 42, 5559-5567	34
2230	Sorption of Cr(VI) and Cu(II) in aqueous solution by ethylenediamine modified rice hull. 2003 , 24, 1243-51	54
2229	Thermal and spectroscopic studies on sorption of nickel(II) ion on protonated baker's yeast. 2003 , 52, 1807-17	44
2228	Equilibrium studies for the sorption of lead from effluents using chitosan. 2003 , 52, 1021-30	170

2227	The adsorption of basic dyes from aqueous solution on modified peat-resin particle. <i>Water Research</i> , 2003 , 37, 1535-44	12.5	444
2226	Removal of copper ions from aqueous solution by tree fern. <i>Water Research</i> , 2003 , 37, 2323-30	12.5	527
2225	Experimental study and modeling of basic dye sorption by diatomaceous clay. 2003 , 24, 111-120		207
2224	Sorption Kinetics of Arsenic onto Iron-Conditioned Zeolite. 2003 , 36, 477-485		49
2223	Chromium (VI) uptake by grape stalks wastes encapsulated in calcium alginate beads: equilibrium and kinetics studies. 2004 , 16, 25-33		29
2222	Adsorption of Iron and Manganese Ions Using Low-Cost Materials as Adsorbents. 2004 , 22, 25-37		41
2221	Adsorption of dyes using peat: equilibrium and kinetic studies. 2004 , 25, 987-96		25
2220	Adsorption of iron and manganese using low cost materials as adsorbents. 2004 , 39, 421-34		9
2219	Biosorption of Cadmium by <i>Fucus spiralis</i> . 2004 , 1, 180		100
2218	The adsorption of lead and copper from aqueous solution on modified peat-resin particles. 2004 , 26, 311-7		22
2217	Use of radiotracer in adsorption studies of copper on peat. 2004 , 259, 239-243		15
2216	Adsorption of acid dyes from aqueous solution on activated bleaching earth. 2004 , 275, 72-8		119
2215	Comment on "Removal of copper from aqueous solution by aminated and protonated mesoporous aluminas: kinetics and equilibrium," by S. Rengaraj, Y. Kim, C.K. Joo, and J. Yi. 2004 , 276, 255-8		16
2214	<i>Azadirachta indica</i> leaf powder as an effective biosorbent for dyes: a case study with aqueous Congo Red solutions. 2004 , 71, 217-29		309
2213	Sorption of copper and lead by citric acid modified wood. 2004 , 38, 629-640		93
2212	Pseudo-isotherms for the sorption of cadmium ion onto tree fern. 2004 , 39, 761-765		113
2211	Physicochemical studies of cadmium(II) biosorption by the invasive alga in Europe, <i>Sargassum muticum</i> . 2004 , 88, 237-47		106
2210	"Kinetic modeling and equilibrium studies during cadmium biosorption by dead <i>Sargassum</i> sp. biomass" by Cruz, C.C.V., da Costa, A.C.A., Henriques, C.A., Luna, A.S., <i>Bioresource Technology</i> , 91(3) (2004) 249-257. 2004 , 93, 321-3		14

2209	Dye removal from wastewater using activated carbon developed from sawdust: adsorption equilibrium and kinetics. 2004 , 113, 81-8	511
2208	Comment on "Sorption of basic dyes from aqueous solution by activated sludge" [J. Hazard. Mater. 108 (2004) 183-188]. 2004 , 114, 241-5	11
2207	Biosorption of nickel on blank alginate beads, free and immobilized algal cells. 2004 , 39, 1767-1773	174
2206	The adsorption of copper(II) ions on to dehydrated wheat bran (DWB): determination of the equilibrium and thermodynamic parameters. 2004 , 39, 2183-2191	243
2205	Comment on "An alternative Avrami equation to evaluate kinetic parameters of the interaction of Hg(II) with thin chitosan membranes," by E.C.N. Lopes, F.S.C. dos Anjos, E.F.S. Vieira, and A.R. Cestari. 2004 , 272, 249-50	10
2204	Adsorption of Cr(III) from wastewater by wine processing waste sludge. 2004 , 273, 95-101	61
2203	Kinetic models of sorption: a theoretical analysis. 2004 , 276, 47-52	1491
2202	Response to "Comment on 'Removal of copper from aqueous solution by aminated and protonated mesoporous aluminas: kinetics and equilibrium'". 2004 , 277, 255	
2201	Adsorption of Acid Blue 193 from aqueous solutions onto Na-bentonite and DTMA-bentonite. 2004 , 280, 44-54	362
2200	Physicochemical aspects of using natural scavengers in removing methylene blue (basic dye) from solution. 2004 , 20, 449-458	1
2199	Comment on "Arsenic removal using mesoporous alumina prepared via a templating method". 2004 , 38, 3214-5; author reply 3216	16
2198	Synthesis, Characterization, and Application as a Chromium(VI) Adsorbent of Amine-Modified Polyacrylamide-Grafted Coconut Coir Pith. 2004 , 43, 2247-2255	75
2197	Removal of phosphorus from water using lignocellulosic material modified with iron species from acid mine drainage. 2004 , 25, 185-91	5
2196	Phosphate adsorption on aluminum-impregnated mesoporous silicates: surface structure and behavior of adsorbents. 2004 , 38, 912-7	232
2195	Solid-Phase Extraction of Cd(II) as Diethyldithiocarbamate Complex by Polyurethane Foam: Kinetic and Thermodynamic Characterization. 2004 , 39, 2695-2709	16
2194	Sorption Mechanism of Some Divalent Metal Ions Onto Low-Cost Mineral Adsorbent. 2004 , 43, 1512-1522	70
2193	Adsorption kinetics of herbicide paraquat from aqueous solution onto activated bleaching earth. 2004 , 55, 829-37	64
2192	Cadmium(II) and zinc(II) adsorption by the aquatic moss <i>Fontinalis antipyretica</i> : effect of temperature, pH and water hardness. <i>Water Research</i> , 2004 , 38, 693-9	12.5 209

2191	Improvement of cadmium ion removal by base treatment of juniper fiber. <i>Water Research</i> , 2004 , 38, 1289-95	153
2190	Comment on "Cadmium removal from aqueous solutions by chitin: kinetic and equilibrium studies". <i>Water Research</i> , 2004 , 38, 2962-4, author reply 2965	12.5 33
2189	Metal Ion Adsorption by Peat and Solvent-Extracted Peat. 2004 , 22, 783-793	2
2188	Sorption of Ni(II)-citrate complex from electroless nickel plating solutions onto chitosan. 2004 , 82, 38-42	9
2187	Kinetics of Cr(VI) Adsorption on Used Black Tea Leaves. 2005 , 38, 402-408	35
2186	Comments on Btudy on biosorption of Cr(VI) by <i>Mucor hiemalis</i> □ 2005 , 26, 82-83	5
2185	Removal of cadmium ions with olive stones: the effect of some parameters. 2005 , 40, 2649-2654	93
2184	Kinetics and thermodynamics of lead ion sorption on palm kernel fibre from aqueous solution. 2005 , 40, 3455-3461	157
2183	Comment on "nitrate removal from aqueous solution by adsorption onto various materials" by N. Oztürk, T.E. Bektaş□ 2005 , 118, 253-4	5
2182	Effects of calcium competition on lead sorption by palm kernel fibre. 2005 , 120, 157-62	28
2181	Reply to comment on "Nitrate removal from aqueous solution by adsorption onto various materials", by Y.S. Ho. 2005 , 120, 277	1
2180	<i>Azadirachta indica</i> (Neem) leaf powder as a biosorbent for removal of Cd(II) from aqueous medium. 2005 , 125, 102-12	76
2179	Thermodynamic and kinetic investigations of PO ₃ -4 adsorption on blast furnace slag. 2005 , 281, 62-7	87
2178	Determination of kinetic parameters of Cu(II) interaction with chemically modified thin chitosan membranes. 2005 , 285, 288-95	65
2177	Competitive adsorption of Pb ²⁺ , Cu ²⁺ , and Cd ²⁺ ions on microporous titanasilicate ETS-10. 2005 , 287, 178-84	76
2176	Biosorption of cadmium by the protonated macroalga <i>Sargassum muticum</i> : binding analysis with a nonideal, competitive, and thermodynamically consistent adsorption (NICCA) model. 2005 , 289, 352-8	32
2175	Kinetics and equilibrium adsorption of Cu(II), Cd(II), and Ni(II) ions by chitosan functionalized with 2[-bis-(pyridylmethyl)aminomethyl]-4-methyl-6-formylphenol. 2005 , 291, 369-74	141
2174	Multistep adsorption of anionic dyes on silica/chitosan hybrid. 1. Comparative kinetic data from liquid- and solid-phase models. 2005 , 292, 363-72	93

2173	Comments on "Chitosan functionalized with 2[-bis-(pyridylmethyl) aminomethyl]4-methyl-6-formyl-phenol: equilibrium and kinetics of copper (II) adsorption" 2005 , 46, 1451-1452	5
2172	Biosorption of cadmium by biomass of brown marine macroalgae. 2005 , 96, 1796-803	160
2171	Kinetics of interaction of hardened oil-well cement slurries with acidic solutions from isothermal heat-conduction calorimetry. 2005 , 430, 211-215	11
2170	Effect of pH on lead removal from water using tree fern as the sorbent. 2005 , 96, 1292-6	153
2169	Adsorption characteristics and the kinetics of the Cr(VI) on the Thuja orientalis. 2005 , 252, 121-128	99
2168	Uranium sorption on cork biomass. 2005 , 252, 231-236	71
2167	Adsorption of phosphate ions on novel inorganic ion exchangers. 2005 , 255, 55-63	173
2166	Treatment of pulp and paper mill wastewaters with poly aluminium chloride and bagasse fly ash. 2005 , 260, 17-28	96
2165	Adsorptive removal of malachite green dye from aqueous solution by bagasse fly ash and activated carbon-kinetic study and equilibrium isotherm analyses. 2005 , 264, 17-28	405
2164	Comment on "Two-stage batch sorber design using second-order kinetic model for the sorption of metal complex dyes onto pine sawdust" by Bakar, M. and Engil A.. 2005 , 23, 291-292	8
2163	Comment on "Selective adsorption of tannins onto hide collagen fibres" 2005 , 48, 176	6
2162	Removal of water-soluble azo dye by the magnetic material MnFe ₂ O ₄ . 2005 , 80, 20-27	48
2161	Sorption characteristics of heavy metal ions by a natural zeolite. 2005 , 80, 477-481	65
2160	Removal of Methylene Blue from aqueous solutions using as biosorbent Sargassum muticum: an invasive macroalga in Europe. 2005 , 80, 291-298	92
2159	Nickel and copper removal from aqueous solution by an immature coal (leonardite): effect of pH, contact time and water hardness. 2005 , 80, 649-656	24
2158	Intraparticle diffusion of cadmium and zinc ions during adsorption from aqueous solution on activated carbon. 2005 , 80, 924-933	23
2157	Chromium(VI) adsorption from aqueous solution by Hevea Brasilinesis sawdust activated carbon. 2005 , 124, 192-9	507
2156	Comment on "Adsorption of naphthalene on zeolite from aqueous solution" by C.F. Chang, C.Y. Chang, K.H. Chen, W.T. Tsai, J.L. Shie, Y.H. Chen. 2005 , 283, 274-7	19

2155	Physicochemical characterization of the retardation of aqueous Cs ⁺ ions by natural kaolinite and clinoptilolite minerals. 2005 , 285, 9-17	47
2154	Adsorption of basic dyes from aqueous solution onto pumice powder. 2005 , 286, 455-8	75
2153	Pore structure and adsorption performance of the KOH-activated carbons prepared from corncob. 2005 , 287, 428-37	205
2152	Adsorption of fluoride, chloride, bromide, and bromate ions on a novel ion exchanger. 2005 , 291, 67-74	126
2151	Removal of Phenolic and Lignin Compounds from Bleached Kraft Mill Effluent by Fly Ash and Sepiolite. 2005 , 11, 87-97	54
2150	The Equilibrium and Kinetic Modelling of the Biosorption of Copper(II) Ions on <i>Cladophora crispata</i> . 2005 , 10, 317-326	69
2149	The Adsorption Kinetics of Cethyltrimethylammonium Bromide (CTAB) onto Powdered Active Carbon. 2005 , 10, 339-348	37
2148	Optimization of Parameters for Cr(VI) Adsorption on Used Black Tea Leaves. 2005 , 11, 561-568	34
2147	Cadmium removal by <i>Juniperus monosperma</i> : The role of calcium oxalate monohydrate structure in bark. 2005 , 22, 599-604	4
2146	Reply for the comment. 2005 , 48, 176-176	
2145	Adsorption Kinetics for Urban Rainfall-Runoff Metals by Composite Oxide-Coated Polymeric Media. 2005 , 131, 1168-1177	9
2144	Different cadmium adsorption behavior of juniper wood and bark sorbents.	
2143	Cd(II) and Pb(II) separation from aqueous solution using clinoptilolite and <i>Opuntia ectodermis</i> . 2005 , 26, 821-9	15
2142	Use of Peat Moss Amended with Soybean Oil for Mitigation of Dissolved Explosive Compounds Leaching into the Subsurface: Insight into Mass Transfer Mechanisms. 2005 , 22, 337-349	5
2141	Metal removal from wastewater by bacterial sorption: kinetics and competition studies. 2005 , 26, 615-24	17
2140	Removal of Nickel from Aqueous Solution Using Wine Processing Waste Sludge. 2005 , 44, 1438-1445	83
2139	Orthophosphate sorption onto lanthanum-treated lignocellulosic sorbents. 2005 , 39, 6273-9	86
2138	Adsorption of Co(II) by a carboxylate-functionalized polyacrylamide grafted lignocellulosics. 2005 , 58, 1117-26	61

2137	Cadmium ion sorption onto lignocellulosic biosorbent modified by sulfonation: the origin of sorption capacity improvement. 2005 , 60, 1054-61		88
2136	Practical and mechanistic aspects of the removal of cadmium from aqueous systems using peat. 2005 , 138, 358-67		18
2135	Comment on "Removal of chlorophenols from groundwater by chitosan sorption". <i>Water Research</i> , 2005 , 39, 264-8; author reply 269	12.5	5
2134	Reply to comment on originality of kinetic models by Y.-S. Ho. <i>Water Research</i> , 2005 , 39, 269	12.5	3
2133	Magnetic powder MnO-Fe ₂ O ₃ composite--a novel material for the removal of azo-dye from water. <i>Water Research</i> , 2005 , 39, 630-8	12.5	213
2132	A study on arsenic adsorption on polymetallic sea nodule in aqueous medium. <i>Water Research</i> , 2005 , 39, 2579-90	12.5	84
2131	Removal of Humic Acid Using PEI-Modified Fungal Biomass. 2006 , 41, 2989-3002		6
2130	Mercury adsorption on a carbon sorbent derived from fruit shell of Terminalia catappa. 2006 , 133, 283-90		90
2129	Heavy metals remediation of water using plants and lignocellulosic agrowastes. 2006 , 188, 59-84		38
2128	Kinetics of solute adsorption at solid/solution interfaces: a theoretical development of the empirical pseudo-first and pseudo-second order kinetic rate equations, based on applying the statistical rate theory of interfacial transport. 2006 , 110, 16514-25		240
2127	Biosorption of Zinc on Palm Tree Leaves: Equilibrium, Kinetics, and Thermodynamics Studies. 2006 , 41, 3499-3515		35
2126	Removal of Zinc(II) from Aqueous Solution by Purified Carbon Nanotubes: Kinetics and Equilibrium Studies. 2006 , 45, 2850-2855		244
2125	Mechanisms of competitive adsorption of Pb, Cu, and Cd on peat. 2006 , 144, 669-80		179
2124	Radionuclide Sorption onto Low-Cost Mineral Adsorbent. 2006 , 45, 9122-9128		35
2123	Reply to comment of "Prof. Y.S. Ho" on [Int. J. Biol. Macromol. 34 (2004) 155-161]. 2006 , 38, 77		
2122	Comment on equilibrium and kinetics studies of adsorption of copper(II) on chitosan and chitosan/PVA beads. 2006 , 38, 148-9		3
2121	Second-order kinetic model for the sorption of cadmium onto tree fern: a comparison of linear and non-linear methods. <i>Water Research</i> , 2006 , 40, 119-25	12.5	1000
2120	Kinetic studies of adsorption of lead(II) from aqueous solution by wine-processing waste sludge. 2006 , 78, 263-8		1

2119	Magnetic Removal of Phosphate from Wastewater Using Schwertmannite. 2006 , 47, 1832-1837	38
2118	Effect of pH on nickel biosorption by aerobic granular sludge. 2006 , 97, 359-63	91
2117	Equilibrium and kinetic modelling of methylene blue biosorption by pretreated dead streptomyces rimosus: Effect of temperature. 2006 , 119, 121-125	68
2116	Liquid-phase adsorption: Characterization and use of activated carbon prepared from diosgenin production residue. 2006 , 280, 9-16	9
2115	Biosorption of copper on Chlorella vulgaris from single, binary and ternary metal aqueous solutions. 2006 , 41, 457-464	138
2114	Cadmium removal from aqueous solutions by hydroxy-8 quinoleine intercalated bentonite. 2006 , 293, 270-7	34
2113	Adsorption of hexavalent chromium on manganese nodule leached residue obtained from NH ₃ -SO ₂ leaching. 2006 , 297, 419-25	61
2112	Adsorption of 18-crown-6 from aqueous solution on granular activated carbon: a kinetic modeling study. 2006 , 299, 112-5	48
2111	A novel and simple method for finding the heterogeneity of adsorbents on the basis of adsorption kinetic data. 2006 , 302, 76-81	63
2110	Diethylenetriamine-grafted poly(glycidyl methacrylate) adsorbent for effective copper ion adsorption. 2006 , 303, 99-108	133
2109	Pseudo-second-order model for lead ion sorption from aqueous solutions onto palm kernel fiber. 2006 , 129, 137-42	270
2108	Comment on "Remediation of soil contaminated with the heavy metal (Cd ²⁺)". 2006 , 134, 41-2	2
2107	Adsorption of bisphenol-A from aqueous solution onto minerals and carbon adsorbents. 2006 , 134, 169-75	187
2106	Kinetics and thermodynamics of adsorption of azinphosmethyl from aqueous solution onto pyrolyzed (at 600 degrees C) ocean peat moss (Sphagnum sp.). 2006 , 135, 100-5	32
2105	Trivalent chromium removal from wastewater using low cost activated carbon derived from agricultural waste material and activated carbon fabric cloth. 2006 , 135, 280-95	317
2104	Adsorption of copper ions onto microwave stabilized heavy metal sludge. 2006 , 136, 338-44	25
2103	Sorption of copper(II) ion from aqueous solution by Tectona grandis l.f. (teak leaves powder). 2006 , 136, 560-6	76
2102	Review of second-order models for adsorption systems. 2006 , 136, 681-9	2737

2101	Pseudo second order kinetics and pseudo isotherms for malachite green onto activated carbon: comparison of linear and non-linear regression methods. 2006 , 136, 721-6	94
2100	Adsorption of Cu(II) ions on cotton boll. 2006 , 136, 911-6	92
2099	Adsorption of zinc on natural sediment of Tafna River (Algeria). 2006 , 137, 1263-70	22
2098	Linear and non-linear regression analysis for the sorption kinetics of methylene blue onto activated carbon. 2006 , 137, 1538-44	287
2097	Kinetic studies of copper ion adsorption on palm kernel fibre. 2006 , 137, 1796-802	91
2096	Adsorption behaviors of ETS-10 and its variant, ETAS-10 on the removal of heavy metals, Cu ²⁺ , Co ²⁺ , Mn ²⁺ and Zn ²⁺ from a waste water. 2006 , 96, 157-167	72
2095	Characterization of Pb, Cu, and Cd adsorption on particulate organic matter in soil. 2006 , 25, 2366-73	70
2094	New method for evaluation of heavy metal binding to alginate beads using pH and conductivity data. 2006 , 12, 175-184	17
2093	Biosorption of copper (II) and lead (II) from aqueous solutions by nonliving green algae <i>Cladophora fascicularis</i> : Equilibrium, kinetics and environmental effects. 2006 , 12, 267-277	91
2092	Very fast sorbent for organic dyes and pollutants. 2006 , 284, 817-820	33
2091	Pseudo second order kinetic models for safranin onto rice husk: Comparison of linear and non-linear regression analysis. 2006 , 41, 1198-1202	52
2090	Adsorption of reactive dyes on titania-silica mesoporous materials. 2006 , 299, 305-20	137
2089	Modelling Cd(II) removal from aqueous solutions by adsorption on a highly mineralized peat. Batch and fixed-bed column experiments. 2006 , 81, 1107-1112	18
2088	PRODUCTION OF LOW-COST CARBON ADSORBENTS FROM AGRICULTURAL WASTES AND THEIR IMPACT ON DYE ADSORPTION. 2007 , 195, 386-403	32
2087	Biosorption of Lead from Industrial Wastewater Using <i>Chrysophyllum albidum</i> Seed Shell. 2007 , 11, 183-194	8
2086	Polycation adsorption on montmorillonite: pH and T as decisive factors for the kinetics and mode of chitosan adsorption. 2007 , 42, 329-339	17
2085	Removal of As(V) and As(III) from water with a PEI-modified fungal biomass. 2007 , 55, 177-85	44
2084	Evaluation of the Sorptive Capacity of Sugarcane Bagasse and Its Coal for Heavy Metals in Solution. 2007 , 54, 1401-1412	4

2083	Metal Ion Biosorption Potential of Lignocellulosic Biomasses and Marine Algae for Wastewater Treatment. 2007 , 25, 227-244	11
2082	Extended geometric method: a simple approach to derive adsorption rate constants of Langmuir-Freundlich kinetics. 2007 , 68, 2040-6	74
2081	Kinetic and adsorption study of acid dye removal using activated carbon. 2007 , 69, 1151-8	226
2080	Study of adsorption of acid dye from aqueous solutions using bentonite. 2007 , 6, 97-107	22
2079	Application of Chitosan for the Removal of Metals From Wastewaters by Adsorption Mechanisms and Models Review. 2007 , 37, 41-127	559
2078	An investigation into the prospects of arsenic(v) removal from contaminated groundwater using untreated bauxite ore. 2007 , 42, 831-8	3
2077	Phosphate sorption characteristics of zirconium meso-structure synthesized under different conditions. 2007 , 28, 785-92	3
2076	Kinetic Modeling of the Adsorption of Basic Dyes onto Steam-Activated Bituminous Coal. 2007 , 46, 4764-4771	10
2075	Studies of the Kinetics of Solute Adsorption at Solid/Solution Interfaces: On the Possibility of Distinguishing between the Diffusional and the Surface Reaction Kinetic Models by Studying the Pseudo-First-order Kinetics. 2007 , 111, 15100-15110	97
2074	Kinetics and Thermodynamics of Lead (II) Adsorption on Vermiculite. 2007 , 42, 185-202	26
2073	Design of an adsorbent employing activated carbon fiber to remove lead. 2007 , 32, 61-71	8
2072	Pyromellitic dianhydride-modified β -cyclodextrin microspheres for Pb(II) and Cd(II) adsorption. 2007 , 105, 3418-3425	15
2071	Kinetics and equilibrium of cobalt ion adsorption on cross-linked polyethylenimine membrane. 2007 , 105, 1964-1967	6
2070	Waste spider crab shell and derived chitin as low-cost materials for cadmium and lead removal. 2007 , 82, 39-46	33
2069	Adsorption behavior of ruthenium ions on activated charcoal from nitric acid medium. 2007 , 293, 217-223	47
2068	Adsorption mechanism of cadmium on juniper bark and wood. 2007 , 98, 588-94	81
2067	Removal of basic and reactive dyes using ethylenediamine modified rice hull. 2007 , 98, 2792-9	150
2066	Adsorption of zinc from aqueous solution using chemically treated newspaper pulp. 2007 , 98, 3136-41	30

2065	Aspects of cationic dye molecule adsorption to palygorskite. 2007 , 214, 327-342	150
2064	Comments on An adsorption and kinetic study of lac dyeing on silk 2007 , 72, 134-136	10
2063	Adsorption and reduction of nitrate in water on hydrotalcite-supported Pd-Cu catalyst. 2007 , 126, 476-482	35
2062	Removal of copper ions from aqueous solutions by dried sunflower leaves. 2007 , 46, 614-622	93
2061	Adsorption of lead onto formaldehyde or sulphuric acid treated acorn waste: Equilibrium and kinetic studies. 2007 , 37, 192-200	103
2060	Equilibrium isotherms and kinetics studies for the sorption of fluoride on light weight concrete materials. 2007 , 295, 258-263	34
2059	Sorption studies of a model anionic dye on crosslinked chitosan. 2007 , 310, 20-31	33
2058	Incorporation of hybrid elements into microporous titanasilicate ETS-10: An approach to improving its adsorption properties toward Pb ²⁺ . 2007 , 101, 355-362	11
2057	Removal of cadmium from aqueous solutions by adsorption onto orange waste. 2007 , 139, 122-31	430
2056	Effect of pH on cadmium biosorption by coconut copra meal. 2007 , 139, 356-62	139
2055	Heavy metal adsorption by modified oak sawdust: thermodynamics and kinetics. 2007 , 141, 77-85	509
2054	Removal of Pb(II) ions from aqueous solutions by sulphuric acid-treated wheat bran. 2007 , 141, 753-61	137
2053	Evaluation of Fuller's earth for the adsorption of mercury from aqueous solutions: a comparative study with activated carbon. 2007 , 142, 165-74	104
2052	Pseudo-second order models for the adsorption of safranin onto activated carbon: comparison of linear and non-linear regression methods. 2007 , 142, 564-7	75
2051	Characteristics of equilibrium, kinetics studies for adsorption of fluoride on magnetic-chitosan particle. 2007 , 143, 296-302	190
2050	Biosorption of nickel from protonated rice bran. 2007 , 143, 478-85	175
2049	Removal of methylene blue from aqueous solution by peat. 2007 , 144, 412-9	87
2048	Mechanisms and kinetics of chelating reaction between novel chitosan derivatives and Zn(II). 2007 , 146, 58-64	64

2047	Removal of nickel from aqueous solution by the bacterium <i>Bacillus thuringiensis</i> . 2007 , 147, 518-23	120
2046	Sorption of Cd(II) and Se(IV) from aqueous solution using modified rice husk. 2007 , 147, 546-55	98
2045	Batch sorption dynamics and equilibrium for the removal of cadmium ions from aqueous phase using wheat bran. 2007 , 149, 115-25	186
2044	A radiotracer study of the adsorption behavior of aqueous Ba(2+) ions on nanoparticles of zero-valent iron. 2007 , 148, 761-7	177
2043	Kinetic and equilibrium models for biosorption of Cr(VI) on chemically modified seaweed, <i>Cystoseira indica</i> . 2007 , 42, 1521-1529	108
2042	Chitosan modified with Reactive Blue 2 dye on adsorption equilibrium of Cu(II) and Ni(II) ions. 2007 , 67, 1052-1060	52
2041	Kinetic modeling of adsorption of di-2-pyridylketone salicyloylhydrazone on silica gel. 2007 , 307, 24-8	30
2040	Studies on selenite adsorption using manganese nodule leached residues. 2007 , 307, 333-9	20
2039	Identification of selective ion-exchange resin for fluoride sorption. 2007 , 308, 438-50	356
2038	Modeling the sorption kinetics of divalent metal ions onto mineral adsorbent using integral method. 2007 , 313, 423-7	5
2037	Novel three-stage kinetic model for aqueous benzene adsorption on activated carbon. 2007 , 314, 367-72	41
2036	Chromium(III) removal from water and wastewater using a carboxylate-functionalized cation exchanger prepared from a lignocellulosic residue. 2007 , 316, 268-76	62
2035	Comparative sorption of copper and nickel from aqueous solutions by natural neem (<i>Azadirachta indica</i>) sawdust and acid treated sawdust. 2007 , 41, 427-442	30
2034	Adsorption capacity and mineralogical and physico-chemical characteristics of Shuwaymiyah palygorskite (Oman). 2007 , 51, 1317-1327	24
2033	Cobalt and zinc removal from aqueous solution by chemically treated bentonite. 2007 , 27, 357-363	30
2032	Sorption kinetics of selenium on humic acid. 2007 , 274, 555-561	23
2031	Theoretical description of the kinetics of solute adsorption at heterogeneous solid/solution interfaces. 2007 , 253, 5827-5840	88
2030	Sorption dynamics and isotherm studies of methylene blue uptake on to palm kernel fibre. 2007 , 126, 35-43	90

2029	Kinetics and mechanism of methylene blue sorption onto palm kernel fibre. 2007 , 42, 16-24	70
2028	Uptake and desorption of copper ion using functionalized polymer coated silica gel in aqueous environment. 2007 , 57, 47-56	86
2027	Chemical modification of multiwalled carbon nanotubes for sorption of Zn ²⁺ from aqueous solution. 2008 , 139, 462-468	91
2026	Sorption of malachite green by a novel sorbent, dead leaves of plane tree: Equilibrium and kinetic modeling. 2008 , 143, 73-84	96
2025	Adsorption of humic acid from aqueous solutions on crosslinked chitosan-epichlorohydrin beads: kinetics and isotherm studies. 2008 , 65, 18-24	106
2024	Zirconium mesostructures immobilized in calcium alginate for phosphate removal. 2008 , 25, 1040-1046	37
2023	Theoretical analysis of the adsorption of metal ions to the surface of melanin particles. 2008 , 14, 101-109	24
2022	Removal of nickel from effluents by chelating ion exchange. 2008 , 83, 1623-1632	10
2021	Adsorption of ammonia on activated carbon from aqueous solutions. 2008 , 27, 225-233	32
2020	Comparative study of the biosorption of cadmium(II), chromium(III), and lead(II) by olive stone. 2008 , 27, 469-478	28
2019	Sorption kinetics for the removal of dyes from effluents onto chitosan. 2008 , 109, 2232-2242	16
2018	Pb(II) and Cr(VI) adsorption from aqueous solution on activated carbons obtained from sugar cane husk and sawdust. 2008 , 81, 278-284	50
2017	Inhibition of nitrobenzene adsorption by water cluster formation at acidic oxygen functional groups on activated carbon. 2008 , 322, 394-8	36
2016	Competitive biosorption of zinc(II) and cobalt(II) in single- and binary-metal systems by aerobic granules. 2008 , 324, 1-8	49
2015	Adsorptive removal of arsenate and orthophosphate anions by mesoporous alumina. 2008 , 113, 197-203	33
2014	Chitosan crosslinked with a metal complexing agent: Synthesis, characterization and copper(II) ions adsorption. 2008 , 68, 572-579	77
2013	Attenuation of divalent toxic metal ions using natural sericitic pyrophyllite. 2008 , 88, 1273-9	19
2012	Biosorption of Cu(II) ions onto the litter of natural trembling poplar forest. 2008 , 151, 86-95	80

2011	Adsorption of metal ions on lignin. 2008 , 151, 134-42	496
2010	Kinetic and equilibrium study for the sorption of cadmium(II) ions from aqueous phase by eucalyptus bark. 2008 , 152, 148-58	140
2009	Adsorption of reactive dye from an aqueous solution by chitosan: isotherm, kinetic and thermodynamic analysis. 2008 , 152, 337-46	243
2008	Removal of phosphate from aqueous solutions and sewage using natural and surface modified coir pith. 2008 , 152, 527-35	142
2007	Adsorption of Cd, Cu, Ni, Pb and Zn on Sphagnum peat from solutions with low metal concentrations. 2008 , 152, 885-91	77
2006	Untreated coffee husks as biosorbents for the removal of heavy metals from aqueous solutions. 2008 , 152, 1073-81	187
2005	Removal of copper ions from aqueous solutions by hazelnut shell. 2008 , 153, 677-84	42
2004	Equilibrium and kinetic studies of methyl violet sorption by agricultural waste. 2008 , 154, 204-12	265
2003	Multi-component sorption of Pb(II), Cu(II) and Zn(II) onto low-cost mineral adsorbent. 2008 , 154, 221-9	94
2002	Equilibrium, thermodynamic and kinetic studies for the biosorption of aqueous lead(II), cadmium(II) and nickel(II) ions on <i>Spirulina platensis</i> . 2008 , 154, 973-80	92
2001	Biosorption of chromium(VI) ion from aqueous solutions using walnut, hazelnut and almond shell. 2008 , 155, 378-84	170
2000	Evaluation of untreated coffee husks as potential biosorbents for treatment of dye contaminated waters. 2008 , 155, 507-12	238
1999	Fourier Transform Infrared Spectroscopic characterization and optimization of Pb(II) biosorption by fish (<i>Labeo rohita</i>) scales. 2008 , 156, 64-73	74
1998	Equilibrium modeling and kinetic studies on the adsorption of basic dye by a low-cost adsorbent: coconut (<i>Cocos nucifera</i>) bunch waste. 2008 , 158, 65-72	430
1997	Equilibrium, kinetic and sorber design studies on the adsorption of Aniline blue dye by sodium tetraborate-modified Kaolinite clay adsorbent. 2008 , 157, 397-409	102
1996	Kinetic studies of elemental mercury adsorption in activated carbon fixed bed reactor. 2008 , 158, 1-13	149
1995	Removal of copper from aqueous solution using newspaper pulp as an adsorbent. 2008 , 159, 396-403	59
1994	Kinetic studies for the biosorption of lead and copper ions by <i>Penicillium simplicissimum</i> immobilized within loofa sponge. 2008 , 159, 610-5	42

1993	Removal of mercury(II) from aqueous media using eucalyptus bark: Kinetic and equilibrium studies. 2008 , 160, 301-9	147
1992	Interaction of Pb ²⁺ ions with surfactant-containing mesoporous silicates. 2008 , 14, 510-514	4
1991	Mathematical modeling of the kinetics of phenol electrocatalytic hydrogenation over supported Pd/Alumina catalyst. 2008 , 345, 28-42	7
1990	Adsorption of copper on rubber (<i>Hevea brasiliensis</i>) leaf powder: Kinetic, equilibrium and thermodynamic studies. 2008 , 39, 521-530	254
1989	Sorption of copper(II) from aqueous solutions by cedar sawdust and crushed brick. 2008 , 225, 95-112	134
1988	Studies on castor seed shell as a sorbent in basic dye contaminated wastewater remediation. 2008 , 227, 190-203	83
1987	Utilization of natural zeolite as ion-exchange and sorbent material in the removal of iron. 2008 , 225, 70-81	71
1986	Use of zeolites for treating natural gas co-produced waters in Wyoming, USA. 2008 , 228, 263-276	36
1985	Adsorption behavior of cationic dyes on citric acid esterifying wheat straw: kinetic and thermodynamic profile. 2008 , 230, 220-228	121
1984	The effects of pH and ionic strength on fulvic acid uptake by chitosan hydrogel beads. 2008 , 324, 28-34	32
1983	Adsorption kinetics for removal of thiocyanate from aqueous solution by calcined hydrotalcite. 2008 , 325, 38-43	36
1982	Pseudo-second-order kinetic models for the sorption of Hg(II) onto dead biomass of marine <i>Aspergillus niger</i> : Comparison of linear and non-linear methods. 2008 , 328, 40-43	22
1981	Adsorption of Cd(II) ions from aqueous solutions using activated carbon prepared from olive stone by ZnCl ₂ activation. 2008 , 99, 492-501	286
1980	Copper removal by algae <i>Gelidium</i> , agar extraction algal waste and granulated algal waste: kinetics and equilibrium. 2008 , 99, 750-62	89
1979	Kinetic sorption modelling of Cu, Ni, Zn, Pb and Cr ions to pine bark and blast furnace slag by using batch experiments. 2008 , 99, 1571-7	69
1978	Copper removal from wastewater using spent-grain as biosorbent. 2008 , 99, 1509-17	135
1977	Comparison of different types of biomasses for copper biosorption. 2008 , 99, 2559-65	86
1976	Biosorption of nickel(II) ions by baker's yeast: kinetic, thermodynamic and desorption studies. 2008 , 99, 3100-9	149

1975	Biosorption of Pb(II) and Cr(III) from aqueous solution by lichen (<i>Parmelina tiliaceae</i>) biomass. 2008 , 99, 2972-80	219
1974	Use of <i>Rhizopus oligosporus</i> produced from food processing wastewater as a biosorbent for Cu(II) ions removal from the aqueous solutions. 2008 , 99, 4943-8	56
1973	The use of Magallanic peat as non-conventional sorbent for EDTA removal from wastewater. 2008 , 99, 8130-6	10
1972	Sorption of tartrate, citrate, and EDTA onto chitosan and its regeneration applying electrolysis. 2008 , 343, 1324-32	13
1971	Influence of acid activation on adsorption of Ni(II) and Cu(II) on kaolinite and montmorillonite: Kinetic and thermodynamic study. 2008 , 136, 1-13	172
1970	Kinetic and thermodynamic aspects of the adsorption of Pb ²⁺ and Cd ²⁺ ions on tripolyphosphate-modified kaolinite clay. 2008 , 136, 99-107	60
1969	Enhanced fluoride removal from drinking water by magnesia-amended activated alumina granules. 2008 , 140, 183-192	220
1968	Effects of process variables on kinetics of methylene blue sorption onto untreated guava (<i>Psidium guajava</i>) leaf powder: Statistical analysis. 2008 , 140, 609-613	47
1967	Removal of cadmium metal ion (Cd ²⁺) from its aqueous solution by aluminium oxide (Al ₂ O ₃): A kinetic and equilibrium study. 2008 , 142, 256-262	95
1966	Kinetic study and sorption mechanism of methylene blue and methyl violet onto mansonia (<i>Mansonia altissima</i>) wood sawdust. 2008 , 143, 85-95	178
1965	Cadmium and zinc removal from aqueous solutions by <i>Bacillus jeotgali</i> : pH, salinity and temperature effects. 2008 , 99, 3864-70	105
1964	Real-time determination of kinetics of adsorption of lead(II) onto palm shell-based activated carbon using ion selective electrode. 2008 , 99, 5786-92	166
1963	Adsorption of chromium(III) on lignin. 2008 , 99, 7709-15	234
1962	Modified chitosan and calcium alginate biopolymer sorbents for removal of nickel (II) through adsorption. 2008 , 72, 261-271	263
1961	Adsorption of nitrilotriacetic acid onto activated carbon prepared by steam pyrolysis of sawdust: Kinetic and isotherm studies. 2008 , 317, 344-351	9
1960	Bifunctionalized mesoporous molecular sieve for perchlorate removal. 2008 , 108, 22-28	37
1959	Removal of reactive dye from aqueous solutions by adsorption onto activated carbons prepared from sugarcane bagasse pith. 2008 , 223, 152-161	322
1958	Preparation and utilization of rice straw bearing carboxyl groups for removal of basic dyes from aqueous solution. 2008 , 76, 519-524	23

1957	Textural and surface chemical characteristics of activated carbons prepared from cattle manure compost. 2008 , 28, 1064-71	29
1956	Bacterial biosorbents and biosorption. 2008 , 26, 266-91	1266
1955	Biosorption characteristics of unicellular green alga <i>Chlorella sorokiniana</i> immobilized in loofa sponge for removal of Cr(III). 2008 , 20, 231-9	108
1954	Biosorption of copper ions from dilute aqueous solutions on base treated rubber (<i>Hevea brasiliensis</i>) leaves powder: kinetics, isotherm, and biosorption mechanisms. 2008 , 20, 1168-76	108
1953	Mesoporous zirconium titanium oxides. Part 2: Synthesis, porosity, and adsorption properties of beads. 2008 , 24, 12323-30	20
1952	Statistical Rate Theory Approach to Kinetics of Competitive Adsorption at the Solid/Solution Interface. 2008 , 112, 10251-10255	37
1951	Adsorption kinetics at the solid/solution interface: statistical rate theory at initial times of adsorption and close to equilibrium. 2008 , 24, 11669-76	74
1950	Description of desorption kinetics at the solid/solution interface based on the statistical rate theory. 2008 , 24, 13013-8	22
1949	Adsorption of fluoride ions by ZnAl layered double hydroxides. 2008 , 40, 54-62	110
1948	Interactions of Pb(II), Cd(II) and Cr(VI) with Neem (<i>Azadirachta indica</i>) leaf powder: kinetics and thermodynamics. 2008 , 34, 374	1
1947	Hg(II) Removal from Aqueous Solution by Dead Fungal Biomass of Marine <i>Aspergillus niger</i> : Kinetic Studies. 2008 , 43, 1221-1238	24
1946	Adsorptive Separation of Tannic Acid from Aqueous Solution by Polymeric Resins. 2008 , 43, 389-402	9
1945	Biosorption of Naphthalene from Refinery Simulated Waste-Water on Blank Alginate Beads and Immobilized Dead Algal Cells. 2008 , 43, 2208-2224	11
1944	Biosorption Kinetics and Thermodynamics of Arsenate and Arsenite on Spent Grains. 2008 ,	
1943	Removal of acid dyes from aqueous solutions using orange peel as a sorbent material. 2008 , 34, 71	5
1942	Removal and recovery of uranium (VI) using a fungal based low-cost biosorbent <i>Ganoderma lucidum</i> . 2008 , 34, 83	7
1941	Biosorption of chlorophenols: a review. 2008 , 34, 164	17
1940	The kinetics of copper sorption onto yohimbe bark wastes. 2008 , 34, 215	5

1939	Adsorption of model textile dyes from aqueous solutions using agricultural wastes as adsorbents: equilibrium, kinetics and fixed bed column study. 2008 , 34, 261	1
1938	Biosorption of lead(II) by free and immobilised fungal biomass of <i>Phanerochaete chrysosporium</i> : a comparative study. 2008 , 34, 353	2
1937	Prediction of Arsenic Removal by Adsorptive Media: Comparison of Field and Laboratory Studies. 227-268	1
1936	Bioprecipitation of Strontium by Sulphate Reducing Bacteria. 2008 , 2008, 4850-4863	
1935	Adsorption of 1,2-Dichloropropane from Aqueous Solution onto Activated Carbon. 2008 , 26, 251-268	2
1934	Biosorption performance of red and green marine macroalgae for removal of trace cadmium and nickel from wastewater. 2008 , 34, 340	6
1933	Kinetic biosorption study of cadmium onto coconut copra meal as biosorbent. 2008 , 34, 466	5
1932	. 2008 ,	30
1931	Biosorption kinetics of Cd (II), Cr (III) and Pb (II) in aqueous solutions by olive stone. 2009 , 26, 265-273	43
1930	Sorptive removal of nickel onto weathered basaltic andesite products: kinetics and isotherms. 2009 , 44, 880-95	13
1929	Biosorption of Inorganic Mercury onto Dead Biomass of Marine <i>Aspergillus niger</i> : Kinetic, Equilibrium, and Thermodynamic Studies. 2009 , 26, 531-539	13
1928	Further Reading. 2009 , 17, 113-197	
1927	Adsorption of Hg(II) from aqueous solution onto <i>Borassus Flabellifer</i> : equilibrium and kinetic studies. 2009 , 12, 100-107	6
1926	Adsorption, kinetic and equilibrium studies on removal of basic dye from aqueous solutions using hydrolyzed Oak sawdust. 2009 , 6, 252-268	67
1925	Equilibrium and Kinetics of Ammonia Nitrogen Biosorption from Wastewater by Spent Grains. 2009 ,	1
1924	Sorption of malachite green by eucalyptus bark as a non-conventional low-cost biosorbent. 2009 , 8, 201-210	19
1923	Application of novel complexing agent in sorption of heavy metal ions from wastewaters on ion exchangers of various types. 2009 , 64,	0
1922	Kinetic and thermodynamic studies on the adsorption of U(VI) ions on densely crosslinked poly(methacrylic acid) from aqueous solutions. 2009 , 97, 709-717	16

1921	Chromium (VI) Adsorption on Activated Lignin. 2009 , 4,	2
1920	Removal of Cu ²⁺ from Aqueous Solution by Alkaline-Activated Konjac Glucomannan. 2009 , 610-613, 9-13	
1919	Studies on chromium(III) removal from aqueous solutions by sorption on Sphagnum moss peat. 2009 , 74, 953-964	12
1918	Heavy metal ions adsorption from mine waters by sawdust. 2009 , 15, 237-249	26
1917	Removal of Mn ²⁺ from water by "aged" biofilter media: the role of catalytic oxides layers. 2009 , 107, 151-7	39
1916	Adsorption kinetics of cadmium ions onto powdered corn cobs. 2009 , 87, 896-909	14
1915	Copper(II) Biosorption on Soda Lignin From Oil Palm Empty Fruit Bunches (EFB). 2009 , 37, 80-85	21
1914	Removal of Ni(II) ions from aqueous solutions using activated-carbon prepared from olive stone by ZnCl ₂ activation. 2009 , 28, 547-557	23
1913	Surface modification of rubber (<i>Hevea brasiliensis</i>) leaves for the adsorption of copper ions: kinetic, thermodynamic and binding mechanisms. 2009 , 84, 192-201	17
1912	On the applicability of the pseudo-second order equation to represent the kinetics of adsorption at solid/solution interfaces: a theoretical analysis based on the statistical rate theory. 2009 , 15, 181-192	87
1911	Porosity characteristics and pore developments of various particle sizes palm kernel shells activated carbon (PKSAC) and its potential applications. 2009 , 15, 507-519	18
1910	Sorption of distillery spent wash onto fly ash: Kinetics and mass transfer studies. 2009 , 146, 90-97	55
1909	Biosorption of hexacyanoferrate(III) complex anion to dead biomass of the basidiomycete <i>Pleurotus mutilus</i> : Biosorbent characterization and batch experiments. 2009 , 147, 150-160	24
1908	Kinetics and thermodynamics of lead (II) adsorption on lateritic nickel ores of Indian origin. 2009 , 155, 184-190	45
1907	Theoretical models of sorption kinetics including a surface reaction mechanism: a review. 2009 , 152, 2-13	589
1906	Barium borosilicate glass as a matrix for the uptake of dyes. 2009 , 172, 457-64	20
1905	Adsorption of platinum(IV) and palladium(II) from aqueous solution by thiourea-modified chitosan microspheres. 2009 , 172, 439-46	195
1904	Elimination des colorants acides en solution aqueuse par la bentonite et le kaolin. 2009 , 12, 762-771	32

1903	Preparation, Characterization, and Adsorption Behavior of Cu(II) Ions onto Alkali-Treated Weed (<i>Imperata cylindrica</i>) Leaf Powder. 2009 , 201, 43-53	34
1902	Cadmium, Copper and Zinc Biosorption Study by Non-Living <i>Egeria densa</i> Biomass. 2009 , 202, 385-392	25
1901	Biosorption of Cr(VI) onto marine <i>Aspergillus niger</i> : experimental studies and pseudo-second order kinetics. 2009 , 25, 1413-1421	54
1900	Adsorption behavior of hexavalent chromium on synthesized ethylenediamine modified starch. 2009 , 16, 703-708	25
1899	Epichlorohydrin and aspartic acid incorporated into sawdust and application as sorbent for methylene blue. 2009 , 43, 183-193	6
1898	Development of a first-order kinetics-based model for the adsorption of nickel onto peat. 2009 , 19, 230-234	10
1897	Potentiality of lignin from the Kraft pulping process for removal of trace nickel from wastewater: effect of demineralisation. 2009 , 100, 1130-7	55
1896	Thermodynamic and kinetic studies for environmentally friendly Ni(II) biosorption using waste pomace of olive oil factory. 2009 , 100, 2375-80	181
1895	Removal of cadmium from aqueous medium under ultrasound assistance using olive leaves as sorbent. 2009 , 48, 1157-1166	32
1894	Oxidative desulfurization of simulated light fuel oil and untreated kerosene. 2009 , 90, 435-445	56
1893	Adsorption characteristics of Cu and Ni on Irish peat moss. 2009 , 90, 954-60	94
1892	Thermodynamics and kinetics of Zn(II) adsorption on crosslinked starch phosphates. 2009 , 161, 510-5	47
1891	Adsorption studies of molasse's wastewaters on activated carbon: modelling with a new fractal kinetic equation and evaluation of kinetic models. 2009 , 161, 649-56	87
1890	Removal of Pb(II) from aqueous solution on chitosan/TiO ₂ hybrid film. 2009 , 161, 718-22	86
1889	Spent tea leaves: a new non-conventional and low-cost adsorbent for removal of basic dye from aqueous solutions. 2009 , 161, 753-9	333
1888	Characteristics of equilibrium, kinetics studies for adsorption of Hg(II), Cu(II), and Ni(II) ions by thiourea-modified magnetic chitosan microspheres. 2009 , 161, 995-1002	392
1887	Sorption of distillery spent wash onto fly ash: kinetics, mechanism, process design and factorial design. 2009 , 161, 1313-22	36
1886	Adsorption of Pb(II) and Pb(II)-citric acid on sawdust activated carbon: Kinetic and equilibrium isotherm studies. 2009 , 161, 1506-13	151

1885	A novel agricultural waste adsorbent for the removal of cationic dye from aqueous solutions. 2009 , 162, 305-11	260
1884	Comment on "thermodynamics and kinetics of adsorption of Cu(II) onto waste iron oxide". 2009 , 162, 539	2
1883	Preparation of polyethersulfone-organophilic montmorillonite hybrid particles for the removal of bisphenol A. 2009 , 162, 791-8	69
1882	Biosorption of palladium(II) from aqueous solution by moss (<i>Racomitrium lanuginosum</i>) biomass: equilibrium, kinetic and thermodynamic studies. 2009 , 162, 874-9	157
1881	Utilization of bog iron ores as sorbents of heavy metals. 2009 , 162, 1007-13	23
1880	Adsorption isotherm and kinetic modeling of 2,4-D pesticide on activated carbon derived from date stones. 2009 , 163, 121-6	371
1879	Biosorption of Cr(III) using in natura and chemically treated tropical peats. 2009 , 163, 517-23	48
1878	Removal of copper(II) ions from aqueous solution by modified bagasse. 2009 , 164, 1-9	114
1877	Aluminum drinking water treatment residuals (Al-WTRs) as sorbent for mercury: Implications for soil remediation. 2009 , 164, 73-80	89
1876	Characterization of TiO ₂ -chitosan/glass photocatalyst for the removal of a monoazo dye via photodegradation-adsorption process. 2009 , 164, 138-45	149
1875	Adsorption properties of aluminum magnesium mixed hydroxide for the model anionic dye Reactive Brilliant Red K-2BP. 2009 , 164, 1098-104	60
1874	<i>Azadirachta indica</i> leaf powder as a biosorbent for Ni(II) in aqueous medium. 2009 , 165, 271-8	20
1873	Effect of impregnation of activated carbon with chelating polymer on adsorption kinetics of Pb ²⁺ . 2009 , 166, 1526-9	24
1872	Montmorillonite surface properties and sorption characteristics for heavy metal removal from aqueous solutions. 2009 , 166, 538-46	239
1871	Defluoridation of water using as-synthesized Zn/Al/Cl anionic clay adsorbent: equilibrium and regeneration studies. 2009 , 167, 873-8	38
1870	Removal of copper(II) from aqueous solution by pine and base modified pine cone powder as biosorbent. 2009 , 168, 909-17	115
1869	Sorption properties of low calorific value Greek lignites: removal of lead, cadmium, zinc and copper ions from aqueous solutions. 2009 , 168, 1017-21	40
1868	Equilibrium and kinetics study on the adsorption of perfluorooctanoic acid from aqueous solution onto powdered activated carbon. 2009 , 169, 146-52	92

1867	Kinetics of methylene blue removal from aqueous solution using gulmochar (<i>Delonix regia</i>) plant leaf powder: multivariate regression analysis. 2009 , 169, 119-27	94
1866	Biosorptive removal of mercury(II) from aqueous solution using lichen (<i>Xanthoparmelia conspersa</i>) biomass: kinetic and equilibrium studies. 2009 , 169, 263-70	127
1865	Adsorption of tannic and gallic acids on a new polymeric adsorbent and the effect of Cu(II) on their removal. 2009 , 169, 794-800	63
1864	Fungal bioremediation of chromates: conformational changes of biomass during sequestration, binding, and reduction of hexavalent chromium ions. 2009 , 169, 1074-80	52
1863	Modeling batch kinetics of copper ions sorption using synthetic zeolite NaX. 2009 , 170, 941-7	31
1862	Effect of the adsorbate (Bromacil) equilibrium concentration in water on its adsorption on powdered activated carbon. Part 2: Kinetic parameters. 2009 , 170, 754-62	7
1861	Preparation and application of acrylic acid grafted polytetrafluoroethylene fiber as a weak acid cation exchanger for adsorption of Er(III). 2009 , 170, 1125-32	58
1860	Removal of mercury(II) from aqueous solution using moss (<i>Drepanocladus revolvens</i>) biomass: equilibrium, thermodynamic and kinetic studies. 2009 , 171, 500-7	114
1859	Adsorption of heavy metal ions by sawdust of deciduous trees. 2009 , 171, 684-92	115
1858	Removal of copper and lead from aqueous solution by carboxylic acid functionalized deacetylated konjac glucomannan. 2009 , 171, 802-8	39
1857	Low-cost farmed shrimp shells could remove arsenic from solutions kinetically. 2009 , 171, 859-64	22
1856	Comments on "Defluoridation of water using neodymium-modified chitosan". 2009 , 172, 515	2
1855	Kinetics and thermodynamics of sorption of nitroaromatic compounds to as-grown and oxidized multiwalled carbon nanotubes. 2009 , 330, 1-8	144
1854	Removal of methylene blue from colored effluents by adsorption on montmorillonite clay. 2009 , 332, 46-53	491
1853	Role of the Mg/Al atomic ratio in hydrotalcite-supported Pd/Sn catalysts for nitrate adsorption and hydrogenation reduction. 2009 , 332, 151-7	39
1852	Comments on "Adsorption of direct dyes from aqueous solutions by carbon nanotubes: determination of equilibrium, kinetics and thermodynamics parameters". 2009 , 333, 412; discussion 413-4	2
1851	Effect of adsorption of Pb(II) and Cd(II) ions in the presence of EDTA on the characteristics of electrical double layers at the ion exchanger/NaCl electrolyte solution interface. 2009 , 333, 448-56	17
1850	The kinetics of adsorption of tetracycline on chitosan particles. 2009 , 340, 182-91	64

1849	Metabolically inactive <i>Trichoderma harzianum</i> mediated adsorption of synthetic dyes: Equilibrium and kinetic studies. 2009 , 40, 394-402	19
1848	Kinetics of zinc ions removal from effluents using ion exchange resin. 2009 , 146, 63-70	82
1847	Modelling the solid-liquid adsorption processes using artificial neural networks trained by pseudo second order kinetics. 2009 , 148, 20-25	55
1846	As(III) removal from drinking water using manganese oxide-coated-alumina: Performance evaluation and mechanistic details of surface binding. 2009 , 153, 101-107	113
1845	Biosorption of hexavalent chromium from aqueous solutions by <i>Catla catla</i> scales: Equilibrium and kinetics studies. 2009 , 155, 666-673	103
1844	Improved performance of a cellulose-based anion exchanger with tertiary amine functionality for the adsorption of chromium(VI) from aqueous solutions. 2009 , 335, 107-113	75
1843	Kinetics and equilibrium studies of adsorption of chromium(VI) ion from industrial wastewater using <i>Chrysophyllum albidum</i> (Sapotaceae) seed shells. 2009 , 68, 184-92	52
1842	Isotherm, kinetic and thermodynamic studies of lead and copper uptake by H ₂ SO ₄ modified chitosan. 2009 , 73, 257-66	90
1841	Adsorption mechanism of Cu ²⁺ from aqueous solution by chitosan-coated magnetic nanoparticles modified with alpha-ketoglutaric acid. 2009 , 74, 244-52	95
1840	Pb(II) adsorption on Tata chromite mine overburden. 2009 , 247, 530-539	3
1839	Removal of calcium and magnesium from LiHCO ₃ solutions for preparation of high-purity Li ₂ CO ₃ by ion-exchange resin. 2009 , 249, 729-735	21
1838	Adsorption behavior of fluoride ions using a titanium hydroxide-derived adsorbent. 2009 , 249, 323-330	78
1837	Construction a hybrid biosorbent using <i>Scenedesmus quadricauda</i> and Ca-alginate for biosorption of Cu(II), Zn(II) and Ni(II): kinetics and equilibrium studies. 2009 , 100, 186-93	134
1836	Lead and vanadium removal from a real industrial wastewater by gravitational settling/sedimentation and sorption onto <i>Pinus sylvestris</i> sawdust. 2009 , 100, 235-43	111
1835	Biosorption of pentachlorophenol from aqueous solutions by a fungal biomass. 2009 , 100, 549-58	75
1834	Biosorption of nonylphenol on dead biomass of <i>Rhizopus arrhizus</i> encapsulated in chitosan beads. 2009 , 100, 5616-23	34
1833	Removal of organic contaminants from aqueous solution by cattle manure compost (CMC) derived activated carbons. 2009 , 255, 6107-6114	22
1832	Mesoporous zirconium titanium oxides. Part 3. Synthesis and adsorption properties of unfunctionalized and phosphonate-functionalized hierarchical polyacrylonitrile-F-127-templated beads. 2009 , 25, 11874-82	47

1831	Critical review in adsorption kinetic models. 2009 , 10, 716-724	982
1830	Kinetics of chromium(VI) adsorption from model solutions on iron oxide. 2009 , 82, 801-804	15
1829	Rebuttal to Comments on Adsorption of Ga(III) on Oxidized Coir 2009 , 48, 5919-5919	
1828	Comments on Adsorption of Ga(III) on Oxidized Coir 2009 , 48, 5920-5920	
1827	Removal of Cu(II) and Ni(II) from Industrial Effluents by Brown Seaweed, <i>Cystoseira indica</i> . 2009 , 48, 961-975	25
1826	Removal and recovery of uranium(VI) by adsorption onto a lignocellulosic-based polymeric adsorbent containing amidoxime chelating functional group. 2009 , 91, 1237-1252	7
1825	Adsorption of Pb ²⁺ and Ni ²⁺ Ions by Montmorillonite: Isotherm, Kinetic and Thermodynamic Studies. 2009 , 27, 785-795	7
1824	Adsorption of Aqueous Selenite [Se(IV)] Species on Synthetic Layered Double Hydroxide Materials. 2009 , 48, 7893-7898	55
1823	Cadmium biosorption by non-living aquatic macrophytes <i>Egeria densa</i> . 2009 , 60, 293-300	19
1822	Reply to Comments by Yuh-Shan Ho on Kinetics of naphthalene adsorption on an activated carbon: Comparison between aqueous and organic media [Chemosphere 76 (4) (2009) 433-438]. 2009 , 77, 1454	1
1821	Comments on "Kinetics of naphthalene adsorption on an activated carbon: comparison between aqueous and organic media" by B. Cabal et al. [Chemosphere 76 (4) (2009) 433-438]. 2009 , 77, 1453; author reply 1454	2
1820	Non-chromatographic determination of ultratraces of V(V) and V(IV) based on a double column solid phase extraction flow injection system coupled to electrothermal atomic absorption spectrometry. 2009 , 79, 940-6	6
1819	Hexavalent chromium removal from aqueous solution by adsorption on aluminum magnesium mixed hydroxide. <i>Water Research</i> , 2009 , 43, 3067-75	12.5 227
1818	Separation of Succinic Acid from Fermentation Broth Using Weak Alkaline Anion Exchange Adsorbents. 2009 , 48, 3595-3599	41
1817	Template synthesis and adsorption properties of hierarchically porous zirconium titanium oxides. 2009 , 25, 5286-93	67
1816	Adsorption and desorption kinetics of anionic dyes on doped polyaniline. 2009 , 113, 2293-9	159
1815	Modeling the Adsorption Kinetics of Divalent Metal Ions onto Pyrophyllite Using the Integral Method. 2009 , 48, 2125-2128	9
1814	A new isotherm for multisite occupancy adsorption of binary gaseous mixtures. 2009 , 25, 2309-12	10

1813	Inorganic molecular imprinted titanium dioxide photocatalyst: synthesis, characterization and its application for efficient and selective degradation of phthalate esters. 2009 , 19, 4843	82
1812	Sorption isotherms and kinetics of chromium uptake from wastewater using natural sorbent material. 2009 , 6, 77-90	70
1811	Study of Rhodamine B Retention by Polyurethane Foam from Aqueous Medium in Presence of Sodium Dodecylsulfate. 2009 , 44, 3128-3149	12
1810	Batch and Column Adsorption of Cu(II) on Unmodified and Oxidized Coir. 2009 , 44, 40-62	22
1809	Low-Cost Adsorbents: Growing Approach to Wastewater Treatment— Review. 2009 , 39, 783-842	728
1808	Production of Biosorbents from Waste Olive Cake and Its Adsorption Characteristics for Zn ²⁺ Ion. 2009 , 1, 277-297	22
1807	Efficiency of Amine-Modified Poly(glycidyl methacrylate)-Grafted Cellulose in the Removal and Recovery of Vanadium(V) from Aqueous Solutions. 2009 , 48, 2118-2124	52
1806	Malachite Nanoparticle: A New Basic Hydrophilic Surface for pH-Controlled Adsorption of Bovine Serum Albumin with a High Loading Capacity. 2009 , 113, 15667-15675	33
1805	Southeast Asian Water Environment 3. 2009 , 8,	
1804	Kinetics and thermodynamics of arsenate and arsenite biosorption by pretreated spent grains. 2009 , 81, 843-8	19
1803	Chromium (VI) adsorption onto activated sulfate lignin. 2009 , 4,	9
1802	Evidence of degradation of triarylmethine dyes on Texas vermiculite. 2009 , 57, 555-565	11
1801	Removal of the Textile Dye Indanthrene Olive Green from Aqueous Solution Using Chitosan. 2009 , 27, 947-964	3
1800	Adsorption of Remazol Blue RR from Textile Effluents Using Azadirachta Indica Leaf Powder as an Alternative Adsorbent. 2009 , 27, 461-478	5
1799	Psidium guajava L Leaf Powder —A Potential Low-cost Biosorbent for the Removal of Cadmium(II) Ions from Wastewater. 2010 , 28, 163-178	10
1798	Determination of the different components of cadmium short-term uptake by roots. 2010 , 173, 935-945	16
1797	Sorption kinetics for phenol and nitro-substituted toxic phenols from aqueous solution using clay as sorbent material. 2010 , 5, 286	2
1796	Kinetics and thermodynamics of adsorption of congo red on cellulose. 2010 , 8, 906-912	30

1795	Egg white lysozyme purification with a chitin-silica-based affinity chromatographic matrix. 2010 , 231, 181-188	23
1794	Equilibrium and kinetics characteristics of copper (II) sorption onto gyttja. 2010 , 84, 147-51	15
1793	Studies on adsorption behavior of Pb(II) onto a thiourea-modified chitosan resin with Pb(II) as template. 2010 , 81, 305-310	40
1792	Kinetics, equilibrium and thermodynamic study of Cr(VI) sorption into toluidine blue o-impregnated XAD-7 resin beads and its application for the treatment of wastewaters containing Cr(VI). 2010 , 160, 190-198	73
1791	Biosorption of Pb(II) from aqueous solutions using chemically modified Moringa oleifera tree leaves. 2010 , 162, 626-634	133
1790	Mechanism investigation of catalyzed ozonation of 2-methylisoborneol in drinking water over aluminum (hydroxyl) oxides: Role of surface hydroxyl group. 2010 , 165, 490-499	42
1789	Cellulose-based anion exchanger with tertiary amine functionality for the extraction of arsenic(V) from aqueous media. 2010 , 91, 2201-7	41
1788	Removal of phenolic compounds from aqueous solutions by adsorption onto manganese nodule leached residue. 2010 , 173, 758-64	36
1787	Immobilization of ethylenesulfide on babassu coconut epicarp and mesocarp for divalent cation sorption. 2010 , 174, 714-9	37
1786	Removal of insecticide carbofuran from aqueous solutions by banana stalks activated carbon. 2010 , 176, 814-9	77
1785	Adsorption kinetics and desorption of Cu(II) and Zn(II) from aqueous solution onto humic acid. 2010 , 178, 455-61	146
1784	Preparation, characterization and application of a Ce-Ti oxide adsorbent for enhanced removal of arsenate from water. 2010 , 179, 1014-21	80
1783	Adsorption studies on fruits of Gular (Ficus glomerata): removal of Cr(VI) from synthetic wastewater. 2010 , 181, 405-12	66
1782	A novel cellulose-manganese oxide hybrid material by in situ soft chemical synthesis and its application for the removal of Pb(II) from water. 2010 , 181, 986-95	131
1781	Comments on Preparation and application of 4-amino-4'-nitro azobenzene modified chitosan as a selective adsorbent for the determination of Au(III) and Pd(II) 2010 , 170, 187-187	0
1780	Adsorption kinetics of 17 β -ethinyl estradiol and bisphenol A on carbon nanomaterials. I. Several concerns regarding pseudo-first order and pseudo-second order models. 2010 , 10, 838-844	38
1779	Effect of pH, fulvic acid and temperature on the sorption of uranyl on ZrP ₂ O ₇ . 2010 , 53, 1429-1437	14
1778	Equilibrium and kinetics of adsorption of Ca(II) ions onto KCTS and HKCTS. 2010 , 17, 277-284	2

1777	Comments on using of pseudo-second-order rate equation in Journal of Radioanalytical and Nuclear Chemistry, Volume 283. 2010 , 285, 403-403	1
1776	Response to the comments of Y. S. Ho to the paper Influence of contact time, pH, soil humic/fulvic acids, ionic strength and temperature on sorption of U(VI) onto MX-80 bentonite by Ren XM, Wang SW, Yang ST, and Li JX published in J. Radioanal. Nucl. Chem. 283 (2010) 253. 2010 , 285, 405-405	
1775	Response to the comments of Y. S. Ho to the paper Effect of pH, fulvic acid and temperature on sorption of Th(IV) on zirconium oxophosphate by Qian LJ, Zhao JN, Hu PZ, Geng YX, and Wu WS published in J. Radioanal. Nucl. Chem. 283 (2010) 653. 2010 , 285, 407-407	
1774	Preparation, Characterization, and Environmental Application of Crosslinked Chitosan-Coated Bentonite for Tartrazine Adsorption from Aqueous Solutions. 2010 , 206, 225-236	95
1773	Sequestration of toxic Pb(II) ions by chemically treated rubber (<i>Hevea brasiliensis</i>) leaf powder. 2010 , 22, 248-56	50
1772	Single and binary component sorption of the fission products Sr ²⁺ , Cs ⁺ and Co ²⁺ from aqueous solutions onto sulphate reducing bacteria. 2010 , 23, 463-470	33
1771	A historical review and bibliometric analysis of research on lead in drinking water field from 1991 to 2007. 2010 , 408, 1738-44	67
1770	High yield combustion synthesis of nanomagnesia and its application for fluoride removal. 2010 , 408, 2273-82	106
1769	Removal of lead ions from aqueous solutions using powdered corn cobs. 2010 , 88, n/a-n/a	3
1768	Selective Adsorption of Co(II) Ions by Whisker Surface Ion-Imprinted Polymer: Equilibrium and Kinetics Modeling. 2010 , 28, 2483-2488	8
1767	Removal of EDTA from Aqueous Solutions Using Activated Carbon Prepared from Rubber Wood Sawdust: Kinetic and Equilibrium Modeling. 2010 , 38, 361-369	16
1766	Base Treated Cogon Grass (<i>Imperata cylindrica</i>) as an Adsorbent for the Removal of Ni(II): Kinetic, Isothermal and Fixed-bed Column Studies. 2010 , 38, 248-256	12
1765	Malachite Green Adsorption onto Chitosan Coated Bentonite Beads: Isotherms, Kinetics and Mechanism. 2010 , 38, 394-400	95
1764	Response Surface Approach for the Biosorption of Cr ⁶⁺ Ions by <i>Mucor racemosus</i> . 2010 , 38, 492-499	31
1763	Preparation of bioadsorbents for effective adsorption of a reactive dye in aqueous solution. 2010 , 5, 563-569	28
1762	Removal of heavy metals and cyanide from gold mine wastewater. 2010 , 85, 590-613	137
1761	The interaction effects between adsorbed molecules in the Statistical Rate Theory approach to the kinetics of mixed-gas adsorption. 2010 , 256, 7289-7299	2
1760	Adsorption of copper and nickel on Na-bentonite. 2010 , 88, 62-66	96

1759	Evaluation of removal efficiency of fluoride from aqueous solution using new charcoals that contain calcium compounds. 2010 , 346, 494-9	68
1758	Kinetic study of the adsorption of nitroimidazole antibiotics on activated carbons in aqueous phase. 2010 , 345, 481-90	94
1757	Equilibrium, kinetics and thermodynamic studies for sorption of chlorobenzenes on CTMAB modified bentonite and kaolinite. 2010 , 173, 47-53	54
1756	Utilization of carbon derived from mustard oil cake (CMOC) for the removal of bivalent metal ions: effect of anionic surfactant on the removal and recovery. 2010 , 173, 273-82	28
1755	Removal of Pb(II) ions from aqueous solution by adsorption using bael leaves (<i>Aegle marmelos</i>). 2010 , 173, 502-9	144
1754	Biosorption of Pb ²⁺ from aqueous solutions by <i>Moringa oleifera</i> bark: equilibrium and kinetic studies. 2010 , 174, 831-8	178
1753	High efficient removal of mercury from aqueous solution by polyaniline/humic acid nanocomposite. 2010 , 175, 404-9	95
1752	Removal of Cu(II) from aqueous solutions using chemically modified chitosan. 2010 , 175, 939-48	198
1751	Removal of Malachite Green from aqueous solution using degreased coffee bean. 2010 , 176, 820-8	231
1750	Removal of lead(II) from aqueous solutions using carbonate hydroxyapatite extracted from eggshell waste. 2010 , 177, 126-30	142
1749	Adsorption studies of Dichloromethane on some commercially available GACs: Effect of kinetics, thermodynamics and competitive ions. 2010 , 178, 963-72	40
1748	Recovery of silver (I) using a thiourea-modified chitosan resin. 2010 , 180, 577-82	83
1747	Removal of chromium hexavalent ion from aqueous solutions using biopolymer chitosan coated with poly 3-methyl thiophene polymer. 2010 , 181, 474-9	134
1746	Examination of zinc uptake in a combined system using sludge, minerals and ultrafiltration membranes. 2010 , 182, 27-38	25
1745	Removal of hexavalent chromium by new quaternized crosslinked poly(4-vinylpyridines). 2010 , 183, 533-40	56
1744	Benzotriazole removal from water by Zn-Al-O binary metal oxide adsorbent: behavior, kinetics and mechanism. 2010 , 184, 147-155	33
1743	Chromium VI adsorption on cerium oxide nanoparticles and morphology changes during the process. 2010 , 184, 425-431	126
1742	Sorption study of an anionic dye [benzopurpurine 4B] on calcined and uncalcined Mg/Al layered double hydroxides. 2010 , 71, 556-559	42

1741	Recovery of precious metals through biosorption [A review. 2010 , 103, 180-189	366
1740	Enhanced adsorptive removal of fluoride using mesoporous alumina. 2010 , 127, 152-156	97
1739	Adsorption kinetics of chromium(III) ions on agro-waste materials. 2010 , 101, 8099-108	84
1738	A new empirical rate equation for adsorption kinetics at solid/solution interface. 2010 , 256, 5153-5156	61
1737	Kinetics, equilibrium and thermodynamics of the sorption of tetrabromobisphenol A on multiwalled carbon nanotubes. 2010 , 256, 7246-7252	105
1736	A comparative study on the kinetics and mechanisms of removal of Reactive Black 5 by adsorption onto activated carbons and bone char. 2010 , 157, 434-442	153
1735	Adsorption of phenols by magnetic polysulfone microcapsules containing tributyl phosphate. 2010 , 157, 466-474	55
1734	Application of film-pore diffusion model for methylene blue adsorption onto plant leaf powders. 2010 , 163, 236-242	60
1733	Preparation and characterization of charcoals that contain dispersed aluminum oxide as adsorbents for removal of fluoride from drinking water. 2010 , 48, 333-343	151
1732	Removal of high-level Fe ³⁺ from aqueous solution using natural inorganic materials: Bentonite (NB) and quartz (NQ). 2010 , 250, 885-891	61
1731	Sorption of Al (III) from aqueous solution by fresh macrophyte alligator weed: Equilibrium and kinetics. 2010 , 250, 485-489	4
1730	Kinetics, equilibrium and breakthrough studies for Fe(II) removal by wooden charcoal: A low-cost adsorbent. 2010 , 251, 137-145	34
1729	Equilibrium, kinetic and thermodynamic adsorptions of the environmental pollutant tannic acid onto activated carbon. 2010 , 251, 146-152	45
1728	Dynamic studies and pseudo-second order modeling of copper(II) biosorption onto pine cone powder. 2010 , 251, 112-122	57
1727	Batch adsorption of 2,4-dichlorophenol onto activated carbon derived from agricultural waste. 2010 , 255, 159-164	56
1726	Studies on Chromium (VI) adsorption on sulfonated lignite. 2010 , 255, 61-66	55
1725	Adsorptive retention of citric acid onto activated carbon prepared from <i>Havea braziliensis</i> sawdust: Kinetic and isotherm overview. 2010 , 257, 46-52	11
1724	Adsorption kinetics, thermodynamics and isotherm of thiacalix[4]arene-loaded resin to heavy metal ions. 2010 , 259, 76-83	61

1723	Investigations of different kinetic models of copper ions sorption on zeolite 13X. 2010 , 259, 71-75	40
1722	Adsorptive removal of phosphate from aqueous media by peat. 2010 , 259, 59-64	89
1721	Kinetic and thermodynamic analysis of selective adsorption of Cs(I) by a novel surface whisker-supported ion-imprinted polymer. 2010 , 263, 97-106	50
1720	Mineral waste from coal mining for removal of astrazon red dye from aqueous solutions. 2010 , 264, 181-187	16
1719	Kinetics and Thermodynamics of Cd(II) Ions Sorption on Mixed Sorbents Prepared from Olive Stone and Date Pit from Aqueous Solution. 2010 , 6, 470-476	8
1718	Tartaric Acid Modified Rice Hull as a Sorbent for Methylene Blue Removal. 2010 , 6, 244-248	7
1717	Cadmium(II) and Lead(II) removal by Chlorella sp. Immobilized and E. coli genetically engineered with mice Metallothionein I. 2010 , 1278, 301	
1716	Removal of Heavy Metals by Natural Polymer: Pectin, under Laboratory Conditions. 2010 , 1277, 1801	
1715	Removal of Heavy Metal Ions by Waste Biomass of Saccharomyces Cerevisiae. 2010 , 136, 95-102	24
1714	Isotherm and Kinetics Modeling of Fluoride Removal from Industrial Effluent by Alumina. 2010 , 5,	2
1713	Application of Modified Water Nut Carbon as a Sorbent in Congo Red and Malachite Green Dye Contaminated Wastewater Remediation. 2010 , 45, 394-403	24
1712	Removal of Copper(II) and Zinc(II) from Aqueous Solutions Using a Lignocellulosic-Based Polymeric Adsorbent Containing Amidoxime Chelating Functional Groups. 2010 , 45, 2383-2393	23
1711	Utilization of sugarcane bagasse for removal of basic dyes from aqueous environment in single and binary systems. 2010 , 20, 86-95	14
1710	Decontamination and adsorption modelling of aqueous Pb ²⁺ and Co ²⁺ ions using natural inorganic materials: tripoli (NT) and bentonite (NB). 2010 , 24, 336-343	8
1709	Biosorption in Environmental Remediation. 2010 , 35-99	5
1708	Adsorption of As(III), As(V), Cd(II), Cu(II), and Pb(II) from Aqueous Solutions by Natural Muscovite. 2010 , 45, 814-823	29
1707	Removal of Zinc from Aqueous Solution by Adsorption onto Low-Cost Materials. 2010 ,	
1706	Kinetic and Equilibrium Studies of Cr(VI) from Wastewater with Modified Fly Ashes. 2010 ,	1

1705	Adsorption of Cu(II) and Cr(VI) onto Treated Shorea dasyphylla Bark: Isotherm, Kinetics, and Thermodynamic Studies. 2010 , 45, 486-496	11
1704	Adsorption of 2,4-dichlorophenol from Aqueous Solution by a New Low-Cost Adsorbent [Activated Bamboo Charcoal. 2010 , 45, 2329-2336	28
1703	Adsorption of anionic dyes in aqueous solution using chemically modified barley straw. 2010 , 62, 1177-82	56
1702	Studies on removal of chromium (VI) from water using chitosan coated Cyperus pangorei. 2010 , 62, 2435-41	6
1701	Adsorption of Heavy Metal Ions on Pomegranate (Punica Granatum) Peel: Removal and Recovery of Cr(VI) Ions from a Multi-metal Ion System. 2010 , 28, 195-211	22
1700	Kinetics and Mechanism of Cationic Dyes Adsorption onto Modified β -Cyclodextrin Microspheres. 2010 ,	
1699	Influence of ionic strength on methylene blue removal by sorption from synthetic aqueous solution using almond peel as a sorbent material: experimental and modelling studies. 2010 , 4, 31-38	13
1698	Characterization of Sorption Isotherms, Kinetic Models, and Multivariate Approach for Optimization of Hg(II) Adsorption onto Fraxinus Tree Leaves. 2010 , 55, 5040-5049	46
1697	One-pot preparation and uranyl adsorption properties of hierarchically porous zirconium titanium oxide beads using phase separation processes to vary macropore morphology. 2010 , 26, 17581-8	27
1696	Adsorption of Benzoic Acid by Hydrotalcites and Their Calcined Products. 2010 , 27, 853-860	12
1695	Removal of Pb(II) from wastewaters by Fontinalis antipyretica biomass: Experimental study and modelling. 2010 , 20, 179-188	5
1694	Adsorption of Cr(VI) onto Elaeagnus Tree Leaves: Statistical Optimization, Equilibrium Modeling, and Kinetic Studies. 2010 , 55, 3428-3437	48
1693	Adsorption of Ag ⁺ from Aqueous Solutions by Rice Husk. 2010 , 658, 45-48	7
1692	Kinetic and Pseudo-Second-Order Modeling of Lead Biosorption onto Pine Cone Powder. 2010 , 49, 2562-2572	44
1691	Magnetic dendritic materials for highly efficient adsorption of dyes and drugs. 2010 , 2, 1483-91	272
1690	Utilization of an agricultural waste material, melon (Cucumis melo L.) peel, as a sorbent for the removal of cadmium from aqueous phase. 2010 , 21, 228-237	13
1689	Lowering the cationic demand caused by PGA in papermaking by solute adsorption and immobilized pectinase on chitosan beads. 2010 , 82, 648-652	20
1688	An overview of dye removal via activated carbon adsorption process. 2010 , 19, 255-274	97

1687	Selective removal of copper(II) from natural waters by nanoporous sorbents functionalized with chelating diamines. 2010 , 44, 6390-5	85
1686	The Removal of Hg (II) Ions from Laboratory Wastewater onto Phosphorylated Haloxylon ammodendron: Kinetic and Equilibrium Studies. 2010 , 49, 1463-1472	9
1685	Nanocrystalline magnesia alumina mixed oxide: efficient defluoridation sorbent. 2010 , 7, 989	8
1684	Competitive Adsorption of Ag ⁺ , Pb ²⁺ , Ni ²⁺ , and Cd ²⁺ Ions on Vermiculite. 2010 , 45, 277-287	14
1683	Effect of ageing on desorption of lead and cadmium from sediments: kinetics and desorption-resistance. 2010 , 45, 1150-68	8
1682	Time-resolved ICP-MS measurement for single-cell analysis and on-line cytometry. 2010 , 25, 1114	77
1681	Equilibrium and Kinetic Modelling of Astrazon Yellow Adsorption by Sawdust: Effect of Important Parameters. 2010 , 8,	8
1680	Fe ²⁺ -modified Vermiculite for the Removal of Chromium (VI) from Aqueous Solution. 2010 , 46, 290-299	19
1679	Removal of heavy metals from aqueous solutions using activated carbon prepared from Cicer arietinum. 2010 , 92, 1447-1460	18
1678	Kinetic Modeling of the Biosorption of Lead(II) from Aqueous Solutions by Solid Waste Resulting from the Olive Oil Production. 2011 , 56, 3053-3060	16
1677	Polyethersulfone nanofibers for the removal of endocrine disruptors. 2011 , 29, 158-163	8
1676	Notice of Retraction: Cr(III) Removal with Fly Ash Modified by Hydrochloric Acid. 2011 ,	
1675	Adsorption of basic dyes by dried waste sludge: Kinetic, equilibrium and desorption studies. 2011 , 29, 10-19	14
1674	Synthesis and characterisation of a silicon oxide film solid-phase extraction system for lead traces determination: an all the way green analytical method. 2011 , 91, 828-843	3
1673	Removal of textile dyes by sorption on low-cost sorbents. A case study: sorption of reactive dyes onto <i>Luffa cylindrica</i> . 2011 , 25, 54-64	16
1672	Continuous Flow Stirred Cell Microfiltration of Ion Exchange Media to Determine Mass Transfer Kinetics and Equilibrium Data. 2011 , 50, 2408-2417	5
1671	Influence of Energetic Heterogeneity and Lateral Interactions between Adsorbed Molecules on the Kinetics of Gas Adsorption. 2011 , 50, 3078-3088	6
1670	Sorption of perfluorochemicals to granular activated carbon in the presence of ultrasound. 2011 , 115, 2250-7	56

1669	Competitive Adsorption of Pb(II), Cu(II), and Cd(II) Ions on Wheat-Residue Derived Black Carbon. 2011 , 56, 444-449	65
1668	Complex Formation, Metal Uptake, and Sorption Kinetics of a Chemically Modified Chlorosulfonated Polystyrene with Aminosalicic Acid. 2011 , 56, 1827-1839	11
1667	Kinetics, Isotherms, and Thermodynamics of Hg(II) Biosorption onto <i>Carica papaya</i> . 2011 , 15, 26-34	8
1666	One-pot preparation of amine-rich magnetite/bacterial cellulose nanocomposite and its application for arsenate removal. 2011 , 1, 625	90
1665	A designed nanoporous material for phosphate removal with high efficiency. 2011 , 21, 2489	112
1664	Schiff Base Ligands Immobilized on a Nanosized SiO ₂ /Al ₂ O ₃ Mixed Oxide as Adsorbents for Heavy Metals. 2011 , 50, 13628-13635	34
1663	Removal of orange 16 reactive dye from aqueous solutions by waste sunflower seed shells. 2011 , 76, 607-624	32
1662	New chelating resin for preconcentration and determination of molybdenum by inductive couple plasma atomic emission spectroscopy. 2011 , 8, 501-512	9
1661	Fungal biosorption--an alternative to meet the challenges of heavy metal pollution in aqueous solutions. 2011 , 32, 467-91	229
1660	Desorption Kinetics at the Solid/Solution Interface: A Theoretical Description by Statistical Rate Theory for Close-to-Equilibrium Systems. 2011 , 115, 5732-5739	27
1659	Pb(II) and Cd(II) Removal from Aqueous Solutions Using Activated Carbon Developed from Coffee Residue Activated with Phosphoric Acid and Zinc Chloride. 2011 , 56, 1946-1955	102
1658	Preparation of activated carbon from <i>Enteromorpha prolifera</i> and its use on cationic red X-GRL removal. 2011 , 257, 10621-10627	52
1657	Ammonium sorption by <i>Gödes</i> clinoptilolite rich mineral specimen. 2011 , 54, 217-225	28
1656	Preparation of conductive wool fabrics and adsorption behaviour of Pd (II) ions on chitosan in the pre-treatment. 2011 , 161, 124-131	16
1655	Comments on "recognition of molecularly imprinted polymers for a quaternary alkaloid of berberine". 2011 , 87, 311	1
1654	Evolution of adsorption kinetics and isotherms of gallic acid on an activated carbon oxidized by ozone: Comparison to the raw material. 2011 , 42, 996-1003	18
1653	Adsorption of Glyphosate on Resin Supported by Hydrated Iron Oxide: Equilibrium and Kinetic Studies. 2011 , 83, 784-790	9
1652	Biosorption of Cd(II), Pb(II), and Ni(II) on <i>Magnifera indica</i> Leaf Powder: An Equilibrium Study. 2011 ,	

1651	Synthesis, Characterization and Application of a New Chelating Resin Containing 2-(4-Methylbenzylidene)hydrazone. 2011 , 29, 917-926	2
1650	Adsorption behavior of Pb(II) onto xanthated rubber (<i>Hevea brasiliensis</i>) leaf powder. 2011 , 13, 84-88	2
1649	Removal of Acid Red 151 from water by adsorption onto nano-composite MnFe ₂ O ₄ /kaolin. 2011 , 10, 105-114	20
1648	ADSORPTION OF DARK COLORED COMPOUNDS IN APPLE JUICE [EFFECTS OF INITIAL SOLUBLE SOLID CONCENTRATION ON ADSORPTION KINETICS AND MECHANISM. 2011 , 34, 108-124	5
1647	Fundamental aspects of biosorption of lead (II) ions onto a <i>Rhodococcus opacus</i> strain for environmental applications. 2011 , 24, 1619-1624	16
1646	Binding of heavy metal contaminants onto chitosans--an evaluation for remediation of metal contaminated soil and water. 2011 , 92, 2675-82	34
1645	Biosorption of copper (II) ions from synthetic aqueous solutions by drying bed activated sludge. 2011 , 194, 69-78	41
1644	Removal of crystal violet from aqueous solution using powdered mycelial biomass of <i>Ceriporia lacerata</i> P2. 2011 , 23, 2055-62	65
1643	Kinetics and pseudo-isotherm studies of 4-nitrophenol adsorption onto mansonia wood sawdust. 2011 , 33, 418-428	32
1642	Adsorption of fluoride from aqueous solution by graphene. 2011 , 363, 348-54	226
1641	Influences of surface-coated fulvic and humic acids on the adsorption of metal cations to SiO ₂ nanoparticles. 2011 , 389, 27-32	19
1640	Comparison of competitive and synergetic adsorption of three phenolic compounds on river sediment. 2011 , 159, 2876-81	14
1639	Biosorption of Cu(II) and Pb(II) ions from aqueous solution by natural spider silk. 2011 , 102, 8807-13	33
1638	Nickel(II) adsorption onto biomass based activated carbon obtained from sugarcane bagasse pith. 2011 , 102, 10239-47	142
1637	Artificial neural network (ANN) approach for modeling Zn(II) adsorption from leachate using a new biosorbent. 2011 , 173, 98-105	79
1636	Preparation, characterization and application of a [copper (II)/ethylenediamine] complex for the removal of AB25 from aqueous solution in a laboratory scale column. 2011 , 174, 18-26	16
1635	Effect of cerium valence on As(V) adsorption by cerium-doped titanium dioxide adsorbents. 2011 , 175, 207-212	15
1634	Application of response surface methodology for optimization of heavy metal biosorption using surfactant modified chitosan bead. 2011 , 175, 376-387	83

1633	Adsorption of Cu ²⁺ on new hyper-crosslinked polystyrene adsorbent: Batch and column studies. 2011 , 178, 108-114	26
1632	Using cocoa (<i>Theobroma cacao</i>) shell-based activated carbon to remove 4-nitrophenol from aqueous solution: Kinetics and equilibrium studies. 2011 , 178, 461-467	51
1631	High-impact papers presented in the subject category of water resources in the essential science indicators database of the institute for scientific information. 2011 , 87, 551-562	92
1630	Effect of pH, ionic strength and humic substances on the adsorption of Uranium (VI) onto Na-rectorite. 2011 , 287, 557-565	34
1629	Comments on the paper Adsorption of radionickel to goethite: effect of water quality parameters and temperature by Hu et al.. 2011 , 287, 987-987	2
1628	Response to the comments of Y. S. Ho to the paper Adsorption of radionickel to goethite: effect of water quality parameters and temperature 2011, 287, 989-989	2
1627	Investigation of Cs(I) adsorption on densely crosslinked poly(sodium methacrylate) from aqueous solutions. 2011 , 289, 577-586	20
1626	A Study on Using Date Palm Fibers and Leaf Base of Palm as Adsorbents for Pb(II) Ions from Its Aqueous Solution. 2011 , 214, 73-82	25
1625	Modification of multi-walled carbon nanotubes with tannic acid for the adsorption of La, Tb and Lu ions. 2011 , 174, 257-264	50
1624	Biosorption of copper from aqueous solutions by date stones and palm-trees waste. 2011 , 9, 65-69	28
1623	Removal of dyes from water using chitosan hydrogel/SiO ₂ and chitin hydrogel/SiO ₂ hybrid materials obtained by the sol-gel method. 2011 , 186, 932-9	115
1622	Reduced graphene oxide-metal/metal oxide composites: facile synthesis and application in water purification. 2011 , 186, 921-31	421
1621	Removal of perfluorooctane sulfonate from aqueous solution by crosslinked chitosan beads: sorption kinetics and uptake mechanism. 2011 , 102, 2265-71	119
1620	Kinetic and equilibrium adsorption of Cu(II) and Cd(II) ions on <i>Eichhornia crassipes</i> in single and binary systems. 2011 , 168, 44-51	31
1619	Phenolic compounds biosorption onto <i>Schizophyllum commune</i> fungus: FTIR analysis, kinetics and adsorption isotherms modeling. 2011 , 168, 562-571	66
1618	Removal of Hg(II) from aqueous solutions using a novel impregnated resin containing 1-(2-thiazolylazo)-2-naphthol (TAN). 2011 , 168, 1163-1173	55
1617	Synthesis and characterization of Mg/Be layer double hydroxides and its application on adsorption of Orange G from aqueous solution. 2011 , 169, 231-238	151
1616	Kinetics of adsorption of metal ions on inorganic materials: A review. 2011 , 162, 39-58	541

1615	Uranium biosorption by <i>Padina</i> sp. algae biomass: kinetics and thermodynamics. 2011 , 18, 1593-605	40
1614	Adsorption of aqueous Hg (II) by a novel poly(aniline-co-o-aminophenol)/mesoporous silica SBA-15 composite. 2011 , 22, 2231-2236	19
1613	Solid-liquid extraction of terbium from phosphoric acid solutions using solvent-impregnated resin containing TOPS 99. 2011 , 86, 562-569	25
1612	Microwave treated activated carbon from industrial waste lignin for endosulfan adsorption. 2011 , 86, 1074-1080	17
1611	Removal of Cu(II) from CuSO ₄ Aqueous Solution by Mg-Al Hydrotalcite-like Compounds. 2011 , 29, 847-852	10
1610	Adsorption of Cadmium from Aqueous Solution by <i>Ficus religiosa</i> Leaf Powder and Characterization of Loaded Biosorbent. 2011 , 39, 384-391	35
1609	Thermodynamical and analytical evidence of lead ions chemisorption onto <i>Pimenta dioica</i> . 2011 , 166, 814-821	11
1608	Batch biosorption of lead(II) from aqueous solutions by olive tree pruning waste: Equilibrium, kinetics and thermodynamic study. 2011 , 168, 170-177	114
1607	Preparation and characterizations of microwave assisted activated carbons from industrial waste lignin for Cu(II) sorption. 2011 , 168, 1103-1111	95
1606	Separation of Malachite Green and Methyl Green cationic dyes from aqueous medium by adsorption on Amberlite XAD-2 and XAD-4 resins using sodium dodecylsulfate as carrier. 2011 , 171, 532-540	52
1605	Synthesis and characterization of a novel amino modified starch and its adsorption properties for Cd(II) ions from aqueous solution. 2011 , 84, 430-438	58
1604	Acylation de la cellulose par le chlorhydrate de chlorure de 3-pyridinoyl : application dans l'adsorption du plomb Pb ²⁺ . 2011 , 14, 539-547	6
1603	Adsorption of methyl violet from aqueous solution by polyacrylamide as an adsorbent: Isotherm and kinetic studies. 2011 , 267, 256-260	131
1602	Removal of copper ions from aqueous solutions by a new sorbent: Polyethyleneiminemethylene phosphonic acid. 2011 , 269, 17-24	41
1601	Kinetics study and thermodynamic behavior for removing cesium, cobalt and nickel ions from aqueous solution using nano-zirconium vanadate ion exchanger. 2011 , 271, 41-54	58
1600	Biosorption of basic dye from aqueous solutions by Date Stones and Palm-Trees Waste: Kinetic, equilibrium and thermodynamic studies. 2011 , 271, 80-87	131
1599	Study of the removal of Zn(II) from aqueous solution using polypyrrole nanocomposite. 2011 , 271, 248-256	75
1598	Removal of a textile dye by adsorption on synthetic calcium phosphates. 2011 , 275, 10-16	44

1597	Removal of boron using aluminum-based water treatment residuals (Al-WTRs). 2011 , 276, 322-327	51
1596	Use of CeO ₂ , TiO ₂ and Fe ₃ O ₄ nanoparticles for the removal of lead from water: Toxicity of nanoparticles and derived compounds. 2011 , 277, 213-220	102
1595	Kinetic study and modeling of heavy metals removal by adsorption onto peanut husks incinerated residues. 2011 , 6, 143-152	7
1594	Improvement in the methylene blue adsorption capacity and photocatalytic activity of H ₂ -reduced rutile-TiO ₂ caused by Ni(II)porphyrin preadsorption. 2011 ,	1
1593	On the initial reaction rate of Peleg's model for rehydration kinetics. 2011 , 42, 278-280	7
1592	Biosorption of heavy metals from aqueous solutions by chemically modified orange peel. 2011 , 185, 49-54	359
1591	Investigation on Cu(II) adsorption on cobalt silicate precipitation tube (CSPT) in aqueous medium. 2011 , 185, 1326-31	7
1590	Removal of heavy metal ions by iron oxide coated sewage sludge. 2011 , 186, 502-7	157
1589	Sequestration of cadmium ions using titanate nanotube. 2011 , 187, 401-6	28
1588	Perchlorate removal by quaternary amine modified reed. 2011 , 189, 54-61	71
1587	Biosorption of arsenic from contaminated water by anaerobic biomass. 2011 , 190, 486-92	42
1586	Application of dolochar in the removal of cadmium and hexavalent chromium ions from aqueous solutions. 2011 , 192, 822-31	58
1585	Thiocyanate removal from aqueous solution by a synthetic hydrotalcite sol. 2011 , 355, 198-203	19
1584	Removal of copper by oxygenated pyrolytic tire char: kinetics and mechanistic insights. 2011 , 356, 203-10	11
1583	Biosorption of Acid Blue 25 onAzadirachta indica(NEEM) Leaf Powder. 2011 ,	
1582	Monomethylolated Thiourea Sawdust as a New Adsorbent for Removal of Hg (II) from Contaminated Water: Equilibrium Kinetic and Thermodynamic Studies. 2011 , 50, 1220-1230	16
1581	Biosorption of Cd(II) from aqueous solution by biomass of salt-tolerant Zygosaccharomyces rouxii. 2011 ,	
1580	Study on chromium (VI) removal from aqueous solution using Fe-Mn bimetal oxide. 2011 ,	2

- 1579 Study on Isotherms and Kinetics of Adsorption of Phenol on Microwave Organic Modified Montmorillonite. **2011**,
- 1578 Ion Exchange Behaviors of Ca(II) and Mg(II) on Lewatit MonoPlus TP 207 and TP 208 Chelating Resins. **2011**, 347-353, 937-951 2
- 1577 The Effect of Metal Ions on the Removal of Natural Organic Acids by Bi-Functional Resin. **2011**, 233-235, 359-362
- 1576 Development of Novel Filter Materials for the Treatment of First-Flush Rainwater. **2011**, 695, 219-222
- 1575 Mechanisms and kinetics of chelating reaction between chitosan and Pd(II) in chemical plating pretreatment. **2011**, 81, 51-57 5
- 1574 Adsorption Studies for the Removal of Nitrate Using Modified Lignite Granular Activated Carbon. **2011**, 46, 2575-2584 40
- 1573 Notice of Retraction: Sorption Equilibrium and Kinetic Studies of Cu(II) from Wastewater with Modified Sepiolites. **2011**,
- 1572 Kinetics and isotherms of glyphosate removal from effluents using ion exchange resin. **2011**,
- 1571 Modelling of lead removal by an aquatic moss. **2011**, 63, 136-42 2
- 1570 The relationship between mixed-liquor particle size and solids retention time in the activated sludge process. **2011**, 83, 2178-86 6
- 1569 Removal of lead and yellow 44 acid dye in single and binary component systems by raw Posidonia oceanica and the cellulose extracted from the raw biomass. **2011**, 32, 325-40 19
- 1568 Chemical modification of cellulose by acylation: Application to adsorption of methylene blue. **2011**, 13, 105-116 10
- 1567 Preparation and Characterization of Bagasse Ion Adsorbent. **2012**, 518-523, 3167-3174
- 1566 Adsorption of CuCl₂ on Mg-Al HTlc: Effect of EDTA and Addition Sequences. **2012**, 573-574, 150-154
- 1565 Removal of molybdate anions from water by adsorption on zeolite-supported magnetite. **2012**, 84, 753-60 33
- 1564 Phosphate Removal from Aqueous Solution Using Fly Ash Modified with Magnetic Fe-Zn Bimetal Oxide. **2012**, 621, 296-302
- 1563 Preparation of poly(methacrylic acid)-grafted TiO₂-densified cellulose as an adsorbent for the removal of copper(II) ions from aqueous solutions and industrial effluents. **2012**, 94, 1099-1113 3
- 1562 Removal of metal ions from aqueous solution by adsorption onto low-cost biosorbent. **2012**, 33, 2211-5 14

1561	Removal of carbofuran from aqueous solution by orange peel. 2012 , 49, 106-114	23
1560	Preparation of High Surface Area Mesoporous Activated Carbon: Kinetics and Equilibrium Isotherm. 2012 , 47, 886-895	9
1559	Novel complex-coprecipitation route to form high quality triethanolamine-coated Fe ₃ O ₄ nanocrystals: Their high saturation magnetizations and excellent water treatment properties. 2012 , 14, 5741	41
1558	Adsorption Properties of Coriander Seed Powder (<i>Coriandrum Sativum</i>): Extraction and Pre-concentration of Pb(II), Cu(II) and Zn(II) Ions from Aqueous Solution. 2012 , 30, 127-146	23
1557	Equilibrium studies for Basic blue 3 adsorption onto durian peel (<i>Durio zibethinus</i> Murray). 2012 , 45, 161-169	26
1556	Lead(II) and cadmium(II) removal from aqueous solution using processed walnut shell: kinetic and equilibrium study. 2012 , 94, 660-671	41
1555	Rapid Removal of Cu(II) Ion by Chemically Modified Rubber Wood Fiber. 2012 , 29, 101-107	6
1554	Comparison of First-Order Sorption Kinetics Using Concept of Two-Site Sorption Model. 2012 , 29, 1002-1007	3
1553	REMOVAL OF STRONTIUM (II) FROM AQUEOUS SOLUTION USING FUNCTIONALIZED CARBON NANOTUBES. 2012 , 11, 1250019	2
1552	Role of modified activated carbon by H ₃ PO ₄ or K ₂ CO ₃ from natural adsorbent for removal of Pb(II) from aqueous solutions. 2012 , 13, 115-120	7
1551	Sustainable Bioenergy and Bioproducts. 2012 ,	7
1550	Preparation, characterization, and phenol adsorption of activated carbons from oxytetracycline bacterial residue. 2012 , 62, 1394-402	13
1549	The Study of the Modified Grain Sorghum Stalk to Remove Methylene Blue Dye from Aqueous Solution. 2012 , 430-432, 197-201	
1548	Calculation of Metal Ion Uptake in Environmental Systems. 2012 , 353-424	
1547	The effects of dual porosity on transport and retardation in peat: A laboratory experiment. 2012 , 92, 723-732	52
1546	Graphene from sugar and its application in water purification. 2012 , 4, 4156-63	171
1545	Binary Adsorption of a Zn(II)-Cu(II) Mixture onto <i>Egeria densa</i> and <i>Eichhornia crassipes</i> : Kinetic and Equilibrium Data Modeling by PSO. 2012 , 47, 875-885	9
1544	Mesoporous titanasilicate/reduced graphene oxide composites: layered structure, high surface-to-volume ratio, doping effect and application in dye removal from water. 2012 , 22, 20504	20

1543	EVALUATION OF THE HEAVY METAL IMMOBILIZATION POTENTIAL OF PINE BARK-BASED COMPOSTS. 2012 , 35, 1853-1865	15
1542	Equilibrium and Kinetic Studies on the Removal of Basic Violet 10 from Aqueous Solutions Using Activated Carbons Prepared from Industrial Wastes. 2012 , 16, 86-96	5
1541	Removal of phenylalanine from water with calcined CuZnAl-CO ₃ layered double hydroxides. 2012 , 22, 476-482	12
1540	Characterization of adsorptive capacity and mechanisms on adsorption of copper, lead and zinc by modified orange peel. 2012 , 22, 1224-1231	108
1539	Biosorption of Malachite Green from Aqueous Solutions onto Polylactide/Spent Brewery Grains Films: Kinetic and Equilibrium Studies. 2012 , 20, 665-672	27
1538	Equilibrium and kinetics studies of Cu(II) ions adsorption on polyamidoamine dendrimer starch. 2012 , 38, 2411-2425	6
1537	Biosorption of Toxic Heavy Metal Ions from Water Environment Using Honeycomb Biomass An Industrial Waste Material. 2012 , 223, 5967-5982	30
1536	Cocoa (<i>Theobroma cacao</i>) shell-based activated carbon by CO ₂ activation in removing of Cationic dye from aqueous solution: Kinetics and equilibrium studies. 2012 , 90, 1480-1490	74
1535	Adsorption of phenol from aqueous solutions using activated carbon prepared from crofton weed. 2012 , 37, 230-237	28
1534	Biosorption of Copper (II) from Aqueous Solutions with Rape Straw. 2012 , 29, 250-254	10
1533	Theoretical prediction of gas adsorption kinetics based on equilibrium data. 2012 , 90, 828-835	1
1532	Rationally designed functional macroporous materials as new adsorbents for efficient phosphorus removal. 2012 , 22, 9983	73
1531	Reactive sorption of mercury(II) on to poly(m-phenylenediamine) microparticles. 2012 , 33, 341-8	19
1530	Adsorption Characteristics of Chromium(VI) Ions onto Fe(III)-Coordinated Amino-Functionalized Poly(glycidylmethacrylate)-Grafted TiO ₂ -Densified Cellulose. 2012 , 47, 1562-1570	4
1529	Preparation and adsorption performance of MnO ₂ /PAC composite towards aqueous glyphosate. 2012 , 33, 2049-56	13
1528	Removal of Diethyl Phthalate from Aqueous Media by Adsorption on Different Activated Carbons: Kinetic and Isotherm Studies. 2012 , 47, 1139-1148	13
1527	Enhanced arsenic removal using mixed metal oxide impregnated chitosan beads. <i>Water Research</i> , 2012 , 46, 4427-34	12.5 106
1526	Extracellular polymeric substances from <i>Bacillus subtilis</i> associated with minerals modify the extent and rate of heavy metal sorption. 2012 , 46, 3866-73	73

1525	Reduced graphene oxide/titanate hybrids: Morphologic evolution by alkali-solvothermal treatment and applications in water purification. 2012 , 258, 4551-4557	50
1524	Multicarboxylic hyperbranched polyglycerol modified SBA-15 for the adsorption of cationic dyes and copper ions from aqueous media. 2012 , 258, 5291-5298	75
1523	Uranium (VI) sorption by multiwalled carbon nanotubes from aqueous solution. 2012 , 259, 433-440	108
1522	Ammonium pyrrolidine dithiocarbamate anchored <i>Symphoricarpus albus</i> biomass for lead(II) removal: batch and column biosorption study. 2012 , 227-228, 107-17	14
1521	Adsorption behavior of indium(III) on modified solvent impregnated resins (MSIRs) containing sec-octylphenoxy acetic acid. 2012 , 121-124, 60-67	24
1520	Simultaneous removal of copper(II), lead(II), zinc(II) and cadmium(II) from aqueous solutions by multi-walled carbon nanotubes. 2012 , 15, 398-408	78
1519	Batch cadmium(II) biosorption by an industrial residue of macrofungal biomass (<i>Clitopilus scyphoides</i>). 2012 , 197, 261-271	19
1518	Removal of uranium(VI) from aqueous solutions by magnetic Schiff base: Kinetic and thermodynamic investigation. 2012 , 198-199, 412-419	135
1517	Arsenate adsorption from water using a novel fabricated copper ferrite. 2012 , 198-199, 440-448	54
1516	Preparation and evaluation of alginate-assisted spherical resorcinol-formaldehyde resin beads for removal of cesium from alkaline waste. 2012 , 200-202, 491-498	24
1515	Acidic dye biosorption onto marine brown macroalgae: Isotherms, kinetic and thermodynamic studies. 2012 , 204-206, 225-234	72
1514	Porous alginate aerogel beads for effective and rapid heavy metal sorption from aqueous solutions: Effect of porosity in Cu ²⁺ and Cd ²⁺ ion sorption. 2012 , 209, 537-546	121
1513	New redox-active material for permeable water remediation systems. 2012 , 59-60, 26-35	6
1512	Adsorption of heavy metal ions from aqueous solutions by amine and carboxylate functionalised bentonites. 2012 , 65-66, 67-71	78
1511	A Use of Cedar Cone for the Removal of a Cationic Dye from Aqueous Solutions by Sorption. 2012 , 18, 1047-1058	6
1510	The preparation and adsorption properties of electrospun aramid nanofibers. 2012 , 50, 1414-1420	17
1509	Adsorption kinetics of Rhodamine-B on used black tea leaves. 2012 , 9, 2	18
1508	Volumes and issues. 2012 , 3, 22	7

1507	Volumes and issues. 2012 , 3, 4	26
1506	Sorption-desorption processes in the system of U(VI)-layered double hydroxide intercalated with EDTA. 2012 , 34, 88-95	6
1505	Effect of CO ₂ activation of carbon xerogels on the adsorption of methylene blue. 2012 , 18, 199-211	12
1504	Fractal-Like Adsorption Kinetics at the Solid/Solution Interface. 2012 , 116, 13111-13119	113
1503	Efficient removal of arsenate by versatile magnetic graphene oxide composites. 2012 , 2, 12400	145
1502	Ion-Exchange Characteristics of a Layered Metal Sulfide for Removal of Sr ²⁺ from Aqueous Solutions. 2012 , 47, 896-902	8
1501	Assessment of Sericin Biosorbent for Selective Dye Removal. 2012 , 20, 426-432	14
1500	Synergistic Multilayer Adsorption for Low Concentration Dyes by Biomass. 2012 , 20, 560-566	9
1499	Immobilization of pectinase and lipase on macroporous resin coated with chitosan for treatment of whitewater from papermaking. 2012 , 123, 616-9	42
1498	Removal of uranium(VI) from aqueous solutions by magnetic MgAl layered double hydroxide intercalated with citrate: Kinetic and thermodynamic investigation. 2012 , 414, 220-227	62
1497	Chemical modification of coal fly ash for the retention of low levels of lead from aqueous solutions. 2012 , 102, 135-144	12
1496	Separation of low concentration of cesium ion from wastewater by electrochemically switched ion exchange method: experimental adsorption kinetics analysis. 2012 , 233-234, 177-83	92
1495	Kinetics and thermodynamics of adsorption for Cd on green manufactured nano-particles. 2012 , 235-236, 116-22	91
1494	Sorption of Naringin from Aqueous Solution by Modified Clay. 2012 , 60, 153-161	5
1493	Adsorption of phenol from aqueous solution by a hierarchical micro-nano porous carbon material. 2012 , 31, 582-589	5
1492	Biosorption of methyl blue onto tartaric acid modified wheat bran from aqueous solution. 2012 , 9, 16	24
1491	Carboxymethyl Tamarind-g-poly(acrylamide)/Silica: A High Performance Hybrid Nanocomposite for Adsorption of Methylene Blue Dye. 2012 , 51, 15546-15556	109
1490	Preparation of Comb-Type Magnetic Beads by Surface-Initiated ATRP: Modification with Nitrilotriacetate Groups for Removal of Basic Dyes. 2012 , 51, 10629-10640	28

1489	Synthesis of Iron-Doped Titanium Oxide Nanoadsorbent and Its Adsorption Characteristics for Fluoride in Drinking Water. 2012 , 51, 13150-13156	46
1488	Biosorption of Strontium by a Nonliving Brown Marine Algae, Padina Sp.. 2012 , 47, 1886-1897	3
1487	Charcoal Ash as an Adsorbent for Ni(II) Adsorption and Its Application for Wastewater Treatment. 2012 , 57, 374-383	38
1486	Modelling of arsenate retention from aqueous solutions by living coryneform double-mutant bacteria. 2012 , 9, 121	3
1485	Application of Polyaniline Nano Composite for the Adsorption of Acid Dye from Aqueous Solutions. 2012 , 9, 1266-1275	13
1484	Initiatives in oil sand reclamation. 179-201	20
1483	Process optimization and mechanistic studies of lead (II): Aspergillus caespitosus interaction for industrial effluent treatment. 2012 , 11, 16142-16157	2
1482	Adsorption de la quinine bichlorhydrate sur un charbon actif peu coûteux à base de la Bagasse de canne à sucre imprégné de l'acide phosphorique. 2012 , 6,	3
1481	Polymeric superabsorbing composite prepared using a glow-discharge electrolysis plasma for the removal of divalent heavy metal ions from aqueous solutions and its swelling properties. 2012 , 52, 2217-2227	11
1480	Polymer particle adsorption at textile/liquid interfaces: a simple approach for a new functionalization route. 2012 , 61, 1127-1135	7
1479	Removal of Pb(II) from aqueous solution using hydrotalcite-like nanostructured material. 2012 , 7,	1
1478	Decontamination of bisphenol A from aqueous solution by graphene adsorption. 2012 , 28, 8418-25	635
1477	The adsorption of phosphate by graphene from aqueous solution. 2012 , 2, 5234	160
1476	Use of Carbon Paste Electrode Modified with Biomass for Studying the Equilibria, Kinetics, and Proton Exchange Processes Associated with Bioaccumulation. 2012 , 24, 1121-1128	4
1475	Adsorptive separation of emulsified oil in wastewater using biosorbents. 2012 , 7, S216-S221	9
1474	Synthesis of bifunctional cellulosic adsorbent by radiation induced graft polymerization of glycidyl methacrylate-co-methacrylic acids. 2012 , 126, E54-E62	11
1473	Removal of dark coloured and polyphenolic compounds of sugar beet vinasse by adsorption onto activated carbons: Application to a crosscurrent adsorption process. 2012 , 90, 403-411	5
1472	How Fen Vegetation Structure Affects the Transport of Oil Sands Process-affected Waters. 2012 , 32, 557-570	32

1471	Aqueous heavy metals removal by adsorption on β -diketone-functionalized styrene-divinylbenzene copolymeric resin. 2012 , 9, 79-84	22
1470	Adsorption of uranium ions by crosslinked polyester resin functionalized with acrylic acid from aqueous solutions. 2012 , 292, 923-935	19
1469	Phosphorus release potential and pollution characteristics of sediment in downstream Nansi Lake, China. 2012 , 6, 162-170	6
1468	Waste coffee-grounds as potential biosorbents for removal of acid dye 44 from aqueous solution. 2012 , 29, 903-907	16
1467	Preparation and adsorption behavior for brilliant blue X-BR of the cost-effective cationic starch intercalated clay composite matrix. 2012 , 87, 1447-1452	36
1466	Optimization of Cd(II), Cu(II) and Ni(II) biosorption by chemically modified <i>Moringa oleifera</i> leaves powder. 2012 , 88, 1077-1086	158
1465	Competitive sorption of Cu and Cr on goethite and goethite-bacteria complex. 2012 , 179, 26-32	24
1464	Equilibrium, kinetic and thermodynamic studies on perchlorate adsorption by cross-linked quaternary chitosan. 2012 , 192, 269-275	32
1463	Activated carbon xerogels for the removal of the anionic azo dyes Orange II and Chromotrope 2R by adsorption and catalytic wet peroxide oxidation. 2012 , 195-196, 112-121	73
1462	Removal of Ni(II) and Cu(II) ions using native and acid treated Ni-hyperaccumulator plant <i>Alyssum discolor</i> from Turkish serpentine soil. 2012 , 89, 302-9	19
1461	Radioactive wastewaters purification using titanosilicates materials: State of the art and perspectives. 2012 , 293, 78-86	67
1460	Ultrasound-assisted preparation and characterization of crystalline cellulose-ionic liquid blend polymeric material: a prelude to the study of its application toward the effective adsorption of chromium. 2012 , 367, 398-408	35
1459	Selective adsorption of uranium(VI) from aqueous solutions using the ion-imprinted magnetic chitosan resins. 2012 , 366, 165-172	188
1458	Microwave assisted solvent free green preparation and physicochemical characterization of surfactant-anchored cellulose and its relevance toward the effective adsorption of chromium. 2012 , 372, 88-98	24
1457	Adsorption of arsenic on multiwall carbon nanotube-zirconia nanohybrid for potential drinking water purification. 2012 , 375, 154-9	142
1456	Biosorption and desorption of Nickel on oil cake: batch and column studies. 2012 , 103, 35-42	73
1455	Acid blue 25 adsorption on base treated <i>Shorea dasyphylla</i> sawdust: kinetic, isotherm, thermodynamic and spectroscopic analysis. 2012 , 24, 261-8	84
1454	Magnetic nanoparticles/graphitic carbon nanostructures composites: Excellent magnetic separable adsorbents for precious metals from aqueous solutions. 2012 , 47, 646-654	17

1453	Equilibrium, kinetic and thermodynamic studies on the adsorption of phenol onto graphene. 2012 , 47, 1898-1904	157
1452	Evaluation of desorption of Pb (II), Cu (II) and Zn (II) from titanium dioxide nanoparticles. 2012 , 431, 209-20	51
1451	The characteristics and mechanism of Co(II) removal from aqueous solution by a novel xanthate-modified magnetic chitosan. 2012 , 242, 452-457	77
1450	Removal of Pb(II) from water by natural zeolitic tuff: kinetics and thermodynamics. 2012 , 199-200, 383-9	83
1449	Preparation of cross-linked magnetic chitosan-phenylthiourea resin for adsorption of Hg(II), Cd(II) and Zn(II) ions from aqueous solutions. 2012 , 209-210, 240-9	207
1448	Adsorption of heavy metal ions using hierarchical CaCO ₃ -maltose meso/macroporous hybrid materials: adsorption isotherms and kinetic studies. 2012 , 209-210, 467-77	96
1447	Metal biosorption onto dry biomass of Arthrospira (Spirulina) platensis and Chlorella vulgaris: multi-metal systems. 2012 , 217-218, 246-55	52
1446	Adsorption of Cd(II) and Pb(II) onto a one step-synthesized polyampholyte: kinetics and equilibrium studies. 2012 , 217-218, 374-81	43
1445	Cr(VI) retention and transport through Fe(III)-coated natural zeolite. 2012 , 221-222, 118-23	30
1444	Synthesize of polypyrrole nanocomposite and its application for nitrate removal from aqueous solution. 2012 , 18, 948-956	26
1443	Study effect of different parameters on the sulphate sorption onto nano alumina. 2012 , 18, 230-236	20
1442	Removal of uranyl ions from UO ₂ (NO ₃) ₂ solution by means of Chlorella vulgaris and Dunaliella salina algae. 2012 , 10, 1669-1675	4
1441	Adsorptive removal of methylene blue by agar: effects of NaCl and ethanol. 2012 , 6, 14	54
1440	Removal of nickel from aqueous solutions by citric acid modified Ceiba pentandra hulls: Equilibrium and kinetic studies. 2012 , 90, 111-119	22
1439	Removal of Copper, Nickel, and Zinc Ions from Electroplating Rinse Water. 2012 , 40, 66-79	30
1438	Remediation of Radionuclide Pollutants through Biosorption – An Overview. 2012 , 40, 16-23	56
1437	Synthesis and characterization of magnetic beads containing aminated fibrous surfaces for removal of Reactive Green 19 dye: kinetics and thermodynamic parameters. 2012 , 87, 705-713	37
1436	Synthesis of crosslinked polyacrylonitrile via atom transfer radical polymerization with activators regenerated by electron transfer and use of the resin in mercury removal after modification. 2012 , 124, 2179-2186	11

1435	Kinetics and molecular mechanism of chromate uptake by dithiocarbamate functionalized starch. 2012 , 124, 2930-2936	5
1434	Use of Gisenyi Volcanic Rock for Adsorptive Removal of Cd(II), Cu(II), Pb(II), and Zn(II) from Wastewater. 2012 , 223, 533-547	25
1433	Studies on adsorption of cr(vi) onto strychnos potatorum seed from aqueous solution. 2013 , 32, 35-41	15
1432	Adsorption characteristics of [Fe(III)EDTA] on granular activated carbon from aqueous solutions. 2013 , 32, 470-479	4
1431	Binding of heavy metals by algal biosorbents. Theoretical models of kinetics, equilibria and thermodynamics. 2013 , 197-198, 58-67	45
1430	Comparative study on kinetic adsorption of Cu(II), Cd(II) and Ni(II) ions from aqueous solutions using activated sludge and dried sludge. 2013 , 3, 321-325	19
1429	Adsorption Behavior of Cationic and Anionic Dyes onto Acid Treated Coconut Coir. 2013 , 48, 2125-2131	16
1428	The Pre-concentration and determination of Iridium and Palladium in environmental water by imprinted polymer-based method. 2013 , 10, 1091-1102	9
1427	Poly(N,N-dimethylaminoethyl methacrylate) modification of a regenerated cellulose membrane using ATRP method for copper(II) ion removal. 2013 , 3, 20625	20
1426	Adsorption kinetic, isotherm and thermodynamic studies of Sr ²⁺ onto hexagonal tungsten oxide. 2013 , 298, 47-53	13
1425	Concentration effects associated with the kinetics of ruthenium ions adsorption on activated charcoal. 2013 , 295, 1649-1653	6
1424	Preparation and characterization of molecularly imprinted organic/organic hybrid materials by sol-gel processing for selective recognition of ibuprofen. 2013 , 66, 59-67	9
1423	Immobilized graphene-based composite from asphalt: facile synthesis and application in water purification. 2013 , 246-247, 213-20	58
1422	Preparation of Fe ₃ O ₄ @C@Layered Double Hydroxide Composite for Magnetic Separation of Uranium. 2013 , 52, 10152-10159	114
1421	Functionalized hectorite clay mineral for Ag(I) ions extraction from wastewater and preparation of silver nanoparticles supported clay. 2013 , 80-81, 346-350	10
1420	Sorption of heavy metals from aqueous solution by dehydrated powders of aquatic plants. 2013 , 10, 559-566	26
1419	Effect of co-existing ions during the preparation of alumina by electrolysis with aluminum soluble electrodes: structure and defluoridation activity of electro-synthesized adsorbents. 2013 , 254-255, 125-133	14
1418	Potential use of leaf biomass, Araucaria heterophylla for removal of Pb ²⁺ . 2013 , 15, 756-73	9

1417	Adsorption of rhodamine B from aqueous solution onto heat-activated sepiolite. 2013 , 18, 219-225	9
1416	Amino-bearing calixcrown receptor grafted to micro-sized silica particles for highly selective enrichment of palladium in HNO ₃ media. 2013 , 232, 319-326	21
1415	The Balance between Diffusional and Surface Reaction Kinetic Models: A Theoretical Study. 2013 , 48, 2081-2089	4
1414	Enzyme-based glucose delivery: a possible tool for biosorbent preparation for heavy metal removal from polluted environments. 2013 , 36, 1601-11	2
1413	Arsenic removal using natural biomaterial-based sorbents. 2013 , 35, 633-42	26
1412	A practical organometallic decorated nano-size SiO ₂ /Al ₂ O ₃ mixed-oxides for methyl orange removal from aqueous solution. 2013 , 280, 726-736	83
1411	One-pot synthesis of Fe(III)-coordinated diamino-functionalized mesoporous silica: Effect of functionalization degrees on structures and phosphate adsorption. 2013 , 170, 200-210	27
1410	Adsorption kinetics of some textile dyes onto granular activated carbon. 2013 , 1, 496-503	64
1409	Nano-TiO ₂ membrane adsorption reactor (MAR) for virus removal in drinking water. 2013 , 230, 180-187	34
1408	Confinement of chemisorbed phosphates in a controlled nanospace with three-dimensional mesostructures. 2013 , 19, 5578-85	13
1407	Use of peat-based sorbents for removal of arsenic compounds. 2013 , 11, 988-1000	4
1406	Removal of Carbamazepine, Naproxen, and Trimethoprim from Water by Amberlite XAD-7: A Kinetic Study. 2013 , 41, 1052-1061	20
1405	Manganese and iron oxide immobilized activated carbons precursor to dead biomasses in the remediation of cadmium-contaminated waters. 2013 , 20, 7464-77	17
1404	Graphene-a promising material for removal of perchlorate (ClO ₄ ⁻) from water. 2013 , 20, 5114-24	49
1403	Volumes and issues. 2013 , 4, 13	22
1402	Adsorption removal of crystal violet from aqueous solution using a metal-organic frameworks material, copper coordination polymer with dithiooxamide. 2013 , 129, 2857-2864	29
1401	Aqueous fluoride removal using ZnCr layered double hydroxides and their polymeric composites: Batch and column studies. 2013 , 234, 406-415	70
1400	Adsorptive Removal of Cu(II) Ions from Aqueous Media onto 4-Ethyl Thiosemicarbazide Intercalated Organophilic Calcined Hydrotalcite. 2013 , 58, 24-31	15

1399	Effect of lead in biosorption of copper by almond shell. 2013 , 44, 466-473	52
1398	Adsorption of ciprofloxacin onto biocomposite fibers of graphene oxide/calcium alginate. 2013 , 230, 389-395	158
1397	Removal of uranium(VI) from aqueous solutions by surface modified magnetic Fe ₃ O ₄ particles. 2013 , 37, 3914	33
1396	Adsorption of Pt(IV) and Pd(II) by calcined dried aluminum hydroxide gel from aqueous solution system. 2013 , 1, 1013-1019	14
1395	Preparation of unsaturated polyester Ce(IV) phosphate by plastic waste bottles and its application for removal of Malachite green dye from water samples. 2013 , 6, 361-368	20
1394	Ion-exchange reactions on clay minerals coupled with advection/dispersion processes. Application to Na ⁺ /Ca ²⁺ exchange on vermiculite: Reactive-transport modeling, batch and stirred flow-through reactor experiments. 2013 , 112, 1-19	22
1393	Manganese oxide immobilized activated carbons in the remediation of aqueous wastes contaminated with copper(II) and lead(II). 2013 , 225, 128-137	68
1392	Improving the adsorption efficiency of phenolic compounds into olive wood biosorbents by pre-washing with organic solvents: Equilibrium, kinetic and thermodynamic aspects. 2013 , 118, 1-10	28
1391	Adsorption of 3,4-dihydroxybenzoic acid onto hematite surface in aqueous medium: importance of position of phenolic -OH groups and understanding of the same using catechol as an auxiliary model. 2013 , 398, 227-33	13
1390	Evaluation of a novel chitosan polymer-based adsorbent for the removal of chromium (III) in aqueous solutions. 2013 , 92, 2181-6	33
1389	Phosphate recovery from wastewater using engineered superparamagnetic particles modified with layered double hydroxide ion exchangers. <i>Water Research</i> , 2013 , 47, 5670-7	12.5 88
1388	As(III) and As(V) sorption on iron-modified non-pyrolyzed and pyrolyzed biomass from <i>Petroselinum crispum</i> (parsley). 2013 , 117, 242-52	63
1387	Adsorption and kinetic studies of cesium ions from aqueous solution by functionalized silica. 2013 , 51, 2014-2020	7
1386	An exponential kinetic model for adsorption at solid/solution interface. 2013 , 215-216, 65-71	59
1385	Removal of bromide from water by adsorption on silver-loaded porous carbon spheres to prevent bromate formation. 2013 , 218, 333-340	25
1384	Nickel oxide grafted andic soil for efficient cesium removal from aqueous solution: adsorption behavior and mechanisms. 2013 , 5, 10151-8	32
1383	Degradation of simazine from aqueous solutions by diatomite-supported nanosized zero-valent iron composite materials. 2013 , 263 Pt 2, 768-77	67
1382	Adsorption of rhodium(III) ions onto poly(1,8-diaminonaphthalene) chelating polymer: Equilibrium, kinetic and thermodynamic study. 2013 , 73, 1589-1596	18

1381	Adsorption studies of aqueous Pb(II) onto a sugarcane bagasse/multi-walled carbon nanotube composite. 2013 , 66, 157-166	78
1380	Kinetics, equilibrium and mechanism of Cu ²⁺ , Ni ²⁺ and Zn ²⁺ ions biosorption using wheat straw. 2013 , 58, 113-122	76
1379	Pleurotus ostreatus nanoparticles as a new nano-biosorbent for removal of Mn(II) from aqueous solution. 2013 , 225, 59-67	42
1378	Modeling of sorption kinetics: the pseudo-second order equation and the sorbate intraparticle diffusivity. 2013 , 19, 1055-1064	151
1377	Competitive adsorption of Cu(II) and Pb(II) ions from aqueous solutions by Ca-alginate immobilized activated carbon and Saccharomyces cerevisiae. 2013 , 20, 2478-2488	19
1376	Adsorption performance of activated carbon prepared from elephant (Elephas maximus) dung for the removal of Reactive Yellow 15 from aqueous solution. 2013 , 51, 7639-7654	6
1375	Mexerica mandarin (Citrus nobilis) peel as a new biosorbent to remove Cu(II), Cd(II), and Pb(II) from industrial effluent. 2013 , 51, 5537-5546	8
1374	Kinetic modeling: dependence of structural and sorption properties of ZnO crucial role of synthesis. 2013 , 3, 3365	10
1373	Utilization of Coconut Milk Processing Waste as a Low-Cost Mercury Sorbent. 2013 , 52, 15648-15657	35
1372	Biosorption equilibrium, kinetic and thermodynamic modelling of naphthalene removal from aqueous solution onto modified spent tea leaves. 2013 , 34, 825-39	20
1371	Influence of soil copper content on the kinetics of thiram adsorption and on thiram leachability from soils. 2013 , 90, 432-40	8
1370	Removal of zinc ions from aqueous solution using a cation exchange resin. 2013 , 91, 165-173	54
1369	Polyphenol-SiO ₂ hybrid biosorbent for heavy metal removal. Yerba mate waste (Ilex paraguariensis) as polyphenol source: kinetics and isotherm studies. 2013 , 102, 218-26	30
1368	Kinetic models applied to erbium adsorption on activated charcoal from aqueous solutions. 2013 , 295, 1051-1055	6
1367	Characterization of Se(IV) removal from aqueous solution by Aspergillus sp. J2. 2013 , 220, 67-71	14
1366	Efficient enrichment of uranium(VI) on amidoximated magnetite/graphene oxide composites. 2013 , 3, 18952	127
1365	Prussian blue caged in alginate/calcium beads as adsorbents for removal of cesium ions from contaminated water. 2013 , 258-259, 93-101	132
1364	Untreated Chinese Ephedra Residue as Biosorbents for the Removal of Pb ²⁺ Ions from Aqueous Solutions. 2013 , 18, 794-799	4

1363	Adsorption of fullerene nC60 on activated sludge: Kinetics, equilibrium and influencing factors. 2013 , 225, 365-371	15
1362	Removal of bisphenol A from wastewater by Ca-montmorillonite modified with selected surfactants. 2013 , 234, 416-422	84
1361	Analysis of the kinetics of lead biosorption using native and chemically treated olive tree pruning. 2013 , 58, 278-285	45
1360	Sorption and desorption kinetics of PAHs in coastal sediment. 2013 , 30, 145-153	5
1359	Growth of Mn3O4 on cellulose matrix: Nanohybrid as a solid phase adsorbent for trivalent chromium. 2013 , 270, 539-544	27
1358	A novel chelating organosilicone resin bearing long chain imidazolyl ligands: Preparation, characterization, and adsorption properties. 2013 , 727, 37-43	9
1357	Removal of chromium (VI) from aqueous solutions using activated carbon prepared from crofton weed. 2013 , 51, 2327-2335	7
1356	Application of <i>Ulva lactuca</i> and <i>Systoceira stricta</i> algae-based activated carbons to hazardous cationic dyes removal from industrial effluents. <i>Water Research</i> , 2013 , 47, 3375-88	12.5 104
1355	Uniform hamburger-like mesoporous carbon-incorporated ZnO nanoarchitectures: One-pot solvothermal synthesis, high adsorption and visible-light photocatalytic decolorization of dyes. 2013 , 138-139, 1-8	89
1354	Arsenic removal by modified activated carbons with iron hydro(oxide) nanoparticles. 2013 , 114, 225-31	108
1353	Time-Dependent Zinc Desorption in Some Calcareous Soils of Iran. 2013 , 23, 185-193	12
1352	Fe-pillared bentonite, a stable Fenton catalyst for treatment of petroleum refinery wastewater. 2013 , 95, 747-756	14
1351	Removal of reactive dyes from wastewater by acrylate polymer beads bearing amino groups: isotherm and kinetic studies. 2013 , 129, 114-124	27
1350	Separation of gold(III) ions by 1,8-diaminonaphthalene-formaldehyde chelating polymer. 2013 , 134-135, 87-95	15
1349	Study of malachite green adsorption by organically modified clay using a batch method. 2013 , 280, 74-78	82
1348	Application of isotherm, kinetic and thermodynamic models for the adsorption of nitrate ions on graphene from aqueous solution. 2013 , 44, 808-814	104
1347	Characterization of activated carbons derived from short rotation hardwood pyrolysis char. 2013 , 101, 199-208	8
1346	Removal of heavy metal ions from aqueous solutions with multi-walled carbon nanotubes: Kinetic and thermodynamic studies. 2013 , 10, 677-688	68

1345	Kinetics of adsorption of bovine serum albumin on magnetic carboxymethyl chitosan nanoparticles. 2013 , 58, 57-65	33
1344	Chitosan-cellulose composite materials: preparation, characterization and application for removal of microcystin. 2013 , 252-253, 355-66	82
1343	Metaldehyde removal from aqueous solution by adsorption and ion exchange mechanisms onto activated carbon and polymeric sorbents. 2013 , 244-245, 240-50	31
1342	Biosorption of lead from acid solution using chitosan as a supporting material for spore forming-fungal biomass encapsulation. 2013 , 10, 579-590	8
1341	Exfoliated polypyrrole-organically modified montmorillonite clay nanocomposite as a potential adsorbent for Cr(VI) removal. 2013 , 222, 186-197	141
1340	Modeling the purification effects of the constructed Sphagnum wetland on phosphorus and heavy metals in Dajiuhu Wetland Reserve, China. 2013 , 252, 23-31	7
1339	Studies on the adsorption behavior of methyl orange from dye wastewater onto activated clay. 2013 , 51, 3700-3709	36
1338	Sorption of boron on calcium alginate gel beads. 2013 , 73, 653-657	23
1337	Mixed Surface Reaction and Diffusion-Controlled Kinetic Model for Adsorption at the Solid/Solution Interface. 2013 , 117, 8310-8317	73
1336	Adsorption of chromium(VI) from aqueous solutions by glycidylmethacrylate-grafted-densified cellulose with quaternary ammonium groups. 2013 , 279, 441-449	95
1335	Synthesis of porous Fe ₃ O ₄ hollow microspheres/graphene oxide composite for Cr(vi) removal. 2013 , 42, 14710-7	148
1334	Analysis and modeling of fixed bed column operations on flumequine removal onto activated carbon: pH influence and desorption studies. 2013 , 228, 102-113	56
1333	Silica-coated magnetic nanoparticles loaded with Cu(II): preparation and application to the purification of bovine serum albumin. 2013 , 180, 219-226	3
1332	Biosorption of Tungsten by Escherichia coli for an Environmentally Friendly Recycling System. 2013 , 52, 14441-14448	14
1331	Polyaniline (skin)/polyamide 6 (core) composite fiber: Preparation, characterization and application as a dye adsorbent. 2013 , 175, 163-169	29
1330	Zinc removal from aqueous solutions by adsorption onto bentonite. 2013 , 51, 5035-5048	16
1329	Adsorption and separation of rhenium(VII) using N-methylimidazolium functionalized strong basic anion exchange resin. 2013 , 88, 437-443	32
1328	Adsorptive Separation Studies of β -Carotene from Methyl Ester Using Mesoporous Carbon Coated Monolith. 2013 , 2013, 1-6	5

- 1327 Crude palm kernel oil bleaching with Ohiya clay: complications of linearized second order kinetic model. **2013**, 5, 232-237
- 1326 Adsorption Properties of Doxorubicin Hydrochloride onto Graphene Oxide: Equilibrium, Kinetic and Thermodynamic Studies. **2013**, 6, 2026-2042 111
- 1325 Removal of Natural Organic Matter of Artificial Lake by Modified Fly Ash. **2013**, 690-693, 1020-1023
- 1324 Determination of Important Parameters in Affecting the Uptake of Reactive Black 5 by Chitosan Beads through Statistical Approach. **2013**, 2013, 1-7 5
- 1323 Biosorption of Copper Ions by Bacillus and Aspergillus Species. **2013**, 31, 869-890 10
- 1322 The Removal and Inhibitory Effect of CNTs on Model Viruses. **2013**, 743-744, 402-408 5
- 1321 Characteristics of Cu²⁺ Adsorption by Modified Rice Straw. **2013**, 726-731, 2622-2628 1
- 1320 Adsorption of Acid Dyes on Hydrotalcite-Like Anionic Clays. **2013**, 571, 57-69 4
- 1319 Removal of Cr(VI) from Aqueous Solution Using Activated Carbon Prepared from Several Agriculture By-Products. **2013**, 807-809, 582-590
- 1318 Nanocrystalline Functional Oxide Materials. **2013**, 517-552 1
- 1317 Non-Linear Kinetic and Isotherm Modeling on the Adsorption of Lead (II) Ions from Aqueous Solution onto Monosodium Glutamate Functionalised Rubber Leaf Powder. **2013**, 594-595, 219-225 1
- 1316 Kinetic Studies and Adsorption Property of Activated Carbon from Heilongjiang Blended Coal for Phenol. **2013**, 803, 338-341
- 1315 Biosorption of Cadmium Ions by Unmodified, Microwave and Ultrasound Modified Brewery and Pure Strain Yeast Biomass. **2013**, 04, 63-71 2
- 1314 Calcined Mg-Fe Layered Double Hydroxide Adsorbent for Acid Red G Dye Removal. **2013**, 864-867, 719-726
- 1313 Enhanced Adsorption of Pb(II) on Chemically Treated Neem (*Azadirachta indica*) Leaf Powder. **2013**, 856, 128-133 1
- 1312 Analytical Expressions for the Adsorbate Breakthrough Curve from a Fixed Bed of Adsorbent with First-order and Second-order Kinetic Models. **2013**, 55, 87-103 10
- 1311 MODIFIED PLANTAIN PEEL AS CELLULOSE-BASED LOW-COST ADSORBENT FOR THE REMOVAL OF 2,6-DICHLOROPHENOL FROM AQUEOUS SOLUTION: ADSORPTION ISOTHERMS, KINETIC MODELING, AND THERMODYNAMIC STUDIES. **2013**, 200, 1121-1147 29
- 1310 Adsorption Kinetics for the Removal of Hazardous Dye Congo Red by Biowaste Materials as Adsorbents. **2013**, 2013, 1-12 75

1309	Chromium (VI) removal from aqueous solutions by purolite base anion-exchange resins with gel structure. 2013 , 19, 615-628	24
1308	Kinetics, Equilibrium, and Thermodynamic Studies on Adsorption of Methylene Blue by Carbonized Plant Leaf Powder. 2013 , 2013, 1-6	16
1307	Preparation and Characterization of Poly(ethyl hydrazide) Grafted Oil Palm Empty Fruit Bunch for Removal of Ni(II) Ion in Aqueous Environment. 2013 , 5, 1056-1067	12
1306	Batch and column removal of copper by modified brown algae sargassum bevanom from aqueous solution. 2013 , 8, 665-678	11
1305	Preparation and Characterization of Poly(Acrylonitrile-co-Maleic Anhydride) Copolymer Modified Polyethersulfone Membranes. 2013 , 48, 1627-1635	8
1304	Removal of Hexavalent Chromium from Aqueous Solutions using N-octyl Quaternized Poly(4-vinylpyridine): Kinetic and Equilibrium Studies. 2013 , 50, 679-684	4
1303	Sorption of Silver Cations by Natural and Na-Exchanged Mordenite. 2013 , 48, 617-625	1
1302	Synthesis and characterization of vinyl-functionalized multiwalled carbon nanotubes based molecular imprinted polymer for the separation of chlorpyrifos from aqueous solutions. 2013 , 88, 1847-1858	26
1301	Cd (II) removal by marine <i>Arthrobacter protophormiae</i> biomass: mechanism characterization and adsorption performance. 2013 , 51, 7710-7720	10
1300	Comparative Study of Cs-Uptake Performance by Potassium Iron(III) Hexacyanoferrate(II) Supported on Wood Chips and Activated Carbon. 2013 , 46, 601-608	9
1299	Aromatic compound adsorption from aqueous solution on activated carbons [^] ^#8212;Effects of adsorbate polarity and surface functional groups [^] ^#8212;. 2013 , 2013, 116-123	1
1298	Manganese Coated Sand for Copper (II) Removal from Water in Batch Mode. 2013 , 5, 1487-1501	8
1297	Preparation and characterization of poly(ethyl hydrazide)-grafted oil palm empty fruit bunch fibre for the removal of Cu(II) ions from an aqueous environment. 2013 , 18, 8461-72	11
1296	Biosorption of Hexavalent Chromium Using Bark of <i>Cassia spectabilis</i> . 2014 , 3, 83	
1295	High performance maleated lignocellulose epicarp fibers for copper ion removal. 2014 , 31, 183-193	7
1294	Arsenic removal from aqueous solutions using Fe ₃ O ₄ -HBC composite: effect of calcination on adsorbents performance. 2014 , 9, e100704	39
1293	Rapid preparation of biosorbents with high ion exchange capacity from rice straw and bagasse for removal of heavy metals. 2014 , 2014, 634837	23
1292	Thermodynamic, kinetic, and equilibrium parameters for the removal of lead and cadmium from aqueous solutions with calcium alginate beads. 2014 , 2014, 647512	38

1291	Kinetic Isotherm of Amoxicillin Antibiotic through Adsorption and its Removal by Electrocoagulation. 2014 , 30, 775-784	8
1290	Kinetic modelling of cadmium and lead removal by aquatic mosses. 2014 , 31, 229-242	36
1289	Kinetic and Equilibrium Studies of Coomassie Blue G-250 Adsorption on Apricot Stone Activated Carbon. 2014 , 05,	1
1288	Synthesis, crystal structure, and physicochemical properties of the new metal-organic framework [the iron(III) complex with benzene-1,3,5-tricarboxylate. 2014 , 63, 862-869	6
1287	Removal of reactive black 5 from aqueous solution using chitosan beads: optimization by Plackett-Burman design and response surface analysis. 2014 , 52, 7673-7684	10
1286	A novel kinetic model for batch aqueous-solution/porous-solid adsorption systems. 2014 , 52, 5343-5356	2
1285	Application of the BDST model for nickel removal from effluents by ion exchange. 2014 , 52, 7866-7877	5
1284	Adsorption of Lead by Geomaterial Matrix: Adsorption Equilibrium and Kinetics. 2014 , 49, 1416-1426	9
1283	Preparation and characterization of poly (acrylic acid-dimethylaminoethylmethacrylate) as amphoteric exchange resin and its adsorption properties. 2014 , 292, 3077-3083	14
1282	Adsorption of hexavalent chromium onto kaolin clay based adsorbent. 2014 , 21, 3918-3926	15
1281	Equilibrium isotherm and kinetics modeling of U(VI) adsorption by natural soil systems. 2014 , 303, 2193	5
1280	Adsorption of Cu(II) on Surface Ion-Imprinted Poly(Allylamine)-Silica Material from Aqueous Solution. 2014 , 53, 30-37	4
1279	Removal of aqueous uranyl ions by magnetic functionalized carboxymethylcellulose and adsorption property investigation. 2014 , 453, 82-90	30
1278	Biosorption of Cu ²⁺ by Anaerobic Granular Sludge. 2014 , 945-949, 3483-3488	
1277	Removal of Heavy Metal Ions with Acid Activated Carbons Derived from Oil Palm and Coconut Shells. 2014 , 7, 3634-3650	45
1276	Research on Adsorption Kinetics Models [Fitting Values of H ₂ O ₂ Oxidated Loofah Sponge on Methylene Blue. 2014 , 597, 72-77	
1275	Chemically treated kola nut pod as low-cost natural adsorbent for the removal of 2,4-dinitrophenol from synthetic wastewater: batch equilibrium, kinetic, and thermodynamic modelling studies. 2014 , 38, 11-40	10
1274	Assessment of Novel Synthesized Nanozirconium Tungstovanadate as Cation Exchanger for Lead Ion Decontamination. 2014 , 2014, 1-11	21

1273	Kinetics of cadmium adsorption by smectite of Oued Tfal (Gafsa Basin). 2014 , 52, 4245-4256	9
1272	Removal of Pb (II) from aqueous solution by adsorption using activated carbon developed from Apricot stone: equilibrium and kinetic. 2014 , 52, 6412-6419	4
1271	Batch and Fixed-Bed Study for Basic Blue 9 Separations using Synthetic Activated Carbon. 2014 , 49, 523-532	2
1270	Kinetic, equilibrium and selectivity studies of heavy metal ions (Pb(II), Co(II), Cu(II), Mn(II), and Zn(II)) removal from water using synthesized C-4-methoxyphenylcalix[4]resorcinarene adsorbent. 2014 , 1-11	7
1269	Periodic Mesoporous Organosilicas as adsorbents for the organic pollutants removal in aqueous phase. 2014 , 200, 117-123	24
1268	Surface rearrangement of nanoscale zerovalent iron: the role of pH and its implications in the kinetics of arsenate sorption. 2014 , 35, 2365-72	21
1267	Novel paper-templated fabrication of hierarchically porous Ni ₂ Al layered double hydroxides/Al ₂ O ₃ for efficient BSA separation. 2014 , 89, 1705-1711	14
1266	Fluoride removal from drinking water by zirconium-impregnated fibrous protein. 2014 , 1-10	5
1265	Preparation of cationic functional starch/Na ⁺ -MMT composite and its application for effective removal of three hazardous metal anionic ions with different valence. 2014 , 66, 824-831	4
1264	Modeling the Purification Effects of the Constructed Sphagnum Wetland on Phosphorus and Heavy Metals in Dajiuhu Wetland Reserve, China. 2014 , 185-207	
1263	Facile synthesis of hierarchical Fe ₄ (P ₂ O ₇) ₃ for removal of U(VI). 2014 , 200, 311-318	25
1262	Biosorption properties of zinc(II) from aqueous solutions by <i>Pseudevernia furfuracea</i> (L.) Zopf. 2014 , 64, 1112-1121	17
1261	Adsorption of As(III) from aqueous solutions by iron-impregnated quartz, lignite, and silica sand: kinetic study and equilibrium isotherm analysis. 2014 , 52, 3178-3190	3
1260	Adsorption-desorption processes of azo dye on natural bentonite: batch experiments and modelling. 2014 , 49, 747-763	10
1259	Adsorption of Lead Ions onto Citric Acid Modified Rubber (<i>Hevea brasiliensis</i>) Leaves. 2014 , 896, 288-291	3
1258	Chromium(VI) removal from aqueous solution using a new synthesized adsorbent. 2014 , 1-11	
1257	Characterization and Adsorption Study of Thymol on Pillared Bentonite. 2014 , 04, 98-116	20
1256	Study on Adsorption of Methylene Blue by Sarch-g-Polyacrylamide. 2014 , 881-883, 1175-1178	

1255	Monosodium Glutamate Functionalized Chitosan Beads for Adsorption of Precious Cerium Ion. 2014 , 970, 198-203	6
1254	Performance of cabbage and cauliflower wastes for heavy metals removal. 2014 , 52, 844-860	34
1253	Synthesis of amidoxime-functionalized Fe ₃ O ₄ @SiO ₂ core-shell magnetic microspheres for highly efficient sorption of U(VI). 2014 , 235, 275-283	358
1252	Pyrolytic temperatures impact lead sorption mechanisms by bagasse biochars. 2014 , 105, 68-74	214
1251	Removal of hexavalent chromium from aqueous solution by granular and powdered Peganum Harmala. 2014 , 292, 670-677	47
1250	A novel adsorbent of Na ₂ Ta ₂ O ₆ porous microspheres with F ⁻ gradient concentration distribution: high cationic selectivity and well-regulated recycling. 2014 , 265, 226-32	8
1249	Strontium adsorption on tantalum-doped hexagonal tungsten oxide. 2014 , 264, 386-94	47
1248	Adsorption of selenite and selenate by nanocrystalline aluminum oxide, neat and impregnated in chitosan beads. <i>Water Research</i> , 2014 , 50, 373-81	12.5 105
1247	Mono and binary component biosorption of Cu(II), Ni(II), and Methylene Blue onto raw and pretreated <i>S. cerevisiae</i> : equilibrium and kinetics. 2014 , 52, 4871-4888	18
1246	Partial pyrolysis of olive wood to improve its sorption of chlorophenols and nitrophenols. 2014 , 11, 1459-1472	6
1245	Insight into adsorption equilibrium, kinetics and thermodynamics of lead onto alluvial soil. 2014 , 11, 1101-1114	57
1244	Development, characterization and evaluation of iron-coated honeycomb briquette cinders for the removal of As(V) from aqueous solutions. 2014 , 7, 27-36	17
1243	Fluoride removal on Fe ^{III} -impregnated granular ceramic adsorbent from aqueous solution. 2014 , 16, 609-617	40
1242	Fly ash-based geopolymeric adsorbent for copper ion removal from wastewater. 2014 , 52, 2519-2526	40
1241	Evaluation of different isotherm models, kinetic, thermodynamic, and copper biosorption efficiency of <i>Lobaria pulmonaria</i> (L.) Hoffm. 2014 , 64, 115-23	8
1240	Potential use of <i>Caulerpa fastigiata</i> biomass for removal of lead: kinetics, isotherms, thermodynamic, and characterization studies. 2014 , 21, 1314-25	17
1239	Organo-modified sericite in the remediation of an aquatic environment contaminated with As(III) or As(V). 2014 , 21, 407-18	15
1238	Effects of phosphorus concentration on Cr(VI) sorption onto phosphorus-rich sludge biochar. 2014 , 8, 379-385	9

1237	Synthesis of cationic polymeric adsorbent and dye removal isotherm, kinetic and thermodynamic. 2014 , 20, 2745-2753	47
1236	Removal of Direct Red 12B by garlic peel as a cheap adsorbent: kinetics, thermodynamic and equilibrium isotherms study of removal. 2014 , 127, 415-21	67
1235	Iron oxide hydroxide nanoflower assisted removal of arsenic from water. 2014 , 49, 360-368	40
1234	Removal of Zn(II) ions from aqueous solutions by ethyl xanthate impregnated activated carbons. 2014 , 144-145, 39-53	11
1233	Removal of tetracycline by electrocoagulation: Kinetic and isotherm modeling through adsorption. 2014 , 2, 177-184	71
1232	Sericite in the remediation of Cd(II)- and Mn(II)-contaminated waters: batch and column studies. 2014 , 21, 3686-96	28
1231	Immobilization of uranium(VI) onto Mg ₂ Al layered double hydroxide: role of key geochemical parameters. 2014 , 300, 1027-1037	7
1230	Potential use of low-cost lignocellulosic waste for the removal of direct violet 51 from aqueous solution: equilibrium and breakthrough studies. 2014 , 66, 557-71	46
1229	Adsorption of Pb(II) from aqueous solution using keratin waste hide waste: Equilibrium, kinetic and thermodynamic modeling studies. 2014 , 241, 393-400	59
1228	Kinetics, equilibrium and thermodynamics of the sorption of p-nitrophenol on two variable charge soils of Southern China. 2014 , 298, 95-101	24
1227	Comparative study on the adsorption capacity of raw and modified litchi pericarp for removing Cu(II) from solutions. 2014 , 134, 109-16	40
1226	Adsorptive removal of nitrate from synthetic and commercially available bottled water samples using De-Acidite FF-IP resin. 2014 , 20, 3400-3407	18
1225	Use of carboxylated cellulose nanofibrils-filled magnetic chitosan hydrogel beads as adsorbents for Pb(II). 2014 , 101, 75-82	202
1224	Improved adsorption of cadmium ions from aqueous solution using chemically modified apple pomace: Mechanism, kinetics, and thermodynamics. 2014 , 90, 8-16	55
1223	Kinetics, thermodynamics and regeneration of molybdenum adsorption in aqueous solutions with NaOCl-oxidized multiwalled carbon nanotubes. 2014 , 20, 2521-2527	30
1222	Sodium cobalt hexacyanoferrate encapsulated in alginate vesicle with CNT for both cesium and strontium removal. 2014 , 111, 477-84	48
1221	Adsorption characteristics of Cu and Zn onto various size fractions of aggregates from red paddy soil. 2014 , 264, 176-83	140
1220	Adsorption characteristics of montmorillonite clay modified with iron oxide with respect to methylene blue in aqueous media. 2014 , 95, 25-31	154

1219	Al-doping chitosanFe(III) hydrogel for the removal of fluoride from aqueous solutions. 2014 , 248, 98-106	96
1218	Use of a selective extractant-impregnated resin for removal of Pb(II) ion from waters and wastewaters: Kinetics, equilibrium and thermodynamic study. 2014 , 92, 581-591	28
1217	Synthesis of magnetic ion-imprinted composites and selective separation and preconcentration of U(VI). 2014 , 43, 7050-6	44
1216	High-Content, Well-Dispersed Fe ₂ O ₃ Nanoparticles Encapsulated in Macroporous Silica with Superior Arsenic Removal Performance. 2014 , 24, 1354-1363	103
1215	Comparison kinetics studies of Cu(II) adsorption by multi-walled carbon nanotubes in homo and heterogeneous systems: Effect of nano-SiO ₂ . 2014 , 250, 119-127	57
1214	Kinetic and thermodynamic investigations of Pb(II) and Cd(II) adsorption on nanoscale organo-functionalized SiO ₂ . 2014 , 422, 16-24	43
1213	Amino modification of biochar for enhanced adsorption of copper ions from synthetic wastewater. <i>Water Research</i> , 2014 , 48, 396-405	12.5 395
1212	ADSORPTION OF COBALT ONTO GRAPHITE NANOCARBON-IMPREGNATED ALGINATE BEADS: EQUILIBRIUM, KINETICS, AND THERMODYNAMICS STUDIES. 2014 , 201, 403-418	21
1211	Synthesis, characterization, and sorption properties of silica gel-immobilized Schiff base derivatives. 2014 , 52, 6530-6541	1
1210	Kinetics and equilibrium studies for the removal of cadmium ions by ion exchange resin. 2014 , 2, 698-707	84
1209	Chemical carbonization of papaya seed originated charcoals for sorption of Pb(II) from aqueous solution. 2014 , 2, 9-19	53
1208	Amine functionalized radiation-induced grafted water hyacinth fibers for Pb ²⁺ , Cu ²⁺ and Cr ³⁺ uptake. 2014 , 97, 246-252	14
1207	Fractal-Like Kinetics for Adsorption on Heterogeneous Solid Surfaces. 2014 , 118, 1129-1134	77
1206	Adsorption of Ni(II) and Cd(II) from water by novel chelating sponge and the effect of alkali-earth metal ions on the adsorption. 2014 , 264, 332-41	82
1205	Adsorption of Pb(II) from aqueous solution using new adsorbents prepared from agricultural waste: Adsorption isotherm and kinetic studies. 2014 , 20, 2193-2199	135
1204	Synergistic adsorption of heavy metal ions and organic pollutants by supramolecular polysaccharide composite materials from cellulose, chitosan and crown ether. 2014 , 264, 449-59	66
1203	Adsorption/desorption of Direct Yellow 28 on apatitic phosphate: Mechanism, kinetic and thermodynamic studiesPeer review under responsibility of University of Bahrain.View all notes. 2014 , 16, 64-73	12
1202	Theoretical Study of Fractal-Like Kinetics of Adsorption. 2014 , 32, 623-634	11

1201	Adsorption behavior of cadmium onto natural chabazite: batch and column investigations. 2014 , 52, 4212-4222	10
1200	Sorption Kinetics of Cd(II) Species on Humic Acid-Based Sorbent. 2014 , 42, 760-766	12
1199	Characterization of Mycobacterium sp. strain Spyr1 biomass and its biosorption behavior towards Cr(III) and Cr(VI) in single, binary and multi-ion aqueous systems. 2014 , 89, 559-568	16
1198	Effect of synthesis methods on magnetic Kans grass biochar for enhanced As(III, V) adsorption from aqueous solutions. 2014 , 71, 299-310	113
1197	Application of NRTL activity coefficient model to describe the kinetics of gas adsorption. 2014 , 12, 185-193	
1196	Functionalized mesoporous silica material and anionic dye adsorption: MCM-41 incorporated with amine groups for competitive adsorption of Acid Fuchsine and Acid Orange II. 2014 , 4, 61256-61267	52
1195	Preparation of thiourea functionalized polyvinyl alcohol-coated magnetic nanoparticles and their application in Pb ²⁺ ions adsorption. 2014 , 131, n/a-n/a	8
1194	Amidoxime-functionalized magnetic mesoporous silica for selective sorption of U(VI). 2014 , 4, 32710	111
1193	Activated Sericite: An Efficient and Effective Natural Clay Material for Attenuation of Cesium from Aquatic Environment. 2014 , 24, 731-742	21
1192	Removal of disperse violet 28 from water using self-assembled organo-layered double hydroxides through a one-step process. 2014 , 4, 58307-58314	8
1191	Preparation and adsorption characteristics of an imprinted polymer for selective removal of Cr(VI) ions from aqueous solutions. 2014 , 2, 17952-17961	91
1190	Defluoridation of water using nano-magnesium oxide. 2014 , 9, 512-524	56
1189	The immobilization of U(vi) on iron oxyhydroxides under various physicochemical conditions. 2014 , 16, 2278-87	35
1188	Oxalic Acid Modified Rice Hull as a Sorbent for Methylene Blue Removal. 2014 , 9, 165-169	14
1187	Sorption of dyes and Cu(II) ions from wastewater by sonochemically synthesized MnWO ₄ and MnMoO ₄ nanostructures. 2014 , 4, 37027-37035	19
1186	Facile preparation and characterization of BiOI-rectorite composite with high adsorptive capacity and photocatalytic activity. 2014 , 43, 2611-9	17
1185	Kinetic, equilibrium and thermodynamic investigations of Ni(II), Cd(II), Cu(II) and Co(II) adsorption on barley straw ash. 2014 , 6, 1-17	168
1184	PREPARATION OF MAGNETIC OXIDIZED MULTI-WALLED CARBON NANOTUBES FOR THE ADSORPTION OF RHODAMINE B IN AQUEOUS SOLUTION. 2014 , 09, 1450093	8

1183	Magnetic composite an environmental super adsorbent for dye sequestration [A review]. 2014 , 1-2, 36-49	106
1182	Application of Taguchi L32 orthogonal array design to optimize copper biosorption by using Spaghnum moss. 2014 , 107, 229-35	11
1181	Heavy metal adsorptivity of calcium-alginate-modified diethylenetriamine-silica gel and its application to a flow analytical system using flame atomic absorption spectrometry. 2014 , 840, 42-8	8
1180	Lead removal by nano-scale zero valent iron: Surface analysis and pH effect. 2014 , 59, 341-348	50
1179	Cadmium removal by macro algae <i>Caulerpa fastigiata</i> : Characterization, kinetic, isotherm and thermodynamic studies. 2014 , 2, 1533-1542	38
1178	Multimetal biosorption modeling of Zn ²⁺ , Cu ²⁺ and Ni ²⁺ by <i>Sargassum ilicifolium</i> . 2014 , 71, 197-205	13
1177	Adsorption of Cu (II), Mn (II) and Zn (II) by <i>Spirodela polyrhiza</i> (L.) Schleiden: Equilibrium, kinetic and thermodynamic studies. 2014 , 71, 308-317	80
1176	Novel effective waste iron oxide-coated magnetic adsorbent for phosphate adsorption. 2014 , 52, 766-774	4
1175	Preferential adsorption behavior of methylene blue dye onto surface hydroxyl group enriched TiO ₂ nanotube and its photocatalytic regeneration. 2014 , 433, 104-114	89
1174	Removal of cationic dye from aqueous solution using melon peel as nonconventional low-cost sorbent. 2014 , 52, 7701-7710	4
1173	N-benzoyl-n-phenylhydroxylamine impregnated Amberlite XAD-4 beads for selective removal of thorium. 2014 , 280, 514-23	7
1172	MoleculeSurface Recognition between Heterocyclic Aromatic Compounds and Kaolinite in Toluene Investigated by Molecular Theory of Solvation and Thermodynamic and Kinetic Experiments. 2014 , 118, 23821-23834	21
1171	Adsorption of 2-methylisoborneol and geosmin from water onto thermally modified attapulgite. 2014 , 52, 999-1006	2
1170	Study of Cr(VI) adsorption onto nitrogen-containing activated carbon preparation from bamboo processing residues. 2014 , 60, 215-224	16
1169	Removal of inorganic pollutants in rainwater by a peat-derived porous material. 2014 , 21, 387-394	5
1168	The effect of temperature on the sorption of U(VI) onto ZrP ₂ O ₇ in the presence of oxalic acid. 2014 , 301, 483-491	3
1167	Arsenic removal from aqueous solutions by adsorption onto iron oxide/activated carbon magnetic composite. 2014 , 12, 58	85
1166	Nanoscale Zero-Valent Iron (NZVI) supported on sineguas waste for Pb(II) removal from aqueous solution: kinetics, thermodynamic and mechanism. 2014 , 426, 241-51	86

1165	Adsorption properties and photocatalytic activity of TiO ₂ /activated carbon fiber composite. 2014 , 88, 1066-1070	9
1164	Separation of tungsten and molybdenum using macroporous resin: Competitive adsorption kinetics in binary system. 2014 , 144-145, 77-85	32
1163	TEOS as an improved alternative for chitosan beads cross-linking: A comparative adsorption study. 2014 , 131,	10
1162	Adsorption of the Prototype Anionic Anthraquinone, Acid Blue 25, on a Modified Banana Peel: Comparison with Equilibrium and Kinetic Ligand Receptor Biochemical Data. 2014 , 53, 2251-2260	15
1161	Adsorption of Cr(VI) and Phosphate on MgAl Hydrotalcite Supported Kaolin Clay Prepared by Ultrasound-Assisted Coprecipitation Method Using Batch and Fixed-Bed Systems. 2014 , 53, 7746-7757	40
1160	Efficiencies of chitosan nanoparticles and crab shell particles in europium uptake from aqueous solutions through biosorption: Synthesis and characterization. 2014 , 95, 232-240	46
1159	Biosorptive removal of Cu(II), Ni(II) and Pb(II) ions from aqueous solutions using coconut dregs residue: Adsorption and characterisation studies. 2014 , 2, 1912-1919	59
1158	Sorption studies of manganese and cobalt from aqueous phase onto alginate beads and nano-graphite encapsulated alginate beads. 2014 , 20, 4353-4362	19
1157	Nanoporous Magnetic Cellulose/Chitosan Composite Microspheres: Preparation, Characterization, and Application for Cu(II) Adsorption. 2014 , 53, 2106-2113	120
1156	Preparation and Evaluation of Novel Thiourea/Chitosan Composite Beads for Copper(II) Removal in Aqueous Solutions. 2014 , 53, 1249-1255	35
1155	Removal of Rhodamine B from water by cedar cone: Effect of calcinations and chemical activation. 2014 , 39, 1523-1531	8
1154	Preparation and characterization of a single-walled aluminosilicate nanotube-iron oxide composite: Its applications to removal of aqueous arsenate. 2014 , 51, 145-152	34
1153	Removal of perchlorate from aqueous solution by cross-linked Fe(III)-chitosan complex. 2014 , 26, 792-800	26
1152	Antimonate and antimonite adsorption by a polyvinyl alcohol-stabilized granular adsorbent containing nanoscale zero-valent iron. 2014 , 247, 250-257	93
1151	Study of kinetics in the biosorption of lead onto native and chemically treated olive stone. 2014 , 20, 2754-2760	34
1150	Evaluation of mixtures of peat, zero-valent iron and alkalinity amendments for treatment of acid rock drainage. 2014 , 43, 66-79	20
1149	Preparation of magnetic separable CoFe ₂ O ₄ /PAC composite and the adsorption of bisphenol A from aqueous solution. 2014 , 18, 208-213	20
1148	XANES evidence of molybdenum adsorption onto novel fabricated nano-magnetic CuFe ₂ O ₄ . 2014 , 244, 343-349	36

1147	An investigation on the behaviors of thorium(IV) adsorption onto chrysotile nanotubes. 2014 , 2, 1236-1242	12
1146	Phosphorus adsorption onto green synthesized nano-bimetal ferrites: Equilibrium, kinetic and thermodynamic investigation. 2014 , 251, 285-292	58
1145	Silica coating and photocatalytic activities of ZnO nanoparticles: effect of operational parameters and kinetic study. 2014 , 131, 158-68	14
1144	Development of a new method for determination of aluminum (Al) in Jordanian foods and drinks: Solid phase extraction and adsorption of Al ³⁺ -D-mannitol on carbon nanotubes. 2014 , 33, 6-13	29
1143	Removal of malachite green from aqueous solution by zinc oxide nanoparticle loaded on activated carbon: Kinetics and isotherm study. 2014 , 20, 17-28	279
1142	Biosorption of strontium from simulated nuclear wastewater by <i>Scenedesmus spinosus</i> under culture conditions: adsorption and bioaccumulation processes and models. 2014 , 11, 6099-118	25
1141	Equilibrium studies on the removal of cadmium ion on amberlite IR-120 sorbent. 2015 , 77, 745-753	5
1140	Bromate Adsorption on Three Variable Charge Soils: Kinetics and Thermodynamics. 2015 , 43, 1072-1077	1
1139	Effect of Polarity of Activated Carbon Surface, Solvent and Adsorbate on Adsorption of Aromatic Compounds from Liquid Phase. 2015 , 63, 726-30	17
1138	Adsorption of Remazol Brilliant Blue R (RBBR) by C-4-Ethoxy-3-Methoxyphenylcalix[4]Resorcinarene Triphenylphosphonium Chloride. 2015 , 1101, 290-293	0
1137	Water Treatment: Low-Cost Alternatives to Carbon Adsorbents. 2015 , 7618-7652	
1136	Adsorption of Pb(II) Ions on Sulfuric Acid Treated <i>Leucaena leucocephala</i> Leaf Powder. 2015 , 27, 03002	1
1135	<i>Sesbania sesban</i> L. biomass as a novel adsorbent for removal of Pb(II) ions from aqueous solution: non-linear and error analysis. 2015 , 4,	1
1134	Distribution of iron in activated carbon composites: assessment of arsenic removal behavior. 2015 , 15, 990-998	8
1133	Kinetic and Equilibrium Investigations of Cobalt(II), Nickel(II), and Tungsten(VI) Adsorption on Fly Ash Processed by Hydrothermal Treatment in an Alkaline Solution. 2015 , 13, 359-370	2
1132	In situ One-pot Electrochemical Synthesis of Aluminum Oxide/polyaniline Nanocomposite; Characterization and Its Adsorption Properties towards Some Heavy Metal Ions. 2015 , 62, 1045-1052	6
1131	Equilibrium, kinetics, and thermodynamics of Pd(II) adsorption onto poly(m-aminobenzoic acid) chelating polymer. 2015 , 132, n/a-n/a	9
1130	Binding characteristics of molecularly imprinted polymers based on fungicides in hydroalcoholic media. 2015 , 38, 3607-14	9

1129	Adsorption of Cr(VI) from Aqueous Solution onto a Mesoporous Carbonaceous Material Prepared from Naturally Occurring Pongamia pinnata Seeds. 2015 , 05,	3
1128	Removal of Cd (II) and Hg(II) by chelating resin Chelex-100. 2015 , 31, 205-214	1
1127	Alternative Composite Nanosorbents Based on Turkish Perlite for the Removal of Cr(VI) from Aqueous Solution. 2015 , 2015, 1-7	8
1126	A New Approach for Analysis of Adsorption from Liquid Phase: A Critical Review. 2015 , 03,	9
1125	Effective Remediation of Lead Ions from Aqueous Solution by Chemically Carbonized Rubber Wood Sawdust: Equilibrium, Kinetics, and Thermodynamic Study. 2015 , 2015, 1-8	1
1124	Development of Polymer Based Nanocomposites as a Marker of Cadmium in Complex Matrices. 2015 , 2015, 1-7	1
1123	Calcium Pretreated Hevea brasiliensis Sawdust for Copper Removal: Batch and Column Study. 2015 , 2015, 1-9	2
1122	Kinetics of reactions at an interface: functionalisation of silicate glass with porphyrins via covalent bonds. 2015 , 13, 3371-7	1
1121	Aminoparticles Synthesis, characterisation and application in water purification. 2015 , 5, 32862-32871	2
1120	Synthesis of poly GMA/DVB and its application for the removal of Malachite Green from aqueous medium by adsorption process. 2015 , 53, 2518-2528	12
1119	Efficient attenuation of 17 β -ethynylestradiol (EE2) and tetracycline using novel hybrid materials: batch and column reactor studies. 2015 , 5, 46834-46842	17
1118	Synthesis and characterization of Ni-MCM-41 for methyl blue adsorption. 2015 , 214, 88-94	83
1117	Boron removal from water with fractionized Amberlite IRA743 resin. 2015 , 370, 1-6	49
1116	Removal of carcinogenic hexavalent chromium from aqueous solutions using newly synthesized and characterized polypyrrole/titanium(IV)phosphate nanocomposite. 2015 , 280, 494-504	65
1115	Kinetic and Equilibrium Models of Adsorption. 2015 , 33-69	105
1114	Synthesis of magnetic chrysotile nanotubes for adsorption of Pb(II), Cd(II) and Cr(III) ions from aqueous solution. 2015 , 3, 752-762	40
1113	A novel pyridinium functionalized magnetic chitosan with pH-independent and rapid adsorption kinetics for magnetic separation of Cr(VI). 2015 , 3, 1953-1961	20
1112	Effects of pH, ionic strength and humic acid on the sorption of neptunium(V) to Na-bentonite. 2015 , 206, 285-292	21

1111	Assessment of unmodified wetland bio-waste: Shoots of <i>Cyperus laevigatus</i> , for cadmium adsorption from aqueous solutions. 2015 , 95, 77-85	22
1110	Characterization of two cellulosic waste materials (orange and almond peels) and their use for the removal of methylene blue from aqueous solutions. 2015 , 0-0	11
1109	Synthesis and characterization of a novel MgAl hydrotalcite-loaded kaolin clay and its adsorption properties for phosphate in aqueous solution. 2015 , 637, 188-196	83
1108	Insight into the adsorption mechanisms of vanadium(V) on a high-efficiency biosorbent (Ti-doped chitosan bead). 2015 , 79, 110-7	34
1107	Chemically modified <i>Retama raetam</i> biomass as a new adsorbent for Pb(II) ions from aqueous solution: non-linear regression, kinetics and thermodynamics. 2015 , 4,	2
1106	Prospective application of <i>Aspergillus</i> species immobilized in sodium montmorillonite to remove toxic hexavalent chromium from wastewater. 2015 , 5, 107031-107044	15
1105	Adsorption of perrhenate ion by bio-char produced from <i>Acidosasa edulis</i> shoot shell in aqueous solution. 2015 , 5, 104769-104778	25
1104	Biosorption Performance of Biodegradable Polymer Powders for the Removal of Gallium(III) ions from Aqueous Solution. 2015 , 17, 124-132	10
1103	Application of hydroxy-aluminum- and cetyltrimethylammonium bromide-intercalated bentonite for removing acid and reactive dyes. 2015 , 1-9	1
1102	Application of magnetic nano-particles for phosphorus removal/recovery in aqueous solution. 2015 , 46, 148-154	35
1101	Removal of Cu(II) and Ni(II) by ion exchange resin in packed rotating cylinder. 2015 , 55, 199-209	2
1100	Study of Adsorption of Janus Green B and Methylene Blue on Nanocrystalline Cellulose. 2015 , 62, 149-162	15
1099	Biosorption potential assessment of modified pistachio shell waste for methylene blue: thermodynamics and kinetics study. 2015 , 56, 146-160	19
1098	Synthesis, characterization of PMDA/TMSPEDA hybrid nano-composite and its applications as an adsorbent for the removal of bivalent heavy metals ions. 2015 , 270, 9-21	56
1097	Black cumin seed (BCS): a non conventional adsorbent for the removal of Cu (II) from aqueous solution. 2015 , 56, 2512-2521	10
1096	Kinetic study of heavy metal ions removal by ion exchange in batch conical air spouted bed. 2015 , 54, 83-90	110
1095	Adsorption of Trivalent Antimony from Aqueous Solution Using Graphene Oxide: Kinetic and Thermodynamic Studies. 2015 , 60, 806-813	18
1094	Preliminary study on removing Cs ⁺ /Sr ²⁺ by activated porous calcium silicate-A by-product from high-alumina fly ash recycling industry. 2015 , 65, 99-105	2

1093	Ethyl acrylate grafted chitosan for heavy metal removal from wastewater: Equilibrium, kinetic and thermodynamic studies. 2015 , 51, 127-134	63
1092	Preparation and characterization of sulfonated graphene-enhanced poly (vinyl alcohol) composite hydrogel and its application as dye absorbent. 2015 , 60, 96-106	52
1091	Artificial Neural Network (ANN) Method for Modeling of Sunset Yellow Dye Adsorption Using Nickel Sulfide Nanoparticle Loaded on Activated Carbon: Kinetic and Isotherm Study. 2015 , 36, 1339-1348	18
1090	Synthesis, treatment, and application of a novel carbon nanostructure for removal of fluoride from aqueous solution. 2015 , 54, 2432-2440	3
1089	Equilibrium, kinetic and thermodynamic studies of adsorption of Th(IV) from aqueous solution onto kaolin. 2015 , 303, 87-97	18
1088	Enhancing the adsorption capacity of Sr ²⁺ and Cs ⁺ onto hexagonal tungsten oxide by doped niobium. 2015 , 5, 15603-15611	17
1087	Separation of Arsenic from Aqueous Solutions by Amino-Functionalized γ -Fe ₂ O ₃ - γ -Zeolite. 2015 , 50, 958-964	4
1086	Adsorption of hexavalent chromium onto magnetic natural zeolite-polymer composite. 2015 , 50, 242-251	74
1085	Comparison of Experimental and Simulated Adsorption of Binary Metal Ions using Sawdust Modified by Citric Acid. 2015 , 50, 276-285	2
1084	Iron-impregnated activated carbons precursor to rice hulls and areca nut waste in the remediation of Cu(II) and Pb(II) contaminated waters: a physico-chemical studies. 2015 , 53, 1591-1605	12
1083	Adsorption of hexavalent chromium by metal organic frameworks from aqueous solution. 2015 , 28, 211-216	151
1082	Defluoridation of drinking water using a novel sorbent: lanthanum-impregnated green sand. 2015 , 1-11	3
1081	Adsorption of Arsenic from Aqueous Solutions by Iron Oxide Coated Sand Fabricated with Acid Mine Drainage. 2015 , 50, 267-275	21
1080	Adsorption property of methyl orange by chitosan coated on quartz sand in batch mode. 2015 , 55, 1598-1608	9
1079	Photocatalytic reduction of chromate oxyanions on MMnFe ₂ O ₄ (M=Zn, Cd) nanoparticles. 2015 , 33, 189-198	13
1078	Use of the crosslinked copolymer functionalized with acrylic acid for the removal of strontium ions from aqueous solutions. 2015 , 305, 551-565	14
1077	Porous hybrid materials in the remediation of water contaminated with As(III) and As(V). 2015 , 270, 496-507	35
1076	Adsorption kinetics and diffusion of Saxitoxins on granular-activated carbon: influence of pore size distribution. 2015 , 64, 344-353	9

1075	Highly Porous Core-Shell Structured Graphene-Chitosan Beads. 2015 , 7, 14439-45	45
1074	Facile synthesis of chitosan derivatives and <i>Arthro bacter</i> sp. biomass for the removal of europium(III) ions from aqueous solution through biosorption. 2015 , 102, 286-297	26
1073	Mechanism of Adsorptive Removal of Methylene Blue Using Dried Biomass of <i>Rhizopus oryzae</i> . 2015 , 177, 541-55	7
1072	Rapid adsorption removal of arsenate by hydrous cerium oxide-graphene composite. 2015 , 5, 64983-64990	70
1071	Simultaneous detection and removal of radioisotopes with modified alginate beads containing an azo-based probe using RGB coordinates. 2015 , 300, 227-234	11
1070	Effect of cations in the background electrolyte on the adsorption kinetics of copper and cadmium and the isoelectric point of imogolite. 2015 , 299, 675-84	32
1069	Fe ₂ O ₃ @alygorskite nanoparticles, efficient adsorbates for pesticide removal. 2015 , 115, 67-75	55
1068	Use of red mud (bauxite residue) for the retention of aqueous inorganic mercury(II). 2015 , 22, 17550-68	5
1067	Determination of malachite green in fish based on magnetic molecularly imprinted polymer extraction followed by electrochemiluminescence. 2015 , 142, 228-34	49
1066	Biotransformation of pink water TNT on the surface of a low-cost adsorbent pine bark. 2015 , 26, 375-86	9
1065	Synthesis of diatom-FeOx composite for removing trace arsenic to meet drinking water standards. 2015 , 457, 169-73	22
1064	Mercapto functionalized silica entrapped polyacrylamide hydrogel: Arsenic adsorption behaviour from aqueous solution. 2015 , 456, 241-5	21
1063	Synthesis, characterization, and application of Fe-CNTs nanocomposite for BrO ₃ ⁻ remediation from water samples. 2015 , 26, 218-225	14
1062	Synthesis, characterization and in vitro cytotoxicity analysis of a novel cellulose based drug carrier for the controlled delivery of 5-fluorouracil, an anticancer drug. 2015 , 355, 64-73	31
1061	Development of a chitin/graphene oxide hybrid composite for the removal of pollutant dyes: Adsorption and desorption study. 2015 , 280, 41-48	165
1060	Effect of polyester blends in hydroentangled raw and bleached cotton nonwoven fabrics on the adsorption of alkyl-dimethyl-benzyl-ammonium chloride. 2015 , 85, 1221-1233	9
1059	Significance of Indian peat moss for the removal of Ni(II) ions from aqueous solution. 2015 , 74, 5351-5357	7
1058	Adsorption of Natural Organic Matter onto the Products of Water-Pipe Corrosion. 2015 , 226, 1	4

1057	Simultaneous removal of arsenate and antimonate in simulated and practical water samples by adsorption onto Zn/Fe layered double hydroxide. 2015 , 276, 365-375	104
1056	Kinetics and thermodynamics of enhanced adsorption of the dye AR 18 using activated carbons prepared from walnut and poplar woods. 2015 , 208, 99-105	96
1055	Facile preparation of rosin-based biochar coated bentonite for supporting γ -Fe ₂ O ₃ nanoparticles and its application for Cr(VI) adsorption. 2015 , 3, 4595-4603	76
1054	Removal of U(VI) From Aquatic Systems, Using Winery By-Products as Biosorbents: Equilibrium, Kinetic, and Speciation Studies. 2015 , 226, 1	12
1053	Highly effective removal of Methylene Blue using functionalized attapulgite via hydrothermal process. 2015 , 33, 106-15	46
1052	Water defluoridation using a nanostructured diatom-ZrO ₂ composite synthesized from algal biomass. 2015 , 450, 239-245	33
1051	Preparation and performance of polyacrylonitrile fiber functionalized with iminodiacetic acid under microwave irradiation for adsorption of Cu(II) and Hg(II). 2015 , 276, 349-357	59
1050	Preparation and application of magnetic graphene oxide composite for the highly efficient immobilization of U(VI) from aqueous solutions. 2015 , 306, 221-229	10
1049	Aging effect on the leaching behavior of heavy metals (Cu, Zn, and Cd) in red paddy soil. 2015 , 22, 11467-77	44
1048	Abatement of Cr(VI) and As(III) by MnO ₂ loaded MCM-41 in wastewater treatment. 2015 , 32, 1667-1677	7
1047	Poly(propylene carbonate)/exfoliated graphite nanocomposites: Selective adsorbent for the extraction and detection of gold(III). 2015 , 38, 327-333	10
1046	Biosorption characteristics of 1,8-dihydroxy anthraquinone onto <i>Aspergillus oryzae</i> CGMCC5992 biomass. 2015 , 12, 3351-3362	10
1045	Microwave assisted immobilization of yeast in cellulose biopolymer as a green adsorbent for the sequestration of chromium. 2015 , 279, 38-46	45
1044	Uranium extraction using a magnetic CoFe ₂ O ₄ /graphene nanocomposite: kinetics and thermodynamics studies. 2015 , 39, 2832-2838	29
1043	Preparation of magnetic core-shell iron oxide@silica@nickel-ethylene glycol microspheres for highly efficient sorption of uranium(VI). 2015 , 44, 6909-17	27
1042	Synthesis and characterization of hydroxyapatite nanoparticles impregnated on apple pomace to enhanced adsorption of Pb(II), Cd(II), and Ni(II) ions from aqueous solution. 2015 , 22, 10919-29	28
1041	Kinetic and Isotherm Modeling of Methylene Blue Adsorption onto Kaolinite Clay at the Solid-Liquid Interface. 2015 , 50, 1147-1157	23
1040	Investigation of dye adsorption onto activated carbon from the shells of Macor'fruit. 2015 , 156, 10-4	83

1039	The range of validity of sorption kinetic models. 2015 , 448, 437-50	59
1038	Rapid removal of Auramine-O and Methylene blue by ZnS:Cu nanoparticles loaded on activated carbon: A response surface methodology approach. 2015 , 53, 80-91	118
1037	Removal of methylene blue dye using biodegradable hydrogel and reusing in a secondary adsorption process. 2015 , 54, 2765-2776	19
1036	Chemically modified ground tire rubber as fluoride ions adsorbents. 2015 , 282, 161-169	15
1035	Adsorption of sulfamethoxazole and 17 β -estradiol by carbon nanotubes/CoFe ₂ O ₄ composites. 2015 , 274, 17-29	107
1034	The removal of lead ions from aqueous solution by using magnetic hydroxypropyl chitosan/oxidized multiwalled carbon nanotubes composites. 2015 , 451, 7-14	102
1033	Removal of Se(IV) and Se(VI) by MFe ₂ O ₄ nanoparticles from aqueous solution. 2015 , 273, 353-362	100
1032	Studies on interaction of ribonucleotides with zinc ferrite nanoparticles using spectroscopic and microscopic techniques. 2015 , 1, 49-59	12
1031	Simultaneous adsorption of Cd ²⁺ and reactive dye on mesoporous nanocarbons. 2015 , 5, 95247-95255	7
1030	Glycine-assisted evolution of palygorskite via a one-step hydrothermal process to give an efficient adsorbent for capturing Pb(II) ions. 2015 , 5, 96829-96839	9
1029	Methylene Blue Adsorption onto NaOH Treated Leucaena leucocephala Leaf Powder. 2015 , 752-753, 251-256	0
1028	Influence of removal of organic matter and iron and manganese oxides on cadmium adsorption by red paddy soil aggregates. 2015 , 5, 90588-90595	24
1027	Biosorption Behavior of Ciprofloxacin onto Enteromorpha prolifera: Isotherm and Kinetic Studies. 2015 , 17, 957-61	11
1026	Kinetic, equilibrium and thermodynamic study on the removal of Congo Red from aqueous solutions by adsorption onto apricot stone. 2015 , 98, 424-436	109
1025	Tea waste-supported hydrated manganese dioxide (HMO) for enhanced removal of typical toxic metal ions from water. 2015 , 5, 88900-88907	24
1024	Kinetic and isotherms studies of phosphorus adsorption onto natural riparian wetland sediments: linear and non-linear methods. 2015 , 187, 381	10
1023	Removal of lead and phosphate ions from aqueous solutions by organo-smectite. 2015 , 36, 2872-83	9
1022	Amino-Functionalized Multi-Walled Carbon Nanotubes as Novel Adsorbents for Selective Adsorption of Anionic Dyes in Aqueous Solution. 2015 , 10, 1550065	3

1021	Enhanced capacitance of a nitrogen-containing carbon-based nanocomposite via noncovalent functionalization method. 2015 , 31, 343-351	1
1020	Metal adsorption by agricultural biosorbents: Adsorption isotherm, kinetic and biosorbents chemical structures. 2015 , 81, 400-9	104
1019	Biosorption characteristics of Uranium (VI) from aqueous solution by pollen pini. 2015 , 150, 93-8	40
1018	Biosorption of zinc ions onto <i>Corylus avellana</i> L.. 2015 , 53, 2692-2700	3
1017	Photophysical and adsorption properties of pyronin B in natural bentonite clay dispersion. 2015 , 359, 897-904	10
1016	Enhancing phosphate removal from water by using ordered mesoporous silica loaded with samarium oxide. 2015 , 7, 10052-10060	11
1015	Investigation of temperature effect on surface-interaction and diffusion of aqueous-solution/porous-solid adsorption systems using diffusion-binding model. 2015 , 3, 129-139	11
1014	Biosorptive Removal of Cadmium (II) Ions from Aqueous Solution by Chemically Modified Onion Skin: Batch Equilibrium, Kinetic and Thermodynamic Studies. 2015 , 202, 655-673	18
1013	Chromium(VI) removal from aqueous solution and industrial wastewater by modified date palm trunk. 2015 , 34, 452-460	7
1012	Effective adsorption and enhanced removal of organophosphorus pesticides from aqueous solution by Zr-based MOFs of UiO-67. 2015 , 7, 223-31	282
1011	Adsorption of Telon dyes onto bis-imidazolium modified bentonite in aqueous solutions. 2015 , 3, 1384-1392	28
1010	Selective recovery of palladium using an innovative functional polymer containing phosphine oxide. 2015 , 264, 772-779	22
1009	Recovery of platinum, palladium and rhodium from acidic chloride leach solution using ion exchange resins. 2015 , 152, 20-32	100
1008	Effect of carbon nanotubes on Cd(II) adsorption by sediments. 2015 , 264, 645-653	64
1007	Efficient removal of pentachlorophenol from wastewater by novel hydrophobically modified thermo-sensitive hydrogels. 2015 , 25, 67-72	11
1006	A low cost approach to synthesize sand like AlOOH nanoarchitecture (SANA) and its application in defluoridation of water. 2015 , 3, 1303-1311	26
1005	Efficient use of hybrid materials in the remediation of aquatic environment contaminated with micro-pollutant diclofenac sodium. 2015 , 263, 364-373	37
1004	Xanthate modified apple pomace as an adsorbent for removal of Cd (II), Ni (II) and Pb (II), and its application to real industrial wastewater. 2015 , 97, 60-66	43

1003	A new isotherm for multilayer gas adsorption on heterogeneous solid surfaces. 2015 , 134, 1	7
1002	Comparisons of kinetics, thermodynamics and regeneration of tetramethylammonium hydroxide adsorption in aqueous solution with graphene oxide, zeolite and activated carbon. 2015 , 326, 187-194	18
1001	Study of the adsorption of Cd (II) from aqueous solution using zeolite-based geopolymer, synthesized from coal fly ash; kinetic, isotherm and thermodynamic studies. 2015 , 8, 837-849	156
1000	Adsorptive removal of 2,4-dinitrophenol using active carbon: kinetic and equilibrium modeling at solid-liquid interface. 2015 , 54, 1850-1861	20
999	Dendrimer-titania nanocomposite: synthesis and dye-removal capacity. 2015 , 41, 3743-3757	37
998	Boron removal from RO permeate of geothermal water by monodisperse poly(vinylbenzyl chloride-co-divinylbenzene) beads containing N-methyl-d-glucamine. 2015 , 364, 75-81	21
997	A new and effective nanobiocomposite for sequestration of Cd(II) ions: Nanoscale zerovalent iron supported on sineguelas seed waste. 2015 , 93, 696-709	29
996	Characterization of zinc oxide nanorods loaded on activated carbon as cheap and efficient adsorbent for removal of methylene blue. 2015 , 21, 986-993	63
995	Utilization of NaOH modified <i>Desmostachya bipinnata</i> (Kush grass) leaves and <i>Bambusa arundinacea</i> (bamboo) leaves for Cd(II) removal from aqueous solution. 2015 , 3, 593-602	15
994	Individual and competitive adsorption of phenol and nickel onto multiwalled carbon nanotubes. 2015 , 6, 405-15	75
993	Hybrid multi-walled carbon nanotubes-alginate-polysulfone beads for adsorption of bisphenol-A from aqueous solution. 2015 , 54, 1167-1183	12
992	Adsorption of Hg(II) from aqueous solutions by thiol-functionalized polymer-coated magnetic particles. 2015 , 23, 273-278	35
991	Removal of copper(II) and chromium(VI) from aqueous solution using sorghum roots (<i>S. bicolor</i>): a kinetic and thermodynamic study. 2015 , 17, 1039-1051	18
990	Downwash of atmospherically deposited trace metals in peat and the influence of rainfall intensity: an experimental test. 2015 , 506-507, 95-101	14
989	Selective and fast recovery of neodymium from seawater by magnetic iron oxide Fe ₃ O ₄ . 2015 , 262, 966-972	27
988	Facile preparation of oxine functionalized magnetic Fe ₃ O ₄ particles for enhanced uranium (VI) adsorption. 2015 , 466, 85-91	58
987	Synthesis of titanium cross-linked chitosan composite for efficient adsorption and detoxification of hexavalent chromium from water. 2015 , 3, 331-340	93
986	The synthesis of a manganese dioxide-iron oxide-graphene magnetic nanocomposite for enhanced uranium(VI) removal. 2015 , 39, 868-876	67

985	Enhanced adsorption of uranium (VI) using a three-dimensional layered double hydroxide/graphene hybrid material. 2015 , 259, 752-760	189
984	Adsorption/desorption of arsenic by tropical peat: influence of organic matter, iron and aluminium. 2015 , 36, 149-59	23
983	Synthesis and characterization of whisker surface imprinted polymer and selective solid-phase extraction of trace Sr(II) from environment aqueous solution. 2015 , 54, 2441-2451	5
982	A study on removal characteristics of o-, m-, and p-nitrophenol from aqueous solutions by organically modified diatomaceous earth. 2015 , 56, 826-838	11
981	Improved removal and decolorization of C.I. anionic reactive yellow 145 A dye from water in a wide pH range via active carbon adsorbent-loaded-cationic surfactant. 2015 , 55, 227-240	12
980	Adsorption thermodynamics and kinetics of N,N'-diisopropoxypropyl-N',N'-oxydiethylenedicarbonyl bis (thiourea) on chalcopyrite surfaces. 2015 , 21, 1306-1313	26
979	Synthesis and adsorption properties of mesoporous material for the removal of dye safranin: Kinetics, equilibrium, and thermodynamics. 2015 , 22, 19-27	94
978	Fabrication of nanoporous graphene by chemical vapor deposition (CVD) and its application in oil spill removal as a recyclable nanosorbent. 2015 , 22, 8-18	50
977	Kinetics, isotherm, and thermodynamic study of adsorption of zinc ions from aqueous solution by use of polyamidoamine dendrimer starch. 2015 , 41, 2567-2582	4
976	Application of central composite design for simultaneous removal of methylene blue and Pb(2+) ions by walnut wood activated carbon. 2015 , 135, 479-90	131
975	Adsorption of Sb(III) from aqueous solution by QFGO particles in batch and fixed-bed systems. 2015 , 260, 444-453	40
974	Removal of methylene blue from aqueous solution by wood millet carbon optimization using response surface methodology. 2015 , 136 Pt B, 141-8	51
973	Adsorption of copper(II) ions by a chitosan-oxalate complex biosorbent. 2015 , 72, 136-44	62
972	Equilibrium, kinetics and thermodynamic parameters for adsorptive removal of dye Basic Blue 9 by ground nut shells and Eichhornia. 2016 , 9, S1464-S1477	15
971	Efficient Removal of Cr(VI) from Aqueous Solution onto Palm Trunk Charcoal: Kinetic and Equilibrium Studies. 2016 ,	2
970	Removal of Chromium and Nickel from Electroplating Wastewater Using Magnetite Particulate Adsorbent: (1) Effect of pH, Contact Time and Dosage, (2) Adsorption Isotherms and Kinetics. 2016 , 10, 222	4
969	Biosorption Kinetic Models on the Removal of Congo red onto Unripe Calamansi (Citrus microcarpa) peels. 2016 , 32, 2889-2900	2
968	Fe ₃ O ₄ /Reduced Graphene Oxide Nanocomposite: Synthesis and Its Application for Toxic Metal Ion Removal. 2016 , 2016, 1-10	37

967	Application of Response Surface Methodology to Modeling and Optimization of Removal of Bismarck Brown and Thymol Blue by Mn-Fe ₂ O ₄ - NPs-AC: (Kinetics and Thermodynamic Studies). 2016 , 32, 549-565	2
966	Strontium Removal in Seawater by Means of Composite Magnetic Nanoparticles Derived from Industrial Sludge. 2016 , 8, 357	17
965	Enhancement of Cr(VI) Ion Removal Using Nanochitosan Coated on Bituminous Activated Carbon. 2016 , 88, 2150-2158	7
964	Design, Characterization, and Environmental Applications of Hydrogels with Metal Ion Coordination Properties. 2016 ,	2
963	Sorption of V and VI group metalloids (As, Sb, Te) on modified peat sorbents. 2016 , 14, 46-59	12
962	Reaction Mechanism of 2-Methylisoborneol and 2,4,6-Trichloroanisole in Catalytic Ozonation by $\text{Fe}(\text{NO}_3)_3$: Role of Adsorption. 2016 , 44, 1099-1105	4
961	Adsorption of As(III), As(V) and Cu(II) on zirconium oxide immobilized alginate beads in aqueous phase. 2016 , 160, 126-33	74
960	Recovery and Separation of Metal Ions from Aqueous Solutions by Solvent-Impregnated Resins. 2016 , 39, 1377-1392	30
959	Non-Metabolic Uptake of Al^{3+} by Dead Leaves of <i>Rubus ulmifolius</i> : Comparison With Metabolic Bioaccumulation Data. 2016 , 44, 154-161	
958	Removal of trace As(V) from aqueous solution by Fe(III)-loaded porous amidoximated polyacrylonitrile. 2016 , 16, 1603-1613	4
957	Removal of methylene blue by adsorption on aluminosilicate waste: equilibrium, kinetic and thermodynamic parameters. 2016 , 74, 2437-2445	7
956	Zinc removal from aqueous solution using novel adsorbent MISCBA. 2016 , 6, 377-388	5
955	Preparation and characterization of iron-copper binary oxide and its effective removal of antimony(III) from aqueous solution. 2016 , 74, 393-401	7
954	Defluoridation of water by chemical impregnated <i>Artocarpus hirsutus</i> sawdust. 2016 , 16, 1297-1312	2
953	An in situ gold-decorated 3D branched ZnO nanocomposite and its enhanced absorption and photo-oxidation performance for removing arsenic from water. 2016 , 6, 112877-112884	5
952	Kinetic, isotherm and thermodynamics investigation on adsorption of divalent copper using agro-waste biomaterials, <i>Musa acuminata</i> , <i>Casuarina equisetifolia</i> L. and <i>Sorghum bicolor</i> . 2016 , 18, 68-77	14
951	Removal of antibiotic compounds by adsorption using glycerol-based carbon materials. 2016 , 296, 277-288	70
950	Removal of Acid Red 183 Azo Dye using Tapered Fluidised Bed Reactor. 2016 , 58, 325-336	

949	In Situ Oxidation and Efficient Simultaneous Adsorption of Arsenite and Arsenate by MgFe ²⁺ LDH with Persulfate Intercalation. 2016 , 227, 1	14
948	Mechanism of heavy metal uptake by electron paramagnetic resonance and FTIR: Enhanced manganese(II) removal onto waste acorn of <i>Quercus ithaburensis</i> . 2016 , 51, 115-125	5
947	Removal of tetrabromobisphenol-A from aqueous solution by Al ³⁺ -Montmorillonite modified with different types of surfactants and transition metals. 2016 , 57, 22000-22016	1
946	Adsorption kinetic and mechanism studies of thorium on nitric acid oxidized activated carbon. 2016 , 57, 28313-28322	13
945	An insight into the removal of Cu (II) and Pb (II) by aminopropyl-modified mesoporous carbon CMK-3: Adsorption capacity and mechanism. 2016 , 178, 57-64	34
944	Isotherms and kinetic studies on adsorption of Hg(II) ions onto <i>Ziziphus spina-christi</i> L. from aqueous solutions. 2016 , 5,	6
943	A novel surfactant, N,N-diethyl-N'-cyclohexylthiourea: Synthesis, flotation and adsorption on chalcopyrite. 2016 , 37, 107-114	24
942	Evaluation of Eggshell-Rich Compost as Biosorbent for Removal of Pb(II) from Aqueous Solutions. 2016 , 227, 1	20
941	PVBC microspheres tethered with poly(3-sulfopropyl methacrylate) brushes for effective removal of Pb(II) ions from aqueous solution. 2016 , 498, 218-230	20
940	Possible role of Prussian blue nanoparticles in chemical evolution: interaction with ribose nucleotides. 2016 , 15, 17-25	1
939	Novel chitosan goethite bionanocomposite beads for arsenic remediation. <i>Water Research</i> , 2016 , 101, 1-9	12.5 77
938	Band Gap Energies and Photocatalytic Properties of CdS and Ag/CdS Nanoparticles for Azo Dye Degradation. 2016 , 39, 149-157	42
937	The adsorption/desorption of phosphorus in freshwater sediments from buffer zones: the effects of sediment concentration and pH. 2016 , 188, 13	8
936	Adsorption of Zn(II) ions on Calcium Silicate Precipitation Tube (CaSPT) produced through silica garden route. 2016 , 165, 137-142	3
935	Removal of endocrine disruptor di-(2-ethylhexyl)phthalate by modified polythiophene-coated magnetic nanoparticles: characterization, adsorption isotherm, kinetic study, thermodynamics. 2016 , 6, 44655-44667	14
934	Sorption of Cu by organic matter from the decomposition of rice straw. 2016 , 16, 2203-2210	10
933	Removal of astrazon blue dye from aqueous media by a low-cost adsorbent from coal mining. 2016 , 57, 27213-27225	2
932	Polypyrrole/cobalt ferrite/multiwalled carbon nanotubes as an adsorbent for removing uranium ions from aqueous solutions. 2016 , 45, 9166-73	26

931	Enhanced adsorption of fluoride from aqueous solutions by hierarchically structured Mg-Al LDHs/Al ₂ O ₃ composites. 2016 , 33, 720-725	10
930	Adsorptive removal of nickel(II) ions from aqueous environment: A review. 2016 , 179, 1-20	156
929	Studies on adsorption behavior of Cu (II) and Cd (II) onto aminothiophene derivatives of Styrene Maleic anhydride copolymer. 2016 , 64, 325-335	10
928	A novel adsorbent TEMPO-mediated oxidized cellulose nanofibrils modified with PEI: Preparation, characterization, and application for Cu(II) removal. 2016 , 316, 11-8	177
927	Removal of Co(II) and Pb(II) from aqueous solutions by Zn/Al-layered double hydroxide intercalated with hexacyanoferrate (II)-ions. 2016 , 38, 200-206	5
926	Adsorptive removal of ciprofloxacin by sodium alginate/graphene oxide composite beads from aqueous solution. 2016 , 484, 196-204	149
925	Removal of methylene blue by mesoporous CMK-3: Kinetics, isotherms and thermodynamics. 2016 , 223, 763-770	40
924	Preparation of gold- and chlorine-impregnated bead-type activated carbon for a mercury sorbent trap. 2016 , 165, 470-477	6
923	Synthesis and characterization of PAMAM/CNT nanocomposite as a super-capacity adsorbent for heavy metal (Ni ²⁺ , Zn ²⁺ , As ³⁺ , Co ²⁺) removal from wastewater. 2016 , 224, 1032-1040	86
922	Using a novel adsorbent macrocyclic compound cucurbit[8]uril for Pb removal from aqueous solution. 2016 , 50, 3-12	13
921	Bio-based Methods for Wastewater Treatment: Green Sorbents. 2016 , 209-238	15
920	Sorption of Th(IV) onto ZnO nanoparticles and diatomite-supported ZnO nanocomposite: kinetics, mechanism and activation parameters. 2016 , 104, 635-647	6
919	Sorption of cadmium (II) ion from aqueous solution onto sweet potato (<i>Ipomoea batatas</i> L.) peel adsorbent: Characterisation, kinetic and isotherm studies. 2016 , 4, 4207-4228	58
918	Facile preparation of NiCoO@rGO composites for the removal of uranium ions from aqueous solutions. 2016 , 45, 16931-16937	12
917	Effect of environmental conditions on the sorption of uranium on Fe ₃ O ₄ @MnO ₂ hollow spheres. 2016 , 223, 534-540	28
916	Synthesis and characterization of gel beads based on ethyleneglycol dimethacrylate and 2-acrylamido-2-methyl-1-propane sulfonic acid: Removal of Fe(II), Cu(II), Zn(II), and Ni(II) from metal finishing wastewater. 2016 , 103, 227-236	10
915	Encapsulation of a powdery spinel-type Li ⁺ ion sieve derived from biogenic manganese oxide in alginate beads. 2016 , 301, 1201-1207	10
914	Vanadium (V) adsorption isotherms and kinetics using polypyrrole coated magnetized natural zeolite. 2016 , 66, 172-180	52

913	Fast removal of copper ions from aqueous solution using an eco-friendly fibrous adsorbent. 2016 , 161, 501-509	27
912	Adsorption of dibutyl phthalate in aqueous solution by mesoporous calcium silicate grafted non-woven polypropylene. 2016 , 306, 452-459	31
911	Comparative investigation on the removal of cyanide from aqueous solution using two different bioadsorbents. 2016 , 15, 28-40	22
910	Preparation of porous bio-char and activated carbon from rice husk by leaching ash and chemical activation. 2016 , 5, 1248	37
909	Mediated electrochemical oxidation of vulcanized polybutadiene/organoclay nanocomposite-characterization and kinetic study. 2016 , 131, 30-41	2
908	Silver Nanoparticle Entrapped Calcium-Alginate Beads for Fe(II) Removal via Adsorption. 2016 , 366, 42-51	16
907	Biosorptive uptake of ibuprofen by steam activated biochar derived from mung bean husk: Equilibrium, kinetics, thermodynamics, modeling and eco-toxicological studies. 2016 , 182, 581-594	74
906	New Insights in the Treatment of Waste Water with Graphene: Dual-Site Adsorption by Sodium Dodecylbenzenesulfonate. 2016 , 55, 9387-9396	19
905	Equilibrium and Kinetic Studies of Trihalomethanes Adsorption onto Multi-walled Carbon Nanotubes. 2016 , 227, 1	18
904	Mechanistic understanding of fouling of protein A chromatography resin. 2016 , 1459, 78-88	25
903	Removal of Nd(III), Sr(II), and Rb(I) Ions from Aqueous Solution by Thiacalixarene-Functionalized Graphene Oxide Composite as an Adsorbent. 2016 , 61, 3679-3691	25
902	Equilibrium and kinetics of adsorption of ruthenium on activated charcoal from nitric acid solutions. 2016 , 115, 91-97	6
901	Removal of basic violet 3 dye from aqueous media using a steel industry residue as solid phase. 2016 , 4, 4184-4193	11
900	Rapid and effective preparation of a HPEI modified biosorbent based on cellulose fiber with a microwave irradiation method for enhanced arsenic removal in water. 2016 , 4, 15851-15860	64
899	Surface interaction of ribonucleic acid constituents with spinel ferrite nanoparticles: a prebiotic chemistry experiment. 2016 , 6, 68574-68583	11
898	Development of a bio-based sorbent media for the removal of nickel ions from aqueous solutions. 2016 , 4, 3159-3169	27
897	Fly Ash and GGBS Mixtures for Geotechnical and Geo-Environmental Applications. 2016 ,	
896	Fabrication of chitosan-g-poly(acrylamide)/Cu nanocomposite for the removal of Pb(II) from aqueous solutions. 2016 , 224, 1319-1325	22

895	Biosorption of lead ions from the aqueous solution by <i>Sargassum filipendula</i> : Equilibrium and kinetic studies. 2016 , 4, 4587-4599	40
894	Biosorption of lac dye by the red marine alga <i>Gracilaria tenuistipitata</i> : biosorption kinetics, isotherms, and thermodynamic parameters. 2016 , 132, 472-480	6
893	Adsorption Capability of Calcined Gibbsite for V, Sr, and Mo from a Complex Solution System. 2016 , 14, 362-371	2
892	Revisiting Key Sedimentary Archives Yields Evidence Of A Rapid Onset Of Mining In The Mid-13th Century At The Great Copper Mountain, Falun, Sweden. 2016 , 58, 642-658	8
891	Response surface modeling of lead (??) removal by graphene oxide-Fe ₃ O ₄ nanocomposite using central composite design. 2016 , 14, 2	38
890	Preparation of activated aluminum-coated basalt fiber mat for defluoridation from drinking water. 2016 , 78, 331-338	5
889	Adsorption of chromium supported with various column modelling studies through the synergistic influence of <i>Aspergillus</i> and cellulose. 2016 , 4, 3193-3204	20
888	Fast removal of tetracycline from wastewater by reduced graphene oxide prepared via microwave-assisted ethylenediamine-N,N'-disuccinic acid induction method. 2016 , 23, 18657-71	33
887	Effective removal of sulfur dyes from water by biosorption and subsequent immobilized laccase degradation on crosslinked chitosan beads. 2016 , 304, 313-324	84
886	Preparation and characterization of a composite based on polyaniline, polypyrrole and cigarette filters: adsorption studies and kinetics of phenylbutazone in aqueous media. 2016 , 6, 64450-64459	23
885	Hg(II) adsorption using amidoximated porous acrylonitrile/itaconic copolymers prepared by suspended emulsion polymerization. 2016 , 73, 1709-18	5
884	Comparison of bovine serum albumin adsorption capacities of β -chitin isolated from an insect and α -chitin from cuttlebone. 2016 , 38, 146-156	19
883	Facile synthesis of highly active hydrated yttrium oxide towards arsenate adsorption. 2016 , 474, 216-22	24
882	Barium interleaved and Si/Al enhanced sugar industry waste for confiscation of nitrobenzene from aqueous solution. 2016 , 4, 2592-2606	4
881	Biodegradable Polymer-Based Ternary Blends for Adsorption of Heavy Metal From Simulated Industrial Wastewater. 2016 , 46, 1664-1674	1
880	Graphene oxides with different oxidation degrees for Co(II) ion pollution management. 2016 , 302, 763-772	54
879	Adsorption characteristics of arsenate on colloidal nanosheets of layered double hydroxide. 2016 , 134, 110-119	22
878	Adsorption Rare Earth Metal Ions from Aqueous Solution by Polyamidoamine Dendrimer Functionalized Soy Hull. 2016 , 7, 1211-1219	11

877	Removal of methylene blue from aqueous solution by walnut carbon: optimization using response surface methodology. 2016 , 57, 3179-3193	18
876	Application of dendrimer/titania nanohybrid for the removal of phenol from contaminated wastewater. 2016 , 57, 6809-6819	18
875	Magnetic hydroxypropyl chitosan functionalized graphene oxide as adsorbent for the removal of lead ions from aqueous solution. 2016 , 57, 3975-3984	20
874	Adsorption of Ni(II) using amine-functionalized MCM-41 optimized by response surface methodology. 2016 , 57, 8526-8539	4
873	Optimization of effective parameters in the biosorption of Cr(VI) using acid treated date palm fiber from aqueous solution. 2016 , 57, 4994-5003	5
872	Biosorption of Pb(II) from aqueous solution using Rooibos shoot powder (RSP). 2016 , 57, 5614-5622	8
871	Ultrasonic-assisted adsorption of methylene blue on sumac leaves. 2016 , 57, 9286-9295	15
870	Synthesis of zeolitic material from green tuff stone cake and its adsorption properties of silver (I) from aqueous solution. 2016 , 233, 154-162	15
869	Chemical filtration of Cr (VI) with electrospun chitosan nanofiber membranes. 2016 , 140, 299-307	62
868	Fe ₃ O ₄ /MgAl-NO ₃ layered double hydroxide as a magnetically separable sorbent for the remediation of aqueous phosphate. 2016 , 4, 984-991	29
867	Rapid dehalogenation of pesticides and organics at the interface of reduced graphene oxide-silver nanocomposite. 2016 , 308, 192-8	50
866	Removal of arsenic from water using manganese (III) oxide: Adsorption of As(III) and As(V). 2016 , 51, 277-88	13
865	Equilibrium, kinetics and thermodynamics study of phenols adsorption onto activated carbon obtained from lignocellulosic material (Eucalyptus Globulus labill seed). 2016 , 22, 33-48	34
864	Kinetic model for sorption of divalent heavy metal ions on low cost minerals. 2016 , 33, 649-656	3
863	Effective biosorption of patulin from apple juice by cross-linked xanthated chitosan resin. 2016 , 63, 140-146	42
862	Enablers for QbD implementation: Mechanistic modeling for ion-exchange membrane chromatography. 2016 , 500, 86-98	20
861	Removal of V(V) from aqueous Cr(VI)-bearing solution using anion exchange resin: Equilibrium and kinetics in batch studies. 2016 , 165, 381-389	30
860	Two fold modified chitosan for enhanced adsorption of hexavalent chromium from simulated wastewater and industrial effluents. 2016 , 146, 264-73	52

859	Effect of light-active nanomaterials on the behavior of cadmium(II) in the presence of humic acid: the case of titanium dioxide. 2016 , 57, 23975-23986	1
858	Synthesis of ketoxime-functionalized Fe ₃ O ₄ @C core-shell magnetic microspheres for enhanced uranium(VI) removal. 2016 , 6, 22179-22186	15
857	Multivariate Optimization and Adsorption Characterization of As(III) by Using Fraxinus Tree Leaves. 2016 , 203, 210-223	15
856	Modified Camelorum tree particles as a new adsorbent for adsorption of Hg(II) from aqueous solutions: kinetics, thermodynamics and non-linear isotherms. 2016 , 57, 23827-23843	10
855	Application of graphene oxide nanoplatelets for adsorption of Ibuprofen from aqueous solutions: Evaluation of process kinetics and thermodynamics. 2016 , 101, 45-53	71
854	Adsorption kinetic model of alginate gel beads synthesized micro particle-prussian blue to remove cesium ions from water. 2016 , 10, 9-19	33
853	Toxic metal biosorption by macrocolonies of cyanobacterium Nostoc sphaeroides Kütz. 2016 , 28, 2265-2277	13
852	Rapid and efficient removal/recovery of molybdenum onto ZnFe ₂ O ₄ nanoparticles. 2016 , 148, 452-8	37
851	Development of hybrid membrane process for Pb bearing wastewater treatment. 2016 , 10, 30-38	5
850	Adsorption of reactive dyes from aqueous solution by dirty bentonite. 2016 , 123, 64-75	105
849	Preparation and dye filtration property of electrospun polyhydroxybutyrate-calcium alginate/carbon nanotubes composite nanofibrous filtration membrane. 2016 , 161, 69-79	102
848	Uranium biosorption from aqueous solution onto Eichhornia crassipes. 2016 , 154, 43-51	55
847	Ion exchange induced removal of Pb(ii) by MOF-derived magnetic inorganic sorbents. 2016 , 8, 7172-9	122
846	Rapid and efficient removal of boron from deep sea water using synthesized polymer resin. 2016 , 57, 2134-2141	5
845	Phosphorus removal from aqueous solution by nanoscale zero valent iron in the presence of copper chloride. 2016 , 293, 225-231	79
844	Adsorption characteristics and preparative separation of chaetominine from Aspergillus fumigatus mycelia by macroporous resin. 2016 , 1015-1016, 135-141	18
843	Kinetics and mass transfer models for sorption of titanium industry effluent in activated carbon. 2016 , 57, 7254-7261	4
842	Investigation on the flotation behavior and adsorption mechanism of 3-hexyl-4-amino-1,2,4-triazole-5-thione to chalcopyrite. 2016 , 89, 10-17	29

841	Synthesis, Characterization, and Environmental Applications of Hybrid Materials Based on Humic Acid Obtained by the Sol-Gel Route. 2016 , 8, 1478-85		9
840	Selective adsorption of uranium(VI) onto prismatic sulfides from aqueous solution. 2016 , 490, 215-221		20
839	Hierarchical zeolites as adsorbents for mesosulfuron-methyl removal in aqueous phase. 2016 , 226, 153-161		16
838	Chitin hydrogel reinforced with TiO ₂ nanoparticles as an arsenic sorbent. 2016 , 285, 581-587		70
837	Continuous preparation of Fe ₃ O ₄ nanoparticles combined with surface modification by L-cysteine and their application in heavy metal adsorption. 2016 , 42, 4228-4237		97
836	Hollow Fe ₃ O ₄ @mesoporous carbon core-shell microspheres for efficient sorption of radionuclides. 2016 , 51, 2550-2557		20
835	Evaluation of adsorption properties of sulphurised activated carbon for the effective and economically viable removal of Zn(II) from aqueous solutions. 2016 , 124, 418-425		51
834	Effect of carboxyethylation degree on the adsorption capacity of Cu(II) by N-(2-carboxyethyl)chitosan from squid pens. 2016 , 138, 301-8		18
833	Kinetic modeling and error analysis for zinc removal on a weak base anion exchange resin. 2016 , 57, 19510-19518		
832	Evaluation of physicochemical and biological properties of chitosan/poly (vinyl alcohol) polymer blend membranes and their correlation for Vero cell growth. 2016 , 137, 576-583		12
831	Towards a selective adsorbent for arsenate and selenite in the presence of phosphate: Assessment of adsorption efficiency, mechanism, and binary separation factors of the chitosan-copper complex. <i>Water Research</i> , 2016 , 88, 889-896	12.5	34
830	Statistical Thermodynamic Study of Gas Adsorption with Different Adsorption Geometries on Homogeneous Solid Surface. 2016 , 203, 628-634		5
829	Isotherm, kinetic, and thermodynamic studies for sorption of Cu(II) and Pb(II) by activated carbon prepared from Leucaena plant wastes. 2016 , 34, 540-551		14
828	Highly efficient adsorption of cadmium(II) onto durable coconut fiber residue. 2016 , 57, 15098-15107		3
827	Adsorption of methylene blue on chemically modified pine nut shells in single and binary systems: isotherms, kinetics, and thermodynamic studies. 2016 , 57, 15848-15861		27
826	Preparation of polyaniline montmorillonite clay composites for the removal of diethyl hexyl phthalate from aqueous solutions. 2016 , 51, 214-228		12
825	Defect creation in metal-organic frameworks for rapid and controllable decontamination of roxarsone from aqueous solution. 2016 , 302, 57-64		103
824	Removal of copper(II) ions from synthetic electroplating rinse water using polyethyleneimine modified ion-exchange resin. 2016 , 57, 20350-20367		13

823	The use of sugar and alcohol industry waste in the adsorption of potentially toxic metals. 2016 , 37, 279-91	2
822	Adsorption in simple batch experiments of Coomassie blue G-250 by apricot stone activated carbon kinetics and isotherms modelling. 2016 , 57, 15037-15048	18
821	Simultaneous biosorption of methylene blue and trivalent chromium onto olive stone. 2016 , 57, 17400-17410	9
820	Influence of environmental factors on the phosphorus adsorption of lanthanum-modified bentonite in eutrophic water and sediment. 2016 , 23, 2487-94	23
819	Simultaneous removal of Pb(II) and 2,4,6-trichlorophenol by a hierarchical porous PU@PDA@MSNs sponge with reversible shape memory effect. 2016 , 284, 10-20	33
818	Adsorption behavior and mechanism of Cr(VI) using Sakura waste from aqueous solution. 2016 , 360, 470-476	67
817	Bioavailability of zinc and lead from a contaminated soil amended with pine bark-goat manure compost. 2016 , 39, 600-608	
816	A comparative study and evaluation of magnetic and nonmagnetic hydrogels towards mitigation of di butyl and di ethyl hexyl phthalate from aqueous solutions. 2016 , 59, 578-589	5
815	Nanoscale zero valent supported by Zeolite and Montmorillonite: Template effect of the removal of lead ion from an aqueous solution. 2016 , 301, 371-80	182
814	Removal of Cd(II) and Cu(II) from aqueous solution using Bengal gram husk as a biosorbent. 2016 , 57, 7270-7279	13
813	Removal of Pb(II) ions from aqueous solutions by sulphuric acid-treated palm tree leaves. 2016 , 58, 264-273	60
812	Preparation of thiacalix[4]arene tetrasulfonate-modified D201 resin and its adsorption of heavy metal ions. 2016 , 57, 12350-12363	4
811	Equilibrium and kinetics of copper ions removal from wastewater by ion exchange. 2016 , 24, 94-100	29
810	Mono/competitive adsorption of Arsenic(III) and Nickel(II) using modified green tea waste. 2016 , 60, 213-221	45
809	Adsorption of direct green 26 onto fix 3500 treated sawdust: equilibrium, kinetic and isotherms. 2016 , 57, 13334-13346	1
808	Adsorption of methyl orange from aqueous solution using chitosan microspheres modified by β -cyclodextrin. 2016 , 57, 11850-11858	4
807	Removal of Reactive Red 141 Dye from Aqueous Solution by Titanium Hydroxyapatite Pellets. 2016 , 37, 14-22	4
806	Adsorptive Removal of Hg(II) from Synthetic and Real Aqueous Solutions Using Modified Papaya Seed. 2016 , 37, 1613-1622	6

805	Amino-functionalized mesoporous MCM-41 silica as an efficient adsorbent for water treatment: batch and fixed-bed column adsorption of the nitrate anion. 2017 , 7, 1887-1901	38
804	Adsorption studies of Cu(II) on Boston fern (<i>Nephrolepis exaltata</i> Schott cv. <i>Bostoniensis</i>) leaves. 2017 , 7, 2051-2061	9
803	In situ synthesis of carbon @ diatomite nanocomposite adsorbent and its enhanced adsorption capability. 2017 , 35, 379-386	8
802	Removal U(VI) from artificial seawater using facilely and covalently grafted polyacrylonitrile fibers with lysine. 2017 , 403, 378-388	45
801	The flotation behavior and adsorption mechanism of O-isopropyl-S-[2-(hydroxyimino) propyl] dithiocarbonate ester to chalcopyrite. 2017 , 71, 38-46	14
800	Carbon-Bound Iron Oxide Nanoparticles Prevent Calcium-Induced Iron Deficiency in <i>Oryza sativa</i> L. . 2017 , 65, 557-564	27
799	Studies of the kinetics and mechanism of the removal process of proflavine dye through adsorption by graphene oxide. 2017 , 230, 696-704	37
798	□Zeolite modified by ethylenediamine for sorption of Th(IV). 2017 , 105, 463-470	3
797	Ultrasonically assisted removal of Congo Red, Phloxine B and Fast green FCF in ternary mixture using novel nanocomposite following their simultaneous analysis by derivative spectrophotometry. 2017 , 37, 452-463	38
796	<i>Calotropis procera</i> an effective adsorbent for removal of Congo red dye: isotherm and kinetics modelling. 2017 , 3, 1	9
795	Aluminummerium double-metal impregnated activated carbon: a novel composite for fluoride removal from aqueous solution. 2017 , 17, 115-124	10
794	Synthesis of CTAB intercalated graphene and its application for the adsorption of AR265 and AO7 dyes from water. 2017 , 493, 51-61	67
793	Effective removal of chemical warfare agent simulants using water stable metalorganic frameworks: mechanistic study and structureproperty correlation. 2017 , 7, 6691-6696	23
792	Adsorption of methyl orange from aqueous solution using chitosan/diatomite composite. 2017 , 75, 1633-1642	28
791	Enhanced adsorption performance of the graphene oxide with metallic ion impurities by elution. 2017 , 49, 728-734	1
790	Enhanced chlordecone (Kepone) removal by FeO-nanoparticles loaded on activated carbon. 2017 , 5, 1608-1617	6
789	Analysis of adsorption kinetics at solid/solution interface using a hyperbolic tangent model. 2017 , 231, 523-527	26
788	Selective removal of phosphate using La-porous carbon composites from aqueous solutions: Batch and column studies. 2017 , 317, 1059-1068	124

787	Extension of classical adsorption rate equations using mass of adsorbent: A graphical analysis. 2017 , 179, 304-308	15
786	Adsorption of aluminum and lead from wastewater by chitosan-tannic acid modified biopolymers: Isotherms, kinetics, thermodynamics and process mechanism. 2017 , 99, 465-476	93
785	Removal of antibiotics from aqueous solutions by green synthesized magnetite nanoparticles with selected agro-waste extracts. 2017 , 107, 357-372	78
784	In vitro evaluation of osteoblast adhesion, proliferation and differentiation on chitosan-TiO nanotubes scaffolds with Ca ions. 2017 , 76, 144-152	29
783	Sorption kinetics and isotherm modelling of imidacloprid on bentonite and organobentonites. 2017 , 52, 326-337	9
782	High-performance iron oxide-graphene oxide nanocomposite adsorbents for arsenic removal. 2017 , 522, 161-172	119
781	Phenol and methylene blue adsorption on heat-treated activated carbon: Characterization, kinetics, and equilibrium studies. 2017 , 35, 789-805	9
780	Uranium remediation using modified <i>Vigna radiata</i> waste biomass. 2017 , 123, 94-101	54
779	Synthesis and characterization of porous 4VP-based adsorbent for Re adsorption as analogue to ⁹⁹ Tc. 2017 , 28, 1	6
778	Study on the removal of organic micropollutants from aqueous and ethanol solutions by HAP membranes with tunable hydrophilicity and hydrophobicity. 2017 , 174, 380-389	30
777	Biosorption of textile dye reactive blue 221 by capia pepper (<i>Capsicum annuum</i> L.) seeds. 2017 , 75, 1889-1898	2
776	Adsorption and kinetic studies on the removal of chromium and copper onto Chitosan-g-maleic anhydride-g-ethylene dimethacrylate. 2017 , 104, 1578-1585	36
775	Influences of activated sludge surface properties on adsorption of aqueous fullerene C60 nanoparticles. 2017 , 14, 1989-1998	1
774	Application of Thermally Modified Fly Ash for Adsorption of Ni(II) and Cr(III) from Aqueous Solution: Equilibrium, Kinetic, and Thermodynamic Studies. 2017 , 34, 508-515	7
773	Adsorption of Cd(II) from aqueous solutions by rape straw biochar derived from different modification processes. 2017 , 175, 332-340	270
772	Bisphenol A Adsorption Properties of Mesoporous CaSiO ₃ @SiO ₂ Grafted Nonwoven Polypropylene Fiber. 2017 , 56, 2549-2556	6
771	A facile strategy toward 3D hydrophobic composite resin network decorated with biological ellipsoidal structure rapeseed flower carbon for enhanced oils and organic solvents selective absorption. 2017 , 322, 397-407	50
770	Treatment of Pb ion contaminated wastewater using hazardous parthenium (<i>P. hysterophorus</i> L.) weed. 2017 , 75, 427-438	2

769	Adsorption of Zn(II) on graphene oxide prepared from low-purity of amorphous graphite. 2017 , 49, 398-404	10
768	Super high removal capacities of heavy metals (Pb and Cu) using CNT dendrimer. 2017 , 336, 146-157	116
767	Preparation and characterization of poly(maleic acid)-grafted cross-linked chitosan microspheres for Cd(II) adsorption. 2017 , 172, 28-39	71
766	Synthesis and characterization of Au-NPs supported on carbon nanotubes: Application for the ultrasound assisted removal of radioactive UO ions following complexation with Arsenazo III: Spectrophotometric detection, optimization, isotherm and kinetic study. 2017 , 504, 68-77	47
765	Mechanistic study of atenolol, acebutolol and carbamazepine adsorption on waste biomass derived activated carbon. 2017 , 241, 386-398	66
764	The use of magnetic potassium-zinc hexacyanoferrate(II) for sorption concentration of radionuclide cesium. 2017 , 39, 73-79	1
763	Adsorption of Pyrene from Aqueous Solutions onto Sepiolite. 2017 , 65, 14-26	10
762	The water-based synthesis of chemically stable Zr-based MOFs using pyridine-containing ligands and their exceptionally high adsorption capacity for iodine. 2017 , 46, 7412-7420	73
761	Effective removal of glyphosate from water by resin-supported double valent nano-sized hydroxyl iron oxide. 2017 , 7, 24430-24437	10
760	Synthesis and characterization of AgS decorated chitosan nanocomposites and chitosan nanofibers for removal of lincosamides antibiotic. 2017 , 103, 1-7	31
759	Synthesis of MnO/cellulose fiber nanocomposites for rapid adsorption of insecticide compound and optimization by response surface methodology. 2017 , 102, 840-846	39
758	Fabrication of 3D Macroscopic Graphene Oxide Composites Supported by Montmorillonite for Efficient U(VI) Wastewater Purification. 2017 , 5, 5503-5511	41
757	Exploring the adsorption behavior of cationic and anionic dyes on industrial waste shells of egg. 2017 , 5, 319-327	54
756	Comparison of tungstate and tetrathiotungstate adsorption onto pyrite. 2017 , 464, 57-68	29
755	Biosorption of chromium (VI) from aqueous solutions and ANN modelling. 2017 , 24, 18817-18835	46
754	Assessment of Miscanthus giganteus derived biochar as copper and zinc adsorbent: Study of the effect of pyrolysis temperature, pH and hydrogen peroxide modification. 2017 , 162, 1285-1296	44
753	Adsorption of copper (II) and zinc (II) onto calcined animal bone meal. Part I: Kinetic and thermodynamic parameters. 2017 , 9-10, 184-196	12
752	Polysaccharides as a Green and Sustainable Resources for Water and Wastewater Treatment. 2017 ,	7

751	Phosphorus adsorption by a modified polyampholyte-diatomaceous earth material containing imidazole and carboxylic acid moieties: batch and dynamic studies. 2017 , 41, 7667-7673	3
750	Novel biomolecule-assisted interlayer anion-controlled layered double hydroxide as an efficient sorbent for arsenate removal. 2017 , 5, 14783-14793	16
749	Functionalized adsorbents prepared from fruit peels: Equilibrium, kinetic and thermodynamic studies for copper adsorption in aqueous solution. 2017 , 162, 195-204	67
748	Adsorption kinetics at the solid/solution interface: Statistical Rate Theory (SRT) at close to equilibrium. 2017 , 8, 154-157	1
747	Fast and efficient removal of copper using sandwich-like graphene oxide composite imprinted materials. 2017 , 326, 141-150	30
746	Crossed mixture process design optimization and adsorption characterization of multi-metal (Cu(II), Zn(II) and Ni(II)) removal by modified <i>Buxus sempervirens</i> tree leaves. 2017 , 78, 104-117	14
745	Removal of U(VI) from aqueous solution using TiO ₂ modified β -zeolite. 2017 , 105, 1005-1013	9
744	Lithium adsorption performance of a three-dimensional porous H ₂ TiO ₃ -type lithium ion-sieve in strong alkaline Bayer liquor. 2017 , 7, 18883-18891	25
743	Adsorption of selected emerging contaminants onto PAC and GAC: Equilibrium isotherms, kinetics, and effect of the water matrix. 2017 , 52, 727-734	11
742	Optimizing ranitidine hydrochloride uptake of <i>Parthenium hysterophorus</i> derived N-biochar through response surface methodology and artificial neural network. 2017 , 107, 388-401	17
741	Adsorption of Bezathren dyes onto sodic bentonite from aqueous solutions. 2017 , 75, 105-111	36
740	Removal of U(VI) from aqueous solution using synthesized β -zeolite and its ethylenediamine derivative. 2017 , 234, 40-48	12
739	Sorption of Pb (II) from battery industry wastewater using a weak acid cation exchange resin. 2017 , 107, 498-507	15
738	Methyl acrylate modified apple pomace as promising adsorbent for the removal of divalent metal ion from industrial wastewater. 2017 , 24, 10454-10465	4
737	Synthesis and characterization of ZnS:Ni-NPs loaded on AC derived from apple tree wood and their applicability for the ultrasound assisted comparative adsorption of cationic dyes based on the experimental design. 2017 , 38, 371-380	67
736	Removal of Nickel(II) from Aqueous Solutions Using Synthesized β -Zeolite and Its Ethylenediamine Derivative. 2017 , 56, 3067-3076	11
735	Study of the effect of an acid treatment of a natural Moroccan bentonite on its physicochemical and adsorption properties. 2017 , 75, 1098-1117	5
734	Efficient Removal of Methyl Orange and Alizarin Red S from pH-Unregulated Aqueous Solution by the CatecholAmine Resin Composite Using Hydrocellulose as Precursor. 2017 , 5, 1871-1880	34

733	Adsorptive removal of biophenols from olive mill wastewaters (OMW) by activated carbon: mass transfer, equilibrium and kinetic studies. 2017 , 12, 128-146	13
732	Adsorption of Cd(II) and Pb(II) ions from aqueous solutions using mesoporous activated carbon adsorbent: Equilibrium, kinetics and characterisation studies. 2017 , 5, 679-698	134
731	Sorption of uranium(VI) onto hydrous ferric oxide-modified zeolite: Assessment of the effect of pH, contact time, temperature, selected cations and anions on sorbent interactions. 2017 , 204, 571-582	45
730	Kinetics and mechanistic interpretation of fluoride removal by nanocrystalline hydroxyapatite derived from <i>Limacina artica</i> shells. 2017 , 5, 5429-5438	34
729	Pb(II) Removal Using TiO ₂ -Embedded Monolith Composite Cryogel as an Alternative Wastewater Treatment Method. 2017 , 228, 1	11
728	Efficient Removal of Lead(II) Ions from Aqueous Solutions Using Methyl- β -Cyclodextrin Modified Graphene Oxide. 2017 , 228, 1	13
727	Evaluation of amide functionalized carbon nanotubes for efficient and selective removal of neptunium: understanding isotherm, kinetics, stripping and radiolytic stability. 2017 , 314, 1393-1404	10
726	Removal of humic acid by fixed-bed electrocoagulation reactor: Studies on modelling, adsorption kinetics and HPSEC analyses. 2017 , 804, 199-211	18
725	The Activation of Eggshell by Chemical and Thermal Treatment for Removal of Acid blue 92 Dye from Aqueous Solutions. 2017 , 7, 369-382	1
724	Removal of Glyphosate from Aqueous Solution Using Nanosized Copper Hydroxide Modified Resin: Equilibrium Isotherms and Kinetics. 2017 , 62, 3585-3592	20
723	Thermodynamic study of a magnetic molecular imprinted polymer for removal of nitrogenous pollutant from gasoline. 2017 , 210, 380-389	20
722	Metronidazole removal in powder-activated carbon and concrete-containing graphene adsorption systems: Estimation of kinetic, equilibrium and thermodynamic parameters and optimization of adsorption by a central composite design. 2017 , 52, 1269-1283	20
721	Biosorption of Cd ²⁺ by green plant biomass, <i>Araucaria heterophylla</i> : characterization, kinetic, isotherm and thermodynamic studies. 2017 , 7, 3483-3496	12
720	Adhesive Stalks of Diatom <i>Didymosphenia geminata</i> as a Novel Biological Adsorbent for Hazardous Metals Removal. 2017 , 45, 1600678	10
719	Multi-mode humidity sensing with water-soluble copper phthalocyanine for increased sensitivity and dynamic range. 2017 , 7, 9921	12
718	Adsorption of Cu(II) ions in aqueous solution by aminated lignin from enzymatic hydrolysis residues. 2017 , 7, 44751-44758	16
717	Adsorption of Reactive Dye (RB 222) in Solution onto Chitosan-Rice Husk Ash Composite Beads Cross-Linked with Glutaraldehyde. 2017 , 751, 719-725	1
716	Adsorption of Cu(II) onto Cross-Linked Chitosan Coated Bentonite Beads: Kinetic and Isotherm Studies. 2017 , 753, 243-248	3

7 ¹⁵	Modified nanoporous magnetic cellulose-chitosan microspheres for efficient removal of Pb(II) and methylene blue from aqueous solution. 2017 , 24, 4793-4806	21
7 ¹⁴	A Novel Poly(N-Isopropylacrylamide-co-acryloylamidobenzo-12-crown-4) Microgel with Rapid Stimuli-Responsiveness for Molecule-Specific Adsorption of β -Cyclodextrin. 2017 , 218, 1700216	5
7 ¹³	Fabrication of a phosphorylated graphene oxide-chitosan composite for highly effective and selective capture of U(VI). 2017 , 4, 1876-1886	130
7 ¹²	The transport dynamics of chloride and sodium in a ladder fen during a continuous wastewater polishing experiment. 2017 , 549, 558-570	15
7 ¹¹	Study on Sorption Characteristics of Uranium onto Biochar Derived from Eucalyptus Wood. 2017 , 228, 1	32
7 ¹⁰	Synthesis and characterization of Fe ₃ O ₄ /kaolin magnetic nanocomposite and its application in wastewater treatment. 2017 , 56, 299-311	46
7 ⁰⁹	Cellular concrete-supported cost-effective adsorbents for aqueous arsenic and heavy metals abatement. 2017 , 5, 3930-3941	14
7 ⁰⁸	Controllable synthesis of N-vinylimidazole-modified hyper-cross-linked resins and their efficient adsorption of p-nitrophenol and o-nitrophenol. 2017 , 507, 42-50	31
7 ⁰⁷	Preparation of black-pearl reduced graphene oxide-sodium alginate hydrogel microspheres for adsorbing organic pollutants. 2017 , 508, 387-395	41
7 ⁰⁶	Removal of the emerging contaminant bisphenol A by an ureasil-PEO hybrid membrane: experimental study and molecular dynamic simulation. 2017 , 24, 18421-18433	4
7 ⁰⁵	Mechanistic insight into pyrene removal by natural sepiolites. 2017 , 24, 21680-21692	3
7 ⁰⁴	Structures of nonionic surfactant modified montmorillonites and their enhanced adsorption capacities towards a cationic organic dye. 2017 , 148, 1-10	37
7 ⁰³	Analysis of adsorption processes of dissolved organic matter (DOM) on ferrihydrite using surrogate organic compounds. 2017 , 24, 21867-21876	15
7 ⁰²	Development of Zr(IV)-Doped polypyrrole/zirconium (IV) iodate composite for efficient removal of fluoride from water environment. 2017 , 19, 172-184	19
7 ⁰¹	Melamine modified graphene hydrogels for the removal of uranium(VI) from aqueous solution. 2017 , 41, 10899-10907	27
7 ⁰⁰	Graphene as an Efficient and Reusable Adsorbent Compared to Activated Carbons for the Removal of Phenol from Aqueous Solutions. 2017 , 228, 1	24
6 ⁹⁹	Comprehensive Understanding of the Kinetics and Mechanism of Fluoride Removal over a Potent Nanocrystalline Hydroxyapatite Surface. 2017 , 2, 8118-8128	42
6 ⁹⁸	Bioremoval of Cu ²⁺ from CMP wastewater by a novel copper-resistant bacterium <i>Cupriavidus gilardii</i> CR3: characteristics and mechanisms. 2017 , 7, 18793-18802	29

697	Eco-Friendly Alkali-Free Arginine-Assisted Hydrothermal Synthesis of Different Layered Double Hydroxides and Their Chromate Adsorption/Reduction Efficiency. 2017 , 2, 10459-10469	6
696	Specific Recovery and In Situ Reduction of Precious Metals from Waste To Create MOF Composites with Immobilized Nanoclusters. 2017 , 56, 13975-13982	34
695	Fluoride adsorption from aqueous solution using a protonated clinoptilolite and its modeling with artificial neural network-based equations. 2017 , 204, 98-106	21
694	Removal of Leishman stain from aqueous solutions using natural clay of Qulapalk area of Kurdistan region of Iraq. 2017 , 3, 165-175	6
693	The synthesis of Fe-Al hydroxides coated with EDTA-Cross-linked β -Cyclodextrin and adsorption mechanism for As (III). 2017 , 242, 520-530	5
692	Facile Preparation of Ion-Imprinted Chitosan Microspheres Enwrapping Fe ₃ O ₄ and Graphene Oxide by Inverse Suspension Cross-Linking for Highly Selective Removal of Copper(II). 2017 , 5, 7401-7409	47
691	Adsorption Kinetics in Liquid Phase: Modeling for Discontinuous and Continuous Systems. 2017 , 53-76	11
690	Effective Adsorption and Removal of Phosphate from Aqueous Solutions and Eutrophic Water by Fe-based MOFs of MIL-101. 2017 , 7, 3316	122
689	The application of graphene-based materials for the removal of heavy metals and radionuclides from water and wastewater. 2017 , 47, 1042-1105	122
688	Two-Dimensional Molybdenum Disulfide as a Superb Adsorbent for Removing Hg ²⁺ from Water. 2017 , 5, 7410-7419	124
687	Sorption mechanism of Th(IV) at iron oxyhydroxide (IOHO)/water interface: Batch, model and spectroscopic studies. 2017 , 241, 478-485	9
686	Structural evolution of hierarchical porous NiO/Al ₂ O ₃ composites and their application for removal of dyes by adsorption. 2017 , 34, 41-53	16
685	Synthesis and characterization of hybrid iron oxide silicates for selective removal of arsenic oxyanions from contaminated water. 2017 , 488, 335-347	28
684	Adding value to gasification and co-pyrolysis chars as removal agents of Cr. 2017 , 321, 173-182	20
683	Effective mercury(II) bioremoval from aqueous solution, and its electrochemical determination. 2017 , 167, 314-321	12
682	Reply for comment on "Adsorptive removal of methylene blue by rhamnolipid-functionalized graphene oxide from wastewater". <i>Water Research</i> , 2017 , 108, 464-465	12.5 4
681	Ultrasound assisted mixed azo dye adsorption by chitosan-graphene oxide nanocomposite. 2017 , 117, 43-56	81
680	Characterization and adsorption capacity of raw pomegranate peel biosorbent for copper removal. 2017 , 142, 3809-3821	188

679	Ion-recognizable hydrogels for efficient removal of cesium ions from aqueous environment. 2017 , 323, 632-640	65
678	Enhanced photocatalytic degradation of methylene blue and methyl orange by ZnO:Eu nanoparticles. 2017 , 203, 740-752	200
677	Polyethylenimine modified activated carbon as novel magnetic adsorbent for the removal of uranium from aqueous solution. 2017 , 117, 218-227	198
676	Characterization and adsorption properties of the electrolytic carbon derived from CO ₂ conversion in molten salts. 2017 , 111, 162-172	30
675	Removal of chromium (VI) from aqueous solutions using quaternized chitosan microspheres. 2017 , 25, 153-158	18
674	Dye adsorption on electrochemical exfoliated graphene oxide nanosheets: pH influence, kinetics and equilibrium in aqueous solution. 2017 , 14, 305-314	10
673	Ring-like structured chitosan-metal hydrogel: Mass production, formation mechanism and applications. 2017 , 490, 233-241	20
672	Recovery of uranium(vi) from aqueous solutions using a modified honeycomb-like porous carbon material. 2017 , 46, 420-429	48
671	Study of isotherm and kinetic models of lanthanum adsorption on activated carbon loaded with recently synthesized Schiff base. 2017 , 10, S1032-S1040	24
670	Equilibrium and kinetic modelling of cadmium (II) biosorption by Dried Biomass <i>Aphanothece</i> sp. from aqueous phase. 2017 , 65, 012018	1
669	A Novel Nanocomposite as an Efficient Adsorbent for the Rapid Adsorption of Ni(II) from Aqueous Solution. 2017 , 10,	15
668	Chemically Modified Polyvinyl Chloride for Removal of Thionine Dye (Lauth's Violet). 2017 , 10,	5
667	Bimetallic Oxide Nanohybrid Synthesized from Diatom Frustules for the Removal of Selenium from Water. 2017 , 2017, 1-9	2
666	Granulation of Cobalt-containing Nickel Hydroxide with Polyethylene Terephthalate and its Phosphate Ion Adsorption Capability. 2017 , 15, 22-34	2
665	Adsorption Kinetics of Cs/Sr on Ca-Bentonite. 2017 , 89, 791-797	3
664	Mercerized mesoporous date pit activated carbon-A novel adsorbent to sequester potentially toxic divalent heavy metals from water. 2017 , 12, e0184493	27
663	Cadmium Removal from Aqueous Solutions Using Dried Banana Peels as An Adsorbent: Kinetics and Equilibrium Modeling. 2017 , 08,	20
662	Adsorption of Thymol Blue and Erythrosine-B on MWCNTs Functionalized by N-(3-nitrobenzylidene)- N'-trimethoxysilylpropyl-ethane-1,2-diamine Equilibrium, Kinetics and Thermodynamic Study. 2017 , 33, 2542-2550	2

661	A comparative biosorption study of sulfide (S ²⁻) by using <i>Lagenaria siceraria</i> fruit based raw biosorbent. 2017 , 52, 309-320	1
660	Crosslinked Egg White as Eco-Friendly, Reusable, and Cost-Effective Biosorbent for Rapid Removal of Indigo Carmine. 2018 , 46, 1700186	11
659	Dye Adsorption from Aqueous Solution by Cellulose/Chitosan Composite: Equilibrium, Kinetics, and Thermodynamics. 2018 , 19, 340-349	30
658	Recovery of tellurium from aqueous solutions by adsorption with magnetic nanoscale zero-valent iron (NZVFe). 2018 , 177, 1-8	28
657	Enhanced adsorption performance of aspartic acid intercalated Mg-Zn-Fe-LDH materials for arsenite. 2018 , 47, 4994-5004	15
656	Enhanced removal of p-nitrophenol from aqueous media by montmorillonite clay modified with a cationic surfactant. 2018 , 355, 136-144	53
655	Facile preparation of a nano-imprinted polymer on magnetite nanoparticles for the rapid separation of lead ions from aqueous solution. 2018 , 20, 12870-12878	14
654	Biosorption of metal ions on lignocellulosic materials: batch and continuous-flow process studies. 2018 , 190, 287	15
653	Synthesis of nano-sized zeolite-Y functionalized with 5-amino-3-thiomethyl 1H-pyrazole-4-carbonitrile for effective Fe(III)-chelating strategy. 2018 , 44, 5193-5222	7
652	Microwave-assisted spent black tea leaves as cost-effective and powerful green adsorbent for the efficient removal of Eriochrome black T from aqueous solutions. 2018 , 5, 171-182	29
651	Role of extracellular polymeric substances in biosorption of Pb ²⁺ by a high metal ion tolerant fungal strain <i>Aspergillus niger</i> PTN31. 2018 , 6, 2733-2742	19
650	Highly efficient adsorption behavior of benzoylthiourea functionalized graphene oxide with respect to the removal of Hg(II) from aqueous solutions: isothermal, kinetic and thermodynamic studies. 2018 , 44, 5419-5438	10
649	Mesoporous Na ⁺ SiO ₂ spheres for efficient removal of Cr ³⁺ from aqueous solution. 2018 , 6, 1774-1782	3
648	Water defluoridation with avocado-based adsorbents: Synthesis, physicochemical characterization and thermodynamic studies. 2018 , 254, 188-197	18
647	Thermo-kinetic investigation of heavy metal ions adsorption onto lignin considering coupled adsorption-desorption mechanisms: Modeling and experimental validation. 2018 , 09, 1850014	
646	Characterization of EDTA-cross-linked β-cyclodextrin grafted onto Fe-Al hydroxides as an efficient adsorbent for methylene blue. 2018 , 516, 98-109	32
645	Removal of a cationic dye from aqueous solution by natural clay. 2018 , 6, 255-262	39
644	Removal of Oil from Water by Calcium Alginate Hydrogel Modified with Maleic Anhydride. 2018 , 26, 2901-2916	68

643	Efficient adsorption of lead (II) and copper (II) from aqueous phase using oxidized multiwalled carbon nanotubes/polypyrrole composite. 2018 , 53, 1498-1510	44
642	Bamboo (<i>Acidosasa longiligula</i>) shoot shell biochar: its potential application to isolation of uranium(VI) from aqueous solution. 2018 , 316, 349-362	13
641	One-pot synthesis of wormhole-like mesostructured silica with a high amine loading for enhanced adsorption of clofibrac acid. 2018 , 25, 1611-1623	8
640	Erroneous Application of Pseudo-Second-Order Adsorption Kinetics Model: Ignored Assumptions and Spurious Correlations. 2018 , 57, 2705-2709	90
639	Recovery of Au(CN) ₂ ⁻ by adsorption using reduced graphene oxide/ascorbic acid hydrogel. 2018 , 127, 140-145	1
638	Optimal ranges of variables for an effective adsorption of lead(II) by the agricultural waste pomelo (<i>Citrus grandis</i>) peels using Doehlert designs. 2018 , 8, 729	18
637	Simultaneous removal of Sb(III) and Cd(II) in water by adsorption onto a MnFeO-biochar nanocomposite.. 2018 , 8, 3264-3273	64
636	Treatment of mature landfill leachate using hybrid processes of hydrogen peroxide and adsorption in an activated carbon fixed bed column. 2018 , 53, 238-243	6
635	Adsorption of Ni(II) on spent coffee and coffee husk based activated carbon. 2018 , 6, 1161-1170	58
634	5-Heptyl-1,3,4-oxadiazole-2-thione: Synthesis and flotation mechanism to chalcopyrite. 2018 , 61, 331-339	24
633	Statistical optimization and modeling approach for azo dye decolorization: Combined effects of ultrasound waves and nanomaterial-based adsorbent. 2018 , 32, e4205	22
632	Eucalyptus sawdust derived biochar generated by combining the hydrothermal carbonization and low concentration KOH modification for hexavalent chromium removal. 2018 , 206, 989-998	76
631	Ni/Mn LDH-decorated 3D Fe-inserted and N-doped carbon framework composites for efficient uranium(VI) removal. 2018 , 5, 467-475	62
630	Fate and removal of metals in municipal wastewater treatment: a review. 2018 , 7, 1-18	33
629	Three-dimensional honeycomb-like porous carbon derived from corncob for the removal of heavy metals from water by capacitive deionization.. 2018 , 8, 1159-1167	23
628	Adsorption dynamics and mechanism of aqueous sulfachloropyridazine and analogues using the root powder of recyclable long-root <i>Eichhornia crassipes</i> . 2018 , 196, 409-417	30
627	New Biosorbent Based on Al ₂ O ₃ Modified Lignocellulosic Biomass (<i>Lagenaria vulgaris</i>): Characterization and Application. 2018 , 35, 791-803	3
626	An effective and recyclable deproteinization method for polysaccharide from oyster by magnetic chitosan microspheres. 2018 , 195, 558-565	20

625	Equilibrium and kinetic modeling for biosorption of Au(III) on freshwater microalgae. 2018 , 30, 3493-3502	3
624	Valorization of <i>Adenanthera pavonina</i> seeds as a potential biosorbent for lead and cadmium removal from single and binary contaminated system. 2018 , 2, 275-287	5
623	Adsorption of metronidazole and spiramycin by an Algerian palygorskite. Effect of modification with tin. 2018 , 268, 293-302	22
622	Synthesis and efficacy of PPy/CS/GO nanocomposites for adsorption of ponceau 4R dye. 2018 , 146, 291-303	45
621	Silane-based hyper-cross-linked porous polymers and their applications in gas storage and water treatment. 2018 , 53, 10469-10478	7
620	Utilization of renewable durian peels for biosorption of zinc from wastewater. 2018 , 6, 2528-2539	44
619	Environment-friendly bio-materials based on cotton-carbon aerogel for strontium removal from aqueous solution. 2018 , 316, 553-560	7
618	Effect of alkali-treatment on the characteristics of natural zeolites with different compositions. 2018 , 523, 266-281	21
617	Sustainable bovine bone-derived hierarchically porous carbons with excellent adsorption of antibiotics: Equilibrium, kinetic and thermodynamic investigation. 2018 , 331, 162-170	28
616	Green Composite Based on Silver Nanoparticles Supported on Diatomaceous Earth: Kinetic Adsorption Models and Antibacterial Effect. 2018 , 29, 509-519	10
615	Sodium dodecyl sulfate intercalated and acrylamide anchored layered double hydroxides: A multifunctional adsorbent for highly efficient removal of Congo red. 2018 , 521, 172-182	49
614	Sorption kinetics, isotherms, and mechanism of aniline aerofloat to agricultural soils with various physicochemical properties. 2018 , 154, 84-91	14
613	Leveraging the Potential of Endomycorrhizal Spores and Montmorillonite for Hexavalent Chromium Adsorption from Aqueous Phase. 2018 , 3, 2747-2755	4
612	Some aspects of estimation of extraction selectivity under the conditions of competitive sorption on modified silica gels. 2018 , 86, 34-41	
611	Adsorption of a cationic dye (methylene blue) by Iranian natural clays from aqueous solutions: equilibrium, kinetic and thermodynamic study. 2018 , 77, 1	18
610	Adsorptive decontamination of synthetic wastewater containing crystal violet dye by employing <i>Terminalia arjuna</i> sawdust waste. 2018 , 7, 30-38	57
609	Detoxification of zearalenone from corn oil by adsorption of functionalized GO systems. 2018 , 430, 198-207	28
608	Synthesis and characterization of SnO ₂ /(NH ₄) ₂ -SnCl ₆ nanocomposites loaded on activated carbon and its application for adsorption of methylene Blue and Orange G. 2018 , 32, e3903	1

607	Synthesis of Al ₂ O ₃ /carbon composites from wastewater as superior adsorbents for Pb(II) and Cd(II) removal. 2018 , 255, 69-75	25
606	A green synthetic route to phenolics fabricated magnetite nanoparticles from coconut husk extract: Implications to treat metal contaminated water and heavy metal stress in <i>Oryza sativa</i> L.. 2018 , 174, 355-366	87
605	Optimization of retention of phosphate species onto a novel bentonite/alum adsorbent system. 2018 , 9, 1-15	13
604	Heavy metal removal from aqueous solutions using engineered magnetic biochars derived from waste marine macro-algal biomass. 2018 , 615, 161-168	222
603	Compost Based on Biomass Wastes Used as Biofertilizers or as Sorbents. 2018 , 566-585	1
602	Changing the activities and structures of bovine serum albumin bound to graphene oxide. 2018 , 427, 1019-1029	5
601	Insight into highly efficient removal of cadmium and methylene blue by eco-friendly magnesium silicate-hydrothermal carbon composite. 2018 , 427, 1107-1117	98
600	Removal of organic matter from reservoir water: mechanisms underpinning surface chemistry of natural adsorbents. 2018 , 15, 847-862	4
599	Synthesis and characterization of an iron-impregnated biochar for aqueous arsenic removal. 2018 , 612, 1177-1186	131
598	Modification and application of mesoporous carbon adsorbent for removal of endocrine disruptor bisphenol A in aqueous solutions. 2018 , 53, 2337-2350	17
597	Model fitting of sorption kinetics data: Misapplications overlooked and their rectifications. 2018 , 64, 1793-1805	9
596	Adsorption of U(VI) on a chitosan/polyaniline composite in the presence of Ca/Mg-U(VI)-CO ₃ complexes. 2018 , 175, 300-311	21
595	REE behavior and sorption on weak acid resins from buffered media. 2018 , 59, 440-455	13
594	Optimization of fluoride removal from aqueous solution using Jamun (<i>Syzygium cumini</i>) leaf ash. 2018 , 115, 125-138	27
593	Preparation of carbon coated Fe ₃ O ₄ nanoparticles for magnetic separation of uranium. 2018 , 75, 14-20	16
592	Stable graphene oxide/poly(ethyleneimine) 3D aerogel with tunable surface charge for high performance selective removal of ionic dyes from water. 2018 , 334, 1119-1127	82
591	Removal of cobalt (II) ions from aqueous solutions utilizing the pre-treated <i>2-Hypnea Valentiae</i> algae: Equilibrium, thermodynamic, and dynamic studies. 2018 , 331, 39-47	61
590	Enhanced Removal of Antibiotic in Wastewater Using Liquid Nitrogen-Treated Carbon Material: Material Properties and Removal Mechanisms. 2018 , 15,	8

589	Magnetic Citric Acid-Modified Cellulose for the Removal of Copper Ions from Aqueous Solution. 2018 , 934, 181-186	1
588	Magnetic Fe ₃ O ₄ @Chitosan Carbon Microbeads: Removal of Doxycycline from Aqueous Solutions through a Fixed Bed via Sequential Adsorption and Heterogeneous Fenton-Like Regeneration. 2018 , 2018, 1-14	13
587	Using Vegetal Biomass for Pollution Adsorption. 2018 , 1-13	0
586	Kinetics of Ion Exchange of Zr/Sn(IV) Phosphonate-Phosphate Hybrid Materials for Separation of Lanthanides from Oxidized Actinides. 2018 , 36, 674-686	0
585	Synthesis and Characterization of Novel Fe-Mn-Ce Ternary Oxide-Biochar Composites as Highly Efficient Adsorbents for As(III) Removal from Aqueous Solutions. 2018 , 11,	9
584	Kinetics, Thermodynamics, and Competitive Adsorption of Heavy Metals from Water Using Orange Biomass. 2018 , 90, 2114-2125	8
583	Saturated and unsaturated salt transport in peat from a constructed fen. 2018 , 4, 63-81	17
582	Equilibrium, kinetic and thermodynamic studies of biosorption of zinc ions from industrial wastewater using derived composite biosorbents from walnut shell. 2018 , 12, 335-356	7
581	Creation of Hollow Calcite Single Crystals with CQDs: Synthesis, Characterization, and Fast and Efficient Decontamination of Cd(II). 2018 , 8, 17603	8
580	Optimization and kinetic modelling of robinetin and dihydrorobinetin extraction from Robinia pseudoacacia wood. 2018 , 126, 22-30	7
579	Comparative study on synchronous adsorption of arsenate and fluoride in aqueous solution onto MgAlFe-LDHs with different intercalating anions.. 2018 , 8, 33301-33313	9
578	Dyeing Property and Adsorption Kinetics of Reactive Dyes for Cotton Textiles in Salt-Free Non-Aqueous Dyeing Systems. 2018 , 10,	20
577	Removal of Cr (VI) from Simulated and Leachate Wastewaters by Bentonite-Supported Zero-Valent Iron Nanoparticles. 2018 , 15,	18
576	Decontamination of Arsenic in Actual Water Samples by Calcium Containing Layered Double Hydroxides from a Convenient Synthesis Method. 2018 , 10, 1150	14
575	Optimization of adsorption parameters for Fe (III) ions removal from aqueous solutions by transition metal oxide nanocomposite. 2018 , 11, 404-413	17
574	A High-Efficiency Approach for the Synthesis of N235-Impregnated Resins and the Application in Enhanced Adsorption and Separation of Vanadium(V). 2018 , 8, 358	7
573	Kinetic Models of Batch Sorption in a Limited Volume. 2018 , 92, 1782-1789	12
572	Kinetic Model of Batch Sorption Processes: Comparing Calculated and Experimental Data. 2018 , 92, 2032-20386	

571	Surfactant bilayer on chitosan bead surface for enhanced Ni(II) adsorption. 2018 , 18, e00077	8
570	Use of calcined layered double hydroxide [Zn ₂ -Al-CO ₃] for removal of textile dye acid green 1 from wastewater: kinetic, equilibrium, comparative, and recycling studies. 2018 , 42, 1146-1160	1
569	Chitosan Functionalization with Amino Acids Yields to Higher Copper Ions Adsorption Capacity. 2018 , 26, 4338-4349	11
568	A Novel Pb-Resistant Bacillus subtilis Bacterium Isolate for Co-Biosorption of Hazardous Sb(III) and Pb(II): Thermodynamics and Application Strategy. 2018 , 15,	20
567	Synthesis and characterization of polyvinyl pyrrolidone (PVP)-coated Fe ₃ O ₄ nanoparticles by chemical co-precipitation method and removal of Congo red dye by adsorption process. 2018 , 8, 111-121	34
566	Thermal Modification of the Molybdenum Disulfide Surface for Tremendous Improvement of Hg ₂ ⁺ Adsorption from Aqueous Solution. 2018 , 6, 9065-9073	34
565	Comparative adsorption of Pb(II) and Cd(II) ions on chestnut shell in aqueous system. 2018 , 34, 640-654	4
564	Development of an auto-phase separable and reusable graphene oxide-potato starch based cross-linked bio-composite adsorbent for removal of methylene blue dye. 2018 , 116, 1037-1048	26
563	Selective removal of mercury(II) from water using a 2,2-dithiodisalicylic acid-functionalized graphene oxide nanocomposite: Kinetic, thermodynamic, and reusability studies. 2018 , 265, 189-198	15
562	Diatomite modified by TiO ₂ for adsorption of U(VI). 2018 , 106, 733-742	2
561	Polyvinyl alcohol/Fe ₃ O ₄ @carbon nanotubes nanocomposite: Electrochemical-assisted synthesis, physicochemical characterization, optical properties, cytotoxicity effects and ultrasound-assisted treatment of aqueous based organic compound. 2018 , 65, 349-362	38
560	Biosynthesis of Multicomponent Nanoparticles with Extract of Mortiè (Vaccinium floribundum Kunth) Berry: Application on Heavy Metals Removal from Water and Immobilization in Soils. 2018 , 2018, 1-10	11
559	Adsorption capability of virgin and calcined wheat bran for molybdenum present in aqueous solution and elucidating the adsorption mechanism by adsorption isotherms, kinetics, and regeneration. 2018 , 6, 4459-4466	12
558	Malic acid-enhanced chitosan hydrogel beads (mCHBs) for the removal of Cr(VI) and Cu(II) from aqueous solution. 2018 , 353, 225-236	64
557	Walnut shell treated with citric acid and its application as biosorbent in the removal of Zn(II). 2018 , 25, 45-53	39
556	The artificial neural network and Box-Behnken design for Cu ²⁺ removal by the pottery sludge from water samples: Equilibrium, kinetic and thermodynamic studies. 2018 , 266, 617-627	23
555	Potential Application of Saccharomyces cerevisiae and Rhizobium Immobilized in Multi Walled Carbon Nanotubes to Adsorb Hexavalent Chromium. 2018 , 8, 9862	24
554	Magnetic Sorbents for Removing U(VI) from Aqueous Media. 2018 , 60, 281-286	3

553	Photodegradation of 17 β -Ethinylstradiol (EE2) on Nanostructured Material of Type WO ₃ -SBA-15. 2018 , 229, 1	6
552	Novel Ion-Imprinted Carbon Material Induced by Hyperaccumulation Pathway for the Selective Capture of Uranium. 2018 , 10, 28877-28886	28
551	Modification of sand with iron and copper derived from electroplating wastewater for efficient adsorption of phosphorus from aqueous solutions: A combinatorial approach for an effective waste minimization. 2018 , 200, 471-477	11
550	Effective uranium biosorption by macrofungus (<i>Russula sanguinea</i>) from aqueous solution: equilibrium, thermodynamic and kinetic studies. 2018 , 317, 1387-1397	13
549	Biosorption of Metals and Metalloids. 2018 , 35-86	6
548	Enhanced adsorption of perchlorate by gemini surfactant-modified montmorillonite: Synthesis, characterization and their adsorption mechanism. 2018 , 163, 46-55	19
547	Synthesis and Evaluation of 8-Aminoquinoline-Grafted Poly(glycidyl methacrylate) for the Recovery of Pd(II) from Highly Acidic Aqueous Solutions. 2018 , 10,	14
546	Uptake of Zn ²⁺ and As ³⁺ from Wastewater by Adsorption onto Imine Functionalized Magnetic Nanoparticles. 2018 , 10, 36	9
545	ATR-FTIR spectroscopy as a probe for metal ion binding onto immobilized ligands. 2018 , 218, 196-203	6
544	Sorption properties of U(VI) and Th(IV) on two-dimensional Molybdenum Disulfide (MoS ₂) nanosheets: Effects of pH, ionic strength, contact time, humic acids and temperature. 2018 , 11, 328-338	15
543	Biosorption of rhodamine B dye from dyeing stones effluents using the green microalgae <i>Chlorella pyrenoidosa</i> . 2018 , 198, 1302-1310	73
542	Facile Preparation of Tannic Acid-Poly(vinyl alcohol)/Sodium Alginate Hydrogel Beads for Methylene Blue Removal from Simulated Solution. 2018 , 3, 7523-7531	55
541	Water-Stable Nanoscale Zirconium-Based Metal-Organic Frameworks for the Effective Removal of Glyphosate from Aqueous Media. 2018 , 3, 7832-7839	55
540	Removal of Cd (II) from water by using nano-scale molybdenum disulphide sheets as adsorbents. 2018 , 263, 526-533	37
539	Adsorption of palladium(II) from aqueous solution using nanosilica modified with imidazoline groups. 2018 , 214, 533-539	20
538	Removal of reactive yellow 145 by adsorption onto treated watermelon seeds: Kinetic and isotherm studies. 2018 , 10, 16-21	24
537	Residual Organic Compound Removal from Aqueous Solution Using Commercial Coconut Shell Activated Carbon Modified by a Mixture of Seven Metal Salts. 2018 , 229, 1	4
536	Selective Adsorption of Pb(II) from Aqueous Solution by Triethylenetetramine-Grafted Polyacrylamide/Vermiculite. 2018 , 11,	25

535	Redox sorption of Ce(III)/Ce(IV) on potassium bismuthate. 2018 , 106, 831-842	7
534	Biosorption of macronutrients by Brazilian tropical peats. 2018 , 49, 1530-1539	
533	Equilibrium and kinetics modeling of fluoride adsorption onto activated alumina, alum and brick powder. 2018 , 7, 452-458	44
532	Removal of Fluoride from Groundwater by Adsorption onto Brick Powder/Alum/Calcium-Infused Adsorbent. 2019 , 231-242	3
531	Enhanced removal of methyl violet 6B cationic dye from aqueous solutions using calcium alginate hydrogel grafted with poly (styrene-co-maleic anhydride). 2019 , 76, 175-203	19
530	Defluoridation investigation of Yttrium by laminated Y-Zr-Al tri-metal nanocomposite and analysis of the fluoride sorption mechanism. 2019 , 648, 1342-1353	28
529	Application of Kinetic Models for Heavy Metal Adsorption in the Single and Multicomponent Adsorption System. 2019 , 13, 813-828	6
528	Effective Dephenolation of Effluent from Petroleum Industry Using Ionic-Liquid-Induced Hybrid Adsorbent. 2019 , 44, 10017-10029	12
527	Adsorptive Removal of Amido Black 10B from Aqueous Solution using Stem Carbon of Ricinus communis as Adsorbent. 2019 , 31, 1071-1076	1
526	Adsorptive removal of Bisphenol A by biomass activated carbon and insights into the adsorption mechanism through density functional theory calculations. 2019 , 13, 100159	29
525	Adsorption behavior of arsenicals on MIL-101(Fe): The role of arsenic chemical structures. 2019 , 554, 692-704	90
524	Kinetic and equilibrium studies of methyl violet adsorption from aqueous solutions by activated Algerian bentonite clay. 2019 , 12, 1	0
523	Ultra-rapid removal of cationic organic dyes by novel single- and double-stranded DNA immobilized on quaternary ammonium magnetic chitosan. 2019 , 7, 103308	9
522	Adsorption performance and mechanism of a low-cost biosorbent from spent seedcake of Calophyllum inophyllum in simultaneous cleanup of potentially toxic metals from industrial wastewater. 2019 , 7, 103317	18
521	Adsorçã de eteramina em caulinita natural e tratada com H2O2: proposiçã de alternativas para o tratamento de efluentes de mineraçã. 2019 , 24,	0
520	Handy purifier based on bacterial cellulose and Ca-montmorillonite composites for efficient removal of dyes and antibiotics. 2019 , 222, 115017	24
519	Evaluation of hydroxyapatite/poly(acrylamide-acrylic acid) for sorptive removal of strontium ions from aqueous solution. 2019 , 26, 25641-25655	15
518	Postsynthetic functionalization of water stable zirconium metal organic frameworks for high performance copper removal. 2019 , 144, 4552-4558	7

517	Using modified fish scale waste from as a low-cost adsorbent to remove dyes from textile effluents. 2019 , 54, 1083-1090	6
516	A comparative study of using barberry stem powder and ash as adsorbents for adsorption of humic acid. 2019 , 26, 26159-26169	18
515	Lead(II) removal from wastewater by water hyacinth. 2019 , 310, 042015	1
514	Extraction of heavy metals from multicomponent solutions. 2019 , 320, 012034	
513	The Application of Alginate Coated Iron Hydroxide for the Removal of Cu(II) and Phosphate. 2019 , 9, 3835	1
512	Removal of Direct Blue-86 dye from aqueous solution using alginate encapsulated activated carbon (PnsAC-alginate) prepared from waste peanut shell. 2019 , 7, 103365	22
511	Super-resolution Geometry Processing Technology for Ill-sampled Astronomical Images. 2019 , 1229, 012017	
510	Cache-Aided Interference Management using Hypercube Combinatorial Cache Designs. 2019 ,	1
509	Layered double hydroxide functionalized biomass carbon fiber for highly efficient and recyclable fluoride adsorption. 2019 , 62,	10
508	Mycosynthesis of iron oxide nanoparticles using manglicolous fungi isolated from Indian sundarbans and its application for the treatment of chromium containing solution: Synthesis, adsorption isotherm, kinetics and thermodynamics study. 2019 , 12, 100276	12
507	Adsorption of mercury ions from synthetic aqueous solution using polydopamine decorated SWCNTs. 2019 , 32, 100965	28
506	Comparative study of 110mAg(I) removal from aqueous media by humic substances. 2019 , 322, 225-230	3
505	Adsorption of Cu(II) from aqueous solution using raw peat: preliminary results. 2019 , 98, 06010	1
504	Highly Efficient Adsorption of Au(III) from Water by a Novel MetalOrganic Framework Constructed with Sulfur-Containing Ligands and Zn(II). 2019 , 58, 17972-17979	20
503	Confluence of montmorillonite and towards the adsorption of chromium(vi) from aqueous medium.. 2019 , 9, 28478-28489	0
502	Layered double hydroxide [poly(diallyldimethylammonium chloride) nanocomposites: synthesis, characterization and adsorption studies. 2019 , 18, 1044-1053	4
501	Novel low-cost adsorbent based on economically modified bentonite for lead(II) removal from aqueous solutions. 2019 , 12, 1	6
500	Adsorption and removal of ametryn using graphene oxide nano-sheets from farm waste water and optimization using response surface methodology. 2019 , 16, 1383-1390	11

499	Pyridine-grafted Cr-based metal-organic frameworks for adsorption and removal of microcystin-LR from aqueous solution. 2019 , 5, 577-584	4
498	Arginine and lysine-functionalized layered double hydroxides as efficient sorbents for radioactive Co ²⁺ removal by chelate-facilitated immobilization. 2019 , 374, 359-369	17
497	High-performance liquid chromatography method applied to investigate mechanism, kinetics, isotherm, and thermodynamics of bile acid adsorption onto bile acid sequestrants. 2019 , 45, 1437-1443	2
496	Biosorbente de íons Cr(III) de soluções aquosas sintéticas e efluente de curtume utilizando a macrófita aquática Pistia stratiotes. 2019 , 24, 335-346	1
495	Removal of radioactive cesium and europium from aqueous solutions using activated Al ₂ O ₃ prepared by solution combustion. 2019 , 234, 55-66	15
494	Removal of methylene blue (aq) using untreated and acid-treated eucalyptus leaves and GA-ANN modelling. 2019 , 97, 2883-2898	18
493	Visible light active indigo dye/graphene/WO ₃ nanocomposites with excellent photocatalytic activity. 2019 , 8, 3261-3269	13
492	Click Prediction for P2P Loan Ads Based on Support Vector Machine. 2019 , 1168, 032042	1
491	Magnetic metal-organic frameworks/carbon dots as a multifunctional platform for detection and removal of uranium. 2019 , 491, 640-649	24
490	Remediation of complex remazol effluent using biochar derived from green seaweed biomass. 2019 , 21, 1179-1189	23
489	Preparation and characterization of a novel graphene/biochar composite and its application as an adsorbent for Cd removal from aqueous solution. 2019 , 36, 678-687	12
488	Studies on the adsorption of phosphate using lanthanide functionalized KIT-6. 2019 , 286, 77-83	6
487	Adsorption of fluoride from aqueous solution by fly ash cenospheres modified with paper mill lime mud: Experimental and modeling. 2019 , 180, 366-373	26
486	Nitrofurantoin in sediments and soils: Sorption, isotherms and kinetics. 2019 , 681, 9-17	9
485	Preparation of mesoporous activated carbon from date stones for the adsorption of Bemacid Red. 2019 , 79, 1357-1366	5
484	Equilibrium, kinetic, and thermodynamic studies on the sorption of some heavy metal ions by the phosphorus-containing polymer sorbent. 2019 , 68, 514-520	4
483	Study of the Phosphorus Adsorption on the Sediments. 2019 , 2019, 1-10	8
482	Application of Acid Activated Bentonite for Efficient Removal of Organic Pollutants from Industrial Phosphoric Acid: Kinetic and Thermodynamic Study. 2019 ,	1

481	C-doped anatase TiO: Adsorption kinetics and photocatalytic degradation of methylene blue and phenol, and correlations with DFT estimations. 2019 , 547, 14-29	59
480	Value-Added Recycling of Inexpensive Carbon Sources to Graphene and Carbon Nanotubes. 2019 , 3, 1800016	11
479	Mono-, Di-, and Tricarboxylic Acid Facilitated Lanthanum-Based Organic Frameworks: Insights into the Structural Stability and Mechanistic Approach for Superior Adsorption of Arsenate from Water. 2019 , 7, 6917-6928	57
478	Reduction of iron (II) ions in synthetic acidic wastewater containing ferro sulphate using calcium carbide residu. 2019 ,	
477	Thermodynamic and kinetic insights into plant-mediated detoxification of lead, cadmium, and chromium from aqueous solutions by chemically modified <i>Salvia moorcroftiana</i> leaves. 2019 , 26, 14339-14349	8
476	Cadmium Removal from Aqueous Solutions Using Nano-Iron Doped Lignite. 2019 , 221, 012135	1
475	The Influence of Mg ²⁺ Ions on the In Vitro Efficacy of Chitosan-Titanium Dioxide Nanotubes (CTNTs) Scaffolds. 2019 , 2019, 1-10	5
474	Wood residue reuse for a synthesis of lignocellulosic biosorbent: characterization and application for simultaneous removal of copper (II), Reactive Blue 19 and cyprodinil from water. 2019 , 53, 619-647	1
473	Removal of Methylene Blue Dye from Textile Wastewater Using Water Hyacinth Activated Carbon as Adsorbent: Synthesis, Characterization and Kinetic Studies. 2019 ,	2
472	The influence of heavy metals in road dust on the surface runoff quality: Kinetic, isotherm, and sequential extraction investigations. 2019 , 176, 270-278	22
471	Thermosensitive Microgels-Decorated Magnetic Graphene Oxides for Specific Recognition and Adsorption of Pb(II) from Aqueous Solution. 2019 , 4, 3933-3945	16
470	Polyethylene Glycol-Modified Layered Double Hydroxides: Synthesis, Characterization, and Study on Adsorption Characteristics for Removal of Acid Orange II from Aqueous Solution. 2019 , 4, 3745-3754	19
469	A new adsorbent of gadolinium-1,4-benzenedicarboxylate composite for better phosphorous removal in aqueous solutions. 2019 , 543, 343-351	11
468	Carboxyl-functionalized lotus seedpod: A highly efficient and reusable agricultural waste-based adsorbent for removal of toxic Pb ²⁺ ions from aqueous solution. 2019 , 568, 391-401	23
467	Mechanistic Study of Phosphorus Adsorption onto Iron Z-A: Spectroscopic and Experimental Approach. 2019 , 9, 4897	4
466	A comprehensive study on the bacterial biosorption of heavy metals: materials, performances, mechanisms, and mathematical modellings. 2019 ,	7
465	Removal of platinum (IV) from hydrochloric acid medium with OMIImT: Theoretical and experimental evidences for a neutral complexing mechanism. 2019 , 293, 111529	0
464	Adsorptive and Kinetic Studies of Resin for Removal of Cs ⁺ and Sr ²⁺ from Aqueous Solution. 2019 , 41, 292-298	1

463	Amino-FeO-functionalized graphene oxide as a novel adsorbent of Methylene Blue: kinetics, equilibrium, and recyclability aspects. 2019 , 26, 28593-28602	17
462	Characterization of molybdenum disulfide nanomaterial and its excellent sorption abilities for two heavy metals in aqueous media. 2019 , 54, 847-859	4
461	Phosphorylated chitosan/CoFe ₂ O ₄ composite for the efficient removal of Pb(II) and Cd(II) from aqueous solution: Adsorption performance and mechanism studies. 2019 , 277, 181-188	74
460	Saponin extracted waste biomass of <i>Sapindus mukorossi</i> for adsorption of methyl violet dye in aqueous system. 2019 , 14, 166-174	17
459	Treatment of wastewater from cationic dye using eco-friendly nanocomposite: Characterization, adsorption and kinetic studies. 2019 , 45, 25-31	3
458	Ecorestoration of Polluted Aquatic Ecosystems Through Rhizofiltration. 2019 , 179-201	6
457	Sorption/desorption study of strontium on Ain Oussera soils around the Es-Salam reactor facility. 2019 , 319, 409-418	1
456	Assessment of red mud as sorptive landfill liner for the retention of arsenic (V). 2019 , 232, 271-285	27
455	Generalized fractal-like adsorption kinetic models: Application to adsorption of copper on Argan nut shell. 2019 , 276, 15-26	14
454	Wastewater treatment test by removal of the sulfamethoxazole antibiotic by a calcined layered double hydroxide. 2019 , 168, 87-95	40
453	Binding interactions of MoS ₂ quantum dots with hemoglobin and their adsorption isotherms and kinetics in vitro. 2019 , 275, 304-311	1
452	Optimization and activation of renewable durian husk for biosorption of lead (II) from an aqueous medium. 2019 , 94, 1384-1396	4
451	A higher efficiency removal of neonicotinoid insecticides by modified cellulose-based complex particle. 2019 , 126, 857-866	7
450	Functionalization of mesoporous Fe ₃ O ₄ @SiO ₂ nanospheres for highly efficient U(VI) adsorption. 2019 , 279, 316-322	29
449	Interaction of natural organic matter with acid mine drainage: In-situ accumulation of elements. 2019 , 660, 468-483	23
448	Selective high capacity adsorption of Au(III) from aqueous solution by poly(glycidyl methacrylate) functionalized with 2,6-diaminopyridine. 2019 , 76, 4017-4033	6
447	Effect of Functionalization Synthesis Type of Amino-MCM-41 Mesoporous Silica Nanoparticles on Its RB5 Adsorption Capacity and Kinetics. 2019 , 11, 1547-1555	14
446	Short-term adsorption of gold using self-flocculating microalga from wastewater and its regeneration potential by bio-flocculation. 2019 , 31, 1783-1792	5

445	MgAl-LDH/Biochar composites for methylene blue removal by adsorption. 2019 , 168, 11-20	100
444	Statistical Modeling, Optimization and Kinetics of Mn ²⁺ Adsorption in Aqueous Solution Using a Biosorbent. 2019 , 233, 1201-1214	6
443	Adsorptive removal of heavy metal ions using polystyrene-poly(N-isopropylmethacrylamide-acrylic acid) core/shell gel particles: Adsorption isotherms and kinetic study. 2019 , 277, 522-531	61
442	Ion-exchange for trihalomethane control in potable water treatment in a municipal water treatment case study in Rainy River, Ontario, Canada. 2019 , 54, 142-160	3
441	A co-operative endeavor by nitrifying bacteria Nitrosomonas and Zirconium based metal organic framework to remove hexavalent chromium. 2019 , 360, 879-889	28
440	Arsenic removal from aqueous solutions using Saccharomyces cerevisiae: Kinetic and equilibrium study. 2019 , 38, S398-S402	7
439	Highly porous zirconium-crosslinked graphene oxide/alginate aerogel beads for enhanced phosphate removal. 2019 , 359, 779-789	65
438	Adsorption of endocrine disrupting ethylparaben from aqueous solution by chemically activated biochar developed from oil palm fibre. 2019 , 54, 683-695	10
437	Chemical modification of expanded glass aggregate with N-Benzoyl-N'-(4-methylphenyl) thiourea (TTU) for the adsorptive removal of Cr(III) ion. 2019 , 12, 772-779	3
436	Stabilized landfill leachate treatment using Guadua amplexifolia bamboo as a source of activated carbon: kinetics study. 2019 , 40, 768-783	5
435	Development of Zn and FeO decorated graphene oxides for glyphosate removal from water. 2019 , 40, 1118-1137	27
434	Trimethylphenylammonium-modified montmorillonite: efficient hybrid adsorbent for removal of U(VI) from carbonate- and sulfate-containing solutions. 2019 , 16, 1921-1932	2
433	Sorption of uranyl ions on TiO ₂ : Effects of pH, contact time, ionic strength, temperature and HA. 2019 , 75, 115-123	34
432	Elimination du cuivre en solutions aqueuses synthétiques par sorption sur la peau d'amande: Étude cinétique et d'équilibre. 2019 , 97, 755-761	
431	New synthetic material removing heavy metals from aqueous solutions and wastewater. 2019 , 12, 5040-5048	9
430	Carbon nanotubes modified with 5,7-dinitro-8-quinolinol as potentially applicable tool for efficient removal of industrial wastewater pollutants. 2020 , 13, 109-119	9
429	Basic-dye adsorption in albedo residue: Effect of pH, contact time, temperature, dye concentration, biomass dosage, rotation and ionic strength. 2020 , 32, 351-359	15
428	High Adsorption Efficiency of Topkhana Natural Clay for Methylene Blue from Medical Laboratory Wastewater: a Linear and Nonlinear Regression. 2020 , 12, 87-99	7

427	Sol-gel Synthesis of Mesoporous Silica-Iron Composite: Kinetics, Equilibrium and Thermodynamics Studies for the Adsorption of Turquoise-Blue X-GB Dye. 2020 , 234, 233-253	18
426	Removal of methyl orange dye using activated biochar derived from pomelo peel wastes: performance, isotherm, and kinetic studies. 2020 , 41, 125-136	29
425	Sulfhydryl functionalized activated carbon for Pb(II) ions removal: kinetics, isotherms, and mechanism. 2020 , 55, 1303-1316	7
424	A practical approach on reuse of drinking water treatment plant residuals for fluoride removal. 2020 , 41, 2907-2919	5
423	Optimization of Fe and Mn Removal from Coal Acid Mine Drainage (AMD) with Waste Biomaterials: Statistical Modeling and Kinetic Study. 2020 , 11, 1143-1157	6
422	Treated residue from aluminium lamination as adsorbent of toxic reactive dyes - a kinetic, equilibrium and thermodynamic study. 2020 , 41, 669-681	8
421	Adsorption of 2,4-Dichlorophenoxyacetic Acid from Aqueous Solution Using Carbonized Chest Nut as Low Cost Adsorbent: Kinetic and Thermodynamic. 2020 , 234, 461-484	7
420	Selective adsorption of Co(II)/Mn(II) by zeolites from purified terephthalic acid wastewater containing dissolved aromatic organic compounds and metal ions. 2020 , 698, 134287	18
419	Solar light-driven photocatalytic degradation of phenol on S-doped nanoporous carbons: The role of functional groups in governing activity and selectivity. 2020 , 156, 10-23	27
418	Using big data computing framework and parallelized PSO algorithm to construct the reservoir dispatching rule optimization. 2020 , 24, 8113-8124	5
417	Effective removal of aqueous glyphosate using CuFe ₂ O ₄ @biochar derived from phragmites. 2020 , 95, 196-204	16
416	Adsorption Properties of Calcium Alginate-Silica Dioxide Hybrid Adsorbent to Methylene Blue. 2020 , 30, 2114-2125	11
415	Preparation of Rice Husk Biochar-Based Magnetic Nanocomposite for Effective Removal of Crystal Violet. 2020 , 49, 1142-1149	10
414	Synthesis and characterization of phosphorylated <i>Aspergillus niger</i> for effective adsorption of uranium(VI). 2020 , 323, 379-386	4
413	Sb(III) removal from aqueous solution by a novel nano-modified chitosan (NMCS). 2020 , 236, 116266	25
412	Adsorption of Ag(I) ions from wastewaters using poly(2-aminothiazole): kinetic and isotherm studies. 2020 , 77, 6161-6174	2
411	Gallic and salicylic acid-functionalized Mg/Al hydrotalcite as highly effective materials for reductive adsorption of AuCl ₄ ⁻ . 2020 , 507, 145115	7
410	Pb(II) uptake onto nylon microplastics: Interaction mechanism and adsorption performance. 2020 , 386, 121960	99

409	Mg-Fe layered double hydroxide with chloride intercalated: synthesis, characterization and application for efficient nitrate removal. 2020 , 27, 5890-5900	13
408	Adsorption of a non-steroidal anti-inflammatory drug onto MgAl/LDH-activated carbon composite [Experimental investigation and statistical physics modeling. 2020 , 586, 124217	29
407	Recent Developments in Waste Management. 2020 ,	1
406	Facile synthesis of 5-aminoisophthalic acid functionalized magnetic nanoparticle for the removal of methylene blue. 2020 , 31, 457-468	1
405	Efficient removal of arsenic using plastic waste char: Prevailing mechanism and sorption performance. 2020 , 33, 101095	24
404	Design of magnetic nanoparticles with high magnetic separation efficiencies and durability for Cu adsorption. 2019 , 31, 085710	1
403	Sorption of volatile organic compounds on non-activated biochar. 2020 , 297, 122469	41
402	Adsorption kinetic and mechanism of reactive dye on cotton yarns with different wettability in siloxane non-aqueous medium. 2020 , 111, 925-933	1
401	Sorption and desorption behaviors of triphenyl phosphate (TPhP) and its degradation intermediates on aquatic sediments. 2020 , 385, 121574	6
400	Effective coating of crosslinked polyethyleneimine on elastic spongy monolith for highly efficient batch and continuous flow adsorption of Pb(II) and acidic red 18. 2020 , 391, 123610	20
399	Performance of organoclay in adsorptive uptake of antihypertensive losartan potassium: A comparative batch study using micro-grain activated carbon. 2020 , 8, 103562	9
398	Removal of strontium radionuclides from liquid scintillation waste and environmental water samples. 2020 , 166, 109357	4
397	Carbide Derived Carbon (CDC) as novel adsorbent for ibuprofen removal from synthetic water and treated sewage effluent. 2020 , 18, 1375-1390	12
396	The adsorptive removal of MB using chemically treated artichoke leaves: Parametric, kinetic, isotherm and thermodynamic study. 2020 , 9, e00509	9
395	Carnauba straw powder treated with bentonite for copper adsorption in aqueous solution: isothermal, kinetic and thermodynamic study. 2020 , 82, 2178-2192	1
394	Removal and recovery of selenium species from wastewater: Adsorption kinetics and co-precipitation mechanisms. 2020 , 38, 101666	9
393	Performance of apricot stone to remove dyes from aqueous solutions [Equilibrium, kinetics, isotherms modeling and thermodynamic studies. 2020 , 31, 437-443	2
392	Biodecolorization of Reactive Dyes Using Biochar Derived from Coconut Shell: Batch, Isotherm, Kinetic and Desorption Studies. 2020 , 5, 7734-7742	3

391	Production of activated carbon from seeds using HPO activator and methylene blue and malachite green adsorption. 2021 , 23, 693-703	9
390	Recovery of platinum (IV) from aqueous solutions using 3-aminopropyl(diethoxy)methylsilane functionalized bentonite. 2020 , 1-12	1
389	Efficient recovery of Ag(I) from aqueous solution using MoS ₂ nanosheets: Adsorption study and DFT calculation. 2020 , 757, 137865	6
388	Preparation of Nano-Copper Sulfide and Its Adsorption Properties for 17 β -Ethinyl Estradiol. 2020 , 15, 48	4
387	Biomass-Based Cellulose Functionalized by Phosphonic Acid with High Selectivity and Capacity for Capturing U(VI) in Aqueous Solution. 2020 , 10, 5455	4
386	Synthesis of polyelectrolyte complex (PEC) membrane chitosan-polystyrene sulfonate (PSS) from styrofoam waste as adsorbents of Cd(II) and Pb(II) ions. 2020 , 483, 012028	1
385	Effective lead removal from aqueous solutions using cellulose nanofibers obtained from water hyacinth. 2020 , 20, 2715-2736	6
384	Enhancement of the adsorption of hexacyanoferrate (III) ion on granular activated carbon by the addition of cations: A promissory application to mining wastewater treatment. 2020 , 8, 104336	3
383	Zinc adsorption from aqueous solution on biosorbent from urban pruning waste. 2020 , 1-9	1
382	Photocatalytic mineralization of disperse red 167.1 by cubic Cu ₂ O nanoparticles: Experimental and theoretical approach. 2020 , 392, 112425	3
381	Phosphorylated styrene-butadiene rubber as an adsorbent for the removal of Cd(II) from aqueous solution. 2020 , 1-19	0
380	Effect of graphitic carbon nitride powders on adsorption removal of antibiotic resistance genes from water. 2020 , 31, 2843-2848	15
379	Chitosan-graphene oxide nanocomposites as water-solubilising agents for rotenone pesticide. 2020 , 318, 114066	11
378	Dynamics, thermodynamics, and mechanism of perfluorooctane sulfonate (PFOS) sorption to various soil particle-size fractions of paddy soil. 2020 , 206, 111105	5
377	Synthesis of hierarchical MgO based on a cotton template and its adsorption properties for efficient treatment of oilfield wastewater.. 2020 , 10, 28695-28704	5
376	Ion-Exchange Kinetics of Alpha-Zirconium Phosphate Nanoplatelets for Application in Targeted Alpha Therapy. 2020 , 38, 612-628	
375	Microporous nano-activated carbon type I derived from orange peel and its application for Cr(VI) removal from aquatic environment. 2020 , 1	10
374	Hierarchical approach towards adsorptive removal of Alizarin Red S dye using native chitosan and its successively modified versions. 2020 , 82, 715-731	7

373	Enhanced Removal of Aqueous Phosphorus by Zr ^{II} -, Mn ^{II} -, and MnZr ^{II} -Modified Natural Zeolites: Comparison Studies and Adsorption Mechanism. 2020 , 37, 572-584	2
372	Removal of aqueous carbamazepine using graphene oxide nanoplatelets: process modelling and optimization. 2020 , 30,	8
371	Study of enantioselective metolachlor adsorption by activated carbons.. 2020 , 10, 40321-40328	4
370	Synthesis and Characterization of Ni/Al-LDH nano hybrid with (Ascorbic acid) and Kinetic Controlled Release Study of (Ascorbic acid) From Ni/Al-LDH. 2020 , 1660, 012026	0
369	Linear and Non-linear Regression Analysis for the Kinetics of [AuCl ₄]- Removal by p-Hydroxybenzoate intercalated Mg/Al-Hydrotalcite. 2020 , 990, 012017	
368	Passive Detection of Phosphorus in Agricultural Tile Waters Using Reactive Hybrid Anion Exchange Resins. 2020 , 12, 2808	
367	Nonlinear dynamical modeling of adsorption and desorption processes with power-law kinetics: Application to CO ₂ capture. 2020 , 102, 052102	10
366	A comprehensive adsorption study of 1-Hydroxy-2-Naphthoic acid using cost effective engineered materials. 2020 , 19, 100881	1
365	Re-collectable and recyclable epichlorohydrin-crosslinked humic acid with spinel cobalt ferrite core for simple magnetic removal of cationic triarylmethane dyes in polluted water. 2020 , 8, 104004	6
364	Oxytetracycline Sorption onto Synthetized Materials from Hydroxyapatite and Aluminosilicates. 2020 , 231, 1	6
363	Use of Chemically Treated Human Hair Wastes for the Removal of Heavy Metal Ions from Water. 2020 , 12, 1263	3
362	The eradication of reactive black 5 dye liquid wastes using Azolla filiculoides aquatic fern as a good and an economical biosorption agent. 2020 , 2, 1	19
361	Extraction of U(VI) from Aqueous Media with Layered Zn,Al and Mg,Al Double Hydroxides Intercalated with Citrate Ions and with Their Magnetic Nanocomposites. 2020 , 62, 50-61	6
360	Synthesis and dye adsorption studies of the {dibromo(1,1'-(1,2-ethanediyl)bis(3-methyl-imidazole-2-thione)dicopper(I)) _n polymer and its conversion to CuO nanospheres for photocatalytic and antibacterial applications. 2020 , 44, 8520-8537	4
359	Extraction of cobalt ions from aqueous solution by microgels for in-situ fabrication of cobalt nanoparticles to degrade toxic dyes: A two fold-environmental application. 2020 , 754, 137645	24
358	Phosphate removal from synthetic and treated sewage effluent by carbide derive carbon. 2020 , 36, 101323	17
357	Efficient capture of arsenate from alkaline smelting wastewater by acetate modulated yttrium based metal-organic frameworks. 2020 , 397, 125292	9
356	Functionalization of Shirasu-balloons Surface for Removal of Cadmium Ions from Contaminated Soil. 2020 , 36, 553-560	2

355	In-Situ Biofabrication of Silver Nanoparticles in Natural Fiber Using Extract with Their Antibacterial and Catalytic Dye Reduction Properties. 2020 , 10,	11
354	Synergistic approach towards the sustainable management of heavy metals in wastewater using mycosynthesized iron oxide nanoparticles: Biofabrication, adsorptive dynamics and chemometric modeling study. 2020 , 37, 101426	28
353	Cobalt-carbon/silica nanocomposites prepared by pyrolysis of a cobalt 2,2'-bipyridine terephthalate complex for remediation of cationic dyes.. 2020 , 10, 17660-17672	15
352	Preparation and application of CPC/Keggin-Al ₃₀ modified montmorillonite composite for Cr (VI) removal. 2020 , 37, 101348	11
351	Anionic dye adsorption on ZnAl hydrotalcite-type and regeneration studies based on memory effect 2020 , 1-19	8
350	Comparison between Allura Red dye discoloration by activated carbon and azo bacteria strain. 2020 , 27, 29688-29696	6
349	Removal of Zinc from Aqueous Solutions Using Lamellar Double Hydroxide Materials Impregnated with Cyanex 272: Characterization and Sorption Studies. 2020 , 25,	3
348	In-situ fabrication of dynamic and recyclable TiO ₂ coated bacterial cellulose membranes as an efficient hybrid absorbent for tellurium extraction. 2020 , 27, 4591-4608	15
347	Preparation of an L-Cysteine Functionalized Magnetic Nanosorbent for the Sensitive Quantification of Heavy Metal Ions in Food by Graphite Furnace Atomic Absorption Spectrometry. 2020 , 53, 2079-2095	7
346	Experimental investigation of activated carbon prepared from apricot stones material (ASM) adsorbent for removal of malachite green (MG) from aqueous solution. 2020 , 38, 24-45	22
345	Sol-Gel Synthesis of NiO/CuO Nanocomposites for Uptake of Rare Earth Elements (Ho, Yb, and Sm) from Aqueous Solutions. 2020 , 65, 279-289	8
344	A Pseudo-Second Order Kinetic Equation for Sorption Processes. 2020 , 94, 171-176	3
343	Fractal-Like Kinetics of Adsorption Applied to the Solid/Solution Interface. 2020 , 5, 5105-5115	15
342	Recent Advances in Applications of Hybrid Graphene Materials for Metals Removal from Wastewater. 2020 , 10,	35
341	Layer-by-layer assembly of layered double hydroxide/histidine/EMnO ₂ nanosheets: Synthesis, characterization, and applications. 2020 , 188, 105540	11
340	Novel Application of Hybrid Anion Exchange Resin for Phosphate Desorption Kinetics in Soils: Minimizing Re-Adsorption of Desorbed Ions. 2020 , 4, 36	1
339	Kinetics and Equilibrium Studies for the Removal of Mn and Fe from Binary Metal Solution Systems Using a Romanian Thermally Activated Natural Zeolite. 2020 , 12, 1614	6
338	Biosorption of copper(II) and cadmium(II) by Bacillus cereus sys1 isolated from oil-contaminated site. 2020 , 2, 1	2

337	Effects of soil particle size on the adsorption, distribution, and migration behaviors of heavy metal(loid)s in soil: a review. 2020 , 22, 1596-1615	25
336	Thermal synthesis of rGO and rGO-Co ₃ O ₄ and their application as adsorbents for anionic dye removal. 2020 , 599, 124837	3
335	Adsorption of Eu(III) from Aqueous Solutions of Zn,Al- and Mg,Al-Layered Double Hydroxides, Intercalated by Citrate Ions, and Their Magnetic Forms. 2020 , 42, 79-87	0
334	Predominant Mechanisms in the Treatment of Wastewater Due to Interaction of Benzaldehyde and Iron Slag Byproduct. 2019 , 17,	13
333	Elaboration and characterization of photobiocomposite beads, based on titanium (IV) oxide and sodium alginate biopolymer, for basic blue 41 adsorption/photocatalytic degradation. 2020 , 151, 66-84	23
332	Modeling and optimization of ultrasound-assisted high performance adsorption of Basic Fuchsin by starch-capped zinc selenide nanoparticles/AC as a novel composite using response surface methodology. 2020 , 152, 913-921	20
331	Preparation of a 3D multi-branched chelate adsorbent for high selective adsorption of uranium(VI): Acrylic and diaminomaleonitrile functionalized waste hemp fiber. 2020 , 149, 104512	17
330	Enhanced removal of vanadium(V) from groundwater by layered double hydroxide-supported nanoscale zerovalent iron. 2020 , 392, 122392	36
329	Biosorption Characteristics of Hg(II) from Aqueous Solution by the Biopolymer from Waste Activated Sludge. 2020 , 17,	7
328	A Novel and Efficient Dyes Degradation Using Bentonite Supported Zero-Valent Iron-Based Nanocomposites. 2020 , 5, 369-378	5
327	Adsorption of anti-inflammatory drug diclofenac by MgAl/layered double hydroxide supported on <i>Syagrus coronata</i> biochar. 2020 , 364, 229-240	37
326	Selective Capture of Ba ²⁺ , Ni ²⁺ , and Co ²⁺ by a Robust Layered Metal Sulfide. 2020 , 32, 1957-1963	19
325	Evaluation of Nickel-Aluminium Complex Hydroxide for Adsorption of Chromium(VI) Ion. 2020 , 68, 70-76	5
324	Extracellular polymeric substance from <i>Rahnella</i> sp. LRP3 converts available Cu into Cu(PO)(OH) in soil through biomineralization process. 2020 , 260, 114051	8
323	Effect of multiple factors on the adsorption of Cd in an alluvial soil from Xiba, China. 2020 , 232, 103605	8
322	Removal of Cd(II) and Cu(II) from Aqueous Solution by Na ⁺ -Modified Pisha Sandstone. 2020 , 2020, 1-13	4
321	Synthesis and Characterization of Silica-Coated Oxyhydroxide Aluminum/Doped Polymer Nanocomposites: A Comparative Study and Its Application as a Sorbent. 2020 , 25,	3
320	Jute (<i>Corchorus olitorius</i>) stick charcoal as a low-cost adsorbent for the removal of methylene blue dye from aqueous solution. 2020 , 2, 1	3

319	Fundamentals of adsorption for photocatalysis. 2020 , 39-62	5
318	Kinetic study and BoxBehnken design approach to optimize the sorption process of toxic azo dye onto organo-modified bentonite. 2020 , 98, 215-221	2
317	Removal of Methylene Blue in Aqueous Solution by Economic Adsorbent Derived from Apricot Stone Activated Carbon. 2020 , 21, 810-820	21
316	Three-dimensional, printed water-filtration system for economical, on-site arsenic removal. 2020 , 15, e0231475	5
315	Synthesis of silica nanoparticles grafted with copolymer of acrylic acrylamide for ultra-removal of methylene blue from aquatic solutions. 2020 , 130, 109698	50
314	Removal of Anionic Dyes from Water using Polyethylene Glycol Modified Ni-Al-layered Double Hydroxide Nanocomposites. 2020 , 5, 4165-4174	1
313	Green acid-free hydrolysis of wasted pomelo peel to produce carboxylated cellulose nanofibers with super absorption/flocculation ability for environmental remediation materials. 2020 , 395, 125070	41
312	Development of nZVI-Pumice/Zeolite Composites for Effective Removal of Arsenic (III) from Aqueous Solution. 2020 , 24, 04020014	5
311	Linear and non-linear regression analysis for the sorption kinetics of Tropaeoline 000 onto Nano Talc. 2020 , 1-16	0
310	The relevance of interaction of chemicals/pollutants and microplastic samples as route for transporting contaminants. 2020 , 138, 312-323	18
309	Adsorption of caffeic acid on chitosan powder. 2021 , 78, 2139-2154	
308	Study of Metal Ion Removal from Aqueous Systems Using Magnetic Nanostructures Based on Functionalized Poly(Benzofuran-co-Arylacetic Acid). 2021 , 54, 184-203	1
307	Esterification of sugarcane bagasse by citric acid for Pb adsorption: effect of different chemical pretreatment methods. 2021 , 28, 11869-11881	5
306	Biochars obtained from freshwater biomass green macroalga and hornwort as Cr(III) ions sorbents. 2021 , 11, 301-313	7
305	Process Optimization and Modeling the Adsorption of Polycyclic Aromatic-Congo Red Dye onto Delonix regia Pod-Derived Activated Carbon. 2021 , 41, 400-418	7
304	Tea Residue-Based Activated Carbon: Preparation, Characterization and Adsorption Performance of o-Cresol. 2021 , 46, 6243-6258	3
303	Simultaneous adsorption of uranium(VI) and 2-chlorophenol by activated carbon fiber supported/modified titanate nanotubes (TNTs/ACF): Effectiveness and synergistic effects. 2021 , 406, 126752	33
302	Removal of chromate anions and immobilization using surfactant-modified zeolites. 2021 , 39, 101717	5

301	Insights into adsorption rate constants and rate laws of preset and arbitrary orders. 2021 , 255, 117713	2
300	Integration of CuS nanoparticles and cellulose fibers towards fast, selective and efficient capture and separation of mercury ions. 2021 , 408, 127336	10
299	Synthesis of novel Mg/Al/Fe-type hydrotalcite with various Mg/Al/Fe ratios and its selective adsorption of As(V) from water. 2021 , 9, 104557	2
298	Application of aluminum-modified food waste biochar as adsorbent of fluoride in aqueous solutions and optimization of production using response surface methodology. 2021 , 312, 110764	12
297	Adsorption of Pb(II) and Cd(II) by magnetic activated carbon and its mechanism. 2021 , 757, 143910	73
296	Ibuprofen degradation using a Co-doped carbon matrix derived from peat as a peroxymonosulphate activator. 2021 , 193, 110564	12
295	Low concentrated phosphorus sorption in aqueous medium on aragonite synthesized by carbonation of seashells: Optimization, kinetics, and mechanism study. 2021 , 280, 111652	12
294	Magnetic hollow buoyant alginate beads achieving rapid remediation of oil contamination on water. 2021 , 9, 104935	3
293	Use of fibroin polypeptide from silk processing waste as an effective biosorbent for heavy metal removal. 2021 ,	0
292	Calligonum Crinitum as a Novel Sorbent for Sorption of Pb(II) from Aqueous Solutions: Thermodynamics, Kinetics, and Isotherms. 2021 , 29, 1505-1515	3
291	Highly selective removal of 2,4-dinitrotoluene for industrial wastewater treatment through hyper-cross-linked resins. 2021 , 288, 125128	2
290	Phosphorus recovery from wastewater using pyridine-based ion-exchange resins: Role of impregnated iron oxide nanoparticles and preloaded Lewis acid (Cu). 2021 , 93, 774-786	3
289	Synthesis of nanoscale zero-valent iron modified graphene oxide nanosheets and its application for removing tetracycline antibiotic: Response surface methodology. 2021 , 35,	4
288	E. coli@UiO-67 composites as a recyclable adsorbent for bisphenol A removal. 2021 , 270, 128672	7
287	Charcoal Prepared from Bougainvillea spectabilis Leaves as Low Cost Adsorbent: Kinetic and Equilibrium Studies for Removal of Iron from Aqueous Solution. 2021 , 235, 265-279	9
286	Concurrent enhancement of structure stability and adsorption capacity of freeze-dried graphene oxide aerogels via the removal of oxidation debris nanoparticles on nanosheets. 2021 , 8, 1000-1009	3
285	Kinetics and adsorption equilibrium of some radionuclides on polyaniline/SiO ₂ composite. 2021 , 109, 85-97	1
284	Biosorption of heavy metals using fungal biosorbents [A review. 2021 , 331-352	

283	Investigating the cadmium adsorption capacities of crop straw biochars produced using various feedstocks and pyrolysis temperatures. 2021 , 28, 21516-21527	2
282	CHAPTER 5: Polymer-based Nanocomposites for Environmental Remediation. 2021 , 101-132	0
281	Adsorption isotherms and kinetics. 2021 , 445-509	2
280	Metal Oxides for Removal of Arsenic Contaminants from Water. 2021 , 147-194	1
279	Electrospun cationic nanofiber membranes for adsorption and determination of Cr(vi) in aqueous solution: adsorption characteristics and discoloration mechanisms.. 2021 , 11, 31795-31806	0
278	Removal of Cu(II) Contamination from Aqueous Solution by Ethylenediamine@Zeolite Composite. 2021 , 26,	
277	Adsorption of Triclosan onto Organically Modified-Magadiite and Bentonite. 2021 , 31, 1902-1911	4
276	Adsorptive removal of tetracycline and amoxicillin from aqueous solution by leached carbon black waste and chitosan-carbon composite beads. 2021 , 9, 104988	12
275	Modelization and implementation of free adsorption and electrosorption of Cr (VI) from wastewater using AlO nanoparticles: assessment and comparison of the two processes. 2021 , 28, 28349-28366 ³	
274	Polyethyleneimine-impregnated alkali treated waste bamboo powder for effective dye removal. 2021 , 83, 1183-1197	3
273	Advances in Biosorption of Polycyclic Aromatic Hydrocarbons from Aqueous Solutions Using Natural Biosorbents. 2021 , 147, 03120013	1
272	A Revised Pseudo-Second-Order Kinetic Model for Adsorption, Sensitive to Changes in Adsorbate and Adsorbent Concentrations. 2021 , 37, 3189-3201	11
271	The use of Biomaterials as Adsorbents for Removing Colorants from Aqueous Solution Case of Straw with Respect to Methylene Blue. 2021 , 18, 71-84	
270	Adsorption and separation behavior of Pd(II) from simulated high-level liquid waste using N,N,N,N-tetra-2-ethylhexyl-thiodiglycolamide silica-based adsorbent. 1-12	1
269	Removal of fluoride and arsenic from groundwater by hybrid AlFe electrocoagulation: Adsorption isotherm and kinetics study of single and binary component systems. 2021 , 31, 49	1
268	Hydrous cerium oxides coated glass fiber for efficient and long-lasting arsenic removal from drinking water. 2021 , 10, 247-257	6
267	Utilization of sugarcane bagasse/ZnCl ₂ for sustainable production of microporous nano-activated carbons of type I for toxic Cr(VI) removal from aqueous environment. 1	4
266	Effective Removal of Crystal Violet Dye Using Neoteric Magnetic Nanostructures Based on Functionalized Poly(Benzofuran--Arylacetic Acid): Investigation of the Adsorption Behaviour and Reusability. 2021 , 11,	9

265	GREEN SYNTHESIS OF SILVER NANOPARTICLES USING MICROALGAL EXTRACT AND ITS APPLICATION IN METAL ION REMOVAL FROM AQUEOUS SOLUTION. 2021 , 9, 214-230	0
264	The global research trend on cadmium in freshwater: a bibliometric review. 2021 , 1	4
263	Investigation the Effects of Green-Synthesized Copper Nanoparticles on the Performance of Activated Carbon-Chitosan-Alginate for the Removal of Cr(VI) from Aqueous Solution. 2021 , 26,	3
262	Adsorptive Elimination of Cu(II) from Aqueous Solution by Chitosan-nanoSiO ₂ Nanocomposite Adsorption Study, MLR, and GA Modeling. 2021 , 232, 1	4
261	PEACH PIT CHEMICALLY TREATED BIOMASS AS A BIOSORBENT FOR METFORMIN HYDROCHLORIDE REMOVAL: MODELING AND SORPTION MECHANISMS. 2021 , 41, 181-195	3
260	TiO ₂ Nanowire Arrays in situ Grown on Ti Foil Exhibiting Superior Uranyl-Adsorption Properties. 2021 , 8,	1
259	Simultaneous selective removal of cesium and cobalt from water using calcium alginate-zinc ferrocyanide-Cyanex 272 composite beads. 2021 , 28, 42014-42023	0
258	Synergistic effect of the activated carbon addition from leather wastes in chitosan/alginate-based composites. 2021 , 28, 48666-48680	2
257	Preparation of wheat bran-titanium dioxide (TiO ₂) composite and its application for selenium adsorption. 2021 , 99, 103230	1
256	Removal of arsenic (III and V) from aqueous solution using stable maghemite (γ-Fe ₂ O ₃) loaded pumice composite. 1	1
255	Adsorption behavior of mercury over hydrated lime: Experimental investigation and adsorption process characteristic study. 2021 , 271, 129504	13
254	Removal of Cu(II) from aqueous solutions using modified sewage sludge ash. 2021 , 18, 3795	0
253	Extraction of Eu(III) from Aqueous Media with Zn,Al-Layered Double Hydroxide, Intercalated with EDTA Ions, and Its Magnetic Composite. 2021 , 63, 325-333	0
252	Comparison of Physicochemical Properties of Fly Ash Precursor, Na-P1(C) Zeolite-Carbon Composite and Na-P1 Zeolite-Adsorption Affinity to Divalent Pb and Zn Cations. 2021 , 14,	4
251	Comparison of sugarcane pressmud with traditional low-cost materials for adsorption of lead and zinc in mining areas. 1	2
250	Novel 3D flower like ZnO/MnV ₂ O ₆ heterojunction as an efficient adsorbent for the removal of imidacloprid and photocatalyst for degradation of organic dyes in waste water. 2021 , 201, 115161	7
249	A global pollutant (PVC-polyvinyl chloride) applied as heavy metal binder from aqueous samples: green principles from synthesis to application. 2021 , 1-13	1
248	Sorption of Se(IV) from aqueous solution by wheat bran-hydroxyapatite (HA) composite. 2021 , 28, 58721-58729	

247	Removal of bisphenol S from drinking water by adsorption using activated carbon and the mechanisms involved. 1	0
246	Encapsulation of 4,4,4-trifluoro-1-(2-thienyl)-1,3-butanedione into the silica gel matrix for capturing uranium(VI) ion species. 2021 , 329, 865-887	0
245	Lead metal biosorption and isotherms studies by metal-resistant Bacillus strain MRS-2 bacterium. 2021 , 61, 697-708	1
244	Adsorptive and Kinetic Studies of the Extraction of Toxic Metal Ion from Contaminated Water Using Modified Montmorillonites. 2021 , 43, 321-329	0
243	Adsorption-improved MoSe nanosheet by heteroatom doping and its application for simultaneous detection and removal of mercury (II). 2021 , 413, 125470	24
242	Phosphate Adsorption from Aqueous Solution Using Electrospun Cellulose Acetate Nanofiber Membrane Modified with Graphene Oxide/Sodium Dodecyl Sulphate. 2021 , 11,	6
241	Adsorption of U(VI) on the natural soil around a very low-level waste repository. 2021 , 233, 106619	1
240	Efficient removal of chromium(VI) from dilute aqueous solutions using agro-industrial residue based on parboiled-rice husk ash. 1-15	1
239	Insight into the ion exchange in the adsorptive removal of fluoride by doped polypyrrole from water. 2021 , 28, 67267-67279	4
238	Adsorption on Fractal Surfaces: A Non Linear Modeling Approach of a Fractional Behavior. 2021 , 5, 65	3
237	An effective, green and mild deproteinization method for polysaccharides of Ruditapes philippinarum by attapulgite-based silk fibroin composite aerogel. 2021 , 182, 343-353	1
236	Calcium alginate-regenerated spent bleaching earth composite beads for efficient removal of methylene blue.	0
235	Enhanced fluoride removal from drinking water in wide pH range using La/Fe/Al oxides loaded rice straw biochar.	1
234	Decoration of serpentine with iron ore as an efficient low-cost magnetic adsorbent for Cr (VI) removal from tannery wastewater. 2021 , 388, 51-62	5
233	Adsorption of Metolachlor and Its Transformation Products, ESA and OXA, on Activated Carbons. 2021 , 11, 7342	
232	Graphene based advanced materials in the remediation of aquatic environment contaminated with fluoride: Newer insights and applicability. 2021 , 165, 108428	2
231	Remediation of Arsenic from Water Using Iron and Aluminum Electrodes in Electrocoagulation Technology: Adsorption Isotherm and Kinetic Studies. 1	2
230	The adsorption of U(VI) on magnetite, ferrihydrite and goethite. 2021 , 23, 101615	5

229	An Efficient Strategy for Enhancing the Adsorption of Antibiotics and Drugs from Aqueous Solutions Using an Effective Limestone-Activated Carbon-Alginate Nanocomposite. 2021 , 26,	2
228	FeOOH quantum dots impregnated graphene oxide hybrids enhanced arsenic adsorption: The mediation role of environmental organic ligands. 2021 , 781, 146726	16
227	Preparation and characterization of graphene oxide/chitosan composite aerogel with high adsorption performance for Cr(VI) by a new crosslinking route. 2021 , 625, 126832	8
226	Synthesis of cetylpyridinium chloride/Keggin-Al ₃₀ modified montmorillonite: experimental and molecular simulation investigation. 1	2
225	The adsorption properties of defect controlled metal-organic frameworks of UiO-66. 2021 , 270, 118842	9
224	Effects of Artemisia ordosica roots on the cadmium adsorption characterization on particulate organic matter and soils. 2021 , 220, 112315	1
223	Cellulosic Ternary Nanocomposite for Affordable and Sustainable Fluoride Removal. 2021 , 9, 12788-12799	3
222	A critical review on the interactions of microplastics with heavy metals: Mechanism and their combined effect on organisms and humans. 2021 , 788, 147620	37
221	Phenol removal from aqueous solution using synthetic V-shaped organic adsorbent: Kinetics, isotherm, and thermodynamics studies. 2021 , 781, 138959	8
220	Locust bean gum adsorption onto softwood kraft pulp fibres: isotherms, kinetics and paper strength. 2021 , 28, 10183-10201	
219	Amino acid-functionalized chitosan beads for in vitro copper ions uptake in the presence of histidine. 2021 , 188, 421-431	2
218	Kinetics and equilibrium studies for the removal of heavy metal ions from aqueous solution using the synthesized C-4-bromophenylcalix[4]resorcinarene adsorbent. 2021 , 783, 139053	1
217	Multi-functional magnetic hydrogels based on Millettia speciosa Champ residue cellulose and Chitosan: Highly efficient and reusable adsorbent for Congo red and Cu ²⁺ removal. 2021 , 423, 130198	15
216	Anionic collector adsorption onto bentonites and potential applications in the treatment of mining wastewater. 2021 , 629, 127401	2
215	Exploring the application of amino functionalized Three-dimensional Macroscopic g-C ₃ N ₄ sponge for enhanced uranium recovery. 2021 , 343, 117238	0
214	Alkaline leaching characteristics of uranium from Lincang coal: Correlation with the dissolution of coal humic substances. 2021 , 305, 121507	0
213	Unique metalloid uptake on microplastics: The interaction between boron and microplastics in aquatic environment. 2021 , 800, 149668	5
212	Removal of fluoride from water using aluminum hydroxide-loaded zeolite synthesized from coal fly ash. 2022 , 421, 126817	13

211	Understanding the Bioaccumulation and Biosorption of Arsenic [As(III)] in Plants and Biotechnological Approaches for Its Bioremediation. 2021 , 363-389	1
210	Studies of wastewater treatment techniques using low-cost biosorbents. 2021 , 395-410	1
209	Copper removal from semiconductor CMP wastewater in the presence of nano-SiO ₂ through biosorption. 2021 , 11, 289-300	1
208	Fungal Biosorption of Ni (II) Ions. 2012 , 45-58	2
207	Operational Principles and Material Requirements for Coagulation/Flocculation and Adsorption-based Water Treatment Operations. 2017 , 1-11	4
206	Biosorption of Copper, Zinc and Nickel by Grape- Stalks and Cork Biomasses. 2003 , 339-353	3
205	Synthesis and Characterization of Magnetic Superadsorbent FeO-PEG-Mg-Al-LDH Nanocomposites for Ultrahigh Removal of Organic Dyes. 2020 , 5, 3181-3193	15
204	Carboxylated carbon nanotubes-graphene oxide aerogels as ultralight and renewable high performance adsorbents for efficient adsorption of glyphosate. 2020 , 17, 6	6
203	The Sorption of Ni(II) by Grape Shell Ash from Aqueous Solution: Kinetic and Thermodynamic Studies. 2013 , 2013, 1-6	3
202	Adsorption of Thymol onto Natural Clays of Morocco: Kinetic and Isotherm Studies. 2020 , 2020, 1-10	2
201	Adsorption Kinetics of Arsenic Removal from Groundwater by Iron-Modified Zeolite.. 2003 , 36, 1516-1522	52
200	Biosorption of Heavy Metals onto Sphagnum Peat Moss. 2006 , 32, 409-413	5
199	Poly(2-acrylamido-2-methyl-1-propane sulfonic acid-co-1-vinyl-2-pyrrolidone) Hydrogel and its use in the Removal of Cd(II), Pb(II) and Cu(II). 2017 , 132, 505-508	5
198	Adsorptive removal of PAR and Arsenazo-III from radioactive waste solutions by modified sugarcane bagasse as eco-friendly sorbent. 2020 , 108, 785-798	3
197	Kinetic Study on the Heavy Metal Ions Removal from Aqueous Solutions Using Multi-Walled Carbon Nanotubes. 65, 64-70	2
196	Adsorption of Fe Ions from Aqueous Solution Using Keratin-Coated Alginate Biosorbent. 2018 , 9, 82-85	4
195	ADSORPTION OF TANNIC ACID BY HYPER-CROSSLINKED RESIN MODIFIED BY AMINO FUNCTION GROUPS. 2010 , 010, 96-101	1
194	Prediction of Adsorption Kinetic Rate Constant for Removal of Methylene Blue Using Teak Leaf Powder. 2014 , 7, 284-293	1

193	Kinetics and Thermodynamic Adsorption of Pb(II) and Cd(II) Ions from Used Oil onto Thevetia neriifolia Nutshell Active Carbon. 2012 , 4, 26-40	7
192	Effect of Calcium Competition on Chromium Adsorption by Fungi Biomass. 2006 , 6, 2077-2082	4
191	Removal of Cesium from Aqueous Solutions by Sodium and Calcium Alginates. 2013 , 7, 30-43	18
190	Biosorption of Copper by Bacterial Adsorbents: A Review. 2015 , 9, 45-58	14
189	Removal of Ag(I) from Aqueous Solution by Japanese Natural Clinoptilolite. 2016 , 06, 470-487	3
188	Performance Evaluation of Palm Kernel Shell Adsorbents for the Removal of Phosphorus from Wastewater. 2017 , 07, 215-227	2
187	Kinetics, Equilibrium and Thermodynamics Studies of Fe ³⁺ Ion Removal from Aqueous Solutions Using Periwinkle Shell Activated Carbon. 2018 , 08, 49-66	1
186	Adsorption of F ⁻ , NO ₃ ⁻ and SO ₄ ²⁻ on AFN Anionic Membrane: Kinetics and Thermodynamics Studies. 2013 , 04, 501-509	6
185	Adsorption Isotherms and Kinetic Studies of Congo-Red Removal from Waste Water Using Activated Carbon Prepared from Jujube Seed. 2020 , 11, 47-59	7
184	Bioadsorption of Pb(II) onto <i>Anethum graveolens</i> from Contaminated Wastewater: Equilibrium and Kinetic Studies. 2013 , 04, 108-119	3
183	Chemically Modified <i>Cornulaca monacantha</i> Biomass for Bioadsorption of Hg (II) from Contaminated Water: Adsorption Mechanism. 2013 , 04, 280-289	4
182	Adsorption of Quaternary Ammonium Compounds onto Activated Sludge. 2011 , 03, 105-113	14
181	Sorbent Characteristics of Montmorillonite for Ni ²⁺ Removal from Aqueous Solution. 2009 , 14, 26-31	1
180	Application of aqueous carbonated slags in the immobilization of heavy metals in field-contaminated soils. 2020 , 25, 356-365	1
179	Novel adsorption model of filtration process in polycarbonate track-etched membrane: Comparative study. 2020 , 25, 479-487	1
178	Kinetic and Equilibrium Study of Lead (II) Removal by Functionalized Multiwalled Carbon Nanotubes with Isatin Derivative from Aqueous Solutions. 2013 , 34, 3391-3398	13
177	Biosorption of Cr(III) from aqueous solution using an agricultural by-product jute stick powder: Equilibrium and kinetic studies. 2018 , 9, 202-212	4
176	Moringa Oleifera, A Biosorbent for Resorcinol Adsorption-Isotherm and Kinetic Studies. 2009 , 10, 23-32	3

175	Role of Activated Carbon Modified by H ₃ PO ₄ and K ₂ CO ₃ From Natural Adsorbent for Removal of Pb (II) From Aqueous Solutions. 2012 , 13, 167-172	3
174	Adsorption capability of activated carbon synthesized from coconut shell. 2016 , 20, 1-9	36
173	Adsorption of Sulfur Dioxide on Clinoptilolite/Nano Iron Oxide and Natural Clinoptilolite. 2019 , In Press,	10
172	Biosorption of Mercury onto Protonated Pistachio Hull Wastes [Effect of Variables and Kinetic Experiments. 2014 , 5, 415-419	4
171	Neoteric Material Based on Renewable Resources for Metal-Contaminated Waters. 2021 , 9, 3	0
170	Supramolecular recognition PVDF/PVA ultrafiltration membrane for rapid removing aromatic compounds from water. 2021 , 132889	3
169	TiO ₂ /guar gum hydrogel composite for adsorption and photodegradation of methylene blue. 2021 , 193, 721-733	4
168	A Comparative Study on Hexavalent Chromium Adsorption onto Chitosan and Chitosan-Based Composites. 2021 , 13,	4
167	Positive Sorption Behaviors in the Ligand Exchanges for Water-Soluble Quantum Dots and a Strategy for Specific Targeting. 2021 , 13, 51746-51758	3
166	Effect of adding dodecanol as modifier to N,N,N',N'-tetra-n-hexyl-3,6-dithiaoctane-1,8-diamide silica-based adsorbent on the adsorption behaviors of platinum-group metals and other metals from simulated high-level liquid waste. 2021 ,	0
165	EVALUATION OF MAGNETIC NANO ADSORBENT PRODUCED FROM GRAPHENE OXIDE WITH IRON AND COBALT NANOPARTICLES FOR CAFFEINE REMOVAL FROM AQUEOUS MEDIUM. 2021 , 108694	3
164	Comparison of Surface Characteristics and Adsorption Rate of Benzene Vapor According to Modifications of Activated Carbon. 2008 , 17, 919-924	3
163	Removal of Mn(II) Ions from the Aqueous Solutions by Cotton Boll. 2010 , 1171-1179	
162	Removal of Sorbed Naphthalene from Soils Using Nonionic Surfactant. 2010 , 19, 549-563	
161	Assessment of the Sorption Characteristics of Cadmium onto Steel-making Slag in Simulated Sea Water Using Batch Experiment. 2011 , 27, 43-50	7
160	Kinetic Study of Adsorption and Photocatalysis on Sulfamethoxazole Degradation by γ -TiO ₂ /HAP Media. 2011 , 11, 325-330	2
159	Effect of Polarities of Aromatic Compounds and Acidic Functional Groups of Carbon Surface on Adsorption. 2012 , 38, 102-109	3
158	Sorption and Ion Exchange Characteristics of Chabazite: Competition of Cs with Other Cations. 2016 , 29, 59-71	

- 157 Kinetics Investigation of Cr(VI) Removal by Modified Perlite with Fe₂O₃ and MnO₂ Nanomaterials. **2016**, 7, 165-168 1
- 156 Hemp fibers (*Cannabis sativa*) impregnated by Ca-alginate gel as a novel biosorbent for the removal of Pb(II) and Zn(II) ions. **2018**, 59, 67-76
- 155 Making Adsorption of Effective Agents of Antidepressant Drugs: Kinetic and Isotherm. 1-11
- 154 Equilibrium and Isotherm Modeling of Toxic dye Adsorption onto Modified Apricot Stone. **2018**, 1,
- 153 **De ĖkirdeĖnden Elde Edilen Aktif Karbon Kullanarak Sulu Ėeltiilerden Pb(II) Adsorpsiyonun Ėelenmesi: Ėoterm ve Kinetik.** **2018**, 7, 256-267 1
- 152 A Review on the Mathematical Models about the Mass Transfer Mechanism in Static and Kinetic Adsorption Processes. **2019**, 09, 288-297
- 151 Investigating the Reaction and Transport Controlled Mechanism for the Sorption of Cr(III) and Mn(II) Ions onto Acid Activated Shale using Non-Linear Error Functions. **2019**, 3, 174-185
- 150 Adsorption of micropollutants from wastewater using iron and nitrogen co-doped biochar: Performance, kinetics and mechanism studies. **2021**, 424, 127606 9
- 149 Preparation of a New Zwitterionic Sulfobetaine Methacrylate Based Superabsorbent Copolymer Hydrogel and Its Adsorption Behavior Toward Cationic and Anionic Dyes. 1-23 0
- 148 Investigation of anionic in place of cationic surfactants onto oil wet carbonate surfaces for improving recovery. **2021**, 2
- 147 Enhanced removal of mercury and lead by a novel and efficient surface-functionalized imogolite with nanoscale zero-valent iron material. **2021**, 1 1
- 146 **NĖEL (II) ĖONLARININ ATIK SUYA BĖOSORPSĖYONU: DENGE, KĖNETĖ VE TERMODĖNAMĖ ALIMLARI.** **2020**, 8, 985-998 2
- 145 WITHDRAWN: Kinetic and thermodynamic modeling of lipid extraction and transesterification of *Spirulina* spp. and *Nannochloropsis oculata* microalgae. **2020**,
- 144 Adsorption of Phenol in Wastewater Using Nano Grapheme Oxide-Chitosan-Bentonite Absorbent. **2020**, 11, 368-380
- 143 Adsorption of bisphenol A from aqueous solution onto organoclay: Experimental design, kinetic, equilibrium and thermodynamic study. **2022**, 395, 695-707 5
- 142 Photocatalytic detoxification of aflatoxin B1 in an aqueous solution and soymilk using nano metal oxides under UV light: Kinetic and isotherm models. **2022**, 154, 112638 4
- 141 Calcined NiAl Complex Hydroxide and Its Use for the Removal of Phosphate Ion from Aqueous Solution. **2020**, 3, 80-86 2
- 140 Biosorption of reactive dyes by green synthesis of nanocomposite using *Moringa olifera*. **2021**,

- 139 Kitosan-Vermikülit Kompoziti Kullanılarak Sulu Çeltiden Etkin Kurun Giderimi: Denge, Kinetik ve Termodinamik İlişkiler. **2020**, 8, 15-21 1
- 138 Magnetic Molecularly Imprinted Polymers for Selective Adsorption of Quinoline: Theoretical and Experimental Studies. **2020**, 85-106
- 137 Adsorption of Lead Ions from Aqueous Solution by Functionalized Polymer Aniline-Formaldehyde Condensate, Coated on Various Support Materials. **2020**, 271-288
- 136 Synthesis of glutaraldehyde-modified silica/chitosan composites for the removal of water-soluble diclofenac sodium. **2022**, 277, 118868 6
- 135 Adsorption of Cu (II) from Aqueous Solutions by Sumac (Rhus coriaria L.) Tannins. **2009**, 269-276
- 134 Carbonate Form of Mg,Al-Layered Double Hydroxides for Concentrating Eu(III) and Its Subsequent Analytical Determination in Natural Aqueous Media. **2020**, 42, 365-372 0
- 133 Sorptive removal of malachite green dye by activated charcoal: Process optimization, kinetic, and thermodynamic evaluation. **2020**, 2, 100025 5
- 132 Coconut flower sheath derived activated charcoal as efficient and cost effective adsorbent for crystal violet dye removal. **2021**, 134, 109077 1
- 131 Ultrasonic-assisted synthesis of highly effective visible light Fe₃O₄/ZnO/PANI nanocomposite: Thoroughly kinetics and thermodynamic investigations on the Congo red dye decomposition. **2021**, 131903 0
- 130 Synthesis of Mg-Al Hydrotalcite Clay with High Adsorption Capacity. **2021**, 14, 3
- 129 Mesoporous Sn@TiO₂ nanostructures as excellent adsorbent for Ba ions in aqueous solution. **2021**, 48, 5805-5805 4
- 128 Sustainable approaches for nickel removal from wastewater using bacterial biomass and nanocomposite adsorbents: A review. **2021**, 132862 1
- 127 Chitosan capped trimetallic nanoparticles: Synthesis and their Congo red adsorbing activities. **2021**, 194, 580-580 3
- 126 Removal of basic fuchsine dye using (TiO₂/MWCNTs) nanomaterial. **2021**, 1
- 125 Graywater treatment of emerging pollutant linear alkylbenzene sulfonate by adsorption with leather shave waste activated carbon. **2021**, 1 1
- 124 Efficient separation performance of suspended soil and strontium from aqueous solution using magnetic flocculant. **2021**, 9, 106810 0
- 123 Feasibility of Adsorption Kinetic Models to Study Carrier-Mediated Transport of Heavy Metal Ions in Emulsion Liquid Membranes.. **2022**, 12, 2
- 122 Efficient removal of Cd(II) by phosphate-modified biochars derived from apple tree branches: Processes, mechanisms, and application.. **2022**, 819, 152876 2

121	Ultrasound-assisted adsorption of Pb ions by carbonized/activated date stones from singles/mixed aqueous solutions. 2022 , 99, 100318	1
120	Jute Stick Powder: A new approach to efficient biosorbent for the simultaneous removal of Pb, Cr and Cd from waste water. 2020 , 7, 611-630	
119	Remediation of Cd (II) Ion from an Aqueous Solution by a Starch-Based Activated Carbon: Experimental and Density Functional Theory (DFT) Approach. 2022 , 12, 189	0
118	Removal of the pesticide thiamethoxam from sugarcane juice by magnetic nanomodified activated carbon.. 2022 , 1	2
117	An effective and recyclable decolorization method for polysaccharides from Miquel by magnetic chitosan microspheres.. 2022 , 12, 3147-3156	1
116	Facile auto-combustion synthesis of calcium aluminate nanoparticles for efficient removal of Ni(II) and As(III) ions from wastewater.. 2022 , 1-38	1
115	Adsorption of neutral and negatively charged low-molecular-weight carbonyls in reverse osmosis permeates by ion-exchange resins. 2022 , 3, 1-7	0
114	Comparative profile of green and chemically synthesized nanomaterials from bio-hydrometallurgical leachate of e-waste on crystal violet adsorption kinetics, thermodynamics, and mass transfer and statistical models. 1	1
113	A biomass carbon prepared from agricultural discarded walnut green peel: investigations into its adsorption characteristics of heavy metal ions in wastewater treatment. 1	1
112	Adsorption kinetics, mechanistic, isotherm and thermodynamics study of petroleum produced water coagulation using novel Egeria radiata shell extract (ERSE). 2022 , 99, 100357	1
111	Rational design of in-situ-modified resorcinol formaldehyde aerogels for removing chlortetracycline antibiotics from aqueous solutions.	
110	A strategy to facilitate the sedimentation and bactericidal properties of polypyrrole for fluoride removal from water. 2022 , 287, 120619	2
109	Non-linear Models. 2022 , 69-96	
108	Influence of Initial pH Value on the Adsorption of Reactive Black 5 Dye on Powdered Activated Carbon: Kinetics, Mechanisms, and Thermodynamics.. 2022 , 27,	0
107	Cationic Lignocellulose Nanofibers from Agricultural Waste as High-Performing Adsorbents for the Removal of Dissolved and Colloidal Substances.. 2022 , 14,	0
106	Evaluation of nano-silica, microwave heating, and ultraviolet irradiation effects on zearalenone detoxification in sunflower oils. 1-14	
105	Plant seed extract assisted, eco-synthesized C-ZnO nanoparticles: Characterization, Chromium (VI) ion adsorption and kinetic studies.. 2022 ,	2
104	Removal of Emerging Contaminants as Diclofenac and Caffeine Using Activated Carbon Obtained from Argan Fruit Shells. 2022 , 12, 2922	2

103	Effects of In Situ Remediation on Copper Distribution and Soil Aggregate Adsorption/Desorption Characteristics in Smelter-Impacted Soil. 2022 , 10,	1
102	EXTRACTION AND CHARACTERIZATION OF LIGNIN FROM MOROCCAN THUYA. ITS APPLICATION AS ADSORBENT OF METHYLENE BLUE FROM AQUEOUS SOLUTION. 2022 , 56, 69-81	0
101	Characterization of a Neoteric Clay-Based Composite for the Removal of Heavy Metals from Mining Water. 1-15	
100	Removal of Pb ²⁺ from synthetic aqueous solution using hydroxyapatite and hydroxyapatite@AD37 composite materials. 2022 , 1-16	
99	Ultrafast removal of Cr(VI) ions using polyamine modified carbon nanotubes. 2022 , 133, 104265	1
98	Cesium immobilization in porous silica and ¹³⁷ Cs self-heating simulations.. 2022 , 153697	0
97	Immobilization of U(VI) in wastewater using coal fly ash aerogel (CFAA) as a low-cost adsorbent. 2022 , 160, 900-909	1
96	Valorization of industrial waste lignin via pyrolysis in the presence of additives: Formation, characterization, and application of fuel valued bio-oil and activated char. 2022 , 99, 100398	1
95	Adsorption of methylene blue dye on nano graphene oxide-thermodynamics and kinetic studies. 2021 ,	2
94	Study of Adsorption Properties of Bentonite Clay.	1
93	Adsorption of UO ₂ ²⁺ by AlBaNi-layered double hydroxide nano-particles: kinetic, isothermal, and thermodynamic studies. 2022 , 110, 173-183	0
92	Adsorption and Photocatalytic Activity of the Porous Glass/ZnO/Ag Composite and ZnO/Ag Nanopowder. 2022 , 48, 10-17	1
91	Filter Fabrication by Constructing Metal-Organic Frameworks Membrane on Waste Maize Straw for Efficient Phosphate Removal from Wastewater. 2022 , 136461	1
90	Synthesis and characterization of chitosan-vermiculite-lignin ternary composite as an adsorbent for effective removal of uranyl ions from aqueous solution: Experimental and theoretical analyses.. 2022 ,	1
89	Remediation of Heavy Metal Pollutants of Industrial Effluents and Environmental Impacts. 2022 , 165-180	
88	Adsorption on Fractal Surfaces: A Non Linear Modeling Approach of a Fractional Behavior. 2022 , 96-105	
87	Softwood-derived Biochar as a Green Material for the Recovery of Environmental Media Contaminated with Potentially Toxic Elements. 2022 , 233, 1	0
86	Sorption of cefdinir, memantine, praziquantel and trimethoprim in sediment and soil samples.. 2022 ,	2

85	and γ -Alumina Spheres for Azo Dye (Allura Red) Removal from Aqueous Media. 2022 , 2022, 1-14		
84	Affordable and reliable cationic-anionic magnetic adsorbent: Processing, characterization, and heavy metals removal. 2022 , 360, 132178		1
83	Facet-dependent Fe(II) redox chemistry on iron oxide for organic pollutant transformation and mechanisms. <i>Water Research</i> , 2022 , 118587	12.5	1
82	Modeling of cadmium(II) removal in a fixed bed column utilizing hydrochar-derived activated carbon obtained from discarded mango peels.. 2022 , 12, 8001		0
81	Adsorption: A Cost-Effective Wastewater Treatment Technology for Removal of Conventional and Emerging Organic Contaminants. 2022 ,		
80	Synthesis, characterization and application of new adsorbent composites based on sol-gel/chitosan for the removal of soluble substance in water. 2022 , e09444		
79	Basic fundamentals of adsorption modeling for removal of pesticides from water and wastewater. 2022 , 159-188		0
78	Dyeing of Cotton Fabrics with Novel Fluorescent Reactive Dyes Based on Fluorescein: Dyeing and Fluorescent Properties, Adsorption Isotherms, and Kinetic Studies. 1-18		0
77	A novel thiourea derivative for preconcentration of copper(II), nickel(II), cadmium(II), lead(II) and iron(II) from seawater samples for Flame Atomic Absorption Spectrophotometry. 2022 , 180, 113787		1
76	Microplastics as a Vehicle of Thallium in Aquatic Environments: Mechanisms and Adsorption Factors.		
75	Mg-Al Layered Double Hydroxide Doped Activated Carbon Composites for Phosphate Removal from Synthetic Water: Adsorption and Thermodynamics Studies. 2022 , 14, 6991		1
74	Comparison of fluorine removal performance and mechanism of spheroidal magnesium oxide before and after lanthanum modification.		
73	Synthesis, physico-chemical, and structural properties of silicate apatites: Effect of synthetic methods on apatite structure and dye removal. 2022 , 142, 109628		
72	Bio-inspired design on EGCG-selective membrane: An anchoring/imprinting strategy based on bi-interactions. 2022 , 658, 120750		0
71	Nanocrystalline cellulose based on chitosan hydrogel structure as a biological adsorbent for effluent of fish culture farms.		
70	Theoretical and experimental study on the thermodynamic parameters and adsorption of methylene blue on <i>Argania shells</i> in industrial waters. 2022 , 41, 211-222		
69	Modification of Natural Peat for Removal of Copper Ions from Aqueous Solutions. 2022 , 14, 2114		0
68	Synthesis of Saccharide-based Hydrochar with Macroporous Structure for Effective Organic Pollutant Removal.		0

- 67 Removal of Cr(VI) from water by in natura and magnetic nanomodified hydroponic lettuce roots.
- 66 Development of N,N,N',N'-Tetra-2-Ethylhexyl-Thiodiglycolamide Silica-Based Adsorbent to Separate Useful Metals from Simulated High-Level Liquid Waste. **2022**, 463353
- 65 Adsorptive removal of dye from textile wastewater employing Moringa oleifera leaves biochar as a natural biosorbent.
- 64 Cleanup of Cd II from water media using Y₂O₃@gC₃N₄ (YGCN) nanocomposite. **2022**, 109315 2
- 63 Mildly Oxidized Porous Covalent Triazine Frameworks with Rapid and High Adsorption Capability for Aqueous Organic Micropollutants. **2022**, 0
- 62 Mechanochemical synthesis of strontium oxybritholites (Sr_{10-x}La_x(PO₄)₆(SiO₄)_xO): Characterization, structural refinement, and adsorption characteristics toward Basic Blue 41. **2022**, 145, 109957 0
- 61 Is the presence of Cu(II) and p-benzoquinone a challenge for the removal of microplastics from landfill leachate?. **2022**, 851, 158395 0
- 60 Lignin immobilized cyclodextrin composite microspheres with multifunctionalized surface chemistry for non-competitive adsorption of co-existing endocrine disruptors in water. **2023**, 441, 129969 0
- 59 Performance Monitoring and Re-design of a Traditional Household Filter Unit for Simultaneous Removal of Iron and Fluoride from Groundwater of Assam. **2022**, 179-190 0
- 58 Enhanced the Adsorption Performance of Polypyrrole Composite Electrode with Ionic Liquid Doped for Low Concentration Heavy Metals in Cdi. 0
- 57 Development of a New Eco-Friendly Copolymer Based on Chitosan for Enhanced Removal of Pb and Cd from Water. **2022**, 14, 3735 0
- 56 Adsorption of methylene blue dye from aqueous solutions onto natural clay: Equilibrium and kinetic studies. **2022**, 1
- 55 A ternary mechanism for the facilitated transfer of metal ions onto metal-organic frameworks: implications for the versatility of these materials as solid sorbents. 0
- 54 Investigation of adsorption properties of modified DD kaolins to microporous material type 13X zeolite in treatment of textile industry effluent: experiments and theoretical approach. 1
- 53 Removal of glyphosate from aqueous solution by CuO coated MIL-101(Fe). 0
- 52 Removal of chlorpyrifos from water using biosorbents derived from cassava peel, crambe meal, and pinus bark. **2022**, 188, 142-165 1
- 51 Evaluation of CO₂ adsorption capacity with a nano-CaO synthesized by chemical combustion/ball milling. **2022**, 40, 257-269 0
- 50 Sorption behavior and mechanisms of thallium to microplastics. 9, 0

- 49 Fabrication and adsorption studies of paste/TiO₂ nanocomposites through recycling of spent dry batteries. ○
- 48 Role of calcium carbonate in the process of heavy metal biosorption from solutions: synergy of metal removal mechanisms. **2022**, 12, ○
- 47 Decontamination of toxic Pb²⁺, Cd²⁺, and Ni²⁺ from the liquid medium using modified apple juice industrial biomass: isotherm and kinetic study. ○
- 46 Extraction of Heavy Metals from Aqueous Solutions of Zn,Al- and Mg,Al-Layered Double Hydroxides Intercalated with Citrate and EDTA Ions and Their Composites with Magnetite. **2022**, 44, 305-316 ○
- 45 Modeling the Liquid Fuel Desulfurization Efficiency of Activated Carbons before and after Chemical Treatment: The Competitive Role of Mono- and Diaromatics. ○
- 44 Adsorption properties of β -carotene on mesoporous carbon-coated honeycomb monolith: Kinetics, thermodynamics, and regeneration studies. ○
- 43 Chemical Modification of Neem (*Azadirachta indica*) Biomass as Bioadsorbent for Removal of Pb²⁺ Ion from Aqueous Waste Water. **2022**, 2022, 1-18 ○
- 42 Identification of the aged microplastics film and its sorption of antibiotics and bactericides in aqueous and soil compartments. **2022**, 185, 114312 1
- 41 Biosorption of zinc (II) from synthetic wastewater by using *Inula Viscosa* leaves as a low-cost biosorbent: Experimental and molecular modeling studies. **2023**, 326, 116742 ○
- 40 An effective uranium removal using diversified synthesized cross-linked chitosan bis-aldehyde Schiff base derivatives from aqueous solutions. 1
- 39 Enhanced adsorption performance of polypyrrole composite electrode with ionic liquid doped for low concentration heavy metals in CDI. **2022**, 109028 ○
- 38 Removal of fluoride from aqueous solutions through Fe(III) modified water treatment residues. **2023**, 382, 135374 ○
- 37 Adsorption behavior of UV aged microplastics on the heavy metals Pb(II) and Cu(II) in aqueous solutions. **2023**, 313, 137439 ○
- 36 Enhanced selective hydrophobicity performance at solid-liquid interface during separation of chalcopyrite from galena with 5-methyl isobutylxanthate-1,3,4-oxadiazole-2-thione. **2023**, 36, 102509 ○
- 35 *Prunus mahaleb* shell as a sustainable bioresource for carminic acid removal from aqueous solution: Experimental and theoretical studies. **2023**, 1275, 134618 ○
- 34 Kinetic Study on the Heavy Metal Ions Removal from Aqueous Solutions Using Multi-Walled Carbon Nanotubes. 65, 64-70 2
- 33 Adsorption of Methyl Orange onto Perlite: Optimization, Adsorption Kinetics, and Thermodynamic Studies. ○
- 32 Adsorption behavior of activated carbon for the elimination of zearalenone during bleaching process of corn oil. **2022**, ○

- 31 Role of Alginate Composition on Copper Ion Uptake in the Presence of Histidine or Beta-Amyloid. **2022**, 27, 8334 ○
- 30 Simple Aminated Modified Zeolite 4A Synthesized Using Fly Ash and Its Remediation of Mercury Contamination: Characteristics and Mechanism. **2022**, 14, 15924 ○
- 29 Evaluating feasibility of biosorption technique for heavy metals removal: limitations and future perspective. 1-25 ○
- 28 Is it possible to draw conclusions (adsorption is chemisorption) based on fitting between kinetic models (pseudo-second-order or Elovich) and experimental data of time-dependent adsorption in solid-liquid phases?. **2022**, 16, ○
- 27 Persistence, sorption, and forced degradation of imidacloprid in environmental matrix. **2022**, ○
- 26 Biogenic fabrication of ZnO@EC and MgO@EC using Eucalyptus leaf extract for the removal of hexavalent chromium Cr(VI) ions from water. ○
- 25 Microorganisms@MIL-125 (Ti): An Amorphous Metal-Organic Framework Induced by Microorganisms and Their Applications. **2023**, 8, 2164-2172 ○
- 24 Activated carbon adsorbent derived from waste biomass, *Croton caudatus* for efficient removal of 2-chlorophenol from aqueous solution: Kinetics, isotherm, thermodynamics and DFT simulation. **2023**, 190, 777-792 ○
- 23 Synthesis of KOH-activated carbon aerogel for the efficient removal of crystal violet from aqueous solutions. **2022**, 51-61 ○
- 22 Adsorption of Reactive Red 120 in Decamethyl-Cyclopentasiloxane Non-Aqueous Dyeing System. **2023**, 13, 502 ○
- 21 The effect of adding tiny granules on the adsorption characteristics of granulated coal. **2023**, 45, 777-787 ○
- 20 Adsorption of Naproxen pharmaceutical micropollutant from aqueous solutions on superior activated carbon synthesized from sheep manure: kinetics, thermodynamics, and mechanism. **2023**, 121839 ○
- 19 Sedimentable polyethyleneimine-modified yeast residue enhances the selective adsorption of Pd(II) by altering isoelectric point. **2023**, 377, 121529 ○
- 18 Chemically modified jackfruit leaves as a low-cost agro-waste adsorbent for Pb(II) removal from synthetic wastewater. **2023**, 10, 100292 ○
- 17 Enhanced removal of phenolic compounds via irreversible sorption using manganese oxides immobilized on oxidized humin. **2023**, 122, 472-481 ○
- 16 Chitosan-based fluorescein amphiphile macromolecular sensor for Hg²⁺ detection. **2023**, 380, 121744 ○
- 15 Studies on the adsorption of Pb(II) from aqueous solutions using sugarcane bagasse-based modified activated carbon with nitric acid: Kinetic, isotherm and desorption. **2023**, 6, 100181 ○
- 14 Multilayer adsorption of lead (Pb) and fulvic acid by *Chlorella pyrenoidosa*: Mechanism and impact of environmental factors. **2023**, 329, 138596 ○

- 13 Novel three-dimensional Ti₃C₂-MXene embedded zirconium alginate aerogel adsorbent for efficient phosphate removal in water. **2023**, 319, 138016 ○
- 12 Enhanced arsenite removal from water using zirconium-ferrocene MOFs coupled with peroxymonosulfate:oxidation and multi-sites adsorption mechanism. **2023**, 319, 138044 ○
- 11 Adsorption Potential of Schizophyllum commune White Rot Fungus for Degradation of Reactive Dye and Condition Optimization: A Thermodynamic and Kinetic Study. **2023**, 2023, 1-12 ○
- 10 Solidification/stabilization of mercury contaminated soil by geopolymer/MoS₂ composites. **2023**, 11, 109546 ○
- 9 Green Synthesis of Fe/Cu Bimetallic Supported on Alginate-Limestone Nanocomposite for the Removal of Drugs from Contaminated Water. **2023**, 15, 1221 ○
- 8 Biochar Composite Adsorbent for the Removal of Copper (II) and Lead (II) from Wastewater Prepared by the Pyrolysis of Oil-Based Drilling Cuttings and Orange Peels. 1-19 ○
- 7 Impacts of controlled microwave field irradiation on o-cresol and p-cresol adsorption capability of activated carbon. 1-20 ○
- 6 The selective and sustainable separation of Cd(II) using C₆MImT/[C₆MIm]PF₆ extractant. **2023**, 255, 114792 ○
- 5 Towards an Efficient Purification Process of Nanostructured Materials: Investigation of Raw Tunisian Clay for Defluoridation of Natural Water. **2023**, 234, ○
- 4 Kinetic and thermodynamics of adsorption of copper ions(II) on some Iraqi clays. **2023**, ○
- 3 Polyurea Membrane as potential purifying technology for Water Cleaning: Kinetic and Equilibrium Modeling of Dyes Adsorption. ○
- 2 Photogenic MnO₂/Ag metal nanocomposites and their dye adsorbing activities. **2023**, 101646 ○
- 1 Organo-modified Montmorillonite-based adsorbents for selective removal of Iron(II) from aqueous solutions. **2023**, 383, 122092 ○