

CITATION REPORT

List of articles citing

Integrated cytogenetic map of chromosome arm 4S of *A. thaliana*: structural organization of heterochromatic knob and centromere region

DOI: 10.1016/s0092-8674(00)80672-8
Cell, 2000, 100, 367-76.

Source: <https://exaly.com/paper-pdf/32091579/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
316	Quantitative Chromosome Map of Arabidopsis thaliana L. by Imaging Methods.. 2000 , 65, 325-331		11
315	Comparative Sequence Analysis of Plant Nuclear Genomes: Microcolinearity and Its Many Exceptions. 2000 , 12, 1021		2
314	Sequence and analysis of chromosome 5 of the plant Arabidopsis thaliana. 2000 , 408, 823-6		137
313	Analysis of the genome sequence of the flowering plant Arabidopsis thaliana. 2000 , 408, 796-815		7262
312	Heterochromatin revealed. 2000 , 16, 204		
311	Mapping a new frontier; development of integrated cytogenetic maps in plants. 2000 , 1, 89-98		49
310	Endogenous targets of transcriptional gene silencing in Arabidopsis. 2000 , 12, 1165-78		145
309	Endogenous Targets of Transcriptional Gene Silencing in Arabidopsis. 2000 , 12, 1165		1
308	Phenotypic Instability and Rapid Gene Silencing in Newly Formed Arabidopsis Allotetraploids. 2000 , 12, 1551		6
307	Comparative Genome Organization in Plants: From Sequence and Markers to Chromatin and Chromosomes. 2000 , 12, 617		4
306	Comparative genome organization in plants: from sequence and markers to chromatin and chromosomes. 2000 , 12, 617-36		266
305	Genomic sequence and transcriptional profile of the boundary between pericentromeric satellites and genes on human chromosome arm 10q. 2000 , 9, 2029-42		36
304	The Complete Sequence of a Heterochromatic Island from a Higher Eukaryote. <i>Cell</i> , 2000 , 100, 377-386	56.2	110
303	Physical localization of single-copy sequences on pachytene chromosomes in maize (<i>Zea mays</i> L.) by chromosome in situ suppression hybridization. 2000 , 43, 1081-1083		32
302	The many hues of plant heterochromatin. 2000 , 1, REVIEWS107		24
301	Comparative sequence analysis of plant nuclear genomes:m microcolinearity and its many exceptions. 2000 , 12, 1021-9		236
300	Analysis of 5S rDNA arrays in Arabidopsis thaliana: physical mapping and chromosome-specific polymorphisms. 2000 , 10, 679-90		65

299	Phenotypic instability and rapid gene silencing in newly formed arabidopsis allotetraploids. 2000 , 12, 1551-68	459
298	Chromosome Painting. 2001 ,	2
297	Plant meiosis: the means to 1N. 2001 , 6, 114-21	83
296	The large-scale organization of the centromeric region in Beta species. 2001 , 11, 253-65	76
295	Two phases of chromatin decondensation during dedifferentiation of plant cells: distinction between competence for cell fate switch and a commitment for S phase. 2001 , 276, 22772-8	127
294	BAC FISH analysis in <i>Allium cepa</i> . 2001 , 76, 251-5	38
293	A tandemly repeated DNA sequence is associated with both knob-like heterochromatin and a highly decondensed structure in the meiotic pachytene chromosomes of rice. 2001 , 110, 24-31	38
292	Integration of the FISH pachytene and genetic maps of <i>Medicago truncatula</i> . 2001 , 27, 49-58	163
291	The centromere1 (CEN1) region of <i>Arabidopsis thaliana</i> : architecture and functional impact of chromatin. 2001 , 27, 285-96	87
290	Chiasma formation in <i>Arabidopsis thaliana</i> accession Wassileskija and in two meiotic mutants. 2001 , 9, 121-8	114
289	Chromosome painting in plants. 2001 , 23, 57-69	95
288	The use of FISH in chromosomal localization of transgenes in rice. 2001 , 23, 105-113	9
287	Microdissection and chromosome painting of plant B chromosomes. 2001 , 23, 115-124	27
286	<i>Arabidopsis</i> could shed light on human genome. 2001 , 410, 299	1
285	Physical arrangement of retrotransposon-related repeats in centromeric regions of wheat. 2001 , 42, 189-96	46
284	Chromosome painting in plants. 2001 , 57-69	7
283	The size and sequence organization of the centromeric region of <i>Arabidopsis thaliana</i> chromosome 4. 2001 , 8, 285-90	76
282	Robertson β Mutator transposons in <i>A. thaliana</i> are regulated by the chromatin-remodeling gene Decrease in DNA Methylation (DDM1). 2001 , 15, 591-602	248

281	Complex mtDNA constitutes an approximate 620-kb insertion on Arabidopsis thaliana chromosome 2: implication of potential sequencing errors caused by large-unit repeats. 2001 , 98, 5099-103	168
280	Sequence organization of barley centromeres. 2001 , 29, 5029-35	117
279	Microdissection and chromosome painting of plant B chromosomes. 2001 , 115-124	4
278	Toward a cytological characterization of the rice genome. 2001 , 11, 2133-41	151
277	Resolving the aphid resistance locus Sd-1 on a BAC contig within a sub-telomeric region of Malus linkage group 7. 2002 , 45, 939-45	30
276	Interphase chromosomes in Arabidopsis are organized as well defined chromocenters from which euchromatin loops emanate. 2002 , 99, 14584-9	354
275	Phosphorylation of histone h3 at serine 10 cannot account directly for the detachment of human heterochromatin protein 1gamma from mitotic chromosomes in plant cells. 2002 , 277, 30921-7	24
274	Heterochromatin in animals and plants. Similarities and differences. 2002 , 129, 40-9	50
273	Centromeric localization and adaptive evolution of an Arabidopsis histone H3 variant. 2002 , 14, 1053-66	319
272	Suppression of transgene silencing by matrix attachment regions in maize: a dual role for the maize 5PADH1 matrix attachment region. 2002 , 14, 2251-64	39
271	A model for the evolution and genesis of the pseudotetraploid Arabidopsis thaliana genome. 2002 , 38, 235-249	2
270	Genetic and cytogenetic mapping of DMI1, DMI2, and DMI3 genes of Medicago truncatula involved in Nod factor transduction, nodulation, and mycorrhization. 2002 , 15, 1108-18	51
269	Remembrance of things past: chromatin remodeling in plant development. 2002 , 18, 707-46	81
268	Histone H3 variants specify modes of chromatin assembly. 2002 , 99 Suppl 4, 16477-84	258
267	The architecture of interphase chromosomes and nucleolar transcription sites in plants. 2002 , 140, 31-8	32
266	How can we deliver the large plant genomes? Strategies and perspectives. 2002 , 5, 173-7	32
265	Chromatin dynamics in plants. 2002 , 5, 560-7	51
264	Comparison between genetic and physical maps in Zea mays L. of molecular markers linked to resistance against Diatraea spp. 2002 , 104, 908-915	23

263	Genetic analysis and FISH mapping of the Colourless non-ripening locus of tomato. 2002 , 104, 165-170	14
262	NtSET1, a member of a newly identified subgroup of plant SET-domain-containing proteins, is chromatin-associated and its ectopic overexpression inhibits tobacco plant growth. 2001 , 28, 371-83	31
261	Chromosome painting in Arabidopsis thaliana. 2001 , 28, 689-97	126
260	Functional rice centromeres are marked by a satellite repeat and a centromere-specific retrotransposon. 2002 , 14, 1691-704	315
259	Dependence of heterochromatic histone H3 methylation patterns on the Arabidopsis gene DDM1. 2002 , 297, 1871-3	381
258	Through a genome, darkly: comparative analysis of plant chromosomal DNA. 2002 , 48, 5-20	19
257	Resolution of fluorescence in-situ hybridization mapping on rice mitotic prometaphase chromosomes, meiotic pachytene chromosomes and extended DNA fibers. 2002 , 10, 379-87	77
256	DNA methylation controls histone H3 lysine 9 methylation and heterochromatin assembly in Arabidopsis. 2002 , 21, 6549-59	370
255	Cytogenetic tools for Arabidopsis thaliana. 2003 , 11, 183-94	49
254	Heterochromatin in interphase nuclei of Arabidopsis thaliana. 2003 , 11, 227-40	63
253	Recent progress in chromosome painting of Arabidopsis and related species. 2003 , 11, 195-204	72
252	Using Arabidopsis to understand centromere function: progress and prospects. 2003 , 11, 255-62	14
251	DNA and proteins of plant centromeres. 2003 , 6, 554-60	88
250	Visualizing DNA domains and sequences by microscopy: a fifty-year history of molecular cytogenetics. 2003 , 46, 943-6	28
249	Misexpression of the cyclin-dependent kinase inhibitor ICK1/KRP1 in single-celled Arabidopsis trichomes reduces endoreduplication and cell size and induces cell death. 2003 , 15, 303-15	171
248	Meiosis, recombination and chromosomes: a review of gene isolation and fluorescent in situ hybridization data in plants. 2003 , 54, 11-23	64
247	Gene expression analyses of Arabidopsis chromosome 2 using a genomic DNA amplicon microarray. 2003 , 13, 327-40	28
246	Meiotic cytology and chromosome behaviour in wild-type Arabidopsis thaliana. 2003 , 54, 1-10	129

245	An integrated physical, genetic and cytogenetic map around the sunn locus of <i>Medicago truncatula</i> . 2003 , 46, 665-72	24
244	Strand-biased DNA methylation associated with centromeric regions in <i>Arabidopsis</i> . 2003 , 100, 11133-8	40
243	Development of a quantitative pachytene chromosome map in <i>Oryza sativa</i> by imaging methods. 2003 , 78, 155-61	19
242	. 2004 ,	2
241	Genome-wide in silico mapping of scaffold/matrix attachment regions in <i>Arabidopsis</i> suggests correlation of intragenic scaffold/matrix attachment regions with gene expression. 2004 , 135, 715-22	37
240	Intrachromosomal excision of a hybrid Ds element induces large genomic deletions in <i>Arabidopsis</i> . 2004 , 101, 2969-74	34
239	Chromosomal locus rearrangements are a rapid response to formation of the allotetraploid <i>Arabidopsis suecica</i> genome. 2004 , 101, 18240-5	225
238	Chromatin techniques for plant cells. 2004 , 39, 776-89	285
237	The chromatin remodelling complex FACT associates with actively transcribed regions of the <i>Arabidopsis</i> genome. 2004 , 40, 660-71	74
236	Genetic variation in epigenetic inheritance of ribosomal RNA gene methylation in <i>Arabidopsis</i> . 2005 , 41, 524-32	36
235	The development of an <i>Arabidopsis</i> model system for genome-wide analysis of polyploidy effects. 2004 , 82, 689-700	62
234	Chromosomal rearrangement in autotetraploid plants of <i>Arabidopsis thaliana</i> . 2000 , 133, 255-61	78
233	The rapidly evolving field of plant centromeres. 2004 , 7, 108-14	50
232	Genomic localization of endogenous mobile CACTA family transposons in natural variants of <i>Arabidopsis thaliana</i> . 2004 , 270, 524-32	36
231	BAC-FISH in wheat identifies chromosome landmarks consisting of different types of transposable elements. 2004 , 112, 288-99	111
230	A new chromosome fluorescence banding technique combining DAPI staining with image analysis in plants. 2004 , 113, 16-21	12
229	A high-resolution karyotype of <i>Brassica rapa</i> ssp. <i>pekinensis</i> revealed by pachytene analysis and multicolor fluorescence in situ hybridization. 2004 , 109, 1346-52	49
228	A direct repeat sequence associated with the centromeric retrotransposons in wheat. 2004 , 47, 747-56	20

227	Simultaneous painting of three genomes in hexaploid wheat by BAC-FISH. 2004 , 47, 979-87	70
226	Genomic neighborhoods for Arabidopsis retrotransposons: a role for targeted integration in the distribution of the Metaviridae. 2004 , 5, R78	63
225	Cytogenetics as a tool to study gene regulation. 2004 , 9, 147-53	49
224	Genomics and Proteomics: Design and Sources of Annotation. 113-130	
223	Heterochromatin and the Control of Gene Silencing in Plants. 106-133	1
222	A gene expression map of Arabidopsis thaliana development. 2005 , 37, 501-6	2016
221	Pivotal role of AtSUVH2 in heterochromatic histone methylation and gene silencing in Arabidopsis. 2005 , 24, 1418-29	162
220	A novel approach to prepare extended DNA fibers in plants. 2005 , 63, 114-7	24
219	. 2005 ,	2
218	Pericentromeric regions of soybean (<i>Glycine max</i> L. Merr.) chromosomes consist of retroelements and tandemly repeated DNA and are structurally and evolutionarily labile. 2005 , 170, 1221-30	45
217	The Arabidopsis genome: a foundation for plant research. 2005 , 15, 1632-42	89
216	Variation in crossing-over rates across chromosome 4 of Arabidopsis thaliana reveals the presence of meiotic recombination "hot spots". 2006 , 16, 106-14	139
215	Molecular cytogenetic maps of sorghum linkage groups 2 and 8. 2005 , 169, 955-65	34
214	Comparing low coverage random shotgun sequence data from Brassica oleracea and Oryza sativa genome sequence for their ability to add to the annotation of Arabidopsis thaliana. 2005 , 15, 496-504	25
213	Conservation and divergence of light-regulated genome expression patterns during seedling development in rice and Arabidopsis. 2005 , 17, 3239-56	172
212	Physical organization of the major duplication on Brassica oleracea chromosome O6 revealed through fluorescence in situ hybridization with Arabidopsis and Brassica BAC probes. 2005 , 48, 1093-103	28
211	Ribosomal DNA heterochromatin in plants. 2005 , 109, 104-11	40
210	Cytogenetic mapping in maize. 2005 , 109, 63-9	10

209	Recent development of image analysis methods in plant chromosome research. 2005 , 109, 83-9	12
208	The Arabidopsis Genome and Its Use in Cereal Genomics. 2004 , 515-534	
207	Variation in rDNA locus number and position among legume species and detection of 2 linked rDNA loci in the model <i>Medicago truncatula</i> by FISH. 2005 , 48, 556-61	16
206	The integration of recombination and physical maps in a large-genome monocot using haploid genome analysis in a trihybrid allium population. 2005 , 169, 1673-85	42
205	Cereal Genomics. 2005 ,	3
204	Arabidopsis Protocols. 2006 ,	2
203	Current status and the future of fluorescence in situ hybridization (FISH) in plant genome research. 2006 , 49, 1057-68	279
202	Cytogenetic analyses of Arabidopsis. 2006 , 323, 173-86	48
201	History, protohistory and prehistory of the Arabidopsis thaliana chromosome complement. 2006 , 11, 267-73	42
200	Thale Cress (<i>Arabidopsis thaliana</i>) Genome. 2006 ,	1
199	Comparative gene mapping in Arabidopsis lyrata chromosomes 6 and 7 and A. thaliana chromosome IV: evolutionary history, rearrangements and local recombination rates. 2006 , 88, 45-56	26
198	High-resolution single-copy gene fluorescence in situ hybridization and its use in the construction of a cytogenetic map of maize chromosome 9. 2006 , 18, 529-44	89
197	Towards the era of comparative evolutionary genomics in Brassicaceae. 2006 , 259, 175-198	54
196	DNA methylation and epigenetic inheritance during plant gametogenesis. 2006 , 115, 27-35	72
195	The origin, meiotic behavior, and transmission of a novel minichromosome in Arabidopsis thaliana. 2006 , 115, 311-9	21
194	Retand: a novel family of gypsy-like retrotransposons harboring an amplified tandem repeat. 2006 , 276, 254-63	58
193	An integrated map of <i>Oryza sativa</i> L. chromosome 5. 2006 , 112, 891-902	26
192	Oxymoron no more: the expanding world of heterochromatic genes. 2006 , 22, 330-8	101

191	A molecular portrait of Arabidopsis meiosis. 2006 , 4, e0095	44
190	A high-resolution map of Arabidopsis recombinant inbred lines by whole-genome exon array hybridization. 2006 , 2, e144	86
189	Analysis of the subcellular localization, function, and proteolytic control of the Arabidopsis cyclin-dependent kinase inhibitor ICK1/KRP1. 2006 , 141, 1293-305	85
188	Dynamic evolution at pericentromeres. 2006 , 16, 355-64	43
187	Genome-wide patterns of single-feature polymorphism in Arabidopsis thaliana. 2007 , 104, 12057-62	147
186	Large-scale dissociation and sequential reassembly of pericentric heterochromatin in dedifferentiated Arabidopsis cells. 2007 , 120, 1200-8	128
185	Visualization and Characterization of High-Order Chromatin Fibers under Light Microscope during Interphase and Mitotic Stages in Plants. 2007 , 49, 1634-1639	
184	Brassica oleracea. 2007 , 227-285	2
183	Recombination: an underappreciated factor in the evolution of plant genomes. 2007 , 8, 77-84	183
182	Plant chromosomes from end to end: telomeres, heterochromatin and centromeres. 2007 , 10, 116-22	34
181	Plant highly repeated satellite DNA: Molecular evolution, distribution and use for identification of hybrids. 2007 , 5, 277-289	61
180	Chromatin reorganization and endogenous auxin/cytokinin dynamic activity during somatic embryogenesis of cultured cotton cell. 2007 , 90, 63-70	22
179	Rice as a model for centromere and heterochromatin research. 2007 , 15, 77-84	34
178	Cytological investigation of Haplopappus gracilis (Nutt.) Gray: 5-methylcytosine-rich regions, fluorochrome banding and chromatin sensitivity to DNase I digestion. 2008 , 233, 107-13	14
177	Integrated cytogenetic map of mitotic metaphase chromosome 9 of maize: resolution, sensitivity, and banding paint development. 2008 , 117, 345-56	47
176	Estimation of genome size and physical mapping of ribosomal DNA in diploid and tetraploid guineagrass (Panicum maximum Jacq.). 2008 , 54, 89-97	17
175	The soybean-Phytophthora resistance locus Rps1-k encompasses coiled coil-nucleotide binding-leucine rich repeat-like genes and repetitive sequences. 2008 , 8, 29	66
174	Chromosome landmarks as tools to study the genome of Arabidopsis thaliana. 2008 , 120, 202-9	6

173	An overview of plant chromosome structure. 2008 , 120, 194-201	9
172	Cytological characterization of the tandem repetitive sequences and their methylation status in the <i>Antirrhinum majus</i> genome. 2008 , 92, 107-14	4
171	Noncoding transcription by RNA polymerase Pol IVb/Pol V mediates transcriptional silencing of overlapping and adjacent genes. <i>Cell</i> , 2008 , 135, 635-48	56.2 531
170	Chromosomal phylogeny and karyotype evolution in x=7 crucifer species (Brassicaceae). 2008 , 20, 2559-70	181
169	Integration of cytogenetic and genetic linkage maps unveils the physical architecture of tomato chromosome 2. 2008 , 179, 1211-20	29
168	Chromatin structure and physical mapping of chromosome 6 of potato and comparative analyses with tomato. 2008 , 180, 1307-17	70
167	Quantitative trait loci mapping in five new large recombinant inbred line populations of <i>Arabidopsis thaliana</i> genotyped with consensus single-nucleotide polymorphism markers. 2008 , 178, 2253-64	128
166	Identification and characterization of <i>Arabidopsis</i> indole-3-butyric acid response mutants defective in novel peroxisomal enzymes. 2008 , 180, 237-51	104
165	RNAi of met1 reduces DNA methylation and induces genome-specific changes in gene expression and centromeric small RNA accumulation in <i>Arabidopsis</i> allopolyploids. 2008 , 178, 1845-58	70
164	Cross-species bacterial artificial chromosome-fluorescence in situ hybridization painting of the tomato and potato chromosome 6 reveals undescribed chromosomal rearrangements. 2008 , 180, 1319-28	68
163	Karyotype differentiation of four <i>Cestrum</i> species (Solanaceae) revealed by fluorescent chromosome banding and FISH. 2009 , 32, 320-7	14
162	Construction of chromosomal recombination maps of three genomes of lilies (<i>Lilium</i>) based on GISH analysis. 2009 , 52, 238-51	21
161	Molecular analysis of a large subtelomeric nucleotide-binding-site-leucine-rich-repeat family in two representative genotypes of the major gene pools of <i>Phaseolus vulgaris</i> . 2009 , 181, 405-19	58
160	A molecular-cytogenetic method for locating genes to pericentromeric regions facilitates a genomewide comparison of synteny between the centromeric regions of wheat and rice. 2009 , 183, 1235-47	12
159	Brassica and Its Close Allies: Cytogenetics and Evolution. 2009 , 21-187	48
158	A nomadic subtelomeric disease resistance gene cluster in common bean. 2009 , 151, 1048-65	83
157	Artificial chromosome formation in maize (<i>Zea mays</i> L.). 2009 , 118, 157-77	60
156	Cytogenetic mapping of common bean chromosomes reveals a less compartmentalized small-genome plant species. 2009 , 17, 405-17	53

155	Assignment of genetic linkage maps to diploid <i>Solanum tuberosum</i> pachytene chromosomes by BAC-FISH technology. 2009 , 17, 899-915	38
154	Super-stretched pachytene chromosomes for fluorescence in situ hybridization mapping and immunodetection of DNA methylation. 2009 , 59, 509-16	40
153	A lineage-specific centromere retrotransposon in <i>Oryza brachyantha</i> . 2009 , 60, 820-31	34
152	Studying physical chromatin interactions in plants using Chromosome Conformation Capture (3C). 2009 , 4, 1216-29	63
151	Cytogenetic analysis of <i>Populus trichocarpa</i> --ribosomal DNA, telomere repeat sequence, and marker-selected BACs. 2009 , 125, 74-80	22
150	Chromatin Domains and Function. 2009 , 131-155	2
149	Comparative cytogenetic analysis of the genus <i>symphysodon</i> (discus fishes, cichlidae): chromosomal characteristics of retrotransposons and minor ribosomal DNA. 2009 , 127, 43-53	49
148	An overview of plant centromeres. 2009 , 36, 529-37	38
147	Coding DNA repeated throughout intergenic regions of the <i>Arabidopsis thaliana</i> genome: evolutionary footprints of RNA silencing. 2009 , 5, 1679-87	5
146	Molecular cytogenetic mapping of <i>Cucumis sativus</i> and <i>C. melo</i> using highly repetitive DNA sequences. 2010 , 18, 325-36	34
145	The development of <i>Arabidopsis</i> as a model plant. 2010 , 61, 909-21	270
144	Transduction of RNA-directed DNA methylation signals to repressive histone marks in <i>Arabidopsis thaliana</i> . 2010 , 29, 352-62	43
143	Gene transposition causing natural variation for growth in <i>Arabidopsis thaliana</i> . 2010 , 6, e1000945	35
142	Epigenetic silencing of endogenous repetitive sequences by MORPHEUSMOLECULE1 in <i>Arabidopsis thaliana</i> . 2010 , 5, 562-5	7
141	Karyotyping in melon (<i>Cucumis melo</i> L.) by cross-species fosmid fluorescence in situ hybridization. 2010 , 129, 241-9	18
140	Cytological characterization of sunflower by in situ hybridization using homologous rDNA sequences and a BAC clone containing highly represented repetitive retrotransposon-like sequences. 2010 , 53, 172-9	3
139	A historical and modern perspective on plant cytogenetics. 2010 , 9, 95-102	51
138	An integrated molecular cytogenetic map of <i>Cucumis sativus</i> L. chromosome 2. 2011 , 12, 18	23

137	Positional information resolves structural variations and uncovers an evolutionarily divergent genetic locus in accessions of <i>Arabidopsis thaliana</i> . 2011 , 3, 627-40	6
136	Molecular and Cytological Characterization of Centromeric Retrotransposons in a Wild Relative of Rice, <i>Oryza granulata</i> . 2011 , 4, 217-227	1
135	Epigenetic remodeling of meiotic crossover frequency in <i>Arabidopsis thaliana</i> DNA methyltransferase mutants. 2012 , 8, e1002844	122
134	Chromosome fragile sites in <i>Arabidopsis</i> harbor matrix attachment regions that may be associated with ancestral chromosome rearrangement events. 2012 , 8, e1003136	9
133	Genome-wide identification of regulatory DNA elements and protein-binding footprints using signatures of open chromatin in <i>Arabidopsis</i> . 2012 , 24, 2719-31	164
132	Deficiency in DNA methylation increases meiotic crossover rates in euchromatic but not in heterochromatic regions in <i>Arabidopsis</i> . 2012 , 109, E981-8	113
131	High resolution molecular cytogenetic techniques in plants: Pachytene- and fibre-FISH. 2012 , 60, 157-165	
130	Distinct modes of DNA accessibility in plant chromatin. <i>Nature Communications</i> , 2012 , 3, 1281	17.4 40
129	Gene duplication within the Green Lineage: the case of TEL genes. 2012 , 63, 5061-77	28
128	Genetics and Cytology of Meiotic Chromosome Behavior in Plants. 2012 , 193-229	3
127	Natural variation in <i>Arabidopsis</i> : from molecular genetics to ecological genomics. 2012 , 158, 2-22	258
126	Plant Cytogenetics. 2012 ,	3
125	Centromeres cluster de novo at the beginning of meiosis in <i>Brachypodium distachyon</i> . 2012 , 7, e44681	20
124	The Impact of Transposable Elements on Gene and Genome Evolution. 2012 , 35-58	15
123	Signals of speciation within <i>Arabidopsis thaliana</i> in comparison with its relatives. 2012 , 15, 205-11	6
122	Heterochromatin dynamics during developmental transitions in <i>Arabidopsis</i> - a focus on ribosomal DNA loci. 2013 , 526, 39-45	17
121	<i>Arabidopsis</i> meiotic crossover hot spots overlap with H2A.Z nucleosomes at gene promoters. 2013 , 45, 1327-36	234
120	Investigation of genome polymorphism and seed coat anatomy of species of section <i>Adenolinum</i> from the genus <i>Linum</i> . 2013 , 60, 661-676	18

119	Karyotyping of <i>Brachypodium pinnatum</i> (2n = 18) chromosomes using cross-species BAC-FISH. 2013 , 56, 239-43	9
118	The conserved chimeric transcript UPGRADE2 is associated with unreduced pollen formation and is exclusively found in apomictic <i>Boechera</i> species. 2013 , 163, 1640-59	24
117	The Subtelomeric khipu Satellite Repeat from <i>Phaseolus vulgaris</i> : Lessons Learned from the Genome Analysis of the Andean Genotype G19833. 2013 , 4, 109	17
116	Characterization of chromosomal architecture in <i>Arabidopsis</i> by chromosome conformation capture. 2013 , 14, R129	64
115	A method to isolate male gametic nuclei from pear pollen tubes. 2013 , 88, 313-319	2
114	Structural and functional organization of centromeres in plant chromosomes. 2014 , 50, 1243-1254	1
113	Nuclear architecture and chromatin dynamics in interphase nuclei of <i>Arabidopsis thaliana</i> . 2014 , 143, 28-50	19
112	Ancestral repeats have shaped epigenome and genome composition for millions of years in <i>Arabidopsis thaliana</i> . <i>Nature Communications</i> , 2014 , 5, 4104	17.4 59
111	Molecular Cytogenetics of Papaya. 2014 , 157-167	2
110	Genetics and Genomics of Papaya. 2014 ,	3
109	The widespread crucifer species <i>Cardamine flexuosa</i> is an allotetraploid with a conserved subgenomic structure. 2014 , 201, 982-992	41
108	Hi-C analysis in <i>Arabidopsis</i> identifies the KNOT, a structure with similarities to the flamenco locus of <i>Drosophila</i> . 2014 , 55, 678-93	190
107	DNA recombination in somatic plant cells: mechanisms and evolutionary consequences. 2014 , 22, 191-201	72
106	Centromeres and kinetochores of Brassicaceae. 2014 , 22, 135-52	13
105	Single-copy gene-based chromosome painting in cucumber and its application for chromosome rearrangement analysis in Cucumis. 2014 , 78, 169-79	34
104	Live and let die: centromere loss during evolution of plant chromosomes. 2014 , 203, 1082-1089	23
103	Advances in imaging methods on plant chromosomes. 2014 , 299-328	
102	MOLECULAR CYTOGENETICS IN THE GENUS ROSA: CURRENT STATUS AND FUTURE PERSPECTIVES. 2015 , 41-48	2

101	Centromeric chromatin and its dynamics in plants. 2015 , 83, 4-17	30
100	Structure, expression profile and phylogenetic inference of chalcone isomerase-like genes from the narrow-leafed lupin (<i>Lupinus angustifolius</i> L.) genome. 2015 , 6, 268	24
99	Genome-Wide Nucleosome Occupancy and Positioning and Their Impact on Gene Expression and Evolution in Plants. 2015 , 168, 1406-16	57
98	Cytogenetics of Howler Monkeys. 2015 , 85-105	0
97	Modulating crossover positioning by introducing large structural changes in chromosomes. 2015 , 16, 89	8
96	Rapid and inexpensive whole-genome genotyping-by-sequencing for crossover localization and fine-scale genetic mapping. 2015 , 5, 385-98	77
95	Introgression browser: high-throughput whole-genome SNP visualization. 2015 , 82, 174-82	17
94	High resolution physical mapping of single gene fragments on pachytene chromosome 4 and 7 of <i>Rosa</i> . 2015 , 16, 74	8
93	Howler Monkeys. 2015 ,	4
92	Chromosome-level assembly of <i>Arabidopsis thaliana</i> Ler reveals the extent of translocation and inversion polymorphisms. 2016 , 113, E4052-60	118
91	Highly distinct chromosomal structures in cowpea (<i>Vigna unguiculata</i>), as revealed by molecular cytogenetic analysis. 2016 , 24, 197-216	19
90	Recombination patterns reveal information about centromere location on linkage maps. 2016 , 16, 655-61	14
89	Molecular, genetic and evolutionary analysis of a paracentric inversion in <i>Arabidopsis thaliana</i> . 2016 , 88, 159-178	47
88	Epigenomic Diversity in a Global Collection of <i>Arabidopsis thaliana</i> Accessions. <i>Cell</i> , 2016 , 166, 492-505 56.2	353
87	Pachytene Chromosome Preparation in <i>Populus deltoides</i> Marsh. 2016 , 1, 566-573	1
86	Comprehensive cytological characterization of the <i>Gossypium hirsutum</i> genome based on the development of a set of chromosome cytological markers. 2016 , 4, 256-265	3
85	The First Rule of Plant Transposable Element Silencing: Location, Location, Location. 2016 , 28, 304-13	96
84	High-resolution tyramide-FISH mapping of markers tightly linked to the male-fertility restoration (<i>Ms</i>) locus of onion. 2016 , 129, 535-45	16

83	Evidence of the occurrence of structural chromosome changes at the initial diploid diversification of the autopolyploid <i>Turnera sidoides</i> L. (Passifloraceae) complex. 2016 , 59, 127-36	1
82	Meiotic Crossing Over in Maize Knob Heterochromatin. 2017 , 205, 1101-1112	12
81	Centromere location in is unaltered by extreme divergence in CENH3 protein sequence. 2017 , 27, 471-478	35
80	Genomic Rearrangements in Considered as Quantitative Traits. 2017 , 205, 1425-1441	15
79	Modification of meiotic recombination by natural variation in plants. 2017 , 68, 5471-5483	16
78	Genome-wide chromatin mapping with size resolution reveals a dynamic sub-nucleosomal landscape in <i>Arabidopsis</i> . 2017 , 13, e1006988	20
77	Massive crossover elevation via combination of and during meiosis. 2018 , 115, 2437-2442	62
76	Epigenetic activation of meiotic recombination near centromeres via loss of H3K9me2 and non-CG DNA methylation. 2018 , 28, 519-531	86
75	A Compendium of Methods to Analyze the Spatial Organization of Plant Chromatin. 2018 , 1675, 397-418	4
74	High-Affinity LNA-DNA Mixmer Probes for Detection of Chromosome-Specific Polymorphisms of 5S rDNA Repeats in <i>Arabidopsis thaliana</i> . 2018 , 1675, 481-491	6
73	Technical Review: Cytogenetic Tools for Studying Mitotic Chromosomes. 2018 , 1675, 509-535	6
72	Heterochromatin and the Control of Gene Silencing in Plants. 2018 , 106-133	
71	Cytomolecular analysis of the male sex chromosome of <i>Tropidacris cristata grandis</i> (Thunberg, 1824) (Orthoptera: Romaleidae). 2018 , 22, 80	
70	Common Bean Subtelomeres Are Hot Spots of Recombination and Favor Resistance Gene Evolution. 2018 , 9, 1185	27
69	Chromosome painting and its applications in cultivated and wild rice. 2018 , 18, 110	28
68	A chromosome-level sequence assembly reveals the structure of the <i>Arabidopsis thaliana</i> Nd-1 genome and its gene set. 2019 , 14, e0216233	23
67	Carrot Molecular Cytogenetics. 2019 , 119-135	1
66	An Ultra High-Density Crossover Map That Refines the Influences of Structural Variation and Epigenetic Features. 2019 , 213, 771-787	42

65	Field cress genome mapping: Integrating linkage and comparative maps with cytogenetic analysis for rDNA carrying chromosomes. 2019 , 9, 17028		4
64	DNA Break Repair in Plants and Its Application for Genome Engineering. 2019 , 1864, 237-266		27
63	Transgenic Plants. 2019 ,		2
62	Flexible chromosome painting based on multiplex PCR of oligonucleotides and its application for comparative chromosome analyses in Cucumis. 2020 , 102, 178-186		21
61	Changing local recombination patterns in Arabidopsis by CRISPR/Cas mediated chromosome engineering. <i>Nature Communications</i> , 2020 , 11, 4418	17.4	34
60	Localization and characterization of Citrus centromeres by combining half-tetrad analysis and CenH3-associated sequence profiling. 2020 , 39, 1609-1622		0
59	Heat stress-induced transposon activation correlates with 3D chromatin organization rearrangement in Arabidopsis. <i>Nature Communications</i> , 2020 , 11, 1886	17.4	31
58	CRISPR/Cas-mediated chromosome engineering: opening up a new avenue for plant breeding. 2021 , 72, 177-183		7
57	Genome-wide variability in recombination activity is associated with meiotic chromatin organization.		1
56	Modeling the 3D genome of plants. 2021 , 12, 65-81		0
55	CRISPR-Cas-mediated chromosome engineering for crop improvement and synthetic biology. 2021 , 7, 566-573		11
54	High-quality Arabidopsis thaliana Genome Assembly with Nanopore and HiFi Long Reads.		0
53	Satellite DNA probes of <i>Alstroemeria longistaminea</i> (Alstroemeriaceae) paint the heterochromatin and the B chromosome, reveal a G-like banding pattern, and point to a strong structural karyotype conservation. 2021 , 1		1
52	Genome-wide variability in recombination activity is associated with meiotic chromatin organization. 2021 , 31, 1561-1572		4
51	Complete depletion of Arabidopsis linker histones impairs the correlations among chromatin compartmentalization, DNA methylation and gene expression.		
50	Rewiring Meiosis for Crop Improvement. 2021 , 12, 708948		3
49	Chromosome Painting Provides Insights Into the Genome Structure and Evolution of Sugarcane. 2021 , 12, 731664		5
48	High-quality Arabidopsis thaliana Genome Assembly with Nanopore and HiFi Long Reads. 2021 ,		6

47	Variability of Recombination Rates in Higher Plants. 2008 , 37-60	2
46	Structural Genome Analysis Using Molecular Cytogenetic Techniques. 2002 , 55-79	1
45	Massive genomic variation and strong selection in <i>Arabidopsis thaliana</i> lines from Sweden. 2013 , 45, 884-890	264
44	High-resolution pachytene chromosome mapping of bacterial artificial chromosomes anchored by genetic markers reveals the centromere location and the distribution of genetic recombination along chromosome 10 of rice. 2001 , 157, 1749-57	126
43	Chromosomal map of the model legume <i>Lotus japonicus</i> . 2002 , 161, 1661-72	157
42	Molecular and cytological analyses of large tracks of centromeric DNA reveal the structure and evolutionary dynamics of maize centromeres. 2003 , 163, 759-70	139
41	Chromatin immunoprecipitation reveals that the 180-bp satellite repeat is the key functional DNA element of <i>Arabidopsis thaliana</i> centromeres. 2003 , 163, 1221-5	207
40	Epigenetic activation of meiotic recombination in <i>Arabidopsis</i> centromeres via loss of H3K9me2 and non-CG DNA methylation.	3
39	A Chromosome-level Sequence Assembly Reveals the Structure of the <i>Arabidopsis thaliana</i> Nd-1 Genome and its Gene Set.	3
38	REC8-cohesin, chromatin and transcription orchestrate meiotic recombination in the <i>Arabidopsis</i> genome.	1
37	Comparative Cytogenetics of Wild Crucifers (Brassicaceae). 2009 , 177-205	6
36	Genomes, Cytogenetics, and Flow Cytometry of <i>Musa</i> . 2011 , 53-70	2
35	A nonparametric test reveals selection for rapid flowering in the <i>Arabidopsis</i> genome. 2006 , 4, e137	108
34	Preparations of meiotic pachytene chromosomes and extended DNA fibers from cotton suitable for fluorescence in situ hybridization. 2012 , 7, e33847	9
33	Genomic abundance is not predictive of tandem repeat localization in grass genomes. 2017 , 12, e0177896	4
32	The use of FISH in chromosomal localization of transgenes in rice. 2001 , 105-113	
31	Through a genome, darkly: comparative analysis of plant chromosomal DNA. 2002 , 5-20	
30	Karyotype Analysis and Physical Mapping of rDNAs in Diploid <i>Nicotiana plumbaginifolia</i> . 2003 , 30, 7-11	2

29	Cytogenetic Analyses of Angelica Plants Using Feulgen Staining and Multicolor Fluorescence in Situ Hybridization. 2003 , 30, 123-127	3
28	Analysis of chromatin condensation states by DNase I sensitivity assay at 500-base resolution in Arabidopsis. 2006 , 23, 451-457	1
27	Chromatin Domains and Function. 2008 , 131	
26	An Efficient Method of Cotton DNA Fibers Preparation for FISH. 2009 , 35, 412-417	
25	Super-stretched pachytene chromosomes for plant molecular cytogenetic mapping. 2011 , 701, 239-45	
24	Genomic Rearrangements Considered as Quantitative Traits.	
23	An ultra high-density Arabidopsis thaliana crossover map that refines the influences of structural variation and epigenetic features.	1
22	Hidden magicians of genome evolution. 2013 , 137, 1052-60	2
21	Through a genome, darkly: comparative analysis of plant chromosomal DNA. 2002 , 48, 5-20	7
20	Using CRISPR-Kill for organ specific cell elimination by cleavage of tandem repeats.. <i>Nature Communications</i> , 2022 , 13, 1502	17.4 0
19	Image_1.JPEG. 2018 ,	
18	Image_2.JPEG. 2018 ,	
17	Image_3.JPEG. 2018 ,	
16	Image_4.JPEG. 2018 ,	
15	Image_5.JPEG. 2018 ,	
14	Table_1.XLS. 2018 ,	
13	Table_10.XLS. 2018 ,	
12	Table_2.XLS. 2018 ,	

11	Table_3.XLS. 2018,	
10	Table_4.XLS. 2018,	
9	Table_5.XLSX. 2018,	
8	Table_6.XLS. 2018,	
7	Table_7.XLS. 2018,	
6	Table_8.XLS. 2018,	
5	Table_9.XLS. 2018,	
4	NODULIN HOMEBOX is required for heterochromatin homeostasis in Arabidopsis. 2022, 13,	o
3	Rapid large-scale genomic introgression in Arabidopsis suecica via an autoallohexaploid bridge.	2
2	Technology-driven approaches for meiosis research in tomato and wild relatives.	o
1	Maintenance and dynamic reprogramming of chromatin organization during development.	o