
CITATION REPORT List of articles citing



DOI: 10.1128/aem.66.5.2139-2147.2000 Applied and Environmental Microbiology, 2000, 66, 2139-47.

Source: https://exaly.com/paper-pdf/32148713/citation-report.pdf

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
150	Biological degradation of 2,4,6-trinitrotoluene. 2001 , 65, 335-52, table of contents		310
149	A GAC biofilm reactor for the continuous degradation of 4-chlorophenol: treatment efficiency and microbial analysis. 2001 , 57, 419-26		38
148	Remediation of dinitrotoluene contaminated soils from former ammunition plants: soil washing efficiency and effective process monitoring in bioslurry reactors. <i>Journal of Hazardous Materials</i> , 2001 , 87, 139-54	12.8	26
147	Cloning and characterization of the pnb genes, encoding enzymes for 4-nitrobenzoate catabolism in Pseudomonas putida TW3. 2001 , 183, 1225-32		29
146	Origins of the 2,4-dinitrotoluene pathway. 2002 , 184, 4219-32		87
145	Molecular characterization and substrate specificity of nitrobenzene dioxygenase from Comamonas sp. strain JS765. <i>Applied and Environmental Microbiology</i> , 2002 , 68, 634-41	4.8	128
144	Identification and mutagenicity of dinitrotoluene metabolites produced by strain Pseudomonas putida OU83. 2002 , 73, 131-139		11
143	Biological remediation of explosives and related nitroaromatic compounds. <i>Environmental Science and Pollution Research</i> , 2002 , 9, 48-61	5.1	140
142	Degradation of 2,4,6-trinitrotoluene by Klebsiella sp. isolated from activated sludge. 2002 , 24, 2023-20	28	33
141	Microbial consortia that degrade 2,4-DNT by interspecies metabolism: isolation and characterisation. 2003 , 14, 19-29		47
140	Transformation and mineralization of 2,4,6-trinitrotoluene by the white rot fungus Irpex lacteus. 2003 , 61, 150-6		29
139	Evolution of catabolic pathways for synthetic compounds: bacterial pathways for degradation of 2,4-dinitrotoluene and nitrobenzene. 2003 , 62, 110-23		62
138	Soil column evaluation of factors controlling biodegradation of DNT in the vadose zone. <i>Environmental Science & Environmental Science & Environmental</i>	10.3	21
137	Expression of the nitroarene dioxygenase genes in Comamonas sp. strain JS765 and Acidovorax sp. strain JS42 is induced by multiple aromatic compounds. 2003 , 185, 3895-904		55
136	Saturation mutagenesis of Burkholderia cepacia R34 2,4-dinitrotoluene dioxygenase at DntAc valine 350 for synthesizing nitrohydroquinone, methylhydroquinone, and methoxyhydroquinone. <i>Applied and Environmental Microbiology</i> , 2004 , 70, 3222-31	4.8	39
135	Enhancement of 2,4-dinitrotoluene biodegradation by Burkholderia sp. in sand bioreactors using bacterial hemoglobin technology. 2004 , 15, 161-71		17
134	Biodegradation of nitroaromatics and other nitrogen-containing xenobiotics. World Journal of Microbiology and Biotechnology, 2004 , 20, 117-135	4.4	116

(2006-2004)

133	Metabolite production during transformation of 2,4,6-trinitrotoluene (TNT) by a mixed culture acclimated and maintained on crude oil-containing media. 2004 , 65, 739-46		7
132	Bioremediation of soils contaminated with explosives. 2004 , 70, 291-307		135
131	Biodegradation of N-Containing Xenobiotics. Soil Biology, 2004, 149-173	1	1
130	Development of a bacterial biosensor for nitrotoluenes: the crystal structure of the transcriptional regulator DntR. 2004 , 340, 405-18		73
129	Saturation mutagenesis of 2,4-DNT dioxygenase of Burkholderia sp. strain DNT for enhanced dinitrotoluene degradation. <i>Biotechnology and Bioengineering</i> , 2005 , 92, 416-26	4.9	28
128	TNT and nitroaromatic compounds are chemoattractants for Burkholderia cepacia R34 and Burkholderia sp. strain DNT. 2005 , 69, 321-5		17
127	Active site residues controlling substrate specificity in 2-nitrotoluene dioxygenase from Acidovorax sp. strain JS42. 2005 , 32, 465-73		21
126	Promising Strategies for the Mineralisation of 2,4,6-trinitrotoluene. 2005 , 4, 39-60		33
125	Comparison of Dinitrotoluene Degradation by a Mixed Culture in Aqueous Batch System. 2005 , 91-104		1
124	Protein engineering of the archetypal nitroarene dioxygenase of Ralstonia sp. strain U2 for activity on aminonitrotoluenes and dinitrotoluenes through alpha-subunit residues leucine 225, phenylalanine 350, and glycine 407. 2005 , 187, 3302-10		25
123	Engineering Pseudomonas fluorescens for biodegradation of 2,4-dinitrotoluene. <i>Applied and Environmental Microbiology</i> , 2005 , 71, 8864-72	4.8	52
122	Assimilation of nitrogen from nitrite and trinitrotoluene in Pseudomonas putida JLR11. 2005 , 187, 396-	9	47
121	Contaminated Soils, Sediments and Water. 2005,		4
120	Pseudomonas. 2006,		4
119	Aromatic Ring Hydroxylating Dioxygenases. 2006 , 287-340		38
118	Novel partial reductive pathway for 4-chloronitrobenzene and nitrobenzene degradation in Comamonas sp. strain CNB-1. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 1759-65	4.8	133
117	Synthesis of substituted catechols using nitroarene dioxygenases. 2006 , 38, 142-147		5
116	Orthric Rieske dioxygenases for degrading mixtures of 2,4-dinitrotoluene/naphthalene and 2-amino-4,6-dinitrotoluene/4-amino-2,6-dinitrotoluene. 2006 , 73, 827-38		20

115	Oxidation of aminonitrotoluenes by 2,4-DNT dioxygenase of Burkholderia sp. strain DNT. <i>Biotechnology and Bioengineering</i> , 2006 , 93, 231-7	4.9	6
114	Isolation and characterization of a biphenyl-utilizing psychrotrophic bacterium, Hydrogenophaga taeniospiralis IA3-A, that cometabolize dichlorobiphenyls and polychlorinated biphenyl congeners in Aroclor 1221. 2006 , 46, 94-107		38
113	Control of substrate specificity by active-site residues in nitrobenzene dioxygenase. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 1817-24	4.8	48
112	Protein engineering of the 4-methyl-5-nitrocatechol monooxygenase from Burkholderia sp. strain DNT for enhanced degradation of nitroaromatics. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 3935	<u>{:</u> 8	24
111	Biodegradation of 3-nitrotyrosine by Burkholderia sp. strain JS165 and Variovorax paradoxus JS171. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 1040-4	4.8	32
110	Degradation of 2-nitrobenzoate by Burkholderia terrae strain KU-15. 2007 , 71, 145-51		13
109	In vivo and in vitro investigation of transcriptional regulation by DntR. 2007, 372, 571-82		29
108	Assessment of 4-nitro-1,8-naphthalic anhydride reductase activity in homogenates of bakersRyeast by reversed-phase high-performance liquid chromatography. 2007 , 847, 82-7		5
107	Biodegradation of polychlorinated biphenyls in Aroclor 1232 and production of metabolites from 2,4,4Rtrichlorobiphenyl at low temperature by psychrotolerant Hydrogenophaga sp. strain IA3-A. 2007 , 102, 1318-29		22
106	Removal of 2,4-dinitrotoluene from concrete using bioremediation, agar extraction, and photocatalysis. 2007 , 52, 253-60		11
105	Microbial remediation of nitro-aromatic compounds: an overview. 2007 , 85, 496-512		208
104	Denitration of 2,4,6-trinitrotoluene by Pseudomonas aeruginosa ESA-5 in the presence of ferrihydrite. 2008 , 79, 489-97		19
103	Aerobic biodegradation of dinitrotoluenes in batch systems by pure and mixed cultures. 2008 , 53, 105-9		14
102	Effect of 2,4,6-trinitrotoluene on soil bacterial communities. 2008 , 35, 225-36		32
101	Effect of plant extract on the degradation of nitroaromatic compounds by soil microorganisms. 2008 , 35, 1539-43		10
100	Reduction of polynitroaromatic compounds: the bacterial nitroreductases. 2008 , 32, 474-500		263
99	Exploring the diversity of bacterial communities in sediments of urban mangrove forests. 2008 , 66, 96-10)9	103
98	Stable implantation of orthogonal sensor circuits in Gram-negative bacteria for environmental release. <i>Environmental Microbiology</i> , 2008 , 10, 3305-16	5.2	66

(2011-2008)

97	Experimental evidence for in situ natural attenuation of 2,4- and 2,6-dinitrotoluene in marine sediment. 2008 , 70, 791-9		22
96	N-15 NMR study of the immobilization of 2,4- and 2,6-dinitrotoluene in aerobic compost. <i>Environmental Science & Environmental Science & Environmental</i>	10.3	21
95	Application of nitroarene dioxygenases in the design of novel strains that degrade chloronitrobenzenes. <i>Microbial Biotechnology</i> , 2009 , 2, 241-52	6.3	19
94	Transformation of RDX and other energetic compounds by xenobiotic reductases XenA and XenB. 2009 , 84, 535-44		56
93	Effect of 2,4-dinitrotoluene on the anaerobic bacterial community in marine sediment. 2009 , 107, 1799-	808	8
92	Reconstructing the evolutionary history of nitrotoluene detection in the transcriptional regulator NtdR. 2009 , 74, 826-43		28
91	Rapid and unbiased colorimetric quantification of nitrite and ammonium ions released from 2,4,6-trinitrotoluene during biodegradation studies: Eliminating interferences. <i>International Biodeterioration and Biodegradation</i> , 2009 , 63, 116-122	4.8	6
90	Aerobic biodegradation of 2,4-DNT and 2,6-DNT: performance characteristics and biofilm composition changes in continuous packed-bed bioreactors. <i>Journal of Hazardous Materials</i> , 2009 , 163, 848-54	12.8	23
89	Denitration of 2,4,6-trinitrotoluene in aqueous solutions using small-molecular-weight catalyst(s) secreted by Pseudomonas aeruginosa ESA-5. <i>Environmental Science & Examp; Technology</i> , 2009 , 43, 2011-7	10.3	19
88	Advances in Applied Bioremediation. <i>Soil Biology</i> , 2009 ,	1	36
87	Pathway and evolutionary implications of diphenylamine biodegradation by Burkholderia sp. strain JS667. <i>Applied and Environmental Microbiology</i> , 2009 , 75, 2694-704	4.8	33
86	Nitroaromatic compounds, from synthesis to biodegradation. 2010 , 74, 250-72		512
85	Reactivity of lactate-modified nanoscale iron particles with 2,4-dinitrotoluene in soils. <i>Journal of Hazardous Materials</i> , 2010 , 182, 177-83	12.8	24
84	Aerobic degradation of 2,4,6-trinitrotoluene by the yeast strain Geotrichum candidum AN-Z4. 2010 , 79, 178-183		18
83	Biodegradation of 5-nitroanthranilic acid by Bradyrhizobium sp. strain JS329. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 1417-22	4.8	23
82	Impact of ammunition and military explosives on human health and the environment. 2011 , 26, 101-10		43
82			43 15

79	Crystal structures of DntR inducer binding domains in complex with salicylate offer insights into the activation of LysR-type transcriptional regulators. 2011 , 81, 354-67		37
78	Evolution of a new bacterial pathway for 4-nitrotoluene degradation. 2011 , 82, 355-64		23
77	Association of dnt genes of Burkholderia sp. DNT with the substrate-blind regulator DntR draws the evolutionary itinerary of 2,4-dinitrotoluene biodegradation. 2011 , 82, 287-99		26
76	Determination of 2,4- and 2,6-dinitrotoluene biodegradation limits. 2011 , 85, 848-53		10
75	Biodegradation of 2-nitrotoluene by Micrococcus sp. strain SMN-1. 2011 , 22, 95-102		33
74	Factors that influence the response of the LysR type transcriptional regulators to aromatic compounds. 2011 , 12, 49		10
73	Electrokinetic-enhanced transport of lactate-modified nanoscale iron particles for degradation of dinitrotoluene in clayey soils. 2011 , 79, 230-237		43
72	Molecular and biochemical characterization of the 5-nitroanthranilic acid degradation pathway in Bradyrhizobium sp. strain JS329. 2011 , 193, 3057-63		17
71	Three types of taxis used in the response of Acidovorax sp. strain JS42 to 2-nitrotoluene. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 2306-15	4.8	25
70	Halogenated Arenes and Carboxylates with Chlorine, Bromine, or Iodine Substituents. 2012 , 840-921		
69	Caco-2 cells cytotoxicity of nifuroxazide derivatives with potential activity against Methicillin-resistant Staphylococcus aureus (MRSA). 2012 , 26, 535-40		9
68	Aerobic biotransformation of 2,4-dinitroanisole in soil and soil Bacillus sp. 2012 , 23, 287-95		53
67	Metabolic characteristics of the species Variovorax paradoxus. 2013, 97, 541-60		105
66	Biodegradation of 4-nitrotoluene with biosurfactant production by Rhodococcus pyridinivorans NT2: metabolic pathway, cell surface properties and toxicological characterization. 2013 , 24, 775-93		32
65	Using compound-specific isotope analysis to assess biodegradation of nitroaromatic explosives in the subsurface. <i>Environmental Science & Environmental Science & Environmenta</i>	10.3	38
64	Endogenous stress caused by faulty oxidation reactions fosters evolution of 2,4-dinitrotoluene-degrading bacteria. 2013 , 9, e1003764		51
63	Potential for plant growth promotion by a consortium of stress-tolerant 2,4-dinitrotoluene-degrading bacteria: isolation and characterization of a military soil. <i>Microbial Biotechnology</i> , 2014 , 7, 294-306	6.3	50
62	Escherichia coli bioreporters for the detection of 2,4-dinitrotoluene and 2,4,6-trinitrotoluene. 2014 , 98, 885-95		63

61	3-Nitrotoluene dioxygenase from Diaphorobacter sp. strains: cloning, sequencing and evolutionary studies. 2014 , 25, 479-92		18
60	Effects of organochlorines on microbial diversity and community structure in Phragmites australis rhizosphere. 2014 , 98, 4257-66		14
59	Exploring the rhizospheric and endophytic bacterial communities of Acer pseudoplatanus growing on a TNT-contaminated soil: towards the development of a rhizocompetent TNT-detoxifying plant growth promoting consortium. 2014 , 385, 15-36		48
58	Expression, purification and substrate specificities of 3-nitrotoluene dioxygenase from Diaphorobacter sp. strain DS2. 2014 , 445, 36-42		7
57	Improved TNT detoxification by starch addition in a nitrogen-fixing Methylophilus-dominant aerobic microbial consortium. <i>Journal of Hazardous Materials</i> , 2015 , 300, 873-881	12.8	12
56	Bioremediation of Nitroaromatic Compounds. 2015,		6
55	Phytodetoxification of the environmental pollutant and explosive 2,4,6-trinitrotoluene. 2015 , 10, e9777	14	4
54	Selection for growth on 3-nitrotoluene by 2-nitrotoluene-utilizing Acidovorax sp. strain JS42 identifies nitroarene dioxygenases with altered specificities. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 309-19	4.8	11
53	Harnessing microbial gene pools to remediate persistent organic pollutants using genetically modified plantsa viable technology?. 2015 , 66, 6519-33		27
52	Biodegradation of 2,4-dinitrotoluene by different plant species. 2015 , 112, 54-9		13
51	Biodegradation of 2,4-dinitrotoluene (DNT) by Arthrobacter sp. K1 isolated from a crude oil contaminated soil. 2015 , 65, 467-476		15
50	Biodegradation of 2, 4, 6- Trinitrotoluene (TNT) in Contaminated Soil and Microbial Remediation Options for Treatment. <i>Periodica Polytechnica: Chemical Engineering</i> , 2016 ,	1.3	3
49	Biodegradation of 2,4-dinitroanisole (DNAN) by Nocardioides sp. JS1661 in water, soil and bioreactors. <i>Journal of Hazardous Materials</i> , 2016 , 312, 37-44	12.8	19
48	Production of poly-3-hydroxybutyrate (P3HB) and poly(3-hydroxybutyrate-co-3-hydroxyvalerate) P(3HB-co-3HV) from synthetic wastewater using Hydrogenophaga palleronii. <i>Bioresource Technology</i> , 2016 , 215, 155-162	11	27
47	Immobilized Biocatalyst for Detection and Destruction of the Insensitive Explosive, 2,4-Dinitroanisole (DNAN). <i>Environmental Science & Explosive</i> , 2016, 50, 11193-11199	10.3	8
46	2,4-Dinitrotoluene removal in aerobic granular biomass sequencing batch reactors. <i>International Biodeterioration and Biodegradation</i> , 2017 , 119, 56-65	4.8	19
45	Anaerobic reduction of 2,6-dinitrotoluene by Shewanella oneidensis MR-1: Roles of Mtr respiratory pathway and NfnB. <i>Biotechnology and Bioengineering</i> , 2017 , 114, 761-768	4.9	29
44	Fungal Unspecific Peroxygenases Oxidize the Majority of Organic EPA Priority Pollutants. <i>Frontiers in Microbiology</i> , 2017 , 8, 1463	5.7	38

43	The integrated analysis of transcriptome and proteome for exploring the biodegradation mechanism of 2, 4, 6-trinitrotoluene by Citrobacter sp. <i>Journal of Hazardous Materials</i> , 2018 , 349, 79-90	12.8	17
42	Structure-Guided Mechanisms Behind the Metabolism of 2,4,6-Trinitrotoluene by Glutathione Transferases U25 and U24 That Lead to Alternate Product Distribution. <i>Frontiers in Plant Science</i> , 2018 , 9, 1846	6.2	8
41	The Metabolic Redox Regime of Pseudomonas putida Tunes Its Evolvability toward Novel Xenobiotic Substrates. <i>MBio</i> , 2018 , 9,	7.8	40
40	Environmental persistence, hazard, and mitigation challenges of nitroaromatic compounds. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 28650-28667	5.1	33
39	Biotransformation of 2,4-dinitrotoluene by the beneficial association of engineered with. <i>3 Biotech</i> , 2019 , 9, 408	2.8	1
38	Decomposing Explosives and Reduction of Perchlorate and Nitrate. 2019 , 203-210		
37	Aerobic biodegradation of 2,3- and 3,4-dichloronitrobenzene. <i>Journal of Hazardous Materials</i> , 2019 , 378, 120717	12.8	9
36	Right on target: using plants and microbes to remediate explosives. <i>International Journal of Phytoremediation</i> , 2019 , 21, 1051-1064	3.9	18
35	Hydrocarbon Degradation by Betaproteobacteria. 2019 , 1-18		О
34	Evolving metabolism of 2,4-dinitrotoluene triggers SOS-independent diversification of host cells. Environmental Microbiology, 2019 , 21, 314-326	5.2	10
33	Transformation of TNT, 2,4-DNT, and PETN by Raoultella planticola M30b and Rhizobium radiobacter M109 and exploration of the associated enzymes. <i>World Journal of Microbiology and Biotechnology</i> , 2020 , 36, 190	4.4	2
32	-associated bioengineered can enhance rhizoremediation of soil containing 2,4-dinitrotoluene. <i>3 Biotech</i> , 2020 , 10, 398	2.8	2
31	Bacterioplankton abundance and community structure during post-monsoon in mangrove dominated estuaries of the Indian Sundarbans; An insight to biogeochemical processes. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 243, 106895	2.9	2
30	Aerobic degradation of 2,4-dinitrotoluene: Effect of raw organic wastes and nitrogen fortification. Journal of Environmental Quality, 2020 , 49, 835-846	3.4	1
29	Biotransformation of 2,4-dinitrotoluene in a phototrophic co-culture of engineered Synechococcus elongatus and Pseudomonas putida. <i>Microbial Biotechnology</i> , 2020 , 13, 997-1011	6.3	15
28	Determinants of bacterioplankton structures in the typically turbid Weihe River and its clear tributaries from the northern foot of the Qinling Mountains. <i>Ecological Indicators</i> , 2021 , 121, 107168	5.8	3
27	Transcriptional control of 2,4-dinitrotoluene degradation in Burkholderia sp. R34 bears a regulatory patch that eases pathway evolution. <i>Environmental Microbiology</i> , 2021 , 23, 2522-2531	5.2	2
26	Biochar-mediated reduction of m-nitrotoluene: Interaction between reduction of m-nitrotoluene and sequestration of contaminants. <i>Science of the Total Environment</i> , 2021 , 773, 145662	10.2	2

25	The Impacts of Different Biological Treatments on the Transformation of Explosives Waste Contaminated Sludge. <i>Molecules</i> , 2021 , 26,	4.8	2
24	The low-nanomolar 4-nitrobenzoate-responsive repressor PnbX negatively regulates the actinomycete-derived 4-nitrobenzoate-degrading pnb locus. <i>Environmental Microbiology</i> , 2021 , 23, 7028 -	7 <mark>7</mark> 041	, O
23	Evolution of Metabolic Pathways for Degradation of Environmental Pollutants.		2
22	Achromobacter, Alcaligenes and Related Genera. 2006 , 675-700		11
21	Catabolism of Nitroaromatic Compounds. 2004 , 575-608		18
20	Hydrocarbon Degradation by Betaproteobacteria. 2019 , 125-141		1
19	Degradation of the Dinitrotoluene Isomers 2,4- and 2,6-DNT: Appraising the Role of Microorganisms. 2017 , 5-20		4
18	Hydrocarbon Degradation by Betaproteobacteria. 2010 , 1715-1724		14
17	Soil Bioremediation Strategies Based on the Use of Fungal Enzymes. <i>Soil Biology</i> , 2009 , 123-149	Ĺ	16
16	Biodegradation and Bioremediation of Explosives. <i>Soil Biology</i> , 2004 , 55-80	Ĺ	14
15	Biotransformation of 2,4-dinitrotoluene in a phototrophic co-culture of engineeredSynechococcus elongatusandPseudomonas putida.		1
14	Strategies for Aerobic Degradation of Nitroaromatic Compounds by Bacteria. 2000,		29
13	Molecular Biology of Nitroarene Degradation. 2000 ,		7
12	Structural and functional studies of ferredoxin and oxygenase components of 3-nitrotoluene dioxygenase from Diaphorobacter sp. strain DS2. <i>PLoS ONE</i> , 2017 , 12, e0176398	3.7	8
11	NITROAROMATIC COMPOUNDS - CHARACTERISTICS AND METHODS OF BIODEGRADATION. Postepy Mikrobiologii, 2019 , 56, 289-305	0.4	2
10	In-Situ Treatment Technologies. 2002 , 183-216		
9	Explosives, Microbial Degradation of.		
8	Evolution of Metabolic Pathways for Degradation of Environmental Pollutants.		

Fate and Transport of Explosives in the Environment. **2009**, 5-33

6	Metabolism of Aromatic Compounds. 586-595		
5	The metabolic redox regime ofPseudomonas putidatunes its evolvability towards novel xenobiotic substrates.		
4	Evaluating the aerobic xylene-degrading potential of the intrinsic microbial community of a legacy BTEX-contaminated aquifer by enrichment culturing coupled with multi-omics analysis: uncovering the role of Hydrogenophaga strains in xylene degradation Environmental Science and Pollution	5.1	1
3	Trends in environmental monitoring of high explosives present in soil/sediment/groundwater using LC-MS/MS. <i>Mass Spectrometry Reviews</i> ,	11	
2	Photolysis by UVA-visible light and thermal degradation of TNT in aqueous solutions according to aerodynamic thermal breakup droplet ionization mass spectrometry. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022 , 432, 114079	4.7	О
1	Removal of 2,4,6-Trinitrotoluene by Extended Aeration Activated Sludge: Optimizing by Artificial Neural Network.		0