CITATION REPORT List of articles citing

The molecular physiology of heavy metal transport in the Zn/Cd hyperaccumulator Thlaspi caerulescens

DOI: 10.1073/pnas.97.9.4956 Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 4956-60.

Source: https://exaly.com/paper-pdf/32176071/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
662	Cloning and Characterization of IAR1, a Gene Required for Auxin Conjugate Sensitivity in Arabidopsis. 2000 , 12, 2395		3
661	Cloning and characterization of IAR1, a gene required for auxin conjugate sensitivity in Arabidopsis. 2000 , 12, 2395-2408		90
660	The ZIP family of metal transporters. 2000 , 1465, 190-8		795
659	Rhizosphere bacteria mobilize Zn for hyperaccumulation by Thlaspi caerulescens. 2001 , 35, 3144-50		358
658	Distribution and Metal-Accumulating Behavior of Thlaspi caerulescens and Associated Metallophytes in France. 2001 , 3, 145-172		147
657	Hyperaccumulation of Zn by Thlaspi caerulescens can ameliorate Zn toxicity in the rhizosphere of cocropped Thlaspi arvense. 2001 , 35, 3237-41		69
656	Phylogenetic relationships within cation transporter families of Arabidopsis. 2001 , 126, 1646-67		951
655	The use of transgenic plants in the bioremediation of soils contaminated with trace elements. 2001 , 55, 661-72		188
654	Leaf chlorosis in oilseed rape plants (Brassica napus) grown on cadmium-polluted soil: causes and consequences for photosynthesis and growth. 2001 , 212, 696-709		284
653	Inhibition of systemic onset of post-transcriptional gene silencing by non-toxic concentrations of cadmium. 2001 , 28, 283-91		35
652	Root exudates of the hyperaccumulator Thlaspi caerulescens do not enhance metal mobilization. 2001 , 151, 613-620		161
651	Two iron-regulated cation transporters from tomato complement metal uptake-deficient yeast mutants. 2001 , 45, 437-48		176
650	Eukaryotic zinc transporters and their regulation. 2001 , 14, 251-70		384
649	Assessment of Zn mobilization in the rhizosphere of Thlaspi caerulescens by bioassay with non-accumulator plants and soil extraction. <i>Plant and Soil</i> , 2001 , 237, 147-156	4.2	52
648	Elevated expression of metal transporter genes in three accessions of the metal hyperaccumulator Thlaspi caerulescens. 2001 , 24, 217-226		286
647	The human ZIP1 transporter mediates zinc uptake in human K562 erythroleukemia cells. 2001 , 276, 222	58-64	217
646	Fortified foods and phytoremediation. Two sides of the same coin. 2001 , 125, 164-7		127

(2002-2001)

645	High- and low-affinity zinc transport systems and their possible role in zinc efficiency in bread wheat. 2001 , 125, 456-63	104
644	Mechanisms of micronutrient uptake in plants. 2001 , 28, 661	5
643	Zinc Phytoextraction in Thlaspi caerulescens. 2001 , 3, 129-144	10
642	Brassicaceae (Cruciferae) Family, Plant Biotechnology, and Phytoremediation. 2001 , 3, 245-287	50
641	Bioengineering of a phytoremediation plant by means of somatic hybridization. 2002, 4, 117-26	21
640	Forms of zinc accumulated in the hyperaccumulator Arabidopsis halleri. 2002 , 130, 1815-26	269
639	Influence of iron status on cadmium and zinc uptake by different ecotypes of the hyperaccumulator Thlaspi caerulescens. 2002 , 128, 1359-67	273
638	Expression of the IRT1 metal transporter is controlled by metals at the levels of transcript and protein accumulation. 2002 , 14, 1347-57	574
637	A transporter in the endoplasmic reticulum of Schizosaccharomyces pombe cells mediates zinc storage and differentially affects transition metal tolerance. 2002 , 277, 18215-21	77
636	GmZIP1 encodes a symbiosis-specific zinc transporter in soybean. 2002 , 277, 4738-46	123
635	Arabidopsis and the genetic potential for the phytoremediation of toxic elemental and organic pollutants. 2002 , 1, e0032	24
634	Characteristics of cadmium uptake in two contrasting ecotypes of the hyperaccumulator Thlaspi caerulescens. 2002 , 53, 535-43	281
633	Phytoremediation of metals, metalloids, and radionuclides. 2002 , 75, 1-56	327
632	The Genetic Basis of Metal Hyperaccumulation in Plants. 2002 , 21, 539-566	313
631	Effects of Cd and Pb in sugar beet plants grown in nutrient solution: induced Fe deficiency and growth inhibition. 2002 , 29, 1453-1464	101
630	Physiology and Biochemistry of Metal Toxicity and Tolerance in Plants. 2002,	35
629	A long way ahead: understanding and engineering plant metal accumulation. 2002, 7, 309-15	954
628	Phytoremediation of Metals Using Transgenic Plants. 2002 , 21, 439-456	221

627	Cellular mechanisms for heavy metal detoxification and tolerance. 2002, 53, 1-11	1854
626	Metabolic engineering of plants: the role of membrane transport. 2002 , 4, 57-66	32
625	Phytochelatin synthesis is not responsible for Cd tolerance in the Zn/Cd hyperaccumulator Thlaspi caerulescens (J. & C. Presl). 2002 , 214, 635-40	176
624	Impacts of fly-ash on soil and plant responses. 2002 , 115, 401-9	154
623	Transport interactions between cadmium and zinc in roots of bread and durum wheat seedlings. 2002 , 116, 73-78	241
622	Does zinc move apoplastically to the xylem in roots of Thlaspi caerulescens?. 2002 , 153, 201-207	95
621	In search of the Holy Grail - a further step in understanding metal hyperaccumulation?. 2002, 155, 1-4	202
620	How important is apoplastic zinc xylem loading in Thlaspi caerulescens?. 2002 , 155, 4-6	15
619	Mycelial activity. 2002 , 155, 6-7	
618	Natural product biosynthesis. 2002 , 155, 7-7	
618 617	Natural product biosynthesis. 2002 , 155, 7-7 Zincophilic root foraging in Thlaspi caerulescens. 2002 , 155, 363-372	57
		57 187
617	Zincophilic root foraging in Thlaspi caerulescens. 2002 , 155, 363-372	
617	Zincophilic root foraging in Thlaspi caerulescens. 2002 , 155, 363-372 Ni-induced oxidative stress in roots of the Ni hyperaccumulator, Alyssum bertolonii. 2002 , 156, 205-215 Heavy metal toxicity: cadmium permeates through calcium channels and disturbs the plant water	187
617 616 615	Zincophilic root foraging in Thlaspi caerulescens. 2002 , 155, 363-372 Ni-induced oxidative stress in roots of the Ni hyperaccumulator, Alyssum bertolonii. 2002 , 156, 205-215 Heavy metal toxicity: cadmium permeates through calcium channels and disturbs the plant water status. 2002 , 32, 539-48	187 581
617 616 615	Zincophilic root foraging in Thlaspi caerulescens. 2002, 155, 363-372 Ni-induced oxidative stress in roots of the Ni hyperaccumulator, Alyssum bertolonii. 2002, 156, 205-215 Heavy metal toxicity: cadmium permeates through calcium channels and disturbs the plant water status. 2002, 32, 539-48 Mechanisms of metal resistance in plants: aluminum and heavy metals. <i>Plant and Soil</i> , 2002, 247, 109-119 ₄₋₂ A plasma membrane zinc transporter from Medicago truncatula is up-regulated in roots by Zn	187 581 61
617 616 615 614	Zincophilic root foraging in Thlaspi caerulescens. 2002, 155, 363-372 Ni-induced oxidative stress in roots of the Ni hyperaccumulator, Alyssum bertolonii. 2002, 156, 205-215 Heavy metal toxicity: cadmium permeates through calcium channels and disturbs the plant water status. 2002, 32, 539-48 Mechanisms of metal resistance in plants: aluminum and heavy metals. <i>Plant and Soil</i> , 2002, 247, 109-1194.2 A plasma membrane zinc transporter from Medicago truncatula is up-regulated in roots by Zn fertilization, yet down-regulated by arbuscular mycorrhizal colonization. 2003, 52, 1077-88	187 581 61

(2003-2003)

609	Phytoextraction of cadmium with Thlaspi caerulescens. Plant and Soil, 2003, 249, 27-35	4.2	144
608	Phytoremediation: an overview of metallic ion decontamination from soil. 2003 , 61, 405-12		271
607	Cadmium tolerance and antioxidative defenses in hairy roots of the cadmium hyperaccumulator, Thlaspi caerulescens. 2003 , 83, 158-67		170
606	Phytoextraction of metals and metalloids from contaminated soils. 2003 , 14, 277-82		799
605	Transcript levels of AtMRPs after cadmium treatment: induction of AtMRP3. 2003, 26, 371-381		93
604	Two tomato non-symbiotic haemoglobin genes are differentially expressed in response to diverse changes in mineral nutrient status. 2003 , 26, 673-680		24
603	Natural variation in cadmium tolerance and its relationship to metal hyperaccumulation for seven populations of Thlaspi caerulescens from western Europe. 2003 , 26, 1657-1672		213
602	Functional expression of AtHMA4, a P1B-type ATPase of the Zn/Co/Cd/Pb subclass. 2003 , 35, 164-76		175
601	Zinc and cadmium accumulation in controlled crosses between metallicolous and nonmetallicolous populations of Thlaspi caerulescens (Brassicaceae). 2003 , 157, 643-648		36
600	Metal physiology and accumulation in a Medicago truncatula mutant exhibiting an elevated requirement for zinc. 2003 , 158, 207-218		12
599	Phytoremediation to phytochelatin [plant trace metal homeostasis. 2003, 158, 4-6		35
598	A cosegregation analysis of zinc (Zn) accumulation and Zn tolerance in the Zn hyperaccumulator Thlaspi caerulescens. 2003 , 159, 383-390		69
597	Differential metal-specific tolerance and accumulation patterns among Thlaspi caerulescens populations originating from different soil types. 2003 , 159, 411-419		216
596	Thlaspi caerulescens, an attractive model species to study heavy metal hyperaccumulation in plants. 2003 , 159, 351-360		288
595	Heavy metals and plants - model systems and hyperaccumulators. 2003, 159, 289-293		94
594	Evolutionary dynamics of nickel hyperaccumulation in Alyssum revealed by its nrDNA analysis. 2003 , 159, 691-699		60
593	The role of free histidine in xylem loading of nickel in Alyssum lesbiacum and Brassica juncea. 2003 , 131, 716-24		232
592	The hyperaccumulation of metals by plants. 2003 , 40, 63-105		108

591	Genetic basis of Cd tolerance and hyperaccumulation in Arabidopsis halleri. <i>Plant and Soil</i> , 2003 , 249, 9-18	159
590	Heavy metal signalling in plants: linking cellular and organismic responses. 2003 , 187-215	46
589	Colonization of pennycresses (Thlaspi spp.) of the Brassicaceae by arbuscular mycorrhizal fungi. 2003 , 160, 615-26	93
588	Poplar metal tolerance protein 1 confers zinc tolerance and is an oligomeric vacuolar zinc transporter with an essential leucine zipper motif. 2003 , 15, 2911-28	155
587	Differential metal selectivity and gene expression of two zinc transporters from rice. 2003 , 133, 126-34	249
586	Differences in whole-cell and single-channel ion currents across the plasma membrane of mesophyll cells from two closely related Thlaspi species. 2003 , 131, 583-94	21
585	Cloning and characterization of phytochelatin synthase from a Nickel hyperaccumulator Thlaspi japonicum and its expression in yeast. 2003 , 49, 285-290	7
584	Prostate cancer in African American men is associated with downregulation of zinc transporters. 2003 , 11, 253-60	61
583	Measurement of trace metal influx in plants: a case study with Co. 2004 , 31, 941-947	12
582	Hyperaccumulation of cadmium and zinc in Thlaspi caerulescens and Arabidopsis halleri at the leaf cellular level. 2004 , 134, 716-25	193
581	Increased glutathione biosynthesis plays a role in nickel tolerance in thlaspi nickel hyperaccumulators. 2004 , 16, 2176-91	377
580	Tissue- and age-dependent differences in the complexation of cadmium and zinc in the cadmium/zinc hyperaccumulator Thlaspi caerulescens (Ganges ecotype) revealed by x-ray absorption spectroscopy. 2004 , 134, 748-57	253
579	Identification of Thlaspi caerulescens genes that may be involved in heavy metal hyperaccumulation and tolerance. Characterization of a novel heavy metal transporting ATPase. 2004 , 136, 3814-23	265
578	Root and Rhizosphere Processes in Metal Hyperaccumulation and Phytoremediation Technology. 2004 , 313-344	11
577	Increased cysteine availability is essential for cadmium tolerance and accumulation in Arabidopsis thaliana. 2004 , 2, 469-76	153
576	Arabidopsis Yellow Stripe-Like2 (YSL2): a metal-regulated gene encoding a plasma membrane transporter of nicotianamine-metal complexes. 2004 , 39, 403-14	272
575	Effect of cadmium, zinc and substrate heterogeneity on yield, shoot metal concentration and metal uptake by Brassica juncea: implications for human health risk assessment and phytoremediation. 2004 , 163, 313-324	42
574	Heavy metal specificity of cellular tolerance in two hyperaccumulating plants, Arabidopsis halleri and Thlaspi caerulescens. 2004 , 164, 289-295	37

(2004-2004)

573	Research Priorities for Conservation of Metallophyte Biodiversity and their Potential for Restoration and Site Remediation. 2004 , 12, 106-116		269	
572	Cadmium uptake and translocation in seedlings of near isogenic lines of durum wheat that differ in grain cadmium accumulation. <i>BMC Plant Biology</i> , 2004 , 4, 4	5.3	73	
571	Over-expression of an Arabidopsis zinc transporter in hordeum vulgare increases short-term zinc uptake after zinc deprivation and seed zinc content. 2004 , 54, 373-85		149	
570	Identification and characterization of several new members of the ZIP family of metal ion transporters in Medicago truncatula. 2004 , 54, 583-96		125	
569	Cadmium tolerance and hyperaccumulation in a new Zn-hyperaccumulating plant species (Sedum alfredii Hance). <i>Plant and Soil</i> , 2004 , 259, 181-189	4.2	503	
568	Zinc rhizotoxicity in wheat and radish is alleviated by micromolar levels of magnesium and potassium in solution culture. <i>Plant and Soil</i> , 2004 , 259, 191-199	4.2	37	
567	The SLC39 family of metal ion transporters. 2004 , 447, 796-800		299	
566	Kinetic properties of a micronutrient transporter from Pisum sativum indicate a primary function in Fe uptake from the soil. 2004 , 218, 784-92		102	
565	A new method to detect cadmium uptake in protoplasts. 2004 , 219, 526-32		45	
564	Cross-species microarray transcript profiling reveals high constitutive expression of metal homeostasis genes in shoots of the zinc hyperaccumulator Arabidopsis halleri. 2004 , 37, 251-68		454	
563	Comparative microarray analysis of Arabidopsis thaliana and Arabidopsis halleri roots identifies nicotianamine synthase, a ZIP transporter and other genes as potential metal hyperaccumulation factors. 2004 , 37, 269-81		354	
562	Inductively coupled plasma mass spectrometry and electrospray mass spectrometry for speciation analysis: applications and instrumentation. 2004 , 59, 135-146		97	
561	Interactions between Cd and Zn in relation to their hyperaccumulation in Thlaspi caerulescens. 2004 , 50, 591-597		9	
560	Characteristics of Cadmium Uptake and Accumulation by Two Contrasting Ecotypes of Sedum alfredii Hance. 2004 , 39, 2925-2940		32	
559	Cadmium and zinc accumulation by the hyperaccumulator Thlaspi caerulescens from soils enriched with insoluble metal compounds. 2004 , 50, 511-515		11	
558	Phytoremediationa novel and promising approach for environmental clean-up. 2004 , 24, 97-124		297	
557	Metal-responsive transcription factors that regulate iron, zinc, and copper homeostasis in eukaryotic cells. 2004 , 3, 1-13		214	
556	A novel CPx-ATPase from the cadmium hyperaccumulator Thlaspi caerulescens. 2004 , 569, 140-8		159	

555	Critical Review of the Scienceand Options for Reducing Cadmium in Tobacco (Nicotiana Tabacum L.) and Other Plants. 2004 , 83, 111-180		81
554	Co-segregation analysis of cadmium and zinc accumulation in Thlaspi caerulescens interecotypic crosses. 2004 , 163, 299-312		60
553	Molecular mechanisms of heavy metal hyperaccumulation and phytoremediation. 2005, 18, 339-53		351
552	Phytoremediation: novel approaches to cleaning up polluted soils. 2005 , 16, 133-41		372
551	Zinc effects on cadmium accumulation and partitioning in near-isogenic lines of durum wheat that differ in grain cadmium concentration. 2005 , 167, 391-401		89
550	A new precipitation technique provides evidence for the permeability of Casparian bands to ions in young roots of corn (Zea mays L.) and rice (Oryza sativa L.). 2005 , 28, 1450-1462		45
549	Cadmium hyperaccumulation protects Thlaspi caerulescens from leaf feeding damage by thrips (Frankliniella occidentalis). 2005 , 167, 805-14		75
548	Comparison of Ni/Zn Accumulation Ability of Thlaspi japonicum from Three Different Areas in Hokkaido. 2005 , 51, 589-594		1
547	Molecular Mechanisms and Genetic Basis of Heavy Metal Tolerance/Hyperaccumulation in Plants. 2005 , 47, 1025-1035		88
546	Transcriptome profiling reveals similarities and differences in plant responses to cadmium and lead. 2005 , 570, 149-61		73
545	Pb hyperaccumulation and tolerance in common buckwheat (Fagopyrum esculentum Moench). 2005 , 118, 355-9		57
544	Nicotianamine over-accumulation confers resistance to nickel in Arabidopsis thaliana. 2005 , 14, 739-48		102
543	Cadmium toxicity in plants: is there any analogy to its carcinogenic effect in mammalian cells?. 2005 , 18, 475-81		71
542	Responses to nickel in the proteome of the hyperaccumulator plant Alyssum lesbiacum. 2005 , 18, 627-4	1	54
541	Mechanisms of Plant Resistance to Metal and Metalloid Ions and Potential Biotechnological Applications. <i>Plant and Soil</i> , 2005 , 274, 163-174	4.2	65
540	Growth and mineral element composition in two ecotypes of Thlaspi caerulescens on Cd contaminated soil. <i>Plant and Soil</i> , 2005 , 273, 327-335	4.2	35
539	Adaptation of the Common Ice Plant to High Copper and Zinc Concentrations and Their Potential Using for Phytoremediation. 2005 , 52, 748-757		34
538	. Agronomy, 2005 ,	0.8	13

(2006-2005)

537	Alleviation by calcium of cadmium-induced root growth inhibition in Arabidopsis seedlings. 2005 , 22, 19-25	101
536	A comparative inventory of metal transporters in the green alga Chlamydomonas reinhardtii and the red alga Cyanidioschizon merolae. 2005 , 137, 428-46	134
535	Mechanisms of plant resistance to metal and metalloid ions and potential biotechnological applications. 2005 , 163-174	4
534	The Zip Family of Zinc Transporters. 2005 , 261-264	18
533	Constitutively high expression of the histidine biosynthetic pathway contributes to nickel tolerance in hyperaccumulator plants. 2005 , 17, 2089-106	131
532	Phytoremediation. 2005 , 56, 15-39	1529
531	Impact of zinc acclimation on bioaccumulation and homeostasis in Chlorella kesslerii. 2005, 74, 139-49	32
530	Phytoremediation and hyperaccumulator plants. 2005 , 299-340	72
529	Functions and homeostasis of zinc, copper, and nickel in plants. 2005 , 215-271	45
528	Cd2+ transport and storage in the chloroplast of Euglena gracilis. 2005 , 1706, 88-97	50
527	Genes associated with heavy metal tolerance and accumulation in Zn/Cd hyperaccumulator Arabidopsis halleri: a genomic survey with cDNA microarray. 2006 , 40, 6792-8	152
526	Testing of outstanding individuals of Thlaspi caerulescens for cadmium phytoextraction. 2006 , 8, 339-57	19
525	Molecular Biology of Metal Homeostasis and Detoxification. 2006,	15
524	Zinc hyperaccumulation and uptake by Potentilla griffithii Hook. 2006 , 8, 299-310	34
523	Expression of organomercurial lyase in eastern cottonwood enhances organomercury resistance. 2006 , 42, 228-234	17
522	Heavy Metals Competing with Iron under Conditions Involving Phytoremediation. 2006, 129-151	2
521	A novel arsenate reductase from the arsenic hyperaccumulating fern Pteris vittata. 2006 , 141, 1544-54	192
520	Zinc accumulation in Solanum nigrum is enhanced by different arbuscular mycorrhizal fungi. 2006 , 65, 1256-63	57

519	Toxic metal accumulation, responses to exposure and mechanisms of tolerance in plants. 2006 , 88, 1707-19	1320
518	Effect of soil characteristics on Cd uptake by the hyperaccumulator Thlaspi caerulescens. 2006 , 139, 167-75	108
517	HEAVY METAL STRESS. 2006 , 219-254	21
516	Cadmium leaching from micro-lysimeters planted with the hyperaccumulator Thlaspi caerulescens: experimental findings and modeling. 2006 , 35, 2055-65	15
515	The early responses of Arabidopsis thaliana cells to cadmium exposure explored by protein and metabolite profiling analyses. 2006 , 6, 2180-98	315
514	Construction of a genetic linkage map of Thlaspi caerulescens and quantitative trait loci analysis of zinc accumulation. 2006 , 170, 21-32	67
513	A comparison of the Thlaspi caerulescens and Thlaspi arvense shoot transcriptomes. 2006 , 170, 239-60	198
512	The heavy metal hyperaccumulator Thlaspi caerulescens expresses many species-specific genes, as identified by comparative expressed sequence tag analysis. 2006 , 170, 753-65	65
511	Cadmium uptake, translocation and tolerance in the hyperaccumulator Arabidopsis halleri. 2006 , 172, 646-54	184
510	Continual pH lowering and manganese dioxide solubilization in the rhizosphere of the Mn-hyperaccumulator plant Chengiopanax sciadophylloides. 2006 , 52, 726-733	11
509	Synthesis of low molecular weight thiols in response to Cd exposure in Thlaspi caerulescens. 2006 , 29, 1422-9	58
508	A putative novel role for plant defensins: a defensin from the zinc hyper-accumulating plant, Arabidopsis halleri, confers zinc tolerance. 2006 , 47, 329-42	151
507	TcYSL3, a member of the YSL gene family from the hyper-accumulator Thlaspi caerulescens, encodes a nicotianamine-Ni/Fe transporter. 2007 , 49, 1-15	156
506	High expression in leaves of the zinc hyperaccumulator Arabidopsis halleri of AhMHX, a homolog of an Arabidopsis thaliana vacuolar metal/proton exchanger. 2006 , 29, 1179-90	44
505	Leaf-targeted phytochelatin synthase in Arabidopsis thaliana. 2006 , 44, 885-92	17
504	Heterologous expression of a mammalian ABC transporter in plant and its application to phytoremediation. 2006 , 61, 491-503	33
503	Dynamics of zinc uptake and accumulation in the hyperaccumulating and non-hyperaccumulating ecotypes of Sedum alfredii Hance. <i>Plant and Soil</i> , 2006 , 284, 109-119	44
502	Cadmium-induced ammonium ion accumulation of rice seedlings at high temperature is mediated through abscisic acid. <i>Plant and Soil</i> , 2006 , 287, 267-277	9

(2007-2006)

501	Enhanced cadmium accumulation in maize roots ! he impact of organic acids. <i>Plant and Soil</i> , 2006 , 289, 355-368	100	
500	Metal ion ligands in hyperaccumulating plants. 2006 , 11, 2-12	248	
499	Zinc compartmentation in root, transport into xylem, and absorption into leaf cells in the hyperaccumulating species of Sedum alfredii Hance. 2006 , 224, 185-95	116	
498	Gene polymorphisms for elucidating the genetic structure of the heavy-metal hyperaccumulating trait in Thlaspi caerulescens and their cross-genera amplification in Brassicaceae. 2006 , 119, 479-87	14	
497	QTL analysis of cadmium and zinc accumulation in the heavy metal hyperaccumulator Thlaspi caerulescens. 2006 , 113, 907-20	93	
496	Molecular aspects of Cu, Fe and Zn homeostasis in plants. 2006 , 1763, 595-608	303	
495	Flowering stage characteristics of cadmium hyperaccumulator Solanum nigrum L. and their significance to phytoremediation. <i>Science of the Total Environment</i> , 2006 , 369, 441-6	.2 115	
494	Put the metal to the petal: metal uptake and transport throughout plants. 2006 , 9, 322-30	305	
493	Zinc-dependent global transcriptional control, transcriptional deregulation, and higher gene copy number for genes in metal homeostasis of the hyperaccumulator Arabidopsis halleri. 2006 , 142, 148-67	365	
492	An improved grafting technique for mature Arabidopsis plants demonstrates long-distance shoot-to-root transport of phytochelatins in Arabidopsis. 2006 , 141, 108-20	124	
491	Large expression differences in genes for iron and zinc homeostasis, stress response, and lignin biosynthesis distinguish roots of Arabidopsis thaliana and the related metal hyperaccumulator Thlaspi caerulescens. 2006 , 142, 1127-47	407	
490	Identification of a zinc transporter gene in strawberry. 2006 , 17, 15-23		
489	A novel major facilitator superfamily protein at the tonoplast influences zinc tolerance and accumulation in Arabidopsis. 2007 , 143, 1705-19	177	
488	Searching for Genes Involved in Metal Tolerance, Uptake, and Transport. 2007 , 265-289	3	
487	Iron acquisition by phytosiderophores contributes to cadmium tolerance. 2007 , 143, 1761-73	106	
486	Improved understanding of hyperaccumulation yields commercial phytoextraction and phytomining technologies. 2007 , 36, 1429-43	346	
485	A native Zn/Cd pumping P(1B) ATPase from natural overexpression in a hyperaccumulator plant. 2007 , 363, 51-6	25	
484	Phytoextraction of cadmium and zinc from arable soils amended with sewage sludge using Thlaspi caerulescens: development of a predictive model. 2007 , 150, 363-72	64	

483	Molecular links between metals in the environment and plant sulfur metabolism. 2007, 169-195	6
482	Photosynthetic activity, pigment composition and antioxidative response of two mustard (Brassica juncea) cultivars differing in photosynthetic capacity subjected to cadmium stress. 2007 , 164, 601-10	349
481	Transition metal transport. 2007 , 581, 2263-72	415
480	Cadmium Accumulation and Its Toxicity in Brittle Culm 1 (bc1), a Fragile Rice Mutant. 2007, 14, 217-222	1
479	Accumulation and Detoxification of Metals by Plants and Microbes. 2007, 77-100	9
478	Sulfur in Plants An Ecological Perspective. 2007 ,	18
477	A feasibility test to estimate the duration of phytoextraction of heavy metals from polluted soils. 2007 , 9, 115-32	29
476	A major quantitative trait locus for cadmium tolerance in Arabidopsis halleri colocalizes with HMA4, a gene encoding a heavy metal ATPase. 2007 , 144, 1052-65	252
475	Phycoremediation of heavy metals using transgenic microalgae. 2007 , 616, 99-109	36
474	Mineral Deficiency and Toxicity. 290-313	1
474	Mineral Deficiency and Toxicity. 290-313 . 2007,	1 15
473	. 2007, Confirmation of lead aminocarboxylic complex formation using electrospray ionization mass	15
473 472	. 2007, Confirmation of lead aminocarboxylic complex formation using electrospray ionization mass spectrometry and speciation by anion-exchange chromatography coupled with ICP-MS. 2007, 599, 163-9 Activities of Antioxidative Enzymes, Sulphur Assimilation, Photosynthetic Activity and Growth of	15 17
473 472 471	. 2007, Confirmation of lead aminocarboxylic complex formation using electrospray ionization mass spectrometry and speciation by anion-exchange chromatography coupled with ICP-MS. 2007, 599, 163-9 Activities of Antioxidative Enzymes, Sulphur Assimilation, Photosynthetic Activity and Growth of Wheat (Triticum aestivum) Cultivars Differing in Yield Potential Under Cadmium Stress. 2007, 193, 435-444	15 17 149
473 472 471 470	. 2007, Confirmation of lead aminocarboxylic complex formation using electrospray ionization mass spectrometry and speciation by anion-exchange chromatography coupled with ICP-MS. 2007, 599, 163-9 Activities of Antioxidative Enzymes, Sulphur Assimilation, Photosynthetic Activity and Growth of Wheat (Triticum aestivum) Cultivars Differing in Yield Potential Under Cadmium Stress. 2007, 193, 435-444 Zinc in plants. 2007, 173, 677-702	15 17 149 1250
473 472 471 470 469	. 2007, Confirmation of lead aminocarboxylic complex formation using electrospray ionization mass spectrometry and speciation by anion-exchange chromatography coupled with ICP-MS. 2007, 599, 163-9 Activities of Antioxidative Enzymes, Sulphur Assimilation, Photosynthetic Activity and Growth of Wheat (Triticum aestivum) Cultivars Differing in Yield Potential Under Cadmium Stress. 2007, 193, 435-444 Zinc in plants. 2007, 173, 677-702 A quantitative trait loci analysis of zinc hyperaccumulation in Arabidopsis halleri. 2007, 174, 580-590 Interaction of heavy metals with the sulphur metabolism in angiosperms from an ecological point	15 17 149 1250

(2008-2007)

465	Plant Cd2+ and Zn2+ status effects on root and shoot heavy metal accumulation in Thlaspi caerulescens. 2007 , 175, 51-58	73
464	Cadmium-induced inhibition of photosynthesis and long-term acclimation to cadmium stress in the hyperaccumulator Thlaspi caerulescens. 2007 , 175, 655-674	237
463	Relationships of nicotianamine and other amino acids with nickel, zinc and iron in Thlaspi hyperaccumulators. 2007 , 176, 836-848	73
462	Evaluation of the metal phytoextraction potential of crop legumes. Regulation of the expression of O-acetylserine (thiol)lyase under metal stress. 2007 , 9, 672-81	42
461	Predicting the Phytoextraction Duration to Remediate Heavy Metal Contaminated Soils. 2007, 181, 355-371	49
460	Metal hyperaccumulation and bioremediation. <i>Biologia Plantarum</i> , 2007 , 51, 618-634 2.1	155
459	Isolation of Zn-responsive genes from two accessions of the hyperaccumulator plant Thlaspi caerulescens. 2007 , 225, 977-89	46
458	Involvement of histidine-rich domain of ZIP family transporter TjZNT1 in metal ion specificity. 2008 , 46, 601-6	46
457	Intraspecific variation of metal preference patterns for hyperaccumulation in Thlaspi caerulescens: evidence from binary metal exposures. <i>Plant and Soil</i> , 2008 , 303, 289-299	68
456	Root allocation in metal-rich patch by Thlaspi caerulescens from normal and metalliferous soillew insights into the rhizobox approach. <i>Plant and Soil</i> , 2008 , 310, 211-224	24
455	Uptake and fixation of Zn, Pb, and Cd by Thlaspi caerulescens: application in the cases of old mines of Mibladen and Zaida (West of Morocco). 2008 , 1, 87-95	6
454	Transcriptome profiling identified novel genes associated with aluminum toxicity, resistance and tolerance in Medicago truncatula. 2008 , 228, 151-66	96
453	Does subcellular distribution in plants dictate the trophic bioavailability of cadmium to Porcellio dilatatus (Crustacea, Isopoda)?. 2008 , 27, 2548-56	21
452	Roles of root and shoot tissues in transport and accumulation of cadmium, lead, nickel, and strontium. 2008 , 55, 1-22	118
45 ¹	Genomic analysis and expression pattern of OsZIP1, OsZIP3, and OsZIP4 in two rice (Oryza sativa L.) genotypes with different zinc efficiency. 2008 , 55, 400-409	73
450	Variation in root-to-shoot translocation of cadmium and zinc among different accessions of the hyperaccumulators Thlaspi caerulescens and Thlaspi praecox. 2008 , 178, 315-325	83
449	Enhancing phytoremediation through the use of transgenics and endophytes. 2008, 179, 318-333	400
448	Evidence for nickel/proton antiport activity at the tonoplast of the hyperaccumulator plant Alyssum lesbiacum. 2008 , 10, 746-53	19

447	Overexpression of Arabidopsis thaliana tryptophan synthase beta 1 (AtTSB1) in Arabidopsis and tomato confers tolerance to cadmium stress. 2008 , 31, 1074-85		48
446	Physiological and molecular characterization of aluminum resistance in Medicago truncatula. <i>BMC Plant Biology</i> , 2008 , 8, 89	5.3	35
445	Effect of rhizosphere and plant-related factors on the cadmium uptake by maize (Zea mays L.). <i>Environmental and Experimental Botany</i> , 2008 , 63, 333-341	5.9	38
444	Recent Advances in Understanding of Plant Responses to Excess Metals: Exposure, Accumulation, and Tolerance. 2008 , 227-251		2
443	Sulfur Assimilation and Abiotic Stress in Plants. 2008,		15
442	Feasibility of phytoextraction to remediate cadmium and zinc contaminated soils. 2008, 156, 905-14		84
441	Antioxidative response to Cd in a newly discovered cadmium hyperaccumulator, Arabis paniculata F. 2008 , 74, 6-12		109
440	Enhanced root-to-shoot translocation of cadmium in the hyperaccumulating ecotype of Sedum alfredii. 2008 , 59, 3203-13		159
439	Investigation of heavy metal hyperaccumulation at the cellular level: development and characterization of Thlaspi caerulescens suspension cell lines. 2008 , 147, 2006-16		23
438	Investigating heavy-metal hyperaccumulation using Thlaspi caerulescens as a model system. 2008 , 102, 3-13		241
437	Heavy metal content in Thlaspi caerulescens J. et C. Presl growing on metalliferous and non-metalliferous soils in Central Slovakia. 2008 , 33, 133		47
436	Cadmium Detoxification in Plants: Involvement of ABC Transporters. 449-469		1
435	Essentiality of Zinc for Human Health and Sustainable Development. 183-216		1
434	. 2008,		39
433	Amaranthus Tricolor Has the Potential for Phytoremediation of Cadmium-Contaminated Soils. 2009 , 40, 3158-3169		17
432	Molecular approach for phytoremediation of metal-contaminated sites. 2009 , 55, 451-475		8
431	Complexation and toxicity of copper in higher plants. II. Different mechanisms for copper versus cadmium detoxification in the copper-sensitive cadmium/zinc hyperaccumulator Thlaspi caerulescens (Ganges Ecotype). 2009 , 151, 715-31		76
430	Mechanisms to cope with arsenic or cadmium excess in plants. 2009 , 12, 364-72		579

(2009-2009)

429	Cadmium toxicity in tomato (Lycopersicon esculentum) plants grown in hydroponics. <i>Environmental and Experimental Botany</i> , 2009 , 65, 376-385	5.9	213	
428	Lead, zinc, cadmium hyperaccumulation and growth stimulation in Arabis paniculata Franch. <i>Environmental and Experimental Botany</i> , 2009 , 66, 126-134	5.9	149	
427	Tolerance, accumulation and distribution of zinc and cadmium in hyperaccumulator Potentilla griffithii. <i>Environmental and Experimental Botany</i> , 2009 , 66, 317-325	5.9	99	
426	Dualities in plant tolerance to pollutants and their uptake and translocation to the upper plant parts. <i>Environmental and Experimental Botany</i> , 2009 , 67, 10-22	5.9	134	
425	Cadmium uptake by roots: Contribution of apoplast and of high- and low-affinity membrane transport systems. <i>Environmental and Experimental Botany</i> , 2009 , 67, 235-242	5.9	90	
424	Functional characterization of tzn1 and tzn2-zinc transporter genes in Neurospora crassa. 2009 , 22, 411	-20	11	
423	Effects of cadmium stress upon activities of antioxidative enzymes, photosynthetic rate, and production of phytochelatins in leaves and chloroplasts of wheat cultivars differing in yield potential. 2009 , 47, 146-151		17	
422	Rhizosphere processes and management in plant-assisted bioremediation (phytoremediation) of soils. <i>Plant and Soil</i> , 2009 , 321, 385-408	4.2	454	
421	Effect of nitrogen form on the rhizosphere dynamics and uptake of cadmium and zinc by the hyperaccumulator Thlaspi caerulescens. <i>Plant and Soil</i> , 2009 , 318, 205-215	4.2	99	
420	Time course analysis of gene regulation under cadmium stress in rice. <i>Plant and Soil</i> , 2009 , 325, 97-108	4.2	102	
419	Identification and functional analysis of two ZIP metal transporters of the hyperaccumulator Thlaspi caerulescens. <i>Plant and Soil</i> , 2009 , 325, 79-95	4.2	36	
418	Cadmium uptake and distribution in Arabidopsis thaliana exposed to low chronic concentrations depends on plant growth. <i>Plant and Soil</i> , 2009 , 322, 239-249	4.2	13	
417	Roles of organic acids and nitrate in the long-distance transport of cobalt in xylem saps of Alyssum murale and Trifolium subterraneum. 2009 , 131, 165-76		19	
416	Implications of metal accumulation mechanisms to phytoremediation. <i>Environmental Science and Pollution Research</i> , 2009 , 16, 162-75	5.1	259	
415	Phytoremediation of Heavy Metals: Physiological and Molecular Mechanisms. 2009, 75, 339-364		189	
414	Characterization of cadmium uptake and translocation in a cadmium-sensitive mutant of rice (Oryza sativa L. ssp. japonica). 2009 , 57, 299-306		29	
413	Proteomic analysis of Arabidopsis halleri shoots in response to the heavy metals cadmium and zinc and rhizosphere microorganisms. 2009 , 9, 4837-50		92	
412	Transcriptome analysis of cadmium response in Ganoderma lucidum. 2009 , 293, 205-13		17	

411	Cadmium sorption, influx, and efflux at the mesophyll layer of leaves from ecotypes of the Zn/Cd hyperaccumulator Thlaspi caerulescens. 2009 , 181, 626-36	36
410	Functional characterization of NRAMP3 and NRAMP4 from the metal hyperaccumulator Thlaspi caerulescens. 2009 , 181, 637-50	187
409	Biofortification of crops with seven mineral elements often lacking in human dietsiron, zinc, copper, calcium, magnesium, selenium and iodine. 2009 , 182, 49-84	1261
408	Molecular mechanisms of metal hyperaccumulation in plants. 2009 , 181, 759-776	75°
407	Arabidopsis IRT3 is a zinc-regulated and plasma membrane localized zinc/iron transporter. 2009 , 182, 392-404	196
406	Reciprocal grafting separates the roles of the root and shoot in zinc hyperaccumulation in Thlaspi caerulescens. 2009 , 184, 323-329	53
405	Effect of d-metal cations on the reduction of nitrotetrazolium blue to formazan. 2009, 79, 129-133	2
404	AtHMA3, a P1B-ATPase allowing Cd/Zn/Co/Pb vacuolar storage in Arabidopsis. 2009 , 149, 894-904	426
403	Correlation of foliar MT2b expression with Cd and Zn concentrations in hybrid aspen (Populus tremulaxtremuloides) grown in contaminated soil. 2009 , 157, 922-30	53
402	Root responses to soil Ni heterogeneity in a hyperaccumulator and a non-accumulator species. 2009 , 157, 2189-96	29
401	Cadmium uptake and xylem loading are active processes in the hyperaccumulator Sedum alfredii. 2009 , 166, 579-87	103
400	Transition Metal Nutrition. 2009 , 333-399	11
399	Zn and Cd hyperaccumulating characteristics of Picris divaricata Vant 2009 , 38, 26	28
398	Metal hyperaccumulation in plants. 2010 , 61, 517-34	870
397	Perspective on Phytoremediation for Improving Heavy Metal-Contaminated Soils. 2010, 227-244	7
396	Cadmium accumulation and tolerance of two safflower cultivars in relation to photosynthesis and antioxidative enzymes. 2010 , 85, 256-63	76
395	The role of Ca pathway in Cd uptake and translocation by the hyperaccumulator Sedum alfredii. 2010 , 183, 22-8	61
394	Zinc deficiency-inducible OsZIP8 encodes a plasma membrane-localized zinc transporter in rice. 2010 , 29, 551-8	122

(2010-2010)

393	Nitric oxide modulates cadmium influx during cadmium-induced programmed cell death in tobacco BY-2 cells. 2010 , 232, 325-35		114
392	Isolation of novel types of Arabidopsis mutants with altered reactions to cadmium: cadmium-gradient agar plates are an effective screen for the heavy metal-related mutants. 2010 , 232, 825-36		15
391	Ectopic expression of foxtail millet zip-like gene, SiPf40, in transgenic rice plants causes a pleiotropic phenotype affecting tillering, vascular distribution and root development. 2010 , 53, 1450-8		5
390	The putative Arabidopsis zinc transporter ZTP29 is involved in the response to salt stress. 2010 , 73, 467-	79	35
389	Metallophytes view from the rhizosphere. Plant and Soil, 2010, 337, 33-50	4.2	161
388	A comprehensive overview of elements in bioremediation. 2010 , 9, 215-288		229
387	Metal tolerance and hyperaccumulation: Costs and trade-offs between traits and environment. <i>Environmental and Experimental Botany</i> , 2010 , 68, 1-13	5.9	352
386	Decrease of labile Zn and Cd in the rhizosphere of hyperaccumulating Thlaspi caerulescens with time. 2010 , 158, 1955-62		35
385	A critical review on the bio-removal of hazardous heavy metals from contaminated soils: issues, progress, eco-environmental concerns and opportunities. 2010 , 174, 1-8		405
384	Transcriptional regulation of metal transport genes and mineral nutrition during acclimatization to cadmium and zinc in the Cd/Zn hyperaccumulator, Thlaspi caerulescens (Ganges population). 2010 , 185, 114-29		146
383	BRASSICALES DAN ORDER OF PLANTS CHARACTERISED BY SHARED CHEMISTRY. 2010 , 27, 165-196		9
382	Cloning and characterisation of ZmZLP1, a gene encoding an endoplasmic reticulum-localised zinc transporter in Zea mays. 2010 , 37, 194		18
381	The role of low molecular weight ligands in nickel hyperaccumulation in Hybanthus floribundus subspecies floribundus. 2010 , 37, 1143		
380	Arabidopsis PCR2 is a zinc exporter involved in both zinc extrusion and long-distance zinc transport. 2010 , 22, 2237-52		132
379	Biotech Crops for Ecology and Environment. 2010 , 301-342		1
378	Molecular Mechanisms and Genetic Basis of Heavy Metal Toxicity and Tolerance in Plants. 2010 , 35-58		14
377	Cadmium has contrasting effects on polyethylene glycol-sensitive and resistant cell lines in the Mediterranean halophyte species Atriplex halimus L. 2010 , 167, 365-74		42
376	Understanding molecular mechanisms for improving phytoremediation of heavy metal-contaminated soils. 2010 , 30, 23-30		58

375	Role of Hyperaccumulators in Phytoextraction of Metals From Contaminated Mining Sites: A Review. 2010 , 41, 168-214		199
374	Bioremediation Technology. 2010 ,		13
373	Zinc in Soils and Crop Nutrition. 2011 , 335-375		27
372	Cadmium Metal Detoxification and Hyperaccumulators. <i>Soil Biology</i> , 2011 , 181-203	1	10
371	Plants in Heavy Metal Soils. <i>Soil Biology</i> , 2011 , 35-57	1	47
370	Progress in Phytoremediating Heavy-Metal Contaminated Soils. <i>Soil Biology</i> , 2011 , 73-90	1	10
369	Legume R hizobium Symbioses as a Tool for Bioremediation of Heavy Metal Polluted Soils. 2011 , 95-123		45
368	Effects of zinc activity in nutrient solution on uptake, translocation, and root export of cadmium and zinc in three wheat genotypes with different zinc efficiencies. 2011 , 57, 681-690		10
367	Biomanagement of Metal-Contaminated Soils. 2011 ,		22
366	Detoxification of Heavy Metals. Soil Biology, 2011 ,	1	8
365	On the way to unravel zinc hyperaccumulation in plants: a mini review. 2011 , 3, 1265-70		8
364	Biochemical and biophysical characterisation yields insights into the mechanism of a Cd/Zn transporting ATPase purified from the hyperaccumulator plant Thlaspi caerulescens. 2011 , 1808, 2591-	9	19
363	Cadmium sorption to plasma membrane isolated from barley roots is impeded by copper association onto membranes. 2011 , 180, 300-5		8
362	Moving micronutrients from the soil to the seeds: genes and physiological processes from a biofortification perspective. 2011 , 180, 562-74		195
361	Uptake of cadmium from hydroponic solutions by willows (Salix spp.) seedlings. 2011 , 10,		3
360	Arbuscular mycorrhizal fungi and heavy metal contaminated soils. 2011 , 5,		2
359	Cadmium uptake and sequestration kinetics in individual leaf cell protoplasts of the Cd/Zn hyperaccumulator Thlaspi caerulescens. 2011 , 34, 208-19		53
358	Elevated expression of TcHMA3 plays a key role in the extreme Cd tolerance in a Cd-hyperaccumulating ecotype of Thlaspi caerulescens. 2011 , 66, 852-62		170

357	Effects of dissolved organic matter from the rhizosphere of the hyperaccumulator Sedum alfredii on sorption of zinc and cadmium by different soils. 2011 , 192, 1616-22	86
356	Opportunities and feasibilities for biotechnological improvement of Zn, Cd or Ni tolerance and accumulation in plants. <i>Environmental and Experimental Botany</i> , 2011 , 72, 53-63	133
355	Effects of Zn on plant tolerance and non-protein thiol accumulation in Zn hyperaccumulator Arabis paniculata Franch. <i>Environmental and Experimental Botany</i> , 2011 , 70, 227-232	24
354	Sequestration at the cell wall and plasma membrane facilitates zinc tolerance in the moss Pohlia drummondii. <i>Environmental and Experimental Botany</i> , 2011 , 74, 186-193	26
353	Screening of Cd tolerant genotypes and isolation of metallothionein genes in alfalfa (Medicago sativa L.). 2011 , 159, 3627-33	17
352	Hyperaccumulators, arbuscular mycorrhizal fungi and stress of heavy metals. 2011 , 29, 645-53	269
351	The differentially-expressed proteome in Zn/Cd hyperaccumulator Arabis paniculata Franch. in response to Zn and Cd. 2011 , 82, 321-8	40
350	Cd-induced changes in leaf proteome of the hyperaccumulator plant Phytolacca americana. 2011 , 85, 56-66	75
349	Molecular-genetic basis of cadmium tolerance and accumulation in higher plants. 2011 , 1, 349-360	12
348	Characterization of zinc transport by divalent metal transporters of the ZIP family from the model legume Medicago truncatula. 2011 , 24, 51-8	39
347	Hyperaccumulation of trace elements: from uptake and tolerance mechanisms to litter decomposition; selenium as an example. <i>Plant and Soil</i> , 2011 , 341, 31-35	19
346	In vivo speciation of zinc in Noccaea caerulescens in response to nitrogen form and zinc exposure. Plant and Soil, 2011 , 348, 167-183	46
345	Characterization of an Arabidopsis cadmium-resistant mutant cdr3-1D reveals a link between heavy metal resistance as well as seed development and flowering. 2011 , 233, 697-706	14
344	Rhizosphere characteristics of zinc hyperaccumulator Sedum alfredii involved in zinc accumulation. 2011 , 185, 818-23	66
343	Cadmium uptake, translocation, and tolerance in AHA1OX Arabidopsis thaliana. 2011 , 139, 228-40	10
342	Safety of food crops on land contaminated with trace elements. 2011 , 91, 1349-66	47
341	Interaction of cadmium and zinc on accumulation and sub-cellular distribution in leaves of hyperaccumulator Potentilla griffithii. 2011 , 186, 1425-30	57
340	Cellular sequestration of cadmium in the hyperaccumulator plant species Sedum alfredii. 2011 , 157, 1914-25	141

339	Heavy Metal Tolerance in Arabidopsis thaliana. 2011 , 60, 1-49	34
338	Diffusion limitations in root uptake of cadmium and zinc, but not nickel, and resulting bias in the Michaelis constant. 2012 , 160, 1097-109	57
337	Bio-Geo Interactions in Metal-Contaminated Soils. <i>Soil Biology</i> , 2012 ,	5
336	Molecular Mechanism of Heavy Metal Toxicity and Tolerance in Plants: Central Role of Glutathione in Detoxification of Reactive Oxygen Species and Methylglyoxal and in Heavy Metal Chelation. 2012 , 2012, 1-37	423
335	Cellular Tolerance, Accumulation and Distribution of Cadmium in Leaves of Hyperaccumulator Picris divaricata. 2012 , 22, 497-507	19
334	Differences in root-to-shoot Cd and Zn translocation and by HMA3 and 4 could influence chlorophyll and anthocyanin content in Arabidopsis Ws and Col-0 ecotypes under excess metals. 2012 , 58, 334-348	21
333	The molecular mechanism of zinc and cadmium stress response in plants. 2012, 69, 3187-206	402
332	Biochemical and Functional Responses of Arabidopsis thaliana Exposed to Cadmium, Copper and Zinc. 2012 , 239-263	1
331	Insights into Cadmium Toxicity: Reactive Oxygen and Nitrogen Species Function. 2012, 91-117	10
330	Medicinal plant acid-treatment for a healthier herb tea and recycling of the spent herb residue. 2012 , 2, 5983	4
329	Fractionation of stable zinc isotopes in the field-grown zinc hyperaccumulator Noccaea caerulescens and the zinc-tolerant plant Silene vulgaris. 2012 , 46, 9972-9	39
328	Characterization of the high affinity Zn transporter from Noccaea caerulescens, NcZNT1, and dissection of its promoter for its role in Zn uptake and hyperaccumulation. 2012 , 195, 113-23	49
327	Metal binding properties and structure of a type III metallothionein from the metal hyperaccumulator plant Noccaea caerulescens. 2012 , 1824, 1016-23	14
326	Pathways of cadmium fluxes in the root of the halophyte Suaeda salsa. 2012 , 75, 1-7	62
325	Characterization of a putative grapevine Zn transporter, VvZIP3, suggests its involvement in early reproductive development in Vitis vinifera L. <i>BMC Plant Biology</i> , 2012 , 12, 111	37
324	Phytoremediation of Cadmium and Copper Contaminated Soils. 2012 , 75-81	1
323	Phytoextraction of Zinc: Physiological and Molecular Mechanism. 2012 , 21, 115-133	14
322	Phytoremediation and Biofortification. 2012 ,	4

321	Metal Toxicity in Plants: Perception, Signaling and Remediation. 2012,	23
320	The Plant Family Brassicaceae. 2012 ,	23
319	Hyperaccummulation: A Key to Heavy Metal Bioremediation. <i>Soil Biology</i> , 2012 , 251-278	1
318	Mechanisms of Cd Hyperaccumulation and Detoxification in Heavy Metal Hyperaccumulators: How Plants Cope with Cd. 2012 , 127-159	4
317	Progress in Botany 73. 2012 ,	1
316	Anatomical characteristics and nutrient uptake and distribution associated with the Cd-phytoremediation capacity of Eucalyptus camaldulenses Dehnh. 2012 , 0-0	7
315	Cd-tolerance markers of Pfaffia glomerata (Spreng.) Pedersen plants: anatomical and physiological features. 2012 , 24, 293-304	8
314	Genetic and Molecular Aspects of Metal Tolerance and Hyperaccumulation. 2012 , 41-63	6
313	Proteomics of Plant Hyperaccumulators. 2012 , 165-186	1
312	Elevated CO2 improves root growth and cadmium accumulation in the hyperaccumulator Sedum alfredii. <i>Plant and Soil</i> , 2012 , 354, 325-334	46
311	Isolation and characterization of a novel cadmium-sensitive mutant in Arabidopsis. 2012, 34, 1107-1118	5
310	A Review on Mechanisms of Plant Tolerance and Role of Transgenic Plants in Environmental Clean-up. 2012 , 78, 32-62	85
309	Plant-based FRET biosensor discriminates environmental zinc levels. 2012 , 10, 207-16	10
309	Plant-based FRET biosensor discriminates environmental zinc levels. 2012 , 10, 207-16 Genome-wide identification of Medicago truncatula microRNAs and their targets reveals their differential regulation by heavy metal. 2012 , 35, 86-99	10
	Genome-wide identification of Medicago truncatula microRNAs and their targets reveals their	
308	Genome-wide identification of Medicago truncatula microRNAs and their targets reveals their differential regulation by heavy metal. 2012 , 35, 86-99 Characterization of dissolved organic matter in the rhizosphere of hyperaccumulator Sedum	161
308 307	Genome-wide identification of Medicago truncatula microRNAs and their targets reveals their differential regulation by heavy metal. 2012 , 35, 86-99 Characterization of dissolved organic matter in the rhizosphere of hyperaccumulator Sedum alfredii and its effect on the mobility of zinc. 2012 , 88, 570-6 Unravelling cadmium toxicity and tolerance in plants: Insight into regulatory mechanisms.	161 44

303	Model of how plants sense zinc deficiency. 2013 , 5, 1110-6		39
302	Molecular and physiological mechanisms associated with root exposure to mercury in barley. 2013 , 5, 1305-15		18
301	Plant-Based Remediation Processes. <i>Soil Biology</i> , 2013 ,	-	6
300	Biotechnology of Crucifers. 2013,		2
299	Improved cadmium uptake and accumulation in the hyperaccumulator Sedum alfredii: the impact of citric acid and tartaric acid. 2013 , 14, 106-14		53
298	Biotechnological Strategies for Enhancing Phytoremediation. 2013 , 63-90		1
297	Uncoupling of reactive oxygen species accumulation and defence signalling in the metal hyperaccumulator plant Noccaea caerulescens. 2013 , 199, 916-924		28
296	Implication of organic acids in the long-distance transport and the accumulation of lead in Sesuvium portulacastrum and Brassica juncea. 2013 , 90, 1449-54		64
295	Exogenous auxin alleviates cadmium toxicity in Arabidopsis thaliana by stimulating synthesis of hemicellulose 1 and increasing the cadmium fixation capacity of root cell walls. 2013 , 263 Pt 2, 398-403		113
294	Organic acids are not specifically involved in the nitrate-enhanced Zn hyperaccumulation mechanism in Noccaea caerulescens. <i>Environmental and Experimental Botany</i> , 2013 , 91, 12-21	:.9	10
293	Cadmium uptake, chemical forms, subcellular distribution, and accumulation in Echinodorus osiris Rataj. 2013 , 15, 1459-65		14
292	The proteomics of heavy metal hyperaccumulation by plants. 2013 , 79, 133-45		52
291	Hyperaccumulators of metal and metalloid trace elements: Facts and fiction. <i>Plant and Soil</i> , 2013 , 362, 319-334	2	836
290	Trade-off between genetic variation and ecological adaptation of metallicolous and non-metallicolous Noccaea and Thlaspi species. <i>Environmental and Experimental Botany</i> , 2013 , 96, 1-10	.9	5
289	Mechanism of Plant Tolerance in Response to Heavy Metals. 2013, 289-308		14
288	Cadmium-accumulating plants. 2013 , 11, 373-93		15
287	A proteomics approach to investigate the process of Zn hyperaccumulation in Noccaea caerulescens (J & C. Presl) F.K. Meyer. 2013 , 73, 131-42		54
286	Fresh water snails as bioindicator for some heavy metals in the aquatic environment. 2013 , 51, 193-198		13

285	Bioremediation of Heavy Metals Using Metal Hyperaccumulator Plants. Soil Biology, 2013, 467-480	1	
284	Transgenic Approaches to Enhance Phytoremediation of Heavy Metal-Polluted Soils. <i>Soil Biology</i> , 2013 , 239-271	1	6
283	Mobilization of cadmium by dissolved organic matter in the rhizosphere of hyperaccumulator Sedum alfredii. 2013 , 91, 970-6		41
282	Mechanism of Cadmium Toxicity and Tolerance in Crop Plants. 2013 , 361-385		2
281	Transgenic poplar trees expressing yeast cadmium factor 1 exhibit the characteristics necessary for the phytoremediation of mine tailing soil. 2013 , 90, 1478-86		89
280	Molecular cloning and characterization of a Brassica juncea yellow stripe-like gene, BjYSL7, whose overexpression increases heavy metal tolerance of tobacco. 2013 , 32, 651-62		34
279	Transport properties of members of the ZIP family in plants and their role in Zn and Mn homeostasis. 2013 , 64, 369-81		277
278	Compartmentation and complexation of metals in hyperaccumulator plants. <i>Frontiers in Plant Science</i> , 2013 , 4, 374	6.2	154
277	Coping Mechanisms of Plants to Metal Contaminated Soil. 2013,		24
276	. 2013,		3
275	Nickel and zinc effects, accumulation and distribution in ruderal plants Lepidium ruderale and Capsella bursa-pastoris. 2014 , 36, 3291-3305		9
274	Application of Biochar for Enhancing Cadmium and Zinc Phytostabilization in Vigna radiata L. Cultivation. 2014 , 225, 1		41
273	The Analysis of Adsorptive Ability of Pb, Cd by Acorus calamus. 2014 , 522-524, 619-622		
272	Phytoremediation of Radionuclides: A Report on the State of the Art. 2014 , 1-31		3
271	Alteration of leaf shape, improved metal tolerance, and productivity of seed by overexpression of CsHMA3 in Camelina sativa. 2014 , 7, 96		15
270	How plants cope with heavy metals. 2014 , 55, 35		221
269	Characterization of a cDNA from Beta maritima that confers nickel tolerance in yeast. 2014 , 538, 251-7		4
268	Effect of EDTA washing of metal polluted garden soils. Part II: Can remediated soil be used as a plant substrate?. <i>Science of the Total Environment</i> , 2014 , 475, 142-52	10.2	38

267	Genome-wide Analysis of Zinc Transporter Genes of Maize (Zea mays). 2014, 32, 605-616	27
266	Identification of a novel pathway involving a GATA transcription factor in yeast and possibly in plant Zn uptake and homeostasis. 2014 , 56, 271-80	3
265	Root and shoot transcriptome analysis of two ecotypes of Noccaea caerulescens uncovers the role of NcNramp1 in Cd hyperaccumulation. 2014 , 78, 398-410	71
264	A critical review of the arsenic uptake mechanisms and phytoremediation potential of Pteris vittata. 2014 , 16, 429-53	73
263	Hyperaccumulation of zinc by Noccaea caerulescens results in a cascade of stress responses and changes in the elemental profile. 2014 , 6, 1671-82	15
262	Molecular and physiological mechanisms of plant tolerance to toxic metals. 2014 , 179-201	O
261	Nickel and zinc accumulation capacities and tolerance to these metals in the excluder Thlaspi arvense and the hyperaccumulator Noccaea caerulescens. 2014 , 61, 204-214	21
260	Nickel and zinc isotope fractionation in hyperaccumulating and nonaccumulating plants. 2014 , 48, 11926-33	78
259	Noccaea caerulescens populations adapted to grow in metalliferous and non-metalliferous soils: Ni tolerance, accumulation and expression analysis of genes involved in metal homeostasis. 5.9 Environmental and Experimental Botany, 2014, 105, 10-17	22
258	Phytoremediation of Zn- and Cr-Contaminated Soil Using Two Promising Energy Grasses. 2014 , 225, 1	138
258 257	Phytoremediation of Zn- and Cr-Contaminated Soil Using Two Promising Energy Grasses. 2014 , 225, 1 Copper. 2015 , 382-413	138
257	Copper. 2015 , 382-413	
² 57	Copper. 2015, 382-413 Proline and glycine betaine modulate cadmium-induced oxidative stress tolerance in plants. 2015, 97-123 DNA microarray revealed and RNAi plants confirmed key genes conferring low Cd accumulation in	2
257 256 255	Copper. 2015 , 382-413 Proline and glycine betaine modulate cadmium-induced oxidative stress tolerance in plants. 2015 , 97-123 DNA microarray revealed and RNAi plants confirmed key genes conferring low Cd accumulation in barley grains. <i>BMC Plant Biology</i> , 2015 , 15, 259 Characterization of early transcriptional responses to cadmium in the root and leaf of Cd-resistant	2 4 19
257 256 255 254	Copper. 2015, 382-413 Proline and glycine betaine modulate cadmium-induced oxidative stress tolerance in plants. 2015, 97-123 DNA microarray revealed and RNAi plants confirmed key genes conferring low Cd accumulation in barley grains. BMC Plant Biology, 2015, 15, 259 Characterization of early transcriptional responses to cadmium in the root and leaf of Cd-resistant Salix matsudana Koidz. 2015, 16, 705 Heavy Metals in Crop Plants: Transport and Redistribution Processes on the Whole Plant Level.	2 4 19 36
257 256 255 254 253	Copper. 2015, 382-413 Proline and glycine betaine modulate cadmium-induced oxidative stress tolerance in plants. 2015, 97-123 DNA microarray revealed and RNAi plants confirmed key genes conferring low Cd accumulation in barley grains. BMC Plant Biology, 2015, 15, 259 Characterization of early transcriptional responses to cadmium in the root and leaf of Cd-resistant Salix matsudana Koidz. 2015, 16, 705 Heavy Metals in Crop Plants: Transport and Redistribution Processes on the Whole Plant Level. 2015, 5, 447-463 Overexpression of the transporters AtZIP1 and AtMTP1 in cassava changes zinc accumulation and	2 4 19 36 97

(2015-2015)

249	Effect of Zn stresses on physiology, growth, Zn accumulation, and chlorophyll of Phyllostachys pubescen s. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 14983-92	5.1	16
248	Uptake of Heavy Metals. 2015 , 91-111		
247	Combined amendment of immobilizers and the plant growth-promoting strain Burkholderia phytofirmans PsJN favours plant growth and reduces heavy metal uptake. 2015 , 91, 140-150		67
246	Biodegradation of atrazine by three transgenic grasses and alfalfa expressing a modified bacterial atrazine chlorohydrolase gene. 2015 , 24, 475-88		11
245	Roles of Brassicaceae in Phytoremediation of Metals and Metalloids. 2015 , 201-215		7
244	Overexpression of PtPCS enhances cadmium tolerance and cadmium accumulation in tobacco. 2015 , 121, 389-396		42
243	Increased accumulation of cadmium and lead under Ca and Fe deficiency in Typha latifolia: A study of two pore channel (TPC1) gene responses. <i>Environmental and Experimental Botany</i> , 2015 , 115, 38-48	5.9	34
242	Root cell wall polysaccharides are involved in cadmium hyperaccumulation in Sedum alfredii. <i>Plant and Soil</i> , 2015 , 389, 387-399	4.2	79
241	Phytoremediation. 2015,		9
240	Soil Biogeochemistry, Plant Physiology, and Phytoremediation of Cadmium-Contaminated Soils. 2015 , 135-225		100
240			100
	2015 , 135-225		
239	2015, 135-225 Regulation of Nutrient Uptake by Plants. 2015, A draft genome of field pennycress (Thlaspi arvense) provides tools for the domestication of a new		22
239	2015, 135-225 Regulation of Nutrient Uptake by Plants. 2015, A draft genome of field pennycress (Thlaspi arvense) provides tools for the domestication of a new winter biofuel crop. 2015, 22, 121-31 Cadmium tolerance and accumulation in Excluder Thlaspi arvense and various accessions of		22 56
239 238 237	Regulation of Nutrient Uptake by Plants. 2015, A draft genome of field pennycress (Thlaspi arvense) provides tools for the domestication of a new winter biofuel crop. 2015, 22, 121-31 Cadmium tolerance and accumulation in Excluder Thlaspi arvense and various accessions of hyperaccumulator Noccaea caerulescens. 2015, 62, 837-846 Scanning Cadmium Photosynthetic Responses of Elephantopus mollis for Potential		225628
239238237236	Regulation of Nutrient Uptake by Plants. 2015, A draft genome of field pennycress (Thlaspi arvense) provides tools for the domestication of a new winter biofuel crop. 2015, 22, 121-31 Cadmium tolerance and accumulation in Excluder Thlaspi arvense and various accessions of hyperaccumulator Noccaea caerulescens. 2015, 62, 837-846 Scanning Cadmium Photosynthetic Responses of Elephantopus mollis for Potential Phytoremediation Practices. 2015, 226, 1 Comparison of arsenic uptake ability of barnyard grass and rice species for arsenic		22562810
239238237236235	Regulation of Nutrient Uptake by Plants. 2015, A draft genome of field pennycress (Thlaspi arvense) provides tools for the domestication of a new winter biofuel crop. 2015, 22, 121-31 Cadmium tolerance and accumulation in Excluder Thlaspi arvense and various accessions of hyperaccumulator Noccaea caerulescens. 2015, 62, 837-846 Scanning Cadmium Photosynthetic Responses of Elephantopus mollis for Potential Phytoremediation Practices. 2015, 226, 1 Comparison of arsenic uptake ability of barnyard grass and rice species for arsenic phytoremediation. 2015, 187, 4101 MAN3 gene regulates cadmium tolerance through the glutathione-dependent pathway in	5.1	22 56 28 10

231	Influence of High and Low Levels of Plant-Beneficial Heavy Metal Ions on Plant Growth and Development. 2016 , 4,		105
230	Expression of the ZNT1 Zinc Transporter from the Metal Hyperaccumulator Noccaea caerulescens Confers Enhanced Zinc and Cadmium Tolerance and Accumulation to Arabidopsis thaliana. 2016 , 11, e0149750		54
229	Heavy Metal Tolerance in Plants: Role of Transcriptomics, Proteomics, Metabolomics, and Ionomics. <i>Frontiers in Plant Science</i> , 2015 , 6, 1143	6.2	507
228	Microbial Ecology at Rhizosphere: Bioengineering and Future Prospective. 2016 , 63-96		7
227	Enhanced cadmium accumulation and tolerance in transgenic tobacco overexpressing rice metal tolerance protein gene OsMTP1 is promising for phytoremediation. 2016 , 105, 297-309		113
226	Biotechnological Approaches for Bioremediation: In Vitro Hairy Root Culture. 2016 , 1-23		1
225	Heavy metal accumulation and signal transduction in herbaceous and woody plants: Paving the way for enhancing phytoremediation efficiency. 2016 , 34, 1131-1148		185
224	Zinc-Finger Transcription Factor ZAT6 Positively Regulates Cadmium Tolerance through the Glutathione-Dependent Pathway in Arabidopsis. 2016 , 171, 707-19		124
223	Morphophysiological characteristic analysis demonstrated the potential of sweet sorghum (Sorghum bicolor (L.) Moench) in the phytoremediation of cadmium-contaminated soils. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 18823-31	5.1	30
222	Nickel translocation via the phloem in the hyperaccumulator Noccaea caerulescens (Brassicaceae). <i>Plant and Soil</i> , 2016 , 404, 35-45	4.2	47
221	Cadmium Bioavailability, Uptake, Toxicity and Detoxification in Soil-Plant System. 2017 , 241, 73-137		102
220	Zinc Isotope Fractionation in the Hyperaccumulator Noccaea caerulescens and the Nonaccumulating Plant Thlaspi arvense at Low and High Zn Supply. 2016 , 50, 8020-7		27
219	Zinc Transporter: Mechanism for Improving Zn Availability. 2016 , 129-146		5
218	Elemental imaging of leaves from the metal hyperaccumulating plant Noccaea caerulescens shows different spatial distribution of Ni, Zn and Cd. 2016 , 6, 2337-2344		36
217	Changes in the heavy metal solubility of two contaminated soils after heavy metals phytoextraction with Noccaea caerulescens. 2016 , 89, 56-63		25
216	Characterizations of bio-accumulations, subcellular distribution and chemical forms of cesium in Brassica juncea, and Vicia faba. 2016 , 154, 52-9		28
215	Plant-driven removal of heavy metals from soil: uptake, translocation, tolerance mechanism, challenges, and future perspectives. 2016 , 188, 206		170
214	Assessment of cadmium, zinc and lead contamination in leaf and root of four various species. 2016 , 13, 1229-1234		5

213	NADPH oxidases differentially regulate ROS metabolism and nutrient uptake under cadmium toxicity. 2017 , 40, 509-526		105
212	Effects of Ca addition on the uptake, translocation, and distribution of Cd in Arabidopsis thaliana. 2017 , 139, 228-237		37
211	Enhanced metal tolerance correlates with heterotypic variation in SpMTL, a metallothionein-like protein from the hyperaccumulator Sedum plumbizincicola. 2017 , 40, 1368-1378		44
210	The effects of endophytic bacterium SaMR12 on Sedum alfredii Hance metal ion uptake and the expression of three transporter family genes after cadmium exposure. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 9350-9360	5.1	30
209	Biotechnological Approaches for Bioremediation: In Vitro Hairy Root Culture. 2017 , 597-619		2
208	Enhancing Cleanup of Environmental Pollutants. 2017,		5
207	Modelling toxicity of metal mixtures: A generalisation of new advanced methods, considering potential application to terrestrial ecosystems. 2017 , 47, 409-454		7
206	Remediation of Polluted Soils Using Hyperaccumulator Plants. 2017 , 187-214		2
205	Phytoremediation of Heavy Metal-Contaminated Soil Using Bioenergy Crops. 2017, 63-96		11
204	Fates of Chemical Elements in Biomass during Its Pyrolysis. 2017 , 117, 6367-6398		255
204	Fates of Chemical Elements in Biomass during Its Pyrolysis. 2017, 117, 6367-6398 Quantitative proteomics analysis of leaves from two Sedum alfredii (Crassulaceae) populations that differ in cadmium accumulation. 2017, 17, e1600456		2555
	Quantitative proteomics analysis of leaves from two Sedum alfredii (Crassulaceae) populations that		
203	Quantitative proteomics analysis of leaves from two Sedum alfredii (Crassulaceae) populations that differ in cadmium accumulation. 2017 , 17, e1600456		5
203	Quantitative proteomics analysis of leaves from two Sedum alfredii (Crassulaceae) populations that differ in cadmium accumulation. 2017, 17, e1600456 Phytoremediation Potential of Bioenergy Plants. 2017, Characteristics of cadmium uptake and membrane transport in roots of intact wheat (Triticum	4.2	5
203	Quantitative proteomics analysis of leaves from two Sedum alfredii (Crassulaceae) populations that differ in cadmium accumulation. 2017, 17, e1600456 Phytoremediation Potential of Bioenergy Plants. 2017, Characteristics of cadmium uptake and membrane transport in roots of intact wheat (Triticum aestivum L.) seedlings. 2017, 221, 351-358	4.2	5 12 38
203 202 201	Quantitative proteomics analysis of leaves from two Sedum alfredii (Crassulaceae) populations that differ in cadmium accumulation. 2017, 17, e1600456 Phytoremediation Potential of Bioenergy Plants. 2017, Characteristics of cadmium uptake and membrane transport in roots of intact wheat (Triticum aestivum L.) seedlings. 2017, 221, 351-358 Zinc Homeostasis and isotopic fractionation in plants: a review. <i>Plant and Soil</i> , 2017, 411, 17-46 Physiological and transcriptome response to cadmium in cosmos (Cosmos bipinnatus Cav.)	4.2	5 12 38 72
203 202 201 200	Quantitative proteomics analysis of leaves from two Sedum alfredii (Crassulaceae) populations that differ in cadmium accumulation. 2017, 17, e1600456 Phytoremediation Potential of Bioenergy Plants. 2017, Characteristics of cadmium uptake and membrane transport in roots of intact wheat (Triticum aestivum L.) seedlings. 2017, 221, 351-358 Zinc Homeostasis and isotopic fractionation in plants: a review. Plant and Soil, 2017, 411, 17-46 Physiological and transcriptome response to cadmium in cosmos (Cosmos bipinnatus Cav.) seedlings. 2017, 7, 14691 Accumulation of cobalt and nickel in tissues of Clethra barbinervis in a metal dosing trial. Plant and		5 12 38 72 17

195	Microscale Investigations of Soil Heterogeneity: Impacts on Zinc Retention and Uptake in Zinc-Contaminated Soils. 2017 , 46, 373-383	4
194	Phytoremediation and Rhizoremediation: Uptake, Mobilization and Sequestration of Heavy Metals by Plants. 2017 , 367-394	16
193	Regulation of morphological, molecular and nutrient status in Arabidopsis thaliana seedlings in response to ZnO nanoparticles and Zn ion exposure. <i>Science of the Total Environment</i> , 2017 , 575, 187-19 8°	51
192	Cadmium absorption and transportation pathways in plants. 2017 , 19, 133-141	123
191	Reciprocal Interactions between Cadmium-Induced Cell Wall Responses and Oxidative Stress in Plants. <i>Frontiers in Plant Science</i> , 2017 , 8, 1867	112
190	The Bacterial and Fungal Microbiota of Hyperaccumulator Plants. 2017 , 83, 43-86	28
189	Evaluation of morpho-physiological growth parameters of tomato in response to Cd induced toxicity and characterization of metal sensitive NRAMP3 transporter protein. <i>Environmental and Experimental Botany</i> , 2018 , 148, 144-167	48
188	Differential Metal Tolerance and Accumulation Patterns of Cd, Cu, Pb and Zn in the Liverwort Marchantia polymorpha L. 2018 , 100, 444-450	10
187	Differential effects of iron starvation and iron excess on nickel uptake kinetics in two Iranian nickel hyperaccumulators, Odontarrhena bracteata and Odontarrhena inflata. <i>Plant and Soil</i> , 2018 , 428, 153-16 2	8
186	Comparative transcriptome combined with morpho-physiological analyses revealed key factors for differential cadmium accumulation in two contrasting sweet sorghum genotypes. 2018 , 16, 558-571	58
185	From phytoremediation of soil contaminants to phytomanagement of ecosystem services in metal contaminated sites. 2018 , 20, 384-397	131
184	Physiology and Molecular Biology of Trace Element Hyperaccumulation. 2018 , 93-116	14
183	Zinc and lead accumulation characteristics and in vivo distribution of Zn2+ in the hyperaccumulator Noccaea caerulescens elucidated with fluorescent probes and laser confocal microscopy. 5.9 Environmental and Experimental Botany, 2018, 147, 1-12	28
182	Soil geochemical factors regulate Cd accumulation by metal hyperaccumulating Noccaea caerulescens (J. Presl & C. Presl) F.K. Mey in field-contaminated soils. <i>Science of the Total Environment</i> , 2018 , 616-617, 279-287	25
181	Enhancing Mechanisms for Phytoremediation. 2018,	
180	Enhancing Mechanisms for Phytoremediation. 2018,	
179	Distributions and risks of Cu, Cd, Pb and Zn in soils and rice in the North River Basin, South China. 2018 , 109, 483-493	6
178	Heavy Metal Toxicity and Antioxidative Response in Plants: An Overview. 2018 , 77-106	2

177	Heavy Metal Hyperaccumulation and Hypertolerance in Brassicaceae. 2018 , 263-276	6
176	Hyperaccumulator Plants from China: A Synthesis of the Current State of Knowledge. 2018 , 52, 11980-11994	104
175	Impact of Salicylic Acid and PGPR on the Drought Tolerance and Phytoremediation Potential of. 2018 , 9, 2507	83
174	Phytoremediation: Halophytes as Promising Heavy Metal Hyperaccumulators. 2018,	15
173	Bioremediation of Metal Contaminated Soil for Sustainable Crop Production. 2018, 143-173	6
172	Plant Molecular Approaches for Successful Implementation of Mine Site Rehabilitation. 2018 , 83-102	
171	Feasibility of Chinese cabbage (Brassica bara) and lettuce (Lactuca sativa) cultivation in heavily metalsBontaminated soil after washing with biodegradable chelators. 2018 , 197, 479-490	32
170	SaZIP4, an uptake transporter of Zn/Cd hyperaccumulator Sedum alfredii Hance. <i>Environmental and Experimental Botany</i> , 2018 , 155, 107-117	29
169	The Molecular Genetics of Zinc Uptake and Utilization Efficiency in Crop Plants. 2018, 87-108	17
168	Evaluation of the Migration Capacity of Zn in the SoilPlant System. 2018, 51, 407-417	5
167	Estimation of arsenic, manganese and iron in mustard seeds, maize grains, groundwater and associated human health risks in Ropar wetland, Punjab, India, and its adjoining areas. 2018 , 190, 385	11
166	Membrane Transport and Soil Bioremediation. 2018 , 380-410	
165	Differences of Cd uptake and expression of OAS and IRT genes in two varieties of ryegrasses. Environmental Science and Pollution Research, 2019 , 26, 13717-13724 5.1	2
164	Heavy Metal Hyperaccumulator Plants: The Resource to Understand the Extreme Adaptations of Plants Towards Heavy Metals. 2019 , 79-97	8
163	Occurrence and cycling of trace elements in ultramafic soils and their impacts on human health: A critical review. 2019 , 131, 104974	27
162	Managing environmental contamination through phytoremediation by invasive plants: A review. 2019 , 138, 28-37	58
161	System Biology of Metal Tolerance in Plants: An Integrated View of Genomics, Transcriptomics, Metabolomics, and Phenomics. 2019 , 107-144	11
160	As, Cd, Cr, Cu, Hg: Physiological Implications and Toxicity in Plants. 2019 , 209-251	6

159	Electronic Waste Pollution. Soil Biology, 2019,	1	2
158	Distribution and Redistribution of Cd and Zn in the Heavy Metal Hyperaccumulator L.: Influence of Cadmium and Zinc Concentrations in the Root Medium. <i>Plants</i> , 2019 , 8,	4.5	6
157	Cadmium Toxicity and Tolerance in Micro- and Phytobiomes. 2019 , 19-46		2
156	Cadmium-Induced Anatomical Abnormalities in Plants. 2019 , 111-139		3
155	The Effect of Cd Stress in Mineral Nutrient Uptake in Plants. 2019, 327-348		11
154	Cadmium in plants: uptake, toxicity, and its interactions with selenium fertilizers. 2019 , 11, 255-277		173
153	Chloride transport at plant-soil Interface modulates barley cd tolerance. Plant and Soil, 2019, 441, 409-4	1 2 112	7
152	Chelators induced uptake of cadmium and modulation of water relation, antioxidants, and photosynthetic traits of maize. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 17577-17590	5.1	11
151	Role of Sulfur Metabolism in Cadmium Tolerance. 2019 , 335-365		2
150	Comparative Transcriptomic Studies on a Cadmium Hyperaccumulator and Its Non-Tolerant Counterpart. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
149	Cd influences metabolism and elemental distribution in roots of L. 2019 , 21, 866-877		6
148	Role of nitric oxide in plant responses to heavy metal stress: exogenous application versus endogenous production. 2019 , 70, 4477-4488		52
147	Phytoremediation: Environmentally sustainable way for reclamation of heavy metal polluted soils. 2019 , 174, 714-727		324
146	The assessment of cadmium, chromium, copper, and nickel tolerance and bioaccumulation by shrub plant Tetraena qataranse. 2019 , 9, 5658		80
145	The role of ZIP proteins in zinc assimilation and distribution in plants: current challenges. 2019 , 55, 45-5	54	7
144	Phytoremediation of Heavy Metal Pollution: A Bibliometric and Scientometric Analysis from 1989 to 2018. International Journal of Environmental Research and Public Health, 2019 , 16,	4.6	22
143	MicroRNA-mRNA expression profiles and their potential role in cadmium stress response in Brassica napus. <i>BMC Plant Biology</i> , 2019 , 19, 570	5.3	22
142	Subcellular distribution, chemical forms and physiological responses involved in cadmium tolerance and detoxification in Agrocybe Aegerita. 2019 , 171, 66-74		22

(2020-2019)

141	Effects of the interactions between nickel and other trace metals on their accumulation in the hyperaccumulator Noccaea caerulescens. <i>Environmental and Experimental Botany</i> , 2019 , 158, 73-79	5.9	16
140	Comparing the risk of metal leaching in phytoremediation using Noccaea caerulescens with or without electric field. 2019 , 216, 661-668		15
139	Physiological and molecular mechanisms of heavy metal accumulation in nonmycorrhizal versus mycorrhizal plants. 2019 , 42, 1087-1103		56
138	The WRKY transcription factor, WRKY13, activates PDR8 expression to positively regulate cadmium tolerance in Arabidopsis. 2019 , 42, 891-903		55
137	Cd(II) enhanced fluorescence and Zn(II) quenched fluorescence with phenylenevinylene terpyridine: A theoretical investigation. 2019 , 209, 40-48		7
136	Adaption Mechanisms in Plants Under Heavy Metal Stress Conditions During Phytoremediation. 2019 , 329-360		9
135	Transcriptional effects of cadmium on iron homeostasis differ in calamine accessions of Noccaea caerulescens. 2019 , 97, 306-320		18
134	Effects of biochar on 2, 2Q4, 4Q5, 5©hexabrominated diphenyl ether (BDE-153) fate in Amaranthus mangostanus L.: Accumulation, metabolite formation, and physiological response. <i>Science of the Total Environment</i> , 2019 , 651, 1154-1165	10.2	10
133	Lead in Plants and the Environment. Radionuclides and Heavy Metals in Environment, 2020,	1	3
132	Effects of electric fields on Cd accumulation and photosynthesis in Zea mays seedlings. 2020 , 276, 1113	220	1
		020	4
131	Characterization of Radiation-Resistant Yeast Isolated from Radiation-Polluted Areas and Its Potential Application in Bioremediation. 2020 , 56, 553-562	020	4
131		020	6
	Potential Application in Bioremediation. 2020 , 56, 553-562 Responses of the species complex Fallopia Ibohemica to single-metal contaminations to Cd, Cr or	520	
130	Potential Application in Bioremediation. 2020, 56, 553-562 Responses of the species complex Fallopia Dohemica to single-metal contaminations to Cd, Cr or Zn: growth traits, metal accumulation and secondary metabolism. 2020, 192, 673 Low-molecular-weight ligands in plants: role in metal homeostasis and hyperaccumulation. 2021,	520	6
130	Potential Application in Bioremediation. 2020, 56, 553-562 Responses of the species complex Fallopia Dohemica to single-metal contaminations to Cd, Cr or Zn: growth traits, metal accumulation and secondary metabolism. 2020, 192, 673 Low-molecular-weight ligands in plants: role in metal homeostasis and hyperaccumulation. 2021, 150, 51-96 Transcriptome analysis of genes related to cadmium absorption and transportation in pepper. 2020	520	6
130 129 128	Potential Application in Bioremediation. 2020, 56, 553-562 Responses of the species complex Fallopia (bohemica to single-metal contaminations to Cd, Cr or Zn: growth traits, metal accumulation and secondary metabolism. 2020, 192, 673 Low-molecular-weight ligands in plants: role in metal homeostasis and hyperaccumulation. 2021, 150, 51-96 Transcriptome analysis of genes related to cadmium absorption and transportation in pepper. 2020, 67, 29-38	520	6 17
130 129 128	Potential Application in Bioremediation. 2020, 56, 553-562 Responses of the species complex Fallopia Dohemica to single-metal contaminations to Cd, Cr or Zn: growth traits, metal accumulation and secondary metabolism. 2020, 192, 673 Low-molecular-weight ligands in plants: role in metal homeostasis and hyperaccumulation. 2021, 150, 51-96 Transcriptome analysis of genes related to cadmium absorption and transportation in pepper. 2020, 67, 29-38 Sustainable Solutions for Elemental Deficiency and Excess in Crop Plants. 2020,	520	2

123	The root iron transporter 1 governs cadmium uptake in Vicia sativa roots. 2020 , 398, 122873		13
122	Toxicity of cadmium and its competition with mineral nutrients for uptake by plants: A review. 2020 , 30, 168-180		105
121	Genotypic variation among 20 rice cultivars/landraces in response to cadmium stress grown locally in West Bengal, India. 2020 , 148, 193-206		11
120	Zn/Cd status-dependent accumulation of Zn and Cd in root parts in tobacco is accompanied by specific expression of ZIP genes. <i>BMC Plant Biology</i> , 2020 , 20, 37	5.3	15
119	Effect of soil cadmium on root organic acid secretion by forage crops. 2021 , 268, 115839		5
118	Hemin-decreased cadmium uptake in pak choi (Brassica chinensis L.) seedlings is heme oxygenase-1 dependent and relies on its by-products ferrous iron and carbon monoxide. 2021 , 274, 115882		5
117	Imaging Zn and Ni distributions in leaves of different ages of the hyperaccumulator Noccaea caerulescens by synchrotron-based X-ray fluorescence. 2021 , 408, 124813		0
116	Zinc. 2021 , 191-202		
115	Physiology of Zinc Oxide Nanoparticles in Plants. 2021 , 95-127		1
114	Bioremediation of Heavy Metals Using the Symbiosis Between Leguminous Plants and Genetically Engineered Rhizobia. 2021 , 303-322		1
113	Newer Approaches in Phytoremediation. 2021 , 1785-1808		
112	Analysis of the Transcriptome of Potentilla sericea Under Cadmium Stress Conditions. 2021 , 89,		
111	Halotolerant Endophytic Bacterium Serratia rubidaea ED1 Enhances Phosphate Solubilization and Promotes Seed Germination. 2021 , 11, 224		3
110	The effect of endophytic fungi on growth and nickel accumulation in Noccaea hyperaccumulators. <i>Science of the Total Environment</i> , 2021 , 768, 144666	10.2	8
109	Insights into decontamination of soils by phytoremediation: A detailed account on heavy metal toxicity and mitigation strategies. 2021 , 173, 287-304		5
108	Overexpression of SmZIP plays important roles in Cd accumulation and translocation, subcellular distribution, and chemical forms in transgenic tobacco under Cd stress. 2021 , 214, 112097		9
107	Rhizofiltration of Cadmium and Zinc in Hydroponic Systems. 2021 , 232, 1		6
106	Comparative transcriptome combined with biochemical and physiological analyses provide new insights toward cadmium accumulation with two contrasting Nicotiana species. 2021 , 173, 369-383		2

105	A MYB4-MAN3-Mannose-MNB1 signaling cascade regulates cadmium tolerance in Arabidopsis. 2021 , 17, e1009636	2
104	Comparative transcriptome analysis reveals different functions of Kandelia obovata superoxide dismutases in regulation of cadmium translocation. <i>Science of the Total Environment</i> , 2021 , 771, 144922 10.2	4
103	Methods for metal chelation in plant homeostasis: Review. 2021 , 163, 95-107	5
102	Global patterns of accumulation and partitioning of metals in halophytic saltmarsh taxa: A phylogenetic comparative approach. 2021 , 414, 125515	9
101	The transfer of trace metals in the soil-plant-arthropod system. <i>Science of the Total Environment</i> , 2021, 779, 146260	5
100	Correlated Variation of the Zn Accumulation and Tolerance Capacities among Populations and Ecotypes of the Zn Hyperaccumulator, Noccaea caerulescens. 2021 , 68, S26-S36	1
99	Abiotic Stress in Plants; Stress Perception to Molecular Response and Role of Biotechnological Tools in Stress Resistance. 2021 , 11, 1579	13
98	Accumulation and distribution of metal(loid)s in the halophytic saltmarsh shrub, Austral seablite, Suaeda australis in New South Wales, Australia. <i>Marine Pollution Bulletin</i> , 2021 , 169, 112475	3
97	Hyperaccumulators for Potentially Toxic Elements: A Scientometric Analysis. 2021 , 11, 1729	1
96	Impacts of heavy metals and medicinal crops on ecological systems, environmental pollution, cultivation, and production processes in China. 2021 , 219, 112336	14
95	Translocation of Ni and Zn in Odontarrhena corsica and Noccaea caerulescens: the effects of exogenous histidine and Ni/Zn interactions. <i>Plant and Soil</i> , 1	3
94	Differential responses of 23 maize cultivar seedlings to an arbuscular mycorrhizal fungus when grown in a metal-polluted soil. <i>Science of the Total Environment</i> , 2021 , 789, 148015	4
93	Genetic engineering of glycinebetaine synthesis enhances cadmium tolerance in BADH-transgenic tobacco plants via reducing cadmium uptake and alleviating cadmium stress damage. 5.9 Environmental and Experimental Botany, 2021, 191, 104602	7
92	OMICS approaches towards understanding plant@responses to counterattack heavy metal stress: An insight into molecular mechanisms of plant defense. 2021 , 28, 100333	5
91	Metal tolerance in plants: Molecular and physicochemical interface determines the "not so heavy effect" of heavy metals. 2022 , 287, 131957	5
90	Identification and characterization of SaeIF1 from the eukaryotic translation factor SUI1 family in cadmium hyperaccumulator Sedum alfredii. 2021 , 253, 12	
89	Plantago subulata as indicator of potentially toxic elements in the substrate. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 20668-20681	4
88	The Role of ZIP Family Members in Iron Transport. 2006 , 311-326	7

87	Transgenic Poplar for Phytoremediation. 2007 , 265-271	2
86	Sulfur in the Alleviation of Cadmium-Induced Oxidative Stress in Plants. 2012 , 429-446	6
85	The Hows and Whys of Heavy Metal-Mediated Phytotoxicity: An Insight. 2020 , 19-41	1
84	Hyperaccumulation of Potentially Toxic Micronutrients by Plants. 2020, 345-371	2
83	Physiology and Molecular Biology of Trace Element Hyperaccumulation. 2021 , 155-181	4
82	Biotechnological Approaches to Improve Phytoremediation Efficiency for Environment Contaminants. 2007 , 223-258	12
81	Heavy Metals as Essential Nutrients. 2004 , 271-294	14
80	Phytoremediation of Metals and Radionuclides in the Environment: The Case for Natural Hyperaccumulators, Metal Transporters, Soil-Amending Chelators and Transgenic Plants. 2004 , 345-391	24
79	Bioaccumulation and Biotransformation of Heavy Metals. 2010 , 266-284	13
78	Current Status of Toxic Metals Addition to Environment and Its Consequences. 2012 , 35-69	15
77	Metal Hyperaccumulation and Tolerance in Alyssum, Arabidopsis and Thlaspi: An Overview. 2012 , 99-137	6
76	Responses and Adaptations of Plants to Metal Stress. 2001 , 159-179	5
75	Eukaryotic zinc transporters and their regulation. 2001 , 65-84	13
74	Roles of root and shoot tissues in transport and accumulation of cadmium, lead, nickel, and strontium. 2010 , 55, 1	2
73	CHAPTER 23:Cadmium. 2014 , 695-746	3
72	Cellular mechanisms for heavy metal detoxification and tolerance. 2002 , 53, 1-11	91
71	Molecular Mechanisms that Control Plant Tolerance to Heavy Metals and Possible Roles in Manipulating Metal Accumulation. 2002 ,	1
70	Role of pH in Phytoremediation of Contaminated Soils. 2003,	3

69	Detoxification/Defense Mechanisms in Metal-Exposed Plants. 2005, 271-289		1
68	Plants That Accumulate and/or Exclude Toxic Trace Elements Play an Important Role in Phytoremediation. 2005 , 523-547		2
67	Cadmium toxicity in plants. 2005 , 17, 21-34		722
66	Phytoextraction of Toxic Metals. 2002 , 31, 109-120		332
65	Ameliorative Effect of Chelating Agents on Photosynthetic Attributes of Cd Stressed Sunflower. <i>Agricultural Sciences</i> , 2017 , 08, 149-160	0.4	3
64	Bioaccumulation of cadmium by spring barley (Hordeum vulgare L.) and its effect on selected physiological and morphological parameters. 2016 , 10,		1
63	Identification of cadmium tolerance genes by heterologous expression of Thlaspi caerulescenscDNA in yeast. 2001 , 1,		
62	Phytoextraction of Zinc and Cadmium from Soils Using Hyperaccumulator Plants. 369		О
61	Genetics of Metal Tolerance and Accumulation in Higher Plants.		
60	Plant Metallothionein Genes and Genetic Engineering for the Cleanup of Toxic Trace Elements. 2005 , 235-252		
59	Influficia de temperatura, luz e giberelina na germinafi de sementes de Thlaspi caerulescens J. Presl & C. Presl (Brassicaceae). <i>Revista Ceres</i> , 2010 , 57, 372-376	0.7	
58	MOLECULAR-GENETIC BASIS OF HIGHER PLANTS TOLERANCE TO, AND ACCUMULATION OF, CADMIUM. <i>Ecological Genetics</i> , 2010 , 8, 3-15	0.5	3
57	Phytoremediation Using Microbial Communities: I. 2015 , 177-182		
56	Molecular and Physiological Investigations of Thlaspi caerulescens L <i>Agronomy</i> , 95-106	0.8	
55	A Prospective Study on Emerging Role of Phytoremediation by Endophytic Microorganisms. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2016 , 236-265	0.4	2
54	Heavy Metal Uptake and Tolerance Mechanisms of Serpentine Flora: Implications for Phytoremediation. 2016 , 439-452		
53	Effect of Low Temperatures on the Structure of Plant Cells: Structural, Biochemical, and Molecular Aspects. 2016 , 565-594		О
52	Ameliorative Effect of Chelating Agents on Photosynthetic Attributes of Cd Stressed Sunflower. <i>Agricultural Sciences</i> , 2017 , 08, 149-160	0.4	

51 A Prospective Study on Emerging Role of Phytoremediation by Endophytic Microorganisms. **2019**, 2154-2183

50	Phytoremediation of Electronic Waste: A Mechanistic Overview and Role of Plant Secondary Metabolites. <i>Soil Biology</i> , 2019 , 233-252	1	2
49	Effects of Two Cadmium Hyperaccumulating Plants (N. Caerulescens And A. Halleri) in Feed on Tissue Burden in Laboratory Rats. <i>Scientia Agriculturae Bohemica</i> , 2019 , 50, 46-50	0.5	
48	Phytoremediation of Lead: A Review. Radionuclides and Heavy Metals in Environment, 2020, 171-202	1	
47	Selenium-sulphur effects on the chemical composition of alfalfa (Medicago sativa L. cv. Verko). <i>Acta Universitatis Sapientiae: Alimentaria</i> , 2019 , 12, 5-20	0.2	
46	Newer Approaches in Phytoremediation. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2020 , 145-178	0.4	
45	Zinc uptake and replenishment mechanisms during repeated phytoextraction using Sedum plumbizincicola revealed by stable isotope fractionation. <i>Science of the Total Environment</i> , 2022 , 806, 151306	10.2	0
44	Genome-wide identification and expression analysis of the potato ZIP gene family under Zn-deficiency. <i>Biologia Plantarum</i> , 64, 845-855	2.1	4
43	Cadmium: Uptake in Plants and Its Alleviation Via Crosstalk Between Phytohormones and Sulfur. 2020 , 393-418		
42	Heavy Metallhduced Gene Expression in Plants. 2020, 143-173		1
41	Genome-Wide Identification of Wheat ZIP Gene Family and Functional Characterization of the in Plants. <i>Frontiers in Plant Science</i> , 2021 , 12, 748146	6.2	1
40	Overexpression of ZNT1 and NRAMP4 from the Ni Hyperaccumulator Population Monte Prinzera in Perturbs Fe, Mn, and Ni Accumulation. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	O
39	Zinc Plant Uptake as Result of Edaphic Factors Acting. <i>Plants</i> , 2021 , 10,	4.5	1
38	The accumulation and distribution of arsenic species and selected metals in the saltmarsh halophyte, spiny rush (Juncus acutus) <i>Marine Pollution Bulletin</i> , 2022 , 175, 113373	6.7	O
37	Interaction of hyperaccumulating plants with Zn and Cd nanoparticles <i>Science of the Total Environment</i> , 2022 , 817, 152741	10.2	4
36	Biochemical and molecular aspects of heavy metal stress tolerance in plants. 2022 , 205-219		
35	Harnessing the Power of Microbes to Overcome Heavy Metal Stress in Crop Plants. <i>Advances in Science, Technology and Innovation</i> , 2022 , 251-275	0.3	
34	High-value pleiotropic genes for developing multiple stress-tolerant biofortified crops for 21st-century challenges <i>Heredity</i> , 2022 ,	3.6	1

33	Genome-Wide Investigation and Functional Verification of the ZIP Family Transporters in Wild Emmer Wheat <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	O
32	Variation in cadmium accumulation and speciation within the same population of the hyperaccumulator Noccaea caerulescens grown in a moderately contaminated soil. <i>Plant and Soil</i> , 1	4.2	O
31	Table_1.XLSX. 2017 ,		
30	Table_2.XLSX. 2017 ,		
29	Nutritional and genetic variation in a core set of Ethiopian Tef (Eragrostis tef) varieties <i>BMC Plant Biology</i> , 2022 , 22, 220	5.3	
28	Genetic Engineering for Metal Tolerance and Accumulation. 2022, 12-41		
27	Role of SaPCR2 in Zn Uptake in the Root Elongation Zone of the Zn/Cd Hyperaccumulator Sedum alfredii. <i>Life</i> , 2022 , 12, 768	3	
26	Molecular basis of intraspecific differentiation for heavy metal tolerance in the copper moss Scopelophila cataractae. <i>Environmental and Experimental Botany</i> , 2022 , 104970	5.9	3
25	Knowledge Mapping of the Phytoremediation of Cadmium-Contaminated Soil: A Bibliometric Analysis from 1994 to 2021. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6987	4.6	1
24	The addition of exogenous low-molecular-weight organic acids improved phytoremediation by Bidens pilosa L. in Cd-contaminated soil. <i>Environmental Science and Pollution Research</i> ,	5.1	
23	Cadmium concentrations in Idaho wheat grain and soil. 2022 , 5,		
22	Physiological responses and phytoremediation capacity of floating and submerged aquatic macrophytes exposed to ciprofloxacin.		1
21	Advances in Genes-Encoding Transporters for Cadmium Uptake, Translocation, and Accumulation in Plants. 2022 , 10, 411		2
20	Barnyard grass (Echinochloa crus-galli L.) as a candidate plant for phytoremediation of arsenic from arsenic-amended and industrially polluted soils. 2,		
19	Exogenous tryptophan application improves cadmium tolerance and inhibits cadmium upward transport in broccoli (Brassica oleracea var. italica). 13,		O
18	Solanum spp. straw improves phytoremediation ability of hyperaccumulator Galinsoga parviflora on cadmium-contaminated soil.		
17	Physiology and proteomics reveal Fulvic acid mitigates Cadmium adverse effects on growth and photosynthetic properties of lettuce. 2022 , 323, 111418		О
16	Heavy metal pollution in the soil of contaminated sites in China: Research status and pollution assessment over the past two decades. 2022 , 373, 133780		O

15	Insights into the kinetic regulation of Zn bioaccumulation at trace levels: Lighting up Saccharomyces cerevisiae. 2022 , 308, 136318	О
14	Phytoremediation using arbuscular mycorrhizal fungi. 2022 , 73-92	O
13	Remediation of toxic metals/metalloids from soil and water through transgenic plants: a review. 2022 , 543-562	0
12	ZAT10 plays dual roles in cadmium uptake and detoxification in Arabidopsis. 13,	O
11	Natural Molecular Mechanisms of Plant Hyperaccumulation and Hypertolerance towards Heavy Metals. 2022 , 23, 9335	3
10	Tests for Inhibiting the Action of Cadmium by Selective Interactions with Zinc and Copper; in-vitro Investigations on the Phaseolus-vulgaris Plant. 2022 , 9, 40-49	O
9	Differential Gene Expression and Metabolic Pathway Analysis of Cladophora rupestris under Pb Stress Conditions. 2022 , 19, 13910	0
8	An amino acid fertilizer improves the emergent accumulator plant Nasturtium officinale R. Br. phytoremediation capability for cadmium-contaminated paddy soils. 13,	1
7	Transcriptomic mechanisms of reduced PM2.5-Pb retention in the leaves of the low-Pb-accumulation genotype of Chinese cabbage. 2023 , 444, 130385	O
6	Glutathione and phytochelatins jointly allow intracellular and extracellular detoxification of cadmium in the liverwort Marchantia polymorpha. 2023 , 209, 105303	O
5	Cadmium tolerance and hyperaccumulation in plants IA proteomic perspective of phytoremediation. 2023 , 256, 114882	0
4	Arsenic and Cadmium Toxicity in Plants: Mitigation and Remediation Strategies. 2023, 249-285	O
3	Shoot-root signal circuit: Phytoremediation of heavy metal contaminated soil. 14,	O
2	Zinc Supply Affects Cadmium Uptake and Translocation in the Hyperaccumulator Sedum Plumbizincicola as Evidenced by Isotope Fractionation. 2023 , 57, 5891-5902	O
1	Physiological responses of wild grass Holcus lanatus L. to potentially toxic elements in soils: a review. 2023 , 30, 54470-54482	О