

Strauss (1969) revisited: a psychosis continuum in the g

Schizophrenia Research

45, 11-20

DOI: [10.1016/s0920-9964\(99\)00224-8](https://doi.org/10.1016/s0920-9964(99)00224-8)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Substance-induced psychosis: an overview. , 0, , 112-126.		0
2	Stimulants and psychosis. , 0, , 127-140.		0
3	Children's Self-Reported Psychotic Symptoms and Adult Schizophreniform Disorder. Archives of General Psychiatry, 2000, 57, 1053.	13.8	999
4	Preventing severe mental illnesses " new prospects and ethical challenges. Schizophrenia Research, 2001, 51, 3-15.	1.1	73
5	THE CONTINUITY OF PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION. Clinical Psychology Review, 2001, 21, 1125-1141.	6.0	791
6	PERSECUTORY DELUSIONS: A REVIEW AND THEORETICAL INTEGRATION. Clinical Psychology Review, 2001, 21, 1143-1192.	6.0	744
7	Neuroticism as a risk factor for schizophrenia. Psychological Medicine, 2001, 31, 1129-1134.	2.7	258
8	Have the times come for early intervention in psychosis?. Acta Psychiatrica Scandinavica, 2001, 103, 321-322.	2.2	21
9	Prevalence of Psychotic Disorder and Community Level of Psychotic Symptoms. Archives of General Psychiatry, 2001, 58, 663.	13.8	497
10	More harm than good: The case against using antipsychotic drugs to prevent severe mental illness. Journal of Mental Health, 2002, 11, 351-356.	1.0	87
11	Evidence that three dimensions of psychosis have a distribution in the general population. Psychological Medicine, 2002, 32, 347-358.	2.7	772
12	Thought and Language Index: an instrument for assessing thought and language in schizophrenia. British Journal of Psychiatry, 2002, 181, 326-330.	1.7	135
13	Randomised controlled trial of early detection and cognitive therapy for preventing transition to psychosis in high-risk individuals. British Journal of Psychiatry, 2002, 181, s78-s84.	1.7	104
14	The Lifetime Dimensions of Psychosis Scale (LDPS): Description and Interrater Reliability. Schizophrenia Bulletin, 2002, 28, 683-695.	2.3	43
15	Psychotic symptoms in non-clinical populations and the continuum of psychosis. Schizophrenia Research, 2002, 54, 59-65.	1.1	463
16	Evidence that three dimensions of psychosis have a distribution in the general population. European Psychiatry, 2002, 17, 61.	0.1	3
17	Cannabis Use and Psychosis: A Longitudinal Population-based Study. American Journal of Epidemiology, 2002, 156, 319-327.	1.6	746
18	Discovering Hope for Recovery. Canadian Journal of Community Mental Health, 2002, 21, 13-33.	0.1	53

#	ARTICLE	IF	CITATIONS
19	Diagnosis and classification of schizophrenia: categories versus dimensions, distributions versus disease. , 2002, , 364-410.		19
20	Formation of delusional ideation in adolescents hearing voices: A prospective study. American Journal of Medical Genetics Part A, 2002, 114, 913-920.	2.4	86
21	Schizophrenia: Two-faced meaning of vulnerability. American Journal of Medical Genetics Part A, 2002, 114, 921-922.	2.4	2
22	Neuroticism and low self-esteem as risk factors for psychosis. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 1-6.	1.6	224
23	Does the urban environment independently increase the risk for both negative and positive features of psychosis?. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 460-464.	1.6	39
24	Determinants of occurrence and recovery from hallucinations in daily life. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 97-104.	1.6	247
25	Cognitive and emotional predictors of predisposition to hallucinations in non-patients. British Journal of Clinical Psychology, 2002, 41, 259-270.	1.7	132
26	How psychotic are individuals with non-psychotic disorders?. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 149-154.	1.6	146
27	Social environments and daily life occurrence of psychotic symptoms. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 654-661.	1.6	30
28	PROD-screen â€“ a screen for prodromal symptoms of psychosis. International Journal of Methods in Psychiatric Research, 2003, 12, 92-104.	1.1	98
29	Delusions: The Continuum Versus Category Debate. Australian and New Zealand Journal of Psychiatry, 2003, 37, 505-511.	1.3	22
30	Cannabis use and dimensions of psychosis in a nonclinical population of female subjects. Schizophrenia Research, 2003, 59, 77-84.	1.1	95
31	Psychosis prediction: 12-month follow up of a high-risk (â€œprodromalâ€) group. Schizophrenia Research, 2003, 60, 21-32.	1.1	981
32	Sex differences in symptoms of psychosis in a non-selected, general population sample. Schizophrenia Research, 2003, 63, 89-95.	1.1	103
35	Is there a continuum of psychotic experiences in the general population?. Epidemiology and Psychiatric Sciences, 2003, 12, 242-252.	1.8	114
36	Coping defence and depression in adolescents hearing voices. Journal of Mental Health, 2003, 12, 91-99.	1.0	27
37	Transition to Schizophrenia and Related Disorders: Toward a Taxonomy of Risk. Schizophrenia Bulletin, 2003, 29, 693-701.	2.3	24
38	When Does Experience of Psychosis Result in a Need for Care? A Prospective General Population Study. Schizophrenia Bulletin, 2003, 29, 349-358.	2.3	80

#	ARTICLE	IF	CITATIONS
39	Commentary: The Schizophrenia Prodrome: A High-Risk Concept. Schizophrenia Bulletin, 2003, 29, 859-865.	2.3	58
40	PARANOIA IN A NONCLINICAL POPULATION OF COLLEGE STUDENTS. Journal of Nervous and Mental Disease, 2003, 191, 425-430.	0.5	116
41	Effects of cannabis and psychosis vulnerability in daily life: an experience sampling test study. Psychological Medicine, 2003, 33, 23-32.	2.7	184
42	Title is missing!. Current Opinion in Psychiatry, 2003, 16, 443-449.	3.1	7
43	Continuity of psychotic symptoms in the community. Current Opinion in Psychiatry, 2003, 16, 443-449.	3.1	34
44	Discrimination and delusional ideation. British Journal of Psychiatry, 2003, 182, 71-76.	1.7	253
45	Social Cognition in Paranoia and Bipolar Affective Disorder. , 0, , 339-353.		5
47	The paranoid self. , 2003, , 291-318.		5
48	Cannabis and psychosis proneness. , 2004, , 75-88.		13
49	Factorial Composition of Self-Rated Schizotypal Traits Among Young Males Undergoing Military Training. Schizophrenia Bulletin, 2004, 30, 335-350.	2.3	157
50	Measuring Delusional Ideation: The 21-Item Peters et al. Delusions Inventory (PDI). Schizophrenia Bulletin, 2004, 30, 1005-1022.	2.3	491
51	Prevalence and correlates of self-reported psychotic symptoms in the British population. British Journal of Psychiatry, 2004, 185, 298-305.	1.7	482
52	Early onset schizophrenia: diagnostic dilemmas and treatment challenges. Therapy: Open Access in Clinical Medicine, 2004, 1, 131-147.	0.2	4
53	Cannabis use and the risk of later schizophrenia: a review. Addiction, 2004, 99, 425-430.	1.7	161
54	Early adolescent cannabis exposure and positive and negative dimensions of psychosis. Addiction, 2004, 99, 1333-1341.	1.7	279
55	Hallucinatory experiences and onset of psychotic disorder: evidence that the risk is mediated by delusion formation. Acta Psychiatrica Scandinavica, 2004, 110, 264-272.	2.2	70
56	Does urbanicity shift the population expression of psychosis?. Journal of Psychiatric Research, 2004, 38, 613-618.	1.5	69
57	Substance use and psychosis. Psychiatry (Abingdon, England), 2004, 3, 52-54.	0.2	5

#	ARTICLE	IF	CITATIONS
58	Associations between visual and auditory hallucinations in children and adolescents, and tobacco use in adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 514-520.	1.6	10
59	Is our concept of schizophrenia influenced by Berkson's bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 600-605.	1.6	38
60	Childhood abuse as a risk factor for psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 38-45.	2.2	721
61	The role of age in the development of Schneiderian symptoms in patients with a first psychotic episode. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 264-268.	2.2	18
62	Schizophrenia—'an evolutionary enigma?. <i>Neuroscience and Biobehavioral Reviews</i> , 2004, 28, 41-53.	2.9	102
63	The role of subclinical paranoia on social perception and behavior. <i>Schizophrenia Research</i> , 2004, 69, 93-104.	1.1	97
64	Variation in catechol-o-methyltransferase val158 met genotype associated with schizotypy but not cognition: A population study in 543 young men. <i>Biological Psychiatry</i> , 2004, 56, 510-515.	0.7	131
65	The aetiological continuum of psychosis. , 2004, , 342-366.		3
66	Prevalence of delusional ideation in a district in southwestern Uganda. <i>Schizophrenia Research</i> , 2004, 71, 27-34.	1.1	21
67	The Rationality of Psychosis and Understanding the Deluded. <i>Philosophy, Psychiatry and Psychology</i> , 2004, 11, 35-41.	0.2	10
68	Delusions and Discourse: Moving Beyond the Constraints of the Modernist Paradigm. <i>Philosophy, Psychiatry and Psychology</i> , 2004, 11, 55-64.	0.2	24
69	Interpretations of voices in patients with hallucinations and non-patient controls: a comparison and predictors of distress in patients. <i>Behaviour Research and Therapy</i> , 2004, 42, 1315-1323.	1.6	82
70	The relation between social behavior and negative affect in psychosis-prone individuals: an experience sampling investigation. <i>European Psychiatry</i> , 2004, 19, 1-7.	0.1	26
71	A Cognitive Model of Schizophrenia. <i>Journal of Cognitive Psychotherapy</i> , 2004, 18, 281-288.	0.2	17
73	All Shook Up: What Mental Health Research Means to Me. <i>Mental Health Review Journal</i> , 2004, 9, 32-40.	0.3	1
74	Dimensions of depression, mania and psychosis in the general population. <i>Psychological Medicine</i> , 2004, 34, 1177-1186.	2.7	91
75	Factorial Structure of the Hallucinatory Experience. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 265-272.	0.5	46
76	The Genetic and Environmental Basis of the Relationship Between Schizotypy and Personality. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 153-159.	0.5	34

#	ARTICLE	IF	CITATIONS
77	Role of distress in delusion formation. <i>British Journal of Psychiatry</i> , 2005, 187, s55-s58.	1.7	37
78	Development of depressed mood predicts onset of psychotic disorder in individuals who report hallucinatory experiences. <i>British Journal of Clinical Psychology</i> , 2005, 44, 113-125.	1.7	124
79	The incidence and outcome of subclinical psychotic experiences in the general population. <i>British Journal of Clinical Psychology</i> , 2005, 44, 181-191.	1.7	377
80	Cannabis use predicts future psychotic symptoms, and vice versa. <i>Addiction</i> , 2005, 100, 612-618.	1.7	170
81	A normalizing approach to cognitive therapy for intrusive obsessional and psychotic phenomena: The case of sam. <i>Cognitive and Behavioral Practice</i> , 2005, 12, 384-389.	0.9	4
82	Hospital comorbidity bias and the concept of schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 817-821.	1.6	13
83	Affective processes in the onset and persistence of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005, 255, 185-189.	1.8	56
85	Hallucinations in the general population. <i>Current Psychiatry Reports</i> , 2005, 7, 162-167.	2.1	69
86	Explaining Transitions Over the Hypothesized Psychosis Continuum. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 180-186.	1.3	60
87	â€œGamma Synchronyâ€ in First-Episode Schizophrenia: A Disorder of Temporal Connectivity?. <i>American Journal of Psychiatry</i> , 2005, 162, 459-465.	4.0	168
88	Prospective Study of Adolescents with Subsyndromal Psychosis: Characteristics and Outcome. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005, 15, 418-433.	0.7	35
89	Vulnerability to psychosis in patients attending primary and psychiatric care. Results of the RADEP study. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 239-245.	0.7	3
90	Migration, family dysfunction and psychotic symptoms in children and adolescents. <i>British Journal of Psychiatry</i> , 2005, 186, 442-443.	1.7	22
91	Schizotypy and Conditional Reasoning. <i>Schizophrenia Bulletin</i> , 2005, 31, 105-116.	2.3	49
92	Hearing impairment and psychosis revisited. <i>Schizophrenia Research</i> , 2005, 76, 99-103.	1.1	45
93	Prepsychotic phase of schizophrenia and related disorders: recent progress and future opportunities. <i>British Journal of Psychiatry</i> , 2005, 187, s33-s44.	1.7	74
94	First-Episode Psychosis: Psychopathology, Quality of Life, and Functional Outcome. <i>Schizophrenia Bulletin</i> , 2005, 31, 650-671.	2.3	206
95	Do different psychotic experiences differentially predict need for care in the general population?. <i>Comprehensive Psychiatry</i> , 2005, 46, 192-199.	1.5	54

#	ARTICLE	IF	CITATIONS
96	Self-reported psychotic symptoms predict impulsivity among African-American patients in an urban non-psychiatric medical setting. <i>Psychiatry Research</i> , 2005, 135, 35-44.	1.7	17
97	What causes the onset of psychosis?. <i>Schizophrenia Research</i> , 2005, 79, 23-34.	1.1	163
98	Delusions. , 2006, , 205-213.		0
99	Genomewide Linkage Scan of 409 European-Ancestry and African American Families with Schizophrenia: Suggestive Evidence of Linkage at 8p23.3-p21.2 and 11p13.1-q14.1 in the Combined Sample. <i>American Journal of Human Genetics</i> , 2006, 78, 315-333.	2.6	141
100	The Cardiff Anomalous Perceptions Scale (CAPS): A New Validated Measure of Anomalous Perceptual Experience. <i>Schizophrenia Bulletin</i> , 2006, 32, 366-377.	2.3	214
101	Target-Symptom Psychopharmacology: Between the Forest and the Trees. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2006, 15, 289-302.	1.0	9
102	Reasoning under uncertainty: heuristic judgments in patients with persecutory delusions or depression. <i>Psychological Medicine</i> , 2006, 36, 1109-1118.	2.7	49
103	The conviction of delusional beliefs scale: Reliability and validity. <i>Schizophrenia Research</i> , 2006, 86, 80-88.	1.1	19
104	An Experimental Study of Catechol-O-Methyltransferase Val158Met Moderation of δ^9 -Tetrahydrocannabinol-Induced Effects on Psychosis and Cognition. <i>Neuropsychopharmacology</i> , 2006, 31, 2748-2757.	2.8	288
105	Madness explained: Why we must reject the Kraepelinian paradigm and replace it with a "complaint-orientated" approach to understanding mental illness. <i>Medical Hypotheses</i> , 2006, 66, 220-233.	0.8	88
108	Evidence for instrument and family-specific variation of subclinical psychosis dimensions in the general population.. <i>Journal of Abnormal Psychology</i> , 2006, 115, 5-14.	2.0	82
109	Identification of young people at risk of psychosis. <i>Advances in Psychiatric Treatment</i> , 2006, 12, 249-255.	0.6	10
110	Self-reported psychotic symptoms in the general population. <i>British Journal of Psychiatry</i> , 2006, 188, 519-526.	1.7	214
111	Diagnosis of schizophrenia: a 19th Century concept not fit for 21st Century science. <i>Future Neurology</i> , 2006, 1, 241-244.	0.9	1
112	Evidence that the outcome of developmental expression of psychosis is worse for adolescents growing up in an urban environment. <i>Psychological Medicine</i> , 2006, 36, 407-415.	2.7	67
113	Psychotic-like experiences in the general community: the correlates of CIDI psychosis screen items in an Australian sample. <i>Psychological Medicine</i> , 2006, 36, 231-238.	2.7	163
114	Phenomenology and diagnosis of bipolar disorder in children, adolescents, and adults: Complexities and developmental issues. <i>Development and Psychopathology</i> , 2006, 18, 939-69.	1.4	94
115	Psychosis among substance users. <i>Current Opinion in Psychiatry</i> , 2006, 19, 239-245.	3.1	48

#	ARTICLE	IF	CITATIONS
116	Prospective investigations of the prodromal state of schizophrenia: assessment instruments. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 273-282.	2.2	96
117	Validity and reliability of the CAPE: a self-report instrument for the measurement of psychotic experiences in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 55-61.	2.2	423
118	Psychotic-like experiences and interpersonal violence in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 183-190.	1.6	71
119	Childhood victimisation and developmental expression of non-clinical delusional ideation and hallucinatory experiences. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 423-428.	1.6	177
120	Evidence that the urban environment specifically impacts on the psychotic but not the affective dimension of bipolar disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 679-685.	1.6	31
121	Delusions in the nonclinical population. <i>Current Psychiatry Reports</i> , 2006, 8, 191-204.	2.1	127
122	Cannabis use and expression of mania in the general population. <i>Journal of Affective Disorders</i> , 2006, 95, 103-110.	2.0	153
123	Attachment styles, interpersonal relationships and psychotic phenomena in a non-clinical student sample. <i>Personality and Individual Differences</i> , 2006, 41, 707-718.	1.6	156
124	Psychometric properties of the Greek version of the Schizotypal Personality Questionnaire (SPQ) in young male obligatory conscripts: A two years test-retest study. <i>Personality and Individual Differences</i> , 2006, 41, 1275-1286.	1.6	26
125	Psychological processes and paranoia: implications for forensic behavioural science. <i>Behavioral Sciences and the Law</i> , 2006, 24, 277-294.	0.6	36
126	Cannabis-Induced Psychosis-Like Experiences Are Associated with High Schizotypy. <i>Psychopathology</i> , 2006, 39, 175-178.	1.1	147
127	Helping patients with paranoid and suspicious thoughts: a cognitive-behavioural approach. <i>Advances in Psychiatric Treatment</i> , 2006, 12, 404-415.	0.6	33
128	Data Gathering: Biased in Psychosis?. <i>Schizophrenia Bulletin</i> , 2006, 32, 341-351.	2.3	178
129	Perceived Racism as a Predictor of Paranoia Among African Americans. <i>Journal of Black Psychology</i> , The, 2006, 32, 87-104.	1.0	78
130	Associations between Delusion Proneness and Personality Structure in Non-Clinical Participants: Comparison between Young and Elderly Samples. <i>Psychopathology</i> , 2006, 39, 218-226.	1.1	31
131	The Phenomenological Critique and Self-disturbance: Implications for Ultra-High Risk ("Prodrome") Research. <i>Schizophrenia Bulletin</i> , 2007, 34, 381-392.	2.3	121
133	The Role of Unhelpful Appraisals and Behaviours in Vulnerability to Psychotic-like Phenomena. <i>Behavioural and Cognitive Psychotherapy</i> , 2007, 35, .	0.9	7
134	Current Psychopathological Issues in Psychosis: Towards a Phenome-wide Scanning Approach. <i>Schizophrenia Bulletin</i> , 2007, 34, 587-590.	2.3	21

#	ARTICLE	IF	CITATIONS
135	Association between trauma exposure and delusional experiences in a large community-based sample. <i>British Journal of Psychiatry</i> , 2007, 190, 339-343.	1.7	152
136	Variation in the malic enzyme 2 gene: implications for the pharmacogenomics of psychotic disorders. <i>Pharmacogenomics</i> , 2007, 8, 691-695.	0.6	3
137	Subtypes of paranoia in a nonclinical sample. <i>Cognitive Neuropsychiatry</i> , 2007, 12, 537-553.	0.7	20
138	The Surprisingly Rich Contours of Schizophrenia Epidemiology. <i>Archives of General Psychiatry</i> , 2007, 64, 14.	13.8	90
139	Biological, Life Course, and Cross-Cultural Studies All point Toward the Value of Dimensional and Developmental Ratings in the Classification of Psychosis. <i>Schizophrenia Bulletin</i> , 2007, 33, 868-876.	2.3	73
140	Implications for neurobiological research of cognitive models of psychosis: a theoretical paper. <i>Psychological Medicine</i> , 2007, 37, 1377-1391.	2.7	290
141	North American Prodrome Longitudinal Study: A Collaborative Multisite Approach to Prodromal Schizophrenia Research. <i>Schizophrenia Bulletin</i> , 2007, 33, 665-672.	2.3	258
142	The Contribution of Social Factors to the Development of Schizophrenia: A Review of Recent Findings. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 277-286.	0.9	160
143	Hallucinatory Experiences, Delusional Thought Proneness, and Psychological Distress in a Nonclinical Population. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 484-491.	0.5	34
144	Verbal self-monitoring in psychosis: a non-replication. <i>Psychological Medicine</i> , 2007, 37, 569.	2.7	26
145	Does normal developmental expression of psychosis combine with environmental risk to cause persistence of psychosis? A psychosis pronenessâ€‘persistence model. <i>Psychological Medicine</i> , 2007, 37, 513.	2.7	231
146	Exophenotypical profile of adolescents with sustained attention deficit: A 10-year follow-up study. <i>Psychiatry Research</i> , 2007, 153, 119-130.	1.7	11
147	Suspicious minds: The psychology of persecutory delusions. <i>Clinical Psychology Review</i> , 2007, 27, 425-457.	6.0	667
148	The relationship between bullying, psychotic-like experiences and appraisals in 14â€‘16-year olds. <i>Behaviour Research and Therapy</i> , 2007, 45, 1579-1591.	1.6	123
149	Understanding and Treating â€‘First-Episodeâ€‘Schizophrenia. <i>Psychiatric Clinics of North America</i> , 2007, 30, 481-510.	0.7	32
150	The distribution of positive psychosis-like symptoms in the population: A latent class analysis of the National Comorbidity Survey. <i>Schizophrenia Research</i> , 2007, 89, 101-109.	1.1	103
151	Community screening for psychotic-like experiences and other putative antecedents of schizophrenia in children aged 9â€‘12 years. <i>Schizophrenia Research</i> , 2007, 90, 130-146.	1.1	202
152	A cognitive bias against disconfirmatory evidence (BADE) is associated with schizotypy. <i>Schizophrenia Research</i> , 2007, 90, 334-337.	1.1	94

#	ARTICLE	IF	CITATIONS
153	Association between psychotic experiences and depression in a clinical sample over 6 months. <i>Schizophrenia Research</i> , 2007, 91, 246-253.	1.1	122
154	Psychotic experiences in the general population: A twenty-year prospective community study. <i>Schizophrenia Research</i> , 2007, 92, 1-14.	1.1	265
155	Validation of the English and French versions of the Community Assessment of Psychic Experiences (CAPE) with a Montreal community sample. <i>Schizophrenia Research</i> , 2007, 95, 86-95.	1.1	80
156	Empirically Grounded Clinical Interventions Clinical Implications of a Psychological Model of Mental Disorder. <i>Behavioural and Cognitive Psychotherapy</i> , 2007, 35, 1.	0.9	45
159	The subjective experience of paranoia: Comparing the experiences of patients with psychosis and individuals with no psychiatric history. <i>Clinical Psychology and Psychotherapy</i> , 2007, 14, 63-77.	1.4	26
160	Dimensions and the psychosis phenotype. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, S34-S40.	1.1	90
161	Childhood negative experiences and subclinical psychosis in adolescence: a longitudinal general population study. <i>Microbial Biotechnology</i> , 2007, 1, 201-207.	0.9	50
162	Is psychosis in DSM-IV mania due to severity? The relevance of selected demographic and comorbid social-phobic features. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 29-34.	2.2	20
163	Cognitive alterations in groups at risk for psychosis: neutral markers of genetic risk or indicators of social disability?. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 253-262.	2.2	15
164	The impact of subclinical psychosis on the transition from subclinical mania to bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 98, 55-64.	2.0	34
165	A latent class analysis of positive psychosis symptoms based on the British Psychiatric Morbidity Survey. <i>Personality and Individual Differences</i> , 2007, 42, 1491-1502.	1.6	26
166	Substance use and psychosis. <i>Psychiatry (Abingdon, England)</i> , 2007, 6, 19-22.	0.2	6
167	More than just a place to talk: Young people's experiences of group psychological therapy as an early intervention for auditory hallucinations. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007, 80, 127-149.	1.3	49
168	Cognitieve gedragstherapie bij jongeren met risicosymptomen voor een psychose. <i>Kind & Adolescent Praktijk</i> , 2007, 6, 3-7.	0.0	0
169	Developing services for the early detection of psychosis. <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 96-103.	2.8	15
170	Emotional Reactions to Simulations of Auditory Hallucinations. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2008, 30, 307-314.	0.7	8
171	Ethnicity and variability of psychotic symptoms. <i>Current Psychiatry Reports</i> , 2008, 10, 223-228.	2.1	26
172	Changing relationship with voices: new therapeutic perspectives for treating hallucinations. <i>Clinical Psychology and Psychotherapy</i> , 2008, 15, 75-85.	1.4	76

#	ARTICLE	IF	CITATIONS
173	Mysticism and madness: Different aspects of the same human experience?. <i>Mental Health, Religion and Culture</i> , 2008, 11, 301-325.	0.6	13
174	Subclinical delusional ideation and a self-reference bias in everyday reasoning. <i>British Journal of Psychology</i> , 2008, 99, 29-44.	1.2	15
175	Demographic correlates of psychotic-like experiences in young Australian adults. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 230-237.	2.2	78
176	Insecure attachment predicts proneness to paranoia but not hallucinations. <i>Personality and Individual Differences</i> , 2008, 44, 1212-1224.	1.6	87
177	A self-reported instrument for prodromal symptoms of psychosis: Testing the clinical validity of the PRIME Screen-Revised (PS-R) in a Japanese population. <i>Schizophrenia Research</i> , 2008, 106, 356-362.	1.1	117
182	PREDICTORS OF REHOSPITALIZATION IN THREE YEARS OF TREATMENT AFTER HOSPITAL DISCHARGE. <i>Schizophrenia Research</i> , 2008, 102, 176.	1.1	1
183	OBSESSIVE-COMPULSIVE SYMPTOMS ARE ASSOCIATED WITH BUT DO NOT PREDICT PSYCHOTIC SYMPTOMS IN PATIENTS WITH PSYCHOSIS. <i>Schizophrenia Research</i> , 2008, 102, 230.	1.1	0
185	Gene-Environment Interactions in Schizophrenia: Review of Epidemiological Findings and Future Directions. <i>Schizophrenia Bulletin</i> , 2008, 34, 1066-1082.	2.3	595
186	Social Predictors of Psychotic Experiences: Specificity and Psychological Mechanisms. <i>Schizophrenia Bulletin</i> , 2008, 34, 1012-1020.	2.3	179
187	The "big bang" theory of the origin of psychosis and the faculty of language. <i>Schizophrenia Research</i> , 2008, 102, 31-52.	1.1	194
188	The impact of psychoticism on perceived hassles, depression, hostility, and hopelessness in non-psychiatric African Americans. <i>Psychiatry Research</i> , 2008, 159, 215-225.	1.7	11
190	Cannabis-Induced Psychotic-Like Experiences Are Predicted by High Schizotypy. <i>Psychopathology</i> , 2008, 41, 371-378.	1.1	54
191	Hallucinations in Adolescent Inpatients with Post-Traumatic Stress Disorder and Schizophrenia: Similarities and Differences. <i>Australasian Psychiatry</i> , 2008, 16, 268-272.	0.4	46
192	Psychotic-Like Ideations Among a Group of Young Normal Subjects in Iran. <i>International Journal of Social Psychiatry</i> , 2008, 54, 390-394.	1.6	4
194	Auditory Hallucinations: Psychotic Symptom or Dissociative Experience?. <i>Journal of Psychological Trauma</i> , 2008, 6, 35-63.	0.4	128
195	Psychotic-like experiences and other antecedents of schizophrenia in children aged 9-12 years: a comparison of ethnic and migrant groups in the United Kingdom. <i>Psychological Medicine</i> , 2008, 38, 1103-1111.	2.7	64
196	What makes one person paranoid and another person anxious? The differential prediction of social anxiety and persecutory ideation in an experimental situation. <i>Psychological Medicine</i> , 2008, 38, 1121-1132.	2.7	119
198	IQ and non-clinical psychotic symptoms in 12-year-olds: results from the ALSPAC birth cohort. <i>British Journal of Psychiatry</i> , 2008, 193, 185-191.	1.7	233

#	ARTICLE	IF	CITATIONS
199	Are Anomalous Perceptual Experiences Necessary For Delusions?. Journal of Nervous and Mental Disease, 2008, 196, 3-8.	0.5	33
200	SÃntomas pseudo-psicÃ³ticos en adolescentes de la poblaciÃ³n general. Revista De Psicopatologia Y Psicología Clínica, 2008, 13, .	0.1	4
203	Psychotic Symptoms and General Health in a Socially Disadvantaged Migrant Community in Bologna. International Journal of Social Psychiatry, 2009, 55, 203-213.	1.6	30
204	The psychoses: Cluster 3 of the proposed meta-structure for DSM-V and ICD-11. Psychological Medicine, 2009, 39, 2025-2042.	2.7	74
205	Subjective Experience of Cognitive Failures as Possible Risk Factor for Negative Symptoms of Psychosis in the General Population. Schizophrenia Bulletin, 2009, 35, 766-774.	2.3	25
206	Perceptions of Paranoid Thoughts in a Nonclinical Group of College Students. Psychological Reports, 2009, 104, 699-710.	0.9	2
207	Narrative insight: rethinking insight in psychosis. International Journal of Culture and Mental Health, 2009, 2, 16-28.	0.6	22
208	Relationship between Anger and Paranoid Thoughts in a Nonclinical Sample. Psychological Reports, 2009, 105, 375-380.	0.9	5
209	Will the Kraepelinian Dichotomy Survive DSM-V?. Neuropsychopharmacology, 2009, 34, 2081-2087.	2.8	73
210	Psychometric Properties of a Persian Translation of the Launay-Slade Hallucination Scale in an Iranian Population. Perceptual and Motor Skills, 2009, 109, 911-923.	0.6	4
211	Twin studies in psychotic disorders. Epidemiologia E Psichiatria Sociale, 2009, 18, 195-199.	1.0	4
212	Probability estimations and delusion-proneness. Personality and Individual Differences, 2009, 47, 197-202.	1.6	7
213	A community study of psychosocial functioning and weight in young children and adolescents. Pediatric Obesity, 2009, 4, 91-97.	3.2	61
214	Psychological investigation of the "feeling of being seen through" in a non-clinical sample using an ERP paradigm. Brain Research, 2009, 1254, 63-73.	1.1	1
215	Mental disorder is a cause of crime: The cornerstone of forensic psychiatry. International Journal of Law and Psychiatry, 2009, 32, 342-347.	0.5	33
216	Evidence that self-reported psychotic experiences represent the transitory developmental expression of genetic liability to psychosis in the general population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 1078-1084.	1.1	38
217	Schizotypy, delusional ideation and well-being in an American new religious movement population. Clinical Psychology and Psychotherapy, 2009, 16, 479-484.	1.4	16
218	The psychosis continuum and categorical versus dimensional diagnostic approaches. Current Psychiatry Reports, 2009, 11, 179-184.	2.1	61

#	ARTICLE	IF	CITATIONS
219	Prevalence and risk factors of psychotic symptoms: in the city of Izmir, Turkey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 905-910.	1.6	29
220	Dimensional, non-taxonic latent structure of psychotic symptoms in a student sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 911-916.	1.6	19
221	Does reactivity to stress cosegregate with subclinical psychosis? A general population twin study. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 45-53.	2.2	77
222	Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 226-235.	2.2	110
223	“Salience syndrome” replaces “schizophrenia” in DSM-V and ICD-11: psychiatry’s evidence-based entry into the 21st century?. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 363-372.	2.2	132
224	Biological Perspectives. <i>Perspectives in Psychiatric Care</i> , 2009, 45, 228-231.	0.9	1
225	Are you looking at me? Understanding and managing paranoid personality disorder. <i>Advances in Psychiatric Treatment</i> , 2009, 15, 40-48.	0.6	25
226	Prevalence of psychotic symptoms in substance users: a comparison across substances. <i>Comprehensive Psychiatry</i> , 2009, 50, 245-250.	1.5	114
227	Are psychotic experiences among detained juvenile offenders explained by trauma and substance use?. <i>Drug and Alcohol Dependence</i> , 2009, 100, 39-46.	1.6	26
228	The burden of awareness of psychometric risk for schizophrenia. <i>Psychiatry Research</i> , 2009, 166, 184-191.	1.7	7
229	Anticipating DSM-V: Should Psychosis Risk Become a Diagnostic Class?. <i>Schizophrenia Bulletin</i> , 2009, 35, 841-843.	2.3	106
230	The prevalence and correlates of hallucinations in Australian adolescents: Results from a national survey. <i>Schizophrenia Research</i> , 2009, 107, 179-185.	1.1	102
231	Subclinical hallucinations in adolescent outpatients: An outcome study. <i>Schizophrenia Research</i> , 2009, 108, 265-271.	1.1	35
232	Basic symptoms in the general population and in psychotic and non-psychotic psychiatric adolescents. <i>Schizophrenia Research</i> , 2009, 111, 32-38.	1.1	42
233	A systematic review and meta-analysis of the psychosis continuum: evidence for a psychosis proneness-“persistence”-impairment model of psychotic disorder. <i>Psychological Medicine</i> , 2009, 39, 179-195.	2.7	1,829
234	Are social phobia and paranoia related, and which comes first?. <i>Psychosis</i> , 2009, 1, 29-38.	0.4	17
235	Validity of the Prodromal Risk Syndrome for First Psychosis: Findings From the North American Prodrome Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2009, 35, 894-908.	2.3	368
236	Significance of Endorsement of Psychotic Symptoms by US Latinos. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 337-347.	0.5	65

#	ARTICLE	IF	CITATIONS
237	Lack of Association Between Neuropsychological Performance and Level of Psychosis-Proneness in an Adolescent Psychiatric Sample. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 669-674.	0.5	7
238	Psychotic Symptoms as a Continuum between Normality and Pathology. <i>Canadian Journal of Psychiatry</i> , 2009, 54, 140-151.	0.9	69
239	Diagnosis and the staging model of psychosis. , 0, , 17-28.		5
240	The Borders of Mental Disorder in Psychiatry and the DSM. <i>Journal of Psychiatric Practice</i> , 2010, 16, 375-386.	0.3	27
241	Testing the continuum of delusional beliefs: An experimental study using virtual reality.. <i>Journal of Abnormal Psychology</i> , 2010, 119, 83-92.	2.0	154
242	The Aberrant Saliency Inventory: A new measure of psychosis proneness.. <i>Psychological Assessment</i> , 2010, 22, 688-701.	1.2	107
243	Systematic Reviews of Categorical Versus Continuum Models in Psychosis: Evidence for Discontinuous Subpopulations Underlying a Psychometric Continuum. Implications for DSM-V, DSM-VI, and DSM-VII. <i>Annual Review of Clinical Psychology</i> , 2010, 6, 391-419.	6.3	245
244	Adoption, family relations and psychotic symptoms among Palauan adolescents who are genetically at risk for developing schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 1105-1114.	1.6	11
245	Catechol-o-Methyltransferase Genotype and Childhood Trauma May Interact to Impact Schizotypal Personality Traits. <i>Behavior Genetics</i> , 2010, 40, 415-423.	1.4	32
246	Social dysfunction predicts two years clinical outcome in people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2010, 44, 294-301.	1.5	92
247	A single blind randomized controlled trial of cognitive behavioural therapy in a help-seeking population with an At Risk Mental State for psychosis: the Dutch Early Detection and Intervention Evaluation (EDIE-NL) trial. <i>Trials</i> , 2010, 11, 30.	0.7	46
248	Schizotypal traits and N400 in healthy subjects. <i>Psychophysiology</i> , 2010, 47, no-no.	1.2	11
249	Correlation between attenuated psychotic experiences and depressive symptoms among Japanese students. <i>Microbial Biotechnology</i> , 2010, 4, 200-205.	0.9	6
250	Prevalence of Psychotic Symptoms and Their Risk Factors in Urban Tanzania. <i>International Journal of Environmental Research and Public Health</i> , 2010, 7, 2514-2525.	1.2	38
251	Latent inhibition in schizophrenia and schizotypy: a review of the empirical literature. , 0, , 417-447.		11
252	Hallucinations in Nonpsychotic Disorders. <i>Harvard Review of Psychiatry</i> , 2010, 18, 22-35.	0.9	62
253	The co-occurrence of nonaffective psychosis and the pervasive developmental disorders: A systematic review. <i>Journal of Intellectual and Developmental Disability</i> , 2010, 35, 187-198.	1.1	28
254	The continuum hypothesis of psychosis: David's criticisms are timely. <i>Psychological Medicine</i> , 2010, 40, 1959-1961.	2.7	12

#	ARTICLE	IF	CITATIONS
255	Impaired verbal self-monitoring in individuals at high risk of psychosis. <i>Psychological Medicine</i> , 2010, 40, 1433-1442.	2.7	32
256	Schizotypy and brain structure: a voxel-based morphometry study. <i>Psychological Medicine</i> , 2010, 40, 1423-1431.	2.7	80
257	Why we need more debate on whether psychotic symptoms lie on a continuum with normality. <i>Psychological Medicine</i> , 2010, 40, 1935-1942.	2.7	133
258	Relating Schizotypy and Personality to the Phenomenology of Creativity. <i>Schizophrenia Bulletin</i> , 2010, 36, 388-399.	2.3	135
259	Biases in everyday reasoning: Associations with subclinical anxiety, depression and paranoia. <i>Psychosis</i> , 2010, 2, 227-237.	0.4	14
260	Positive psychosis symptom structure in the general population: Assessing dimensional consistency and continuity from "pathology" to "normality". <i>Psychosis</i> , 2010, 2, 199-209.	0.4	14
261	Depersonalization in Patients with Schizophrenia Spectrum Disorders, First-Degree Relatives and Normal Controls. <i>Psychopathology</i> , 2010, 43, 141-149.	1.1	15
262	Early Expression of Negative/Disorganized Symptoms Predicting Psychotic Experiences and Subsequent Clinical Psychosis: A 10-Year Study. <i>American Journal of Psychiatry</i> , 2010, 167, 1075-1082.	4.0	159
263	Etiological and Clinical Features of Childhood Psychotic Symptoms. <i>Archives of General Psychiatry</i> , 2010, 67, 328.	13.8	214
264	High remission rates from an initial ultra-high risk state for psychosis. <i>Schizophrenia Research</i> , 2010, 116, 168-172.	1.1	89
265	Who needs antipsychotic medication in the earliest stages of psychosis? A reconsideration of benefits, risks, neurobiology and ethics in the era of early intervention. <i>Schizophrenia Research</i> , 2010, 119, 1-10.	1.1	97
266	Schizophrenia risk factors constitute general risk factors for psychiatric symptoms in the population. <i>Schizophrenia Research</i> , 2010, 120, 184-190.	1.1	38
267	Language, motor and speed of processing deficits in adolescents with subclinical psychotic symptoms. <i>Schizophrenia Research</i> , 2010, 123, 71-76.	1.1	77
268	The case for including Attenuated Psychotic Symptoms Syndrome in DSM-5 as a psychosis risk syndrome. <i>Schizophrenia Research</i> , 2010, 123, 199-207.	1.1	117
269	The Self-screen-Prodrome as a short screening tool for pre-psychotic states. <i>Schizophrenia Research</i> , 2010, 123, 217-224.	1.1	30
270	Adolescent brain maturation, the endogenous cannabinoid system and the neurobiology of cannabis-induced schizophrenia. <i>Progress in Neurobiology</i> , 2010, 92, 370-385.	2.8	276
271	Are psychiatric diagnoses of psychosis scientific and useful? The case of schizophrenia. <i>Journal of Mental Health</i> , 2010, 19, 305-317.	1.0	55
272	The prevalence and profile of non-affective psychosis in the Nigerian Survey of Mental Health and Wellbeing. <i>World Psychiatry</i> , 2010, 9, 50-55.	4.8	30

#	ARTICLE	IF	CITATIONS
273	Association between locus of control in childhood and psychotic symptoms in early adolescence: Results from a large birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011, 16, 385-402.	0.7	40
274	Analysis of the multidimensionality of hallucination-like experiences in clinical and nonclinical Spanish samples and their relation to clinical symptoms: Implications for the model of continuity. <i>International Journal of Psychology</i> , 2011, 46, 46-54.	1.7	17
275	Affective Dysregulation and Reality Distortion: A 10-Year Prospective Study of Their Association and Clinical Relevance. <i>Schizophrenia Bulletin</i> , 2011, 37, 561-571.	2.3	132
276	The Near Babylonian Speech Confusion in Early Detection of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 653-655.	2.3	68
277	The prevalence of voice-hearers in the general population: A literature review. <i>Journal of Mental Health</i> , 2011, 20, 281-292.	1.0	202
278	Psychotic-like experiences are associated with violent behavior in adolescents. <i>Schizophrenia Research</i> , 2011, 126, 245-251.	1.1	35
279	The association between general psychological distress and delusional-like experiences: A large population-based study. <i>Schizophrenia Research</i> , 2011, 127, 246-251.	1.1	74
280	Persistence and outcome of auditory hallucinations in adolescence: A longitudinal general population study of 1800 individuals. <i>Schizophrenia Research</i> , 2011, 127, 252-256.	1.1	91
281	Ultra high-risk state for psychosis and non-transition: A systematic review. <i>Schizophrenia Research</i> , 2011, 132, 8-17.	1.1	137
282	Pathways to psychosis: Help-seeking behavior in the prodromal phase. <i>Schizophrenia Research</i> , 2011, 132, 213-219.	1.1	54
283	Différencier les expériences psychotiques non pathologiques de prodromes psychotiques schizo-phréniques. Un enjeu clinique et thérapeutique. <i>Annales Medico-Psychologiques</i> , 2011, 169, 564-569.	0.2	1
284	Cognitive correlates of the spontaneous out-of-body experience (OBE) in the psychologically normal population: Evidence for an increased role of temporal-lobe instability, body-distortion processing, and impairments in own-body transformations. <i>Cortex</i> , 2011, 47, 839-853.	1.1	50
285	The metacognitive beliefs account of hallucinatory experiences: A literature review and meta-analysis. <i>Clinical Psychology Review</i> , 2011, 31, 850-864.	6.0	64
286	Exploratory study on the base-rate of paranoid ideation in a non-clinical Chinese sample. <i>Psychiatry Research</i> , 2011, 185, 254-260.	1.7	18
287	“Theory of Mind”™, psychotic-like experiences and psychometric schizotypy in adolescents from the general population. <i>Psychiatry Research</i> , 2011, 186, 225-231.	1.7	44
288	Investigation of shared genetic effects for psychotic and obsessive symptoms in young adult twins. <i>Psychiatry Research</i> , 2011, 188, 276-282.	1.7	15
289	Risk factors at the low end of the psychosis continuum: Much the same as at the upper end?. <i>Psychiatry Research</i> , 2011, 189, 77-81.	1.7	22
290	Correlates of perceptual distortions in clinical and non-clinical populations using the Cardiff Anomalous Perceptions Scale (CAPS): Associations with anxiety and depression and a re-validation using a representative population sample. <i>Psychiatry Research</i> , 2011, 189, 451-457.	1.7	22

#	ARTICLE	IF	CITATIONS
291	The prevalence and correlates of hallucinations in a general population sample: findings from the South African Stress and Health Study. <i>African Journal of Psychiatry</i> , 2011, 14, 211-7.	0.1	16
292	The Association between Physical Health and Delusional-Like Experiences: A General Population Study. <i>PLoS ONE</i> , 2011, 6, e18566.	1.1	30
293	Outcome in first-episode psychosis. <i>International Clinical Psychopharmacology</i> , 2011, 26, e78-e79.	0.9	2
294	Evidence That Onset of Clinical Psychosis Is an Outcome of Progressively More Persistent Subclinical Psychotic Experiences: An 8-Year Cohort Study. <i>Schizophrenia Bulletin</i> , 2011, 37, 84-93.	2.3	350
295	Jumping to conclusions: the psychology of delusional reasoning. <i>Advances in Psychiatric Treatment</i> , 2011, 17, 332-339.	0.6	35
296	Paranoid induction reduces N400s of healthy subjects with delusional-like ideation. <i>Psychophysiology</i> , 2011, 48, 937-949.	1.2	14
297	Can obsessions drive you mad? Longitudinal evidence that obsessive-compulsive symptoms worsen the outcome of early psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 136-146.	2.2	40
298	The association between delusional-like experiences, and tobacco, alcohol or cannabis use: a nationwide population-based survey. <i>BMC Psychiatry</i> , 2011, 11, 202.	1.1	46
299	Reappraisal of the interplay between psychosis and depression symptoms in the pathogenesis of psychotic syndromes: results from a twenty-year prospective community study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 11-19.	1.8	14
300	The psychosis continuum in the general population: findings from the São Paulo Epidemiologic Catchment Area Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 519-527.	1.8	28
301	Childhood adversity and hallucinations: a community-based study using the National Comorbidity Survey Replication. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1203-1210.	1.6	58
303	From "classical" antipsychotics to "multidimensional stabilizers": do we need a new classification for novel drugs used in schizophrenia?. <i>Neuropsychiatry</i> , 2011, 1, 541-552.	0.4	1
304	Paranoid Thinking, Quality of Relationships With Parents, and Social Outcomes Among Young Adults. <i>Journal of Family Issues</i> , 2011, 32, 1030-1049.	1.0	13
305	Special issue on CNS experimental medicine. <i>Journal of Psychopharmacology</i> , 2011, 25, 1145-1147.	2.0	10
306	Are Screening Instruments Valid for Psychotic-Like Experiences? A Validation Study of Screening Questions for Psychotic-Like Experiences Using In-Depth Clinical Interview. <i>Schizophrenia Bulletin</i> , 2011, 37, 362-369.	2.3	279
307	Paranoid Explanations of Experience: A Novel Experimental Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 21-34.	0.9	20
308	CBT for psychosis in a psychoanalytic frame. <i>Psychosis</i> , 2011, 3, 2-13.	0.4	22
309	Developmental trajectories of psychotic-like experiences across adolescence: impact of victimization and substance use. <i>Psychological Medicine</i> , 2011, 41, 47-58.	2.7	135

#	ARTICLE	IF	CITATIONS
310	The Prevalence of Delusion-Like Beliefs Relative to Sociocultural Beliefs in the General Population. <i>Psychopathology</i> , 2011, 44, 106-115.	1.1	54
311	Psychotic-Like Experiences in Major Depression and Anxiety Disorders: A Population-Based Survey in Young Adults. <i>Schizophrenia Bulletin</i> , 2011, 37, 389-393.	2.3	221
312	Clinical utility of serum biomarkers for major psychiatric disorders. <i>International Review of Neurobiology</i> , 2011, 101, 351-374.	0.9	6
313	De-Medicalizing Misery. , 2011, , .		53
314	Concomitants of paranoia in the general population. <i>Psychological Medicine</i> , 2011, 41, 923-936.	2.7	217
315	Developing positive relationships with voices: A preliminary Grounded Theory. <i>International Journal of Social Psychiatry</i> , 2011, 57, 487-495.	1.6	35
316	Event-related potential correlates of suspicious thoughts in individuals with schizotypal personality features. <i>Social Neuroscience</i> , 2011, 6, 559-568.	0.7	7
317	Childhood facial emotion recognition and psychosis-like symptoms in a nonclinical population at 12 years of age: Results from the ALSPAC birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011, 16, 136-157.	0.7	17
318	Conspiracy Theories. , 2011, , .		162
319	The Application of Multiplexed Assay Systems for Molecular Diagnostics. <i>International Review of Neurobiology</i> , 2011, 101, 259-278.	0.9	0
321	Medical and Other Psychiatric Conditions Potentially Misdiagnosed as Schizophrenia. , 2012, , 281-296.		0
322	Dissociation, trauma, and the role of lived experience: Toward a new conceptualization of voice hearing.. <i>Psychological Bulletin</i> , 2012, 138, 28-76.	5.5	191
323	Auditory Hallucinations Elicit Similar Brain Activation in Psychotic and Nonpsychotic Individuals. <i>Schizophrenia Bulletin</i> , 2012, 38, 1074-1082.	2.3	109
324	Social support and delusional-like experiences: a nationwide population-based study. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 203-212.	1.8	22
325	Testing the Psychosis Continuum: Differential Impact of Genetic and Nongenetic Risk Factors and Comorbid Psychopathology Across the Entire Spectrum of Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 992-1002.	2.3	82
326	Psychotic-like experiences in a community sample of 8000 children aged 9 to 11 years: an item response theory analysis. <i>Psychological Medicine</i> , 2012, 42, 1495-1506.	2.7	144
327	Exploring the Folk Understanding of Belief: Identifying Key Dimensions Endorsed in the General Population. <i>Journal of Cognition and Culture</i> , 2012, 12, 81-99.	0.1	6
328	Voice hearing in a biographical context: A model for formulating the relationship between voices and life history. <i>Psychosis</i> , 2012, 4, 224-234.	0.4	56

#	ARTICLE	IF	CITATIONS
329	Self-Reported Psychotic Symptoms in the General Population: Correlates in an Iranian Urban Area. <i>Psychopathology</i> , 2012, 45, 374-380.	1.1	12
330	Evidence that genes for depression impact on the pathway from trauma to psychotic-like symptoms by occasioning emotional dysregulation. <i>Psychological Medicine</i> , 2012, 42, 283-294.	2.7	32
331	Do subthreshold psychotic experiences predict clinical outcomes in unselected non-help-seeking population-based samples? A systematic review and meta-analysis, enriched with new results. <i>Psychological Medicine</i> , 2012, 42, 2239-2253.	2.7	341
332	Evidence that the wider social environment moderates the association between familial liability and psychosis spectrum outcome. <i>Psychological Medicine</i> , 2012, 42, 2499-2510.	2.7	30
333	Facial emotion recognition in adolescents with psychotic-like experiences: a school-based sample from the general population. <i>Psychological Medicine</i> , 2012, 42, 2157-2166.	2.7	22
334	Investigation of the Genetic Association between Quantitative Measures of Psychosis and Schizophrenia: A Polygenic Risk Score Analysis. <i>PLoS ONE</i> , 2012, 7, e37852.	1.1	60
335	The Continuum of Psychotic Symptoms in the General Population: A Cross-national Study. <i>Schizophrenia Bulletin</i> , 2012, 38, 475-485.	2.3	266
336	Phenotypically Continuous With Clinical Psychosis, Discontinuous in Need for Care: Evidence for an Extended Psychosis Phenotype. <i>Schizophrenia Bulletin</i> , 2012, 38, 231-238.	2.3	85
337	Childhood cognitive function and adult psychopathology: associations with psychotic and non-psychotic symptoms in the general population. <i>British Journal of Psychiatry</i> , 2012, 201, 124-130.	1.7	33
338	Can We Detect Psychotic-like Experiences in the General Population?. <i>Current Pharmaceutical Design</i> , 2012, 18, 376-385.	0.9	44
339	Self-reported Attenuated Psychotic Symptoms as Forerunners of Severe Mental Disorders Later in Life. <i>Archives of General Psychiatry</i> , 2012, 69, 467.	13.8	177
340	The validity of self-rated psychotic symptoms in depressed inpatients. <i>European Psychiatry</i> , 2012, 27, 547-552.	0.1	13
341	Cognitive factors associated with subclinical delusional ideation in the general population. <i>Psychiatry Research</i> , 2012, 197, 345-349.	1.7	39
342	Which came first, delusions or hallucinations? An exploration of clinical differences among patients with first-episode psychosis based on patterns of emergence of positive symptoms. <i>Psychiatry Research</i> , 2012, 200, 702-707.	1.7	16
343	The impact of negative schemas, mood and psychological flexibility on delusional ideation – mediating and moderating effects. <i>Psychosis</i> , 2012, 4, 6-18.	0.4	34
344	The role of ideational distress in the relation between persecutory ideations and reactive aggression. <i>Criminal Behaviour and Mental Health</i> , 2012, 22, 350-359.	0.4	8
345	Social anhedonia and aggressive behavior. <i>Personality and Individual Differences</i> , 2012, 53, 868-873.	1.6	9
346	Sex differences in sub-clinical psychosis – Results from a community study over 30years. <i>Schizophrenia Research</i> , 2012, 139, 176-182.	1.1	14

#	ARTICLE	IF	CITATIONS
347	Temporal dynamics of visual and auditory hallucinations in psychosis. <i>Schizophrenia Research</i> , 2012, 140, 77-82.	1.1	48
348	Chances and risks of predicting psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 85-90.	1.8	18
349	Paranoid thinking, suspicion, and risk for aggression: A neurodevelopmental perspective. <i>Development and Psychopathology</i> , 2012, 24, 1031-1046.	1.4	28
350	The neurobiology of schizotypy: Fronto-striatal prediction error signal correlates with delusion-like beliefs in healthy people. <i>Neuropsychologia</i> , 2012, 50, 3612-3620.	0.7	84
351	Psychotic Symptoms in Kenya – Prevalence, Risk Factors, and Relationship with Common Mental Disorders. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 1748-1756.	1.2	22
352	Multi-Level Models of Information Processing, and Their Application to Psychosis. <i>Journal of Experimental Psychopathology</i> , 2012, 3, 552-571.	0.4	3
353	Effect of High or Low Imagery on Auditory Hallucinatory Content in Individuals Scoring High in Schizotypy. <i>Journal of Experimental Psychopathology</i> , 2012, 3, 650-660.	0.4	2
354	The Role of Social Schema in the Experience of Auditory Hallucinations: A Systematic Review and a Proposal for the Inclusion of Social Schema in a Cognitive Behavioural Model of Voice Hearing. <i>Clinical Psychology and Psychotherapy</i> , 2012, 19, 459-472.	1.4	65
355	NEGATIVE SELF-APPRAISALS AND SUICIDAL BEHAVIOR AMONG TRAUMA VICTIMS EXPERIENCING PTSD SYMPTOMS: THE MEDIATING ROLE OF DEFEAT AND ENTRAPMENT. <i>Depression and Anxiety</i> , 2012, 29, 187-194.	2.0	38
356	The psychometric properties of the Peters et al. Delusions Inventory (PDI) in Taiwan: reliability, validity, and utility. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1221-1234.	1.6	13
357	Functional neural correlates of psychometric schizotypy: An fMRI study of antisaccades. <i>Psychophysiology</i> , 2012, 49, 345-356.	1.2	49
358	Latent structure of psychotic experiences in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 54-65.	2.2	44
359	Psychotic experience subtypes, poor mental health status and help-seeking behaviour in a community sample of young adults. <i>Microbial Biotechnology</i> , 2012, 6, 300-308.	0.9	32
360	Prevalence and correlates of anomalous experiences in a large non-clinical sample. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2012, 85, 150-162.	1.3	26
361	Predicting changes in delusional ideation: The role of mindfulness and negative schemas. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2012, 85, 243-259.	1.3	13
362	Prevalence and correlates of psychotic symptoms among Asian males. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 137-144.	1.6	3
363	Delusion Proneness and Emotion Appraisal in Individuals with High Psychosis Vulnerability. <i>Clinical Psychology and Psychotherapy</i> , 2013, 20, 166-170.	1.4	6
364	Assessing Anomalous Perceptual Experiences in Nonpsychiatric Individuals and Outpatients with Psychosis in Taiwan: An Investigation Using the Cardiff Anomalous Perceptions Scale (CAPS). <i>Psychiatric Quarterly</i> , 2013, 84, 137-157.	1.1	4

#	ARTICLE	IF	CITATIONS
365	A model of psychosis and its relationship with impairment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1367-1375.	1.6	22
366	Childhood sexual trauma, cannabis use and psychosis: statistically controlling for pre-trauma psychosis and psychopathology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 853-861.	1.6	23
367	Reduced P300 amplitude during retrieval on a spatial working memory task in a community sample of adolescents who report psychotic symptoms. <i>BMC Psychiatry</i> , 2013, 13, 125.	1.1	17
368	Deconstructing sub-clinical psychosis into latent-state and trait variables over a 30-year time span. <i>Schizophrenia Research</i> , 2013, 150, 197-204.	1.1	23
369	Moving beyond transition outcomes: Meta-analysis of remission rates in individuals at high clinical risk for psychosis. <i>Psychiatry Research</i> , 2013, 209, 266-272.	1.7	114
370	Classes of Psychotic Experiences in Kenyan Children and Adolescents. <i>Child Psychiatry and Human Development</i> , 2013, 44, 452-459.	1.1	28
372	Collaborative Empiricism in Cognitive Therapy for Psychosis: A Practice Guide. <i>Cognitive and Behavioral Practice</i> , 2013, 20, 429-444.	0.9	5
373	Unusual but sound minds: Mental health indicators in spiritual individuals. <i>British Journal of Psychology</i> , 2013, 104, 364-381.	1.2	26
374	Depression symptoms in help-seeking adolescents: A comparison between adolescents at-risk for psychosis and other help-seekers. <i>Journal of Mental Health</i> , 2013, 22, 317-324.	1.0	6
375	The role of cognitive biases and personality variables in subclinical delusional ideation. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 208-218.	0.7	25
376	Lost in transition: setting the psychosis threshold in prodromal research. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 248-252.	2.2	55
377	Patterns of lifetime female victimisation and psychotic experiences: a study based on the UK Adult Psychiatric Morbidity Survey 2007. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 15-24.	1.6	34
378	Child literacy and psychotic experiences in early adolescence: Findings from the ALSPAC study. <i>Schizophrenia Research</i> , 2013, 145, 88-94.	1.1	17
379	The relationship between psychotic symptoms and social functioning in a non-clinical population of 12year olds. <i>Schizophrenia Research</i> , 2013, 150, 404-409.	1.1	22
380	Lifetime and 12-month prevalence rates of sub-clinical psychosis symptoms in a community cohort of 50-year-old individuals. <i>European Psychiatry</i> , 2013, 28, 302-307.	0.1	10
381	Childhood trauma and distress experiences associate with psychotic symptoms in patients attending primary and psychiatric outpatient care. Results of the RADEP study. <i>European Psychiatry</i> , 2013, 28, 154-160.	0.1	12
382	The role of safety-seeking behaviours in maintaining threat appraisals in psychosis. <i>Behaviour Research and Therapy</i> , 2013, 51, 75-81.	1.6	32
383	Testing the hypothesis that psychotic illness begins when subthreshold hallucinations combine with delusional ideation. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 34-47.	2.2	42

#	ARTICLE	IF	CITATIONS
384	Social cognition and social functioning in nonclinical paranoia. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 531-548.	0.7	29
385	Evidence for the early clinical relevance of hallucinatoryâ€delusional states in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 482-493.	2.2	42
386	Forced Migration and Psychotic Symptoms: An Analysis of the National Latino and Asian American Study. <i>Journal of Immigrant and Refugee Studies</i> , 2013, 11, 299-314.	1.3	5
387	Defective Processing Speed and Nonclinical Psychotic Experiences in Children: Longitudinal Analyses in a Large Birth Cohort. <i>American Journal of Psychiatry</i> , 2013, 170, 550-557.	4.0	43
388	Psychotic Experiences and Psychotic Disorders at Age 18 in Relation to Psychotic Experiences at Age 12 in a Longitudinal Population-Based Cohort Study. <i>American Journal of Psychiatry</i> , 2013, 170, 742-750.	4.0	273
389	Psychometric schizotypy predicts psychotic-like, paranoid, and negative symptoms in daily life.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 1077-1087.	2.0	86
390	An updated and conservative systematic review and meta-analysis of epidemiological evidence on psychotic experiences in children and adults: on the pathway from proneness to persistence to dimensional expression across mental disorders. <i>Psychological Medicine</i> , 2013, 43, 1133-1149.	2.7	929
391	Prediction of psychopathology and functional impairment by positive and negative schizotypy in the Chapmansâ€™ ten-year longitudinal study.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 807-815.	2.0	177
392	A comprehensive review of auditory verbal hallucinations: lifetime prevalence, correlates and mechanisms in healthy and clinical individuals. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 367.	1.0	147
393	Conceptions of Narcissism and the <i>DSM-5</i> Pathological Personality Traits. <i>Assessment</i> , 2013, 20, 339-352.	1.9	100
394	Depressive symptoms are associated with (sub)clinical psychotic symptoms in patients with non-affective psychotic disorder, siblings and healthy controls. <i>Psychological Medicine</i> , 2013, 43, 747-756.	2.7	16
395	Externalizing biases and hallucinations in source-monitoring, self-monitoring and signal detection studies: a meta-analytic review. <i>Psychological Medicine</i> , 2013, 43, 2465-2475.	2.7	133
396	Cognitive biases and auditory verbal hallucinations in healthy and clinical individuals. <i>Psychological Medicine</i> , 2013, 43, 2339-2347.	2.7	28
397	Clinical and sociodemographic comparison of people at highâ€risk for psychosis and with firstâ€episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 210-216.	2.2	20
398	Greater Empathizing and reduced Systemizing in people who show a jumping to conclusions bias in the general population: Implications for psychosis. <i>Psychosis</i> , 2013, 5, 71-81.	0.4	18
399	A Functional Analysis of Schizophrenia. <i>Psychological Record</i> , 2013, 63, 929-946.	0.6	6
401	Diagnostic Criteria as Dysfunction Indicators: Bridging the Chasm between the Definition of Mental Disorder and Diagnostic Criteria for Specific Disorders. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 663-669.	0.9	81
403	A Comparative Study of Exceptional Experiences of Clients Seeking Advice and of Subjects in an Ordinary Population. <i>Frontiers in Psychology</i> , 2013, 4, 65.	1.1	35

#	ARTICLE	IF	CITATIONS
404	Negative correlation between leftward bias in line bisection and schizotypal features in healthy subjects. <i>Frontiers in Psychology</i> , 2013, 4, 846.	1.1	4
405	External misattribution of internal thoughts and proneness to auditory hallucinations: the effect of emotional valence in the Deese-Roediger-McDermott paradigm. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 351.	1.0	12
406	Paranoid Ideation and Assessments of Trust. <i>Journal of Experimental Psychopathology</i> , 2013, 4, 360-367.	0.4	8
407	Does Assessment Type Matter? A Measurement Invariance Analysis of Online and Paper and Pencil Assessment of the Community Assessment of Psychic Experiences (CAPE). <i>PLoS ONE</i> , 2014, 9, e84011.	1.1	27
408	The Concept of Schizophrenia: From Unity to Diversity. <i>Advances in Psychiatry</i> , 2014, 2014, 1-39.	0.4	7
409	Relevance relations for the concept of reproducibility. <i>Journal of the Royal Society Interface</i> , 2014, 11, 20131030.	1.5	14
410	Sexual minority status and psychotic symptoms: findings from the Netherlands Mental Health Survey and Incidence Studies (NEMESIS). <i>Psychological Medicine</i> , 2014, 44, 421-433.	2.7	68
411	Auditory Verbal Hallucinations in Persons With and Without a Need for Care. <i>Schizophrenia Bulletin</i> , 2014, 40, S255-S264.	2.3	236
412	The Many Continua of Psychosis. <i>JAMA Psychiatry</i> , 2014, 71, 985.	6.0	33
413	Dimensions of psychotic experiences among women in the general population. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 62-68.	1.1	15
414	Predictors of distress associated with psychotic-like anomalous experiences in clinical and non-clinical populations. <i>British Journal of Clinical Psychology</i> , 2014, 53, 213-227.	1.7	69
415	The need for experience focused counselling (EFC) with voice hearers in training and practice: a review of the literature. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014, 21, 391-402.	1.2	11
417	Visual Hallucinations in the Psychosis Spectrum and Comparative Information From Neurodegenerative Disorders and Eye Disease. <i>Schizophrenia Bulletin</i> , 2014, 40, S233-S245.	2.3	282
418	Common versus psychopathology-specific risk factors for psychotic experiences and depression during adolescence. <i>Psychological Medicine</i> , 2014, 44, 2557-2566.	2.7	30
419	Subclinical delusional thinking predicts lateral temporal cortex responses during social reflection. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 273-282.	1.5	17
420	Psychosis-like experiences and distress among adolescents using mental health services. <i>Schizophrenia Research</i> , 2014, 152, 498-502.	1.1	51
422	The relation between childhood maltreatment and psychosis in patients with schizophrenia and non-psychiatric controls. <i>Schizophrenia Research</i> , 2014, 155, 66-71.	1.1	43
423	Social relationships and quality of life moderate distress associated with delusional ideation. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 97-107.	1.6	13

#	ARTICLE	IF	CITATIONS
424	The distribution of self-reported psychotic-like experiences in non-psychotic help-seeking mental health patients in the general population; a factor mixture analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 349-358.	1.6	16
425	Prophecy or schizophrenia: A comparative study of psychopathology and quality of life of "prophets" and schizophrenia patients. <i>Mental Health, Religion and Culture</i> , 2014, 17, 449-457.	0.6	0
426	Des "Psychoses affectives" aux "Caractéristiques psychotiques": les symptômes psychotiques selon le DSM, discutés à la lumière d'une série de 16 cas de dépression psychotique. <i>Evolution Psychiatrique</i> , 0.1 2014, 79, 225-238.		1
427	Cortical thickness in individuals with non-clinical and clinical psychotic symptoms. <i>Brain</i> , 2014, 137, 2664-2669.	3.7	41
428	Childhood maltreatment, adult attachment and psychotic symptomatology: a study in patients, siblings and controls. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1759-1767.	1.6	43
429	Jumping to Conclusions bias, BADE and Feedback Sensitivity in schizophrenia and schizotypy. <i>Consciousness and Cognition</i> , 2014, 26, 133-144.	0.8	23
430	A Genome-wide Association Analysis of a Broad Psychosis Phenotype Identifies Three Loci for Further Investigation. <i>Biological Psychiatry</i> , 2014, 75, 386-397.	0.7	44
431	The paradox of schizotypy: Resemblance to prolonged severe mental illness in subjective but not objective quality of life. <i>Psychiatry Research</i> , 2014, 217, 185-190.	1.7	23
432	Network analysis of auditory hallucinations in nonpsychotic individuals. <i>Human Brain Mapping</i> , 2014, 35, 1436-1445.	1.9	61
433	Where Are the Social Workers? One Social Worker's Road to Active Opposition to the New DSM. <i>Ethical Human Psychology and Psychiatry</i> , 2014, 16, 63-79.	0.5	5
434	Prevalence of auditory verbal hallucinations in a general population: A group comparison study. <i>Scandinavian Journal of Psychology</i> , 2015, 56, 508-515.	0.8	67
435	Empirical evidence about recovery and mental health. <i>BMC Psychiatry</i> , 2015, 15, 285.	1.1	164
437	Jumping to Conclusions Style along the Continuum of Delusions: Delusion-Prone Individuals Are Not Hastier in Decision Making than Healthy Individuals. <i>PLoS ONE</i> , 2015, 10, e0121347.	1.1	17
438	Anomalous Experiences, Trauma, and Symbolization Processes at the Frontiers between Psychoanalysis and Cognitive Neurosciences. <i>Frontiers in Psychology</i> , 2015, 6, 1926.	1.1	26
439	Predicting Psychotic-Like Experiences during Sensory Deprivation. <i>BioMed Research International</i> , 2015, 2015, 1-10.	0.9	22
440	De la psicosis aguda al primer episodio psicótico: rumbo a la cronicidad. <i>Revista De La Asociación Española De Neuropsiquiatría</i> , 2015, 35, 731-748.	0.1	0
442	Childhood trauma and schizotypy: a systematic literature review. <i>Psychological Medicine</i> , 2015, 45, 947-963.	2.7	88
443	Carving versus Stitching: The Concept of Psychic Function and the Continuity/Discontinuity Debate. <i>Psychopathology</i> , 2015, 48, 145-152.	1.1	0

#	ARTICLE	IF	CITATIONS
444	A dimensional comparison between delusional disorder, schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2015, 169, 248-254.	1.1	27
445	Childhood sleep disturbance and risk of psychotic experiences at 18: UK birth cohort. <i>British Journal of Psychiatry</i> , 2015, 207, 23-29.	1.7	50
446	Sensory properties of obsessive thoughts in OCD and the relationship to psychopathology. <i>Psychiatry Research</i> , 2015, 230, 592-596.	1.7	15
447	Which psychotic experiences are associated with a need for clinical care?. <i>European Psychiatry</i> , 2015, 30, 648-654.	0.1	17
448	Social environmental risk factors for transition to psychosis in an Ultra-High Risk population. <i>Schizophrenia Research</i> , 2015, 161, 150-155.	1.1	23
449	Auditory hallucinations associated with migraine: Case series and literature review. <i>Cephalalgia</i> , 2015, 35, 923-930.	1.8	20
450	The Avon Longitudinal Study of Parents and Children (ALSPAC) birth cohort as a resource for studying psychopathology in childhood and adolescence: a summary of findings for depression and psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1017-1027.	1.6	45
451	Assessment of self-disorders in a non-clinical population: Reliability and association with schizotypy. <i>Psychiatry Research</i> , 2015, 228, 857-865.	1.7	20
452	The relationship between dissociation and voices: A systematic literature review and meta-analysis. <i>Clinical Psychology Review</i> , 2015, 40, 138-155.	6.0	103
453	Relationships of perceived public stigma of mental illness and psychosis-like experiences in a non-clinical population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 289-298.	1.6	17
454	Rate and predictors of psychotic symptoms after Kashmir earthquake. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 471-481.	1.8	11
455	Stimulating the aberrant brain: Evidence for increased cortical hyperexcitability from a transcranial direct current stimulation (tDCS) study of individuals predisposed to anomalous perceptions. <i>Cortex</i> , 2015, 69, 1-13.	1.1	14
456	Subclinical psychosis syndromes in the general population: results from a large-scale epidemiological survey among residents of the canton of Zurich, Switzerland. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 69-77.	1.8	27
457	The association between autism and schizophrenia spectrum disorders: A review of eight alternate models of co-occurrence. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 55, 173-183.	2.9	231
458	Psychotic experiences and risk of death in the general population: 24â€“27 year follow-up of the Epidemiologic Catchment Area study. <i>British Journal of Psychiatry</i> , 2015, 207, 30-36.	1.7	71
459	An integrated network model of psychotic symptoms. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 59, 238-250.	2.9	61
460	Jumping to Conclusions About the Beads Task? A Meta-analysis of Delusional Ideation and Data-Gathering. <i>Schizophrenia Bulletin</i> , 2015, 41, 1183-1191.	2.3	152
461	Dysfunctional meta-cognitive beliefs mediate the relation between temperament traits and hallucination-proneness in non-clinical population. <i>Psychiatry Research</i> , 2015, 229, 1047-1051.	1.7	3

#	ARTICLE	IF	CITATIONS
462	Economic inequality is related to cross-national prevalence of psychotic symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1799-1807.	1.6	29
463	Psychotic Experiences, Working Memory, and the Developing Brain: A Multimodal Neuroimaging Study. <i>Cerebral Cortex</i> , 2015, 25, 4828-4838.	1.6	23
464	A comparison of cognitive biases between schizophrenia patients with delusions and healthy individuals with delusion-like experiences. <i>European Psychiatry</i> , 2015, 30, 943-949.	0.1	29
465	Cognitive biases mediate the relationship between temperament and character and psychotic-like experiences in healthy adults. <i>Psychiatry Research</i> , 2015, 225, 50-57.	1.7	42
466	Assessing sub-clinical psychosis phenotypes in the general population – A multidimensional approach. <i>Schizophrenia Research</i> , 2015, 161, 194-201.	1.1	29
467	Distribution of Response Time, Cortical, and Cardiac Correlates during Emotional Interference in Persons with Subclinical Psychotic Symptoms. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 172.	1.0	2
468	Experiential avoidance and appraisals of voices as predictors of voice-related distress. <i>British Journal of Clinical Psychology</i> , 2016, 55, 320-331.	1.7	34
469	Schizotypy and specificity of negative emotions on an emotional Stroop paradigm in the general population. <i>Psychiatry Research</i> , 2016, 239, 291-300.	1.7	6
470	Dysmorphic concern is related to delusional proneness and negative affect in a community sample. <i>Psychiatry Research</i> , 2016, 240, 76-79.	1.7	4
471	Psychotic experiences and risk of self-injurious behaviour in the general population: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2016, 46, 237-251.	2.7	81
472	The effect of auditory verbal imagery on signal detection in hallucination-prone individuals. <i>Cognition</i> , 2016, 146, 206-216.	1.1	29
473	Childhood lead exposure, childhood trauma, substance use and subclinical psychotic experiences – a longitudinal cohort study. <i>Psychiatry Research</i> , 2016, 239, 54-61.	1.7	4
474	Cingulo-opercular Network Efficiency Mediates the Association Between Psychotic-like Experiences and Cognitive Ability in the General Population. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016, 1, 498-506.	1.1	36
476	Psychosis as a transdiagnostic and extended phenotype in the general population. <i>World Psychiatry</i> , 2016, 15, 118-124.	4.8	397
477	Depression and anxiety mediate the relationship between temperament and character and psychotic-like experiences in healthy subjects. <i>Psychiatry Research</i> , 2016, 246, 195-202.	1.7	12
478	Examining the continuum of psychosis: Frequency and characteristics of psychotic-like symptoms in relatives and non-relatives of patients with schizophrenia. <i>Schizophrenia Research</i> , 2016, 178, 6-11.	1.1	11
479	Instrumental measurements of spontaneous dyskinesia and schizotypy in subjects with auditory verbal hallucinations and healthy controls. <i>Psychiatry Research</i> , 2016, 244, 24-27.	1.7	8
480	Psychotic experiences and incident suicidal ideation and behaviour: Disentangling the longitudinal associations from connected psychopathology. <i>Psychiatry Research</i> , 2016, 245, 267-275.	1.7	25

#	ARTICLE	IF	CITATIONS
481	Neural substrates of a schizotypal spectrum in typically-developing children: Further evidence of a normal-pathological continuum. <i>Behavioural Brain Research</i> , 2016, 315, 141-146.	1.2	8
482	Exposure to environmental factors increases connectivity between symptom domains in the psychopathology network. <i>BMC Psychiatry</i> , 2016, 16, 223.	1.1	20
483	Changing the Diagnostic Concept of Schizophrenia: The NIMH Research Domain Criteria Initiative. <i>Nebraska Symposium on Motivation</i> , 2016, 63, 225-252.	0.9	5
484	Social identity and psychosis: Explaining elevated rates of psychosis in migrant populations. <i>Social and Personality Psychology Compass</i> , 2016, 10, 619-633.	2.0	23
485	The prevalence and characteristics of hallucinations, delusions and minor phenomena in a non-demented population sample aged 60 years and over. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 1322-1328.	1.3	10
486	Shared Etiology of Psychotic Experiences and Depressive Symptoms in Adolescence: A Longitudinal Twin Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 1197-1206.	2.3	22
487	Mismatch negativity: Alterations in adults from the general population who report subclinical psychotic symptoms. <i>European Psychiatry</i> , 2016, 34, 9-16.	0.1	7
488	The Neuropsychopathology of Schizophrenia. <i>Nebraska Symposium on Motivation</i> , 2016, , .	0.9	1
489	Life hassles and delusional ideation: Scoping the potential role of cognitive and affective mediators. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2016, 89, 445-463.	1.3	5
490	Correlates in the Endorsement of Psychotic Symptoms and Services Use: Findings from the Collaborative Psychiatric Epidemiology Surveys. <i>Community Mental Health Journal</i> , 2016, 52, 631-642.	1.1	5
491	A systematic review on definitions and assessments of psychotic-like experiences. <i>Microbial Biotechnology</i> , 2016, 10, 3-16.	0.9	78
492	Childhood trauma as a risk factor for the onset of subclinical psychotic experiences: Exploring the mediating effect of stress sensitivity in a cross-sectional epidemiological community study. <i>Schizophrenia Research</i> , 2016, 172, 46-53.	1.1	28
493	The Psychosis Continuum: Testing a Bifactor Model of Psychosis in a General Population Sample. <i>Schizophrenia Bulletin</i> , 2017, 43, 133-141.	2.3	54
494	Unique and Overlapping Symptoms in Schizophrenia Spectrum and Dissociative Disorders in Relation to Models of Psychopathology: A Systematic Review. <i>Schizophrenia Bulletin</i> , 2017, 43, 108-121.	2.3	89
495	Paranoia in the general population: A revised version of the General Paranoia Scale for adults. <i>Clinical Psychologist</i> , 2017, 21, 125-134.	0.5	16
496	The Prodromal Questionnaire: a case for IRT-based adaptive testing of psychotic experiences?. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, e1518.	1.1	10
497	Deficits in reality and internal source monitoring of actions are associated with the positive dimension of schizotypy. <i>Psychiatry Research</i> , 2017, 250, 44-49.	1.7	15
498	Development and validation of the cannabis experiences questionnaire "Intoxication effects checklist (CEQ-I) short form. <i>Schizophrenia Research</i> , 2017, 189, 91-96.	1.1	18

#	ARTICLE	IF	CITATIONS
499	The ability to tickle oneself is associated with level of psychometric schizotypy in non-clinical individuals. <i>Consciousness and Cognition</i> , 2017, 52, 93-103.	0.8	12
500	Invariance of factor structure of the 21-item Peters et al. Delusions Inventory (PDI-21) over time and across samples. <i>Psychiatry Research</i> , 2017, 254, 190-197.	1.7	6
501	Poverty, low education, and the expression of psychotic-like experiences in the general population of São Paulo, Brazil. <i>Psychiatry Research</i> , 2017, 253, 182-188.	1.7	35
503	Schizophrenia and Psychosis. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2017, 26, 341-366.	1.0	33
504	Does empowerment mediate the effects of psychological factors on mental health, well-being, and recovery in young people?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017, 90, 314-335.	1.3	30
505	Hallucinations in borderline personality disorder: Prevalence, characteristics and associations with comorbid symptoms and disorders. <i>Scientific Reports</i> , 2017, 7, 13920.	1.6	52
506	Comprehensive review: Computational modelling of schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 83, 631-646.	2.9	62
507	The interplay of psychosis and victimisation across the life course: a prospective study in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1363-1374.	1.6	12
508	Childhood trauma is not a confounder of the overlap between autistic and schizotypal traits: A study in a non-clinical adult sample. <i>Psychiatry Research</i> , 2017, 257, 111-117.	1.7	16
509	Cannabis and psychosis: the impact of polydrug use. <i>Drugs and Alcohol Today</i> , 2017, 17, 186-194.	0.3	5
510	Varieties of Voice-Hearing: Psychics and the Psychosis Continuum. <i>Schizophrenia Bulletin</i> , 2017, 43, 84-98.	2.3	108
511	Recent Advances in Psychological Assessment and Test Construction. , 2017, , 3-25.		2
512	Advances in Theoretical, Developmental, and Cross-Cultural Perspectives of Psychopathology. , 2017, , 293-342.		3
515	Self-Concept Clarity and Psychopathology. , 2017, , 219-242.		15
516	Self-Concept Clarity. , 2017, , .		14
517	Repetitive Negative Thinking in Social Anxiety Disorder 2: Post-Event Processing. <i>Psychopathology Review</i> , 2017, a4, 263-289.	0.9	5
518	Psychotic-Like Experiences at the Healthy End of the Psychosis Continuum. <i>Frontiers in Psychology</i> , 2017, 8, 775.	1.1	44
519	Getting Better Acquainted with Auditory Voice Hallucinations (AVHs): A Need for Clinical and Social Change. <i>Frontiers in Psychology</i> , 2017, 8, 1978.	1.1	4

#	ARTICLE	IF	CITATIONS
520	Adults with autism spectrum conditions experience increased levels of anomalous perception. PLoS ONE, 2017, 12, e0177804.	1.1	20
521	Bias against Disconfirmatory Evidence in a large Nonclinical Sample: Associations with Schizotypy and Delusional Beliefs. Journal of Experimental Psychopathology, 2017, 8, 288-302.	0.4	15
522	An Examination of Sub-Clinical Paranoia in a Correctional Setting. Journal of Experimental Psychopathology, 2017, 8, 320-331.	0.4	3
523	Biological foundations and beneficial effects of trance. Behavioral and Brain Sciences, 2018, 41, e76.	0.4	4
524	Why is there shamanism? Developing the cultural evolutionary theory and addressing alternative accounts. Behavioral and Brain Sciences, 2018, 41, e92.	0.4	6
525	A ritual by any other name. Behavioral and Brain Sciences, 2018, 41, e79.	0.4	0
526	Toward a neurophysiological foundation for altered states of consciousness. Behavioral and Brain Sciences, 2018, 41, e87.	0.4	1
527	Increased affluence, life history theory, and the decline of shamanism. Behavioral and Brain Sciences, 2018, 41, e67.	0.4	0
528	Shamanism within a general theory of religious action (no cheesecake needed). Behavioral and Brain Sciences, 2018, 41, e68.	0.4	0
529	Shamanism and efficacious exceptionalism. Behavioral and Brain Sciences, 2018, 41, e69.	0.4	4
530	Missing links: The psychology and epidemiology of shamanistic beliefs. Behavioral and Brain Sciences, 2018, 41, e71.	0.4	2
531	Some needed psychological clarifications on the experience(s) of shamanism. Behavioral and Brain Sciences, 2018, 41, e72.	0.4	1
532	Genetic predilections and predispositions for the development of shamanism. Behavioral and Brain Sciences, 2018, 41, e73.	0.4	0
533	The cultural evolution of war rituals. Behavioral and Brain Sciences, 2018, 41, e74.	0.4	3
534	Do shamans violate notions of humanness?. Behavioral and Brain Sciences, 2018, 41, e75.	0.4	0
535	Shamans as healers: When magical structure becomes practical function. Behavioral and Brain Sciences, 2018, 41, e77.	0.4	2
536	Commitment enforcement also explains shamanism's culturally shared features. Behavioral and Brain Sciences, 2018, 41, e80.	0.4	0
537	Shamanism and the social nature of cumulative culture. Behavioral and Brain Sciences, 2018, 41, e81.	0.4	0

#	ARTICLE	IF	CITATIONS
538	Psychosis is episodically required for the enduring integrity of shamanism. Behavioral and Brain Sciences, 2018, 41, e82.	0.4	1
539	Shamanism and psychosis: Shared mechanisms?. Behavioral and Brain Sciences, 2018, 41, e83.	0.4	4
540	Shamanism and the psychosis continuum. Behavioral and Brain Sciences, 2018, 41, e84.	0.4	3
541	An existential perspective on the psychological function of shamans. Behavioral and Brain Sciences, 2018, 41, e85.	0.4	1
542	The social functions of shamanism. Behavioral and Brain Sciences, 2018, 41, e88.	0.4	3
543	The evolution of the shaman's cultural toolkit. Behavioral and Brain Sciences, 2018, 41, e89.	0.4	0
544	Identifying the nature of shamanism. Behavioral and Brain Sciences, 2018, 41, e90.	0.4	1
545	Enjoying your cultural cheesecake: Why believers are sincere and shamans are not charlatans. Behavioral and Brain Sciences, 2018, 41, e70.	0.4	2
546	A symptom-based approach to treatment of psychosis in autism spectrum disorder. BJPsych Open, 2018, 4, 1-4.	0.3	5
547	Negative symptoms: barely understood, poorly treated. Psychosis, 2018, 10, 62-63.	0.4	0
548	Experimental manipulation of metacognitive beliefs and paranoia in a non-clinical population. Psychosis, 2018, 10, 1-10.	0.4	8
549	Deficits in Cortical Suppression During Vocalization are Associated With Structural Abnormalities in the Arcuate Fasciculus in Early Illness Schizophrenia and Clinical High Risk for Psychosis. Schizophrenia Bulletin, 2018, 44, 1312-1322.	2.3	17
550	Distress, Impairment and the Extended Psychosis Phenotype: A Network Analysis of Psychotic Experiences in an US General Population Sample. Schizophrenia Bulletin, 2018, 44, 768-777.	2.3	26
551	A cross-sectional survey of psychotic symptoms in the community: The GRANADÁP psychosis study. European Journal of Psychiatry, 2018, 32, 87-96.	0.7	6
552	An analogue study investigating voice-hearing following exposure to stressful material. Psychosis, 2018, 10, 55-57.	0.4	2
553	The moderating role of cognitive biases on the relationship between negative affective states and psychotic-like experiences in non-clinical adults. Psychiatry Research, 2018, 265, 118-127.	1.7	5
554	Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. Schizophrenia Research, 2018, 199, 128-134.	1.1	40
555	The early recognition inventory <sc>ERI</sc> assesses the entire spectrum of symptoms through the course of an at-risk mental state. Microbial Biotechnology, 2018, 12, 217-228.	0.9	18

#	ARTICLE	IF	CITATIONS
557	Loneliness in Psychosis: A Meta-analytical Review. <i>Schizophrenia Bulletin</i> , 2018, 44, 114-125.	2.3	175
558	Sociodemographic and clinical correlates of psychotic symptoms in the general population: Findings from the MHGP survey. <i>Schizophrenia Research</i> , 2018, 193, 336-342.	1.1	43
559	The interplay between trait anxiety, cognitive biases and attentional control in healthy individuals with psychotic-like experiences. <i>Psychiatry Research</i> , 2018, 259, 44-50.	1.7	6
560	Affective reactivity to daily life stress: Relationship to positive psychotic and depressive symptoms in a general population sample. <i>Journal of Affective Disorders</i> , 2018, 225, 474-481.	2.0	28
561	Associations between Trauma, Dissociation, Adult Attachment and Proneness to Hallucinations. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 292-301.	0.9	11
562	A latent class analysis of psychotic symptoms in the general population. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 573-584.	1.3	23
563	Self-disturbances, cognitive biases and insecure attachment as mechanisms of the relationship between traumatic life events and psychotic-like experiences in non-clinical adults – A path analysis. <i>Psychiatry Research</i> , 2018, 259, 571-578.	1.7	39
564	The Epidemiology of Mental Illness. , 0, , 12-23.		0
566	Association of Abnormal Eye Gaze Pattern with Magical Ideation during Reality Evaluation in Patients with Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2018, 21, 37.	0.3	0
567	Subtypes of Psychotic-Like Experiences and Their Significance for Mental Health. , 0, , .		8
568	Abnormal asymmetries in subcortical brain volume in early adolescents with subclinical psychotic experiences. <i>Translational Psychiatry</i> , 2018, 8, 254.	2.4	30
569	Activation of cortical and striatal regions during the expression of a naturalistic compulsive-like behavior in the rabbit. <i>Behavioural Brain Research</i> , 2018, 351, 168-177.	1.2	8
570	The depersonalized brain: New evidence supporting a distinction between depersonalization and derealization from discrete patterns of autonomic suppression observed in a non-clinical sample. <i>Consciousness and Cognition</i> , 2018, 63, 29-46.	0.8	21
571	The Evolution of Suicide. <i>Evolutionary Psychology</i> , 2018, , .	1.8	16
572	Trajectories of Early Childhood Developmental Skills and Early Adolescent Psychotic Experiences: Findings from the ALSPAC UK Birth Cohort. <i>Frontiers in Psychology</i> , 2017, 8, 2314.	1.1	9
573	An Examination of the Multi-Faceted Motivation System in Healthy Young Adults. <i>Frontiers in Psychiatry</i> , 2018, 9, 191.	1.3	4
574	“Pain-Type Fenders” Frontline Anti-suicide Mechanisms. <i>Evolutionary Psychology</i> , 2018, , 195-232.	1.8	0
575	Delusional disorder: The role of personality and emotions on delusional ideation. <i>Comprehensive Psychiatry</i> , 2018, 85, 78-83.	1.5	4

#	ARTICLE	IF	CITATIONS
576	Reduced Analytic and Actively Open-Minded Thinking Help to Explain the Link between Belief in Fake News and Delusionality, Dogmatism, and Religious Fundamentalism. SSRN Electronic Journal, 2018, , .	0.4	3
577	Sex differences in the association between childhood adversities and schizotypal personality traits. Psychiatry Research, 2018, 269, 31-37.	1.7	9
578	The Reality Distortion and Thought Disorganisation Dimensions. , 2018, , 127-158.		0
579	Lithium levels in tap water and psychotic experiences in a general population of adolescents. Schizophrenia Research, 2018, 201, 294-298.	1.1	16
580	Sources of Distress in First-Episode Psychosis: A Systematic Review and Qualitative Metasynthesis. Qualitative Health Research, 2019, 29, 107-123.	1.0	50
581	DSM outcomes of psychotic experiences and associated risk factors: 6-year follow-up study in a community-based sample. Psychological Medicine, 2019, 49, 1346-1356.	2.7	25
582	Psychosis Is Not Illness but a Survival Strategy in Severe Stress: A Proposal for an Addition to a Phenomenological Point of View. Psychopathology, 2019, 52, 143-150.	1.1	19
583	Cultural differences in positive psychotic experiences assessed with the Community Assessment of Psychic Experiences-42 (CAPE-42): a comparison of student populations in the Netherlands, Nigeria and Norway. BMC Psychiatry, 2019, 19, 244.	1.1	27
584	Loneliness and the psychosis continuum: a meta-analysis on positive psychotic experiences and a meta-analysis on negative psychotic experiences. International Review of Psychiatry, 2019, 31, 471-490.	1.4	46
585	Differences between self-reported and clinician-rated evaluations of 1-year changes in auditory verbal hallucinations among schizophrenia patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 95, 109671.	2.5	4
586	Social functioning and subclinical psychosis in adolescence: a longitudinal general adolescent population study. Acta Psychiatrica Scandinavica, 2019, 140, 275-282.	2.2	5
587	Measuring Psychotic-Like Experiences in the General Population. Psychopathology, 2019, 52, 240-247.	1.1	14
588	The interrelationship between schizotypy, clinical high risk for psychosis and related symptoms: Cognitive disturbances matter. Schizophrenia Research, 2019, 210, 188-196.	1.1	27
589	Schizophrenia, Not a Psychotic Disorder: Bleuler Revisited. Frontiers in Psychiatry, 2019, 10, 328.	1.3	20
590	Cognitive and social cognitive deficits in paranoia. , 2019, , 37-69.		0
591	Developmental social vulnerability as the intrinsic origin of psychopathology: A paradigm shift from disease entities to psychiatric derivatives within human diversity. Medical Hypotheses, 2019, 126, 95-108.	0.8	5
592	Severe childhood trauma and clinical and neurocognitive features in schizotypal personality disorder. Acta Psychiatrica Scandinavica, 2019, 140, 50-64.	2.2	20
593	Epidemiology of Psychotic Disorders: Methodological Issues and Empirical Findings. , 2019, , 1-12.		2

#	ARTICLE	IF	CITATIONS
594	Psychotic experiences and mood episodes predict each other bidirectionally: a 6-year follow-up study in a community-based population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 331-341.	1.6	8
595	The Role of Shame, Self-criticism and Early Emotional Memories in Adolescents' Paranoid Ideation. <i>Journal of Child and Family Studies</i> , 2019, 28, 1337-1345.	0.7	6
596	Meaning in life, self-control and psychological distress among adolescents: A cross-national study. <i>Psychiatry Research</i> , 2019, 272, 122-129.	1.7	50
597	“You hear voices too?” A hearing voices group for people with learning disabilities in a community mental health setting. <i>British Journal of Learning Disabilities</i> , 2019, 47, 42-49.	0.8	2
598	The Phenomenon of “Hearing Voices”: Not Just Psychotic Hallucinations? A Psychological Literature Review and a Reflection on Clinical and Social Health. <i>Community Mental Health Journal</i> , 2019, 55, 811-818.	1.1	8
599	Pathways to paranoia: Analytic thinking and belief flexibility. <i>Behaviour Research and Therapy</i> , 2019, 113, 18-24.	1.6	19
600	The mediating role of borderline personality features in the relationship between childhood trauma and psychotic-like experiences in a sample of help-seeking non-psychotic adolescents and young adults. <i>European Psychiatry</i> , 2019, 56, 84-90.	0.1	21
601	The emergence of psychotic experiences in the early adolescence of 22q11.2 Deletion Syndrome. <i>Journal of Psychiatric Research</i> , 2019, 109, 10-17.	1.5	21
602	A combination of self-disturbances and psychotic-like experiences. A cluster analysis study on a non-clinical sample in Poland. <i>Psychiatry Research</i> , 2019, 273, 394-401.	1.7	13
603	Belief in Fake News is Associated with Delusionality, Dogmatism, Religious Fundamentalism, and Reduced Analytic Thinking. <i>Journal of Applied Research in Memory and Cognition</i> , 2019, 8, 108-117.	0.7	199
604	Delusions and Personal Autonomy. <i>Journal of Applied Philosophy</i> , 2019, 36, 737-754.	0.7	0
605	The roles of cognitive avoidance, rumination and negative affect in the association between abusive supervision in the workplace and non-clinical paranoia in a sample of workers working in France. <i>Psychiatry Research</i> , 2019, 271, 581-589.	1.7	12
606	The Impact of Irrational Beliefs on Paranoid Thoughts. <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 270-286.	0.9	7
607	The characteristics of psychotic features in bipolar disorder. <i>Psychological Medicine</i> , 2019, 49, 2036-2048.	2.7	40
608	Attachment style, psychotic phenomena and the relationship with aggression: an investigation in a general population sample. <i>Journal of Aggression, Conflict and Peace Research</i> , 2019, 11, 47-58.	0.3	1
609	MRI Indices of Cortical Development in Young People With Psychotic Experiences: Influence of Genetic Risk and Persistence of Symptoms. <i>Schizophrenia Bulletin</i> , 2019, 45, 169-179.	2.3	15
610	Do schizotypy dimensions reflect the symptoms of schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 236-247.	1.3	30
611	Shame and the psychosis continuum: A systematic review of the literature. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020, 93, 160-186.	1.3	15

#	ARTICLE	IF	CITATIONS
612	Neighborhood Characteristics at Birth and Positive and Negative Psychotic Symptoms in Adolescence: Findings From the ALSPAC Birth Cohort. <i>Schizophrenia Bulletin</i> , 2020, 46, 581-591.	2.3	30
613	Postural Control and Verbal and Visual Working Memory Correlates in Nonclinical Psychosis. <i>Neuropsychobiology</i> , 2020, 79, 293-300.	0.9	1
614	Prevalence and correlates of psychotic-like experiences in the general population. <i>Schizophrenia Research</i> , 2020, 215, 371-377.	1.1	43
615	Imagery rescripting in non-clinical paranoia: a pilot study of the impact on key cognitive and affective processes. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 54-66.	0.9	5
616	The Global Epidemiology of Mental and Substance Use Disorders. , 2020, , 15-44.		0
617	Hearing voices, sexual abuse and service system responses. <i>Psychosis</i> , 2020, 12, 11-22.	0.4	2
618	Psychotic experiences from preadolescence to adolescence: when should we be worried about adolescent risk behaviors?. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1251-1264.	2.8	19
619	Delusional themes in Body Dysmorphic Disorder (BDD): Comparisons with psychotic disorders and non-clinical Controls. <i>Psychiatry Research</i> , 2020, 284, 112694.	1.7	12
620	Delusions in the general population: A systematic review with emphasis on methodology. <i>Schizophrenia Research</i> , 2020, 216, 48-55.	1.1	12
621	Exploring Phenotypic and Genetic Overlap Between Cannabis Use and Schizotypy. <i>Twin Research and Human Genetics</i> , 2020, 23, 221-227.	0.3	7
622	Gender differences in language are small but matter for disorders. <i>Handbook of Clinical Neurology / Edited By PJ Vinken and G W Bruyn</i> , 2020, 175, 81-102.	1.0	15
623	A linguistic approach to the psychosis continuum: (dis)similarities and (dis)continuities in how clinical and non-clinical voice-hearers talk about their voices. <i>Cognitive Neuropsychiatry</i> , 2020, 25, 447-465.	0.7	13
624	Lifetime and Momentary Psychotic Experiences in Adult Males and Females With an Autism Spectrum Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 766.	1.3	8
625	The relationship between anxiety, depression, and subtypes of negative auditory verbal hallucination (AVH) content in affective and non-affective psychosis. <i>Psychiatry Research</i> , 2020, 294, 113500.	1.7	4
626	The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. <i>Psychological Medicine</i> , 2021, 51, 2501-2508.	2.7	9
627	Jumping to conclusions in the less-delusion-prone? Further evidence from a more reliable beads task. <i>Consciousness and Cognition</i> , 2020, 83, 102956.	0.8	10
628	Assessing Voice Hearing in Trauma Spectrum Disorders: A Comparison of Two Measures and a Review of the Literature. <i>Frontiers in Psychiatry</i> , 2019, 10, 1011.	1.3	17
629	Living with voices: a thematic analysis of individuals'™ experiences of voice-hearing in India. <i>Psychosis</i> , 2020, 12, 115-127.	0.4	3

#	ARTICLE	IF	CITATIONS
630	The interplay between childhood trauma, cognitive biases, and cannabis use on the risk of psychosis in nonclinical young adults in Poland. <i>European Psychiatry</i> , 2020, 63, e35.	0.1	20
631	Cognitive biases in individuals with psychotic-like experiences: A systematic review and a meta-analysis. <i>Schizophrenia Research</i> , 2020, 222, 10-22.	1.1	42
632	Psychotic Features Abated with Vitamin D Treatment in a Patient with Major Depressive Disorder. <i>Case Reports in Psychiatry</i> , 2020, 2020, 1-6.	0.2	0
633	Characteristics of non-clinical hallucinations: A mixed-methods analysis of auditory, visual, tactile and olfactory hallucinations in a primary voice-hearing cohort. <i>Psychiatry Research</i> , 2020, 289, 112987.	1.7	10
634	Jumping to conclusions in the less-delusion-prone? Preliminary evidence from a more reliable beads task. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2020, 68, 101562.	0.6	13
635	Delusions and theories of belief. <i>Consciousness and Cognition</i> , 2020, 81, 102935.	0.8	29
636	The relationship between attachment insecurity and experiences on the paranoia continuum: A meta-analysis. <i>British Journal of Clinical Psychology</i> , 2020, 59, 290-318.	1.7	18
637	Three types of psychotic-like experiences in youth at clinical high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 733-744.	1.8	15
638	Reconfiguration of β -amplitude driven dominant coupling modes (DoCM) mediated by β -band in adolescents with schizophrenia spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 108, 110073.	2.5	12
639	Delusions beyond beliefs: a critical overview of diagnostic, aetiological, and therapeutic schizophrenia research from a clinical-phenomenological perspective. <i>Lancet Psychiatry</i> , 2021, 8, 237-249.	3.7	63
640	Functional connectome differences in individuals with hallucinations across the psychosis continuum. <i>Scientific Reports</i> , 2021, 11, 1108.	1.6	7
641	Timing, Distribution, and Relationship Between Nonpsychotic and Subthreshold Psychotic Symptoms Prior to Emergence of a First Episode of Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 604-614.	2.3	18
643	Resurrection of the Follow-Back Method to Study the Transdiagnostic Origins of Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 583-585.	2.3	5
644	Acoustic salience in emotional voice perception and its relationship with hallucination proneness. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2021, 21, 412-425.	1.0	8
645	Gender differences in the experience of psychotic-like experiences and their associated factors: A study of adolescents from the general population. <i>Schizophrenia Research</i> , 2021, 228, 410-416.	1.1	22
646	Who Believes Hoaxes? Xenophobia and Religiosity as Hoax Predictors among Social Media Users. <i>International Journal of Academic Research in Business and Social Sciences</i> , 2021, 11, .	0.0	1
647	Psychotic-Like Experiences: A Challenge in Definition and Assessment. <i>Frontiers in Psychiatry</i> , 2021, 12, 582392.	1.3	25
648	Socio-economic consequences of mental distress: quantifying the impact of self-reported mental distress on the days of incapacity to work and medical costs in a two-year period: a longitudinal study in Germany. <i>BMC Public Health</i> , 2021, 21, 625.	1.2	11

#	ARTICLE	IF	CITATIONS
649	Autism spectrum in patients with schizophrenia: correlations with real-life functioning, resilience, and coping styles. <i>CNS Spectrums</i> , 2021, , 1-11.	0.7	10
650	Psychotic symptoms associate inversely with social support, social autonomy and psychosocial functioning: A community-based study. <i>International Journal of Social Psychiatry</i> , 2021, , 002076402110111.	1.6	4
651	Prevalence of Hallucinations in the General Croatian Population. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4237.	1.2	1
652	Realising the potential of general population research to reconceptualise the study of "delusions": From normalising "psychosis" to defamiliarising "normality". <i>Theory and Psychology</i> , 0, , 095935432110004.	0.7	0
653	How does attachment imagery for paranoia work? Cognitive fusion and beliefs about self and others mediate the impact on paranoia and anxiety. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 973-993.	1.3	11
655	Correlates of Hallucinatory Experiences in the General Population: An International Multisite Replication Study. <i>Psychological Science</i> , 2021, 32, 1024-1037.	1.8	22
656	Delusion-like experiences are related to negative perceptions of self and others in non-clinical individuals. <i>Psychosis</i> , 0, , 1-12.	0.4	0
657	Does the disposition towards psychotic-like experiences incrementally predict grandiose narcissism? Representative evidence from Germany. <i>Current Psychology</i> , 2023, 42, 8144-8155.	1.7	1
658	Narrative identity in the psychosis spectrum: A systematic review and developmental model. <i>Clinical Psychology Review</i> , 2021, 88, 102067.	6.0	21
659	Neuropsychiatric Genetics of Psychosis in the Mexican Population: A Genome-Wide Association Study Protocol for Schizophrenia, Schizoaffective, and Bipolar Disorder Patients and Controls. <i>Complex Psychiatry</i> , 2021, 7, 60-70.	1.3	6
660	The Impact of Repeated Attachment Priming on Paranoia, Mood and Help-Seeking Intentions in an Analogue Sample. <i>Brain Sciences</i> , 2021, 11, 1257.	1.1	9
661	Attention to voices is increased in non-clinical auditory verbal hallucinations irrespective of salience. <i>Neuropsychologia</i> , 2021, 162, 108030.	0.7	2
662	Psychotic experiences in daily-life in adolescents and young adults with 22q11.2 deletion syndrome: An Ecological Momentary Assessment study. <i>Schizophrenia Research</i> , 2021, 238, 54-61.	1.1	5
663	What makes the psychosis "clinical high risk"™ state risky: psychosis itself or the co-presence of a non-psychotic disorder?. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e53.	1.8	11
664	Psychological intervention, antipsychotic medication or a combined treatment for adolescents with a first episode of psychosis: the MAPS feasibility three-arm RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-124.	1.3	7
671	Cognitive and Social Processes in Psychosis: Recent Developments. , 2010, , 283-298.		1
672	Gene"Environment Interactions for Searchers: Collaboration between Epidemiology and Molecular Genetics. , 2010, , 19-50.		1
673	The Natural History of the Course and Outcome of Schizophrenia. , 2010, , 51-65.		2

#	ARTICLE	IF	CITATIONS
674	A Neurodevelopmental Perspective on Hallucinations. , 2013, , 203-230.		2
675	Complexity and the Onset of Psychosis. , 2013, , 317-333.		1
676	Making the DSM-5. , 2013, , .		29
677	Overdiagnosis, Underdiagnosis, Synthesis: A Dialectic for Psychiatry and the DSM. , 2013, , 105-124.		4
678	Is the Development of Schizophrenia Predictable?. , 2004, , 225-252.		4
679	Cognitive epidemiology: psychological and social risk mechanisms for psychosis. , 2002, , 39-57.		4
680	Intervention in the prepsychotic phase of schizophrenia and related disorders: towards effective and safe strategies for earliest intervention in psychotic disorders. , 2004, , 424-449.		1
681	Psychotic features in the general population. Risk factors for what?. , 2004, , 54-78.		6
682	Diagnosis and Classification of the Schizophrenia Spectrum Disorders. , 2011, , 45-83.		3
686	Adult attachment and paranoia: an experimental investigation. The Cognitive Behaviour Therapist, 2017, 10, .	0.4	8
688	Hallucinations: The science of idiosyncratic perception.. , 2008, , .		117
689	Prototypical Cohort Study. , 2006, , 91-107.		2
690	The Polish version of the Peters et al. Delusions Inventory: factor analysis, reliability and the prevalence of delusion-like experiences in the Polish population. Psychiatria Polska, 2015, 49, 1203-1222.	0.2	6
691	From Epidemiology to Daily Life: Linking Daily Life Stress Reactivity to Persistence of Psychotic Experiences in a Longitudinal General Population Study. PLoS ONE, 2013, 8, e62688.	1.1	68
692	Longitudinal Associations between Adolescent Psychotic Experiences and Depressive Symptoms. PLoS ONE, 2014, 9, e105758.	1.1	30
693	Dimensions of Delusions and Attribution Biases along the Continuum of Psychosis. PLoS ONE, 2015, 10, e0144558.	1.1	35
694	Psychotic Experiences and Risk of Violence Perpetration and Arrest in the General Population: A Prospective Study. PLoS ONE, 2016, 11, e0159023.	1.1	14
695	A structural equation model of the relationship between insomnia, negative affect, and paranoid thinking. PLoS ONE, 2017, 12, e0186233.	1.1	18

#	ARTICLE	IF	CITATIONS
696	Validation of the Portuguese version of the Community Assessment of Psychic Experiences and characterization of psychotic experiences in a Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 389-397.	0.9	7
697	MOOD SYMPTOMS IN STABILIZED PATIENTS WITH SCHIZOPHRENIA: A BIPOLAR TYPE WITH PREDOMINANT PSYCHOTIC FEATURES?. <i>Psychiatria Danubina</i> , 2017, 29, 148-154.	0.2	10
698	Toward a world consensus on prevention of schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2005, 7, 53-67.	1.8	49
699	Cognitive-behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-144.	1.3	16
700	Psychostimulant-Induced Chronic Schizophrenia-Like Disorder. <i>Clinical Schizophrenia and Related Psychoses</i> , 2007, 1, 54-63.	1.4	2
701	Deconstructing Schizophrenia for DSM-V: Challenges for Clinical and Research Agendas. <i>Clinical Schizophrenia and Related Psychoses</i> , 2008, 2, 166-174.	1.4	18
702	Emotional, cognitive and behavioral reactions to paranoid symptoms in clinical and nonclinical populations. <i>Clinical Schizophrenia and Related Psychoses</i> , 2013, , 1-25.	1.4	1
703	The Same or Different?. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 320-325.	1.1	263
704	Hallucinations: Clinical aspects and management. <i>Industrial Psychiatry</i> , 2010, 19, 5.	0.3	53
705	Schizotypal Personality Models. , 0, , 399-420.		8
706	The Phenomenological Diversity of Hallucinations: Some theoretical and clinical implications. <i>Psychologica Belgica</i> , 2013, 46, 163.	1.0	37
707	Associations of Schizotypal Personality and Paranoid Ideation With the Degree of Flow Experience in Daily Life. <i>Archives of Neuroscience</i> , 2016, 3, .	0.1	1
708	La relación entre la conducta social y el afecto negativo en individuos propensos a la psicosis: una investigación de muestreo de la experiencia. <i>European Psychiatry (Ed España)</i> , 2004, 11, 149-155.	0.0	0
709	Mental Disorders as Catastrophic Failures of Mating Intelligence. , 2007, , 219-250.		1
710	Clinical Pathologies and Unusual Experiences. , 0, , 130-140.		2
711	Fundamentos y Controversias en la Diferenciación entre Alucinaciones en Población Clínica y Normal. <i>Terapia Psicológica</i> , 2007, 25, .	0.2	1
712	5 Schizofrenie en andere psychotische stoornissen. , 2008, , 155-193.		0
713	Nonbizarre.Delusions.as.Strategic.Deception. , 2008, , 199-234.		1

#	ARTICLE	IF	CITATIONS
714	Molecular Genetics of Schizophrenia: Focus on Symptom Dimensions. , 2009, , 95-124.		4
715	Cannabis: A Clue or a Distraction in the Search for "Causes" of Psychosis?. , 2010, , 367-376.		0
716	Die HÄufigkeit psychotischer Symptome in der AllgemeinbevÄlkerung " Konsequenzen fÄ¼r die Psychoserecherche. , 2010, , 41-51.		0
718	Auditory Verbal Hallucinations. , 2012, , 109-124.		0
719	Cultural psychiatry. , 2012, , 105-113.		1
720	Cognitive Behavioral Therapy for Psychosis (CBTp). , 2012, , 153-161.		0
724	I disturbi nucleari del sÄ" e gli stati mentali a rischio: uno sguardo fenomenologico al paradigma della ricerca Ultra-High Risk. Rivista Sperimentale Di Freniatria, 2013, , 97-129.	0.1	2
725	The Philosophical Foundations of Psychiatry in the Ancient Greece. Open Journal of Philosophy, 2018, 08, 277-293.	0.1	0
726	Rethinking schizophrenia through the lens of evolution: shedding light on the enigma. Research Ideas and Outcomes, 0, 4, .	1.0	2
728	The ethics of early identification and intervention in psychosis. Developments in Neuroethics and Bioethics, 2019, 2, 189-209.	0.6	0
729	"Something wasn't quite right": a novel phenomenological analysis of internet discussion posts detailing initial awareness of psychosis. Clinical Schizophrenia and Related Psychoses, 2019, , .	1.4	3
731	Expanding the Reach of Research: Quantitative Evaluation of a Web-Based Approach for Remote Recruitment of People Who Hear Voices. JMIR Formative Research, 2021, 5, e23118.	0.7	3
732	Hearing spiritually significant voices: A phenomenological survey and taxonomy. Medical Humanities, 2022, 48, 273-284.	0.6	5
733	Mobile RDoC: Using Smartphones to Understand the Relationship Between Auditory Verbal Hallucinations and Need for Care. Schizophrenia Bulletin Open, 2020, 1, sgaa060.	0.9	14
735	Neurodevelopmental impairment, dopamine sensitisation, and social adversity in schizophrenia. World Psychiatry, 2002, 1, 137-45.	4.8	15
736	Visual scan paths in first-episode schizophrenia and cannabis-induced psychosis. Journal of Psychiatry and Neuroscience, 2007, 32, 267-74.	1.4	31
738	Modular-Level Functional Connectome Alterations in Individuals With Hallucinations Across the Psychosis Continuum. Schizophrenia Bulletin, 2022, 48, 684-694.	2.3	5
740	Schizophrenia. Lancet, The, 2022, 399, 473-486.	6.3	278

#	ARTICLE	IF	CITATIONS
741	Commentary on Nower et al: The Pathways Model should apply to non-clinical gambling patterns. <i>Addiction</i> , 2022, , .	1.7	6
742	The Moderating Role of the FKBP5 Gene Polymorphisms in the Relationship between Attachment Style, Perceived Stress and Psychotic-like Experiences in Non-Clinical Young Adults. <i>Journal of Clinical Medicine</i> , 2022, 11, 1614.	1.0	0
743	Affect-Dynamic Signatures of Psychosis Risk Across Multiple Time Scales and Contexts. <i>Clinical Psychological Science</i> , 0, , 216770262110707.	2.4	4
744	Psychotic-like experiences of young adults in the general population predict mental disorders. <i>Psychiatry Research</i> , 2022, 312, 114543.	1.7	21
745	Is intuition allied with jumping to conclusions in decision-making? An intensive longitudinal study in patients with delusions and in non-clinical individuals. <i>PLoS ONE</i> , 2021, 16, e0261296.	1.1	1
746	Association Between Wisdom and Psychotic-Like Experiences in the General Population: A Cross-Sectional Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 814242.	1.3	2
749	Delusions. , 2006, , 205-213.		0
756	Treatment Targets in the Pre-psychotic Phase. , 0, , 75-91.		0
758	Latent state-trait structure of BPRS subscales in clinical high-risk state and first episode psychosis. <i>Scientific Reports</i> , 2022, 12, 6652.	1.6	2
759	Childhood Imaginary Companion and Schizotypy in Adolescents and Adults. , 2022, 2, 166-189.		0
761	The positive dimension of schizotypy is associated with a reduced attenuation and precision of self-generated touch. , 2022, 8, .		8
762	Childhood trauma and schizotypy in non-clinical samples: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2022, 17, e0270494.	1.1	10
763	Hypersensitivity to passive voice hearing in hallucination proneness. <i>Frontiers in Human Neuroscience</i> , 0, 16, .	1.0	0
764	Admission to jail and psychotic symptoms: a study of the psychotic continuum in a sample of recently incarcerated men. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2023, 58, 25-34.	1.6	4
765	Pandemic paranoia in the general population: international prevalence and sociodemographic profile. <i>Psychological Medicine</i> , 2023, 53, 5748-5755.	2.7	3
766	Religion and Religious Experience. , 2022, , 312-331.		0
767	Schizophrenia Spectrum and Other Psychotic Disorders: Second Wave Case Conceptualization. , 2022, , 487-504.		0
768	Genetic and Geographical Associations With Six Dimensions of Psychotic Experiences in Adolescence. <i>Schizophrenia Bulletin</i> , 2023, 49, 319-328.	2.3	5

#	ARTICLE	IF	CITATIONS
769	Pathways linking school bullying and psychotic experiences: Multiple mediation analysis in Chinese adolescents and young adults. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	0
770	The relationship between appraisals of auditory verbal hallucinations and real-time affect and social functioning. <i>Schizophrenia Research</i> , 2022, 250, 112-119.	1.1	4
771	Psychotic-like experiences as a co-occurring psychopathological indicator of multi-dimensional affective symptoms: Findings from a cross-sectional survey among college students. <i>Journal of Affective Disorders</i> , 2023, 323, 33-39.	2.0	5
772	Aberrant memory and delusional ideation: A pernicious partnership?. <i>Clinical Psychology Review</i> , 2023, 99, 102231.	6.0	4
773	Early Childhood Neurocognition in Relation to Middle Childhood Psychotic Experiences in Children at Familial High Risk of Schizophrenia or Bipolar Disorder and Population-Based Controls: The Danish High Risk and Resilience Study. <i>Schizophrenia Bulletin</i> , 2023, 49, 756-767.	2.3	0
774	Prevalence of loneliness and its correlates among patients with schizophrenia. <i>International Journal of Social Psychiatry</i> , 2023, 69, 906-915.	1.6	4
775	Subclinical psychotic symptoms in Indian adults: Application of the Community Assessment of Psychic Experiences (CAPE). <i>Asian Journal of Psychiatry</i> , 2023, 81, 103451.	0.9	4
776	Experiencing hallucinations in daily life: The role of metacognition. <i>Schizophrenia Research</i> , 2023, , .	1.1	2
777	Erroneous Thought in Inpatients with Major Depressive Disorder: The Role of Psychological Trauma During Childhood and Adulthood. <i>Neuropsychiatric Disease and Treatment</i> , 0, Volume 19, 337-348.	1.0	0
778	Sensed Presence, Attenuated Psychosis, and Transliminality: At the Threshold of Consciousness. <i>Psychopathology</i> , 2023, 56, 359-370.	1.1	2
779	Psychometric Properties of the Mini International Neuropsychiatric Interview (MINI) Psychosis Module: A Sub-Saharan Africa Cross Country Comparison. <i>Psychological Medicine</i> , 2023, 53, 7042-7052.	2.7	3
780	The Translational Future of Stress Neurobiology and Psychosis Vulnerability: A Review of the Evidence. <i>Current Neuropharmacology</i> , 2024, 22, 350-377.	1.4	2
782	The Power Threat Meaning Framework and "Psychosis"™. , 2023, , 141-169.		1
795	A Compassion-Focused Approach to Working with Problematic Belief Systems. , 2023, , 215-238.		0
801	Mental health: Morbidity and impact. , 2024, , .		0