

CITATION REPORT

List of articles citing

**Thermoset-Layered Silicate Nanocomposites.
Quaternary Ammonium Montmorillonite with Primary
Diamine Cured Epoxies**

DOI: 10.1021/cm000477+

Chemistry of Materials, 2000, 12, 3376-3384.

Source: <https://exaly.com/paper-pdf/32289267/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 266 | Self-Passivation of Polymer-Layered Silicate Nanocomposites. <i>Chemistry of Materials</i> , 2001 , 13, 4123-4129 | 9.6 | 50 |
| 265 | Dispersion of Functionalized Nanoclay Platelets in an Amine-Cured Epoxy Resin System. 2001 , 703, 1 | | |
| 264 | Preparation and properties of epoxy-organically modified layered silicate nanocomposites. | | 27 |
| 263 | Bottom-Up Synthesis of Polymer Nanocomposites and Molecular Composites: Ionic Exchange with PMMA Latex. 2002 , 2, 319-323 | | 45 |
| 262 | Homostructured Mixed Inorganic/Organic Ion Clays: A New Approach to Epoxy Polymer/Exfoliated Clay Nanocomposites with a Reduced Organic Modifier Content. <i>Chemistry of Materials</i> , 2002 , 14, 4088-4095 | 9.6 | 137 |
| 261 | Synthesis of Exfoliated Polyacrylonitrile/NaMMT Nanocomposites via Emulsion Polymerization. <i>Chemistry of Materials</i> , 2002 , 14, 2936-2939 | 9.6 | 95 |
| 260 | Polyester layered silicate nanohybrids by controlled grafting polymerization. 2002 , 12, 3528-3532 | | 75 |
| 259 | Thermoset Epoxy/Clay Nanocomposites: The Dual Role of Diamines as Clay Surface Modifiers and Polymer Curing Agents. 2002 , 167, 354-362 | | 89 |
| 258 | Thermoset Epoxy/Clay Nanocomposites: The Dual Role of Diamines as Clay Surface Modifiers and Polymer Curing Agents. 2002 , 167, 354-362 | | 58 |
| 257 | High performance epoxy-layered silicate nanocomposites. 2002 , 42, 1815-1826 | | 120 |
| 256 | Polymerization compounding: Epoxy-montmorillonite nanocomposites. 2002 , 42, 1827-1835 | | 22 |
| 255 | Study of the interlayer expansion mechanism and thermal/mechanical properties of surface-initiated epoxy nanocomposites. <i>Polymer</i> , 2002 , 43, 4895-4904 | 3.9 | 177 |
| 254 | Morphology, thermal relaxations and mechanical properties of layered silicate nanocomposites based upon high-functionality epoxy resins. <i>Polymer</i> , 2002 , 43, 4365-4373 | 3.9 | 358 |
| 253 | Synthesis and properties of exfoliated poly(methyl methacrylate-co-acrylonitrile)/ clay nanocomposites via emulsion polymerization. 2003 , 11, 410-417 | | 15 |
| 252 | Preparation, characterization, and nanostructural evolution of epoxy nanocomposites. <i>Journal of Applied Polymer Science</i> , 2003 , 90, 2276-2287 | 2.9 | 51 |
| 251 | A new approach to polymer/montmorillonite nanocomposites. <i>Polymer</i> , 2003 , 44, 4619-4624 | 3.9 | 177 |
| 250 | Analysis of small-angle scattering of suspensions of organically modified montmorillonite: Implications to phase behavior of polymer nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003 , 41, 3214-3236 | 2.6 | 61 |

| | | | |
|-----|--|-----|-----|
| 249 | Hybrid epoxy-based thermosets based on polyhedral oligosilsesquioxane: Cure behavior and toughening mechanisms. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003 , 41, 3299-3313 | 2.6 | 121 |
| 248 | Layered silicate nanocomposites based on various high-functionality epoxy resins: The influence of an organoclay on resin cure. 2003 , 43, 850-862 | | 54 |
| 247 | Polymer/layered silicate nanocomposites by combined intercalative polymerization and melt intercalation: a masterbatch process. <i>Polymer</i> , 2003 , 44, 2033-2040 | 3.9 | 146 |
| 246 | Real Time Exfoliation Behavior of Clay Layers in Epoxy/Clay Nanocomposites. <i>Chemistry of Materials</i> , 2003 , 15, 419-424 | 9.6 | 118 |
| 245 | Mechanism of Exfoliation of Nanoclay Particles in Epoxy/Clay Nanocomposites. <i>Macromolecules</i> , 2003 , 36, 2758-2768 | 5.5 | 292 |
| 244 | Layered Silicate Nanocomposites Based on Various High-Functionality Epoxy Resins: The Influence of Cure Temperature on Morphology, Mechanical Properties, and Free Volume. <i>Macromolecules</i> , 2003 , 36, 1616-1625 | 5.5 | 191 |
| 243 | Effect of Plasticization of Epoxy Networks by Organic Modifier on Exfoliation of Nanoclay. <i>Macromolecules</i> , 2003 , 36, 8391-8397 | 5.5 | 116 |
| 242 | Cure Behavior of Epoxy Resin-Montmorillonite-2-Ethyl-4-Methylimidazole Nanocomposite. 2003 , 37, 1275-1287 | | 7 |
| 241 | Processing and morphological development of montmorillonite epoxy nanocomposites. 2003 , 14, 643-648 | | 81 |
| 240 | Mechanical Properties of Chemically Functionalized Clay Vinyl Ester Nanocomposites. 2003 , 791, 290 | | |
| 239 | Polymer-Clay Nanocomposites. 2003 , | | 1 |
| 238 | Challenges in Fabrication of Polymer Nanocomposites (PNCs). 2003 , | | |
| 237 | Preparation and Insulation Properties of Epoxy-Layered Silicate Nanocomposite. 2004 , 124, 1065-1072 | | 13 |
| 236 | Synthesis of Disordered and Highly Exfoliated Epoxy/Clay Nanocomposites Using Organoclay with Catalytic Function via Acetone/Clay Slurry Method. <i>Chemistry of Materials</i> , 2004 , 16, 4864-4866 | 9.6 | 81 |
| 235 | Monitoring the curing process of epoxy resin nanocomposites based on organo-montmorillonite: A new application of resin curemeter. 2004 , 64, 2501-2507 | | 27 |
| 234 | Clay/polymer composites: the story. 2004 , 7, 50-55 | | 247 |
| 233 | Epoxy nanocomposites: Analysis and kinetics of cure. 2004 , 44, 1132-1141 | | 57 |
| 232 | Epoxy-phenolic novolac-montmorillonite hybrid nanocomposites: Novel synthesis methods and their characteristics. 2004 , 44, 1170-1177 | | 15 |

| | | | |
|-----|---|-----|-----|
| 231 | Morphology, thermal, and mechanical properties of vinyl ester resin nanocomposites with various organo-modified montmorillonites. 2004 , 44, 2041-2046 | | 24 |
| 230 | Fully exfoliated layered silicate epoxy nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004 , 42, 3981-3986 | 2.6 | 44 |
| 229 | Amine-cured epoxy/clay nanocomposites. I. Processing and chemical characterization. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004 , 42, 4384-4390 | 2.6 | 74 |
| 228 | Amine-cured epoxy/clay nanocomposites. II. The effect of the nanoclay aspect ratio. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004 , 42, 4391-4400 | 2.6 | 41 |
| 227 | Chemically functionalized clay vinyl ester nanocomposites: Effect of processing parameters. 2004 , 42, 1310-1321 | | 37 |
| 226 | The role of preconditioning on morphology development in layered silicate thermoset nanocomposites. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 89-100 | 2.9 | 31 |
| 225 | Effect of organo-phosphorus and nano-clay materials on the thermal and fire performance of epoxy resins. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 1233-1253 | 2.9 | 111 |
| 224 | Multiscale micromechanical modeling of polymer/clay nanocomposites and the effective clay particle. <i>Polymer</i> , 2004 , 45, 487-506 | 3.9 | 578 |
| 223 | Adverse effects of thermal dissociation of alkyl ammonium ions on nanoclay exfoliation in epoxy/clay systems. <i>Polymer</i> , 2004 , 45, 7673-7679 | 3.9 | 56 |
| 222 | The effect of chemical modification on the fracture toughness of montmorillonite clay/epoxy nanocomposites. 2004 , 18, 1571-1588 | | 55 |
| 221 | Effect of Clay and Alumina-Nanowhisker Reinforcements on the Mechanical Properties of Nanocomposites from Biobased Epoxy: A Comparative Study. 2004 , 43, 7001-7009 | | 47 |
| 220 | A Novel Method for Preparation of Disorderly Exfoliated Epoxy/Clay Nanocomposite. <i>Chemistry of Materials</i> , 2004 , 16, 757-759 | 9.6 | 89 |
| 219 | Epoxy-Layered Silicate Nanocomposites and Their Gas Permeation Properties. <i>Macromolecules</i> , 2004 , 37, 7250-7257 | 5.5 | 146 |
| 218 | Conductive Nanocomposites Reinforced with Exfoliated Graphite Nanoplatelets (GNPs). 2004 , | | |
| 217 | Preparation, Characterization, and Properties of Exfoliated/Delaminated Organically Modified Clay/Dicyclopentadiene Resin Nanocomposites. <i>Macromolecules</i> , 2004 , 37, 2511-2518 | 5.5 | 94 |
| 216 | Thermal and combustion behaviour of layered silicate/epoxy nanocomposites. 2005 , 90, 354-362 | | 151 |
| 215 | Novel biobased nanocomposites from functionalized vegetable oil and organically-modified layered silicate clay. <i>Polymer</i> , 2005 , 46, 445-453 | 3.9 | 76 |
| 214 | Effect of layered nano-organosilicate on the gel point rheology of bismaleimide/diallylbisphenol A resin. <i>Polymer</i> , 2005 , 46, 2766-2776 | 3.9 | 23 |

| | | | |
|-----|---|-----|-----|
| 213 | Organically modified layered-silicates facilitate the formation of interconnected structure in the reaction-induced phase separation of epoxy/thermoplastic hybrid nanocomposite. <i>Polymer</i> , 2005 , 46, 7612-7623 | 3.9 | 29 |
| 212 | Hierarchical morphology of carbon single-walled nanotubes during sonication in an aliphatic diamine. <i>Polymer</i> , 2005 , 46, 10854-10865 | 3.9 | 64 |
| 211 | Epoxy/montmorillonite nanocomposites: influence of organophilic treatment on reactivity, morphology and fracture properties. <i>Polymer</i> , 2005 , 46, 12267-12278 | 3.9 | 101 |
| 210 | Polymer blend/organoclay nanocomposite with poly(ethylene oxide) and poly(methyl methacrylate). <i>European Polymer Journal</i> , 2005 , 41, 679-685 | 5.2 | 63 |
| 209 | Mechanical properties and failure surface morphology of amine-cured epoxy/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2005 , 96, 281-287 | 2.9 | 30 |
| 208 | Synthesis and thermal behavior of inorganic-organic hybrid geopolymer composites. <i>Journal of Applied Polymer Science</i> , 2005 , 96, 112-121 | 2.9 | 42 |
| 207 | Graphite Nanoplatelet Reinforcement of Electrospun Polyacrylonitrile Nanofibers. 2005 , 17, 77-80 | | 192 |
| 206 | Rheological and extrusion behavior of intercalated high-impact polystyrene/organomontmorillonite nanocomposites. 2005 , 65, 1593-1600 | | 47 |
| 205 | New fabricate of styrene-Butadiene rubber/montmorillonite nanocomposites by anionic polymerization. <i>Polymer</i> , 2005 , 46, 129-136 | 3.9 | 63 |
| 204 | Biobased Epoxy/Layered Silicate Nanocomposites: Thermophysical Properties and Fracture Behavior Evaluation. 2005 , 13, 87-96 | | 31 |
| 203 | Thermophysical properties of anhydride-cured epoxy/nano-clay composites. 2005 , 26, 42-51 | | 27 |
| 202 | Complex formation of montmorillonite clay with polymers. Part 2: The use of montmorillonite clay-Vinyl monomer complex as a comonomer in the copolymerization reaction of styrene-acrylonitrile monomers. 2005 , 54, 428-436 | | 3 |
| 201 | Effect of organoclay on the curing reactions in bismaleimide/diallyl bisphenol a resin. 2005 , 43, 994-1006 | | 29 |
| 200 | Capillary Extrusion Rheology and Thermal Stability of EVA/Organomontmorillonite Nanocomposites. <i>Polymers and Polymer Composites</i> , 2005 , 13, 271-280 | 0.8 | 2 |
| 199 | Chemically Functionalized Clay-Epoxy Nanocomposites: Vernonia Oil-based Surfactant. 2005 , 24, 785-793 | | 5 |
| 198 | FATIGUE PERFORMANCE OF CLAY-EPOXY NANOCOMPOSITES. 2005 , 04, 501-507 | | 4 |
| 197 | Structure and Properties of Epoxy-Based Layered Silicate Nanocomposites. 2005 , 44, 1021-1040 | | 36 |
| 196 | Conformational behavior of dodecylamine inside the confined space of montmorillonites. 2005 , 21, 8471-7 | | 23 |

| | | |
|-----|---|--------|
| 195 | Exfoliation of Organo-Clay in Telechelic Liquid Polybutadiene Rubber. <i>Macromolecules</i> , 2005 , 38, 4030-4033 | 46 |
| 194 | Combined Fire Retardant Action of Phosphonated Structures and Clay Dispersion in Epoxy Resin. 2005 , 21-35 | 3 |
| 193 | Comparisons of Physical Properties of Intercalated and Exfoliated Clay/Epoxy Nanocomposites. 2005 , 44, 2086-2090 | 50 |
| 192 | Intercalation and exfoliation routes to graphite nanoplatelets. 2005 , 15, 974 | 342 |
| 191 | High-resolution electron microscopy of montmorillonite and montmorillonite/epoxy nanocomposites. 2005 , 109, 17868-78 | 54 |
| 190 | Nanocomposites for Carbon Fiber-Reinforced Polymer Matrix Composites. 2005 , | 5 |
| 189 | Epoxy Layered Silicate Nanocomposites. 2005 , 29-82 | 85 |
| 188 | Review article: Polymer-matrix Nanocomposites, Processing, Manufacturing, and Application: An Overview. 2006 , 40, 1511-1575 | 1668 |
| 187 | Influence of temperature on mechanical and insulation properties of epoxy-layered silicate nanocomposite. 2006 , 13, 445-452 | 82 |
| 186 | Dynamics of alkyl ammonium intercalants within organically modified montmorillonite: Dielectric relaxation and ionic conductivity. 2006 , 110, 20143-57 | 52 |
| 185 | Delamination of surfactant intercalated smectites in alcohols: Effect of chain length of the solvent. <i>Applied Clay Science</i> , 2006 , 32, 141-146 | 5.2 21 |
| 184 | Biobased epoxy/clay nanocomposites as a new matrix for CFRP. <i>Composites Part A: Applied Science and Manufacturing</i> , 2006 , 37, 54-62 | 8.4 70 |
| 183 | Synergistic effect of compatibilizer in organo-modified layered silicate reinforced butadiene rubber nanocomposites. 2006 , 46, 80-88 | 14 |
| 182 | Intercalation and exfoliation of clay nanoplatelets in epoxy-based nanocomposites: TEM and XRD observations. 2006 , 46, 452-463 | 29 |
| 181 | Morphology, tensile properties, and fracture toughness of epoxy/Al ₂ O ₃ nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006 , 44, 1466-1473 | 2.6 87 |
| 180 | DSC investigation of the hindered effect on curing behavior for epoxy/phenol/MMT nanocomposites based on the acidic octadecylamine modifier. <i>Polymer</i> , 2006 , 47, 2918-2927 | 3.9 19 |
| 179 | Montmorillonite-thermoset nanocomposites via cryo-compounding. <i>Polymer</i> , 2006 , 47, 3426-3435 | 3.9 63 |
| 178 | Poly(l-lactide) comb polymer brushes on the surface of clay layers. <i>Polymer</i> , 2006 , 47, 7374-7381 | 3.9 38 |

| | | | |
|-----|--|-----|-----|
| 177 | The mechanical properties and fracture behaviour of epoxy-inorganic micro- and nano-composites. 2006 , 41, 3271-3297 | | 139 |
| 176 | Cure behavior of epoxy resin/CdS/2,4-EMI nanocomposites investigated by dynamic torsional vibration method (DTVM). <i>Polymer Bulletin</i> , 2006 , 57, 219-230 | 2.4 | 4 |
| 175 | Synthesis of imidazolium salts and their application in epoxy montmorillonite nanocomposites. <i>Polymer</i> , 2006 , 47, 6698-6709 | 3.9 | 38 |
| 174 | DSC study of the cure kinetics during nanocomposite formation: Epoxy/poly(oxypropylene) diamine/organically modified montmorillonite system. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 550-557 | 2.9 | 38 |
| 173 | Isothermal and nonisothermal cure kinetics of an epoxy/poly(oxypropylene)diamine/octadecylammonium modified montmorillonite system. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 1765-1771 | 2.9 | 10 |
| 172 | New method for the synthesis of clay/epoxy nanocomposites. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 4286-4296 | 2.9 | 31 |
| 171 | Orientation of montmorillonite clay in dicyclopentadiene/organically modified clay dispersions and nanocomposites. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 2743-2751 | 2.9 | 14 |
| 170 | On The Origins of Silicate Dispersion in Polysiloxane/Layered-Silicate Nanocomposites. 2006 , 16, 417-425 | | 51 |
| 169 | Epoxy nanocomposites based on layered silicates and other nanostructured fillers. 2006 , 29-56 | | 4 |
| 168 | Polymer- Layered Silicate Nanocomposites for Cryotank Applications. 2007 , | | 4 |
| 167 | Some factors influencing exfoliation and physical property enhancement in nanoclay epoxy resins based on diglycidyl ethers of bisphenol A and F. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 5-19 | 2.9 | 13 |
| 166 | Effect of an organoclay on the reaction-induced phase-separation kinetics and morphology of a poly(ether imide)/epoxy mixture. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 1205-1214 | 2.9 | 26 |
| 165 | Mechanical and morphological properties of organic/inorganic, hybrid, clay-filled, and cyanate ester/siloxane toughened epoxy nanocomposites. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 1263-1273 | 2.9 | 32 |
| 164 | Photopolymerization of clay/polyurethane nanocomposites induced by intercalated initiator. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 2656-2660 | 2.9 | 19 |
| 163 | Epoxy-Based Fibre Reinforced Nanocomposites. 2007 , 9, 835-847 | | 143 |
| 162 | Mesocellular Silica Foam as an Epoxy Polymer Reinforcing Agent. 2007 , 17, 2835-2841 | | 18 |
| 161 | Simplified tube form factor for analysis of small-angle scattering data from carbon nanotube filled systems. 2007 , 40, s88-s92 | | 28 |
| 160 | Preparation of intercalating agent-free epoxy/clay nanocomposites. 2007 , 47, 1708-1714 | | 24 |

| | | | |
|-----|---|-----|-----|
| 159 | PS/PMMA mixed polymer brushes on the surface of clay layers: Preparation and application in polymer blends. 2007 , 45, 5329-5338 | | 31 |
| 158 | Synthesis and characterization of new nanocomposites based on epoxy resins and organophilic clays. 2007 , 56, 1106-1114 | | 11 |
| 157 | Thermo mechanical behaviour of unsaturated polyester toughened epoxy/clay hybrid nanocomposites. <i>Journal of Polymer Research</i> , 2007 , 14, 319-328 | 2.7 | 69 |
| 156 | Effect of Nano CaCO ₃ on thermal properties of Styrene Butadiene Rubber (SBR). <i>Journal of Polymer Research</i> , 2007 , 14, 449-459 | 2.7 | 56 |
| 155 | Room temperature spontaneous exfoliation of organo-clay in liquid polybutadiene: Effect of polymer end-groups and the alkyl tail number of organic modifier. <i>Polymer</i> , 2007 , 48, 7590-7597 | 3.9 | 36 |
| 154 | Synthesis and properties of epoxy/layered zirconium phosphonate (Zr-P) nanocomposites. 2008 , 69, 1379-1382 | | 21 |
| 153 | Thermal degradation and stability of epoxy nanocomposites: Influence of montmorillonite content and cure temperature. 2008 , 93, 1000-1007 | | 55 |
| 152 | Natural inorganic nanotubes reinforced epoxy resin nanocomposites. <i>Journal of Polymer Research</i> , 2008 , 15, 205-212 | 2.7 | 121 |
| 151 | Effect of the presence of excess ammonium ions on the clay surface on permeation properties of epoxy nanocomposites. 2008 , 43, 4972-4978 | | 19 |
| 150 | Reinforcing effect of organoclay in rubbery and glassy epoxy resins, part 1: Dispersion and properties. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 1154-1162 | 2.9 | 22 |
| 149 | Thermal degradation kinetics of epoxy/organically modified montmorillonite nanocomposites. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 1932-1938 | 2.9 | 22 |
| 148 | Spray-dried microspheres as a route to clay/polymer nanocomposites. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 1550-1556 | 2.9 | 9 |
| 147 | Nanoclay and long-fiber-reinforced composites based on epoxy and phenolic resins. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 3720-3726 | 2.9 | 42 |
| 146 | Processing/Morphology regulation of epoxy/layered-silicate nanocomposites. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 3324-3333 | 2.9 | 5 |
| 145 | Preparation of highly exfoliated epoxy/clay nanocomposites by sol/gel modification. 2008 , 93, 369-375 | | 26 |
| 144 | Preparation of clay/epoxy nanocomposites by layered-double-hydroxide initiated self-polymerization. <i>Polymer</i> , 2008 , 49, 4796-4801 | 3.9 | 43 |
| 143 | New organophilic agents of montmorillonite used as reinforcing agent in epoxy nanocomposites. 2008 , 27, 100-113 | | 37 |
| 142 | Fabrication and mechanical properties of exfoliated clay/CNTs/epoxy nanocomposites. 2008 , 490, 481-487 | | 29 |

| | | | |
|-----|--|-----|----|
| 141 | Study on Composite Material for Shielding Mixed Neutron and γ -Rays. 2008 , 55, 2376-2384 | | 65 |
| 140 | Conducting nanocomposite systems. 2008 , 143-235 | | 3 |
| 139 | Photopolymerization of clay/polyurethane nanocomposites induced by an intercalated photoinitiator through sol-gel modification. <i>Applied Clay Science</i> , 2008 , 42, 25-31 | 5.2 | 9 |
| 138 | Self-Assembled Nanomaterials Using Magnetic Nanoparticles Modified with Polystyrene Brushes and Poly(styrene-b-butadiene-b-styrene). <i>Macromolecules</i> , 2008 , 41, 9295-9298 | 5.5 | 26 |
| 137 | Epoxy/Vermiculite Nanocomposites as Gas Permeation Barrier. 2008 , 42, 2829-2839 | | 30 |
| 136 | Alternative Synthetic Routes to Epoxy Polymer /Clay Nanocomposites using Organic or Mixed-Ion Clays Modified by Protonated Di/Triamines (Jeffamines). 2008 , 267, 41-46 | | 10 |
| 135 | Studies on Morphology and Thermomechanical Behavior of Polyethylene Glycol/1,8-Octanediol-modified Epoxy-organoclay Hybrid Nanocomposites. 2009 , 43, 2753-2770 | | 5 |
| 134 | Incorporation of kaolin fillers into an epoxy/polyamidoamine matrix for coatings. <i>Progress in Organic Coatings</i> , 2009 , 65, 158-168 | 4.8 | 19 |
| 133 | Diffusion behavior of water and sulfuric acid in epoxy/organoclay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 1021-1029 | 2.9 | 16 |
| 132 | Polypropylene/clay nanocomposites: Effect of different clays and compatibilizers on their morphology. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 1278-1286 | 2.9 | 20 |
| 131 | Effect of temperature, duration and speed of pre-mixing on the dispersion of clay/epoxy nanocomposites. 2009 , 69, 1831-1840 | | 55 |
| 130 | Effect of silane functionalization of montmorillonite on epoxy/montmorillonite nanocomposite. <i>Polymer Bulletin</i> , 2009 , 63, 47-55 | 2.4 | 43 |
| 129 | Optimization of carbon black and nanoclay filler loading in chlorobutyl vulcanizates using response surface methodology. 2009 , 30, 691-701 | | 18 |
| 128 | Synthesis and Properties of Amine-Cured Epoxy/Organophilic Layered Silicate Nanocomposites. 2009 , 16, 157-173 | | 6 |
| 127 | Preparation and characterization of epoxy/Aluminum oxide nanocomposites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2009 , 40, 463-468 | 8.4 | 78 |
| 126 | Synthesis and characterization of synthetic mica-bionanocomposites. <i>Applied Clay Science</i> , 2009 , 42, 553-558 | | 15 |
| 125 | In-situ synthesis of exfoliated nanocomposites by photopolymerization using a novel montmorillonite-anchored initiator. <i>Applied Clay Science</i> , 2009 , 45, 133-138 | 5.2 | 20 |
| 124 | Mechanical properties, flammability and char morphology of epoxy resin/montmorillonite nanocomposites. <i>Applied Clay Science</i> , 2009 , 46, 319-324 | 5.2 | 56 |

| | | | |
|-----|--|-----|----|
| 123 | Effect of Processing Conditions on the Morphology and Properties of Polymer Nanocomposites. 369-405 | | 1 |
| 122 | Morphology Development in Thermoset Nanocomposites. 21-40 | | |
| 121 | Parylene nanocomposites using modified magnetic nanoparticles. 2010 , 124, 780-784 | | 9 |
| 120 | Durability study of neat/nanophased GFRP composites subjected to different environmental conditioning. 2010 , 527, 3091-3099 | | 25 |
| 119 | New thermosetting nanocomposites prepared from diglycidyl ether of bisphenol and Valerolactone initiated by rare earth triflate initiators. <i>European Polymer Journal</i> , 2010 , 46, 5-13 | 5.2 | 6 |
| 118 | Effect of the type of alkylammonium ion clay modifier on the structure and thermal/mechanical properties of glassy and rubbery epoxy/clay nanocomposites. <i>European Polymer Journal</i> , 2010 , 46, 404-417 ² | | 88 |
| 117 | Characterization of Interface Properties of Clay Nanoplatelet-Filled Epoxy Resin and Carbon Fiber by Single Fiber Composite Technique. 2010 , 24, 217-236 | | 8 |
| 116 | The Influence of Clay Dispersion, Clay Concentration and Epoxy Chemistry on the Fracture Toughness of Epoxy Nanocomposites. 2010 , 17, 19-30 | | 5 |
| 115 | Exfoliation of layered silicates through in situ controlled free radical polymerization mediated by a silicate-anchored initiator. 2011 , 2, 2341 | | 7 |
| 114 | Polymer-Layered Silicate Nanocomposites. 2011 , 265-276 | | 3 |
| 113 | Role of Different Nanoparticles in Elastomeric Nanocomposites. <i>Advanced Structured Materials</i> , 2011 , 3-55 | 0.6 | 5 |
| 112 | Montmorillonite/polypropylene nanocomposites: Mechanical properties, crystallization and rheological behaviors. <i>Applied Clay Science</i> , 2011 , 52, 171-178 | 5.2 | 60 |
| 111 | Nanostructure and dynamic mechanical properties of silane-functionalized montmorillonite/epoxy nanocomposites. <i>Applied Clay Science</i> , 2011 , 54, 151-158 | 5.2 | 64 |
| 110 | Polymer Clay Nanocomposites by In-situ Atom Transfer Radical Polymerization. 2011 , 267-281 | | |
| 109 | Aniline- and N,N-dimethylformamide-assisted processing route for graphite nanoplates: intercalation and exfoliation pathway. 2011 , 65, 1371-1374 | | 4 |
| 108 | The effect of alternate heating rates during cure on the structure-property relationships of epoxy/MMT clay nanocomposites. 2011 , 71, 1761-1768 | | 27 |
| 107 | ABS nanocomposite films based on functionalized-graphene sheets. <i>Journal of Applied Polymer Science</i> , 2011 , 124, n/a-n/a | 2.9 | 6 |
| 106 | Study of morphological and mechanical performance of amine-cured glassy epoxy/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2011 , 124, n/a-n/a | 2.9 | 3 |

| | | | |
|-----|--|-----|----|
| 105 | Effect of the chemical grafting of epoxy resin onto organomodified montmorillonite on the structure and heat resistance of an epoxy nanocomposite. 2011 , 53, 75-84 | | 4 |
| 104 | Molecular dynamics in chlorinated butyl rubber containing organophilic montmorillonite nanoparticles. <i>Journal of Polymer Research</i> , 2011 , 18, 2213-2220 | 2.7 | 22 |
| 103 | Incorporating multiscale micromechanical approach into PLSNs with different intercalated morphologies. <i>Journal of Applied Polymer Science</i> , 2011 , 119, 3347-3359 | 2.9 | 1 |
| 102 | Development of high-performance epoxy/clay nanocomposites by incorporating novel phosphonium modified montmorillonite. <i>Journal of Applied Polymer Science</i> , 2011 , 122, 666-675 | 2.9 | 15 |
| 101 | Studies of organoclays with functionalized pillaring agents. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 2430-2441 | 2.9 | 1 |
| 100 | Research on the Curing Behaviour and Morphology of an Epoxy/OMMT Nanocomposite System. 2011 , 221, 221-227 | | 1 |
| 99 | Effects of ultraviolet radiation and condensation on static and dynamic compression behavior of neat and nanoclay infused epoxy/glass composites. 2011 , 45, 1901-1918 | | 15 |
| 98 | Mechanical Properties of Glass Fibre-Epoxy Based Polymer Nanocomposites. 2011 , 15, 41-49 | | 3 |
| 97 | Recent Advances in Elastomeric Nanocomposites. <i>Advanced Structured Materials</i> , 2011 , | 0.6 | 24 |
| 96 | Epoxy-layered silicate nanocomposites: effect of cross-linking amines and fillers on curing, morphology and oxygen permeation. 2012 , 31, 739-747 | | |
| 95 | Identification of nanostructural development in epoxy polymer layered silicate nanocomposites from the interpretation of differential scanning calorimetry and dielectric spectroscopy. <i>Thermochimica Acta</i> , 2012 , 541, 76-85 | 2.9 | 12 |
| 94 | Study on the effect of aminosilane functionalized nanoclay on the curing kinetics of epoxy nanocomposites. <i>Thermochimica Acta</i> , 2012 , 546, 16-23 | 2.9 | 40 |
| 93 | Nano-CuO/Epoxy Composites: Thermal Characterization and Thermo-Oxidative Degradation. 2012 , 17, 108-121 | | 24 |
| 92 | Thermomechanical and electrical characterization of epoxy-organoclay nanocomposites. 2012 , 52, 1037-1046 | | 10 |
| 91 | Stereocomplex-nanocomposite formation of polylactide/fluorinated-clay with superior thermal property using supercritical fluid. 2012 , 20, 545-548 | | 14 |
| 90 | Thermo-oxidative degradation kinetics and mechanism of the system epoxy nanocomposite reinforced with nano-Al ₂ O ₃ . 2012 , 108, 1251-1260 | | 24 |
| 89 | The effect of stoichiometry on curing and properties of epoxy/clay nanocomposites. 2012 , 108, 741-749 | | 19 |
| 88 | Melt stability of 8-arms star-shaped stereocomplex polylactide with three-dimensional core structures. 2013 , 98, 1097-1101 | | 23 |

| | | | |
|----|---|-----|----|
| 87 | New insights into the multilevel structure and phase transitions of synthetic organoclays. 2013 , 9, 2291 | | 11 |
| 86 | Improving the durability of advanced fiber-reinforced polymer (FRP) composites using nanoclay. 2013 , 780-813 | | |
| 85 | Mechanical and thermal studies of unsaturated polyester-toughened epoxy composites filled with amine-functionalized nanosilica. 2013 , 3, 7-12 | | 29 |
| 84 | Organomodification of sepiolite clay using bio-sourced surfactants: Compatibilization and dispersion into epoxy thermosets for properties enhancement. 2013 , 79, 126-132 | | 29 |
| 83 | Epoxy/Vermiculite Nanocomposites. 2013 , 1-16 | | |
| 82 | Clay nanostructure and its localisation in an epoxy/liquid rubber blend. 2013 , 3, 24634 | | 30 |
| 81 | Intra- and extra-gallery reactions in tri-functional epoxy polymer layered silicate nanocomposites. <i>Journal of Applied Polymer Science</i> , 2013 , 128, 2961-2970 | 2.9 | 12 |
| 80 | Studies on gamma radiation resistance polyethersulphone films reinforced by lead oxide. 2013 , 17, 373-376 | | 5 |
| 79 | Comparison of the Nanostructure and Mechanical Performance of Highly Exfoliated Epoxy-Clay Nanocomposites Prepared by Three Different Protocols. 2014 , 7, 4196-4223 | | 8 |
| 78 | A New Epoxy-Based Layered Silicate Nanocomposite Using a Hyperbranched Polymer: Study of the Curing Reaction and Nanostructure Development. 2014 , 7, 1830-1849 | | 21 |
| 77 | Effect of Nanocomposite Structures on Fracture Behavior of Epoxy-Clay Nanocomposites Prepared by Different Dispersion Methods. <i>Journal of Nanomaterials</i> , 2014 , 2014, 1-12 | 3.2 | 21 |
| 76 | Biodegradable blends of stereocomplex polylactide and lignin by supercritical carbon dioxide-solvent system. 2014 , 22, 74-78 | | 9 |
| 75 | The use of nanoclay in preparation of epoxy anticorrosive coatings. <i>Progress in Organic Coatings</i> , 2014 , 77, 518-527 | 4.8 | 72 |
| 74 | Thermal analysis of polymer layered silicate nanocomposites. 2014 , 118, 723-729 | | 12 |
| 73 | Morphological, thermomechanical and thermal behavior of epoxy/MMT nanocomposites. 2014 , 400, 58-66 | | 18 |
| 72 | Nanotechnology Based Thermosets. 2014 , 623-695 | | 11 |
| 71 | In-situ synthesis of polymer silica nanocomposites by living radical polymerisation using TEMPO initiator. 2014 , 9, 785-798 | | 7 |
| 70 | Silicate Nanocomposites: Epoxy-Layered. 2014 , 4445-4453 | | |

| | | | |
|----|--|-----|----|
| 69 | Influence of Interface on epoxy/clay Nanocomposites: 2. Mechanical and Thermal Dynamic Properties. 2015 , 2, 23-27 | | 11 |
| 68 | Halloysite-Poly(Lactic-co-glycolic Acid) Nanocomposites for Biomedical Applications. 2015 , 243-260 | | 1 |
| 67 | Selecting Resin Matrix and Nanomaterials for Applications. 130-154 | | |
| 66 | The Properties and a New Preparation of Ethylene Propylene Diene Monomer/Montmorillonite Nanocomposites. <i>Polymers and Polymer Composites</i> , 2015 , 23, 181-190 | 0.8 | 2 |
| 65 | Highly exfoliated epoxy/clay nanocomposites: Mechanism of exfoliation and thermal/mechanical properties. <i>Composite Structures</i> , 2015 , 132, 44-49 | 5.3 | 26 |
| 64 | Multifunctional hierarchical nanocomposite laminates for automotive/aerospace applications. 2015 , 491-526 | | |
| 63 | Toward high performance epoxy/halloysite nanocomposites: New insights based on rheological, curing, and impact properties. <i>Materials & Design</i> , 2015 , 68, 42-53 | | 46 |
| 62 | Exfoliation and dispersion of nano-sized modified-LDH particles in poly(amide-imide)s containing N-trimellitylimido-L-methionine and 3,5-diamino-N-(pyridin-3-yl)benzamide linkages. <i>Polymer Bulletin</i> , 2015 , 72, 977-991 | 2.4 | 8 |
| 61 | Rheological and mechanical properties of epoxy/clay nanocomposites with enhanced tensile and fracture toughnesses. <i>Polymer</i> , 2015 , 58, 43-52 | 3.9 | 81 |
| 60 | Development of biobased polymer/clay nanocomposites. 2015 , 101-132 | | 12 |
| 59 | PMMA-grafted silica aerogel nanoparticles via in situ SR&NI ATRP: Grafting through approach. <i>Microporous and Mesoporous Materials</i> , 2015 , 214, 70-79 | 5.3 | 24 |
| 58 | Curing kinetics of epoxy/alkyl phosphonium modified nanoclay composites for high performance applications. <i>Thermochimica Acta</i> , 2015 , 608, 20-29 | 2.9 | 7 |
| 57 | Effect of surface-modified montmorillonite on viscosity and gelation behavior of cellulose/NaOH solution. <i>Cellulose</i> , 2015 , 22, 1829-1839 | 5.5 | 7 |
| 56 | Mechanical characterization and fractographic study of epoxy/baolin polymer nanocomposites. <i>Composite Structures</i> , 2015 , 133, 70-76 | 5.3 | 7 |
| 55 | Flexible transparent fluorinated nanohybrid with innovative heat-resistance property: A new technology proposal for fabrication of transparent materials using crystalline polymer. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015 , 53, 1674-1690 | 2.6 | 6 |
| 54 | Manufacturing of Natural Fibre Reinforced Polymer Composites. 2015 , | | 31 |
| 53 | Bio-nanocomposites from Natural Fibre Derivatives: Manufacturing and Properties. 2015 , 233-265 | | 5 |
| 52 | The influence of alkylammonium modified clays on the fungal resistance and biodeterioration of epoxy-clay nanocomposites. <i>International Biodeterioration and Biodegradation</i> , 2016 , 110, 136-140 | 4.8 | 11 |

| | | | |
|----|---|-----|-----|
| 51 | Technical Relevance of Epoxy/Clay Nanocomposite with Organically Modified Montmorillonite: A Review. <i>Polymer-Plastics Technology and Engineering</i> , 2016 , 55, 1393-1415 | | 11 |
| 50 | Wet process and exfoliation of clay in epoxy. <i>Korean Journal of Chemical Engineering</i> , 2016 , 33, 3550-3557 | 8 | 2 |
| 49 | Surface Morphological, Thermal, and Dielectric Behavior of Toughened Tetraglycidyl Epoxy-Poss Nanocomposites. 2016 , 281-304 | | |
| 48 | Low k epoxy resin containing cycloaliphatic hydrocarbon with high crosslinking density. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a | 2.9 | 14 |
| 47 | Structure-property relationship of nano enhanced stereolithography resin for desktop SLA 3D printer. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016 , 88, 234-242 | 8.4 | 114 |
| 46 | Structure, properties and rheological behavior of thermoplastic poly(lactic acid)/quaternary fulvic acid-intercalated saponite nanocomposites. <i>Polymer Bulletin</i> , 2016 , 73, 1015-1035 | 2.4 | 11 |
| 45 | The effects of material formulation and manufacturing process on mechanical and thermal properties of epoxy/clay nanocomposites. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 87, 1999-2012 | 3.2 | 16 |
| 44 | Organoclay-epoxy nanocomposites modified with polyacrylates: The effect of the clay mineral dispersion method. <i>Applied Clay Science</i> , 2016 , 124-125, 46-53 | 5.2 | 11 |
| 43 | Anticorrosive epoxy/clay nanocomposite coatings: rheological and protective properties. 2016 , 13, 439-456 | | 17 |
| 42 | Green Preparation of Epoxy/Graphene Oxide Nanocomposites Using a Glycidylamine Epoxy Resin as the Surface Modifier and Phase Transfer Agent of Graphene Oxide. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 1854-66 | 9.5 | 84 |
| 41 | 50th Anniversary Perspective: Are Polymer Nanocomposites Practical for Applications?. <i>Macromolecules</i> , 2017 , 50, 714-731 | 5.5 | 375 |
| 40 | Role of silane concentration on the structural characteristics and properties of epoxy-/silane-modified montmorillonite clay nanocomposites. <i>Journal of Elastomers and Plastics</i> , 2017 , 49, 665-683 | 1.6 | 6 |
| 39 | A first MMT reinforced nanocomposite functionalized with ether linkage derived from tetraglycidyl/diglycidyl epoxy building block. <i>Progress in Organic Coatings</i> , 2017 , 104, 135-140 | 4.8 | 4 |
| 38 | Mesoporous diatomite-filled PMMA by in situ reverse atom transfer radical polymerization. <i>Colloid and Polymer Science</i> , 2017 , 295, 247-257 | 2.4 | 17 |
| 37 | Compatibilizer effect on Organosilicate reinforced NBR nanocomposites. <i>Journal of Polymer Research</i> , 2017 , 24, 1 | 2.7 | 3 |
| 36 | Clay-Based Conducting Polymer Nanocomposites. <i>Springer Series on Polymer and Composite Materials</i> , 2017 , 143-163 | 0.9 | 3 |
| 35 | Rubber blend nanocomposites. 2017 , 319-348 | | 2 |
| 34 | In situ preparation of thermoset/clay nanocomposites via thiol-epoxy click chemistry. <i>Polymer Bulletin</i> , 2018 , 75, 4901-4911 | 2.4 | 6 |

| | | | |
|----|--|-----|-----|
| 33 | Dispersion efficiency of montmorillonites in epoxy nanocomposites using solution intercalation and direct mixing methods. <i>Applied Clay Science</i> , 2018 , 154, 52-63 | 5.2 | 15 |
| 32 | A technical review on epoxy-clay nanocomposites: Structure, properties, and their applications in fiber reinforced composites. <i>Composites Part B: Engineering</i> , 2018 , 135, 1-24 | 10 | 145 |
| 31 | Synthesis and Properties of Organosilicon-Grafted Cardanol Novolac Epoxy Resin as a Novel Biobased Reactive Diluent and Toughening Agent. <i>ACS Omega</i> , 2018 , 3, 16403-16408 | 3.9 | 10 |
| 30 | Effect of Nanoclay Addition on the Hygrothermal Durability of Glass/Epoxy and Fiber Metal Laminates. <i>Fibers and Polymers</i> , 2018 , 19, 1956-1969 | 2 | 14 |
| 29 | Structure-property relationships of thermoset nanocomposites. 2018 , 231-276 | | 4 |
| 28 | Wear Properties of Nanocomposite Traffic Marking Paint. <i>Journal of Nanomaterials</i> , 2018 , 2018, 1-13 | 3.2 | 3 |
| 27 | Polyamidoamine as a clay modifier and curing agent in preparation of epoxy nanocomposites. <i>Progress in Organic Coatings</i> , 2019 , 131, 311-321 | 4.8 | 9 |
| 26 | Evaluation of the effect of hydrophobically modified silica aerogel on the ARGET ATRP of styrene and butyl acrylate. <i>Microporous and Mesoporous Materials</i> , 2019 , 280, 236-242 | 5.3 | 4 |
| 25 | Thermosetting micro- and nanocomposites for neutron radiation shielding. 2020 , 83-123 | | |
| 24 | Tribological and thermomechanical properties of epoxy-matrix nanocomposites containing montmorillonite nanoclay intercalated with polybutadiene-based quaternary ammonium salt. <i>Plastics, Rubber and Composites</i> , 2020 , 49, 389-399 | 1.5 | 4 |
| 23 | Development in liquid crystalline epoxy resins and composites [A review]. <i>European Polymer Journal</i> , 2020 , 124, 109507 | 5.2 | 12 |
| 22 | Consumer Nanoproducts Based on Polymer Nanocomposites Matrices. 2021 , 1-28 | | |
| 21 | Study on preparation and properties of bentonite-modified epoxy sheet molding compound. <i>E-Polymers</i> , 2021 , 21, 309-315 | 2.7 | 2 |
| 20 | Micro- and Nanoscale Structure Formation in Epoxy-Clay Nanocomposites. 61-82 | | |
| 19 | Effect of organoclays on mechanical properties of glass fiber-reinforced epoxy nanocomposite. <i>Polymer Bulletin</i> , 1 | 2.4 | 1 |
| 18 | Nanocomposites Based on Inorganic Nanoparticles. 257-346 | | 2 |
| 17 | Controlling and Characterizing Anisotropic Nanomaterial Dispersion. 2017 , 65-99 | | 1 |
| 16 | Elastomer Clay Nanocomposites for Packaging. <i>Advanced Structured Materials</i> , 2011 , 233-256 | 0.6 | 4 |

| | | | |
|----|---|-----|---|
| 15 | Mechanical and Mode-I Fracture Properties of Epoxy-Clay Nanocomposites Prepared by Ultrasonic Dispersion Method. <i>International Journal of Materials Science and Engineering</i> , | 0.5 | 2 |
| 14 | Thermal, Dielectric Properties Characteristics of Epoxy-nanocomposites for Organoclay of Several Types. <i>Journal of the Korean Institute of Electrical and Electronic Material Engineers</i> , 2008 , 21, 538-543 | | |
| 13 | Thermal Characteristics of Epoxy-Nanocomposites filled Several Types Nano Layered Silicate Particles. <i>Journal of the Korean Institute of Electrical and Electronic Material Engineers</i> , 2008 , 21, 749-754 | | |
| 12 | Dispersion Properties of Epoxy-layered Silicate Nanocomposites Using Homogenizer. <i>Journal of the Korean Institute of Electrical and Electronic Material Engineers</i> , 2013 , 26, 126-133 | | |
| 11 | . 2020 , | | 0 |
| 10 | Overview of Clay-Based Polymer Nanocomposites (CPN). 1-32 | | 1 |
| 9 | Silver Composites as Antimicrobial Materials. <i>Environmental and Microbial Biotechnology</i> , 2021 , 127-147 | 1.4 | 1 |
| 8 | An Overview of Biopolymer/Clay Nanocomposites. 2021 , 1-69 | | |
| 7 | Nanotechnology-based thermosets. 2022 , 833-890 | | 1 |
| 6 | Research and development of high-performance and thermomechanically stable Ceramer (polymers/ceramic composites materials) and 'Ceramlmide' nanocomposites material formulations based on fluoro-polyimides for the advanced industrial applications. 2022 , 517-585 | | 1 |
| 5 | Thermoset nanocomposites. 2022 , 419-501 | | |
| 4 | (Nano)Composite Materials An Introduction. <i>Advances in Dielectrics</i> , 2022 , 1-31 | 0.6 | |
| 3 | Mechanical and Moisture Barrier Properties of Epoxy-Nanoclay and Hybrid Epoxy-Nanoclay Glass Fibre Composites: A Review.. <i>Polymers</i> , 2022 , 14, | 4.5 | 2 |
| 2 | Consumer Nanoproducts Based on Polymer Nanocomposites Matrices. 2022 , 161-188 | | |
| 1 | Modification of unsaturated polyester resin by epoxy resin. 2023 , 155-167 | | 0 |