Effects of Systematic Methyl Substitution of Metal (III) Chelates on Material Properties for Optimum Electrolu

Journal of the American Chemical Society

123, 6300-6307

DOI: 10.1021/ja010120m

Citation Report

#	Article	IF	Citations
1	Diaminoanthracene Derivatives as High-Performance Green Host Electroluminescent Materials. Chemistry of Materials, 2002, 14, 3958-3963.	3.2	123
2	Preparation and Characterization of Blue-Luminescent Tris(8-hydroxyquinoline)-aluminum (Alq3). Advanced Functional Materials, 2003, 13, 108-112.	7.8	209
3	Structural, Photophysical, and Electrophosphorescent Properties of Platinum(II) Complexes Supported by Tetradentate N2O2 Chelates. Chemistry - A European Journal, 2003, 9, 1263-1272.	1.7	106
4	Synthesis, structural characterization and electroluminescence study of alkylgallium derivatives of thiobenzhydrazones. Journal of Organometallic Chemistry, 2003, 681, 51-58.	0.8	11
5	Immiscible polymers in double spin-coated electroluminescent devices containing phenyl-substituted tris(8-hydroxyquinoline)aluminum derivatives soluble in a host polymer. Journal of Polymer Science Part A, 2003, 41, 3006-3016.	2.5	16
6	Structures, Electronic States, and Electroluminescent Properties of a Zinc(II) 2-(2-Hydroxyphenyl)benzothiazolate Complex. Journal of the American Chemical Society, 2003, 125, 14816-14824.	6.6	296
7	Blue Luminescent Rigid Molecular Rods BearingN-7-Azaindolyl and 2,2â€˜-Dipyridylamino and Their Zn(II) and Ag(I) Complexes. Inorganic Chemistry, 2003, 42, 2789-2797.	1.9	98
8	Thermal Desorption of Tris(8-hydroxyquinoline)aluminum (III) (Alq3) on Cu(111). Chemistry of Materials, 2003, 15, 4819-4822.	3.2	4
9	Photocleavage of Pyridyl-Based Aromatic Polyureas. Macromolecules, 2003, 36, 9775-9783.	2.2	7
10	Ligand Methylation and Coordination Geometry Effects on the Properties of Zinc and Lithium (8-Quinolinolato) Chelate Electroluminescent Materials. ACS Symposium Series, 2003, , 171-186.	0.5	1
11	Synthesis and photophysical characterisation of soluble photoluminescent metal complexes with substituted 8-hydroxyquinolines. Synthetic Metals, 2003, 138, 189-192.	2.1	92
12	Efficient white organic lightâ€emitting device by utilizing a blueâ€emitter doped with a Red Fluorescent Dopant. Journal of Information Display, 2003, 4, 13-18.	2.1	1
13	Tris-(8-hydroxyquinoline) aluminum nanoparticles prepared by vapor condensation. Applied Physics Letters, 2003, 83, 347-349.	1.5	40
14	Correlating Physical and Chemical Degradation in the Performance of Aluminumtris(8â€Hydroxyquinoline) (Alq3)â€Based OLEDs. Journal of Macromolecular Science - Pure and Applied Chemistry, 2004, 41, 1425-1435.	1.2	3
15	Synthesis and electroluminescent properties of substituted benzoate bis (8-hydroxyquinaldine) gallium (III) complexes. Journal of Materials Science, 2004, 39, 1405-1406.	1.7	6
16	Effect of Substitution of Methyl Groups on the Luminescence Performance of IrIII Complexes: Preparation, Structures, Electrochemistry, Photophysical Properties and Their Applications in Organic Light-Emitting Diodes (OLEDs). European Journal of Inorganic Chemistry, 2004, 2004, 3415-3423.	1.0	158
17	Fine-tuning the luminescent properties of metal-chelating 8-hydroxyquinolines through amido substituents in 5-position. Inorganica Chimica Acta, 2004, 357, 33-40.	1.2	47
18	Synthesis, characterization and luminescence study of dimethyl(Î²-ketoiminato)gallium (-indium) complexes: crystal structure of dimethyl[1-phenyl-3-N-(4-methoxyphenylimino)-1-butanonato]gallium. Journal of Organometallic Chemistry, 2004, 689, 3461-3467.	0.8	19

#	Article	IF	Citations
19	Theoretical investigation of a blue hydroxyquinaldine-based aluminum(III) complex. Physics Letters, Section A: General, Atomic and Solid State Physics, 2004, 321, 194-198.	0.9	6
20	Zinc porphyrin with phenoxy-bridged pentacoordinate bis(8-hydroxyquinaldinate)gallium lateral pendants: synthesis and photophysical characterization. Inorganic Chemistry Communication, 2004, 7, 1273-1276.	1.8	8
21	Quantum chemical analysis of the chemical bonds in Mq3 (M=AlIII, GaIII) as emitting material for OLED. Chemical Physics Letters, 2004, 394, 120-125.	1.2	37
22	Investigations on the electronic effects of the peripheral 4â€²-group on 5-(4â€²-substituted)phenylazo-8-hydroxyquinoline ligands: zinc and aluminium complexes. Dalton Transactions, 2004, , 2424-2431.	1.6	36
23	Synthesis, Crystal Structure, and Luminescent Properties of a Binuclear Gallium Complex with Mixed Ligands. Inorganic Chemistry, 2004, 43, 5096-5102.	1.9	65
24	Formation of Stable Molecular Glasses of Yttrium(III) Acyl-DL-Alaninate Complexes. Chemistry Letters, 2004, 33, 1462-1463.	0.7	12
25	Halogenation of Ru(COD)(8-quinolinolate)2 and Ru(COD)(5-formyl-8-quinolinolate)2. Inorganica Chimica Acta, 2005, 358, 2718-2724.	1.2	8
26	Molecular geometry, electronic structure and optical properties study of meridianal tris(8-hydroxyquinolinato)gallium(III) with ab initio and DFT methods. Computational and Theoretical Chemistry, 2005, 755, 19-30.	1.5	17
27	5-coordinated aluminum complexes having two 2,4-dimethyl-8-hydroxylquinoline ligands and a phenolic ligand as possible materials for white emission organic light-emitting devices. Thin Solid Films, 2005, 479, 282-287.	0.8	24
28	Rational Color Tuning and Luminescent Properties of Functionalized Boron-Containing 2-Pyridyl Pyrrolide Complexes. Advanced Functional Materials, 2005, 15, 567-574.	7.8	113
29	Synthesis and photophysical characterization of the free-radical copolymerization of metaloquinolate-pendant monomers with methyl methacrylate. Journal of Polymer Science Part A, 2005, 43, 397-406.	2.5	38
30	Strongly luminescent binuclear aluminium chelate with polymer-like molecular packing and solution-processibility. Chemical Communications, 2005, , 4560.	2.2	36
31	Low temperature growth of crystalline AlQ/sub 3/ nanowires from amorphous nanoparticles. , 0, , .		0
32	Organic electroluminescent derivatives containing dibenzothiophene and diarylamine segments. Journal of Materials Chemistry, 2005, 15, 3233.	6.7	20
33	Organoboron Compounds with an 8-Hydroxyquinolato Chelate and Its Derivatives:Â Substituent Effects on Structures and Luminescence. Inorganic Chemistry, 2005, 44, 601-609.	1.9	134
34	True Blue:Â Blue-Emitting Aluminum(III) Quinolinolate Complexes. Inorganic Chemistry, 2006, 45, 9610-9612.	1.9	68
35	Experimental and computational evidence of the intermolecular motifs in the crystal packing of luminescent pentacoordinated gallium(iii) complexes. Dalton Transactions, 2006, , 5124.	1.6	13
36	Electroluminescent Poly(quinoline)s and Metalloquinolates. Journal of Macromolecular Science - Reviews in Macromolecular Chemistry and Physics, 2006, 46, 47-77.	2.2	64

#	Article	IF	Citations
37	Fluorinated Alq3 derivatives with tunable optical properties. Chemical Communications, 2006, , 1941.	2.2	77
38	Dendritic Bis-(8-hydroxyquinoline) Derivatives: Studies on the Fluorescence Quenching and Decay. Acta Physico-chimica Sinica, 2006, 22, 326-329.	0.6	7
39	Diboron and Triboron Compounds Based on Linear and Star-Shaped Conjugated Ligands with 8-Hydroxyquinolate Functionality:Â Impact of Intermolecular Interaction and Boron Coordination on Luminescence. Journal of Organic Chemistry, 2006, 71, 6485-6496.	1.7	81
40	New Charge Transporting Host Material for Short Wavelength Organic Electrophosphorescence:Â 2,7-Bis(diphenylphosphine oxide)-9,9-dimethylfluorene. Chemistry of Materials, 2006, 18, 2389-2396.	3.2	200
41	Di- and Tetranuclear Metal Complexes with Phenoxo Bridges:Â Synthesis, Structures, and Photoluminescent and Electroluminescent Properties. Inorganic Chemistry, 2006, 45, 1745-1753.	1.9	22
42	Growth of AlQ3nanowires directly from amorphous thin film and nanoparticles. Nanotechnology, 2006, 17, 5506-5510.	1.3	30
43	Formation of molecular glasses of (N-acylalaninato)europium(III) complexes and the luminescence properties. Journal of Alloys and Compounds, 2006, 408-412, 1022-1025.	2.8	11
44	Organic Electroluminescent Bis(diarylamino) Dibenzofuran Derivatives. Journal of the Chinese Chemical Society, 2006, 53, 1317-1324.	0.8	4
45	Investigating photoluminescence and electroluminescence of iridium(III)-based blue-emitting phosphors. Polyhedron, 2006, 25, 1167-1176.	1.0	36
46	Synthesis and characteristics of bis(2,4-dimethyl-8-quinolinolato)(triphenylsilanolato)aluminum (III): A potential hole-blocking material for the organic light-emitting diodes. Journal of Organometallic Chemistry, 2006, 691, 2701-2707.	0.8	9
47	Effective Manipulation of the Electronic Effects and Its Influence on the Emission of 5-Substituted Tris(8-quinolinolate) Aluminum(III) Complexes. Chemistry - A European Journal, 2006, 12, 4523-4535.	1.7	162
48	Synthesis, Structures, and Luminescent Properties of Aluminum Complexes with Chelating Anilido-Imine Ligands. European Journal of Inorganic Chemistry, 2006, 2006, 1216-1222.	1.0	26
49	Crystallization of Amorphous Tris(8-hydroxyquinoline)aluminum Nanoparticles and Transformation to Nanowires. Advanced Functional Materials, 2006, 16, 819-823.	7.8	59
50	Decreased phase transition temperatures of Alq3nanoparticles. Nanotechnology, 2006, 17, 3756-3760.	1.3	8
51	Characterization of molecular disorder in vapor-deposited thin films of aluminum tris(quinoline-8-olate) by one-dimensional Al27 NMR under magic angle spinning. Journal of Chemical Physics, 2006, 124, 034705.	1.2	5
52	Investigation of a binuclear gallium complex with bipolar charge transporting capability for organic light-emitting diodes. Journal of Chemical Physics, 2006, 124, 024719.	1.2	9
53	Green Light-Emitting Diodes (LED) Based on Diarylethene. Molecular Crystals and Liquid Crystals, 2006, 444, 157-168.	0.4	5
54	A binuclear aluminum(III) complex: Thermal stability, photophysical, electrochemical and electroluminescent properties. Synthetic Metals, 2007, 157, 713-718.	2.1	3

#	Article	IF	Citations
55	Synthesis and Characterization of Hemicage 8-Hydroxyquinoline Chelates with Enhanced Electrochemical and Photophysical Properties. Inorganic Chemistry, 2007, 46, 5700-5706.	1.9	37
56	Synthesis and Electron Transport Layer Properties of Zinc Metallic Complexes Containing Quinoline Moieties in OLED. Molecular Crystals and Liquid Crystals, 2007, 471, 269-277.	0.4	9
57	Novel fluorene/carbazole hybrids with steric bulk as host materials for blue organic electrophosphorescent devices. Tetrahedron, 2007, 63, 10161-10168.	1.0	55
58	Theoretical investigation on the structure and electronic properties of Alq2R (R=8-hydroxyquinoline,) Tj ETQq1 1 0.784314 rgBT /Overlo 2008, 867, 116-121.	1.5	8
59	Tetraphenylimidazoleâ€Based Excitedâ€State Intramolecular Protonâ€Transfer Molecules for Highly Efficient Blue Electroluminescence. Advanced Functional Materials, 2008, 18, 726-731.	7.8	103
60	High Efficiency and Small Rollâ€Off Electrophosphorescence from a New Iridium Complex with Wellâ€Matched Energy Levels. Advanced Materials, 2008, 20, 774-778.	11.1	100
61	Effects of methyl substitution of metal (II) bis(2-(2-hydroxyphenyl) benzothiazolate) chelates on optical properties. Organic Electronics, 2008, 9, 267-272.	1.4	10
62	2,6-Diphenylpyridine-based organic emitter for electroluminescent device. Journal of Photochemistry and Photobiology A: Chemistry, 2008, 199, 322-329.	2.0	9
63	Photoluminescence and electroluminescence properties of organotin (IV) complexes. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2008, 321, 266-270.	2.3	11
64	Ab initio study of luminescent substituted 8-hydroxyquinoline metal complexes with application in organic light emitting diodes. Computational and Theoretical Chemistry, 2008, 850, 127-134.	1.5	24
65	Electronic structure and reactivity analysis for a set of Zn-chelates with substituted 8-hydroxyquinoline ligands and their application in OLED. Organic Electronics, 2008, 9, 625-634.	1.4	24
66	The blue aluminum and gallium chelates for OLEDs. Inorganica Chimica Acta, 2008, 361, 1020-1035.	1.2	25
67	Fabrication and characterization of OLED with Mg complex of 5-chloro-8-hydroxyquinoline as emission layer. Materials Chemistry and Physics, 2008, 108, 179-183.	2.0	14
68	The effect of fluorination on the luminescent behaviour of 8-hydroxyquinoline boron compounds. New Journal of Chemistry, 2008, 32, 1379.	1.4	40
69	Generation of Blue Light-Emitting Zinc Complexes by Band-Gap Control of the Oxazolylphenolate Ligand System: Syntheses, Characterizations, and Organic Light Emitting Device Applications of 4-Coordinated Bis(2-oxazolylphenolate) Zinc(II) Complexes. Inorganic Chemistry, 2008, 47, 5666-5676.	1.9	89
70	Synthesis, Characterization, and Photophysical Properties of Luminescent Gallium and Indium Complexes Constructed using Tridentate 6-Azolyl-2,2â€²-bipyridine Chelates. Organometallics, 2008, 27, 80-87.	1.1	24
71	Synthesis and solid state characterization of hexacoordinated 1 : 1 ionic gallium(iii) complexes. Dalton Transactions, 2008, , 1186-1194.	1.6	5
72	Formation of molecular glasses and the aggregation in solutions for lanthanum(iii), calcium(ii), and yttrium(iii) complexes of octanoyl-dl-alaninate. Dalton Transactions, 2008, , 1698.	1.6	17

#	Article	IF	Citations
73	A â€œjellyfishâ€•shaped green emitting gallium(iii)-containing metallomesogen. Chemical Communications, 2008, , 2254.	2.2	26
74	Synthesis and Characterization of Luminescent Zinc(II) and Cadmium(II) Complexes with N,S-Chelating Schiff Base Ligands. Inorganic Chemistry, 2008, 47, 3095-3104.	1.9	86
75	Mixed ligands 8-hydroxyquinoline aluminum complex with high electron mobility for organic light-emitting diodes. Applied Physics Letters, 2008, 92, .	1.5	16
76	Theoretical Description of the Geometry, Electronic Structure and Reactivity Analysis for a Set of Trisâ€Chelates with Application in Organic Light Emitting Diodes. Journal of the Chinese Chemical Society, 2008, 55, 535-542.	0.8	1
77	Functional properties of metallomesogens modulated by molecular and supramolecular exotic arrangements. Beilstein Journal of Organic Chemistry, 2009, 5, 54.	1.3	11
78	Achieving blue luminescence of Alq3 through the pull-push effect of the electron-withdrawing and electron-donating substituents. Materials Chemistry and Physics, 2009, 115, 841-845.	2.0	20
79	Excitation Energy Transfer in Organic Materials: From Fundamentals to Optoelectronic Devices. Macromolecular Rapid Communications, 2009, 30, 1203-1231.	2.0	177
80	Energy decomposition analysis of methyl derivatives of the meridianal isomer of tris(8-hydroxyquinolino)aluminum (mer-Alq3). Chemical Physics, 2009, 358, 25-29.	0.9	10
81	Crystalline Gaq3Nanostructures: Preparation, Thermal Property and Spectroscopy Characterization. Nanoscale Research Letters, 2009, 4, 820-827.	3.1	14
82	Fluorinated derivatives of mer-Alq3: energy decomposition analysis, optical properties, and charge transfer study. Theoretical Chemistry Accounts, 2009, 122, 275-281.	0.5	37
83	Density functional study on electronic structures and reactivity in methylâ€substituted chelates used in organic lightâ€emitting diodes. International Journal of Quantum Chemistry, 2010, 110, 1622-1636.	1.0	3
84	A novel blue-light organic electroluminescence material derived from 8-hydroxyquinoline lithium. Organic Electronics, 2009, 10, 918-924.	1.4	16
85	Synthesis, structure, photoluminescence and theoretical studies of an In(III) complex with 2-(2â€²-hydroxylphenyl)benzoxazole. Inorganica Chimica Acta, 2009, 362, 2033-2038.	1.2	15
86	4-Aryl-8-hydroxyquinolines from 4-chloro-8-tosyloxyquinoline using a Suzukiâ€“Miyaura cross-coupling approach. Tetrahedron, 2009, 65, 518-524.	1.0	24
87	Absorption and photoluminescence properties of 4-substituted Alq3 derivatives and tris-(4-hydroxypyridinoanthrene)aluminum. Tetrahedron, 2009, 65, 8244-8249.	1.0	11
88	New Alq3 derivatives with efficient photoluminescence and electroluminescence properties for organic light-emitting diodes. Tetrahedron, 2009, 65, 9707-9712.	1.0	31
89	Synthesis and structure of N-salicylidene-o-aminophenolato gallium(III) complexes. Polyhedron, 2009, 28, 3279-3283.	1.0	20
90	Pushâ€“pull effect on the charge transfer, and tuning of emitting color for disubstituted derivatives of mer-Alq3. Chemical Physics, 2009, 364, 39-45.	0.9	38

#	Article	IF	Citations
91	Phosphorescence Color Tuning by Ligand, and Substituent Effects of Multifunctional Iridium(III) Cyclometalates with 9â€Arylcarbazole Moieties. Chemistry - an Asian Journal, 2009, 4, 89-103.	1.7	129
92	Chemistry as a Prism: A Review of Lightâ€Emitting Materials Having Tunable Emission Wavelengths. Chemistry - an Asian Journal, 2009, 4, 1646-1658.	1.7	130
93	Hydroxynaphthyridine-Derived Group III Metal Chelates: Wide Band Gap and Deep Blue Analogues of Green Alq₃ (Tris(8-hydroxyquinolate)aluminum) and Their Versatile Applications for Organic Light-Emitting Diodes. Journal of the American Chemical Society, 2009, 131, 763-777.	6.6	151
94	Aluminum(III), gallium(III), and indium(III) 4-hydroxyacridinato complexes. Journal of Coordination Chemistry, 2009, 62, 3351-3365.	0.8	6
95	Aggregation in methanol and formation of molecular glasses for europium(iii) N-acylaminocarboxylates: effects of alkyl chain length and head group. Dalton Transactions, 2009, , 5512.	1.6	14
96	Xâ€Ray Structure of 8â€Quinolinolato Lanthanide Complex: (8â€Quinolinolato) bis (2,6â€diâ€tert) Tj ETQq1 1 0.784314 rgBT /(	2.6	11
97	Tris(8â€hydroxyquinolineâ€5â€sulfonate)aluminum Intercalated Mgâ€"Al Layered Double Hydroxide with Blue Luminescence by Hydrothermal Synthesis. Advanced Functional Materials, 2010, 20, 2848-2856.	7.8	58
98	Grafting aluminum(III) 8-hydroxyquinoline derivatives on MCM-41 mesoporous silica for tuning of the light emitting color. Journal of Colloid and Interface Science, 2010, 346, 384-390.	5.0	22
99	Toward rational designing of n-type materials: Theoretical investigations of mer-Alq3 derivatives. Computational and Theoretical Chemistry, 2010, 956, 61-65.	1.5	15
100	Effect of substituent groups of porphyrins on the electroluminescent properties of porphyrinâ€doped OLED devices. Journal of Physical Organic Chemistry, 2010, 23, 190-194.	0.9	37
101	Conversion of a green light emitting zinc-quinolate complex thin film to a stable and highly packed blue emitter film. Synthetic Metals, 2010, 160, 450-454.	2.1	17
102	Synthesis, Structures, Photoluminescent Behaviors, and DFT Studies of Novel Aluminum Complexes Containing Phenoxybenzotriazole Derivatives. Organometallics, 2010, 29, 347-353.	1.1	16
103	Bis(8-hydroxyquinolate-5-sulfonate)zinc intercalated layered double hydroxide and its controllable luminescent properties. Journal of Materials Chemistry, 2010, 20, 9718.	6.7	32
104	Formation of mixed-ligand zinc(ii) complex-montmorillonite hybrids by solidâ€"solid reactions. Dalton Transactions, 2011, 40, 5964.	1.6	21
105	Fused Alq3 derivatives: syntheses and photophysical characteristics. Journal of Materials Chemistry, 2011, 21, 14766.	6.7	13
106	The role of CHâ€"Ï€ interaction in the charge transfer properties in tris(8-hydroxyquinolinato)aluminium(iii). Physical Chemistry Chemical Physics, 2011, 13, 20704.	1.3	15
107	Structure of Co-Doped Alq3Thin Films Investigated by Grazing Incidence X-ray Absorption Fine Structure and Fourier Transform Infrared Spectroscopy. Journal of Physical Chemistry A, 2011, 115, 880-883.	1.1	13
108	Triarylboron-functionalized 8-hydroxyquinolines and their aluminium(iii) complexes. Chemical Communications, 2011, 47, 3837.	2.2	20

#	Article	IF	Citations
109	Preparation of a series of group XIII metalâ€“quinolate complexes in natural and synthetic smectites. Applied Clay Science, 2011, 54, 287-291.	2.6	9
110	Organic Light Emitting Diodes Based on Novel Zn and Al Complexes. , 2011, , .		0
111	Effects of thermal annealing on the optical, spectroscopic, and structural properties of tris (8-hydroxyquinolinate) gallium films grown on quartz substrates. Materials Chemistry and Physics, 2011, 129, 1152-1158.	2.0	27
112	Structure and electronic properties of Alq3 derivatives with electron acceptor/donor groups at the C4 positions of the quinolate ligands: a theoretical study. Journal of Molecular Modeling, 2011, 17, 3039-3046.	0.8	6
113	Highâ€Efficiency Tris(8â€hydroxyquinoline)aluminum (Alq₃) Complexes for Organic Whiteâ€Lightâ€Emitting Diodes and Solidâ€State Lighting. Chemistry - A European Journal, 2011, 17, 9076-9082.	1.7	88
114	Investigation of photophysical properties of mer-tris(8-hydroxyquinolinato) aluminum (III) and its derivatives: DFT and TD-DFTcalculations. Journal of Luminescence, 2011, 131, 169-176.	1.5	9
115	Theoretical Investigation on the Structure and Optical Properties of Alq3 and its Difluorinated Derivatives. Advanced Materials Research, 2011, 287-290, 1526-1531.	0.3	1
116	Photoluminescences and 3D supramolecular structure with unique dimeric Zn (II) units featuring 2-substituted 8-hydroxyquinoline. Inorganic Chemistry Communication, 2012, 23, 90-94.	1.8	14
117	Synthesis and Characterization of 8-hydroxyquinoline Complexes of Tin(IV) and Their Application in Organic Light Emitting Diode. Journal of Fluorescence, 2012, 22, 1263-1270.	1.3	38
118	Cooperative Assembly of Zn Cross-Linked Artificial Tripeptides with Pendant Hydroxyquinoline Ligands. Inorganic Chemistry, 2012, 51, 11315-11323.	1.9	6
119	Mixed-ligand Al complexâ€”a new approach for more high efficient OLEDs. Journal of Luminescence, 2012, 132, 495-501.	1.5	3
120	Synthesis, photophysical, electrochemical and electroluminescent properties of a novel iridium(III) complex based on 2-phenylbenzo[d]oxazole derivative. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2013, 116, 473-477.	2.0	4
121	High triplet energy Zn complexes as host materials for green and blue phosphorescent organic light-emitting diodes. Dyes and Pigments, 2013, 99, 374-377.	2.0	20
122	Synthesis, crystal structure, luminescent properties and photo degradation of mer-tris(8-Hydroxy-quinolinato-N, O)-indium(iii) hydrate 0.5 methanol solvate. Optical Materials, 2013, 35, 2366-2371.	1.7	10
123	Gallium(III) complexes based on N,Nâ€²-bis(salicylidene)propane-1,3-diamine and its derivatives. Polyhedron, 2013, 64, 77-83.	1.0	6
124	Quantum chemical analysis of salenâ€“aluminum complexes for organic light emitting diodes. Chemical Physics Letters, 2013, 585, 143-148.	1.2	6
125	Synthesis, photophysical and electroluminescent properties of novel iridium (III) complexes based on 5-methyl-2-phenylbenzo[d]oxazole derivatives. Optical Materials, 2013, 36, 265-270.	1.7	4
126	Al Complex as a Host Material for High Efficiency Green Phosphorescent Organic Light-Emitting Diodes. Journal of Physical Chemistry C, 0, , 130916070550009.	1.5	0

#	Article	IF	Citations
127	Charge carrier mobility through vacuumâ€“sublimed glassy films of s-triazine- and carbazole-based bipolar hybrid and unipolar compounds. Organic Electronics, 2013, 14, 2925-2931.	1.4	8
128	Anion-controlled structures and luminescent properties of three Cd(ii) complexes assembled by a 2-substituted 8-hydroxyquinoline ligand. CrystEngComm, 2013, 15, 7307.	1.3	26
129	Electron affinity of phenanthrene and ion core structure of its anion clusters. RSC Advances, 2013, 3, 17143.	1.7	6
130	Ternary zinc complexes as electron transport and electroluminescent materials. Journal of Organometallic Chemistry, 2013, 740, 116-122.	0.8	12
131	Controllable supramolecular structures and luminescent properties of unique trimeric Zn(<scp>ii</scp>) 8-hydroxyquinolinates tuned by functional substituents. Dalton Transactions, 2013, 42, 2921-2929.	1.6	44
132	Crystal Structures and Spectroscopic and Theoretical Properties of Pentacoordinate Nickel(II) Complexes Containing Tris(pyrazolyl)borate and Quinolinate Ligands. European Journal of Inorganic Chemistry, 2013, 2013, 4280-4290.	1.0	3
133	Effect of high pressure on the crystal structure and charge transport properties of the (2-fluoro-3-pyridyl)(4-iodophenyl)borinic 8-oxyquinolinate complex. CrystEngComm, 2014, 16, 10780-10790.	1.3	9
134	Berylliumâ€Based, Highâ€Tripletâ€Energy Material as a Host for Blue Phosphorescent Organic Lightâ€Emitting Diodes. Israel Journal of Chemistry, 2014, 54, 967-970.	1.0	2
135	Synthesis, structure and photoluminescence of Zn(II) and Cd(II) complexes with pyridophenazine derivative. Polyhedron, 2014, 77, 75-80.	1.0	15
136	Synthesis, characterization and fluorescent properties of 5-(aryliminomethyl)quinaldine-8-ol derivatives and their trinuclear zinc complexes. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 128, 790-797.	2.0	2
137	Red organic light emitting device based on TPP and a new host material. Applied Physics A: Materials Science and Processing, 2014, 114, 445-451.	1.1	13
138	Recent progress in metalâ€“organic complexes for optoelectronic applications. Chemical Society Reviews, 2014, 43, 3259-3302.	18.7	996
139	The effect of electron donating and withdrawing groups on the morphology and optical properties of Alq3. Physica B: Condensed Matter, 2014, 439, 46-49.	1.3	39
140	Synthesis, characterization and DFT calculation of 4-fluorophenyl substituted tris(8-hydroxyquinoline)aluminum(III) complexes. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 118, 66-72.	2.0	20
141	Charge transfer properties of two polymorphs of luminescent (2-fluoro-3-pyridyl)(2,2â€²-biphenyl)borinic 8-oxyquinolinate. Physical Chemistry Chemical Physics, 2014, 16, 22762-22774.	1.3	9
142	Multifunctional fluorescent material based on metallomicelles trapped in silica nanochannels. Journal of Materials Chemistry C, 2014, 2, 1962-1965.	2.7	9
143	The effect of cetyltrimethylammonium ion and type of smectites on the luminescence efficiency of bis(8-hydroxyquinoline)zinc(II) complex. Applied Clay Science, 2014, 101, 223-228.	2.6	13
144	Sonochemical synthesis and electrogenerated chemiluminescence properties of 8-hydroxyquinoline manganese (Mnq2) nanobelts. Journal of Alloys and Compounds, 2014, 590, 465-468.	2.8	9

#	Article	IF	Citations
145	Synthesis, photophysical and electroluminescent properties of green organic light emitting devices based on novel iridium complexes containing benzimidazole ligands. Journal of Organometallic Chemistry, 2014, 761, 74-83.	0.8	29
146	High triplet energy Al complex as a host material for blue phosphorescent organic light-emitting diodes. Organic Electronics, 2014, 15, 1071-1075.	1.4	1
147	High efficiency blue phosphorescent organic light-emitting diodes using 2-(1H-pyrazol-1-yl)pyridin-3-ol ligand based Be compound. Dyes and Pigments, 2014, 101, 25-29.	2.0	11
148	Rational Design of Chelated Aluminum Complexes toward Highly Efficient and Thermally Stable Electron-Transporting Materials. Chemistry of Materials, 2014, 26, 3693-3700.	3.2	28
149	Greenâ€"white electroluminescence and green photoluminescence of zinc complexes. Journal of Luminescence, 2014, 154, 465-474.	1.5	19
150	In situ complexation of 8-hydroxyquinoline and 4,4â€²-bipyridine with zinc(II) in the interlayer space of montmorillonite. Applied Clay Science, 2014, 95, 310-316.	2.6	15
151	Effects of the Ï€-conjugation length of bipyridyl ligand on the photophysical properties of binuclear organotin(IV) complexes: Synthesis and characterization of dimethyltin(IV) complexes with bipyridyl. Inorganica Chimica Acta, 2014, 415, 52-60.	1.2	9
152	Synthesis and Optical Characterization of Mixed Ligands Beryllium Complexes for Display Device Applications. International Journal of Optics, 2015, 2015, 1-7.	0.6	1
153	Emission properties of porphyrin compounds in new polymeric PS:CBP host. Applied Physics A: Materials Science and Processing, 2015, 119, 1491-1497.	1.1	11
154	Spectral and Electroluminescent Properties of Binuclear Zinc Complexes with Halogen-Substituted Derivatives of 1,2,4-Triazole. Russian Physics Journal, 2015, 57, 1525-1531.	0.2	1
155	Optical properties of amorphous and crystalline tris(8-hydroxyquinoline) indium films. Journal of Alloys and Compounds, 2016, 683, 393-398.	2.8	13
156	Synthesis and optical characterization of color-tunable heterocyclic ligand based beryllium(II) complexes for white lighting applications. Materials and Design, 2016, 100, 245-253.	3.3	7
157	Synthesis and characterization of 8-hydroxyquinolinolato-iridium(III) complex grafted on polyhedral oligomeric silsesquioxane core. Inorganica Chimica Acta, 2016, 445, 134-139.	1.2	7
158	Antiphotobleaching: A Type of Structurally Rigid Chromophore Ready for Constructing Highly Luminescent and Highly Photostable Europium Complexes. Advanced Functional Materials, 2016, 26, 2085-2096.	7.8	67
159	Optoelectronic Properties of Color-Tunable Mixed Ligand-Based Light-Emitting Zinc Complexes. Journal of Electronic Materials, 2016, 45, 4865-4874.	1.0	10
160	Push-pull effect on the geometrical, optical and charge transfer properties of disubstituted derivatives of mer-tris(4-hydroxy-1,5-naphthyridinato) aluminum (mer-AlND3). Open Chemistry, 2016, 14, 20-32.	1.0	6
161	Substrate temperature controls molecular orientation in two-component vapor-deposited glasses. Soft Matter, 2016, 12, 3265-3270.	1.2	41
162	Synthesis and characterization of color-tunable mixed ligand based magnesium complexes for display device applications. Journal of Materials Science: Materials in Electronics, 2016, 27, 6464-6473.	1.1	14

#	Article	IF	Citations
163	Bis(5,7-dimethyl-8-hydroxyquinolinato)beryllium(II) complex as optoelectronic material. Journal of Luminescence, 2016, 169, 9-15.	1.5	12
164	Going from green to white color electroluminescence through a nanoscale complex of Zinc (II). Materials Science in Semiconductor Processing, 2017, 66, 117-122.	1.9	2
165	Electroluminescence of Zinc Complexes in Various OLED Structures. Russian Physics Journal, 2017, 60, 7-13.	0.2	10
166	Synthesis of bis-8-hydroxyquinolines via an imination or a Suzuki-Miyaura coupling approach. Tetrahedron Letters, 2017, 58, 3803-3807.	0.7	2
167	Purification and crystal growth of NPB via imidazolium based ionic liquids. Journal of Crystal Growth, 2018, 487, 78-82.	0.7	0
168	To the homogeneity range of tris(8-hydroxyquinoline)gallium. CrystEngComm, 2018, 20, 930-936.	1.3	2
169	3D Printing of NinjaFlex Filament onto PEDOT:PSS-Coated Textile Fabrics for Electroluminescence Applications. Journal of Electronic Materials, 2018, 47, 2082-2092.	1.0	43
170	Sustainable metal complexes for organic light-emitting diodes (OLEDs). Coordination Chemistry Reviews, 2018, 373, 49-82.	9.5	273
171	Role of Central Metal Ions in 8â€Hydroxyquinolineâ€Doped ZnO Interfacial Layers for Improving the Performance of Polymer Solar Cells. Advanced Materials Interfaces, 2018, 5, 1801172.	1.9	15
172	A Zinc(II) Benzamidinate Nâ€Oxide Complex as an Aggregationâ€Induced Emission Material: toward Solutionâ€Processable White Organic Lightâ€Emitting Devices. European Journal of Inorganic Chemistry, 2018, 2018, 4322-4330.	1.0	9
173	Pyridine aided progression from amorphous to crystalline bis([5-(aryl)-1-diazenyl]quinolin-8-olato)zinc(II) compoundsâ€¯â^'â€¯Solution and solid-state structural characterization, nanoparticle formation and antibacterial activity. Inorganica Chimica Acta, 2018, 482, 756-773.	1.2	5
174	Homogeneous Alloy-like Organic Single Crystals Based on Nonplanar 8-Hydroxyquinoline Metallic Complexes: A Novel Pathway to Supramolecular Crystals with an Arbitrarily Adjustable Stoichiometric Ratio. ACS Applied Energy Materials, 2018, 1, 4367-4373.	2.5	2
175	Study on Relationship Between Fluorescence Properties and Structure of Substituted 8-Hydroxyquinoline Zinc Complexes. Journal of Fluorescence, 2018, 28, 1121-1126.	1.3	13
176	The Homogeneity Range of Crystalline Tris(8-hydroxyquinoline)gallium. Doklady Chemistry, 2018, 480, 85-88.	0.2	0
177	EFFECT OF LOW-TEMPERATURE ANNEALING ON STRUCTURE AND OPTICAL PROPERTIES OF AMORPHOUS TRIS(8-HYDROXYQUINOLINE) ALUMINUM FILMS. Surface Review and Letters, 2019, 26, 1850183.	0.5	2
178	White light emitting diode based on purely organic fluorescent to modern thermally activated delayed fluorescence (TADF) and perovskite materials. Nano Convergence, 2019, 6, 31.	6.3	31
179	A Series of Quinolinol-Based Indium Luminophores: A Rational Design Approach for Manipulating Photophysical Properties. Inorganic Chemistry, 2019, 58, 8056-8063.	1.9	8
180	Photo/electroluminescence and electron transport properties of new zinc complexes. Optical Materials, 2019, 89, 488-493.	1.7	2

#	Article	IF	Citations
181	Synthesis, crystal structures, magnetic properties and antimicrobial screening of octahedral nickel(II) complexes with substituted quinolin-8-olates and pyridine ligands. Journal of Molecular Structure, 2020, 1200, 127106.	1.8	1
182	Structural, Optical and Decay Properties of Zinc(II) 8-Hydroxyquinoline and Its Thin Film. Journal of Electronic Materials, 2020, 49, 6096-6106.	1.0	8
183	Theoretical and experimental studies on the fluorescence properties of aluminum(III), cadmium(II), zinc(II), and copper(II) complexes of substituted 8-hydroxyquinoline. Journal of Chemical Research, 2021, 45, 623-634.	0.6	3
184	Multifunctional Ni(II)-Based Metamagnetic Coordination Polymers for Electronic Device Fabrication. Inorganic Chemistry, 2020, 59, 8749-8761.	1.9	12
185	Photoresponsive Dithienylethene-Containing Tris(8-hydroxyquinolinato)aluminum(III) Complexes with Photocontrollable Electron-Transporting Properties for Solution-Processable Optical and Organic Resistive Memory Devices. Journal of the American Chemical Society, 2020, 142, 12193-12206.	6.6	42
186	Absorption and emission properties of 5â€phenyl tris(8â€hydroxyquinolinato) M(III) complexes (M = Al, Ga,) Tj ETQq1 1 0.784314 rgBT 2020, 41, 1497-1508.	1.5	6
187	Electrical and dielectric properties of meridional and facial Alq3 nanorods powders. Journal of Materials Science: Materials in Electronics, 2021, 32, 2075-2087.	1.1	21
188	Chiroptical switching behavior of heteroleptic ruthenium complexes bearing acetylacetonato and tropolonato ligands. Dalton Transactions, 2021, 50, 14611-14617.	1.6	0
189	Zn(II) complexes of substituted oxyacridinate ligands. Synthesis, structure and properties. Journal of Molecular Structure, 2021, 1229, 129798.	1.8	2
190	Substituted-8-Hydroxyquinolines Metal Complexes for Application in Organic Light Emitting Devices. , 2003, , 107-119.		4
191	Structure and DFT Calculation of fac-Tris(3-methyl-2-phenylpyridine)Ir(III) Complex. Bulletin of the Korean Chemical Society, 2003, 24, 1521-1524.	1.0	15
192	Synthesis and Photophysical Properties of a Series of Dimeric Indium Quinolinates. Molecules, 2021, 26, 34.	1.7	2
193	Synthesis, characterization and photoluminescent studies of zinc complexes with heterocyclic ligands comprising N, O donor atoms. Optik, 2022, 251, 168303.	1.4	1
194	Effect of the Nature of Substituents in the Oxyacridine Ligands on the Luminescence Properties and Cytotoxicity of the Zinc Complexes. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2021, 47, 730-740.	0.3	1
195	A Highly Fluorescent Dinuclear Aluminium Complex with Nearâ€Unity Quantum Yield**. Angewandte Chemie - International Edition, 2022, 61, .	7.2	10
196	A Highly Fluorescent Dinuclear Aluminium Complex with Nearâ€Unity Quantum Yield. Angewandte Chemie, 0, , .	1.6	0
197	Metal Inorganicâ€"Organic Complex Glass and Fiber for Photonic Applications. Chemistry of Materials, 2022, 34, 2476-2483.	3.2	21
198	Structural, spectroscopic and optical analysis of heterocyclic ligands (N, O) based Mg(II) complexes for advance photonic applications. Journal of Molecular Structure, 2022, 1262, 133052.	1.8	0

#	Article	IF	Citations
199	Effect of different in situ temperatures on the crystallinity and optical properties of green synthesized 8-hydroxyquinoline zinc by saffron extract. , 2022, 1, 1401.		4
200	A review on the vitrification of metal coordination compounds and their photonic applications. Journal of Non-Crystalline Solids, 2022, 597, 121936.	1.5	9
201	Vitrification and Luminescence Properties of Metalâ€“Organic Complexes. , 2022, 4, 2613-2621.		13
202	Synthesis and characterization of tris(5,7-diphenyl-8-quinolinolato) aluminum(III), gallium(III), and indium(III) complexes: Effect of metal ions on the structural, photoluminescence, thermal and electrochemical properties. Journal of Molecular Structure, 2023, 1283, 135303.	1.8	0
203	Fabrication of Superâ€Sized Metal Inorganicâ€Organic Hybrid Glass with Supramolecular Network via Crystallizationâ€Suppressing Approach. Angewandte Chemie, 2023, 135, .	1.6	2
204	Fabrication of Superâ€Sized Metal Inorganicâ€Organic Hybrid Glass with Supramolecular Network via Crystallizationâ€Suppressing Approach. Angewandte Chemie - International Edition, 2023, 62, .	7.2	15