

# An Automated Multidimensional Protein Identification Proteomics

Analytical Chemistry

73, 5683-5690

DOI: [10.1021/ac010617e](https://doi.org/10.1021/ac010617e)

Citation Report

| #  | ARTICLE                                                                                                                                                                                        | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 2  | Television Pickup Tubes and the Problem of Vision. <i>Advances in Electronics and Electron Physics</i> , 1948, , 131-166.                                                                      | 0.6 | 123       |
| 3  | Chapter 8 Colchicine and Related Compounds. <i>The Alkaloids Chemistry and Biology</i> , 1960, 6, 247-288.                                                                                     | 0.8 | 4         |
| 4  | The Fate of Nitrogen Applied to Soils. <i>Advances in Agronomy</i> , 1966, 18, 219-258.                                                                                                        | 2.4 | 247       |
| 5  | Paragonimus and Paragonimiasis. <i>Advances in Parasitology</i> , 1969, 7, 375-387.                                                                                                            | 1.4 | 81        |
| 6  | Microbial Transformations of Antibiotics. <i>Advances in Applied Microbiology</i> , 1971, 14, 123-150.                                                                                         | 1.3 | 26        |
| 7  | Chapter 16 Integral and Differential Quadrature. <i>Mathematics in Science and Engineering</i> , 1973, , 221-254.                                                                              | 0.1 | 0         |
| 8  | Bacterial Glycolipids and Glycophospholipids. <i>Advances in Microbial Physiology</i> , 1975, 12, 141-167.                                                                                     | 1.0 | 51        |
| 9  | Mechanically Deboned Red Meat. <i>Advances in Food Research</i> , 1981, , 23-107.                                                                                                              | 0.3 | 37        |
| 10 | 16 Bacteriophage T4 Polynucleotide Kinase. <i>The Enzymes</i> , 1981, , 299-314.                                                                                                               | 0.7 | 29        |
| 11 | Biomass: Solar Energy Through Biology â€” Fuels Now and in the Future. <i>Studies in Environmental Science</i> , 1982, 16, 411-429.                                                            | 0.0 | 0         |
| 12 | Morphogenesis and Fine Structure of Frankia (Actinomycetales): The Microsymbiont of Nitrogen-Fixing Actinorhizal Root Nodules. <i>International Review of Cytology</i> , 1987, 109, 1-88.      | 6.2 | 89        |
| 13 | Purification of transforming growth factors $\beta_1$ and $\beta_2$ from bovine bone and cell culture assays. <i>Methods in Enzymology</i> , 1991, 198, 317-327.                               | 0.4 | 31        |
| 14 | Chapter 95 Light scattering in intermetallic compounds. <i>Fundamental Theories of Physics</i> , 1991, 14, 163-223.                                                                            | 0.1 | 1         |
| 15 | Visual Control of Human Locomotion. <i>Advances in Psychology</i> , 1991, , 55-97.                                                                                                             | 0.1 | 35        |
| 16 | Comparative Study of the Deactivation of Group VIII Metal Catalysts by Thiophene Poisoning in Ethylbenzene Hydrogenation. <i>Studies in Surface Science and Catalysis</i> , 1991, 68, 557-564. | 1.5 | 23        |
| 18 | Chapter 22 Organization and plasticity of GABA neurons and receptors in monkey visual cortex. <i>Progress in Brain Research</i> , 1992, 90, 477-502.                                           | 0.9 | 39        |
| 19 | The Role of Cultural Schemata In Reading Comprehension. <i>Advances in Psychology</i> , 1993, , 145-155.                                                                                       | 0.1 | 4         |
| 20 | Activation of reactants by hydroxyl groups of solid acids. An FTIR study. <i>Studies in Surface Science and Catalysis</i> , 1995, 94, 509-516.                                                 | 1.5 | 15        |

| #  | ARTICLE                                                                                                                                                                                                         | IF  | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 21 | Chapter 11 Salt Marshes. <i>Developments in Sedimentology</i> , 1995, 53, 307-332.                                                                                                                              | 0.5 | 12        |
| 22 | The Discrete-Time Kalman Filter Under Uncertainty in Noise Covariances. <i>Control and Dynamic Systems</i> , 1996, , 363-415.                                                                                   | 0.1 | 0         |
| 23 | Chapter 4. Melatonin Receptor Ligands and Their Potential Clinical Applications. <i>Annual Reports in Medicinal Chemistry</i> , 1997, , 31-40.                                                                  | 0.5 | 7         |
| 24 | Glossary of Terms Used in Computational Drug Design (IUPAC Recommendations 1997). <i>Annual Reports in Medicinal Chemistry</i> , 1998, 33, 397-409.                                                             | 0.5 | 67        |
| 25 | 3 Models of chromatography. <i>Data Handling in Science and Technology</i> , 1998, 21, 43-78.                                                                                                                   | 3.1 | 1         |
| 26 | Adsorption of surfactants on diesel engine soot and its application in carbody washing. <i>Studies in Surface Science and Catalysis</i> , 1999, 120, 177-212.                                                   | 1.5 | 1         |
| 27 | Parallel Identification of New Genes in <i>Saccharomyces cerevisiae</i> . <i>Genome Research</i> , 2002, 12, 1210-1220.                                                                                         | 2.4 | 61        |
| 28 | Genomes to Life "Center for Molecular and Cellular Systems": A Research Program for Identification and Characterization of Protein Complexes. <i>OMICS A Journal of Integrative Biology</i> , 2002, 6, 287-303. | 1.0 | 7         |
| 29 | Proteomic Characterization of the Small Subunit of <i>Chlamydomonas reinhardtii</i> Chloroplast Ribosome. <i>Plant Cell</i> , 2002, 14, 2957-2974.                                                              | 3.1 | 78        |
| 30 | Screening for Disulfide Bonds in Proteins by MALDI In-Source Decay and LIFT-TOF/TOF-MS. <i>Analytical Chemistry</i> , 2002, 74, 4980-4988.                                                                      | 3.2 | 109       |
| 31 | Formation of residual NAPL in three-phase systems: Experiments and numerical simulations. <i>Developments in Water Science</i> , 2002, 47, 193-200.                                                             | 0.1 | 0         |
| 32 | Massenspektrometrie von Biomolekülen. <i>Nachrichten Aus Der Chemie</i> , 2002, 50, 990-993.                                                                                                                    | 0.0 | 0         |
| 33 | Acid-Labile Isotope-Coded Extractants: A Class of Reagents for Quantitative Mass Spectrometric Analysis of Complex Protein Mixtures. <i>Analytical Chemistry</i> , 2002, 74, 4969-4979.                         | 3.2 | 96        |
| 34 | Processing Complex Mixtures of Intact Proteins for Direct Analysis by Mass Spectrometry. <i>Analytical Chemistry</i> , 2002, 74, 2923-2929.                                                                     | 3.2 | 176       |
| 35 | Analysis of Quantitative Proteomic Data Generated via Multidimensional Protein Identification Technology. <i>Analytical Chemistry</i> , 2002, 74, 1650-1657.                                                    | 3.2 | 397       |
| 36 | High-Throughput Global Peptide Proteomic Analysis by Combining Stable Isotope Amino Acid Labeling and Data-Dependent Multiplexed-MS/MS. <i>Analytical Chemistry</i> , 2002, 74, 4994-5000.                      | 3.2 | 69        |
| 37 | Integrating "Top-Down" and "Bottom-Up" Mass Spectrometric Approaches for Proteomic Analysis of <i>Shewanella oneidensis</i> . <i>Journal of Proteome Research</i> , 2002, 1, 239-252.                           | 1.8 | 134       |
| 38 | Gas-Phase Concentration, Purification, and Identification of Whole Proteins from Complex Mixtures. <i>Journal of the American Chemical Society</i> , 2002, 124, 7353-7362.                                      | 6.6 | 103       |

| #  | ARTICLE                                                                                                                                                                                                    | IF   | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 39 | Overview of Proteome Analysis. <i>Current Protocols in Protein Science</i> , 2002, 30, Unit 22.1.                                                                                                          | 2.8  | 7         |
| 40 | Minimizing Resolution of Isotopically Coded Peptides in Comparative Proteomics. <i>Journal of Proteome Research</i> , 2002, 1, 139-147.                                                                    | 1.8  | 153       |
| 41 | Systematic Identification of Mitochondrial Proteins by LC <sup>+</sup> MS/MS. <i>Analytical Chemistry</i> , 2002, 74, 2400-2406.                                                                           | 3.2  | 95        |
| 42 | Cid13 Is a Cytoplasmic Poly(A) Polymerase that Regulates Ribonucleotide Reductase mRNA. <i>Cell</i> , 2002, 109, 563-573.                                                                                  | 13.5 | 130       |
| 43 | Proteomic survey of metabolic pathways in rice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11969-11974.                                            | 3.3  | 386       |
| 46 | Shotgun Proteomics and Biomarker Discovery. <i>Disease Markers</i> , 2002, 18, 99-105.                                                                                                                     | 0.6  | 299       |
| 47 | Multidimensional peptide separations in proteomics. <i>Trends in Biotechnology</i> , 2002, 20, s8-s13.                                                                                                     | 4.9  | 83        |
| 48 | Proteomics based on high-efficiency capillary separations. <i>Electrophoresis</i> , 2002, 23, 3106-3124.                                                                                                   | 1.3  | 164       |
| 49 | Integration of capillary isoelectric focusing with capillary reversed-phase liquid chromatography for two-dimensional proteomics separation. <i>Electrophoresis</i> , 2002, 23, 3143-3148.                 | 1.3  | 91        |
| 50 | On-line coupling of capillary isoelectric focusing with transient isotachopheresis-zone electrophoresis: A two-dimensional separation system for proteomics. <i>Electrophoresis</i> , 2002, 23, 3160-3167. | 1.3  | 95        |
| 51 | Fourier-transform mass spectrometry for automated fragmentation and identification of 5-20 kDa proteins in mixtures. <i>Electrophoresis</i> , 2002, 23, 3217-3223.                                         | 1.3  | 42        |
| 52 | ProblD: A probabilistic algorithm to identify peptides through sequence database searching using tandem mass spectral data. <i>Proteomics</i> , 2002, 2, 1406-1412.                                        | 1.3  | 201       |
| 53 | Molecular scanner experiment with human plasma: Improving protein identification by using intensity distributions of matching peptide masses. <i>Proteomics</i> , 2002, 2, 1413-1425.                      | 1.3  | 16        |
| 54 | Fluorescence two-dimensional difference gel electrophoresis and mass spectrometry based proteomic analysis of <i>Escherichia coli</i> . <i>Proteomics</i> , 2002, 2, 1682-1698.                            | 1.3  | 209       |
| 55 | Characterization of transcription factors by mass spectrometry and the role of SELDI-MS. <i>Mass Spectrometry Reviews</i> , 2002, 21, 419-439.                                                             | 2.8  | 42        |
| 56 | ?Top down? protein characterization via tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2002, 37, 663-675.                                                                                 | 0.7  | 273       |
| 57 | Current Awareness on Comparative and Functional Genomics. <i>Comparative and Functional Genomics</i> , 2002, 3, 293-304.                                                                                   | 2.0  | 2         |
| 58 | Ion/ion chemistry as a top-down approach for protein analysis. <i>Current Opinion in Biotechnology</i> , 2002, 13, 57-64.                                                                                  | 3.3  | 50        |

| #  | ARTICLE                                                                                                                                                                                                                                                                                                | IF   | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 59 | In vivo neurochemical monitoring by microdialysis and capillary separations. <i>Current Opinion in Chemical Biology</i> , 2002, 6, 659-665.                                                                                                                                                            | 2.8  | 114       |
| 60 | Analytical aspects of mass spectrometry and proteomics. <i>Current Opinion in Chemical Biology</i> , 2002, 6, 666-675.                                                                                                                                                                                 | 2.8  | 44        |
| 61 | Comparison of three directly coupled HPLC MS/MS strategies for identification of proteins from complex mixtures: single-dimension LC-MS/MS, 2-phase MudPIT, and 3-phase MudPIT. <i>International Journal of Mass Spectrometry</i> , 2002, 219, 245-251.                                                | 0.7  | 288       |
| 62 | Surface-enhanced laser desorption/ionization retentate chromatography, mass spectrometry (SELDI-RC-MS): a new method for rapid development of process chromatography conditions. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 782, 307-316. | 1.2  | 63        |
| 63 | Proteomics in cancer research. <i>International Journal of Gynecological Cancer</i> , 2002, 12, 409-423.                                                                                                                                                                                               | 1.2  | 26        |
| 64 | A method to evaluate tryptic digestion efficiency for high-throughput proteome analyses. <i>Rapid Communications in Mass Spectrometry</i> , 2002, 16, 1404-1408.                                                                                                                                       | 0.7  | 22        |
| 65 | Monolithic capillary columns for liquid chromatography-electrospray ionization mass spectrometry in proteomic and genomic research. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 782, 111-125.                                              | 1.2  | 79        |
| 66 | Toward a Human Blood Serum Proteome. <i>Molecular and Cellular Proteomics</i> , 2002, 1, 947-955.                                                                                                                                                                                                      | 2.5  | 705       |
| 67 | Proteomic technologies in modern biomedical science. <i>Biochemistry (Moscow)</i> , 2002, 67, 1109-1123.                                                                                                                                                                                               | 0.7  | 44        |
| 68 | Mass Spectrometry-Based Proteolytic Mapping for Rapid Virus Identification. <i>Analytical Chemistry</i> , 2002, 74, 2529-2534.                                                                                                                                                                         | 3.2  | 84        |
| 69 | A miniaturized multichamber solution isoelectric focusing device for separation of protein digests. <i>Electrophoresis</i> , 2002, 23, 3599-3607.                                                                                                                                                      | 1.3  | 29        |
| 70 | Evaluation of Multidimensional Chromatography Coupled with Tandem Mass Spectrometry (LC/LC-MS/MS) for Large-Scale Protein Analysis: The Yeast Proteome. <i>Journal of Proteome Research</i> , 2003, 2, 43-50.                                                                                          | 1.8  | 1,557     |
| 71 | Proteome Analysis by Mass Spectrometry. <i>Annual Review of Biophysics and Biomolecular Structure</i> , 2003, 32, 399-424.                                                                                                                                                                             | 18.3 | 133       |
| 72 | Proteomics in gerontological research. <i>Experimental Gerontology</i> , 2003, 38, 473-481.                                                                                                                                                                                                            | 1.2  | 25        |
| 73 | Organelle proteomics: looking at less to see more. <i>Trends in Cell Biology</i> , 2003, 13, 629-638.                                                                                                                                                                                                  | 3.6  | 161       |
| 74 | Cyanobacterial postgenomic research and systems biology. <i>Trends in Biotechnology</i> , 2003, 21, 504-511.                                                                                                                                                                                           | 4.9  | 61        |
| 75 | Model systems in drug discovery: chemical genetics meets genomics. , 2003, 99, 183-220.                                                                                                                                                                                                                |      | 43        |
| 76 | On-column polymer-embedded graphite inlet electrode for capillary electrophoresis coupled on-line with flow injection analysis in a poly(dimethylsiloxane) interface. <i>Electrophoresis</i> , 2003, 24, 1723-1729.                                                                                    | 1.3  | 17        |

| #  | ARTICLE                                                                                                                                                                                                                                                 | IF   | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 77 | Carrier ampholyte-free solution isoelectric focusing as a prefractionation method for the proteomic analysis of complex protein mixtures. <i>Electrophoresis</i> , 2003, 24, 2359-2368.                                                                 | 1.3  | 39        |
| 78 | Rice proteomics: Current status and future perspectives. <i>Electrophoresis</i> , 2003, 24, 3378-3389.                                                                                                                                                  | 1.3  | 75        |
| 79 | Recent advances in capillary electrophoresis and capillary electrochromatography of peptides. <i>Electrophoresis</i> , 2003, 24, 4013-4046.                                                                                                             | 1.3  | 111       |
| 80 | Recent progress in high-performance capillary bioseparations. <i>Electrophoresis</i> , 2003, 24, 3977-3997.                                                                                                                                             | 1.3  | 31        |
| 81 | Proteome analysis using isoelectric focusing in immobilized pH gradient gels followed by mass spectrometry. <i>Electrophoresis</i> , 2003, 24, 253-259.                                                                                                 | 1.3  | 52        |
| 82 | On-line preconcentration of in-gel digest by ion-exchange chromatography for protein identification using high-performance liquid chromatography-electrospray ionization tandem mass spectrometry. <i>Analytical Biochemistry</i> , 2003, 313, 327-330. | 1.1  | 9         |
| 83 | Two-dimensional nano-liquid chromatography-mass spectrometry system for applications in proteomics. <i>Journal of Chromatography A</i> , 2003, 1009, 197-205.                                                                                           | 1.8  | 71        |
| 84 | Protein identification: The origins of peptide mass fingerprinting. <i>Journal of the American Society for Mass Spectrometry</i> , 2003, 14, 931-942.                                                                                                   | 1.2  | 217       |
| 85 | Development of a two-dimensional protein-peptide separation protocol for comprehensive proteome measurements. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 787, 43-51.                       | 1.2  | 27        |
| 86 | Proteome analysis of <i>Escherichia coli</i> K-12 by two-dimensional native-state chromatography and MALDI-MS. <i>Molecular Microbiology</i> , 2003, 47, 383-396.                                                                                       | 1.2  | 30        |
| 87 | Strategic shotgun proteomics approach for efficient construction of an expression map of targeted protein families in hepatoma cell lines. <i>Proteomics</i> , 2003, 3, 2472-2486.                                                                      | 1.3  | 89        |
| 88 | Generation of bioreagents for protein chips. <i>Proteomics</i> , 2003, 3, 2123-2134.                                                                                                                                                                    | 1.3  | 46        |
| 89 | Evaluation of nonionic and zwitterionic detergents as membrane protein solubilizers in two-dimensional electrophoresis. <i>Proteomics</i> , 2003, 3, 249-253.                                                                                           | 1.3  | 250       |
| 90 | Microcapillary liquid chromatography/tandem mass spectrometry using alkaline pH mobile phases and positive ion detection. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 909-916.                                                         | 0.7  | 26        |
| 91 | On-column digestion of proteins in aqueous-organic solvents. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 1044-1050.                                                                                                                    | 0.7  | 103       |
| 92 | Trypsin digestion of proteins on intact immobilized pH gradient strips for surface matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 2323-2326.      | 0.7  | 10        |
| 93 | A novel nanoflow interface for atmospheric pressure ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 391-394.                                                                                                 | 0.7  | 7         |
| 94 | Mass spectrometry-based proteomics. <i>Nature</i> , 2003, 422, 198-207.                                                                                                                                                                                 | 13.7 | 6,282     |

| #   | ARTICLE                                                                                                                                                                                                                                                                                    | IF   | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 95  | Proteomics: the first decade and beyond. <i>Nature Genetics</i> , 2003, 33, 311-323.                                                                                                                                                                                                       | 9.4  | 660       |
| 96  | Is proteomics heading in the wrong direction?. <i>Nature Reviews Molecular Cell Biology</i> , 2003, 4, 74-80.                                                                                                                                                                              | 16.1 | 119       |
| 97  | Multi-dimensional liquid phase based separations in proteomics. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 787, 11-18.                                                                                                        | 1.2  | 198       |
| 98  | Large-scale protein identification using mass spectrometry. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2003, 1646, 1-10.                                                                                                                                             | 1.1  | 167       |
| 99  | Analysis of Protein Composition Using Multidimensional Chromatography and Mass Spectrometry. <i>Current Protocols in Protein Science</i> , 2003, 34, Unit 23.1.                                                                                                                            | 2.8  | 8         |
| 100 | Identification of Proteins in Complex Mixtures Using Liquid Chromatography and Mass Spectrometry. <i>Current Protocols in Cell Biology</i> , 2003, 17, Unit 5.6.                                                                                                                           | 2.3  | 1         |
| 101 | METABOLOMICS IN SYSTEMS BIOLOGY. <i>Annual Review of Plant Biology</i> , 2003, 54, 669-689.                                                                                                                                                                                                | 8.6  | 614       |
| 102 | Protein expression profiling arrays: tools for the multiplexed high-throughput analysis of proteins. <i>Proteome Science</i> , 2003, 1, 3.                                                                                                                                                 | 0.7  | 35        |
| 103 | Proteomic Characterization of Metabolites, Protein Adducts, and Biliary Proteins in Rats Exposed to 1,1-Dichloroethylene or Diclofenac. <i>Chemical Research in Toxicology</i> , 2003, 16, 1306-1317.                                                                                      | 1.7  | 36        |
| 104 | Integration of Electrokinetic-Based Multidimensional Separation/Concentration Platform with Electrospray Ionization-Fourier Transform Ion Cyclotron Resonance-Mass Spectrometry for Proteome Analysis of <i>Shewanella oneidensis</i> . <i>Analytical Chemistry</i> , 2003, 75, 4432-4440. | 3.2  | 70        |
| 105 | Capillary Isoelectric Focusing-Based Multidimensional Concentration/Separation Platform for Proteome Analysis. <i>Analytical Chemistry</i> , 2003, 75, 3145-3152.                                                                                                                          | 3.2  | 138       |
| 106 | An Identification Method for Altered Proteins in Tissues Utilizing Fluorescence Derivatization, Liquid Chromatography, Tandem Mass Spectrometry, and a Database-Searching Algorithm. <i>Analytical Chemistry</i> , 2003, 75, 3725-3730.                                                    | 3.2  | 35        |
| 107 | Nanoflow LC/Ion Mobility/CID/TOF for Proteomics: A Analysis of a Human Urinary Proteome. <i>Journal of Proteome Research</i> , 2003, 2, 589-597.                                                                                                                                           | 1.8  | 56        |
| 108 | Enzyme-Friendly, Mass Spectrometry-Compatible Surfactant for In-Solution Enzymatic Digestion of Proteins. <i>Analytical Chemistry</i> , 2003, 75, 6023-6028.                                                                                                                               | 3.2  | 296       |
| 109 | Similarity among Tandem Mass Spectra from Proteomic Experiments: A Detection, Significance, and Utility. <i>Analytical Chemistry</i> , 2003, 75, 2470-2477.                                                                                                                                | 3.2  | 159       |
| 110 | High-Efficiency On-Line Solid-Phase Extraction Coupling to 150-µm-i.d. Column Liquid Chromatography for Proteomic Analysis. <i>Analytical Chemistry</i> , 2003, 75, 3596-3605.                                                                                                             | 3.2  | 104       |
| 111 | Reproducibility of Quantitative Proteomic Analyses of Complex Biological Mixtures by Multidimensional Protein Identification Technology. <i>Analytical Chemistry</i> , 2003, 75, 5054-5061.                                                                                                | 3.2  | 117       |
| 112 | An Automated Matrix-Assisted Laser Desorption/Ionization Quadrupole Fourier Transform Ion Cyclotron Resonance Mass Spectrometer for Bottom-Up Proteomics. <i>Analytical Chemistry</i> , 2003, 75, 3419-3428.                                                                               | 3.2  | 39        |

| #   | ARTICLE                                                                                                                                                                                                                                                                         | IF   | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 113 | The Characterization of Protein Post-Translational Modifications by Mass Spectrometry. <i>Accounts of Chemical Research</i> , 2003, 36, 453-461.                                                                                                                                | 7.6  | 184       |
| 114 | Isolation of N-Terminal Protein Sequence Tags from Cyanogen Bromide Cleaved Proteins as a Novel Approach to Investigate Hydrophobic Proteins. <i>Journal of Proteome Research</i> , 2003, 2, 598-609.                                                                           | 1.8  | 40        |
| 115 | Proteomic analysis of the synaptic plasma membrane fraction isolated from rat forebrain. <i>Molecular Brain Research</i> , 2003, 117, 116-128.                                                                                                                                  | 2.5  | 64        |
| 116 | Dynamic Enhancements of Sample Loading and Analyte Concentration in Capillary Isoelectric Focusing for Proteome Studies. <i>Journal of Proteome Research</i> , 2003, 2, 249-254.                                                                                                | 1.8  | 21        |
| 117 | Comparing protein abundance and mRNA expression levels on a genomic scale. <i>Genome Biology</i> , 2003, 4, 117.                                                                                                                                                                | 13.9 | 1,453     |
| 118 | Development of a Poly(dimethylsiloxane) Interface for On-Line Capillary Column Liquid Chromatography <sup>MS</sup> Capillary Electrophoresis Coupled to Sheathless Electrospray Ionization Time-of-Flight Mass Spectrometry. <i>Analytical Chemistry</i> , 2003, 75, 5461-5467. | 3.2  | 37        |
| 119 | Desorption/Ionization on Silicon Time-of-Flight/Time-of-Flight Mass Spectrometry. <i>Analytical Chemistry</i> , 2003, 75, 2504-2506.                                                                                                                                            | 3.2  | 74        |
| 120 | Proteomics of heart disease. <i>Human Molecular Genetics</i> , 2003, 12, R135-R144.                                                                                                                                                                                             | 1.4  | 72        |
| 122 | PATHOGENESIS OF RESPIRATORY DISEASES: NEW SOLUTIONS TO OLD PROBLEMS?. <i>Experimental Lung Research</i> , 2003, 29, 3-92.                                                                                                                                                       | 0.5  | 0         |
| 123 | Mapping Protein Modifications With Liquid Chromatography-Mass Spectrometry And The Salsa Algorithm. <i>Advances in Protein Chemistry</i> , 2003, 65, 195-216.                                                                                                                   | 4.4  | 9         |
| 124 | Nuclear Membrane Proteins with Potential Disease Links Found by Subtractive Proteomics. <i>Science</i> , 2003, 301, 1380-1382.                                                                                                                                                  | 6.0  | 604       |
| 125 | Mass Spectrometry-Based Proteomics: Current Status and Potential Use in Clinical Chemistry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 1540-51.                                                                                                              | 1.4  | 33        |
| 126 | Integration of Chromatography and Peptide Mass Modification for Quantitative Proteomics. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2003, 26, 2285-2301.                                                                                                | 0.5  | 1         |
| 127 | Subproteomics in Analytical Chemistry: Chromatographic Fractionation Techniques in the Characterization of Proteins and Peptides. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2003, 26, 2195-2224.                                                       | 0.5  | 9         |
| 128 | Enzymes of Glycolysis Are Functionally Associated with the Mitochondrion in Arabidopsis Cells. <i>Plant Cell</i> , 2003, 15, 2140-2151.                                                                                                                                         | 3.1  | 345       |
| 129 | PRISM, a Generic Large Scale Proteomic Investigation Strategy for Mammals* <sup>S</sup> . <i>Molecular and Cellular Proteomics</i> , 2003, 2, 96-106.                                                                                                                           | 2.5  | 145       |
| 130 | Identification of Connexin-43 Interacting Proteins. <i>Cell Communication and Adhesion</i> , 2003, 10, 215-220.                                                                                                                                                                 | 1.0  | 49        |
| 131 | Proteomic Characterization of the <i>Chlamydomonas reinhardtii</i> Chloroplast Ribosome. <i>Journal of Biological Chemistry</i> , 2003, 278, 33774-33785.                                                                                                                       | 1.6  | 108       |



| #   | ARTICLE                                                                                                                                                                                                                                       | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 132 | The Future of Regulatory Toxicology: Impact of the Biotechnology Revolution. <i>Toxicological Sciences</i> , 2003, 75, 236-248.                                                                                                               | 1.4 | 57        |
| 133 | Protein pathway and complex clustering of correlated mRNA and protein expression analyses in <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 3107-3112. | 3.3 | 346       |
| 134 | Microfluidic systems for analysis of the proteome with mass spectrometry. , 2003, , 249-270.                                                                                                                                                  |     | 2         |
| 136 | Application of Separation technologies to Proteomics Research. <i>Advances in Protein Chemistry</i> , 2003, 65, 249-269.                                                                                                                      | 4.4 | 7         |
| 137 | 5HT1A Serotonin Receptor Agonists Inhibit <i>Plasmodium falciparum</i> by Blocking a Membrane Channel. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 3806-3809.                                                                    | 1.4 | 15        |
| 138 | Peptide Proteomics. , 2004, 244, 411-424.                                                                                                                                                                                                     |     | 2         |
| 139 | Multidimensional Liquid Chromatography of Proteins. , 2004, 244, 425-446.                                                                                                                                                                     |     | 0         |
| 140 | Overview of Proteomics. , 2003, 141, 1-10.                                                                                                                                                                                                    |     | 21        |
| 141 | Mass Spectrometric Approaches to Quantitative Proteomics. , 2003, 141, 59-78.                                                                                                                                                                 |     | 8         |
| 143 | Proteomics: A Post-Genomic Platform for Drug Discovery and Development. , 0, , 359-390.                                                                                                                                                       |     | 0         |
| 144 | Protein identification and profiling with mass spectrometry. <i>Spectroscopy</i> , 2003, 17, 1-15.                                                                                                                                            | 0.8 | 5         |
| 145 | Instrumental Aspects of Liquid Chromatography. , 2003, , 431-497.                                                                                                                                                                             |     | 1         |
| 146 | Mass Spectrometryâ€“ A Powerful Analytical Tool. , 0, , 195-211.                                                                                                                                                                              |     | 2         |
| 147 | Proteomic Approaches for Biomarker Discovery in Colorectal Cancer. , 2004, , 111-131.                                                                                                                                                         |     | 0         |
| 149 | Proteomic analyses using an accurate mass and time tag strategy. <i>BioTechniques</i> , 2004, 37, 621-639.                                                                                                                                    | 0.8 | 155       |
| 150 | Discovery of Ovarian Cancer Biomarkers in Serum Using NanoLC Electrospray Ionization TOF and FT-ICR Mass Spectrometry. <i>Disease Markers</i> , 2004, 19, 239-249.                                                                            | 0.6 | 59        |
| 151 | Characterization of Plasma Membrane Proteins from Ovarian Cancer Cells Using Mass Spectrometry. <i>Disease Markers</i> , 2004, 19, 219-228.                                                                                                   | 0.6 | 8         |
| 152 | Proteomic Analysis of Mitochondrial Proteins. <i>International Review of Neurobiology</i> , 2004, 61, 31-48.                                                                                                                                  | 0.9 | 0         |

| #   | ARTICLE                                                                                                                                                                                                                                   | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 153 | Proteomics: current techniques and potential applications to lung disease. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2004, 287, L1-L23.                                                            | 1.3 | 99        |
| 154 | Constrained De Novo peptide identification via multi-objective optimization. , 0, , .                                                                                                                                                     |     | 4         |
| 155 | Proteomics in the chicken: tools for understanding immune responses to avian diseases. <i>Poultry Science</i> , 2004, 83, 552-573.                                                                                                        | 1.5 | 21        |
| 156 | Electrophoretic Prefractionation for Comprehensive Analysis of Proteomes. , 2004, , 93-118.                                                                                                                                               |     | 9         |
| 157 | High-throughput proteomics using Fourier transform ion cyclotron resonance mass spectrometry. <i>Expert Review of Proteomics</i> , 2004, 1, 87-95.                                                                                        | 1.3 | 41        |
| 158 | Formation and Composition of the Bacillus anthracis Endospore. <i>Journal of Bacteriology</i> , 2004, 186, 164-178.                                                                                                                       | 1.0 | 187       |
| 159 | Utilisation of proteomics datasets generated via multidimensional protein identification technology (MudPIT). <i>Briefings in Functional Genomics &amp; Proteomics</i> , 2004, 3, 280-286.                                                | 3.8 | 36        |
| 160 | Pleistocene glaciation in Spain. <i>Developments in Quaternary Sciences</i> , 2004, 2, 389-394.                                                                                                                                           | 0.1 | 13        |
| 161 | Protein Trafficking and Anchoring Complexes Revealed by Proteomic Analysis of Inward Rectifier Potassium Channel (Kir2.x)-associated Proteins. <i>Journal of Biological Chemistry</i> , 2004, 279, 22331-22346.                           | 1.6 | 189       |
| 162 | Global Analysis of Protein Sumoylation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 45662-45668.                                                                                              | 1.6 | 290       |
| 163 | Quantitative Proteomic and Transcriptional Analysis of the Response to the p38 Mitogen-activated Protein Kinase Inhibitor SB203580 in Transformed Follicular Lymphoma Cells. <i>Molecular and Cellular Proteomics</i> , 2004, 3, 820-833. | 2.5 | 42        |
| 164 | Immunoproteomics. <i>Molecular and Cellular Proteomics</i> , 2004, 3, 193-208.                                                                                                                                                            | 2.5 | 76        |
| 165 | Particulate Adenylate Cyclase Plays a Key Role in Human Sperm Olfactory Receptor-mediated Chemotaxis. <i>Journal of Biological Chemistry</i> , 2004, 279, 40194-40203.                                                                    | 1.6 | 136       |
| 166 | Development of high throughput dispersive LC-ion mobility-TOFMS techniques for analysing the human plasma proteome. <i>Briefings in Functional Genomics &amp; Proteomics</i> , 2004, 3, 177-186.                                          | 3.8 | 51        |
| 167 | Targeted analysis and discovery of posttranslational modifications in proteins from methanogenic archaea by top-down MS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 2678-2683.   | 3.3 | 93        |
| 168 | Sequence optimization as an alternative to de novo analysis of tandem mass spectrometry data. <i>Bioinformatics</i> , 2004, 20, 2296-2304.                                                                                                | 1.8 | 33        |
| 169 | Direct proteomic mapping of the lung microvascular endothelial cell surface in vivo and in cell culture. <i>Nature Biotechnology</i> , 2004, 22, 985-992.                                                                                 | 9.4 | 416       |
| 170 | Upregulation of the CLIP self peptide on mature dendritic cells antagonizes T helper type 1 polarization. <i>Nature Immunology</i> , 2004, 5, 909-918.                                                                                    | 7.0 | 58        |

| #   | ARTICLE                                                                                                                                                                                                                                 | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 171 | Plasmodium post-genomics: an update. Trends in Parasitology, 2004, 20, 558-561.                                                                                                                                                         | 1.5 | 6         |
| 172 | Strategies for automating top-down protein analysis with Q-FTICR MS. International Journal of Mass Spectrometry, 2004, 234, 175-184.                                                                                                    | 0.7 | 20        |
| 173 | Nanoscale proteomics. Analytical and Bioanalytical Chemistry, 2004, 378, 1037-1045.                                                                                                                                                     | 1.9 | 47        |
| 174 | Multidimensional LC-LC and LC-CE for high-resolution separations of biological molecules. Analytical and Bioanalytical Chemistry, 2004, 378, 1952-1961.                                                                                 | 1.9 | 136       |
| 175 | Process for the integrated extraction, identification and quantification of metabolites, proteins and RNA to reveal their co-regulation in biochemical networks. Proteomics, 2004, 4, 78-83.                                            | 1.3 | 398       |
| 176 | Result-driven strategies for protein identification and quantitation – a way to optimize experimental design and derive reliable results. Proteomics, 2004, 4, 474-489.                                                                 | 1.3 | 22        |
| 177 | Characterization of a digested protein complex with quantitative aspects: An approach based on accurate mass chromatographic analysis with Fourier transform-ion cyclotron resonance mass spectrometry. Proteomics, 2004, 4, 2558-2566. | 1.3 | 18        |
| 178 | Challenges in mass spectrometry-based proteomics. Proteomics, 2004, 4, 3686-3703.                                                                                                                                                       | 1.3 | 164       |
| 179 | Cerebrospinal fluid protein patterns in neurodegenerative disease revealed by liquid chromatography-Fourier transform ion cyclotron resonance mass spectrometry. Proteomics, 2004, 4, 4010-4018.                                        | 1.3 | 64        |
| 180 | An introduction to mass spectrometry applications in biological research. Biochemistry and Molecular Biology Education, 2004, 32, 93-100.                                                                                               | 0.5 | 48        |
| 181 | Proteomics: Beginning to realize its promise?. Arthritis and Rheumatism, 2004, 50, 3741-3744.                                                                                                                                           | 6.7 | 13        |
| 182 | Defining the plant disulfide proteome. Electrophoresis, 2004, 25, 532-541.                                                                                                                                                              | 1.3 | 79        |
| 183 | Immobilized pH gradients as a first dimension in shotgun proteomics and analysis of the accuracy of pI predictability of peptides. Electrophoresis, 2004, 25, 936-945.                                                                  | 1.3 | 144       |
| 184 | Stroboscopic sampling in comprehensive high-performance liquid chromatography-capillary electrophoresis via a pneumatic sampler. Electrophoresis, 2004, 25, 980-989.                                                                    | 1.3 | 4         |
| 185 | Intact mass measurements for unequivocal identification of hydrophobic photosynthetic photosystems I and II antenna proteins. Electrophoresis, 2004, 25, 1353-1366.                                                                     | 1.3 | 15        |
| 186 | Two-dimensional liquid chromatography-capillary zone electrophoresis-sheathless electrospray ionization-mass spectrometry: Evaluation for peptide analysis and protein identification. Electrophoresis, 2004, 25, 1973-1980.            | 1.3 | 37        |
| 187 | Comprehensive two-dimensional chromatography and capillary electrophoresis coupled with tandem time-of-flight mass spectrometry for high-speed proteome analysis. Electrophoresis, 2004, 25, 2374-2383.                                 | 1.3 | 52        |
| 188 | Recent advances in capillary separations for proteomics. Electrophoresis, 2004, 25, 3913-3926.                                                                                                                                          | 1.3 | 99        |

| #   | ARTICLE                                                                                                                                                                                                                                                                | IF  | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 189 | Proteomic profiling of platelet proteins by trypsin immobilized self-assembled monolayers digestion chip and protein identification using electrospray ionization tandem mass spectrometry. <i>Journal of Biomedical Materials Research Part B</i> , 2004, 71A, 90-97. | 3.0 | 8         |
| 190 | Simple 2D-HPLC using a monolithic silica column for peptide separation. <i>Journal of Separation Science</i> , 2004, 27, 897-904.                                                                                                                                      | 1.3 | 74        |
| 191 | Sheathless electrospray ionization directly from a capillary monolith for fast liquid chromatography coupled to Fourier transform ion cyclotron resonance mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2004, 39, 223-225.                                  | 0.7 | 8         |
| 192 | Peak capacity of ion mobility mass spectrometry: the utility of varying drift gas polarizability for the separation of tryptic peptides. <i>Journal of Mass Spectrometry</i> , 2004, 39, 361-367.                                                                      | 0.7 | 83        |
| 193 | A novel class of chemically modified iodo-containing resins: design, synthesis and application to mass spectrometry-based proteome analysis. <i>Journal of Mass Spectrometry</i> , 2004, 39, 447-457.                                                                  | 0.7 | 13        |
| 194 | On-line cysteine modification for protein analysis: new probes for electrochemical tagging nanospray mass spectrometry. <i>Journal of Electroanalytical Chemistry</i> , 2004, 570, 187-199.                                                                            | 1.9 | 31        |
| 195 | Factors that affect ion trap data-dependent MS/MS in proteomics. <i>Journal of the American Society for Mass Spectrometry</i> , 2004, 15, 150-157.                                                                                                                     | 1.2 | 34        |
| 196 | Development of an LC-MALDI method for the analysis of protein complexes. <i>Journal of the American Society for Mass Spectrometry</i> , 2004, 15, 803-822.                                                                                                             | 1.2 | 76        |
| 197 | Modeling the resolution and sensitivity of FAIMS analyses. <i>Journal of the American Society for Mass Spectrometry</i> , 2004, 15, 1487-1498.                                                                                                                         | 1.2 | 91        |
| 198 | Automated multi-dimensional liquid chromatography: sample preparation and identification of peptides from human blood filtrate. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 803, 121-130.                  | 1.2 | 60        |
| 199 | Methodological advances in the discovery of protein and peptide disease markers. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 803, 27-40.                                                                   | 1.2 | 102       |
| 200 | Cell-specific protein profiling in <i>Arabidopsis thaliana</i> trichomes: identification of trichome-located proteins involved in sulfur metabolism and detoxification. <i>Phytochemistry</i> , 2004, 65, 1641-1649.                                                   | 1.4 | 90        |
| 201 | Plant proteome analysis by mass spectrometry: principles, problems, pitfalls and recent developments. <i>Phytochemistry</i> , 2004, 65, 1449-1485.                                                                                                                     | 1.4 | 84        |
| 202 | Chemical probes and tandem mass spectrometry: a strategy for the quantitative analysis of proteomes and subproteomes. <i>Current Opinion in Chemical Biology</i> , 2004, 8, 66-75.                                                                                     | 2.8 | 144       |
| 203 | Fully automated online multi-dimensional protein profiling system for complex mixtures. <i>Journal of Chromatography A</i> , 2004, 1057, 107-113.                                                                                                                      | 1.8 | 36        |
| 204 | Implications of column peak capacity on the separation of complex peptide mixtures in single- and two-dimensional high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2004, 1061, 183-192.                                                    | 1.8 | 157       |
| 205 | The molecular scanner: concept and developments. <i>Current Opinion in Biotechnology</i> , 2004, 15, 17-23.                                                                                                                                                            | 3.3 | 28        |
| 206 | A High-throughput Approach for Subcellular Proteome. <i>Molecular and Cellular Proteomics</i> , 2004, 3, 441-455.                                                                                                                                                      | 2.5 | 71        |

| #   | ARTICLE                                                                                                                                                                                                                                                                       | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 207 | Optimization of Two-Dimensional Off-Line LC/MS Separations To Improve Resolution of Complex Proteomic Samples. <i>Analytical Chemistry</i> , 2004, 76, 5180-5185.                                                                                                             | 3.2 | 80        |
| 208 | Integration of Proteomics and Genomics in Platelets. <i>Molecular and Cellular Proteomics</i> , 2004, 3, 133-144.                                                                                                                                                             | 2.5 | 266       |
| 209 | Characterization of the proteins released from activated platelets leads to localization of novel platelet proteins in human atherosclerotic lesions. <i>Blood</i> , 2004, 103, 2096-2104.                                                                                    | 0.6 | 725       |
| 210 | Physicochemical Properties Determining the Detection Probability of Tryptic Peptides in Fourier Transform Mass Spectrometry. A Correlation Study. <i>Analytical Chemistry</i> , 2004, 76, 5872-5877.                                                                          | 3.2 | 21        |
| 211 | Selective Detection of Proteins in Mixtures Using Electrospray Ionization Mass Spectrometry:Â Influence of Instrumental Settings and Implications for Proteomics. <i>Analytical Chemistry</i> , 2004, 76, 5024-5032.                                                          | 3.2 | 21        |
| 212 | Increased Identification of Peptides by Enhanced Data Processing of High-Resolution MALDI TOF/TOF Mass Spectra Prior to Database Searching. <i>Analytical Chemistry</i> , 2004, 76, 6017-6028.                                                                                | 3.2 | 55        |
| 213 | Fast Proteolytic Digestion Coupled with Organelle Enrichment for Proteomic Analysis of Rat Liver. <i>Journal of Proteome Research</i> , 2004, 3, 653-657.                                                                                                                     | 1.8 | 29        |
| 214 | Proteomics in Malaria. <i>Journal of Proteome Research</i> , 2004, 3, 296-306.                                                                                                                                                                                                | 1.8 | 30        |
| 215 | Impact of Ion Trap Tandem Mass Spectra Variability on the Identification of Peptides. <i>Analytical Chemistry</i> , 2004, 76, 2928-2937.                                                                                                                                      | 3.2 | 51        |
| 216 | Human Serum Proteins Preseparated by Electrophoresis or Chromatography Followed by Tandem Mass Spectrometry. <i>Journal of Proteome Research</i> , 2004, 3, 364-382.                                                                                                          | 1.8 | 84        |
| 217 | Characterization of Low Abundant Membrane Proteins Using the Protein Sequence Tag Technology. <i>Journal of Proteome Research</i> , 2004, 3, 1073-1081.                                                                                                                       | 1.8 | 23        |
| 218 | Proteome Annotations and Identifications of the Human Pulmonary Fibroblast. <i>Journal of Proteome Research</i> , 2004, 3, 525-537.                                                                                                                                           | 1.8 | 31        |
| 219 | Understanding and Designing Field Asymmetric Waveform Ion Mobility Spectrometry Separations in Gas Mixtures. <i>Analytical Chemistry</i> , 2004, 76, 7366-7374.                                                                                                               | 3.2 | 92        |
| 220 | Multidimensional Proteome Analysis of Human Mammary Epithelial Cells. <i>Journal of Proteome Research</i> , 2004, 3, 68-75.                                                                                                                                                   | 1.8 | 91        |
| 221 | Quantitative Prediction of logk <sub>of</sub> Peptides in High-Performance Liquid Chromatography Based on Molecular Descriptors by Using the Heuristic Method and Support Vector Machine. <i>Journal of Chemical Information and Computer Sciences</i> , 2004, 44, 1979-1986. | 2.8 | 38        |
| 222 | Processing of Data Generated by 2-Dimensional Gel Electrophoresis for Statistical Analysis:Â Missing Data, Normalization, and Statistics. <i>Journal of Proteome Research</i> , 2004, 3, 1210-1218.                                                                           | 1.8 | 51        |
| 223 | Fluorogenic Derivatization Reagents Suitable for Isolation and Identification of Cysteine-Containing Proteins Utilizing High-Performance Liquid ChromatographyÂ Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2004, 76, 728-735.                                    | 3.2 | 67        |
| 224 | Gel Based Isoelectric Focusing of Peptides and the Utility of Isoelectric Point in Protein Identification. <i>Journal of Proteome Research</i> , 2004, 3, 112-119.                                                                                                            | 1.8 | 131       |

| #   | ARTICLE                                                                                                                                                                                                                                                     | IF   | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 225 | Statistical Models for Protein Validation Using Tandem Mass Spectral Data and Protein Amino Acid Sequence Databases. <i>Analytical Chemistry</i> , 2004, 76, 1664-1671.                                                                                     | 3.2  | 127       |
| 226 | A Model for Random Sampling and Estimation of Relative Protein Abundance in Shotgun Proteomics. <i>Analytical Chemistry</i> , 2004, 76, 4193-4201.                                                                                                          | 3.2  | 2,280     |
| 227 | Biomarker Discovery using Molecular Profiling Approaches. <i>International Review of Neurobiology</i> , 2004, 61, 1-30.                                                                                                                                     | 0.9  | 4         |
| 228 | Ultra-High-Efficiency Strong Cation Exchange LC/RPLC/MS/MS for High Dynamic Range Characterization of the Human Plasma Proteome. <i>Analytical Chemistry</i> , 2004, 76, 1134-1144.                                                                         | 3.2  | 290       |
| 229 | Simple and Comprehensive Two-Dimensional Reversed-Phase HPLC Using Monolithic Silica Columns. <i>Analytical Chemistry</i> , 2004, 76, 1273-1281.                                                                                                            | 3.2  | 139       |
| 230 | A Proteome Strategy for Fractionating Proteins and Peptides Using Continuous Free-Flow Electrophoresis Coupled Off-Line to Reversed-Phase High-Performance Liquid Chromatography. <i>Analytical Chemistry</i> , 2004, 76, 4811-4824.                        | 3.2  | 115       |
| 231 | Histidine-Rich Peptide Selection and Quantification in Targeted Proteomics. <i>Journal of Proteome Research</i> , 2004, 3, 37-45.                                                                                                                           | 1.8  | 34        |
| 232 | Shotgun Proteomics of <i>Methanococcus jannaschii</i> and Insights into Methanogenesis. <i>Journal of Proteome Research</i> , 2004, 3, 538-548.                                                                                                             | 1.8  | 60        |
| 233 | Cln3 Activates G1-Specific Transcription via Phosphorylation of the SBF Bound Repressor Whi5. <i>Cell</i> , 2004, 117, 887-898.                                                                                                                             | 13.5 | 373       |
| 234 | Recent advances in neuroproteomics and potential application to studies of drug addiction. <i>Neuropharmacology</i> , 2004, 47, 148-166.                                                                                                                    | 2.0  | 34        |
| 235 | Proteomic analysis of <i>Acinetobacter lwoffii</i> K24 by 2-D gel electrophoresis and electrospray ionization quadrupole-time of flight mass spectrometry. <i>Journal of Microbiological Methods</i> , 2004, 57, 337-349.                                   | 0.7  | 22        |
| 236 | A Set of Consensus Mammalian Mediator Subunits Identified by Multidimensional Protein Identification Technology. <i>Molecular Cell</i> , 2004, 14, 685-691.                                                                                                 | 4.5  | 270       |
| 237 | Milk proteomics. <i>International Dairy Journal</i> , 2004, 14, 1013-1023.                                                                                                                                                                                  | 1.5  | 122       |
| 238 | High throughput approaches in neuroscience. <i>International Journal of Developmental Neuroscience</i> , 2004, 22, 515-522.                                                                                                                                 | 0.7  | 13        |
| 239 | Alkylation of protein disulfide isomerase by the episulfonium ion derived from the glutathione conjugate of 1,2-dichloroethane and mass spectrometric characterization of the adducts. <i>Archives of Biochemistry and Biophysics</i> , 2004, 423, 136-147. | 1.4  | 15        |
| 240 | 2D-LC/MS techniques for the identification of proteins in highly complex mixtures. <i>Expert Review of Proteomics</i> , 2004, 1, 37-46.                                                                                                                     | 1.3  | 81        |
| 241 | Two-Dimensional Liquid Chromatography Study of the Human Whole Saliva Proteome. <i>Journal of Proteome Research</i> , 2004, 3, 1017-1023.                                                                                                                   | 1.8  | 138       |
| 242 | Large-Scale Quantitative Proteomic Study of PLUMA-Induced Apoptosis Using Two-Dimensional Liquid Chromatography <sup>TM</sup> Mass Spectrometry Coupled with Amino Acid-Coded Mass Tagging. <i>Journal of Proteome Research</i> , 2004, 3, 1191-1200.       | 1.8  | 28        |

| #   | ARTICLE                                                                                                                                                                                                                        | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 243 | Proteomic Analysis of Human Ventricular Cerebrospinal Fluid from Neurologically Normal, Elderly Subjects Using Two-Dimensional LC-MS/MS. <i>Journal of Proteome Research</i> , 2004, 3, 97-103.                                | 1.8 | 69        |
| 244 | Ultrasensitive Proteomics Using High-Efficiency On-Line Micro-SPE-NanoLC-NanoESI MS and MS/MS. <i>Analytical Chemistry</i> , 2004, 76, 144-154.                                                                                | 3.2 | 188       |
| 245 | Invited Review: Toxicoproteomics: Proteomics Applied to Toxicology and Pathology. <i>Toxicologic Pathology</i> , 2004, 32, 619-642.                                                                                            | 0.9 | 207       |
| 246 | Characterization of the 70S Ribosome from <i>Rhodospseudomonas palustris</i> Using an Integrated $\alpha$ Top-Down and $\alpha$ Bottom-Up Mass Spectrometric Approach. <i>Journal of Proteome Research</i> , 2004, 3, 965-978. | 1.8 | 83        |
| 247 | Identification of Sequence-Specific DNA Binding Proteins. <i>Methods in Cell Biology</i> , 2004, 74, 653-675.                                                                                                                  | 0.5 | 4         |
| 248 | Mass Spectrometry in the Characterisation of Cereal Seed Proteins. <i>European Journal of Mass Spectrometry</i> , 2004, 10, 359-370.                                                                                           | 0.5 | 26        |
| 249 | Comparative proteomics of primitive hematopoietic cell populations reveals differences in expression of proteins regulating motility. <i>Blood</i> , 2004, 103, 3751-3759.                                                     | 0.6 | 63        |
| 250 | Proteomic analysis of chromatin-modifying complexes in <i>Saccharomyces cerevisiae</i> identifies novel subunits. <i>Biochemical Society Transactions</i> , 2004, 32, 899-903.                                                 | 1.6 | 33        |
| 251 | Application of Proteomics in the Study of Tumor Metastasis. <i>Genomics, Proteomics and Bioinformatics</i> , 2004, 2, 152-166.                                                                                                 | 3.0 | 25        |
| 252 | Genomics and Clinical Medicine: Rationale for Creating and Effectively Evaluating Animal Models. <i>Experimental Biology and Medicine</i> , 2004, 229, 866-875.                                                                | 1.1 | 39        |
| 253 | Analytical Proteomics Approaches to Analysis of Protein Modifications: Tools for Studying Proteome-Environment Interactions. , 2005, , 283-297.                                                                                |     | 1         |
| 254 | Mass-Spectrometry-Based Proteomics for Cancer Biology. , 2005, , 91-107.                                                                                                                                                       |     | 0         |
| 255 | The Use of Mass Spectrometry in Studying Protein-Protein Interaction. , 2005, , 33-48.                                                                                                                                         |     | 1         |
| 256 | Proteomics as a Tool for Clinically Relevant Biomarker Discovery and Validation. <i>Experimental Biology and Medicine</i> , 2005, 230, 808-817.                                                                                | 1.1 | 45        |
| 257 | Using proteomics and network analysis to elucidate the consequences of synaptic protein oxidation in a PS1+ $\Delta$ 2PP mouse model of Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2005, 8, 227-241.         | 1.2 | 24        |
| 258 | Building Integrated Approaches for the Proteomics of Complex, Dynamic Systems: NIH Programs in Technology and Infrastructure Development. <i>Journal of Proteome Research</i> , 2005, 4, 1114-1122.                            | 1.8 | 3         |
| 259 | Principles of Nanoflow Liquid Chromatography and Applications to Proteomics. <i>Current Nanoscience</i> , 2005, 1, 65-71.                                                                                                      | 0.7 | 27        |
| 261 | New Approaches for Method Development and Purification in Lead Optimization. , 2005, , 403-431.                                                                                                                                |     | 3         |

| #   | ARTICLE                                                                                                                                                                                                                                                                                          | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 262 | Towards the application of proteomics in renal disease diagnosis. <i>Clinical Science</i> , 2005, 109, 421-430.                                                                                                                                                                                  | 1.8 | 40        |
| 263 | An Analysis of Protein Abundance Suppression in Data Dependent Liquid Chromatography and Tandem Mass Spectrometry with Tryptic Peptide Mixtures of Five Known Proteins. <i>European Journal of Mass Spectrometry</i> , 2005, 11, 575-580.                                                        | 0.5 | 21        |
| 264 | MS2Grouper: Group assessment and synthetic replacement of duplicate proteomic tandem mass spectra. <i>Journal of the American Society for Mass Spectrometry</i> , 2005, 16, 1250-1261.                                                                                                           | 1.2 | 58        |
| 265 | Role of chromatographic techniques in proteomic analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 815, 51-63.                                                                                                                    | 1.2 | 90        |
| 266 | Proteomics of breast carcinoma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 815, 215-225.                                                                                                                                            | 1.2 | 96        |
| 267 | System, trends and perspectives of proteomics in dicot plantsPart I: Technologies in proteome establishment. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 815, 109-123.                                                               | 1.2 | 54        |
| 268 | On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 817, 49-66.                                                              | 1.2 | 62        |
| 269 | The effect of the mobile phase additives on sensitivity in the analysis of peptides and proteins by high-performance liquid chromatography-electrospray mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 825, 111-123. | 1.2 | 160       |
| 270 | Ultra-sensitive, high throughput and quantitative proteomics measurements. <i>International Journal of Mass Spectrometry</i> , 2005, 240, 195-212.                                                                                                                                               | 0.7 | 17        |
| 271 | Ion mobility-mass spectrometry: a new paradigm for proteomics. <i>International Journal of Mass Spectrometry</i> , 2005, 240, 301-315.                                                                                                                                                           | 0.7 | 282       |
| 272 | Proteomic LC-MS systems using nanoscale liquid chromatography with tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2005, 1067, 73-83.                                                                                                                                             | 1.8 | 156       |
| 273 | Preparation and characterization of nitrilotriacetic-acid-terminated self-assembled monolayers on gold surfaces for matrix-assisted laser desorption ionization-time of flight-mass spectrometry analysis of proteins and peptides. <i>Analytical Biochemistry</i> , 2005, 345, 258-269.         | 1.1 | 24        |
| 274 | Determination of denaturated proteins and biotoxins by on-line size-exclusion chromatography-digestion-liquid chromatography-electrospray mass spectrometry. <i>Analytical Biochemistry</i> , 2005, 346, 150-157.                                                                                | 1.1 | 15        |
| 275 | Nano-flow multidimensional liquid chromatography with electrospray ionization time-of-flight mass spectrometry for proteome analysis of hepatocellular carcinoma. <i>Analytica Chimica Acta</i> , 2005, 530, 227-235.                                                                            | 2.6 | 22        |
| 276 | Study of quantitative structure-mobility relationship of the peptides based on the structural descriptors and support vector machines. <i>Analytica Chimica Acta</i> , 2005, 542, 249-259.                                                                                                       | 2.6 | 20        |
| 277 | Effects of chromatography conditions on intact protein separations for top-down proteomics. <i>Journal of Chromatography A</i> , 2005, 1073, 35-41.                                                                                                                                              | 1.8 | 36        |
| 278 | Prototype for integrated two-dimensional gel electrophoresis for protein separation. <i>Journal of Chromatography A</i> , 2005, 1087, 177-182.                                                                                                                                                   | 1.8 | 7         |
| 279 | Dual-purpose sample trap for on-line strong cation-exchange chromatography/reversed-phase liquid chromatography/tandem mass spectrometry for shotgun proteomics. <i>Journal of Chromatography A</i> , 2005, 1070, 193-200.                                                                       | 1.8 | 36        |



| #   | ARTICLE                                                                                                                                                                                                                                    | IF   | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 280 | Alternative high-performance liquid chromatographic peptide separation and purification concept using a new mixed-mode reversed-phase/weak anion-exchange type stationary phase. <i>Journal of Chromatography A</i> , 2005, 1089, 158-169. | 1.8  | 108       |
| 281 | Comparative Proteome Analysis of Breast Cancer and Normal Breast. <i>Molecular Biotechnology</i> , 2005, 29, 233-244.                                                                                                                      | 1.3  | 18        |
| 282 | From Proteins to Proteomics. <i>IUBMB Life</i> , 2005, 57, 267-272.                                                                                                                                                                        | 1.5  | 49        |
| 283 | High-Sensitivity Ion Mobility Spectrometry/Mass Spectrometry Using Electrodynamic Ion Funnel Interfaces. <i>Analytical Chemistry</i> , 2005, 77, 3330-3339.                                                                                | 3.2  | 244       |
| 284 | Proteomics meets microbiology: technical advances in the global mapping of protein expression and function. <i>Cellular Microbiology</i> , 2005, 7, 1061-1076.                                                                             | 1.1  | 55        |
| 285 | Weighing in on ubiquitin: the expanding role of mass-spectrometry-based proteomics. <i>Nature Cell Biology</i> , 2005, 7, 750-757.                                                                                                         | 4.6  | 210       |
| 286 | Proteomics of organelles and large cellular structures. <i>Nature Reviews Molecular Cell Biology</i> , 2005, 6, 702-714.                                                                                                                   | 16.1 | 378       |
| 287 | Metalloendoprotease cleavage triggers gelsolin amyloidogenesis. <i>EMBO Journal</i> , 2005, 24, 4124-4132.                                                                                                                                 | 3.5  | 59        |
| 288 | Identification of proteins from formalin-fixed paraffin-embedded cells by LC-MS/MS. <i>Laboratory Investigation</i> , 2005, 85, 1405-1415.                                                                                                 | 1.7  | 148       |
| 289 | Stable incorporation of sequence specific repressors Ash1 and Ume6 into the Rpd3L complex. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2005, 1731, 77-87.                                                            | 2.4  | 131       |
| 290 | The continuing evolution of shotgun proteomics. <i>Drug Discovery Today</i> , 2005, 10, 719-725.                                                                                                                                           | 3.2  | 74        |
| 291 | The nuclear membrane proteome: extending the envelope. <i>Trends in Biochemical Sciences</i> , 2005, 30, 551-558.                                                                                                                          | 3.7  | 125       |
| 292 | Development and application of proteomics technologies in <i>Saccharomyces cerevisiae</i> . <i>Trends in Biotechnology</i> , 2005, 23, 598-604.                                                                                            | 4.9  | 46        |
| 293 | On-line counting of cysteine residues in peptides during electrospray ionization by electrogenerated tags and their application to protein identification. <i>Electrophoresis</i> , 2005, 26, 238-247.                                     | 1.3  | 39        |
| 294 | Two-stage Off-Gel? isoelectric focusing: Protein followed by peptide fractionation and application to proteome analysis of human plasma. <i>Electrophoresis</i> , 2005, 26, 1174-1188.                                                     | 1.3  | 115       |
| 295 | Combining capillary electrophoresis with mass spectrometry for applications in proteomics. <i>Electrophoresis</i> , 2005, 26, 1291-1305.                                                                                                   | 1.3  | 180       |
| 296 | Rapid on-membrane proteolytic cleavage for Edman sequencing and mass spectrometric identification of proteins. <i>Electrophoresis</i> , 2005, 26, 4243-4251.                                                                               | 1.3  | 19        |
| 297 | Capillary-based solid-phase extraction with columns prepared using different bead trapping methods. <i>Electrophoresis</i> , 2005, 26, 4225-4234.                                                                                          | 1.3  | 11        |

| #   | ARTICLE                                                                                                                                                                                                                                                            | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 298 | Mass Spectrometry in Proteomics. , 2005, , 135-169.                                                                                                                                                                                                                |     | 0         |
| 299 | Immobilized trypsin systems coupled on-line to separation methods: Recent developments and analytical applications. Journal of Separation Science, 2005, 28, 7-21.                                                                                                 | 1.3 | 151       |
| 300 | The application of 2-D dual nanoscale liquid chromatography and triple quadrupole-linear ion trap system for the identification of proteins. Journal of Separation Science, 2005, 28, 1704-1711.                                                                   | 1.3 | 13        |
| 301 | New hyphenated methodologies in high-sensitivity glycoprotein analysis. Journal of Separation Science, 2005, 28, 1956-1968.                                                                                                                                        | 1.3 | 100       |
| 302 | Mass spectrometry in aging research. Mass Spectrometry Reviews, 2005, 24, 701-718.                                                                                                                                                                                 | 2.8 | 24        |
| 303 | Comparative proteomics analysis of human pituitary adenomas: Current status and future perspectives. Mass Spectrometry Reviews, 2005, 24, 783-813.                                                                                                                 | 2.8 | 51        |
| 304 | Effect of chronic morphine exposure on the synaptic plasma-membrane subproteome of rats: a quantitative protein profiling study based on isotope-coded affinity tags and liquid chromatography/mass spectrometry. Journal of Mass Spectrometry, 2005, 40, 169-175. | 0.7 | 70        |
| 305 | Proteomics and peptidomics in neuroscience. Experience of capabilities and limitations in a neurochemical laboratory. Journal of Mass Spectrometry, 2005, 40, 202-213.                                                                                             | 0.7 | 29        |
| 306 | Targeted biomarker detection via whole protein ion trap tandem mass spectrometry: thymosin $\beta$ 4 in a human lung cancer cell line. Journal of Mass Spectrometry, 2005, 40, 444-451.                                                                            | 0.7 | 5         |
| 307 | CHASE, a charge-assisted sequencing algorithm for automated homology-based protein identifications with matrix-assisted laser desorption/ionization time-of-flight post-source decay fragmentation data. Journal of Mass Spectrometry, 2005, 40, 475-488.          | 0.7 | 6         |
| 308 | In vivo metabolite detection and identification in drug discovery via LC-MS/MS with data-dependent scanning and postacquisition data mining. Journal of Mass Spectrometry, 2005, 40, 1572-1582.                                                                    | 0.7 | 32        |
| 309 | Mass spectrometry-based proteomics in the life sciences. Cellular and Molecular Life Sciences, 2005, 62, 848-869.                                                                                                                                                  | 2.4 | 96        |
| 310 | Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels. International Journal of Mass Spectrometry, 2005, 240, 317-325.                                                                                                                            | 0.7 | 22        |
| 311 | Application of Mass Spectrometry in Proteomics. Bioscience Reports, 2005, 25, 71-93.                                                                                                                                                                               | 1.1 | 115       |
| 312 | Mass spectrometric analysis of the glycosphingolipid-enriched microdomains of rat natural killer cells. Proteomics, 2005, 5, 113-122.                                                                                                                              | 1.3 | 31        |
| 313 | A comparison of immobilized pH gradient isoelectric focusing and strong-cation-exchange chromatography as a first dimension in shotgun proteomics. Proteomics, 2005, 5, 24-34.                                                                                     | 1.3 | 148       |
| 314 | Mass spectrometry and database search in the analysis of proteins from the fungus <i>Pleurotus ostreatus</i> . Proteomics, 2005, 5, 67-75.                                                                                                                         | 1.3 | 14        |
| 315 | Mapping the membrane proteome of <i>Corynebacterium glutamicum</i> . Proteomics, 2005, 5, 1317-1330.                                                                                                                                                               | 1.3 | 89        |

| #   | ARTICLE                                                                                                                                                                                                                                            | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 316 | Silicone/graphite coating for on-target desalting and improved peptide mapping performance of matrix-assisted laser desorption/ionization-mass spectrometry targets in proteomic experiments. <i>Proteomics</i> , 2005, 5, 1460-1471.              | 1.3 | 40        |
| 317 | Proteomic analysis of human pleural effusion. <i>Proteomics</i> , 2005, 5, 1062-1074.                                                                                                                                                              | 1.3 | 75        |
| 318 | Proteomic analysis of Lyme disease: Global protein comparison of three strains of <i>Borrelia burgdorferi</i> . <i>Proteomics</i> , 2005, 5, 1446-1453.                                                                                            | 1.3 | 18        |
| 319 | Clinical-scale high-throughput human plasma proteome analysis: Lung adenocarcinoma. <i>Proteomics</i> , 2005, 5, 1150-1159.                                                                                                                        | 1.3 | 51        |
| 320 | Differential protein expression in human gliomas and molecular insights. <i>Proteomics</i> , 2005, 5, 1167-1177.                                                                                                                                   | 1.3 | 102       |
| 321 | A proteomic analysis of salivary glands of female <i>Anopheles gambiae</i> mosquito. <i>Proteomics</i> , 2005, 5, 3765-3777.                                                                                                                       | 1.3 | 63        |
| 322 | Comparison of alternative analytical techniques for the characterisation of the human serum proteome in HUPO Plasma Proteome Project. <i>Proteomics</i> , 2005, 5, 3423-3441.                                                                      | 1.3 | 104       |
| 323 | Rapid enrichment of bioactive milk proteins and iterative, consolidated protein identification by multidimensional protein identification technology. <i>Proteomics</i> , 2005, 5, 3836-3846.                                                      | 1.3 | 23        |
| 324 | Large-scale analysis of the human ubiquitin-related proteome. <i>Proteomics</i> , 2005, 5, 4145-4151.                                                                                                                                              | 1.3 | 167       |
| 325 | The human plasma proteome: Analysis of Chinese serum using shotgun strategy. <i>Proteomics</i> , 2005, 5, 3442-3453.                                                                                                                               | 1.3 | 66        |
| 326 | Protein sequence tags: A novel solution for comparative proteomics. <i>Proteomics</i> , 2005, 5, 2364-2368.                                                                                                                                        | 1.3 | 10        |
| 327 | A proteomic study of the HUPO Plasma Proteome Project's pilot samples using an accurate mass and time tag strategy. <i>Proteomics</i> , 2005, 5, 3454-3466.                                                                                        | 1.3 | 60        |
| 328 | Human urine proteome analysis by three separation approaches. <i>Proteomics</i> , 2005, 5, 4994-5001.                                                                                                                                              | 1.3 | 134       |
| 329 | 1-DE MS and 2-D LC-MS analysis of the mouse bronchoalveolar lavage proteome. <i>Proteomics</i> , 2005, 5, 4608-4624.                                                                                                                               | 1.3 | 40        |
| 330 | Application of 2-D free-flow electrophoresis/RP-HPLC for proteomic analysis of human plasma depleted of multi high-abundance proteins. <i>Proteomics</i> , 2005, 5, 3402-3413.                                                                     | 1.3 | 54        |
| 331 | Automated immobilized metal affinity chromatography/nano-liquid chromatography/electrospray ionization mass spectrometry platform for profiling protein phosphorylation sites. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 57-71. | 0.7 | 89        |
| 332 | Quest for Complete Proteome Coverage. <i>Methods of Biochemical Analysis</i> , 2005, 49, 27-38.                                                                                                                                                    | 0.2 | 3         |
| 335 | Proteome of <i>Mycoplasma pneumoniae</i> . <i>Methods of Biochemical Analysis</i> , 2005, , 39-56.                                                                                                                                                 | 0.2 | 3         |

| #   | ARTICLE                                                                                                                                                                                                                                    | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 336 | Separation-dependent approaches for protein expression profiling. , 2005, , .                                                                                                                                                              |     | 0         |
| 337 | Tandem Mass Spectrometry for Peptide and Protein Sequence Analysis. <i>BioTechniques</i> , 2005, 38, 519-523.                                                                                                                              | 0.8 | 99        |
| 338 | The Application of Proteomics in Neurology. <i>Current Proteomics</i> , 2005, 2, 41-53.                                                                                                                                                    | 0.1 | 2         |
| 339 | Proteome Analysis of the Human Mitotic Spindle. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 35-43.                                                                                                                                 | 2.5 | 225       |
| 340 | Proteomics of Human Pulmonary Surfactant Proteins. <i>Current Proteomics</i> , 2005, 2, 303-318.                                                                                                                                           | 0.1 | 0         |
| 341 | Proteomics in cancer vaccine development. <i>Expert Review of Proteomics</i> , 2005, 2, 229-241.                                                                                                                                           | 1.3 | 8         |
| 342 | A Systematic Characterization of Mitochondrial Proteome from Human T Leukemia Cells. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 169-181.                                                                                          | 2.5 | 108       |
| 343 | An emerging role for comprehensive proteome analysis in human pregnancy research. <i>Reproduction</i> , 2005, 129, 685-696.                                                                                                                | 1.1 | 39        |
| 344 | The Deubiquitylation Activity of Ubp8 Is Dependent upon Sgf11 and Its Association with the SAGA Complex. <i>Molecular and Cellular Biology</i> , 2005, 25, 1173-1182.                                                                      | 1.1 | 143       |
| 345 | Proteomic Identification of Insulin-like Growth Factor-binding Protein-6 Induced by Sublethal H <sub>2</sub> O <sub>2</sub> Stress from Human Diploid Fibroblasts. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1273-1283.          | 2.5 | 33        |
| 346 | A Mammalian Chromatin Remodeling Complex with Similarities to the Yeast INO80 Complex. <i>Journal of Biological Chemistry</i> , 2005, 280, 41207-41212.                                                                                    | 1.6 | 211       |
| 347 | Functional Differentiation of Bundle Sheath and Mesophyll Maize Chloroplasts Determined by Comparative Proteomics. <i>Plant Cell</i> , 2005, 17, 3111-3140.                                                                                | 3.1 | 221       |
| 349 | Membranes, Ions, and Clocks: Testing the Njusâ€“Sulzmanâ€“Hastings Model of the Circadian Oscillator. <i>Methods in Enzymology</i> , 2005, 393, 682-693.                                                                                   | 0.4 | 36        |
| 350 | Application of surface activity in therapeutics. <i>Studies in Interface Science</i> , 2005, , 233-293.                                                                                                                                    | 0.0 | 4         |
| 351 | Understanding signal transduction through functional proteomics. <i>Expert Review of Proteomics</i> , 2005, 2, 103-116.                                                                                                                    | 1.3 | 5         |
| 352 | Analysis of the human saliva proteome. <i>Expert Review of Proteomics</i> , 2005, 2, 521-539.                                                                                                                                              | 1.3 | 111       |
| 354 | Tissue proteomics using capillary isoelectric focusing-based multidimensional separations. <i>Expert Review of Proteomics</i> , 2005, 2, 659-667.                                                                                          | 1.3 | 16        |
| 355 | Capillaryâ€“LCâ€“ESIâ€“MS/MS and Nanoâ€“LCâ€“Nano ESIâ€“MS/MS Analysis Using a Single Binary Pump Capillary LC System: Applications in Proteomics. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2005, 28, 1271-1289. | 0.5 | 6         |

| #   | ARTICLE                                                                                                                                                                                                                      | IF  | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 356 | Phosphotyrosine Signaling Networks in Epidermal Growth Factor Receptor Overexpressing Squamous Carcinoma Cells. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 356-376.                                                 | 2.5 | 121       |
| 357 | Proteomics: A new research area for the biomedical field. <i>Journal of Organ Dysfunction</i> , 2005, 1, 83-94.                                                                                                              | 0.3 | 5         |
| 358 | Characterization of the Yeast Trimeric-SAS Acetyltransferase Complex. <i>Journal of Biological Chemistry</i> , 2005, 280, 11987-11994.                                                                                       | 1.6 | 76        |
| 359 | The Mammalian YL1 Protein Is a Shared Subunit of the TRRAP/TIP60 Histone Acetyltransferase and SRCAP Complexes. <i>Journal of Biological Chemistry</i> , 2005, 280, 13665-13670.                                             | 1.6 | 185       |
| 360 | Proteome Analysis of Liver Cells Expressing a Full-Length Hepatitis C Virus (HCV) Replicon and Biopsy Specimens of Posttransplantation Liver from HCV-Infected Patients. <i>Journal of Virology</i> , 2005, 79, 7558-7569.   | 1.5 | 80        |
| 361 | Identification of proteins released by pancreatic cancer cells by multidimensional protein identification technology: a strategy for identification of novel cancer markers. <i>FASEB Journal</i> , 2005, 19, 1125-1127.     | 0.2 | 122       |
| 362 | Characterization of Mouse Spleen Cells by Subtractive Proteomics. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1459-1470.                                                                                             | 2.5 | 44        |
| 363 | A priori prediction of adsorption isotherm parameters and chromatographic behavior in ion-exchange systems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 11710-11715. | 3.3 | 74        |
| 364 | Rapid and Sensitive Identification of Major Histocompatibility Complex Class I-associated Tumor Peptides by Nano-LC MALDI MS/MS. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1888-1897.                              | 2.5 | 33        |
| 366 | Current Progress in Sample Preparation for Two-Dimensional Electrophoresis in Proteomics. <i>Current Proteomics</i> , 2005, 2, 259-268.                                                                                      | 0.1 | 4         |
| 367 | Sample Preparation Techniques for Mass Spectrometry in Proteomics Using Recently Developed Highly Selective Materials. <i>Current Proteomics</i> , 2005, 2, 269-285.                                                         | 0.1 | 4         |
| 368 | Improvement in Peptide Detection for Proteomics Analyses Using NanoLC <sup>MS</sup> and High-Field Asymmetry Waveform Ion Mobility Mass Spectrometry. <i>Analytical Chemistry</i> , 2005, 77, 2176-2186.                     | 3.2 | 108       |
| 369 | Comparison of Label-free Methods for Quantifying Human Proteins by Shotgun Proteomics. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1487-1502.                                                                        | 2.5 | 1,063     |
| 370 | Two-Dimensional Gas-Phase Separations Coupled to Mass Spectrometry for Analysis of Complex Mixtures. <i>Analytical Chemistry</i> , 2005, 77, 6381-6388.                                                                      | 3.2 | 122       |
| 371 | Increased Protein Identification Capabilities through Novel Tandem MS Calibration Strategies. <i>Journal of Proteome Research</i> , 2005, 4, 1434-1441.                                                                      | 1.8 | 19        |
| 372 | The Proteomics Protocols Handbook. , 2005, , .                                                                                                                                                                               |     | 468       |
| 373 | Electrochemical multi-tagging of cysteinyl peptides during microspray mass spectrometry: numerical simulation of consecutive reactions in a microchannel. <i>Physical Chemistry Chemical Physics</i> , 2005, 7, 4054.        | 1.3 | 18        |
| 374 | One-step, non-denaturing isolation of an RNA polymerase enzyme complex using an improved multi-use affinity probe resin. <i>Molecular BioSystems</i> , 2005, 1, 53.                                                          | 2.9 | 20        |

| #   | ARTICLE                                                                                                                                                                                                                      | IF  | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 375 | Orthogonality of Separation in Two-Dimensional Liquid Chromatography. <i>Analytical Chemistry</i> , 2005, 77, 6426-6434.                                                                                                     | 3.2 | 726       |
| 376 | Peptide de Novo Sequencing Facilitated by a Dual-Labeling Strategy. <i>Analytical Chemistry</i> , 2005, 77, 6300-6309.                                                                                                       | 3.2 | 48        |
| 377 | How proteomics reveals potential biomarkers in brain diseases. <i>Expert Review of Proteomics</i> , 2005, 2, 901-913.                                                                                                        | 1.3 | 14        |
| 378 | Enhanced Characterization of Complex Proteomic Samples Using LC-MALDI MS/MS: Exclusion of Redundant Peptides from MS/MS Analysis in Replicate Runs. <i>Analytical Chemistry</i> , 2005, 77, 7816-7825.                       | 3.2 | 57        |
| 379 | Direct Proteomic Mapping of <i>Streptomyces Luteogriseus</i> Strain 103 and <i>cnn1</i> and Insights into Antibiotic Biosynthesis. <i>Journal of Proteome Research</i> , 2005, 4, 1999-2006.                                 | 1.8 | 10        |
| 380 | Complete Chemical and Enzymatic Treatment of Phosphorylated and Glycosylated Proteins on ProteinChip Arrays. <i>Analytical Chemistry</i> , 2005, 77, 3644-3650.                                                              | 3.2 | 12        |
| 381 | Integrated Capillary Isoelectric Focusing/Nano-reversed Phase Liquid Chromatography Coupled with ESI-MS for Characterization of Intact Yeast Proteins. <i>Journal of Proteome Research</i> , 2005, 4, 36-42.                 | 1.8 | 37        |
| 382 | Identification and Characterization of the <i>Sulfolobus solfataricus</i> P2 Proteome. <i>Journal of Proteome Research</i> , 2005, 4, 1789-1798.                                                                             | 1.8 | 57        |
| 383 | Trypsin-Based Monolithic Bioreactor Coupled On-Line with LC/MS/MS System for Protein Digestion and Variant Identification in Standard Solutions and Serum Samples. <i>Journal of Proteome Research</i> , 2005, 4, 481-490.   | 1.8 | 78        |
| 384 | Microfluidic Electrocapture for Separation of Peptides. <i>Analytical Chemistry</i> , 2005, 77, 7131-7136.                                                                                                                   | 3.2 | 40        |
| 385 | Comparative Study of [Three] LC-MALDI Workflows for the Analysis of Complex Proteomic Samples. <i>Journal of Proteome Research</i> , 2005, 4, 1931-1941.                                                                     | 1.8 | 44        |
| 386 | Blending Protein Separation and Peptide Analysis through Real-Time Proteolytic Digestion. <i>Analytical Chemistry</i> , 2005, 77, 1572-1579.                                                                                 | 3.2 | 188       |
| 387 | Electron Transfer Ion/Ion Reactions in a Three-Dimensional Quadrupole Ion Trap: Reactions of Doubly and Triply Protonated Peptides with $\text{SO}_2^-$ . <i>Analytical Chemistry</i> , 2005, 77, 1831-1839.                 | 3.2 | 151       |
| 388 | Proteomic Profiling of Erythrocyte Proteins by Proteolytic Digestion Chip and Identification Using Two-Dimensional Electrospray Ionization Tandem Mass Spectrometry. <i>Journal of Proteome Research</i> , 2005, 4, 748-757. | 1.8 | 49        |
| 389 | Global Proteome Discovery Using an Online Three-Dimensional LC-MS/MS. <i>Journal of Proteome Research</i> , 2005, 4, 801-808.                                                                                                | 1.8 | 87        |
| 390 | Multicomponent Internal Recalibration of an LC-FTICR-MS Analysis Employing a Partially Characterized Complex Peptide Mixture: Systematic and Random Errors. <i>Analytical Chemistry</i> , 2005, 77, 7246-7254.               | 3.2 | 24        |
| 391 | Quantitative Proteomic Analysis of the Secretory Proteins from Rat Adipose Cells Using a 2D Liquid Chromatography-MS/MS Approach. <i>Journal of Proteome Research</i> , 2005, 4, 570-577.                                    | 1.8 | 115       |
| 392 | High-Speed, High-Resolution Monolithic Capillary LC-MALDI MS Using an Off-Line Continuous Deposition Interface for Proteomic Analysis. <i>Analytical Chemistry</i> , 2005, 77, 2323-2331.                                    | 3.2 | 66        |

| #   | ARTICLE                                                                                                                                                                                                                                                 | IF   | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 393 | Comparison of Probability and Likelihood Models for Peptide Identification from Tandem Mass Spectrometry Data. <i>Journal of Proteome Research</i> , 2005, 4, 1687-1698.                                                                                | 1.8  | 28        |
| 394 | Human Tissue Profiling with Multidimensional Protein Identification Technology. <i>Journal of Proteome Research</i> , 2005, 4, 1757-1767.                                                                                                               | 1.8  | 81        |
| 395 | Continuous pH/Salt Gradient and Peptide Score for Strong Cation Exchange Chromatography in 2D-Nano-LC/MS/MS Peptide Identification for Proteomics. <i>Analytical Chemistry</i> , 2005, 77, 4991-4998.                                                   | 3.2  | 34        |
| 396 | Classification and identification of bacteria using mass spectrometry-based proteomics. <i>Expert Review of Proteomics</i> , 2005, 2, 863-878.                                                                                                          | 1.3  | 66        |
| 397 | Molecular Regulation of Histone H3 Trimethylation by COMPASS and the Regulation of Gene Expression. <i>Molecular Cell</i> , 2005, 19, 849-856.                                                                                                          | 4.5  | 263       |
| 398 | Histone H3 Methylation by Set2 Directs Deacetylation of Coding Regions by Rpd3S to Suppress Spurious Intragenic Transcription. <i>Cell</i> , 2005, 123, 581-592.                                                                                        | 13.5 | 1,154     |
| 399 | The mammalian Mediator complex. <i>FEBS Letters</i> , 2005, 579, 904-908.                                                                                                                                                                               | 1.3  | 43        |
| 400 | Functional Genomics meets neurodegenerative disorders. <i>Progress in Neurobiology</i> , 2005, 76, 153-168.                                                                                                                                             | 2.8  | 33        |
| 401 | The plant mitochondrial proteome. <i>Trends in Plant Science</i> , 2005, 10, 36-43.                                                                                                                                                                     | 4.3  | 188       |
| 402 | <i>Protein Biochemistry</i> , 2005, , 686-722.                                                                                                                                                                                                          |      | 0         |
| 403 | High Resolution $\mu$ -Ultra Performance $\mu$ -Liquid Chromatography Coupled to oa-TOF Mass Spectrometry as a Tool for Differential Metabolic Pathway Profiling in Functional Genomic Studies. <i>Journal of Proteome Research</i> , 2005, 4, 591-598. | 1.8  | 423       |
| 404 | Mass spectrometry-based peptide quantification: applications and limitations. <i>Expert Review of Proteomics</i> , 2005, 2, 381-392.                                                                                                                    | 1.3  | 39        |
| 405 | Chapter 2 Capillary high-performance liquid chromatography for proteomic and peptidomic analysis. <i>Comprehensive Analytical Chemistry</i> , 2005, , 69-148.                                                                                           | 0.7  | 1         |
| 406 | Chapter 14 Proteomics and remodeling of extracellular matrix in lung diseases. <i>Comprehensive Analytical Chemistry</i> , 2005, 46, 535-556.                                                                                                           | 0.7  | 0         |
| 407 | Proteomics. <i>Methods in Enzymology</i> , 2005, 402, 245-289.                                                                                                                                                                                          | 0.4  | 36        |
| 408 | Proteomics and the Analysis of Proteomic Data: An Overview of Current Protein $\mu$ Profiling Technologies. <i>Current Protocols in Bioinformatics</i> , 2005, 10, Unit 13.1.                                                                           | 25.8 | 31        |
| 409 | Proteome Analysis of Microdissected Tumor Tissue Using a Capillary Isoelectric Focusing-Based Multidimensional Separation Platform Coupled with ESI-Tandem MS. <i>Analytical Chemistry</i> , 2005, 77, 6549-6556.                                       | 3.2  | 94        |
| 410 | Automated 20 $\mu$ psi RPLC-MS and MS/MS with Chromatographic Peak Capacities of 1000 $\mu$ 1500 and Capabilities in Proteomics and Metabolomics. <i>Analytical Chemistry</i> , 2005, 77, 3090-3100.                                                    | 3.2  | 227       |

| #   | ARTICLE                                                                                                                                                                                                                     | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 411 | Correlation of Relative Abundance Ratios Derived from Peptide Ion Chromatograms and Spectrum Counting for Quantitative Proteomic Analysis Using Stable Isotope Labeling. <i>Analytical Chemistry</i> , 2005, 77, 6218-6224. | 3.2 | 324       |
| 412 | Preparation of 20- $\mu$ m-i.d. Silica-Based Monolithic Columns and Their Performance for Proteomics Analyses. <i>Analytical Chemistry</i> , 2005, 77, 5028-5035.                                                           | 3.2 | 137       |
| 413 | Proteomic Profiling of Human Pleural Effusion Using Two-Dimensional Nano Liquid Chromatography Tandem Mass Spectrometry. <i>Journal of Proteome Research</i> , 2005, 4, 1274-1286.                                          | 1.8 | 72        |
| 414 | Uncovering the Unfoldome: Enriching Cell Extracts for Unstructured Proteins by Acid Treatment. <i>Journal of Proteome Research</i> , 2005, 4, 1610-1618.                                                                    | 1.8 | 71        |
| 417 | Comprehensive Proteomic Analysis of <i>Shigella flexneri</i> 2a Membrane Proteins. <i>Journal of Proteome Research</i> , 2006, 5, 1860-1865.                                                                                | 1.8 | 27        |
| 418 | Label-free Quantitative Proteomics Using Large Peptide Data Sets Generated by Nanoflow Liquid Chromatography and Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1338-1347.                          | 2.5 | 179       |
| 419 | A simplified multidimensional approach for analysis of complex biological samples: on-line LC-CE-MS. <i>Analyst</i> , 2006, 131, 791-798.                                                                                   | 1.7 | 26        |
| 420 | Salt Stress in <i>Desulfovibrio vulgaris</i> Hildenborough: an Integrated Genomics Approach. <i>Journal of Bacteriology</i> , 2006, 188, 4068-4078.                                                                         | 1.0 | 155       |
| 421 | Toward Plasma Proteome Profiling with Ion Mobility-Mass Spectrometry. <i>Journal of Proteome Research</i> , 2006, 5, 2977-2984.                                                                                             | 1.8 | 139       |
| 422 | Alternative workflows for plant proteomic analysis. <i>Molecular BioSystems</i> , 2006, 2, 621.                                                                                                                             | 2.9 | 24        |
| 423 | Proteomics of the Heart. <i>Circulation Research</i> , 2006, 98, 309-321.                                                                                                                                                   | 2.0 | 127       |
| 424 | High-Resolution Field Asymmetric Waveform Ion Mobility Spectrometry Using New Planar Geometry Analyzers. <i>Analytical Chemistry</i> , 2006, 78, 3706-3714.                                                                 | 3.2 | 159       |
| 425 | Evaluation of Multiprotein Immunoaffinity Subtraction for Plasma Proteomics and Candidate Biomarker Discovery Using Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 2167-2174.                       | 2.5 | 197       |
| 426 | OMICS-driven biomarker discovery in nutrition and health. <i>Journal of Biotechnology</i> , 2006, 124, 758-787.                                                                                                             | 1.9 | 268       |
| 427 | Mass Spectrometry-Based Proteomics Combined with Bioinformatic Tools for Bacterial Classification. <i>Journal of Proteome Research</i> , 2006, 5, 76-87.                                                                    | 1.8 | 92        |
| 428 | An Integrated Study of Acute Effects of Valproic Acid in the Liver Using Metabonomics, Proteomics, and Transcriptomics Platforms. <i>OMICS A Journal of Integrative Biology</i> , 2006, 10, 1-14.                           | 1.0 | 49        |
| 429 | Cancer Serum Proteomics in Gastroenterology. <i>Gastroenterology</i> , 2006, 130, 1917-1919.                                                                                                                                | 0.6 | 11        |
| 430 | Protein cleavage strategies for an improved analysis of the membrane proteome. <i>Proteome Science</i> , 2006, 4, 2.                                                                                                        | 0.7 | 87        |



| #   | ARTICLE                                                                                                                                                                                                                                                                 | IF   | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 431 | Analysis of Peptide MS/MS Spectra from Large-Scale Proteomics Experiments Using Spectrum Libraries. <i>Analytical Chemistry</i> , 2006, 78, 5678-5684.                                                                                                                  | 3.2  | 237       |
| 432 | Quantitative Proteomics for Two-Dimensional Gels Using Difference Gel Electrophoresis. , 2007, 367, 219-240.                                                                                                                                                            |      | 34        |
| 433 | Methods for proteomics in neuroscience. <i>Progress in Brain Research</i> , 2006, 158, 41-82.                                                                                                                                                                           | 0.9  | 69        |
| 434 | Efficient and Specific Trypsin Digestion of Microgram to Nanogram Quantities of Proteins in Organic <sup>~</sup> Aqueous Solvent Systems. <i>Analytical Chemistry</i> , 2006, 78, 125-134.                                                                              | 3.2  | 168       |
| 435 | Statistical Analysis of Membrane Proteome Expression Changes in <i>Saccharomyces cerevisiae</i> . <i>Journal of Proteome Research</i> , 2006, 5, 2339-2347.                                                                                                             | 1.8  | 1,042     |
| 436 | Automated Ultra-High-Pressure Multidimensional Protein Identification Technology (UHP-MudPIT) for Improved Peptide Identification of Proteomic Samples. <i>Analytical Chemistry</i> , 2006, 78, 5109-5118.                                                              | 3.2  | 127       |
| 437 | Use of Solution-IEF-Fractionation Leads to Separation of 2673 Mouse Brain Proteins Including 255 Hydrophobic Structures. <i>Journal of Proteome Research</i> , 2006, 5, 1267-1275.                                                                                      | 1.8  | 37        |
| 438 | Dynamic Isoelectric Focusing for Proteomics. <i>Analytical Chemistry</i> , 2006, 78, 6511-6518.                                                                                                                                                                         | 3.2  | 19        |
| 439 | Proteomic Studies of the Intrinsically Unstructured Mammalian Proteome. <i>Journal of Proteome Research</i> , 2006, 5, 2839-2848.                                                                                                                                       | 1.8  | 66        |
| 440 | Mass Defect Labeling of Cysteine for Improving Peptide Assignment in Shotgun Proteomic Analyses. <i>Analytical Chemistry</i> , 2006, 78, 3417-3423.                                                                                                                     | 3.2  | 32        |
| 441 | Proteome Analysis of <i>Myxococcus xanthus</i> by Off-Line Two-Dimensional Chromatographic Separation Using Monolithic Poly-(styrene-divinylbenzene) Columns Combined with Ion-Trap Tandem Mass Spectrometry. <i>Journal of Proteome Research</i> , 2006, 5, 2760-2768. | 1.8  | 72        |
| 442 | Application of Capture <sup>~</sup> Recapture Models to Estimation of Protein Count in MudPIT Experiments. <i>Analytical Chemistry</i> , 2006, 78, 3203-3207.                                                                                                           | 3.2  | 13        |
| 443 | Trade-Off between High Sensitivity and Increased Potential for False Positive Peptide Sequence Matches Using a Two-Dimensional Linear Ion Trap for Tandem Mass Spectrometry-Based Proteomics. <i>Journal of Proteome Research</i> , 2006, 5, 1003-1009.                 | 1.8  | 48        |
| 444 | Proteome Analysis of Human Hair Shaft. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 789-800.                                                                                                                                                                     | 2.5  | 121       |
| 445 | Mechanism-Based Profiling of Enzyme Families. <i>Chemical Reviews</i> , 2006, 106, 3279-3301.                                                                                                                                                                           | 23.0 | 525       |
| 446 | Proteome Analysis of Isolated Perfused Organ Effluent as a Novel Model for Protein Biomarker Discovery. <i>Journal of Proteome Research</i> , 2006, 5, 177-182.                                                                                                         | 1.8  | 23        |
| 447 | Improved Identification of SUMO Attachment Sites Using C-Terminal SUMO Mutants and Tailored Protease Digestion Strategies. <i>Journal of Proteome Research</i> , 2006, 5, 761-770.                                                                                      | 1.8  | 48        |
| 448 | Microwave-assisted Protein Preparation and Enzymatic Digestion in Proteomics. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 769-776.                                                                                                                              | 2.5  | 138       |

| #   | ARTICLE                                                                                                                                                                                                          | IF   | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 449 | Integration of Two-Dimensional LC-MS with Multivariate Statistics for Comparative Analysis of Proteomic Samples. <i>Analytical Chemistry</i> , 2006, 78, 2286-2296.                                              | 3.2  | 27        |
| 450 | Characterization of the Human Salivary Proteome by Capillary Isoelectric Focusing/Nanoreversed-Phase Liquid Chromatography Coupled with ESI-Tandem MS. <i>Journal of Proteome Research</i> , 2006, 5, 1469-1478. | 1.8  | 145       |
| 451 | Analysis of Complex Protein Mixtures with Improved Sequence Coverage Using (CE-MS/MS) <sup>n</sup> . <i>Analytical Chemistry</i> , 2006, 78, 7309-7316.                                                          | 3.2  | 47        |
| 452 | Effect of 2MEGA Labeling on Membrane Proteome Analysis Using LC-ESI QTOF MS. <i>Journal of Proteome Research</i> , 2006, 5, 2567-2576.                                                                           | 1.8  | 23        |
| 453 | Functional Proteomics Reveals the Biochemical Niche of <i>C. elegans</i> DCR-1 in Multiple Small-RNA-Mediated Pathways. <i>Cell</i> , 2006, 124, 343-354.                                                        | 13.5 | 338       |
| 454 | Analysis of the <i>Escherichia coli</i> RNA degradosome composition by a proteomic approach. <i>Biochimie</i> , 2006, 88, 151-161.                                                                               | 1.3  | 73        |
| 455 | Methodology Utilizing MS Signal Intensity and LC Retention Time for Quantitative Analysis and Precursor Ion Selection in Proteomic LC-MALDI Analyses. <i>Analytical Chemistry</i> , 2006, 78, 7986-7996.         | 3.2  | 29        |
| 456 | Integration of Multidimensional Chromatographic Protein Separations with a Combined "Top-Down" and "Bottom-Up" Proteomic Strategy. <i>Journal of Proteome Research</i> , 2006, 5, 135-146.                       | 1.8  | 64        |
| 457 | Constraining G1-Specific Transcription to Late G1 Phase: The MBF-Associated Corepressor Nrm1 Acts via Negative Feedback. <i>Molecular Cell</i> , 2006, 23, 483-496.                                              | 4.5  | 121       |
| 458 | Bioinformatics Tools for Proteomics. , 2006, , 289-307.                                                                                                                                                          |      | 0         |
| 459 | The use of Proteomics in the Study of Metabolic Control. , 0, , 24-59.                                                                                                                                           |      | 1         |
| 460 | Plant Proteomics: Challenges and Resources. , 0, , 1-31.                                                                                                                                                         |      | 2         |
| 461 | Identification of Disease Markers in Human Cerebrospinal Fluid Using Lipidomic and Proteomic Methods. <i>Disease Markers</i> , 2006, 22, 39-64.                                                                  | 0.6  | 103       |
| 468 | Properties of Monolithic Silica Columns for HPLC. <i>Analytical Sciences</i> , 2006, 22, 491-501.                                                                                                                | 0.8  | 80        |
| 470 | Proteomic methods in nutrition. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2006, 9, 575-583.                                                                                              | 1.3  | 38        |
| 471 | Identification and Characterization of DNA-Binding Proteins by Mass Spectrometry. , 2007, 104, 111-195.                                                                                                          |      | 3         |
| 472 | Proteome profile of the MCF7 cancer cell line: a mass spectrometric evaluation. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 3039-3055.                                                          | 0.7  | 32        |
| 473 | Usefulness of an integrated microfluidic device (HPLC-Chip-MS) to enhance confidence in protein identification by proteomics. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 3236-3244.            | 0.7  | 53        |

| #   | ARTICLE                                                                                                                                                                                                                                                                          | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 474 | Array based capillary IEF with a whole column image of laser-induced fluorescence in coupling to capillary RPLC as a comprehensive 2-D separation system for proteome analysis. <i>Proteomics</i> , 2006, 6, 420-426.                                                            | 1.3 | 17        |
| 475 | Identification of new Golgi complex specific proteins by direct organelle proteomic analysis. <i>Proteomics</i> , 2006, 6, 3502-3508.                                                                                                                                            | 1.3 | 35        |
| 476 | Proteomic analysis of the eukaryotic parasite <i>Encephalitozoon cuniculi</i> (microsporidia): a reference map for proteins expressed in late sporogonial stages. <i>Proteomics</i> , 2006, 6, 3625-3635.                                                                        | 1.3 | 47        |
| 477 | Selective isolation of multiple positively charged peptides for 2-DE-free quantitative proteomics. <i>Proteomics</i> , 2006, 6, 4444-4455.                                                                                                                                       | 1.3 | 18        |
| 478 | A general precursor ion-like scanning mode on quadrupole-TOF instruments compatible with chromatographic separation. <i>Proteomics</i> , 2006, 6, 41-53.                                                                                                                         | 1.3 | 32        |
| 479 | Phosphoproteomics strategies for the functional analysis of signal transduction. <i>Proteomics</i> , 2006, 6, 4047-4056.                                                                                                                                                         | 1.3 | 124       |
| 480 | Protein probabilities in shotgun proteomics: Evaluating different estimation methods using a semi-random sampling model. <i>Proteomics</i> , 2006, 6, 6134-6145.                                                                                                                 | 1.3 | 13        |
| 481 | Towards second-generation proteome analysis of murine enamel-forming cells. <i>European Journal of Oral Sciences</i> , 2006, 114, 259-265.                                                                                                                                       | 0.7 | 12        |
| 482 | Proteasome recruitment and activation of the Uch37 deubiquitinating enzyme by Adrm1. <i>Nature Cell Biology</i> , 2006, 8, 994-1002.                                                                                                                                             | 4.6 | 282       |
| 483 | Regulation of the Raf-MEK-ERK pathway by protein phosphatase 5. <i>Nature Cell Biology</i> , 2006, 8, 1011-1016.                                                                                                                                                                 | 4.6 | 137       |
| 484 | Proteomics for the early detection and treatment of hepatocellular carcinoma. <i>Oncogene</i> , 2006, 25, 3810-3817.                                                                                                                                                             | 2.6 | 69        |
| 485 | Improvements in protein identification confidence and proteome coverage for human liver proteome study by coupling a parallel mass spectrometry/mass spectrometry analysis with multi-dimensional chromatography separation. <i>Analytica Chimica Acta</i> , 2006, 566, 147-156. | 2.6 | 11        |
| 486 | Fast, high-efficiency peptide separations on a 50- $\mu$ m reversed-phase silica monolith in a nanoLC-MS set-up. <i>Journal of Chromatography A</i> , 2006, 1120, 165-172.                                                                                                       | 1.8 | 31        |
| 487 | Comparison of different separation technologies for proteome analyses: Isoform resolution as a prerequisite for the definition of protein biomarkers on the level of posttranslational modifications. <i>Journal of Chromatography A</i> , 2006, 1123, 170-181.                  | 1.8 | 17        |
| 488 | Development of an online two-dimensional nano-scale liquid chromatography/mass spectrometry method for improved chromatographic performance and hydrophobic peptide recovery. <i>Journal of Chromatography A</i> , 2006, 1135, 43-51.                                            | 1.8 | 44        |
| 489 | Capillary scale monolithic trap column for desalting and preconcentration of peptides and proteins in one- and two-dimensional separations. <i>Journal of Chromatography A</i> , 2006, 1136, 210-220.                                                                            | 1.8 | 40        |
| 490 | Rapid protein digestion and identification using monolithic enzymatic microreactor coupled with nano-liquid chromatography-electrospray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1106, 165-174.                                                  | 1.8 | 77        |
| 491 | Simultaneous determination of active ingredients in an ophthalmic solution by isocratic tandem-mode HPLC connected reverse phase column and strong cation exchange column. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006, 40, 331-337.                         | 1.4 | 11        |

| #   | ARTICLE                                                                                                                                                                                                                       | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 492 | Sub part-per-million mass accuracy by using stepwise-external calibration in fourier transform ion cyclotron resonance mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2006, 17, 1681-1691. | 1.2 | 30        |
| 493 | Miniaturized separation techniques in glycomic investigations. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006, 841, 65-78.                                            | 1.2 | 68        |
| 494 | Microfluidic Liquid Chromatography System for Proteomic Applications and Biomarker Screening. <i>Analytical Chemistry</i> , 2006, 78, 5513-5524.                                                                              | 3.2 | 120       |
| 495 | Proteomic technology for biomarker profiling in cancer: an update. <i>Journal of Zhejiang University: Science B</i> , 2006, 7, 411-420.                                                                                       | 1.3 | 42        |
| 496 | Mass Spectrometry-Based Study of the Plasma Proteome in a Mouse Intestinal Tumor Model. <i>Journal of Proteome Research</i> , 2006, 5, 1866-1878.                                                                             | 1.8 | 35        |
| 497 | On the way to understand biological complexity in plants: S-nutrition as a case study for systems biology. <i>Cellular and Molecular Biology Letters</i> , 2006, 11, 37-56.                                                   | 2.7 | 14        |
| 498 | Non-invasive cancer detection: Strategies for the identification of novel cancer markers. <i>IUBMB Life</i> , 2006, 58, 193-198.                                                                                              | 1.5 | 9         |
| 499 | Developments in mass spectrometry for the analysis of complex protein mixtures. <i>Briefings in Functional Genomics &amp; Proteomics</i> , 2006, 5, 98-111.                                                                   | 3.8 | 13        |
| 500 | Subcellular proteomics reveals neuromelanin granules to be a lysosome-related organelle. <i>Journal of Neural Transmission</i> , 2006, 113, 741-749.                                                                          | 1.4 | 42        |
| 501 | Proteomics in neurodegeneration – disease driven approaches. <i>Journal of Neural Transmission</i> , 2006, 113, 1055-1073.                                                                                                    | 1.4 | 31        |
| 502 | Proteomics of the human brain: sub-proteomes might hold the key to handle brain complexity. <i>Journal of Neural Transmission</i> , 2006, 113, 1041-1054.                                                                     | 1.4 | 27        |
| 503 | Eye lens proteomics. <i>Amino Acids</i> , 2006, 30, 369-389.                                                                                                                                                                  | 1.2 | 60        |
| 504 | Comprehensive two-dimensional liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 405-415.                                                                                                      | 1.9 | 68        |
| 505 | Advances in the analysis of dynamic protein complexes by proteomics and data processing. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 482-493.                                                                  | 1.9 | 10        |
| 506 | Milk allergens, their characteristics and their detection in food: A review. <i>European Food Research and Technology</i> , 2006, 223, 149-179.                                                                               | 1.6 | 195       |
| 507 | On-line parallel reversed phase two-dimensional liquid chromatography for high-throughput analysis of complex proteomic samples. <i>Science in China Series B: Chemistry</i> , 2006, 49, 527-533.                             | 0.8 | 2         |
| 508 | ICAT-based comparative proteomic analysis of non-replicating persistent <i>Mycobacterium tuberculosis</i> . <i>Tuberculosis</i> , 2006, 86, 445-460.                                                                          | 0.8 | 52        |
| 509 | Recent developments in capillary electrophoresis and capillary electrochromatography of peptides. <i>Electrophoresis</i> , 2006, 27, 142-175.                                                                                 | 1.3 | 147       |

| #   | ARTICLE                                                                                                                                                                                                                                                           | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 510 | The human heart proteome: Two-dimensional maps using narrow-range immobilised pH gradients. <i>Electrophoresis</i> , 2006, 27, 1547-1555.                                                                                                                         | 1.3 | 50        |
| 511 | Selective enrichment and ultrasensitive identification of trace peptides in proteome analysis using transient capillary isotachopheresis/zone electrophoresis coupled with nano-ESI-MS. <i>Electrophoresis</i> , 2006, 27, 3599-3608.                             | 1.3 | 48        |
| 512 | Capillary separations enabling tissue proteomics-based biomarker discovery. <i>Electrophoresis</i> , 2006, 27, 3523-3532.                                                                                                                                         | 1.3 | 28        |
| 513 | Capillary electrophoresis-based separation techniques for the analysis of proteins. <i>Electrophoresis</i> , 2006, 27, 3503-3522.                                                                                                                                 | 1.3 | 72        |
| 514 | Stable isotope-free quantitative shotgun proteomics combined with sample pattern recognition for rapid diagnostics. <i>Journal of Separation Science</i> , 2006, 29, 2793-2801.                                                                                   | 1.3 | 48        |
| 515 | The role of mass spectrometry in plant systems biology. <i>Mass Spectrometry Reviews</i> , 2006, 25, 173-214.                                                                                                                                                     | 2.8 | 140       |
| 516 | Bacterial Protein Biomarker Discovery: A Focused Approach to Developing Molecular-Based Identification Systems. , 2006, , 203-227.                                                                                                                                |     | 1         |
| 517 | MudPIT (Multidimensional Protein Identification Technology) for Identification of Post-Translational Protein Modifications in Complex Biological Mixtures. , 2006, , 233-252.                                                                                     |     | 2         |
| 518 | Target Discovery and Validation in Pancreatic Cancer. , 2007, 360, 57-90.                                                                                                                                                                                         |     | 2         |
| 519 | A Quantitative Analysis of Arabidopsis Plasma Membrane Using Trypsin-catalyzed <sup>18</sup> O Labeling. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1382-1395.                                                                                           | 2.5 | 90        |
| 520 | The Role of Mass Spectrometry in Biomarker Discovery and Measurement. <i>Current Drug Metabolism</i> , 2006, 7, 525-539.                                                                                                                                          | 0.7 | 74        |
| 521 | Alterations in oxidative phosphorylation complex proteins in the hearts of transgenic mice that overexpress the p38 MAP kinase activator, MAP kinase kinase 6. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H2462-H2472. | 1.5 | 28        |
| 522 | Platelet Proteomics: Essentials for Understanding and Application. <i>Transfusion Medicine and Hemotherapy</i> , 2006, 33, 227-235.                                                                                                                               | 0.7 | 3         |
| 523 | Advances and Challenges in Liquid Chromatography-Mass Spectrometry-based Proteomics Profiling for Clinical Applications. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1727-1744.                                                                           | 2.5 | 309       |
| 525 | Identification of novel chondroitin proteoglycans in <i>Caenorhabditis elegans</i> : embryonic cell division depends on CPG-1 and CPG-2. <i>Journal of Cell Biology</i> , 2006, 173, 985-994.                                                                     | 2.3 | 109       |
| 526 | Mass Spectrometric Analyses of Purified Rhesus Monkey Rhadinovirus Reveal 33 Virion-Associated Proteins. <i>Journal of Virology</i> , 2006, 80, 1574-1583.                                                                                                        | 1.5 | 64        |
| 527 | Gel-free and Gel-based Proteomics in <i>Bacillus subtilis</i> . <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1183-1192.                                                                                                                                    | 2.5 | 83        |
| 528 | Extent of Modifications in Human Proteome Samples and Their Effect on Dynamic Range of Analysis in Shotgun Proteomics. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 2384-2391.                                                                             | 2.5 | 93        |

| #   | ARTICLE                                                                                                                                                                                                                                               | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 529 | Guilt by Association. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1865-1875.                                                                                                                                                                  | 2.5 | 27        |
| 531 | Proteomic identification of oncogenic chromosomal translocation partners encoding chimeric anaplastic lymphoma kinase fusion proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 7402-7407. | 3.3 | 37        |
| 532 | Octadecylated Silica Monolith Capillary Column with Integrated Nanoelectrospray Ionization Emitter for Highly Efficient Proteome Analysis. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 454-461.                                               | 2.5 | 78        |
| 533 | The proteomics of plant cell membranes. <i>Journal of Experimental Botany</i> , 2006, 58, 103-112.                                                                                                                                                    | 2.4 | 54        |
| 534 | Shotgun proteomics of cyanobacteria—applications of experimental and data-mining techniques. <i>Briefings in Functional Genomics</i> , 2006, 5, 121-132.                                                                                              | 1.3 | 34        |
| 535 | The use of proteomic techniques to explore the holistic effects of nutrients in vivo. <i>Nutrition Research Reviews</i> , 2006, 19, 284-293.                                                                                                          | 2.1 | 16        |
| 536 | The <i>Tetrahymena thermophila</i> Phagosome Proteome. <i>Eukaryotic Cell</i> , 2006, 5, 1990-2000.                                                                                                                                                   | 3.4 | 65        |
| 537 | HPLC techniques for proteomics analysis—a short overview of latest developments. <i>Briefings in Functional Genomics &amp; Proteomics</i> , 2006, 5, 249-260.                                                                                         | 3.8 | 65        |
| 538 | Association of <i>Catsper1</i> or <i>-2</i> with <i>Cav3.3</i> Leads to Suppression of T-type Calcium Channel Activity. <i>Journal of Biological Chemistry</i> , 2006, 281, 22332-22341.                                                              | 1.6 | 14        |
| 539 | Efficient Fractionation and Improved Protein Identification by Peptide OFFGEL Electrophoresis. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1968-1974.                                                                                         | 2.5 | 201       |
| 540 | Neuroproteomics of the Synapse and Drug Addiction. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 318, 461-468.                                                                                                                 | 1.3 | 42        |
| 541 | Proteomic Tools for Analysis of Cellular Dynamics. , 0, , 63-166.                                                                                                                                                                                     |     | 0         |
| 542 | Identification and Characterization of a <i>Schizosaccharomyces pombe</i> RNA Polymerase II Elongation Factor with Similarity to the Metazoan Transcription Factor ELL. <i>Journal of Biological Chemistry</i> , 2007, 282, 5761-5769.                | 1.6 | 25        |
| 544 | Breast cancer proteomics: clinical perspectives. <i>Expert Opinion on Biological Therapy</i> , 2007, 7, 209-219.                                                                                                                                      | 1.4 | 8         |
| 545 | A Metal-coded Affinity Tag Approach to Quantitative Proteomics. <i>Molecular and Cellular Proteomics</i> , 2007, 6, 1907-1916.                                                                                                                        | 2.5 | 149       |
| 546 | OMICS-Derived Targets for Inflammatory Gut Disorders: Opportunities for the Development of Nutrition Related Biomarkers. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2007, 7, 271-287.                                          | 0.6 | 26        |
| 547 | Can large-scale analysis of the proteome identify effective new markers for embryonic stem cells?. <i>Regenerative Medicine</i> , 2007, 2, 465-469.                                                                                                   | 0.8 | 5         |
| 548 | Mass spectrometry-based tissue proteomics for cancer biomarker discovery. <i>Personalized Medicine</i> , 2007, 4, 45-58.                                                                                                                              | 0.8 | 5         |

| #   | ARTICLE                                                                                                                                                                                                         | IF   | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 549 | Proteome Analysis of Microdissected Formalin-fixed and Paraffin-embedded Tissue Specimens. <i>Journal of Histochemistry and Cytochemistry</i> , 2007, 55, 763-772.                                              | 1.3  | 134       |
| 550 | Computational methods for the comparative quantification of proteins in label-free LCn-MS experiments. <i>Briefings in Bioinformatics</i> , 2007, 9, 156-165.                                                   | 3.2  | 68        |
| 552 | Identification of Histidine Phosphorylations in Proteins Using Mass Spectrometry and Affinity-Based Techniques. <i>Methods in Enzymology</i> , 2007, 423, 549-572.                                              | 0.4  | 14        |
| 553 | Chapter 77 Experimental Studies of Dislocation Core Defects. <i>Dislocations in Solids</i> , 2007, , 419-452.                                                                                                   | 1.6  | 5         |
| 554 | The Implications of Proteolytic Background for Shotgun Proteomics. <i>Molecular and Cellular Proteomics</i> , 2007, 6, 1589-1598.                                                                               | 2.5  | 171       |
| 555 | Current trends in computational inference from mass spectrometry-based proteomics. <i>Briefings in Bioinformatics</i> , 2007, 8, 304-317.                                                                       | 3.2  | 34        |
| 556 | Proteomics analysis of the developing fish oocyte. , 2007, , 99-111.                                                                                                                                            |      | 5         |
| 557 | How to comprehensively analyse proteins and how this influences nutritional research. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 288-300.                                                    | 1.4  | 9         |
| 558 | Liver heparan sulfate proteoglycans mediate clearance of triglyceride-rich lipoproteins independently of LDL receptor family members. <i>Journal of Clinical Investigation</i> , 2007, 117, 153-164.            | 3.9  | 177       |
| 559 | Proteomics Analysis and Protein Expression during Sporozoite Excystation of <i>Cryptosporidium parvum</i> (Coccidia, Apicomplexa). <i>Molecular and Cellular Proteomics</i> , 2007, 6, 346-355.                 | 2.5  | 68        |
| 560 | Integrated proteomic and transcriptomic profiling of mouse lung development and Nmyc target genes. <i>Molecular Systems Biology</i> , 2007, 3, 109.                                                             | 3.2  | 64        |
| 561 | Genomics and Proteomics of Foodborne Microorganisms. , 2007, , 935-951.                                                                                                                                         |      | 2         |
| 562 | Proteins and Peptides: Structure Determination. , 0, , 287-342.                                                                                                                                                 |      | 0         |
| 564 | Application of proteomic technology to neural stem cell science and neurology. <i>Future Neurology</i> , 2007, 2, 285-296.                                                                                      | 0.9  | 0         |
| 565 | Chromatography-Based Separation of Proteins, Peptides, and Amino Acids. , 0, , 585-610.                                                                                                                         |      | 1         |
| 566 | High-Speed Data Reduction, Feature Detection, and MS/MS Spectrum Quality Assessment of Shotgun Proteomics Data Sets Using High-Resolution Mass Spectrometry. <i>Analytical Chemistry</i> , 2007, 79, 5620-5632. | 3.2  | 154       |
| 567 | Methods, applications and concepts of metabolite profiling: Secondary metabolism. , 2007, 97, 195-212.                                                                                                          |      | 7         |
| 568 | Multidimensional Separations-Based Shotgun Proteomics. <i>Chemical Reviews</i> , 2007, 107, 3654-3686.                                                                                                          | 23.0 | 203       |

| #   | ARTICLE                                                                                                                                                                                                                            | IF   | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 569 | Peptide Characterization and Application Protocols. <i>Methods in Molecular Biology</i> , 2007, , .                                                                                                                                | 0.4  | 0         |
| 572 | Identification of Proteins Based on MS/MS Spectra and Location of Posttranslational Modifications. <i>Methods in Molecular Biology</i> , 2007, 386, 57-77.                                                                         | 0.4  | 2         |
| 573 | Membrane Proteome Analysis of Microdissected Ovarian Tumor Tissues Using Capillary Isoelectric Focusing/Reversed-Phase Liquid Chromatography~Tandem MS. <i>Analytical Chemistry</i> , 2007, 79, 1002-1009.                         | 3.2  | 55        |
| 574 | The Low Molecular Weight Proteome of <i>Halobacterium salinarum</i> . <i>Journal of Proteome Research</i> , 2007, 6, 1510-1518.                                                                                                    | 1.8  | 63        |
| 576 | Recent advances in protein profiling of tissues and tissue fluids. <i>Expert Review of Proteomics</i> , 2007, 4, 515-529.                                                                                                          | 1.3  | 15        |
| 577 | Comparison of Electrokinetics-Based Multidimensional Separations Coupled with Electrospray Ionization-Tandem Mass Spectrometry for Characterization of Human Salivary Proteins. <i>Analytical Chemistry</i> , 2007, 79, 5785-5792. | 3.2  | 68        |
| 578 | Polymer Monoliths with Low Hydrophobicity for Strong Cation-Exchange Capillary Liquid Chromatography of Peptides and Proteins. <i>Analytical Chemistry</i> , 2007, 79, 5848-5855.                                                  | 3.2  | 58        |
| 579 | Utility of CE~MS Data in Protein Identification. <i>Analytical Chemistry</i> , 2007, 79, 3850-3855.                                                                                                                                | 3.2  | 23        |
| 580 | Capillary Trap Column with Strong Cation-Exchange Monolith for Automated Shotgun Proteome Analysis. <i>Analytical Chemistry</i> , 2007, 79, 6599-6606.                                                                             | 3.2  | 113       |
| 581 | Anion and Cation Mixed-Bed Ion Exchange for Enhanced Multidimensional Separations of Peptides and Phosphopeptides. <i>Analytical Chemistry</i> , 2007, 79, 3623-3634.                                                              | 3.2  | 156       |
| 582 | Examining the Proteome of <i>Drosophila</i> Across Organism Lifespan. <i>Journal of Proteome Research</i> , 2007, 6, 3637-3647.                                                                                                    | 1.8  | 30        |
| 583 | Two-Dimensional Reversed-Phase ~ Ion-Pair Reversed-Phase HPLC:~ An Alternative Approach to High-Resolution Peptide Separation for Shotgun Proteome Analysis. <i>Journal of Proteome Research</i> , 2007, 6, 4363-4373.             | 1.8  | 121       |
| 584 | Probability Model for Assessing Proteins Assembled from Peptide Sequences Inferred from Tandem Mass Spectrometry Data. <i>Analytical Chemistry</i> , 2007, 79, 3901-3911.                                                          | 3.2  | 58        |
| 585 | Probing Adenosine Nucleotide-Binding Proteins with an Affinity-Labeled Nucleotide Probe and Mass Spectrometry. <i>Analytical Chemistry</i> , 2007, 79, 5547-5556.                                                                  | 3.2  | 29        |
| 586 | Proteomics of Integral Membrane Proteins Theory and Application. <i>Chemical Reviews</i> , 2007, 107, 3687-3714.                                                                                                                   | 23.0 | 299       |
| 587 | Top-Down Proteomics on a Chromatographic Time Scale Using Linear Ion Trap Fourier Transform Hybrid Mass Spectrometers. <i>Analytical Chemistry</i> , 2007, 79, 7984-7991.                                                          | 3.2  | 116       |
| 588 | Integration of <sup>18</sup> O Labeling and Solution Isoelectric Focusing in a Shotgun Analysis of Mitochondrial Proteins. <i>Journal of Proteome Research</i> , 2007, 6, 4601-4607.                                               | 1.8  | 24        |
| 589 | Formation of Stable Stacking Zones in a Flow Stream for Sample Immobilization in Microfluidic Systems. <i>Analytical Chemistry</i> , 2007, 79, 1057-1063.                                                                          | 3.2  | 13        |



| #   | ARTICLE                                                                                                                                                                                                       | IF   | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 590 | Cancer proteomics by quantitative shotgun proteomics. <i>Molecular Oncology</i> , 2007, 1, 144-159.                                                                                                           | 2.1  | 70        |
| 591 | Proteomic technologies in the study of kinases: Novel tools for the investigation of PKC in the heart. <i>Pharmacological Research</i> , 2007, 55, 511-522.                                                   | 3.1  | 31        |
| 592 | Concise Review: Trends in Stem Cell Proteomics. <i>Stem Cells</i> , 2007, 25, 1888-1903.                                                                                                                      | 1.4  | 82        |
| 593 | SDS-PAGE under Focusing Conditions: An Electrokinetic Transport Phenomenon Based on Charge Neutralization. <i>Analytical Chemistry</i> , 2007, 79, 821-827.                                                   | 3.2  | 23        |
| 594 | Accurate Mass Measurements in Proteomics. <i>Chemical Reviews</i> , 2007, 107, 3621-3653.                                                                                                                     | 23.0 | 102       |
| 595 | Methodology and Applications of Disease Biomarker Identification in Human Serum. <i>Biomarker Insights</i> , 2007, 2, 117727190700200.                                                                        | 1.0  | 65        |
| 596 | Systems Level Modeling of the Cell Cycle Using Budding Yeast. <i>Cancer Informatics</i> , 2007, 3, 117693510700300.                                                                                           | 0.9  | 6         |
| 597 | Pulmonary Biomarkers Based on Alterations in Protein Expression after Exposure to Arsenic. <i>Environmental Health Perspectives</i> , 2007, 115, 586-591.                                                     | 2.8  | 58        |
| 598 | Toxicogenomics and Systems Toxicology. , 0, , 99-150.                                                                                                                                                         |      | 0         |
| 601 | Toxicogenomics: a pivotal piece in the puzzle of toxicological research. <i>Journal of Applied Toxicology</i> , 2007, 27, 302-309.                                                                            | 1.4  | 101       |
| 602 | Functional proteomics in <i>Ciona intestinalis</i> : A breakthrough in the exploration of the molecular and cellular mechanism of ascidian development. <i>Developmental Dynamics</i> , 2007, 236, 1782-1789. | 0.8  | 15        |
| 603 | Histochemical staining and quantification of dihydrolipoamide dehydrogenase diaphorase activity using blue native PAGE. <i>Electrophoresis</i> , 2007, 28, 1036-1045.                                         | 1.3  | 63        |
| 604 | Chip-LC-MS for label-free profiling of human serum. <i>Electrophoresis</i> , 2007, 28, 4493-4505.                                                                                                             | 1.3  | 31        |
| 605 | Autofocusing and ESI-MS analysis of protein digests in a miniaturized multicompartiment electrolyzer. <i>Electrophoresis</i> , 2007, 28, 2283-2290.                                                           | 1.3  | 14        |
| 606 | Shotgun proteomic analysis of <i>Arabidopsis thaliana</i> leaves. <i>Journal of Separation Science</i> , 2007, 30, 2225-2230.                                                                                 | 1.3  | 31        |
| 607 | Comprehensive analysis of proteins of pH fractionated samples using monolithic LC/MS/MS, intact MW measurement and MALDI-QIT-TOF MS. <i>Journal of Mass Spectrometry</i> , 2007, 42, 312-334.                 | 0.7  | 9         |
| 608 | Advances in chromatographic techniques and methods in shotgun proteome analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2007, 26, 80-84.                                                              | 5.8  | 47        |
| 609 | Interactions of rotor subunits in the chloroplast ATP synthase modulated by nucleotides and by Mg <sup>2+</sup> . <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2007, 1774, 566-574.       | 1.1  | 10        |

| #   | ARTICLE                                                                                                                                                                                                                                                                                 | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 610 | A study of retention and overloading of basic compounds with mixed-mode reversed-phase/cation-exchange columns in high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2007, 1138, 65-72.                                                                       | 1.8 | 68        |
| 611 | Multidimensional capillary array liquid chromatography and matrix-assisted laser desorption/ionization tandem mass spectrometry for high-throughput proteomic analysis. <i>Journal of Chromatography A</i> , 2007, 1139, 191-198.                                                       | 1.8 | 35        |
| 612 | Use of multidimensional separation protocols for the purification of trace components in complex biological samples for proteomics analysis. <i>Journal of Chromatography A</i> , 2007, 1168, 190-210.                                                                                  | 1.8 | 54        |
| 613 | Fast, comprehensive two-dimensional liquid chromatography. <i>Journal of Chromatography A</i> , 2007, 1168, 3-43.                                                                                                                                                                       | 1.8 | 363       |
| 614 | Automated injection of uncleaned samples using a ten-port switching valve and a strong cation-exchange trap column for proteome analysis. <i>Journal of Chromatography A</i> , 2007, 1171, 56-62.                                                                                       | 1.8 | 21        |
| 615 | High peak capacity separations of peptides in reversed-phase gradient elution liquid chromatography on columns packed with porous shell particles. <i>Journal of Chromatography A</i> , 2007, 1176, 206-216.                                                                            | 1.8 | 45        |
| 616 | Protein identification by syringe pump-driven reversed-phase LC-MS/MS. <i>Analytical Biochemistry</i> , 2007, 368, 123-129.                                                                                                                                                             | 1.1 | 5         |
| 617 | Advances in hyphenated analytical techniques for shotgun proteome and peptidome analysis—A review. <i>Analytica Chimica Acta</i> , 2007, 598, 193-204.                                                                                                                                  | 2.6 | 54        |
| 618 | Monolithic column plastic microfluidic device for peptide analysis using electrospray from a channel opening on the edge of the device. <i>International Journal of Mass Spectrometry</i> , 2007, 259, 65-72.                                                                           | 0.7 | 50        |
| 619 | Solid phase extraction-liquid chromatography (SPE-LC) interface for automated peptide separation and identification by tandem mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2007, 268, 147-157.                                                                | 0.7 | 12        |
| 620 | Sub parts-per-million mass measurement accuracy of intact proteins and product ions achieved using a dual electrospray ionization quadrupole fourier transform ion cyclotron resonance mass spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , 2007, 18, 1-7. | 1.2 | 18        |
| 621 | Ion mobility spectrometry—mass spectrometry performance using electrodynamic ion funnels and elevated drift gas pressures. <i>Journal of the American Society for Mass Spectrometry</i> , 2007, 18, 1176-1187.                                                                          | 1.2 | 128       |
| 622 | Mapping the human plasma proteome by SCX-LC-IMS-MS. <i>Journal of the American Society for Mass Spectrometry</i> , 2007, 18, 1249-1264.                                                                                                                                                 | 1.2 | 171       |
| 623 | Evaluation of the influence of amino acid composition on the propensity for collision-induced dissociation of model peptides using molecular dynamics simulations. <i>Journal of the American Society for Mass Spectrometry</i> , 2007, 18, 1625-1637.                                  | 1.2 | 10        |
| 624 | Towards the entire proteome of the model bacterium <i>Bacillus subtilis</i> by gel-based and gel-free approaches. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 849, 129-140.                                                 | 1.2 | 57        |
| 625 | Chemical proteomics for drug discovery based on compound-immobilized affinity chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 855, 21-27.                                                                       | 1.2 | 38        |
| 626 | Proteomics in human cancer research. <i>Proteomics - Clinical Applications</i> , 2007, 1, 4-17.                                                                                                                                                                                         | 0.8 | 25        |
| 627 | Proteomics analysis of serous fluids and effusions: Pleural, pericardial, and peritoneal. <i>Proteomics - Clinical Applications</i> , 2007, 1, 834-844.                                                                                                                                 | 0.8 | 11        |

| #   | ARTICLE                                                                                                                                                                                 | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 628 | A better understanding of molecular mechanisms underlying human disease. <i>Proteomics - Clinical Applications</i> , 2007, 1, 983-1003.                                                 | 0.8 | 18        |
| 629 | Exploring the proteome of meningococcal outer membrane vesicle vaccines. <i>Proteomics - Clinical Applications</i> , 2007, 1, 1198-1210.                                                | 0.8 | 16        |
| 630 | The significance of organellar proteomics for the nervous system. <i>Proteomics - Clinical Applications</i> , 2007, 1, 1436-1445.                                                       | 0.8 | 2         |
| 631 | Analysis of human liver proteome using replicate shotgun strategy. <i>Proteomics</i> , 2007, 7, 2479-2488.                                                                              | 1.3 | 43        |
| 632 | Automation of nanoflow liquid chromatography-tandem mass spectrometry for proteome analysis by using a strong cation exchange trap column. <i>Proteomics</i> , 2007, 7, 528-539.        | 1.3 | 38        |
| 633 | Comprehensive yeast proteome analysis using a capillary isoelectric focusing-based multidimensional separation platform coupled with ESI-MS/MS. <i>Proteomics</i> , 2007, 7, 1178-1187. | 1.3 | 36        |
| 634 | A combined dataset of human cerebrospinal fluid proteins identified by multi-dimensional chromatography and tandem mass spectrometry. <i>Proteomics</i> , 2007, 7, 469-473.             | 1.3 | 111       |
| 635 | A multivariate analysis approach to the integration of proteomic and gene expression data. <i>Proteomics</i> , 2007, 7, 2162-2171.                                                      | 1.3 | 70        |
| 636 | Methods, algorithms and tools in computational proteomics: A practical point of view. <i>Proteomics</i> , 2007, 7, 2815-2832.                                                           | 1.3 | 91        |
| 637 | Mammalian plasma membrane proteomics. <i>Proteomics</i> , 2007, 7, 3010-3029.                                                                                                           | 1.3 | 116       |
| 638 | Subcellular shotgun proteomics in plants: Looking beyond the usual suspects. <i>Proteomics</i> , 2007, 7, 2963-2975.                                                                    | 1.3 | 64        |
| 639 | Combination of peptide OFFGEL fractionation and label-free quantitation facilitated proteomics profiling of extraocular muscle. <i>Proteomics</i> , 2007, 7, 3404-3416.                 | 1.3 | 42        |
| 640 | Tandem mass spectrometry for the detection of plant pathogenic fungi and the effects of database composition on protein inferences. <i>Proteomics</i> , 2007, 7, 3932-3942.             | 1.3 | 22        |
| 641 | Direct cancer tissue proteomics: a method to identify candidate cancer biomarkers from formalin-fixed paraffin-embedded archival tissues. <i>Oncogene</i> , 2007, 26, 65-76.            | 2.6 | 129       |
| 642 | Use of proteomics for the identification of novel drug targets in brain diseases. <i>Journal of Neurochemistry</i> , 2007, 102, 306-315.                                                | 2.1 | 15        |
| 643 | msmsEval: tandem mass spectral quality assignment for high-throughput proteomics. <i>BMC Bioinformatics</i> , 2007, 8, 51.                                                              | 1.2 | 41        |
| 644 | Multidimensional Chromatography: a Powerful Tool for the Analysis of Membrane Proteins in Mouse Brain. <i>Journal of Proteome Research</i> , 2007, 6, 105-113.                          | 1.8 | 37        |
| 645 | Comparison of High-Temperature Gradient Heart-Cutting and Comprehensive LC-ÄLC Systems for the Separation of Phenolic Antioxidants. <i>Chromatographia</i> , 2007, 66, 661-667.         | 0.7 | 33        |

| #   | ARTICLE                                                                                                                                                                                                                                                                                                                                                         | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 646 | Identification of human hepatocellular carcinoma-related proteins by proteomic approaches. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 637-643.                                                                                                                                                                                                  | 1.9 | 24        |
| 647 | Key clinical issues in renal cancer: a challenge for proteomics. <i>World Journal of Urology</i> , 2007, 25, 537-556.                                                                                                                                                                                                                                           | 1.2 | 25        |
| 648 | Identification of (1-6-arene)ruthenium(II) protein binding sites in <i>E. coli</i> cells by combined multidimensional liquid chromatography and ESI tandem mass spectrometry: specific binding of [(1-6-p-cymene)RuCl <sub>2</sub> (DMSO)] to stress-regulated proteins and to helicases. <i>Journal of Biological Inorganic Chemistry</i> , 2007, 12, 883-894. | 1.1 | 44        |
| 649 | Approaches for systematic proteome exploration. <i>New Biotechnology</i> , 2007, 24, 155-168.                                                                                                                                                                                                                                                                   | 2.7 | 24        |
| 650 | Characterisation of cisplatin coordination sites in cellular <i>Escherichia coli</i> DNA-binding proteins by combined biphasic liquid chromatography and ESI tandem mass spectrometry. <i>Journal of Biological Inorganic Chemistry</i> , 2008, 13, 421-434.                                                                                                    | 1.1 | 59        |
| 651 | Neuroproteomics as a promising tool in Parkinson's disease research. <i>Journal of Neural Transmission</i> , 2008, 115, 1413-1430.                                                                                                                                                                                                                              | 1.4 | 26        |
| 652 | Comparative LC-MS: A landscape of peaks and valleys. <i>Proteomics</i> , 2008, 8, 731-749.                                                                                                                                                                                                                                                                      | 1.3 | 171       |
| 653 | Large-scale phosphoproteome analysis of human liver tissue by enrichment and fractionation of phosphopeptides with strong anion exchange chromatography. <i>Proteomics</i> , 2008, 8, 1346-1361.                                                                                                                                                                | 1.3 | 192       |
| 654 | Comprehensive proteome analysis of <i>Mycobacterium ulcerans</i> and quantitative comparison of mycolactone biosynthesis. <i>Proteomics</i> , 2008, 8, 3124-3138.                                                                                                                                                                                               | 1.3 | 26        |
| 655 | Plasma membrane proteome in <i>Arabidopsis</i> and rice. <i>Proteomics</i> , 2008, 8, 4137-4145.                                                                                                                                                                                                                                                                | 1.3 | 45        |
| 656 | Comprehensive proteomics of <i>Methylobacterium extorquens</i> AM1 metabolism under single carbon and nonmethylotrophic conditions. <i>Proteomics</i> , 2008, 8, 3494-3505.                                                                                                                                                                                     | 1.3 | 62        |
| 657 | Chromatographic benefits of elevated temperature for the proteomic analysis of membrane proteins. <i>Proteomics</i> , 2008, 8, 3956-3964.                                                                                                                                                                                                                       | 1.3 | 20        |
| 658 | From complementarity to comprehensiveness – targeting the membrane proteome of growing <i>Bacillus subtilis</i> by divergent approaches. <i>Proteomics</i> , 2008, 8, 4123-4136.                                                                                                                                                                                | 1.3 | 46        |
| 659 | Bacterial membrane proteomics. <i>Proteomics</i> , 2008, 8, 4100-4122.                                                                                                                                                                                                                                                                                          | 1.3 | 92        |
| 660 | Gel-based proteomics of Gram-positive bacteria: A powerful tool to address physiological questions. <i>Proteomics</i> , 2008, 8, 4958-4975.                                                                                                                                                                                                                     | 1.3 | 54        |
| 661 | Peptide separation with immobilized pI strips is an attractive alternative to in-gel protein digestion for proteome analysis. <i>Proteomics</i> , 2008, 8, 4862-4872.                                                                                                                                                                                           | 1.3 | 154       |
| 662 | Cartilage proteomics: Challenges, solutions and recent advances. <i>Proteomics - Clinical Applications</i> , 2008, 2, 251-263.                                                                                                                                                                                                                                  | 0.8 | 8         |
| 663 | Redox signalling in cardiovascular disease. <i>Proteomics - Clinical Applications</i> , 2008, 2, 823-836.                                                                                                                                                                                                                                                       | 0.8 | 20        |

| #   | ARTICLE                                                                                                                                                                                                                                                                               | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 664 | High-resolution biomarker discovery: Moving from large-scale proteome profiling to quantitative validation of lead candidates. <i>Proteomics - Clinical Applications</i> , 2008, 2, 1422-1434.                                                                                        | 0.8 | 6         |
| 665 | Proteomic identification of proteins in the human brain: Towards a more comprehensive understanding of neurodegenerative disease. <i>Proteomics - Clinical Applications</i> , 2008, 2, 1484-1497.                                                                                     | 0.8 | 20        |
| 666 | Targeted identification of phosphorylated peptides by offline HPLC-MALDI-MS/MS using LC retention time prediction. <i>Journal of Mass Spectrometry</i> , 2008, 43, 1649-1658.                                                                                                         | 0.7 | 7         |
| 667 | Mass spectrometry in systems biology: An overview. <i>Mass Spectrometry Reviews</i> , 2008, 27, 635-660.                                                                                                                                                                              | 2.8 | 91        |
| 668 | A two step fractionation approach for plasma proteomics using immunodepletion of abundant proteins and multi-lectin affinity chromatography: Application to the analysis of obesity, diabetes, and hypertension diseases. <i>Journal of Separation Science</i> , 2008, 31, 1156-1166. | 1.3 | 69        |
| 669 | Multidimensional liquid phase separations for mass spectrometry. <i>Journal of Separation Science</i> , 2008, 31, 1964-1979.                                                                                                                                                          | 1.3 | 27        |
| 670 | Proteome analysis of human dorsolateral prefrontal cortex using shotgun mass spectrometry. <i>Journal of Separation Science</i> , 2008, 31, 3122-3126.                                                                                                                                | 1.3 | 13        |
| 671 | Characterisation of Cisplatin Binding Sites in Human Serum Proteins Using Hyphenated Multidimensional Liquid Chromatography and ESI Tandem Mass Spectrometry. <i>ChemMedChem</i> , 2008, 3, 1696-1707.                                                                                | 1.6 | 67        |
| 672 | Development of a low-flow multiplexed interface for capillary electrophoresis/electrospray ion trap mass spectrometry using sequential spray. <i>Electrophoresis</i> , 2008, 29, 1997-2003.                                                                                           | 1.3 | 13        |
| 673 | Application of capillary isotachopheresis-based multidimensional separations coupled with electrospray ionization-tandem mass spectrometry for characterization of mouse brain mitochondrial proteome. <i>Electrophoresis</i> , 2008, 29, 2215-2223.                                  | 1.3 | 33        |
| 674 | Biomarker discovery in psychiatric disorders. <i>Electrophoresis</i> , 2008, 29, 2884-2890.                                                                                                                                                                                           | 1.3 | 33        |
| 675 | Identification of proteins from membrane preparations by a combination of MALDI TOF-TOF and LC-coupled linear ion trap MS analysis of an Antarctic bacterium <i>Pseudomonas syringae</i> Lz4W, a strain with unsequenced genome. <i>Electrophoresis</i> , 2008, 29, 4341-4350.        | 1.3 | 19        |
| 676 | Analysis of high molecular mass proteins larger than 150 kDa using cyanogen bromide cleavage and conventional 2-DE. <i>Electrophoresis</i> , 2008, 29, 4158-4168.                                                                                                                     | 1.3 | 4         |
| 677 | Evaluation of confidence and reproducibility in quantitative proteomics performed by a capillary isoelectric focusing-based proteomic platform coupled with a spectral counting approach. <i>Electrophoresis</i> , 2008, 29, 3047-3054.                                               | 1.3 | 25        |
| 678 | Quantitative assessment of human serum high-abundance protein depletion. <i>Electrophoresis</i> , 2008, 29, 4316-4323.                                                                                                                                                                | 1.3 | 54        |
| 679 | Fetal alcohol syndrome (FAS) in C57BL/6 mice detected through proteomics screening of the amniotic fluid. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2008, 82, 177-186.                                                                                | 1.6 | 32        |
| 680 | Is charge reduction in ESI really necessary?. <i>Journal of the American Society for Mass Spectrometry</i> , 2008, 19, 629-631.                                                                                                                                                       | 1.2 | 16        |
| 681 | The highly selective capture of phosphopeptides by zirconium phosphonate-modified magnetic nanoparticles for phosphoproteome analysis. <i>Journal of the American Society for Mass Spectrometry</i> , 2008, 19, 1176-1186.                                                            | 1.2 | 64        |

| #   | ARTICLE                                                                                                                                                                                                                                                                                            | IF   | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 682 | Gradient chromatofocusing-mass spectrometry: A new technique in protein analysis. <i>Journal of the American Society for Mass Spectrometry</i> , 2008, 19, 1132-1137.                                                                                                                              | 1.2  | 5         |
| 683 | Recent development of multi-dimensional chromatography strategies in proteome research. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008, 866, 123-132.                                                                                      | 1.2  | 73        |
| 684 | Membrane protein identifications by mass spectrometry using electrocapture-based separation as part of a two-dimensional fractionation system. <i>Analytical Biochemistry</i> , 2008, 381, 33-42.                                                                                                  | 1.1  | 11        |
| 685 | Accessing natural product biosynthetic processes by mass spectrometry. <i>Current Opinion in Chemical Biology</i> , 2008, 12, 475-482.                                                                                                                                                             | 2.8  | 30        |
| 686 | Comprehensive multidimensional liquid chromatography: Theory and applications. <i>Journal of Chromatography A</i> , 2008, 1184, 353-368.                                                                                                                                                           | 1.8  | 299       |
| 687 | Peak capacity in unidimensional chromatography. <i>Journal of Chromatography A</i> , 2008, 1184, 107-130.                                                                                                                                                                                          | 1.8  | 140       |
| 688 | Development of a comprehensive two-dimensional hydrophilic interaction chromatography/quadrupole time-of-flight mass spectrometry system and its application in separation and identification of saponins from <i>Quillaja saponaria</i> . <i>Journal of Chromatography A</i> , 2008, 1181, 51-59. | 1.8  | 68        |
| 689 | Mixed-mode chromatography for fractionation of peptides, phosphopeptides, and sialylated glycopeptides. <i>Journal of Chromatography A</i> , 2008, 1191, 162-170.                                                                                                                                  | 1.8  | 65        |
| 690 | Implementations of two-dimensional liquid chromatography. <i>Journal of Chromatography A</i> , 2008, 1189, 109-168.                                                                                                                                                                                | 1.8  | 260       |
| 691 | Development and optimization of a system for comprehensive two-dimensional liquid chromatography with UV and mass spectrometric detection for the separation of complex samples by multi-step gradient elution. <i>Journal of Chromatography A</i> , 2008, 1188, 216-226.                          | 1.8  | 23        |
| 692 | Impact of cyclopentenone-oxylipins on the proteome of <i>Arabidopsis thaliana</i> . <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008, 1784, 1975-1985.                                                                                                                        | 1.1  | 46        |
| 693 | Two-dimensional hydrophilic interaction chromatography coupling anion-exchange and hydrophilic interaction columns for separation of 2-pyridylamino derivatives of neutral and sialylated N-glycans. <i>Journal of Chromatography A</i> , 2008, 1189, 169-174.                                     | 1.8  | 48        |
| 694 | Paradigm in biodegradation using <i>Pseudomonas putida</i> —A review of proteomics studies. <i>Enzyme and Microbial Technology</i> , 2008, 43, 1-12.                                                                                                                                               | 1.6  | 50        |
| 695 | Optimizing the Difference Gel Electrophoresis (DIGE) Technology. <i>Methods in Molecular Biology</i> , 2008, 428, 93-124.                                                                                                                                                                          | 0.4  | 43        |
| 696 | The proteogenomic path towards biomarker discovery. <i>Pediatric Transplantation</i> , 2008, 12, 737-747.                                                                                                                                                                                          | 0.5  | 47        |
| 697 | Integration of metabolomics and proteomics in molecular plant physiology — coping with the complexity by data—dimensionality reduction. <i>Physiologia Plantarum</i> , 2008, 132, 176-189.                                                                                                         | 2.6  | 88        |
| 698 | Proteomic analysis of the sarcosine-insoluble outer membrane fraction of <i>Flavobacterium columnare</i> . <i>Journal of Fish Diseases</i> , 2008, 31, 269-276.                                                                                                                                    | 0.9  | 19        |
| 699 | The Future of Large-Scale Collaborative Proteomics. <i>Proceedings of the IEEE</i> , 2008, 96, 1292-1309.                                                                                                                                                                                          | 16.4 | 7         |

| #   | ARTICLE                                                                                                                                                                                                                         | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 700 | Current Applications of Liquid Chromatography/Mass Spectrometry in Pharmaceutical Discovery After a Decade of Innovation. <i>Annual Review of Analytical Chemistry</i> , 2008, 1, 357-396.                                      | 2.8 | 62        |
| 701 | <i>Candida albicans</i> macrophage interactions: genomic and proteomic insights. <i>Future Microbiology</i> , 2008, 3, 661-681.                                                                                                 | 1.0 | 18        |
| 703 | Improved proteome coverage by using iTRAQ labelling and peptide OFFGEL fractionation. <i>Proteome Science</i> , 2008, 6, 27.                                                                                                    | 0.7 | 60        |
| 704 | Sample Preparation and In-Solution Protease Digestion of Proteins for Chromatography-Based Proteomic Analysis. <i>Current Protocols in Protein Science</i> , 2008, 53, Unit 23.6.1-23.6.11.                                     | 2.8 | 10        |
| 705 | Spectral Index for Assessment of Differential Protein Expression in Shotgun Proteomics. <i>Journal of Proteome Research</i> , 2008, 7, 845-854.                                                                                 | 1.8 | 97        |
| 706 | Mitochondrial comparative proteomics: Strengths and pitfalls. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2008, 1777, 1072-1077.                                                                                     | 0.5 | 22        |
| 707 | Comprehensive Off-Line, Two-Dimensional Liquid Chromatography. Application to the Separation of Peptide Digests. <i>Analytical Chemistry</i> , 2008, 80, 2756-2767.                                                             | 3.2 | 47        |
| 708 | Functional Proteomics. <i>Methods in Molecular Biology</i> , 2008, 484, v-vii.                                                                                                                                                  | 0.4 | 7         |
| 710 | Multidimensional LC Separations in Shotgun Proteomics. <i>Analytical Chemistry</i> , 2008, 80, 7187-7193.                                                                                                                       | 3.2 | 202       |
| 711 | Organelle Proteomics. <i>Methods in Molecular Biology</i> , 2008, 432, v-viii.                                                                                                                                                  | 0.4 | 0         |
| 712 | Proteomic analysis of cartilage proteins. <i>Methods</i> , 2008, 45, 22-31.                                                                                                                                                     | 1.9 | 32        |
| 713 | pH gradient reversed-phase liquid chromatography as a fractionation tool for the separation of peptides. <i>Talanta</i> , 2008, 75, 76-82.                                                                                      | 2.9 | 8         |
| 714 | Shotgun Proteomic Analysis of Cerebrospinal Fluid Using Off-Gel Electrophoresis as the First-Dimension Separation. <i>Journal of Proteome Research</i> , 2008, 7, 4577-4584.                                                    | 1.8 | 40        |
| 715 | Remarkable stability of the proton translocating F1FO-ATP synthase from the thermophilic cyanobacterium <i>Thermosynechococcus elongatus</i> BP-1. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008, 1778, 1131-1140. | 1.4 | 11        |
| 716 | Peptides in the Brain: Mass Spectrometry-Based Measurement Approaches and Challenges. <i>Annual Review of Analytical Chemistry</i> , 2008, 1, 451-483.                                                                          | 2.8 | 136       |
| 717 | Characterization of the Rat Liver Membrane Proteome Using Peptide Immobilized pH Gradient Isoelectric Focusing. <i>Journal of Proteome Research</i> , 2008, 7, 1036-1045.                                                       | 1.8 | 51        |
| 718 | Discovering Oxysterols in Plasma: A Window on the Metabolome. <i>Journal of Proteome Research</i> , 2008, 7, 3602-3612.                                                                                                         | 1.8 | 67        |
| 719 | Enhanced Protein Digestion through the Confinement of Nanozeolite-Assembled Microchip Reactors. <i>Analytical Chemistry</i> , 2008, 80, 2457-2463.                                                                              | 3.2 | 74        |

| #   | ARTICLE                                                                                                                                                                                                         | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 720 | Mixed-Effects Statistical Model for Comparative LC-MS Proteomics Studies. <i>Journal of Proteome Research</i> , 2008, 7, 1209-1217.                                                                             | 1.8 | 44        |
| 721 | Fractionation of Complex Protein Mixture by Virtual Three-Dimensional Liquid Chromatography Based on Combined pH and Salt Steps. <i>Journal of Proteome Research</i> , 2008, 7, 4525-4537.                      | 1.8 | 20        |
| 722 | Post-Translational Modifications of <i>Desulfovibrio vulgaris</i> Hildenborough Sulfate Reduction Pathway Proteins. <i>Journal of Proteome Research</i> , 2008, 7, 2320-2331.                                   | 1.8 | 11        |
| 723 | Identification and Characterization of <i>Sulfolobus solfataricus</i> P2 Proteome Using Multidimensional Liquid Phase Protein Separations. <i>Journal of Proteome Research</i> , 2008, 7, 2253-2261.            | 1.8 | 14        |
| 724 | Comparison of Two-Dimensional Fractionation Techniques for Shotgun Proteomics. <i>Analytical Chemistry</i> , 2008, 80, 6715-6723.                                                                               | 3.2 | 114       |
| 725 | Improving the Efficiency of IMS-IMS by a Combing Technique. <i>Analytical Chemistry</i> , 2008, 80, 1918-1927.                                                                                                  | 3.2 | 26        |
| 726 | Evaluation of Strong Cation Exchange versus Isoelectric Focusing of Peptides for Multidimensional Liquid Chromatography-Tandem Mass Spectrometry. <i>Journal of Proteome Research</i> , 2008, 7, 5286-5294.     | 1.8 | 86        |
| 727 | Proteome Profiling of Breast Tumors by Gel Electrophoresis and Nanoscale Electrospray Ionization Mass Spectrometry. <i>Journal of Proteome Research</i> , 2008, 7, 1458-1469.                                   | 1.8 | 59        |
| 728 | Discovery, Identification, and Characterization of Candidate Pharmacodynamic Markers of Methionine Aminopeptidase-2 Inhibition. <i>Journal of Proteome Research</i> , 2008, 7, 4807-4820.                       | 1.8 | 20        |
| 729 | Novel Three-Dimensional MALDI Plate for Interfacing High-Capacity LC Separations with MALDI-TOF. <i>Analytical Chemistry</i> , 2008, 80, 9115-9123.                                                             | 3.2 | 11        |
| 730 | Online Multidimensional Separation with Biphasic Monolithic Capillary Column for Shotgun Proteome Analysis. <i>Journal of Proteome Research</i> , 2008, 7, 306-310.                                             | 1.8 | 35        |
| 731 | Assessing the Dynamic Range and Peak Capacity of Nanoflow LC-FAIMS-MS on an Ion Trap Mass Spectrometer for Proteomics. <i>Analytical Chemistry</i> , 2008, 80, 6888-6897.                                       | 3.2 | 78        |
| 732 | Online Microwave D-Cleavage LC-ESI-MS/MS of Intact Proteins: Site-Specific Cleavages at Aspartic Acid Residues and Disulfide Bonds. <i>Journal of Proteome Research</i> , 2008, 7, 1012-1026.                   | 1.8 | 33        |
| 734 | DNA replication checkpoint promotes G1-S transcription by inactivating the MBF repressor Nrm1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 11230-11235. | 3.3 | 65        |
| 735 | Differential Expression in <i>Phanerochaete chrysosporium</i> of Membrane-Associated Proteins Relevant to Lignin Degradation. <i>Applied and Environmental Microbiology</i> , 2008, 74, 7252-7257.              | 1.4 | 46        |
| 736 | Stb1 Collaborates with Other Regulators To Modulate the G <sub>1</sub> -Specific Transcriptional Circuit. <i>Molecular and Cellular Biology</i> , 2008, 28, 6919-6928.                                          | 1.1 | 37        |
| 737 | Automated image alignment for 2D gel electrophoresis in a high-throughput proteomics pipeline. <i>Bioinformatics</i> , 2008, 24, 950-957.                                                                       | 1.8 | 49        |
| 738 | Characterization of Cullin-box Sequences That Direct Recruitment of Cul2-Rbx1 and Cul5-Rbx2 Modules to Elongin BC-based Ubiquitin Ligases. <i>Journal of Biological Chemistry</i> , 2008, 283, 8005-8013.       | 1.6 | 147       |



| #   | ARTICLE                                                                                                                                                                                                 | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 739 | Precision proteomics: The case for high resolution and high mass accuracy. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 18132-18138.                     | 3.3 | 388       |
| 740 | Analysis of organelles within the nervous system: impact on brain and organelle functions. Expert Review of Proteomics, 2008, 5, 333-351.                                                               | 1.3 | 8         |
| 741 | Proteomics Analysis Unravels the Functional Repertoire of Coronavirus Nonstructural Protein 3. Journal of Virology, 2008, 82, 5279-5294.                                                                | 1.5 | 167       |
| 742 | Secreted CXCL1 Is a Potential Mediator and Marker of the Tumor Invasion of Bladder Cancer. Clinical Cancer Research, 2008, 14, 2579-2587.                                                               | 3.2 | 95        |
| 743 | Neuralized-like 1 (Neurl1) Targeted to the Plasma Membrane by N-Myristoylation Regulates the Notch Ligand Jagged1. Journal of Biological Chemistry, 2008, 283, 3846-3853.                               | 1.6 | 69        |
| 744 | Biomarker Discovery in Clinical Proteomics: Strategies for Exposing Low Abundant Proteins. Current Proteomics, 2008, 5, 104-114.                                                                        | 0.1 | 4         |
| 745 | An integrated approach for automating validation of extracted ion chromatographic peaks. Bioinformatics, 2008, 24, 2103-2104.                                                                           | 1.8 | 1         |
| 746 | Chapter 10 Bottom-Up Mass Spectrometry Analysis of Integral Membrane Protein Structure and Topology. Comprehensive Analytical Chemistry, 2008, 52, 213-243.                                             | 0.7 | 0         |
| 747 | DEAF-1 regulates immunity gene expression in <i>Drosophila</i> . Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 8351-8356.                                 | 3.3 | 39        |
| 748 | Application of adaptive neurofuzzy control using soft sensors to continuous distillation. Computer Aided Chemical Engineering, 2008, 25, 465-470.                                                       | 0.3 | 5         |
| 749 | Shotgun Proteomic Analysis of Vaginal Fluid From Women in Late Pregnancy. Reproductive Sciences, 2008, 15, 263-273.                                                                                     | 1.1 | 37        |
| 750 | Automated Proteomics of <i>E. coli</i> via Top-Down Electron-Transfer Dissociation Mass Spectrometry. Analytical Chemistry, 2008, 80, 1459-1467.                                                        | 3.2 | 65        |
| 751 | Emerging Roles for Metabolic Engineering - Understanding Primitive and Complex Metabolic Models and Their Relevance to Healthy and Diseased Kidney Podocytes. Current Chemical Biology, 2008, 2, 68-82. | 0.2 | 0         |
| 752 | Use of high-throughput mass spectrometry to elucidate host-pathogen interactions in <i>Salmonella</i> . Future Microbiology, 2008, 3, 625-634.                                                          | 1.0 | 8         |
| 753 | Multidimensional Liquid Chromatographic Separations Applied to the Analysis of Food Samples. Journal of Liquid Chromatography and Related Technologies, 2008, 31, 1758-1807.                            | 0.5 | 40        |
| 754 | Review of QSPR Modeling of Mobilities of Peptides in Capillary Zone Electrophoresis. Journal of Liquid Chromatography and Related Technologies, 2008, 31, 1808-1822.                                    | 0.5 | 6         |
| 755 | A Brief Summary of the Different Types of Mass Spectrometers Used in Proteomics. Methods in Molecular Biology, 2008, 484, 3-16.                                                                         | 0.4 | 4         |
| 756 | Use of conventional and -omics based methods for health claims of dietary antioxidants: a critical overview. British Journal of Nutrition, 2008, 99, ES3-ES52.                                          | 1.2 | 101       |

| #   | ARTICLE                                                                                                                                                                                                         | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 758 | Chapter 17 Mass Spectrometry-Driven Approaches to Quantitative Proteomics and Beyond. <i>Comprehensive Analytical Chemistry</i> , 2008, , 411-447.                                                              | 0.7 | 1         |
| 759 | Transcriptome and Proteome Analyses of Drug Interactions with Natural Products. <i>Current Drug Metabolism</i> , 2008, 9, 1038-1048.                                                                            | 0.7 | 18        |
| 760 | Species-Dependent Proteomics. , 0, , 343-378.                                                                                                                                                                   |     | 0         |
| 763 | Emerging Roles for Metabolic Engineering - Understanding Primitive and Complex Metabolic Models and Their Relevance to Healthy and Diseased Kidney Podocytes. <i>Current Chemical Biology</i> , 2008, 2, 68-82. | 0.2 | 1         |
| 764 | Application of mass spectrometry in brain research: neurotransmitters, neuropeptides, and brain proteins. , 2008, , 407-424.                                                                                    |     | 1         |
| 765 | Modern approaches to understanding stress and disease susceptibility: A review with special emphasis on respiratory disease. <i>International Journal of General Medicine</i> , 2009, 2, 19.                    | 0.8 | 40        |
| 767 | Tandem Affinity Purification of Ciliopathy-Associated Protein Complexes. <i>Methods in Cell Biology</i> , 2009, 91, 143-160.                                                                                    | 0.5 | 19        |
| 768 | High-throughput molecular analysis in lung cancer: insights into biology and potential clinical applications. <i>European Respiratory Journal</i> , 2009, 34, 489-506.                                          | 3.1 | 44        |
| 769 | Technological challenges of theranostics in oncology. <i>Expert Opinion on Medical Diagnostics</i> , 2009, 3, 381-393.                                                                                          | 1.6 | 12        |
| 770 | Target identification using drug affinity responsive target stability (DARTS). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 21984-21989.                 | 3.3 | 710       |
| 772 | Unique Ion Signature Mass Spectrometry, a Deterministic Method to Assign Peptide Identity. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 2051-2062.                                                       | 2.5 | 40        |
| 773 | Proteomics: Challenges, Techniques and Possibilities to Overcome Biological Sample Complexity. <i>Human Genomics and Proteomics</i> , 2009, 1, .                                                                | 1.5 | 283       |
| 774 | Quality Control of Herbal Material and Phytopharmaceuticals with MS and NMR Based Metabolic Fingerprinting. <i>Planta Medica</i> , 2009, 75, 763-775.                                                           | 0.7 | 158       |
| 775 | Qupeâ€™a Rich Internet Application to take a step forward in the analysis of mass spectrometry-based quantitative proteomics experiments. <i>Bioinformatics</i> , 2009, 25, 3128-3134.                          | 1.8 | 29        |
| 776 | Regulation of Myoblast Differentiation by the Nuclear Envelope Protein NET39. <i>Molecular and Cellular Biology</i> , 2009, 29, 5800-5812.                                                                      | 1.1 | 42        |
| 777 | Chapter 6 Comprehensive Multidimensional Systems Incorporating GCÃ—GC. <i>Comprehensive Analytical Chemistry</i> , 2009, 55, 123-145.                                                                           | 0.7 | 3         |
| 778 | Protein Identification in Sub Proteome Fractions of Breast Cancer Cells by OFFGEL-IEF and iTRAQ Labeling. <i>Current Proteomics</i> , 2009, 6, 43-50.                                                           | 0.1 | 2         |
| 779 | Climate and Geomorphologic-related Disasters in Latin America. <i>Developments in Earth Surface Processes</i> , 2009, , 1-27.                                                                                   | 2.8 | 7         |

| #   | ARTICLE                                                                                                                                                                                                  | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 780 | Analysis of the plasma metalloproteome by SEC-ICP-AES: bridging proteomics and metabolomics. <i>Expert Review of Proteomics</i> , 2009, 6, 251-265.                                                      | 1.3 | 41        |
| 781 | The Deubiquitinating Enzyme BAP1 Regulates Cell Growth via Interaction with HCF-1. <i>Journal of Biological Chemistry</i> , 2009, 284, 34179-34188.                                                      | 1.6 | 224       |
| 782 | Elastase Digests. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 1029-1043.                                                                                                                         | 2.5 | 63        |
| 783 | Combining Results from Lectin Affinity Chromatography and Glycocapture Approaches Substantially Improves the Coverage of the Glycoproteome. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 287-301. | 2.5 | 108       |
| 784 | Proteomic analysis of the mosquito <i>Aedes aegypti</i> midgut brush border membrane vesicles. <i>Journal of Insect Physiology</i> , 2009, 55, 264-272.                                                  | 0.9 | 43        |
| 785 | An automated proteomic data analysis workflow for mass spectrometry. <i>BMC Bioinformatics</i> , 2009, 10, S17.                                                                                          | 1.2 | 16        |
| 786 | Current trends in high throughput proteomics in cyanobacteria. <i>FEBS Letters</i> , 2009, 583, 1744-1752.                                                                                               | 1.3 | 23        |
| 787 | Biochemical and Synthetic Polymer Separations. , 0, , 569-663.                                                                                                                                           |     | 0         |
| 789 | Recent advances in capillary and microfluidic platforms with MS detection for the analysis of phosphoproteins. <i>Electrophoresis</i> , 2009, 30, 262-275.                                               | 1.3 | 16        |
| 790 | Comparison of 1 $\mu$ D and 2 $\mu$ D LC MS/MS methods for proteomic analysis of human serum. <i>Electrophoresis</i> , 2009, 30, 1157-1167.                                                              | 1.3 | 48        |
| 791 | Microfluidic chips for protein differential expression profiling. <i>Electrophoresis</i> , 2009, 30, 1145-1156.                                                                                          | 1.3 | 28        |
| 792 | Protein attachment onto silica surfaces – a survey of molecular fundamentals, resulting effects and novel preventive strategies in CE. <i>Electrophoresis</i> , 2009, 30, 2032-2061.                     | 1.3 | 125       |
| 793 | Recent advances in capillary electrophoresis-based proteomic techniques for biomarker discovery. <i>Electrophoresis</i> , 2009, 30, 3998-4007.                                                           | 1.3 | 29        |
| 794 | Comparison of multidimensional shotgun technologies targeting tissue proteomics. <i>Electrophoresis</i> , 2009, 30, 4063-4070.                                                                           | 1.3 | 31        |
| 795 | A review of current applications of mass spectrometry for neuroproteomics in epilepsy. <i>Mass Spectrometry Reviews</i> , 2010, 29, 197-246.                                                             | 2.8 | 14        |
| 796 | Current trends in quantitative proteomics. <i>Journal of Mass Spectrometry</i> , 2009, 44, 1637-1660.                                                                                                    | 0.7 | 219       |
| 797 | Separation of small molecular peptides with same amino acid composition but different sequences by capillary electrophoresis. <i>Journal of Separation Science</i> , 2009, 32, 437-440.                  | 1.3 | 9         |
| 798 | Tryptic digest analysis by comprehensive reversed phase—two reversed phase liquid chromatography (RP-LC—2RP-LC) at different pH's. <i>Journal of Separation Science</i> , 2009, 32, 1137-1144.           | 1.3 | 57        |

| #   | ARTICLE                                                                                                                                                                                                                                                               | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 799 | Repeatability of peptide identifications in shotgun proteome analysis employing off-line two-dimensional chromatographic separations and ion-trap MS. <i>Journal of Separation Science</i> , 2009, 32, 1156-1164.                                                     | 1.3 | 27        |
| 800 | Polymeric strong cation-exchange monolithic column for capillary liquid chromatography of peptides and proteins. <i>Journal of Separation Science</i> , 2009, 32, 2565-2573.                                                                                          | 1.3 | 24        |
| 801 | Modulation of the Biological Properties of Aspirin by Formation of a Bioorganometallic Derivative. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 1160-1163.                                                                                            | 7.2 | 110       |
| 802 | Genomic and proteomic profiling of oxidative stress response in human diploid fibroblasts. <i>Biogerontology</i> , 2009, 10, 125-151.                                                                                                                                 | 2.0 | 15        |
| 803 | Comprehensive liquid chromatography: Fundamental aspects and practical considerations—A review. <i>Analytica Chimica Acta</i> , 2009, 641, 14-31.                                                                                                                     | 2.6 | 222       |
| 804 | Analysis of angiotensin II receptor antagonist and protein markers at microliter level plasma by LC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 49, 123-128.                                                                              | 1.4 | 19        |
| 805 | The Current State of Proteomics in GI Oncology. <i>Digestive Diseases and Sciences</i> , 2009, 54, 431-457.                                                                                                                                                           | 1.1 | 12        |
| 806 | A 2D reversed-phase $\bar{A}$ - ion-pair reversed-phase HPLC-MALDI TOF/TOF-MS approach for shotgun proteome analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 393, 1245-1256.                                                                           | 1.9 | 38        |
| 807 | Recent advances in polymer monoliths for ion-exchange chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 71-84.                                                                                                                               | 1.9 | 97        |
| 808 | Analytical strategies for phosphoproteomics. <i>Proteomics</i> , 2009, 9, 1451-1468.                                                                                                                                                                                  | 1.3 | 434       |
| 809 | The two-phase partitioning system—a powerful technique to purify integral membrane proteins of <i>Corynebacterium glutamicum</i> for quantitative shotgun analysis. <i>Proteomics</i> , 2009, 9, 2263-2272.                                                           | 1.3 | 15        |
| 810 | Application of quantitative immunoprecipitation combined with knockdown and cross-linking to <i>Chlamydomonas</i> reveals the presence of vesicle-inducing protein in plastids 1 in a common complex with chloroplast HSP90C. <i>Proteomics</i> , 2009, 9, 3079-3089. | 1.3 | 50        |
| 811 | Interactions of the NPXY microdomains of the low density lipoprotein receptor-related protein 1. <i>Proteomics</i> , 2009, 9, 5016-5028.                                                                                                                              | 1.3 | 59        |
| 812 | Tandem affinity purification and mass spectrometric analysis of ubiquitylated proteins in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2009, 59, 344-358.                                                                                                              | 2.8 | 137       |
| 813 | Applying mass spectrometry-based proteomics to genetics, genomics and network biology. <i>Nature Reviews Genetics</i> , 2009, 10, 617-627.                                                                                                                            | 7.7 | 410       |
| 814 | On-line separation of native proteins by two-dimensional liquid chromatography using a single column. <i>Journal of Chromatography A</i> , 2009, 1216, 3553-3562.                                                                                                     | 1.8 | 48        |
| 815 | Highly efficient peptide separations in proteomics Part 2: Bi- and multidimensional liquid-based separation techniques. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 1019-1039.                       | 1.2 | 94        |
| 816 | Comparative proteomic analyses of the nuclear envelope and pore complex suggests a wide range of heretofore unexpected functions. <i>Journal of Proteomics</i> , 2009, 72, 56-70.                                                                                     | 1.2 | 24        |

| #   | ARTICLE                                                                                                                                                                                                                                                                | IF   | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 817 | Bee, wasp and ant venomics pave the way for a component-resolved diagnosis of sting allergy. <i>Journal of Proteomics</i> , 2009, 72, 145-154.                                                                                                                         | 1.2  | 122       |
| 818 | Label-free quantitative proteomics of two <i>Bifidobacterium longum</i> strains. <i>Journal of Proteomics</i> , 2009, 72, 771-784.                                                                                                                                     | 1.2  | 23        |
| 819 | Selective enrichment of endogenous peptides by chemically modified porous nanoparticles for peptidome analysis. <i>Journal of Chromatography A</i> , 2009, 1216, 1270-1278.                                                                                            | 1.8  | 59        |
| 820 | Separation, detection and quantitation of peptides by liquid chromatography and capillary electrochromatography. <i>Journal of Chromatography A</i> , 2009, 1216, 1825-1837.                                                                                           | 1.8  | 56        |
| 821 | Approaches to comprehensive multidimensional liquid chromatography systems. <i>Journal of Chromatography A</i> , 2009, 1216, 1363-1371.                                                                                                                                | 1.8  | 72        |
| 822 | Retention mechanism of peptides on a stationary phase embedded with a quaternary ammonium group: A liquid chromatography study. <i>Journal of Chromatography A</i> , 2009, 1216, 3244-3251.                                                                            | 1.8  | 45        |
| 823 | Optimizing the peak capacity per unit time in one-dimensional and off-line two-dimensional liquid chromatography for the separation of complex peptide samples. <i>Journal of Chromatography A</i> , 2009, 1216, 7368-7374.                                            | 1.8  | 44        |
| 824 | Integration of monolithic frit into the particulate capillary (IMFPC) column in shotgun proteome analysis. <i>Analytica Chimica Acta</i> , 2009, 652, 324-330.                                                                                                         | 2.6  | 12        |
| 825 | Proteomics by Mass Spectrometry: Approaches, Advances, and Applications. <i>Annual Review of Biomedical Engineering</i> , 2009, 11, 49-79.                                                                                                                             | 5.7  | 929       |
| 826 | Mass spectrometry: from proteomics to metabolomics and lipidomics. <i>Chemical Society Reviews</i> , 2009, 38, 1882.                                                                                                                                                   | 18.7 | 203       |
| 827 | Proteomic analysis of heart mitochondria from <i>Bos taurus</i> : I. Application of proteomic methods to identification of transmembrane domains of proteins of the internal mitochondrial membrane. <i>Russian Journal of Bioorganic Chemistry</i> , 2009, 35, 33-46. | 0.3  | 2         |
| 829 | Off-Line Two-Dimensional Liquid Chromatography with Maximized Sample Loading to Reversed-Phase Liquid Chromatography-Electrospray Ionization Tandem Mass Spectrometry for Shotgun Proteome Analysis. <i>Analytical Chemistry</i> , 2009, 81, 1049-1060.                | 3.2  | 54        |
| 830 | Comparative Proteomic Analysis of <i>Listeria monocytogenes</i> Strains F2365 and EGD. <i>Applied and Environmental Microbiology</i> , 2009, 75, 366-373.                                                                                                              | 1.4  | 41        |
| 831 | Automated 2D Peptide Separation on a 1D Nano-LC-MS System. <i>Journal of Proteome Research</i> , 2009, 8, 1610-1616.                                                                                                                                                   | 1.8  | 62        |
| 832 | Enhanced Protein Detection Using a Trapping Mode on a Hybrid Quadrupole Linear Ion Trap (Q-Trap). <i>Analytical Chemistry</i> , 2009, 81, 6300-6309.                                                                                                                   | 3.2  | 13        |
| 833 | Accurate and Sensitive Peptide Identification with Mascot Percolator. <i>Journal of Proteome Research</i> , 2009, 8, 3176-3181.                                                                                                                                        | 1.8  | 399       |
| 834 | Acid Elution and One-Dimensional Shotgun Analysis on an Orbitrap Mass Spectrometer: An Application to Drug Affinity Chromatography. <i>Journal of Proteome Research</i> , 2009, 8, 4753-4765.                                                                          | 1.8  | 27        |
| 835 | Qualitative and Quantitative Proteomic Profiling of <i>Cripto</i> Embryonic Stem Cells by Means of Accurate Mass LC-MS Analysis. <i>Journal of Proteome Research</i> , 2009, 8, 1047-1058.                                                                             | 1.8  | 19        |

| #   | ARTICLE                                                                                                                                                                                                                                    | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 836 | Tandem Mass Spectrometry with Ultrahigh Mass Accuracy Clarifies Peptide Identification by Database Retrieval. <i>Journal of Proteome Research</i> , 2009, 8, 374-379.                                                                      | 1.8 | 61        |
| 837 | Low Cost, Scalable Proteomics Data Analysis Using Amazon's Cloud Computing Services and Open Source Search Algorithms. <i>Journal of Proteome Research</i> , 2009, 8, 3148-3153.                                                           | 1.8 | 64        |
| 838 | Comparative systems biology of human and mouse as a tool to guide the modeling of human placental pathology. <i>Molecular Systems Biology</i> , 2009, 5, 279.                                                                              | 3.2 | 151       |
| 839 | Global Quantitative Proteomic Profiling through 18O-Labeling in Combination with MS/MS Spectra Analysis. <i>Journal of Proteome Research</i> , 2009, 8, 3653-3665.                                                                         | 1.8 | 20        |
| 840 | Proteomic and biochemical analyses unveil tight interaction of ataxin-3 with tubulin. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 2485-2492.                                                                 | 1.2 | 21        |
| 841 | Analytical and computational approaches to define the <i>Aspergillus niger</i> secretome. <i>Fungal Genetics and Biology</i> , 2009, 46, S153-S160.                                                                                        | 0.9 | 87        |
| 842 | Comparative proteome analysis using amine-reactive isobaric tagging reagents coupled with 2D LC/MS/MS in 3T3-L1 adipocytes following hypoxia or normoxia. <i>Biochemical and Biophysical Research Communications</i> , 2009, 383, 135-140. | 1.0 | 17        |
| 843 | Shotgun Proteomics in Neuroscience. <i>Neuron</i> , 2009, 63, 12-26.                                                                                                                                                                       | 3.8 | 48        |
| 844 | The <i>Anopheles gambiae</i> adult midgut peritrophic matrix proteome. <i>Insect Biochemistry and Molecular Biology</i> , 2009, 39, 125-134.                                                                                               | 1.2 | 112       |
| 845 | Rtr1 Is a CTD Phosphatase that Regulates RNA Polymerase II during the Transition from Serine 5 to Serine 2 Phosphorylation. <i>Molecular Cell</i> , 2009, 34, 168-178.                                                                     | 4.5 | 125       |
| 846 | Mammalian miRNA RISC Recruits CAF1 and PABP to Affect PABP-Dependent Deadenylation. <i>Molecular Cell</i> , 2009, 35, 868-880.                                                                                                             | 4.5 | 331       |
| 847 | Proteomics in animal models of Alzheimer's and Parkinson's diseases. <i>Ageing Research Reviews</i> , 2009, 8, 1-17.                                                                                                                       | 5.0 | 73        |
| 848 | Collisions or Electrons? Protein Sequence Analysis in the 21st Century. <i>Analytical Chemistry</i> , 2009, 81, 3208-3215.                                                                                                                 | 3.2 | 138       |
| 849 | Proteome Analysis of <i>Sorangium cellulosum</i> Employing 2D-HPLC-MS/MS and Improved Database Searching Strategies for CID and ETD Fragment Spectra. <i>Journal of Proteome Research</i> , 2009, 8, 4350-4361.                            | 1.8 | 11        |
| 850 | Difference Gel Electrophoresis (DIGE). <i>Springer Protocols</i> , 2009, , 379-408.                                                                                                                                                        | 0.1 | 0         |
| 851 | Two-Dimensional Gel Electrophoresis-Based Proteomics of Mycobacteria. <i>Methods in Molecular Biology</i> , 2009, 465, 111-142.                                                                                                            | 0.4 | 2         |
| 852 | Selective Enrichment of Azide-Containing Peptides from Complex Mixtures. <i>Journal of Proteome Research</i> , 2009, 8, 3702-3711.                                                                                                         | 1.8 | 96        |
| 853 | Comprehensive proteomic analysis of human cervical-vaginal fluid using colposcopy samples. <i>Proteome Science</i> , 2009, 7, 17.                                                                                                          | 0.7 | 84        |

| #   | ARTICLE                                                                                                                                                                                                                   | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 854 | Combining Lipidomics and Proteomics of Human Cerebrospinal Fluids. <i>Methods in Molecular Biology</i> , 2009, 579, 71-86.                                                                                                | 0.4 | 7         |
| 855 | Orthogonal Separation Techniques for the Characterization of the Yeast Nuclear Proteome. <i>Journal of Proteome Research</i> , 2009, 8, 3451-3463.                                                                        | 1.8 | 16        |
| 856 | Assessing biological variation and protein processing in primary human leukocytes by automated multiplex stable isotope labeling coupled to 2 dimensional peptide separation. <i>Molecular BioSystems</i> , 2009, 5, 992. | 2.9 | 10        |
| 857 | HPLC-Chip/MS Technology in Proteomic Profiling. <i>Methods in Molecular Biology</i> , 2009, 544, 3-15.                                                                                                                    | 0.4 | 15        |
| 858 | Neuroproteomics. <i>Methods in Molecular Biology</i> , 2009, , .                                                                                                                                                          | 0.4 | 1         |
| 860 | Control of Iron Homeostasis by an Iron-Regulated Ubiquitin Ligase. <i>Science</i> , 2009, 326, 718-721.                                                                                                                   | 6.0 | 360       |
| 861 | Comparative Temporal Proteomics of a Response Regulator (SO2426)-Deficient Strain and Wild-Type <i>Shewanella oneidensis</i> MR-1 During Chromate Transformation. <i>Journal of Proteome Research</i> , 2009, 8, 59-71.   | 1.8 | 19        |
| 862 | An Architecture for Real Time Data Acquisition and Online Signal Processing for High Throughput Tandem Mass Spectrometry. , 2009, , .                                                                                     |     | 1         |
| 863 | Platelet membrane proteomics: a novel repository for functional research. <i>Blood</i> , 2009, 114, e10-e19.                                                                                                              | 0.6 | 114       |
| 864 | Expanding proteomics into the analysis of chiral drugs. <i>Molecular BioSystems</i> , 2009, 5, 603.                                                                                                                       | 2.9 | 5         |
| 865 | Mass Spectrometry-based Proteomic Profiling of Lung Cancer. <i>Proceedings of the American Thoracic Society</i> , 2009, 6, 159-170.                                                                                       | 3.5 | 44        |
| 866 | The Methodology of Neuroproteomics. <i>Methods in Molecular Biology</i> , 2009, 566, 1-21.                                                                                                                                | 0.4 | 3         |
| 867 | Chapter 6 Interpreting the Proteome and Peptidome in Transplantation. <i>Advances in Clinical Chemistry</i> , 2009, 47, 139-169.                                                                                          | 1.8 | 18        |
| 868 | The Current Status and Future Prospects of the Salivary Proteome. <i>Journal of Health Science</i> , 2009, 55, 682-688.                                                                                                   | 0.9 | 5         |
| 869 | Metabolomics: Integrating the Metabolome and the Proteome for Systems Biology. , 0, , 258-289.                                                                                                                            |     | 1         |
| 870 | Análisis proteómico de Plasmodium, el agente causal de la malaria. <i>Salud Publica De Mexico</i> , 2009, 51, s395-s402.                                                                                                  | 0.1 | 0         |
| 871 | The Leukocyte Nuclear Envelope Proteome Varies with Cell Activation and Contains Novel Transmembrane Proteins That Affect Genome Architecture. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 2571-2585.             | 2.5 | 120       |
| 872 | Proteomics-based discovery of a novel, structurally unique, and developmentally regulated plasminogen receptor, Plg-RKT, a major regulator of cell surface plasminogen activation. <i>Blood</i> , 2010, 115, 1319-1330.   | 0.6 | 124       |

| #   | ARTICLE                                                                                                                                                                                                                            | IF   | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 873 | Liquid chromatography mass spectrometry-based proteomics: Biological and technological aspects. <i>Annals of Applied Statistics</i> , 2010, 4, 1797-1823.                                                                          | 0.5  | 127       |
| 874 | The use of proteomics to identify novel therapeutic targets for the treatment of disease. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 609-628.                                                                         | 1.2  | 22        |
| 875 | Proteomic Analysis of Saliva: 2D Gel Electrophoresis, LC-MS/MS, and Western Blotting. <i>Methods in Molecular Biology</i> , 2010, 666, 31-41.                                                                                      | 0.4  | 22        |
| 876 | Mass Spectrometric Imaging for Biomedical Tissue Analysis. <i>Chemical Reviews</i> , 2010, 110, 3237-3277.                                                                                                                         | 23.0 | 553       |
| 877 | <i>Corynebacterium glutamicum</i> exhibits a membrane-related response to a small ferrocene-conjugated antimicrobial peptide. <i>Journal of Biological Inorganic Chemistry</i> , 2010, 15, 1293-1303.                              | 1.1  | 18        |
| 878 | The use of variations in proteomes to predict, prevent, and personalize treatment for clinically nonfunctional pituitary adenomas. <i>EPMA Journal</i> , 2010, 1, 439-459.                                                         | 3.3  | 43        |
| 879 | Biodegradation: gaining insight through proteomics. <i>Biodegradation</i> , 2010, 21, 861-879.                                                                                                                                     | 1.5  | 29        |
| 880 | A gel-free approach in vascular smooth muscle cell proteome: perspectives for a better insight into activation. <i>Proteome Science</i> , 2010, 8, 15.                                                                             | 0.7  | 10        |
| 881 | Immunodepletion of high-abundant proteins from acute and chronic wound fluids to elucidate low-abundant regulators in wound healing. <i>BMC Research Notes</i> , 2010, 3, 335.                                                     | 0.6  | 15        |
| 884 | Liquid Chromatography—Its Development and Key Role in Life Science Applications. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 2300-2312.                                                                           | 7.2  | 57        |
| 885 | A quantitative CE method to analyse tau protein isoforms using coated fused silica capillaries. <i>Journal of Separation Science</i> , 2010, 33, 1090-1098.                                                                        | 1.3  | 12        |
| 886 | Characterization of the adult zebrafish cardiac proteome using online pH gradient strong cation exchange 2D LC coupled with ESI MS/MS. <i>Journal of Separation Science</i> , 2010, 33, 1462-1471.                                 | 1.3  | 20        |
| 887 | RP—RP analysis of a tryptic digest using a combination of totally porous and partially porous stationary phases. <i>Journal of Separation Science</i> , 2010, 33, 1454-1461.                                                       | 1.3  | 38        |
| 888 | Multidimensional chromatography coupled to mass spectrometry in analysing complex proteomics samples. <i>Journal of Separation Science</i> , 2010, 33, 1421-1437.                                                                  | 1.3  | 86        |
| 889 | Analysis of mouse liver membrane proteins using multidimensional separations and tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 3259-3266. | 1.2  | 3         |
| 890 | Proteomics of trypanosomatids of human medical importance. <i>Journal of Proteomics</i> , 2010, 73, 845-867.                                                                                                                       | 1.2  | 44        |
| 891 | Proteome analysis of mouse model systems: A tool to model human disease and for the investigation of tissue-specific biology. <i>Journal of Proteomics</i> , 2010, 73, 2205-2218.                                                  | 1.2  | 20        |
| 892 | Two-dimensional gel electrophoresis in proteomics: Past, present and future. <i>Journal of Proteomics</i> , 2010, 73, 2064-2077.                                                                                                   | 1.2  | 383       |



| #   | ARTICLE                                                                                                                                                                                                                                                                                                      | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 893 | Modification-specific proteomics in plant biology. <i>Journal of Proteomics</i> , 2010, 73, 2249-2266.                                                                                                                                                                                                       | 1.2 | 67        |
| 894 | Quantitative proteomic overview on the <i>Corynebacterium glutamicum</i> l-lysine producing strain DM1730. <i>Journal of Proteomics</i> , 2010, 73, 2336-2353.                                                                                                                                               | 1.2 | 12        |
| 895 | <i>Arabidopsis thaliana</i> as a model organism for plant proteome research. <i>Journal of Proteomics</i> , 2010, 73, 2239-2248.                                                                                                                                                                             | 1.2 | 65        |
| 896 | Advances in shotgun proteomics and the analysis of membrane proteomes. <i>Journal of Proteomics</i> , 2010, 73, 2078-2091.                                                                                                                                                                                   | 1.2 | 121       |
| 897 | Characterization of factor VIII pharmaceutical preparations by means of MudPIT proteomic approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 53, 50-57.                                                                                                                               | 1.4 | 9         |
| 898 | Glossary of terms for separations coupled to mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 3922-3928.                                                                                                                                                                                  | 1.8 | 15        |
| 899 | Stable isotope labeling method targeting terminal tyrosine for relative peptide quantitation using mass spectrometry. <i>Analytical Biochemistry</i> , 2010, 401, 15-21.                                                                                                                                     | 1.1 | 6         |
| 900 | Multi-dimensional liquid chromatography in proteomics—A review. <i>Analytica Chimica Acta</i> , 2010, 664, 101-113.                                                                                                                                                                                          | 2.6 | 158       |
| 901 | A label-free differential proteomic analysis of mouse bronchoalveolar lavage fluid exposed to ultrafine carbon black. <i>Analytica Chimica Acta</i> , 2010, 673, 160-166.                                                                                                                                    | 2.6 | 8         |
| 902 | Correlation between peak capacity and protein sequence coverage in proteomics analysis by liquid chromatography-mass spectrometry/mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 4779-4783.                                                                                             | 1.8 | 20        |
| 903 | Protein- versus peptide fractionation in the first dimension of two-dimensional high-performance liquid chromatography-matrix-assisted laser desorption/ionization tandem mass spectrometry for qualitative proteome analysis of tissue samples. <i>Journal of Chromatography A</i> , 2010, 1217, 6159-6168. | 1.8 | 16        |
| 904 | Proteomics of bacterial pathogens: <i>Pseudomonas aeruginosa</i> infections in cystic fibrosis—A case study. <i>Proteomics - Clinical Applications</i> , 2010, 4, 228-248.                                                                                                                                   | 0.8 | 12        |
| 905 | Maximizing the sensitivity and reliability of peptide identification in large-scale proteomic experiments by harnessing multiple search engines. <i>Proteomics</i> , 2010, 10, 1172-1189.                                                                                                                    | 1.3 | 38        |
| 906 | Proteomics profile of cellular response to chiral drugs: Prospects for pharmaceutical applications. <i>Proteomics</i> , 2010, 10, 888-893.                                                                                                                                                                   | 1.3 | 4         |
| 907 | Differential proteomic analysis using iTRAQ reveals changes in thylakoids associated with Photosystem II-acquired thermotolerance in <i>Synechocystis</i> sp. PCC 6803. <i>Proteomics</i> , 2010, 10, 1917-1929.                                                                                             | 1.3 | 30        |
| 908 | Other than IPC—DALY: 2 variants. <i>Proteomics</i> , 2010, 10, 586-610.                                                                                                                                                                                                                                      | 1.3 | 23        |
| 909 | Technologies for plasma membrane proteomics. <i>Proteomics</i> , 2010, 10, 611-627.                                                                                                                                                                                                                          | 1.3 | 94        |
| 910 | Image analysis tools and emerging algorithms for expression proteomics. <i>Proteomics</i> , 2010, 10, 4226-4257.                                                                                                                                                                                             | 1.3 | 46        |

| #   | ARTICLE                                                                                                                                                                                                                     | IF   | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 911 | Shotgun proteome analysis utilising mixed mode (reversed phase anion exchange chromatography) in conjunction with reversed phase liquid chromatography mass spectrometry analysis. <i>Proteomics</i> , 2010, 10, 2950-2960. | 1.3  | 34        |
| 912 | Identification, analysis, and prediction of protein ubiquitination sites. <i>Proteins: Structure, Function and Bioinformatics</i> , 2010, 78, 365-380.                                                                      | 1.5  | 513       |
| 913 | Impact of elevated nitrate on sulfate-reducing bacteria: a comparative Study of <i>Desulfovibrio vulgaris</i> . <i>ISME Journal</i> , 2010, 4, 1386-1397.                                                                   | 4.4  | 67        |
| 914 | Damage-induced phosphorylation of Sld3 is important to block late origin firing. <i>Nature</i> , 2010, 467, 479-483.                                                                                                        | 13.7 | 179       |
| 915 | Chapter 10. <i>Proteomics</i> . RSC Nanoscience and Nanotechnology, 2010, , 93-110.                                                                                                                                         | 0.2  | 0         |
| 917 | 10 Eastern Beringian Studies. <i>Developments in Quaternary Sciences</i> , 2010, , 157-172.                                                                                                                                 | 0.1  | 1         |
| 918 | Large-scale proteome investigation in wild relatives (A, B, and D genomes) of wheat. <i>Acta Biochimica Et Biophysica Sinica</i> , 2010, 42, 709-716.                                                                       | 0.9  | 15        |
| 919 | Double-Blind Characterization of Non-Genome-Sequenced Bacteria by Mass Spectrometry-Based Proteomics. <i>Applied and Environmental Microbiology</i> , 2010, 76, 3637-3644.                                                  | 1.4  | 48        |
| 920 | Molecular Mechanisms of Chronic Kidney Transplant Rejection via Large-Scale Proteogenomic Analysis of Tissue Biopsies. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 362-373.                      | 3.0  | 77        |
| 921 | Applications in Data-Intensive Computing. <i>Advances in Computers</i> , 2010, , 1-70.                                                                                                                                      | 1.2  | 1         |
| 922 | REH2 RNA Helicase in Kinetoplastid Mitochondria. <i>Journal of Biological Chemistry</i> , 2010, 285, 1220-1228.                                                                                                             | 1.6  | 53        |
| 923 | Improving the Biomarker Pipeline. <i>Clinical Chemistry</i> , 2010, 56, 1786-1788.                                                                                                                                          | 1.5  | 10        |
| 924 | Guidelines for bioanalytical 2D chromatography method development and implementation. <i>Bioanalysis</i> , 2010, 2, 105-122.                                                                                                | 0.6  | 8         |
| 925 | The Mitogen-Activated Protein Kinase Slt2 Regulates Nuclear Retention of Non-Heat Shock mRNAs during Heat Shock-Induced Stress. <i>Molecular and Cellular Biology</i> , 2010, 30, 5168-5179.                                | 1.1  | 48        |
| 926 | Applications of proteomic technologies for understanding the premature proteolysis of CFTR. <i>Expert Review of Proteomics</i> , 2010, 7, 473-486.                                                                          | 1.3  | 4         |
| 927 | Plant Biotic Stress and Proteomics. <i>Current Proteomics</i> , 2010, 7, 275-297.                                                                                                                                           | 0.1  | 24        |
| 928 | Mass Spectrometry in Chronic Kidney Disease Research. <i>Advances in Chronic Kidney Disease</i> , 2010, 17, 455-468.                                                                                                        | 0.6  | 9         |
| 929 | Reversed-Phase High Performance Liquid Chromatography of Proteins. <i>Current Protocols in Protein Science</i> , 2010, 61, Unit 8.7.                                                                                        | 2.8  | 23        |

| #   | ARTICLE                                                                                                                                                                                                                         | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 930 | Mass Spectrometry: Structure Determination of Proteins and Peptides. , 2010, , 457-496.                                                                                                                                         |     | 3         |
| 931 | Stable-isotope dilution LC-MS for quantitative biomarker analysis. <i>Bioanalysis</i> , 2010, 2, 311-341.                                                                                                                       | 0.6 | 206       |
| 932 | An Overview of Label-Free Quantitation Methods in Proteomics by Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2010, 604, 273-283.                                                                                    | 0.4 | 99        |
| 933 | Proteomic analysis of zymogen granules. <i>Expert Review of Proteomics</i> , 2010, 7, 735-747.                                                                                                                                  | 1.3 | 9         |
| 934 | Proteomic Approaches to Cancer Biomarkers. <i>Gastroenterology</i> , 2010, 138, 46-51.e1.                                                                                                                                       | 0.6 | 19        |
| 935 | Improved LC-MS/MS Spectral Counting Statistics by Recovering Low-Scoring Spectra Matched to Confidently Identified Peptide Sequences. <i>Journal of Proteome Research</i> , 2010, 9, 5698-5704.                                 | 1.8 | 47        |
| 936 | Online Dual Gradient Reversed-Phase/Porous Graphitized Carbon nanoHPLC for Proteomic Applications. <i>Analytical Chemistry</i> , 2010, 82, 5391-5396.                                                                           | 3.2 | 14        |
| 937 | Direct Comparison of Stable Isotope Labeling by Amino Acids in Cell Culture and Spectral Counting for Quantitative Proteomics. <i>Analytical Chemistry</i> , 2010, 82, 8696-8702.                                               | 3.2 | 86        |
| 938 | Quantitative Proteome Analysis of Pluripotent Cells by iTRAQ Mass Tagging Reveals Post-transcriptional Regulation of Proteins Required for ES Cell Self-renewal. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 2238-2251. | 2.5 | 35        |
| 939 | Proteomic and Bioinformatic Analysis of the Root-Knot Nematode <i>Meloidogyne hapla</i> : The Basis for Plant Parasitism. <i>Journal of Proteome Research</i> , 2010, 9, 5370-5381.                                             | 1.8 | 18        |
| 940 | Phosphoproteomics for the Masses. <i>ACS Chemical Biology</i> , 2010, 5, 105-119.                                                                                                                                               | 1.6 | 150       |
| 941 | Free-Flow Zone Electrophoresis of Peptides and Proteins in PDMS Microchip for Narrow pI Range Sample Prefractionation Coupled with Mass Spectrometry. <i>Analytical Chemistry</i> , 2010, 82, 2317-2325.                        | 3.2 | 57        |
| 942 | Cerebrospinal fluid biomarkers in human prion diseases. <i>Future Neurology</i> , 2010, 5, 301-316.                                                                                                                             | 0.9 | 4         |
| 943 | Proteomic Analysis of Ethene-Enriched Groundwater Microcosms from a Vinyl Chloride-Contaminated Site. <i>Environmental Science &amp; Technology</i> , 2010, 44, 1594-1601.                                                      | 4.6 | 16        |
| 944 | Proteome Bioinformatics. <i>Methods in Molecular Biology</i> , 2010, , .                                                                                                                                                        | 0.4 | 11        |
| 945 | Development of multidimensional liquid chromatography and application in proteomic analysis. <i>Expert Review of Proteomics</i> , 2010, 7, 665-678.                                                                             | 1.3 | 18        |
| 946 | Oral Biology. <i>Methods in Molecular Biology</i> , 2010, , .                                                                                                                                                                   | 0.4 | 8         |
| 947 | Protein Profiles of the Midgut of <i>Spodoptera litura</i> Larvae at the Sixth Instar Feeding Stage by Shotgun ESI-MS Approach. <i>Journal of Proteome Research</i> , 2010, 9, 2117-2147.                                       | 1.8 | 28        |

| #   | ARTICLE                                                                                                                                                                                                                              | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 948 | The effect and potential of using a temperature controlled separation column with ultra-high pressure microcapillary liquid chromatography/tandem mass spectrometry on proteomic analysis. <i>Analyst, The</i> , 2011, 136, 2100.    | 1.7 | 14        |
| 949 | Components of Complex Lipid Biosynthetic Pathways in Developing Castor ( <i>Ricinus communis</i> ) Seeds Identified by MudPIT Analysis of Enriched Endoplasmic Reticulum. <i>Journal of Proteome Research</i> , 2011, 10, 3565-3577. | 1.8 | 8         |
| 950 | Automated Iterative MS/MS Acquisition: A Tool for Improving Efficiency of Protein Identification Using a LC-MALDI MS Workflow. <i>Analytical Chemistry</i> , 2011, 83, 6286-6293.                                                    | 3.2 | 13        |
| 951 | Perspectives of Comprehensive Phosphoproteome Analysis Using Shotgun Strategy. <i>Analytical Chemistry</i> , 2011, 83, 8078-8085.                                                                                                    | 3.2 | 50        |
| 952 | Probabilistic Consensus Scoring Improves Tandem Mass Spectrometry Peptide Identification. <i>Journal of Proteome Research</i> , 2011, 10, 3332-3343.                                                                                 | 1.8 | 45        |
| 953 | Derivatization or Not: A Choice in Quantitative Proteomics. <i>Analytical Chemistry</i> , 2011, 83, 4427-4439.                                                                                                                       | 3.2 | 30        |
| 954 | Improvements in Proteomic Metrics of Low Abundance Proteins through Proteome Equalization Using ProteoMiner Prior to MudPIT. <i>Journal of Proteome Research</i> , 2011, 10, 3690-3700.                                              | 1.8 | 86        |
| 955 | Online Nanoflow Multidimensional Fractionation for High Efficiency Phosphopeptide Analysis. <i>Molecular and Cellular Proteomics</i> , 2011, 10, O111.011064.                                                                        | 2.5 | 93        |
| 956 | The Analysis of Native Proteins and Peptides in the Clinical Lab Using Mass Spectrometry. <i>Clinics in Laboratory Medicine</i> , 2011, 31, 397-405.                                                                                 | 0.7 | 2         |
| 957 | Shotgun Proteomics: A Qualitative Approach Applying Isoelectric Focusing on Immobilized pH Gradient and LC-MS/MS. <i>Methods in Molecular Biology</i> , 2011, 681, 449-458.                                                          | 0.4 | 7         |
| 959 | New Developments in LC-MS and Other Hyphenated Techniques. , 2011, , 981-1030.                                                                                                                                                       |     | 1         |
| 961 | Characterization of The Human Tear Metabolome by LC-MS/MS. <i>Journal of Proteome Research</i> , 2011, 10, 4876-4882.                                                                                                                | 1.8 | 111       |
| 962 | Understanding and optimizing electrospray ionization techniques for proteomic analysis. <i>Expert Review of Proteomics</i> , 2011, 8, 197-209.                                                                                       | 1.3 | 25        |
| 965 | The Role of Proteomics in the Study of Kidney Diseases and in the Development of Diagnostic Tools. , 2011, , 101-176.                                                                                                                |     | 3         |
| 966 | Combinatorial use of offline SCX and online RP liquid chromatography for iTRAQ-based quantitative proteomics applications. <i>Molecular BioSystems</i> , 2011, 7, 1399.                                                              | 2.9 | 37        |
| 967 | Mass spectrometry at the interface of proteomics and genomics. <i>Molecular BioSystems</i> , 2011, 7, 284-291.                                                                                                                       | 2.9 | 36        |
| 968 | RT-SVR+q: A strategy for post-mascot analysis using retention time and q value metric to improve peptide and protein identifications. <i>Journal of Proteomics</i> , 2011, 75, 480-490.                                              | 1.2 | 4         |
| 969 | Functional proteogenomics—Embracing complexity. <i>Seminars in Immunology</i> , 2011, 23, 235-251.                                                                                                                                   | 2.7 | 23        |

| #   | ARTICLE                                                                                                                                                                                                 | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 970 | Proteome Studies of Filamentous Fungi. <i>Methods in Molecular Biology</i> , 2011, 722, 133-139.                                                                                                        | 0.4 | 3         |
| 971 | <i>Azospirillum</i> Genomes Reveal Transition of Bacteria from Aquatic to Terrestrial Environments. <i>PLoS Genetics</i> , 2011, 7, e1002430.                                                           | 1.5 | 191       |
| 972 | Using Ion Mobility Data to Improve Peptide Identification: Intrinsic Amino Acid Size Parameters. <i>Journal of Proteome Research</i> , 2011, 10, 2318-2329.                                             | 1.8 | 58        |
| 973 | Ultra-High-Pressure RPLC Hyphenated to an LTQ-Orbitrap Velos Reveals a Linear Relation between Peak Capacity and Number of Identified Peptides. <i>Analytical Chemistry</i> , 2011, 83, 2699-2704.      | 3.2 | 126       |
| 974 | Increasing proteome coverage with offline RP HPLC coupled to online RP nanoLC-MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 610-614. | 1.2 | 24        |
| 976 | Mammalian Mitochondrial Proteome And Its Functions: Current Investigative Techniques And Future Perspectives On Ageing And Diabetes. <i>Journal of Integrated OMICS</i> , 2011, 1, .                    | 0.5 | 4         |
| 977 | Proteomics Approach for Identifying Abiotic Stress Responsive Proteins in Soybean. , 0, , .                                                                                                             |     | 7         |
| 980 | FUS/TLS Is a Co-Activator of Androgen Receptor in Prostate Cancer Cells. <i>PLoS ONE</i> , 2011, 6, e24197.                                                                                             | 1.1 | 29        |
| 981 | Characterizing the <i>Escherichia coli</i> O157:H7 Proteome Including Protein Associations with Higher Order Assemblies. <i>PLoS ONE</i> , 2011, 6, e26554.                                             | 1.1 | 20        |
| 982 | Mass spectrometric characterization of proteins transferred from polyacrylamide gels to membrane filters. <i>FEBS Journal</i> , 2011, 278, 3807-3814.                                                   | 2.2 | 5         |
| 983 | Use of stable isotope labeling by amino acids in cell culture as a spike-in standard in quantitative proteomics. <i>Nature Protocols</i> , 2011, 6, 147-157.                                            | 5.5 | 265       |
| 984 | Green systems biology – From single genomes, proteomes and metabolomes to ecosystems research and biotechnology. <i>Journal of Proteomics</i> , 2011, 75, 284-305.                                      | 1.2 | 189       |
| 985 | Mining the <i>Giardia</i> genome and proteome for conserved and unique basal body proteins. <i>International Journal for Parasitology</i> , 2011, 41, 1079-1092.                                        | 1.3 | 48        |
| 986 | Comprehensive chromatographic separations in proteomics. <i>Journal of Chromatography A</i> , 2011, 1218, 8777-8790.                                                                                    | 1.8 | 39        |
| 987 | Mixed-mode chromatography and its applications to biopolymers. <i>Journal of Chromatography A</i> , 2011, 1218, 8813-8825.                                                                              | 1.8 | 167       |
| 989 | Development of a Parallel-Tandem Column Interface in a Two-Dimensional Liquid Chromatography System. <i>Chromatographia</i> , 2011, 73, 871-877.                                                        | 0.7 | 2         |
| 990 | Proteomics of industrial fungi: trends and insights for biotechnology. <i>Applied Microbiology and Biotechnology</i> , 2011, 89, 225-237.                                                               | 1.7 | 53        |
| 991 | Construction and initial evaluation of an apparatus for spatial comprehensive two-dimensional liquid-phase separations. <i>Analytica Chimica Acta</i> , 2011, 701, 92-97.                               | 2.6 | 15        |

| #    | ARTICLE                                                                                                                                                                                                                        | IF  | CITATIONS |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 992  | A proteomic analysis of engineered tendon formation under dynamic mechanical loading in vitro. <i>Biomaterials</i> , 2011, 32, 4085-4095.                                                                                      | 5.7 | 40        |
| 993  | A replaceable microreactor for on-line protein digestion in a two-dimensional capillary electrophoresis system with tandem mass spectrometry detection. <i>Journal of Chromatography A</i> , 2011, 1218, 2007-2011.            | 1.8 | 74        |
| 994  | Biomarker development for non-invasive prenatal diagnosis of fetal aneuploidies: predictive reliability and potential clinical application. <i>EPMA Journal</i> , 2011, 2, 157-161.                                            | 3.3 | 0         |
| 995  | Applications of cell-based phage display panning to proteomic analysis. <i>Genes and Genomics</i> , 2011, 33, 9-15.                                                                                                            | 0.5 | 3         |
| 996  | A guide through the computational analysis of isotope-labeled mass spectrometry-based quantitative proteomics data: an application study. <i>Proteome Science</i> , 2011, 9, 30.                                               | 0.7 | 23        |
| 997  | A label-free quantitative shotgun proteomics analysis of rice grain development. <i>Proteome Science</i> , 2011, 9, 61.                                                                                                        | 0.7 | 42        |
| 998  | Proteomics: a subcellular look at spermatozoa. <i>Reproductive Biology and Endocrinology</i> , 2011, 9, 36.                                                                                                                    | 1.4 | 64        |
| 999  | Immobilized pH gradient-driven paper-based IEF: a new method for fractionating complex peptide mixtures before MS analysis. <i>Clinical Proteomics</i> , 2011, 8, 10.                                                          | 1.1 | 6         |
| 1000 | Shotgun proteomic analysis for detecting differentially expressed proteins in the reduced culm number rice. <i>Proteomics</i> , 2011, 11, 455-468.                                                                             | 1.3 | 18        |
| 1001 | Protein and peptide fractionation, enrichment and depletion: Tools for the complex proteome. <i>Proteomics</i> , 2011, 11, 513-534.                                                                                            | 1.3 | 88        |
| 1002 | Targeted large-scale analysis of protein acetylation. <i>Proteomics</i> , 2011, 11, 571-589.                                                                                                                                   | 1.3 | 70        |
| 1003 | Mining the soluble chloroplast proteome by affinity chromatography. <i>Proteomics</i> , 2011, 11, 1287-1299.                                                                                                                   | 1.3 | 43        |
| 1004 | Proteomic analysis reveals a virtually complete set of proteins for translation and energy generation in elementary bodies of the amoeba symbiont <i>Protochlamydia amoebophila</i> . <i>Proteomics</i> , 2011, 11, 1868-1892. | 1.3 | 12        |
| 1005 | Advanced MudPIT as a next step toward high proteome coverage. <i>Proteomics</i> , 2011, 11, 3651-3656.                                                                                                                         | 1.3 | 26        |
| 1006 | From the genome sequence to the protein inventory of <i>Bacillus subtilis</i> . <i>Proteomics</i> , 2011, 11, 2971-2980.                                                                                                       | 1.3 | 21        |
| 1007 | Fully automatable two-dimensional reversed-phase capillary liquid chromatography with online tandem mass spectrometry for shotgun proteomics. <i>Proteomics</i> , 2011, 11, 2308-2319.                                         | 1.3 | 26        |
| 1008 | Separation strategies for untargeted metabolomics. <i>Journal of Separation Science</i> , 2011, 34, 3460-3469.                                                                                                                 | 1.3 | 109       |
| 1009 | Online combination of reversed-phase/reversed-phase and porous graphitic carbon liquid chromatography for multicomponent separation of proteomics and glycoproteomics samples. <i>Electrophoresis</i> , 2011, 32, 2930-2940.   | 1.3 | 27        |

| #    | ARTICLE                                                                                                                                                                                                                                                                                                               | IF  | CITATIONS |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1010 | Evaluation of different two-dimensional chromatographic techniques for proteomic analysis of mouse cardiac tissue. <i>Biomedical Chromatography</i> , 2011, 25, 594-599.                                                                                                                                              | 0.8 | 13        |
| 1011 | Proteomic analysis of polyketide and nonribosomal peptide biosynthesis. <i>Current Opinion in Chemical Biology</i> , 2011, 15, 48-56.                                                                                                                                                                                 | 2.8 | 20        |
| 1012 | Development of online high-/low-pH reversed-phase-reversed-phase two-dimensional liquid chromatography for shotgun proteomics: A reversed-phase-strong cation exchange-reversed-phase approach. <i>Journal of Chromatography A</i> , 2011, 1218, 3681-3688.                                                           | 1.8 | 48        |
| 1013 | Carbaboranes as pharmacophores: Similarities and differences between aspirin and asborin. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 1131-1139.                                                                                                                                                       | 2.6 | 53        |
| 1014 | Boric acid gel enrichment of glycosylated proteins in human wound fluids. <i>Journal of Proteomics</i> , 2011, 74, 502-509.                                                                                                                                                                                           | 1.2 | 11        |
| 1015 | On-line combination of monolithic immobilized pH gradient-based capillary isoelectric focusing and capillary zone electrophoresis via a partially etched porous interface for protein analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 804-810. | 1.2 | 20        |
| 1016 | Recent progress in liquid chromatography-based separation and label-free quantitative plant proteomics. <i>Phytochemistry</i> , 2011, 72, 963-974.                                                                                                                                                                    | 1.4 | 70        |
| 1017 | Post-translation modification of proteins; methodologies and applications in plant sciences. <i>Phytochemistry</i> , 2011, 72, 975-996.                                                                                                                                                                               | 1.4 | 39        |
| 1018 | Involvement of the <i>Shewanella oneidensis</i> Decaheme Cytochrome MtrA in the Periplasmic Stability of the $\beta^2$ -Barrel Protein MtrB. <i>Applied and Environmental Microbiology</i> , 2011, 77, 1520-1523.                                                                                                     | 1.4 | 34        |
| 1019 | Standard Operating Procedures and Protocols for the Preparation and Analysis of Plasma Samples Using the iTRAQ Methodology. , 2011, , 575-624.                                                                                                                                                                        |     | 7         |
| 1020 | MicroRNA Regulation of Molecular Networks Mapped by Global MicroRNA, mRNA, and Protein Expression in Activated T Lymphocytes. <i>Journal of Immunology</i> , 2011, 187, 2233-2243.                                                                                                                                    | 0.4 | 86        |
| 1021 | Proteomic and Functional Analysis of the Cellulase System Expressed by <i>Postia placenta</i> during Brown Rot of Solid Wood. <i>Applied and Environmental Microbiology</i> , 2011, 77, 7933-7941.                                                                                                                    | 1.4 | 46        |
| 1022 | Pressurized Pepsin Digestion in Proteomics. <i>Molecular and Cellular Proteomics</i> , 2011, 10, S1-S11.                                                                                                                                                                                                              | 2.5 | 41        |
| 1023 | Genomics and Proteomics of Pulmonary Vascular Disease. , 2011, 1, 467-483.                                                                                                                                                                                                                                            |     | 5         |
| 1024 | Target Identification Using Drug Affinity Responsive Target Stability (DARTS). <i>Current Protocols in Chemical Biology</i> , 2011, 3, 163-180.                                                                                                                                                                       | 1.7 | 153       |
| 1026 | Highly Reproducible Label Free Quantitative Proteomic Analysis of RNA Polymerase Complexes. <i>Molecular and Cellular Proteomics</i> , 2011, 10, S1-S13.                                                                                                                                                              | 2.5 | 78        |
| 1027 | Proteomic analysis of the enterocyte brush border. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G914-G926.                                                                                                                                                                                   | 1.6 | 84        |
| 1028 | On-Line Two-Dimension Liquid Chromatography for the Analysis of Ingredients in the Medicinal Preparation of <i>Coptis Chinensis</i> Franch. <i>Analytical Letters</i> , 2011, 44, 1663-1673.                                                                                                                          | 1.0 | 6         |

| #    | ARTICLE                                                                                                                                                                                                         | IF  | CITATIONS |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1029 | Proteomics Analyses of the Opportunistic Pathogen <i>Burkholderia vietnamiensis</i> Using Protein Fractionations and Mass Spectrometry. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-10.     | 3.0 | 12        |
| 1030 | The importance of protein profiling in the diagnosis and treatment of hematologic malignancies. <i>Turkish Journal of Haematology</i> , 2011, 28, 1-14.                                                         | 0.2 | 3         |
| 1031 | The nuclear envelope proteome differs notably between tissues. <i>Nucleus</i> , 2012, 3, 552-564.                                                                                                               | 0.6 | 177       |
| 1032 | Proteomic Technologies for the Study of Osteosarcoma. <i>Sarcoma</i> , 2012, 2012, 1-10.                                                                                                                        | 0.7 | 2         |
| 1033 | Human Family with Sequence Similarity 60 Member A (FAM60A) Protein: a New Subunit of the Sin3 Deacetylase Complex. <i>Molecular and Cellular Proteomics</i> , 2012, 11, 1815-1828.                              | 2.5 | 47        |
| 1034 | Mass Spectrometry in High-Throughput Clinical Biomarker Assays: Multiple Reaction Monitoring. <i>Topics in Current Chemistry</i> , 2012, 336, 117-137.                                                          | 4.0 | 21        |
| 1035 | Tudor domain ERI-5 tethers an RNA-dependent RNA polymerase to DCR-1 to potentiate endo-RNAi. <i>Nature Structural and Molecular Biology</i> , 2012, 19, 90-97.                                                  | 3.6 | 50        |
| 1036 | An Economical High-Throughput Protocol for Multidimensional Fractionation of Proteins. <i>International Journal of Proteomics</i> , 2012, 2012, 1-10.                                                           | 2.0 | 4         |
| 1037 | Enrichment strategies for phosphoproteomics: state-of-the-art. <i>Reviews in Analytical Chemistry</i> , 2012, 31, .                                                                                             | 1.5 | 9         |
| 1038 | Liquid Chromatography and Mass Spectrometry (LC-MS) Based Strategies for Quantitative Phosphoproteomics. <i>Current Analytical Chemistry</i> , 2012, 8, 3-21.                                                   | 0.6 | 5         |
| 1039 | Strategies to dissect parasite proteomes. <i>Parasitology</i> , 2012, 139, 1119-1130.                                                                                                                           | 0.7 | 8         |
| 1040 | Opening the floodgates: proteomics and the integrin adhesome. <i>Current Opinion in Cell Biology</i> , 2012, 24, 562-568.                                                                                       | 2.6 | 91        |
| 1041 | Role of proteomics in biomarker discovery and psychiatric disorders: current status, potentials, limitations and future challenges. <i>Expert Review of Proteomics</i> , 2012, 9, 249-265.                      | 1.3 | 10        |
| 1042 | Single-Step Inline Hydroxyapatite Enrichment Facilitates Identification and Quantitation of Phosphopeptides from Mass-Limited Proteomes with MudPIT. <i>Journal of Proteome Research</i> , 2012, 11, 2697-2709. | 1.8 | 56        |
| 1043 | 1.17 Mass Spectrometry. , 2012, , 341-375.                                                                                                                                                                      |     | 1         |
| 1044 | Temporal analysis of xylose fermentation by <i>Scheffersomyces stipitis</i> using shotgun proteomics. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2012, 39, 1507-1514.                        | 1.4 | 6         |
| 1045 | MMS19 Assembles Iron-Sulfur Proteins Required for DNA Metabolism and Genomic Integrity. <i>Science</i> , 2012, 337, 195-199.                                                                                    | 6.0 | 255       |
| 1046 | Evaluation of peptide fractionation strategies used in proteome analysis. <i>Journal of Separation Science</i> , 2012, 35, 3293-3301.                                                                           | 1.3 | 15        |



| #    | ARTICLE                                                                                                                                                                                                                                                 | IF   | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1047 | The temporal analysis of yeast exponential phase using shotgun proteomics as a fermentation monitoring technique. <i>Journal of Proteomics</i> , 2012, 75, 5206-5214.                                                                                   | 1.2  | 7         |
| 1048 | Multidimensional Protein Identification Technology-Selected Reaction Monitoring Improving Detection and Quantification for Protein Biomarker Studies. <i>Analytical Chemistry</i> , 2012, 84, 1592-1600.                                                | 3.2  | 19        |
| 1049 | Identification of Prostate-Enriched Proteins by In-depth Proteomic Analyses of Expressed Prostatic Secretions in Urine. <i>Journal of Proteome Research</i> , 2012, 11, 2386-2396.                                                                      | 1.8  | 56        |
| 1050 | Quantitative Multiple Reaction Monitoring of Peptide Abundance Introduced via a Capillary Zone Electrophoresis-Electrospray Interface. <i>Analytical Chemistry</i> , 2012, 84, 6116-6121.                                                               | 3.2  | 47        |
| 1051 | Fully Automated Multifunctional Ultrahigh Pressure Liquid Chromatography System for Advanced Proteome Analyses. <i>Journal of Proteome Research</i> , 2012, 11, 4373-4381.                                                                              | 1.8  | 17        |
| 1052 | A review of current proteomics technologies with a survey on their widespread use in reproductive biology investigations. <i>Theriogenology</i> , 2012, 77, 738-765.e52.                                                                                | 0.9  | 73        |
| 1053 | Abiotic Stress Responses in Plants: Metabolism to Productivity. , 2012, , 41-61.                                                                                                                                                                        |      | 20        |
| 1054 | Review of current and proteomics methods for assessing the toxicity (genotoxicity, teratogenicity and) Tj ETQq1 1.0.784314 rgBT /Ov                                                                                                                     | 2.0  | 120       |
| 1055 | Recent advances in peptide separation by multidimensional liquid chromatography for proteome analysis. <i>Journal of Proteomics</i> , 2012, 75, 3791-3813.                                                                                              | 1.2  | 141       |
| 1056 | Ion Exchange Technology II. , 2012, , .                                                                                                                                                                                                                 |      | 31        |
| 1057 | Preparation of a stationary phase with quaternary ammonium embedded group for selective separation of alkaloids based on ion-exclusion interaction. <i>Journal of Separation Science</i> , 2012, 35, 2685-2692.                                         | 1.3  | 13        |
| 1058 | <i>Escherichia coli</i> exhibits a membrane-related response to a small arginine- and tryptophan-rich antimicrobial peptide. <i>Proteomics</i> , 2012, 12, 2319-2330.                                                                                   | 1.3  | 5         |
| 1060 | Characterization of the <i>Mycobacterium tuberculosis</i> Proteome by Liquid Chromatography Mass Spectrometry-based Proteomics Techniques: A Comprehensive Resource for Tuberculosis Research. <i>Journal of Proteome Research</i> , 2012, 11, 119-130. | 1.8  | 61        |
| 1061 | ZIC-CHILIC as a fractionation method for sensitive and powerful shotgun proteomics. <i>Nature Protocols</i> , 2012, 7, 2041-2055.                                                                                                                       | 5.5  | 31        |
| 1062 | Contribution of Proteomics to the Study of Plant Pathogenic Fungi. <i>Journal of Proteome Research</i> , 2012, 11, 3-16.                                                                                                                                | 1.8  | 97        |
| 1063 | Methods to Isolate and Identify New Plant Signaling Peptides. <i>Signaling and Communication in Plants</i> , 2012, , 217-239.                                                                                                                           | 0.5  | 3         |
| 1065 | Protein pre-fractionation with a mixed-bed ion exchange column in 3D LC-MS/MS proteome analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 905, 96-104.                                   | 1.2  | 11        |
| 1066 | Mass spectrometry-based proteomics: existing capabilities and future directions. <i>Chemical Society Reviews</i> , 2012, 41, 3912.                                                                                                                      | 18.7 | 351       |

| #    | ARTICLE                                                                                                                                                                                                       | IF  | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1067 | Reaching for the deep proteome: Recent nano liquid chromatography coupled with tandem mass spectrometry-based studies on the deep proteome. Archives of Pharmacal Research, 2012, 35, 1861-1870.              | 2.7 | 11        |
| 1069 | Microbial Proteomics Using Mass Spectrometry. Methods in Molecular Biology, 2012, 881, 159-186.                                                                                                               | 0.4 | 0         |
| 1070 | Proteomic Investigations for Boron Neutron Capture Therapy. , 2012, , 189-200.                                                                                                                                |     | 0         |
| 1072 | Affinity purification of protein complexes for analysis by multidimensional protein identification technology. Protein Expression and Purification, 2012, 86, 105-119.                                        | 0.6 | 24        |
| 1074 | Neutron Capture Therapy. , 2012, , .                                                                                                                                                                          |     | 134       |
| 1075 | Plant Signaling Peptides. Signaling and Communication in Plants, 2012, , .                                                                                                                                    | 0.5 | 2         |
| 1076 | Advanced proteomic liquid chromatography. Journal of Chromatography A, 2012, 1261, 78-90.                                                                                                                     | 1.8 | 65        |
| 1077 | Metal Toxicity in Plants: Perception, Signaling and Remediation. , 2012, , .                                                                                                                                  |     | 39        |
| 1078 | Determining In Vivo Phosphorylation Sites Using Mass Spectrometry. Current Protocols in Molecular Biology, 2012, 98, Unit18.19.1-27.                                                                          | 2.9 | 27        |
| 1079 | Microwave Digestion of Protein Samples for Proteomics Applications. , 2012, , 277-290.                                                                                                                        |     | 1         |
| 1080 | Programmed elution in comprehensive two-dimensional liquid chromatography. Journal of Chromatography A, 2012, 1255, 112-129.                                                                                  | 1.8 | 61        |
| 1081 | Searching for reliable premortem protein biomarkers for prion diseases: progress and challenges to date. Expert Review of Proteomics, 2012, 9, 267-280.                                                       | 1.3 | 9         |
| 1082 | Glycoprotein Profiles of Human Breast Cells Demonstrate a Clear Clustering of Normal/Benign versus Malignant Cell Lines and Basal versus Luminal Cell Lines. Journal of Proteome Research, 2012, 11, 656-667. | 1.8 | 28        |
| 1083 | Plant Protein Analysis. , 0, , .                                                                                                                                                                              |     | 2         |
| 1084 | Strategies for Protein Separation. , 2012, , .                                                                                                                                                                |     | 0         |
| 1085 | Assessment of Proteomics Strategies for Plant Cell Wall Glycosyltransferases in Wheat, a Non-Model Species: Glucurono(Arabino)Xylan as a Case Study. , 2012, , .                                              |     | 0         |
| 1086 | Proteolytic Digestion Methods for Shotgun Proteomics. , 2012, , 261-276.                                                                                                                                      |     | 1         |
| 1087 | Proteome of formalinâ€fixed paraffinâ€embedded pancreatic ductal adenocarcinoma and lymph node metastases. Journal of Pathology, 2012, 226, 756-763.                                                          | 2.1 | 46        |

| #    | ARTICLE                                                                                                                                                                                                              | IF   | CITATIONS |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1088 | To label or not to label: Applications of quantitative proteomics in neuroscience research. <i>Proteomics</i> , 2012, 12, 736-747.                                                                                   | 1.3  | 60        |
| 1089 | "The quest for biomarkers": Are we on the right technical track?. <i>Proteomics - Clinical Applications</i> , 2012, 6, 22-41.                                                                                        | 0.8  | 24        |
| 1090 | Proteomics as a Toolbox to Study the Metabolic Adjustment of Trees During Exposure to Metal Trace Elements. , 2012, , 143-164.                                                                                       |      | 2         |
| 1091 | Targeted Tissue Proteomic Analysis of Human Astrocytomas. <i>Journal of Proteome Research</i> , 2012, 11, 3937-3946.                                                                                                 | 1.8  | 24        |
| 1092 | Protein-Protein Interactions in Plants. <i>Plant and Cell Physiology</i> , 2012, 53, 617-625.                                                                                                                        | 1.5  | 47        |
| 1093 | Mass spectrometry detection in comprehensive liquid chromatography: Basic concepts, instrumental aspects, applications and trends. <i>Mass Spectrometry Reviews</i> , 2012, 31, 523-559.                             | 2.8  | 86        |
| 1094 | Divergent flow isoelectric focusing for separation and preparative analysis of peptides. <i>Electrophoresis</i> , 2012, 33, 1687-1694.                                                                               | 1.3  | 8         |
| 1095 | Metabolomics: the apogee of the omics trilogy. <i>Nature Reviews Molecular Cell Biology</i> , 2012, 13, 263-269.                                                                                                     | 16.1 | 1,931     |
| 1096 | Proteomic tools for the investigation of human hair structural proteins and evidence of weakness sites on hair keratin coil segments. <i>Analytical Biochemistry</i> , 2012, 421, 43-55.                             | 1.1  | 35        |
| 1097 | A homologue of the human STRIPAK complex controls sexual development in fungi. <i>Molecular Microbiology</i> , 2012, 84, 310-323.                                                                                    | 1.2  | 94        |
| 1098 | Two-dimensional liquid chromatography separation of peptides using reversed-phase/weak cation-exchange mixed-mode column in first dimension. <i>Journal of Chromatography A</i> , 2012, 1228, 242-249.               | 1.8  | 45        |
| 1099 | Extracted fragment ion mobility distributions: A new method for complex mixture analysis. <i>International Journal of Mass Spectrometry</i> , 2012, 309, 154-160.                                                    | 0.7  | 40        |
| 1100 | Proteomic analysis of <i>Trichinella spiralis</i> proteins in intestinal epithelial cells after culture with their larvae by shotgun LC-MS/MS approach. <i>Journal of Proteomics</i> , 2012, 75, 2375-2383.          | 1.2  | 71        |
| 1101 | The histone chaperone ASF1 is essential for sexual development in the filamentous fungus <i>Sordaria macrospora</i> . <i>Molecular Microbiology</i> , 2012, 84, 748-765.                                             | 1.2  | 26        |
| 1103 | Development of an online capillary comprehensive 2D-LC system for the analysis of proteome samples. <i>Journal of Separation Science</i> , 2012, 35, 530-533.                                                        | 1.3  | 22        |
| 1104 | On the utility of predictive chromatography to complement mass spectrometry based intact protein identification. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 2521-2529.                               | 1.9  | 6         |
| 1105 | On protein abundance distributions in complex mixtures. <i>Proteome Science</i> , 2013, 11, 5.                                                                                                                       | 0.7  | 11        |
| 1106 | Proteomic and Functional Annotation Analysis of Injured Peripheral Nerves Reveals ApoE as a Protein Upregulated by Injury that is Modulated by Metformin Treatment. <i>Molecular Pain</i> , 2013, 9, 1744-8069-9-14. | 1.0  | 42        |

| #    | ARTICLE                                                                                                                                                                                                                                                | IF  | CITATIONS |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1107 | Honey protein extraction and determination by mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 3063-3074.                                                                                                                 | 1.9 | 36        |
| 1108 | Preparation of a butylsilica hybrid monolithic column with a one-pot process for bioseparation by capillary liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 2265-2271.                                               | 1.9 | 24        |
| 1109 | Proteome analysis reveals antiangiogenic environments in chronic wounds of diabetes mellitus type 2 patients. <i>Proteomics</i> , 2013, 13, 2670-2681.                                                                                                 | 1.3 | 91        |
| 1110 | Mixed-Bed Ion Exchange Chromatography Employing a Salt-Free pH Gradient for Improved Sensitivity and Compatibility in MudPIT. <i>Analytical Chemistry</i> , 2013, 85, 6608-6616.                                                                       | 3.2 | 11        |
| 1111 | DMS-MS separations with different transport gas modifiers. <i>International Journal for Ion Mobility Spectrometry</i> , 2013, 16, 207-216.                                                                                                             | 1.4 | 41        |
| 1112 | A tool to evaluate correspondence between extraction ion chromatographic peaks and peptide-spectrum matches in shotgun proteomics experiments. <i>Proteomics</i> , 2013, 13, 2386-2397.                                                                | 1.3 | 3         |
| 1113 | <i>Proteomics in Foods.</i> , 2013, , .                                                                                                                                                                                                                |     | 10        |
| 1114 | Increased proteome coverage by combining PAGE and peptide isoelectric focusing: Comparative study of gel-based separation approaches. <i>Proteomics</i> , 2013, 13, 2947-2955.                                                                         | 1.3 | 59        |
| 1115 | A new flow path design for multidimensional protein identification technology using nano-liquid chromatography electrospray ionization mass spectrometry. <i>Korean Journal of Chemical Engineering</i> , 2013, 30, 417-421.                           | 1.2 | 3         |
| 1116 | Stress-Independent Activation of XBP1s and/or ATF6 Reveals Three Functionally Diverse ER Proteostasis Environments. <i>Cell Reports</i> , 2013, 3, 1279-1292.                                                                                          | 2.9 | 436       |
| 1117 | A Chemical Biology Approach to Interrogate Quorum-Sensing Regulated Behaviors at the Molecular and Cellular Level. <i>Chemistry and Biology</i> , 2013, 20, 903-911.                                                                                   | 6.2 | 6         |
| 1118 | <i>Quantitative Proteomics in Development of Disease Protein Biomarkers.</i> , 2013, , 259-278.                                                                                                                                                        |     | 20        |
| 1119 | Sample Handling and Mass Spectrometry for Microbial Metaproteomic Analyses. <i>Methods in Enzymology</i> , 2013, 531, 289-303.                                                                                                                         | 0.4 | 11        |
| 1120 | Biphasic Microreactor for Efficient Membrane Protein Pretreatment with a Combination of Formic Acid Assisted Solubilization, On-Column pH Adjustment, Reduction, Alkylation, and Tryptic Digestion. <i>Analytical Chemistry</i> , 2013, 85, 8507-8512. | 3.2 | 30        |
| 1121 | <i>Proteomic Protocols for the Study of Filamentous Fungi.</i> , 2013, , 299-308.                                                                                                                                                                      |     | 8         |
| 1122 | A Calcineurin-dependent Switch Controls the Trafficking Function of $\beta$ -Arrestin Aly1/Art6. <i>Journal of Biological Chemistry</i> , 2013, 288, 24063-24080.                                                                                      | 1.6 | 57        |
| 1123 | <i>Capillary Electrophoresis-Mass Spectrometry for Proteomic and Metabolic Analysis.</i> , 2013, , 163-173.                                                                                                                                            |     | 2         |
| 1124 | Proteomics & metabolomics: Mapping biochemical regulations. <i>Drug Invention Today (discontinued)</i> , 2013, 5, 321-326.                                                                                                                             | 0.6 | 15        |

| #    | ARTICLE                                                                                                                                                                                                                                                                                    | IF   | CITATIONS |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1125 | Dissociation-Based Screening of Nanoparticle-Protein Interaction via Flow Field-Flow Fractionation. <i>Analytical Chemistry</i> , 2013, 85, 7494-7501.                                                                                                                                     | 3.2  | 54        |
| 1126 | Argonautes Promote Male Fertility and Provide a Paternal Memory of Germline Gene Expression in <i>C.Ælegans</i> . <i>Cell</i> , 2013, 155, 1532-1544.                                                                                                                                      | 13.5 | 158       |
| 1127 | Clinical Applications of Capillary Electrophoresis. <i>Methods in Molecular Biology</i> , 2013, , .                                                                                                                                                                                        | 0.4  | 2         |
| 1128 | Proteomic tools for environmental microbiology—A roadmap from sample preparation to protein identification and quantification. <i>Proteomics</i> , 2013, 13, 2700-2730.                                                                                                                    | 1.3  | 49        |
| 1129 | Novel approaches for the identification of biomarkers of aggressive prostate cancer. <i>Genome Medicine</i> , 2013, 5, 56.                                                                                                                                                                 | 3.6  | 11        |
| 1130 | Compatible buffer for capillary electrophoresis and matrix-assisted laser desorption/ionization mass spectrometry. <i>Analytical Methods</i> , 2013, 5, 4258.                                                                                                                              | 1.3  | 4         |
| 1131 | Orthogonal separation and identification of long-chain peptides from scorpion <i>Buthus martensi</i> Karsch venom by using two-dimensional mixed-mode reversed phase-reversed phase chromatography coupled to tandem mass spectrometry. <i>Analyst, The</i> , 2013, 138, 1835.             | 1.7  | 6         |
| 1132 | Proteomics Applied to Avian Herpesviruses. <i>Avian Diseases</i> , 2013, 57, 351-359.                                                                                                                                                                                                      | 0.4  | 5         |
| 1133 | Multimodal liquid chromatography of small molecules. <i>Analytical Methods</i> , 2013, 5, 4955.                                                                                                                                                                                            | 1.3  | 30        |
| 1134 | The proteomics of heavy metal hyperaccumulation by plants. <i>Journal of Proteomics</i> , 2013, 79, 133-145.                                                                                                                                                                               | 1.2  | 60        |
| 1135 | Hydrophilic Strong Anion Exchange (hSAX) Chromatography for Highly Orthogonal Peptide Separation of Complex Proteomes. <i>Journal of Proteome Research</i> , 2013, 12, 2449-2457.                                                                                                          | 1.8  | 60        |
| 1136 | Prefractionation of Intact Proteins by Reversed-Phase and Anion-Exchange Chromatography for the Differential Proteomic Analysis of <i>Saccharomyces cerevisiae</i> . <i>Journal of Proteome Research</i> , 2013, 12, 626-636.                                                              | 1.8  | 13        |
| 1137 | HPLC Analysis. , 2013, , 465-519.                                                                                                                                                                                                                                                          |      | 2         |
| 1138 | Multidimensional nano-HPLC coupled with tandem mass spectrometry for analyzing biotinylated proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 2163-2173.                                                                                                                | 1.9  | 15        |
| 1139 | Quantitative mass spectrometry for colorectal cancer proteomics. <i>Proteomics - Clinical Applications</i> , 2013, 7, 42-54.                                                                                                                                                               | 0.8  | 20        |
| 1140 | Systematic optimisation and evaluation of on-line, off-line and stop-flow comprehensive hydrophilic interaction chromatography—reversed phase liquid chromatographic analysis of procyanidins, Part I: Theoretical considerations. <i>Journal of Chromatography A</i> , 2013, 1289, 58-68. | 1.8  | 62        |
| 1141 | Chemical genomics for studying parasite gene function and interaction. <i>Trends in Parasitology</i> , 2013, 29, 603-611.                                                                                                                                                                  | 1.5  | 4         |
| 1142 | Developing top down proteomics to maximize proteome and sequence coverage from cells and tissues. <i>Current Opinion in Chemical Biology</i> , 2013, 17, 787-794.                                                                                                                          | 2.8  | 45        |

| #    | ARTICLE                                                                                                                                                                                                                                            | IF   | CITATIONS |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1143 | The characteristics of open-tubular capillary electrochromatography columns with series/mixed stationary phases constructed with magnetic nanoparticle coating. <i>Talanta</i> , 2013, 104, 173-179.                                               | 2.9  | 20        |
| 1144 | Proteome coverage of the model plant <i>Arabidopsis thaliana</i> : Implications for shotgun proteomic studies. <i>Journal of Proteomics</i> , 2013, 79, 195-199.                                                                                   | 1.2  | 4         |
| 1145 | Expression and purification of functional human glycogen synthase-1 (hGYS1) in insect cells. <i>Protein Expression and Purification</i> , 2013, 90, 78-83.                                                                                         | 0.6  | 12        |
| 1146 | Online profiling of triacylglycerols in plant oils by two-dimensional liquid chromatography using a single column coupled with atmospheric pressure chemical ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1312, 69-79. | 1.8  | 46        |
| 1147 | Quantitative Proteomics in Genomic Medicine. , 2013, , 155-165.                                                                                                                                                                                    |      | 0         |
| 1148 | Protein Analysis by Shotgun/Bottom-up Proteomics. <i>Chemical Reviews</i> , 2013, 113, 2343-2394.                                                                                                                                                  | 23.0 | 1,171     |
| 1149 | Stalled Spliceosomes Are a Signal for RNAi-Mediated Genome Defense. <i>Cell</i> , 2013, 152, 957-968.                                                                                                                                              | 13.5 | 173       |
| 1150 | <i>Metaproteomics</i> : Harnessing the Power of High Performance Mass Spectrometry to Identify the Suite of Proteins That Control Metabolic Activities in Microbial Communities. <i>Analytical Chemistry</i> , 2013, 85, 4203-4214.                | 3.2  | 165       |
| 1151 | Mass-Linked Immuno-Selective Assays in Targeted Proteomics. <i>Analytical Chemistry</i> , 2013, 85, 737-748.                                                                                                                                       | 3.2  | 31        |
| 1152 | Recent Advances in Capillary Electrophoresis-Based Proteomic Techniques for Biomarker Discovery. <i>Methods in Molecular Biology</i> , 2013, 984, 1-12.                                                                                            | 0.4  | 10        |
| 1153 | Combination of two different stationary phases for on-line pre-concentration and separation of basic drugs by using nano-liquid chromatography. <i>Journal of Chromatography A</i> , 2013, 1285, 118-123.                                          | 1.8  | 17        |
| 1154 | The secretome signature of reactive glial cells and its pathological implications. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013, 1834, 2418-2428.                                                                         | 1.1  | 61        |
| 1155 | A decade of plant proteomics and mass spectrometry: Translation of technical advancements to food security and safety issues. <i>Mass Spectrometry Reviews</i> , 2013, 32, 335-365.                                                                | 2.8  | 70        |
| 1157 | Discovery and Functional Evaluation of Ciliary Proteins in <i>Tetrahymena thermophila</i> . <i>Methods in Enzymology</i> , 2013, 525, 265-284.                                                                                                     | 0.4  | 30        |
| 1158 | Pros and cons of peptide isoelectric focusing in shotgun proteomics. <i>Journal of Chromatography A</i> , 2013, 1293, 1-9.                                                                                                                         | 1.8  | 18        |
| 1159 | Production of polymer monolithic capillary columns with integrated gold nano-particle modified segments for on-capillary extraction. <i>Microchemical Journal</i> , 2013, 111, 32-39.                                                              | 2.3  | 24        |
| 1160 | Zirconium-Cation-Immobilized Core/Shell (Fe <sub>3</sub> O <sub>4</sub> @Polymer) Microspheres as an IMAC Material for the Selective Enrichment of Phosphopeptides. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 7729-7736.  | 1.8  | 17        |
| 1161 | Application of mass spectrometric techniques to delineate the modes-of-action of anticancer metallodrugs. <i>Chemical Society Reviews</i> , 2013, 42, 6186.                                                                                        | 18.7 | 132       |

| #    | ARTICLE                                                                                                                                                                                                                                                | IF  | CITATIONS |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1162 | Coupling Isoelectric Focusing Gel Electrophoresis to Mass Spectrometry by Electrostatic Spray Ionization. <i>Analytical Chemistry</i> , 2013, 85, 4745-4752.                                                                                           | 3.2 | 16        |
| 1163 | A proteomics view of the molecular mechanisms and biomarkers of glaucomatous neurodegeneration. <i>Progress in Retinal and Eye Research</i> , 2013, 35, 18-43.                                                                                         | 7.3 | 50        |
| 1164 | Modified MuDPIT Separation Identified 4488 Proteins in a System-wide Analysis of Quiescence in Yeast. <i>Journal of Proteome Research</i> , 2013, 12, 2177-2184.                                                                                       | 1.8 | 60        |
| 1165 | Shotgun Protein Profile of Human Adipose Tissue and Its Changes in Relation to Systemic Amyloidoses. <i>Journal of Proteome Research</i> , 2013, 12, 5642-5655.                                                                                        | 1.8 | 45        |
| 1166 | Definitions of terms relating to mass spectrometry (IUPAC Recommendations 2013). <i>Pure and Applied Chemistry</i> , 2013, 85, 1515-1609.                                                                                                              | 0.9 | 305       |
| 1167 | Characterizing the Range of Extracellular Protein Post-Translational Modifications in a Cellulose-Degrading Bacteria Using a Multiple Proteolytic Digestion/Peptide Fragmentation Approach. <i>Analytical Chemistry</i> , 2013, 85, 3144-3151.         | 3.2 | 7         |
| 1168 | Multidimensional separation of tryptic peptides from human serum proteins using reversed-phase, strong cation exchange, weak anion exchange, and fused-core fluorinated stationary phases. <i>Journal of Separation Science</i> , 2013, 36, 3463-3470. | 1.3 | 26        |
| 1169 | Mass Fingerprinting of Complex Mixtures: Protein Inference from High-Resolution Peptide Masses and Predicted Retention Times. <i>Journal of Proteome Research</i> , 2013, 12, 5730-5741.                                                               | 1.8 | 15        |
| 1170 | Novel prognostic protein markers of resectable pancreatic cancer identified by coupled shotgun and targeted proteomics using formalin-fixed paraffin-embedded tissues. <i>International Journal of Cancer</i> , 2013, 132, 1368-1382.                  | 2.3 | 74        |
| 1171 | Identification of a Chloroplast Ribonucleoprotein Complex Containing Trans-splicing Factors, Intron RNA, and Novel Components. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 1912-1925.                                                         | 2.5 | 21        |
| 1172 | Novel Thioredoxin-Like Proteins Are Components of a Protein Complex Coating the Cortical Microtubules of <i>Toxoplasma gondii</i> . <i>Eukaryotic Cell</i> , 2013, 12, 1588-1599.                                                                      | 3.4 | 48        |
| 1174 | Integration of Proteomics, Bioinformatics, and Systems Biology in Traumatic Brain Injury Biomarker Discovery. <i>Frontiers in Neurology</i> , 2013, 4, 61.                                                                                             | 1.1 | 40        |
| 1175 | Chromatographic and Electrophoretic Prefractionation Tools in Proteome Analysis. , 2013, , 13-40.                                                                                                                                                      |     | 0         |
| 1176 | Low-Abundance Protein Access by Combinatorial Peptide Libraries. , 2013, , 79-157.                                                                                                                                                                     |     | 0         |
| 1177 | Proteomic analysis of <i>Mesembryanthemum crystallinum</i> leaf microsomal fractions finds an imbalance in V-ATPase stoichiometry during the salt-induced transition from C3 to CAM. <i>Biochemical Journal</i> , 2013, 450, 407-415.                  | 1.7 | 28        |
| 1178 | Proteome turnover in bacteria: current status for <i>Corynebacterium glutamicum</i> and related bacteria. <i>Microbial Biotechnology</i> , 2013, 6, 708-719.                                                                                           | 2.0 | 20        |
| 1179 | Sequential primed kinases create a damage-responsive phosphodegron on Eco1. <i>Nature Structural and Molecular Biology</i> , 2013, 20, 194-201.                                                                                                        | 3.6 | 70        |
| 1180 | Hydrophilic strong anion exchange chromatography for proteomics: what's the future outlook?. <i>Bioanalysis</i> , 2013, 5, 2219-2221.                                                                                                                  | 0.6 | 2         |

| #    | ARTICLE                                                                                                                                                                                             | IF  | CITATIONS |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1181 | Omics-Based Approaches for Rice Improvement. , 2013, , 1-46.                                                                                                                                        |     | 1         |
| 1182 | The Role of Mass Spectrometry in the “Omics” Era. Current Organic Chemistry, 2013, 17, 2891-2905.                                                                                                   | 0.9 | 72        |
| 1183 | iTRAQ, a New Prospect of Toxicogenomics. International Journal of Human Genetics, 2013, 13, 33-40.                                                                                                  | 0.1 | 3         |
| 1184 | Proteomic Analysis of the Extracellular Matrix Produced by Mesenchymal Stromal Cells: Implications for Cell Therapy Mechanism. PLoS ONE, 2013, 8, e79283.                                           | 1.1 | 42        |
| 1185 | Capillary electrophoresis-mass spectrometry for proteomic and metabolic analysis. , 2013, , 171-182.                                                                                                |     | 0         |
| 1186 | Comprehensive Analysis of Phytopharmaceutical Formulations “An Emphasis on Two-Dimensional Liquid Chromatography. Journal of Chromatography & Separation Techniques, 2014, 06, .                    | 0.2 | 1         |
| 1188 | Multiple inputs control sulfur-containing amino acid synthesis in <i>Saccharomyces cerevisiae</i> . Molecular Biology of the Cell, 2014, 25, 1653-1665.                                             | 0.9 | 39        |
| 1189 | Recent advances in defining the ubiquitylome. Expert Review of Proteomics, 2014, 11, 477-490.                                                                                                       | 1.3 | 13        |
| 1190 | The Predictive Power of Brain mRNA Mappings for <i>in vivo</i> Protein Density: A Positron Emission Tomography Correlation Study. Journal of Cerebral Blood Flow and Metabolism, 2014, 34, 827-835. | 2.4 | 44        |
| 1191 | Proteomics Techniques for the Detection of Translated Pseudogenes. Methods in Molecular Biology, 2014, 1167, 187-195.                                                                               | 0.4 | 6         |
| 1192 | Mass spectrometry-based plasma proteomics: state of the art and future outlook. Expert Review of Proteomics, 2014, 11, 431-448.                                                                     | 1.3 | 58        |
| 1193 | PRO40 Is a Scaffold Protein of the Cell Wall Integrity Pathway, Linking the MAP Kinase Module to the Upstream Activator Protein Kinase C. PLoS Genetics, 2014, 10, e1004582.                        | 1.5 | 64        |
| 1194 | Total Protein Extraction for Metaproteomics Analysis of Methane Producing Biofilm: The Effects of Detergents. International Journal of Molecular Sciences, 2014, 15, 10169-10184.                   | 1.8 | 18        |
| 1195 | Pupylated proteins in <i>Corynebacterium glutamicum</i> revealed by MudPIT analysis. Proteomics, 2014, 14, 1531-1542.                                                                               | 1.3 | 33        |
| 1196 | The Filamentous Fungus <i>Sordaria macrospora</i> as a Genetic Model to Study Fruiting Body Development. Advances in Genetics, 2014, 87, 199-244.                                                   | 0.8 | 54        |
| 1197 | A decade of proteomics studies of glaucomatous neurodegeneration. Proteomics - Clinical Applications, 2014, 8, 154-167.                                                                             | 0.8 | 20        |
| 1198 | Dynamic behaviour of high strength steel parts developed through laser assisted direct metal deposition. Materials & Design, 2014, 64, 650-659.                                                     | 5.1 | 24        |
| 1199 | Assessing the application of Hi-Lok® fasteners for the repair of open-hole and delaminated CFRP. Composites Part A: Applied Science and Manufacturing, 2014, 67, 241-251.                           | 3.8 | 5         |



| #    | ARTICLE                                                                                                                                                                                                                                                                                             | IF  | CITATIONS |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1200 | Inhibition of p70 S6 Kinase (S6K1) Activity by A77 1726 and Its Effect on Cell Proliferation and Cell Cycle Progress. <i>Neoplasia</i> , 2014, 16, 824-834.                                                                                                                                         | 2.3 | 32        |
| 1201 | Leadership in Energy and Environmental Design (LEED) and its Impact on Building Operational Expenditures. <i>Procedia Engineering</i> , 2014, 85, 132-139.                                                                                                                                          | 1.2 | 20        |
| 1203 | Differences in the risk profiles and risk perception of flammable liquid hazards in San Luis Potosi, Mexico. <i>Case Studies in Fire Safety</i> , 2014, 2, 37-44.                                                                                                                                   | 1.0 | 5         |
| 1204 | Counter-advertising to combat unhealthy food marketing will not be enough commentary on "Can counter-advertising reduce pre-adolescent children's susceptibility to front-of-package promotions on unhealthy foods? <i>Experimental Research. Social Science and Medicine</i> , 2014, 116, 220-222. | 1.8 | 0         |
| 1205 | Carbonate mineral paragenesis and reaction kinetics in the system MgO-CaO-CO <sub>2</sub> -H <sub>2</sub> O in presence of chloride or nitrate ions at near surface ambient temperatures. <i>Applied Geochemistry</i> , 2014, 50, 16-24.                                                            | 1.4 | 16        |
| 1206 | Comparative Evaluations of Surface Roughness During Hard Turning under Dry and with Water-based and Vegetable Oil-based Cutting Fluids. , 2014, 5, 1966-1975.                                                                                                                                       |     | 38        |
| 1207 | Internationalization of Higher Education at Home. An Initiative for Teaching Informatics. <i>Procedia, Social and Behavioral Sciences</i> , 2014, 149, 624-628.                                                                                                                                     | 0.5 | 3         |
| 1208 | Omics Approaches in Breast Cancer. , 2014, , .                                                                                                                                                                                                                                                      |     | 10        |
| 1209 | Patterns of Proteins Removed with High-Flux Membranes on High-Volume Hemodiafiltration Detected with a MultiDimensional LC-MS/MS Strategy. <i>Blood Purification</i> , 2014, 38, 115-126.                                                                                                           | 0.9 | 13        |
| 1210 | Biomarkers in pharmacology and drug discovery. <i>Biochemical Pharmacology</i> , 2014, 87, 172-188.                                                                                                                                                                                                 | 2.0 | 56        |
| 1211 | Enhanced sensitivity and multiplexing with 2D LC/MRM-MS and labeled standards for deeper and more comprehensive protein quantitation. <i>Journal of Proteomics</i> , 2014, 106, 113-124.                                                                                                            | 1.2 | 43        |
| 1212 | A bibliometric analysis of research on proteomics in Science Citation Index Expanded. <i>Scientometrics</i> , 2014, 98, 1473-1490.                                                                                                                                                                  | 1.6 | 73        |
| 1213 | Characterization of individual mouse cerebrospinal fluid proteomes. <i>Proteomics</i> , 2014, 14, 1102-1106.                                                                                                                                                                                        | 1.3 | 27        |
| 1214 | The use of proteomic biomarkers for improved diagnosis and stratification of schizophrenia patients. <i>Biomarkers in Medicine</i> , 2014, 8, 15-27.                                                                                                                                                | 0.6 | 30        |
| 1215 | Non-model organisms, a species endangered by proteogenomics. <i>Journal of Proteomics</i> , 2014, 105, 5-18.                                                                                                                                                                                        | 1.2 | 145       |
| 1216 | Top-down proteomics in health and disease: Challenges and opportunities. <i>Proteomics</i> , 2014, 14, 1195-1210.                                                                                                                                                                                   | 1.3 | 169       |
| 1217 | Shotgun Proteomics. <i>Methods in Molecular Biology</i> , 2014, , .                                                                                                                                                                                                                                 | 0.4 | 6         |
| 1218 | An Integrated Quantitative Proteomics and Systems Biology Approach to Explore Synaptic Protein Profile Changes During Morphine Exposure. <i>Neuropsychopharmacology</i> , 2014, 39, 88-103.                                                                                                         | 2.8 | 9         |

| #    | ARTICLE                                                                                                                                                                                                                                           | IF  | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1219 | A fully automated dual-online multifunctional ultrahigh pressure liquid chromatography system for high-throughput proteomics analysis. <i>Journal of Chromatography A</i> , 2014, 1329, 83-89.                                                    | 1.8 | 16        |
| 1220 | Using a cell line breast cancer progression system to identify biomarker candidates. <i>Journal of Proteomics</i> , 2014, 96, 173-183.                                                                                                            | 1.2 | 20        |
| 1221 | A perspective on proteomics in cell biology. <i>Trends in Cell Biology</i> , 2014, 24, 257-264.                                                                                                                                                   | 3.6 | 50        |
| 1222 | An enzyme assisted RP-RPLC approach for in-depth analysis of human liver phosphoproteome. <i>Journal of Proteomics</i> , 2014, 96, 253-262.                                                                                                       | 1.2 | 209       |
| 1223 | Protein/peptide purification by three-well OFFGEL electrophoresis with immobilized ultra narrow pH gradient gels. <i>Analytical Methods</i> , 2014, 6, 3995-4002.                                                                                 | 1.3 | 1         |
| 1224 | Large-scale speciation of selenium in rice proteins using ICP-MS assisted electrospray MS/MS proteomics. <i>Metallomics</i> , 2014, 6, 646.                                                                                                       | 1.0 | 17        |
| 1225 | Proteomic profiling of the tumor microenvironment: recent insights and the search for biomarkers. <i>Genome Medicine</i> , 2014, 6, 12.                                                                                                           | 3.6 | 26        |
| 1226 | Analysis of Protein Composition Using Multidimensional Chromatography and Mass Spectrometry. <i>Current Protocols in Protein Science</i> , 2014, 78, 23.1.1-23.1.25.                                                                              | 2.8 | 10        |
| 1227 | Development of a Multipoint Quantitation Method to Simultaneously Measure Enzymatic and Structural Components of the <i>Clostridium thermocellum</i> Cellulosome Protein Complex. <i>Journal of Proteome Research</i> , 2014, 13, 692-701.        | 1.8 | 11        |
| 1228 | HSF-1-mediated cytoskeletal integrity determines thermotolerance and life span. <i>Science</i> , 2014, 346, 360-363.                                                                                                                              | 6.0 | 174       |
| 1229 | Off-Line Multidimensional Liquid Chromatography and Auto Sampling Result in Sample Loss in LC/LC-MS/MS. <i>Journal of Proteome Research</i> , 2014, 13, 3826-3836.                                                                                | 1.8 | 54        |
| 1230 | Highly Efficient Separation, Enrichment, and Recovery of Peptides by Silica-Supported Polyethylenimine. <i>Langmuir</i> , 2014, 30, 12250-12257.                                                                                                  | 1.6 | 9         |
| 1231 | Enzymatic protein digestion using a dissolvable polyacrylamide gel and its application to mass spectrometry-based proteomics. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 967, 36-40. | 1.2 | 10        |
| 1232 | Mass spectrometry-based proteomics techniques for biological identification. , 2014, , 370-430.                                                                                                                                                   |     | 4         |
| 1233 | Microfluidics for the analysis of membrane proteins: How do we get there?. <i>Electrophoresis</i> , 2014, 35, 2253-2266.                                                                                                                          | 1.3 | 2         |
| 1234 | Recent developments in proteomic methods and disease biomarkers. <i>Analyst, The</i> , 2014, 139, 3836-3851.                                                                                                                                      | 1.7 | 16        |
| 1235 | Plant systems biology: insights, advances and challenges. <i>Planta</i> , 2014, 240, 33-54.                                                                                                                                                       | 1.6 | 66        |
| 1236 | Simplifying the Proteome: Analytical Strategies for Improving Peak Capacity. <i>Advances in Experimental Medicine and Biology</i> , 2014, 806, 59-77.                                                                                             | 0.8 | 5         |

| #    | ARTICLE                                                                                                                                                                                                                                            | IF  | CITATIONS |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1237 | Label-free quantification of differentially expressed proteins in mouse liver cancer cells with high and low metastasis rates by a SWATH acquisition method. <i>Science China Chemistry</i> , 2014, 57, 718-722.                                   | 4.2 | 4         |
| 1238 | Overcoming Selectivity and Sensitivity Issues of Direct Inject Electrospray Mass Spectrometry via DAPNe-NSI-MS. <i>Journal of the American Society for Mass Spectrometry</i> , 2014, 25, 705-711.                                                  | 1.2 | 13        |
| 1239 | Dramatic expansion of the black widow toxin arsenal uncovered by multi-tissue transcriptomics and venom proteomics. <i>BMC Genomics</i> , 2014, 15, 366.                                                                                           | 1.2 | 93        |
| 1240 | Addressing the needs of traumatic brain injury with clinical proteomics. <i>Clinical Proteomics</i> , 2014, 11, 11.                                                                                                                                | 1.1 | 19        |
| 1241 | Pseudogenes. <i>Methods in Molecular Biology</i> , 2014, 1167, v.                                                                                                                                                                                  | 0.4 | 5         |
| 1242 | Intelligent Data Acquisition Blends Targeted and Discovery Methods. <i>Journal of Proteome Research</i> , 2014, 13, 2152-2161.                                                                                                                     | 1.8 | 39        |
| 1243 | Mass spectrometric characterization of the crustacean neuropeptidome. <i>EuPA Open Proteomics</i> , 2014, 3, 152-170.                                                                                                                              | 2.5 | 14        |
| 1244 | The Vac14-interaction Network Is Linked to Regulators of the Endolysosomal and Autophagic Pathway. <i>Molecular and Cellular Proteomics</i> , 2014, 13, 1397-1411.                                                                                 | 2.5 | 51        |
| 1246 | Nano-LC/MALDI-MS Using a Column-Integrated Spotting Probe for Analysis of Complex Biomolecule Samples. <i>Analytical Chemistry</i> , 2014, 86, 2549-2558.                                                                                          | 3.2 | 8         |
| 1247 | Characterization of ACE Inhibitory Peptides from <i>Mactra veneriformis</i> Hydrolysate by Nano-Liquid Chromatography Electrospray Ionization Mass Spectrometry (Nano-LC-ESI-MS) and Molecular Docking. <i>Marine Drugs</i> , 2014, 12, 3917-3928. | 2.2 | 30        |
| 1249 | A novel targeted proteomics method for identification and relative quantitation of difference in nitration degree of OGDH between healthy and diabetic mouse. <i>Proteomics</i> , 2014, 14, 2417-2426.                                             | 1.3 | 17        |
| 1250 | The bacterial proteogenomic pipeline. <i>BMC Genomics</i> , 2014, 15, S19.                                                                                                                                                                         | 1.2 | 19        |
| 1251 | Nano-flow multidimensional liquid platform using strong ion-exchange and reversed-phase chromatography for improved proteomic analyses. , 2015, , .                                                                                                |     | 0         |
| 1252 | Proteomics and Prostate Cancer. , 2015, , 143-174.                                                                                                                                                                                                 |     | 0         |
| 1253 | New Technologies for Studying Biofilms. <i>Microbiology Spectrum</i> , 2015, 3, .                                                                                                                                                                  | 1.2 | 83        |
| 1254 | A peptide identification-free, genome sequence-independent shotgun proteomics workflow for strain-level bacterial differentiation. <i>Scientific Reports</i> , 2015, 5, 14337.                                                                     | 1.6 | 10        |
| 1255 | Workflow for large-scale analysis of melanoma tissue samples. <i>EuPA Open Proteomics</i> , 2015, 8, 78-84.                                                                                                                                        | 2.5 | 4         |
| 1256 | A quantitative shotgun proteomics analysis of germinated rice embryos and coleoptiles under low-temperature conditions. <i>Proteome Science</i> , 2015, 13, 27.                                                                                    | 0.7 | 12        |

| #    | ARTICLE                                                                                                                                                                                                                                                      | IF  | CITATIONS |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1257 | Identification and relative quantification of phosphopeptides by a combination of multi-enzyme protease digestion and isobaric labeling. <i>Rapid Communications in Mass Spectrometry</i> , 2015, 29, 919-926.                                               | 0.7 | 7         |
| 1258 | Proteinase K improves quantitative acylation studies. <i>Proteomics</i> , 2015, 15, 44-47.                                                                                                                                                                   | 1.3 | 5         |
| 1259 | Proteomic analysis of cellular soluble proteins from human bronchial smooth muscle cells by combining nondenaturing micro 2DE and quantitative LC-MS/MS. 1. Preparation of more than 4000 native protein maps. <i>Electrophoresis</i> , 2015, 36, 1711-1723. | 1.3 | 9         |
| 1260 | Untersuchungen zur biologischen Aktivität des Zeise-Salzes und seiner Derivate. <i>Angewandte Chemie</i> , 2015, 127, 2876-2879.                                                                                                                             | 1.6 | 3         |
| 1261 | Advances in Proteomics and Bioinformatics in Agriculture Research and Crop Improvement. <i>Journal of Proteomics and Bioinformatics</i> , 2015, 08, .                                                                                                        | 0.4 | 2         |
| 1262 | New Technologies for Studying Biofilms. , 2015, , 1-32.                                                                                                                                                                                                      |     | 5         |
| 1263 | A Protein Deep Sequencing Evaluation of Metastatic Melanoma Tissues. <i>PLoS ONE</i> , 2015, 10, e0123661.                                                                                                                                                   | 1.1 | 19        |
| 1264 | Identifying Predictors of Taxane-Induced Peripheral Neuropathy Using Mass Spectrometry-Based Proteomics Technology. <i>PLoS ONE</i> , 2015, 10, e0145816.                                                                                                    | 1.1 | 28        |
| 1265 | Quantitative Shotgun Proteomics Analysis of Rice Anther Proteins after Exposure to High Temperature. <i>International Journal of Genomics</i> , 2015, 2015, 1-9.                                                                                             | 0.8 | 25        |
| 1266 | Towards Understanding Abiotic Stress Signaling in Plants: Convergence of Genomic, Transcriptomic, Proteomic, and Metabolomic Approaches. , 2015, , 3-40.                                                                                                     |     | 13        |
| 1267 | Elucidation of Abiotic Stress Signaling in Plants. , 2015, , .                                                                                                                                                                                               |     | 12        |
| 1268 | Elucidation of Abiotic Stress Signaling in Plants. , 2015, , .                                                                                                                                                                                               |     | 5         |
| 1269 | Proteomic profiling of nipple aspirate fluid (NAF): Exploring the complementarity of different peptide fractionation strategies. <i>Journal of Proteomics</i> , 2015, 117, 86-94.                                                                            | 1.2 | 18        |
| 1270 | Proteomics of Nitrogen Remobilization in Poplar Bark. <i>Journal of Proteome Research</i> , 2015, 14, 1112-1126.                                                                                                                                             | 1.8 | 16        |
| 1271 | Preparation of a weak anion exchange/hydrophobic interaction dual-function mixed-mode chromatography stationary phase for protein separation using click chemistry. <i>Journal of Separation Science</i> , 2015, 38, 703-710.                                | 1.3 | 20        |
| 1272 | Proteomic approaches in research of cyanobacterial photosynthesis. <i>Photosynthesis Research</i> , 2015, 126, 47-70.                                                                                                                                        | 1.6 | 14        |
| 1273 | Preprocessing Significantly Improves the Peptide/Protein Identification Sensitivity of High-resolution Isobarically Labeled Tandem Mass Spectrometry Data. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 405-417.                                     | 2.5 | 27        |
| 1274 | The Biological Activity of Zeise™s Salt and its Derivatives. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2834-2837.                                                                                                                         | 7.2 | 18        |

| #    | ARTICLE                                                                                                                                                                                                                                                                                                   | IF  | CITATIONS |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1275 | Fast Photochemical Oxidation of Proteins Coupled to Multidimensional Protein Identification Technology (MudPIT): Expanding Footprinting Strategies to Complex Systems. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 540-546.                                                  | 1.2 | 22        |
| 1276 | Food Proteins and Peptides. <i>Comprehensive Analytical Chemistry</i> , 2015, 68, 309-357.                                                                                                                                                                                                                | 0.7 | 9         |
| 1277 | Proteomic analysis reveals metabolic and regulatory systems involved in the syntrophic and axenic lifestyle of <i>Syntrophomonas wolfei</i> . <i>Frontiers in Microbiology</i> , 2015, 6, 115.                                                                                                            | 1.5 | 66        |
| 1278 | Proteogenomics meets cancer immunology: mass spectrometric discovery and analysis of neoantigens. <i>Expert Review of Proteomics</i> , 2015, 12, 533-541.                                                                                                                                                 | 1.3 | 30        |
| 1279 | Abiotic Stress Tolerance and Sustainable Agriculture: A Functional Genomics Perspective. , 2015, , 439-472.                                                                                                                                                                                               |     | 4         |
| 1280 | A mass-tolerant database search identifies a large proportion of unassigned spectra in shotgun proteomics as modified peptides. <i>Nature Biotechnology</i> , 2015, 33, 743-749.                                                                                                                          | 9.4 | 371       |
| 1281 | Evaluation of separation properties of a modified strong cation exchange material named MEX and its application in 2D-MEX Å— C18 system to separate peptides from scorpion venom. <i>Analyst, The</i> , 2015, 140, 4676-4686.                                                                             | 1.7 | 5         |
| 1282 | Comparison of fractionation strategies for offline two-dimensional liquid chromatography tandem mass spectrometry analysis of proteins from mouse adipose tissue. <i>Analytical Biochemistry</i> , 2015, 484, 122-132.                                                                                    | 1.1 | 8         |
| 1283 | Quantitative Proteomics Using Ultralow Flow Capillary Electrophoresis—Mass Spectrometry. <i>Analytical Chemistry</i> , 2015, 87, 4633-4640.                                                                                                                                                               | 3.2 | 50        |
| 1284 | The Association of the Xeroderma Pigmentosum Group D DNA Helicase (XPD) with Transcription Factor IIIH Is Regulated by the Cytosolic Iron-Sulfur Cluster Assembly Pathway. <i>Journal of Biological Chemistry</i> , 2015, 290, 14218-14225.                                                               | 1.6 | 36        |
| 1285 | Post-polymerization photografting on methacrylate-based monoliths for separation of intact proteins and protein digests with comprehensive two-dimensional liquid chromatography hyphenated with high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 3817-3829. | 1.9 | 33        |
| 1286 | Smoking characteristics among lesbian, gay, and bisexual adults. <i>Preventive Medicine</i> , 2015, 74, 123-130.                                                                                                                                                                                          | 1.6 | 93        |
| 1287 | Guideline Adherence for Echocardiographic Follow-Up in Outpatients with at Least Moderate Valvular Disease. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 795-801.                                                                                                               | 1.2 | 9         |
| 1288 | Electrocardiographic parameters predict super-response in cardiac resynchronization therapy. <i>Journal of Electrocardiology</i> , 2015, 48, 593-600.                                                                                                                                                     | 0.4 | 7         |
| 1289 | On the activation energy of the formic acid oxidation reaction on platinum electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2015, 742, 90-96.                                                                                                                                                  | 1.9 | 30        |
| 1290 | It Is Time for Radiologists to Stop Using the Word “Clinician”. <i>Journal of the American College of Radiology</i> , 2015, 12, 510.                                                                                                                                                                      | 0.9 | 2         |
| 1291 | Liver and spleen elastography using supersonic shear imaging for the non-invasive diagnosis of cirrhosis severity and oesophageal varices. <i>Digestive and Liver Disease</i> , 2015, 47, 695-701.                                                                                                        | 0.4 | 68        |
| 1292 | Male rats develop more severe experimental autoimmune encephalomyelitis than female rats: Sexual dimorphism and diergism at the spinal cord level. <i>Brain, Behavior, and Immunity</i> , 2015, 49, 101-118.                                                                                              | 2.0 | 24        |

| #    | ARTICLE                                                                                                                                                                                                                                                 | IF  | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1293 | Elaboration of novel tubular ceramic membrane from inexpensive raw materials by extrusion method and its performance in microfiltration of synthetic oily wastewater treatment. <i>Journal of Membrane Science</i> , 2015, 490, 92-102.                 | 4.1 | 166       |
| 1294 | Weighted limits for Poincaré difference equations. <i>Applied Mathematics Letters</i> , 2015, 49, 51-57.                                                                                                                                                | 1.5 | 0         |
| 1295 | Biomass toward fine chemical products: Oxidation of $\alpha$ -pinene over sieves nanostructured modified with vanadium. <i>Journal of Molecular Catalysis A</i> , 2015, 404-405, 65-73.                                                                 | 4.8 | 21        |
| 1296 | Retrospective review of locally set tolerances for VMAT prostate patient specific QA using the COMPASS <sup>®</sup> system. <i>Physica Medica</i> , 2015, 31, 792-797.                                                                                  | 0.4 | 13        |
| 1297 | A new insulin-glucose metabolic model of type 1 diabetes mellitus: An in silico study. <i>Computer Methods and Programs in Biomedicine</i> , 2015, 120, 16-26.                                                                                          | 2.6 | 6         |
| 1298 | Sarcopenia Is Associated With Incident Disability, Institutionalization, and Mortality in Community-Dwelling Older Men: The Concord Health and Ageing in Men Project. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 607-613. | 1.2 | 152       |
| 1299 | Responses in the right posterior superior temporal sulcus show a feature-based response to facial expression. <i>Cortex</i> , 2015, 69, 14-23.                                                                                                          | 1.1 | 24        |
| 1300 | The relationship between maximum lip closing force and tongue pressure according to lateral craniofacial morphology. <i>Orthodontic Waves</i> , 2015, 74, 69-75.                                                                                        | 0.2 | 10        |
| 1301 | Modeling the dynamics of carbon emission performance in China: A parametric Malmquist index approach. <i>Energy Economics</i> , 2015, 49, 550-557.                                                                                                      | 5.6 | 114       |
| 1302 | Diabetic Ketoacidosis and Acute Mountain Sickness: Case Report and Review of Treatment Options in Type 1 Diabetes Mellitus. <i>Wilderness and Environmental Medicine</i> , 2015, 26, 185-188.                                                           | 0.4 | 11        |
| 1303 | Modulation of mitochondrial membrane integrity and ROS formation by high temperature in <i>Saccharomyces cerevisiae</i> . <i>Electronic Journal of Biotechnology</i> , 2015, 18, 202-209.                                                               | 1.2 | 42        |
| 1306 | Importance of nonpulmonary vein foci in catheter ablation for paroxysmal atrial fibrillation. <i>Heart Rhythm</i> , 2015, 12, 1918-1924.                                                                                                                | 0.3 | 99        |
| 1308 | Characterization of Colloidal Particles Using Electrical Impedance Spectroscopy in Two-electrode System with Carbon Probe. <i>Procedia Engineering</i> , 2015, 102, 322-328.                                                                            | 1.2 | 16        |
| 1309 | The influence of age and metformin treatment status on reported gastrointestinal side effects with liraglutide treatment in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2015, 109, 124-129.                                       | 1.1 | 19        |
| 1310 | Correction of dead time effects in laser-induced desorption time-of-flight mass spectrometry: Applications in atom probe tomography. <i>International Journal of Mass Spectrometry</i> , 2015, 379, 46-51.                                              | 0.7 | 17        |
| 1311 | What Rosetta did: It came from out of space. <i>New Scientist</i> , 2015, 226, 38-39.                                                                                                                                                                   | 0.0 | 0         |
| 1312 | Severe Self-Injurious Behavior With Teeth Extraction in a Boy With Tourette Syndrome. <i>Pediatric Neurology</i> , 2015, 52, e5.                                                                                                                        | 1.0 | 3         |
| 1313 | A prospective epidemiological study on odontogenic tumours in a black African population, with emphasis on the relative frequency of ameloblastoma. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2015, 44, 1099-1105.               | 0.7 | 29        |

| #    | ARTICLE                                                                                                                                                                                                                  | IF   | CITATIONS |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1314 | Principled research ethics in practice? Reflections for neuroethics and bioethics. <i>Cortex</i> , 2015, 71, 423-426.                                                                                                    | 1.1  | 3         |
| 1315 | Prelude to oral microbes and chronic diseases: past, present and future. <i>Microbes and Infection</i> , 2015, 17, 473-483.                                                                                              | 1.0  | 56        |
| 1316 | Synergistic gains from the multi-objective optimal operation of cascade reservoirs in the Upper Yellow River basin. <i>Journal of Hydrology</i> , 2015, 523, 758-767.                                                    | 2.3  | 104       |
| 1317 | Multifunctional lanthanide coordination polymers. <i>Progress in Polymer Science</i> , 2015, 48, 40-84.                                                                                                                  | 11.8 | 176       |
| 1318 | Identification of diagnostic biomarkers and metabolic pathway shifts of heat-stressed lactating dairy cows. <i>Journal of Proteomics</i> , 2015, 125, 17-28.                                                             | 1.2  | 98        |
| 1320 | Prevention of needle displacement in multifraction high-dose-rate prostate brachytherapy: A prospective volumetric analysis and technical considerations. <i>Practical Radiation Oncology</i> , 2015, 5, 228-237.        | 1.1  | 2         |
| 1321 | Glans resurfacing for precancerous and superficially invasive carcinomas of the glans penis: Pathological specimen handling and reporting. <i>Seminars in Diagnostic Pathology</i> , 2015, 32, 232-237.                  | 1.0  | 9         |
| 1322 | Solubilities and partial molar volumes of three bis(2-ethoxyethyl) ethanedioate derivatives in supercritical carbon dioxide. <i>Journal of Chemical Thermodynamics</i> , 2015, 83, 33-42.                                | 1.0  | 8         |
| 1323 | The steady-state level and stability of TLS polymerase eta are cell cycle dependent in the yeast <i>S. cerevisiae</i> . <i>DNA Repair</i> , 2015, 29, 147-153.                                                           | 1.3  | 13        |
| 1324 | Absence of $\beta$ -galactosidase cross-correction in Fabry heterozygote cultured skin fibroblasts. <i>Molecular Genetics and Metabolism</i> , 2015, 114, 268-273.                                                       | 0.5  | 19        |
| 1325 | Nursing Leaders: Strategies for Eradicating Bullying in the Workforce. <i>Nurse Leader</i> , 2015, 13, 60-62.                                                                                                            | 0.4  | 5         |
| 1326 | A discrete-time chaotic oscillator based on the logistic map: A secure communication scheme and a simple experiment using Arduino. <i>Journal of the Franklin Institute</i> , 2015, 352, 3113-3121.                      | 1.9  | 26        |
| 1327 | Organomineralization in Mesoproterozoic giant ooids. <i>Journal of Asian Earth Sciences</i> , 2015, 107, 195-211.                                                                                                        | 1.0  | 22        |
| 1328 | Comparison of different techniques for in microgravity—a simple mathematic estimation of cardiopulmonary resuscitation quality for space environment. <i>American Journal of Emergency Medicine</i> , 2015, 33, 920-924. | 0.7  | 13        |
| 1332 | Changes of Root Length and Root-to-Crown Ratio after Apical Surgery: An Analysis by Using Cone-beam Computed Tomography. <i>Journal of Endodontics</i> , 2015, 41, 1424-1429.                                            | 1.4  | 12        |
| 1333 | XML URL Classification Based on their Semantic Structure Orientation for Web Mining Applications. <i>Procedia Computer Science</i> , 2015, 46, 143-150.                                                                  | 1.2  | 7         |
| 1334 | The timing of mergers along the production chain, capital structure, and risk dynamics. <i>Journal of Banking and Finance</i> , 2015, 57, 51-64.                                                                         | 1.4  | 8         |
| 1335 | Novel zinc manganese oxide-based microwave dielectric ceramics for LTCC applications. <i>Ceramics International</i> , 2015, 41, 9152-9156.                                                                               | 2.3  | 14        |

| #    | ARTICLE                                                                                                                                                                                                                                                         | IF  | CITATIONS |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1336 | Rabdomiólisis secundaria a la realizaci3n de actividad fásica y electroestimulaci3n simultánea: reporte de un caso. <i>Reumatología Clínica</i> , 2015, 11, 262-263.                                                                                            | 0.2 | 5         |
| 1337 | Dolor abdominal en paciente diabético. <i>Revista Clínica Española</i> , 2015, 215, e43.                                                                                                                                                                        | 0.2 | 0         |
| 1338 | Template effect in TiN/AlN multilayered coatings from first principles. <i>Ceramics International</i> , 2015, 41, 10095-10101.                                                                                                                                  | 2.3 | 21        |
| 1339 | Comprehensive Two-Dimensional Liquid Chromatography with Stationary-Phase-Assisted Modulation Coupled to High-Resolution Mass Spectrometry Applied to Proteome Analysis of <i>Saccharomyces cerevisiae</i> . <i>Analytical Chemistry</i> , 2015, 87, 5387-5394. | 3.2 | 80        |
| 1340 | In-depth analyses of B cell signaling through tandem mass spectrometry of phosphopeptides enriched by PolyMAC. <i>International Journal of Mass Spectrometry</i> , 2015, 377, 744-753.                                                                          | 0.7 | 18        |
| 1341 | High-Throughput Characterization of Small and Large Molecules Using Only a Matrix and the Vacuum of a Mass Spectrometer. <i>Analytical Chemistry</i> , 2015, 87, 4667-4674.                                                                                     | 3.2 | 31        |
| 1342 | A Double-Barrel Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS) System to Quantify 96 Interactomes per Day*. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 2030-2041.                                                                          | 2.5 | 39        |
| 1343 | PIA: An Intuitive Protein Inference Engine with a Web-Based User Interface. <i>Journal of Proteome Research</i> , 2015, 14, 2988-2997.                                                                                                                          | 1.8 | 69        |
| 1344 | Bifunctional Glass Membrane Designed to Interface SDS-PAGE Separations of Proteins with the Detection of Peptides by Mass Spectrometry. <i>Analytical Chemistry</i> , 2015, 87, 3685-3693.                                                                      | 3.2 | 0         |
| 1345 | Metabolic Adaptations of <i>Azospirillum brasilense</i> to Oxygen Stress by Cell-to-Cell Clumping and Flocculation. <i>Applied and Environmental Microbiology</i> , 2015, 81, 8346-8357.                                                                        | 1.4 | 35        |
| 1346 | Molecular biomarkers in primary open-angle glaucoma. <i>Progress in Brain Research</i> , 2015, 221, 1-32.                                                                                                                                                       | 0.9 | 26        |
| 1347 | Discovery of nutritional biomarkers: future directions based on omics technologies. <i>International Journal of Food Sciences and Nutrition</i> , 2015, 66, S31-S40.                                                                                            | 1.3 | 21        |
| 1348 | Two variables dominating the retention of intact proteins under gradient elution with simultaneous ultrafast high-resolution separation by hydrophobic interaction chromatography. <i>Analyst</i> , 2015, 140, 6692-6704.                                       | 1.7 | 5         |
| 1349 | A Fungal Sarcolemmal Membrane-Associated Protein (SLMAP) Homolog Plays a Fundamental Role in Development and Localizes to the Nuclear Envelope, Endoplasmic Reticulum, and Mitochondria. <i>Eukaryotic Cell</i> , 2015, 14, 345-358.                            | 3.4 | 55        |
| 1350 | <i>Fmr1</i> deficiency promotes age-dependent alterations in the cortical synaptic proteome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4697-706.                                                     | 3.3 | 77        |
| 1351 | Proteomics in Diagnosis of Prostate Cancer/                                                                                                                                                                                                                     | 0.3 | 7         |
| 1352 | The yin-yang driving urinary tract infection and how proteomics can enhance research, diagnostics, and treatment. <i>Proteomics - Clinical Applications</i> , 2015, 9, 990-1002.                                                                                | 0.8 | 2         |
| 1353 | Heat-Treatment-Responsive Proteins in Different Developmental Stages of Tomato Pollen Detected by Targeted Mass Accuracy Precursor Alignment (tMAPA). <i>Journal of Proteome Research</i> , 2015, 14, 4463-4471.                                                | 1.8 | 56        |



| #    | ARTICLE                                                                                                                                                                                                                                                                             | IF  | CITATIONS |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1354 | Metaproteomics of complex microbial communities in biogas plants. <i>Microbial Biotechnology</i> , 2015, 8, 749-763.                                                                                                                                                                | 2.0 | 98        |
| 1355 | Theoretical evaluation of peak capacity improvements by use of liquid chromatography combined with drift tube ion mobility-mass spectrometry. <i>Journal of Chromatography A</i> , 2015, 1416, 47-56.                                                                               | 1.8 | 45        |
| 1356 | Gene replacement and quantitative mass spectrometry approaches validate guanosine monophosphate synthetase as essential for <i>Mycobacterium tuberculosis</i> growth. <i>Biochemistry and Biophysics Reports</i> , 2015, 4, 277-282.                                                | 0.7 | 8         |
| 1357 | Electrostatic Potential Maps and Natural Bond Orbital Analysis: Visualization and Conceptualization of Reactivity in Sanger's Reagent. <i>Journal of Chemical Education</i> , 2015, 92, 1846-1852.                                                                                  | 1.1 | 42        |
| 1358 | The H-Index of an Approach to Correlate Tandem Mass Spectral Data of Peptides with Amino Acid Sequences in a Protein Database. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 1799-1803.                                                                  | 1.2 | 10        |
| 1359 | Biochemical Large-Scale Interaction Analysis of Murine Olfactory Receptors and Associated Signaling Proteins with Post-Synaptic Density 95, <i>Drosophila Discs Large</i> , <i>Zona-Occludens 1 (PDZ) Domains</i> . <i>Molecular and Cellular Proteomics</i> , 2015, 14, 2072-2084. | 2.5 | 5         |
| 1360 | Gender differences in responses in <i>Gammarus pulex</i> exposed to BDE-47: A gel-free proteomic approach. <i>Ecotoxicology and Environmental Safety</i> , 2015, 122, 205-213.                                                                                                      | 2.9 | 14        |
| 1361 | Peptide Separation Methodologies for In-depth Proteomics. <i>Methods in Molecular Biology</i> , 2015, 1242, 195-209.                                                                                                                                                                | 0.4 | 0         |
| 1362 | Peptide labeling with lanthanide-NHS-ester-DOTA investigated by nano-HPLC. <i>Microchemical Journal</i> , 2015, 118, 238-241.                                                                                                                                                       | 2.3 | 1         |
| 1363 | Plant Cell Expansion. <i>Methods in Molecular Biology</i> , 2015, 1242, v.                                                                                                                                                                                                          | 0.4 | 2         |
| 1364 | From pathways to networks: Connecting dots by establishing protein-protein interaction networks in signaling pathways using affinity purification and mass spectrometry. <i>Proteomics</i> , 2015, 15, 188-202.                                                                     | 1.3 | 20        |
| 1365 | Rapid identification of bioactive peptides with antioxidant activity from the enzymatic hydrolysate of <i>Mactra veneriformis</i> by UHPLC-Q-TOF mass spectrometry. <i>Food Chemistry</i> , 2015, 167, 484-489.                                                                     | 4.2 | 66        |
| 1366 | Effect of Acidic Additives on Peak Capacity and Detectivity in Peptide Analysis Using Nano-Flow LC/MS with Low-Density ODS Modified Monolithic Silica Capillary Columns. <i>Chromatography</i> , 2016, 37, 133-139.                                                                 | 0.8 | 5         |
| 1367 | Molecular Characterization of Rejection in Solid Organ Transplantation. , 2016, , 1132-1149.                                                                                                                                                                                        |     | 0         |
| 1368 | Mass Spectrometry: Structure Determination of Proteins and Peptides. , 2016, , .                                                                                                                                                                                                    |     | 0         |
| 1369 | Proteomics of Schizophrenia. , 2016, , 195-209.                                                                                                                                                                                                                                     |     | 0         |
| 1370 | Shotgun Quantitative Proteomic Analysis of Proteins Responding to Drought Stress in <i>Brassica rapa</i> L. (Inbred Line 'Chiifu'). <i>International Journal of Genomics</i> , 2016, 2016, 1-9.                                                                                     | 0.8 | 8         |
| 1371 | Physical Interactions and Functional Relationships of Neuroligin 2 and Midbrain Serotonin Transporters. <i>Frontiers in Synaptic Neuroscience</i> , 2015, 7, 20.                                                                                                                    | 1.3 | 15        |

| #    | ARTICLE                                                                                                                                                                                                                                                             | IF  | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1372 | Ck2-Dependent Phosphorylation Is Required to Maintain Pax7 Protein Levels in Proliferating Muscle Progenitors. <i>PLoS ONE</i> , 2016, 11, e0154919.                                                                                                                | 1.1 | 19        |
| 1373 | Integration of Breast Cancer Secretomes with Clinical Data Elucidates Potential Serum Markers for Disease Detection, Diagnosis, and Prognosis. <i>PLoS ONE</i> , 2016, 11, e0158296.                                                                                | 1.1 | 25        |
| 1374 | Biotechnological Approaches. , 2016, , 685-701.                                                                                                                                                                                                                     |     | 1         |
| 1375 | A continuum of mRNP complexes in embryonic microRNA-mediated silencing. <i>Nucleic Acids Research</i> , 2017, 45, gkw872.                                                                                                                                           | 6.5 | 20        |
| 1376 | Putative Rust Fungal Effector Proteins in Infected Bean and Soybean Leaves. <i>Phytopathology</i> , 2016, 106, 491-499.                                                                                                                                             | 1.1 | 31        |
| 1377 | Sample Preparation for Mass Spectrometry-Based Proteomics; from Proteomes to Peptides. <i>Advances in Experimental Medicine and Biology</i> , 2016, 919, 43-62.                                                                                                     | 0.8 | 39        |
| 1378 | Improving Proteome Coverage by Reducing Sample Complexity via Chromatography. <i>Advances in Experimental Medicine and Biology</i> , 2016, 919, 83-143.                                                                                                             | 0.8 | 5         |
| 1379 | Analysis of histone post translational modifications in primary monocyte derived macrophages using reverse phase—reverse phase chromatography in conjunction with porous graphitic carbon stationary phase. <i>Journal of Chromatography A</i> , 2016, 1453, 43-53. | 1.8 | 6         |
| 1380 | Mixed-mode chromatography in pharmaceutical and biopharmaceutical applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 128, 73-88.                                                                                                        | 1.4 | 158       |
| 1381 | Site-specific analysis of advanced glycation end products in plasma proteins of type 2 diabetes mellitus patients. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 5557-5566.                                                                            | 1.9 | 25        |
| 1382 | Different Cellular Origins and Functions of Extracellular Proteins from <i>Escherichia coli</i> O157:H7 and O104:H4 as Determined by Comparative Proteomic Analysis. <i>Applied and Environmental Microbiology</i> , 2016, 82, 4371-4378.                           | 1.4 | 13        |
| 1383 | Ion Mobility-Mass Spectrometry Analysis of Cross-Linked Intact Multiprotein Complexes: Enhanced Gas-Phase Stabilities and Altered Dissociation Pathways. <i>Analytical Chemistry</i> , 2016, 88, 5290-5298.                                                         | 3.2 | 14        |
| 1384 | Drafting the proteome landscape of myeloid-derived suppressor cells. <i>Proteomics</i> , 2016, 16, 367-378.                                                                                                                                                         | 1.3 | 26        |
| 1385 | Isolation, Proteomic Analysis, and Microscopy Confirmation of the Liver Nuclear Envelope Proteome. <i>Methods in Molecular Biology</i> , 2016, 1411, 3-44.                                                                                                          | 0.4 | 7         |
| 1386 | Six alternative proteases for mass spectrometry-based proteomics beyond trypsin. <i>Nature Protocols</i> , 2016, 11, 993-1006.                                                                                                                                      | 5.5 | 341       |
| 1387 | Recent advances in materials for stationary phases of mixed-mode high-performance liquid chromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 80, 495-506.                                                                                          | 5.8 | 88        |
| 1388 | Simultaneous separation of polar and non-polar mixtures by capillary HPLC based on an octadecylsilane and taurine derivatized silica continuously packed column. <i>Talanta</i> , 2016, 161, 762-768.                                                               | 2.9 | 4         |
| 1389 | Current Proteomic Methods to Investigate the Dynamics of Histone Turnover in the Central Nervous System. <i>Methods in Enzymology</i> , 2016, 574, 331-354.                                                                                                         | 0.4 | 4         |

| #    | ARTICLE                                                                                                                                                                                                                         | IF  | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1390 | A comprehensive and scalable database search system for metaproteomics. BMC Genomics, 2016, 17, 642.                                                                                                                            | 1.2 | 45        |
| 1391 | Development of a 45kpsi ultrahigh pressure liquid chromatography instrument for gradient separations of peptides using long microcapillary columns and sub-2 $\mu$ m particles. Journal of Chromatography A, 2016, 1469, 60-67. | 1.8 | 32        |
| 1392 | Principles of Analytical Validation. , 2016, , 239-251.                                                                                                                                                                         |     | 3         |
| 1393 | Reprint of "Mixed-mode chromatography in pharmaceutical and biopharmaceutical applications" Journal of Pharmaceutical and Biomedical Analysis, 2016, 130, 19-34.                                                                | 1.4 | 26        |
| 1395 | Manual of Cardiovascular Proteomics. , 2016, , .                                                                                                                                                                                |     | 4         |
| 1396 | Deep interactome profiling of membrane proteins by co-interacting protein identification technology. Nature Protocols, 2016, 11, 2515-2528.                                                                                     | 5.5 | 54        |
| 1397 | Temperature-assisted solute focusing with sequential trap/release zones in isocratic and gradient capillary liquid chromatography: Simulation and experiment. Journal of Chromatography A, 2016, 1474, 95-108.                  | 1.8 | 12        |
| 1399 | Efficient Exploitation of Separation Space in Two-Dimensional Liquid Chromatography System for Comprehensive and Efficient Proteomic Analyses. Analytical Chemistry, 2016, 88, 11734-11741.                                     | 3.2 | 16        |
| 1400 | Multi-omics Frontiers in Algal Research: Techniques and Progress to Explore Biofuels in the Postgenomics World. OMICS A Journal of Integrative Biology, 2016, 20, 387-399.                                                      | 1.0 | 21        |
| 1401 | Bacterial Electron Transfer Chains Primed by Proteomics. Advances in Microbial Physiology, 2016, 68, 219-352.                                                                                                                   | 1.0 | 5         |
| 1402 | Bottom-Up Proteomics Methods for Strain-Level Typing and Identification of Bacteria. , 2016, , 83-146.                                                                                                                          |     | 2         |
| 1403 | Array-Based Online Two Dimensional Liquid Chromatography System Applied to Effective Depletion of High-Abundance Proteins in Human Plasma. Analytical Chemistry, 2016, 88, 2440-2445.                                           | 3.2 | 22        |
| 1405 | Applications of Mass Spectrometry in Microbiology. , 2016, , .                                                                                                                                                                  |     | 9         |
| 1406 | Biological significance of co- and post-translational modifications of the yeast 26S proteasome. Journal of Proteomics, 2016, 134, 37-46.                                                                                       | 1.2 | 55        |
| 1407 | Alternative In Vitro Models for Safety and Toxicity Evaluation of Nutraceuticals. , 2016, , 355-385.                                                                                                                            |     | 3         |
| 1408 | A pioneer protein is part of a large complex involved in <i>trans</i> -splicing of a group II intron in the chloroplast of <i>Chlamydomonas reinhardtii</i> . Plant Journal, 2016, 85, 57-69.                                   | 2.8 | 11        |
| 1409 | Microgravity-driven remodeling of the proteome reveals insights into molecular mechanisms and signal networks involved in response to the space flight environment. Journal of Proteomics, 2016, 137, 3-18.                     | 1.2 | 40        |
| 1410 | Shotgun Approaches for Venom Analysis. , 2016, , 367-380.                                                                                                                                                                       |     | 0         |

| #    | ARTICLE                                                                                                                                                                                                                       | IF   | CITATIONS |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1411 | Identification of protein phosphatase 2A as an interacting protein of leucine-rich repeat kinase 2. <i>Biological Chemistry</i> , 2016, 397, 541-554.                                                                         | 1.2  | 15        |
| 1412 | Qualitative and Quantitative Proteomics Methods for the Analysis of the <i>Anopheles gambiae</i> Mosquito Proteome. <i>True Bugs (Heteroptera) of the Neotropics</i> , 2016, , 37-62.                                         | 1.2  | 4         |
| 1413 | 3D HPLC-MS with Reversed-Phase Separation Functionality in All Three Dimensions for Large-Scale Bottom-Up Proteomics and Peptide Retention Data Collection. <i>Analytical Chemistry</i> , 2016, 88, 2847-2855.                | 3.2  | 43        |
| 1414 | Plasma Proteins Modified by Advanced Glycation End Products (AGEs) Reveal Site-specific Susceptibilities to Glycemic Control in Patients with Type 2 Diabetes. <i>Journal of Biological Chemistry</i> , 2016, 291, 9610-9616. | 1.6  | 30        |
| 1415 | A branch and price approach for routing and refueling station location model. <i>European Journal of Operational Research</i> , 2016, 248, 815-826.                                                                           | 3.5  | 94        |
| 1416 | Psychiatric disorders biochemical pathways unraveled by human brain proteomics. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 3-17.                                                           | 1.8  | 35        |
| 1417 | New Opportunities and Challenges of Smart Polymers in Post-translational Modification Proteomics. <i>Advanced Materials</i> , 2017, 29, 1604670.                                                                              | 11.1 | 62        |
| 1418 | Integrating phosphoproteomics into the clinical management of prostate cancer. <i>Clinical and Translational Medicine</i> , 2017, 6, 9.                                                                                       | 1.7  | 6         |
| 1419 | Mass spectrometry as a powerful tool to study therapeutic metallodrugs speciation mechanisms: Current frontiers and perspectives. <i>Coordination Chemistry Reviews</i> , 2017, 352, 432-460.                                 | 9.5  | 97        |
| 1420 | Technological advances and proteomic applications in drug discovery and target deconvolution: identification of the pleiotropic effects of statins. <i>Drug Discovery Today</i> , 2017, 22, 848-869.                          | 3.2  | 23        |
| 1421 | Sample Cleanup Strategies for ESI Mass Spectrometry Applications in Bottom-Up Proteomics: Trends from 2012 to 2016. <i>Proteomics</i> , 2017, 17, 1700011.                                                                    | 1.3  | 60        |
| 1422 | Hydrophilic Strong Anion Exchange (hSAX) Chromatography Enables Deep Fractionation of Tissue Proteomes. <i>Methods in Molecular Biology</i> , 2017, 1550, 69-82.                                                              | 0.4  | 13        |
| 1423 | Glycoprotein Enrichment Analytical Techniques. <i>Methods in Enzymology</i> , 2017, 585, 397-429.                                                                                                                             | 0.4  | 52        |
| 1424 | Neuroproteomics. <i>Methods in Molecular Biology</i> , 2017, , .                                                                                                                                                              | 0.4  | 2         |
| 1425 | Glycoproteins Enrichment and LC-MS/MS Glycoproteomics in Central Nervous System Applications. <i>Methods in Molecular Biology</i> , 2017, 1598, 213-227.                                                                      | 0.4  | 9         |
| 1426 | Two-Dimensional Liquid Chromatography: A State of the Art Tutorial. <i>Analytical Chemistry</i> , 2017, 89, 519-531.                                                                                                          | 3.2  | 237       |
| 1427 | Proteomics survey of Solanaceae family: Current status and challenges ahead. <i>Journal of Proteomics</i> , 2017, 169, 41-57.                                                                                                 | 1.2  | 65        |
| 1428 | An Optimized Shotgun Strategy for the Rapid Generation of Comprehensive Human Proteomes. <i>Cell Systems</i> , 2017, 4, 587-599.e4.                                                                                           | 2.9  | 413       |

| #    | ARTICLE                                                                                                                                                                                                                                                                   | IF  | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1429 | Understanding cell signaling in cancer stem cells for targeted therapy – can phosphoproteomics help to reveal the secrets?. <i>Cell Communication and Signaling</i> , 2017, 15, 12.                                                                                       | 2.7 | 25        |
| 1430 | Restriction capillaries as an innovative mixing unit for intermediate mobile phase exchange in multidimensional analysis. <i>Journal of Chromatography A</i> , 2017, 1497, 70-80.                                                                                         | 1.8 | 7         |
| 1431 | Comparative shotgun proteomic profiles for identification of differentially expressed proteins in response to topping in <i>Nicotiana tabacum</i> leaves. <i>Acta Physiologiae Plantarum</i> , 2017, 39, 1.                                                               | 1.0 | 2         |
| 1432 | The Role of Proteomics in the Study of Kidney Diseases and in the Development of Diagnostic Tools. , 2017, , 119-223.                                                                                                                                                     |     | 4         |
| 1433 | Quantitative Metaproteomics and Activity-Based Probe Enrichment Reveals Significant Alterations in Protein Expression from a Mouse Model of Inflammatory Bowel Disease. <i>Journal of Proteome Research</i> , 2017, 16, 1014-1026.                                        | 1.8 | 65        |
| 1434 | A deeper mining on the protein composition of VA-MENGO-BCA®: An OMV-based vaccine against <i>N. meningitidis</i> serogroup B and C. <i>Human Vaccines and Immunotherapeutics</i> , 2017, 13, 2548-2560.                                                                   | 1.4 | 11        |
| 1435 | The WHHERE coactivator complex is required for retinoic acid-dependent regulation of embryonic symmetry. <i>Nature Communications</i> , 2017, 8, 728.                                                                                                                     | 5.8 | 27        |
| 1436 | Sequence-Specific Model for Peptide Retention Time Prediction in Strong Cation Exchange Chromatography. <i>Analytical Chemistry</i> , 2017, 89, 11795-11802.                                                                                                              | 3.2 | 32        |
| 1437 | Opportunities and challenges for the discovery and validation of proteomic biomarkers for common arthritic diseases. <i>Biomarkers in Medicine</i> , 2017, 11, 877-892.                                                                                                   | 0.6 | 5         |
| 1439 | Simultaneous quantitative analysis of uremic toxins by LC-MS/MS with a reversed-phase/cation-exchange/anion-exchange tri-modal mixed-mode column. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1068-1069, 1-8. | 1.2 | 30        |
| 1440 | Recent progress in mass spectrometry proteomics for biomedical research. <i>Science China Life Sciences</i> , 2017, 60, 1093-1113.                                                                                                                                        | 2.3 | 97        |
| 1441 | High Sensitivity Quantitative Proteomics Using Automated Multidimensional Nano-flow Chromatography and Accumulated Ion Monitoring on Quadrupole-Orbitrap-Linear Ion Trap Mass Spectrometer. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 2006-2016.               | 2.5 | 40        |
| 1444 | An Mtr4/ZFC3H1 complex facilitates turnover of unstable nuclear RNAs to prevent their cytoplasmic transport and global translational repression. <i>Genes and Development</i> , 2017, 31, 1257-1271.                                                                      | 2.7 | 98        |
| 1445 | Glycolytic Enzymes Coalesce in G Bodies under Hypoxic Stress. <i>Cell Reports</i> , 2017, 20, 895-908.                                                                                                                                                                    | 2.9 | 139       |
| 1446 | Increasing Flexibility in Two-Dimensional Liquid Chromatography by Pulsed Elution of the First Dimension: A Proof of Concept. <i>Analytical Chemistry</i> , 2017, 89, 8723-8730.                                                                                          | 3.2 | 21        |
| 1447 | Mapping the human skeletal muscle proteome: progress and potential. <i>Expert Review of Proteomics</i> , 2017, 14, 825-839.                                                                                                                                               | 1.3 | 27        |
| 1448 | Ist1 regulates ESCRT-III assembly and function during multivesicular endosome biogenesis in <i>Caenorhabditis elegans</i> embryos. <i>Nature Communications</i> , 2017, 8, 1439.                                                                                          | 5.8 | 38        |
| 1449 | The Aotus nancymae erythrocyte proteome and its importance for biomedical research. <i>Journal of Proteomics</i> , 2017, 152, 131-137.                                                                                                                                    | 1.2 | 6         |

| #    | ARTICLE                                                                                                                                                                                                                                    | IF  | CITATIONS |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1450 | Towards comprehensive and quantitative proteomics for diagnosis and therapy of human disease. <i>Proteomics</i> , 2017, 17, 1600079.                                                                                                       | 1.3 | 64        |
| 1451 | 2D-LC as an on-line desalting tool allowing peptide identification directly from MS unfriendly HPLC methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 137, 139-145.                                                | 1.4 | 21        |
| 1452 | A cycle of Zap70 kinase activation and release from the TCR amplifies and disperses antigenic stimuli. <i>Nature Immunology</i> , 2017, 18, 86-95.                                                                                         | 7.0 | 76        |
| 1453 | Random and independent sampling of endogenous tryptic peptides from normal human EDTA plasma by liquid chromatography micro electrospray ionization and tandem mass spectrometry. <i>Clinical Proteomics</i> , 2017, 14, 41.               | 1.1 | 14        |
| 1454 | Application of Proteomics to Medical Diagnostics. , 2017, , 233-248.                                                                                                                                                                       |     | 0         |
| 1455 | The human cytoplasmic dynein interactome reveals novel activators of motility. <i>ELife</i> , 2017, 6, .                                                                                                                                   | 2.8 | 120       |
| 1456 | Construction of <i>Mycobacterium tuberculosis</i> cdd knockout and evaluation of invasion and growth in macrophages. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2017, 112, 785-789.                                                       | 0.8 | 2         |
| 1457 | A Perspective on Extracellular Vesicles Proteomics. <i>Frontiers in Chemistry</i> , 2017, 5, 102.                                                                                                                                          | 1.8 | 106       |
| 1458 | Analysis of a cAMP regulated coactivator family reveals an alternative phosphorylation motif for AMPK family members. <i>PLoS ONE</i> , 2017, 12, e0173013.                                                                                | 1.1 | 27        |
| 1459 | The GAGA factor regulatory network: Identification of GAGA factor associated proteins. <i>PLoS ONE</i> , 2017, 12, e0173602.                                                                                                               | 1.1 | 41        |
| 1460 | Characterization of Collagen Peptides in Elaphuri Davidiani Cornu Aqueous Extract with Proliferative Activity on Osteoblasts Using Nano-Liquid Chromatography in Tandem with Orbitrap Mass Spectrometry. <i>Molecules</i> , 2017, 22, 166. | 1.7 | 8         |
| 1461 | Metaproteomics of Colonic Microbiota Unveils Discrete Protein Functions among Colitic Mice and Control Groups. <i>Proteomics</i> , 2018, 18, 1700391.                                                                                      | 1.3 | 10        |
| 1462 | Protein Content of Cervicovaginal Fluid Is Altered During Bacterial Vaginosis. <i>Journal of Lower Genital Tract Disease</i> , 2018, 22, 147-151.                                                                                          | 0.9 | 14        |
| 1463 | Combination of on-line desalting and HPLC-UV-ESI-MS for simultaneous detection and identification of FIP-fve and flammutoxin in <i>Flammulina velutipes</i> . <i>Journal of Food and Drug Analysis</i> , 2018, 26, 1045-1053.              | 0.9 | 3         |
| 1464 | A Structured Workflow for Mapping Human Sin3 Histone Deacetylase Complex Interactions Using Halo-MudPIT Affinity-Purification Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 1432-1447.                           | 2.5 | 27        |
| 1465 | Increased proteomic complexity in <i>Drosophila</i> hybrids during development. <i>Science Advances</i> , 2018, 4, eaao3424.                                                                                                               | 4.7 | 12        |
| 1468 | Spatial Organization of the Nucleus Compartmentalizes and Regulates the Genome. , 2018, , 1-34.                                                                                                                                            |     | 0         |
| 1469 | 13. Antitumor Metallodrugs that Target Proteins. , 2018, 18, 351-386.                                                                                                                                                                      |     | 7         |

| #    | ARTICLE                                                                                                                                                                                               | IF  | CITATIONS |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1470 | Differential Ion Mobility Separations in the Low-Pressure Regime. <i>Analytical Chemistry</i> , 2018, 90, 936-943.                                                                                    | 3.2 | 18        |
| 1471 | Global site-specific analysis of glycoprotein N-glycan processing. <i>Nature Protocols</i> , 2018, 13, 1196-1212.                                                                                     | 5.5 | 71        |
| 1472 | Genomics and Proteomics Using Computational Biology. <i>SpringerBriefs in Computer Science</i> , 2018, , 47-57.                                                                                       | 0.2 | 0         |
| 1473 | Toxin-resolved antivenomics-guided assessment of the immunorecognition landscape of antivenoms. <i>Toxicon</i> , 2018, 148, 107-122.                                                                  | 0.8 | 38        |
| 1474 | Quantification of proteins by data independent acquisition: Performance assessment of the Hi3 methodology. <i>Analytical Biochemistry</i> , 2018, 549, 184-187.                                       | 1.1 | 6         |
| 1475 | Understanding interactions between biomaterials and biological systems using proteomics. <i>Biomaterials</i> , 2018, 167, 191-204.                                                                    | 5.7 | 129       |
| 1476 | Optimizing separations in online comprehensive two-dimensional liquid chromatography. <i>Journal of Separation Science</i> , 2018, 41, 68-98.                                                         | 1.3 | 176       |
| 1477 | Emerging Diagnostic and Therapeutic Potentials of Human Hair Proteomics. <i>Proteomics - Clinical Applications</i> , 2018, 12, 1700048.                                                               | 0.8 | 13        |
| 1478 | Comprehensive and sensitive proteogenomics data analysis strategy based on complementary multi-stage database search. <i>International Journal of Mass Spectrometry</i> , 2018, 427, 11-19.           | 0.7 | 4         |
| 1479 | Technical challenges of working with extracellular vesicles. <i>Nanoscale</i> , 2018, 10, 881-906.                                                                                                    | 2.8 | 366       |
| 1480 | Direct and indirect approaches to identify drug modes of action. <i>IUBMB Life</i> , 2018, 70, 9-22.                                                                                                  | 1.5 | 33        |
| 1481 | Proteomic analysis reveals that tomato interaction with plant growth promoting bacteria is highly determined by ethylene perception. <i>Journal of Plant Physiology</i> , 2018, 220, 43-59.           | 1.6 | 36        |
| 1482 | A Step-Up LC-MS/MS for Proteomics. <i>Comprehensive Analytical Chemistry</i> , 2018, , 377-414.                                                                                                       | 0.7 | 0         |
| 1483 | From Synapse to Function: A Perspective on the Role of Neuroproteomics in Elucidating Mechanisms of Drug Addiction. <i>Proteomes</i> , 2018, 6, 50.                                                   | 1.7 | 16        |
| 1484 | Multidimensional Liquid Chromatography. , 2018, , .                                                                                                                                                   |     | 0         |
| 1487 | Proteome Investigation of Rat Lungs subjected to Ex Vivo Perfusion (EVLP). <i>Molecules</i> , 2018, 23, 3061.                                                                                         | 1.7 | 20        |
| 1489 | Overview of Technological Advances and Predictive Assays. , 2018, , 664-679.                                                                                                                          |     | 0         |
| 1490 | Hydroxypropyl-beta and -gamma cyclodextrins rescue cholesterol accumulation in Niemann-Pick C1 mutant cell via lysosome-associated membrane protein 1. <i>Cell Death and Disease</i> , 2018, 9, 1019. | 2.7 | 41        |

| #    | ARTICLE                                                                                                                                                                                                                                                                           | IF   | CITATIONS |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1491 | Proteomic analysis identifies highly expressed plasma membrane proteins for detection and therapeutic targeting of specific breast cancer subtypes. <i>Clinical Proteomics</i> , 2018, 15, 30.                                                                                    | 1.1  | 7         |
| 1492 | Detection of Residual Proteins UL5 and UL29 Using a Targeted Proteomics Approach in HSV529, a Replication-Deficient HSV-2 Vaccine Candidate. <i>Journal of Pharmaceutical Sciences</i> , 2018, 107, 3022-3031.                                                                    | 1.6  | 4         |
| 1493 | Probing the Sensitivity of the Orbitrap Lumos Mass Spectrometer Using a Standard Reference Protein in a Complex Background. <i>Journal of Proteome Research</i> , 2018, 17, 3586-3592.                                                                                            | 1.8  | 17        |
| 1494 | Quantitative Proteomic Analysis of 2D and 3D Cultured Colorectal Cancer Cells: Profiling of Tankyrase Inhibitor XAV939-Induced Proteome. <i>Scientific Reports</i> , 2018, 8, 13255.                                                                                              | 1.6  | 22        |
| 1495 | Tissue and plasma proteomics for early stage cancer detection. <i>Molecular Omics</i> , 2018, 14, 405-423.                                                                                                                                                                        | 1.4  | 28        |
| 1496 | Proteomics in Acute Myeloid Leukemia. , 2018, , .                                                                                                                                                                                                                                 |      | 1         |
| 1497 | ANKRD16 prevents neuron loss caused by an editing-defective tRNA synthetase. <i>Nature</i> , 2018, 557, 510-515.                                                                                                                                                                  | 13.7 | 37        |
| 1498 | Comprehensive Two-Dimensional Liquid Chromatography Coupled to Mass Spectrometry. <i>Comprehensive Analytical Chemistry</i> , 2018, 79, 81-123.                                                                                                                                   | 0.7  | 3         |
| 1499 | A shotgun method for high throughput screening microcystins in <i>Margarya melanioides</i> on a triple quadrupole tandem mass spectrometry. <i>Food Chemistry</i> , 2018, 269, 89-95.                                                                                             | 4.2  | 10        |
| 1500 | Impact of Mass Spectrometry-Based Technologies and Strategies on Chemoproteomics as a Tool for Drug Discovery. <i>ACS Medicinal Chemistry Letters</i> , 2018, 9, 785-791.                                                                                                         | 1.3  | 16        |
| 1501 | Recent Progress in CFTR Interactome Mapping and Its Importance for Cystic Fibrosis. <i>Frontiers in Pharmacology</i> , 2017, 8, 997.                                                                                                                                              | 1.6  | 28        |
| 1502 | Quantitative analysis of newly synthesized proteins. <i>Nature Protocols</i> , 2018, 13, 1744-1762.                                                                                                                                                                               | 5.5  | 28        |
| 1503 | Application of Displacement Chromatography to Online Two-Dimensional Liquid Chromatography Coupled to Tandem Mass Spectrometry Improves Peptide Separation Efficiency and Detectability for the Analysis of Complex Proteomes. <i>Analytical Chemistry</i> , 2018, 90, 9951-9958. | 3.2  | 17        |
| 1504 | Triflic Acid Treatment Enables LC-MS/MS Analysis of Insoluble Bacterial Biomass. <i>Journal of Proteome Research</i> , 2018, 17, 2978-2986.                                                                                                                                       | 1.8  | 5         |
| 1505 | Human coelomic fluid investigation: A MS-based analytical approach to prenatal screening. <i>Scientific Reports</i> , 2018, 8, 10973.                                                                                                                                             | 1.6  | 28        |
| 1506 | Bioinformatics Techniques for Drug Discovery. <i>SpringerBriefs in Computer Science</i> , 2018, , .                                                                                                                                                                               | 0.2  | 6         |
| 1507 | Computational Methods for Understanding Mass Spectrometry-Based Shotgun Proteomics Data. <i>Annual Review of Biomedical Data Science</i> , 2018, 1, 207-234.                                                                                                                      | 2.8  | 108       |
| 1508 | Applications of Reactive Cysteine Profiling. <i>Current Topics in Microbiology and Immunology</i> , 2018, 420, 375-417.                                                                                                                                                           | 0.7  | 27        |



| #    | ARTICLE                                                                                                                                                                                                                                     | IF   | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1509 | Regulated nuclear accumulation of a histone methyltransferase times the onset of heterochromatin formation in <i>C. elegans</i> embryos. <i>Science Advances</i> , 2018, 4, eaat6224.                                                       | 4.7  | 55        |
| 1510 | Addressing the challenge of soil metaproteome complexity by improving metaproteome depth of coverage through two-dimensional liquid chromatography. <i>Soil Biology and Biochemistry</i> , 2018, 125, 290-299.                              | 4.2  | 37        |
| 1511 | Rapid Classification and Identification of Multiple Microorganisms with Accurate Statistical Significance via High-Resolution Tandem Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2018, 29, 1721-1737. | 1.2  | 26        |
| 1513 | Characterization of the adult <i>Aedes aegypti</i> early midgut peritrophic matrix proteome using LC-MS. <i>PLoS ONE</i> , 2018, 13, e0194734.                                                                                              | 1.1  | 23        |
| 1514 | Control of seed dormancy and germination by DOG1-AHG1 PP2C phosphatase complex via binding to heme. <i>Nature Communications</i> , 2018, 9, 2132.                                                                                           | 5.8  | 138       |
| 1515 | Surfactant and Chaotropic Agent Assisted Sequential Extraction/On-Pellet Digestion (SCAD) for Enhanced Proteomics. <i>Journal of Proteome Research</i> , 2018, 17, 2744-2754.                                                               | 1.8  | 11        |
| 1516 | <i>Proteome Informatics</i> . , 2019, , 60-75.                                                                                                                                                                                              |      | 0         |
| 1517 | Concepts and strategies of soybean seed proteomics using the shotgun proteomics approach. <i>Expert Review of Proteomics</i> , 2019, 16, 795-804.                                                                                           | 1.3  | 21        |
| 1518 | MdCDPM: A Mass Defect-Based Chemical-Directed Proteomics Method for Targeted Analysis of Intact Sialylglycopeptides. <i>Analytical Chemistry</i> , 2019, 91, 9986-9992.                                                                     | 3.2  | 6         |
| 1519 | Proteomics and Leishmaniasis: Potential Clinical Applications. <i>Proteomics - Clinical Applications</i> , 2019, 13, e1800136.                                                                                                              | 0.8  | 14        |
| 1520 | Simplifying the Proteome: Analytical Strategies for Improving Peak Capacity. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1140, 501-513.                                                                                    | 0.8  | 1         |
| 1522 | A novel approach for protein identification from complex cell proteome using modified peptide mass fingerprinting algorithm. <i>Electrophoresis</i> , 2019, 40, 3062-3073.                                                                  | 1.3  | 0         |
| 1523 | Strong anion exchange-mediated phosphoproteomics reveals extensive human non-canonical phosphorylation. <i>EMBO Journal</i> , 2019, 38, e100847.                                                                                            | 3.5  | 118       |
| 1524 | Challenges and Advances in the Fabrication of Monolithic Bioseparation Materials and their Applications in Proteomics Research. <i>Advanced Materials</i> , 2019, 31, e1902023.                                                             | 11.1 | 52        |
| 1525 | Surpassing 10 <sup>6</sup> identified and quantified proteins in a single run by optimizing current LC-MS instrumentation and data analysis strategy. <i>Molecular Omics</i> , 2019, 15, 348-360.                                           | 1.4  | 137       |
| 1526 | The circadian E3 ligase complex SCFFBXL3+CRY targets TLK2. <i>Scientific Reports</i> , 2019, 9, 198.                                                                                                                                        | 1.6  | 26        |
| 1527 | High-quality MS/MS spectrum prediction for data-dependent and data-independent acquisition data analysis. <i>Nature Methods</i> , 2019, 16, 519-525.                                                                                        | 9.0  | 194       |
| 1528 | Exploring protein myristoylation in <i>Toxoplasma gondii</i> . <i>Experimental Parasitology</i> , 2019, 203, 8-18.                                                                                                                          | 0.5  | 11        |

| #    | ARTICLE                                                                                                                                                                                                                   | IF  | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1529 | Identification of new transmembrane proteins concentrated at the nuclear envelope using organellar proteomics of mesenchymal cells. <i>Nucleus</i> , 2019, 10, 126-143.                                                   | 0.6 | 43        |
| 1531 | Site-Specific Lysine Acetylation Stoichiometry Across Subcellular Compartments. <i>Methods in Molecular Biology</i> , 2019, 1983, 79-106.                                                                                 | 0.4 | 8         |
| 1532 | Exploring Oxidative Stress in Plants: Proteomic and Genomic Approaches. , 2019, , 155-187.                                                                                                                                |     | 0         |
| 1533 | Paip2 cooperates with Cbp80 at an active promoter and participates in RNA Polymerase II phosphorylation in <i>Drosophila</i> . <i>FEBS Letters</i> , 2019, 593, 1102-1112.                                                | 1.3 | 6         |
| 1534 | EvoSep One Enables Robust Deep Proteome Coverage Using Tandem Mass Tags while Significantly Reducing Instrument Time. <i>Journal of Proteome Research</i> , 2019, 18, 2346-2353.                                          | 1.8 | 51        |
| 1535 | The KLDpT activation loop motif is critical for MARK kinase activity. <i>PLoS ONE</i> , 2019, 14, e0225727.                                                                                                               | 1.1 | 3         |
| 1536 | Nanowell-mediated multidimensional separations combining nanoLC with SLIM IM-MS for rapid, high-peak-capacity proteomic analyses. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 5363-5372.                   | 1.9 | 13        |
| 1537 | ComPIL 2.0: An Updated Comprehensive Metaproteomics Database. <i>Journal of Proteome Research</i> , 2019, 18, 616-622.                                                                                                    | 1.8 | 18        |
| 1538 | Proteomics and Protein Interaction in Molecular Cell Signaling Pathways. , 2019, , 17-34.                                                                                                                                 |     | 0         |
| 1539 | Novel 2,5-disubstituted-1,3,4-oxadiazole derivatives induce apoptosis in HepG2 cells through p53 mediated intrinsic pathway. <i>Arabian Journal of Chemistry</i> , 2019, 12, 2548-2555.                                   | 2.3 | 15        |
| 1540 | Ready for the journey: a comparative proteome profiling of porcine cauda epididymal fluid and spermatozoa. <i>Cell and Tissue Research</i> , 2020, 379, 389-405.                                                          | 1.5 | 11        |
| 1541 | Current Trends in the Analysis of Post-translational Modifications. <i>Chromatographia</i> , 2020, 83, 1-10.                                                                                                              | 0.7 | 62        |
| 1543 | Quantitative proteomics in development of disease protein biomarkers. , 2020, , 261-288.                                                                                                                                  |     | 3         |
| 1544 | Effect of long-term storage on phenolic composition, antioxidant capacity, and protein profiles of <i>Calicotome villosa</i> subsp. <i>intermedia</i> seeds. <i>Journal of Food Biochemistry</i> , 2020, 44, e13093.      | 1.2 | 6         |
| 1545 | Function of the MYND Domain and C-Terminal Region in Regulating the Subcellular Localization and Catalytic Activity of the SMYD Family Lysine Methyltransferase Set5. <i>Molecular and Cellular Biology</i> , 2020, 40, . | 1.1 | 9         |
| 1547 | Metalloproteomics for molecular target identification of protein-binding anticancer metallodrugs. <i>Metallomics</i> , 2020, 12, 1627-1636.                                                                               | 1.0 | 23        |
| 1548 | De novo sequencing of proteins by mass spectrometry. <i>Expert Review of Proteomics</i> , 2020, 17, 595-607.                                                                                                              | 1.3 | 19        |
| 1549 | Changes in porcine cauda epididymal fluid proteome by disrupting the HPT axis: Unveiling potential mechanisms of male infertility. <i>Molecular Reproduction and Development</i> , 2020, 87, 952-965.                     | 1.0 | 2         |

| #    | ARTICLE                                                                                                                                                                                                                                                                            | IF  | CITATIONS |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1550 | Enolate-forming compounds provide protection from platinum neurotoxicity. <i>Chemico-Biological Interactions</i> , 2020, 317, 108961.                                                                                                                                              | 1.7 | 1         |
| 1551 | A selective comprehensive reversed-phase—reversed-phase 2D-liquid chromatography approach with multiple complementary detectors as advanced generic method for the quality control of synthetic and therapeutic peptides. <i>Journal of Chromatography A</i> , 2020, 1627, 461430. | 1.8 | 21        |
| 1552 | Proteomics-Based Methodologies for the Detection and Quantification of Seafood Allergens. <i>Foods</i> , 2020, 9, 1134.                                                                                                                                                            | 1.9 | 23        |
| 1553 | Integration of postmortem amygdala expression profiling, GWAS, and functional cell culture assays: neuroticism-associated synaptic vesicle glycoprotein 2A (SV2A) gene is regulated by miR-133a and miR-218. <i>Translational Psychiatry</i> , 2020, 10, 297.                      | 2.4 | 10        |
| 1554 | Proteomic Strategies to Evaluate the Impact of Farming Conditions on Food Quality and Safety in Aquaculture Products. <i>Foods</i> , 2020, 9, 1050.                                                                                                                                | 1.9 | 20        |
| 1555 | Protein Signatures to Trace Seafood Contamination and Processing. <i>Foods</i> , 2020, 9, 1751.                                                                                                                                                                                    | 1.9 | 8         |
| 1556 | Development and fabrication of disease resistance protein in recombinant <i>Escherichia coli</i> . <i>Bioresources and Bioprocessing</i> , 2020, 7, .                                                                                                                              | 2.0 | 3         |
| 1557 | Parallel Channels-Multidimensional Protein Identification Technology. <i>Journal of the American Society for Mass Spectrometry</i> , 2020, 31, 1440-1447.                                                                                                                          | 1.2 | 5         |
| 1558 | Metal-Assisted Protein Quantitation (MAPq): Multiplex Analysis of Protein Expression Using Lanthanide-Modified Antibodies with Detection by Inductively Coupled Plasma Mass Spectrometry. <i>Analytical Chemistry</i> , 2020, 92, 7556-7564.                                       | 3.2 | 5         |
| 1559 | Unambiguous Phosphosite Localization through the Combination of Trypsin and LysargiNase Mirror Spectra in a Large-Scale Phosphoproteome Study. <i>Journal of Proteome Research</i> , 2020, 19, 2185-2194.                                                                          | 1.8 | 7         |
| 1560 | Systematic evaluation and optimization of high-performance liquid chromatography separation of polyoxins. <i>Journal of Separation Science</i> , 2020, 43, 3006-3016.                                                                                                              | 1.3 | 1         |
| 1561 | THE PRESENT AND FUTURE OF THE MASS SPECTROMETRY-BASED INVESTIGATION OF THE EXOSOME LANDSCAPE. <i>Mass Spectrometry Reviews</i> , 2020, 39, 745-762.                                                                                                                                | 2.8 | 18        |
| 1562 | Ex vivo Quantitative Proteomic Analysis of Serotonin Transporter Interactome: Network Impact of the SERT Ala56 Coding Variant. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 89.                                                                                          | 1.4 | 16        |
| 1563 | Proteomic Profiling of <i>Emiliana huxleyi</i> Using a Three-Dimensional Separation Method Combined with Tandem Mass Spectrometry. <i>Molecules</i> , 2020, 25, 3028.                                                                                                              | 1.7 | 5         |
| 1564 | A Critical Review of Bottom-Up Proteomics: The Good, the Bad, and the Future of This Field. <i>Proteomes</i> , 2020, 8, 14.                                                                                                                                                        | 1.7 | 169       |
| 1565 | No difference in the proteome of racially and geometrically classified scalp hair sample from a South African cohort: Preliminary findings. <i>Journal of Proteomics</i> , 2020, 226, 103892.                                                                                      | 1.2 | 3         |
| 1566 | Evaluation of the palatability and biofunctionality of brown rice germinated in red onion solution. <i>Cereal Chemistry</i> , 2020, 97, 836-848.                                                                                                                                   | 1.1 | 3         |
| 1567 | Separation Orthogonality in Liquid Chromatography—Mass Spectrometry for Proteomic Applications: Comparison of 16 Different Two-Dimensional Combinations. <i>Analytical Chemistry</i> , 2020, 92, 3904-3912.                                                                        | 3.2 | 25        |

| #    | ARTICLE                                                                                                                                                                                                                                                                             | IF   | CITATIONS |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1568 | Review of Three-Dimensional Liquid Chromatography Platforms for Bottom-Up Proteomics. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1524.                                                                                                                          | 1.8  | 50        |
| 1569 | Click Chemistry in Proteomic Investigations. <i>Cell</i> , 2020, 180, 605-632.                                                                                                                                                                                                      | 13.5 | 215       |
| 1570 | Harnessing the power of electrophoresis and chromatography: Offline coupling of reverse phase liquid chromatography-capillary zone electrophoresis-tandem mass spectrometry for peptide mapping for monoclonal antibodies. <i>Journal of Chromatography A</i> , 2020, 1620, 460954. | 1.8  | 16        |
| 1571 | Targeted therapy in acute myeloid leukemia: current status and new insights from a proteomic perspective. <i>Expert Review of Proteomics</i> , 2020, 17, 1-10.                                                                                                                      | 1.3  | 13        |
| 1572 | The Journey Is the Reward, a Taoist Proverb: John B. Fenn Award for Distinguished Contribution in Mass Spectrometry Lecture. <i>Journal of the American Society for Mass Spectrometry</i> , 2020, 31, 1327-1336.                                                                    | 1.2  | 0         |
| 1573 | PRESnovo: Prescreening Prior to <i>de novo</i> Sequencing to Improve Accuracy and Sensitivity of Neuropeptide Identification. <i>Journal of the American Society for Mass Spectrometry</i> , 2020, 31, 1358-1371.                                                                   | 1.2  | 6         |
| 1574 | Sequential amidation of peptide C-termini for improving fragmentation efficiency. <i>Journal of Mass Spectrometry</i> , 2021, 56, e4529.                                                                                                                                            | 0.7  | 2         |
| 1575 | Applications of Deep Learning in Biomedicine. , 2021, , 29-39.                                                                                                                                                                                                                      |      | 1         |
| 1576 | Multiscale Modeling Meets Machine Learning: What Can We Learn?. <i>Archives of Computational Methods in Engineering</i> , 2021, 28, 1017-1037.                                                                                                                                      | 6.0  | 164       |
| 1577 | Sample preparation and fractionation techniques for intact proteins for mass spectrometric analysis. <i>Journal of Separation Science</i> , 2021, 44, 211-246.                                                                                                                      | 1.3  | 32        |
| 1578 | Proteomic evaluation of kimchi, a traditional Korean fermented vegetable, and comparison of kimchi manufactured in China and Korea. <i>Journal of Food Science and Technology</i> , 2021, 58, 389-396.                                                                              | 1.4  | 5         |
| 1579 | The separation sciences, the front end to proteomics: An historical perspective. <i>Biomedical Chromatography</i> , 2021, 35, e4995.                                                                                                                                                | 0.8  | 9         |
| 1580 | Mass spectrometry-based proteomics analyses of post-translational modifications and proteoforms in human pituitary adenomas. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2021, 1869, 140584.                                                                   | 1.1  | 13        |
| 1581 | Systems-based proteomics to resolve the biology of Alzheimer's disease beyond amyloid and tau. <i>Neuropsychopharmacology</i> , 2021, 46, 98-115.                                                                                                                                   | 2.8  | 70        |
| 1582 | Mass Spectrometry-Based Lipidomics: An Overview. <i>Methods in Molecular Biology</i> , 2021, 2306, 1-10.                                                                                                                                                                            | 0.4  | 2         |
| 1583 | Carboxylate-Modified Magnetic Bead (CMMB)-Based Isopropanol Gradient Peptide Fractionation (CIF) Enables Rapid and Robust Off-Line Peptide Mixture Fractionation in Bottom-Up Proteomics. <i>Molecular and Cellular Proteomics</i> , 2021, 20, 100039.                              | 2.5  | 10        |
| 1584 | Proteomic Insights of Date Palm Embryogenesis and Responses to Environmental Stress. <i>Compendium of Plant Genomes</i> , 2021, , 85-99.                                                                                                                                            | 0.3  | 1         |
| 1585 | Omics-Driven Biotechnology for Industrial Applications. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 613307.                                                                                                                                                     | 2.0  | 49        |

| #    | ARTICLE                                                                                                                                                                                                                               | IF   | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1586 | Quantitative proteomic profiling of Cervicovaginal fluid from pregnant women with term and preterm birth. <i>Proteome Science</i> , 2021, 19, 3.                                                                                      | 0.7  | 11        |
| 1587 | The RNA phosphatase PIR-1 regulates endogenous small RNA pathways in <i>C.Âelegans</i> . <i>Molecular Cell</i> , 2021, 81, 546-557.e5.                                                                                                | 4.5  | 15        |
| 1588 | The Influence of Light Wavelength on Resveratrol Content and Antioxidant Capacity in <i>Arachis hypogaeas</i> L.. <i>Agronomy</i> , 2021, 11, 305.                                                                                    | 1.3  | 4         |
| 1589 | SNPC-1.3 is a sex-specific transcription factor that drives male piRNA expression in <i>C. elegans</i> . <i>ELife</i> , 2021, 10, .                                                                                                   | 2.8  | 7         |
| 1590 | microRNA-mediated translation repression through GYF-1 and IFE-4 in <i>C. elegans</i> development. <i>Nucleic Acids Research</i> , 2021, 49, 4803-4815.                                                                               | 6.5  | 28        |
| 1591 | Discovery of Screening Biomarkers for Major Depressive Disorder in Remission by Proteomic Approach. <i>Diagnostics</i> , 2021, 11, 539.                                                                                               | 1.3  | 3         |
| 1593 | Proteome Discovererâ€”A Community Enhanced Data Processing Suite for Protein Informatics. <i>Proteomes</i> , 2021, 9, 15.                                                                                                             | 1.7  | 115       |
| 1594 | Mass Spectrometry Techniques: Principles and Practices for Quantitative Proteomics. <i>Current Protein and Peptide Science</i> , 2021, 22, 121-133.                                                                                   | 0.7  | 17        |
| 1595 | Development of comprehensive two-dimensional low-flow liquid-chromatography setup coupled to high-resolution mass spectrometry for shotgun proteomics. <i>Analytica Chimica Acta</i> , 2021, 1156, 338349.                            | 2.6  | 29        |
| 1596 | SWATH Based Quantitative Proteomics Reveals Significant Lipid Metabolism in Early Myopic Guinea Pig Retina. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4721.                                                      | 1.8  | 17        |
| 1598 | Mutual enlightenment: A toolbox of concepts and methods for integrating evolutionary and clinical toxinology via snake venomics and the contextual stance. <i>Toxicon: X</i> , 2021, 9-10, 100070.                                    | 1.2  | 21        |
| 1599 | Ultrafast and Reproducible Proteomics from Small Amounts of Heart Tissue Enabled by Azo and timsTOF Pro. <i>Journal of Proteome Research</i> , 2021, 20, 4203-4211.                                                                   | 1.8  | 34        |
| 1600 | Strategy for high-throughput identification of protein complexes by array-based multi-dimensional liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2021, 1652, 462351.                                   | 1.8  | 10        |
| 1601 | Chemical Modifications Induced by Phthalic Anhydride, a Respiratory Sensitizer, in Reconstructed Human Epidermis: A Combined HRMAS NMR and LC-MS/MS Proteomic Approach. <i>Chemical Research in Toxicology</i> , 2021, 34, 2087-2099. | 1.7  | 1         |
| 1602 | High-throughput protein modification quantitation analysis using intact protein MRM and its application on hENGase inhibitor screening. <i>Talanta</i> , 2021, 231, 122384.                                                           | 2.9  | 3         |
| 1603 | Characterizing Endogenous Protein Complexes with Biological Mass Spectrometry. <i>Chemical Reviews</i> , 2022, 122, 7386-7414.                                                                                                        | 23.0 | 24        |
| 1604 | Biopharmaceutical quality control with mass spectrometry. <i>Bioanalysis</i> , 2021, 13, 1275-1291.                                                                                                                                   | 0.6  | 5         |
| 1605 | Proteomic discovery of non-invasive biomarkers of localized prostate cancer using mass spectrometry. <i>Nature Reviews Urology</i> , 2021, 18, 707-724.                                                                               | 1.9  | 25        |

| #    | ARTICLE                                                                                                                                                        | IF  | CITATIONS |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1606 | Proteomics: Concepts and applications in human medicine. World Journal of Biological Chemistry, 2021, 12, 57-69.                                               | 1.7 | 75        |
| 1607 | Alternative in vitro models for safety and toxicity evaluation of nutraceuticals. , 2021, , 431-462.                                                           |     | 1         |
| 1610 | Genomics and Proteomics of Leaf Senescence. , 0, , 202-230.                                                                                                    |     | 4         |
| 1615 | Proteomics Today, Proteomics Tomorrow. , 2004, , 1-17.                                                                                                         |     | 4         |
| 1616 | Current Status and Forward Looking Thoughts on LC/MS Metabolomics. , 2006, , 21-32.                                                                            |     | 6         |
| 1617 | Proteome Analyses for Characterization of Plant Mitochondria. Advances in Photosynthesis and Respiration, 2004, , 143-162.                                     | 1.0 | 2         |
| 1618 | Organelle Proteome Variation Among Different Cell Types: Lessons from Nuclear Membrane Proteins. , 2007, 43, 51-76.                                            |     | 14        |
| 1619 | Genomics of Salmonella Species. , 2011, , 171-235.                                                                                                             |     | 1         |
| 1621 | Application of "Omics" Technologies to In Vitro Toxicology. Methods in Pharmacology and Toxicology, 2014, , 399-432.                                           | 0.1 | 2         |
| 1622 | Survey of Shotgun Proteomics. Methods in Molecular Biology, 2014, 1156, 3-23.                                                                                  | 0.4 | 15        |
| 1623 | LC-MALDI-TOF/TOF for Shotgun Proteomics. Methods in Molecular Biology, 2014, 1156, 27-38.                                                                      | 0.4 | 7         |
| 1624 | Fully Automatable Multidimensional Reversed-Phase Liquid Chromatography with Online Tandem Mass Spectrometry. Methods in Molecular Biology, 2014, 1156, 39-51. | 0.4 | 5         |
| 1625 | Proteomics in Plant Biology. , 2003, , 409-416.                                                                                                                |     | 6         |
| 1626 | Analysis of Organelles by On-Line Two-Dimensional Liquid Chromatography" Tandem Mass Spectrometry. Methods in Molecular Biology, 2008, 432, 1-16.              | 0.4 | 14        |
| 1627 | Proteomic Analysis of the Stacked Golgi Complex. Methods in Molecular Biology, 2008, 432, 37-49.                                                               | 0.4 | 1         |
| 1628 | Subcellular Fractionation and Proteomics of Nuclear Envelopes. Methods in Molecular Biology, 2008, 432, 117-137.                                               | 0.4 | 16        |
| 1629 | Proteomic Strategies for Analyzing Body Fluids. , 2007, , 3-30.                                                                                                |     | 2         |
| 1630 | Proteomics of Human Saliva. , 2007, , 347-376.                                                                                                                 |     | 1         |

| #    | ARTICLE                                                                                                                                                                                       | IF  | CITATIONS |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1631 | Sample Preparation of Body Fluids for Proteomics Analysis. , 2007, , 31-69.                                                                                                                   |     | 3         |
| 1632 | Generation and Analysis of Multidimensional Protein Identification Technology Datasets. Methods in Molecular Biology, 2009, 492, 1-20.                                                        | 0.4 | 24        |
| 1633 | Use of Sequential Chemical Extractions to Purify Nuclear Membrane Proteins for Proteomics Identification. Methods in Molecular Biology, 2009, 528, 201-225.                                   | 0.4 | 20        |
| 1634 | MudPIT Analysis: Application to Human Heart Tissue. Methods in Molecular Biology, 2009, 528, 281-293.                                                                                         | 0.4 | 26        |
| 1635 | Liquid Chromatographyâ€“Mass Spectrometry-Based Quantitative Proteomics. Methods in Molecular Biology, 2009, 564, 189-205.                                                                    | 0.4 | 8         |
| 1636 | Informatics and Statistics for Analyzing 2-D Gel Electrophoresis Images. Methods in Molecular Biology, 2010, 604, 239-255.                                                                    | 0.4 | 17        |
| 1637 | Production and Use of Stable Isotope-Labeled Proteins for Absolute Quantitative Proteomics. Methods in Molecular Biology, 2011, 753, 93-115.                                                  | 0.4 | 43        |
| 1638 | Capillary Electrophoresis-Based Proteomic Techniques for Biomarker Discovery. Methods in Molecular Biology, 2013, 919, 181-187.                                                               | 0.4 | 2         |
| 1639 | Pre-absorbed Immunoproteomics: A Novel Method for the Detection of Bacterial Surface Proteins. Methods in Molecular Biology, 2013, 1061, 113-121.                                             | 0.4 | 1         |
| 1640 | Analysis of Rice Proteins Using SDS-PAGE Shotgun Proteomics. Methods in Molecular Biology, 2014, 1072, 289-302.                                                                               | 0.4 | 13        |
| 1641 | Molecular and Systems Biology Approaches for Analyzing Drug-Tolerant Bacterial Persister Cells. Sustainable Agriculture Reviews, 2020, , 109-128.                                             | 0.6 | 1         |
| 1642 | Ten Years of the Proteome. , 2007, , 1-13.                                                                                                                                                    |     | 3         |
| 1643 | Genome Structure, Functional Genomics, and Proteomics in Ascidians. , 2012, , 87-132.                                                                                                         |     | 2         |
| 1644 | Methods for the Isolation of Phosphoproteins and Phosphopeptides for Mass Spectrometry Analysis: Toward Increased Functional Phosphoproteomics. , 2011, , 627-655.                            |     | 4         |
| 1645 | Reversed-Phase HPLC of Peptides â€“ A Valuable Sample Preparation Tool in Bottom-Up Proteomics: Separation Selectivity in Single and Multi-dimensional Separation Modes. , 2011, , 1031-1050. |     | 2         |
| 1646 | Ultra-Fast Sample Preparation for High-Throughput Proteomics. , 2011, , 125-139.                                                                                                              |     | 2         |
| 1647 | Separation of Amino Acids, Peptides, and Proteins by Ion Exchange Chromatography. , 2012, , 1-34.                                                                                             |     | 5         |
| 1648 | Mass Spectrometry-Based Protein Sequencing Platforms. Translational Bioinformatics, 2014, , 69-99.                                                                                            | 0.0 | 5         |

| #    | ARTICLE                                                                                                                                                                                                                | IF  | CITATIONS |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1649 | The role of liquid chromatography in proteomics. <i>Journal of Chromatography A</i> , 2004, 1053, 27-36.                                                                                                               | 1.8 | 59        |
| 1650 | Free flow electrophoresis coupled with liquid chromatography-mass spectrometry for a proteomic study of the human cell line (K562/CR3). <i>Journal of Chromatography A</i> , 2004, 1053, 269-278.                      | 1.8 | 11        |
| 1651 | BAC-DROP: Rapid Digestion of Proteome Fractionated via Dissolvable Polyacrylamide Gel Electrophoresis and Its Application to Bottom-Up Proteomics Workflow. <i>Journal of Proteome Research</i> , 2021, 20, 1535-1543. | 1.8 | 13        |
| 1652 | Robust Accurate Identification and Biomass Estimates of Microorganisms via Tandem Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2020, 31, 85-102.                                  | 1.2 | 6         |
| 1653 | Practical Considerations and Current Limitations in Quantitative Mass Spectrometry-based Proteomics. <i>New Developments in Mass Spectrometry</i> , 2014, , 1-25.                                                      | 0.2 | 10        |
| 1654 | Label-free Quantification of Proteins Using Data-Independent Acquisition. <i>New Developments in Mass Spectrometry</i> , 2014, , 175-184.                                                                              | 0.2 | 2         |
| 1655 | Enabling Methods to Elucidate the Effects of Metal-based Anticancer Agents. 2-Oxoglutarate-Dependent Oxygenases, 2019, , 246-270.                                                                                      | 0.8 | 8         |
| 1656 | An APEX2 proximity ligation method for mapping interactions with the nuclear lamina. <i>Journal of Cell Biology</i> , 2021, 220, .                                                                                     | 2.3 | 23        |
| 1657 | MiR-CLIP reveals <i>iso</i> -miR selective regulation in the miR-124 targetome. <i>Nucleic Acids Research</i> , 2021, 49, 25-37.                                                                                       | 6.5 | 10        |
| 1662 | - Epigenomics: Basics and Applications. , 2013, , 96-117.                                                                                                                                                              |     | 1         |
| 1663 | Proteomic Interrogation of Androgen Action in Prostate Cancer Cells Reveals Roles of Aminoacyl tRNA Synthetases. <i>PLoS ONE</i> , 2009, 4, e7075.                                                                     | 1.1 | 54        |
| 1664 | Genome-Wide Analysis of Immune Activation in Human T and B Cells Reveals Distinct Classes of Alternatively Spliced Genes. <i>PLoS ONE</i> , 2009, 4, e7906.                                                            | 1.1 | 35        |
| 1665 | Pre-Absorbed Immunoproteomics: A Novel Method for the Detection of <i>Streptococcus suis</i> Surface Proteins. <i>PLoS ONE</i> , 2011, 6, e21234.                                                                      | 1.1 | 23        |
| 1666 | Plasma Membrane Proteomics of Human Breast Cancer Cell Lines Identifies Potential Targets for Breast Cancer Diagnosis and Treatment. <i>PLoS ONE</i> , 2014, 9, e102341.                                               | 1.1 | 56        |
| 1667 | Trio, a Rho Family GEF, Interacts with the Presynaptic Active Zone Proteins Piccolo and Bassoon. <i>PLoS ONE</i> , 2016, 11, e0167535.                                                                                 | 1.1 | 17        |
| 1668 | The protein kinase MBK-1 contributes to lifespan extension in <i>daf-2</i> mutant and germline-deficient <i>Caenorhabditis elegans</i> . <i>Aging</i> , 2017, 9, 1414-1432.                                            | 1.4 | 10        |
| 1669 | Multidimensional Separations for Protein/Peptide Analysis in the Post-Genomic Era. <i>BioTechniques</i> , 2002, 32, 898-911.                                                                                           | 0.8 | 154       |
| 1670 | High-Throughput Proteomics: A New Tool for Quality and Safety in Fishery Products. <i>Current Protein and Peptide Science</i> , 2014, 15, 118-133.                                                                     | 0.7 | 18        |



| #    | ARTICLE                                                                                                                                                                                                                            | IF  | CITATIONS |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1671 | Current Status of Two-Dimensional Gel Electrophoresis and Multi-Dimensional Liquid Chromatography as Proteomic Separation Techniques. <i>Annals of Chromatography and Separation Techniques</i> , 2015, 1, 1-3.                    | 0.3 | 5         |
| 1673 | Biomarkers: The Future of Medical Science to Detect Cancer. <i>Journal of Molecular Biomarkers &amp; Diagnosis</i> , 2011, 02, .                                                                                                   | 0.4 | 11        |
| 1674 | ABOid: A Software for Automated Identification and Phyloproteomics Classification of Tandem Mass Spectrometric Data. <i>Journal of Chromatography &amp; Separation Techniques</i> , 0, s5, .                                       | 0.2 | 4         |
| 1675 | Development of Core-shell Magnetic Mesoporous SiO <sub>2</sub> Microspheres for the Immobilization of Trypsin for Fast Protein Digestion. <i>Journal of Proteomics and Bioinformatics</i> , 2008, 01, 346-358.                     | 0.4 | 4         |
| 1676 | Development of Ultra-High Pressure Capillary Reverse-Phase Liquid Chromatography/Tandem Mass Spectrometry for High-Sensitive and High-Throughput Proteomics. <i>Bulletin of the Korean Chemical Society</i> , 2004, 25, 1833-1839. | 1.0 | 9         |
| 1677 | Analytical methods for proteome data obtained from SDS-PAGE multi-dimensional separation and mass spectrometry. <i>Journal of Analytical Science and Technology</i> , 2010, 1, 1-14.                                               | 1.0 | 6         |
| 1678 | Quantitative Analysis of Nucleic Acids - the Last Few Years of Progress. <i>BMB Reports</i> , 2004, 37, 1-10.                                                                                                                      | 1.1 | 90        |
| 1679 | Proteomic Studies in Plants. <i>BMB Reports</i> , 2004, 37, 133-138.                                                                                                                                                               | 1.1 | 53        |
| 1680 | Sample Preparation Methods for Large-Scale Analysis of Membrane Proteins Using Shotgun Proteomics. <i>Journal of the Mass Spectrometry Society of Japan</i> , 2009, 57, 145-151.                                                   | 0.0 | 1         |
| 1681 | Identification of the Novel Plasminogen Receptor, Plg-RKT. , 0, , .                                                                                                                                                                |     | 1         |
| 1682 | RNA promotes phase separation of glycolysis enzymes into yeast G bodies in hypoxia. <i>ELife</i> , 2020, 9, .                                                                                                                      | 2.8 | 70        |
| 1683 | The New Omics Era into Systems Approaches: What Is the Importance of Separation Techniques?. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1336, 1-15.                                                              | 0.8 | 0         |
| 1685 | Means of Hydrolyzing Proteins Isolated upon ProteinChip® Array Surfaces. , 2003, , 59-72.                                                                                                                                          |     | 0         |
| 1686 | Shotgun Proteomics and Its Applications to the Yeast Proteome. , 2003, , 233-253.                                                                                                                                                  |     | 0         |
| 1688 | Plant Proteomics. , 0, , .                                                                                                                                                                                                         |     | 0         |
| 1689 | Multi-Dimensional Protein Profiling Using LC/MS-Toward Clinical Proteomics-. <i>Journal of the Mass Spectrometry Society of Japan</i> , 2005, 53, 108-116.                                                                         | 0.0 | 1         |
| 1692 | Proteomic Analyses Using High-Efficiency Separations and Accurate Mass Measurements. , 2005, , 363-385.                                                                                                                            |     | 0         |
| 1693 | Middle-Out Proteomics. , 2005, , 387-417.                                                                                                                                                                                          |     | 0         |

| #    | ARTICLE                                                                                                                                                                                           | IF  | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1694 | Proteomics in Aging Research. , 2006, , 99-108.                                                                                                                                                   |     | 2         |
| 1695 | Toxicogenomics and Toxicoproteomics. , 2006, , 849-868.                                                                                                                                           |     | 0         |
| 1697 | Exploring the Proteome for Markers of Health. , 2007, , 13-22.                                                                                                                                    |     | 0         |
| 1705 | Proteomic Methods in Cancer Research. , 2009, , 1-27.                                                                                                                                             |     | 0         |
| 1706 | Multidimensional Techniques in Protein Separations for Neuroproteomics. Frontiers in Neuroscience, 2009, , 25-49.                                                                                 | 0.0 | 0         |
| 1707 | Techniques in Plant Proteomics. , 2010, , 469-491.                                                                                                                                                |     | 0         |
| 1708 | Introduction and Overview of Technological Advances and Predictive Assays. , 2010, , 623-640.                                                                                                     |     | 0         |
| 1709 | A Chloroform-Assisted Protein Isolation Method Followed by Capillary NanoLC-MS Identify Estrogen-Regulated Proteins from MCF7 Cells. Journal of Proteomics and Bioinformatics, 2010, 03, 212-220. | 0.4 | 1         |
| 1710 | Proteomics and Related Applications in Oral Cancer and Sjögren's Syndrome. , 2010, , 17-28.                                                                                                       |     | 0         |
| 1714 | Proteomics as a Promising Tool in the Search for 3D Biomarkers. , 2010, , 207-219.                                                                                                                |     | 0         |
| 1715 | Proteomics of Foodborne Bacterial Pathogens. , 2011, , 343-402.                                                                                                                                   |     | 1         |
| 1716 | Quantitative Intact Proteomic Strategies to Detect Changes in Protein Modification and Genomic Variation. , 2011, , 243-253.                                                                      |     | 0         |
| 1717 | Proteomics and Metabolomics. , 2011, , 229-259.                                                                                                                                                   |     | 1         |
| 1719 | Sequential extraction leading to improved proteomic analysis of the oleaginous yeast <i>Lipomyces starkeyi</i> . Chinese Journal of Chromatography (Se Pu), 2011, 29, 382-388.                    | 0.1 | 0         |
| 1721 | Validation of Protein Biomarkers to Advance the Management of Autoimmune Disorders. , 0, , .                                                                                                      |     | 2         |
| 1722 | Comparative Proteomics of Tandem Mass Spectrometry Analyses for Bacterial Strains Identification and Differentiation. , 0, , .                                                                    |     | 0         |
| 1723 | New Challenges for Old Diseases: The Impact of -Omics Technologies in the Understanding of Allergic Diseases. , 0, , .                                                                            |     | 0         |
| 1724 | Profiling of Endogenous Peptides by Multidimensional Liquid Chromatography. , 0, , .                                                                                                              |     | 0         |

| #    | ARTICLE                                                                                                                                                                                                                                           | IF  | CITATIONS |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1725 | Developing Better Herbal Medicines in the Post-Genomic Era. , 2012, , 46-67.                                                                                                                                                                      |     | 0         |
| 1726 | Proteomic Approaches for Urine Biomarker Discovery in Bladder Cancer. Translational Bioinformatics, 2013, , 309-329.                                                                                                                              | 0.0 | 0         |
| 1727 | Discovery and Validation Case Studies, Recommendations: A Pipeline that Integrates the Discovery and Verification Studies of Urinary Protein Biomarkers Reveals Candidate Markers for Bladder Cancer. RSC Drug Discovery Series, 2013, , 271-314. | 0.2 | 2         |
| 1728 | Renal Disease-Related Proteome. , 2013, , 163-188.                                                                                                                                                                                                |     | 0         |
| 1731 | Development of Polymer-Based Hydrophobic Monolithic Columns and Their Applications in Proteome Analysis. Springer Theses, 2014, , 35-65.                                                                                                          | 0.0 | 0         |
| 1732 | Breast Cancer Proteomics. , 2014, , 183-209.                                                                                                                                                                                                      |     | 0         |
| 1733 | Applications of Monolithic Column and Isotope Dimethylation Labeling in Shotgun Proteome Analysis. Springer Theses, 2014, , .                                                                                                                     | 0.0 | 0         |
| 1734 | MRM-based Protein Quantification with Labeled Standards for Biomarker Discovery, Verification, and Validation in Human Plasma. New Developments in Mass Spectrometry, 2014, , 316-328.                                                            | 0.2 | 0         |
| 1735 | Genetic and Proteomic Analysis of Fungal Virulence. , 0, , 643-655.                                                                                                                                                                               |     | 0         |
| 1736 | Genomics and Proteomics of Foodborne Microorganisms. , 0, , 973-996.                                                                                                                                                                              |     | 0         |
| 1737 | A Simple Carbamidomethylation-Based Isotope Labeling Method for Quantitative Shotgun Proteomics. Mass Spectrometry Letters, 2014, 5, 63-69.                                                                                                       | 0.5 | 0         |
| 1739 | Proteomic Responses of Diploid and Tetraploid Roots in Platycodon grandiflorum. Hang'uk Jakmul Hakhoe Chi, 2015, 60, 394-400.                                                                                                                     | 0.2 | 1         |
| 1740 | Proteomics of Bamboo, the Fast-Growing Grass. , 2016, , 327-349.                                                                                                                                                                                  |     | 0         |
| 1741 | Chapter 1. Introduction to Predictive Toxicogenomics for Carcinogenicity. Issues in Toxicology, 2016, , 1-38.                                                                                                                                     | 0.2 | 0         |
| 1742 | Organelle, Protein and Peptide Fractionation in Cardiovascular Proteomics. , 2016, , 59-104.                                                                                                                                                      |     | 0         |
| 1746 | Biomarkers in Cerebrospinal Fluid. Neuromethods, 2017, , 229-252.                                                                                                                                                                                 | 0.2 | 0         |
| 1749 | Proteomic scrutiny of Triton-X-114 sediment of mycobacterium tuberculosis h37rv membrane fraction, to complement Triton-X-114 proteome of m. Tuberculosis.. International Journal of Pharma and Bio Sciences, 2017, 8, .                          | 0.1 | 0         |
| 1753 | Global Profiling Platforms and Data Integration to Inform Systems Biology and Translational Toxicology. , 0, , 657-690.                                                                                                                           |     | 0         |

| #    | ARTICLE                                                                                                                                                                                          | IF  | CITATIONS |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1759 | Introduction to proteomics for chemical biology. , 2022, , 3-45.                                                                                                                                 |     | 0         |
| 1760 | How does secondary hypogonadism affect the spermatozoa proteome? Lessons from a porcine animal model. <i>Reproduction, Fertility and Development</i> , 2020, , .                                 | 0.1 | 0         |
| 1761 | A Practical Guide to Small Protein Discovery and Characterization Using Mass Spectrometry. <i>Journal of Bacteriology</i> , 2022, 204, JB0035321.                                                | 1.0 | 30        |
| 1762 | Dual Electrode Detection in LC-EC Analysis of Sanger-Tagged Amino Acids: Electrochemical Reduction of Aromatic Nitro Groups. <i>Electroanalysis</i> , 0, , .                                     | 1.5 | 0         |
| 1763 | Proteomic Technologies and Application to the Study of Heart Disease. , 2004, , 19-55.                                                                                                           |     | 0         |
| 1764 | Differential proteome analysis: two-dimensional nano-LC/MS of <i>E. coli</i> proteome grown on different carbon sources. <i>Journal of Biomolecular Techniques</i> , 2003, 14, 128-35.           | 0.8 | 23        |
| 1765 | Multistep mass tagging coupled with 2D LC-MS--an approach to increasing the number of identified proteins. <i>Journal of Biomolecular Techniques</i> , 2005, 16, 190-6.                          | 0.8 | 3         |
| 1766 | Verification of single-peptide protein identifications by the application of complementary database search algorithms. <i>Journal of Biomolecular Techniques</i> , 2006, 17, 327-32.             | 0.8 | 20        |
| 1767 | Keck Foundation Biotechnology Resource Laboratory, Yale University. <i>Yale Journal of Biology and Medicine</i> , 2007, 80, 195-211.                                                             | 0.2 | 3         |
| 1768 | Mass spectrometry-based proteomics and peptidomics for biomarker discovery in neurodegenerative diseases. <i>International Journal of Clinical and Experimental Pathology</i> , 2009, 2, 132-48. | 0.5 | 10        |
| 1769 | Systems level modeling of the cell cycle using budding yeast. <i>Cancer Informatics</i> , 2007, 3, 357-70.                                                                                       | 0.9 | 3         |
| 1770 | Methodology and applications of disease biomarker identification in human serum. <i>Biomarker Insights</i> , 2007, 2, 21-43.                                                                     | 1.0 | 21        |
| 1772 | Proteomic approaches for studying alcoholism and alcohol-induced organ damage. <i>Alcohol Research</i> , 2008, 31, 36-48.                                                                        | 1.0 | 3         |
| 1773 | Comparison of protein characterization using In solution and S-Trap digestion methods for proteomics. <i>Biochemical and Biophysical Research Communications</i> , 2022, 589, 197-203.           | 1.0 | 9         |
| 1774 | A Review: Protein Identification by LC-MS: Principles, Instrumentation, and Applications. <i>Iraqi Journal of Science</i> , 0, , 2448-2466.                                                      | 0.3 | 1         |
| 1776 | Emerging techniques in biological sciences. , 2022, , 3-18.                                                                                                                                      |     | 1         |
| 1777 | Critical Assessment of MetaProteome Investigation (CAMPI): a multi-laboratory comparison of established workflows. <i>Nature Communications</i> , 2021, 12, 7305.                                | 5.8 | 34        |
| 1778 | Advances in proteomic profiling of pediatric kidney diseases. <i>Pediatric Nephrology</i> , 2022, 37, 2255-2265.                                                                                 | 0.9 | 10        |

| #    | ARTICLE                                                                                                                                                                                                                                                    | IF  | CITATIONS |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1779 | Separation of Serum and Plasma Proteins for In-Depth Proteomic Analysis. <i>Separations</i> , 2022, 9, 89.                                                                                                                                                 | 1.1 | 13        |
| 1780 | Wheat grain proteomic and proteinâ€“metabolite interactions analyses provide insights into plant growth promoting bacteriaâ€“arbuscular mycorrhizal fungiâ€“wheat interactions. <i>Plant Cell Reports</i> , 2022, 41, 1417-1437.                           | 2.8 | 9         |
| 1781 | Obtaining Complete Human Proteomes. <i>Annual Review of Genomics and Human Genetics</i> , 2022, 23, 99-121.                                                                                                                                                | 2.5 | 9         |
| 1783 | Validating Amino Acid Variants in Proteogenomics Using Sequence Coverage by Multiple Reads. <i>Journal of Proteome Research</i> , 2022, 21, 1438-1448.                                                                                                     | 1.8 | 6         |
| 1784 | The Use of Bacteriophages in Biotechnology and Recent Insights into Proteomics. <i>Antibiotics</i> , 2022, 11, 653.                                                                                                                                        | 1.5 | 11        |
| 1785 | Application of proteomics and metabolomics in microbiology research. , 2022, , 107-129.                                                                                                                                                                    |     | 0         |
| 1786 | Omics technologies for agricultural microbiology research. , 2022, , 343-394.                                                                                                                                                                              |     | 0         |
| 1787 | Determination of adulteration, geographical origins, and species of food by mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2023, 42, 2273-2323.                                                                                                     | 2.8 | 6         |
| 1789 | Dual roles of drug or its metaboliteâ€“protein conjugate: Cuttingâ€“edge strategy of drug discovery using shotgun proteomics. <i>Medicinal Research Reviews</i> , 2022, 42, 1704-1734.                                                                     | 5.0 | 2         |
| 1790 | Application of proteomics to the identification of foodborne pathogens. , 2022, , 337-362.                                                                                                                                                                 |     | 1         |
| 1791 | Prediction of peptide mass spectral libraries with machine learning. <i>Nature Biotechnology</i> , 2023, 41, 33-43.                                                                                                                                        | 9.4 | 31        |
| 1792 | Protein Extraction and Sample Preparation Methods for Shotgun Proteomics with Central Nervous System Cells and Brain Tissue. <i>Advances in Experimental Medicine and Biology</i> , 2022, , 1-15.                                                          | 0.8 | 1         |
| 1793 | Spermatozoa and seminal plasma proteomics: Too many molecules, too few markers. The case of bovine and porcine semen. <i>Animal Reproduction Science</i> , 2022, 247, 107075.                                                                              | 0.5 | 3         |
| 1795 | Radiation-Induced Intestinal Normal Tissue Toxicity: Implications for Altered Proteome Profile. <i>Genes</i> , 2022, 13, 2006.                                                                                                                             | 1.0 | 1         |
| 1796 | Shotgun Approaches for Venom Analysis. , 2014, , 1-12.                                                                                                                                                                                                     |     | 1         |
| 1797 | Cross-Linking Mass Spectrometry Data Analysis. <i>Springer Handbooks of Computational Statistics</i> , 2022, , 339-370.                                                                                                                                    | 0.2 | 0         |
| 1798 | Two-dimensional liquid chromatography-mass spectrometry for lipidomics using off-line coupling of hydrophilic interaction liquid chromatography with 50 cm long reversed phase capillary columns. <i>Journal of Chromatography A</i> , 2023, 1687, 463707. | 1.8 | 6         |
| 1800 | Mechanism for Utilization of the Populus-Derived Metabolite Salicin by a Pseudomonasâ€“Rahnella Co-Culture. <i>Metabolites</i> , 2023, 13, 140.                                                                                                            | 1.3 | 2         |

| #    | ARTICLE                                                                                                                                                                                                                       | IF  | CITATIONS |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1801 | Bioanalytical Chemistry, , 2023, , 512-568.                                                                                                                                                                                   |     | 0         |
| 1802 | Rapid metabolic reprogramming mediated by the AMP-activated protein kinase during the lytic cycle of <i>Toxoplasma gondii</i> . <i>Nature Communications</i> , 2023, 14, .                                                    | 5.8 | 5         |
| 1803 | Characterisation of Human Tear Proteins Using High-resolution Mass Spectrometry. <i>Annals of the Academy of Medicine, Singapore</i> , 2006, 35, 400-407.                                                                     | 0.2 | 79        |
| 1804 | Microfluidic Bioanalytical Platforms with Mass Spectrometry Detection for Biomarker Discovery and Screening. , 2008, , 151-172.                                                                                               |     | 0         |
| 1805 | Advances in phosphoproteomics and its application to COPD. <i>Expert Review of Proteomics</i> , 2022, 19, 311-324.                                                                                                            | 1.3 | 1         |
| 1806 | Sensitive Detection of the Human Epididymis Protein-4 (HE4) Ovarian Cancer Biomarker through a Sandwich-Type Immunoassay Method with Laser-Induced Breakdown Spectroscopy. <i>Bioconjugate Chemistry</i> , 2023, 34, 501-509. | 1.8 | 1         |
| 1809 | Discovery of Elaphuri Davidiani Cornuâ€™specific peptide biomarkers by peptidomics analysisâ€™based method. <i>Electrophoresis</i> , 2023, 44, 1088-1096.                                                                     | 1.3 | 0         |
| 1810 | Accurate Sizing of Nanoparticles Using a High-Throughput Charge Detection Mass Spectrometer without Energy Selection. <i>ACS Nano</i> , 2023, 17, 7765-7774.                                                                  | 7.3 | 7         |
| 1815 | Mixed-Mode Chromatography and Its Role in Monoclonal Antibody Purification. <i>Methods in Molecular Biology</i> , 2023, , 15-29.                                                                                              | 0.4 | 0         |
| 1816 | Proteomics in Oncology: Retrospect and Prospects. , 2023, , 243-269.                                                                                                                                                          |     | 0         |