

# CITATION REPORT

List of articles citing

## Putting energy back in control

DOI: 10.1109/37.915398  
IEEE Control Systems, 2001, 21, 18-33.

**Source:** <https://exaly.com/paper-pdf/32296721/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper                                                                                                                                                                                | IF  | Citations |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 585 | Implicit Lagrangian equations and the mathematical modeling of physical systems.                                                                                                     |     |           |
| 584 | A new family of energy-based non-linear controllers for switched power converters.                                                                                                   |     | 18        |
| 583 | Interconnection and damping assignment approach to control of PM synchronous motors. <b>2001</b> , 9, 811-820                                                                        |     | 75        |
| 582 | A phase transition model for cascading network failure. <i>IEEE Control Systems</i> , <b>2001</b> , 21, 40-51                                                                        | 2.9 | 44        |
| 581 | The matching conditions of controlled Lagrangians and IDA-passivity based control. <i>International Journal of Control</i> , <b>2002</b> , 75, 645-665                               | 1.5 | 113       |
| 580 | Energy-Based Stabilization of Angular Velocity of Rigid Body in Failure Configuration. <b>2002</b> , 25, 184a-187                                                                    |     | 11        |
| 579 | MATCHING OF EULER-LAGRANGE AND HAMILTONIAN SYSTEMS. <b>2002</b> , 35, 37-42                                                                                                          |     | 3         |
| 578 | A NOTE ON PASSIVITY OF NONLINEAR RL AND RC CIRCUITS. <b>2002</b> , 35, 31-35                                                                                                         |     | 2         |
| 577 | Stabilization and Disturbance Attenuation of Nonlinear Systems Using Dissipativity Theory. <b>2002</b> , 8, 408-431                                                                  |     | 31        |
| 576 | Stabilization of a class of underactuated mechanical systems via interconnection and damping assignment. <i>IEEE Transactions on Automatic Control</i> , <b>2002</b> , 47, 1218-1233 | 5.9 | 505       |
| 575 | Hamiltonian formulation of distributed-parameter systems with boundary energy flow. <b>2002</b> , 42, 166-194                                                                        |     | 328       |
| 574 | An LMI approach to stabilization of linear port-controlled Hamiltonian systems. <i>Systems and Control Letters</i> , <b>2002</b> , 45, 371-385                                       | 2.4 | 37        |
| 573 | Universal controllers for stabilization and tracking of underactuated ships. <i>Systems and Control Letters</i> , <b>2002</b> , 47, 299-317                                          | 2.4 | 149       |
| 572 | Passivity based control via the second law. <b>2002</b> , 26, 1037-1048                                                                                                              |     | 66        |
| 571 | Interconnection and damping assignment passivity-based control of port-controlled Hamiltonian systems. <b>2002</b> , 38, 585-596                                                     |     | 935       |
| 570 | Chaos control using small-amplitude damping signals. <b>2003</b> , 316, 196-205                                                                                                      |     | 21        |
| 569 | Nonlinear dynamic output feedback stabilization of electrostatically actuated MEMS.                                                                                                  |     | 18        |

|     |                                                                                                                                                        |     |     |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 568 | . <i>IEEE Transactions on Automatic Control</i> , <b>2003</b> , 48, 590-606                                                                            | 5.9 | 457 |
| 567 | Energy-based approach to the output feedback control of wind energy systems. <i>International Journal of Control</i> , <b>2003</b> , 76, 299-308       | 1.5 | 11  |
| 566 | Power shaping: a new paradigm for stabilization of nonlinear RLC circuits. <i>IEEE Transactions on Automatic Control</i> , <b>2003</b> , 48, 1762-1767 | 5.9 | 89  |
| 565 | Stabilization of nonlinear RLC circuits: power shaping and passivation.                                                                                |     | 2   |
| 564 | Some Applications and Extensions of Interconnection and Damping Assignment Passivity Based Control. <b>2003</b> , 36, 41-50                            |     | 2   |
| 563 | A Joined Geometric Structure for Hamiltonian and Gradient Control Systems. <b>2003</b> , 36, 51-56                                                     |     | 2   |
| 562 | An Energy-Balancing Perspective of Interconnection and Damping Assignment Control of Nonlinear Systems. <b>2003</b> , 36, 105-110                      |     | 3   |
| 561 | Hamiltonian Formulation of Planar Beams. <b>2003</b> , 36, 147-152                                                                                     |     | 4   |
| 560 | On mechanical mixed potential, content and co-content. <b>2003</b> ,                                                                                   |     | 3   |
| 559 | Passivity based inventory and flow control in flat glass manufacture. <b>2004</b> ,                                                                    |     | 3   |
| 558 | Port Hamiltonian formulation of infinite dimensional systems II. Boundary control by interconnection. <b>2004</b> ,                                    |     | 12  |
| 557 | Passivity-based control incorporating trajectory planning for a variable-reluctance finger gripper. <b>2004</b> , 218, 99-109                          |     | 1   |
| 556 | An equilibrium point stabilization strategy for the Chen system. <b>2004</b> , 326, 234-242                                                            |     | 2   |
| 555 | Hamiltonian discretization of boundary control systems. <b>2004</b> , 40, 757-771                                                                      |     | 114 |
| 554 | An energy-balancing perspective of interconnection and damping assignment control of nonlinear systems. <b>2004</b> , 40, 1643-1646                    |     | 53  |
| 553 | Discussion on: "New Energy-Based Nonlinear Controller for Hydraulic Piston Actuators" <b>2004</b> , 10, 388-389                                        |     |     |
| 552 | Trajectory Design for Mechanical Control Systems: from Geometry to Algorithms. <b>2004</b> , 10, 397-410                                               |     | 11  |
| 551 | Interconnection and damping assignment passivity-based control: towards a constructive procedure - Part I. <b>2004</b> ,                               |     | 18  |

|     |                                                                                                                                                                |        |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 550 | Interconnection and damping assignment passivity-based control: towards a constructive procedure - Part II. <b>2004</b> ,                                      | 10     |
| 549 | Interconnection and Damping Assignment Passivity-Based Control: A Survey. <b>2004</b> , 10, 432-450                                                            | 357    |
| 548 | Passivity-based PI control of switched power converters. <b>2004</b> , 12, 881-890                                                                             | 71     |
| 547 | Almost passivity of Hamiltonian system and its realization. <b>2004</b> , 37, 81-86                                                                            |        |
| 546 | ON CONTROL BY INTERCONNECTION OF PORT HAMILTONIAN SYSTEMS. <b>2005</b> , 38, 330-335                                                                           | 6      |
| 545 | TOWARDS A REGULATION PROCEDURE FOR INSTANTANEOUS REACTIVE POWER IN NONLINEAR ELECTRICAL CIRCUITS. <b>2005</b> , 38, 411-416                                    |        |
| 544 | FROM CONSERVATION LAWS TO PORT-HAMILTONIAN REPRESENTATIONS OF DISTRIBUTED-PARAMETER SYSTEMS. <b>2005</b> , 38, 483-488                                         | 1      |
| 543 | DISCRETE PORT HAMILTONIAN SYSTEMS. <b>2005</b> , 38, 495-500                                                                                                   | 1      |
| 542 | GENERALIZED STATE SPACE AVERAGING FOR PORT CONTROLLED HAMILTONIAN SYSTEMS. <b>2005</b> , 38, 836-841                                                           | 3      |
| 541 | DISCRETE-TIME IDA-PBC DESIGN FOR SEPARABLE HAMILTONIAN SYSTEMS. <b>2005</b> , 38, 838-843                                                                      | 8      |
| 540 | Passivity-based control for flux regulation in a variable reluctance finger gripper. <b>2005</b> , 152, 686                                                    | 4      |
| 539 | Passivity based control of transport reaction systems. <b>2005</b> , 51, 3147-3166                                                                             | 57     |
| 538 | A general modelling and control framework for electrostatically actuated mechanical systems. <b>2005</b> , 15, 839-857                                         | 20     |
| 537 | Non-linear control of a series direct current motor via flatness and decomposition in the bond graph domain. <b>2005</b> , 219, 215-229                        | 4      |
| 536 | Energy-Shaping Control of PM Synchronous Motor Based on Hamiltonian System Theory. <b>2005</b> ,                                                               | 2      |
| 535 | Multiscale coupling in heterogeneous diffusion processes: a port-based approach.                                                                               | 3      |
| 534 | Discrete port-Hamiltonian systems: mixed interconnections.                                                                                                     |        |
| 533 | Energy-shaping control of synchronous generators with exciter-governor dual control loops. <i>International Journal of Control</i> , <b>2005</b> , 78, 100-111 | 1.5 10 |

|     |                                                                                                                                                                |     |     |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 532 | Using energy-based variable structure approach to control the vibrations in a nonlinear beam with large deformations. <b>2005,</b>                             |     |     |
| 531 | Intrinsic Observer-Based Stabilization for Simple Mechanical Systems on Lie Groups. <b>2005, 44, 1691-1711</b>                                                 |     | 27  |
| 530 | Dirac structures and Boundary Control Systems associated with Skew-Symmetric Differential Operators. <b>2005, 44, 1864-1892</b>                                |     | 168 |
| 529 | Geometric modeling of nonlinear RLC circuits. <b>2005, 52, 396-404</b>                                                                                         |     | 13  |
| 528 | Control by interconnection of mixed port Hamiltonian systems. <i>IEEE Transactions on Automatic Control</i> , <b>2005, 50, 1839-1844</b>                       | 5.9 | 51  |
| 527 | Power balancing for a new class of non-linear systems and stabilization of RLC circuits. <i>International Journal of Control</i> , <b>2005, 78, 159-171</b>    | 1.5 | 9   |
| 526 | Averaging Level Control of Multiple Tanks: A Passivity Based Approach.                                                                                         |     | 3   |
| 525 | Almost-global tracking of simple mechanical systems on a general class of Lie Groups. <i>IEEE Transactions on Automatic Control</i> , <b>2006, 51, 216-225</b> | 5.9 | 73  |
| 524 | On discretizing linear passive controllers.                                                                                                                    |     |     |
| 523 | Discrete-time IDA-PBC design for underactuated Hamiltonian control systems. <b>2006,</b>                                                                       |     | 17  |
| 522 | Stabilization and robust stabilization of nonlinear differential-algebraic systems: a Hamiltonian function method. <b>2006,</b>                                |     |     |
| 521 | Discrete port-Hamiltonian systems. <i>Systems and Control Letters</i> , <b>2006, 55, 478-486</b>                                                               | 2.4 | 16  |
| 520 | Sensor fault diagnosis based on energy balance evaluation: application to a metal processing. <b>2006,</b> 45, 603-10                                          |     | 12  |
| 519 | Feedback control of nonlinear differential algebraic systems using Hamiltonian function method. <b>2006, 49, 436-445</b>                                       |     | 12  |
| 518 | Stabilization of time-varying Hamiltonian systems. <b>2006, 14, 871-880</b>                                                                                    |     | 9   |
| 517 | Systems with counterclockwise input-output dynamics. <i>IEEE Transactions on Automatic Control</i> , <b>2006, 51, 1130-1143</b>                                | 5.9 | 53  |
| 516 | On preserving passivity in sampled-data linear systems. <b>2006,</b>                                                                                           |     | 14  |
| 515 | Excitation Control Based Energy-Shaping with Direct Mechanical Damping Injection for Transient Stability Improvement of Power Systems. <b>2006,</b>            |     | 0   |

|     |                                                                                                                                                        |     |     |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 514 | Transient Stabilization of Multimachine Power Systems. <b>2006</b> , 367-386                                                                           |     | 2   |
| 513 | Dissipative Hamiltonian Realization of Nonlinear Differential Algebraic Systems. <b>2006</b> ,                                                         |     |     |
| 512 | Passivity-Based Control of Electrostatic MEMS in the Presence of Parasitics. <b>2006</b> ,                                                             |     |     |
| 511 | Stability, gain, and robustness in quantum feedback networks. <b>2006</b> , 73,                                                                        |     | 48  |
| 510 | PMSM Control with Port-Controlled Hamiltonian Theory.                                                                                                  |     |     |
| 509 | Passivity of Nonlinear Incremental Systems: Application to PI Stabilization of Nonlinear RLC Circuits. <b>2006</b> ,                                   |     | 12  |
| 508 | Energy shaping over networks for mechanical systems. <b>2007</b> ,                                                                                     |     | 3   |
| 507 | Dissipative Hamiltonian Realization of Multi-machine Multi-load Power Systems. <b>2007</b> ,                                                           |     | 1   |
| 506 | A passivity-based controller for an electrostatic MEMS model in the presence of parasitics. <b>2007</b> ,                                              |     | 1   |
| 505 | Power Shaping Control of Nonlinear Systems: A Benchmark Example. <b>2007</b> , 135-146                                                                 |     | 3   |
| 504 | Bond-graph modeling. <i>IEEE Control Systems</i> , <b>2007</b> , 27, 24-45                                                                             | 2.9 | 124 |
| 503 | Port-Based Modeling of a Flexible Link. <b>2007</b> , 23, 650-660                                                                                      |     | 23  |
| 502 | Energy-based Decentralized Excitation Control of Nonlinear Differential Algebraic Power Systems. <b>2007</b> ,                                         |     |     |
| 501 | Multistability in Systems With Counter-Clockwise Input/Output Dynamics. <i>IEEE Transactions on Automatic Control</i> , <b>2007</b> , 52, 596-609      | 5.9 | 20  |
| 500 | A Novel Nonlinear Passivity-Based Control Algorithm for Active Power Filter Using Euler-Lagrange Model. <b>2007</b> ,                                  |     | 3   |
| 499 | Robust Inventory Control System. <b>2007</b> , 15, 768-774                                                                                             |     | 5   |
| 498 | Achievable Casimirs and its implications on control of port-Hamiltonian systems. <i>International Journal of Control</i> , <b>2007</b> , 80, 1421-1438 | 1.5 | 35  |
| 497 | Stabilization of Uncertain Nonlinear Systems via Immersion and Invariance. <b>2007</b> , 13, 204-220                                                   |     | 7   |

|     |                                                                                                                                                                          |     |     |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 496 | Averaging level control: An approach based on mass balance. <b>2007</b> , 17, 621-629                                                                                    |     | 18  |
| 495 | L2 -Gain Control for Single-Phase Active Power Filter Using Euler-Lagrange Model. <b>2007</b> ,                                                                          |     |     |
| 494 | Bidirectional power flow control of a power converter using passive Hamiltonian techniques. <b>2008</b> , 36, 769-788                                                    |     | 23  |
| 493 | Kinetic energy shaping for gait regulation of underactuated bipeds. <b>2008</b> ,                                                                                        |     | 33  |
| 492 | Modified energy-balancing-based control for the tracking problem. <i>IET Control Theory and Applications</i> , <b>2008</b> , 2, 310-322                                  | 2.5 | 21  |
| 491 | A constructive approach for the parametrization of interconnection and damping assignment passivity based control. <b>2008</b> ,                                         |     |     |
| 490 | Control by Interconnection and Standard Passivity-Based Control of Port-Hamiltonian Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2008</b> , 53, 2527-2542 | 5.9 | 185 |
| 489 | The modeling and control of Buck-Boost converter based on energy-shaping theory. <b>2008</b> ,                                                                           |     | 2   |
| 488 | Passivity results for interconnected systems with time delay. <b>2008</b> ,                                                                                              |     | 11  |
| 487 | Swing-up control strategies for a reaction wheel pendulum. <b>2008</b> , 39, 1165-1177                                                                                   |     | 29  |
| 486 | Fault Tolerance Analysis for Switched Systems Via Global Passivity. <b>2008</b> , 55, 1279-1283                                                                          |     | 63  |
| 485 | Position control of PMSM based on energy-shaping and MTPA principle. <b>2008</b> ,                                                                                       |     | 2   |
| 484 | L2-gain of Port-Hamiltonian systems and application to a biochemical fermenter model. <b>2008</b> ,                                                                      |     | 3   |
| 483 | A novel approach for designing generator excitation controllers using the IDA-PBC technique. <b>2008</b> ,                                                               |     |     |
| 482 | Interconnection and Damping Assignment Passivity-Based Control: Static vs dynamic state-feedback. <b>2008</b> ,                                                          |     |     |
| 481 | PowerBased control of physical systems: two case studies. <b>2008</b> , 41, 2556-2562                                                                                    |     | 4   |
| 480 | Disturbances Rejection for Precise Position Control of Linear Switched Reluctance Motors. <b>2008</b> , 41, 15690-15695                                                  |     | 0   |
| 479 | Control by interconnection of distributed port-hamiltonian systems based on finite elements approximation. <b>2009</b> ,                                                 |     | 1   |

|     |                                                                                                                                                                                       |     |      |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|
| 478 | Passivity-Based Stabilization of a 1-DOF Electrostatic MEMS Model With a Parasitic Capacitance. <b>2009</b> , 17, 249-256                                                             |     | 11   |
| 477 | On the Dissipative Hamiltonian Realization of Nonlinear Differential Algebraic Systems. <b>2009</b> ,                                                                                 |     |      |
| 476 | Analysis and control of the exothermic continuous stirred tank reactor: the power-shaping approach. <b>2009</b> ,                                                                     |     | 8    |
| 475 | Energy Shaping Repetitive Control (ESRC) for Three-Phase Three-Wire Shunt Active Power Filter. <b>2009</b> ,                                                                          |     | 1    |
| 474 | Control by damping injection of electrodynamic tether system in an inclined orbit. <b>2009</b> ,                                                                                      |     | 1    |
| 473 | Energy Shaping Repetitive Control Technology for Shunt Active Power Filter. <b>2009</b> ,                                                                                             |     |      |
| 472 | Decentralized Excitation Control of Multi-machine Multi-load Power Systems Using Hamiltonian Function Method. <b>2009</b> , 35, 919-925                                               |     | 3    |
| 471 | Dynamic extension is unnecessary for stabilization via interconnection and damping assignment passivity-based control. <i>Systems and Control Letters</i> , <b>2009</b> , 58, 133-135 | 2.4 | 11   |
| 470 | Energy-balancing passivity-based control is equivalent to dissipation and output invariance. <i>Systems and Control Letters</i> , <b>2009</b> , 58, 553-560                           | 2.4 | 14   |
| 469 | Structure-preserving infinite dimensional model reduction: Application to adsorption processes. <b>2009</b> , 19, 394-404                                                             |     | 27   |
| 468 | An introduction to interconnection and damping assignment passivity-based control in process engineering. <b>2009</b> , 19, 1413-1426                                                 |     | 66   |
| 467 | Barrier Lyapunov Functions for the control of output-constrained nonlinear systems. <b>2009</b> , 45, 918-927                                                                         |     | 1308 |
| 466 | Adaptive sensing of kinematic entities in the vicinity of a time-dependent geometrically nonlinear pre-deformed state. <b>2009</b> , 46, 3313-3320                                    |     | 14   |
| 465 | Asymptotic stabilization via control by interconnection of port-Hamiltonian systems. <b>2009</b> , 45, 1611-1618                                                                      |     | 21   |
| 464 | Passivity-based control for three-phase four-leg shunt active power filter. <b>2009</b> ,                                                                                             |     | 2    |
| 463 | Multidomain modeling of nonlinear networks and systems. <i>IEEE Control Systems</i> , <b>2009</b> , 29, 28-59                                                                         | 2.9 | 71   |
| 462 | . <i>IEEE Control Systems</i> , <b>2009</b> , 29, 28-93                                                                                                                               | 2.9 | 930  |
| 461 | Some Properties of Conservative Port Contact Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2009</b> , 54, 2341-2351                                                     | 5.9 | 35   |



|     |                                                                                                                                                                                                                             |    |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 460 | Regulation control of underactuated mechanical systems based on a new matching equation of port-controlled hamiltonian systems. <b>2009</b> ,                                                                               | 3  |
| 459 | Computer Control Design of Active Power Filter Based on the Energy Shaping Control Principle. <b>2009</b> ,                                                                                                                 |    |
| 458 | Power-Shaping Control of an Exothermic Continuous Stirred Tank Reactor (CSTR)* *The work of A. Favache is funded by a grant of aspirant of Fonds National de la Recherche Scientifique (Belgium).. <b>2009</b> , 42, 99-108 |    |
| 457 | A nonlinear control strategy for a Bidirectional Flow Process. <b>2009</b> , 42, 727-732                                                                                                                                    |    |
| 456 | Dissipativity of Switched Systems With Application to Supervisory Fault Tolerant Control. <b>2009</b> , 42, 340-345                                                                                                         | 1  |
| 455 | Towards power-shaping control of the CSTR: from thermodynamics to the Brayton-Moser formulation of the dynamics. <b>2010</b> , 43, 709-714                                                                                  | 1  |
| 454 | Passivity-based control of spatially discretized port-Hamiltonian system. <b>2010</b> , 43, 849-854                                                                                                                         | 2  |
| 453 | Interconnections of port-Hamiltonian systems: generating new passive outputs and feedback stabilization. <b>2010</b> , 43, 605-610                                                                                          | 1  |
| 452 | Geometric Aspects of IDA-PBC. <b>2010</b> , 43, 629-634                                                                                                                                                                     |    |
| 451 | Power-based control of physical systems. <b>2010</b> , 46, 127-132                                                                                                                                                          | 50 |
| 450 | Performance improvement of PI controller with nonlinear error shaping function: IDA-PBC approach. <b>2010</b> , 215, 3620-3630                                                                                              | 2  |
| 449 | Full-order observer design for a class of port-Hamiltonian systems. <b>2010</b> , 46, 555-561                                                                                                                               | 24 |
| 448 | Power-shaping control of reaction systems: The CSTR case. <b>2010</b> , 46, 1877-1883                                                                                                                                       | 51 |
| 447 | Switching fault tolerant control design via global dissipativity. <b>2010</b> , 41, 1003-1012                                                                                                                               | 20 |
| 446 | Improvement Rotor Angle Oscillation of Hydro Turbine Generating Sets Based on Hamiltonian Damping Injecting Method. <b>2010</b> ,                                                                                           |    |
| 445 | H <sub>∞</sub> excitation control of multi-machine multi-load power systems via Hamiltonian function method. <b>2010</b> ,                                                                                                  |    |
| 444 | L2 gain disturbance attenuation of PMSM based on Hamiltonian systems control theory. <b>2010</b> ,                                                                                                                          | 1  |
| 443 | Discrete-time inverse optimal control for nonlinear systems trajectory tracking. <b>2010</b> ,                                                                                                                              | 21 |

|     |                                                                                                                                                                                                      |     |    |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 442 | Parametrierung von IDA-PBC über Zuweisung lokal linearer Dynamik Parametrization of IDA-PBC by Assignment of Local Linear Dynamics. <b>2010</b> , 58, 38-48                                          |     | 1  |
| 441 | On the use of piezoelectric sensors in structural mechanics: some novel strategies. <b>2010</b> , 10, 5626-41                                                                                        |     | 17 |
| 440 | Using functional data analysis to identify physician decision strategies which lead to better type 2 diabetes patient outcomes. <b>2010</b> ,                                                        |     | 1  |
| 439 | Passivity and Structure Preserving Order Reduction of Linear Port-Hamiltonian Systems Using Krylov Subspaces. <b>2010</b> , 16, 401-406                                                              |     | 22 |
| 438 | Energy Shaping of Port-Hamiltonian Systems by Using Alternate Passive Input-Output Pairs. <b>2010</b> , 16, 665-677                                                                                  |     | 12 |
| 437 | Discussion on: Energy Shaping of Port-Hamiltonian Systems by Using Alternate Passive Input-Output Pairs <b>2010</b> , 16, 678-679                                                                    |     |    |
| 436 | Discussion on: Passivity and Structure Preserving Order Reduction of Linear Port-Hamiltonian Systems Using Krylov Subspaces <b>2010</b> , 16, 407-409                                                |     | 4  |
| 435 | A Novel Controller for Energy-Efficient and Wide-Speed-Range Drive for Permanent Magnet Synchronous Motor Based on the Interconnection and Damping Assignment Passivity Based Control. <b>2010</b> , |     | 2  |
| 434 | Global asymptotic stabilization of the inverted equilibrium manifold of the 3-D pendulum by hybrid feedback. <b>2010</b> ,                                                                           |     | 11 |
| 433 | Stabilisation of nonlinear chemical processes via dynamic power-shaping passivity-based control. <i>International Journal of Control</i> , <b>2010</b> , 83, 1465-1474                               | 1.5 | 9  |
| 432 | Quantum Dissipative Systems and Feedback Control Design by Interconnection. <i>IEEE Transactions on Automatic Control</i> , <b>2010</b> , 55, 1806-1821                                              | 5.9 | 70 |
| 431 | Passivity-based adaptive integral sliding mode control of uncertain nonlinear systems. <b>2010</b> ,                                                                                                 |     | 1  |
| 430 | Structure preserving model reduction of port-Hamiltonian systems by moment matching at infinity. <b>2010</b> , 46, 665-672                                                                           |     | 52 |
| 429 | Aplicaci3 de Control Borroso a un Sistema de Suspensi3 Magn3tica: Comparaci3 Experimental. <b>2010</b> , 7, 63-71                                                                                    |     | 3  |
| 428 | Interconnection and damping assignment passivity-based excitation control of power systems. <b>2010</b> ,                                                                                            |     |    |
| 427 | Energy-based control design for a solid state transformer. <b>2010</b> ,                                                                                                                             |     | 4  |
| 426 | Nonlinear Energy-Based Control Method for Aircraft Automatic Landing Systems. <b>2010</b> , 18, 871-884                                                                                              |     | 19 |
| 425 | Position tracking control of PMSM based on state error PCH and MTPA principle. <b>2011</b> ,                                                                                                         |     | 1  |

|     |                                                                                                                                                                     |     |    |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 424 | Energy-based coordinated control of wind energy conversion system with DFIG. <i>International Journal of Control</i> , <b>2011</b> , 84, 2035-2045                  | 1.5 | 14 |
| 423 | . <b>2011</b> ,                                                                                                                                                     |     |    |
| 422 | Energy-based modelling and control of wind energy conversion system with DFIG. <i>International Journal of Control</i> , <b>2011</b> , 84, 281-292                  | 1.5 | 12 |
| 421 | The nonlinear control of Tapped inductor Buck converter based on Port-controlled Hamiltonian model. <b>2011</b> ,                                                   |     |    |
| 420 | . <b>2011</b> ,                                                                                                                                                     |     | 3  |
| 419 | Energy shaping control for robot manipulators in explicit force regulation tasks with elastic environments. <b>2011</b> ,                                           |     | 8  |
| 418 | Structure Preserving Moment Matching for Port-Hamiltonian Systems: Arnoldi and Lanczos. <i>IEEE Transactions on Automatic Control</i> , <b>2011</b> , 56, 1458-1462 | 5.9 | 17 |
| 417 | High-performance control of permanent magnet synchronous motor. <b>2011</b> ,                                                                                       |     | 1  |
| 416 | A Novel Estimate of The Domain of Attraction of an IDA-PBC of a Ball and Beam System1. <b>2011</b> , 44, 8463-8467                                                  |     | 3  |
| 415 | Passivity and Power Based Control of a Robot with Parallel Architecture*. <b>2011</b> , 44, 14608-14613                                                             |     | 3  |
| 414 | Passivity-based swinging up of a pendulum*. <b>2011</b> , 44, 10667-10672                                                                                           |     | 1  |
| 413 | Regelung verteilt-parametrischer Hamiltonscher Systeme auf Basis struktureller Invarianten. <b>2011</b> , 59, 465-478                                               |     | 2  |
| 412 | Power-Based Controller for a Bidirectional AC-DC Power Converter. <b>2011</b> , 44, 9751-9756                                                                       |     | 1  |
| 411 | Control via Interconnection and Damping Assignment of Linear TimeInvariant Systems is Equivalent to Stabilizability. <b>2011</b> , 44, 7358-7362                    |     | 1  |
| 410 | IDA-PBC with Constant Interconnection and Damping Structures. <b>2011</b> , 44, 7340-7345                                                                           |     |    |
| 409 | Stabilization and shape control of a 1D piezoelectric Timoshenko beam. <b>2011</b> , 47, 2780-2785                                                                  |     | 8  |
| 408 | Energy shaping plus damping injection control for a class of chemical reactors. <i>Chemical Engineering Science</i> , <b>2011</b> , 66, 6280-6286                   | 4.4 | 11 |
| 407 | Port-Hamiltonian modelling and energy-based control of the Timoshenko beam. <b>2011</b> , 222, 69-89                                                                |     | 26 |

|     |                                                                                                                                                                                                    |     |    |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 406 | Robust excitation control of multi-machine multi-load power systems using Hamiltonian function method. <b>2011</b> , 6, 547-555                                                                    |     | 1  |
| 405 | Energy shaping of distributed parameter port-Hamiltonian systems based on finite element approximation. <i>Systems and Control Letters</i> , <b>2011</b> , 60, 579-589                             | 2.4 | 22 |
| 404 | Power-shaping control: Writing the system dynamics into the Brayton-Moser form. <i>Systems and Control Letters</i> , <b>2011</b> , 60, 618-624                                                     | 2.4 | 25 |
| 403 | A PDE approach to the derivation of the Brayton-Moser form for power-shaping control. <b>2011</b> ,                                                                                                |     | 0  |
| 402 | Passivity-based controllers for a class of hybrid systems with applications to mechanical systems interacting with their environment. <b>2011</b> ,                                                |     | 4  |
| 401 | Port-based modeling and control of underactuated aerial vehicles. <b>2011</b> ,                                                                                                                    |     | 13 |
| 400 | Passivity-based adaptive sliding Mode speed control of switched reluctance motor drive considering torque ripple reduction. <b>2011</b> ,                                                          |     | 12 |
| 399 | Can thermodynamics be used to design control systems?. <b>2011</b> ,                                                                                                                               |     |    |
| 398 | Case studies on passivity-based stabilisation of closed sets. <i>International Journal of Control</i> , <b>2011</b> , 84, 336-350                                                                  | 1.5 | 10 |
| 397 | Representation of a general composition of Dirac structures. <b>2011</b> ,                                                                                                                         |     | 6  |
| 396 | Feedback thermal control of real-time systems on multicore processors. <b>2012</b> ,                                                                                                               |     | 31 |
| 395 | Energy-balancing-based control design for power systems. <b>2012</b> ,                                                                                                                             |     | 2  |
| 394 | Observer-based feedback for the magnetic levitation system. <b>2012</b> , 34, 422-435                                                                                                              |     | 21 |
| 393 | An energy-based state observer for dynamical subsystems with inaccessible state variables. <b>2012</b> ,                                                                                           |     | 2  |
| 392 | Impedance control of an aerial manipulator. <b>2012</b> ,                                                                                                                                          |     | 53 |
| 391 | On port-Hamiltonian Modeling of the Synchronous Generator and Ultimate Boundedness of its solutions. <b>2012</b> , 45, 30-35                                                                       |     | 3  |
| 390 | Casimir-Based Control Beyond the Dissipation Obstacle. <b>2012</b> , 45, 173-177                                                                                                                   |     | 5  |
| 389 | Boundary Energy Shaping of Linear Distributed Port-Hamiltonian Systems* *This work was partially supported by the Austrian Center of Competence in Mechatronics (ACCM).. <b>2012</b> , 45, 120-125 |     | 1  |

|     |                                                                                                                                                                            |     |    |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 388 | Energetic Approach for Control Surface Disconnection Fault Detection in Hydraulic Aircraft Actuators. <b>2012</b> , 45, 1149-1154                                          |     | 4  |
| 387 | On an intrinsic formulation of time-variant Port Hamiltonian systems. <b>2012</b> , 48, 2194-2200                                                                          |     | 5  |
| 386 | Theory for the user and application examples of the passivity-based control for AC electric machines. <b>2012</b> ,                                                        |     | 0  |
| 385 | Feed-forward excess passivity-based control of buck-boost converters. <b>2012</b> ,                                                                                        |     | 1  |
| 384 | Asymptotic stability of forced equilibria for distributed port-Hamiltonian systems. <b>2012</b> ,                                                                          |     | 7  |
| 383 | Bond graph and port-controlled hamiltonian model of doubly-fed wind power system. <b>2012</b> ,                                                                            |     | 1  |
| 382 | Modeling and control of a flying robot for contact inspection. <b>2012</b> ,                                                                                               |     | 83 |
| 381 | Energetic approach to deal with faults in robot actuators. <b>2012</b> ,                                                                                                   |     | 5  |
| 380 | Control via interconnection and damping assignment of linear time-invariant systems: a tutorial. <i>International Journal of Control</i> , <b>2012</b> , 85, 603-611       | 1.5 | 12 |
| 379 | Minimum energy control analysis of the switched reluctance stepper motor considering a nonlinear finite element model. <b>2012</b> , 28, 1-11                              |     | 2  |
| 378 | Robust Control for Nonlinear Systems Using Passivity-Based Robust Right Coprime Factorization. <i>IEEE Transactions on Automatic Control</i> , <b>2012</b> , 57, 2599-2604 | 5.9 | 22 |
| 377 | Use of industrial robots for hardware-in-the-loop simulation of satellite rendezvous and docking. <b>2012</b> , 81, 335-347                                                |     | 37 |
| 376 | Power-Based Setpoint Control: Experimental Results on a Planar Manipulator. <b>2012</b> , 20, 1384-1391                                                                    |     | 6  |
| 375 | Passivity based control of under-actuated mechanical systems with nonlinear dynamic friction. <b>2012</b> , 18, 1025-1042                                                  |     | 12 |
| 374 | Power-Based Modelling. <b>2012</b> , 245-271                                                                                                                               |     |    |
| 373 | Temperature dependent friction estimation: Application to lubricant health monitoring. <b>2012</b> , 22, 1078-1084                                                         |     | 19 |
| 372 | Energy-based modeling and control for grid-side converter of doubly fed wind generator. <b>2012</b> , 10, 435-440                                                          |     | 1  |
| 371 | A Simulink model for an aircraft landing system using energy functions. <b>2012</b> ,                                                                                      |     | 2  |

|     |                                                                                                                                                                                    |     |    |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 370 | The falling cat as a port-controlled Hamiltonian system. <b>2012</b> , 62, 279-291                                                                                                 |     | 4  |
| 369 | Effort- and flow-constraint reduction methods for structure preserving model reduction of port-Hamiltonian systems. <i>Systems and Control Letters</i> , <b>2012</b> , 61, 412-421 | 2.4 | 20 |
| 368 | A novel control architecture for physiological tremor compensation in teleoperated systems. <b>2013</b> , 9, 280-97                                                                |     | 7  |
| 367 | Energy-based excitation control of doubly-fed induction wind generator for optimum wind energy capture. <b>2013</b> , 16, 645-659                                                  |     | 4  |
| 366 | Formulation of buffer energy and experimental results of energy factor of DCDC converters. <b>2013</b> , 41, 779-791                                                               |     | 3  |
| 365 | Nonlinear control of induction motors based on state error PCH and energy-shaping principle. <b>2013</b> , 72, 49-59                                                               |     | 41 |
| 364 | Port-Hamiltonian Systems on Graphs. <b>2013</b> , 51, 906-937                                                                                                                      |     | 91 |
| 363 | Passivity-Based Tracking Control of a Flexible Link Robot. <b>2013</b> , 95-112                                                                                                    |     | 4  |
| 362 | On Tracking Control of Rigid-Joint Robots With Only Position Measurements. <b>2013</b> , 21, 1510-1513                                                                             |     | 6  |
| 361 | An energy exchanging and dropping-based model-free output feedback crane control method. <b>2013</b> , 23, 549-558                                                                 |     | 12 |
| 360 | Control of cyberphysical systems using passivity and dissipativity based methods. <b>2013</b> , 19, 379-388                                                                        |     | 66 |
| 359 | Modelling and control of multi-energy systems: An irreversible port-Hamiltonian approach. <b>2013</b> , 19, 513-520                                                                |     | 20 |
| 358 | Boundary energy shaping of linear distributed port-Hamiltonian systems. <b>2013</b> , 19, 521-528                                                                                  |     | 17 |
| 357 | Implicit and explicit representations of continuous-time port-Hamiltonian systems. <i>Systems and Control Letters</i> , <b>2013</b> , 62, 324-330                                  | 2.4 | 7  |
| 356 | Passivity Based Control of a Cart with Inverted Pendulum. <b>2013</b> , 332, 339-344                                                                                               |     | 7  |
| 355 | Constructive interconnection and Damping Assignment for port-controlled Hamiltonian. <b>2013</b> ,                                                                                 |     | 3  |
| 354 | Bond graph model and Port-Hamiltonian formulation of an enzymatic reaction in a CSTR. <b>2013</b> ,                                                                                |     | 1  |
| 353 | On the passivity-based power control of a doubly-fed induction machine. <b>2013</b> , 45, 303-312                                                                                  |     | 20 |

|     |                                                                                                                                                         |     |     |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 352 | A port-Hamiltonian approach to power network modeling and analysis. <b>2013</b> , 19, 477-485                                                           |     | 64  |
| 351 | Adaptive passivity-based control of a TCSC for the power system damping improvement of a PMSC based offshore wind farm. <b>2013</b> ,                   |     | 2   |
| 350 | Feedback equivalence of input-output contact systems. <i>Systems and Control Letters</i> , <b>2013</b> , 62, 475-481                                    | 2.4 | 17  |
| 349 | Passivity-based nonlinear control of CSTR via asymptotic observers. <b>2013</b> , 37, 278-288                                                           |     | 17  |
| 348 | Passivity based controller for underactuated PVTOL system. <b>2013</b> ,                                                                                |     | 8   |
| 347 | Energy coupling output feedback control of 4-DOF underactuated cranes with saturated inputs. <b>2013</b> , 49, 1318-1325                                |     | 110 |
| 346 | Passivity-based control for hybrid systems with applications to mechanical systems exhibiting impacts. <b>2013</b> , 49, 1104-1116                      |     | 24  |
| 345 | Passivity-based control of AC drives: theory for the user and application examples. <i>International Journal of Control</i> , <b>2013</b> , 86, 625-635 | 1.5 | 7   |
| 344 | A quotient method for designing nonlinear controllers. <b>2013</b> , 19, 42-55                                                                          |     | 2   |
| 343 | Continuous Finite-Time Terminal Sliding Mode IDA-PBC Design for PMSM with the Port-Controlled Hamiltonian Model. <b>2013</b> , 2013, 1-8                |     | 1   |
| 342 | Regulation and integral control of an underactuated robotic system using IDA-PBC with dynamic extension. <b>2013</b> ,                                  |     | 4   |
| 341 | Passivity framework and traffic reduction for the teleoperation of a gantry crane. <b>2013</b> ,                                                        |     | 1   |
| 340 | On the use of Dirac structures on Hilbert spaces in the synthesis of boundary control laws for port-Hamiltonian systems. <b>2013</b> ,                  |     | 2   |
| 339 | A modified impedance control for physical interaction of UAVs. <b>2013</b> ,                                                                            |     | 8   |
| 338 | Port-Hamiltonian formulation of simple macro-economic systems. <b>2013</b> ,                                                                            |     | 1   |
| 337 | Towards Port-Hamiltonian Approach for Modeling and Control of Two-wheeled Wheelchair. <b>2013</b> , 53, 012074                                          |     |     |
| 336 | Modeling and Stability Analysis of a Hybrid Docking Simulator. <b>2013</b> ,                                                                            |     | 7   |
| 335 | On differentially dissipative dynamical systems. <b>2013</b> , 46, 15-20                                                                                |     | 19  |

|     |                                                                                                                                                                 |        |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 334 | Dirac Structures on Hilbert Spaces and Boundary Control of Distributed Port-Hamiltonian Systems. <b>2013</b> , 46, 97-102                                       | 4      |
| 333 | Fast and Saturating Thrust Direction Control for a Quadrotor Helicopter. <b>2013</b> , 61, 172-182                                                              | 2      |
| 332 | Passivity-Based Nonlinear Excitation Control of Power Systems with Structure Matrix Reassignment. <b>2013</b> , 4, 342-350                                      | 10     |
| 331 | New results on Control by Interconnection and Energy-Balancing Passivity-Based Control of port-hamiltonian systems. <b>2014</b> ,                               | 12     |
| 330 | On the visual deformation servoing of compliant objects: Uncalibrated control methods and experiments. <b>2014</b> , 33, 1462-1480                              | 54     |
| 329 | Dynamic Interconnection and Damping Assignment. <b>2014</b> ,                                                                                                   |        |
| 328 | Differential analysis of nonlinear systems: Revisiting the pendulum example. <b>2014</b> ,                                                                      | 17     |
| 327 | A dynamic and uncalibrated method to visually servo-control elastic deformations by fully-constrained robotic grippers. <b>2014</b> ,                           | 8      |
| 326 | Structure preserving reduction of port hamiltonian system using a modified LQG method. <b>2014</b> ,                                                            | 0      |
| 325 | Passivity-based reinforcement learning control of a 2-DOF manipulator arm. <b>2014</b> , 24, 1001-1007                                                          | 22     |
| 324 | Combining energy and power based safety metrics in controller design for domestic robots. <b>2014</b> ,                                                         | 15     |
| 323 | Passivity-based robust control for nonlinear feedback systems using robust right coprime factorization. <b>2014</b> ,                                           | 1      |
| 322 | Sufficient conditions for passivity and stability of interconnections of hybrid systems using sums of storage functions. <b>2014</b> ,                          | 2      |
| 321 | Adaptive passivity-based nonlinear controller for wind energy conversion systems. <b>2014</b> ,                                                                 | 4      |
| 320 | Dirac structures on Hilbert spaces and boundary control of distributed port-Hamiltonian systems. <i>Systems and Control Letters</i> , <b>2014</b> , 68, 43-50   | 2.4 12 |
| 319 | Controlled Invariants and Trajectory Planning for Underactuated Mechanical Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2014</b> , 59, 2555-2561 | 5.9 43 |
| 318 | Towards a port-based formulation of macro-economic systems. <b>2014</b> , 351, 5235-5249                                                                        | 2      |
| 317 | Adaptive control of underactuated crane systems subject to bridge length limitation and parametric uncertainties. <b>2014</b> ,                                 | 7      |



|     |                                                                                                                                                                                                                                                                  |       |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 316 | Developing an Aerial Manipulator Prototype: Physical Interaction with the Environment. <b>2014</b> , 21, 41-50                                                                                                                                                   | 93    |
| 315 | Nonlinear tracking control of underactuated cranes with load transferring and lowering: Theory and experimentation. <b>2014</b> , 50, 2350-2357                                                                                                                  | 51    |
| 314 | Equal distribution of satellite constellations on circular target orbits. <b>2014</b> , 50, 2641-2647                                                                                                                                                            | 9     |
| 313 | . <b>2014</b> , 29, 6196-6213                                                                                                                                                                                                                                    | 20    |
| 312 | The generalized Hamiltonian model for the shafting transient analysis of the hydro turbine generating sets. <b>2014</b> , 76, 1921-1933                                                                                                                          | 51    |
| 311 | On relationships among passivity, positive realness, and dissipativity in linear systems. <b>2014</b> , 50, 1003-1016                                                                                                                                            | 89    |
| 310 | Inverse optimal control for discrete-time nonlinear systems via passivation. <b>2014</b> , 35, 110-126                                                                                                                                                           | 9     |
| 309 | Passivity-Based Control of Implicit Port-Hamiltonian Systems. <b>2014</b> , 52, 2422-2448                                                                                                                                                                        | 15    |
| 308 | Energy Shaping Methods for Asymptotic Force Regulation of Compliant Mechanical Systems. <b>2014</b> , 22, 2376-2383                                                                                                                                              | 8     |
| 307 | Adaptive Systems: History, Techniques, Problems, and Perspectives. <b>2014</b> , 2, 606-660                                                                                                                                                                      | 16    |
| 306 | Boundary Energy-Shaping Control of the Shallow Water Equation. <b>2014</b> , 47, 1586-1591                                                                                                                                                                       | 2     |
| 305 | Interconnection and Damping Assignment Control via Reinforcement Learning. <b>2014</b> , 47, 1760-1765                                                                                                                                                           | 5     |
| 304 | Passivity Based Control of a Quadrotor UAV. <b>2014</b> , 47, 3196-3201                                                                                                                                                                                          | 4     |
| 303 | Interconnection and Damping Assignment - Passivity Based Control of Irreversible Port Hamiltonian Systems. <b>2014</b> , 47, 9111-9116                                                                                                                           | 2     |
| 302 | Hamiltonian-based binocular visual servoing of camera-in-hand robotic systems. <b>2014</b> ,                                                                                                                                                                     | 1     |
| 301 | Interconnection and damping assignment for implicit port-Hamiltonian systems**The work of the second author was supported by the research grant 9.50.1197.2014 from the St. Petersburg State University.. <i>IFAC-PapersOnLine</i> , <b>2015</b> , 48, 1006-1011 | 0.7   |
| 300 | Port-Hamiltonian Formulation of Rigid-Body Attitude Control. <i>IFAC-PapersOnLine</i> , <b>2015</b> , 48, 164-169                                                                                                                                                | 0.7 2 |
| 299 | Control by Interconnection of Distributed Port-Hamiltonian Systems Beyond the Dissipation Obstacle. <i>IFAC-PapersOnLine</i> , <b>2015</b> , 48, 99-104                                                                                                          | 0.7 3 |

|     |                                                                                                                                                           |     |    |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 298 | Dissipative and conservative structures for thermo-mechanical systems. <i>IFAC-PapersOnLine</i> , <b>2015</b> , 48, 1057-1064                             | 0.7 | 3  |
| 297 | Formation control of nonholonomic wheeled robots in the presence of matched input disturbances. <i>IFAC-PapersOnLine</i> , <b>2015</b> , 48, 63-68        | 0.7 | 2  |
| 296 | Passivity-Based Control with Guaranteed Safety via Interconnection and Damping Assignment. <i>IFAC-PapersOnLine</i> , <b>2015</b> , 48, 74-79             | 0.7 | 4  |
| 295 | Disturbance rejection via control by interconnection of port-Hamiltonian systems. <b>2015</b> ,                                                           |     | 12 |
| 294 | Boundary L2-gain stabilisation of a distributed Port-Hamiltonian system with rectangular domain. <b>2015</b> ,                                            |     | 1  |
| 293 | Dissipation Obstacle hampers ControlByInterconnection Methodology. <i>IFAC-PapersOnLine</i> , <b>2015</b> , 48, 123-128                                   | 0.7 |    |
| 292 | Shaping the energy of port-Hamiltonian systems without solving PDE's. <b>2015</b> ,                                                                       |     | 5  |
| 291 | Control by interconnection of a manipulator arm using reinforcement learning. <b>2015</b> ,                                                               |     |    |
| 290 | . <i>IEEE Transactions on Automatic Control</i> , <b>2015</b> , 60, 2350-2361                                                                             | 5.9 | 36 |
| 289 | Dynamically dual vibration absorbers: a bond graph approach to vibration control. <b>2015</b> , 3, 113-128                                                |     | 3  |
| 288 | UPFCs control design for avoiding generator trip of electric power grid with barrier function. <b>2015</b> , 68, 150-158                                  |     | 5  |
| 287 | Asymptotic Stabilisation of Distributed Port-Hamiltonian Systems by Boundary Energy-Shaping Control. <i>IFAC-PapersOnLine</i> , <b>2015</b> , 48, 488-493 | 0.7 | 4  |
| 286 | Towards Autonomous Robotic Systems. <i>Lecture Notes in Computer Science</i> , <b>2015</b> ,                                                              | 0.9 | 1  |
| 285 | Sufficient conditions for the stability of a class of second order systems. <i>Systems and Control Letters</i> , <b>2015</b> , 84, 1-6                    | 2.4 | 2  |
| 284 | Energy shaping non-linear acceleration control for a pendulum-type mobility and experimental verification. <b>2015</b> , 53, 179-196                      |     |    |
| 283 | Adaptive antiswing control for cranes in the presence of rail length constraints and uncertainties. <b>2015</b> , 81, 41-51                               |     | 29 |
| 282 | Inducing sustained oscillations in feedback-linearizable single-input nonlinear systems. <b>2015</b> , 54, 117-24                                         |     | 11 |
| 281 | Further deleterious effects of the dissipation obstacle in control-by-interconnection of port-Hamiltonian systems. <b>2015</b> , 61, 227-231              |     | 10 |

|     |                                                                                                                                                                                                                                                                                                    |     |    |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 280 | Hamiltonian stabilization additional L 2 adaptive control and its application to hydro turbine generating sets. <b>2015</b> , 13, 867-876                                                                                                                                                          |     | 11 |
| 279 | Perturbation estimation based coordinated adaptive passive control for multimachine power systems. <b>2015</b> , 44, 172-192                                                                                                                                                                       |     | 23 |
| 278 | Reinforcement learning for port-hamiltonian systems. <b>2015</b> , 45, 1003-13                                                                                                                                                                                                                     |     | 25 |
| 277 | Integral IDA-PBC and PID-like control for port-controlled Hamiltonian systems. <b>2015</b> ,                                                                                                                                                                                                       |     | 15 |
| 276 | Formation control of a multi-agent system subject to Coulomb friction. <b>2015</b> , 61, 253-262                                                                                                                                                                                                   |     | 11 |
| 275 | Disturbance rejection in formation keeping control of nonholonomic wheeled robots. <b>2016</b> , 26, 3344-3362                                                                                                                                                                                     |     | 10 |
| 274 | Passivity-based and standard PI controls application to wind energy conversion system. <b>2016</b> ,                                                                                                                                                                                               |     | 7  |
| 273 | Brayton-moser formulation of infinite dimensional port-hamiltonian systems with application to boundary control. <b>2016</b> ,                                                                                                                                                                     |     | 1  |
| 272 | On the control by interconnection and exponential stabilisation of infinite dimensional port-Hamiltonian systems. <b>2016</b> ,                                                                                                                                                                    |     | 2  |
| 271 | Robust IDA-PBC for underactuated mechanical systems subject to matched disturbances. <b>2016</b> ,                                                                                                                                                                                                 |     | 2  |
| 270 | Increasing fuel thermal management system capability via objective function design. <b>2016</b> ,                                                                                                                                                                                                  |     | 1  |
| 269 | An energy based approach for the control of a micro-robotic contact scenario**This work was supported by French sponsored projects HAMEC-MOPSY and Labex ACTION under reference codes ANR-11-BS03-0002 and ANR-11-LABX-0001-01 respectively.. <i>IFAC-PapersOnLine</i> , <b>2016</b> , 49, 945-950 | 0.7 |    |
| 268 | Conservative and dissipative phenomena in thermodynamical systems stability. <i>IFAC-PapersOnLine</i> , <b>2016</b> , 49, 28-33                                                                                                                                                                    | 0.7 | 5  |
| 267 | Towards a constructive interconnection and damping assignment stabilization methodology. <b>2016</b> ,                                                                                                                                                                                             |     |    |
| 266 | Energy-based visualisation of an axial-flow compressor system for the purposes of Fault Detection and Diagnosis. <i>IFAC-PapersOnLine</i> , <b>2016</b> , 49, 314-319                                                                                                                              | 0.7 | 2  |
| 265 | Passivation and performance optimization using an extremum seeking co-simulation framework with application to Adaptive Cruise Control systems. <b>2016</b> ,                                                                                                                                      |     | 3  |
| 264 | Building HVAC systems control using power shaping approach. <b>2016</b> ,                                                                                                                                                                                                                          |     | 2  |
| 263 | A constructive procedure for energy shaping of port-Hamiltonian systems. <b>2016</b> , 72, 230-234                                                                                                                                                                                                 |     | 17 |

|     |                                                                                                                                                                                      |     |    |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 262 | Stability Radii for Linear Hamiltonian Systems with Dissipation Under Structure-Preserving Perturbations. <b>2016</b> , 37, 1625-1654                                                |     | 29 |
| 261 | Controlling and Simulating Soft Robotic Systems: Insights from a Thermodynamic Perspective. <b>2016</b> , 3, 170-176                                                                 |     | 25 |
| 260 | Bond graph model-based for IDA-PBC. <b>2016</b> ,                                                                                                                                    |     |    |
| 259 | PI Passivity-Based Control for Maximum Power Extraction of a Wind Energy System with Guaranteed Stability Properties. <b>2016</b> , 17, 567-573                                      |     | 6  |
| 258 | Stabilization and set-point regulation of underactuated mechanical systems. <b>2016</b> , 744, 012065                                                                                |     |    |
| 257 | A direct method for power system corrective control to relieve current violation in transient with UPFCs by barrier functions. <b>2016</b> , 78, 626-636                             |     | 8  |
| 256 | Formation Control and Velocity Tracking for a Group of Nonholonomic Wheeled Robots. <i>IEEE Transactions on Automatic Control</i> , <b>2016</b> , 61, 2702-2707                      | 5.9 | 11 |
| 255 | On the passivity based control of irreversible processes: A port-Hamiltonian approach. <b>2016</b> , 64, 105-111                                                                     |     | 32 |
| 254 | Adaptive Nonlinear Sensorless Control for an Uncertain Miniature Pneumatic Curling Rubber Actuator Using Passivity and Robust Right Coprime Factorization. <b>2016</b> , 24, 318-324 |     | 23 |
| 253 | Overshoot-free acceleration of aero-engines: An energy-based switching control method. <b>2016</b> , 47, 28-36                                                                       |     | 14 |
| 252 | Port-Hamiltonian Systems in Adaptive and Learning Control: A Survey. <i>IEEE Transactions on Automatic Control</i> , <b>2016</b> , 61, 1223-1238                                     | 5.9 | 32 |
| 251 | Robust Output Regulation of Strongly Passive Linear Systems With Multivalued Maximally Monotone Controls. <i>IEEE Transactions on Automatic Control</i> , <b>2017</b> , 62, 238-249  | 5.9 | 10 |
| 250 | Partial Stabilization of Input-Output Contact Systems on a Legendre Submanifold. <i>IEEE Transactions on Automatic Control</i> , <b>2017</b> , 62, 1431-1437                         | 5.9 | 24 |
| 249 | A new family of interconnection and damping assignment passivity-based controllers. <b>2017</b> , 27, 50-65                                                                          |     | 14 |
| 248 | Generalized Hamiltonian representation of thermo-mechanical systems based on an entropic formulation. <b>2017</b> , 51, 18-26                                                        |     | 7  |
| 247 | Toward Robotic Pseudodynamic Testing for Hybrid Simulations of Air-to-Air Refueling. <b>2017</b> , 22, 1004-1013                                                                     |     | 5  |
| 246 | Control using new passivity property with differentiation at both ports. <b>2017</b> ,                                                                                               |     | 10 |
| 245 | Experimental validation for a Port hamiltonian model of a 802.11g/n system. <b>2017</b> ,                                                                                            |     |    |

|     |                                                                                                                                                                                 |     |    |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 244 | Integral Control of Port-Hamiltonian Systems: Nonpassive Outputs Without Coordinate Transformation. <i>IEEE Transactions on Automatic Control</i> , <b>2017</b> , 62, 5947-5953 | 5.9 | 22 |
| 243 | Stability radii for real linear Hamiltonian systems with perturbed dissipation. <b>2017</b> , 57, 811-843                                                                       |     | 11 |
| 242 | Robust adaptive backstepping control for an uncertain nonlinear system with input constraint based on Lyapunov redesign. <b>2017</b> , 15, 212-225                              |     | 26 |
| 241 | PI simultaneous stabilization and set-point output regulation of Port-Hamiltonian systems. <b>2017</b> , 354, 8283-8292                                                         |     | 2  |
| 240 | Passivity-Based Control of a Cryogenic Upper Stage to Minimize Fuel Sloshing. <b>2017</b> , 40, 3012-3019                                                                       |     | 1  |
| 239 | Robust IDA-PBC for underactuated mechanical systems subject to matched disturbances. <b>2017</b> , 27, 1000-1016                                                                |     | 36 |
| 238 | Boundary energy-shaping control of an isothermal tubular reactor. <b>2017</b> , 23, 77-88                                                                                       |     |    |
| 237 | Dissipative pseudo-Hamiltonian realization of chemical systems using irreversible thermodynamics. <b>2017</b> , 23, 135-155                                                     |     | 9  |
| 236 | Energy Based 3D Autopilot for VTOL UAV Under Guidance & Navigation Constraints. <b>2017</b> , 87, 341-362                                                                       |     | 15 |
| 235 | On the Synthesis of Boundary Control Laws for Distributed Port-Hamiltonian Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2017</b> , 62, 1700-1713                 | 5.9 | 39 |
| 234 | Port-hamiltonian control of power electronic converters to achieve passivity. <b>2017</b> ,                                                                                     |     | 2  |
| 233 | . <i>IEEE Access</i> , <b>2017</b> , 5, 23452-23465                                                                                                                             | 3.5 | 33 |
| 232 | Combined inverse-dynamics/passivity-based control for robots with elastic joints. <b>2017</b> ,                                                                                 |     | 6  |
| 231 | Boundary Energy-Shaping Control of an Ideal Compressible Isentropic Fluid in 1-D. <i>IFAC-PapersOnLine</i> , <b>2017</b> , 50, 5598-5603                                        | 0.7 | 4  |
| 230 | Towards Ocean Grazer Modular Power Take-Off System Modeling:a Port-Hamiltonian Approach. <i>IFAC-PapersOnLine</i> , <b>2017</b> , 50, 15663-15669                               | 0.7 |    |
| 229 | Energy-based control applied to humanoid robots. <b>2017</b> ,                                                                                                                  |     | 1  |
| 228 | Improving of IDA-PBC systems by forming additional regulatory actions on directly uncontrollable system loops. <b>2017</b> ,                                                    |     |    |
| 227 | A port-Hamiltonian approach to secondary voltage control of microgrids. <b>2017</b> ,                                                                                           |     | 1  |

|     |                                                                                                                                                                           |     |     |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 226 | Boundary control of distributed port-hamiltonian systems via generalised canonical transformations. <b>2017</b> ,                                                         |     | 1   |
| 225 | On structural invariants in the energy based control of port-Hamiltonian systems with second-order Hamiltonian. <b>2017</b> ,                                             |     | 8   |
| 224 | Energy-Based Controller Design of Stochastic Magnetic Levitation System. <b>2017</b> , 2017, 1-6                                                                          |     | 3   |
| 223 | Riemannian optimal model reduction of linear port-Hamiltonian systems. <b>2018</b> , 93, 428-434                                                                          |     | 7   |
| 222 | Passive control design for multi-terminal VSC-HVDC systems via energy shaping. <b>2018</b> , 98, 496-508                                                                  |     | 19  |
| 221 | . <b>2018</b> , 106, 977-1005                                                                                                                                             |     | 82  |
| 220 | A Robust IDA-PBC Approach for Handling Uncertainties in Underactuated Mechanical Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2018</b> , 63, 3495-3502     | 5.9 | 19  |
| 219 | Passivity-based cruise control of high speed trains. <b>2018</b> , 24, 492-504                                                                                            |     | 7   |
| 218 | Underactuated Potential Energy Shaping with Contact Constraints: Application to a Powered Knee-Ankle Orthosis. <b>2018</b> , 26, 181-193                                  |     | 25  |
| 217 | Improved Delay-Dependent Stability Criteria for Telerobotic Systems With Time-Varying Delays. <b>2018</b> , 48, 2470-2484                                                 |     | 19  |
| 216 | Optimal Motion Planning and Energy-Based Control of a Single Mast Stacker Crane. <b>2018</b> , 26, 1449-1457                                                              |     | 14  |
| 215 | PID Passivity-Based Control of Port-Hamiltonian Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2018</b> , 63, 1032-1044                                      | 5.9 | 58  |
| 214 | Passive Stall Control Systems of Power Limitation Modes for Vertical Axis Wind Turbines (VAWT). <b>2018</b> , 131-159                                                     |     |     |
| 213 | Relaxing the conditions for parameter estimation-based observers of nonlinear systems via signal injection. <i>Systems and Control Letters</i> , <b>2018</b> , 111, 18-26 | 2.4 | 12  |
| 212 | Passivity-based sliding-mode control design for optimal power extraction of a PMSG based variable speed wind turbine. <b>2018</b> , 119, 577-589                          |     | 177 |
| 211 | An Adaptive Observer for Sensorless Control of the Levitated Ball Using Signal Injection. <b>2018</b> ,                                                                   |     | 3   |
| 210 | State feedback regulation on port-Hamiltonian systems: a convex based approach. <b>2018</b> ,                                                                             |     | 1   |
| 209 | Stabilization of a Class of Cyclo-Passive Systems Using Alternate Storage Functions. <b>2018</b> ,                                                                        |     |     |

|     |                                                                                                                                                                                                        |     |    |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 208 | Fundamental Modeling and Conditions for Realizable and Efficient Energy Systems. <b>2018,</b>                                                                                                          |     | 5  |
| 207 | Dissipative Linear Stochastic Hamiltonian Systems. <b>2018,</b>                                                                                                                                        |     | 1  |
| 206 | Optimal Controllers for Combustion Processes: a Preliminary Approach. <i>IFAC-PapersOnLine</i> , <b>2018,</b> 51, 56-61                                                                                | 0.7 |    |
| 205 | A port-Hamiltonian Approach to Cummins's Equation for Floater Arrays with Linear Power-Take Off Systems. <i>IFAC-PapersOnLine</i> , <b>2018,</b> 51, 155-160                                           | 0.7 |    |
| 204 | Modelling and control of a class of lumped beam with distributed control. <i>IFAC-PapersOnLine</i> , <b>2018,</b> 51, 217-222                                                                          | 0.7 | 2  |
| 203 | Vibration Suppression of Hamiltonian Systems with Velocity and Force Disturbances using IDA-PBC. <i>IFAC-PapersOnLine</i> , <b>2018,</b> 51, 285-290                                                   | 0.7 | 1  |
| 202 | State Error PCH Trajectory Tracking Control of an Unmanned Surface Vehicle. <b>2018,</b>                                                                                                               |     | 1  |
| 201 | Energy-Based Control of Nonlinear Infinite-Dimensional Port-Hamiltonian Systems with Dissipation. <b>2018,</b>                                                                                         |     | 2  |
| 200 | On the Design and Control of Highly Backdrivable Lower-Limb Exoskeletons: A Discussion of Past and Ongoing Work. <i>IEEE Control Systems</i> , <b>2018,</b> 38, 88-113                                 | 2.9 | 45 |
| 199 | Battery Currents Limitation in Passivity Based Controlled Battery/Supercapacitor Hybrid Energy Storage System. <b>2018,</b>                                                                            |     | 2  |
| 198 | Observer-Based Controller for an Electric Vehicle with Hybrid Energy Storage. <b>2018,</b>                                                                                                             |     | 1  |
| 197 | A Novel Nonlinear Control Technique With Its Application to Magnetic Levitated Systems. <i>IEEE Access</i> , <b>2018,</b> 6, 78659-78665                                                               | 3.5 | 6  |
| 196 | Linear Algebra Properties of Dissipative Hamiltonian Descriptor Systems. <b>2018,</b> 39, 1489-1519                                                                                                    |     | 15 |
| 195 | Linear port-Hamiltonian descriptor systems. <i>Mathematics of Control, Signals, and Systems</i> , <b>2018,</b> 30, 1                                                                                   | 1.3 | 37 |
| 194 | Qualitative stability and synchronicity analysis of power network models in port-Hamiltonian form. <b>2018,</b> 28, 101102                                                                             |     | 6  |
| 193 | Energy reshaping based passive fractional-order PID control design and implementation of a grid-connected PV inverter for MPPT using grouped grey wolf optimizer. <b>2018,</b> 170, 31-46              |     | 44 |
| 192 | Interconnection and damping assignment passivity-based control of semi-active and active battery/supercapacitor hybrid energy storage systems for stand-alone photovoltaic installations. <b>2018,</b> |     | 3  |
| 191 | Energy based 3D trajectory tracking control of quadrotors with model-free based on-line disturbance compensation. <b>2018,</b> 31, 1568-1578                                                           |     | 5  |

|     |                                                                                                                                                                             |     |    |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 190 | Passivity-based fractional-order sliding-mode control design and implementation of grid-connected photovoltaic systems. <b>2018</b> , 10, 043701                            |     | 10 |
| 189 | Passivity-based linear feedback control of permanent magnetic synchronous generator-based wind energy conversion system: design and analysis. <b>2018</b> , 12, 981-991     |     | 24 |
| 188 | . <i>IEEE Access</i> , <b>2018</b> , 6, 28768-28776                                                                                                                         | 3-5 | 15 |
| 187 | Bibliography. <b>2018</b> , 189-190                                                                                                                                         |     |    |
| 186 | Formation path-following of multiple underwater vehicles based on fault tolerant control and port-controlled hamiltonian systems. <b>2018</b> ,                             |     | 1  |
| 185 | Conservative Chaos in a Class of Nonconservative Systems: Theoretical Analysis and Numerical Demonstrations. <b>2018</b> , 28, 1850087                                      |     | 16 |
| 184 | Coordination control for supercapacitor charge and discharge in PV energy storage system based on EL and backstepping. <b>2018</b> ,                                        |     | 0  |
| 183 | A novel superconducting magnetic energy storage system design based on a three-level T-type converter and its energy-shaping control strategy. <b>2018</b> , 162, 64-73     |     | 8  |
| 182 | Multi-layered interactive energy space modeling for near-optimal electrification of terrestrial, shipboard and aircraft systems. <b>2018</b> , 45, 52-75                    |     | 13 |
| 181 | Port-Controlled Hamiltonian and Sliding Mode Control of Gantry Robot Based on Induction Motor Drives. <i>IEEE Access</i> , <b>2018</b> , 6, 43840-43849                     | 3-5 | 5  |
| 180 | Valve-based Virtual Energy Tanks: A Framework to Simultaneously Passify Controls and Embed Control Objectives. <b>2018</b> ,                                                |     | 6  |
| 179 | Differential passivity like properties for a class of nonlinear systems. <b>2018</b> ,                                                                                      |     | 3  |
| 178 | On the Combined Inverse-Dynamics/Passivity-Based Control of Elastic-Joint Robots. <b>2018</b> , 34, 1461-1471                                                               |     | 15 |
| 177 | A novel passivity based controller for a piezoelectric beam. <b>2019</b> ,                                                                                                  |     | 1  |
| 176 | Distributed Control and Optimization for Autonomous Power Grids. <b>2019</b> ,                                                                                              |     | 16 |
| 175 | Applications of supercapacitor energy storage systems in microgrid with distributed generators via passive fractional-order sliding-mode control. <b>2019</b> , 187, 115905 |     | 26 |
| 174 | Hamiltonian Structure-Based Robust Station-Keeping for Unstable Libration Point Orbits. <b>2019</b> , 42, 1912-1929                                                         | 5   |    |
| 173 | Analyzing the Dynamics and Stability of DQ0 Systems Based on a Port-Hamiltonian Approach. <b>2019</b> ,                                                                     |     |    |



|     |                                                                                                                                                                                                         |     |    |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 172 | Power-controlled Hamiltonian systems: Application to electrical systems with constant power loads. <b>2019</b> , 109, 108527                                                                            |     | 6  |
| 171 | Passive Current Control Design for MMC in HVDC Systems through Energy Reshaping. <b>2019</b> , 8, 967                                                                                                   |     | 1  |
| 170 | Kinetic-Potential Energy Shaping for Mechanical Systems With Applications to Tracking. <b>2019</b> , 3, 960-965                                                                                         |     | 5  |
| 169 | Port-Hamiltonian Passivity-Based Control on SE(3) of a Fully Actuated UAV for Aerial Physical Interaction Near-Hovering. <i>IEEE Robotics and Automation Letters</i> , <b>2019</b> , 4, 4378-4385       | 4.2 | 15 |
| 168 | Energy-Based In-Domain Control of a Piezo-Actuated Euler-Bernoulli Beam. <i>IFAC-PapersOnLine</i> , <b>2019</b> , 52, 144-149                                                                           | 0.7 | 1  |
| 167 | Tracking-error control via the relaxing port-Hamiltonian formulation: Application to level control and batch polymerization reactor. <b>2019</b> , 80, 152-166                                          |     | 7  |
| 166 | Stabilization of Lagrange points in circular restricted three-body problem: A port-Hamiltonian approach. <b>2019</b> , 383, 1907-1914                                                                   |     | 8  |
| 165 | Physics-based control education: energy, dissipation, and structure assignments. <b>2019</b> , 40, 035006                                                                                               |     | 3  |
| 164 | . <b>2019</b> , 34, 413-421                                                                                                                                                                             |     | 5  |
| 163 | Control of superconducting magnetic energy storage systems in grid-connected microgrids via memetic salp swarm algorithm: An optimal passive fractional-order PID approach. <b>2019</b> , 13, 5511-5522 |     | 8  |
| 162 | Energy Shaping Control with Virtual Spring and Damper for Powered Exoskeletons. <b>2019</b> ,                                                                                                           |     | 4  |
| 161 | Interconnection through u-average passivity in discrete time. <b>2019</b> ,                                                                                                                             |     |    |
| 160 | PBC for direct voltage regulation for the boost DCDC converter. <b>2019</b> , 12, 1942-1951                                                                                                             |     | 6  |
| 159 | Particle Swarm Optimization Tuning of Modular Multilevel Converters in a Time-Invariant Framework. <b>2019</b> ,                                                                                        |     |    |
| 158 | Robust control approach for handling matched and/or unmatched uncertainties in port-controlled Hamiltonian systems. <b>2019</b> , 1, 73-80                                                              |     | 5  |
| 157 | . <b>2019</b> ,                                                                                                                                                                                         |     | 1  |
| 156 | Integral Backstepping and Synergetic Control of Magnetic Levitation System. <i>IEEE Access</i> , <b>2019</b> , 7, 173230-173239                                                                         |     | 39 |
| 155 | Port Hamiltonian modelling and control of a micro-channel. <b>2019</b> ,                                                                                                                                |     | 1  |

|     |                                                                                                                                                                                                                      |     |    |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 154 | Structure preserving feedback of port-thermodynamic systems. <i>IFAC-PapersOnLine</i> , <b>2019</b> , 52, 418-423                                                                                                    | 0.7 | 1  |
| 153 | Krasovskii Passivity. <i>IFAC-PapersOnLine</i> , <b>2019</b> , 52, 466-471                                                                                                                                           | 0.7 | 2  |
| 152 | Port-Controlled Hamiltonian and Energy-Shaping Based Current Control Scheme for Grid-Connected Inverter. <b>2019</b> ,                                                                                               |     | 0  |
| 151 | LQG control for flexible micro-grippers with additional integral action. <b>2019</b> ,                                                                                                                               |     |    |
| 150 | PI Passivity-Based Control and Performance Analysis of MMC Multiterminal HVDC Systems. <b>2019</b> , 7, 2453-2466                                                                                                    | 20  |    |
| 149 | Formation control of multiple underwater vehicles subject to communication faults and uncertainties. <b>2019</b> , 82, 109-116                                                                                       |     | 23 |
| 148 | Control of a Magnetic Levitation System. <b>2019</b> , 761-824                                                                                                                                                       |     |    |
| 147 | Regional passivity for switched nonlinear systems and its application. <b>2019</b> , 86, 98-109                                                                                                                      |     | 3  |
| 146 | Port-Controlled Phasor Hamiltonian Modeling and IDA-PBC Control of Solid-State Transformer. <b>2019</b> , 27, 161-174                                                                                                |     | 32 |
| 145 | Feedback passivation plus tracking-error-based multivariable control for a class of free-radical polymerisation reactors. <i>International Journal of Control</i> , <b>2019</b> , 92, 1970-1984                      | 1.5 | 6  |
| 144 | Passivity-based control design for a grid-connected hybrid generation system integrated with the energy management strategy. <b>2019</b> , 74, 99-109                                                                |     | 3  |
| 143 | Modeling and boundary control of infinite dimensional systems in the Brayton-Moser framework. <b>2019</b> , 36, 485-513                                                                                              |     | 1  |
| 142 | Designing of robust adaptive passivity-based controller based on reinforcement learning for nonlinear port-Hamiltonian model with disturbance. <i>International Journal of Control</i> , <b>2020</b> , 93, 1754-1764 | 1.5 | 6  |
| 141 | Continuous finite-time regulation of Euler-Lagrange systems via energy shaping. <i>International Journal of Control</i> , <b>2020</b> , 93, 2931-2940                                                                | 1.5 | 7  |
| 140 | A Sufficient and Necessary Condition of Transient Stability for Multimachine Systems. <b>2020</b> , 35, 683-690                                                                                                      |     | 2  |
| 139 | Port Controlled Hamilton With Dissipation-Based Speed Control of IPMSM Drive. <b>2020</b> , 35, 1742-1752                                                                                                            |     | 4  |
| 138 | Port-Hamiltonian Modeling for Control. <b>2020</b> , 3, 393-416                                                                                                                                                      |     | 6  |
| 137 | A PI+passivity-based control of a wind energy conversion system enabled with a solid-state transformer. <i>International Journal of Control</i> , <b>2020</b> , 1-11                                                 | 1.5 | 5  |

|     |                                                                                                                                                                                         |     |    |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 136 | Robust tracking control of MBT autoloaders with oscillatory chassis and compliant actuators. <b>2020</b> , 99, 2185-2200                                                                |     | 2  |
| 135 | On generation of virtual outputs via signal injection: Application to observer design for electromechanical systems. <b>2020</b> , 54, 129-139                                          |     | 2  |
| 134 | Barrier Lyapunov Function Based Controller Design for Euler-Lagrange Systems with Reduced Control Effort. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 459-464                          | 0.7 |    |
| 133 | Modelling and control of an IPMC actuated flexible structure: A lumped port Hamiltonian approach. <b>2020</b> , 101, 104498                                                             |     | 4  |
| 132 | Structure-preserving discretization and control of a two-dimensional vibro-acoustic tube. <b>2020</b> ,                                                                                 |     | 1  |
| 131 | Robust state-error port-controlled Hamiltonian trajectory tracking control for unmanned surface vehicle with disturbance uncertainties. <i>Asian Journal of Control</i> , <b>2020</b> , | 1.7 | 4  |
| 130 | . <b>2020</b> ,                                                                                                                                                                         |     | 3  |
| 129 | A Unified Approach to Stabilization, Trajectory Tracking, and Formation Control of Planar Underactuated Vehicles*. <b>2020</b> ,                                                        |     | 0  |
| 128 | Port-Hamiltonian Modeling and Control of a Micro-Channel Experimental Plant. <i>IEEE Access</i> , <b>2020</b> , 8, 176935-176946                                                        | 3.5 | 0  |
| 127 | Singular-perturbed control for a novel SEA-actuated MBT autoloader subject to chassis oscillations. <b>2020</b> , 101, 2263-2281                                                        |     | 2  |
| 126 | On structural invariants in the energy-based in-domain control of infinite-dimensional port-Hamiltonian systems. <i>Systems and Control Letters</i> , <b>2020</b> , 145, 104778         | 2.4 | 0  |
| 125 | On the Extinction-Free Stabilization of Predator-Prey Dynamics. <b>2020</b> , 4, 964-969                                                                                                |     | 1  |
| 124 | Position Control of a Maglev System Fed by a DC/DC Buck Power Electronic Converter. <b>2020</b> , 2020, 1-16                                                                            |     | 2  |
| 123 | An overview on recent machine learning techniques for Port Hamiltonian systems. <b>2020</b> , 411, 132620                                                                               |     | 3  |
| 122 | Control of MagLev System Using Supertwisting and Integral Backstepping Sliding Mode Algorithm. <i>IEEE Access</i> , <b>2020</b> , 8, 51352-51362                                        | 3.5 | 14 |
| 121 | Bibliography. <b>2020</b> , 417-439                                                                                                                                                     |     |    |
| 120 | Biomimetic Energy-Based Humanoid Gait Design. <b>2020</b> , 100, 203-221                                                                                                                |     | 0  |
| 119 | Learning Precisely Timed Feedforward Control of the Sensor-Denied Inverted Pendulum. <b>2020</b> , 4, 731-736                                                                           |     | 1  |

|     |                                                                                                                                                                        |     |    |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 118 | Controller design, analysis and testing of a three-phase VSI using IDA-PBC approach. <b>2020</b> , 13, 346-355                                                         |     | 5  |
| 117 | Exponential Stabilization of Port-Hamiltonian Boundary Control Systems via Energy Shaping. <i>IEEE Transactions on Automatic Control</i> , <b>2020</b> , 65, 4440-4447 | 5.9 | 1  |
| 116 | Infinite dimensional model of a double flexible-link manipulator: The Port-Hamiltonian approach. <b>2020</b> , 83, 59-75                                               |     | 5  |
| 115 | Dynamic IDA-PBC control for weakly-coupled electromechanical systems. <b>2020</b> , 115, 108880                                                                        |     | 3  |
| 114 | Interconnection and damping assignment control based on modified actor-critic algorithm with wavelet function approximation. <b>2020</b> , 101, 116-129                |     | 1  |
| 113 | Passivity-Based Control Design for Magnetic Levitation System. <b>2020</b> , 10, 2392                                                                                  |     | 8  |
| 112 | A Novel Piecewise Velocity Control Method Using Passivity-Based Controller for Wave Energy Conversion. <i>IEEE Access</i> , <b>2020</b> , 8, 59029-59043               | 3.5 | 5  |
| 111 | Reduced Order LQG Control Design for Infinite Dimensional Port Hamiltonian Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 66, 865-871          | 5.9 | 3  |
| 110 | Passivity-Based Lag-Compensators With Input Saturation for Mechanical Port-Hamiltonian Systems Without Velocity Measurements. <b>2021</b> , 5, 1285-1290               |     | 4  |
| 109 | Differentiation and Passivity for Control of Brayton-Moser Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 66, 1087-1101                        | 5.9 | 8  |
| 108 | Adaptive Interconnection and Damping Assignment Passivity Based Control for Underactuated Mechanical Systems. <b>2021</b> , 19, 864-877                                |     | 2  |
| 107 | Passivity-Based Fuzzy ISMC for Wind Energy Conversion Systems With PMSG. <b>2021</b> , 51, 2212-2220                                                                   |     | 22 |
| 106 | Comments on recent claims about trajectories of control systems valid for particular initial conditions. <i>Asian Journal of Control</i> ,                             | 1.7 |    |
| 105 | Energy-Based In-Domain Control and Observer Design for Infinite-Dimensional Port-Hamiltonian Systems. <i>IFAC-PapersOnLine</i> , <b>2021</b> , 54, 468-475             | 0.7 |    |
| 104 | Decoding and realising flapping flight with port-Hamiltonian system theory. <b>2021</b> , 51, 37-46                                                                    |     | 4  |
| 103 | The Falling Cat. <b>2021</b> , 111-136                                                                                                                                 |     |    |
| 102 | Mechanical Control Systems. <b>2021</b> , 95-109                                                                                                                       |     |    |
| 101 | A Port-Hamiltonian Control Framework to Render a Power Electronic System Passive. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 1-1                    | 5.9 | 0  |

|     |                                                                                                                                                      |     |   |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 100 | Hamilton-based Stability Criterion and Attraction Region Estimation for Grid-tied Inverters under Large-signal Disturbances. <b>2021</b> , 1-1       |     | 6 |
| 99  | Encyclopedia of Systems and Control. <b>2021</b> , 1684-1691                                                                                         |     |   |
| 98  | Toward Smart Systems: Their Sensing and Control in Industrial Electronics and Applications. <b>2021</b> , 15, 104-114                                |     | 1 |
| 97  | Output Series-Parallel Connection of Passivity-Based Controlled DCDC Converters: Generalization of Asymptotic Stability. <b>2021</b> , 68, 1750-1759 |     | 0 |
| 96  | Energy budgets for coordinate invariant robot control in physical human-robot interaction. <b>2021</b> , 40, 968-985                                 |     | 3 |
| 95  | On feedback passivation under sampling. <b>2021</b> ,                                                                                                |     | 0 |
| 94  | IDA-PBC for LTI dynamics under input delays: a reduction approach. <b>2021</b> ,                                                                     |     |   |
| 93  | Passivity-Based Lag-Compensators with Input Saturation for Mechanical Port-Hamiltonian Systems Without Velocity Measurements. <b>2021</b> ,          |     |   |
| 92  | Model order reduction for gas and energy networks. <b>2021</b> , 11,                                                                                 |     | 1 |
| 91  | Parameterization of All Passive Outputs for Port-Hamiltonian Systems. <b>2021</b> , 87-93                                                            |     |   |
| 90  | PID-PBC for Nonzero Regulated Output Reference. <b>2021</b> , 47-86                                                                                  |     |   |
| 89  | Embodied Control [From the Editor]. <i>IEEE Control Systems</i> , <b>2021</b> , 41, 4-5                                                              | 2.9 |   |
| 88  | A globally stable practically implementable PI passivity-based controller for switched power converters. <b>2021</b> , 35, 2155                      |     | 2 |
| 87  | Solution of matching equations of IDA-PBC by Pfaffian differential equations. <i>International Journal of Control</i> , 1-11                         | 1.5 | 2 |
| 86  | Disturbance Rejection in Port-Hamiltonian Systems. <b>2021</b> , 153-195                                                                             |     |   |
| 85  | Port-Hamiltonian Modeling and IDA-PBC Control of an IPMC-Actuated Flexible Beam. <i>Actuators</i> , <b>2021</b> , 10, 236                            | 2.4 | 3 |
| 84  | IDA-PBC for LTI Dynamics Under Input Delays: A Reduction Approach. <b>2021</b> , 5, 1465-1470                                                        |     | 1 |
| 83  | Krasovskii and Shifted Passivity-Based Control. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 66, 4926-4932                          | 3.3 | 1 |

|    |                                                                                                                                                                                                                                                                             |     |    |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 82 | Learning Deep Energy Shaping Policies for Stability-Guaranteed Manipulation. <i>IEEE Robotics and Automation Letters</i> , <b>2021</b> , 6, 8583-8590                                                                                                                       | 4.2 | 0  |
| 81 | Control Design for Linear Port-Hamiltonian Boundary Control Systems: An Overview. <i>SEMA SIMAI Springer Series</i> , <b>2021</b> , 57-72                                                                                                                                   | 0.2 | 0  |
| 80 | On composition of Dirac structures and its implications for control by interconnection. <b>2003</b> , 55-63                                                                                                                                                                 |     | 4  |
| 79 | Robotic Pseudo-Dynamic Testing (RPsDT) of Contact-Impact Scenarios. <i>Lecture Notes in Computer Science</i> , <b>2015</b> , 50-55                                                                                                                                          | 0.9 | 3  |
| 78 | Learning Complex Behaviors via Sequential Composition and Passivity-Based Control. <i>Studies in Systems, Decision and Control</i> , <b>2015</b> , 53-74                                                                                                                    | 0.8 | 8  |
| 77 | Port-Hamiltonian Differential-Algebraic Systems. <b>2013</b> , 173-226                                                                                                                                                                                                      |     | 9  |
| 76 | Port-Hamiltonian Systems: Network Modeling and Control of Nonlinear Physical Systems. <b>2004</b> , 127-167                                                                                                                                                                 |     | 16 |
| 75 | Parallelization of Boost and Buck Type DC-DC Converters by Individual Passivity-Based Control. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2020</b> , E103.A, 589-595                                               | 0.4 | 2  |
| 74 | Regulation of Parallel Converters with Respect to Stored Energy and Passivity Characteristics. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2011</b> , E94-A, 1010-1014                                              | 0.4 | 4  |
| 73 | Passivity-Based Tracking Control for Uncertain Nonlinear Feedback Systems. <i>Journal of Robotics and Mechatronics</i> , <b>2016</b> , 28, 837-841                                                                                                                          | 0.7 | 5  |
| 72 | Decentralized Excitation Control of Multi-machine Multi-load Power Systems Using Hamiltonian Function Method. <i>Zidonghua Xuebao/Acta Automatica Sinica</i> , <b>2009</b> , 35, 919-925                                                                                    |     | 2  |
| 71 | Hamiltonian Modeling and Passivity-based Control of Permanent Magnet Linear Synchronous Motor. <i>Journal of Computers</i> , <b>2013</b> , 8,                                                                                                                               | 1.4 | 5  |
| 70 | Tradeoff between the Output Voltage Deviation and Recovery Time of Boost Converters. <i>Journal of Power Electronics</i> , <b>2015</b> , 15, 338-345                                                                                                                        | 0.9 | 2  |
| 69 | Robust IDA-PBC for a Spatial Underactuated Cable Driven Robot with Bounded Inputs. <b>2021</b> ,                                                                                                                                                                            |     |    |
| 68 | Active Control of Smart Structures Using Port Controlled Hamiltonian Systems. <i>Solid Mechanics and Its Applications</i> , <b>2003</b> , 357-366                                                                                                                           | 0.4 | 1  |
| 67 | A General Geometric Framework for Control of Electrostatically-Actuated MEMS and NEMS. <b>2005</b> ,                                                                                                                                                                        |     |    |
| 66 | Energy Conversion and Phase Regulation in Transient States of Frequency Entrainment Described by van der Pol and Phase-Locked Loop Equations. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2013</b> , E96.A, 591-599 | 0.4 |    |
| 65 | Control of Hybrid Systems: An Overview of Recent Advances. 145-178                                                                                                                                                                                                          |     | 2  |

|    |                                                                                                                                                                                                      |     |   |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 64 | Energy-Based Control of Power Electronic Converters. <b>2014</b> , 337-391                                                                                                                           |     | 0 |
| 63 | General Overview of Mathematical Tools Dedicated to Nonlinear Control. <b>2014</b> , 297-306                                                                                                         |     |   |
| 62 | Formation Control and Stability Analysis of Spacecraft: An Energy ConceptBased Approach. <i>Advances in Intelligent Systems and Computing</i> , <b>2014</b> , 733-743                                | 0.4 |   |
| 61 | A Port-Hamiltonian Formulation of a Wireless Communication System. <i>Lecture Notes in Control and Information Sciences</i> , <b>2015</b> , 1-19                                                     | 0.5 |   |
| 60 | Dirac Structures and Control by Interconnection for Distributed Port-Hamiltonian Systems. <i>Lecture Notes in Control and Information Sciences</i> , <b>2015</b> , 21-36                             | 0.5 | 0 |
| 59 | Passivity-Based Control. <b>2020</b> , 1-7                                                                                                                                                           |     |   |
| 58 | Energy shaping plus Damping injection of Irreversible Port Hamiltonian Systems. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 11539-11544                                                             | 0.7 | 0 |
| 57 | Regulation of Parallel Connected Boost and Buck Converters by Passivity-Based Control. <b>2020</b> ,                                                                                                 |     |   |
| 56 | Damping Formation Mechanism and Damping Injection of Virtual Synchronous Generator Based on Generalized Hamiltonian Theory. <i>Energies</i> , <b>2021</b> , 14, 7082                                 | 3.1 | 1 |
| 55 | . <b>2020</b> ,                                                                                                                                                                                      |     | 4 |
| 54 | A New Riemannian Framework for Efficient H2-Optimal Model Reduction of Port-Hamiltonian Systems. <b>2020</b> ,                                                                                       |     | 0 |
| 53 | Interconnection structure preservation design for a type of port-controlled hamiltonian systemsA parametric approach. <i>IET Control Theory and Applications</i> , <b>2021</b> , 15, 338-347         | 2.5 | 2 |
| 52 | Overcoming the dissipation obstacle with Bicomplex Port-Hamiltonian Mechanics. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 5573-5578                                                                | 0.7 |   |
| 51 | Stabilization of Equilibrium for Underactuated Mechanical Systems Without Potential Energy. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 5857-5862                                                   | 0.7 |   |
| 50 | Port-Hamiltonian Based Control of the Sun-Earth 3D Circular Restricted Three-Body Problem: Stabilization of the $L_1$ Lagrange Point. <i>Modern Mechanical Engineering</i> , <b>2020</b> , 10, 39-49 | 0.2 | 0 |
| 49 | Multistable Energy Shaping of Passive Linear Systems with Hybrid Mode Selector. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 9118-9124                                                               | 0.7 |   |
| 48 | On Linear Quadratic Regulation of Linear Port-Hamiltonian Systems. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 6857-6862                                                                            |     |   |
| 47 | Port Controller Hamiltonian Synthesis Using Evolution Strategies. <b>2002</b> , 159-172                                                                                                              |     |   |

|    |                                                                                                                                                                                                          |     |   |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 46 | Controlled Lagrangians and stabilization of Euler-Poincaré mechanical systems with broken symmetry II: potential shaping. <i>Mathematics of Control, Signals, and Systems</i> , 1                        | 1.3 | 2 |
| 45 | Proportional-Integral passivity-based control design of perturbed non-standard Hamiltonian systems. <i>IFAC-PapersOnLine</i> , <b>2021</b> , 54, 19-24                                                   | 0.7 | 0 |
| 44 | Passive momentum observer for mechanical systems. <i>IFAC-PapersOnLine</i> , <b>2021</b> , 54, 131-136                                                                                                   | 0.7 | 0 |
| 43 | Stabilization of Mechanical Systems on Semidirect Product Lie Groups with Broken Symmetry via Controlled Lagrangians. <i>IFAC-PapersOnLine</i> , <b>2021</b> , 54, 106-112                               | 0.7 | 1 |
| 42 | MPC Trajectory Feasibility Constraints for Self-Powered Control Systems. <i>IEEE Transactions on Automatic Control</i> , <b>2021</b> , 1-1                                                               | 5.9 |   |
| 41 | Mean Square Optimal Control by Interconnection for Linear Stochastic Hamiltonian Systems. <b>2020</b> ,                                                                                                  |     |   |
| 40 | Dealing with constant power loads in DC-DC power electronic converters using flatness based coordinate transformations. <b>2020</b> ,                                                                    |     |   |
| 39 | An irreversible port-Hamiltonian model for a class of piezoelectric actuators. <i>IFAC-PapersOnLine</i> , <b>2021</b> , 54, 436-441                                                                      | 0.7 | 1 |
| 38 | Surrogate-Based H2 Model Reduction of Port-Hamiltonian Systems. <b>2021</b> ,                                                                                                                            |     |   |
| 37 | Observer-based adaptive output feedback stabilization of generalized Hamiltonian systems with unstructured component. <b>2021</b> ,                                                                      |     |   |
| 36 | Integration of inventory control into the port-Hamiltonian framework for dissipative stabilization of chemical reactors. <i>Asian Journal of Control</i> ,                                               | 1.7 | 0 |
| 35 | Nonlinear Hamiltonian systems under sampling. <i>IEEE Transactions on Automatic Control</i> , <b>2022</b> , 1-1                                                                                          | 5.9 | 2 |
| 34 | Data-driven passivity-based control of underactuated mechanical systems via interconnection and damping assignment. <i>International Journal of Control</i> , 1-9                                        | 1.5 | 0 |
| 33 | On Energy Conversion in Port-Hamiltonian Systems. <b>2021</b> ,                                                                                                                                          |     | 0 |
| 32 | Passivity-Based Control of Water Pumping System Using BLDC Motor Drive Fed by Solar PV Array with Battery Storage System. <i>Energies</i> , <b>2021</b> , 14, 8184                                       | 3.1 | 0 |
| 31 | Trajectory Tracking for Robotic Arms with Input Saturation and Only Position Measurements. <b>2021</b> ,                                                                                                 |     | 1 |
| 30 | Adaptive passivity-based control of an autonomous underwater vehicle. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 095440622211038 | 1.3 | 1 |
| 29 | Stabilization of Unstable Distributed Port-Hamiltonian Systems in Scattering Form. <b>2022</b> , 6, 3116-3121                                                                                            |     |   |



|    |                                                                                                                                                                                                                                                      |     |   |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 28 | Distributed Control and Optimization of DC Microgrids: A Port-Hamiltonian Approach. <i>IEEE Access</i> , <b>2022</b> , 10, 64222-64233                                                                                                               | 3.5 | o |
| 27 | Robust Passivity-Based Control of Underactuated Systems via Neural Approximators and Bayesian Inference. <b>2022</b> , 1-1                                                                                                                           |     |   |
| 26 | Hardware implementation of interconnection and damping assignment passivity-based control for BLDC motor using microcontroller. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , | 0.7 |   |
| 25 | A Port Hamiltonian Approach to Dynamic Chemical Process Systems Network Modeling and Analysis. <i>Chemical Engineering Science</i> , <b>2022</b> , 117907                                                                                            | 4.4 |   |
| 24 | Trajectory tracking for nonlinear systems using extended quadratic port-Hamiltonian models without input and state coordinate transformations. <i>Systems and Control Letters</i> , <b>2022</b> , 167, 105325                                        | 2.4 | o |
| 23 | On control of voltage-actuated piezoelectric beam: A Krasovskii passivity-based approach. <b>2022</b> , 100724                                                                                                                                       |     | 1 |
| 22 | Optimal Energy Shaping via Neural Approximators. <b>2022</b> , 21, 2126-2147                                                                                                                                                                         |     |   |
| 21 | Observer Design for an Inertia Wheel Pendulum with Static Friction. <b>2022</b> , 55, 313-318                                                                                                                                                        |     | o |
| 20 | Control multivaluado de sistemas hamiltonianos con puerto. <b>2022</b> , 19, 419-429                                                                                                                                                                 |     | o |
| 19 | Robust Data-Driven Passivity-Based Control of Underactuated Systems via Neural Approximators and Bayesian Inference. <b>2022</b> ,                                                                                                                   |     | o |
| 18 | Sobre el control por moldeo de energía mediante inyección de amortiguamiento de sistemas mecánicos. <b>2022</b> , 19, 407-418                                                                                                                        |     | o |
| 17 | Controlled Lagrangians and Stabilization of Euler-Poincaré Mechanical Systems with Broken Symmetry I: Kinetic Shaping. <b>2022</b> , 60, 2684-2711                                                                                                   |     | o |
| 16 | Discrete-time energy-balance passivity-based control. <b>2022</b> , 146, 110662                                                                                                                                                                      |     | 1 |
| 15 | Energy-Balance PBC of nonlinear dynamics under sampling and delays. <b>2022</b> , 55, 264-269                                                                                                                                                        |     | o |
| 14 | Robust, distributed and optimal control of smart grids. <b>2022</b> , 268, 00016                                                                                                                                                                     |     | o |
| 13 | Deep Learning with Fractional Order Operators Lagrangian Method for Space Robot based on Sliding Mode-based Fixed-time Control. <b>2022</b> ,                                                                                                        |     | o |
| 12 | Local and Global Canonical Forms for Differential-Algebraic Equations with Symmetries.                                                                                                                                                               |     | o |
| 11 | An LQG-Inspired Framework for Self-Powered Feedback Control. <b>2022</b> ,                                                                                                                                                                           |     | o |

- 10 A Passivity Preserving H-infinity Synthesis Technique for Robot Control. **2022**, ○
- 9 On the interconnection of irreversible port-Hamiltonian systems. **2023**, 56, 114-119 ○
- 8 Passive momentum observer for nonholonomic systems. **2023**, 56, 373-378 ○
- 7 Port-Hamiltonian Formulations of Some Elastodynamics Theories of Isotropic and Linearly Elastic Shells: Naghdi-Beissner Moderately Thick Shells. **2023**, 13, 2608 ○
- 6 Energy-shaping control of a muscular octopus arm moving in three dimensions. **2023**, 479, ○
- 5 On structuring energy-aware sequence-control software. **2022**, ○
- 4 Differential-Algebraic systems with dissipative Hamiltonian structure. ○
- 3 Multi-scale description of pedestrian collective dynamics with port-Hamiltonian systems. **2023**, 18, 906-929 ○
- 2 Hamiltonian Additional Damping Control for Suppressing Power Oscillation Induced by Draft Tube Pressure Fluctuation. **2023**, 15, 1479 ○
- 1 Adaptive NN state error PCH trajectory tracking control for unmanned surface vessel with uncertainties and input saturation. ○