

CITATION REPORT

List of articles citing

Recurrence Analysis of Hydrologic Droughts of Differing Severity

DOI: 10.1061/(asce)0733-9496(2001)127:1(30)
Journal of Water Resources Planning and Management
- ASCE, 2001, 127, 30-40.

Source: <https://exaly.com/paper-pdf/32326395/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
207	Nonparametric Approach for Estimating Return Periods of Droughts in Arid Regions. 2003 , 8, 237-246		118
206	Bivariate Drought Recurrence Analysis Using Tree Ring Reconstructions. 2003 , 8, 247-258		92
205	Drought length properties for periodic-stochastic hydrologic data. 2004 , 40,		98
204	A mixed bivariate distribution with exponential and geometric marginals. 2005 , 134, 501-520		20
203	Global analysis of runs of annual precipitation and runoff equal to or below the median: run magnitude and severity. 2005 , 25, 549-568		21
202	A new model for quantifying climate episodes. 2005 , 25, 1253-1264		41
201	On the probability of droughts: The compound renewal model. 2005 , 41,		13
200	Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2005 , 131, 383-393	2.8	103
199	New drought frequency index: Definition and comparative performance analysis. 2006 , 42,		40
198	Spatial Characterization of Droughts in the Conchos River Basin Based on Bivariate Frequency Analysis. 2006 , 31, 50-58		10
197	A global evaluation of streamflow drought characteristics. 2006 , 10, 535-552		208
196	A discrete analogue of the Laplace distribution. 2006 , 136, 1090-1102		60
195	Fitting Drought Duration and Severity with Two-Dimensional Copulas. 2006 , 20, 795-815		413
194	Nonparametric Approach for Bivariate Drought Characterization Using Palmer Drought Index. 2006 , 11, 134-143		59
193	Assessment of hydrological droughts for the Yellow River, China, using copulas. 2007 , 21, 2157-2163		185
192	A new stochastic model of episode peak and duration for eco-hydro-climatic applications. 2008 , 211, 383-395		39
191	A Mixed Bivariate Distribution Connected with Geometric Maxima of Exponential Variables. 2008 , 37, 2903-2923		11

190	Analysis of annual hydrological droughts: the case of northwest Ontario, Canada. 2009 , 54, 29-42	19
189	Copula-based drought severity-duration-frequency analysis in Iran. 2009 , 16, 481-489	178
188	Drought characterization: a probabilistic approach. 2009 , 23, 41-55	146
187	Historical trends and variability of meteorological droughts in Taiwan / Tendances historiques et variabilités des sécheresses météorologiques à Taiwan. 2009 , 54, 430-441	55
186	Probabilistic characterization of drought properties through copulas. 2009 , 34, 596-605	158
185	Coping with Drought Risk in Agriculture and Water Supply Systems. 2009 ,	40
184	Probabilistic analysis of extreme regional meteorological droughts by L-moments in a semi-arid environment. 2010 , 102, 351-366	19
183	Meta-elliptical copulas for drought frequency analysis of periodic hydrologic data. 2010 , 24, 425-444	156
182	Frequency analysis of droughts using the Plackett copula and parameter estimation by genetic algorithm. 2010 , 24, 783-805	118
181	Drought probabilities and return period for annual streamflows series. 2010 , 391, 77-89	59
180	Drought Assessment. 2010 ,	25
179	A Drought Frequency Analysis for Palmer Drought Severity Index Using Boundary Kernel Function. 2010 ,	1
178	Regional Bivariate Frequency Analysis of Meteorological Droughts. 2010 , 15, 985-1000	62
177	Drought modeling [A review]. 2011 , 403, 157-175	526
176	Copula-based evaluations of drought variations in Guangdong, South China. 2011 , 59, 1533-1546	47
175	Regional Frequency Analysis of Droughts in Portugal. 2011 , 25, 3537-3558	86
174	Spatiotemporal Characteristics of Drought Occurrences over Japan. 2012 , 51, 1087-1098	26
173	Risk Assessment of Droughts in Gujarat Using Bivariate Copulas. 2012 , 26, 3301-3327	73

172	Assessing Multi-site Drought Connections in Iran Using Empirical Copula. 2012 , 17, 469-482	15
171	Regionalization and spatial changing properties of droughts across the Pearl River basin, China. 2012 , 472-473, 355-366	75
170	Markov Chain Models for Hydrological Drought Characteristics. 2012 , 13, 298-309	28
169	An Objective Identification Technique for Regional Extreme Events. 2012 , 25, 7015-7027	54
168	Bivariate drought frequency analysis using the copula method. 2012 , 108, 191-206	132
167	Application of copulas for derivation of drought severity-duration-frequency curves. 2012 , 26, 1672-1685	96
166	Multivariate drought characteristics using trivariate Gaussian and Student t copulas. 2013 , 27, 1175-1190	87
165	Data-based analysis of bivariate copula tail dependence for drought duration and severity. 2013 , 27, 1454-1463	87
164	Risk analysis for drought hazard in China: a case study in Huaibei Plain. 2013 , 67, 879-900	21
163	Drought Analysis under Climate Change Using Copula. 2013 , 18, 746-759	100
162	Large Scale Probabilistic Drought Characterization Over Europe. 2013 , 27, 1675-1692	32
161	Water Deficit Duration and Severity Analysis Based on Runoff Derived from Noah Land Surface Model. 2013 , 18, 817-833	15
160	Analysis of drought condition and risk in Peninsular Malaysia using Standardised Precipitation Index. 2013 , 111, 559-568	37
159	Copula-based risk evaluation of droughts across the Pearl River basin, China. 2013 , 111, 119-131	62
158	Probabilistic analysis of hydrological drought characteristics using meteorological drought. 2013 , 58, 253-270	69
157	Drought Analysis Using Copulas. 2013 , 18, 797-808	107
156	Bivariate drought frequency curves and confidence intervals: a case study using monthly rainfall generation. 2013 , 27, 285-295	16
155	Predicting Drought Magnitudes: A Parsimonious Model for Canadian Hydrological Droughts. 2013 , 27, 649-664	6

154	A new bivariate Gamma distribution generated from functional scale parameter with application to drought data. 2013 , 27, 1039-1054	4
153	Entropy-Based Method for Bivariate Drought Analysis. 2013 , 18, 780-786	34
152	Characterization of Drought in the South Atlantic, United States. 2013 , 49, 1385-1397	18
151	A semi-empirical method for predicting hydrological drought magnitudes in the Canadian prairies. 2013 , 58, 549-569	6
150	An assessment of the ability of Bartlett-Lewis type of rainfall models to reproduce drought statistics. 2013 , 17, 5167-5183	8
149	Analysis of Rainfall Severity and Duration in Victoria, Australia using Non-parametric Copulas and Marginal Distributions. 2014 , 28, 4835-4856	11
148	Dynamic assessment of the impact of drought on agricultural yield and scale-dependent return periods over large geographic regions. 2014 , 62, 454-464	38
147	Storm evolution characterization for analysing stone armour damage progression. 2014 , 85, 1-11	12
146	Copula based analysis of rainfall severity and duration: a case study. 2014 , 115, 153-166	42
145	Copula-Based Pooled Frequency Analysis of Droughts in the Canadian Prairies. 2014 , 19, 277-289	22
144	Drought characterization using a new copula-based trivariate approach. 2014 , 72, 1391-1407	53
143	Hydrological Drought Analysis in Namhan River Basin, Korea. 2014 , 19, 05014001	15
142	Hydrological drought in the west of Iran and possible association with large-scale atmospheric circulation patterns. 2014 , 28, 764-773	43
141	Theoretical framework of generalized watershed drought risk evaluation and adaptive strategy based on water resources system. 2014 , 73, 259-276	9
140	A Simplified Model for Predicting Drought Magnitudes: a Case of Streamflow Droughts in Canadian Prairies. 2014 , 28, 1597-1611	8
139	Spatio-temporal Changes and Frequency Analysis of Drought in the Wei River Basin, China. 2014 , 28, 3095-3110	116
138	Climate Change Impacts on Streamflow Drought: A Case Study in Tseng-Wen Reservoir Catchment in Southern Taiwan. 2015 , 3, 42-62	3
137	Drought risk assessment in China with different spatial scales. 2015 , 8, 10193-10202	13

136	Copula-based risk assessment of drought in Yunnan province, China. 2015 , 75, 2199-2220	51
135	Analysis of meteorological droughts for the Saskatchewan River Basin using univariate and bivariate approaches. 2015 , 522, 452-466	50
134	A hydrological record extension model for reconstructing streamflows from tree-ring chronologies. 2015 , 29, 544-556	5
133	Delivery of agricultural drought information via web services. 2015 , 8, 527-538	8
132	Analysis of hydrological drought frequency for the Xijiang River Basin in South China using observed streamflow data. 2015 , 77, 1655-1677	19
131	The impact of irrigation water supply rate on agricultural drought disaster risk: a case about maize based on EPIC in Baicheng City, China. 2015 , 78, 23-40	13
130	Hydrological drought severity explained by climate and catchment characteristics. 2015 , 526, 3-14	277
129	Hydrologic Drought Atlas for Texas. 2015 , 20, 05014023	22
128	SPI-Based Probabilistic Analysis of Drought Areal Extent in Sicily. 2015 , 29, 459-470	25
127	Predicting return periods of hydrological droughts using the Pearson 3 distribution: a case from rivers in the Canadian prairies. 2015 , 60, 1783-1796	8
126	A stochastic model for the analysis of the temporal change of dry spells. 2015 , 29, 143-155	17
125	An Analysis of the Occurrence Probabilities of Wet and Dry Periods through a Stochastic Monthly Rainfall Model. 2016 , 8, 39	16
124	Conditional Copula-Based Spatial-temporal Drought Characteristics Analysis: A Case Study over Turkey. 2016 , 8, 426	19
123	Climate Change Impact on Hydrological Extremes: Preliminary Results from the Polish-Norwegian Project. 2016 , 64, 477-509	32
122	Improved estimate of multiyear drought for water resources management studies. 2016 , 7, 721-730	3
121	Wet and dry spell analysis using copulas. 2016 , 36, 476-491	25
120	Bias in return period of droughts estimated from tree-ring reconstructions. 2016 , 43, 565-570	1
119	Probability Structure and Return Period of Multiday Monsoon Rainfall. 2016 , 21, 04015048	6

118	Robustness of Meteorological Droughts in Dynamically Downscaled Climate Simulations. 2016 , 52, 138-167	6
117	A copula-based nonstationary frequency analysis for the 2012-2015 drought in California. 2016 , 52, 5662-5675	80
116	The unusual 2013-2015 drought in South Korea in the context of a multicentury precipitation record: Inferences from a nonstationary, multivariate, Bayesian copula model. 2016 , 43, 8534-8544	38
115	Spatial and temporal patterns of drought in the Continental U.S. during the past century. 2016 , 43, 6294-6303	22
114	Development of an operational low-flow index for hydrological drought monitoring over Europe. 2016 , 1-13	11
113	On conditional skewness with applications to environmental data. 2016 , 23, 491-512	2
112	Drought frequency change: An assessment in northern India plains. 2016 , 176, 111-121	14
111	Application of copula functions to construct confidence intervals of bivariate drought frequency curve. 2016 , 11, 113-122	12
110	The Piano dell'Acqua Sinkholes (San Basile, Northern Calabria, Italy). 2016 , 75, 37-52	8
109	Drought prediction in Apalachicola-Chattahoochee-Flint River Basin using a semi-Markov model. 2016 , 82, 267-297	4
108	Application of copulas for regional bivariate frequency analysis of meteorological droughts in Turkey. 2016 , 82, 1457-1477	53
107	Characterization of seasonal droughts in Balochistan Province, Pakistan. 2016 , 30, 747-762	66
106	Stochastic analysis of long dry spells in Calabria (Southern Italy). 2017 , 127, 711-724	20
105	Multivariate drought frequency estimation using copula method in Southwest China. 2017 , 127, 977-991	24
104	Parameter estimation of copula functions using an optimization-based method. 2017 , 129, 21-32	18
103	Assessment of 21st century drought conditions at Shasta Dam based on dynamically projected water supply conditions by a regional climate model coupled with a physically-based hydrology model. 2017 , 586, 197-205	30
102	A stochastic programming approach to integrated water supply and wastewater collection network design problem. 2017 , 104, 107-127	17
101	Spatial comparability of drought characteristics and related return periods in mainland China over 1961-2013. 2017 , 550, 549-567	83

100	Robust Method to Quantify the Risk of Shortage for Water Supply Systems. 2017 , 22, 04017021	5
99	Evaluating the Characteristics of Multiyear Extreme Droughts in Semi-Arid Regions. 2017 , 4, 683-696	1
98	Spatial hydrological drought characteristics in Karkheh River basin, southwest Iran using copulas. 2017 , 126, 1	18
97	New View of Flood Frequency Incorporating Duration. 2017 , 22, 04017051	2
96	Characterization of future drought conditions in the Lower Mekong River Basin. 2017 , 17, 47-58	90
95	Key issues in drought preparedness: Reflections on experiences and strategies in the United States and selected countries. 2017 , 2, 32-42	4
94	Joint modelling of drought characteristics derived from historical and synthetic rainfalls: Application of Generalized Linear Models and Copulas. 2017 , 14, 167-181	19
93	The effect of land cover change on duration and severity of high and low flows. 2017 , 31, 133-149	24
92	An Entropy-Based Investigation into Bivariate Drought Analysis in China. 2017 , 9, 632	3
91	Ensemble reconstruction of spatio-temporal extreme low-flow events in France since 1871. 2017 , 21, 2923-2951	23
90	New approach in bivariate drought duration and severity analysis. 2018 , 559, 166-181	30
89	Multivariate Frequency Analysis of Meteorological Drought Using Copula. 2018 , 32, 1741-1758	16
88	Trivariate Copulas for Characterisation of Past and Future Droughts Over North-West Algeria. 2018 , 893-895	1
87	Estimation of return period and its uncertainty for the recent 2013-2015 drought in the Han River watershed in South Korea. 2018 , 49, 1313-1329	2
86	Water system characteristics of Karst river basins in South China and their driving mechanisms of hydrological drought. 2018 , 92, 1155-1178	5
85	Application of Archimedean Copulas to the Analysis of Drought Decadal Variation in China. 2018 , 54, 125-143	10
84	Synthetic Impacts of Internal Climate Variability and Anthropogenic Change on Future Meteorological Droughts over China. 2018 , 10, 1702	8
83	A bivariate distribution with Lomax and geometric margins. 2018 , 47, 405-422	2

82	Characteristics of meteorological droughts in northwestern India. 2018 , 94, 561-582	18
81	Assessment of regional drought risk under climate change using bivariate frequency analysis. 2018 , 32, 3439-3453	5
80	Drought Analysis Using Copulas. 2019 , 97-116	
79	Drought analysis using copula approach: a case study for Turkey. 2019 , 5, 243-260	4
78	Hydrologic Risk Assessment of Future Extreme Drought in South Korea Using Bivariate Frequency Analysis. 2019 , 11, 2052	10
77	Analysis of drought characteristics in southern Indonesia based on return period measurement. 2019 , 299, 012050	1
76	Toward coupling hydrological and meteorological drought characteristics in Lake Urmia Basin, Iran. 2019 , 138, 1511-1523	7
75	Evaluation of the Stationarity Assumption for Meteorological Drought Risk Estimation at the Multidecadal Scale in Contiguous United States. 2019 , 55, 5074	10
74	Copula based assessment of meteorological drought characteristics: Regional investigation of Iran. 2019 , 276-277, 107611	50
73	Three-dimensional identification of hydrological drought and multivariate drought risk probability assessment in the Luanhe River basin, China. 2019 , 137, 3055-3076	12
72	Assessment of Two Different Methods in Predicting Hydrological Drought from the Perspective of Water Demand. 2019 , 33, 1851-1865	5
71	Stochastic model for crop water stress during agricultural droughts. 2019 , 1, e12081	1
70	Jointly Modeling Drought Characteristics with Smoothed Regionalized SPI Series for a Small Island. 2019 , 11, 2489	7
69	Drought hotspot analysis and risk assessment using probabilistic drought monitoring and severity-duration-frequency analysis. 2019 , 33, 432-449	16
68	Analysis of streamflow droughts using fixed and variable thresholds. 2019 , 33, 414-431	11
67	Hydrological drought persistence and recovery over the CONUS: A multi-stage framework considering water quantity and quality. 2019 , 150, 97-110	25
66	Historical and future drought in Bangladesh using copula-based bivariate regional frequency analysis. 2019 , 135, 855-871	23
65	Integrated drought risk assessment of multi-hazard-affected bodies based on copulas in the Taoerhe Basin, China. 2019 , 135, 577-592	9

64	Development of copula-statistical drought prediction model using the Standardized Precipitation-Evapotranspiration Index. 2020 , 141-178	2
63	Regional Frequency Analysis of Droughts Using Copula Functions (Case Study: Part of Semiarid Climate of Fars Province, Iran). 2020 , 44, 1223-1235	5
62	On the rarity of the 2015 drought in India: A country-wide drought atlas using the multivariate standardized drought index and copula-based severity-duration-frequency curves. 2020 , 31, 100727	8
61	Meteorological drought risk in the Daqing River Basin, North China: current observations and future projections. 2020 , 34, 1795-1811	1
60	A New Method for Joint Frequency Analysis of Modified Precipitation Anomaly Percentage and Streamflow Drought Index Based on the Conditional Density of Copula Functions. 2020 , 34, 4217-4231	15
59	100 years of data is not enough to establish reliable drought thresholds. 2020 , 7, 100052	9
58	A multimodel assessment of drought characteristics and risks over the Huang-Huai-Hai River basin, China, under climate change. 2020 , 141, 601-613	6
57	Climate change impact assessment on mild and extreme drought events using copulas over Ankara, Turkey. 2020 , 141, 1045-1055	16
56	Two Ways to Quantify Korean Drought Frequency: Partial Duration Series and Bivariate Exponential Distribution, and Application to Climate Change. 2020 , 11, 476	4
55	Drought hazard transferability from meteorological to hydrological propagation. 2020 , 585, 124761	20
54	A Probabilistic Approach for Characterization of Sub-Annual Socioeconomic Drought Intensity-Duration-Frequency (IDF) Relationships in a Changing Environment. 2020 , 12, 1522	10
53	Analysis and Application of Drought Characteristics Based on Theory of Runs and Copulas in Yunnan, Southwest China. 2020 , 17,	9
52	An advanced data collection procedure in bivariate drought frequency analysis. 2020 , 34, 4067-4082	0
51	Multivariate Modeling of Projected Drought Frequency and Hazard over India. 2020 , 25, 04020003	20
50	Copula-Based Multivariate Frequency Analysis of the 2012-2018 Drought in Northeast Brazil. 2020 , 12, 834	17
49	Copula based analysis of meteorological drought and catchment resilience across Indian river basins. 2021 , 41, E1137	0
48	Stochastic model for drought analysis of the Colorado River Basin. 2021 , 35, 1637	0
47	Copula based analysis of meteorological, hydrological and agricultural drought characteristics across Indian river basins. 2021 , 41, 4637	28

46	Bivariate Drought Characterization of Two Contrasting Climatic Regions in India Using Copula. 2021 , 147, 05020005	3
45	Quantitative assessment of soybean drought risk in Bengbu city based on disaster loss risk curve and DSSAT. 2021 , 56, 102126	1
44	Bivariate Modelling of a Teleconnection Index and Extreme Rainfall in a Small North Atlantic Island. 2021 , 9, 86	0
43	Regional analysis of drought severity-duration-frequency and severity-area-frequency curves in the Godavari River Basin, India. 2021 , 41, 5481	2
42	Critical drought intensity-duration-frequency curves based on total probability theorem-coupled frequency analysis. 2021 , 66, 1337-1358	7
41	Copula-based risk evaluation of global meteorological drought in the 21st century based on CMIP5 multi-model ensemble projections. 2021 , 598, 126265	7
40	Spatio-temporal variation and future risk assessment of projected drought events in the Godavari River basin using regional climate models.	5
39	The Impact of Climate Change on Hydro-Meteorological Droughts Using Copula Functions. 2021 , 35, 3969	2
38	Copula-Based Drought Monitoring and Assessment According to Zonal and Meridional Temperature Gradients. 2021 , 12, 1066	1
37	Vulnerability to Water Shortage Under Current and Future Water Supply-Demand Conditions Across U.S. River Basins. 2021 , 9, e2021EF002278	1
36	Analyzing the duration frequency and severity of drought using copula function in the Yazd city.	1
35	Characterizing Drought Risk in a Sicilian River Basin. 2009 , 187-219	1
34	Drought Characterisation in the Mediterranean. 2009 , 69-80	8
33	Agriculture. 2009 , 121-159	1
32	Copulas-Based Drought Characteristics Analysis and Risk Assessment across the Loess Plateau of China. 2018 , 32, 547-564	30
31	Evaluation of Droughts in Seoul Using Two-Dimensional Drought Frequency Analysis. 2007 , 40, 335-343	4
30	Drought Risk Analysis Using Stochastic Rainfall Generation Model and Copula Functions. 2013 , 46, 425-437	10
29	Analyzing the drought event in 2015 through statistical drought frequency analysis. 2016 , 49, 177-186	2

28	A copula-based assessment of Bartlett-Lewis type of rainfall models for preserving drought statistics.	2
27	Design droughts as planning tool for ecosystem establishment in post-mining landscapes.	3
26	Research on drought in southwest China based on the theory of run and two-dimensional joint distribution theory. 2014 , 63, 230204	4
25	Sensitivity analysis of sample number on the drought descriptive model built by Copula function in southwest China. 2015 , 64, 100203	3
24	Hydrological Droughts Analysis Based on Copulas Function in the East River Basin, China. 2012 , 01, 110-118	
23	Drought Characteristics Analysis Using Copulas. 2012 , 01, 186-194	1
22	A development of trivariate drought frequency analysis approach using copula function. 2016 , 49,	
21	Research on meteorological drought in the middle and lower reaches of the Yangtze River. 2019 , 34, 374	0
20	Simulation of the occurrence of drought events via copulas. 25,	0
19	Spatiotemporal characteristics of agricultural droughts based on soil moisture data in Inner Mongolia from 1981 to 2019. 2021 , 603, 127104	1
18	Bivariate homogenous regions and projections based on copula function using RDI and SPI indices for drought risk assessment in Pakistan. 2021 , 14, 1	1
17	An integrated approach for shaping drought characteristics at the watershed scale. 2021 , 604, 127248	3
16	Appraisal of seasonal drought characteristics in Turkey during 1925-2016 with the standardized precipitation index and copula approach. 1	0
15	Assessing agricultural and hydrological drought vulnerability in a savanna ecological zone of Sub-Saharan Africa. 2022 , 111, 2431	0
14	Multivariate global agricultural drought frequency analysis using kernel density estimation. 2022 , 177, 106550	4
13	Agricultural drought risk assessment based on crop simulation, risk curves, and risk maps in Huaibei Plain of Anhui Province, China.	
12	Effect of the tide on flood modeling and mapping in Kota Tinggi, Johor, Malaysia. 1	0
11	Greedy copula segmentation of multivariate non-stationary time series for climate change adaptation. 2022 , 14, 100221	0

10	Trivariate Analysis of Changes in Drought Characteristics in the CMIP6 Multi-Model Ensemble at Global Warming Levels of 1.5, 2 and 3 °C. 2022 , 1-32	1
9	Spatial based drought assessment: Where are we heading? A review on the current status and future. 2022 , 844, 157239	0
8	Copula based multivariate analysis of hydro-meteorological drought.	0
7	Meteorological and hydrological drought hazard, frequency and propagation analysis: A case study in southeast Australia. 2022 , 44, 101229	0
6	Copula-based bivariate drought severity and duration frequency analysis considering spatial-temporal variability in the Ceyhan Basin, Turkey.	1
5	Spatial monitoring of meteorological drought characteristics based on the NASA POWER precipitation product over various regions of Iran.	0
4	Coupling Bayesian Network and copula theory for water shortage assessment: A case study in source area of the South-to-North Water Division Project (SNWDP). 2023 , 620, 129434	0
3	Bivariate Drought Risk Assessment for Water Planning Using Copula Function in Balochistan.	0
2	Copula-Based Assessment and Regionalization of Drought Risk in China. 2023 , 20, 4074	0
1	Identification and frequency analysis of drought-flood abrupt alternation events using a daily-scale standardized weighted average of the precipitation index. 11,	1