

CITATION REPORT

List of articles citing

Pathophysiology of hypertension during preeclampsia linking placental ischemia with endothelial dysfunction

DOI: 10.1161/01.hyp.38.3.718
Hypertension, 2001, 38, 718-22.

Source: <https://exaly.com/paper-pdf/32327547/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
325	Eclampsia and Strokes During Pregnancy and Postpartum. 606-620		
324	Endothelial factors. 2001 , 50-77		
323	Vascular mechanisms of increased arterial pressure in preeclampsia: lessons from animal models. 2002 , 283, R29-45		157
322	Endothelin-1 activity in pregnancy. 2002 , 22, 590-3		9
321	Angiotensin II receptor (type 1 and 2) expression peaks when placental growth is maximal in sheep. 2002 , 283, R972-82		7
320	Eclamptic encephalopathy: MRI, including diffusion-weighted images. 2002 , 44, 981-5		23
319	Association between G-308A polymorphism of the tumor necrosis factor-alpha gene and 24-hour ambulatory blood pressure values in type 1 diabetic adolescents. 2002 , 62, 474-7		10
318	Modern concept on the role of phagocytes in the pathogenesis of complications during pregnancy. 2002 , 134, 107-16		3
317	Randomized controlled trial using low-dose aspirin in the prevention of pre-eclampsia in women with abnormal uterine artery Doppler at 23 weeks' gestation. 2003 , 22, 233-9		131
316	Prostacyclin/thromboxane early changes in pregnancies that are complicated by preeclampsia. 2003 , 188, 986-92		53
315	Trophoblastic remodeling in normal and preeclamptic pregnancies: implication of cytokines. 2003 , 36, 323-31		74
314	Endothelin-1 promotes migration and induces elevation of [Ca ²⁺] _i and phosphorylation of MAP kinase of a human extravillous trophoblast cell line. 2003 , 201, 63-73		57
313	Maternal Autoantibodies From Preeclamptic Patients Active Angiotensin Receptors on Human Trophoblast Cells. 2003 , 10, 82-93		10
312	Abdominal pain during pregnancy. 2003 , 32, 1-58		105
311	The pharmacology of nitric oxide in the peripheral nervous system of blood vessels. 2003 , 55, 271-324		247
310	Zerebrale Perfusionsstörung und reversibles posteriores Leukenzephalopathie-Syndrom bei Eklampsie. 2003 , 63, 1110-1118		
309	Endothelial cells and peripheral blood mononuclear cells are a potential source of extraplacental activin a in preeclampsia. 2003 , 88, 5995-6001		26

308	Genetics of preeclampsia: what are the challenges?. 2003 , 25, 578-85		14
307	Efficacy of AT in pre-eclampsia: a case-control prospective trial. 2004 , 91, 283-9		32
306	Recent progress in the therapeutic management of pre-eclampsia. 2004 , 5, 2233-9		8
305	DYSMETABOLIC SYNDROME, PLACENTA-MEDIATED DISEASE AND FUTURE RISK OF CARDIOVASCULAR DISEASE. 2004 , 15, 231-246		13
304	Losartan for the treatment of hypertension and left ventricular hypertrophy: the Losartan Intervention For Endpoint reduction in hypertension (LIFE) study. 2004 , 5, 2311-20		7
303	An essential role for angiotensin II type 1a receptor in pregnancy-associated hypertension with intrauterine growth retardation. <i>FASEB Journal</i> , 2004 , 18, 388-90	0.9	39
302	Pancreatic islet blood flow during pregnancy in the rat: an increased islet mass is associated with decreased islet blood flow. 2004 , 180, 409-15		12
301	Upregulation of neutrophil surface adhesion molecules in infants of pre-eclamptic women. 2004 , 24, 208-12		8
300	Transcriptional regulation of the AT1 receptor gene in immortalized human trophoblast cells. 2004 , 1680, 158-70		11
299	The role of uterine artery Doppler in predicting adverse pregnancy outcome. 2004 , 18, 383-96		170
298	Thickening of the amnion basement membrane and its relationship to placental inflammatory lesions and fetal and maternal disorders. 2004 , 114, 171-6		5
297	Secretion of tumor necrosis factor-alpha from human placental tissues induced by hypoxia-reoxygenation causes endothelial cell activation in vitro: a potential mediator of the inflammatory response in preeclampsia. 2004 , 164, 1049-61		168
296	Inflammatory cytokines, vascular function, and hypertension. 2004 , 286, R989-90		35
295	Impact of genes related to immune tolerance and inflammation (tumour necrosis factor-alpha, interleukin-6) on blood pressure, protein excretion and oedema in pregnancy. 2005 , 23, 2187-91		18
294	Metabolic syndrome and the risk of placental dysfunction. 2005 , 27, 1095-101		43
293	Assessment of risk for the development of pre-eclampsia by maternal characteristics and uterine artery Doppler. 2005 , 112, 703-9		74
292	Changes in serum levels of heat shock protein 70 in preterm delivery and pre-eclampsia. 2005 , 31, 72-7		66
291	Placental dysfunction in Suramin-treated rats--a new model for pre-eclampsia. 2005 , 26, 410-8		21

290	Role of endothelin in mediating tumor necrosis factor-induced hypertension in pregnant rats. <i>Hypertension</i> , 2005 , 46, 82-6	8.5	160
289	Reduced uteroplacental perfusion alters uterine arcuate artery function in the pregnant Sprague-Dawley rat. 2005 , 72, 762-6		41
288	Reduced uterine perfusion pressure (RUPP) model for studying cardiovascular-renal dysfunction in response to placental ischemia. 2006 , 122, 383-92		126
287	Haplotypic association of DDAH1 with susceptibility to pre-eclampsia. 2005 , 11, 73-7		29
286	Involvement of marinobufagenin in a rat model of human preeclampsia. 2005 , 25, 520-8		73
285	Cardiovascular health after maternal placental syndromes (CHAMPS): population-based retrospective cohort study. 2005 , 366, 1797-803		724
284	A rat model of preeclampsia. 2005 , 27, 605-17		43
283	Serum T helper 1- and 2-type cytokines in preeclampsia. 2005 , 89, 288-90		11
282	Insulin and nitric oxide stimulates glucose transport in human placenta. 2005 , 76, 2643-53		24
281	Hyperhomocysteinemia in pregnant rats: effects on arterial pressure, kidneys and fetal growth. 2005 , 122, 177-81		8
280	Association of apolipoprotein J gene 866C-->T polymorphism with preeclampsia and essential hypertension. 2005 , 60, 133-8		8
279	Placenta and Trophoblast. 2005 ,		
278	Carbon monoxide inhibits hypoxia/reoxygenation-induced apoptosis and secondary necrosis in syncytiotrophoblast. 2006 , 169, 774-83		56
277	Hypoxia and reoxygenation: a possible mechanism for placental oxidative stress in preeclampsia. 2006 , 45, 189-200		209
276	Some thoughts on the vasculopathy of women with ischemic heart disease. 2006 , 47, S30-5		128
275	Autonomic cardiovascular control in pregnancies with abnormal uterine perfusion. 2006 , 19, 306-12		18
274	Monocytes of preeclamptic women spontaneously synthesize pro-inflammatory cytokines. 2006 , 118, 268-75		105
273	Androgen levels in the third trimester of pregnancy in patients with preeclampsia. 2006 , 126, 16-9		65

272	Organ systems dependent on nitric oxide and the potential for nitric oxide-targeted therapies in related diseases. 2006 , 8, 63-73		6
271	The role of excessive volume expansion in the pathogenesis of preeclampsia. 2006 , 67, 1125-32		19
270	Impact of genetic variation of tumor necrosis factor- β on gestational hypertension. 2006 , 119, 719-724		19
269	Mesenteric vascular responsiveness in a rat model of pregnancy-induced hypertension. 2006 , 231, 1398-402		25
268	Brief overview of maternal triglycerides as a risk factor for pre-eclampsia. 2006 , 113, 379-86		122
267	Immunological exposures in Norwegian agriculture and pre-eclampsia. 2006 , 20, 462-70		9
266	Endothelin, the kidney, and hypertension. 2006 , 8, 298-303		34
265	Metabolic syndrome and higher risk of maternal placental syndromes and cardiovascular disease. 2006 , 67, 607-611		7
264	Upregulation of endothelial cell Ca ²⁺ signaling contributes to pregnancy-enhanced vasodilation of rat uteroplacental arteries. 2006 , 290, H2124-35		17
263	Pregnancy prevents hypertensive remodeling of cerebral arteries: a potential role in the development of eclampsia. <i>Hypertension</i> , 2006 , 47, 619-26	8.5	42
262	Enhanced endothelin synthesis by endothelial cells exposed to sera from pregnant rats with decreased uterine perfusion. <i>Hypertension</i> , 2006 , 47, 615-8	8.5	73
261	Hypertension produced by reductions in uterine perfusion in the pregnant rat: role of interleukin 6. <i>Hypertension</i> , 2006 , 48, 711-6	8.5	116
260	Pre-eclampsia Versus Cardiovascular Disease Versus CRP. 2006 , 2, 317-323		
259	Neurovascular mechanisms of hypertension in pregnancy. 2006 , 3, 131-48		27
258	Cerebrovascular function in pregnancy and eclampsia. <i>Hypertension</i> , 2007 , 50, 14-24	8.5	141
257	Angiotensin receptors, autoimmunity, and preeclampsia. 2007 , 179, 3391-5		46
256	Interactions of Biologically Active Factors and Vascular Mediators During Hypertension in Pregnancy. 2007 , 3, 231-241		
255	Prenatal influences and endothelial dysfunction: a link between reduced placental perfusion and preeclampsia. <i>Hypertension</i> , 2007 , 49, 775-6	8.5	9

254	Response to Modeling Preeclampsia: The True Model for the Uniquely Human Disease Preeclampsia Is the Human Female Not the Pregnant Rat. <i>Hypertension</i> , 2007 , 49,	8.5	
253	Pregnancy-induced hypertension in women who were born small. <i>Hypertension</i> , 2007 , 49, 806-12	8.5	26
252	Potential roles of angiotensin receptor-activating autoantibody in the pathophysiology of preeclampsia. <i>Hypertension</i> , 2007 , 50, 269-75	8.5	71
251	Pathophysiology of Hypertension During Preeclampsia: Role of Inflammatory Cytokines. 2007 , 3, 69-74		0
250	Pregnancy prevents hypertensive remodeling and decreases myogenic reactivity in posterior cerebral arteries from Dahl salt-sensitive rats: a role in eclampsia?. 2007 , 292, H1071-6		25
249	Impact of maternal angiotensinogen M235T polymorphism and angiotensin-converting enzyme insertion/deletion polymorphism on blood pressure, protein excretion and fetal outcome in pregnancy. 2007 , 25, 1255-61		15
248	Effects of reduced uterine perfusion pressure on blood pressure and metabolic factors in pregnant rats. 2007 , 20, 686-91		42
247	Alpha 2,6-sialyltransferase I expression in the placenta of patients with preeclampsia. 2007 , 70, 152-8		4
246	Role of the Kidney in Hypertension. 2007 , 241-263		2
245	Effects of magnesium sulphate on placental expression of endothelin 1 and its receptors in preeclampsia. 2007 , 40, 976-80		2
244	Epigenetic control of fetal gene expression. 2008 , 115, 158-68		145
243	Suramin-restricted blood volume in the placenta of normal and diabetic rats is normalized by vitamin E treatment. 2007 , 28, 505-15		5
242	AT1-receptor autoantibodies and uteroplacental RAS in pregnancy and pre-eclampsia. 2008 , 86, 697-703		57
241	Analytical approaches to detect maternal/fetal genotype incompatibilities that increase risk of pre-eclampsia. 2008 , 9, 60		27
240	Angiotensin receptor agonistic autoantibodies induce pre-eclampsia in pregnant mice. 2008 , 14, 855-62		377
239	Use of antihypertensive drugs during pregnancy and lactation. 2008 , 26, 38-49		18
238	Pre-eclampsia outcomes in different hemodynamic models. 2008 , 34, 179-88		10
237	Eclampsia: a neurological perspective. 2008 , 271, 158-67		47

236	Cardiovascular sequelae of preeclampsia/eclampsia: a systematic review and meta-analyses. 2008 , 156, 918-30		617
235	Concentraciones de fido fico en pacientes con preeclampsia y eclampsia. 2008 , 35, 160-165		
234	Pathophysiology of hypertension in response to placental ischemia during pregnancy: a central role for endothelin?. 2008 , 5 Suppl A, S133-8		43
233	History of fetal growth restriction is more strongly associated with severe rather than milder pregnancy-induced hypertension. <i>Hypertension</i> , 2008 , 51, 1231-8	8.5	25
232	Recent progress toward the understanding of the pathophysiology of hypertension during preeclampsia. <i>Hypertension</i> , 2008 , 51, 982-8	8.5	113
231	Präeklampsie: Neue Erkenntnisse zur Pathogenese und Pathophysiologie. 2008 , 21, 78-83		
230	Preeclamptic sera induce nephrin shedding from podocytes through endothelin-1 release by endothelial glomerular cells. 2008 , 294, F1185-94		105
229	ECLAMPSIA AND STROKE DURING PREGNANCY AND THE PUERPERIUM. 515-528		2
228	Search for an association between V249I and T280M CX3CR1 genetic polymorphisms, endothelial injury and preeclampsia: the ECLAXIR study. 2009 , 4, e6192		14
227	Maternal serum activin a at 11-13 weeks of gestation in hypertensive disorders of pregnancy. 2009 , 25, 320-7		32
226	Preeclampsia-eclampsia and the risk of stroke among peripartum in Taiwan. 2009 , 40, 1162-8		105
225	Effects of hyperhomocysteinemia on arterial pressure and nitric oxide production in pregnant rats. 2009 , 22, 1115-9		3
224	Effects of 17-hydroxyprogesterone on tumor necrosis factor-alpha-induced hypertension during pregnancy. 2009 , 22, 1120-5		34
223	Therapeutic effects of anticoagulant agents on preeclampsia in a murine model induced by phosphatidylserine/phosphatidylcholine microvesicles. 2009 , 30, 1065-70		20
222	17-Hydroxyprogesterone blunts the hypertensive response associated with reductions in uterine perfusion pressure in pregnant rats. 2009 , 201, 324.e1-6		13
221	Is preeclampsia an autoimmune disease?. 2009 , 133, 1-12		40
220	First-trimester maternal serum matrix metalloproteinase-9 (MMP-9) and adverse pregnancy outcome. 2009 , 29, 553-9		45
219	Maternal plasma inhibin A at 11-13 weeks of gestation in hypertensive disorders of pregnancy. 2009 , 29, 753-60		52

218	Maternal plasma pentraxin 3 at 11 to 13 weeks of gestation in hypertensive disorders of pregnancy. 2009 , 29, 934-8	32
217	First-trimester maternal serum tumor necrosis factor receptor-1 and pre-eclampsia. 2009 , 33, 135-41	28
216	TNF-alpha regulates vascular smooth muscle cell responses in genetic hypertension. 2009 , 9, 837-43	19
215	Agonistic Autoantibody-Mediated Disease. 2009 , 287-296	2
214	Angiogenesis inhibition and preeclampsia. 2009 , 27, 707-8	3
213	Angiogenesis inhibition causes hypertension and placental dysfunction in a rat model of preeclampsia. 2009 , 27, 829-37	12
212	Hypertensive disorders in pregnancy: screening by biophysical and biochemical markers at 11-13 weeks. 2010 , 35, 662-70	106
211	Kidney disease after preeclampsia: a systematic review and meta-analysis. 2010 , 55, 1026-39	141
210	Decreased placental methylation at the H19/IGF2 imprinting control region is associated with normotensive intrauterine growth restriction but not preeclampsia. 2010 , 31, 197-202	136
209	Assessing the role of placental trisomy in preeclampsia and intrauterine growth restriction. 2010 , 30, 1-8	37
208	Role of endothelin in mediating soluble fms-like tyrosine kinase 1-induced hypertension in pregnant rats. <i>Hypertension</i> , 2010 , 55, 394-8	8.5 140
207	Thrombin-induced endothelin-1 synthesis and secretion in retinal pigment epithelial cells is rho kinase dependent. 2010 , 26, 389-97	7
206	. 2010 ,	3
205	Thromboxane synthase inhibitors and thromboxane A2 receptor antagonists: a quantitative structure activity relationships (QSARs) analysis. 2010 , 17, 3162-214	21
204	Interleukin-18 concentrations in pregnancies complicated by preeclampsia with and without IUGR: A comparison with normotensive pregnant women with isolated IUGR and healthy pregnant women. 2011 , 1, 206-12	4
203	Turning the pyramid of prenatal care. 2011 , 29, 183-96	245
202	Inflammatory responses to trivalent influenza virus vaccine among pregnant women. 2011 , 29, 8982-7	44
201	Oxidative Stress Pathway Driven by Inflammation in Gastric Mucosa. 2011 ,	1

200 References. **2011**, 377-400

- 199 The Evaluation of Hypoxia-Inducible Factor 1 in N-Nitro-L-Arginine Methyl Ester Preeclampsia Model of Pregnant Rats. **2011**, 59, 1268-1272 7
- 198 Vascular, renal and placental effects on pregnant offspring of protein-restricted rat dams. **2011**, 37, 343-51 2
- 197 Role of endothelin and inflammatory cytokines in pre-eclampsia - A pilot North Indian study. **2011**, 65, 428-32 26
- 196 Changes of platelets function in preeclampsia. **2011**, 6, 696-700 2
- 195 Association between tobacco use in pregnancy and placenta-associated syndromes: a population-based study. **2011**, 283, 729-34 48
- 194 Von Willebrand factor and ADAMTS13: a candidate couple for preeclampsia pathophysiology. **2011**, 31, 1703-9 50
- 193 Stroke in pregnant and postpartum women. **2011**, 9, 1235-47 28
- 192 Maternal serum adiponectin at 11-13 weeks of gestation in preeclampsia. **2011**, 29, 208-15 19
- 191 Hypertension in response to placental ischemia during pregnancy: role of B lymphocytes. *Hypertension*, **2011**, 57, 865-71 8.5 92
- 190 IL-6-induced pathophysiology during pre-eclampsia: potential therapeutic role for magnesium sulfate?. **2011**, 2011, 59-64 48
- 189 Maternal plasma P-selectin at 11 to 13 weeks of gestation in hypertensive disorders of pregnancy. **2011**, 30, 311-21 10
- 188 Placental ischemia impairs middle cerebral artery myogenic responses in the pregnant rat. *Hypertension*, **2011**, 58, 1126-31 8.5 30
- 187 Pre-eclampsia and maternal placental syndromes: an indicator or cause of long-term cardiovascular disease?. **2012**, 98, 1109-11 11
- 186 L-arginine supplementation abolishes the blood pressure and endothelin response to chronic increases in plasma sFlt-1 in pregnant rats. **2012**, 302, R259-63 32
- 185 Exercise training attenuates placental ischemia-induced hypertension and angiogenic imbalance in the rat. *Hypertension*, **2012**, 60, 1545-51 8.5 30
- 184 The role of nitrates in the prevention of preeclampsia: an update. **2012**, 24, 361-7 9
- 183 Early detection of maternal risk for preeclampsia. **2012**, 2012, 172808 15

182	Maternal hemodynamics at 11-13 weeks of gestation in pregnancies delivering small for gestational age neonates. 2012 , 32, 231-8	22
181	The association between preeclampsia and arterial stiffness. 2012 , 30, 17-33	124
180	Antioxidant supplementation in pregnant women with low antioxidant status. 2012 , 38, 1152-61	25
179	Elevated soluble endothelial cell protein C receptor (sEPCR) levels in women with preeclampsia: a marker of endothelial activation/damage?. 2012 , 129, 152-7	19
178	The relationship between circulating endothelin-1, soluble fms-like tyrosine kinase-1 and soluble endoglin in preeclampsia. 2012 , 26, 236-41	69
177	Association of degree and type of edema in posterior reversible encephalopathy syndrome with serum lactate dehydrogenase level: initial experience. 2012 , 81, 2844-7	29
176	Maternal hemodynamics at 11-13 weeks' gestation and risk of pre-eclampsia. 2012 , 40, 28-34	66
175	Pharmacologic effects of 2-methoxyestradiol on angiotensin type 1 receptor down-regulation in rat liver epithelial and aortic smooth muscle cells. 2012 , 9, 76-93	13
174	Psychoneuroimmunology in pregnancy: immune pathways linking stress with maternal health, adverse birth outcomes, and fetal development. 2012 , 36, 350-61	115
173	Role of Ureaplasma urealyticum in altering the endothelial metal concentration during preeclampsia. 2012 , 33, 304-11	3
172	Sympathetic activation during early pregnancy in humans. 2012 , 590, 3535-43	85
171	miR-210 inhibits trophoblast invasion and is a serum biomarker for preeclampsia. 2013 , 183, 1437-1445	104
170	Hypertension in pregnancy is a risk factor for microalbuminuria later in life. 2013 , 15, 617-23	26
169	Elucidating immune mechanisms causing hypertension during pregnancy. 2013 , 28, 225-33	52
168	Maternal serum visfatin at 11-13 weeks' gestation in preeclampsia. 2013 , 27, 261-4	14
167	Effect of morphine on the reduced uteroplacental perfusion model of pre-eclampsia in rats. 2013 , 168, 161-6	8
166	Maternal serum placental growth factor, pregnancy-associated plasma protein-a and free human chorionic gonadotrophin at 30-33 weeks in the prediction of pre-eclampsia. 2013 , 33, 164-72	24
165	Maternal serum cytokines at 30-33 weeks in the prediction of preeclampsia. 2013 , 33, 823-30	14

164	Progesterone blunts vascular endothelial cell secretion of endothelin-1 in response to placental ischemia. 2013 , 209, 44.e1-6	29
163	Serum proinflammatory cytokine responses to influenza virus vaccine among women during pregnancy versus non-pregnancy. 2013 , 70, 45-53	39
162	Increased placental phospholipid levels in pre-eclamptic pregnancies. 2013 , 14, 3487-99	21
161	Improving asthma during pregnancy with dietary antioxidants: the current evidence. 2013 , 5, 3212-34	13
160	Maternal serum tumour necrosis factor receptor 1 (TNF-R1) at 30-33 weeks in the prediction of preeclampsia. 2013 , 26, 763-7	3
159	Maternal serum activin-A at 30-33 weeks in the prediction of preeclampsia. 2013 , 26, 733-7	7
158	Enhancement of the HIF-1 α /15-LO/15-HETE axis promotes hypoxia-induced endothelial proliferation in preeclamptic pregnancy. 2014 , 9, e96510	10
157	Competing risk model in screening for preeclampsia by mean arterial pressure and uterine artery pulsatility index at 30-33 weeks' gestation. 2014 , 36, 18-27	19
156	Preeclampsia and future cardiovascular risk: are women and general practitioners aware of this relationship? The experience from a portuguese centre. 2014 , 2014, 531539	4
155	Early prediction of preeclampsia. 2014 , 2014, 297397	135
154	External validation of a model for periconceptual prediction of recurrent early-onset preeclampsia. 2014 , 33, 265-76	5
153	Sex differences in the developmental origins of cardiovascular disease. 2014 , 29, 122-32	47
152	Placental abruption as a significant risk factor for long-term cardiovascular mortality in a follow-up period of more than a decade. 2014 , 28, 32-8	39
151	Differential regulation of brain-derived neurotrophic factor in term and preterm preeclampsia. 2014 , 21, 230-5	21
150	Expression of G-protein subunit β 4 is increased in human placentas from preeclamptic pregnancies. 2014 , 62, 347-54	9
149	Competing risks model in screening for preeclampsia by biophysical and biochemical markers at 30-33 weeks' gestation. 2014 , 36, 9-17	28
148	Longitudinal changes in uterine artery Doppler and blood pressure and risk of pre-eclampsia. 2014 , 43, 541-7	36
147	Maternal hyperlipidemia and the risk of preeclampsia: a meta-analysis. 2014 , 180, 346-58	117

146	MiR-101 regulates apoptosis of trophoblast HTR-8/SVneo cells by targeting endoplasmic reticulum (ER) protein 44 during preeclampsia. 2014 , 28, 610-6	38
145	First-trimester maternal factors and biomarker screening for preeclampsia. 2014 , 34, 618-27	87
144	Association of inflammatory cytokines, lipid peroxidation end products and nitric oxide with the clinical severity and fetal outcome in preeclampsia in Indian women. 2014 , 29, 139-44	8
143	Diagnosis and management of pre-eclampsia: A clinical perspective on recent advances in the field. 2015 , 23, 252-258	3
142	Stroke in pregnancy and the puerperium. 2015 , 92-109	
141	Longitudinal changes in maternal corin and mid-regional proatrial natriuretic peptide in women at risk of pre-eclampsia. 2015 , 45, 190-8	25
140	Maternal Factors Affecting Serum Leptin Levels in Preeclampsia and Normotensive Pregnant Women and Outcome of Pregnancy. 2015 , 03,	
139	Preeclampsia: long-term consequences for vascular health. 2015 , 11, 403-15	93
138	Decorin-Mediated Inhibition of Human Trophoblast Cells Proliferation, Migration, and Invasion and Promotion of Apoptosis In Vitro. 2015 , 2015, 201629	15
137	Serum tumor necrosis factor- β level and uterine artery Doppler indices at 11-13 weeks' gestation for preeclampsia screening in low-risk pregnancies: a prospective observational study. 2015 , 109, 31-5	13
136	Pathophysiology of Hypertension. 2015 , 655-683	2
135	Flow cytometric assessment of endothelial and platelet microparticles in preeclampsia and their relation to disease severity and Doppler parameters. 2015 , 20, 154-9	18
134	Detection of early left ventricular dysfunction in patients with maternal placental syndrome using tissue Doppler and strain rate imaging. 2015 , 34, 80-9	4
133	Identification of Early-Onset Preeclampsia-Related Genes and MicroRNAs by Bioinformatics Approaches. 2015 , 22, 954-63	18
132	Morphological changes of red blood cells in peripheral blood smear of patients with pregnancy-related hypertensive disorders. 2015 , 46, 479-83	10
131	The role of arginine, homoarginine and nitric oxide in pregnancy. 2015 , 47, 1715-27	34
130	Four Pathways Involving Innate Immunity in the Pathogenesis of Preeclampsia. 2015 , 2, 20	17
129	A Role of sFlt-1 in Oxidative Stress and Apoptosis in Human and Mouse Pre-Eclamptic Trophoblasts. 2015 , 93, 73	30

128	Is there an association between a history of placental abruption and long-term maternal renal complications?. 2015 , 28, 1641-6	3
127	Maternal plasma cell-free DNA in the prediction of pre-eclampsia. 2015 , 45, 106-11	37
126	Lack of Thromboxane Synthase Prevents Hypertension and Fetal Growth Restriction after High Salt Treatment during Pregnancy. 2016 , 11, e0151617	6
125	The Pre-Eclampsia Ontology: A Disease Ontology Representing the Domain Knowledge Specific to Pre-Eclampsia. 2016 , 11, e0162828	5
124	Current best practice in the management of hypertensive disorders in pregnancy. 2016 , 9, 79-94	85
123	Serelaxin improves the pathophysiology of placental ischemia in the reduced uterine perfusion pressure rat model of preeclampsia. 2016 , 311, R1158-R1163	25
122	The atrial natriuretic peptide (ANP) knockout mouse does not exhibit the phenotypic features of pre-eclampsia or demonstrate fetal growth restriction. 2016 , 42, 25-7	2
121	Placental Ischemia and Resultant Phenotype in Animal Models of Preeclampsia. 2016 , 18, 38	38
120	Sympathetic neural and cardiovascular responses during static handgrip exercise in women with a history of hypertensive pregnancy. 2016 , 26, 395-405	8
119	Renal Interlobar Vein Impedance Index as a First-Trimester Marker Does Not Predict Hypertensive Disorders of Pregnancy. 2016 , 35, 2641-2648	5
118	The role of inflammation in the pathology of preeclampsia. 2016 , 130, 409-19	258
117	Endothelial dysfunction in DOCA-salt-hypertensive mice: role of neuronal nitric oxide synthase-derived hydrogen peroxide. 2016 , 130, 895-906	23
116	Volume regulatory hormones and plasma volume in pregnant women with sickle cell disorder. 2016 , 17,	4
115	Pregnancy as a window to future health: maternal placental syndromes and short-term cardiovascular outcomes. 2016 , 215, 484.e1-484.e14	90
114	Longitudinal changes in maternal serum placental growth factor and soluble fms-like tyrosine kinase-1 in women at increased risk of pre-eclampsia. 2016 , 47, 324-31	30
113	TNF-R1 as a first trimester marker for prediction of pre-eclampsia. 2016 , 29, 897-903	2
112	Finding NEMO in preeclampsia. 2016 , 214, 538.e1-538.e7	9
111	The use of ultrasound and other markers for early detection of preeclampsia. 2016 , 12, 199-207	17

110	Associations between pre-eclampsia and protein C and protein S levels among pregnant Nigerian women. 2017 , 137, 26-30	5
109	Exposure to placental ischemia impairs postpartum maternal renal and cardiac function in rats. 2017 , 312, R664-R670	23
108	Placental histopathology associated with pre-eclampsia: systematic review and meta-analysis. 2017 , 50, 295-301	64
107	Increased delta neutrophil index in women with severe preeclampsia. 2017 , 78, e12705	8
106	Impaired placentation in women with chronic hypertension who develop pre-eclampsia. 2017 , 50, 496-500	16
105	Mechanisms of Antiphospholipid Antibody-Mediated Pregnancy Morbidity. 2017 , 117-143	3
104	Antiphospholipid Syndrome. 2017 ,	3
103	Antihypertensive methyl dopa, labetalol, hydralazine, and clonidine reversed tumour necrosis factor- β -inhibited endothelial nitric oxide synthase expression in endothelial-trophoblast cellular networks. 2017 , 44, 421-427	7
102	Placental Proteomics Provides Insights into Pathophysiology of Pre-Eclampsia and Predicts Possible Markers in Plasma. 2017 , 16, 1050-1060	21
101	Association between insulin resistance and preeclampsia in obese non-diabetic women receiving metformin. 2017 , 10, 170-173	6
100	Effect of Endothelin-1 on proliferation, migration and fibrogenic gene expression in human RPE cells. 2017 , 94, 43-48	5
99	The long non-coding RNA PVT1 represses ANGPTL4 transcription through binding with EZH2 in trophoblast cell. 2018 , 22, 1272-1282	36
98	Reduction of Uterine Perfusion Pressure Induced Redistribution of Endothelin Receptor Type-B Between the Intima and Media Contributes to the Pathogenesis of Pregnancy-Induced Hypertension. 2017 , 44, 1715-1725	6
97	Recognition and Management of Preeclampsia. 2017 , 6, 348-358	
96	Cell-Free Fetal DNA for the Prediction of Pre-Eclampsia at the First and Second Trimesters: A Systematic Review and Meta-Analysis. 2017 , 21, 125-135	26
95	Long Non-Coding RNA Uc.187 Is Upregulated in Preeclampsia and Modulates Proliferation, Apoptosis, and Invasion of HTR-8/SVneo Trophoblast Cells. 2017 , 118, 1462-1470	26
94	Pre-eclampsia: overview on the role of biomarkers in 2016. 2017 , 75, 245-258	1
93	Screening for Preeclampsia. 2018 , 5, 31-36	

92	Differential responses of mesenteric arterial bed to vasoactive substances in L-NAME-induced preeclampsia: Role of oxidative stress and endothelial dysfunction. 2018 , 40, 126-135	11
91	What is precise pathophysiology in development of hypertension in pregnancy? Precision medicine requires precise physiology and pathophysiology. 2018 , 23, 286-299	11
90	Determinants of premature rupture of membrane in Southern Ethiopia, 2017: case control study design. 2018 , 11, 927	14
89	The Association between Dietary Vitamin C/E and Gestational Hypertensive Disorder: A Case-Control Study. 2018 , 64, 454-465	6
88	Conditional and interaction gene-set analysis reveals novel functional pathways for blood pressure. 2018 , 9, 3768	23
87	A comparative study of oral nifedipine and intravenous labetalol in control of acute hypertension in severe pre-eclampsia and eclampsia. 2018 , 7, 719	
86	Candidate Gene, Genome-Wide Association and Bioinformatic Studies in Pre-eclampsia: a Review. 2018 , 20, 91	10
85	Association Between Gestational Hypertension and Risk of Cardiovascular Disease Among 617 589 Norwegian Women. 2018 , 7,	61
84	Combination of Genetic Markers and Age Effectively Facilitates the Identification of People with High Risk of Preeclampsia in the Han Chinese Population. 2018 , 2018, 4808046	5
83	The role of epigenetic changes in preeclampsia. 2019 , 45, 712-724	31
82	Risk Factor and Biomarker of Preeclampsia. 2019 ,	0
81	Cross-Talk between Oxidative Stress and Inflammation in Preeclampsia. 2019 , 2019, 8238727	60
80	Cerebrovascular disease after placental abruption: A population-based prospective cohort study. 2019 , 93, e1148-e1158	5
79	Endothelin: 30 Years From Discovery to Therapy. <i>Hypertension</i> , 2019 , 74, 1232-1265	8.5 60
78	Prenatal exposure to perfluoroalkyl and polyfluoroalkyl substances and the risk of hypertensive disorders of pregnancy. 2019 , 18, 5	44
77	Immunomodulation and preeclampsia. 2019 , 60, 87-96	30
76	Elevated diastolic blood pressure until mid-gestation is associated with preeclampsia and small-for-gestational-age birth: a population-based register study. 2019 , 19, 186	7
75	Long Noncoding RNA in Preeclampsia: Transcriptional Noise or Innovative Indicators?. 2019 , 2019, 5437621	24

74	Placental CX3CL1 is Deregulated by Angiotensin II and Contributes to a Pro-Inflammatory Trophoblast-Monocyte Interaction. 2019 , 20,	8
73	Placental nitric oxide formation and endothelium-dependent vasodilation underlie pravastatin effects against angiogenic imbalance, hypertension in pregnancy and intrauterine growth restriction. 2019 , 124, 385-393	12
72	Hypertension in Pregnancy. 2020 , 455-483	
71	Quercetin attenuates reduced uterine perfusion pressure -induced hypertension in pregnant rats through regulation of endothelin-1 and endothelin-1 type A receptor. 2020 , 19, 180	4
70	Adaptations in autonomic nervous system regulation in normal and hypertensive pregnancy. 2020 , 171, 57-84	3
69	Preeclampsia and Kidney Disease: Deciphering Cause and Effect. 2020 , 22, 91	12
68	Association between circulating visfatin and pre-eclampsia: a systematic review and meta-analysis. 2020 , 1-13	
67	Genetic susceptibility analysis of GCLC rs17883901 polymorphism to preeclampsia in Chinese Han women. 2020 , 36, 781-785	3
66	Maternal Adverse Outcomes in Hypertensive Disorders of Pregnancy and Their Association with Serum Adiponectin and Redox Markers. 2020 , 1-17	1
65	Role of oxygen in fetoplacental endothelial responses: hypoxia, physiological normoxia, or hyperoxia?. 2020 , 318, C943-C953	7
64	Long non-coding RNA HOTAIR modulates the progression of preeclampsia through inhibiting miR-106 in an EZH2-dependent manner. 2020 , 253, 117668	18
63	Cys-peptide mediates the protective role in preeclampsia-like rat and cell models. 2020 , 251, 117625	4
62	Thromboelastography (TEG) in normal pregnancy and its diagnostic efficacy in patients with gestational hypertension, gestational diabetes mellitus, or preeclampsia. 2021 , 35, e23623	4
61	Endothelial cell disruption drives increased blood-brain barrier permeability and cerebral edema in the Dahl SS/jr rat model of superimposed preeclampsia. 2021 , 320, H535-H548	2
60	Hippocampal network dysfunction as a mechanism of early-onset dementia after preeclampsia and eclampsia. 2021 , 199, 101938	4
59	A randomised double-blind comparison of phenylephrine and norepinephrine for the management of postspinal hypotension in pre-eclamptic patients undergoing caesarean section. 2021 , 38, 1077-1084	3
58	Association of Circulating miRNA Expression with Preeclampsia, Its Onset, and Severity. 2021 , 11,	2
57	Serum from patients with hypertension promotes endothelial dysfunction to induce trophoblast invasion through the miR-27b-3p/ATPase plasma membrane Ca transporting 1 axis. 2021 , 23,	3

56	Prediction of preeclampsia throughout gestation with maternal characteristics and biophysical and biochemical markers: a longitudinal study.. 2022 , 226, 126.e1-126.e22	2
55	The Role of HIV Infection in the Pathophysiology of Gestational Diabetes Mellitus and Hypertensive Disorders of Pregnancy. 2021 , 8, 613930	3
54	The Role of Oxidative Stress in Hypertensive Disorders of Pregnancy (Preeclampsia, Gestational Hypertension) and Metabolic Disorder of Pregnancy (Gestational Diabetes Mellitus). 2021 , 2021, 5581570	13
53	Obesity-associated cardiovascular risk in women: hypertension and heart failure. 2021 , 135, 1523-1544	1
52	Hypoxia and the integrated stress response promote pulmonary hypertension and preeclampsia: Implications in drug development. 2021 , 26, 2754-2773	3
51	Placental morphology and the prediction of underlying cardiovascular risk factors. 2021 , 263, 56-61	
50	Pathological AT1R-B2R Protein Aggregation and Preeclampsia. 2021 , 10,	1
49	TNF β blockade reverses vascular and uteroplacental matrix metalloproteinases imbalance and collagen accumulation in hypertensive pregnant rats. 2021 , 193, 114790	
48	Imaging of the Fetus and the Uteroplacental Blood Supply: Ultrasound. 87-96	1
47	Fatty Acids, Cell Signaling, and Cardiovascular Risk. 2007 , 187-203	1
46	Maternal Cardiovascular Disease and Fetal Growth and Development. 2004 , 142-160	1
45	Maternal titanium dioxide nanomaterial inhalation exposure compromises placental hemodynamics. 2019 , 367, 51-61	16
44	REVERSIBLE CEREBRAL VASOCONSTRICTION SYNDROMES. 505-514	2
43	Endothelin-dependent vasoconstriction in human uterine artery: application to preeclampsia. 2011 , 6, e16540	6
42	Upregulation of long noncoding RNA SPRY4-IT1 modulates proliferation, migration, apoptosis, and network formation in trophoblast cells HTR-8SV/neo. 2013 , 8, e79598	74
41	New conception for the development of hypertension in preeclampsia. 2016 , 7, 78387-78395	13
40	Vascular and cellular calcium in normal and hypertensive pregnancy. 2009 , 4, 172-90	15
39	Spot urine protein/creatinine ratio: A quick and accurate method for diagnosis of pre-eclampsia. 2013 , 03, 609-612	2

38	Progesterone Induced Blocking Factor Reduces Hypertension and Placental Mitochondrial Dysfunction in Response to sFlt-1 during Pregnancy. 2021 , 10,			1
37	Diagnosis and Management of the HELLP Syndrome. 2009 , 337-341			3
36	Maternal Cardiovascular Disease and Fetal Growth and Development. 2011 , 172-192			
35	The Association of Psychological Stress Related Cytokines (TNF Alpha, IFN-Gamma) with Essential Hypertension in Ningxia Hui Autonomous Region. 2013 , 03, 276-282			
34	Etiopathogenesis of hypertension in pregnant women. 2015 , 69, 69-75			
33	Cord Blood Butyrylcholinesterase Activities in Normal Pregnant and Preeclamptic Women. 2016 , 4,			
32	THE ROLE OF BIOCHEMICAL MARKERS IN THE RISK STRATIFICATION FOR DEVELOPMENT OF PREECLAMPSIA: THE CLINICIANS VIEW. 2017 , 4, 181-186			
31	New concepts in the screening of preterm preeclampsia. 2018 , 4, 8			
30	Comparative study of oral nifedipine versus intravenous labetalol in severe hypertension in pregnancy: A randomized controlled study. 2020 , 7, 75-80			1
29	Maternal lipid profile and risk of pre-eclampsia in African pregnant women: A systematic review and meta-analysis. 2020 , 15, e0243538			5
28	INVESTIGATION OF SFLT-1 AND VEGF EXPRESSION IN NORMOTENSIVE AND PREECLAMPTIC PLACENTA. AN IMMUNOHISTOCHEMICAL STUDY. 2020 , 5, 206-214			
27	The role of immune activation in contributing to vascular dysfunction and the pathophysiology of hypertension during preeclampsia. <i>Minerva Ginecologica</i> , 2010 , 62, 105-20	1.2		69
26	Endothelial dysfunction. An important mediator in the pathophysiology of hypertension during pre-eclampsia. <i>Minerva Ginecologica</i> , 2012 , 64, 309-20	1.2		53
25	Endothelin-1 is not a Mechanism of IL-17 Induced Hypertension during Pregnancy. 2013 , 1,			10
24	Integrated Metabolomic and Lipidomic Analysis in the Placenta of Preeclampsia.. <i>Frontiers in Physiology</i> , 2022 , 13, 807583	4.6		1
23	A Cross-Sectional Study Investigating the Association of Serum Iron Concentration and Platelet Count as a Risk Biomarker among the Pregnancy-Induced Hypertensive Women in the Highlands Western Ghats of Nilgiris.. <i>Indian Journal of Community Medicine</i> , 2022 , 47, 125-129	0.8		0
22	To associate the fetal distress, IUD and IUGR observed in normal, diabetic and hypertensive pregnancies. <i>Pakistan Biomedical Journal</i> , 2021 , 5,			0
21	Urinary Protein-to-Creatinine Ratio: An Indicator of Adverse Clinical Outcomes in Preeclampsia With Proteinuria.. <i>Cureus</i> , 2022 , 14, e23341	1.2		

- 20 Preeclampsia and Gestational Hypertension: Biochemical and Antioxidant Features in Vitro Might Help Understand Different Outcomes.. *Revista Brasileira De Ginecologia E Obstetricia*, **2021**, 43, 894-903 1.1
- 19 The Effect of Mokuboito in the Puerperium Lung Edema. *Kampo Medicine*, **2020**, 71, 352-361 0.1
- 18 Midgestation Leptin Infusion Induces Characteristics of Clinical Preeclampsia in Mice, Which Is Ablated by Endothelial Mineralocorticoid Receptor Deletion.. *Hypertension*, **2022**, 101161 HYPERTENSIONAHA 12118832 8.5
- 17 Amount of Proteinuria and Duration of Expectant Management in Severe Preeclampsia. *American Journal of Perinatology*, 3.3
- 16 Downregulation of miR-1270 mediates endothelial progenitor cell function in preeclampsia: Role for ATM in the Src/VE-cadherin axis. *FASEB Journal*, **2022**, 36, 0.9 0
- 15 Is there a role of proinflammatory cytokines on degenerin-mediated cerebrovascular function in preeclampsia?. *Physiological Reports*, **2022**, 10, 2.6
- 14 Long-term sequelae of adverse pregnancy outcomes. *Maturitas*, **2022**, 165, 1-7 5 0
- 13 The Role of Different Lymphoid Cell Populations in Preeclampsia Pathophysiology. 10.34067/KID.0001282022 0
- 12 Atheroprone fluid shear stress-regulated ALK1-Endoglin-SMAD signaling originates from early endosomes. **2022**, 20, 0
- 11 High concentration of first-measured HCG after embryo transfer is associated with subsequent development of pre-eclampsia. **2022**, 0
- 10 In utero exposure to per-/polyfluoroalkyl substances (PFASs): Preeclampsia in pregnancy and low birth weight for neonates. **2023**, 313, 137490 0
- 9 Determinants of Preeclampsia Among Pregnant Women in Public Hospitals of Wolaita and Dawuro Zones, Southern Ethiopia: A CaseControl Study. **2022**, 3, 964-970 0
- 8 Protein O-GlcNAcylation as a nutrient sensor signaling placental dysfunction in hypertensive pregnancy. 13, 0
- 7 CorinThe Early Marker of Preeclampsia in Pregestational Diabetes Mellitus. **2023**, 12, 61 0
- 6 Berberine hydrochloride inhibits migration ability via increasing inducible NO synthase and peroxynitrite in HTR-8/SVneo cells. **2023**, 305, 116087 0
- 5 A strong Association between Plasminogen Activator Inhibitor Type - 1 (-657 4G/5G PAI-1) and the Development of Pre-eclampsia. 0
- 4 Vascular and renal mechanisms of preeclampsia. **2023**, 33, 100655 0
- 3 Hypertensive Disorders of Pregnancy and the Cardiovascular System: Causes, Consequences, Therapy, and Prevention. 0

- 2 Inhibition of angiotensin II type 1 receptor agonistic autoantibodies by direct binding does not impact reduced uterine perfusion pressure offspring birthweight and blood pressure at adulthood. **2023**, 5, 100945 ○
- 1 Observation of increased levels of autophagy-related genes and proteins in women with preeclampsia: a clinical study. ○