

CITATION REPORT

List of articles citing

Biogeography and ecological setting of Indian Ocean hydrothermal vents

DOI: 10.1126/science.1064574
Science, 2001, 294, 818-23.

Source: <https://exaly.com/paper-pdf/32328146/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
271	References. 387-441		
270	A new species of the genus <i>Rimicaris</i> (Alvinocarididae: Caridea: Decapoda) from the active hydrothermal vent field, "Kairei Field," on the Central Indian Ridge, the Indian Ocean. 2002 , 19, 1167-74		28
269	Neutrophilic Fe-oxidizing bacteria are abundant at the Loihi Seamount hydrothermal vents and play a major role in Fe oxide deposition. 2002 , 68, 3085-93		339
268	Further Readings in Geomicrobiology. <i>Geomicrobiology Journal</i> , 2002 , 19, 133-137	2.5	
267	Evolution and biogeography of deep-sea vent and seep invertebrates. <i>Science</i> , 2002 , 295, 1253-7	33.3	424
266	Iodine chemistry reflects productivity and denitrification in the Arabian Sea: evidence for flux of dissolved species from sediments of western India into the OMZ. 2002 , 49, 2303-2318		60
265	Understanding the biogeography of chemosynthetic ecosystems. 2002 , 25, 227-241		56
264	Trophic relationships among invertebrates at the Kairei hydrothermal vent field (Central Indian Ridge). 2002 , 141, 761-772		47
263	Neurons in medial prefrontal cortex signal memory for fear extinction. 2002 , 420, 70-4		1480
262	Adaptive visual metamorphosis in a deep-sea hydrothermal vent crab. 2002 , 420, 68-70		43
261	Volcanoes, Fluids, and Life at Mid-Ocean Ridge Spreading Centers. 2002 , 30, 385-491		319
260	Dispersal at hydrothermal vents: a summary of recent progress. 2003 , 503, 9-19		50
259	A revision of stalked barnacles (Cirripedia: Thoracica: Scalpellomorpha: Eolepadidae: Neolepadinae) associated with hydrothermalism, including a description of a new genus and species from a volcanic seamount off Papua New Guinea. 2003 , 32, 77-93		16
258	Biochemical characteristics of alga-bacterial mats and invertebrates from shallow-water hydrothermal fields of the West Pacific Ocean. 2003 , 65, 73-80		3
257	Microbial diversity of a sulphide spire located in the Edmond deep-sea hydrothermal vent field on the Central Indian Ridge. 2003 , 1, 119-127		51
256	Are hydrothermal vent animals living fossils?. 2003 , 18, 582-588		162
255	A hot-vent gastropod with iron sulfide dermal sclerites. <i>Science</i> , 2003 , 302, 1007	33.3	76

254	Sulfurihydrogenibium subterraneum gen. nov., sp. nov., from a subsurface hot aquifer. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003 , 53, 823-827	2.2	71
253	Molecular characterization of community structures and sulfur metabolism within microbial streamers in Japanese hot springs. 2003 , 69, 7044-57		48
252	Functional morphology and feeding strategy of the hydrothermal-vent polychaete Archinome rosacea (Family Archinomidae). 2003 , 81, 582-590		7
251	Persephonella hydrogeniphila sp. nov., a novel thermophilic, hydrogen-oxidizing bacterium from a deep-sea hydrothermal vent chimney. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003 , 53, 863-869	2.2	64
250	Kinetic isotope effect and characterization of form II RubisCO from the chemoautotrophic endosymbionts of the hydrothermal vent tubeworm Riftia pachyptila. 2003 , 48, 48-54		69
249	BIOGEOGRAPHY OF DEEP-WATER CHEMOSYNTHETIC ECOSYSTEMS (CHESS): EXPLORING THE SOUTHERN OCEANS. 2003 , 67, 168		3
248	Hydrogenivirga caldilitoris gen. nov., sp. nov., a novel extremely thermophilic, hydrogen- and sulfur-oxidizing bacterium from a coastal hydrothermal field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 2079-2084	2.2	30
247	EARLY JURASSIC HYDROTHERMAL VENT COMMUNITY FROM THE FRANCISCAN COMPLEX, CALIFORNIA. 2004 , 78, 542-559		36
246	Thermodesulfatator indicus gen. nov., sp. nov., a novel thermophilic chemolithoautotrophic sulfate-reducing bacterium isolated from the Central Indian Ridge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 227-233	2.2	68
245	Geochemical and microbiological evidence for a hydrogen-based, hyperthermophilic subsurface lithoautotrophic microbial ecosystem (HyperSLiME) beneath an active deep-sea hydrothermal field. 2004 , 8, 269-82		249
244	Genetic heterogeneity among New Zealand species of hydrothermal vent mussels (Mytilidae: Bathymodiolus). 2004 , 144, 537-545		37
243	Microbial diversity in inactive chimney structures from deep-sea hydrothermal systems. 2004 , 47, 186-96		70
242	Phylogenetic diversity of sulfate-reducing prokaryotes in active deep-sea hydrothermal vent chimney structures. 2004 , 232, 145-52		50
241	Abundance of reverse tricarboxylic acid cycle genes in free-living microorganisms at deep-sea hydrothermal vents. 2004 , 70, 6282-9		118
240	TEM-EELS study of natural ferrihydrite from geological/biological interactions in hydrothermal systems. 2004 , 222, 947-957		47
239	Novel forms of structural integration between microbes and a hydrothermal vent gastropod from the Indian Ocean. 2004 , 70, 3082-90		120
238	Volatiles in Submarine Environments: Food for Life. 2004 , 167-189		15
237	A new species of Alvinocaris (Crustacea: Decapoda: Alvinocarididae) and new records of alvinocaridids from hydrothermal vents north of New Zealand. <i>Zootaxa</i> , 2004 , 444, 1	0.5	28

236	Variability in microbial community and venting chemistry in a sediment-hosted backarc hydrothermal system: Impacts of seafloor phase-separation. 2005 , 54, 141-55		137
235	Decapod crustaceans from hydrothermal vents and cold seeps: a review through 2005. <i>Zoological Journal of the Linnean Society</i> , 2005 , 145, 445-522	2.4	107
234	A new bathymodioline mussel symbiosis at the Juan de Fuca hydrothermal vents. 2005 , 148, 109-116		29
233	A new species of the shrimp genus <i>Chorocaris</i> (Decapoda: Caridea: Alvinocarididae) from hydrothermal vents in the eastern Pacific Ocean. 2005 , 118, 183-198		13
232	Novel chemoautotrophic endosymbiosis between a member of the Epsilonproteobacteria and the hydrothermal-vent gastropod <i>Alviniconcha</i> aff. <i>hessleri</i> (Gastropoda: Provannidae) from the Indian Ocean. 2005 , 71, 5440-50		81
231	A revision of the genus <i>Alvinocaris</i> Williams and Chace (Crustacea: Decapoda: Caridea: Alvinocarididae), with descriptions of a new genus and a new species of <i>Alvinocaris</i> . <i>Journal of Natural History</i> , 2005 , 39, 1111-1175	0.5	49
230	A new species of sea anemone (Cnidaria: Anthozoa: Actiniaria) from Manus Basin hydrothermal vents, South-western PacificView all notes. 2005 , 1, 326-337		8
229	Deep-sea and shallow-water hydrothermal vent communities: Two different phenomena?. 2005 , 224, 5-39		205
228	Iron (II) distribution and oxidation kinetics in hydrothermal plumes at the Kairei and Edmond vent sites, Indian Ocean. 2005 , 236, 588-596		63
227	Composition and Biogeography of Hydrothermal Vent Communities in Western Pacific Back-Arc Basins. 2006 , 215-234		21
226	Physiological Ecology of Back-Arc Basin Fauna: Explorations of the Known and Unknown. 2006 , 235-241		1
225	Marine Chemosynthetic Symbioses. 2006 , 475-507		82
224	Molecular Basis of Symbiosis. 2006 ,		3
223	Chemistry of vent fluids and its implications for subsurface conditions at Sea Cliff hydrothermal field, Gorda Ridge. <i>Geochemistry, Geophysics, Geosystems</i> , 2006 , 7, n/a-n/a	3.6	15
222	Geochemical controls on hydrothermal fluids from the Kairei and Edmond Vent Fields, 23°25'S, Central Indian Ridge. <i>Geochemistry, Geophysics, Geosystems</i> , 2006 , 7, n/a-n/a	3.6	114
221	Hydrothermal exploration of the Fonualei Rift and Spreading Center and the Northeast Lau Spreading Center. <i>Geochemistry, Geophysics, Geosystems</i> , 2006 , 7, n/a-n/a	3.6	27
220	Sulfides in Biosystems. 2006 , 61, 679-714		45
219	Biogeochemical Cycles of Sulfur and Nitrogen in the Archean Ocean and Atmosphere. 2006 , 305-320		9

218	Low temperature volatile production at the Lost City Hydrothermal Field, evidence from a hydrogen stable isotope geothermometer. 2006 , 229, 331-343		210
217	Hydrothermal vent meiobenthos associated with mytilid mussel aggregations from the Mid-Atlantic Ridge and the East Pacific Rise. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2006 , 53, 1363-1378	2.5	42
216	Characterization and quantitation of a tertiary mixture of salts by Raman spectroscopy in simulated hydrothermal vent fluid. 2006 , 60, 773-80		13
215	Hydrocarbon seep and hydrothermal vent paleoenvironments and paleontology: Past developments and future research directions. 2006 , 232, 362-407		391
214	13. Sulfides in Biosystems. 2006 , 679-714		2
213	Evolutionary relationships of deep-sea mussels inferred by mitochondrial DNA sequences. 2006 , 149, 1111-1122		25
212	Presence of postlarval alvinocaridid shrimps over south-west Indian Ocean hydrothermal vents, with comparisons of the pelagic biomass at different vent sites. 2006 , 86, 125-128		7
211	Symbioses of methanotrophs and deep-sea mussels (Mytilidae: Bathymodiolinae). 2006 , 41, 227-49		19
210	"Candidatus Thiobios zoothamnicoli," an ectosymbiotic bacterium covering the giant marine ciliate <i>Zoothamnium niveum</i> . 2006 , 72, 2014-21		61
209	Ecology. Danger of deep-sea mining. <i>Science</i> , 2007 , 316, 987	33.3	52
208	Stable isotope evidence for identification of chemosynthesis-based fossil bivalves associated with cold-seepages. 2007 , 245, 411-420		15
207	New species of <i>Munidopsis</i> (Decapoda: Anomura: Galatheidae) from hydrothermal vent areas of Indian and Pacific Oceans. 2007 , 88, 111-117		7
206	Microbial diversity of Indian Ocean hydrothermal vent plumes: microbes tolerant of desiccation, peroxide exposure, and ultraviolet and gamma-irradiation. 2007 , 7, 416-31		19
205	Biodiversity and Biogeography of Hydrothermal Vent Species: Thirty Years of Discovery and Investigations. 2007 , 20, 30-41		55
204	Ultraslow-Spreading Ridges: Rapid Paradigm Changes. 2007 , 20, 90-101		150
203	The influence of ultramafic rocks on microbial communities at the Logatchev hydrothermal field, located 15 degrees N on the Mid-Atlantic Ridge. 2007 , 61, 97-109		66
202	Microbe-related precipitation of iron and silica in the Edmond deep-sea hydrothermal vent field on the Central Indian Ridge. 2007 , 52, 3233-3238		10
201	Hydrothermal plume anomalies along the Central Indian Ridge. 2008 , 53, 2527-2535		8

200	Proteomics of marine bacteria. 2008 , 29, 2603-16		25
199	Methane, manganese, and helium-3 in newly discovered hydrothermal plumes over the Central Indian Ridge, 18°20'S. <i>Geochemistry, Geophysics, Geosystems</i> , 2008 , 9, n/a-n/a	3.6	38
198	Geological background of the Kairei and Edmond hydrothermal fields along the Central Indian Ridge: Implications of their vent fluids' distinct chemistry. 2008 , 8, 239-251		90
197	Metabolic rates and thermal tolerances of chemoautotrophic symbioses from Lau Basin hydrothermal vents and their implications for species distributions. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2008 , 55, 679-695	2.5	41
196	An unusual new gastropod from an Eocene hydrocarbon seep in Washington State. 2008 , 82, 188-191		16
195	Interactions of Deep-Sea Vent Invertebrates with Their Environment: The Case of <i>Rimicaris exoculata</i> . 2008 , 27, 79-90		33
194	<i>Thermosulfidibacter takaii</i> gen. nov., sp. nov., a thermophilic, hydrogen-oxidizing, sulfur-reducing chemolithoautotroph isolated from a deep-sea hydrothermal field in the Southern Okinawa Trough. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008 , 58, 659-65	2.2	27
193	Taxonomic Review of the Hydrothermal Vent Shrimp Genera <i>Rimicaris</i> Williams & Rona and <i>Chorocaris</i> Martin & Hessler (Crustacea: Decapoda: Caridea: Alvinocarididae). 2008 , 27, 21-41		24
192	Absence of Cospeciation Between Deep-Sea Mytilids and Their Thiotrophic Endosymbionts. 2008 , 27, 129-138		51
191	<i>Hydrogenivirga okinawensis</i> sp. nov., a thermophilic sulfur-oxidizing chemolithoautotroph isolated from a deep-sea hydrothermal field, Southern Okinawa Trough. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008 , 58, 676-81	2.2	19
190	Biology of the Vent Crab <i>Bythograea thermydron</i> : A Brief Review. 2008 , 27, 63-77		11
189	Two new species of flatworms (Platyhelminthes: Polycladida) from the continental slope of the Gulf of Mexico. 2008 , 88, 1363-1370		7
188	Elemental Mobilizations during Hydrothermal Alteration of Oceanic Lithosphere. 2008 , 117, 220-252		3
187	Biogeographic relationships among deep-sea hydrothermal vent faunas at global scale. 2008 ,		
186	Dispersal and Differentiation of Deep-Sea Mussels of the Genus <i>Bathymodiolus</i> (Mytilidae, Bathymodiolinae). 2009 , 2009, 1-15		34
185	Isolation and identification of <i>Rhodospiridium diobovatum</i> DS-0205 from deep-sea sediment of eastern Pacific Ocean. 2009 , 16, 942-947		3
184	Microbial diversity of a sulfide black smoker in main endeavour hydrothermal vent field, Juan de Fuca Ridge. 2009 , 47, 235-47		34
183	Cryptic species, phenotypic plasticity, and complex life histories: Assessing deep-sea faunal diversity with molecular markers. 2009 , 56, 1713-1723		75

182	Serpentinized troctolites exposed near the Kairei Hydrothermal Field, Central Indian Ridge: Insights into the origin of the Kairei hydrothermal fluid supporting a unique microbial ecosystem. 2009 , 280, 128-136		72
181	A new species of Archinome (Polychaeta: Archinomidae) from hydrothermal vents on the Pacific-Antarctic Ridge 37°S. 2009 , 89, 689-696		4
180	Biogeographic relationships among deep-sea hydrothermal vent faunas at global scale. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009 , 56, 1371-1378	2.5	105
179	Hexacorals (Anthozoa: Actiniaria, Zoanthidea) from hydrothermal vents in the south-western Pacific. 2009 , 5, 547-571		15
178	Physical and Chemical Diversity of Seafloor Hydrothermal Systems and Presentation of Associated Chemolithoautotrophic Ecosystem. 2009 , 118, 1083-1130		4
177	H ₂ generation by experimental hydrothermal alteration of komatiitic glass at 300°C and 500 bars: A preliminary result from on-going experiment. 2009 , 43, e17-e22		26
176	Intracellular and extracellular mineralization of a microbial community in the Edmond deep-sea vent field environment. 2010 , 229, 193-206		19
175	The potential for abiotic organic synthesis and biosynthesis at seafloor hydrothermal systems. 2010 , ,		15
174	Genetic diversity and connectivity of deep-sea hydrothermal vent metapopulations. <i>Molecular Ecology</i> , 2010 , 19, 4391-411	5.7	139
173	New fossil mussels (Bivalvia: Mytilidae) from Miocene hydrocarbon seep deposits, North Island, New Zealand, with general remarks on vent and seep mussels. <i>Zootaxa</i> , 2010 , 2577, 1	0.5	17
172	Isotopic variation of molecular hydrogen in 20°-75°C hydrothermal fluids as detected by a new analytical method. 2010 , 115,		23
171	Protection mechanisms of the iron-plated armor of a deep-sea hydrothermal vent gastropod. 2010 , 107, 987-92		160
170	Deep-sea hydrothermal vents: potential hot spots for natural products discovery?. 2010 , 73, 489-99		104
169	Discovery of a black smoker vent field and vent fauna at the Arctic Mid-Ocean Ridge. 2010 , 1, 126		118
168	Emerging diversity of hydrothermal systems on slow spreading ocean ridges. 2010 , 5-10		1
167	Chemical signatures from hydrothermal venting on slow spreading ridges. 2010 , 27-42		5
166	Hydrothermal systems: A decade of discovery in slow spreading environments. 2010 , 369-407		11
165	Characteristics and source of inorganic and organic compounds in the sediments from two hydrothermal fields of the Central Indian and Mid-Atlantic Ridges. 2011 , 41, 355-368		20

164	The biological deep sea hydrothermal vent as a model to study carbon dioxide capturing enzymes. 2011 , 9, 719-38		19
163	The Potential for Abiotic Organic Synthesis and Biosynthesis at Seafloor Hydrothermal Systems. 2011 , 161-192		1
162	Faunal changes and geographic crypticism indicate the occurrence of a biogeographic transition zone along the southern East Pacific Rise. 2011 , 38, 575-594		18
161	Spatial structures of hydrothermal vents and vent-associated megafauna in the back-arc basin system of the Okinawa Trough, western Pacific. 2011 , 67, 651-665		22
160	Late Triassic bivalves associated with a hydrothermal vent system in the Yidun Island Arc (SW China) of the eastern Tethys. 2011 , 54, 1864-1870		2
159	Characteristics and source of polycyclic aromatic hydrocarbons in the surface hydrothermal sediments from two hydrothermal fields of the Central Indian and Mid-Atlantic Ridges. 2012 , 46, 31-43		9
158	Size fractionation of trace metals in the Edmond hydrothermal plume, Central Indian Ocean. 2012 , 319-320, 15-22		33
157	Deep-Sea Hydrothermal Vents as a New Source of Drug Discovery. 2012 , 43-66		3
156	Hydrothermal plumes over the Carlsberg Ridge, Indian Ocean. <i>Geochemistry, Geophysics, Geosystems</i> , 2012 , 13, n/a-n/a	3.6	23
155	Biological data extraction from imagery - How far can we go? A case study from the Mid-Atlantic Ridge. 2012 , 82, 15-27		18
154	First active hydrothermal vents on an ultraslow-spreading center: Southwest Indian Ridge. 2012 , 40, 47-50		160
153	A new species of Rimicaris (Crustacea: Decapoda: Caridea: Alvinocarididae) from hydrothermal vent fields on the Mid-Cayman Spreading Centre, Caribbean. 2012 , 92, 1057-1072		34
152	Hydrothermal Activity Events at Kairei Field, Central Indian Ridge 25°S. 2012 , 62, 208-214		12
151	Habitat heterogeneity influences cold-seep macrofaunal communities within and among seeps along the Norwegian margin. Part 1: macrofaunal community structure. 2012 , 33, 205-230		34
150	New discovery of seafloor hydrothermal activity on the Indian Ocean Carlsberg Ridge and Southern North Atlantic Ridge. Progress during the 26th Chinese COMRA cruise. 2013 , 32, 85-88		8
149	Submarine Lava Flow Emplacement at the East Pacific Rise 9°50'N: Implications for Uppermost Ocean Crust Stratigraphy and Hydrothermal Fluid Circulation. 2013 , 187-217		33
148	Component characteristics of organic matter in hydrothermal barnacle shells from Southwest Indian Ridge. 2013 , 32, 60-67		5
147	Evidence of an extensive spread of hydrothermal dissolved iron in the Indian Ocean. 2013 , 361, 26-33		91

146	Marine Chemosynthetic Symbioses. 2013 , 579-607		13
145	Phylogeny, biogeography and systematics of hydrothermal vent and methane seep Amphisamytha (Ampharetidae, Annelida), with descriptions of three new species. 2013 , 11, 35-65		41
144	Cryptic species of Archinome (Annelida: Amphinomida) from vents and seeps. 2013 , 280, 20131876		34
143	The contrasted evolutionary fates of deep-sea chemosynthetic mussels (Bivalvia, Bathymodiolinae). 2013 , 3, 4748-66		58
142	Itheyaspira bathycodon new species (Vetigastropoda: Trochoidea: Turbinidae: Skeneinae) from the Von Damm Vent Field, Mid-Cayman Spreading Centre, Caribbean. 2013 , 93, 1017-1024		11
141	Metagenome sequence analysis of filamentous microbial communities obtained from geochemically distinct geothermal channels reveals specialization of three aquificales lineages. <i>Frontiers in Microbiology</i> , 2013 , 4, 84	5.7	58
140	Distribution of hydrothermal Alvinocaridid shrimps: effect of geomorphology and specialization to extreme biotopes. <i>PLoS ONE</i> , 2014 , 9, e92802	3.7	12
139	First record and a new species of Alvinocaris Williams & Chace, 1982 (Crustacea: Decapoda: Caridea: Alvinocarididae) from the Indian Ocean. <i>Zootaxa</i> , 2014 , 3893, 101-13	0.5	9
138	Earth's Icy Biosphere. 2014 , 130-145		95
137	The Family Mariprofundaceae. 2014 , 403-413		1
136	Microbial community structure and nitrogenase gene diversity of sediment from a deep-sea hydrothermal vent field on the Southwest Indian Ridge. 2014 , 33, 94-104		8
135	PGE and Os Isotopes as Tracers in Polymetallic Massive Sulfide Deposits from the Edmond and Kairei Hydrothermal Fields, Central Indian Ridge. 2014 , 88, 223-224		
134	Intracellular Oceanospirillales inhabit the gills of the hydrothermal vent snail Alviniconcha with chemosynthetic, ϵ Proteobacterial symbionts. <i>Environmental Microbiology Reports</i> , 2014 , 6, 656-64	3.7	20
133	Mineralogy and geochemistry of hydrothermal precipitates from Kairei hydrothermal field, Central Indian Ridge. <i>Marine Geology</i> , 2014 , 354, 69-80	3.3	27
132	Allying with armored snails: the complete genome of gammaproteobacterial endosymbiont. <i>ISME Journal</i> , 2014 , 8, 40-51	11.9	55
131	Temperature Anomalies Associated with Some Natural Phenomena. 2014 , 161-237		
130	Reproductive ecology of a hippolytid shrimp, <i>Lebbeus virentova</i> (Caridea: Hippolytidae) at the Von Damm Vent Field, Mid-Cayman Spreading Centre. 2014 , 161, 2371-2380		7
129	Massive sulfides of Mount Jourdanne along the super-slow spreading Southwest Indian Ridge and their genesis. <i>Ore Geology Reviews</i> , 2014 , 63, 115-128	3.2	25

128 References. 355-400

- 127 A novel sister clade to the enterobacteria microviruses (family Microviridae) identified in methane seep sediments. **2015**, 17, 3708-21 20
- 126 The heart of a dragon: 3D anatomical reconstruction of the 'scaly-foot gastropod' (Mollusca: Gastropoda: Neomphalina) reveals its extraordinary circulatory system. **2015**, 12, 13 18
- 125 A new genus of large hydrothermal vent-endemic gastropod (Neomphalina: Peltospiridae). *Zoological Journal of the Linnean Society*, **2015**, 175, 319-335 2.4 27
- 124 Geomicrobiology of sublacustrine thermal vents in Yellowstone Lake: geochemical controls on microbial community structure and function. *Frontiers in Microbiology*, **2015**, 6, 1044 5.7 17
- 123 Seafloor seismicity, Antarctic ice-sounds, cetacean vocalizations and long-term ambient sound in the Indian Ocean basin. **2015**, 202, 748-762 14
- 122 Tectonic Background of Four Hydrothermal Fields Along the Central Indian Ridge. **2015**, 133-146 7
- 121 Disseminated sulphides in basalts from the northern Central Indian Ridge: implications on late-stage hydrothermal activity. *Geo-Marine Letters*, **2015**, 35, 91-103 1.9
- 120 Evolutionary and biogeographical patterns of barnacles from deep-sea hydrothermal vents. *Molecular Ecology*, **2015**, 24, 673-89 5.7 75
- 119 How the mollusc got its scales: convergent evolution of the molluscan scleritome. **2015**, 114, 949-954 21
- 118 The 'scaly-foot gastropod'—a new genus and species of hydrothermal vent-endemic gastropod (Neomphalina: Peltospiridae) from the Indian Ocean. **2015**, 81, 322-334 42
- 117 Population structure and connectivity in Indo-Pacific deep-sea mussels of the *Bathymodiulus septemdiarium* complex. **2015**, 16, 1415-1430 25
- 116 Low connectivity between 'scaly-foot gastropod' (Mollusca: Peltospiridae) populations at hydrothermal vents on the Southwest Indian Ridge and the Central Indian Ridge. **2015**, 15, 663-670 17
- 115 Molecular taxonomy and naming of five cryptic species of Alviniconcha snails (Gastropoda: Aabysochrysoidea) from hydrothermal vents. **2015**, 13, 278-295 54
- 114 Mass occurrence of the enigmatic gastropod *Elmira* in the Late Cretaceous Sada Limestone seep deposit in southwestern Shikoku, Japan. **2016**, 90, 701-722 6
- 113 Ecology and biogeography of megafauna and macrofauna at the first known deep-sea hydrothermal vents on the ultraslow-spreading Southwest Indian Ridge. *Scientific Reports*, **2016**, 6, 39158 4.9 42
- 112 Occurrences and distribution of 'invisible' precious metals in sulfide deposits from the Edmond hydrothermal field, Central Indian Ridge. *Ore Geology Reviews*, **2016**, 79, 105-132 3.2 20
- 111 An Ocean of Discovery: Biodiversity Beyond the Census of Marine Life. **2016**, 82, 790-9 34

110	Peripheral communities of the Eastern Lau Spreading Center and Valu Fa Ridge: community composition, temporal change and comparison to near-vent communities. 2016 , 37, 599-617		15
109	Fluid chemistry in the Solitaire and Dodo hydrothermal fields of the Central Indian Ridge. 2016 , 16, 988-1005		17
108	Quantifying dispersal from hydrothermal vent fields in the western Pacific Ocean. 2016 , 113, 2976-81		65
107	Picturing thermal niches and biomass of hydrothermal vent species. 2017 , 137, 6-25		17
106	Source and nature of ore-forming fluids of the Edmond hydrothermal field, Central Indian Ridge: evidence from He-Ar isotope composition and fluid inclusion study. 2017 , 36, 101-108		5
105	Mineralogy and trace element geochemistry of sulfide minerals from the Wocan Hydrothermal Field on the slow-spreading Carlsberg Ridge, Indian Ocean. <i>Ore Geology Reviews</i> , 2017 , 84, 1-19	3.2	48
104	Trace elements and arsenic speciation in tissues of tube dwelling polychaetes from hydrothermal vent ecosystems (East Pacific Rise): An ecological role as antipredatory strategy?. 2017 , 132, 1-13		6
103	Description of a new branchiate scale-worm (Polychaeta: Polynoidae) from the hydrothermal vent on Southwest Indian Ocean Ridge. <i>Zootaxa</i> , 2017 , 4282, 123	0.5	9
102	Bioelectrometallurgy of Copper on Chitin. 2017 , 205-221		1
101	Extreme Biomimetics. 2017 ,		13
100	First quantitative exploration of benthic megafaunal assemblages on the mid-oceanic ridge system of the Carlsberg Ridge, Indian Ocean. 2017 , 97, 409-417		0
99	Seafloor Hot Chimneys and Cold Seeps. 2017 , 307-375		5
98	WHATS-3: An Improved Flow-Through Multi-bottle Fluid Sampler for Deep-Sea Geofluid Research. 2017 , 5,		17
97	Gut Microbiome Analysis of Snails: A Biotechnological Approach. 2017 ,		7
96	A new species of (Annelida, Eunicida, Dorvilleidae) from hydrothermal vents on the Southwest Indian Ridge. 2017 , 1-9		9
95	Phylogeography of hydrothermal vent stalked barnacles: a new species fills a gap in the Indian Ocean 'dispersal corridor' hypothesis. <i>Royal Society Open Science</i> , 2018 , 5, 172408	3.3	17
94	A Review on the Phylogeography of Potentially Chemoautotrophic Bacteria from Major Vent and Seep Fauna and Their Contribution to Primary Production. <i>Geomicrobiology Journal</i> , 2018 , 35, 612-634	2.5	3
93	A review of the brachyuran deep-sea vent community of the western Pacific, with two new species of <i>Austinograea</i> Hessler & Martin, 1989 (Crustacea, Decapoda, Brachyura, Bythograeidae) from the Lau and North Fiji Back-Arc Basins. 2018 , 40, 1		8

92	Microstructural characterization and in-situ sulfur isotopic analysis of silver-bearing sphalerite from the Edmond hydrothermal field, Central Indian Ridge. <i>Ore Geology Reviews</i> , 2018 , 92, 318-347	3.2	6
91	Functional identification of glutamate cysteine ligase and glutathione synthetase in the marine yeast <i>Rhodospiridium diobovatum</i> . 2017 , 105, 4		6
90	Hydrothermal processes in the Edmond deposits, slow- to intermediate-spreading Central Indian Ridge. 2018 , 180, 197-210		3
89	HeArB Isotopic Compositions of Polymetallic Sulphides from Hydrothermal Vent Fields along the Ultraslow-Spreading Southwest Indian Ridge and Their Geological Implications. 2018 , 8, 512		3
88	Trace Metal Distribution in Sulfide Minerals from Ultramafic-Hosted Hydrothermal Systems: Examples from the Kairei Vent Field, Central Indian Ridge. 2018 , 8, 526		13
87	Comparative Oxygen Consumption of Gastropod Holobionts from Deep-Sea Hydrothermal Vents in the Indian Ocean. 2018 , 235, 102-112		4
86	A new Lamellibrachia species and confirmed range extension for <i>Lamellibrachia barhami</i> (Siboglinidae, Annelida) from Costa Rica methane seeps. <i>Zootaxa</i> , 2018 , 4504, 1-22	0.5	6
85	Hydrothermal chimneys host habitat-specific microbial communities: analogues for studying the possible impact of mining seafloor massive sulfide deposits. <i>Scientific Reports</i> , 2018 , 8, 10386	4.9	13
84	Characterization of vent fauna at three hydrothermal vent fields on the Southwest Indian Ridge: Implications for biogeography and interannual dynamics on ultraslow-spreading ridges. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2018 , 137, 1-12	2.5	30
83	Inactive Sulfide Ecosystems in the Deep Sea: A Review. <i>Frontiers in Marine Science</i> , 2019 , 6,	4.5	19
82	A new trochoidean gastropod (Vetigastropoda: Skeneidae) discovered from deep-sea hydrothermal vents in the Southern Ocean. 2019 , 49, 2775-2785		1
81	<i>Amphisamytha</i> (Annelida: Ampharetidae) from Indian Ocean hydrothermal vents: Biogeographic implications. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2019 , 154, 103148	2.5	9
80	Megabenthic assemblages at the southern Central Indian Ridge - Spatial segregation of inactive hydrothermal vents from active-, periphery- and non-vent sites. 2019 , 151, 104776		9
79	The making of natural iron sulfide nanoparticles in a hot vent snail. 2019 , 116, 20376-20381		7
78	Phylogeny and Biogeography of Branchipolynoe (Polynoidae, Phyllococida, Aciculata, Annelida), with Descriptions of Five New Species from Methane Seeps and Hydrothermal Vents. 2019 , 11, 153		7
77	Detailed Mapping of Hydrothermal Vent Fauna: A 3D Reconstruction Approach Based on Video Imagery. <i>Frontiers in Marine Science</i> , 2019 , 6,	4.5	13
76	Living at the Extremes: Extremophiles and the Limits of Life in a Planetary Context. <i>Frontiers in Microbiology</i> , 2019 , 10, 780	5.7	159
75	The microbiomes of deep-sea hydrothermal vents: distributed globally, shaped locally. 2019 , 17, 271-283		88

74	Spatial variability in dissolved iron concentrations in the marginal and open waters of the Indian Ocean. 2019 , 208, 11-28		27
73	Influence of volcanic and hydrothermal activity on organic matter enrichment in the Upper Triassic Yanchang Formation, southern Ordos Basin, Central China. 2020 , 112, 104059		40
72	Distribution of iron in the Western Indian Ocean and the Eastern tropical South pacific: An inter-basin comparison. 2020 , 532, 119334		7
71	Microbial Community Compositions and Geochemistry of Sediments with Increasing Distance to the Hydrothermal Vent Outlet in the Kairei Field. <i>Geomicrobiology Journal</i> , 2020 , 37, 242-254	2.5	4
70	MARHYS (MARine HYdrothermal Solutions) Database: A Global Compilation of Marine Hydrothermal Vent Fluid, End Member, and Seawater Compositions. <i>Geochemistry, Geophysics, Geosystems</i> , 2020 , 21, e2020GC009385	3.6	3
69	Influence of hydrothermal vent activity on GDGT pool in marine sediments might be less than previously thought. <i>Organic Geochemistry</i> , 2020 , 149, 104102	3.1	3
68	Spanning the depths or depth-restricted: Three new species of Bathymodiolus (Bivalvia, Mytilidae) and a new record for the hydrothermal vent Bathymodiolus thermophilus at methane seeps along the Costa Rica margin. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2020 , 164, 103322	2.5	3
67	Serpentinization of olivine gabbro in Central Indian ridge: Insights into H ₂ production during alteration in lower oceanic crust and sustenance of life at slow spreading ridges. <i>Lithos</i> , 2020 , 374-375, 105730	2.9	1
66	Discovery of Active Hydrothermal Vent Fields Along the Central Indian Ridge, 8°2'S. <i>Geochemistry, Geophysics, Geosystems</i> , 2020 , 21, e2020GC009058	3.6	9
65	Structural Control, Evolution, and Accumulation Rates of Massive Sulfides in the TAG Hydrothermal Field. <i>Geochemistry, Geophysics, Geosystems</i> , 2020 , 21, e2020GC009185	3.6	7
64	Nearest vent, dearest friend: biodiversity of Tiancheng vent field reveals cross-ridge similarities in the Indian Ocean. <i>Royal Society Open Science</i> , 2020 , 7, 200110	3.3	16
63	Copepoda (Siphonostomatoida: Dirivultidae) from Hydrothermal Vent Fields on the Central Indian Ridge, Indian Ocean. <i>Zootaxa</i> , 2020 , 4759, zootaxa.4759.3.1	0.5	6
62	Currents and topography drive assemblage distribution on an active hydrothermal edifice. <i>Progress in Oceanography</i> , 2020 , 187, 102397	3.8	5
61	Molecular identification of deep-sea blind lobster (Crustacea: Decapoda: Polychelidae) from the Central Indian Ridge. <i>Mitochondrial DNA Part B: Resources</i> , 2020 , 5, 1013-1014	0.5	
60	Dual energy metabolism of the Campylobacterota endosymbiont in the chemosynthetic snail Alviniconcha marisindica. <i>ISME Journal</i> , 2020 , 14, 1273-1289	11.9	11
59	A newly discovered Gigantidas bivalve mussel from the Onnuri Vent Field in the northern Central Indian Ridge. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2020 , 161, 103299	2.5	8
58	The Daxi Vent Field: An active mafic-hosted hydrothermal system at a non-transform offset on the slow-spreading Carlsberg Ridge, 6°48'N. <i>Ore Geology Reviews</i> , 2021 , 129, 103888	3.2	6
57	Imprint of Kairei and Pelagia deep-sea hydrothermal systems (Indian Ocean) on marine dissolved organic matter. <i>Organic Geochemistry</i> , 2021 , 152, 104141	3.1	3

56	Gold and tin mineralisation in the ultramafic-hosted Cheoem vent field, Central Indian Ridge. <i>Mineralium Deposita</i> , 2021 , 56, 885-906	4.8	4
55	Reconstruction and evaluation of oil-degrading consortia isolated from sediments of hydrothermal vents in the South Mid-Atlantic Ridge. <i>Scientific Reports</i> , 2021 , 11, 1456	4.9	6
54	OUP accepted manuscript. <i>Zoological Journal of the Linnean Society</i> ,	2.4	1
53	A new peltospirid snail (Gastropoda: Neomphalida) adds to the unique biodiversity of Longqi vent field, Southwest Indian Ridge. <i>Journal of Natural History</i> , 2021 , 55, 851-866	0.5	0
52	Out of the Pacific: A New Alvinellid Worm (Annelida: Terebellida) From the Northern Indian Ocean Hydrothermal Vents. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	1
51	Iron, copper, and zinc isotopic fractionation in seafloor basalts and hydrothermal sulfides. <i>Marine Geology</i> , 2021 , 436, 106491	3.3	2
50	Influencing factor of Chang 7 oil shale of Triassic Yanchang Formation in Ordos Basin: Constraint from hydrothermal fluid. <i>Journal of Petroleum Science and Engineering</i> , 2021 , 201, 108532	4.4	11
49	Megafauna of the German exploration licence area for seafloor massive sulphides along the Central and South East Indian Ridge (Indian Ocean). <i>Biodiversity Data Journal</i> , 2021 , 9, e69955	1.8	1
48	Deltaproteobacterium Strain KaireiS1, a Mesophilic, Hydrogen-Oxidizing and Sulfate-Reducing Bacterium From an Inactive Deep-Sea Hydrothermal Chimney. <i>Frontiers in Microbiology</i> , 2021 , 12, 686278	5.7	2
47	How volcanically active is an abyssal plain? Evidence for recent volcanism on 20 Ma Nazca Plate seafloor. <i>Marine Geology</i> , 2021 , 440, 106548	3.3	2
46	Production rate variation and changes in sedimentation rate of marine core dated with meteoric Be and C. <i>Journal of Environmental Radioactivity</i> , 2021 , 237, 106678	2.4	3
45	Biodiversity and oil degradation capacity of oil-degrading bacteria isolated from deep-sea hydrothermal sediments of the South Mid-Atlantic Ridge. <i>Marine Pollution Bulletin</i> , 2021 , 171, 112770	6.7	7
44	A Compilation of the Stable Isotopic Compositions of Carbon, Nitrogen, and Sulfur in Soft Body Parts of Animals Collected from Deep-Sea Hydrothermal Vent and Methane Seep Fields: Variations in Energy Source and Importance of Subsurface Microbial Processes in the Sediment-Hosted Systems. 2015 , 105-129		7
43	Petrology of Peridotites and Related Gabbroic Rocks Around the Kairei Hydrothermal Field in the Central Indian Ridge. 2015 , 177-193		2
42	Distribution and Biogeochemical Properties of Hydrothermal Plumes in the Rodriguez Triple Junction. 2015 , 195-204		2
41	Vent Fauna on the Central Indian Ridge. 2015 , 205-212		10
40	Compositional, Physiological and Metabolic Variability in Microbial Communities Associated with Geochemically Diverse, Deep-Sea Hydrothermal Vent Fluids. 2010 , 251-283		29
39	Chemosynthetically-Driven Ecosystems in the Deep Sea. <i>Topics in Geobiology</i> , 2010 , 1-14	0.2	5

38	Elevated turbidity and dissolved manganese in deep water column near 10°47'N Central Indian Ridge: studies on hydrothermal activities. <i>Geo-Marine Letters</i> , 2020 , 40, 619-628	1.9	6
37	A Metapopulation Approach to Interpreting Diversity at Deep-Sea Hydrothermal Vents. 2006 , 321-350		8
36	Subcellular metal distribution in two deep-sea mollusks: Insight of metal adaptation and detoxification near hydrothermal vents. <i>Environmental Pollution</i> , 2020 , 266, 115303	9.3	3
35	Discovery of new hydrothermal activity and chemosynthetic fauna on the Central Indian Ridge at 18°-20° S. <i>PLoS ONE</i> , 2012 , 7, e32965	3.7	56
34	Microdistribution of faunal assemblages at deep-sea hydrothermal vents in the Southern Ocean. <i>PLoS ONE</i> , 2012 , 7, e48348	3.7	68
33	High connectivity of animal populations in deep-sea hydrothermal vent fields in the Central Indian Ridge relevant to its geological setting. <i>PLoS ONE</i> , 2013 , 8, e81570	3.7	37
32	REVIEW OF SUBMARINE HYDROTHERMAL ACTIVITIES IN SOUTHWEST INDIAN RIDGE. <i>Marine Geology & Quaternary Geology</i> , 2011 , 31, 67-76		1
31	Structure and Connectivity of Hydrothermal Vent Communities Along the Mid-Ocean Ridges in the West Indian Ocean: A Review. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	0
30	Microbial Communities of the Hydrothermal Scaly-Foot Snails From Kairei and Longqi Vent Fields. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	0
29	Dispersal at hydrothermal vents: a summary of recent progress. 2003 , 9-19		
28	Deep-sea Hydrothermal Vents: Ecology and Evolution. <i>Journal of Ecology and Environment</i> , 2006 , 29, 175-183	2	
27	Atom's Adventures in Ocean. <i>Atomos</i> , 2010 , 52, 336-340	0	
26	Experimental Hydrogen Production in Hydrothermal and Fault Systems: Significance for Habitability of Subseafloor H ₂ Chemoautotroph Microbial Ecosystems. 2015 , 87-94		
25	Dissolved iron cycling in the Arabian Sea and sub-tropical gyre region of the Indian Ocean. <i>Geochimica Et Cosmochimica Acta</i> , 2021 ,	5.5	3
24	DNA Barcoding of Scavenging Amphipod Communities at Active and Inactive Hydrothermal Vents in the Indian Ocean. <i>Frontiers in Marine Science</i> , 2022 , 8,	4.5	0
23	gen. nov., sp. nov., gen. nov., sp. nov. and sp. nov., three novel members isolated from deep-sea water in the southwest Indian ridge.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022 , 72,	2.2	0
22	Global 16S rRNA diversity of provannid snail endosymbionts from Indo-Pacific deep-sea hydrothermal vents.. <i>Environmental Microbiology Reports</i> , 2022 ,	3.7	0
21	Microbial Community Structure and Functional Potential of Deep-Sea Sediments on Low Activity Hydrothermal Area in the Central Indian Ridge. <i>Frontiers in Marine Science</i> , 2022 , 9,	4.5	0

20	New Record of Hydrothermal Vent Squat Lobster (<i>Munidopsis lauensis</i>) Provides Evidence of a Dispersal Corridor between the Pacific and Indian Oceans. <i>Journal of Marine Science and Engineering</i> , 2022 , 10, 400	2.4	0
19	Subtle limits to connectivity revealed by outlier loci within two divergent metapopulations of the deep-sea hydrothermal gastropod <i>Ifremeria nautili</i> .. <i>Molecular Ecology</i> , 2022 ,	5.7	0
18	Biogeochemical Characteristics of Hydrothermal Systems in the Indian Ocean. 2022 , 285-313		
17	Carbon sources and trophic interactions of vent fauna in the Onnuri Vent Field, Indian Ocean, inferred from stable isotopes. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2022 , 182, 103683	3.5	0
16	Sedimentary Environment and Model for Organic Matter Enrichment: Chang 7 Shale of Late Triassic Yanchang Formation, Southern Margin of Ordos Basin, China. <i>Energies</i> , 2022 , 15, 2948	3.1	0
15	Data_Sheet_1.pdf. 2019 ,		
14	Video_1.MP4. 2019 ,		
13	Delineating biogeographic regions in Indian Ocean deep-sea vents and implications for conservation. <i>Diversity and Distributions</i> ,	5	1
12	Metagenomics Reveals Dominant Unusual Sulfur Oxidizers Inhabiting Active Hydrothermal Chimneys From the Southwest Indian Ridge. <i>Frontiers in Microbiology</i> , 2022 , 13,	5.7	0
11	Deep-Sea Seabed Sediment Classification Using Finely Processed Multibeam Backscatter Intensity Data in the Southwest Indian Ridge. <i>Remote Sensing</i> , 2022 , 14, 2675	5	1
10	Volatile-rich hydrothermal plumes over the southern Central Indian Ridge, 24° 49'N: Evidence for a new hydrothermal field hosted by ultramafic rocks.		
9	Metabolism Interactions Promote the Overall Functioning of the Episymbiotic Chemosynthetic Community of <i>Shinkaia crosnieri</i> of Cold Seeps.		
8	Biogeography and Population Divergence of Microeukaryotes Associated with Fluids and Chimneys in the Hydrothermal Vents of the Southwest Indian Ocean.		0
7	Connectivity and divergence of symbiotic bacteria of deep-sea hydrothermal vent mussels in relation to the structure and dynamics of mid-ocean ridges. 9,		0
6	Spatial heterogeneity in beryllium isotopic distribution in the Indian Ocean. 2023 , 342, 128-136		0
5	Microbathymetry inferences from two AUV dives over a short segment of the Central Indian Ridge between 10°18' and 10°57'S, Indian Ocean. 2023 , 43,		0
4	Geology context, vent morphology, and sulfide paragenesis of the Longqi-1 modern seafloor hydrothermal system on the ultraslow-spreading Southwest Indian ridge. 2023 , 103962		0
3	Stable Sn isotope signatures of Mid-ocean ridge basalts. 2023 , 121347		0

- 2 Microbial Diversity of Deep-sea Sediments from Three Newly Discovered Hydrothermal Vent Fields in the Central Indian Ridge. **2023**, 58, ○
- 1 Geographical subdivision of Alviniconcha snail populations in the Indian Ocean hydrothermal vent regions. 10, ○