

CITATION REPORT

List of articles citing

Automated assignment of ambiguous nuclear
overhauser effects with ARIA

DOI: 10.1016/s0076-6879(01)39310-2
Methods in Enzymology, 2001, 339, 71-90.

Source: <https://exaly.com/paper-pdf/32343265/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
309	Solution structure of the fibronectin type III domain from <i>Bacillus circulans</i> WL-12 chitinase A1. 2002 , 277, 1388-97		52
308	Solution structure and dynamics of the lipoic acid-bearing domain of human mitochondrial branched-chain alpha-keto acid dehydrogenase complex. 2002 , 277, 15865-73		24
307	Structure of the histone mRNA hairpin required for cell cycle regulation of histone gene expression. 2002 , 8, 29-46		34
306	Structure of the HP1 chromodomain bound to histone H3 methylated at lysine 9. 2002 , 416, 103-7		505
305	Solution structure and dynamics of melanoma inhibitory activity protein. 2002 , 22, 211-23		12
304	Applications of NMR to structure-based drug design in structural genomics. 2002 , 2, 113-23		18
303	A software tool for the prediction of Xaa-Pro peptide bond conformations in proteins based on ¹³ C chemical shift statistics. 2002 , 24, 149-54		269
302	Role for NMR in structural genomics. 2002 , 2, 155-69		28
301	BioMagResBank database with sets of experimental NMR constraints corresponding to the structures of over 1400 biomolecules deposited in the Protein Data Bank. 2003 , 26, 139-46		70
300	Fully automated sequence-specific resonance assignments of hetero-nuclear protein spectra. 2003 , 27, 69-79		45
299	Influence of the completeness of chemical shift assignments on NMR structures obtained with automated NOE assignment. 2003 , 4, 179-89		81
298	Solution structure of termicin, an antimicrobial peptide from the termite <i>Pseudacanthotermes spiniger</i> . 2003 , 12, 438-46		56
297	Solution structure and thermal stability of ribosomal protein L30e from hyperthermophilic archaeon <i>Thermococcus celer</i> . 2003 , 12, 1483-95		13
296	The precision of NMR structure ensembles revisited. 2003 , 25, 225-34		66
295	Structure determination of human Lck unique and SH3 domains by nuclear magnetic resonance spectroscopy. 2003 , 3, 3		8
294	Structure and nucleic-acid binding of the <i>Drosophila</i> Argonaute 2 PAZ domain. 2003 , 426, 465-9		347
293	Automated NMR protein structure calculation. 2003 , 43, 105-125		210

292	Solution structure of Pi4, a short four-disulfide-bridged scorpion toxin specific of potassium channels. 2003 , 12, 1844-54		12
291	The three-dimensional solution structure of NaD1, a new floral defensin from <i>Nicotiana glauca</i> and its application to a homology model of the crop defense protein alfAFP. <i>Journal of Molecular Biology</i> , 2003 , 325, 175-88	6.5	114
290	The ScPex13p SH3 domain exposes two distinct binding sites for Pex5p and Pex14p. <i>Journal of Molecular Biology</i> , 2003 , 326, 1427-35	6.5	66
289	High-resolution X-ray and NMR structures of the SMN Tudor domain: conformational variation in the binding site for symmetrically dimethylated arginine residues. <i>Journal of Molecular Biology</i> , 2003 , 327, 507-20	6.5	142
288	Anastellin, an FN3 fragment with fibronectin polymerization activity, resembles amyloid fibril precursors. <i>Journal of Molecular Biology</i> , 2003 , 332, 205-15	6.5	67
287	Structural basis for the molecular recognition between human splicing factors U2AF65 and SF1/mBBP. 2003 , 11, 965-76		158
286	Structure of the GTPase-binding domain of Sec5 and elucidation of its Ral binding site. 2003 , 278, 17053-9		27
285	Structure of the male determinant factor for Brassica self-incompatibility. 2003 , 278, 36389-95		48
284	Molecular dissection of the interaction between the small G proteins Rac1 and RhoA and protein kinase C-related kinase 1 (PRK1). 2003 , 278, 50578-87		45
283	Solution structure of the dimeric zinc binding domain of the chaperone ClpX. 2003 , 278, 48991-6		41
282	Rapid protein fold determination using unassigned NMR data. 2003 , 100, 15404-9		103
281	NMR study of mersacidin and lipid II interaction in dodecylphosphocholine micelles. Conformational changes are a key to antimicrobial activity. 2003 , 278, 13110-7		105
280	Effect of N-terminal and Met23 mutations on the structure and dynamics of onconase. 2004 , 279, 5772-80		20
279	Specificity of the interaction between ubiquitin-associated domains and ubiquitin. 2004 , 279, 11926-36		86
278	Structure of the sterile alpha motif (SAM) domain of the <i>Saccharomyces cerevisiae</i> mitogen-activated protein kinase pathway-modulating protein STE50 and analysis of its interaction with the STE11 SAM. 2004 , 279, 2192-201		34
277	Solution structure of spheniscin, a beta-defensin from the penguin stomach. 2004 , 279, 30433-9		33
276	Solution structure of long neurotoxin NTX-1 from the venom of <i>Naja naja oxiana</i> by 2D-NMR spectroscopy. 2004 , 271, 4950-7		3
275	Structural basis of HP1/PXVXL motif peptide interactions and HP1 localisation to heterochromatin. 2004 , 23, 489-99		207

274	Crystal and solution structures of a superantigen from <i>Yersinia pseudotuberculosis</i> reveal a jelly-roll fold. 2004 , 12, 145-56		29
273	Automation of NMR structure determination of proteins. 2004 , 14, 547-53		52
272	Lead optimization of antifungal peptides with 3D NMR structures analysis. 2004 , 13, 703-13		30
271	The NMR structure of a stable and compact all-beta-sheet variant of intestinal fatty acid-binding protein. 2004 , 13, 1227-37		11
270	Exploring structural features of the interaction between the scorpion toxin CnErg1 and ERG K ⁺ channels. 2004 , 56, 367-75		24
269	Structure and dynamics of the human pleckstrin DEP domain: distinct molecular features of a novel DEP domain subfamily. 2005 , 58, 354-66		25
268	Correction of spin diffusion during iterative automated NOE assignment. 2004 , 167, 334-42		51
267	Automated structure determination of proteins by NMR spectroscopy. 2004 , 44, 33-96		91
266	The solution structure of ribosomal protein L18 from <i>Bacillus stearothermophilus</i> . <i>Journal of Molecular Biology</i> , 2004 , 335, 679-84	6.5	7
265	Structural characterization of the RNase E S1 domain and identification of its oligonucleotide-binding and dimerization interfaces. <i>Journal of Molecular Biology</i> , 2004 , 341, 37-54	6.5	43
264	Diversity in structure and function of the Ets family PNT domains. <i>Journal of Molecular Biology</i> , 2004 , 342, 1249-64	6.5	45
263	Solution structure of the ubiquitin-conjugating enzyme UbcH5B. <i>Journal of Molecular Biology</i> , 2004 , 344, 513-26	6.5	30
262	Protein Structure Determination from NMR Data. 2005 , 211-243		
261	Quantitative study of the effects of chemical shift tolerances and rates of SA cooling on structure calculation from automatically assigned NOE data. 2005 , 175, 92-102		30
260	Solution structure of the C1-subdomain of <i>Bacillus stearothermophilus</i> translation initiation factor IF2. 2005 , 14, 2461-8		22
259	Interactions of the antimicrobial peptide Ac-FRWWHR-NH(2) with model membrane systems and bacterial cells. 2005 , 65, 491-501		49
258	The structure of a resuscitation-promoting factor domain from <i>Mycobacterium tuberculosis</i> shows homology to lysozymes. 2005 , 12, 270-3		116
257	The structure of the flock house virus B2 protein, a viral suppressor of RNA interference, shows a novel mode of double-stranded RNA recognition. 2005 , 6, 1149-55		107

256	A vinculin binding domain from the talin rod unfolds to form a complex with the vinculin head. 2005 , 13, 65-74	89
255	Structure and phosphatidylinositol-(3,4)-bisphosphate binding of the C-terminal PH domain of human pleckstrin. 2005 , 13, 277-86	20
254	The AXH domain adopts alternative folds the solution structure of HBP1 AXH. 2005 , 13, 743-53	33
253	X-ray crystallographic and NMR studies of the third KH domain of hnRNP K in complex with single-stranded nucleic acids. 2005 , 13, 1055-67	72
252	The solution structure of a transient photoreceptor intermediate: Delta25 photoactive yellow protein. 2005 , 13, 953-62	68
251	SOLARIA: a protocol for automated cross-peak assignment and structure calculation for solid-state magic-angle spinning NMR spectroscopy. 2005 , 44, 6151-4	27
250	SOLARIA: A Protocol for Automated Cross-Peak Assignment and Structure Calculation for Solid-State Magic-Angle Spinning NMR Spectroscopy. 2005 , 117, 6307-6310	6
249	How much NMR data is required to determine a protein-ligand complex structure?. 2005 , 6, 1891-8	42
248	BioMagResBank databases DOCR and FRED containing converted and filtered sets of experimental NMR restraints and coordinates from over 500 protein PDB structures. 2005 , 32, 1-12	43
247	Automated protein NMR structure determination using wavelet de-noised NOESY spectra. 2005 , 33, 139-52	19
246	Describing partially unfolded states of proteins from sparse NMR data. 2005 , 33, 175-86	16
245	Solution structure of a tobacco lipid transfer protein exhibiting new biophysical and biological features. 2005 , 59, 356-67	31
244	Solution structure of YggX: a prokaryotic protein involved in Fe(II) trafficking. 2006 , 62, 578-86	12
243	Structure of the C-terminal domain from Trypanosoma brucei variant surface glycoprotein MITat1.2. 2005 , 280, 7228-35	38
242	Structure of the chromo barrel domain from the MOF acetyltransferase. 2005 , 280, 32326-31	47
241	Solution structure of the C-terminal domain of TFIIF P44 subunit reveals a novel type of C4C4 ring domain involved in protein-protein interactions. 2005 , 280, 20785-92	25
240	NMR structure of the first PHD finger of autoimmune regulator protein (AIRE1). Insights into autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy (APECED) disease. 2005 , 280, 11505-12	69
239	Conkunitzin-S1 is the first member of a new Kunitz-type neurotoxin family. Structural and functional characterization. 2005 , 280, 23766-70	78

238	Molecular mapping of functionalities in the solution structure of reduced Grx4, a monothiol glutaredoxin from <i>Escherichia coli</i> . 2005 , 280, 24553-61		48
237	STD and TRNOESY NMR studies on the conformation of the oncogenic protein beta-catenin containing the phosphorylated motif DpSGXXpS bound to the beta-TrCP protein. 2005 , 280, 29107-16		22
236	Structure of the bundle-forming pilus from enteropathogenic <i>Escherichia coli</i> . 2005 , 280, 40252-60		46
235	Structural basis for APPTPPPLPP peptide recognition by the FBP11WW1 domain. <i>Journal of Molecular Biology</i> , 2005 , 348, 399-408	6.5	20
234	The structure of the C5a receptor-blocking domain of chemotaxis inhibitory protein of <i>Staphylococcus aureus</i> is related to a group of immune evasive molecules. <i>Journal of Molecular Biology</i> , 2005 , 353, 859-72	6.5	53
233	The solution structure of an N-terminally truncated version of the yeast CDC24p PB1 domain shows a different beta-sheet topology. 2005 , 579, 3534-8		3
232	Solution structure of the isolated Pelle death domain. 2005 , 579, 3920-6		5
231	Revised structure of the AbrB N-terminal domain unifies a diverse superfamily of putative DNA-binding proteins. 2005 , 579, 5669-74		36
230	Solution structure of a peptide derived from the oncogenic protein beta-Catenin in its phosphorylated and nonphosphorylated states. 2005 , 26, 227-41		17
229	De novo design of a stable N-terminal helical foldamer. 2005 , 3, 4310-5		10
228	APPLICATIONS OF NUCLEAR MAGNETIC RESONANCE AND MASS SPECTROMETRY TO ANTICANCER DRUG DISCOVERY. 2006 , 107-190		5
227	NMR studies of the fifth transmembrane segment of Na ⁺ ,K ⁺ -ATPase reveals a non-helical ion-binding region. 2006 , 580, 4777-83		3
226	Solution structure of the <i>Arabidopsis thaliana</i> telomeric repeat-binding protein DNA binding domain: a new fold with an additional C-terminal helix. <i>Journal of Molecular Biology</i> , 2006 , 356, 72-85	6.5	28
225	Solution structure and backbone dynamics of the <i>Trypanosoma cruzi</i> cysteine protease inhibitor chagasin. <i>Journal of Molecular Biology</i> , 2006 , 357, 1511-21	6.5	35
224	Alternate binding mode of C-terminal phenethylamine analogs of G(t)alpha(340-350) to photoactivated rhodopsin. 2006 , 68, 295-307		7
223	New approaches to high-throughput structure characterization of SH3 complexes: the example of Myosin-3 and Myosin-5 SH3 domains from <i>S. cerevisiae</i> . 2006 , 15, 795-807		12
222	Structure and topology of the non-amyloid-beta component fragment of human alpha-synuclein bound to micelles: implications for the aggregation process. 2006 , 15, 1408-16		42
221	Three-dimensional structure and ligand interactions of the low molecular weight protein tyrosine phosphatase from <i>Campylobacter jejuni</i> . 2006 , 15, 2381-94		17

220	MTH187 from Methanobacterium thermoautotrophicum has three HEAT-like repeats. 2006 , 35, 149-54	5
219	An automated assignment-free Bayesian approach for accurately identifying proton contacts from NOESY data. 2006 , 36, 189-98	13
218	NMR studies of telomeric nucleoprotein complexes involving the Myb-like domain of the human telomeric protein TRF2. 2006 , 9, 452-458	1
217	Conformational diversity in the TPR domain-mediated interaction of protein phosphatase 5 with Hsp90. 2006 , 14, 415-26	73
216	YfhJ, a molecular adaptor in iron-sulfur cluster formation or a frataxin-like protein?. 2006 , 14, 857-67	37
215	The Ig doublet Z1Z2: a model system for the hybrid analysis of conformational dynamics in Ig tandems from titin. 2006 , 14, 1437-47	36
214	Total synthesis and NMR investigations of cylindramide. 2006 , 12, 2488-503	46
213	The solution structure of the AppA BLUF domain: insight into the mechanism of light-induced signaling. 2006 , 7, 187-93	99
212	Solution structures of stomoxyn and spinigerin, two insect antimicrobial peptides with an alpha-helical conformation. 2006 , 81, 92-103	34
211	Stereospecific assignments of protein NMR resonances based on the tertiary structure and 2D/3D NOE data. 2006 , 27, 791-7	12
210	Structural studies of MJ1529, an O6-methylguanine-DNA methyltransferase. 2006 , 44 Spec No, S71-82	18
209	The electron transfer complex between cytochrome c552 and the CuA domain of the Thermus thermophilus ba3 oxidase. A combined NMR and computational approach. 2006 , 281, 14503-13	35
208	Structure and carboxyl-terminal domain (CTD) binding of the Set2 SRI domain that couples histone H3 Lys36 methylation to transcription. 2006 , 281, 13-5	67
207	NMR structure of AbhN and comparison with AbrBN: FIRST insights into the DNA binding promiscuity and specificity of AbrB-like transition state regulator proteins. 2006 , 281, 21399-21409	17
206	NMR solution structure of the tandem Src homology 3 domains of p47phox complexed with a p22phox-derived proline-rich peptide. 2006 , 281, 3660-8	55
205	Signal transduction pathway of TonB-dependent transporters. 2007 , 104, 513-8	85
204	Dissecting the N-terminal myosin binding site of human cardiac myosin-binding protein C. Structure and myosin binding of domain C2. 2007 , 282, 9204-15	61
203	Some Basic Biomolecular NMR for Protein Structure Determination. 2007 , 33-44	

202	Phosphorylation-dependent structure of ATF4 peptides derived from a human ATF4 protein, a member of the family of transcription factors. 2007 , 28, 2253-67		13
201	Solution structure of the all L- and D-amino acid-substituted mucin 2 epitope peptides. 2007 , 358, 739-42		4
200	Solution structure of the THAP domain from <i>Caenorhabditis elegans</i> C-terminal binding protein (CtBP). <i>Journal of Molecular Biology</i> , 2007 , 366, 382-90	6.5	13
199	Solution structure and self-association properties of the p8 TFIIF subunit responsible for trichothiodystrophy. <i>Journal of Molecular Biology</i> , 2007 , 368, 473-80	6.5	28
198	Solution structure of polymerase μ BRCT Domain reveals an element essential for its role in nonhomologous end joining. 2007 , 46, 12100-10		22
197	The conformational landscape of the ribosomal protein S15 and its influence on the protein interaction with 16S RNA. 2007 , 92, 2647-65		7
196	Structure Determination of Solid Proteins Using MAS and Isotopic Enrichment. 2007 ,		
195	Biological and structural characterization of new linear gomesin analogues with improved therapeutic indices. 2007 , 88, 386-400		52
194	Peptide design and structural characterization of a GPCR loop mimetic. 2007 , 86, 298-310		15
193	NMR and X-ray analysis of structural additivity in metal binding site-swapped hybrids of rubredoxin. 2007 , 7, 81		1
192	Solution structure of FK506 binding domain (FKBD) of <i>Plasmodium falciparum</i> FK506 binding protein 35 (PffKBP35). 2008 , 70, 300-2		12
191	Structural evolution of C-terminal domains in the p53 family. 2007 , 26, 3463-73		75
190	Solution structure of DNA/RNA hybrid duplex with C8-propynyl 2Rdeoxyadenosine modifications: Implication of RNase H and DNA/RNA duplex interaction. 2007 , 1769, 20-8		1
189	Structure of the histone chaperone ASF1 bound to the histone H3 C-terminal helix and functional insights. 2007 , 15, 191-9		39
188	The structure of the C-terminal KH domains of KSRP reveals a noncanonical motif important for mRNA degradation. 2007 , 15, 485-98		85
187	Solution structure of Ca ²⁺ -free rat beta-parvalbumin (oncomodulin). 2007 , 16, 1914-26		28
186	EH domain of EHD1. 2007 , 39, 323-9		31
185	Rational design of peptides active against the gram positive bacteria <i>Staphylococcus aureus</i> . 2008 , 72, 229-39		35

184	Structure dissection of human progranulin identifies well-folded granulin/epithelin modules with unique functional activities. 2008 , 17, 711-24		117
183	Solution structure of Ca ²⁺ -free rat alpha-parvalbumin. 2008 , 17, 431-8		19
182	Structural bases for recognition of Anp32/LANP proteins. 2008 , 275, 2548-60		7
181	Structure of the Eps15-stonin2 complex provides a molecular explanation for EH-domain ligand specificity. 2008 , 27, 558-69		24
180	Fold and function of polypeptide transport-associated domains responsible for delivering unfolded proteins to membranes. 2008 , 68, 1216-27		132
179	Accurate NMR structures through minimization of an extended hybrid energy. 2008 , 16, 1305-12		43
178	Mutations in the hydrophobic core of ubiquitin differentially affect its recognition by receptor proteins. <i>Journal of Molecular Biology</i> , 2008 , 375, 979-96	6.5	36
177	Solution structure of NEMO zinc finger and impact of an anhidrotic ectodermal dysplasia with immunodeficiency-related point mutation. <i>Journal of Molecular Biology</i> , 2008 , 377, 1419-32	6.5	40
176	Myosin binding protein C positioned to play a key role in regulation of muscle contraction: structure and interactions of domain C1. <i>Journal of Molecular Biology</i> , 2008 , 384, 615-30	6.5	74
175	NMR analysis of viral protein structures. 2008 , 451, 441-62		11
174	NMR solution structure of the neurotrypsin Kringle domain. 2008 , 47, 12290-8		8
173	Structure of the complex between phosphorylated substrates and the SCF beta-TrCP ubiquitin ligase receptor: a combined NMR, molecular modeling, and docking approach. 2008 , 48, 2350-61		8
172	A stabilizing alpha/beta-hydrophobic core greatly contributes to hyperthermostability of archaeal [P62A]Ssh10b. 2008 , 47, 11212-21		11
171	The Rac1 polybasic region is required for interaction with its effector PRK1. 2008 , 283, 1492-1500		45
170	Structural basis for a distinct catalytic mechanism in <i>Trypanosoma brucei</i> tryparedoxin peroxidase. 2008 , 283, 30401-11		29
169	Structural basis for the interaction of isoDGR with the RGD-binding site of alpha _v beta ₃ integrin. 2008 , 283, 19757-68		78
168	Malectin: a novel carbohydrate-binding protein of the endoplasmic reticulum and a candidate player in the early steps of protein N-glycosylation. 2008 , 19, 3404-14		203
167	CS23D: a web server for rapid protein structure generation using NMR chemical shifts and sequence data. <i>Nucleic Acids Research</i> , 2008 , 36, W496-502	20.1	177

166	Solution structure of the U2 snRNP protein Rds3p reveals a knotted zinc-finger motif. 2008 , 105, 9621-6	24
165	Structure of a glycosylphosphatidylinositol-anchored domain from a trypanosome variant surface glycoprotein. 2008 , 283, 3584-3593	24
164	Human macrophage inflammatory protein 3alpha: protein and peptide nuclear magnetic resonance solution structures, dimerization, dynamics, and anti-infective properties. 2008 , 52, 883-94	31
163	The membrane-binding motif of the chloroplast signal recognition particle receptor (cpFtsY) regulates GTPase activity. 2009 , 284, 14891-903	20
162	The structure of binder of Arl2 (BART) reveals a novel G protein binding domain: implications for function. 2009 , 284, 992-9	9
161	ARNT PAS-B has a fragile native state structure with an alternative beta-sheet register nearby in sequence space. 2009 , 106, 2617-22	25
160	Structure and mode of action of microplusin, a copper II-chelating antimicrobial peptide from the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> . 2009 , 284, 34735-46	63
159	The structure of an interdomain complex that regulates talin activity. 2009 , 284, 15097-106	99
158	Structure and dynamics of the human muscle LIM protein. 2009 , 583, 1017-22	9
157	The high resolution NMR structure of parvulostat (Z-2685) from <i>Streptomyces parvulus</i> FH-1641: comparison with tendamistat from <i>Streptomyces tendae</i> 4158. 2009 , 10, 119-27	13
156	Structures of HIV TAR RNA-ligand complexes reveal higher binding stoichiometries. 2009 , 10, 1490-4	17
155	Automated NMR structure determination of stereo-array isotope labeled ubiquitin from minimal sets of spectra using the SAIL-FLYA system. 2009 , 44, 261-72	25
154	MINOES: a new approach to select a representative ensemble of structures in NMR studies of (partially) unfolded states. Application to Delta25-PYP. 2009 , 74, 895-904	13
153	Folding transitions in calpain activator peptides studied by solution NMR spectroscopy. 2009 , 15, 404-10	2
152	Structural insight into the interaction of proteins containing NPF, DPF, and GPF motifs with the C-terminal EH-domain of EHD1. 2009 , 18, 2471-9	21
151	NMR structure of a fungal virulence factor reveals structural homology with mammalian saposin B. 2009 , 72, 344-53	26
150	Conformational stability and activity of p73 require a second helix in the tetramerization domain. 2009 , 16, 1582-9	46
149	Phosphorylation-mediated unfolding of a KH domain regulates KSRP localization via 14-3-3 binding. 2009 , 16, 238-46	79

148	Weak oligomerization of low-molecular-weight protein tyrosine phosphatase is conserved from mammals to bacteria. 2009 , 276, 4346-57		8
147	Structural basis of the broad specificity of a general odorant-binding protein from honeybee. 2009 , 48, 2431-41		45
146	Structure and insight into blue light-induced changes in the BlrP1 BLUF domain. 2009 , 48, 2620-9		67
145	Essential roles of hydrophobic residues in both MD-2 and toll-like receptor 4 in activation by endotoxin. 2009 , 284, 15052-60		85
144	Structural and motional contributions of the Bacillus subtilis ClpC N-domain to adaptor protein interactions. <i>Journal of Molecular Biology</i> , 2009 , 387, 639-52	6.5	13
143	Novel insights into the mechanisms of CIN85 SH3 domains binding to Cbl proteins: solution-based investigations and in vivo implications. <i>Journal of Molecular Biology</i> , 2009 , 387, 1120-36	6.5	11
142	Structural mimicry of O-antigen by a peptide revealed in a complex with an antibody raised against Shigella flexneri serotype 2a. <i>Journal of Molecular Biology</i> , 2009 , 388, 839-50	6.5	13
141	The structure of the N-terminus of kindlin-1: a domain important for alphaIIb beta3 integrin activation. <i>Journal of Molecular Biology</i> , 2009 , 394, 944-56	6.5	69
140	The solution structure of the bacterial HSP70 chaperone protein domain DnaK(393-507) in complex with the peptide NRLLLTG. 2003 , 12, 2588-96		89
139	Chapter 1 NMR of Antimicrobial Peptides. 2009 , 65, 1-51		19
138	An intramolecular switch regulates phospho-independent FHA domain interactions in Mycobacterium tuberculosis. 2009 , 2, ra12		69
137	Solution structure and dynamics of the small GTPase RalB in its active conformation: significance for effector protein binding. 2009 , 48, 2192-206		41
136	Protein Structure Calculation using Ambiguous Restraints. 2010 ,		3
135	NMR structure note: UBA domain of CIP75. 2010 , 46, 245-50		9
134	NMR structure note: oxidized microsomal human cytochrome b5. 2010 , 47, 289-95		12
133	The RalB-RLIP76 complex reveals a novel mode of ral-effector interaction. 2010 , 18, 985-95		38
132	Long range dynamic effects of point-mutations trap a response regulator in an active conformation. 2010 , 584, 4203-7		7
131	Structure-oriented methods for protein NMR data analysis. 2010 , 56, 311-28		5

130	Recognition of intermediate functionality by acyl carrier protein over a complete cycle of fatty acid biosynthesis. 2010 , 17, 776-85		39
129	Protein 3D structure determination by high-resolution solid-state NMR. 2010 , 13, 423-430		5
128	NMR structure of a phosphatidyl-ethanolamine binding protein from <i>Drosophila</i> . 2010 , 78, 1606-10		4
127	Molecular basis of FIR-mediated c-myc transcriptional control. 2010 , 17, 1058-64		44
126	NES consensus redefined by structures of PKI-type and Rev-type nuclear export signals bound to CRM1. 2010 , 17, 1367-76		180
125	Structure of a double ubiquitin-like domain in the talin head: a role in integrin activation. 2010 , 29, 1069-80		109
124	High-resolution NMR structure of an RNA model system: the 14-mer cUUCGg tetraloop hairpin RNA. <i>Nucleic Acids Research</i> , 2010 , 38, 683-94	20.1	146
123	Mechanism for the selective interaction of C-terminal Eps15 homology domain proteins with specific Asn-Pro-Phe-containing partners. 2010 , 285, 8687-94		33
122	The heterohexameric complex structure, a component in the non-classical pathway for fibroblast growth factor 1 (FGF1) secretion. 2010 , 285, 15464-15475		19
121	Solution structure of the dimerization domain of ribosomal protein P2 provides insights for the structural organization of eukaryotic stalk. <i>Nucleic Acids Research</i> , 2010 , 38, 5206-16	20.1	29
120	Analysis of the specific interactions between the lectin domain of malectin and diglucosides. 2010 , 20, 1010-20		46
119	NMR analysis of the structure, dynamics, and unique oligomerization properties of the chemokine CCL27. 2010 , 285, 14424-37		40
118	Orientation of the central domains of KSRP and its implications for the interaction with the RNA targets. <i>Nucleic Acids Research</i> , 2010 , 38, 5193-205	20.1	29
117	Molecular requirements for the insecticidal activity of the plant peptide pea albumin 1 subunit b (PA1b). 2010 , 285, 32689-32694		24
116	Structure and RNA recognition by the snRNA and snoRNA transport factor PHAX. 2010 , 16, 1205-16		13
115	Molecular level interaction of the human acidic fibroblast growth factor with the antiangiogenic agent, inositol hexaphosphate. 2010 , 49, 10756-64		3
114	Solution structure of an acyl carrier protein domain from a fungal type I polyketide synthase. 2010 , 49, 2186-93		33
113	Structure-function studies of chemokine-derived carboxy-terminal antimicrobial peptides. 2010 , 1798, 1062-72		24

112	High-resolution solid-state NMR structure of a 17.6 kDa protein. 2010 , 132, 1032-40	110
111	Identification of nucleic acid binding residues in the FCS domain of the polycomb group protein polyhomeotic. 2011 , 50, 4998-5007	7
110	Solution and solid-state NMR structural studies of antimicrobial peptides LPcin-I and LPcin-II. 2011 , 101, 1193-201	16
109	Advances in automated NMR protein structure determination. 2011 , 44, 257-309	65
108	Structure and mechanism of action of a de novo antimicrobial detergent-like peptide. 2011 , 1808, 106-16	30
107	Solution structure of UIM and interaction of tandem ubiquitin binding domains in STAM1 with ubiquitin. 2011 , 405, 24-30	8
106	Modeling pilus structures from sparse data. 2011 , 173, 436-44	34
105	Structure and function of BamE within the outer membrane and the β barrel assembly machine. 2011 , 12, 123-8	79
104	A kinked antimicrobial peptide from <i>Bombina maxima</i> . I. Three-dimensional structure determined by NMR in membrane-mimicking environments. 2011 , 40, 447-62	21
103	Cyclic Tritrpticin Analogs with Distinct Biological Activities. 2011 , 3, 132-43	6
102	Bayesian estimation of NMR restraint potential and weight: a validation on a representative set of protein structures. 2011 , 79, 1525-37	20
101	NMR-Strukturen von Thiostrepton-Derivaten zur Charakterisierung der ribosomalen Bindetasche. 2011 , 123, 3366-3370	8
100	Konformationsbestimmung der 2'OH-Gruppe in RNA durch NMR-Spektroskopie und Dichtefunktionalrechnungen. 2011 , 123, 5509-5512	2
99	NMR structures of thiostrepton derivatives for characterization of the ribosomal binding site. 2011 , 50, 3308-12	29
98	Determination of the conformation of the 2'OH group in RNA by NMR spectroscopy and DFT calculations. 2011 , 50, 5397-400	7
97	The IL1 α -S100A13 heterotetrameric complex structure: a component in the non-classical pathway for interleukin 1 α secretion. 2011 , 286, 14608-17	22
96	Structure of the C-terminal domain of Neisseria heparin binding antigen (NHBA), one of the main antigens of a novel vaccine against Neisseria meningitidis. 2011 , 286, 41767-41775	30
95	Solution structure of the dimerization domain of the eukaryotic stalk P1/P2 complex reveals the structural organization of eukaryotic stalk complex. <i>Nucleic Acids Research</i> , 2012 , 40, 3172-82	20.1 25

94	Initial insights into structure-activity relationships of avian defensins. 2012 , 287, 7746-55	22
93	Structure of nucleophosmin DNA-binding domain and analysis of its complex with a G-quadruplex sequence from the c-MYC promoter. 2012 , 287, 26539-48	43
92	The apo-structure of the low molecular weight protein-tyrosine phosphatase A (MptpA) from <i>Mycobacterium tuberculosis</i> allows for better target-specific drug development. 2012 , 287, 34569-82	30
91	Solution NMR studies of integral polytopic helical membrane proteins: the structure determination of the seven-helix transmembrane receptor sensory rhodopsin II, pSRII. 2012 , 914, 25-45	6
90	Influence of specific amino acid side-chains on the antimicrobial activity and structure of bovine lactoferrampin. 2012 , 90, 362-77	13
89	Structural dynamics of bacterial translation initiation factor IF2. 2012 , 287, 10922-32	20
88	From a marine neuropeptide to antimicrobial pseudopeptides containing aza- β -amino acids: structure and activity. 2012 , 55, 2025-34	28
87	Hydrophobic matching controls the tilt and stability of the dimeric platelet-derived growth factor receptor (PDGFR) α transmembrane segment. 2012 , 287, 26178-86	49
86	Structural and biophysical characterization of an antimicrobial peptide chimera comprised of lactoferricin and lactoferrampin. 2012 , 1818, 762-75	46
85	NMR studies of HAR1 RNA secondary structures reveal conformational dynamics in the human RNA. 2012 , 13, 2100-12	20
84	In-cell NMR of intrinsically disordered proteins in prokaryotic cells. 2012 , 895, 19-31	8
83	Purification and characterization of Hb 98-114: a novel hemoglobin-derived antimicrobial peptide from the midgut of <i>Rhipicephalus (Boophilus) microplus</i> . 2012 , 37, 120-7	17
82	Influence of ^1H chemical shift assignments of the interface residues on structure determinations of homodimeric proteins. 2012 , 222, 96-104	6
81	Self-assembly of functional, amphipathic amyloid monolayers by the fungal hydrophobin EAS. 2012 , 109, E804-11	97
80	Design of a novel tryptophan-rich membrane-active antimicrobial peptide from the membrane-proximal region of the HIV glycoprotein, gp41. 2012 , 8, 1172-84	19
79	NMR structure note: the ferrous iron transport protein C (FeoC) from <i>Klebsiella pneumoniae</i> . 2012 , 53, 161-5	17
78	Mechanism of action of puroidoline derived tryptophan-rich antimicrobial peptides. 2013 , 1828, 1802-13	64
77	An introduction to biological NMR spectroscopy. 2013 , 12, 3006-25	98

76	Structural basis for the interaction of human α -defensin 6 and its putative chemokine receptor CCR2 and breast cancer microvesicles. <i>Journal of Molecular Biology</i> , 2013 , 425, 4479-95	6.5	24
75	NMR of plant proteins. 2013 , 71, 1-34		4
74	The C-terminal region of cytoplasmic polyadenylation element binding protein is a ZZ domain with potential for protein-protein interactions. <i>Journal of Molecular Biology</i> , 2013 , 425, 2015-2026	6.5	19
73	Protein Structure Determination from NMR Data. 2013 , 247-288		
72	The addressing fragment of mitogaligin: first insights into functional and structural properties. 2013 , 14, 711-20		
71	The structure of HasB reveals a new class of TonB protein fold. 2013 , 8, e58964		19
70	Solution structure of human P1B2 heterodimer provides insights into the role of eukaryotic stalk in recruiting the ribosome-inactivating protein trichosanthin to the ribosome. <i>Nucleic Acids Research</i> , 2013 , 41, 8776-87	20.1	30
69	Solution structure of a DNA mimicking motif of an RNA aptamer against transcription factor AML1 Runt domain. 2013 , 154, 513-9		10
68	Functional role of the flexible N-terminal extension of FKBP38 in catalysis. 2013 , 3, 2985		5
67	Interaction of a partially disordered antisigma factor with its partner, the signaling domain of the TonB-dependent transporter HasR. 2014 , 9, e89502		9
66	Structural and spectroscopic insights into BofA-glutaredoxin complexes. 2014 , 289, 24588-98		36
65	The structure of Plasmodium yoelii merozoite surface protein 119, antibody specificity and implications for malaria vaccine design. 2014 , 4, 130091		3
64	Three-dimensional NMR structure of Hen Egg Gallin (Chicken Ovidensin) reveals a new variation of the α -defensin fold. 2014 , 289, 7211-7220		20
63	NMR of glycans: shedding new light on old problems. 2014 , 79, 48-68		44
62	Influence of the absolute configuration of npe-caged cytosine on DNA single base pair stability. 2014 , 53, 1072-5		5
61	Interaction of S100A13 with C2 domain of receptor for advanced glycation end products (RAGE). 2014 , 1844, 1718-28		15
60	Solution and high-pressure NMR studies of the structure, dynamics, and stability of the cross-reactive allergenic cod parvalbumin Gad m 1. 2014 , 82, 3032-42		18
59	Noncovalent spin labeling of riboswitch RNAs to obtain long-range structural NMR restraints. 2014 , 9, 1330-9		18

58	VirtualSpectrum, a tool for simulating peak list for multi-dimensional NMR spectra. 2014 , 60, 51-66		4
57	The solution structure of the regulatory domain of tyrosine hydroxylase. <i>Journal of Molecular Biology</i> , 2014 , 426, 1483-97	6.5	39
56	Influence of NMR Data Completeness on Structure Determinations of Homodimeric Proteins. 2014 , 61, 1297-1306		
55	Influence of the Absolute Configuration of NPE-Caged Cytosine on DNA Single Base Pair Stability. 2014 , 126, 1090-1093		2
54	Evolution of Macromolecular Docking Techniques: The Case Study of Nickel and Iron Metabolism in Pathogenic Bacteria. 2015 , 20, 14265-92		3
53	The EBNA-2 N-Terminal Transactivation Domain Folds into a Dimeric Structure Required for Target Gene Activation. 2015 , 11, e1004910		5
52	NMR structure and dynamics of Q4D059, a kinetoplastid-specific and conserved protein from <i>Trypanosoma cruzi</i> . 2015 , 190, 11-20		2
51	Improved reliability, accuracy and quality in automated NMR structure calculation with ARIA. 2015 , 62, 425-38		18
50	Synergic interplay of the La motif, RRM1 and the interdomain linker of LARP6 in the recognition of collagen mRNA expands the RNA binding repertoire of the La module. <i>Nucleic Acids Research</i> , 2015 , 43, 645-60	20.1	44
49	Structures of the reduced and oxidized state of the mutant D24A of yeast thioredoxin 1: insights into the mechanism for the closing of the water cavity. 2015 , 63, 417-423		3
48	Hydroxy-tryptophan containing derivatives of tritripticin: modification of antimicrobial activity and membrane interactions. 2015 , 1848, 277-88		19
47	Structural basis for the recognition of spliceosomal SmN/B/BR proteins by the RBM5 OCRE domain in splicing regulation. 2016 , 5,		19
46	Structural Studies of the Nedd4 WW Domains and Their Selectivity for the Connexin43 (Cx43) Carboxyl Terminus. 2016 , 291, 7637-50		32
45	Recognition of extended linear and cyclised polyketide mimics by a type II acyl carrier protein. 2016 , 7, 1779-1785		10
44	Solution NMR Structure of a Ligand/Hybrid-2-G-Quadruplex Complex Reveals Rearrangements that Affect Ligand Binding. 2017 , 56, 7102-7106		36
43	Solution NMR Structure of a Ligand/Hybrid-2-G-Quadruplex Complex Reveals Rearrangements that Affect Ligand Binding. 2017 , 129, 7208-7212		16
42	The molecular basis of subtype selectivity of human kinin G-protein-coupled receptors. 2018 , 14, 284-290		56
41	Structural Proteomics. 2018 , 99-128		

40	Oligomeric transition and dynamics of RNA binding by the HuR RRM1 domain in solution. 2018 , 72, 179-192	8
39	The domain architecture of PtkA, the first tyrosine kinase from <i>Mycobacterium tuberculosis</i> , differs from the conventional kinase architecture. 2018 , 293, 11823-11836	5
38	Protein Structure Analysis and Validation. 2019 , 512-519	
37	Structural and Mutagenesis Studies Evince the Role of the Extended Protuberant Domain of Ribosomal Protein uL10 in Protein Translation. 2019 , 58, 3744-3754	1
36	Paramagnetic-iterative relaxation matrix approach: extracting PRE-restraints from NOESY spectra for 3D structure elucidation of biomolecules. 2019 , 73, 699-712	6
35	Scaled Alternating Steepest Descent Algorithm Applied for Protein Structure Determination from Nuclear Magnetic Resonance Data. 2019 , 26, 1020-1029	3
34	Dynamics of Zika Virus Capsid Protein in Solution: The Properties and Exposure of the Hydrophobic Cleft Are Controlled by the EHelix 1 Sequence. 2019 , 58, 2488-2498	11
33	NMR structure of CmPI-II, a non-classical Kazal protease inhibitor: Understanding its conformational dynamics and subtilisin A inhibition. 2019 , 206, 280-294	3
32	Dynamic ion pair behavior stabilizes single Ehelices in proteins. 2019 , 294, 3219-3234	5
31	Solid-State NMR Spectroscopy of RNA. <i>Methods in Enzymology</i> , 2019 , 615, 333-371	1.7 9
30	ARIAweb: a server for automated NMR structure calculation. <i>Nucleic Acids Research</i> , 2020 , 48, W41-W47	20.1 3
29	Solid-State NMR for Studying the Structure and Dynamics of Viral Assemblies. 2020 , 12,	12
28	NMR Spectroscopic Characterization of the C-Mannose Conformation in a Thrombospondin Repeat Using a Selective Labeling Approach. 2020 , 59, 20659-20665	5
27	The dynamics of free and phosphopeptide-bound Grb2-SH2 reveals two dynamically independent subdomains and an encounter complex with fuzzy interactions. 2020 , 10, 13040	4
26	NMR Spectroscopic Characterization of the C-Mannose Conformation in a Thrombospondin Repeat Using a Selective Labeling Approach. 2020 , 132, 20840-20846	0
25	An autoinhibitory intramolecular interaction proof-reads RNA recognition by the essential splicing factor U2AF2. 2020 , 117, 7140-7149	6
24	Structure and Role of BCOR PUF1 in Noncanonical PRC1 Assembly and Disease. 2020 , 59, 2718-2728	5
23	<i>Aedes aegypti</i> Odorant Binding Protein 22 selectively binds fatty acids through a conformational change in its C-terminal tail. 2020 , 10, 3300	11

22	The discovery and maturation of peptide biologics targeting the small G-protein Cdc42: A bioblockade for Ras-driven signaling. 2020 , 295, 2866-2884		10
21	Solution NMR Structure of Titin N2A Region Ig Domain I83 and Its Interaction with Metal Ions. <i>Journal of Molecular Biology</i> , 2021 , 433, 166977	6.5	2
20	Solution Structure and Conformational Dynamics of a Doublet Acyl Carrier Protein from Prodigiosin Biosynthesis. 2021 , 60, 219-230		3
19	Angular Restraints from Residual Dipolar Couplings for Structure Refinement. 2002 , 163-229		5
18	NMR-based modeling and refinement of protein 3D structures. 2015 , 1215, 351-80		4
17	Nuclear magnetic resonance-based modeling and refinement of protein three-dimensional structures and their complexes. 2008 , 443, 229-55		1
16	Automated protein NMR structure determination in solution. 2010 , 673, 95-127		3
15	ARIA for solution and solid-state NMR. 2012 , 831, 453-83		38
14	Targeting G-quadruplex with Small Molecules: An NMR View. 2018 , 2189-2210		2
13	Structural Bioinformatics and NMR Structure Determination. 2008 , 123-137		1
12	Structural and functional analysis of the DEAF-1 and BS69 MYND domains. 2013 , 8, e54715		18
11	Structure of dual BON-domain protein DolP identifies phospholipid binding as a new mechanism for protein localisation. 2020 , 9,		11
10	Mechanistic insights into an atypical interaction between ATG8 and SH3P2 in. 2021 , 1-17		1
9	NMR: Applications in Chemical Biology.		
8	Solution Structure of Water-soluble Mutant of Crambin and Implication for Protein Solubility. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 1640-1644	1.2	1
7	References. 575-608		
6	Targeting G-quadruplex with Small Molecules: An NMR View. 2017 , 1-22		
5	The flexible N-terminal motif of uL11 unique to eukaryotic ribosomes interacts with P-complex and facilitates protein translation.. <i>Nucleic Acids Research</i> , 2022 ,	20.1	0

4	An electrostatically-steered conformational selection mechanism promotes SARS-CoV-2 Spike protein variation. <i>Journal of Molecular Biology</i> , 2022 , 167637	6.5	0
3	Rapid protein assignments and structures from raw NMR spectra with the deep learning technique ARTINA. 2022 , 13,		2
2	HIF1 β AS1 is a DNA:DNA:RNA triplex-forming lncRNA interacting with the HUSH complex. 2022 , 13,		2
1	Structural and dynamical basis for the interaction of HSP70-EEVD with JDP Sis1.		0