

CITATION REPORT

List of articles citing

Nearly 100% internal phosphorescence efficiency in an organic light-emitting device

DOI: 10.1063/1.1409582

Journal of Applied Physics, 2001, 90, 5048-5051.

Source: <https://exaly.com/paper-pdf/32348927/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2334	Quantifying Interdopant Exciton Processes in Organic Light Emitting Diodes.		
2333	High efficiency, long lifetime phosphorescent OLEDs.		1
2332	Efficient organic light emitting diodes and photodetectors.		
2331	Efficient organic light emitting diodes and photodetectors.		
2330	Integrated organic light-emitting device/fluorescence-based chemical sensors. 2002 , 81, 4652-4654		47
2329	Cyclometalated Ir complexes in polymer organic light-emitting devices. <i>Journal of Applied Physics</i> , 2002 , 92, 1570-1575	2.5	156
2328	High operational stability of electrophosphorescent devices. 2002 , 81, 162-164		224
2327	A possible mechanism for enhanced electrofluorescence emission through triplet-triplet annihilation in organic electroluminescent devices. 2002 , 81, 3137-3139		108
2326	52.3: Display Properties of High-efficiency Electrophosphorescent Diodes. 2002 , 33, 1365		8
2325	52.1: Invited Paper: Electrophosphorescent Organic Light Emitting Devices. 2002 , 33, 1357		4
2324	37.3: High Performance 2.2? QCIF Full Color AMOLED Display based on Electrophosphorescence. 2002 , 33, 1096		6
2323	Materials for Solid State Lighting. 2002 , 722, 211		0
2322	Divalent osmium complexes: synthesis, characterization, strong red phosphorescence, and electrophosphorescence. 2002 , 124, 14162-72		200
2321	Quenching effects in organic electrophosphorescence. 2002 , 66,		269
2320	Bis-cyclometalated Ir(III) complexes as efficient singlet oxygen sensitizers. 2002 , 124, 14828-9		226
2319	Light up-conversion from near-infrared to blue using a photoresponsive organic light-emitting device. 2002 , 81, 769-771		40
2318	Energy transfer in polymer electrophosphorescent light emitting devices with single and multiple doped luminescent layers. <i>Journal of Applied Physics</i> , 2002 , 92, 87-93	2.5	347

2317	Improved light out-coupling in organic light emitting diodes employing ordered microlens arrays. <i>Journal of Applied Physics</i> , 2002 , 91, 3324-3327	2.5	546
2316	Passive-Matrix Polymer Light-Emitting Displays. 2002 , 27, 864-869		39
2315	High-efficiency organic light-emitting diodes. 2002 , 8, 346-361		159
2314	Architectures for efficient electrophosphorescent organic light-emitting devices. 2002 , 8, 372-377		49
2313	Electrophosphorescent p-i-n Organic Light-Emitting Devices for Very-High-Efficiency Flat-Panel Displays. 2002 , 14, 1633-1636		216
2312	Fluorescence and Phosphorescence in Organic Materials. 2002 , 4, 453-459		32
2311	Electroluminescence from single monolayers of nanocrystals in molecular organic devices. 2002 , 420, 800-3		2182
2310	Metastable garnet in oceanic crust at the top of the lower mantle. 2002 , 420, 803-6		84
2309	A light-emitting sandwich filling. 2002 , 420, 752-3, 755		31
2308	Prospects for electrically pumped organic lasers. 2002 , 66,		267
2307	Spin-dependent exciton formation rates in π -conjugated materials. 2003 , 15, R83-R107		82
2306	New charge-carrier blocking materials for high efficiency OLEDs. 2003 , 4, 77-87		312
2305	High efficiency and low power consumption in active matrix organic light emitting diodes. 2003 , 4, 143-148		58
2304	The road to high efficiency organic light emitting devices. 2003 , 4, 45-48		255
2303	High-efficiency phosphorescent polymer light-emitting devices. 2003 , 4, 105-111		183
2302	Current status of electrophosphorescent device stability. 2003 , 4, 155-164		35
2301	Influence of molecular structure on the properties of dendrimer light-emitting diodes. 2003 , 4, 71-76		43
2300	Tuning the performance of hybrid organic/inorganic quantum dot light-emitting devices. 2003 , 4, 123-130		197

2299	Advanced light emitting diodes structures for optoelectronic applications. 2003 , 433, 22-26	65
2298	Photoresponsive organic electroluminescent devices. 2003 , 158, 215-218	7
2297	A low drive voltage, transparent, metal-free n-i-p electrophosphorescent light emitting diode. 2003 , 4, 21-26	47
2296	Energy transfer and triplet exciton confinement in polymeric electrophosphorescent devices. 2003 , 41, 2681-2690	119
2295	Triplet Emission in Platinum-Containing Poly(alkynylsilanes). 2003 , 36, 983-990	70
2294	Iridium. 2003 , 147-246	1
2293	Red electrophosphorescence devices based on rhenium complexes. 2003 , 83, 365-367	70
2292	Phosphorescence quenching by conjugated polymers. 2003 , 125, 7796-7	237
2291	High-efficiency red-light emission from polyfluorenes grafted with cyclometalated iridium complexes and charge transport moiety. 2003 , 125, 636-7	408
2290	Confinement of triplet energy on phosphorescent molecules for highly-efficient organic blue-light-emitting devices. 2003 , 83, 569-571	577
2289	Homoleptic cyclometalated iridium complexes with highly efficient red phosphorescence and application to organic light-emitting diode. 2003 , 125, 12971-9	1124
2288	OLED characteristics at high current density.	1
2287	Introduction. 2003 , 11, 297	3
2286	Novel Phosphorescent Cyclometalated Organotin(IV) and Organolead(IV) Complexes of 2,6-Bis(2-Indolyl)pyridine and 2,6-Bis[2-(7-azaindolyl)]pyridine. 2003 , 22, 4070-4078	47
2285	Excitonic singlet-triplet ratios in molecular and polymeric organic materials. 2003 , 68,	270
2284	Photoluminescence and Electroluminescence of d6 Metal-Organic Conjugated Oligomers: Correlation of Photophysics and Device Performance. 2003 , 107, 12569-12572	32
2283	High-efficiency white phosphorescent organic light-emitting devices with greenish-blue and red-emitting layers. 2003 , 83, 2459-2461	276
2282	Blue organic electrophosphorescence using exothermic host-guest energy transfer. 2003 , 82, 2422-2424	1006

2281	Guest Emission Processes in Doped Organic Light-Emitting Diodes: Use of Phthalocyanine and Naphthalocyanine Near-IR Dopants. 2003 , 107, 1142-1150		37
2280	Highly phosphorescence iridium complexes and their application in organic light-emitting devices. 2003 , 125, 8790-7		461
2279	White-electrophosphorescence devices based on rhenium complexes. 2003 , 83, 4716-4718		73
2278	Highly efficient organic light-emitting devices.		
2277	Bright red-emitting electrophosphorescent device using osmium complex as a triplet emitter. 2003 , 83, 776-778		84
2276	Origin of efficient light emission from a phosphorescent polymer/organometallic guest-host system. 2003 , 68,		39
2275	White organic light-emitting devices using a phosphorescent sensitizer. 2003 , 82, 4224-4226		101
2274	Effects of exciton and charge confinement on the performance of white organic p-i-n electrophosphorescent emissive excimer devices. <i>Journal of Applied Physics</i> , 2003 , 94, 3101-3109	2.5	68
2273	Ultrahigh efficiency green polymer light-emitting diodes by nanoscale interface modification. 2003 , 83, 4695-4697		108
2272	High efficiency phosphorescent OLED technology.		1
2271	Highly efficient single-layer dendrimer light-emitting diodes with balanced charge transport. 2003 , 82, 4824-4826		107
2270	Theoretical Investigation of the Spin-dependent Exciton Formation Rates in Polymeric Light-emitting Diodes. 2003 , 50, 691-702		
2269	P-77: High Efficiency Polymer-Based Electrophosphorescent Organic Light-Emitting Diode. 2003 , 34, 512		4
2268	27.2: Single Dopant p-i-n White Organic Light Emitting Devices. 2003 , 34, 967		2
2267	33.4: Thermal Treatment for the Longer Operating Lifetime of Organic Light Emitting Diodes. 2003 , 34, 1080		1
2266	15.3: 2.2-inch Full-Color 1320x62 Passive Matrix Organic Light Emitting Diode (OLED) Display using Phosphorescent Materials. 2003 , 34, 750		1
2265	White Light Emission from Polymer Light-emitting Devices based on Blue and Red Phosphorescent Polymers. 2003 , 16, 309-314		17
2264	Electrophosphorescence From Tetrameric Copper (I)-Amide Cluster. 2003 , 32, 32-33		18

- 2263 Polymer-based Electrophosphorescent Devices. **2003**, 1-7
- 2262 Charakterisierung von OLED-Schichten mittels Spektral-Ellipsometrie (Characterization of OLED Layers by Spectroscopic Ellipsometry). **2004**, 71, 583-589
- 2261 Display Technology. **2004**,
- 2260 White Electrophosphorescent Devices having Multi-organic Phosphors Doped Layers. **2004**, 124, 1053-1058
- 2259 High Efficiency White Electrophosphorescence Mechanism with Two Phosphorescent Dopants. **2004**, 124, 414-420 1
- 2258 High-Efficiency Organic Electroluminescent Device with Multiple Emitting Units. **2004**, 43, 6418-6422 69
- 2257 Organic Light-Emitting Diodes. **2004**, 1-5
- 2256 Fabrication and Characteristics of Increased Efficiency of Layered Polymeric Electroluminescent Diodes. **2004**, 43, 2315-2319 8
- 2255 Unusual Phosphorescence Characteristics of Ir(ppy)₃ in a Solid Matrix at Low Temperatures. **2004**, 43, L937-L939 49
- 2254 Electroluminescence spikes, turn-off dynamics, and charge traps in organic light-emitting devices. **2004**, 69, 23
- 2253 Triplet exciton confinement and unconfinement by adjacent hole-transport layers. *Journal of Applied Physics*, **2004**, 95, 7798-7802 2.5 265
- 2252 Highly efficient red electrophosphorescent devices based on an iridium complex with trifluoromethyl-substituted pyrimidine ligand. **2004**, 85, 1619-1621 44
- 2251 Enhanced coupling of light from organic light emitting diodes using nanoporous films. *Journal of Applied Physics*, **2004**, 96, 1649-1654 2.5 74
- 2250 Highly efficient organic electrophosphorescent light-emitting diodes with a reduced quantum efficiency roll off at large current densities. **2004**, 84, 1052-1054 55
- 2249 Magnetic field effects on organic electrophosphorescence. **2004**, 70, 64
- 2248 Charge carrier transport in an emissive layer of green electrophosphorescent devices. **2004**, 85, 4046-4048 61
- 2247 Ultraviolet amplified spontaneous emission from thin films of 4,4'-bis(9-carbazolyl)-2,2'-biphenyl and the derivatives. **2004**, 84, 2724-2726 35
- 2246 Electroluminescence as a probe for elucidating electrical conductivity in a deoxyribonucleic acid-cetyltrimethylammonium lipid complex layer. **2004**, 85, 1627-1629 25

2245	Phosphorescence Quantum Efficiency and Intermolecular Interaction of Iridium(III) Complexes in Co-Deposited Films with Organic Semiconducting Hosts. 2004 , 846, DD4.5.1	
2244	Highly efficient phosphorescent guest-host systems for hybrid inverted organic light-emitting diodes with sputtered indium-tin-oxide anodes. 2004 , 5519, 143	2
2243	Novel iridium complex and its copolymer with N-vinyl carbazole for electroluminescent devices. 2004 , 10, 121-126	16
2242	High-efficiency white phosphorescent polymer light-emitting devices. 2004 , 10, 115-120	26
2241	Polymer electrophosphorescent light-emitting diode using aluminum bis(2-methyl-8-quinolinato) 4-phenylphenolate as an electron-transport layer. 2004 , 10, 101-106	9
2240	Polarons in π -conjugated semiconductors: absorption spectroscopy and spin-dependent recombination. 2004 , 201, 1188-1204	9
2239	First Examples of Alkenyl Pyridines as Organic Ligands for Phosphorescent Iridium Complexes. 2004 , 16, 2003-2007	40
2238	White Organic Light-Emitting Devices for Solid-State Lighting. 2004 , 16, 1585-1595	1806
2237	Effect of Substitution of Methyl Groups on the Luminescence Performance of Ir(III) Complexes: Preparation, Structures, Electrochemistry, Photophysical Properties and Their Applications in Organic Light-Emitting Diodes (OLEDs). 2004 , 2004, 3415-3423	154
2236	Electrochemiluminescence studies of the cyclometalated iridium(III) complexes with substituted 2-phenylbenzothiazole ligands. 2004 , 6, 827-831	64
2235	Electrophosphorescence from substituted poly(thiophene) doped with iridium or platinum complex. 2004 , 468, 226-233	24
2234	Exciton formation statistics under electrical injection in organic semiconductor thin films. 2004 , 110, 378-383	9
2233	Solution-processible conjugated electrophosphorescent polymers. 2004 , 126, 7041-8	271
2232	Near Field Spectroscopic Investigation of Fluorescence Quenching by Charge Carriers in Pentacene-Doped Tetracene. 2004 , 108, 11368-11374	13
2231	Polymer-Based Blue Electrophosphorescent Light-Emitting Diodes Using a Bisorthometalated Ir(III) Complex as the Triplet Emitter. 2004 , 16, 4642-4646	80
2230	Photophysics and Photochemistry of Stilbene-Containing Platinum Acetylides. 2004 , 108, 4969-4978	84
2229	High-efficiency and low-voltage p-i-n electrophosphorescent organic light-emitting diodes with double-emission layers. 2004 , 85, 3911-3913	552
2228	Very high-efficiency and low voltage phosphorescent organic light-emitting diodes based on a p-i-n junction. <i>Journal of Applied Physics</i> , 2004 , 95, 5773-5777	2.5 157

2227	High-efficiency and low-voltage p-i-n electrophosphorescent OLEDs with double-doping emission layers. 2004,		4
2226	High-Efficiency Organic Electrophosphorescent Diodes Using 1,3,5-Triazine Electron Transport Materials. 2004, 16, 1285-1291		204
2225	Ultrahigh Energy Gap Hosts in Deep Blue Organic Electrophosphorescent Devices. 2004, 16, 4743-4747		450
2224	Platinum-functionalized random copolymers for use in solution-processible, efficient, near-white organic light-emitting diodes. 2004, 126, 15388-9		263
2223	Introduction. 2004, 12, 329		11
2222	Highly efficient electrophosphorescence devices based on rhenium complexes. 2004, 84, 148-150		63
2221	Glucose biosensors based on organic light-emitting devices structurally integrated with a luminescent sensing element. <i>Journal of Applied Physics,</i> 2004, 96, 2949-2954	2.5	70
2220	5.2: A High Efficiency Phosphorescent White OLED for LCD Backlight and Display Applications. 2004, 35, 48		23
2219	Application of strontium silicate yellow phosphor for white light-emitting diodes. 2004, 84, 1647-1649		372
2218	Efficient yellow electroluminescence from a single layer of a cyclometalated iridium complex. 2004, 126, 2763-7		595
2217	Carbazole compounds as host materials for triplet emitters in organic light-emitting diodes: polymer hosts for high-efficiency light-emitting diodes. 2004, 126, 7718-27		382
2216	Polymer electrophosphorescence devices with high power conversion efficiencies. 2004, 84, 2476-2478		133
2215	Highly efficient blue electrophosphorescent devices with a novel host material. 2004, 144, 249-252		55
2214	Luminescence quenching of a phosphorescent conjugated polyelectrolyte. 2004, 126, 14964-71		114
2213	Near-Infrared Photo- and Electroluminescence of Alkoxy-Substituted Poly(p-phenylene) and Nonconjugated Polymer/Lanthanide Tetraphenylporphyrin Blends. 2004, 16, 2938-2947		68
2212	23.3: Distinguished Paper: Red-Phosphorescent OLEDs Employing Bis(8-Quinolinolato)-Phenolato-Aluminum(III) Complexes as Emission-Layer Hosts. 2004, 35, 900		21
2211	Subwavelength particle layers for improved light outcoupling of OLEDs. 2004,		3
2210	11.4: Coupling Efficiency Enhancement of Organic Light Emitting Devices with Refractive Microlens Array on High Index Glass Substrate. 2004, 35, 158		17

2209	P-107: Very Bright and Efficient Phosphorescent Organic Light-Emitting Diode with Hole Transport Layer Deposited under Relatively High Pressure. 2004 , 35, 678	
2208	Emission properties of Ir(ppy) 3 and Ir(ppy) 2 (CO)(Cl): compounds with different transition types. 2004 , 5214, 356	9
2207	Recent Progress in Phosphorescent Materials for Organic Light-Emitting Devices. 2004 , 17, 307-313	4
2206	22.3: High Efficiency Electrophosphorescent Organic Light Emitting Diodes using Semitransparent Ag as Anode. 2005 , 36, 1066	3
2205	Method for fabrication of saturated RGB quantum dot light-emitting devices. 2005 ,	13
2204	High-Efficiency Phosphorescent OLEDs using Chemically Doped Layers. 2005 , 18, 83-86	26
2203	Polymer Electrophosphorescence Devices. 2005 , 333-367	10
2202	Phosphorescence Decay Mechanism of Ir(ppy)3 in a Solid Matrix. 2005 , 18, 47-50	
2201	Self-Alignment Technologies of Organic Electronic Devices and Its Integrated Panels. 2005 , 18, 79-82	4
2200	Synthesis and Luminescent Properties of Mercury(II) Polyynes Containing Derivatized Benzene in the Backbone. 2005 , 58, 799	12
2199	P-141: High-Efficiency and Long Lifetime Electrophosphorescent Organic Light-Emitting Diodes with Improved Hole-Electron Balance by using Alternate Multilayer Structures. 2005 , 36, 838	1
2198	67.2: Invited Paper: High-Efficiency Phosphorescent Polymer LEDs. 2005 , 36, 1866	
2197	A laser induced local transfer for patterning of RGB-OLED-displays. 2005 ,	3
2196	Characterisation of thin films of organic phosphorescent materials using synchrotron radiation. 2005 , 248, 36-39	1
2195	Functional polymers: from plastic electronics to polymer-assisted therapeutics. 2005 , 30, 844-857	70
2194	Blue electroluminescence from spiro-configured polyfluorene derivatives with hetero-atoms. 2005 , 115, 109-116	25
2193	Theoretical analysis on light-extraction efficiency of organic light-emitting diodes using FDTD and mode-expansion methods. 2005 , 6, 3-9	154
2192	Luminescence mechanisms of green and blue organic light-emitting devices utilizing hole-blocking layers. 2005 , 134, 367-372	6

2191	High-efficiency blue and white phosphorescent organic light-emitting devices. 2005 , 5, 331-336	34
2190	Characterization of electronic structure of aluminum (III) bis(2-methyl-8-quinolinato)-4-phenylphenolate (BAIq) for phosphorescent organic light emitting devices. 2005 , 404, 121-125	24
2189	Ab initio molecular orbital study of 1,3,5-triazine derivatives for phosphorescent organic light emitting devices. 2005 , 415, 137-140	29
2188	The potential of palladacycles: more than just precatalysts. 2005 , 105, 2527-71	1171
2187	Organogel of an 8-quinolinol platinum(II) chelate derivative and its efficient phosphorescence emission effected by inhibition of dioxygen quenching. 2005 , 4149-51	136
2186	Temperature-Controlled Solvothermal Syntheses, Structures and Characterizations of a Novel Class of Zn Complexes Constructed from 1,4-Bis[2-(5-phenyloxazolyl)]benzene. 2005 , 2005, 423-427	48
2185	Energy transfer by a hopping mechanism in dinuclear Ir(III)/Ru(II) complexes: a molecular wire?. 2005 , 6, 2417-27	84
2184	Synthesis and characterization of phosphorescent cyclometalated iridium complexes containing 2,5-diphenylpyridine based ligands. 2005 , 19, 1225-1231	20
2183	Yellow and Red Electrophosphors Based on Linkage Isomers of Phenylisoquinolinyliridium Complexes: Distinct Differences in Photophysical and Electroluminescence Properties. 2005 , 15, 387-395	141
2182	New Trends in the Use of Transition Metal-Ligand Complexes for Applications in Electroluminescent Devices. 2005 , 17, 1109-1121	671
2181	New Dopant and Host Materials for Blue-Light-Emitting Phosphorescent Organic Electroluminescent Devices. 2005 , 17, 285-289	633
2180	Synthesis and properties of electrophosphorescent chelating polymers with iridium complexes in the conjugated backbone. 2005 , 11, 5007-16	116
2179	High temperature operation and stability of phosphorescent OLEDs. 2005 , 5, 15-18	19
2178	Electronic structures of p-phenylene biphenyltetracarboximide polyimide/indium-tin oxide heterostructures grown on glass substrates for organic light-emitting devices. 2005 , 135, 129-132	3
2177	X-ray excited visible luminescence spectroscopy of organic materials using a portable optical spectrometer. 2005 , 12, 690-5	1
2176	Synthesis of polymer-iridium complex and its electroluminescent characteristics. 2005 , 16, 480-483	19
2175	. 2005 ,	165
2174	High-efficiency solution processed electrophosphorescent organic light emitting diodes based on a simple bi-layer device architecture. 2005 , 5937, 56	2

2173	Temperature Dependence of Photoluminescence Lifetime and Quantum Efficiency in Neat fac-Ir(ppy) ₃ Thin Films. 2005 , 44, 1966-1969	28
2172	High-efficiency electrophosphorescent white organic light-emitting devices with a double-doped emissive layer. 2005 , 20, 326-329	19
2171	Wearable photonics based on integrative polymeric photonic fibres. 2005 , 136-154	24
2170	100% phosphorescence quantum efficiency of Ir(III) complexes in organic semiconductor films. 2005 , 86, 071104	623
2169	Efficient organic light-emitting diodes with phosphorescent platinum complexes containing N ² C ² N-coordinating tridentate ligand. 2005 , 86, 153505	76
2168	Singlet-singlet and singlet-heat annihilations in fluorescence-based organic light-emitting diodes under steady-state high current density. 2005 , 86, 213506	83
2167	White organic light-emitting devices with a solution-processed and molecular host-employed emission layer. 2005 , 87, 043508	42
2166	Red Phosphorescent Organic Light-Emitting Diodes Using Mixture System of Small-Molecule and Polymer Host. 2005 , 44, 2790-2794	14
2165	Direct Patterning of Molecular Organic Materials and Metals Using a Micromachined Printhead. 2005 , 870, 181	1
2164	A novel patterning technique for high-resolution RGB-OLED-displays: Laser induced local transfer (LILT). 2005 , 870, 341	3
2163	A novel class of phosphorescent gold(III) alkynyl-based organic light-emitting devices with tunable colour. 2005 , 2906-8	140
2162	Phenoxazine-Based Emissive Donor-Acceptor Materials for Efficient Organic Light-Emitting Diodes. 2005 , 17, 5225-5227	73
2161	Electroluminescence of 2,4-bis(4-(2-thiophene-yl)phenyl)thiophene in organic light-emitting field-effect transistors. 2005 , 86, 093505	54
2160	Iridium complexes containing p-phenylene units. The influence of the conjugation on the excited state properties. 2005 , 15, 2820	90
2159	Thin-film waveguiding mode light extraction in organic electroluminescent device using high refractive index substrate. <i>Journal of Applied Physics</i> , 2005 , 97, 054505	2.5 78
2158	Temperature-dependent carrier-transport and light-emission processes in a phosphorescent organic light-emitting device. 2005 , 87, 173509	10
2157	Oligo(fluorenyl)pyridine ligands and their tris-cyclometalated iridium(III) complexes: synthesis, photophysical properties and electrophosphorescent devices. 2005 , 15, 4963	42
2156	High-efficiency red electrophosphorescence based on neutral bis(pyrrole)-diimine platinum(II) complex. 2005 , 1408-10	96

2155	Nonconjugated hybrid of carbazole and fluorene: a novel host material for highly efficient green and red phosphorescent OLEDs. 2005 , 7, 5361-4	148
2154	Substituent effects of iridium complexes for highly efficient red OLEDs. 2005 , 1583-90	180
2153	Highly efficient red-electrophosphorescent devices based on polyfluorene copolymers containing charge-transporting pendant units. 2005 , 109, 14000-5	46
2152	Highly Efficient Electrophosphorescent Devices with Saturated Red Emission from a Neutral Osmium Complex. 2005 , 17, 3532-3536	87
2151	Organic Light-Emitting Diodes Using Multifunctional Phosphorescent Dendrimers with Iridium-Complex Core and Charge-Transporting Dendrons. 2005 , 44, 4151-4154	51
2150	Efficient red-emitting cyclometalated Iridium(III) complexes containing lepidine-based ligands. 2005 , 44, 5677-85	147
2149	Bright white light through up-conversion of a single NIR source from sol-gel-derived thin film made with Ln ³⁺ -doped LaF ₃ nanoparticles. 2005 , 127, 12464-5	486
2148	Coupling efficiency enhancement in organic light-emitting devices using microlens array-theory and experiment. 2005 , 1, 278-282	84
2147	White, phosphorescent, wet-processed, organic light-emitting diode, on a window-glass substrate. 2005 , 151, 147-151	20
2146	Architectural float glass as a substrate for organic light-emitting diodes. 2005 , 152, 69-72	2
2145	Polymer microcavities by room temperature electron-beam evaporation of TiO _x and SiO _x . 2005 , 153, 329-332	1
2144	Photoemission and X-ray absorption spectroscopies of phosphorescent organic iridium complexes. 2005 , 153, 233-236	4
2143	Pure red electrophosphorescent organic light-emitting diodes based on a new iridium complex. 2005 , 155, 168-171	29
2142	Synthesis and electrophosphorescent performances of alkyl-substituted bicycloiridium complexes in polymer light-emitting diodes. 2005 , 155, 196-201	4
2141	Highly efficient phosphorescent bis-cyclometalated iridium complexes based on quinoline ligands. 2005 , 155, 539-548	64
2140	Blue and near-UV phosphorescence from iridium complexes with cyclometalated pyrazolyl or N-heterocyclic carbene ligands. 2005 , 44, 7992-8003	573
2139	Introduction. 2005 , 13, 393	83
2138	Introduction. 2005 , 13, 405	3

2137	Introduction. 2005 , 13, 117	8
2136	Efficient upconversion fluorescence in a blue-emitting spirobifluorene-anthracene copolymer doped with low concentrations of Pt(II)octaethylporphyrin. 2005 , 123, 074902	64
2135	Modelling of the laser dynamics of electrically pumped organic semiconductor laser diodes. 2005 ,	4
2134	Red Electrophosphorescence of Conjugated Organoplatinum(II) Polymers Prepared via Direct Metalation of Poly(fluorene-co-tetraphenylporphyrin) Copolymers. 2005 , 24, 4509-4518	42
2133	High-Efficiency Electrophosphorescent Fluorene-alt-carbazole Copolymers N-Grafted with Cyclometalated Ir Complexes. 2005 , 38, 4072-4080	181
2132	Single-Layer Electroluminescent Devices and Photoinduced Hydrogen Production from an Ionic Iridium(III) Complex. 2005 , 17, 5712-5719	706
2131	Color Tuning of Cyclometalated Iridium Complexes through Modification of Phenylpyrazole Derivatives and Ancillary Ligand Based on ab Initio Calculations. 2005 , 24, 1578-1585	131
2130	Tuning the emission and morphology of cyclometalated iridium complexes and their applications to organic light-emitting diodes. 2005 , 15, 1035	145
2129	100% fluorescence efficiency of 4,4'-bis[(N-carbazole)styryl]biphenyl in a solid film and the very low amplified spontaneous emission threshold. 2005 , 86, 071110	108
2128	Photophysical and electrochemical properties of heteroleptic tris-cyclometalated iridium(III) complexes. 2005 , 44, 4445-7	224
2127	Triplet exciton formation and decay in polyfluorene light-emitting diodes. 2005 , 72,	11
2126	Highly efficient polymer light-emitting devices using ambipolar phosphorescent polymers. 2005 , 86, 103507	115
2125	Charge injection into cathode-doped amorphous organic semiconductors. 2005 , 71,	55
2124	Increased electrophosphorescent efficiency in organic light emitting diodes by using an exciton-collecting structure. <i>Journal of Applied Physics</i> , 2005 , 97, 044505	2.5 30
2123	Iridium(III) complexes with orthometalated quinoxaline ligands: subtle tuning of emission to the saturated red color. 2005 , 44, 1344-53	262
2122	Synthesis, Characterization, and Photophysical Properties of Iridium Complexes with an 8-Phenylquinoline Framework. The First Six-Membered Chelated Iridium Complexes for Electroluminescence. 2005 , 24, 1329-1335	64
2121	1,4-Benzoxazino[2,3-b]phenoxazine and Its Sulfur Analogues: Synthesis, Properties, and Application to Organic Light-Emitting Diodes. 2005 , 17, 5504-5511	33
2120	White organic light-emitting devices with a phosphorescent multiple emissive layer. 2006 , 89, 043504	58

2119	5.1: Fluorescent RGB OLEDs with High Performance. 2006 , 37, 37	28
2118	Efficient green-blue-light-emitting cationic iridium complex for light-emitting electrochemical cells. 2006 , 45, 9245-50	183
2117	Triplet exciton energy transfer in polyfluorene doped with heavy metal complexes studied using photoluminescence and photoinduced absorption. 2006 , 74,	17
2116	Intermolecular interaction and a concentration-quenching mechanism of phosphorescent Ir(III) complexes in a solid film. 2006 , 96, 017404	299
2115	Highly efficient, selective, and general method for the preparation of meridional homo- and heteroleptic tris-cyclometalated iridium complexes. 2006 , 45, 3155-7	48
2114	Effect of doping profile on the lifetime of green phosphorescent organic light-emitting diodes. 2006 , 89, 153503	34
2113	Efficient organic light-emitting devices using an iridium complex as a phosphorescent host and a platinum complex as a red phosphorescent guest. 2006 , 88, 243511	26
2112	Polymer-Based Tris(2-phenylpyridine)iridium Complexes. 2006 , 39, 3140-3146	57
2111	Synthesis and Photophysical, Electrochemical, and Electrophosphorescent Properties of a Series of Iridium(III) Complexes Based on Quinoline Derivatives and Different β -Diketonate Ligands. 2006 , 25, 3631-3638	119
2110	Polarized optical spectroscopy applied to investigate two poly(phenylene-vinylene) polymers with different side chain structures. 2006 , 125, 164701	13
2109	White-electrophosphorescent devices based on copper complexes using 2-(4-biphenyl)-5-(4-tert-butyl-phenyl)-1,3,4-oxadiazole as chromaticity-tuning layer. 2006 , 88, 213508	32
2108	Blue Electrophosphorescence from Iridium Complex Covalently Bonded to the Poly(9-dodecyl-3-vinylcarbazole): Suppressed Phase Segregation and Enhanced Energy Transfer. 2006 , 39, 349-356	95
2107	Triplet energy back transfer in conjugated polymers with pendant phosphorescent iridium complexes. 2006 , 128, 6647-56	214
2106	Influence of electronic properties on the threshold behaviour of organic laser diode structures. 2006 ,	1
2105	Engineering white light-emitting Eu-doped ZnO urchins by biopolymer-assisted hydrothermal method. 2006 , 89, 123125	105
2104	A dibenzofuran-based host material for blue electrophosphorescence. 2006 , 8, 4211-4	196
2103	New Charge Transporting Host Material for Short Wavelength Organic Electrophosphorescence: 2,7-Bis(diphenylphosphine oxide)-9,9-dimethylfluorene. 2006 , 18, 2389-2396	189
2102	Excitons in conjugated oligomer aggregates, films, and crystals. 2006 , 57, 217-43	280

2101	An organic white light-emitting fluorophore. 2006 , 128, 14081-92	170
2100	Organic light-emitting diodes having exclusive near-infrared electrophosphorescence. 2006 , 89, 083506	115
2099	Highly efficient solution processed blue organic electrophosphorescence with 14lm/W luminous efficacy. 2006 , 88, 243512	97
2098	Relativistic study on emission mechanism in palladium and platinum complexes. 2006 , 110, 13295-302	25
2097	Narrow-line and broadband spectra of iridium(III) complexes in a Shpol'skii matrix and an amorphous host. 2006 , 110, 9828-38	17
2096	Substituent effect on the luminescent properties of a series of deep blue emitting mixed ligand Ir(III) complexes. 2006 , 110, 10303-14	66
2095	Novel carbazole/fluorene hybrids: host materials for blue phosphorescent OLEDs. 2006 , 8, 2799-802	168
2094	Theoretical Studies on Photophysical Properties and Mechanism of Phosphorescence in [fac-Ir(2-phenylpyridine) ₃]. 2006 , 53, 101-112	140
2093	Living Radical Polymerization of Bipolar Transport Materials for Highly Efficient Light Emitting Diodes. 2006 , 18, 386-395	130
2092	Theoretical studies of phosphorescence spectra of tris(2,2'-bipyridine) transition metal compounds. 2006 , 45, 6161-78	94
2091	Luminescent complexes of iridium(III) containing N/C/N-coordinating terdentate ligands. 2006 , 45, 8685-99	123
2090	En route to the formation of high-efficiency, osmium(II)-based phosphorescent materials. 2006 , 45, 10188-96	46
2089	Phosphorescent platinum(II) complexes derived from multifunctional chromophores: synthesis, structures, photophysics, and electroluminescence. 2006 , 45, 10922-37	203
2088	Measurement of Electron Mobility in $\{Alq\}_3$ From Optical Modulation Measurements in Multilayer Organic Light-Emitting Diodes. 2006 , 2, 341-346	4
2087	White organic LEDs and their recent advancements. 2006 , 21, R35-R47	176
2086	White organic light-emitting diodes (WOLEDs). 2006 ,	1
2085	Synthesis of novel Ir complexes and their application in organic light emitting diodes. 2006 , 156, 525-528	9
2084	A phosphorescent hexa-peri-hexabenzocoronene platinum complex and its time-resolved spectroscopy. 2006 , 156, 1182-1186	24

2083	. 2006,	47
2082	Organic Blue Electrophorescence Using a Cyclic Siloxane Compound as a Host Material. 2006, 63, 686-690	
2081	Blue Electrophosphorescent Light-emitting Device Using a Novel Nonconjugated Polymer as Host Materials. 2006, 35, 404-405	12
2080	Electroluminescence materials. 2006,	
2079	Fundamentals of luminescence. 2006,	2
2078	11.4: Highly Efficient Blue Organic Electrophosphorescent Devices Based on 3,6-Bis(triphenylsilyl)Carbazole as the Host Material. 2006, 37, 139	1
2077	Synthesis, Characterization, and Photophysics of a New Trinuclear Mercury(II) Complex of 1,3,5-Triethynylbenzene. 2006, 59, 434	10
2076	Spin-relaxation Process of Excited Triplet States of Ir(ppy) ₃ . 2006, 19, 181-186	2
2075	Solution-processed Small Organic Electrophosphorescent Devices with Arylamine Polymer Buffer Layer. 2006, 19, 177-180	2
2074	High-efficiency, electrophosphorescent polymers with porphyrin-platinum complexes in the conjugated backbone: Synthesis and device performance. 2006, 44, 4174-4186	29
2073	Organic light-emitting diode (OLED) technology: materials, devices and display technologies. 2006, 55, 572-582	641
2072	Management of singlet and triplet excitons for efficient white organic light-emitting devices. 2006, 440, 908-12	1995
2071	Coordination complexes exhibiting room-temperature phosphorescence: Evaluation of their suitability as triplet emitters in organic light emitting diodes. 2006, 250, 2093-2126	955
2070	High efficiency red electrophosphorescent polymer light-emitting diode. 2006, 418, 50-53	17
2069	Photoluminescence of CdSe/ZnS core/shell quantum dots enhanced by energy transfer from a phosphorescent donor. 2006, 424, 120-125	89
2068	Novel EDOT and fluorene-based electroluminescent Bricks&Bbs materials for OLEDs. 2006, 7, 576-585	11
2067	Bathochromic effect of trifluoromethyl-substituted 2-naphthalen-1-yl-pyridine ligands in color tuning of iridium complexes. 2006, 25, 2407-2414	17
2066	Organic light-emitting devices with double-block layer. 2006, 37, 1271-1275	8

2065	Highly efficient red electrophosphorescent device based on a new iridium complex with trifluoromethyl-substituted 2-benzo[b]thiophen-2-yl-pyridine ligand. 2006 , 28, 1025-1028	13
2064	Energy transfer and morphology study of a new iridium based cyclometalated phosphorescent complex. 2006 , 28, 1355-1361	17
2063	Reduced geminate recombination in iridium-based electrophosphorescent materials. 2006 , 7, 163-172	15
2062	Transient characteristics of polyfluorene-based polymer light-emitting diodes and their application for color tunable devices. 2006 , 499, 359-363	20
2061	Photoluminescence properties of facial- and meridional-Ir(ppy) ₃ thin films. 2006 , 509, 164-167	16
2060	Optical and electroluminescent properties of a new Ir(III) complex \square fac-tris[2,5-di(4-methoxyphenyl)pyridinato-C,N]iridium(III). 2006 , 497, 239-242	6
2059	Functionalization of polymers with phosphorescent iridium complexes via click chemistry. 2006 , 3933-5	87
2058	Tuning the saturated red emission: synthesis, electrochemistry and photophysics of 2-arylquinoline based iridium(III) complexes and their application in OLEDs. 2006 , 16, 3332	66
2057	Enhanced Coupling of Light from Organic Electroluminescent Device Using Diffusive Particle Dispersed High Refractive Index Resin Substrate. 2006 , 13, 104-110	104
2056	Spatial extent of the singlet and triplet excitons in luminescent angular-shaped transition-metal diynes and polyynes comprising non- π -conjugated group 16 main group elements. 2006 , 12, 2550-63	67
2055	π -Conjugated chelating polymers with charged iridium complexes in the backbones: synthesis, characterization, energy transfer, and electrochemical properties. 2006 , 12, 4351-61	124
2054	Synthetically tailored excited states: phosphorescent, cyclometalated iridium(III) complexes and their applications. 2006 , 12, 7970-7	665
2053	Ir-catalyzed borylation of C-H bonds in N-containing heterocycles: regioselectivity in the synthesis of heteroaryl boronate esters. 2006 , 45, 489-91	186
2052	Synthesis and Electroluminescence Properties of fac-Tris(2-phenylpyridine)iridium Derivatives Containing Hole-Trapping Moieties. 2006 , 2006, 3676-3683	57
2051	Osmium- and Ruthenium-Based Phosphorescent Materials: Design, Photophysics, and Utilization in OLED Fabrication. 2006 , 2006, 3319-3332	214
2050	Ir-Catalyzed Borylation of C-H Bonds in N-Containing Heterocycles: Regioselectivity in the Synthesis of Heteroaryl Boronate Esters. 2006 , 118, 503-505	64
2049	Enhancement of External Quantum Efficiency of Red Phosphorescent Organic Light-Emitting Devices with Facially Encumbered and Bulky PtII Porphyrin Complexes. 2006 , 16, 515-519	51
2048	Amorphous Diphenylaminofluorene-Functionalized Iridium Complexes for High-Efficiency Electrophosphorescent Light-Emitting Diodes. 2006 , 16, 838-846	177

2047	High-Performance Organic Light-Emitting Diodes Based on Dioxolane-Substituted Pentacene Derivatives. 2006 , 16, 1943-1949	86
2046	Efficient Polymer Electrophosphorescent Devices with Interfacial Layers. 2006 , 16, 2156-2162	60
2045	Orange and Red Organic Light-Emitting Devices Employing Neutral Ru(II) Emitters: Rational Design and Prospects for Color Tuning. 2006 , 16, 1615-1626	120
2044	Highly Efficient Polymeric Electrophosphorescent Diodes. 2006 , 18, 948-954	309
2043	Highly Efficient Organic Blue Electrophosphorescent Devices Based on 3,6-Bis(triphenylsilyl)carbazole as the Host Material. 2006 , 18, 1216-1220	439
2042	Charge Carrier Transport in Red Electrophosphorescent Emitting Layer. 2006 , 45, 5966-5969	14
2041	Novel Electron-Transporting Carbazolylphenylquinolines for Phosphorescent Organic Light-Emitting Diodes. 2006 , 45, 9228-9230	3
2040	The effect of delocalization on the exchange energy in meta- and para-linked Pt-containing carbazole polymers and monomers. 2006 , 124, 244701	13
2039	Optimization of the Organic Lightemitting Diodes with a Red Phosphor. 2006 , 462, 169-177	
2038	Chapter 1 Nanotechnology and nanomaterials. 2006 , 1-69	15
2037	Photoluminescence and Electroluminescence in Combination of Rare-Earth Metal Complexes and Phosphorescent Molecules. 2006 , 965, 1	2
2036	Design strategies for achieving high triplet energy electron transporting host materials for blue electrophosphorescence. 2006 ,	14
2035	Investigation into the modelling of field-effect carrier mobility in disordered organic semiconductors. 2006 , 153, 124	1
2034	Material and Interface Engineering for Highly Efficient Polymer Light Emitting Diodes. 2006 , 46, 7-26	9
2033	Highly efficient and color-tuning electrophosphorescent devices based on CuI complex. 2006 , 89, 103511	118
2032	High-efficiency blue light-emitting electrophosphorescent device with conjugated polymers as the host. 2006 , 88, 051116	50
2031	Efficiency improvement of phosphorescent organic light-emitting diodes using semitransparent Ag as anode. 2006 , 88, 033509	25
2030	Quantum efficiency enhancement in top-emitting organic light-emitting diodes as a result of enhanced intrinsic quantum yield. 2006 , 89, 263512	30

2029	Highly efficient organic electroluminescent device with modified cathode. 2006 , 88, 203502	17
2028	Improved efficiency for white organic light-emitting devices based on phosphor sensitized fluorescence. 2006 , 88, 083512	34
2027	Intramolecular energy transfer in heteroleptic red phosphorescent dopants. 2006 , 89, 223517	11
2026	Electroluminescence and the Photovoltaic Effect. 365-390	
2025	Multilayer organic electrophosphorescent white light-emitting diodes without exciton-blocking layer. 2006 , 88, 103508	57
2024	Dissociation of iridium(III) phosphorescent emitters upon adsorption on Cu(110) revealed by scanning tunneling microscopy. 2006 , 89, 264102	8
2023	Efficient light extraction and beam shaping from flexible, optically integrated organic light-emitting diodes. 2006 , 88, 153514	26
2022	Systematic study of the dynamics of triplet exciton transfer between conjugated host polymers and phosphorescent iridium (III) guest emitters. 2006 , 73,	16
2021	Polarons in π -Conjugated Semiconductors: Absorption Spectroscopy and Spin-Dependent Recombination. 2006 , 235-256	
2020	Glossary of terms used in photochemistry, 3rd edition (IUPAC Recommendations 2006). 2007 , 79, 293-465	568
2019	Highly efficient and high colour rendering index white organic light-emitting devices using bis(2-(2-fluorophenyl)-1,3-benzothiazolato-N,C2?) iridium (acetylacetonate) as yellow emitter. 2007 , 22, 798-801	7
2018	Enhanced Modulation Speed of Tris(8-hydroxyquinoline)aluminum-Based Organic Light Source with Low-Work-Function Electrode. 2007 , 46, 7880-7884	10
2017	Efficiency Enhancement Mechanism in Yellow Organic Light-Emitting Devices with Multiple Heterostructures Acting as an Emitting Layer. 2007 , 46, 654-656	6
2016	High Coupling Efficiency of Microcavity Organic Light-Emitting Diode with Optical Fiber for as Light Source for Optical Interconnects. 2007 , 46, 642-646	9
2015	High efficiency organic light-emitting diodes with yellow phosphorescent emission based on a novel iridium complex. 2007 , 22, 25-28	18
2014	Efficient white organic light-emitting diodes comprising an ultrathin iridium complex sub-monolayer. 2007 , 40, 2783-2786	13
2013	Low operating voltage bright organic light-emitting diode using iridium complex doped in 4,4'-bis[N-1-naphthyl-N-phenyl-amino]biphenyl. 2007 , 91, 131105	33
2012	Enhanced light outcoupling in a thin film by texturing meshed surfaces. 2007 , 90, 091102	81

2011	Charge carrier generation and electron blocking at interlayers in polymer solar cells. 2007 , 90, 133502	29
2010	High efficiency phosphorescent organic light-emitting diodes using carbazole-type triplet exciton blocking layer. 2007 , 90, 223505	96
2009	Enhanced electrophosphorescence of copper complex based devices by codoping an iridium complex. 2007 , 90, 143505	9
2008	Observation of excitonic quenching by long-range dipole-dipole interaction in sequentially doped organic phosphorescent host-guest system. 2007 , 99, 143003	44
2007	White organic light-emitting devices with a bipolar transport layer between blue fluorescent and orange phosphorescent emitting layers. 2007 , 91, 023505	73
2006	Efficient plastic scintillators utilizing phosphorescent dopants. 2007 , 90, 012117	34
2005	Highly efficient red electrophosphorescence from a solution-processed zwitterionic cyclometalated iridium(III) complex. 2007 , 91, 211106	23
2004	Combinatorial preparation and characterization of thin-film multilayer electro-optical devices. 2007 , 78, 072216	20
2003	Single-step triplet-triplet annihilation: an intrinsic limit for the high brightness efficiency of phosphorescent organic light emitting diodes. 2007 , 98, 197402	127
2002	Enhancement of the Color Stabilization in Yellow Organic Light-Emitting with N,N'-bis-(1-naphthyl)-N,N'-diphenyl-1,1'-biphenyl-4,4'-diamine/5,6,11,12-tetraphenylnaphthacene Multiple Heterostructures Acting as an Emitting Layer. 2007 , 470, 269-277	5
2001	Efficiency enhancement and voltage reduction in white organic light-emitting devices. 2007 , 90, 203510	33
2000	Transient property of optically pumped organic film of different fluorescence lifetimes. 2007 , 90, 231105	9
1999	Low roll-off of efficiency at high current density in phosphorescent organic light emitting diodes. 2007 , 90, 223508	181
1998	Energy Transfer Employing Europium Complex and Blue Phosphorescent Dye and Its Application in White Organic Light-Emitting Diodes. 2007 , 46, 2673-2677	5
1997	Cyclometalated Organoiridium Complexes as Emitters in Electrophosphorescent Devices. 131-161	1
1996	Physical Processes in Polymer-Based Electrophosphorescent Devices. 221-258	0
1995	Small Molecule-based Organic Electrophosphorescent Devices fabricated by Spin Coating. 2007 , 20, 39-42	8
1994	Blue Organic Electrophosphorescence Diodes using Diarylamino-substituted Heterocyclic Compounds as Host Material. 2007 , 20, 47-51	16

1993	Organic Electronic Devices Based on Polymeric Material and Tunable Photonic Crystal. 2007 , 46, 5655-5673	25
1992	P-179: Low Blur Effect and High Light Extraction Efficiency Enhancement of Organic Light Emitting Displays with Novel Microstructure Attachment. 2007 , 38, 867-870	1
1991	P-174: Triplet Exciton Diffusion in Hybrid Fluorescent/Phosphorescent OLEDs. 2007 , 38, 849-851	2
1990	P-152: Efficient Blue Phosphorescent OLEDs Employing Novel Oligocarbazoles as High-Triplet-Energy Host Materials. 2007 , 38, 772-775	1
1989	P-154: Efficient White OLEDs Employing Phosphorescent Sensitization. 2007 , 38, 780-783	
1988	P-168: Investigation of High-Efficiency Electrophosphorescent Organic Light-emitting Diodes with Double-Emission Layers. 2007 , 38, 826-829	
1987	Improved efficiency in red phosphorescent organic light-emitting devices using double doping structure. 2007 , 157, 228-230	8
1986	A blue organic emitting diode derived from new styrylamine type dopant materials. 2007 , 157, 558-563	16
1985	Synthesis and characterization of red phosphorescent-conjugated polymers containing charged iridium complexes and carbazole unit. 2007 , 157, 813-822	19
1984	New host materials with high triplet energy level for blue-emitting electrophosphorescent device. 2007 , 157, 743-750	35
1983	Influence of carrier-injection efficiency on modulation rate of organic light source. 2007 , 32, 1905-7	10
1982	Efficient White OLEDs Employing Phosphorescent Sensitization. 2007 , 3, 193-199	26
1981	Light Extraction From Solution-Based Processable Electrophosphorescent Organic Light-Emitting Diodes. 2007 , 3, 200-210	8
1980	Optimization of the Luminescence Efficiencies in Solution-Processed Phosphorescent Dendrimers. 2007 , 3, 233-237	16
1979	Organic Light-Emitting Diodes Fabricated by a Solution Process and Their Stress Tolerance. 2007 , 3, 238-244	10
1978	Luminescent organometallic poly(aryleneethynylene)s: functional properties towards implications in molecular optoelectronics. 2007 , 4495-510	198
1977	Color tuning associated with heteroleptic cyclometalated Ir(III) complexes: influence of the ancillary ligand. 2007 , 1881-90	105
1976	Excimer-Based White Phosphorescent Organic Light-Emitting Diodes with Nearly 100 % Internal Quantum Efficiency. 2007 , 19, 197-202	461

1975	Triplet-exciton quenching in organic phosphorescent light-emitting diodes with Ir-based emitters. 2007 , 75,		644
1974	Recent progress in solution processable organic light emitting devices. <i>Journal of Applied Physics</i> , 2007 , 102, 091101	2.5	173
1973	Spin-orbit coupling routes and OLED performance: studies of blue-light emitting Ir(III) and Pt(II) complexes. 2007 ,		30
1972	Photochemistry and Photophysics of Coordination Compounds II. 2007 ,		36
1971	Transition Metal Complexes for Photovoltaic and Light Emitting Applications. 2007 , 113-175		128
1970	Organic materials for blue emission OLEDs. 2007 ,		
1969	A deep red phosphorescent Ir(III) complex for use in polymer light-emitting diodes: role of the arylsilyl substituents. 2007 , 72, 6241-6		67
1968	Efficient Electrogenenerated Chemiluminescence from Bis-Cyclometalated Iridium(III) Complexes with Substituted 2-Phenylquinoline Ligands. 2007 , 111, 2280-2286		79
1967	OLED Device Operational Lifetime: Insights and Challenges. 2007 ,		29
1966	Preparation and Luminescence Characteristics of Ca ₃ Y ₂ (BO ₃) ₄ :Eu ³⁺ Phosphor. 2007 , 24, 2977-2979		9
1965	Norbornene-Based Copolymers with Iridium Complexes and Bis(carbazolyl)fluorene Groups in Their Side-Chains and Their Use in Light-Emitting Diodes. 2007 , 19, 5602-5608		59
1964	Lifetime improvement of green phosphorescent organic light-emitting diodes by charge confining device structure. 2007 , 90, 2035-11		27
1963	High-Efficiency Green Phosphorescent Organic Light-Emitting Devices with Chemically Doped Layers. 2007 , 46, 1186-1188		111
1962	High Luminous Efficiency Blue Organic Light-Emitting Devices Using High Triplet Excited Energy Materials. 2007 , 46, L117-L119		116
1961	Well Defined Carbazol-3,9-Diyl Based Oligomers as Host Materials for Organic Electro-Phosphorescent Devices. 2007 , 468, 77/[429]-86/[438]		1
1960	Synthesis, structure and electroluminescent properties of cyclometalated iridium complexes possessing sterically hindered ligands. 2007 , 3025-34		32
1959	Highly Efficient Light-Harvesting System Based on a Phosphorescent Acceptor Coupled with Dendrimer Donors via Singlet-Singlet and Triplet-Triplet Energy Transfer. 2007 , 19, 3673-3680		101
1958	Sensitization of Lanthanide Luminescence in Heterotrinary PtLn ₂ (Ln = Eu, Nd, Yb) Complexes with Terpyridyl-Functionalized Alkynyl by Energy Transfer from a Platinum(II) Alkynyl Chromophore. 2007 , 26, 4483-4490		53

1957	Radiative recombination and lifetime of a triplet excitation mediated by spin-orbit coupling in amorphous semiconductors. 2007 , 76,	19
1956	Triplet state properties of the OLED emitter Ir(btp) ₂ (acac): characterization by site-selective spectroscopy and application of high magnetic fields. 2007 , 46, 5076-83	84
1955	Tuning Photophysical and Electrochemical Properties of Cationic Iridium(III) Complex Salts with Imidazolyl Substituents by Proton and Anions. 2007 , 26, 5922-5930	114
1954	A Highly Selective and Multisignaling Optical Electrochemical Sensor for Hg ²⁺ Based on a Phosphorescent Iridium(III) Complex. 2007 , 26, 2077-2081	181
1953	The Evolution of Organometallic Complexes in Organic Light-Emitting Devices. 2007 , 32, 694-701	93
1952	Cyclometallated iridium and platinum complexes with noninnocent ligands. 2007 , 46, 3865-75	55
1951	Phosphorescent resonant energy transfer between iridium complexes. 2007 , 111, 1381-8	32
1950	Enhancements in the Electron-Transfer Kinetics of Uranium-Based Redox Couples Induced by Tetraketone Ligands with Potential Chelate Effect. 2007 , 111, 18812-18820	10
1949	Ultra High Efficiency Green Organic Light-Emitting Devices. 2007 , 46, L10-L12	324
1948	Highly efficient solution-processed phosphorescent multilayer organic light-emitting diodes based on small-molecule hosts. 2007 , 91, 103507	125
1947	Organometallic Complexes for Optoelectronic Applications. 2007 , 101-194	43
1946	Relativistic Study on Emission Mechanism in Tris(2-phenylpyridine)iridium. 2007 , 111, 6897-6903	63
1945	Photochemistry and Photophysics of Coordination Compounds: Iridium. 2007 , 143-203	814
1944	Controlling phosphorescence color and quantum yields in cationic iridium complexes: a combined experimental and theoretical study. 2007 , 46, 5989-6001	226
1943	Novel host material for highly efficient blue phosphorescent OLEDs. 2007 , 17, 1692	130
1942	Display Technology. 2007 ,	
1941	. 2007 ,	197
1940	Phosphorescent dyes for organic light-emitting diodes. 2007 , 13, 380-95	700

1939	Organogels of 8-quinolinol/metal(II)-chelate derivatives that show electron- and light-emitting properties. 2007 , 13, 4155-62	74
1938	Highly Branched Phosphorescent Dendrimers for Efficient Solution-Processed Organic Light-Emitting Diodes. 2007 , 17, 1149-1152	76
1937	Efficient Organic Light-Emitting Diodes based on Sublimable Charged Iridium Phosphorescent Emitters. 2007 , 17, 315-323	145
1936	A Novel Fluorene-Triphenylamine Hybrid That is a Highly Efficient Host Material for Blue-, Green-, and Red-Light-Emitting Electrophosphorescent Devices. 2007 , 17, 3514-3520	132
1935	High Performance Polymer Electrophosphorescent Devices with tert-Butyl Group Modified Iridium Complexes as Emitters. 2007 , 17, 3319-3325	39
1934	3-(9-Carbazolyl)carbazoles and 3,6-Di(9-carbazolyl)carbazoles as Effective Host Materials for Efficient Blue Organic Electrophosphorescence. 2007 , 19, 862-866	415
1933	Highly Efficient and Low-Voltage Phosphorescent Organic Light-Emitting Diodes Using an Iridium Complex as the Host Material. 2007 , 19, 276-280	170
1932	The Development of Light-Emitting Dendrimers for Displays. 2007 , 19, 1675-1688	437
1931	Enhanced photogeneration of triplet excitons in an oligothiophene-fullerene blend. 2007 , 8, 1497-503	34
1930	High efficiency electrophosphorescent red organic light-emitting devices with double-emission layers. 2007 , 51, 1129-1132	15
1929	Novel fluorene/carbazole hybrids with steric bulk as host materials for blue organic electrophosphorescent devices. 2007 , 63, 10161-10168	50
1928	Synthesis and blue electroluminescent properties of zinc (II) [2-(2-hydroxyphenyl)benzoxazole]. 2007 , 515, 5070-5074	6
1927	Intense and efficient ultraviolet electroluminescence from organic light-emitting devices with fluorinated copper phthalocyanine as hole injection layer. 2007 , 515, 3932-3935	36
1926	Synthesis of a red electrophosphorescent heteroleptic iridium complex and its application in efficient polymer light-emitting diodes. 2007 , 515, 7347-7351	7
1925	A multicomponent rhenium-based triplet emitter for organic electroluminescence. 2007 , 435, 54-58	25
1924	Charge-carrier injection characteristics at organic/organic heterojunction interfaces in organic light-emitting diodes. 2007 , 435, 327-330	28
1923	Highly efficient saturated red electrophosphorescence from isoquinoline-based iridium complex containing triphenylamino units in polymer light-emitting devices. 2007 , 441, 277-281	14
1922	Synthesis and phosphorescent properties of two novel iridium(III) complexes bearing bulky tert-butyl substituents. 2007 , 18, 1119-1123	2

1921	Very low amplified spontaneous emission threshold and electroluminescence characteristics of 1,1?-diphenyl substituted fluorene derivatives. 2007 , 30, 630-636	10
1920	Tuning iridium(III) complexes containing 2-benzo[b]thiophen-2-yl-pyridine based ligands in the red region. 2007 , 360, 3149-3154	26
1919	A study on the characteristics of OLEDs using Ir complex for blue phosphorescence. 2007 , 7, 380-383	21
1918	Control of emission outcoupling in liquid-crystalline fluorescent polymer films. 2007 , 8, 317-324	9
1917	Enhanced light extraction from organic light-emitting devices by using microcontact printed silica colloidal crystals. 2007 , 8, 635-639	44
1916	Efficient fluorescent white organic light-emitting diodes using co-host/emitter dual-role possessed di(triphenyl-amine)-1,4-divinyl-naphthalene. 2007 , 8, 735-742	39
1915	Decay dynamics of photo-luminescence in tris(2-phenylpyridine)iridium phosphor. 2007 , 122-123, 440-443	7
1914	Synthesis and green electrophosphorescence of a novel cyclometalated iridium complex in polymer light-emitting diodes. 2007 , 126, 687-694	8
1913	Triplet-polaron quenching in conjugated polymers. 2007 , 111, 12075-80	65
1912	Novel light-emitting electrophosphorescent copolymers based on carbazole with an Ir complex on the backbone. 2007 , 17, 2824	52
1911	Highly phosphorescent perfect green emitting iridium(iii) complex for application in OLEDs. 2007 , 3276-8	80
1910	Synthesis of host polymers and guests for electrophosphorescence. 2007 , 15, 129-133	3
1909	Electromodulation of photoluminescence in vacuum-evaporated films of fac-tris(2-phenylpyridine)iridium(III). 2007 , 337, 151-160	11
1908	Morphology-dependent photoluminescence property of red-emitting LnOCl:Eu (Ln=La and Gd). 2007 , 180, 3529-3534	41
1907	Highly enhanced blue-emission of LnOCl:Tm prepared by dehydration of Ln(OH) ₂ Cl:Tm (Ln=La and Gd). 2008 , 151, 163-168	18
1906	Small molecular and polymer organic light-emitting diodes based on novel iridium complex phosphor. 2008 , 29, 493-496	5
1905	Optical materials for organic light-emitting devices. 2008 , 30, 792-799	37
1904	New host copolymers containing pendant triphenylamine and carbazole for efficient green phosphorescent OLEDs. 2008 , 49, 4211-4217	26

1903	Driving voltage reduction and efficiency increase by narrow bandgap host materials in phosphorescent organic light-emitting diodes. 2008 , 517, 896-900	11
1902	Bright white light electroluminescent devices based on efficient management of singlet and triplet excitons. 2008 , 40, 967-972	
1901	Synthesis, Characterization and Photoluminescence of Dimeric and Polymeric Metallaynes of Group 10 Metals Containing Conjugation-breaking Diphenylmethane Unit. 2008 , 18, 155-162	7
1900	An effective intermediate Al/Au electrode for stacked color-tunable organic light emitting devices. 2008 , 91, 501-506	5
1899	Synthesis and Photophysical Properties of 3,6-Diphenyl-9-hexyl-9H-carbazole Derivatives Bearing Electron Withdrawing Groups. 2008 , 139, 223-231	10
1898	Molecular design of efficient white-light-emitting fluorene-based copolymers by mixing singlet and triplet emission. 2008 , 46, 453-463	49
1897	Highly soluble green-emitting Ir(III) complexes with 9-(6-phenyl-pyridin-3-ylmethyl)-9H-carbazole ligands and their application to polymer light-emitting diodes. 2008 , 46, 7419-7428	11
1896	Deep-red light-emitting phosphorescent dendrimer encapsulated tris-[2-benzo[b]thiophen-2-yl-pyridyl] iridium (III) core for light-emitting device applications. 2008 , 46, 7517-7533	30
1895	Photodegradation-induced photoluminescence behaviors of π -conjugated polymers upon the doping of organometallic triplet emitters. 2008 , 46, 2395-2403	4
1894	Exciton dynamics in blends of phosphorescent emitters. 2008 , 245, 810-813	4
1893	Iridium-Functionalized Polyfluorenes: Advantages and Limitations of the Suzuki and Yamamoto Approaches. 2008 , 209, 258-271	30
1892	Synthesis of π (Fluorophenyl)pyridine by Palladium-Catalyzed Cross-Coupling Reaction. 2008 , 26, 1101-1104	2
1891	The origin of the improved efficiency and stability of triphenylamine-substituted anthracene derivatives for OLEDs: a theoretical investigation. 2008 , 9, 2601-9	84
1890	Self-Assembly of Luminescent Platinum-Salen Schiff-Base Complexes. 2008 , 2008, 523-528	23
1889	A Series of Red-Light-Emitting Ionic Iridium Complexes: Structures, Excited State Properties, and Application in Electroluminescent Devices. 2008 , 2008, 2177-2185	48
1888	A Highly Efficient Host/Dopant Combination for Blue Organic Electrophosphorescence Devices. 2008 , 18, 485-491	114
1887	Red-Light-Emitting Iridium Complexes with Hole-Transporting 9-Arylcarbazole Moieties for Electrophosphorescence Efficiency/Color Purity Trade-off Optimization. 2008 , 18, 319-331	212
1886	An Organic Light-Emitting Diode with Field-Effect Electron Transport. 2008 , 18, 136-144	39

1885	Rational Design of Chelating Phosphine Functionalized Os(II) Emitters and Fabrication of Orange Polymer Light-Emitting Diodes Using Solution Process. 2008 , 18, 183-194	43
1884	Electrophosphorescent Polyfluorenes Containing Osmium Complexes in the Conjugated Backbone. 2008 , 18, 1430-1439	82
1883	Optimization of Orange-Emitting Electrophosphorescent Copolymers for Organic Light-Emitting Diodes. 2008 , 18, 3056-3062	64
1882	Organic Light-Emitting Diodes with Field-Effect-Assisted Electron Transport Based on Ebi ₂ -Diperfluorohexyl-quaterthiophene. 2008 , 18, 3645-3652	15
1881	Advanced Device Architecture for Highly Efficient Organic Light-Emitting Diodes with an Orange-Emitting Crosslinkable Iridium(III) Complex. 2008 , 20, 129-133	134
1880	Pyridine-Containing Triphenylbenzene Derivatives with High Electron Mobility for Highly Efficient Phosphorescent OLEDs. 2008 , 20, 2125-2130	538
1879	Water-Soluble Polyfluorenes as an Electron Injecting Layer in PLEDs for Extremely High Quantum Efficiency. 2008 , 20, 1624-1629	78
1878	Controlling the Radiative Rate of Deep-Blue Electrophosphorescent Organometallic Complexes by Singlet-Triplet Gap Engineering. 2008 , 20, 3325-3330	177
1877	Highly Efficient Organic Blue-and White-Light-Emitting Devices Having a Carrier- and Exciton-Confining Structure for Reduced Efficiency Roll-Off. 2008 , 20, NA-NA	114
1876	Enhanced green electrophosphorescence by using polyfluorene host via interfacial energy transfer from polyvinylcarbazole. 2008 , 9, 1002-1009	30
1875	The heteroleptic complexes containing 2,3-diphenylquinoline derivatives as phosphorescent materials. 2008 , 69, 1320-1324	6
1874	Efficient small molecular and polymer organic devices using bis[2-(4-tert-butylphenyl)benzothiazolato-N,C2'] iridium (III) (acetylacetonate) dye as emitter. 2008 , 128, 1379-1383	3
1873	Relationship between dopant energy levels and device performances of triplet mixed host devices. 2008 , 128, 2035-2037	4
1872	Ultrafast luminescence in Ir(ppy) ₃ . 2008 , 450, 292-296	84
1871	Evidence for enhanced dipolar interactions between Pt centers in binuclear phosphorescent complexes. 2008 , 458, 323-328	6
1870	Measurement of photoluminescence efficiency of Ir(III) phenylpyridine derivatives in solution and solid-state films. 2008 , 460, 155-157	123
1869	Light emission mechanism of heteroleptic red phosphorescent dopant materials. 2008 , 8, 471-474	
1868	Towards a phosphorescent cyclometalated iridium complex containing a modified polymerizable acetylacetonato ligand. 2008 , 11, 231-234	16

1867	Formation and luminescence of 1D helical polymeric excimer from Pt-MeO-salen precursor. 2008 , 11, 699-702	6
1866	High-efficiency red phosphorescent organic light-emitting diodes based on metal-microcavity structure. 2008 , 52, 211-214	2
1865	Synthesis, characterization, photophysical and electrochemical properties of new phosphorescent dopants for OLEDs. 2008 , 49, 2710-2713	21
1864	Effect of fabrication process on characteristics of phosphorescence organic light emitting diodes with methoxy-substituted starburst low-molecule as a host. 2008 , 516, 2772-2775	3
1863	Enhancement of the light extraction efficiency in organic light emitting diodes utilizing a porous alumina film. 2008 , 516, 3633-3636	7
1862	Highly efficient white organic light-emitting devices based on a multiple-emissive-layer structure. 2008 , 516, 5133-5136	5
1861	Green and blue-green phosphorescent heteroleptic iridium complexes containing carbazole-functionalized β -diketonate for non-doped organic light-emitting diodes. 2008 , 9, 171-182	31
1860	Green phosphorescent iridium dendrimers containing dendronized benzoimidazole-based ligands for OLEDs. 2008 , 9, 557-568	30
1859	Multiple exciton generation regions in phosphorescent white organic light emitting devices. 2008 , 9, 994-1001	20
1858	The blue aluminum and gallium chelates for OLEDs. 2008 , 361, 1020-1035	23
1857	Organic light-emitting devices (OLEDs) and OLED-based chemical and biological sensors: an overview. 2008 , 41, 133001	223
1856	100% internal quantum efficiency and stable efficiency roll-off in phosphorescent light-emitting diodes using a high triplet energy hole transport material. 2008 , 93, 063306	51
1855	Fast-response organic/inorganic hybrid light-emitting diode. 2008 , 2, 290-292	10
1854	Enhanced light out-coupling of organic light-emitting devices using embedded low-index grids. 2008 , 2, 483-487	471
1853	A look on the bright side. 2008 , 14, 12-17	2
1852	Upconversion-induced fluorescence in multicomponent systems: Steady-state excitation power threshold. 2008 , 78,	339
1851	Light extraction and optical loss mechanisms in organic light-emitting diodes. 2008 ,	9
1850	Self-Assembly of Rod-Coil Block Copolymers and Their Application in Electroluminescent Devices. 2008 , 41, 7152-7159	69

1849	Investigations of white light emitting europium doped zinc oxide nanoparticles. 2008 , 41, 015301		35
1848	Temperature dependence of electron mobility, electroluminescence and photoluminescence of Alq3 in OLED. 2008 , 41, 235109		22
1847	Dendritic macromolecules for organic light-emitting diodes. 2008 , 37, 2543-57		204
1846	Structurally Integrated Photoluminescent Chemical and Biological Sensors: An Organic Light-Emitting Diode-Based Platform. 2008 , 61-96		1
1845	Upconversion-induced delayed fluorescence in multicomponent organic systems: Role of Dexter energy transfer. 2008 , 77,		171
1844	Nearly 100% internal phosphorescence efficiency in a polymer light-emitting diode using a new iridium complex phosphor. 2008 , 18, 1636		90
1843	Crosslinkable hole-transporting materials for solution processed polymer light-emitting diodes. 2008 , 18, 4495		147
1842	Influence of charge balance and exciton distribution on efficiency and lifetime of phosphorescent organic light-emitting devices. <i>Journal of Applied Physics</i> , 2008 , 104, 014510	2.5	197
1841	Intrinsic luminance loss in phosphorescent small-molecule organic light emitting devices due to bimolecular annihilation reactions. <i>Journal of Applied Physics</i> , 2008 , 103, 044509	2.5	259
1840	Luminescence properties of the TRIMEB inclusion compound of a europium tris-β-diketonate. 2008 , 354, 2736-2739		4
1839	Organic light emitting diodes with europium (III) emissive layers based on β-diketonate complexes: The influence of the central ligand. 2008 , 354, 2897-2900		13
1838	Triindolylmethane-based high triplet energy glass-forming electroactive molecular materials. 2008 , 158, 226-232		45
1837	New asymmetric monostyrylamine dopants for blue light-emitting organic electroluminescence device. 2008 , 158, 369-374		5
1836	Vinyl polymer containing 1,4-distyrylbenzene chromophores: Synthesis, optical, electrochemical properties and its blend with PVK and Ir(ppy) ₃ . 2008 , 158, 411-416		9
1835	Poly(4-vinyltriphenylamine): Optical, electrochemical properties and its new application as a host material of green phosphorescent Ir(ppy) ₃ dopant. 2008 , 158, 565-571		27
1834	Synthesis, characterization and photoluminescence of poly(VK-(ppy) ₂ Ir(N-phMA)). 2008 , 158, 1022-1027		10
1833	2-Phenylpyrimidine skeleton-based electron-transport materials for extremely efficient green organic light-emitting devices. 2008 , 5821-3		117
1832	Luminous power efficiency optimization of a white organic light-emitting diode by tuning its spectrum and its extraction efficiency. 2008 , 47, 1947-55		3

1831	Introduction. 2008 , 16, 1229	19
1830	Pyridine-Containing Bipolar Host Materials for Highly Efficient Blue Phosphorescent OLEDs. 2008 , 20, 1691-1693	461
1829	Roll-Off Characteristics of Electroluminescence Efficiency of Organic Blue Electrophosphorescence Diodes. 2008 , 47, 7363-7365	5
1828	An electron-transporting host material compatible with diverse triplet emitters used for highly efficient red- and green-electrophosphorescent devices. 2008 , 4956-8	27
1827	Efficient simple structure red phosphorescent organic light emitting devices with narrow band-gap fluorescent host. 2008 , 92, 113308	74
1826	Stable efficiency roll-off in phosphorescent organic light-emitting diodes. 2008 , 92, 023513	96
1825	A solution-processable bipolar molecular glass as a host material for white electrophosphorescent devices. 2008 , 18, 3461	54
1824	Aluminium-salen luminophores as new hole-blocking materials for phosphorescent OLEDs. 2008 , 1818-20	42
1823	Polymers Derived from 3,6-Fluorene and Tetraphenylsilane Derivatives: Solution-Processable Host Materials for Green Phosphorescent OLEDs. 2008 , 41, 3801-3807	64
1822	Quantum efficiency roll-off at high brightness in fluorescent and phosphorescent organic light emitting diodes. 2008 , 77,	327
1821	Investigation into the Phosphorescence of a Series of Regioisomeric Iridium(III) Complexes. 2008 , 27, 2980-2989	35
1820	Ab initio prediction of the emission color in phosphorescent iridium(III) complexes for OLEDs. 2008 , 112, 13181-3	32
1819	Highly Efficient Organic Light-Emitting Diodes Doped with Thiophene/Phenylene Co-Oligomer. 2008 , 20, 2881-2883	13
1818	Highly Photoluminescent Metal-Polymer Complexes prepared with a Facile Chemical Vapor Deposition Polymerization Process. 2008 , 20, 2435-2437	8
1817	Transparent active matrix organic light-emitting diode displays driven by nanowire transistor circuitry. 2008 , 8, 997-1004	197
1816	Inductive Effects of Diphenylphosphoryl Moieties on Carbazole Host Materials: Design Rules for Blue Electrophosphorescent Organic Light-Emitting Devices \square 2008 , 112, 7989-7996	92
1815	Organic-Inorganic Flexible and Transparent Electronics. 2008 ,	0
1814	Molecular packing effects on the optical spectra and triplet dynamics in oligofluorene films. 2008 , 112, 11605-9	17

1813	Synthesis, separation, and circularly polarized luminescence studies of enantiomers of iridium(III) luminophores. 2008 , 47, 2039-48	113
1812	Crosslinkable Fluorene-Based Derivatives as Materials for Light Emitting Diodes. 2008 , 497, 202/[534]-210/[542]	
1811	Luminescence characteristics of Eu 3+ activated borate phosphor for white light emitting diode. 2008 , 17, 1907-1910	9
1810	Phosphorescent Organic Light Emitting Diode Using Vinyl Derivatives of Hole Transport and Dopant Materials. 2008 , 47, 1279-1283	17
1809	Enhanced Fluorescence of Ni(II) Complex Compounds in the Presence of DNA Components. 2008 , 486, 230/[1272]-238/[1280]	
1808	A New Phosphorescent Iridium Complex and Its Orange and White Light-Emitting Devices. 2008 , 492, 328/[692]-336/[700]	
1807	High-efficiency blue fluorescent organic light emitting devices based on double emission layers. 2008 , 41, 055103	17
1806	Efficient deep-blue phosphorescent organic light-emitting device with improved electron and exciton confinement. 2008 , 92, 223301	129
1805	Efficient white organic light-emitting devices using a thin 4,4'-bis(2,2'-diphenylvinyl)-1,1'-diphenyl layer. 2008 , 41, 045104	7
1804	Study on Organic Triplet Exciton Emission and Quenching Processes by Low-temperature Photo- and Electroluminescence Spectroscopy. 2008 , 1115, 53101	
1803	Organic Light-Emitting Devices for Solid-State Lighting. 2008 , 33, 663-669	348
1802	Efficient white organic light-emitting diodes based on iridium complex sensitized copper complex. 2008 , 41, 085103	7
1801	Near-Infrared Emission from Organic Light-Emitting Diodes Based on Copper Phthalocyanine with a Periodically Arranged Alq 3 :CuPc/DCM Multilayer Structure. 2008 , 25, 715-718	9
1800	Improved efficiency and colour purity of blue electrophosphorescent devices by codoping a fluorescent emitter. 2008 , 41, 125108	
1799	Spectral Characteristics of White Organic Light-emitting Diodes Based on Novel Phosphorescent Sensitizer. 2008 , 21, 510-514	4
1798	Efficient red phosphorescent organic light emitting diodes with double emission layers. 2008 , 41, 155111	10
1797	White electrophosphorescent devices based on tricolour emissive layers. 2008 , 41, 025104	7
1796	Deep-red to near-infrared electrophosphorescence based on bis(8-hydroxyquinolato) platinum(II) complexes. 2008 , 92, 163305	27

1795	Light extraction and optical loss mechanisms in organic light-emitting diodes: Influence of the emitter quantum efficiency. <i>Journal of Applied Physics</i> , 2008 , 104, 123109	2.5	206
1794	Large-scale patterning of indium tin oxide electrodes for guided mode extraction from organic light-emitting diodes. <i>Journal of Applied Physics</i> , 2008 , 104, 093111	2.5	49
1793	Low roll-off power efficiency organic light-emitting diodes consisted of nondoped ultrathin phosphorescent layer. 2008 , 92, 133308		29
1792	Multifunctional metallophosphors with anti-triplet-triplet annihilation properties for solution-processable electroluminescent devices. 2008 , 18, 1799		106
1791	The reduced triplet-triplet annihilation of electrophosphorescent device doped by an iridium complex with active hydrogen. 2008 , 93, 153303		23
1790	Highly efficient red organic light-emitting devices based on a fluorene-triphenylamine host doped with an Os(II) phosphor. 2008 , 92, 233303		43
1789	Reduced efficiency roll-off in phosphorescent organic light emitting diodes at ultrahigh current densities by suppression of triplet-polaron quenching. 2008 , 93, 023309		51
1788	Electron and hole transport in a wide bandgap organic phosphine oxide for blue electrophosphorescence. 2008 , 92, 083308		127
1787	Triplet host engineering for triplet exciton management in phosphorescent organic light-emitting diodes. <i>Journal of Applied Physics</i> , 2008 , 103, 054502	2.5	37
1786	Electroluminescence characteristics of n-type matrix materials doped with iridium-based green and red phosphorescent emitters. <i>Journal of Applied Physics</i> , 2008 , 103, 054510	2.5	29
1785	Cavity effects on light extraction in organic light emitting devices. 2008 , 92, 033303		37
1784	Low-voltage, high-efficiency blue phosphorescent organic light-emitting devices. 2008 , 92, 173305		14
1783	High efficiency deep-blue organic light-emitting diode with a blue dye in low-polarity host. 2008 , 92, 193314		26
1782	Effects of ultraviolet light irradiation on poly(vinylcarbazole). 2008 , 92, 053303		15
1781	Very high-efficiency organic light-emitting diodes based on cyclometallated rhenium (I) complex. 2008 , 92, 083302		30
1780	Low voltage and very high efficiency deep-blue phosphorescent organic light-emitting devices. 2008 , 93, 133309		62
1779	Highly efficient bilayer green phosphorescent organic light emitting devices. 2008 , 92, 113311		57
1778	Effects of interlayers on phosphorescent blue organic light-emitting diodes. 2008 , 92, 203305		52

1777	Triplet exciton diffusion and phosphorescence quenching in iridium(III)-centered dendrimers. 2008 , 100, 017402	60
1776	Highly efficient green phosphorescent organic light-emitting diodes with simplified device geometry. 2008 , 92, 253502	20
1775	Temperature dependence of the triplet diffusion and quenching rates in films of an Ir(ppy) ₃ -cored dendrimer. 2008 , 77,	24
1774	High current density in light-emitting transistors of organic single crystals. 2008 , 100, 066601	204
1773	P-204: Distinguished Poster Paper: A Near Infrared OLED for Day/Night Display. 2008 , 39, 1975	2
1772	P-248L: Late-News Student Poster: High-Efficiency Deep-Blue Organic Light Emitting Diode with a Novel Blue Dye in Low-Polarity Host. 2008 , 39, 2071	
1771	22.2: Printable Phosphorescent Organic Light Emitting Devices. 2008 , 39, 295	1
1770	68.1: Invited Paper: Energy Transfer in Organic Phosphorescent Host-Guest Systems. 2008 , 39, 1038	
1769	Highly-efficient green phosphorescent organic light-emitting diodes with hybrid device geometry. 2008 ,	
1768	Phosphorescent Organic Light-emitting Devices: Triplet Energy Management. 2008 , 76, 24-31	9
1767	Correlation of photoluminescent quantum efficiency and device characteristics for the soluble electrophosphorescent light emitter with interfacial layers. <i>Journal of Applied Physics</i> , 2008 , 104, 024511 ²⁻⁵	6
1766	An effective intermediate Al/Au electrode for stacked color-tunable organic light emitting devices. 2008 ,	2
1765	The Preparation of (8-Hydroxyquinolino)Bis(2-Phenylpyridyl)Iridium Complexes and Their Photophysical Properties. 2008 , 55, 439-448	14
1764	Highly Efficient Phosphorescent Organic Light-Emitting Diodes Using Alkyl-Substituted Iridium Complexes as a Solution-Processible Host Material. 2008 , 1, 021805	7
1763	High efficient two color white phosphorescent organic light emitting diode. <i>Journal of Applied Physics</i> , 2008 , 104, 064505	2.5 2
1762	Diffusion Enhanced Upconversion in Organic Systems. 2008 , 2008, 1-5	4
1761	Improving efficiency roll-off in organic light emitting devices with a fluorescence-interlayer-phosphorescence emission architecture. 2009 , 95, 133304	22
1760	Top-emission Si-based phosphor organic light emitting diode with Au doped ultrathin n-Si film anode and bottom Al mirror. 2009 , 95, 033307	11

1759	Enhanced efficiency and reduced roll-off in blue and white phosphorescent organic light-emitting diodes with a mixed host structure. 2009 , 94, 193305	100
1758	Correlation of lifetime and recombination zone in green phosphorescent organic light-emitting diodes. 2009 , 94, 093501	13
1757	Highly efficient and stable organic light-emitting diode using 4,4'-bis(N-carbazolyl)-9,9'-spirobifluorene as a thermally stable host material. 2009 , 94, 033302	24
1756	High efficiency electroluminescence devices using a series of Ir(III)-tetrazolate phosphors: Mechanisms for the drive current evolution of quantum yield. 2009 , 94, 083306	9
1755	Synthesis and characterization of a novel organic phosphorescent Iridium(III) complex. 2009 ,	
1754	Singlet energy transfer and singlet-singlet annihilation in light-emitting blends of organic semiconductors. 2009 , 95, 183305	21
1753	Highly efficient simple-structure red phosphorescent OLEDs with an extremely low doping technology. 2009 , 10, 87-91	3
1752	Synthesis and the Luminescent Study of the Iridium Complexes Containing 2,3-Diphenylquinoline Derivatives and the New Ancillary Ligand for OLED. 2009 , 514, 14/[344]-24/[354]	
1751	Nondoped Electrophosphorescent Organic Light-Emitting Diodes Based on Platinum Complexes. 2009 , 26, 077804	4
1750	Adamantane Derivative as Host Material for Efficient Deep-Blue Phosphorescent Organic Light Emitting Diodes. 2009 , 1212, 1	
1749	Improved performance of organic light emitting devices using triazole/ Cs ₂ CO ₃ /Al cathode. 2009 ,	
1748	Enhanced electroluminescence and reduced efficiency roll-off in electrophosphorescent devices using a very high electron mobility material as emitter host and electron transporter. 2009 , 42, 065103	5
1747	Highly efficient pure yellow electrophosphorescent device by utilizing an electron blocking material. 2009 , 24, 105019	4
1746	Simple high efficiency red phosphorescent organic light-emitting diodes without LiF electron injection layer. 2009 , 42, 225103	10
1745	Efficient white organic light-emitting devices based on blue, orange, red phosphorescent dyes. 2009 , 42, 055115	4
1744	Highly Efficient Deep-Blue Phosphorescent Organic Light-Emitting Diodes Using Iridium(III) Bis[(5-cyano-4-fluorophenyl)pyridinato-N,C2']picolinate as an Emitter. 2009 , 48, 082103	12
1743	Achieving highly efficient white organic light-emitting diodes with reduced efficiency roll-off. 2009 , 42, 065106	17
1742	Rubidium-Carbonate-Doped 4,7-Diphenyl-1,10-phenanthroline Electron Transporting Layer for High-Efficiency p-i-n Organic Light Emitting Diodes. 2009 , 12, J8	38

1741	Fluorinated poly(N-vinylcarbazole) host for triplet energy confinement on phosphorescent emitter in organic light-emitting diodes. 2009 , 1197, 19	
1740	Organic Devices for Integrated Photonics. 2009 , 97, 1627-1636	4
1739	. 2009 , 97, 1606-1626	98
1738	Harvesting Excitons Via Two Parallel Channels for Efficient White Organic LEDs with Nearly 100% Internal Quantum Efficiency: Fabrication and Emission-Mechanism Analysis. 2009 , 19, 84-95	358
1737	New Approach Toward Fast Response Light-Emitting Electrochemical Cells Based on Neutral Iridium Complexes via Cation Transport. 2009 , 19, 711-717	55
1736	Synthesis and Characterization of Red-Emitting Iridium(III) Complexes for Solution-Processable Phosphorescent Organic Light-Emitting Diodes. 2009 , 19, 2205-2212	87
1735	Highly Emitting Neutral Dinuclear Rhenium Complexes as Phosphorescent Dopants for Electroluminescent Devices. 2009 , 19, 2607-2614	84
1734	Phenylcarbazole-Based Phosphine Oxide Host Materials For High Efficiency In Deep Blue Phosphorescent Organic Light-Emitting Diodes. 2009 , 19, 3644-3649	179
1733	Simple and Efficient Generation of White Light Emission From Organophosphorus Building Blocks. 2009 , 19, 3625-3631	87
1732	Nearly 100% Internal Quantum Efficiency in an Organic Blue-Light Electrophosphorescent Device Using a Weak Electron Transporting Material with a Wide Energy Gap. 2009 , 21, 1271-1274	322
1731	Low Thresholds in Polymer Lasers on Conductive Substrates by Distributed Feedback Nanoimprinting: Progress Toward Electrically Pumped Plastic Lasers. 2009 , 21, 799-802	128
1730	Manipulating Charges and Excitons within a Single-Host System to Accomplish Efficiency/CRI/Color-Stability Trade-off for High-Performance OWLEDs. 2009 , 21, 2397-2401	170
1729	Recent Developments in the Application of Phosphorescent Iridium(III) Complex Systems. 2009 , 21, 4418-4441	640
1728	Phosphorescent light-emitting transistors: harvesting triplet excitons. 2009 , 21, 4957-4961	42
1727	Solution-processable carbazole-based conjugated dendritic hosts for power-efficient blue-electrophosphorescent devices. 2009 , 21, 4983-4986	133
1726	Tuning the Emission Color of Iridium(III) Complexes with Ancillary Ligands: A Combined Experimental and Theoretical Study. 2009 , 2009, 2407-2414	25
1725	Novel Red Light-Emitting Fluorene-alt-Carbazole Copolymers with Carbazole N-Graft Cyclometalated Ir Complexes. 2009 , 210, 457-466	10
1724	Synthesis and Characterization of Oxetane-Functionalized Phosphorescent Ir(III)-Complexes. 2009 , 210, 531-541	24

1723	Organic/Organic' heterojunctions: organic light emitting diodes and organic photovoltaic devices. 2009 , 30, 717-31	170
1722	Development of organic light-emitting diodes for electro-optical integrated devices. 2009 , 4, 300-310	43
1721	Spectroscopic properties of cyclometallated iridium complexes by TDDFT. 2009 , 914, 74-86	30
1720	Triplet dynamics and charge carrier trapping in triplet-emitter doped conjugated polymers. 2009 , 358, 147-155	12
1719	Theoretical study on the electronic structures and optical properties of blue phosphorescent iridium(III) complexes. 2009 , 919, 204-209	3
1718	Phosphorescent, green-emitting Ir(III) complexes with carbazolyl-substituted 2-phenylpyridine ligands: Effect of binding mode of the carbazole group on photoluminescence and electrophosphorescence. 2009 , 83, 218-224	19
1717	Theoretical study on the absorption spectra of fac-Ir(ppy) ₃ in the amorphous phase of organic electro-luminescent devices. 2009 , 35, 851-863	16
1716	Synthesis, Optical Properties and Photophysics of Group 10 ^{II} Transition Metal Complexes and Polymer Derived from a Central Tris(p-ethynylphenyl)amine Unit. 2009 , 19, 46-54	10
1715	Theoretical studies on electronic structures and spectroscopic properties of a series of novel β -diketonate Os(II) complexes. 2009 , 122, 31-42	4
1714	Studies on organic light-emitting diodes based on rubrene-doped zinc quinolate. 2009 , 206, 1660-1663	3
1713	Theoretical study on the spectroscopic properties and electronic structures of heteroleptic phosphorescent Ir(III) complexes. 2009 , 109, 1167-1176	18
1712	Phosphorescent organic light-emitting diodes using an iridium complex polymer as the solution-processible host material. 2009 , 47, 4358-4365	15
1711	A wide band gap polymer derived from 3,6-carbazole and tetraphenylsilane as host for green and blue phosphorescent complexes. 2009 , 47, 4784-4792	31
1710	A dual-emissive-materials design concept enables tumour hypoxia imaging. 2009 , 8, 747-51	722
1709	Photopatterned PLED arrays for biosensing applications. 2009 , 86, 1511-1514	5
1708	Energetics of metal-organic interfaces: New experiments and assessment of the field. 2009 , 64, 1-31	526
1707	Triplet states in organic semiconductors. 2009 , 66, 71-109	399
1706	A review on the light extraction techniques in organic electroluminescent devices. 2009 , 32, 221-233	304

1705	Effect of electron injection and transport materials on efficiency of deep-blue phosphorescent organic light-emitting devices. 2009 , 10, 686-691	61
1704	Efficient red electrophosphorescence from a fluorene-based bipolar host material. 2009 , 10, 871-876	100
1703	Improved efficiency in solution processed green phosphorescent organic light-emitting diodes using a double layer emitting structure fabricated by a stamp transfer printing process. 2009 , 10, 978-981	8
1702	Improving the performance of blue phosphorescent organic light-emitting devices using a composite emitter. 2009 , 10, 1158-1162	39
1701	Yellow organic light-emitting diodes based on phosphorescent iridium(III) pyrazine complexes: Fine tuning of emission color. 2009 , 362, 2231-2236	19
1700	Enhancement of efficiency in blue organic light-emitting devices with nanoscale barrier and trapping layers embedded in an emitting layer and a hole transport layer. 2009 , 517, 5326-5329	2
1699	Enhanced performance of organic light-emitting diodes by inserting wide-energy-gap interlayer between hole-transport layer and light-emitting layer. 2009 , 518, 545-547	3
1698	Visible to near-infrared organic light-emitting diodes using phosphorescent materials by solution process. 2009 , 518, 551-554	5
1697	High light electroluminescence of novel Cu(I) complexes. 2009 , 129, 181-186	48
1696	High performance polymer light-emitting diodes doped with a novel phosphorescent iridium complex. 2009 , 129, 820-825	7
1695	Ideal host and guest system in phosphorescent OLEDs. 2009 , 10, 240-246	165
1694	Highly branched green phosphorescent tris-cyclometalated iridium(III) complexes for solution-processed organic light-emitting diodes. 2009 , 10, 594-606	26
1693	Near-white and tunable electrophosphorescence from bis[3,5-bis(2-pyridyl)-1,2,4-triazolato]platinum(II)-based organic light emitting diodes. 2009 , 10, 863-870	47
1692	Efficient single layer RGB phosphorescent organic light-emitting diodes. 2009 , 10, 1146-1151	42
1691	Stable efficiency roll-off in blue phosphorescent organic light-emitting diodes by host layer engineering. 2009 , 10, 1529-1533	85
1690	Four-coordinate boron compounds derived from 2-(2-pyridyl)phenol ligand as novel hole-blocking materials for phosphorescent OLEDs. 2009 , 694, 1922-1928	31
1689	Cyclometallated iridium complexes for conversion of light into electricity and electricity into light. 2009 , 694, 2661-2670	183
1688	Synthesis and characterization of cyclometalated iridium(III) complexes containing pyrimidine-based ligands. 2009 , 694, 2757-2769	17

1687	Application of heteroleptic iridium complexes with fluorenyl-modified 1-phenylisoquinoline ligand for high-efficiency red polymer light-emitting devices. 2009 , 694, 3172-3178	5
1686	Highly efficient phosphorescent iridium (III) diazine complexes for OLEDs: Different photophysical property between iridium (III) pyrazine complex and iridium (III) pyrimidine complex. 2009 , 694, 3050-3057	56
1685	Thickness dependence of PL efficiency of organic thin films. 2009 , 355, 25-30	17
1684	Triplet state relaxation processes of the OLED emitter Pt(4,6-dFppy)(acac). 2009 , 468, 46-51	29
1683	Photoluminescence characteristics of tris(2-phenylquinoline)iridium(III) dispersed in an iridium complex host layer. 2009 , 483, 224-226	26
1682	The effect of driving voltage on the electroluminescent property of a blend of poly(9-vinylcarbazole) and 2-(4-biphenyl)-5-phenyl-1,3,4-oxadiazole. 2009 , 9, 1038-1041	17
1681	Amidinate-ligated iridium(III) bis(2-pyridyl)phenyl complex as an excellent phosphorescent material for electroluminescence devices. 2009 , 3699-701	109
1680	Different electronic structures and spectroscopic properties of cationic $[M(ppy)_2(N-N)]^+$ ($M = Rh, Ir$; $N-N = Hcmbpy, H2dcbpy$), a DFT study. 2009 , 11, 6051-9	21
1679	Highly Efficient Phosphorescent Light-Emitting Diodes by Using an Electron-Transport Material with High Electron Affinity. 2009 , 113, 18448-18450	25
1678	A Study on the Phosphorescent Blue Organic Light-Emitting Diodes Using Various Host Materials. 2009 , 507, 345-352	7
1677	Dynamic Behavior of Electroluminescence from Phosphor-Sensitized Red Fluorescent Organic Light-Emitting Diodes \square 2009 , 113, 11520-11523	7
1676	Triphenylsilyl- and trityl-substituted carbazole-based host materials for blue electrophosphorescence. 2009 , 1, 567-74	95
1675	Phosphine-Oxide-Containing Bipolar Host Material for Blue Electrophosphorescent Devices. 2009 , 21, 1017-1022	133
1674	Effect of the charge balance on high-efficiency blue-phosphorescent organic light-emitting diodes. 2009 , 1, 1169-72	83
1673	Silicon-Based Blue Phosphorescence Host Materials: Structure and Photophysical Property Relationship on Methyl/Phenylsilanes Adorned with 4-(N-Carbazolyl)phenyl Groups and Optimization of Their Electroluminescence by Peripheral 4-(N-Carbazolyl)phenyl Numbers. 2009 , 113, 19686-19693	51
1672	Blue light emitting Ir(III) compounds for OLEDs - new insights into ancillary ligand effects on the emitting triplet state. 2009 , 113, 5927-32	138
1671	The Blue Phosphorescent Iridium Complexes Containing New Triazole Ligands for OLEDs. 2009 , 504, 59-66	9
1670	High-triplet-energy dendrons: enhancing the luminescence of deep blue phosphorescent iridium(III) complexes. 2009 , 131, 16681-8	174

1669	Energy Transfer from Ce 3+ to Eu 2+ in LiSrBO 3 and Its Potential Application in UV-LED-Based White LEDs. 2009 , 26, 117802		9
1668	Acridinone/amine(carbazole)-based bipolar molecules: efficient hosts for fluorescent and phosphorescent emitters. 2009 , 11, 4310-3		37
1667	Phenylbenzimidazole-Based New Bipolar Host Materials for Efficient Phosphorescent Organic Light-Emitting Diodes. 2009 , 21, 2452-2458		117
1666	Improved performance of blue phosphorescent organic light-emitting diodes with a mixed host system. 2009 , 95, 253304		57
1665	High-efficiency turquoise-blue electrophosphorescence from a Pt(II)-pyridyltriazolate complex in a phosphine oxide host. 2009 , 95, 233304		35
1664	Enhanced performance of organic light-emitting diodes using two-dimensional zinc sulfide photonic crystals. <i>Journal of Applied Physics</i> , 2009 , 106, 113105	2.5	4
1663	Direct evidence for degradation of polaron excited states in organic light emitting diodes. <i>Journal of Applied Physics</i> , 2009 , 105, 124514	2.5	140
1662	Effect of doping concentration on device performances of triplet mixed host devices. 2009 , 159, 1295-1297		4
1661	Investigation of double emissive layer structures on phosphorescent blue organic light-emitting diodes. 2009 , 159, 1460-1463		17
1660	Solution processable organic electro-phosphorescent iridium complex based on a benzothiazole derivative. 2009 , 159, 1517-1521		13
1659	Efficiency improvement of blue phosphorescent organic light emitting diodes by using a stacked emitting structure. 2009 , 159, 1636-1639		2
1658	Low driving voltage and efficient orange-red phosphorescent organic light-emitting devices based on a benzotriazole iridium complex. 2009 , 159, 1782-1785		24
1657	Highly efficient white light with sharp red/green/blue emissions from iridium complexes doped carbazole-grafted poly(para-phenylene). 2009 , 159, 1940-1943		4
1656	High efficiency deep blue phosphorescent organic light-emitting diodes using a double emissive layer structure. 2009 , 159, 1956-1959		5
1655	Photoreactive main chain conjugated polymer containing oxetane moieties in the side chain and its application to green electrophosphorescence devices. 2009 , 159, 2147-2152		4
1654	Organic light-emitting diode with liquid emitting layer. 2009 , 95, 053304		64
1653	High efficiency deep-blue and white phosphorescent OLEDs. 2009 ,		5
1652	Functional metallophosphors for effective charge carrier injection/transport: new robust OLED materials with emerging applications. 2009 , 19, 4457		484

- 1651 Wide-Energy-Gap Host Materials for Blue Phosphorescent Organic Light-Emitting Diodes. **2009**, 21, 1333-1342 72
- 1650 A fully diarylmethylene-bridged triphenylamine derivative as novel host for highly efficient green phosphorescent OLEDs. **2009**, 11, 1503-6 75
- 1649 A new class of non-conjugated bipolar hybrid hosts for phosphorescent organic light-emitting diodes. **2009**, 19, 8772 66
- 1648 1,3,5-Triazine derivatives as new electron transport type host materials for highly efficient green phosphorescent OLEDs. **2009**, 19, 8112 162
- 1647 Quantum dot light-emitting devices with electroluminescence tunable over the entire visible spectrum. **2009**, 9, 2532-6 713
- 1646 Solution-Processable, High-Molecule-Based Trifluoromethyl-Iridium Complex for Extraordinarily High Efficiency Blue-Green Organic Light-Emitting Diode. **2009**, 21, 2565-2567 65
- 1645 Nonconjugated Carbazoles: A Series of Novel Host Materials for Highly Efficient Blue Electrophosphorescent OLEDs. **2009**, 113, 6761-6767 80
- 1644 Emission color tuning and deep blue dopant materials based on 1,6-bis(N-phenyl-p-(R)-phenylamino)pyrene. **2009**, 74, 8472-5 66
- 1643 Blue phosphorescent Ir(III) complex with high color purity: fac-tris(2',6'-difluoro-2,3'-bipyridinato-N,C(4'))iridium(III). **2009**, 48, 1030-7 179
- 1642 Photophysical study of iridium complexes by absolute photoluminescence quantum yield measurements using an integrating sphere. **2009**, 7 7
- 1641 Bright white light emission from In₂S₃ : Eu³⁺+nanoparticles. **2009**, 42, 145116 18
- 1640 Norbornene-Based Copolymers Containing Platinum Complexes and Bis(carbazolyl)benzene Groups in Their Side-Chains. **2009**, 42, 6855-6864 61
- 1639 A study on the preparation and photophysical properties of an iridium(III) complexed homopolymer. **2009**, 19, 4952 20
- 1638 Efficient deep-blue organic light-emitting diodes with double-emission layers. **2009**, 10, 107-110 1
- 1637 Dendritic Ir(III) complexes functionalized with triphenylsilylphenyl groups: Synthesis, DFT calculation and comprehensive structure-property correlation. **2009**, 19, 8347 54
- 1636 Ir(ppy)₃ phosphorescent microrods and nanowires: promising micro-phosphors. **2009**, 19, 89-96 53
- 1635 Very high-efficiency red-electroluminescence devices based on an amidinate-ligated phosphorescent iridium complex. **2009**, 19, 8072 76
- 1634 Silane coupling di-carbazoles with high triplet energy as host materials for highly efficient blue phosphorescent devices. **2009**, 19, 6143 54

1633	A high-efficiency and low-operating-voltage green electrophosphorescent device employing a pure-hydrocarbon host material. 2009 , 3892-4	44
1632	A phosphine oxide derivative as a universal electron transport material for organic light-emitting diodes. 2009 , 19, 5940	37
1631	Novel green-light-emitting hyperbranched polymers with iridium complex as core and 3,6-carbazole-co-2,6-pyridine unit as branch. 2009 , 19, 531-537	52
1630	Introduction. 2009 , 17, 1037	29
1629	Introduction. 2009 , 17, 167	16
1628	Phosphorescent iridium(III) complexes: toward high phosphorescence quantum efficiency through ligand control. 2009 , 1267-82	561
1627	Ultrafast intersystem crossing in a red phosphorescent iridium complex. 2009 , 113, 2-4	77
1626	23.3: High Efficiency Green Phosphorescent OLEDs. 2009 , 40, 314	4
1625	23.4: Invited Paper: Ideal Host-Dopant System for Highly Efficient Phosphorescent OLEDs. 2009 , 40, 317	
1624	46.4: OLEDs Containing an Emissive Dinuclear Copper(I) Dopant. 2009 , 40, 691	2
1623	Full-wave simulation of enhanced outcoupling of organic light-emitting devices with an embedded low-index grid. 2009 , 94, 163302	26
1622	Effect of Charge-transporting Molecules on Electrophosphorescence in a Device Fabricated Using Third-generation Dendrimer Encapsulated Tris[2-benzo[b]thiophen-2-ylpyridyl]iridium Complex. 2009 , 38, 314-315	5
1621	Organic Light Emitting Diodes: materials, device structures and light extraction. 2009 , 34, 454	1
1620	Performance optimization of polymer doped electrophosphorescent organic light emitting diodes. 2009 ,	
1619	46.5L: Late-News Paper: Confinement of Triplet-Excited States by Fluorinated Polyvinylcarbazole for High Efficiency OLEDs. 2009 , 40, 695	
1618	High efficiency blue phosphorescent organic light emitting diodes. 2009 ,	2
1617	Efficient white phosphorescent organic light-emitting diodes for solid-state lighting applications using an exciton-confining emissive-layer structure. 2009 , 10, 92-95	9
1616	Electrophosphorescent Polymers for High-Efficiency Light-Emitting Diodes. 2010 , 14, 2133-2144	10

- 1615 Fluorescent white OLEDs with a high color-rendering index using a silicon-cored anthracene derivative as a blue host. **2010**, 11, 123-127
- 1614 5.3: Control of Emission Zone in Blue Phosphorescent OLEDs by Material Design. **2010**, 41, 47
- 1613 60.1: Invited Paper: AMLCD and AMOLEDs: How do They Compare for Green Energy Efficiency?. **2010**, 41, 894 29
- 1612 Synthesis, Crystal Structure and Luminescence Properties of a Cyclometalated Ir(III) Complex of 3,4-Diphenylcinnoline. **2010**, 65, 511-518 10
- 1611 A Novel Free Radical Probe Based on a Preluminescent Iridium Complex Bearing a Nitronyl Radical Moiety. **2010**, 83, 762-766 7
- 1610 Organometallic Pt(II) and Ir(III) Triplet Emitters for OLED Applications and the Role of Spin-Orbit Coupling: A Study Based on High-Resolution Optical Spectroscopy. **2010**, 193-235 191
- 1609 Quantum Dots and Their Multimodal Applications: A Review. **2010**, 3, 2260-2345 752
- 1608 Phenyl-substituted fluorene-dimer cored anthracene derivatives: highly fluorescent and stable materials for high performance organic blue- and white-light-emitting diodes. **2010**, 20, 3186 49
- 1607 Low voltage red phosphorescent organic light-emitting devices with triphenylphosphine oxide and 4,4'-bis(2,2'-diphenylvinyl)-1,1'-biphenyl electron transport layers. **2010**, 10, 1108-1111 2
- 1606 Molecular hosts for triplet emitters in organic light-emitting diodes and the corresponding working principle. **2010**, 53, 1679-1694 34
- 1605 Synthesis, photophysical and electrochemical properties of 2,8-diaryl-dibenzothiophene derivatives for organic electronics. **2010**, 122, 119-124 16
- 1604 High-Efficiency Blue Emitting Phosphorescent OLEDs. **2010**, 57, 101-107 32
- 1603 Performance and defects in phosphorescent organic light-emitting diodes. **2010**, 12, 1873-1876 14
- 1602 Optical properties of 2-aminopyridinium nitrate silver. **2010**, 45, 299-302 8
- 1601 Structure-Property Relationship of Red- and Green-Emitting Iridium(III) Complexes with Respect to Their Temperature and Oxygen Sensitivity. **2010**, 2010, 4875-4885 73
- 1600 High Efficiency Blue Organic LEDs Achieved By an Integrated Fluorescence-Interlayer-Phosphorescence Emission Architecture. **2010**, 20, 648-655 38
- 1599 Correlation Between Triplet-Triplet Annihilation and Electroluminescence Efficiency in Doped Fluorescent Organic Light-Emitting Devices. **2010**, 20, 1285-1293 178
- 1598 An Alternative Approach to Constructing Solution Processable Multifunctional Materials: Their Structure, Properties, and Application in High-Performance Organic Light-Emitting Diodes. **2010**, 20, 3125-3135 33

1597	Multifunctional Triphenylamine/Oxadiazole Hybrid as Host and Exciton-Blocking Material: High Efficiency Green Phosphorescent OLEDs Using Easily Available and Common Materials. 2010 , 20, 2923-2929	148
1596	Organic infrared upconversion device. 2010 , 22, 2260-3	81
1595	Tuning energy levels of electron-transport materials by nitrogen orientation for electrophosphorescent devices with an 'ideal' operating voltage. 2010 , 22, 3311-6	154
1594	Improved high-brightness efficiency of phosphorescent organic LEDs comprising emitter molecules with small permanent dipole moments. 2010 , 22, 3189-93	76
1593	Unexplored thermal transformation behavior of two-dimensionally bound gadolinium hydroxide layers: fabrication of oriented crystalline films of gadolinium oxychloride nanosheets suitable for the multicolor luminescence with color tunability. 2010 , 22, 3272-6	43
1592	Pyridoindole derivative as electron transporting host material for efficient deep-blue phosphorescent organic light-emitting diodes. 2010 , 22, 4775-8	72
1591	Solution-processed solid solution of a novel carbazole derivative for high-performance blue phosphorescent organic light-emitting diodes. 2010 , 22, 4167-71	86
1590	Synthesis, photophysical and electrophosphorescent properties of fluorene-based platinum(II) complexes. 2010 , 16, 14131-41	53
1589	Grafting aluminum(III) 8-hydroxyquinoline derivatives on MCM-41 mesoporous silica for tuning of the light emitting color. 2010 , 346, 384-90	18
1588	Stable efficiency roll-off in red phosphorescent organic light-emitting diodes using a spirofluoreneBenzofluorene based carbazole type host material. 2010 , 130, 2184-2187	10
1587	Red phosphorescent organic light-emitting diodes with indium tin oxide/single organic layer/Al simple device structure. 2010 , 11, 36-40	22
1586	Reduced efficiency roll-off in highly efficient and color-stable hybrid WOLEDs: The influence of triplet transfer and charge-transport behavior on enhancing device performance. 2010 , 11, 238-246	72
1585	Multi-layer organic light-emitting diodes processed from solution using phosphorescent dendrimers in a polymer host. 2010 , 11, 1005-1009	22
1584	Outcoupling efficiency of organic light emitting diodes and the effect of ITO thickness. 2010 , 11, 1010-1015	100
1583	Triplet bipolar host materials for solution processed organic light-emitting devices. 2010 , 11, 1624-1630	11
1582	Pure red electrophosphorescence from polymer light-emitting diodes doped with highly emissive bis-cyclometalated iridium(III) complexes. 2010 , 695, 1972-1978	34
1581	KLaF4:Er an efficient upconversion phosphor. 2010 , 33, 42-47	32
1580	Effects of solution processing and thermal annealing on the phosphorescence of iridium(III) complex-cored dendrimer films. 2010 , 11, 62-66	5

1579	Efficient phosphorescent white OLEDs with high color rendering capability. 2010 , 11, 412-418	78
1578	Microdisk lasers and field effect transistors of thiophene/phenylene co-oligomers by using high temperature deposition method. 2010 , 11, 1192-1198	26
1577	A phosphorescent poly(dendrimer) with increased viscosity for solution-processed OLED devices. 2010 , 11, 1561-1568	19
1576	Theoretical study on photophysical properties of angular-shaped mercury(II) bis(acetylide) complexes as light-emitting materials. 2010 , 368, 66-75	6
1575	Synthesis of fused phenylcarbazole phosphine oxide based high triplet energy host materials. 2010 , 66, 7295-7301	18
1574	A high triplet energy phosphine oxide derivative as a host and exciton blocking material for blue phosphorescent organic light-emitting diodes. 2010 , 518, 3716-3720	22
1573	Synthesis and electrophosphorescent properties of iridium complexes based on 2-fluorenylquinoline derivatives. 2010 , 518, 3972-3977	11
1572	Blue electroluminescent materials based on 2,7-distyrylfluorene for organic light-emitting diodes. 2010 , 518, 5091-5097	17
1571	Study on energy relation between blue and red emissive layer of organic light-emitting diodes by inserting spacer layer. 2010 , 518, 7119-7123	9
1570	High quantum efficiency in simple blue phosphorescent organic light-emitting diodes without any electron injection layer. 2010 , 519, 906-910	28
1569	Red organic light emitting devices with reduced efficiency roll-off behavior by using hybrid fluorescent/phosphorescent emission structure. 2010 , 519, 872-875	11
1568	Magnetic field effects on the phosphorescence of Pt(4,6-dFppy)(acac) π Tunability of the vibrational satellite structure. 2010 , 484, 261-265	17
1567	Efficient Förster energy transfer from phosphorescent organic molecules to J-aggregate thin films. 2010 , 485, 243-246	11
1566	Triplet state properties of a red light emitting [Pt(s-thpy)(acac)] compound. 2010 , 486, 53-59	24
1565	Singlet-triplet quenching in high intensity fluorescent organic light emitting diodes. 2010 , 495, 161-165	44
1564	Tunable emission of polymer light emitting diodes bearing green-emitting Ir(III) complexes: The structural role of 9-((6-(4-fluorophenyl)pyridin-3-yl)methyl)-9H-carbazole ligands. 2010 , 85, 143-151	35
1563	Hole-transporting host-polymer series consisting of triphenylamine basic structures for phosphorescent polymer light-emitting diodes. 2010 , 48, 3417-3430	55
1562	Theoretical study on the influence of ancillary ligand on the spectroscopic properties and electronic structures of phosphorescent Pt(II) complexes. 2010 , 110, 1142-1151	1

1561	Luminescent Iridium Complexes and Their Applications. 2010 , 113-142		32
1560	Highly efficient red phosphorescent Ir(III) complexes for oleds based on carbonylated arylpyridine ligands. 2010 ,		
1559	Light out-coupling enhancement of organic light-emitting devices with microlens array. 2010 , 97, 223303		60
1558	Highly efficient orange-red phosphorescent organic light-emitting diode using 2,7-bis(carbazol-9-yl)-9,9-ditolyfluorene as the host. 2010 , 96, 143306		39
1557	32.4: Quantum Dot Light Emitting Diodes for Full-color Active-matrix Displays. 2010 , 41, 473		8
1556	Improved light extraction efficiency of white organic light-emitting devices by biomimetic antireflective surfaces. 2010 , 96, 153305		44
1555	Emission zone control in blue organic electrophosphorescent devices through chemical modification of host materials. 2010 , 96, 053306		11
1554	Internal potential distribution in organic light emitting diodes measured by dc bridge. 2010 , 97, 153305		8
1553	Influence of the hole blocking layer on blue phosphorescent organic light-emitting devices using 3,6-di(9-carbazolyl)-9-(2-ethylhexyl)carbazole as host material. 2010 , 96, 093304		47
1552	Organic light-emitting diodes containing multilayers of organic single crystals. 2010 , 96, 053301		42
1551	Analysis of metal-oxide-based charge generation layers used in stacked organic light-emitting diodes. <i>Journal of Applied Physics</i> , 2010 , 107, 014514	2.5	62
1550	. 2010 ,		1
1549	Phosphorescence Color Tuning of Ionic Iridium Complexes by Manipulating Excited State Properties. 2010 , 530, 91/[247]-96/[252]		
1548	Red Phosphorescent Iridium(III) Complexes Containing 5-Benzoyl-2-phenylpyridine Derived Ligands with Electron-Donating/-Withdrawing Moieties for Organic Light-Emitting Diodes. 2010 , 530, 30/[186]-39/[195]		
1547	Novel Amorphous Red Electroluminescence Material Based on Pyranilidene Indene-1,3-Dione Derivative. 2010 , 47,		1
1546	Tunable-white-light-emitting nanowire sources. 2010 , 21, 255201		18
1545	Photoluminescence Characteristics of Organic Host Materials with Wide Energy Gaps for Organic Electrophosphorescent Devices. 2010 , 49, 050205		1
1544	Highly efficient, single-layer organic light-emitting devices based on a graded-composition emissive layer. 2010 , 97, 083308		57

1543	Highly efficient orange-red organic light-emitting diode using double emissive layers with stepwise energy-level architecture. 2010 , 20, 8464	24
1542	Dendrimers designed for functions: from physical, photophysical, and supramolecular properties to applications in sensing, catalysis, molecular electronics, photonics, and nanomedicine. 2010 , 110, 1857-959	1534
1541	The triplet state of fac-Ir(ppy) ₃ . 2010 , 49, 9290-9	283
1540	Detailed studies on energy loss mechanism in phosphor-sensitized fluorescent polymer light-emitting devices. <i>Journal of Applied Physics</i> , 2010 , 107, 054515	2.5 2
1539	High-Efficiency Nondoped Deep-Blue-Emitting Organic Electroluminescent Device. 2010 , 22, 2138-2141	67
1538	Bis(4-(4,5-diphenyl-4H-1,2,4-triazol-3-yl)phenyl)dimethylsilane as Electron-Transport Material for Deep Blue Phosphorescent OLEDs. 2010 , 1, 295-299	20
1537	Role of substitution on the photophysical properties of 5,5'-diaryl-2,2'-bipyridine (bpy*) in [Ir(ppy) ₂ (bpy*)]PF ₆ complexes: a combined experimental and theoretical study. 2010 , 49, 5625-41	146
1536	Photophysical properties of the series fac- and mer-(1-phenylisoquinolinato-N ² C ^{2'})(x)(2-phenylpyridinato-N ² C ^{2'})(3-x)iridium(III) (x = 1-3). 2010 , 49, 9151-61	65
1535	Phosphine Oxide Based Electron Transporting and Hole Blocking Materials for Blue Electrophosphorescent Organic Light Emitting Devices. 2010 , 22, 5678-5686	45
1534	Oligo- and Polyfluorene-Tethered fac-Ir(ppy) ₃ : Substitution Effects. 2010 , 43, 8479-8487	24
1533	A Phosphorescent Poly(dendrimer) Containing Iridium(III) Complexes: Synthesis and Light-Emitting Properties. 2010 , 43, 6986-6994	50
1532	Small molecular glasses based on multiposition encapsulated phenyl benzimidazole iridium(III) complexes: toward efficient solution-processable host-free electrophosphorescent diodes. 2010 , 114, 141-50	52
1531	Highly Efficient Phosphorescent Organic Light-Emitting Diodes Hosted by 1,2,4-Triazole-Cored Triphenylamine Derivatives: Relationship between Structure and Optoelectronic Properties. 2010 , 114, 601-609	95
1530	DFT/TD-DFT study on the electronic structures and optoelectronic properties of several blue-emitting iridium(III) complexes. 2010 , 114, 6559-64	42
1529	Managing Charge Balance and Triplet Excitons to Achieve High-Power-Efficiency Phosphorescent Organic Light-Emitting Diodes. 2010 , 2, 2813-2818	28
1528	Origin of rare and highly efficient phosphorescent and electroluminescent iridium(III) complexes based on C=N=N ligands, a theoretical explanation. 2010 , 114, 9300-8	23
1527	Efficient and long-time stable red iridium(III) complexes for organic light-emitting diodes based on quinoxaline ligands. 2010 , 49, 397-406	64
1526	Electrochemiluminescent functionalizable cyclometalated thiophene-based iridium(III) complexes. 2010 , 49, 1439-48	59

1525	Bipolar host molecules for efficient blue electrophosphorescence: a quantum chemical design. 2010 , 114, 965-72	25
1524	Electroluminescence of poly(N-vinylcarbazole) films: fluorescence, phosphorescence and electromers. 2010 , 12, 15410-3	58
1523	Estimation of the mean emission zone in phosphorescent organic light-emitting diodes with a thin emitting layer. 2010 , 18, 16715-21	5
1522	Enhancing waveguided light extraction in organic LEDs using an ultra-low-index grid. 2010 , 35, 1052-4	41
1521	Efficient electrophosphorescence based on 2-(9,9-diethylfluoren-2-yl)-5-trifluoromethylpyridine iridium complexes. 2010 , 160, 354-360	17
1520	White organic light-emitting devices with a bipolar transport layer between blue fluorescent and yellow phosphor-sensitized-fluorescent emitting layers. 2010 , 160, 829-831	12
1519	Pure red electroluminescence from novel heteroleptic cyclometalated platinum(II) emitters embedded in polyvinylcarbazole. 2010 , 160, 615-620	13
1518	Pure exciplex electroluminescence in blended film of small organic molecules. 2010 , 160, 722-727	18
1517	Theoretical studies on electronic and electron blocking properties of iridium complexes with phenylpyrazolato ligands. 2010 , 160, 1015-1021	4
1516	Thermally stable fluorescent blue organic light-emitting diodes using spirobifluorene based anthracene host materials with different substitution position. 2010 , 160, 1184-1188	16
1515	Polyethers containing 2-phenylindol-1-yl moieties as host materials for light emitting diodes. 2010 , 160, 1793-1796	13
1514	E-type delayed fluorescence of a phosphine-supported Cu ₂ (μ-NAr ₂) ₂ diamond core: harvesting singlet and triplet excitons in OLEDs. 2010 , 132, 9499-508	394
1513	Light extraction from organic light-emitting diodes enhanced by spontaneously formed buckles. 2010 , 4, 222-226	487
1512	Introduction. 2010 , 18, 1015	
1511	Facile synthesis and characterization of phosphorescent Pt(N(?)C(?)N)X complexes. 2010 , 49, 11276-86	112
1510	Controlling charge balance and exciton recombination by bipolar host in single-layer organic light-emitting diodes. <i>Journal of Applied Physics</i> , 2010 , 108, 034508	2.5 63
1509	Highly efficient fluorescent-phosphorescent triplet-harvesting hybrid organic light-emitting diodes. <i>Journal of Applied Physics</i> , 2010 , 107, 014515	2.5 73
1508	Study of ion-paired iridium complexes (soft salts) and their application in organic light emitting diodes. 2010 , 132, 3133-9	129

1507	Highly luminescent tetradentate bis-cyclometalated platinum complexes: design, synthesis, structure, photophysics, and electroluminescence application. 2010 , 49, 5107-19	195
1506	A spiro-configured ambipolar host material for impressively efficient single-layer green electrophosphorescent devices. 2010 , 12, 10685-7	32
1505	Carbazole endcapped heterofluorenes as host materials: theoretical study of their structural, electronic, and optical properties. 2010 , 12, 15448-58	47
1504	Influences of ITO anode thickness on OLED efficiencies. 2010 ,	
1503	Properties of Phosphorescence Polymer Light Emitting Diodes with PVK: Ir(ppy) ₃ :PFO:Ir(pq) ₂ acac Emission Layer. 2010 , 530, 74/[230]-82/[238]	1
1502	Diphenyl(1-naphthyl)phosphine ancillary for assembling of red and orange-emitting Ir(III) based phosphors; strategic synthesis, photophysics, and organic light-emitting diode fabrication. 2010 , 49, 8713-23	56
1501	High efficiency and low roll-off blue phosphorescent organic light-emitting devices using mixed host architecture. 2010 , 97, 033304	97
1500	Causes of efficiency roll-off in phosphorescent organic light emitting devices: Triplet-triplet annihilation versus triplet-polaron quenching. 2010 , 97, 243304	155
1499	Enhanced Electroluminescence Efficiency of Phosphorescent Organic Light-Emitting Diodes by Controlling the Triplet Energy of the Hole-Blocking Layer. 2010 , 31, 452-454	3
1498	Bis(diphenylamino)-9,9'-spirobifluorene functionalized Ir(III) complex: a conceptual design en route to a three-in-one system possessing emitting core and electron and hole transport peripherals. 2011 , 21, 768-774	30
1497	Improved optical outcoupling of OLED microdisplays by nanostructured substrates. 2011 ,	2
1496	CarbazoleBenzimidazole hybrid bipolar host materials for highly efficient green and blue phosphorescent OLEDs. 2011 , 21, 14971	84
1495	High-performance blue and green electrophosphorescence achieved by using carbazole-containing bipolar tetraarylsilanes as host materials. 2011 , 21, 11197	32
1494	Controlling the growth of low dimension nanostructures of an iridium complex. 2011 , 40, 4397-401	9
1493	Effects of Symmetry of Ir (III) Complex on the Photophysical Properties and Device Performances. 2011 , 550, 284-293	
1492	A luminescent cyclometalated platinum(II) complex and its green organic light emitting device with high device performance. 2011 , 47, 3383-5	114
1491	Synthesis of ring-structured polysiloxane as host materials for blue phosphorescent device. 2011 , 21, 7777	18
1490	Effect of main ligands on organic photovoltaic performance of Ir(III) complexes. 2011 , 35, 2557	40

1489	An effective strategy for small molecular solution-processable iridium(III) complexes with ambipolar characteristics: towards efficient electrophosphorescence and reduced efficiency roll-off. 2011 , 21, 15405	34
1488	Synthesis, structure and efficient electroluminescence of a heteroleptic dipyridylamido/bis(pyridylphenyl)iridium(III) complex. 2011 , 47, 5726-8	19
1487	Electron Injection and Transport Mechanisms of an Electron Transport Layer in OLEDs. 2011 , 158, H1284	3
1486	First-principles studies on the efficient photoluminescent iridium(III) complexes with C ^N N ligands. 2011 , 50, 5477-84	46
1485	Blue-light emission of Cu(I) complexes and singlet harvesting. 2011 , 50, 8293-301	354
1484	Metal-Ligand Bonding Strength of Fluoro-Substituted Cyclometalated Iridium(III) Complexes from Raman and Infrared Spectra. 2011 , 115, 17163-17174	17
1483	Efficient phosphorescent polymer yellow-light-emitting diodes based on solution-processed small molecular electron transporting layer. 2011 , 3, 410-6	46
1482	Efficient blue-emitting Ir(III) complexes with phosphine carbanion-based ancillary ligand: a DFT study. 2011 , 115, 11689-95	34
1481	Organic Semiconductors. 2011 , 448-507	7
1480	Efficient Phosphorescence by Reducing Intrachain Chromophore Interactions in Dendrimer-Containing Polymers. 2011 , 115, 25464-25469	5
1479	Screening structure-property correlations and device performance of Ir(III) complexes in multi-layer PhOLEDs. 2011 , 40, 11629-35	21
1478	Amidate Iridium(III) Bis(2-pyridyl)phenyl Complexes: Application Examples of Amidate Ancillary Ligands in Iridium(III)-Cyclometalated Complexes. 2011 , 30, 77-83	55
1477	Synthesis and characterization of neutral luminescent diphosphine pyrrole- and indole-alimine copper(I) complexes. 2011 , 50, 7172-88	86
1476	A carbazole-phenylbenzimidazole hybrid bipolar universal host for high efficiency RGB and white PhOLEDs with high chromatic stability. 2011 , 21, 19249	46
1475	A phosphorescent material with high and balanced carrier mobility for efficient OLEDs. 2011 , 47, 3150-2	47
1474	Determination of the exciton singlet-to-triplet ratio in single-layer organic light-emitting diodes. 2011 , 83,	22
1473	3,9?-Bicarbazole-Based Compounds with Reactive Functional Groups as Potential Cross-Linkable High Triplet Energy Hole-Transporting Materials. 2011 , 536, 200/[432]-207/[439]	
1472	Electrochemical Tuning of Morphological and Optoelectronic Characteristics of Donor-Acceptor Spiro-Fluorene Polymer Film. Application in the Building of an Electroluminescent Device. 2011 , 115, 21907-21914	15

1471	Fine tuning of emission color of iridium(III) complexes from yellow to red via substituent effect on 2-phenylbenzothiazole ligands: synthesis, photophysical, electrochemical and DFT study. 2011 , 40, 7153-64	48
1470	Highly simplified phosphorescent organic light emitting diode with >20% external quantum efficiency at >10,000 cd/m ² . 2011 , 98, 073310	89
1469	Linear and nonlinear optical properties of cationic bipyridyl iridium(III) complexes: tunable and photoswitchable?. 2011 , 50, 5027-38	90
1468	RGB Phosphorescent Organic Light-Emitting Diodes by Using Host Materials with Heterocyclic Cores: Effect of Nitrogen Atom Orientations. 2011 , 23, 274-284	223
1467	Efficient up-conversion of triplet excitons into a singlet state and its application for organic light emitting diodes. 2011 , 98, 083302	748
1466	A series of CBP-derivatives as host materials for blue phosphorescent organic light-emitting diodes. 2011 , 21, 2266-2273	77
1465	Relating charge transport and performance in single-layer graded-composition organic light-emitting devices. <i>Journal of Applied Physics</i> , 2011 , 110, 084515	2.5 16
1464	Phosphazene-Based Host Materials for the Use in Blue Phosphorescent Organic Light-Emitting Diodes. 2011 , 23, 4947-4953	54
1463	Control of the mutual arrangement of cyclometalated ligands in cationic iridium(III) complexes. Synthesis, spectroscopy, and electroluminescence of the different isomers. 2011 , 133, 10543-58	162
1462	OLED Lighting Technology. 2011 , 97-149	2
1461	Time-Independent Approaches to Simulate Electronic Spectra Lineshapes: From Small Molecules to Macrosystems. 2011 , 361-443	55
1460	Homoleptic tris-cyclometalated iridium complexes with 2-phenylbenzothiazole ligands for highly efficient orange OLEDs. 2011 , 21, 15494	60
1459	Growth and morphology of sputtered aluminum thin films on P3HT surfaces. 2011 , 3, 1055-62	43
1458	Red light-emitting hyperbranched fluorene-alt-carbazole copolymers with an iridium complex as the core. 2011 , 2, 2193	33
1457	Excited-state properties of heteroleptic iridium(III) complexes bearing aromatic hydrocarbons with extended cores. 2011 , 50, 10859-71	37
1456	Introduction. 2011 , 19, 793	5
1455	Polymer light-emitting diodes with inorganic nanocomposite interlayers for efficiency enhancement. 2011 , 1, 011018	1
1454	Charge transport, carrier balance, and blue electrophosphorescence in diphenyl[4-(triphenylsilyl)phenyl]phosphine oxide devices. 2011 , 98, 073305	21

1453	Periodic nanostructuring for guided mode extraction in organic light-emitting diodes. 2011 , 1, 011012	7
1452	Indolo Acridine-Based Hole-Transport Materials for Phosphorescent OLEDs with Over 20% External Quantum Efficiency in Deep Blue and Green. 2011 , 23, 4338-4343	47
1451	Electro-Optical Applications of Conjugated Polymer Thin Films. 2011 , 319-377	3
1450	Extended Conjugation Platinum(II) Porphyrins for use in Near-Infrared Emitting Organic Light Emitting Diodes. 2011 , 23, 5305-5312	181
1449	An Overview of Organic Light-Emitting Diodes and their Applications. 2011 , 73-107	7
1448	Highly efficient green organic light-emitting diodes containing luminescent three-coordinate copper(I) complexes. 2011 , 133, 10348-51	356
1447	On the interplay of waveguide modes and leaky modes in corrugated OLEDs. 2011 , 19 Suppl 4, A851-8	24
1446	Top-emitting organic light-emitting diodes. 2011 , 19 Suppl 6, A1250-64	148
1445	Hindrance-Functionalized Stacked Polymer Host Materials of the Carbo-Type Carbazole-Bluorene Hybrid for Solution-Processable Blue Electrophosphorescent Devices. 2011 , 44, 4589-4595	42
1444	Diphenylsilanes containing electronically isolated carbazolyl fragments as host materials for light emitting diodes. 2011 , 161, 92-95	6
1443	Synthesis and characterization of red iridium(III) complexes containing phenothiazine-phenylquinoline based on main ligand for solution-processed phosphorescent organic light-emitting diodes. 2011 , 161, 213-218	13
1442	Cyclometalated iridium(III) complexes with 5-acetyl-2-phenylpyridine derived ligands for red phosphorescent OLEDs. 2011 , 161, 1113-1121	14
1441	High hole mobility through charge recombination interface in organic light-emitting diodes. 2011 , 161, 2087-2091	19
1440	Unlocking the full potential of organic light-emitting diodes on flexible plastic. 2011 , 5, 753-757	325
1439	42.1 Invited Paper: High Efficiency Phosphorescent AMOLEDs: The Path to Long Lifetime TVs. 2011 , 42, 606-609	4
1438	Introduction. 2011 , 19, 196	29
1437	Fast-Response Organic Light-Emitting Diode for Interactive Optical Communication. 2011 ,	1
1436	Highly simplified small molecular phosphorescent organic light emitting devices with a solution-processed single layer. 2011 , 1, 032130	7

1435	Interlayer Engineering with Different Host Material Properties in Blue Phosphorescent Organic Light-Emitting Diodes. 2011 , 33, 32-38		27
1434	Applying grey prediction model for forecasting emerging technology. 2011 , 7, 271		0
1433	Thermal analysis of high intensity organic light-emitting diodes based on a transmission matrix approach. <i>Journal of Applied Physics</i> , 2011 , 110, 124516	2.5	21
1432	Synthesis of novel twisted carbazolequinoxaline derivatives with 1,3,5-benzene core: bipolar molecules as hosts for phosphorescent OLEDs. 2011 , 52, 6942-6947		29
1431	High power efficiency in single layer blue phosphorescent organic light-emitting diodes. 2011 , 131, 2788-2791		11
1430	Simply structured, deep-blue phosphorescent organic light-emitting diode with bipolar host material. 2011 , 12, 1638-1643		16
1429	Charge-carrier injection assisted by space-charge field in AC-driven organic light-emitting transistors. 2011 , 12, 1724-1730		14
1428	Highly efficient phosphorescent organic light-emitting diodes using a beryllium metalchelate complex as electron-transporting host material. 2011 , 12, 1783-1787		10
1427	Above 20% external quantum efficiency in green and white phosphorescent organic light-emitting diodes using an electron transport type green host material. 2011 , 12, 1893-1898		11
1426	Meta-linked CBP-derivatives as host materials for a blue iridium carbene complex. 2011 , 12, 2047-2055		51
1425	The relationship between the device performance and hole mobility of host materials in mixed host system for deep blue phosphorescent organic light emitting devices. 2011 , 12, 1973-1979		15
1424	The influence of the hole blocking layers on the electroluminescence stability of phosphorescent organic light emitting devices. 2011 , 12, 2056-2060		13
1423	Highly efficient blue organic electrophosphorescence devices using a trifluorine-replaced iridium complex. 2011 , 12, 2061-2064		16
1422	Electroluminescence of organic light-emitting diodes consisting of an undoped (pbi)2Ir(acac) phosphorescent layer. 2011 , 406, 4249-4252		5
1421	Red phosphorescent organic light-emitting diodes using pyridine based electron transport type triplet host materials. 2011 , 127, 300-304		6
1420	New Zn complexes based on 1,2,4-triazoles: Synthesis, structure and luminescence. 2011 , 376, 509-514		22
1419	The triplet state of organo-transition metal compounds. Triplet harvesting and singlet harvesting for efficient OLEDs. 2011 , 255, 2622-2652		908
1418	A computational approach to the electronic and optical properties of Ru(II) and Ir(III) polypyridyl complexes: Applications to DSC, OLED and NLO. 2011 , 255, 2704-2726		143

1417	Organic host materials for phosphorescent organic light-emitting diodes. 2011 , 40, 2943-70	983
1416	Molecular orientation in small-molecule organic light-emitting diodes. 2011 , 21, 19187	428
1415	Iridium(III) complexes with orthometalated phenylimidazole ligands subtle turning of emission to the saturated green colour. 2011 , 21, 507-19	32
1414	Improving organic light-emitting diode performance with patterned structures. 2011 , 105, 323-327	12
1413	Synthesis and characterization of solution-processable highly branched iridium (III) complex cored dendrimer based on tetraphenylsilane dendron for host-free green phosphorescent organic light emitting diodes. 2011 , 90, 139-145	34
1412	Optoelectronic properties of new functionalized heteroleptic iridium complex. 2011 , 18, 63-67	
1411	Light-emitting diodes enhanced by localized surface plasmon resonance. 2011 , 6, 199	129
1410	Capturing triplet emission in white organic light emitting devices. 2011 , 208, 1809-1812	10
1409	Bipolar Tetraarylsilanes as Universal Hosts for Blue, Green, Orange, and White Electrophosphorescence with High Efficiency and Low Efficiency Roll-Off. 2011 , 21, 1168-1178	215
1408	Critical Role of Triplet Exciton Interface Trap States in Bilayer Films of NPB and Ir(piq) ₃ . 2011 , 21, 2522-2526	8
1407	Investigating Morphology and Stability of Fac-tris (2-phenylpyridyl)iridium(III) Films for OLEDs. 2011 , 21, 2225-2231	41
1406	Improved Efficiency in Blue Phosphorescent Organic Light-Emitting Devices Using Host Materials of Lower Triplet Energy than the Phosphorescent Blue Emitter. 2011 , 21, 3250-3258	88
1405	Cyano-Substituted Oligo(p-phenylene vinylene) Single Crystals: A Promising Laser Material. 2011 , 21, 3770-3777	94
1404	Recent progresses on materials for electrophosphorescent organic light-emitting devices. 2011 , 23, 926-52	1156
1403	Improvement of electroluminescence performance of organic light-emitting diodes with a liquid-emitting layer by introduction of electrolyte and a hole-blocking layer. 2011 , 23, 889-93	84
1402	Hybrid organic-inorganic light-emitting diodes. 2011 , 23, 1829-45	232
1401	Highly efficient orange and white organic light-emitting diodes based on new orange iridium complexes. 2011 , 23, 2823-7	190
1400	Highly efficient green and blue-green phosphorescent OLEDs based on iridium complexes with the tetraphenylimidodiphosphate ligand. 2011 , 23, 4041-6	265

1399	Bipolar host materials: a chemical approach for highly efficient electrophosphorescent devices. 2011 , 23, 3876-95	443
1398	Low driving voltage, high quantum efficiency, high power efficiency, and little efficiency roll-off in red, green, and deep-blue phosphorescent organic light-emitting diodes using a high-triplet-energy hole transport material. 2011 , 23, 4568-72	84
1397	Green electrophosphorescent polymers with poly(3,6-carbazole) as the backbone: a linear structure does realize high efficiency. 2011 , 23, 3726-9	39
1396	Electro-active oligomers containing pendent carbazolyl or indolyl groups as host materials for OLEDs. 2011 , 122, 908-913	9
1395	Energy transfer tunes phosphorescent color of single-dopant white OLEDs. 2011 , 17, 13971-7	19
1394	Synthesis and optical characterization of strong red light emitting KLaF ₄ :Eu ³⁺ nanophosphors. 2011 , 508, 117-120	59
1393	Performances enhancement in OLEDs by inserting ultrathin trilayer in electron injection structure and using MoO ₃ as hole buffer layer. 2011 , 32, 45-48	6
1392	Orange phosphorescent organic light-emitting diodes based on spirobenzofluorene type carbazole derivatives as a host material. 2011 , 89, 29-36	9
1391	Branched diphenylsilane derivatives containing electronically isolated indolyl moieties as host materials for blue organic light emitting diodes. 2011 , 91, 177-181	4
1390	Direct Observation of Electron Transit in Ambipolar Polymer-Based Light-Emitting Transistor by Optical Second Harmonic Generation Measurement. 2011 , 14, 226-230	
1389	Analysis of chemical degradation mechanism within sky blue phosphorescent organic light emitting diodes by laser-desorption/ionization time-of-flight mass spectrometry. 2011 , 12, 341-347	101
1388	Efficient blue organic light-emitting devices with a new bipolar emitter. 2011 , 12, 358-363	28
1387	Efficient green OLED devices with an emissive layer comprised of phosphor-doped carbazole/bis-oxadiazole side-chain polymer blends. 2011 , 12, 492-496	40
1386	Dependence of carrier recombination mechanism on the thickness of the emission layer in green phosphorescent organic light emitting devices. 2011 , 12, 582-588	24
1385	Roughening the white OLED substrate surface through sandblasting to improve the external quantum efficiency. 2011 , 12, 648-653	45
1384	Increased light outcoupling efficiency in dye-doped small molecule organic light-emitting diodes with horizontally oriented emitters. 2011 , 12, 809-817	178
1383	Efficient blue organic light-emitting diode using anthracene-derived emitters based on polycyclic aromatic hydrocarbons. 2011 , 12, 802-808	33
1382	High-efficiency blue-green electrophosphorescent light-emitting devices using a bis-sulfone as host in the emitting layer. 2011 , 12, 1314-1318	25

1381	A new N-fluorenyl carbazole host material: Synthesis, physical properties and applications for highly efficient phosphorescent organic light emitting diodes. 2011 , 12, 785-793	19
1380	Host engineering for improving the performance of blue phosphorescent organic light-emitting devices. 2011 , 12, 1114-1119	24
1379	Luminescent sensitization and blue shift emission of Ir(ppy) ₂ (VPHD) by copolymerization with MMA. 2011 , 131, 1677-1681	1
1378	Synthesis and characterization of one star-shaped polymer with charged iridium complex as luminescent core. 2011 , 131, 2166-2173	6
1377	Enhancement of light-emitting efficiency using combined plasmonic Ag grating and dielectric grating. 2011 , 131, 2382-2386	10
1376	Synthesis and electrophosphorescent properties of iridium complexes based on phenylpyridine-based main ligand for organic light-emitting diodes. 2011 , 326, 103-108	2
1375	Multifunctional red phosphorescent bis-cyclometallated iridium complexes based on 2-phenyl-1,2,3-benzotriazole ligand and carbazolyl moieties. 2011 , 67, 1852-1861	35
1374	Triplet to singlet transition induced low efficiency roll-off in green phosphorescent organic light-emitting diodes. 2011 , 519, 2540-2543	6
1373	Efficiency optimization of green phosphorescent organic light-emitting device. 2011 , 519, 3259-3263	17
1372	Combination of heterojunction and mixed-host structures in one blue fluorescent organic light emitting diode to improve the power efficiency. 2011 , 519, 3816-3818	9
1371	Enhanced efficiency in mixed host red electrophosphorescence devices. 2011 , 519, 5634-5637	1
1370	4,4',4'-Tris(N-carbazolyl)-triphenylamine interlayer in highly efficient phosphorescent organic light emitting diodes based on tris[4-methyl-2-(4'-trimethylsilylphenyl)pyridine]iridium complex. 2011 , 519, 6073-6076	15
1369	Highly efficient red phosphorescent Ir(III) complexes for organic light-emitting diodes based on aryl(6-arylpyridin-3-yl)methanone ligands. 2011 , 519, 6544-6549	7
1368	High-Efficiency Electrophosphorescence Red Organic Light-Emitting Diodes Using a Thin 1,3-Bis[2-(2,2'-bipyridin-6-yl)-1,3,4-oxadiazol-5-yl]benzene Cleaving Layer in an Ir-Complex-Doped Emitter Layer. 2011 , 50, 04DK19	
1367	Surface Potential Measurement of Tris(8-hydroxyquinolato)aluminum and Bis[N-(1-naphthyl)-N-phenyl]benzidine Thin Films Fabricated on Indium Tin Oxide by Kelvin Probe Force Microscopy. 2011 , 50, 071601	2
1366	Highly Efficient Green Phosphorescent Organic Light-Emitting Diodes with High Electron Mobility. 2011 , 50, 01BC07	2
1365	High efficiency electrophosphorescence from bilayer organic light emitting diodes. 2011 , 44, 365103	4
1364	Enhancement of efficiency and stability of phosphorescent OLEDs based on heterostructured light-emitting layers. 2011 , 44, 115103	12

1363	Very low color-temperature organic light-emitting diodes for lighting at night. 2011 ,		1
1362	Metallic Bragg-gratings for light management in organic light-emitting devices. 2011 , 99, 103303		14
1361	Luminescence degradation in phosphorescent organic light-emitting devices by hole space charges. <i>Journal of Applied Physics</i> , 2011 , 109, 044501-044501-6	2.5	22
1360	Thermoelectric properties of n-type C60 thin films and their application in organic thermovoltaic devices. 2011 , 99, 093308		75
1359	Observation of electron behavior in ambipolar polymer-based light-emitting transistor by optical second harmonic generation. <i>Journal of Applied Physics</i> , 2011 , 110, 013715	2.5	13
1358	Efficient organic light-emitting devices with platinum-complex emissive layer. 2011 , 98, 033302		29
1357	Mechanism for the direct electron injection from Al cathode to the phosphine oxide type electron transport layer. 2011 , 98, 073306		5
1356	Electroluminescence Characteristics of Inorganic (p-GaN/MgO)-Organic (Alq3) Hybrid p-n Junction Light Emitting Diodes. 2011 , 1286, 38		3
1355	Enhancing light extraction in organic light-emitting devices via hemispherical microlens arrays fabricated by soft lithography. 2011 , 1, 011002		6
1354	New Bipolar Green Host Materials Containing Benzimidazole-Carbazole Moiety in Phosphorescent OLEDs. 2011 , 32, 841-846		9
1353	Pyranilidene indene-1,3-dione derivatives as an amorphous red electroluminescence material. 2011 , 1, 011001		1
1352	Surface potential measurement of organic thin film on metal electrodes by dynamic force microscopy using a piezoelectric cantilever. <i>Journal of Applied Physics</i> , 2011 , 109, 114306	2.5	2
1351	High-efficiency green phosphorescent organic light-emitting devices. 2011 ,		
1350	Effect of Solution Processed Hole Injection Layers on Device Performance of Phosphorescent Green OLEDs. 2011 , 158, J321		2
1349	Device Architecture and Materials for Organic Light-Emitting Devices. 2011 ,		17
1348	Pt(II) complex based phosphorescent organic light emitting diodes with external quantum efficiencies above 20%. 2011 , 98, 213301		53
1347	Fabrication of a blue organic light-emitting diode with a novel thermal deposition boat. 2011 , 29, 062401		9
1346	Graded-host phosphorescent light-emitting diodes with high efficiency and reduced roll-off. 2012 , 2, 012192		15

1345	Polystyrene Backbone Polymers Consisting of Alkyl-Substituted Triazine Side Groups for Phosphorescent OLEDs. 2012 , 2012, 1-15	5
1344	Suzuki-Miyaura Reaction; Novel Synthesis of C-N and N-N Ligands for Organic Light-Emitting Devices. 2012 , 622-623, 236-240	3
1343	Extremely High Efficiency Orange Phosphorescent Organic Light-Emitting Devices. 2012 , 490-495, 3221-3225	
1342	Escaped and Trapped Emission of Organic Light-Emitting Diodes. 2012 , 29, 024209	
1341	Photoionization of tris(2-phenylpyridine)iridium. 2012 , 110, 1893-1908	5
1340	White organic light emitting diodes with enhanced internal and external outcoupling for ultra-efficient light extraction and Lambertian emission. 2012 , 20 Suppl 6, A932-40	29
1339	Extraction of guided modes from organic emission layers by compound binary gratings. 2012 , 37, 2646-8	9
1338	Improving efficiency roll-off in phosphorescent OLEDs by modifying the exciton lifetime. 2012 , 37, 2019-21	17
1337	High power efficiency phosphorescent poly(dendrimer) OLEDs. 2012 , 20 Suppl 2, A213-8	16
1336	Enhanced light extraction in organic light-emitting devices: Using conductive low-index layers and micropatterned indium tin oxide electrodes with optimal taper angle. 2012 , 100, 233303	17
1335	High-efficiency organic light-emitting diodes utilizing thermally activated delayed fluorescence from triazine-based donor-acceptor hybrid molecules. 2012 , 101, 093306	281
1334	High efficiency blue phosphorescent organic light-emitting diode based on blend of hole- and electron-transporting materials as a co-host. 2012 , 100, 213301	46
1333	Triplets contribute to both an increase and loss in fluorescent yield in organic light emitting diodes. 2012 , 108, 267404	139
1332	Identification of device degradation positions in multi-layered phosphorescent organic light emitting devices using water probes. 2012 , 100, 183306	31
1331	Efficient organic light-emitting diodes through up-conversion from triplet to singlet excited states of exciplexes. 2012 , 101, 023306	206
1330	Polarized Emission Behavior of Pt Complex-Doped Polymer Films. 2012 , 563, 83-91	1
1329	Improved Device Performances in Phosphorescent Organic Light-Emitting Diodes by Microcavity Effects. 2012 , 51, 09MH01	7
1328	Highly efficient blue fluorescent OLEDs with doped double emitting layers based on pπ heterojunctions. 2012 , 21, 058503	2

1327	Delayed Fluorescence by Reverse Intersystem Crossing and Application to Organic Light-Emitting Diodes. 2012 ,	
1326	A Theoretical Study on Synthesis Mechanism of fac-[Ir(ppy) ₃] from [Ir(acac) ₃] in the Presence of Brønsted Acids and Water Molecules. 2012 , 85, 209-216	
1325	Metal-Containing Polymers. 2012 ,	0
1324	Synthesis and properties of a dendritic FRET donor-acceptor system with cationic iridium(III) complex core and carbazolyl periphery. 2012 , 41, 2582-91	26
1323	Solution-processable carbazole-based host materials for phosphorescent organic light-emitting devices. 2012 , 13, 2235-2242	33
1322	1,3,4-Oxadiazole containing silanes as novel hosts for blue phosphorescent organic light emitting diodes. 2012 , 14, 4986-9	25
1321	Aqueous self-assembly of an electroluminescent double-helical metallopolymer. 2012 , 134, 19170-8	59
1320	Synthesis and characterization of new blue light emitting iridium complexes containing a trimethylsilyl group. 2012 , 22, 22721	29
1319	Additional insights into luminescence process of polycyclic aromatic hydrocarbons with carbonyl groups: photophysical properties of secondary N-alkyl and tertiary n,n-dialkyl carboxamides of naphthalene, anthracene, and pyrene. 2012 , 77, 3986-96	33
1318	High efficient white organic light-emitting diodes based on triplet multiple quantum well structure. 2012 , 101, 053310	11
1317	White Organic Light-Emitting Diodes With Different Order of RGB-Emitting Layers. 2012 , 569, 125-142	9
1316	Highly efficient organic light-emitting diodes from delayed fluorescence. 2012 , 492, 234-8	4461
1315	Efficient luminescence from a copper(I) complex doped in organic light-emitting diodes by suppressing C-H vibrational quenching. 2012 , 48, 5340-2	84
1314	Degradation induced decrease of the radiative quantum efficiency in organic light-emitting diodes. 2012 , 101, 103301	12
1313	Substituent effect on the photophysical properties, electrochemical properties and electroluminescence performance of orange-emitting iridium complexes. 2012 , 41, 6833-41	46
1312	Acid induced acetylacetonato replacement in biscyclometalated iridium(III) complexes. 2012 , 41, 3807-16	23
1311	Three-carbazole-armed host materials with various cores for RGB phosphorescent organic light-emitting diodes. 2012 , 22, 3447	85
1310	Enhanced Electroluminescence Efficiency in a Spiro-Acridine Derivative through Thermally Activated Delayed Fluorescence. 2012 , 124, 11473-11477	62

1309	Enhanced electroluminescence efficiency in a spiro-acridine derivative through thermally activated delayed fluorescence. 2012 , 51, 11311-5	431
1308	Recent progress in the understanding of exciton dynamics within phosphorescent OLEDs. 2012 , 209, 2341-2353	66
1307	Tuning electronic structure and photophysical properties of [Ir(ppy)(py)] ⁺ by substituents binding in pyridyl ligand: a computational study. 2012 , 18, 4615-24	3
1306	Storage of charge carriers on emitter molecules in organic light-emitting diodes. 2012 , 86,	81
1305	Bismuth-loaded plastic scintillators for gamma-ray spectroscopy. 2012 , 97, 22002	62
1304	Solution-processable iridium complexes for efficient orange-red and white organic light-emitting diodes. 2012 , 22, 1411-1417	67
1303	Bipolar material with spiro-fluorenyl terminals: synthesis, characterization and application for enhancement of electrophosphorescence. 2012 , 22, 23877	20
1302	Phenylcarbazole-dipyridyl triazole hybrid as bipolar host material for phosphorescent OLEDs. 2012 , 22, 5410	45
1301	Carbazole-based coplanar molecule (CmInF) as a universal host for multi-color electrophosphorescent devices. 2012 , 22, 215-224	105
1300	Theoretical study on the influence of ancillary and cyclometalated ligands on the electronic structures and optoelectronic properties of heteroleptic iridium(III) complexes. 2012 , 41, 7595-603	17
1299	Fused indole derivatives as high triplet energy hole transport materials for deep blue phosphorescent organic light-emitting diodes. 2012 , 22, 3099	29
1298	Luminescent Ir(III) complexes containing benzothiazole-based tridentate ligands: synthesis, characterization, and application to organic light-emitting diodes. 2012 , 41, 44-6	49
1297	Fluorinated Carbazole Derivatives as Wide-Energy-Gap Host Material for Blue Phosphorescent Organic Light-Emitting Diodes. 2012 , 116, 20681-20687	25
1296	Highly luminescent π -conjugated dithienometalloles: photophysical properties and their application in organic light-emitting diodes. 2012 , 22, 16810	36
1295	Novel electron-type host material for unilateral homogeneous phosphorescent organic light-emitting diodes with low efficiency roll-off. 2012 , 22, 23129	12
1294	A dicarbazole-triazine hybrid bipolar host material for highly efficient green phosphorescent OLEDs. 2012 , 22, 3832	107
1293	Electroluminescence based on thermally activated delayed fluorescence generated by a spirobifluorene donor-acceptor structure. 2012 , 48, 9580-2	360
1292	High-efficiency single-layer organic light-emitting diode based on green fluorescent protein. 2012 , 92, 211-216	

1291	Benzo[k]fluoranthene-based linear acenes for efficient deep blue organic light-emitting devices. 2012 , 22, 11032	18
1290	Simple CBP isomers with high triplet energies for highly efficient blue electrophosphorescence. 2012 , 22, 2894-2899	97
1289	Phenylcarbazole and phosphine oxide/sulfide hybrids as host materials for blue phosphors: effectively tuning the charge injection property without influencing the triplet energy. 2012 , 14, 1685-93	19
1288	Carbazole/iridium dendrimer side-chain phosphorescent copolymers for efficient light emitting devices. 2012 , 36, 407-413	13
1287	A Diels-Alder crosslinkable host polymer for improved PLED performance: the impact on solution processed doped device and multilayer device performance. 2012 , 22, 3004	20
1286	Computational design and selection of optimal building blocks and linking topologies for construction of high-performance host materials. 2012 , 2, 7860	23
1285	Peripheral modification of 1,3,5-triazine based electron-transporting host materials for sky blue, green, yellow, red, and white electrophosphorescent devices. 2012 , 22, 15620	43
1284	Comparison of Emission Characteristics with 4-, 5-, 6-Membered Iridium Complexes for OLEDs. 2012 , 563, 246-256	1
1283	Bis-cyclometalated iridium(III) complexes bearing ancillary guanidinate ligands. Synthesis, structure, and highly efficient electroluminescence. 2012 , 51, 822-35	42
1282	Effects of N-Substitution on Phosphorescence Efficiency and Color Tuning of a Series of Ir(III) Complexes with a Phosphite Tripod Ligand: A DFT/TDDFT Study. 2012 , 116, 26496-26506	37
1281	DFT and TD-DFT study on the electronic structures and phosphorescent properties of 6-phenyl-2,2'-bipyridine tridentate iridium(III) complexes and their isomer. 2012 , 41, 8441-6	28
1280	Approaching charge balance in organic light-emitting diodes by tuning charge injection barriers with mixed monolayers. 2012 , 28, 424-30	30
1279	Unusual Temperature-Dependent Photophysics of Oligofluorene-Substituted Tris-Cyclometalated Iridium Complexes. 2012 , 45, 133-141	24
1278	Homologous Series of Phenylquinoline-Carbazole Main Ligand Based On Red-Emitting Iridium(III) Complexes for Phosphorescent Organic Light-Emitting Diodes. 2012 , 116, 7526-7533	30
1277	Surface plasmon-enhanced electroluminescence in organic light-emitting diodes incorporating Au nanoparticles. 2012 , 100, 013308	123
1276	Spectral- and Pulse-Shape Discrimination in Triplet-Harvesting Plastic Scintillators. 2012 , 59, 3312-3319	33
1275	Orange phosphorescent organic light-emitting diodes with high operational stability. 2012 , 13, 1506-1510	20
1274	A novel heteroterfluorene for efficient blue and white OLEDs. 2012 , 13, 1576-1582	7

1273	Thermal properties of organic light-emitting diodes. 2012 , 13, 1565-1568	36
1272	A new diketopyrrolopyrrole-based co-polymer for ambipolar field-effect transistors and solar cells. 2012 , 13, 1981-1988	19
1271	A host material with a small singlet-triplet exchange energy for phosphorescent organic light-emitting diodes: Guest, host, and exciplex emission. 2012 , 13, 1937-1947	51
1270	Double-emission-layer green phosphorescent OLED based on LiF-doped TPBi as electron transport layer for improving efficiency and operational lifetime. 2012 , 162, 398-401	33
1269	Synthesis and photophysical characterization of orange-emitting iridium(III) complexes containing benzothiazole ligand. 2012 , 162, 497-502	9
1268	Efficient red phosphorescent iridium complexes for organic light-emitting diodes based on 5-benzoyl-2-phenylpyridine ligands with fluorine and methyl moieties. 2012 , 162, 715-721	7
1267	Twisted bimesitylene-based oxadiazoles as novel host materials for phosphorescent OLEDs. 2012 , 68, 7502-7508	26
1266	High external quantum efficiency in deep blue phosphorescent organic light emitting diodes using a simple device structure. 2012 , 520, 7022-7025	2
1265	Design of efficient thermally activated delayed fluorescence materials for pure blue organic light emitting diodes. 2012 , 134, 14706-9	1147
1264	Efficient white polymer light-emitting diodes employing a silver nanowire-polymer composite electrode. 2012 , 14, 14249-54	38
1263	Highly efficient and stable red phosphorescent organic light-emitting diodes using platinum complexes. 2012 , 24, 5099-103	140
1262	Current-confinement structure and extremely high current density in organic light-emitting transistors. 2012 , 24, 6141-6	71
1261	Cyclometalated iridium(III)-polyamine complexes with intense and long-lived multicolor phosphorescence: synthesis, crystal structure, photophysical behavior, cellular uptake, and transfection properties. 2012 , 18, 13342-54	53
1260	P-116: Efficiency Enhancement in ITO-free Green Organic Light Emitting Diodes Utilizing Nano-Composite Scattering Films. 2012 , 43, 1496-1498	1
1259	Preparation and Characterization of White Polymer Light Emitting Diodes Using PVK:PFO:MDMO-PPV Emission Layer. 2012 , 563, 230-237	3
1258	Organic light-emitting diodes employing efficient reverse intersystem crossing for triplet-to-singlet state conversion. 2012 , 6, 253-258	1090
1257	Ab Initio Studies of Triplet-State Properties for Organic Semiconductor Molecules. 2012 , 116, 15203-15217	19
1256	Novel bipolar host materials based on 1,3,5-triazine derivatives for highly efficient phosphorescent OLEDs with extremely low efficiency roll-off. 2012 , 14, 14255-61	48

1255	Comparison of electron transporting layer in white OLED with a double emissive layer structure. 2012 , 33, 191-194	6
1254	Polyether containing N-[6-(N-carbazolyl)hexyl]carbazol-3-yl side chains and its model compound as components of organic light emitting diodes. 2012 , 162, 1898-1902	1
1253	Theoretical study on photophysical property of cuprous bis-phenanthroline coordination complexes. 2012 , 13, 2627-2638	24
1252	Carbazole and benzimidazole/oxadiazole hybrids as bipolar host materials for sky blue, green, and red PhOLEDs. 2012 , 13, 2671-2681	32
1251	Carbazole/oligocarbazoles substituted silanes as wide bandgap host materials for solution-processable electrophosphorescent devices. 2012 , 13, 2825-2831	22
1250	Determining emissive dipole orientation in organic light emitting devices by decay time measurement. 2012 , 13, 3079-3084	39
1249	Polymers with alkyl main chain pendent biphenyl carbazole or triphenylamine unit as host for polymer light emitting diodes. 2012 , 53, 4983-4992	27
1248	Organic light-emitting diodes based on layered films of thiophene/phenylene co-oligomers. 2012 , 358, 2525-2529	16
1247	Effect of ionic liquids on the electroluminescence of yellowish-green light-emitting electrochemical cells using bis(2-(2,4-difluorophenyl)pyridine)4,7-diphenyl-1,10-phenanthroline-iridium(III) hexafluorophosphate. 2012 , 136, 173-178	26
1246	Ratiometric optical oxygen sensing: a review in respect of material design. 2012 , 137, 4885-901	171
1245	Solvent effects on spectral emission of PVK and PVK-Ir(ppy) ₃ based OLEDs. 2012 ,	2
1244	Synthesis and characterization of 8-hydroxyquinoline complexes of tin(IV) and their application in organic light emitting diode. 2012 , 22, 1263-70	31
1243	The double dendron approach to host free phosphorescent poly(dendrimer) OLEDs. 2012 , 3, 734	13
1242	Indolo[3,2-b]carbazole/benzimidazole hybrid bipolar host materials for highly efficient red, yellow, and green phosphorescent organic light emitting diodes. 2012 , 22, 8399	77
1241	A diarylborane-substituted carbazole as a universal bipolar host material for highly efficient electrophosphorescence devices. 2012 , 22, 870-876	88
1240	Structural, photophysical, and mesomorphic properties of luminescent platinum(II)-salen Schiff base complexes. 2012 , 392, 254-260	27
1239	Colour tuning from green to red by substituent effects in phosphorescent tris-cyclometalated iridium(III) complexes of carbazole-based ligands: synthetic, photophysical, computational and high efficiency OLED studies. 2012 , 22, 6419	94
1238	Efficient phosphorescent polymer light-emitting diodes by suppressing triplet energy back transfer. 2012 , 41, 4797-807	100

1237	Efficiency and rate of spontaneous emission in organic electroluminescent devices. 2012 , 85,	198
1236	Host materials for blue phosphorescent OLEDs. 2012 ,	
1235	Phosphine oxide derivatives for organic light emitting diodes. 2012 , 22, 4233-4243	142
1234	Synthesis and Characterization of Un-doped Deep-Blue Organic Light-Emitting Materials Containing Spirofluorene and Biphenyl or Substituted Biphenyl. 2012 , 32, 589-599	1
1233	New carbazole-based host material for low-voltage and highly efficient red phosphorescent organic light-emitting diodes. 2012 , 22, 6351	36
1232	Poly(dendrimers) with Phosphorescent Iridium(III) Complex-Based Side Chains Prepared via Ring-Opening Metathesis Polymerization. 2012 , 45, 2963-2971	29
1231	Dinuclear iridium(III) complexes of cyclometalated fluorenylpyridine ligands as phosphorescent dopants for efficient solution-processed OLEDs. 2012 , 22, 13529	40
1230	New Ambipolar Hosts Based on Carbazole and 4,5-Diazafluorene Units for Highly Efficient Blue Phosphorescent OLEDs with Low Efficiency Roll-Off. 2012 , 24, 643-650	85
1229	Photofunctional triplet excited states of cyclometalated Ir(III) complexes: beyond electroluminescence. 2012 , 41, 7061-84	505
1228	Dependence of Light-Emitting Characteristics of Blue Phosphorescent Organic Light-Emitting Diodes on Electron Injection and Transport Materials. 2012 , 34, 690-695	17
1227	Cascade hole transport in efficient green phosphorescent light-emitting devices achieved by layer-by-layer solution deposition using photocrosslinkable-conjugated polymers containing oxetane side-chain moieties. 2012 , 50, 388-399	3
1226	Synthesis of fluorene-based hyperbranched polymers for solution-processable blue, green, red, and white light-emitting devices. 2012 , 50, 696-710	38
1225	Stable and good color purity white light-emitting devices based on random fluorene/spirofluorene copolymers doped with iridium complex. 2012 , 50, 180-188	9
1224	Spin-orbit coupling and intersystem crossing in molecules. 2012 , 2, 187-203	471
1223	Soluble polynorbornenes with pendant carbazole derivatives as host materials for highly efficient blue phosphorescent organic light-emitting diodes. 2012 , 50, 2356-2365	21
1222	Synthesis and characterization of electrophosphorescent jacketed conjugated polymers. 2012 , 50, 3895-3903	12
1221	Organic Semiconductors and their Applications in Photovoltaic Devices. 2012 , 52, 1-37	81
1220	Luminescent iridium(III) complexes with N ² C ¹ N-coordinated terdentate ligands: dual tuning of the emission energy and application to organic light-emitting devices. 2012 , 51, 3813-26	85

1219	Spiro-configured bipolar hosts incorporating 4,5-diazafluorene as the electron transport moiety for highly efficient red and green phosphorescent OLEDs. 2012 , 22, 9658	28
1218	A New Framework of a Heteroleptic Iridium(III) Carbene Complex as a Triplet Emitting Material. 2012 , 31, 5223-5226	36
1217	Effects of fluorination on iridium(III) complex phosphorescence: magnetic circular dichroism and relativistic time-dependent density functional theory. 2012 , 51, 2821-31	45
1216	Triplet Exciton Confinement in Green Organic Light-Emitting Diodes Containing Luminescent Charge-Transfer Cu(I) Complexes. 2012 , 22, 2327-2336	253
1215	Os(II) Based Green to Red Phosphors: A Great Prospect for Solution-Processed, Highly Efficient Organic Light-Emitting Diodes. 2012 , 22, 3491-3499	92
1214	Organic materials for deep blue phosphorescent organic light-emitting diodes. 2012 , 24, 3169-90	513
1213	New host material for high-performance blue phosphorescent organic electroluminescent devices. 2012 , 24, 2911-5	140
1212	Management of singlet and triplet excitons in a single emission layer: a simple approach for a high-efficiency fluorescence/phosphorescence hybrid white organic light-emitting device. 2012 , 24, 3410-4	215
1211	Extremely efficient indium-tin-oxide-free green phosphorescent organic light-emitting diodes. 2012 , 24, 4337-42	93
1210	Synthesis and optoelectronic properties of hexahydroxylated 10-O-R-substituted anthracenes via a new modification of the Friedel-Crafts reaction using O-protected ortho-acetal diarylmethanols. 2012 , 18, 4866-76	13
1209	Comparison of tetraphenylmethane and tetraphenylsilane as core structures of high-triplet-energy hole- and electron-transport materials. 2012 , 18, 6457-61	15
1208	Bluish-green BMe ₂ -functionalized Pt(II) complexes for high efficiency PhOLEDs: impact of the BMe ₂ location on emission color. 2012 , 18, 11306-16	64
1207	Singlet exciton diffusion length in organic light-emitting diodes. 2012 , 85,	43
1206	Synthesis, crystal structure and photoluminescence of phosphorescent copper (I) complexes containing hole-transporting carbazolyl group. 2012 , 383, 78-82	3
1205	New approach to deposition of thin luminescent films of lanthanide aromatic carboxylates. 2012 , 16, 4-7	17
1204	Investigation on the escaped and trapped emission in organic light-emitting devices. 2012 , 285, 1625-1630	2
1203	Deuteration of molecules for neutron reflectometry on organic light-emitting diode thin films. 2012 , 53, 931-935	20
1202	All fluorescent and high color rendering index white organic light-emitting devices with improved color stability at high brightness. 2012 , 520, 2966-2970	14

1201	Near-infrared electroluminescence from double-emission-layers devices based on Ytterbium (III) complexes. 2012 , 520, 3663-3667	17
1200	Investigation of the energy transfer mechanism in OLEDs based on a new terbium β -diketonate complex. 2012 , 13, 90-97	31
1199	An alternative way to use the triplet energy of fluorescent dyes in organic light-emitting devices via an external iodide. 2012 , 13, 195-198	1
1198	Soluble processed low-voltage and high efficiency blue phosphorescent organic light-emitting devices using small molecule host systems. 2012 , 13, 586-592	48
1197	Enhancing the efficiency of simplified red phosphorescent organic light emitting diodes by exciton harvesting. 2012 , 13, 925-931	50
1196	Anthracene derivatives as efficient emitting hosts for blue organic light-emitting diodes utilizing triplet-triplet annihilation. 2012 , 13, 1197-1203	95
1195	White Organic Light-Emitting Diodes Based on Quench-Resistant Fluorescent Organophosphorus Dopants. 2012 , 22, 567-576	53
1194	Diffusion—the hidden menace in organic optoelectronic devices. 2012 , 24, 822-6	31
1193	Spiro-configured bipolar host materials for highly efficient electrophosphorescent devices. 2012 , 7, 133-42	36
1192	Phosphorescent Mesomorphic Dyads Based on Tetraacetylene Complexes of Iridium(III). 2012 , 124, 99-102	10
1191	Phosphorescent mesomorphic dyads based on tetraacetylene complexes of iridium(III). 2012 , 51, 95-8	56
1190	Stacked inverted top-emitting green electrophosphorescent organic light-emitting diodes on glass and flexible glass substrates. 2013 , 14, 2418-2423	28
1189	Efficient and bright organic light-emitting diodes on single-layer graphene electrodes. 2013 , 4, 2294	192
1188	Theoretical investigations on electronic structures and photophysical properties of N-heteroaryl carbazole derivatives as host materials. 2013 , 132, 1	2
1187	High-Efficiency Wet- and Dry-Processed Green Organic Light Emitting Diodes with a Novel Iridium Complex-Based Emitter. 2013 , 1, 657-667	36
1186	Highly efficient white organic light-emitting devices consisting of undoped ultrathin yellow phosphorescent layer. 2013 , 134, 665-669	14
1185	White organic light-emitting diodes: Status and perspective. 2013 , 85, 1245-1293	458
1184	Enhanced electroluminescence based on thermally activated delayed fluorescence from a carbazole-triazine derivative. 2013 , 15, 15850-5	104

1183	Light-emitting electrochemical cells based on a solution-processed multilayered device and an anionic iridium (III) complex. 2013 , 177, 100-104	22
1182	Organic Solid-State Lasers. 2013 ,	54
1181	Highly enhanced light extraction from surface plasmonic loss minimized organic light-emitting diodes. 2013 , 25, 3571-7	149
1180	Solution processed organic double light-emitting layer diode based on cross-linkable small molecular systems. 2013 , 52, 9563-7	45
1179	Charge-Transfer and Ligand-Localized Photophysics in Luminescent Cyclometalated Pyrazolate-Bridged Dinuclear Platinum(II) Complexes. 2013 , 32, 3819-3829	77
1178	Efficient Persistent Room Temperature Phosphorescence in Organic Amorphous Materials under Ambient Conditions. 2013 , 23, 3386-3397	466
1177	Silicon-based material with spiro-annulated fluorene/triphenylamine as host and exciton-blocking layer for blue electrophosphorescent devices. 2013 , 19, 11791-7	29
1176	Analysis of exciton annihilation in high-efficiency sky-blue organic light-emitting diodes with thermally activated delayed fluorescence. 2013 , 14, 2721-2726	354
1175	Highly-improved performance of TiO ₂ nanocrystal based quantum dot light emitting diodes. 2013 , 3, 12104	14
1174	Introduction to Thin Film Transistors. 2013 ,	66
1173	Highly efficient green organic light-emitting diodes containing luminescent tetrahedral copper(I) complexes. 2013 , 1, 542-551	141
1172	Key issues and recent progress of high efficient organic light-emitting diodes. 2013 , 17, 69-104	68
1171	Suppression of Efficiency Roll-Off Characteristics in Thermally Activated Delayed Fluorescence Based Organic Light-Emitting Diodes Using Randomly Oriented Host Molecules. 2013 , 25, 3038-3047	74
1170	Highly Efficient Greenish-Yellow Phosphorescent Organic Light-Emitting Diodes Based on Interzone Exciton Transfer. 2013 , 23, 3204-3211	23
1169	TD-DFT studies on electronic and spectral properties of platinum(II) complexes with phenol and pyridine groups. 2013 , 29, 361-365	6
1168	Photophysics and Photochemistry of Non-Carbonyl-Containing Coordination and Organometallic Compounds. 2013 , 255-337	3
1167	Luminescent Coordination and Organometallic Complexes for OLEDs. 2013 , 607-655	2
1166	White organic light-emitting diodes based on a yellow phosphorescence iridium complex and a high-efficiency blue fluorescence. 2013 , 537, 221-225	

1165	Improvement of light out-coupling in organic light-emitting diodes by printed nanosized random texture layer. 2013 , 14, 187-192	12
1164	Color optimization of single emissive white OLEDs via energy transfer between RGB fluorescent dopants. 2013 , 143, 723-728	23
1163	Solution-processable tandem solid-state light-emitting electrochemical cells. 2013 , 14, 3379-3384	25
1162	Molecular topology tuning of bipolar host materials composed of fluorene-bridged benzimidazole and carbazole for highly efficient electrophosphorescence. 2013 , 19, 10563-72	47
1161	Evaluation of uniformity for organic film evaporation using two dimensional different apertures. 2013 , 92, 26-31	2
1160	A Spiro [Fluorene-9, 9Xanthene]-Based Host Material for Efficient Green and Blue Phosphorescent OLED. 2013 , 331, 503-507	5
1159	Charge carrier mobility in a two-phase disordered organic system in the low-carrier concentration regime. 2013 , 88,	11
1158	Luminescent tris(8-hydroxyquinolates) of bismuth(III). 2013 , 52, 12033-45	12
1157	Effective Alkoxylation of Phosphorescent Heteroleptic Iridium(III) Compounds Bearing Fluorinated Bipyridine Ligands. 2013 , 32, 6427-6436	52
1156	Ultrathin nondoped emissive layers for efficient and simple monochrome and white organic light-emitting diodes. 2013 , 5, 965-71	112
1155	Deep blue exciplex organic light-emitting diodes with enhanced efficiency; P-type or E-type triplet conversion to singlet excitons?. 2013 , 25, 1455-9	215
1154	Bipolar Phenanthroimidazole Derivatives Containing Bulky Polyaromatic Hydrocarbons for Nondoped Blue Electroluminescence Devices with High Efficiency and Low Efficiency Roll-Off. 2013 , 25, 4957-4965	186
1153	Characteristics of Solution-Processed Phosphorescent Organic Light-Emitting Diodes Utilizing Low Molecular Carbazole Derivative as a Host Material. 2013 , 581, 70-75	
1152	Recent Progress in Phosphorescent Organic Light-Emitting Devices. 2013 , 2013, 7653-7663	205
1151	Novel Blue Fluorophor with High Triplet Energy Level for High Performance Single-Emitting-Layer Fluorescence and Phosphorescence Hybrid White Organic Light-Emitting Diodes. 2013 , 25, 4454-4459	58
1150	Theoretical study on the electronic structures and photophysical properties of a series of Ir(III) complexes based on substituted 2-(pyrazol-3-yl)pyridine ligand. 2013 , 588, 68-75	10
1149	Red phosphorescent organic light-emitting diodes (PhOLEDs) based on a heteroleptic cyclometalated Iridium (III) complex. 2013 , 143, 145-149	36
1148	Benzo[4,5]thieno[2,3-b]pyridine derivatives as host materials for high efficiency green and blue phosphorescent organic light-emitting diodes. 2013 , 49, 1446-8	51

1147	Polynorbornene Copolymer with Side-Chain Iridium(III) Emitters and Carbazole Hosts: A Single Emissive Layer Material for Highly Efficient Electrophosphorescent Devices. 2013 , 46, 674-682	40
1146	Efficiency Analysis of Organic Light-Emitting Diodes Based on Optical Simulations. 2013 , 19, 1-12	22
1145	Strong Solid-State Phosphorescence of 1,2-Telluraplatinacycles Incorporated into Rigid Dibenzobarrelele and Triptycene Skeletons. 2013 , 2013, 5233-5239	10
1144	Investigating the Role of Emissive Layer Architecture on the Exciton Recombination Zone in Organic Light-Emitting Devices. 2013 , 23, 5190-5198	57
1143	Comprehensive efficiency analysis of organic light-emitting diodes featuring emitter orientation and triplet-to-singlet up-conversion. 2013 , 103, 093303	11
1142	Structure properties of a highly luminescent yellow emitting material for OLED and its application. 2013 , 3, 215-220	11
1141	Light extraction efficiency enhancement in organic light emitting diodes based on optimized multilayer structures. 2013 , 124, 3287-3291	9
1140	Carbazole-based polysiloxane hosts for highly efficient solution-processed blue electrophosphorescent devices. 2013 , 1, 5344	39
1139	Deep-blue phosphorescence from perfluoro carbonyl-substituted iridium complexes. 2013 , 135, 14321-8	220
1138	A new electron transporting material for effective hole-blocking and improved charge balance in highly efficient phosphorescent organic light emitting diodes. 2013 , 1, 2217	47
1137	Brightly blue and green emitting Cu(I) dimers for singlet harvesting in OLEDs. 2013 , 117, 11823-36	202
1136	Organic light-emitting diodes (OLEDs). 2013 , 508-534	3
1135	Quantum chemical characterization and design of host materials based on phosphine oxide-substituted (triphenylamine) fluorene for (deep) blue phosphors in OLEDs. 2013 , 15, 2351-9	10
1134	Fabrication and Characterization of White Phosphorescent Polymer Light Emitting Diodes Using PVK:FCNIrpic:Ir(mppy)3:Ir(piq)3. 2013 , 584, 1-8	1
1133	Small molecular weight materials for (opto)electronic applications: overview. 2013 , 3-82	3
1132	Organic luminescent molecule with energetically equivalent singlet and triplet excited states for organic light-emitting diodes. 2013 , 110, 247401	180
1131	Effect of thickness variation of hole injection and hole blocking layers on the performance of fluorescent green organic light emitting diodes. 2013 , 13, 18-25	24
1130	Micro-spherically textured organic light emitting diodes: A simple way towards highly increased light extraction. 2013 , 14, 396-401	22

1129	High efficient plastic substrate polymer white light emitting diode. 2013 , 45, 79-85	2
1128	Theoretical studies on the electronic structures and spectral properties of a series of bis-cyclometalated iridium(III) complexes using density functional theory. 2013 , 138, 223-228	20
1127	Theoretical study of injection, transport, absorption and phosphorescence properties of a series of heteroleptic iridium(III) complexes in OLEDs. 2013 , 565, 12-17	23
1126	Hybrid white organic light-emitting diodes with improved color stability and negligible efficiency roll-off based on blue fluorescence and yellow phosphorescence. 2013 , 137, 59-63	26
1125	Influences on the white emission and stability of single layer electroluminescent devices. 2013 , 144, 69-73	3
1124	Greenish yellow organic light emitting devices based on novel iridium complexes containing 2-cyclohexenyl-1-phenyl-1H-benzo[d]imidazole. 2013 , 99, 1010-1015	7
1123	An indole derivative as a high triplet energy hole transport material for blue phosphorescent organic light-emitting diodes. 2013 , 548, 603-607	5
1122	Explaining the different efficiency behaviors of PHOLEDs with/without a hole injection barrier at the hole transport layer/emitter layer interface. 2013 , 14, 2510-2517	19
1121	Highly efficient two component phosphorescent organic light-emitting diodes based on direct hole injection into dopant and gradient doping. 2013 , 14, 852-857	24
1120	Carbazole- and phenylindole-based new host materials for phosphorescent organic light emitting diodes. 2013 , 35, 604-608	12
1119	Highly efficient white organic light-emitting diodes with over 100 lm/W for next-generation solid-state lighting. 2013 , 21, 529-540	7
1118	A carbazole-functionalized Ir complex used in efficient single-layer electrophosphorescent devices. 2013 , 52, 144-150	3
1117	Energy transfer and phosphorescence-quenching dynamics in a phosphorescent host-guest system. 2013 , 561-562, 52-56	2
1116	High hole mobility hole transport material for organic light-emitting devices. 2013 , 180, 79-84	39
1115	Enhancement of electroluminescence efficiency and stability in phosphorescent organic light-emitting diodes with double exciton-blocking layers. 2013 , 14, 1177-1182	32
1114	Amidate-assisted bis(2-quinolyl)phenyl iridium(III) complexes: Synthesis, structures, photophysical characterization, DFT calculations and their application in homopolymerization. 2013 , 36, 184-187	2
1113	Highly efficient blue and all-phosphorescent white polymer light-emitting devices based on polyfluorene host. 2013 , 14, 1909-1915	19
1112	Concentration-insensitive and low-driving-voltage OLEDs with high efficiency and little efficiency roll-off using a bipolar phosphorescent emitter. 2013 , 14, 1649-1655	19

1111	Diphenylmethyl linked high-triplet-energy material as a host for deep-blue phosphorescent organic light-emitting diodes. 2013 , 531, 541-544	2
1110	Triplet diffusion leads to triplet-triplet annihilation in organic phosphorescent emitters. 2013 , 590, 106-110	51
1109	Novel dibenzothiophene based host materials incorporating spirobifluorene for high-efficiency white phosphorescent organic light-emitting diodes. 2013 , 14, 902-908	35
1108	Controlling charge transport by using a mixed hole transport layer in phosphorescent organic light-emitting diodes. 2013 , 62, 206-209	1
1107	The Enders Triazole—a well known molecule, but still a new ligand!!. 2013 , 30, 39-41	19
1106	Excitonic processes and their contribution to nonproportionality observed in the light yield of inorganic scintillators. 2013 , 86, 1	3
1105	Charge Injection Mechanism in PLEDs and Charge Transport in Conjugated Polyelectrolytes. 2013 , 315-344	2
1104	Fine-tuning the balance between carbazole and oxadiazole units in bipolar hosts to realize highly efficient green PhOLEDs. 2013 , 14, 1086-1093	28
1103	Charge and energy transfers in functional metallophosphors and metallopolyynes. 2013 , 257, 1614-1649	159
1102	Enhancing the efficiency of alternating current driven organic light-emitting devices by optimizing the operation frequency. 2013 , 14, 809-813	27
1101	Thin-film growth and patterning techniques for small molecular organic compounds used in optoelectronic device applications. 2013 , 4, 289-317	17
1100	Small-molecular blue phosphorescent dyes for organic light-emitting devices. 2013 , 37, 1665	174
1099	Recent Progress in the Understanding of Exciton Dynamics within Phosphorescent OLEDs. 2013 , 349-369	
1098	Device Efficiency of Organic Light-Emitting Diodes. 2013 , 497-539	1
1097	Light Outcoupling in Organic Light-Emitting Devices. 2013 , 541-574	
1096	Light-Emitting Organic Crystal Field-Effect Transistors for Future Organic Injection Lasers. 2013 , 603-621	1
1095	High-efficiency quantum-dot light-emitting devices with enhanced charge injection. 2013 , 7, 407-412	860
1094	Direct Fabrication of Organic Light-Emitting Diodes on Buckled Substrates for Light Extraction. 2013 , 1, 404-408	18

1093	Effect of doping different dyes in Alq3 on electroluminescence and morphology of layers using single furnace method. 2013 , 140, 7-13		14
1092	Printed Microlens Arrays for Enhancing Light Extraction From Organic Light-Emitting Devices. 2013 , 9, 497-503		14
1091	Photo-patternable electroluminescence based on one-way photoisomerization reaction of tetraoxidized triangle terarylenes. 2013 , 49, 6373-5		17
1090	Metal-anode-dependent spectra and efficiency in blue top-emitting organic light-emitting devices. 2013 , 14, 723-729		2
1089	Understanding the influence of doping in efficient phosphorescent organic light-emitting diodes with an organic p-n homojunction. 2013 , 14, 1695-1703		20
1088	Extremely Low Operating Voltage Green Phosphorescent Organic Light-Emitting Devices. 2013 , 23, 5550-5555	135	
1087	Cyclometalated platinum complexes with luminescent quantum yields approaching 100%. 2013 , 52, 7344-51		122
1086	Iridium(III) emitters based on 1,4-disubstituted-1H-1,2,3-triazoles as cyclometalating ligand: synthesis, characterization, and electroluminescent devices. 2013 , 52, 1812-24		69
1085	Enhanced Emission and Analyte Sensing by Cinchonine Iridium(III) Cyclometalated Complexes Bearing Bent Diphosphine Chelators. 2013 , 32, 2908-2917		22
1084	Acid-Induced Degradation and Ancillary Ligand Replacement of Biscyclometalated Iridium(III) Complexes. 2013 , 78, 413-418		7
1083	Near-infrared phosphorescence: materials and applications. 2013 , 42, 6128-85		472
1082	Guanidinate ligated iridium(III) complexes with various cyclometalated ligands: synthesis, structure, and highly efficient electrophosphorescent properties with a wide range of emission colours. 2013 , 1, 677-689		27
1081	Color in the corners: ITO-free white OLEDs with angular color stability. 2013 , 25, 4006-13		212
1080	Direct observation of in blue phosphorescent materials for organic light emitting diodes by time-resolved optical waveguide spectroscopy. 2013 , 102, 81124		4
1079	Ligand exchange leads to efficient triplet energy transfer to CdSe/ZnS Q-dots in a poly(N-vinylcarbazole) matrix nanocomposite. <i>Journal of Applied Physics</i> , 2013 , 113, 083507	2.5	14
1078	Synthesis and electrophosphorescence of iridium complexes containing benzothiazole-based ligands. 2013 , 5, 4937-44		54
1077	Spin-Orbit Coupling Analyses of the Geometrical Effects on Phosphorescence in Ir(ppy) ₃ and Its Derivatives. 2013 , 117, 5314-5327		21
1076	Fabrication of an organic light-emitting diode (OLED) from a two-dimensional lead(II) coordination polymer. 2013 , 399, 119-125		26

1075	Highly efficient thermally activated fluorescence of a new rigid Cu(I) complex [Cu(dmp)(phanephos)] ⁺ . 2013 , 42, 9826-30	138
1074	Computational design of high triplet energy host materials for phosphorescent blue emitters. 2013 , 1, 4261	29
1073	New tetrazole-based Cu(I) homo- and heteroleptic complexes with various P [^] P ligands: synthesis, characterization, redox and photophysical properties. 2013 , 42, 997-1010	90
1072	Phosphorescent mechanism for single-dopant white OLED of FpT: electronic structure and electron exchange-induced energy transfer. 2013 , 1, 4227	18
1071	Highly efficient green organic light emitting diode with a novel solution processable iridium complex emitter. 2013 , 1, 4201	26
1070	Oxadiazole- and triazole-based highly-efficient thermally activated delayed fluorescence emitters for organic light-emitting diodes. 2013 , 1, 4599	269
1069	Iridium Complexes Containing Bis(imidazoline thione) and Bis(imidazoline selone) Ligands for Visible-Light-Induced Oxidative Coupling of Benzylamines to Imines. 2013 , 32, 3954-3959	46
1068	Theoretical study on electronic structures and optical properties of blue phosphorescent Iridium(III) complexes with C [^] N and N [^] N ligands. 2013 , 143, 402-408	7
1067	A host material consisting of a phosphinic amide directly linked donor-acceptor structure for efficient blue phosphorescent organic light-emitting diodes. 2013 , 1, 2404	52
1066	Highly efficient organic light-emitting devices by introducing traps in the hole-injection layer. 2013 , 3, 14616	7
1065	Highly efficient blue-emitting cyclometalated platinum(II) complexes by judicious molecular design. 2013 , 52, 6753-6	226
1064	Bipolar iridium dendrimers containing carbazolyl dendron and 1,2,4-triazole unit for solution-processed saturated red electrophosphorescence. 2013 , 99, 41-51	15
1063	Multifunctional carbazolocarbazoles as hole transporting and emitting host materials in red phosphorescent OLEDs. 2013 , 1, 3421	27
1062	Near independence of OLED operating voltage on transport layer thickness. 2013 , 163, 29-32	4
1061	Electrogenerated chemiluminescence of N,N-dimethylamino functionalized tetrakis(phenylethynyl)pyrenes. 2013 , 69, 5908-5912	8
1060	Novel thieno-[3,4-b]-pyrazine derivatives for non-doped red organic light-emitting diodes. 2013 , 96, 391-396	16
1059	Efficiency roll-off in organic light-emitting diodes. 2013 , 25, 6801-27	681
1058	Direct Observation of Efficient Triplet-Triplet Energy Transfer in Phosphorescent Organic Light-Emitting Diode. 2013 , 6, 052104	8

1057	Efficient and stable deep-red phosphorescent organic light-emitting diodes based on an iridium complex containing a benzoxazole-substituted ancillary ligand. 2013 , 8, 2575-8	10
1056	Promising operational stability of high-efficiency organic light-emitting diodes based on thermally activated delayed fluorescence. 2013 , 3, 2127	264
1055	Computational Design of Host Materials Suitable for Green-(Deep) Blue Phosphors through Effectively Tuning the Triplet Energy While Maintaining the Ambipolar Property. 2013 , 117, 8420-8428	21
1054	Photo- and Electroluminescence from 2-(Dibenzo[b,d]furan-4-yl)pyridine-Based Heteroleptic Cyclometalated Platinum(II) Complexes: Excimer Formation Drastically Facilitated by an Aromatic Diketonate Ancillary Ligand. 2013 , 117, 532-542	53
1053	Device efficiency of organic light-emitting diodes: Progress by improved light outcoupling. 2013 , 210, 44-65	294
1052	Highly Efficient Warm White Organic Light-Emitting Diodes by Triplet Exciton Conversion. 2013 , 23, 705-712	154
1051	Metal Complexes of Pincer Ligands: Excited States, Photochemistry, and Luminescence. 2013 , 89-129	30
1050	Single-Layer Blue Electrophosphorescent Organic Light-Emitting Diodes Based on Small-Molecule Mixed Hosts: Comparison between the Solution and Vacuum Fabrication Processes. 2013 , 52, 012101	12
1049	Low-haze light extraction from organic light-emitting diode lighting with auxiliary electrode by selective microlens arrays. 2013 , 38, 4182-5	8
1048	Quantitative allocation of Bragg scattering effects in highly efficient OLEDs fabricated on periodically corrugated substrates. 2013 , 21, 16319-30	33
1047	Fabrication of Light Extraction Efficiency of Organic Light-Emitting Diodes with 3D Aspherical Microlens by Using Dry Etching Process. 2013 , 2013, 1-6	1
1046	Highly efficient pin-type OLEDs. 2013 , 173-191	1
1045	Tailoring the hole-injection layer in organic light-emitting devices by introducing Au@SiO ₂ nanoparticles. 2013 , 38, 5020-3	6
1044	Theoretical Study on Cationic Iridium(III) Complexes with a Diphosphane Ligand [Geometry, Electronic Properties, and Application for Light-Emitting Electrochemical Cells. 2013 , 2013, 3370-3383	16
1043	Iridium and platinum complexes for OLEDs. 2013 , 77-113	17
1042	Optical, photoluminescent and electroluminescent properties of organic materials. 2013 , 245-273	1
1041	Electroluminescence and fluorescence emission of poly(n-vinylcarbazole) and poly(n-vinylcarbazole)-Ir(ppy) ₃ -based organic light-emitting devices prepared with different solvents. 2013 , 3, 033599	5
1040	Investigation of triplet harvesting and outcoupling efficiency in highly efficient two-color hybrid white organic light-emitting diodes. 2013 , 210, 1467-1475	34

- 1039 Synthesis and Properties of Novel Polymer Electronic-Phosphorescent Materials. **2013**, 668, 250-254
- 1038 To Enhance Light Extraction for Organic Light-Emitting Diodes by Body Modification of Substrate. **2013**, 2013, 1-8 6
- 1037 DFT/TDDFT study on the electronic structures and optoelectronic properties of a series of iridium(III) complexes based on quinoline derivatives in OLEDs. **2013**, 26, 784-790 10
- 1036 Effect of simultaneous excitation of singlet and triplet excitons on the operation of organic solar cells. *Journal of Applied Physics*, **2013**, 114, 154515 2.5 18
- 1035 A trilayer architecture for polymer photoconductors. **2013**, 102, 053304 14
- 1034 33.3L: Late-News Paper: Optimizing Nanostructures to Enhance Optical Outcoupling of OLED Microdisplays. **2013**, 44, 423-426
- 1033 Molecular design of hole-transporting material for efficient and stable green phosphorescent organic light-emitting diodes. **2013**, 103, 143306 12
- 1032 An efficient non-Lambertian organic light-emitting diode using imprinted submicron-size zinc oxide pillar arrays. **2013**, 102, 053305 15
- 1031 Degradation mechanism in simplified phosphorescent organic light-emitting devices utilizing one material for hole transport and emitter host. **2013**, 103, 063307 13
- 1030 P.138L: Late-News Poster: Accurate Evaluation of Light-Extraction Efficiency for OLEDs with Light Out-Coupling layers. **2013**, 44, 1460-1463 3
- 1029 Paper No 10.4: Oxide-TFT Driven Flexible Display Using Highly Efficient Phosphorescent OLED. **2013**, 44, 206-209
- 1028 Bi-directional organic light-emitting diodes with nanoparticle-enhanced light outcoupling. **2013**, 7, 1079-1087 15
- 1027 P.143L: Late-News Poster: Light Extraction in Organic Light Emitting Diodes using SF₆/CHF₃ Plasma Treated Random Pattern. **2013**, 44, 1477-1479
- 1026 Solution Processed Organic Double Light-Emitting Layer Diode Based on Cross-Linkable Small Molecular Systems. **2013**, 125, 9742-9746 10
- 1025 66.2: Invited Paper: Highly Efficient White OLEDs with over 100 lm/W for General Lighting. **2013**, 44, 916-919 24
- 1024 66.4: Large-Sized Flexible Lighting with Highly Efficient OLEDs. **2013**, 44, 923-926 6
- 1023 Enabling enhanced emission and low-threshold lasing of organic molecules using special Fano resonances of macroscopic photonic crystals. **2013**, 110, 13711-6 76
- 1022 Exciton and Polaron Quenching in Doping-Free Phosphorescent Organic Light-Emitting Diodes from a Pt(II)-Based Fast Phosphor. **2013**, 23, 5420-5428 71

1021	Above 30% external quantum efficiency in blue phosphorescent organic light-emitting diodes using pyrido[2,3-b]indole derivatives as host materials. 2013 , 25, 5450-4	359
1020	Triphenylene-based Host Materials for Low-voltage, Highly Efficient Red Phosphorescent Organic Light-emitting Diodes. 2013 , 42, 383-385	8
1019	Vapor-phase microprinting of multicolor phosphorescent organic light emitting device arrays. 2013 , 25, 1583-8	19
1018	Novel host materials for blue phosphorescent OLEDs. 2013 ,	15
1017	Ultrafast study of charge generation and device performance of a silole-doped fluorene-mixed layer for blue-sensitive organic photoconductive devices. 2013 , 210, 2674-2682	3
1016	Triscyclometalated Iridium(III) Fluoro-Substituted Carbene Complexes: Character of Emitting Triplet States and Excited State Dynamics. 2013 , 60, 965-973	3
1015	Fluorene-Based Asymmetric Bipolar Universal Hosts for White Organic Light Emitting Devices. 2013 , 23, 3096-3105	122
1014	Highly Efficient Blue-Emitting Cyclometalated Platinum(II) Complexes by Judicious Molecular Design. 2013 , 125, 6885-6888	42
1013	Electronic Materials. 2013 , 69-83	
1012	High-efficiency Technology of White OLEDs. 2013 , 26, 415-419	4
1011	High-Performance White-OLED Devices for Next-Generation Solid-State Lighting. 2013 , 29, 38-43	
1010	Efficient Persistent Room Temperature Phosphorescence in Organic Materials. 2013 , 70, 623-636	2
1009	Display Week 2013 Review: Touch Technology. 2013 , 29, 8-12	
1008	. 2013 ,	13
1007	Study of the Light Coupling Efficiency of OLEDs Using a Nanostructured Glass Substrate. 2014 , 2014, 1-4	1
1006	Unusual product distribution from Friedländer reaction of di- and triacetylbenzenes with 3-aminonaphthalene-3-carbaldehyde and properties of new benzo[g]quinoline-derived aza-aromatics. 2014 , 19, 12842-51	6
1005	Highly efficient and concentration-insensitive organic light-emitting devices based on self-quenching-resistant orange-red iridium complex. 2014 , 155, 47-51	6
1004	Theoretical Studies on the Electronic Structures and Phosphorescence Properties of Three Heteroleptic Cyclometalated Iridium(III) Complexes. 2014 , 591, 74-85	2

1003	Poly(4-vinylphenol-co-methyl methacrylate)/titanium dioxide nanocomposite gate insulators for 6,13-bis(triisopropylsilylethynyl)-pentacene thin-film transistors. 2014 , 65, 1956-1960		2
1002	Pure DNA as an Efficient Electron Blocking Layer. 2014 , 604, 213-221		4
1001	Probing the exciton distribution in organic light-emitting diodes using long-range energy transfer. 2014 , 92, 845-848		2
1000	Application of compound blue for white OLED. 2014 , 92, 947-950		2
999	A large perturbation on electronic and photophysical properties of Ir(III) carbene complexes caused by the variation of N-substitution in N,N'-heteroaromatic ligands. 2014 , 610-611, 394-400		2
998	Surface plasmon polariton modification in top-emitting organic light-emitting diodes for enhanced light outcoupling. 2014 ,		2
997	Green Phosphorescent Organic Light-Emitting Diode Based on Interlayer Emitting Layer Blend of Hole- and Electron-Transporting Materials as a Co-Host of the Three Emitting Layers. 2014 , 3, Q212-Q214		
996	Improved light extraction from white organic light-emitting devices using a binary random phase array. 2014 , 104, 063301		1
995	Highly Efficient Yellow Organic Light Emitting Diode with a Novel Wet- and Dry-Process Feasible Iridium Complex Emitter. 2014 , 24, 555-562		60
994	Coherent mode coupling in highly efficient top-emitting OLEDs on periodically corrugated substrates. 2014 , 22, 7524-37		49
993	Light outcoupling enhancement from top-emitting organic light-emitting diodes made on a nano-sized stochastic texture surface. 2014 , 22 Suppl 7, A1687-94		15
992	Elucidation on Joule heating and its consequences on the performance of organic light emitting diodes. <i>Journal of Applied Physics</i> , 2014 , 115, 034518	2.5	17
991	A non-doped phosphorescent organic light-emitting device with above 31% external quantum efficiency. 2014 , 26, 8107-13		135
990	P-156: Blue Phosphorescence OLED with Interfacial Mixed Layer between EML and ETL. 2014 , 45, 1568-1570		
989	Mitochondria-targeting phosphorescent iridium(III) complexes for living cell imaging. 2014 , 43, 16872-9		29
988	Using an ultra-thin non-doped orange emission layer to realize high efficiency white organic light-emitting diodes with low efficiency roll-off. <i>Journal of Applied Physics</i> , 2014 , 115, 244512	2.5	38
987	Bipolar Hosts Based on a Rigid 9,10-Dihydroanthracene Scaffold for Full-Color Electrophosphorescent Devices. 2014 , 54, 942-951		7
986	High-performance flexible organic light-emitting diodes using embedded silver network transparent electrodes. 2014 , 8, 12796-805		126

985	P-145: Light Extraction from Organic Light Emitting Diode Lighting with Low Haze by Selective Microlens Arrays. 2014 , 45, 1530-1532	
984	Thiophene/Phenylene Co-Oligomers as Novel Photovoltaic Materials. 2014 , 597, 20-28	8
983	Photophysics of organometallic platinum(II) derivatives of the diketopyrrolopyrrole chromophore. 2014 , 118, 11735-43	33
982	Recent Advances in Multicolor Emission and Color Tuning of Heteroleptic Iridium Complexes. 2014 , 54, 885-896	16
981	Effect of interfacial mixed layer in blue phosphorescent organic light-emitting diodes. 2014 , 211, 2541-2545	3
980	Nanocrystallized Organic Thin Films as Effective Light Outcoupling Layers for Organic Light-Emitting Diodes. 2014 , 54, 847-854	5
979	Enhanced Hybrid Blue Organic Light Emitting Diodes with a Multi-Emitting Layer Using Fluorescent and Phosphorescent Emitters. 2014 , 601, 223-230	
978	We Want Our Photons Back: Simple Nanostructures for White Organic Light-Emitting Diode Outcoupling. 2014 , 24, 2553-2559	61
977	High brightness phosphorescent organic light emitting diodes on transparent and flexible cellulose films. 2014 , 25, 094012	55
976	Effect of contact resistance on mobility determination by impedance spectroscopy. 2014 , 53, 02BE02	5
975	Organic Light - Emitting Diodes and their Applications. 2014 , 357, 29-93	6
974	Close-Spaced Sublimation of Organic Materials for Organic Light-Emitting Devices. 2014 , 601, 215-222	
973	Triplet Harvesting in White Organic Light-Emitting Diodes. 2014 , 1629, 1	
972	TADF for singlet harvesting: next generation OLED materials based on brightly green and blue emitting Cu(I) and Ag(I) compounds. 2014 ,	19
971	Graphene composite anode for flexible polymer light emitting diode. 2014 ,	
970	Improved Light Outcoupling from OLED by Non-Wave-Guiding Anode Designs. 2014 , 1627, 1	1
969	Recent advances in white organic light-emitting diodes employing a single-emissive material. 2014 , 4, 040991	14
968	A significant improvement of luminance vs current density efficiency of a BioLED. 2014 , 36, 1027-1033	21

967	Metallopolymers with transition metals in the side-chain by living and controlled polymerization techniques. 2014 , 39, 1742-1796	124
966	Highly efficient green and red phosphorescent OLEDs using novel bipolar blue fluorescent materials as hosts. 2014 , 193, 89-93	5
965	Photophysical characterization of [Ir(ppy) ₂ (dmb)][PF ₆] towards application in light-emitting electrochemical cells (LECs). 2014 , 43, 162-164	14
964	A simple effective method to improve light out-coupling in organic light-emitting diodes by introducing pyramid-based texture structure. 2014 , 15, 1113-1119	18
963	3,6-Bis(indol-1-yl)-9-phenylcarbazoles as electroactive materials for electrophosphorescent diodes. 2014 , 100, 66-72	6
962	Red organic light emitting device based on TPP and a new host material. 2014 , 114, 445-451	13
961	Structural and optical properties of Er ³⁺ /Yb ³⁺ doped barium titanate phosphor prepared by co-precipitation method. 2014 , 124, 285-91	56
960	H- and J-aggregate behavior in polymeric semiconductors. 2014 , 65, 477-500	654
959	Progress in next-generation organic electroluminescent materials: material design beyond exciton statistics. 2014 , 57, 335-345	77
958	Bis(1-phenyl-1H-benzo[d]imidazole)phenylphosphine oxide interlayer for effective hole blocking in efficient phosphorescent organic light emitting diodes based on widely used charge transporting layers. 2014 , 190, 39-43	4
957	Molecular Structure-Dependent Charge Injection and Doping Efficiencies of Organic Semiconductors: Impact of Side Chain Substitution. 2014 , 1, 1300128	19
956	Regiospecific formation and unusual optical properties of 2,5-bis(arylethynyl)rhodacyclopentadienes: a new class of luminescent organometallics. 2014 , 20, 3652-66	23
955	Simultaneously Enhancing Light Extraction and Device Stability of Organic Light-Emitting Diodes using a Corrugated Polymer Nanosphere Templated PEDOT:PSS Layer. 2014 , 4, 1301345	15
954	Orthogonal Resonator Modes and Low Lasing Threshold in Highly Emissive Distyrylbenzene-Based Molecular Crystals. 2014 , 2, 542-548	24
953	High Yields of Singlet Excitons in Organic Electroluminescence through Two Paths of Cold and Hot Excitons. 2014 , 2, 510-515	157
952	Improved efficiency and lifetime for green phosphorescent organic light-emitting diodes using charge control layer. 2014 , 35, 79-83	4
951	Synthesis of yellow emitting bis-pyrimidine based purely organic phosphors. 2014 , 149, 61-68	6
950	High-performance hybrid white organic light-emitting devices without interlayer between fluorescent and phosphorescent emissive regions. 2014 , 26, 1617-21	213

949	Luminous butterflies: efficient exciton harvesting by benzophenone derivatives for full-color delayed fluorescence OLEDs. 2014 , 53, 6402-6	399
948	Triplet-Triplet exciton dynamics in single-walled carbon nanotubes. 2014 , 8, 139-144	52
947	Substituent effects on the photophysical and electrochemical properties of iridium(III) complexes containing an arylcarbazolyl moiety. 2014 , 109, 13-20	9
946	Luminous Butterflies: Efficient Exciton Harvesting by Benzophenone Derivatives for Full-Color Delayed Fluorescence OLEDs. 2014 , 126, 6520-6524	137
945	Doping-Free Organic Light-Emitting Diodes with Very High Power Efficiency, Simple Device Structure, and Superior Spectral Performance. 2014 , 24, 4746-4752	68
944	Photophysical Investigation of the Thermally Activated Delayed Emission from Films of m-MTDATA:PBD Exciplex. 2014 , 24, 2343-2351	115
943	Efficient π -conjugated interrupted host polymer by metal-free polymerization for blue/green phosphorescent light-emitting diodes. 2014 , 52, 1037-1046	8
942	Novel 9,9'-(1,3-phenylene)bis-9H-carbazole-containing copolymers as hole-transporting and host materials for blue phosphorescent polymer light-emitting diodes. 2014 , 52, 707-718	8
941	Novel heteroleptic iridium(III) complexes with a 2-(1H-pyrazol-5-yl)pyridine derivative containing a carbazole group as ancillary ligand: Synthesis and application for polymer light-emitting diodes. 2014 , 187, 209-216	9
940	High-efficiency organic light-emitting diodes with fluorescent emitters. 2014 , 5, 4016	652
939	Controlled positioning of metal nanoparticles in an organic light-emitting device for enhanced quantum efficiency. 2014 , 15, 491-499	35
938	A star-shaped bipolar host material based on carbazole and dimesitylboron moieties for fabrication of highly efficient red, green and blue electrophosphorescent devices. 2014 , 2, 2160-2168	23
937	Exciton dynamics in an energy up-converting solid state system based on diphenylanthracene doped with platinum octaethylporphyrin. 2014 , 429, 57-62	24
936	High-efficiency deep-blue organic light-emitting diodes based on a thermally activated delayed fluorescence emitter. 2014 , 2, 421-424	230
935	Excited states structure and processes: Understanding organic light-emitting diodes at the molecular level. 2014 , 537, 123-156	154
934	Orotate containing anionic luminescent iridium(III) complexes and their use in soft salts. 2014 , 43, 784-9	20
933	Novel Optical Technologies for Nanofabrication. 2014 ,	14
932	High-Power-Efficiency Blue Electrophosphorescence Enabled by the Synergistic Combination of Phosphine-Oxide-Based Host and Electron-Transporting Materials. 2014 , 26, 1463-1470	63

931	Highly efficient blue-green delayed fluorescence from copper(I) thiolate complexes: luminescence color alteration by orientation change of the aryl ring. 2014 , 50, 1801-3	98
930	Oxadiazole based bipolar host materials employing planarized triarylamine donors for RGB PHOLEDs with low efficiency roll-off. 2014 , 2, 2069-2081	37
929	Analyzing nanostructures in mesogenic host-guest systems for polarized phosphorescence. 2014 , 15, 311-321	16
928	Phosphorescent cyclometalated complexes for efficient blue organic light-emitting diodes. 2014 , 15, 054202	21
927	Improved efficiency in polymer light-emitting diodes using metal-enhanced fluorescence. 2014 , 105, 173301	22
926	A novel proposal for enhancement of light extraction efficiency in WOLEDs based on optimized photonic crystal structures. 2014 , 125, 6977-6980	1
925	Singlet and Triplet Exciton Harvesting in the Thin Films of Colloidal Quantum Dots Interfacing Phosphorescent Small Organic Molecules. 2014 , 118, 25964-25969	11
924	Very high efficiency phosphorescent organic light-emitting devices by using rough indium tin oxide. 2014 , 105, 013305	6
923	An easy route to red emitting homoleptic Ir(III) complex for highly efficient solution-processed phosphorescent organic light-emitting diodes. 2014 , 20, 8260-4	31
922	High morphology stability and ambipolar transporting host for use in blue phosphorescent single-layer organic light-emitting diodes. 2014 , 15, 3327-3332	11
921	Effect of broad recombination zone in multiple quantum well structures on lifetime and efficiency of blue organic light-emitting diodes. 2014 , 53, 101601	10
920	Third-generation organic electroluminescence materials. 2014 , 53, 060101	349
919	Thermally activated delayed fluorescence materials towards the breakthrough of organoelectronics. 2014 , 26, 7931-58	1230
918	Novel ternary bipolar host material with carbazole, triazole and phosphine oxide moieties for high efficiency sky-blue OLEDs. 2014 , 38, 650-656	20
917	Tunable microcavities in organic light-emitting diodes by way of low-refractive-index polymer doping. 2014 , 15, 3648-3653	1
916	A rational design of carbazole-based host materials with suitable spacer group towards highly-efficient blue phosphorescence. 2014 , 2, 6387	29
915	Substituent effect on the electroluminescence efficiency of amidinate-ligated bis(pyridylphenyl) iridium(III) complexes. 2014 , 2, 5317-5326	26
914	Enhancing the blue phosphorescence of iridium complexes with a dicyclopentyl phosphite ligand via aza-substitution: a density functional theory investigation. 2014 , 2, 8364-8372	7

913	High-efficiency fluorescent organic light-emitting diodes with MoO ₃ and PEDOT : PSS composition film as a hole injection layer. 2014 , 2, 9620-9624	34
912	A theoretical analysis of the phosphorescence efficiencies of Cu(I) complexes. 2014 , 43, 11252-9	23
911	High efficiency blue PhOLEDs using spiro-annulated triphenylamine/fluorene hybrids as host materials with high triplet energy, high HOMO level and high T _g . 2014 , 15, 3568-3576	20
910	Synthesis, Characterization, and Oxidation of New POCNimine-Type Pincer Complexes of Nickel. 2014 , 33, 5990-6002	32
909	Thermo- and radioluminescent polystyrene based plastic scintillators doped with phosphorescent iridium(III) complexes. 2014 , 2, 6125	30
908	On the role of temperature in the triplet-fusion induced low-energy photon up-converted delayed luminescence of a solid state composite. 2014 ,	
907	New tools for the systematic analysis and visualization of electronic excitations. II. Applications. 2014 , 141, 024107	172
906	Tuning the electronic properties and quantum efficiency of blue Ir(III) carbene complexes via different azole-pyridine-based N ^N ligands. 2014 , 4, 6284	8
905	Predicting phosphorescent lifetimes and zero-field splitting of organometallic complexes with time-dependent density functional theory including spin-orbit coupling. 2014 , 16, 14523-30	118
904	A versatile hybrid polyphenylsilane host for highly efficient solution-processed blue and deep blue electrophosphorescence. 2014 , 2, 8277-8284	29
903	Improved host material for electrophosphorescence by positional engineering of spirobifluorene-carbazole hybrids. 2014 , 2, 8736-8744	20
902	Wet-process feasible novel carbazole-type molecular host for high efficiency phosphorescent organic light emitting diodes. 2014 , 2, 8707-8714	16
901	A six-carbazole-decorated cyclophosphazene as a host with high triplet energy to realize efficient delayed-fluorescence OLEDs. 2014 , 1, 264-269	121
900	A theoretical study on tuning the electronic structures and photophysical properties of newly designed platinum(II) complexes by adding substituents on functionalized ligands as highly efficient OLED emitters. 2014 , 43, 6500-12	18
899	The influence of numbers and ligation positions of the triphenylamine unit on the photophysical and electroluminescent properties of homoleptic iridium(III) complexes: a theoretical perspective. 2014 , 43, 11915-24	16
898	Zinc complexes in OLEDs: An overview. 2014 , 195, 241-251	53
897	Phosphine oxide type bipolar host material for high quantum efficiency in thermally activated delayed fluorescent device. 2014 , 6, 8396-400	54
896	AIPE-active green phosphorescent iridium(III) complex impregnated test strips for the vapor-phase detection of 2,4,6-trinitrotoluene (TNT). 2014 , 2, 515-523	65

895	Simple and extremely efficient blue emitters based on mononuclear Cu(I)-halide complexes with delayed fluorescence. 2014 , 43, 17317-23	94
894	Novel blue-emitting Eu ²⁺ -activated LaOCl:Eu materials. 2014 , 2, 2799	29
893	Triplet harvesting in poly(9-vinylcarbazole) and poly(9-(2,3-epoxypropyl)carbazole) doped with CdSe/ZnS quantum dots encapsulated with 16-(N-carbazolyl) hexadecanoic acid ligands. 2014 , 52, 539-551	2
892	Colloidal Quantum Dot Light-Emitting Diodes Employing Phosphorescent Small Organic Molecules as Efficient Exciton Harvesters. 2014 , 5, 2802-7	36
891	Different orientation of the transition dipole moments of two similar Pt(II) complexes and their potential for high efficiency organic light-emitting diodes. 2014 , 15, 3031-3037	32
890	Highly Efficient Intrinsic Phosphorescence from a π -Conjugated Poly(silylene) Polymer. 2014 , 118, 22923-22934	5
889	Novel benzimidazole derivatives as electron-transporting type host to achieve highly efficient sky-blue phosphorescent organic light-emitting diode (PHOLED) device. 2014 , 16, 5398-401	34
888	Thermally activated delayed fluorescence from $3n\pi\pi$ to $1n\pi\pi$ up-conversion and its application to organic light-emitting diodes. 2014 , 105, 013301	58
887	Triplet Exciton Diffusion in Platinum Polyynes Films. 2014 , 118, 24282-24289	27
886	High-efficiency white organic light-emitting diodes using thermally activated delayed fluorescence. 2014 , 104, 233304	111
885	Efficient triplet application in exciplex delayed-fluorescence OLEDs using a reverse intersystem crossing mechanism based on a $\Delta S-T$ of around zero. 2014 , 6, 11907-14	104
884	Solution-based nanostructure to reduce waveguide and surface plasmon losses in organic light-emitting diodes. 2014 , 15, 3183-3190	19
883	Reducing the driving voltage of organic light-emitting diodes by inserting a transparent ultrathin layer of oxidized silver as a hole-injecting layer. 2014 , 15, 2346-2354	4
882	C ² C* Cyclometalated Platinum(II) NHC Complexes with β -Ketoimine Ligands. 2014 , 33, 898-908	33
881	Phosphorescent organic light-emitting devices (PhOLEDs) based on 1-methyl-3-propyl-5-(2,4,5-trifluorophenyl)-1H-1,2,4-triazole as the cyclometalated ligand: Influence of the ancillary ligand on the emissive properties. 2014 , 195, 312-320	7
880	Wavelength dependency of outcoupling peak intensities for emission layers with multi-periodic photonic crystals. 2014 ,	
879	Organic visible light communications: Recent progress. 2014 ,	2
878	Synthesis of triphenylamine based polysiloxane as a blue phosphorescent host. 2014 , 5, 5046-5052	19

877	Blue-green iridium(III) emitter and comprehensive photophysical elucidation of heteroleptic cyclometalated iridium(III) complexes. 2014 , 53, 4089-99	95
876	Fluorescence in rhoda- and iridacyclopentadienes neglecting the spin-orbit coupling of the heavy atom: the ligand dominates. 2014 , 53, 7055-69	29
875	Highly Efficient TADF OLEDs: How the Emitter/Host Interaction Controls Both the Excited State Species and Electrical Properties of the Devices to Achieve Near 100% Triplet Harvesting and High Efficiency. 2014 , 24, 6178-6186	232
874	Solution-Processable Hosts Constructed by Carbazole/PO Substituted Tetraphenylsilanes for Efficient Blue Electrophosphorescent Devices. 2014 , 24, 5881-5888	38
873	Tetradentate Platinum Complexes for Efficient and Stable Excimer-Based White OLEDs. 2014 , 24, 6066-6073	93
872	Highly Efficient and Stable Phosphorescent Organic Light-Emitting Diodes Utilizing Reverse Intersystem Crossing of the Host Material. 2014 , 2, 1070-1075	32
871	Construction of High Tg Bipolar Host Materials with Balanced Electron/Hole Mobility Based on 1,2,4-Thiadiazole for Phosphorescent Organic Light-Emitting Diodes. 2014 , 26, 2388-2395	63
870	Investigating blue phosphorescent iridium cyclometalated dopant with phenyl-imidazole ligands. 2014 , 15, 3127-3136	32
869	CCC-Bincer/NHC Osmium Complexes: New Types of Blue-Green Emissive Neutral Compounds for Organic Light-Emitting Devices (OLEDs). 2014 , 33, 5582-5596	72
868	Host to Guest Energy Transfer Mechanism in Phosphorescent and Fluorescent Organic Light-Emitting Devices Utilizing Exciplex-Forming Hosts. 2014 , 118, 24006-24012	50
867	Tenfold increase in the lifetime of blue phosphorescent organic light-emitting diodes. 2014 , 5, 5008	310
866	Highly twisted biphenyl-linked carbazole/benzimidazole hybrid bipolar host materials for efficient PhOLEDs. 2014 , 2, 8554-8563	28
865	Photo-patterning of Highly Efficient State-of-the-Art Phosphorescent OLEDs Using Orthogonal Hydrofluoroethers. 2014 , 2, 1043-1048	24
864	C?N-Cyclometalated Platinum(II) Complexes with Sterically Demanding 1,2-Diarylimidazole Ligands. 2014 , 33, 3464-3473	21
863	Obtaining highly efficient single-emissive-layer orange and two-element white organic light-emitting diodes by the solution process. 2014 , 2, 5036	19
862	A hybrid white organic light-emitting diode with above 20% external quantum efficiency and extremely low efficiency roll-off. 2014 , 2, 7494-7504	39
861	Deep blue organic light-emitting diode using non anthracene-type fused-ring spiro[benzotetraphene-fluorene] with aromatic wings. 2014 , 15, 2922-2931	7
860	Efficiency enhancement of organic light-emitting devices by using honeycomb metallic electrodes and two-dimensional photonic crystal arrays. 2014 , 15, 3043-3051	10

859	Small molecule host materials for solution processed phosphorescent organic light-emitting diodes. 2014 , 26, 4218-33	320
858	New spiro[benzotetraphene-fluorene] derivatives: synthesis and application in sky-blue fluorescent host materials. 2014 , 24, 1215-24	6
857	Color temperature tunable white organic light-emitting diodes. 2014 , 15, 189-195	31
856	Polymorphism and the influence of crystal structure on the luminescence of the opto-electronic material 4,4'-bis(9-carbazolyl)biphenyl. 2014 , 16, 7621-7625	14
855	Chemical structure dependent electron transport in 9,10-bis(2-phenyl-1,3,4-oxadiazole) derivatives of anthracene. 2014 , 4, 12206	4
854	Electronic Structures of Platinum(II) Complexes with 2-Arylpyridine and 1,3-Diketonate Ligands: A Relativistic Density Functional Study on Photoexcitation and Phosphorescent Properties. 2014 , 118, 12443-12449	9
853	Heat revolution on photophysical properties and electroluminescent performance of Ir(ppy) ₃ -doped bipolar host of oxadiazole derivatives attaching with inert group of tert-butyl moiety. 2014 , 57, 849-856	16
852	Solution-Processible 2,2'-Dimethyl-biphenyl Cored Carbazole Dendrimers as Universal Hosts for Efficient Blue, Green, and Red Phosphorescent OLEDs. 2014 , 24, 3413-3421	62
851	Red electroluminescence of ruthenium sensitizer functionalized by sulfonate anchoring groups. 2014 , 43, 9202-15	18
850	Low-driving-voltage blue phosphorescent organic light-emitting devices with external quantum efficiency of 30%. 2014 , 26, 5062-6	268
849	Temperature dependence of photoluminescence properties in a thermally activated delayed fluorescence emitter. 2014 , 104, 213303	35
848	Theoretical Analyses on Phosphorescent Processes in Pt(thpy) ₂ and Its Derivatives. 2014 , 118, 15412-15421	9
847	Simplified organic light-emitting devices utilizing ultrathin electron transport layers and new insights on their roles. 2014 , 6, 1697-701	13
846	Structure-property relationships based on Hammett constants in cyclometalated iridium(III) complexes: their application to the design of a fluorine-free FIrPic-like emitter. 2014 , 43, 5667-79	85
845	Rational Design of Carbazole- and Carboline-Based Ambipolar Host Materials for Blue Electrophosphorescence: A Density Functional Theory Study. 2014 , 118, 21741-21754	35
844	Resonance Energy Transfer in Hybrid Devices in the Presence of a Surface. 2014 , 118, 16284-16289	2
843	Synthesis, characterization, and application of a novel orange-red iridium(III) phosphor for solution-processed single emissive layer white organic light-emitting diodes. 2014 , 197, 90-98	8
842	New universal bipolar host materials with fluorene as non-conjugated bridge for multi-color electrophosphorescent devices. 2014 , 70, 6328-6336	10

841	Electroactive polymers containing pendant harmene, phenoxazine or carbazole rings as host materials for OLEDs. 2014 , 108, 121-125	10
840	Donor-acceptor-structured 1,4-diazatriphenylene derivatives exhibiting thermally activated delayed fluorescence: design and synthesis, photophysical properties and OLED characteristics. 2014 , 15, 034202	56
839	Highly efficient bluish green phosphorescent organic light-emitting diodes based on heteroleptic iridium(III) complexes with phenylpyridine main skeleton. 2014 , 15, 1687-1694	6
838	Organic materials for organic electronic devices. 2014 , 20, 1198-1208	78
837	Highly improved light extraction with a reduced spectrum distortion of organic light-emitting diodes composed by the sub-visible wavelength nano-scale periodic (~250 nm) structure and micro-lens array. 2014 , 15, 111-117	22
836	Flexible white phosphorescent organic light emitting diodes based on multilayered graphene/PEDOT:PSS transparent conducting film. 2014 , 295, 214-218	31
835	Efficient and stable red organic light emitting devices from a tetradentate cyclometalated platinum complex. 2014 , 15, 1862-1867	34
834	Molecular Design and Device Design to Improve Stabilities of Organic Light-Emitting Diodes. 2018 , 31, 315-321	6
833	Accurate Control of Deuterated Locations and Amount of Deep Blue Ir(dfppy) ₂ pic for Phosphorescent Efficiency Enhancement: Evaluations from Theoretical Aspect. 2018 , 34, 781-785	0
832	Electron Affinity Control of Amorphous Oxide Semiconductors and Its Applicability to Organic Electronics. 2018 , 5, 1801307	7
831	All Solution-Processed Quintuple-Layer Organic Light-Emitting Diodes Containing Organic-Inorganic Hybrid Active Layers Fabricated by Sol-Gel Method. 2018 , 777, 113-120	
830	Highly Emissive d10 Metal Complexes as TADF Emitters with Versatile Structures and Photophysical Properties. 2018 , 61-91	2
829	Efficiency Enhancement of Organic Light-Emitting Diodes Exhibiting Delayed Fluorescence and Nonisotropic Emitter Orientation. 2018 , 199-228	1
828	Synthesis, crystal structure and luminescent properties of p-diphenylsulphone compounds with different substituents. 2018 , 86, 449-454	3
827	Tailoring the Emission of Fluorinated Bipyridine-Chelated Iridium Complexes. 2018 , 3, 13808-13816	7
826	Optimization on Molecular Restriction for Highly Efficient Thermally Activated Delayed Fluorescence Emitters. 2018 , 6, 1800935	19
825	New Generation of High Efficient OLED Using Thermally Activated Delayed Fluorescent Materials. 2018 ,	
824	TADF Material Design: Photophysical Background and Case Studies Focusing on Cu(I) and Ag(I) Complexes. 2018 , 1-60	5

- 823 Luminescent Dinuclear Copper(I) Complexes with Short Intramolecular Cu-Cu Distances. **2018**, 93-118 3
- 822 Molecular Design and Synthesis of Metal Complexes as Emitters for TADF-Type OLEDs. **2018**, 119-176 2
- 821 Study on the light extraction mechanism of organic light-emitting diodes with corrugated Ag cathode made by soft nanoimprint. **2018**, 57, 080306 2
- 820 Zero-Magnetic-Field Splitting in the Excited Triplet States of Octahedral Hexanuclear Molybdenum(II) Clusters: $[\text{Mo}_6\text{X}_6\text{Y}]$ (X, Y = Cl, Br, I). **2018**, 122, 9014-9024 6
- 819 Synthesis and Characterization of Highly Efficient Solution-Processable Green Ir(III) Complexes with High Current Efficiency and Very Low Efficiency Roll-Off. **2018**, 28, 1804714 32
- 818 Phosphorescent Cyclometalated Platinum(II) aNHC Complexes. **2018**, 24, 15603-15612 9
- 817 Substituents engineered deep-red to near-infrared phosphorescence from tris-heteroleptic iridium(III) complexes for solution processable red-NIR organic light-emitting diodes. **2018**, 6, 10640-10658 34
- 816 Pyrrolo[1, 2-a]quinoxaline-Based Bipolar Host Materials for Efficient Red Phosphorescent OLEDs. **2018**, 3, 10010-10018 9
- 815 Facial and Meridional Isomers of Tris(bidentate) Ir(III) Complexes: Unravelling Their Different Excited State Reactivity. **2018**, 57, 12106-12112 22
- 814 Phosphorescent Modulation of Metallophilic Clusters and Recognition of Solvents through a Flexible Host-Guest Assembly: A Theoretical Investigation. **2018**, 8, 2 2
- 813 Deep-Blue Oxadiazole-Containing Thermally Activated Delayed Fluorescence Emitters for Organic Light-Emitting Diodes. **2018**, 10, 33360-33372 58
- 812 Photophysics of Deep Blue Acridane- and Benzonitrile-Based Emitter Employing Thermally Activated Delayed Fluorescence. **2018**, 122, 22796-22801 12
- 811 Light Extraction Enhancement in Flexible Organic Light-Emitting Diodes by a Light-Scattering Layer of Dewetted Ag Nanoparticles at Low Temperatures. **2018**, 10, 32373-32379 19
- 810 Room-Temperature Orange-Red Phosphorescence by Way of Intermolecular Charge Transfer in Single-Component Phenoxazine-Quinoline Conjugates and Chemical Sensing. **2018**, 122, 21589-21597 28
- 809 Controlling excimer formation in indolo[3,2,1-c]carbazole/9-carbazole based host materials for RGB PhOLEDs. **2018**, 6, 9914-9924 13
- 808 Carbazole and Benzophenone Based Twisted Donor-Acceptor Systems as Solution Processable Green Thermally Activated Delayed Fluorescence Organic Light Emitters. **2018**, 47, 1236-1239
- 807 Potential thermally activated delayed fluorescence properties of a series of 2,3-dicyanopyrazine based compounds. **2018**, 3, 1 1
- 806 Accurate Treatment of Charge-Transfer Excitations and Thermally Activated Delayed Fluorescence Using the Particle-Particle Random Phase Approximation. **2018**, 14, 3196-3204 9

805	High Performance p- and n-Type Light-Emitting Field-Effect Transistors Employing Thermally Activated Delayed Fluorescence. 2018 , 28, 1800340	25
804	Comprehensive Investigation into Luminescent Properties of Ir(III) Complexes: An Integrated Computational Study of Radiative and Nonradiative Decay Processes. 2018 , 57, 6561-6570	27
803	Control of excimer phosphorescence by steric effects in cyclometalated platinum(II) diketone complexes bearing peripheral carbazole moieties towards application in non-doped white OLEDs. 2018 , 42, 11583-11592	9
802	Molecular design of sensitizer to suppress efficiency loss mechanism in hyper-fluorescent organic light-emitting diodes. 2018 , 59, 236-242	20
801	Influence of the hole transport layer on spectral stability in the white phosphorescent organic light emitting diode with non-doped structure. 2018 , 82, 130-134	4
800	Exciplex-Enhanced Singlet Emission Efficiency of Nondoped Organic Light Emitting Diodes Based on Derivatives of Tetrafluorophenylcarbazole and Tri/Tetraphenylethylene Exhibiting Aggregation-Induced Emission Enhancement. 2018 , 122, 14827-14837	25
799	High Efficiency Fluorescent Electroluminescence with Extremely Low Efficiency Roll-Off Generated by a Donor-Bianthracene-Acceptor Structure: Utilizing Perpendicular Twisted Intramolecular Charge Transfer Excited State. 2018 , 6, 1800060	12
798	P-177: Engineering Host Materials for High Efficiency and Long Operational Lifetime in Blue Phosphorescent Organic Light-emitting Diodes. 2018 , 49, 1825-1828	
797	Optical Properties of Nanomaterials. 2018 , 291-335	3
796	Peripheral Amplification of Multi-Resonance Induced Thermally Activated Delayed Fluorescence for Highly Efficient OLEDs. 2018 , 57, 11316-11320	178
795	Optical Energy Losses in Organic-Inorganic Hybrid Perovskite Light-Emitting Diodes. 2018 , 6, 1800667	66
794	Improvement of charge balance, recombination zone confinement, and low efficiency roll-off in green phosphorescent OLEDs by altering electron transport layer thickness. 2018 , 5, 076201	19
793	Dibenzo[a, c]phenazine-Based Donor-Acceptor (DA) Tetra Branched Molecules: Fine Tuning of Optical Properties. 2018 , 3, 6953-6959	4
792	Virtual Screening of Hole Transport, Electron Transport, and Host Layers for Effective OLED Design. 2018 , 58, 2440-2449	13
791	Theoretical perspective to light outcoupling and management in perovskite light-emitting diodes. 2018 , 61, 351-358	28
790	Peripheral Amplification of Multi-Resonance Induced Thermally Activated Delayed Fluorescence for Highly Efficient OLEDs. 2018 , 130, 11486-11490	46
789	DFT/TDDFT insight into the impact of ring size of the NHC chelating unit of high effective phosphorescent Platinum (II) complexes. 2018 , 32, e4467	8
788	Ultralong-lived room temperature triplet excitons: molecular persistent room temperature phosphorescence and nonlinear optical characteristics with continuous irradiation. 2018 , 6, 11785-11794	37

787	Toward Tunable Electroluminescent Devices by Correlating Function and Submolecular Structure in 3D Crystals, 2D-Confined Monolayers, and Dimers. 2018 , 10, 22460-22473	11
786	The Importance of Excited-State Energy Alignment for Efficient Exciplex Systems Based on a Study of Phenylpyridinato Boron Derivatives. 2018 , 130, 12560-12564	17
785	Metal Halide Perovskites: From Crystal Formations to Light-Emitting-Diode Applications. 2018 , 2, 1800093	26
784	Photosensitizers with Aggregation-Induced Emission: Materials and Biomedical Applications. 2018 , 30, e1801350	388
783	Tailoring spin mixtures by ion-enhanced Maxwell magnetic coupling in color-tunable organic electroluminescent devices. 2018 , 7, 46	7
782	Boosting the Heavy Atom Effect by Cavitand Encapsulation: Room Temperature Phosphorescence of Pyrene in the Presence of Oxygen. 2018 , 122, 6578-6584	10
781	The Importance of Excited-State Energy Alignment for Efficient Exciplex Systems Based on a Study of Phenylpyridinato Boron Derivatives. 2018 , 57, 12380-12384	63
780	Strategies on Cyclometalating Ligand Substitution of Several Ir(III) Complexes: Theoretical Investigation of Different Molecular Behaviors. 2018 , 37, 2491-2499	7
779	Using phosphorescent PtAu ₃ clusters for superior solution-processable organic light emitting diodes with very small efficiency roll-off. 2018 , 6, 8966-8976	15
778	Janus-Type Dendritic Organoiridium(III) Complex Bearing Hole- and Electron-Transporting Moieties: Synthesis, Luminescence Properties, and OLED Applications. 2018 , 91, 1419-1428	4
777	Emergence of White Organic Light-Emitting Diodes Based on Thermally Activated Delayed Fluorescence. 2018 , 8, 299	28
776	Strategy Used for Controlling the Photostability of Tridentate Pt(II) Complexes To Enhance the Device Lifetimes of Blue Phosphorescent Organic Light-Emitting Diodes: The Role of the Pt-C*(NHC) Bond and Auxiliary Ligand. 2018 , 122, 16872-16878	3
775	Efficient bluish green electroluminescence of iridium complexes with good electron mobility. 2018 , 42, 13351-13357	3
774	Thermal and Nonthermal Factors Affecting the Lifetime of Blue Phosphorescent Organic Light-Emitting Diodes. 2018 , 65, 3300-3304	11
773	Quantum Chemical Design Guidelines for Absorption and Emission Color Tuning of fac-Ir(ppy) ₃ Complexes. 2018 , 23,	4
772	Organic Semiconductors ?. 2018 ,	1
771	Rational design of phosphorescent iridium(III) complexes for emission color tunability and their applications in OLEDs. 2018 , 374, 55-92	143
770	Influence of restricted rotation of small-sized substituent on phosphorescence efficiency for Pt(II) complexes: A theoretical investigation. 2018 , 61, 25-34	1

769	Fluorination-controlled Aggregation and Intermolecular Interactions in Pt(II) Complexes with Tetradentate Luminophores. 2018 , 58, 932-943	4
768	Hole mobility and conductance of iridium complex doped NPB emission layers for organic light-emitting diodes. 2018 , 244, 61-65	5
767	High-Z Sensitized Plastic Scintillators: A Review. 2018 , 30, e1706956	78
766	White OLED (WOLED) and Charge Generation Layer (CGL). 2018 , 1-22	2
765	Luminescent Lanthanide Coordination Zippers with Dense-Packed Structures for High Energy Transfer Efficiencies. 2018 , 15-33	
764	In-situ embedding of carbon dots in a trisodium citrate crystal matrix for tunable solid-state fluorescence. 2018 , 136, 359-368	44
763	Dual Emission through Thermally Activated Delayed Fluorescence and Room-Temperature Phosphorescence, and Their Thermal Enhancement via Solid-State Structural Change in a Carbazole-Quinoline Conjugate. 2018 , 9, 2733-2738	55
762	Dinuclear Cu(I) Complex with Combined Bright TADF and Phosphorescence. Zero-Field Splitting and Spin-Lattice Relaxation Effects of the Triplet State. 2018 , 9, 2848-2856	47
761	Lensfree OLEDs with over 50% external quantum efficiency via external scattering and horizontally oriented emitters. 2018 , 9, 3207	70
760	Recent Advances of Exciplex-Based White Organic Light-Emitting Diodes. 2018 , 8, 1449	28
759	Organic Light-Emitting Diodes Based on Imidazole Semiconductors. 2018 , 6, 1800258	66
758	Vacuum chamber considerations for improved organic light-emitting diode lifetime. 2018 , 8, 085025	6
757	Enhanced Electroluminescence Efficiency in Metal Halide Nanocluster Based Light Emitting Diodes through Apical Halide Exchange. 2018 , 1, 3587-3592	4
756	Extremely Efficient Transparent Flexible Organic Light-Emitting Diodes with Nanostructured Composite Electrodes. 2018 , 6, 1800831	39
755	Thermally activated delayed fluorescence processes for Cu(i) complexes in solid-state: a computational study using quantitative prediction.. 2018 , 8, 28421-28432	6
754	Meltdown! Local Heating by Decaying Excited Host Positive Polarons Triggers Aggregation Quenching in Blue PhOLEDs. 2018 , 19, 2961-2966	6
753	Purely Organic Materials with Aggregation-Induced Delayed Fluorescence for Efficient Nondoped OLEDs. 2018 , 6, 1800264	123
752	P-171: Modulation of Dibenzothiophene and Carbazole Moieties in Host Material towards High Performance Blue Phosphorescent OLEDs. 2018 , 49, 1804-1807	

751	Thermally Activated Delayed Fluorescence Host for High Performance Organic Light-Emitting Diodes. 2018 , 8, 8832	18
750	Novel spironaphthalenone-based host materials for efficient red phosphorescent and thermally activated delayed fluorescent OLEDs. 2018 , 61, 376-382	11
749	The triplet-triplet annihilation process of triplet to singlet excitons to fluorescence in polymer light-emitting diodes. 2018 , 62, 505-510	15
748	Synthesis and characterization of electroactive polymers containing carbazole and harmane groups. 2018 , 662, 82-90	
747	Assembled Lanthanide Complexes with Advanced Photophysical Properties. 2018 ,	2
746	OLEDs based on Ln(III) complexes for near-infrared emission. 2018 , 133-170	0
745	Enhanced Room-Temperature Phosphorescence through Intermolecular Halogen/Hydrogen Bonding. 2019 , 25, 714-723	85
744	Manipulating phosphorescence efficiencies of orange iridium(III) complexes through ancillary ligand control. 2019 , 160, 119-127	2
743	High-efficiency organic light-emitting diodes with exciplex hosts. 2019 , 7, 11329-11360	65
742	Difluoroboron-Enabled Thermally Activated Delayed Fluorescence. 2019 , 11, 32209-32217	30
741	The Important Role of Coordination Geometry on Photophysical Properties of Blue-Green Emitting Ruthenium(II) Diisocyanato Complexes Bearing 2-Benzoxazol-2-ylphenolate. 2019 , 58, 11372-11381	3
740	Polypyridyl ligands as a versatile platform for solid-state light-emitting devices. 2019 , 48, 5033-5139	60
739	Triazine-Acceptor-Based Green Thermally Activated Delayed Fluorescence Materials for Organic Light-Emitting Diodes. 2019 , 12,	10
738	Thermally activated delayed fluorescence molecules and their new applications aside from OLEDs. 2019 , 30, 1717-1730	37
737	Simultaneous Long-Persistent Blue Luminescence and High Quantum Yield within 2D Organic-Metal Halide Perovskite Micro/Nanosheets. 2019 , 131, 15272-15279	21
736	Simultaneous Long-Persistent Blue Luminescence and High Quantum Yield within 2D Organic-Metal Halide Perovskite Micro/Nanosheets. 2019 , 58, 15128-15135	105
735	Metal-free and purely organic phosphorescent light-emitting diodes using phosphorescence harvesting hosts and organic phosphorescent emitters. 2019 , 7, 11500-11506	15
734	Synthesis and Performance in OLEDs of Selenium-Containing Phosphorescent Emitters with Red Emission Color Deeper Than the Corresponding NTSC Standard. 2019 , 58, 10174-10183	17

733	Cyanophenylcarbazole isomers exhibiting different UV and visible light excitable room temperature phosphorescence. 2019 , 7, 9671-9677	11
732	Reduced Efficiency Roll-Off and Improved Stability of Mixed 2D/3D Perovskite Light Emitting Diodes by Balancing Charge Injection. 2019 , 29, 1904101	61
731	Molecular engineering of thermally activated delayed fluorescence emitters to concurrently achieve high performance and reduced efficiency roll-off in organic light-emitting diodes. 2019 , 7, 9966-9974	11
730	Highly efficient deep-red organic light-emitting diodes using exciplex-forming co-hosts and thermally activated delayed fluorescence sensitizers with extended lifetime. 2019 , 7, 9531-9536	8
729	Device Engineering for All-Inorganic Perovskite Light-Emitting Diodes. 2019 , 9,	20
728	Dependence of apparent emitting dipole orientation of an Ir(III) complex on doping concentration, film thickness, and excitation condition. 2019 , 74, 299-303	7
727	Triazatruxene-based thermally activated delayed fluorescence small molecules with aggregation-induced emission properties for solution-processable nondoped OLEDs with low efficiency roll-off. 2019 , 7, 9719-9725	15
726	Large Increase in External Quantum Efficiency by Dihedral Angle Tuning in a Sky-Blue Thermally Activated Delayed Fluorescence Emitter. 2019 , 7, 1900476	18
725	EL Properties and Exciton Dynamics of High-Performance Doping-Free Hybrid WOLEDs Based on 4P-NPD/Bepp2 Heterojunction as Blue Emitter. 2019 , 7, 1900703	17
724	Efficient and stable single-layer organic light-emitting diodes based on thermally activated delayed fluorescence. 2019 , 13, 765-769	80
723	Bending-Type Electron Donor-Donor-Acceptor Triad: Dual Excited-State Charge-Transfer Coupled Structural Relaxation. 2019 , 31, 5981-5992	35
722	Highly efficient phosphorescence from cyclometallated iridium(III) compounds: Improved syntheses of picolinate complexes and quantum chemical studies of their electronic structures. 2019 , 496, 119040	2
721	Unusually Fast Phosphorescence from Ir(III) Complexes via Dinuclear Molecular Design. 2019 , 10, 7015-7024	19
720	Influence of the Dielectric Constant around an Emitter on Its Delayed Fluorescence. 2019 , 12,	3
719	Green-synthesized, low-cost tetracyanodiazafuorene (TCAF) as electron injection material for organic light-emitting diodes. 2019 , 30, 1969-1973	5
718	Efficient blue organic light-emitting diodes with low operation voltage by improving the injection and transport of holes. 2019 , 97, 109383	4
717	Phenothiazine-based derivatives for optoelectronic applications: A review. 2019 , 257, 116189	32
716	Study of the white organic electroluminescent devices performance based on phosphorescent dyes FCNirPic. 2019 , 9, 604-609	

715	A generalized multi-particle drift-diffusion simulator for optoelectronic devices. 2019 ,	
714	Improving the Stability of Green Thermally Activated Delayed Fluorescence OLEDs by Reducing the Excited-State Dipole Moment. 2019 , 123, 29875-29883	14
713	High Performance Green Fluorescent Organic Electroluminescent Devices with Double Light-Emitting Layers. 2019 ,	
712	Simultaneous Achievement of High Efficiency and Long Lifetime in Deep Blue Phosphorescent Organic Light-Emitting Diodes. 2019 , 7, 1901374	31
711	Towards deep-blue phosphorescence: molecular design and property prediction of iridium complexes with pyridinylphosphinate ancillary ligand. 2019 , 33, e5167	1
710	Nanostructured colloidal quantum dots for efficient electroluminescence devices. 2019 , 36, 173-185	19
709	Assistant acceptor induced hybrid local and charge transfer blue-emissive electro-fluorescent materials based on locally excited triphenylamine-phenanthroimidazole backbone. 2019 , 75, 105404	10
708	Investigations of singlet and triplet diffusion in thermally activated delayed-fluorescence emitters: Implications for hyperfluorescence. 2019 , 100,	10
707	Inverted Singlet-Triplet Gaps and Their Relevance to Thermally Activated Delayed Fluorescence. 2019 , 10, 5674-5679	44
706	High performance solution-processed green phosphorescent organic light-emitting diodes with high current efficiency and long-term stability. 2019 , 7, 11569-11580	10
705	High-color-purity and efficient solution-processable blue phosphorescent light-emitting diodes with Pt(II) complexes featuring 3π transitions. 2019 , 3, 2448-2454	21
704	Photophysical properties of organogold(i) complexes bearing a benzothiazole-2,7-fluorenyl moiety: selection of ancillary ligand influences white light emission. 2019 , 48, 15917-15927	15
703	Oxidation State-Dependent Electronic Properties of Sulfur-Containing Thermally Activated Delayed Fluorescence Molecules. 2019 , 123, 8755-8765	5
702	Luminescent Cu(I) and Ag(I) coordination polymers: Fast phosphorescence or thermally activated delayed fluorescence. 2019 , 30, 1931-1934	9
701	Optoelectronic Properties of High Triplet π -Conjugated Poly[(biphenyl group IV-A atom (C, Si, Ge, Sn)] Backbones. 2019 , 11, 36895-36904	6
700	Synthesis of acridone-naphthylamine derivative and its thermally-activated delayed fluorescence studies for application in OLEDs. 2019 , 131, 1	3
699	Cyclometallated 1,2,3-triazol-5-ylidene iridium(III) complexes: synthesis, structure, and photoluminescence properties. 2019 , 29, 128-131	10
698	Organometallic Ir(III) Phosphors Decorated by Carbazole/Diphenylphosphoryl Units for Efficient Solution-Processable OLEDs with Low Efficiency Roll-Offs. 2019 , 58, 13807-13814	4

697	Thermally activated delayed fluorescence host materials based on triphenylphosphine oxide derivatives. 2019 , 685, 71-77		
696	Data on third order nonlinear optical properties of 2-aminopyridine barium chloride (2APBC) crystal using Z-scan technique. 2019 , 24, 100274		4
695	Novel dinuclear cyclometalated Platinum(II) complex as orange phosphorescent emitters for single-emitting-layer white polymer light-emitting diodes. 2019 , 88, 551-557		7
694	Strategies towards rational design of gold(III) complexes for high-performance organic light-emitting devices. 2019 , 13, 185-191		91
693	Polynuclear Cu(I) and Ag(I) phosphine complexes containing multi-dentate polytopic ligands: syntheses, crystal structures and photoluminescence properties. 2019 , 48, 741-750		11
692	Study of energy level alignment at weakly interacting small organic molecular thin film interfaces: The validity of classical model from inorganics. <i>Journal of Applied Physics</i> , 2019 , 125, 035301	2.5	2
691	Large current efficiency enhancement in the CsPbBr ₃ perovskite light-emitting diodes assisted by an ultrathin buffer layer. 2019 , 209, 251-257		8
690	Near-Infrared (NIR) Organic Light-Emitting Diodes (OLEDs): Challenges and Opportunities. 2019 , 29, 1807623		207
689	Solvent modulated excited state processes of push-pull molecule with hybridized local excitation and intramolecular charge transfer character. 2019 , 21, 3894-3902		26
688	Efficient Non-doped Blue Fluorescent Organic Light-Emitting Diodes Based on Anthracene-Triphenylethylene Derivatives. 2019 , 14, 1004-1012		15
687	A novel metal-free amorphous room-temperature phosphorescent polymer without conjugation. 2019 , 62, 430-433		36
686	Highly Efficient Blue Fluorescent OLEDs Based on Upper Level Triplet-Singlet Intersystem Crossing. 2019 , 31, e1807388		168
685	2-D rGO impregnated circular-tetragonal-bipyramidal structure of PPY-TiO ₂ -rGO nanocomposite as ETL for OLED and supercapacitor electrode materials. 2019 , 94, 86-96		13
684	Thermally activated delayed fluorescence and room-temperature phosphorescence in naphthyl appended carbazole-quinoline conjugates, and their mechanical regulation. 2019 , 55, 1899-1902		20
683	Triplet exciton harvesting by multi-process energy transfer in fluorescent organic light-emitting diodes. 2019 , 7, 977-985		21
682	Diazaspirocycles: novel platforms for efficient phosphorescent organic light-emitting diodes. 2019 , 7, 1370-1378		9
681	Stationary polaron properties in organic crystalline semiconductors. 2019 , 21, 2727-2733		6
680	Modulation of Amplified Spontaneous Emissions between Singlet Fluorescence and Triplet Phosphorescence Channels in Organic Dye Lasers. 2019 , 13, 1900036		8

679	Conjugated Organic Polymers for Optoelectronic Devices. 2019 , 749-788	0
678	Luminescent inorganic-organic hybrid semiconductor materials for energy-saving lighting applications. 2019 , 1, 100008	53
677	Thermally activated delayed fluorescence emitters with low concentration sensitivity for highly efficient organic light emitting devices. 2019 , 7, 8923-8928	8
676	Effects of Energy-Level Alignment on Characteristics of Inverted Organic Light-Emitting Diodes. 2019 , 11, 21749-21755	0
675	Plastic scintillators based on thermally activated delayed fluorescence dyes. 2019 , 940, 185-198	6
674	Symmetry-Based Design Strategy for Unprecedentedly Fast Decaying Thermally Activated Delayed Fluorescence (TADF). Application to Dinuclear Cu(I) Compounds. 2019 , 31, 4392-4404	37
673	The influence of molecular geometry on the efficiency of thermally activated delayed fluorescence. 2019 , 7, 6672-6684	33
672	12-1: Analysis of Key Factors Affecting the Lifetime of Blue Phosphorescent OLED Using CN Modified Blue Host Materials. 2019 , 50, 141-144	3
671	Strongly enhanced luminous efficiency of organic light emitting diodes in molecular heterojunctions. 2019 , 21, 12924-12930	4
670	Efficient Blue Phosphorescent OLEDs with Improved Stability and Color Purity through Judicious Triplet Exciton Management. 2019 , 29, 1903068	54
669	P-184: Boron Derivatives as Deep Blue Fluorescent Materials for High Efficiency and Long Lifetime. 2019 , 50, 1924-1927	1
668	P-192: Development of New Linker Moiety for TADF Materials: Elucidation of Material Properties by Substitution Position Effect. 2019 , 50, 1950-1953	
667	Can Remote N-Heterocyclic Carbenes Be Used for Designing Efficient Blue Triplet Emitters? An Answer from Quantum Chemical Investigation. 2019 , 123, 14216-14222	3
666	Impact of tunable 2-(1-indol-3-yl)acetonitrile based fluorophores towards optical, thermal and electroluminescence properties.. 2019 , 9, 14544-14557	1
665	Molecular Design of Triazole Based Thermally Activated Delayed Fluorescence Hosts for Blue Electrophosphorescence. 2019 , 19, 6791-6795	1
664	Fast Triplet Population in Iridium(III) Complexes with Less than Unity Singlet to Triplet Quantum Yield. 2019 , 123, 13846-13855	2
663	Magnetic field effects on excited states, charge transport, and electrical polarization in organic semiconductors in spin and orbital regimes. 2019 , 68, 49-121	41
662	Rational Design Strategy for the Realization of Red- to Near-Infrared-Emitting Alkynylgold(III) Complexes and Their Applications in Solution-Processable Organic Light-Emitting Devices. 2019 , 31, 6706-6714	16

661	Improving extraction efficiency of OLEDs by a luminescent polymer embedded in a colloidal crystal matrix. 2019 , 34, 115016	1
660	Highly Efficient Thermally Activated Delayed Fluorescence via J-Aggregates with Strong Intermolecular Charge Transfer. 2019 , 31, e1808242	164
659	Triplet exciton diffusion in metalorganic phosphorescent host-guest systems from first principles. 2019 , 99,	12
658	Electronic absorption and emission properties of bishydrazone [2 + 2] metallosupramolecular grid-type architectures. 2019 , 494, 223-231	11
657	Influence of the bias-dependent emission zone on exciton quenching and OLED efficiency. 2019 , 70, 219-226	15
656	Enhanced thermally activated delayed fluorescence through bridge modification in sulfone-based emitters employed in deep blue organic light-emitting diodes. 2019 , 7, 6664-6671	27
655	Thianthrene and acridan-substituted benzophenone or diphenylsulfone: Effect of triplet harvesting via TADF and phosphorescence on efficiency of all-organic OLEDs. 2019 , 70, 227-239	15
654	Calculating transition dipole moments of phosphorescent emitters for efficient organic light-emitting diodes. 2019 , 21, 9740-9746	6
653	Thioxanthen-Based Blue Thermally Activated Delayed Fluorescence Emitters for Organic Light-Emitting Diodes. 2019 , 19, 6796-6800	1
652	Theoretical investigations of the realization of sky-blue to blue TADF materials via CH/N and H/CN substitution at the diphenylsulphone acceptor. 2019 , 7, 6685-6691	4
651	The Influence of the Electronic Structure Method on Intersystem Crossing Dynamics. The Case of Thioformaldehyde. 2019 , 15, 3470-3480	19
650	Meta-substituted bipolar imidazole based emitter for efficient non-doped deep blue organic light emitting devices with a high electroluminescence. 2019 , 379, 72-78	5
649	Design of Thermally Activated Delayed Fluorescent Assistant Dopants to Suppress the Nonradiative Component in Red Fluorescent Organic Light-Emitting Diodes. 2019 , 25, 9060-9070	11
648	Molecular Orientation Effects in Organic Light-Emitting Diodes. 2019 , 102, e1900048	17
647	Fundamentals of Solar Cells and Light-Emitting Diodes. 2019 , 1-35	2
646	Mer-Ir(ppy) ₃ to Fac-Ir(ppy) ₃ Photoisomerization. 2019 , 3, 697-701	6
645	-Benzoimidazole/Oxadiazole Hybrid Universal Electron Acceptors for Highly Efficient Exciplex-Type Thermally Activated Delayed Fluorescence OLEDs. 2019 , 7, 187	3
644	Fluorescence lifetime elongation of thermally activated delayed fluorescence 4CzIPN molecules with encapsulation into zeolitic imidazole frameworks ZIF-11. 2019 , 9, 1150	3

643	Dithia[3.3]paracyclophane Core: A Versatile Platform for Triplet State Fine-Tuning and Through-Space TADF Emission. 2019 , 14, 1921-1925	23
642	Modulating the blue shift of phosphorescence with fluorine-free group in iridium (III) complexes. 2019 , 210, 479-484	3
641	Harvesting Triplet Excitons in Lead-Halide Perovskites for Room-Temperature Phosphorescence. 2019 , 31, 2597-2602	31
640	Pyrene-based aggregation-induced emission luminogens and their applications. 2019 , 3, 762-781	124
639	Naphthyridine-based thermally activated delayed fluorescence emitters for multi-color organic light-emitting diodes with low efficiency roll-off. 2019 , 7, 4673-4680	21
638	Evolution of white organic light-emitting devices: from academic research to lighting and display applications. 2019 , 3, 970-1031	45
637	Novel phosphorescent iridium(III) emitters for both vacuum-deposition and inkjet-printing of OLEDs with exceptionally high efficiency. 2019 , 7, 4178-4184	9
636	Organic polymers achieving smart room-temperature phosphorescence. 2019 , 62, 291-292	9
635	Influence of bulky substituents on the photophysical properties of homoleptic iridium(iii) complexes. 2019 , 21, 6908-6916	7
634	Understanding charge transport in Ir(ppy) ₃ :CBP OLED films. 2019 , 150, 094110	16
633	Light-Emitting Devices Based on Type-II InP/ZnO Quantum Dots. 2019 , 6, 939-946	22
632	Nano-modified indium tin oxide incorporated with ideal microlens array for light extraction of OLED. 2019 , 7, 3958-3964	18
631	Efficiency of Light Outcoupling Structures in Organic Light-Emitting Diodes: 2D TiO ₂ Array as a Model System. 2019 , 29, 1901748	15
630	Novel Ir(III) complexes ligated with 2-(2,6-difluoropyridin-3-yl)benzo[d]thiazole for highly efficient OLEDs with mild efficiency roll-off. 2019 , 166, 254-259	4
629	Boron-Doped Molecules for Optoelectronics. 2019 , 1, 77-89	85
628	Ultrathin, lightweight and flexible organic light-emitting devices with a high light outcoupling efficiency. 2019 , 69, 297-300	19
627	Novel Emission Color-Tuning Strategies in Heteroleptic Phosphorescent Ir(III) and Pt(II) Complexes. 2019 , 19, 1710-1728	12
626	Review of Molecular Engineering for Horizontal Molecular Orientation in Organic Light-Emitting Devices. 2019 , 92, 716-728	59

625	Ancillary ligand-assisted robust deep-red emission in iridium(III) complexes for solution-processable phosphorescent OLEDs. 2019 , 7, 4143-4154	14
624	Novel yellow phosphorescent iridium complexes with cyclometalated (pyridin-2-yl)dibenzothiophene-S,S-dioxide ligands for singly doped emissive layer hybrid white organic light-emitting diodes. 2019 , 91, 439-446	4
623	Strategy for achieving efficient electroluminescence with reduced efficiency roll-off: enhancement of hot excitons spin mixing and restriction of internal conversion by twisted structure regulation using an anthracene derivative. 2019 , 7, 5604-5614	8
622	New Aggregation-Induced Delayed Fluorescence Luminogens With Through-Space Charge Transfer for Efficient Non-doped OLEDs. 2019 , 7, 199	37
621	High-performance organic light-emitting diodes with low-efficiency roll-off using bulky tetradentate [Pt(O ⁺ N ⁻ C ⁺ N ⁻)] emitters. 2019 , 7, 7230-7236	9
620	Indoloindole as a new building block of a hole transport type host for stable operation in phosphorescent organic light-emitting diodes. 2019 , 7, 5988-5994	8
619	Ideal microlens array based on polystyrene microspheres for light extraction in organic light-emitting diodes. 2019 , 69, 348-353	9
618	Unraveling the Fate of Host Excitons in Host-Guest Phosphorescent Organic Light-Emitting Diodes. 2019 , 123, 10311-10318	9
617	Emergence of Flexible White Organic Light-Emitting Diodes. 2019 , 11,	30
616	Improved hole injection for blue phosphorescent organic light-emitting diodes using solution deposited tin oxide nano-particles decorated ITO anodes. 2019 , 9, 2411	16
615	Investigation of Conversion and Decay Processes in Thermally Activated Delayed Fluorescence Copper(I) Molecular Crystal: Theoretical Estimations from an ONIOM Approach Combined with the Tuned Range-Separated Density Functional Theory. 2019 , 123, 2080-2090	9
614	Design of electron blocking layer with electron stabilizing unit for improved efficiency and lifetime in blue fluorescent organic light-emitting diodes. 2019 , 74, 71-78	3
613	Enhancing Molecular Aggregations by Intermolecular Hydrogen Bonds to Develop Phosphorescent Emitters for High-Performance Near-Infrared OLEDs. 2019 , 6, 1801930	44
612	Recent Advances in OLED Optical Design. 2019 , 29, 1808803	177
611	Effect of Host Moieties on the Phosphorescent Spectrum of Green Platinum Complex. 2019 , 24,	7
610	Nonaromatic Amine Containing Exciplex for Thermally Activated Delayed Fluorescent Electroluminescence. 2019 , 7, 1801554	19
609	Organic light-emitting diodes. 2019 , 695-726	6
608	Low energy consumption phosphorescent organic light-emitting diodes using phenyl anthracenone derivatives as the host featuring bipolar and thermally activated delayed fluorescence.. 2019 , 9, 6881-6889	3

607	Metal complex based delayed fluorescence materials. 2019 , 69, 135-152	46
606	Phenanthro[9,10-d]triazole and imidazole derivatives: high triplet energy host materials for blue phosphorescent organic light emitting devices. 2019 , 6, 1179-1186	24
605	A comparative study of structural, electronic and magnetic properties of DyOCl and HoOCl lanthanide oxychlorides: first-principles predictions of DFT, DFT + U and DFT + U + SOC methods. 2019 , 6, 126129	2
604	Quantum Yield Measurement of Organometallic Complexes using Double Pump Probe Technique. 2019 ,	
603	Efficient thermally activated delayed fluorescence based on carbonitrile-substituted pyridine and carbazole. 2019 , 7, 13754-13758	2
602	The mutual noncovalent interactions based on metallophilic cluster and anions: A theoretical investigation of the molecular structure and spectroscopic properties of Host-Guest complexes. 2019 , 18, 1950028	1
601	Elucidating the effects of guest-host energy level alignment on charge transport in phosphorescent OLEDs. 2019 , 115, 263301	8
600	Triplet-triplet upconversion enhanced by spin-orbit coupling in organic light-emitting diodes. 2019 , 10, 5283	61
599	Green-emitting dendritic alkynylgold(iii) complexes with excellent film morphologies for applications in solution-processable organic light-emitting devices. 2019 , 55, 13844-13847	5
598	Oxadiazole derivatives as bipolar host materials for high-performance blue and green phosphorescent organic light-emitting diodes.. 2019 , 9, 32010-32016	2
597	Effects of intramolecular hydrogen bonding on the conformation and luminescence properties of dibenzoylpyridine-based thermally activated delayed fluorescence materials. 2019 , 7, 13104-13110	9
596	Synthesis and electrophosphorescence of sky-blue tris-cyclometalated heteroleptic iridium complexes with high color purity. 2019 , 160, 872-878	3
595	Size and Shape Effect of Gold Nanoparticles in Far-Field Surface Plasmon Resonance. 2019 , 36, 1800077	20
594	Exciton-Induced Degradation of Hole Transport Layers and Its Effect on the Efficiency and Stability of Phosphorescent Organic Light-Emitting Devices. 2019 , 7, 1800923	7
593	Monothiatruxene-Based, Solution-Processed Green, Sky-Blue, and Deep-Blue Organic Light-Emitting Diodes with Efficiencies Beyond 5% Limit. 2019 , 29, 1807572	13
592	New blue phosphorescence from trifluorosulfonyl-substituted iridium complexes. 2019 , 163, 684-691	3
591	Integration of Optical and Thermal Models for Organic Light-Emitting Diodes. 2019 , 8, 17	3
590	Active-Matrix GaN μ -LED Display Using Oxide Thin-Film Transistor Backplane and Flip Chip LED Bonding. 2019 , 5, 1800617	42

589	High-Performance Deep-Red/Near-Infrared OLEDs with Tetradentate [Pt(O ^N C ^N)] Emitters. 2019 , 7, 1801452	24
588	Polymer bearing ortho-substituted benzene with face-to-face stacked hole-electron-transport-pair as host for PhOLED. 2019 , 163, 17-29	4
587	Highly Efficient Thermally Activated Delayed Fluorescence Emitter Developed by Replacing Carbazole With 1,3,6,8-Tetramethyl-Carbazole. 2019 , 7, 17	7
586	Reduced Efficiency Roll-Off in White Phosphorescent Organic Light-Emitting Diodes Based on Double Emission Layers. 2019 , 24,	
585	Recent Developments in Tandem White Organic Light-Emitting Diodes. 2019 , 24,	13
584	Influence of the Length of the Donor-Acceptor Bridge on Thermally Activated Delayed Fluorescence. 2019 , 10, 302-308	8
583	Investigating Free Charge-Carrier Recombination in Organic LEDs Using Open-Circuit Conditions. 2019 , 7, 1801426	3
582	Organic materials for optoelectronic applications: Overview. 2019 , 3-42	3
581	Rapid Multiscale Computational Screening for OLED Host Materials. 2019 , 11, 5276-5288	9
580	Tetraphenylcyclopentadiene-Based Hyperbranched Polymers: Convenient Syntheses from One Pot $\text{A} + \text{B} \rightarrow \text{Polymer}$ Polymerization and High External Quantum Yields up to 9.74% in OLED Devices. 2019 , 52, 896-903	14
579	A high efficiency pure organic room temperature phosphorescence polymer PPV derivative for OLED. 2019 , 64, 247-251	13
578	Doping-Free White Organic Light-Emitting Diodes. 2019 , 19, 1596-1610	9
577	Not All Bis[2-(4,6-difluorophenyl)pyridyl-N,C2?]iridium(III) Picolinate (Flrpic) Isomers Are Unsuitable for Developing Long-Lifetime Blue Phosphorescent Organic Light-Emitting Diodes. 2019 , 123, 227-232	3
576	Enhanced light extraction from organic light-emitting diodes using a quasi-periodic nano-structure. 2019 , 30, 085302	2
575	Electroluminescence and contact formation of 1-(pyridin-2-yl)-3-(quinolin-2-yl)imidazo[1,5-a]quinoline thin films. 2019 , 65, 321-326	16
574	Highly Efficient Organic Blue Electroluminescent Materials and Devices with Mesoscopic Structures. 2019 , 19, 1562-1570	3
573	Photophysical and optoelectronic properties of a platinum(II) complex and its derivatives, designed as a highly efficient OLED emitter: A theoretical study. 2019 , 119, e25793	5
572	Interfaces of (Ultra)thin Polymer Films in Organic Electronics. 2019 , 6, 1800897	27

571	Delayed adjuvant hormonal therapy and its impact on mortality in women with breast cancer. 2020 , 26, 952-959	1
570	Orange-emitting supramolecular phosphorescent polymer with different counterions for polymer light-emitting diodes. 2020 , 172, 107790	4
569	Phenoxazines having various electron acceptor or donor fragments as new host materials for green phosphorescent OLEDs. 2020 , 172, 107839	2
568	Highly effective nicotinonitrile-derivatives-based thermally activated delayed fluorescence emitter with asymmetric molecular architecture for high-performance organic light-emitting diodes. 2020 , 172, 107849	5
567	Bright Deep Blue TADF OLEDs: The Role of Triphenylphosphine Oxide in NPB/TPBi:PPh3O Exciplex Emission. 2020 , 8, 0191282	3
566	Synthesis and properties of ipsilateral double substituted diphenylsulfone thermally activated delayed fluorescent materials. 2020 , 174, 108028	1
565	Recent Progress of Fiber Shaped Lighting Devices for Smart Display Applications-A Fibertronic Perspective. 2020 , 32, e1903488	44
564	An effective thermally activated delayed fluorescence host material for highly efficient blue phosphorescent organic light-emitting diodes with low doping concentration. 2020 , 388, 112178	1
563	Nonlinear optoelectronic processes in organic optoelectronic devices: Triplet-triplet annihilation and singlet fission. 2020 , 139, 100519	29
562	Dipolar and Quadrupolar Luminophores Based on 1,8-Dimethylcarbazole-Triazine Conjugates for High-Efficiency Blue Thermally Activated Delayed Fluorescence OLEDs. 2020 , 4, 82-88	7
561	Donor-spiro-acceptor architecture for green thermally activated delayed fluorescence (TADF) emitter. 2020 , 77, 105520	8
560	DAD-type bipolar host materials with room temperature phosphorescence for high-efficiency green phosphorescent organic light-emitting diodes. 2020 , 8, 1871-1878	11
559	Thermally Activated Delayed Fluorescent Donor-Acceptor-Donor-Acceptor Conjugated Macrocycle for Organic Light-Emitting Diodes. 2020 , 142, 1482-1491	63
558	A bipolar host based high triplet energy electroplex for an over 10 000 h lifetime in pure blue phosphorescent organic light-emitting diodes. 2020 , 7, 559-565	59
557	Room Temperature Phosphorescent (RTP) N-Acetylphenothiazines. 2020 , 4, 282-286	3
556	Data on in-vitro antibacterial activity and third order NLO property of 2-aminopyridine copper sulphate (2APCS). 2020 , 25, 100319	3
555	Linear-shaped thermally activated delayed fluorescence emitter using 1,5-naphthyridine as an electron acceptor for efficient light extraction. 2020 , 78, 105600	8
554	Tetradentate Platinum(II) Complexes for Highly Efficient Phosphorescent Emitters and Sky Blue OLEDs. 2020 , 32, 537-548	34

553	Isomeric Tetradentate Ligand-Containing Cyclometalated Gold(III) Complexes. 2020 , 142, 520-529	23
552	Is a High Photoluminescence Quantum Yield Good Enough for OLEDs? Can Luminescence Rigidochromism Be Manifest in the Solid State? an Optoelectronic Device Screening Case Study for Diphosphine/Pyrazolate Copper(I) Complexes. 2020 , 40, 1-24	3
551	Deep Red Iridium(III) Complexes Based on Pyrene-Substituted Quinoxaline Ligands for Solution-Processed Phosphorescent Organic Light-Emitting Diodes. 2020 , 59, 332-342	14
550	Key host parameters for long lifetimes in phosphorescent organic light-emitting diodes: bond dissociation energy in triplet excited state. 2020 , 8, 1697-1703	4
549	Phosphorescent heteroleptic iridium(III) cyclometallates: Improved syntheses of acetylacetonate complexes and quantum chemical studies of their excited state properties. 2020 , 176, 114256	1
548	Color-stable non-doped white phosphorescent organic light-emitting diodes based on ultrathin emissive layers. 2020 , 53, 055106	6
547	Dibenzofuran derivatives with meta- and para-triphenylamine substituents as hole-transporting materials in organic light-emitting devices. 2020 , 175, 108121	4
546	Self-catalytic-grown SnO nanocones for light outcoupling enhancement in organic light-emitting diodes. 2020 , 31, 135204	2
545	MoS ₂ decorated with graphene and polyaniline nanocomposite as an electron transport layer for OLED applications. 2020 , 31, 1302-1316	4
544	Human-eyes-friendly white electroluminescence from solution-processable hybrid OLEDs exploiting new iridium (III) complex containing benzoimidazophenanthridine ligand. 2020 , 174, 108068	3
543	Exciplex Emission in Light-Emitting Electrochemical Cells and Light Outcoupling Methods for More Efficient LEC Devices. 2020 , 30, 1907309	6
542	Zig-Zag Type Molecular Design Strategy of N-Type Hosts for Sky-Blue Thermally-Activated Delayed Fluorescence Organic Light-Emitting Diodes. 2020 , 26, 2429-2435	4
541	Low-Refractive Index Layers in Organic Light-Emitting Diodes via Electrospray Deposition for Enhanced Outcoupling Efficiencies. 2020 , 22, 1900897	4
540	Efficient Nondoped Pure Blue Organic Light-Emitting Diodes Based on an Anthracene and 9,9-Diphenyl-9,10-dihydroacridine Derivative. 2020 , 15, 163-168	11
539	Rational Design of π -Conjugated Tricoordinated Organoboron Derivatives With Thermally Activated Delayed Fluorescent Properties for Application in Organic Light-Emitting Diodes. 2020 , 8, 577834	1
538	6-4: Late-News Paper: Realizing Deep Blue Emission in Blue Phosphorescent Organic Light-Emitting Diodes. 2020 , 51, 65-66	
537	Magneto-Electroluminescence Studies on the Role of Intermolecular Spin-Orbital Coupling Processes for the Transition between Singlet and Triplet Excitons in Exciplex-Based Phosphorescent Organic Light-Emitting Diodes. 2020 , 8, 2000991	2
536	Recent Progress in Emerging Near-Infrared Emitting Materials for Light-Emitting Diode Applications. 2020 , 02, 253-281	8

- 535 Synthesis and characterization of new yellow emitting mixed heteroleptic Ir(III) complexes with solution-processed phosphorescent organic light-emitting diodes. **2020**, 706, 10-20 1
- 534 Designing Noble Benzimidazole-Based Bipolar Hosts for Blue Organic Light-Emitting Diodes Using Thermally Activated Delayed Fluorescence Materials. **2020**, 20, 7196-7200
- 533 Revealing Topological Influence of Phenylenediamine Unit on Physicochemical Properties of Donor-Acceptor-Donor-Acceptor Thermally Activated Delayed Fluorescent Macrocycles. **2020**, 15, 4098-4103 1
- 532 P-164: Enabling High Performance Organic Light Emitting Diode with Novel Bi-carbazole Host. **2020**, 51, 2005-2008
- 531 Efficiency enhancement in blue phosphorescent organic light emitting diode with silver nanoparticles prepared by plasma-assisted hot-filament evaporation as an external light-extraction layer. **2020**, 256, 123618 2
- 530 Fast Organic Vapor Phase Deposition of Thin Films in Light-Emitting Diodes. **2020**, 14, 14157-14163 1
- 529 Photoluminescent properties and molecular structures of dinuclear gold(I) complexes with bridged diphosphine ligands: near-unity phosphorescence from XMMCT/MC. **2020**, 49, 15204-15212 1
- 528 Superradiant emission from self-assembled light emitters: From molecules to quantum dots. **2020**, 45, 841-848 6
- 527 Sublimable cationic iridium(III) complexes for red-emitting diodes with high colour purity. **2020**, 8, 14766-14776
- 526 Electrochemical and Spectroelectrochemical Comparative Study of Macrocyclic Thermally Activated Delayed Fluorescent Compounds: Molecular Charge Stability vs OLED EQE Roll-Off. **2020**, 9, 2153-2161 3
- 525 P-181: Efficient Thermally Activated Delayed Fluorescence Sensitizer of Hyperfluorescence OLED by Adding Blocking Group. **2020**, 51, 2058-2060
- 524 P-198: Carboline-Derived Hosts with Triazine Core for High Efficiency and Long Lifetime in Deep-Blue Phosphorescent Organic Light-Emitting Diodes. **2020**, 51, 2083-2086
- 523 Thiocrown Ethers Engaged C through Charge Transfer: Experimental and Theoretical Study. **2020**, 5, 25049-25058 1
- 522 Efficient deep-blue fluorescent emitters from imidazole functionalized anthracenes for simple structure deep-blue electroluminescent devices. **2020**, 85, 105897 9
- 521 S 2p and P 2p Core Level Spectroscopy of PPT Ambipolar Material and Its Building Block Moieties. **2020**, 124, 14510-14520 1
- 520 Drift-Diffusion Study of the IQE Roll-Off in Blue Thermally Activated Delayed Fluorescence OLEDs. **2020**, 6, 2000245 4
- 519 High-Performance, Solution-Processable Thermally Activated Delayed Fluorescent Organic Light-Emitting Diodes Realized via the Adjustment of the Composition of the Organoboron Acceptor Monomer in Copolymer Host Materials. **2020**, 12, 35300-35310 11
- 518 Utilization of Multi-Heterodonors in Thermally Activated Delayed Fluorescence Molecules and Their High Performance Bluish-Green Organic Light-Emitting Diodes. **2020**, 12, 9498-9506 12

517	Modification of Luminescence from Dual-Emission Molecules by Plasmonic Surfaces. 2020 , 124, 17218-17226	
516	Achieving Submicrosecond Thermally Activated Delayed Fluorescence Lifetime and Highly Efficient Electroluminescence by Fine-Tuning of the Phenoxazine-Pyrimidine Structure. 2020 , 12, 10727-10736	22
515	Transition Metal Complexes as Photofunctional Materials From Photosensitization and Photochromism to Artificial Photosynthesis and Energy Applications. 2020 , 2-2	1
514	1.42-Fold Enhancement of Blue OLED Device Performance by Simply Changing Alkyl Groups on the Acridine Ring. 2020 , 1, 100252	10
513	Phosphorescent Tetradentate Platinum(II) Complexes Containing Fused 6/5/5 or 6/5/6 Metallocycles. 2020 , 59, 18109-18121	5
512	Fluorescence in "Nonfluorescent" Polymers. 2020 , 5, 30747-30766	11
511	Efficient deep-blue organic light-emitting diodes employing difluoroboron-enabled thermally activated delayed fluorescence emitters. 2020 , 8, 17464-17473	10
510	Advancing the a Posteriori Quest for Deep-Blue Phosphorescence: Quantifying Excitation-Induced Metal-to-Ligand Charge Transfer as a Guiding Indicator. 2020 , 39, 3951-3960	2
509	0.5-5 THz band terahertz spectroscopy of thermally activated delayed fluorescence molecules. 2020 , 476, 126339	1
508	Transformation from Nonthermally Activated Delayed Fluorescence Molecules to Thermally Activated Delayed Fluorescence Molecules. 2020 , 8, 2001025	6
507	Ultrafast Energy Transfer in Fully Conjugated Thiophene-Benzothiadiazole Capped Poly(Phenylene Ethynylene) Molecular Wires. 2020 , 124, 18920-18929	1
506	Photophysics of TADF Guest-Host Systems: Introducing the Idea of Hosting Potential. 2020 , 2, 2868-2881	25
505	Recent Development in Applications of Synthetic Phenoxazines and Their Related Congeners: A Mini-Review. 2020 , 5, 8540-8556	4
504	Theoretical Study of Phenoxaphosphine-Based Blue Organic Light-Emitting Diode Exhibiting Thermally Activated Delayed Fluorescence. 2020 , 20, 7187-7190	
503	Can attachment of tert-butyl substituents to methoxycarbazole moiety induce efficient TADF in diphenylsulfone-based blue OLED emitters?. 2020 , 86, 105894	4
502	Synthesis and Application of Siloles: From the Past to Present. 2020 , 5, 9034-9058	7
501	Mechanism evolution from normal fluorescence to thermally activated delayed fluorescence and color tuning over visible light range: Effect of intramolecular charge transfer strength. 2020 , 183, 108732	12
500	Highly Efficient Inverted Circularly Polarized Organic Light-Emitting Diodes. 2020 , 12, 39471-39478	28

499	Fast spin-flip enables efficient and stable organic electroluminescence from charge-transfer states. 2020 , 14, 636-642	154
498	Role of annealing on morphological, linear and nonlinear properties of nanoparticle of Tris [2-phenylpyridinato-C2, N] Iridium III films prepared by electron beam evaporator. 2020 , 384, 126738	1
497	Reduced Efficiency Roll-Off in Phosphorescent Organic Light-Emitting Diodes with a Double Dopant. 2020 , 20, 6679-6682	1
496	Phosphorescent π (N ⁺ C ⁺ C)-Gold(III) Complexes: Synthesis, Photophysics, Computational Studies and Application to Solution-Processable OLEDs. 2020 , 26, 17604-17612	7
495	Anthracene conjugated carboxylic acids for luminescent materials: Design, synthesis and photophysical studies. 2020 ,	
494	Tuning the Excited State of Tetradentate Pd(II) Complexes for Highly Efficient Deep-Blue Phosphorescent Materials. 2020 , 59, 13502-13516	7
493	Cu(I) Complexes of Multidentate and Carbodiphosphorane Ligands and Their Photoluminescence. 2020 , 25,	4
492	Toward See-Through Optoelectronics: Transparent Light-Emitting Diodes and Solar Cells. 2020 , 8, 2001122	16
491	Three-Dimensional Profiling of OLED by Laser Desorption Ionization-Mass Spectrometry Imaging. 2020 , 31, 2443-2451	1
490	Inter-Ligand Energy Transfer Process in an Ir-Complex with Expanding π Conjugated Ligand. 2020 , 21, 2320-2326	3
489	White hyperelectrofluorescence from solution-processable OLEDs based on phenothiazine substituted tetraphenylethylene derivatives. 2020 , 8, 13375-13388	13
488	Three- and Four-Coordinate, Boron-Based, Thermally Activated Delayed Fluorescent Emitters. 2020 , 8, 2000922	38
487	Origin of exciplex degradation in organic light emitting diodes: Thermal stress effects over glass transition temperature of emission layer. 2020 , 117, 063303	5
486	Unsymmetric Heteroleptic Ir(III) Complexes with 2-Phenylquinoline and Coumarin-Based Ligand Isomers for Tuning Character of Triplet Excited States and Achieving High Electroluminescent Efficiencies. 2020 , 59, 12362-12374	3
485	Operando direct observation of spin-states and charge-trappings of blue light-emitting-diode materials in thin-film devices. 2020 , 10, 18800	1
484	Noble phenoxaphosphine-based bipolar hosts for blue OLEDs using thermally-activated delayed fluorescence. 2020 , 707, 1-7	
483	Cu(I) and Ag(I) Complexes with a New Type of Rigid Tridentate N,P,P-Ligand for Thermally Activated Delayed Fluorescence and OLEDs with High External Quantum Efficiency. 2020 , 32, 10365-10382	23
482	Long-Lived Efficient Inverted Organic Light-Emitting Diodes Developed by Controlling Carrier Injection Barrier into Emitting Layer. 2020 , 8, 2000506	3

481	Ultralong lifetime room temperature phosphorescence and dual-band waveguide behavior of phosphoramidic acid oligomers. 2020 , 8, 7330-7335	13
480	A novel donor moiety 9,9,9,9-tetramethyl-9,9,10,10-tetrahydro-2,10-biacridine via one-pot C-H arylation for TADF emitters and their application in highly efficient solution-processable OLEDs. 2020 , 8, 8971-8979	6
479	Synthesis and photophysics of gold(i) alkynyls bearing a benzothiazole-2,7-fluorenyl moiety: a comparative study analyzing influence of ancillary ligand, bridging moiety, and number of metal centers on photophysical properties. 2020 , 22, 11915-11927	7
478	Efficiency enhancement in an inverted organic light-emitting device with a TiO ₂ electron injection layer through interfacial engineering. 2020 , 8, 8206-8212	4
477	Strategically Formulating Aggregation-Induced Emission-Active Phosphorescent Emitters by Restricting the Coordination Skeletal Deformation of Pt(II) Complexes Containing Two Independent Monodentate Ligands. 2020 , 8, 2000079	15
476	Highly efficient inkjet printed flexible organic light-emitting diodes with hybrid hole injection layer. 2020 , 85, 105822	18
475	Exciton-Exciton Annihilation in Thermally Activated Delayed Fluorescence Emitter. 2020 , 30, 2000580	18
474	Improving the optical properties of organic light-emitting diodes using random nanoscale rods with a double refractive index. 2020 , 31, 335205	1
473	Mixed single-layer and self-alignment technology of organic light-emitting diodes and multi-functional integration in organic devices. 2020 , 59, SO0802	1
472	Polymer Electronics: To Be or Not to Be?. 2020 , 5, 2000144	18
471	Highly Sensitive Triazole-based Fluorimetric/Colorimetric Dual-channel Fe ³⁺ Probe. 2020 , 9, 1081-1086	5
470	Configuration mixing upon reorganization of dihedral angle induces rapid intersystem crossing in organic photoredox catalyst. 2020 , 22, 13292-13298	2
469	Weakly Conjugated Phosphine Oxide Hosts for Efficient Blue Thermally Activated Delayed Fluorescence Organic Light-Emitting Diodes. 2020 , 12, 30591-30599	6
468	Ultra High-efficiency Integrated Mid Infrared to Visible Up-conversion System. 2020 , 10, 9325	8
467	Understanding the luminescent nature of organic radicals for efficient doublet emitters and pure-red light-emitting diodes. 2020 , 19, 1224-1229	57
466	Robust Properties Of PPY-TiO ₂ -rGO Nanocomposite As Electron Transporting Layer Material For The Application In OLED Devices. 2020 , 24, 859-868	1
465	Solid-state effect on luminescent properties of thermally activated delayed fluorescence molecule with aggregation induced emission: A theoretical perspective. 2020 , 241, 118634	6
464	Impact of Chlorine on the Internal Transition Rates and Excited States of the Thermally Delayed Activated Fluorescence Molecule 3CzClIPN. 2020 , 124, 15007-15014	1

463	High Fluorescence Rate of Thermally Activated Delayed Fluorescence Emitters for Efficient and Stable Blue OLEDs. 2020 , 12, 31706-31715	14
462	Organic light-emitting diodes with a PIN structure of only thiophene/phenylene co-oligomer derivatives. 2020 , 59, 041004	0
461	Delayed Fluorescence, Room Temperature Phosphorescence, and Mechanofluorochromic Naphthalimides: Differential Imaging of Normoxia and Hypoxia Live Cancer Cells. 2020 , 124, 5393-5406	10
460	Highly efficient solution-processed red phosphorescent organic light-emitting diodes employing an interface exciplex host. 2020 , 8, 9909-9915	9
459	Mini-LED, Micro-LED and OLED displays: present status and future perspectives. 2020 , 9, 105	258
458	Dual Mode Radiative Transition from a Phenoselenazine Derivative and Electrical Switching of the Emission Mechanism. 2020 , 11, 5591-5600	13
457	Stimuli-Responsive Aggregation-Induced Delayed Fluorescence Emitters Featuring the Asymmetric D-A Structure with a Novel Diarylketone Acceptor Toward Efficient OLEDs with Negligible Efficiency Roll-Off. 2020 , 12, 29528-29539	4
456	Device Efficiency of Organic Light-Emitting Diodes 1). 2020 , 243-285	
455	Efficient inkjet-printed blue OLED with boosted charge transport using host doping for application in pixelated display. 2020 , 101, 109755	15
454	Suppression of device degradation mechanism by triphenylsilyl group substitution of the host for blue phosphorescent organic light-emitting diodes. 2020 , 86, 144-149	4
453	Narrowband and Pure Violet Organic Emitter with a Full Width at Half Maximum of 14 nm and y Color Coordinate of Below 0.02. 2020 , 16, e1907569	36
452	Bright red phosphorescent organic electroluminescent devices with slow efficiency roll-off by utilizing iridium(III) complex as hole-type sensitizer. 2020 , 178, 108311	3
451	A negative polaron resistant p-type host for extended lifetime in deep blue phosphorescent organic light-emitting diodes. 2020 , 8, 5131-5136	3
450	Effects of Electron Affinity and Steric Hindrance of the Trifluoromethyl Group on the Bridge in Designing Blue Thermally Activated Delayed Fluorescence Emitters. 2020 , 26, 6899-6909	10
449	Aromatic Phosphonates: A Novel Group of Emitters Showing Blue Ultralong Room Temperature Phosphorescence. 2020 , 32, e2000880	58
448	New cyclic and acyclic imidazole-based sensitizers for achieving highly efficient photoanodes for dye-sensitized solar cells by a potential-assisted method. 2020 , 44, 10207-10219	6
447	Impact of molecular structure on singlet and triplet exciton diffusion in phenanthroline derivatives. 2020 , 8, 6118-6123	4
446	A comparative computational analysis on the photophysical and charge transport properties of three 5,5-bis(2,2-diphenylvinyl)-biheterocyclic compounds. 2020 , 748, 137348	1

445	Synthesis, characterisation and theoretical studies of a series of Iridium (III) heteroleptic complexes with Schiff base ligands. 2020 , 1211, 128058	8
444	Blue Single-Layer Organic Light-Emitting Diodes Using Fluorescent Materials: A Molecular Design View Point. 2020 , 30, 1910040	42
443	Role of host excimer formation in the degradation of organic light-emitting devices. 2020 , 116, 063302	3
442	Organic Light-Emitting Diodes: Pushing Toward the Limits and Beyond. 2020 , 32, e1907539	89
441	Utilization of novel phenanthreneimidazole-based ionic small molecules for blue light-emitting electrochemical cells. 2020 , 8, 4580-4587	10
440	Thermally assisted delayed fluorescence (TADF): fluorescence delayed is fluorescence denied. 2020 , 7, 1210-1217	33
439	Expanding the hole delocalization range in excited molecules for stable organic light-emitting diodes employing thermally activated delayed fluorescence. 2020 , 8, 10021-10030	3
438	Enhanced light extraction from green organic light-emitting diodes by attaching a high-haze random-bowls textured optical film. 2020 , 53, 435101	4
437	Effect of Refractive Index Contrast on Out-Coupling Efficiency of Corrugated OLEDs using Low-Refractive-Index LiF Interlayer. 2020 , 2, 2218-2223	6
436	Unveiling the Morphology Effect on the Negative Capacitance and Large Ideality Factor in Perovskite Light-Emitting Diodes. 2020 , 12, 34265-34273	22
435	Light Out-Coupling Management in Perovskite LEDs: What Can We Learn from the Past?. 2020 , 30, 2002570	26
434	Emergence of Impurity-Doped Nanocrystal Light-Emitting Diodes. 2020 , 10,	7
433	A new mechanistic study of a second generation TADF material based on the path integral approach incorporating Herzberg-Teller and Duschinsky rotation effects. 2020 , 8, 10369-10381	5
432	Improvement of electroluminescent characteristics in quantum dot light-emitting diodes using ZnInP/ZnSe/ZnS quantum dots by mixing an electron transport material into the light-emitting layer. 2020 , 10, 065228	8
431	Two-Color Pixel Patterning for High-Resolution Organic Light-Emitting Displays Using Photolithography. 2020 , 11,	2
430	Novel self-host heteroleptic green iridium dendrimers based on carbazole dendrons for solution-processable non-doped phosphorescent organic light-emitting diodes. 2020 , 106, 109976	1
429	Theoretical study of the effect on halogen-substitution and molecular torsion angle on transport properties of 1,3,6,8-tetrakisubstituted Hexabenzoperylenes and its derivatives. 2020 , 265, 116377	1
428	Unveiling the relationship between the phosphorescent quantum yield and structural modification to construct high-performance Pt(II) complex. 2020 , 512, 119861	0

427	New Cu(I) halide complexes showing TADF combined with room temperature phosphorescence: the balance tuned by halogens. 2020 , 49, 3155-3163	32
426	The design, synthesis and performance of thermally activated delayed fluorescence macromolecules. 2020 , 11, 1555-1571	30
425	Mechanism study of TADF and phosphorescence in dinuclear copper (I) molecular crystal using QM/MM combined with an optimally tuned range-separated hybrid functional. 2020 , 81, 105667	5
424	Methoxy substituents activated carbazole-based boron dimesityl TADF emitters. 2020 , 8, 4780-4788	16
423	Solvation-Dependent Excited-State Dynamics of Donor-Acceptor Molecules with Hybridized Local and Charge Transfer Character. 2020 , 124, 5574-5582	21
422	New porphyrin dendrimers with fluorenyl-based connectors: a simple way to improving the optical properties over dendrimers featuring 1,3,5-phenylene connectors. 2020 , 44, 4144-4157	10
421	Control of π -stacking in carbazole-benzimidazo[1,2-f]phenanthridines: the design of electron-transporting bipolar hosts for phosphorescent organic light-emitting diodes. 2020 , 8, 3571-3579	6
420	The influence of the Rubrene thickness on the performance of white organic light-emitting devices. 2020 , 10, 384-388	1
419	A study on the modification ofazole rings to regulate the transition dipole moment, MLCT and T1 structural distortion of 2-pyridyl-azole copper (I) complexes for high phosphorescence performance. 2020 , 81, 105664	4
418	Improved film morphology and reduced defects in solution-processed red phosphorescent emission layer of the organic light-emitting diodes. 2020 , 261, 116322	2
417	Thermally Stimulated Delayed Phosphorescence (TSDP)-Based Gold(III) Complexes of Tridentate Pyrazine-Containing Pincer Ligand with Wide Emission Color Tunability and Their Application in Organic Light-Emitting Devices. 2020 , 142, 2448-2459	27
416	Double-layer printed white organic light-emitting diodes based on multicomponent high-performance illuminants. 2020 , 5, 015008	2
415	Organic Light-Emitting Diode Employing Metal-Free Organic Phosphor. 2020 , 12, 6137-6143	16
414	Dinuclear metal complexes: multifunctional properties and applications. 2020 , 49, 765-838	72
413	Enhancing Light Outcoupling in Organic Light-Emitting Devices by Integration of Scattering Electrodes. 2020 , 217, 1900593	
412	Highly Efficient Green Solution Processable Organic Light-Emitting Diodes Based on a Phosphorescent β -(N ⁺ C ⁺ C)Gold(III)-Alkynyl Complex. 2020 , 32, 1605-1611	28
411	Low turn-on voltage of doped organic light emitting diodes based on food dyes. 2020 , 5, 100099	1
410	Impedance Characterization of Organic Light-Emitting Structures with Thermally Activated Delayed Fluorescence. 2020 , 217, 1900847	3

4 ⁰⁹	The Role of Reverse Intersystem Crossing Using a TADF-Type Acceptor Molecule on the Device Stability of Exciplex-Based Organic Light-Emitting Diodes. 2020 , 32, e1906614	63
4 ⁰⁸	Molecular Engineering of Isomeric Benzofurocarbazole Donors for Photophysical Management of Thermally Activated Delayed Fluorescence Emitters. 2020 , 26, 4816-4821	3
4 ⁰⁷	Improving the Electroluminescent Performance of Blue Light-Emitting Polymers by Side-Chain Modification. 2020 , 12, 8495-8502	5
4 ⁰⁶	Towards blue AIE/AIEE: Synthesis and Applications in OLEDs of Tetra-/Triphenylethenyl Substituted 9,9-Dimethylacridine Derivatives. 2020 , 25,	3
4 ⁰⁵	Luminescent d8 metal complexes of platinum(II) and gold(III): From photophysics to photofunctional materials and probes. 2020 , 414, 213298	53
4 ⁰⁴	Design of hole transport type host for stable operation in blue organic light-emitting diodes. 2020 , 82, 105724	1
4 ⁰³	Excited State Dynamics of Thermally Activated Delayed Fluorescence from an Excited State Intramolecular Proton Transfer System. 2020 , 11, 3305-3312	13
4 ⁰²	Killer impurities in vacuum chamber that affect the lifetime of organic light-emitting diodes. 2020 , 116, 143301	6
4 ⁰¹	Inkjet printing multilayer OLEDs with high efficiency based on the blurred interface. 2020 , 53, 355105	5
4 ⁰⁰	Tetradentate Pt(II) Phosphors: A Computational Analysis of Nonradiative Decay Rates and Luminescence Efficiency. 2020 , 124, 12039-12048	1
399	Highly efficient exciplex-based OLEDs incorporating a novel electron donor. 2020 , 4, 1648-1655	6
398	Effects of post-annealing on photoluminescence of Eu-doped ZnO microsphere for single-component white-light materials. 2020 , 209, 164607	7
397	High performances red phosphorescent organic light-emitting diodes with low operation voltage. 2020 , 84, 105779	1
396	Novel Positive Polaron Stabilizing n-Type Host for High Efficiency and Long Lifetime in Blue Phosphorescent Organic Light-Emitting Diodes. 2020 , 12, 19737-19745	12
395	Recent progress in phosphorescent Ir(III) complexes for nondoped organic light-emitting diodes. 2020 , 413, 213283	40
394	A study on the effect of a pyridine secondary acceptor on the emission properties of thermally activated delayed fluorescence emitters. 2020 , 8, 7485-7491	4
393	Nanosecond-time-scale delayed fluorescence molecule for deep-blue OLEDs with small efficiency rolloff. 2020 , 11, 1765	159
392	Aromatic-imide-based TADF material as emitter for efficient yellow and white organic light-emitting diodes. 2021 , 88, 106017	5

391	Synthesis and characterization of homoleptic triply cyclometalated iridium(III) complex containing 6-(pyridin-2-yl)isoquinoline moiety for solution-processable orange-phosphorescent organic light-emitting diodes. 2021 , 185, 108880	5
390	On the study of influence of molecular arrangements and dipole moment on exciton binding energy in solid state. 2021 , 121, e26511	1
389	Anthracene-based fluorescent emitters toward superior-efficiency nondoped TTA-OLEDs with deep blue emission and low efficiency roll-off. 2021 , 421, 127748	12
388	Accurate Efficiency Measurements of Organic Light-Emitting Diodes via Angle-Resolved Spectroscopy. 2021 , 9, 2000838	11
387	Efficient red electroluminescent devices with very low operation voltage by utilizing hole and electron transport materials as the host. 2021 , 717, 138474	4
386	2D Hybrid Halide Perovskites: Synthesis, Properties, and Applications. 2021 , 5, 2000395	7
385	Recent progress in hot exciton materials for organic light-emitting diodes. 2021 , 50, 1030-1069	118
384	Highly efficient orange phosphorescent organic light-emitting diodes with (4-(3,5-dimethylphenyl)-2-(m-tolyl)pyridine)-based iridium complex. 2021 , 186, 109006	2
383	Green-Blue Phosphorescent Iridium(III) Complexes with Near Unitary Quantum Yield. 2021 , 2021, 601-604	0
382	CN decoration of dibenzofuran modified biphenyl for high triplet energy host for blue phosphorescent organic light-emitting diodes. 2021 , 89, 106037	5
381	Universal Inverse Scaling of Exciton-Exciton Annihilation Coefficient with Exciton Lifetime. 2021 , 21, 424-429	7
380	C-band tunable Q-switched fiber laser based on Alq3 as a saturable absorber. 2021 , 2, 100036	2
379	A quantum dynamics study of the hyperfluorescence mechanism. 2021 , 9, 1362-1369	10
378	Thermally activated delayed fluorescence exciplex emitters for high-performance organic light-emitting diodes. 2021 , 8, 401-425	33
377	Molecular design tactics enhancing the negative polaron stability of a p-type host for long device lifetime by fusion of carbazole with furan.	
376	Fast Delayed Emission in New Pyridazine-Based Compounds. 2020 , 8, 572862	3
375	Highly efficient and low efficiency roll-off organic light-emitting diodes with double-exciplex forming co-hosts. 2021 , 9, 6062-6067	5
374	TADF and Hyperfluorescence. 2021 , 39-65	

373	The role of dinuclearity in promoting thermally activated delayed fluorescence (TADF) in cyclometallated, N [^] C [^] N-coordinated platinum(II) complexes. 2021 , 9, 10276-10287	3
372	Aggregation-induced emission luminogen with excellent triplet-triplet upconversion efficiency for highly efficient non-doped blue organic light-emitting diodes. 2021 ,	12
371	Lowest unoccupied molecular orbital managing function of CN-substituted dibenzofuran in high triplet energy hosts for blue thermally-activated delayed fluorescence organic light-emitting diodes.	0
370	A methyl-shield strategy enables efficient blue thermally activated delayed fluorescence hosts for high-performance fluorescent OLEDs. 2021 , 8, 2025-2031	7
369	Solution-processed light-emitting devices. 2021 , 623-647	
368	Luminescent Materials for Organic Light-Emitting Diodes. 2021 , 561-601	0
367	Simultaneous fluorescence and phosphorescence in Zn(II)zwitterionic coordination polymers with tunable colors. 2021 , 9, 4233-4239	2
366	Photophysical studies of a room temperature phosphorescent Cd(II) based MOF and its application towards ratiometric detection of Hg ²⁺ ions in water. 2021 , 23, 4160-4168	0
365	Red phosphorescent binuclear Pt(II) complexes incorporating bis(diphenylphorothioyl)amide ligands: synthesis, photophysical properties and application in solution processable OLEDs. 2021 , 9, 9505-9514 ⁰	0
364	Electromagnetic field theory interpretation on light extraction of organic light emitting diodes (OLEDs). 2021 ,	0
363	Purely organic phosphorescent organic light emitting diodes using alkyl modified phenoselenazine. 2021 , 9, 8233-8238	5
362	Study of configuration differentia and highly efficient deep-red thermally activated delayed fluorescent organic light-emitting diodes based on phenanthro[4,5-fgh]quinoxaline derivatives. 2021 , 9, 7392-7399	6
361	Photometric Station for In-Vitro Diagnostic Analysis Through the Use of Organic-Based Opto-electronic Devices and Photonic Crystals. 2021 , 183-189	
360	Toward High Efficiency Organic Light-Emitting Diodes: Role of Nanoparticles. 2021 , 9, 2001710	4
359	Phosphorescent multinuclear complexes for optoelectronics: tuning of the excited-state dynamics. 2021 , 57, 5857-5870	2
358	Quinazoline-based thermally activated delayed fluorescence emitters for high-performance organic light-emitting diodes with external quantum efficiencies about 28%. 2021 , 9, 12633-12641	0
357	Lanthanide complexes as OLED emitters. 2021 , 59, 1-91	1
356	Enhancement of the electroluminescence properties of iridium-complexes by decorating the ligand with hole-transporting carbazole dendrons. 2021 , 45, 7694-7704	1

355	Phosphorescent [3 + 2 + 1] coordinated Ir(III) cyano complexes for achieving efficient phosphors and their application in OLED devices. 2021 , 12, 10165-10178	7
354	Synthesis and luminescence properties of two cross-linkable Ir(III) complexes.	0
353	Research Progress on Aggregation-Induced Delayed Fluorescence in Materials and Devices. 2021 , 41, 3050	2
352	Improved positive polaron stability of the p-type host for long lifetime in phosphorescent organic light-emitting diodes. 2021 , 5, 7259-7266	
351	Recent progress on pure organic room temperature phosphorescent polymers. 2021 , 2, e38	17
350	Alkyl-Substituted Carbazole/Pyridine Hybrid Host Materials for Efficient Solution-Processable Blue- and Green-Emitting Phosphorescent OLEDs. 2021 , 17, 148-156	1
349	New structure host material for phosphorescent OLED devices. 2021 , 716, 69-75	1
348	The Critical Role of $n\pi^*$ States in the Photophysics and Thermally Activated Delayed Fluorescence of Spiro Acridine-Anthracenone. 2021 , 12, 1490-1500	15
347	cis-Quinacridone-Based Delayed Fluorescence Emitters: Seemingly Old but Renewed Functional Luminogens. 2021 , 60, 7643-7648	31
346	Thermal equilibration between singlet and triplet excited states in organic fluorophore for submicrosecond delayed fluorescence. 2021 , 7,	33
345	cis-Quinacridone-Based Delayed Fluorescence Emitters: Seemingly Old but Renewed Functional Luminogens. 2021 , 133, 7721-7726	9
344	Melt and solution processable novel photoluminescent polymer blends for multifaceted advanced applications. 2021 , 215, 123378	5
343	Comprehensive study on operational lifetime of organic light-emitting diodes: effects of molecular structure and energy transfer. 2021 , 60, 040902	0
342	Combined experimental and density functional theory studies on novel 9-(4/3/2-cyanophenyl)-9H-carbazole-3-carbonitrile compounds for organic electronics. 2021 , 34, e4207	
341	Decoration of 1,3,5-triazine backbone structure with dibenzofuran and triphenylsilyl blocking groups for high stability n-type host in deep blue phosphorescent organic light-emitting diodes. 2021 , 95, 260-266	2
340	Conformational Dependence of Triplet Energies in Rotationally Hindered N- and S-Heterocyclic Dimers: New Design and Measurement Rules for High Triplet Energy OLED Host Materials. 2021 , 27, 6545-6556	12
339	Direct coherent switching with decay of mixing for intersystem crossing dynamics of thioformaldehyde: The effect of decoherence. 2021 , 154, 094310	2
338	Design Rule of Assistant Dopant for High External Quantum Efficiency in Hyperfluorescence Organic Light-Emitting Diodes. 2021 , 2, 2000109	2

337	Effects of MEH-PPV Molecular Ordering in the Emitting Layer on the Luminescence Efficiency of Organic Light-Emitting Diodes. 2021 , 26,			1
336	Investigating the Effect of Ag and Au Nanostructures with Spherical and Rod Shapes on the Emission Wavelength of OLED. 2021 , 16, 1841-1848			2
335	Anomalous photoluminescence properties of emissive polymer originating from modulated chemical structures affected by antioxidant effect of natural β -carotene. 2021 , 60, 051003			
334	Over 30000 h Device Lifetime in Deep Blue Organic Light-Emitting Diodes with y Color Coordinate of 0.086 and Current Efficiency of 37.0 $\mu\text{cd}/\text{A}^2$. 2021 , 9, 2100203			15
333	Study of the Photoluminescence Characteristics of 4,4'-((1,1')-Quinoxaline-2,3-diylbis(ethene-2,1-diyl))bis(dimethylaniline). 2021 , 125, 4132-4140			0
332	Thermally activated delayed fluorescence materials based on 3, 3'-position substituted bis(phenylsulfonyl)benzene. 2021 , 188, 109210			2
331	Computational insight into newly anomalous delayed fluorescence emitters based on D-A-A structures. 2021 , 250, 119392			
330	Unraveling exciton processes in Ir(ppy):CBP OLED films upon photoexcitation. 2021 , 154, 164101			6
329	Protecting Benzylic C-H Bonds by Deuteration Doubles the Operational Lifetime of Deep-Blue Ir-Phenylimidazole Dopants in Phosphorescent OLEDs. 2021 , 9, 2100630			17
328	19-3: Lifetime Enhancement Toward Commercialization of Hyperfluorescence. 2021 , 52, 232-235			1
327	Benzofurodibenzofuran as a universal chemical platform of highly efficient sky-blue thermally activated delayed fluorescence emitters and hosts. 2021 , 411, 128550			0
326	Ancillary ligand effect with methyl and t-butyl for deep blue and high EQE blue phosphorescent organic light-emitting diodes. 2021 , 411, 128437			2
325	Redox Behavior of Chelate Complexes Based on 8-Oxyquinoline Promising in OLED Display Technology. 887, 165-171			
324	Effects of Substitution Position of Carbazole-Dibenzofuran Based High Triplet Energy Hosts to Device Stability of Blue Phosphorescent Organic Light-Emitting Diodes. 2021 , 26,			3
323	Efficient light-emitting diodes from organic radicals with doublet emission. <i>Journal of Applied Physics</i> , 2021 , 129, 180901	2.5		12
322	Key of Suppressed Triplet Nonradiative Transition-Dependent Chemical Backbone for Spatial Self-Tunable Afterglow. 2021 , 1, 945-954			7
321	Simplified and high-efficiency warm/cold phosphorescent white organic light-emitting diodes based on interfacial exciplex co-host. 2021 , 92, 106123			1
320	Carbazole/triphenylamine-cyanobenzimidazole hybrid bipolar host materials for green phosphorescent organic light-emitting diodes. 2021 , 92, 106090			6

319	Thermally-activated Delayed Fluorescence for Light-emitting Devices. 2021 , 50, 938-948	29
318	Charge Transfer as the Key Parameter Affecting the Color Purity of Thermally Activated Delayed Fluorescence Emitters. 2021 , 13, 28529-28537	9
317	Novel difluorenyl substituted 1,3,5-triazine and carbazole based bipolar host materials with high thermal stability for efficient green phosphorescent organic light-emitting diodes (PhOLEDs). 2021 , 90, 132175	2
316	P?N Bridged Cu(I) Dimers Featuring Both TADF and Phosphorescence. From Overview towards Detailed Case Study of the Excited Singlet and Triplet States. 2021 , 26,	5
315	Effect of the relationship between the energy levels of host and guest on EL performance of phosphorescence organic light-emitting diodes. 2021 , 93, 106128	2
314	Open for Bismuth: Main Group Metal-to-Ligand Charge Transfer. 2021 , 60, 10137-10146	5
313	Molecular Design of Luminescent Gold(III) Emitters as Thermally Evaporable and Solution-Processable Organic Light-Emitting Device (OLED) Materials. 2021 , 121, 7249-7279	26
312	Highly sensitive detecting system to precisely evaluate the emission spectra and quantum efficiency of organic crystal light-emitting transistors. 2021 , 46, 3296-3299	0
311	Over 800 nm Emission via Harvesting of Triplet Excitons in Exciplex Organic Light-Emitting Diodes. 2021 , 12, 6034-6040	6
310	Efficiency enhancement of green organic light-emitting diode utilizing aromatic diamine/bathocuproine multiple quantum wells. 2021 , 117, 111125	0
309	Light Absorption and Emission Properties of Organic Semiconductors. 2021 , 93-136	
308	Phthalonitrile based charge transfer type host for yellow phosphorescent organic light-emitting diodes. 2021 , 94, 106166	1
307	Nanosecond-time-scale delayed fluorescence towards fast triplet-singlet spin conversion for efficient orange-red OLEDs with negligible efficiency roll-off. 2021 , 415, 128949	16
306	Twisted Phenanthro[9,10-d]imidazole Derivatives as Non-doped Emitters for Efficient Electroluminescent Devices with Ultra-Deep Blue Emission and High Exciton Utilization Efficiency. 2021 , 16, 2328-2337	5
305	A Novel Deep Blue LE-Dominated HLCT Excited State Design Strategy and Material for OLED. 2021 , 26,	7
304	Developing Efficient Dinuclear Pt(II) Complexes Based on the Triphenylamine Core for High-Efficiency Solution-Processed OLEDs. 2021 , 13, 36020-36032	0
303	Advanced Molecular Design for Organic Light Emitting Diode Emitters Based on Horizontal Molecular Orientation and Thermally Activated Delayed Fluorescence. 2021 , 295-305	
302	Deep Blue Fluorescent Material with an Extremely High Ratio of Horizontal Orientation to Enhance Light Outcoupling Efficiency (44%) and External Quantum Efficiency in Doped and Non-Doped Organic Light-Emitting Diodes. 2021 , 13, 34605-34615	4

- 301 Stable Blue Fluorescent Organic Light-Emitting Diodes Based on an Inorganically Doped Homojunction. **2021**, 68, 3424-3428
- 300 Review of Capacitive Touchscreen Technologies: Overview, Research Trends, and Machine Learning Approaches. **2021**, 21, 3
- 299 Recent advances in organic luminescent materials with narrowband emission. **2021**, 13, 41
- 298 Electronic structure analysis of nano-lens arrays. **2021**, 56, 17674-17681
- 297 High efficiency blue organic light-emitting diodes with below-bandgap electroluminescence. **2021**, 12, 4868 13
- 296 Easily synthesized and cheap carbazole- or phenoxazine-based hosts for efficient yellow phosphorescent OLEDs. **2021**, 118, 111251 2
- 295 Organic Light-Emitting Diodes Based on Luminescent Self-Assembled Materials of Copper(I). 9
- 294 Recent Advances in Flexible Perovskite Light-Emitting Diodes. **2021**, 8, 2100441 5
- 293 A Resonantly Driven, Electroluminescent Metal Oxide Semiconductor Capacitor with High Power Efficiency. **2021**, 15, 15210-15217 1
- 292 38.1: Invited Paper: Hyperfluorescence—Excel the performance, Create the Future. **2021**, 52, 480-483
- 291 The effect of the electron-donor ability on the OLED efficiency of twisted donor-acceptor type emitters. **2021**, 95, 106187 0
- 290 Emerging light-emitting diodes for next-generation data communications. **2021**, 4, 559-572 20
- 289 Colloidal quantum dot electronics. **2021**, 4, 548-558 49
- 288 Tetradentate Platinum(II) and Palladium(II) Complexes Containing Fused 6/6/6 or 6/6/5 Metalloacycles with Azacarbazolylcarbazole-Based Ligands. **2021**, 60, 12972-12983 4
- 287 Room-temperature corrugated indium zinc oxide anode to achieve high-efficiency blue phosphorescent organic light-emitting diodes. **2021**, 96, 106237 1
- 286 Alkylated indolo[3,2,1-jk]carbazoles as new building blocks for solution processable organic electronics. **2021**, 96, 106215
- 285 Deep-Blue OLEDs Based on Organoboron-Phenazasiline-Hybrid Delayed Fluorescence Emitters Concurrently Achieving 30% External Quantum Efficiency and Small Efficiency Roll-Off. 2101282 10
- 284 Carbazole-pyridine pyrroloquinoline/benzothiadiazine 1,1-dioxide based bipolar hosts for efficient red PhOLEDs. **2021**, 96, 106217 2

283	Donor-Acceptor materials for robust electroluminescence performance based on hybridized local and charge-transfer state. 2021 , 193, 109495	3
282	Overcoming Outcoupling Limit in Perovskite Light-Emitting Diodes with Enhanced Photon Recycling. 2021 , 21, 8426-8432	2
281	Single-step-fabricated disordered metasurfaces for enhanced light extraction from LEDs. 2021 , 10, 180	8
280	Recent Advances in the Development of Blue and Deep-Blue Emitting Gold(I) and Gold(III) Molecular Systems.	1
279	Red GaPAs/GaP Nanowire-Based Flexible Light-Emitting Diodes. 2021 , 11,	1
278	Effects of asymmetric acceptor and donor positioning in deep blue pyridyl-sulfonyl based TADF emitters. 2021 , 194, 109579	4
277	Low efficiency roll-off thermally activated delayed fluorescence emitters for non-doped OLEDs: Substitution effect of thioether and sulfone groups. 2021 , 194, 109649	2
276	Effect of dendrimer surface groups on the properties of phosphorescent emissive films. 2021 , 99, 106321	1
275	Novel secondary acceptor based molecular design for superb lifetime in thermally activated delayed fluorescent organic light-emitting diodes through high bond energy and fast up-conversion. 2022 , 427, 130988	4
274	Recent Progress on Organic Semiconductor Laser Molecules. 2021 , 64, 4-9	
273	A computational scheme for evaluating the phosphorescence quantum efficiency: applied to blue-emitting tetradentate Pt(II) complexes. 2021 ,	5
272	Phosphorescent OLEDs for Power-Efficient Displays. 2021 , 1-38	
271	Design and synthesis of yellow- to red-emitting gold(III) complexes containing isomeric thienopyridine and thienoquinoline moieties and their applications in operationally stable organic light-emitting devices. 2021 ,	3
270	Highly efficient phosphorescent organic light-emitting diodes based on novel bipolar iridium complexes with easily-tuned emission colors by adjusting fluorine substitution on phenylpyridine ligands. 2021 , 9, 8329-8336	1
269	Recent advances of AIE light-up probes for photodynamic therapy. 2021 , 12, 6488-6506	58
268	Manipulating MLCT transition character with ppy-type four-coordinate organoboron skeleton for highly efficient long-wavelength Ir-based phosphors in organic light-emitting diodes. 2021 , 9, 12650-12660	3
267	Highly efficient and stable blue organic light-emitting diodes through the selective quenching of long-living triplet exciton of a thermally activated delayed fluorescence emitter. 2021 , 9, 7458-7464	3
266	Identifying lifetime as one of the key parameters responsible for the low brightness of lanthanide-based OLEDs. 2021 , 50, 12806-12813	3

265	Combinatorial donor engineering for highly efficient blue thermally activated delayed fluorescence emitters with low efficiency roll-off.	
264	Optical Properties and Photophysics of Platinum-Containing Poly(aryleneethynylene)s. 289-324	4
263	Synthesis, Optoelectronic and Theoretical Investigation of Anthraquinone AmineBased Donor-Acceptor Derivatives. 2017 , 2, 7620-7629	11
262	Organic Semiconductors. 2010 , 451-463	4
261	White-Emitting Polymers and Devices. 2010 , 37-78	1
260	Fundamentals of Organic Lasers. 2013 , 13-73	3
259	Mass Production of Large-Format Micro-/Nanostructure-Based Optical Devices. 2014 , 223-267	1
258	Introduction. 2011 , 1-32	3
257	Excitonic Processes in Organic Semiconductors and Their Applications in Organic Photovoltaic and Light Emitting Devices. 2015 , 229-251	5
256	Asymmetrically difunctionalized dibenzo[b,d]furan-based hole blocking materials for high-performance blue phosphorescent organic light-emitting diodes. 2020 , 181, 108534	1
255	Probing the effect of substituent groups in Ir(III) bis-tridentate complexes during deep-blue phosphorescent illuminating. 2020 , 84, 105803	1
254	Chapter 13:Computational Discovery of Organic LED Materials. 2018 , 423-446	2
253	Performance enhancement of single layer organic light-emitting diodes using chlorinated indium tin oxide as the anode.. 2018 , 8, 11255-11261	4
252	Revealing the mechanism of carrier transport in host-guest systems of organic materials with a modified Poisson and drift-diffusion solver. 2020 , 4,	1
251	Structural and luminescent properties of co-crystals of tetra-iodo-ethyl-ene with two aza-phenanthrenes. 2020 , 76, 438-442	1
250	Influence of deposition rate on hole transport layer morphology and its effect on the electroluminescence stability of phosphorescent organic light emitting devices. 2019 ,	1
249	ECL Polymers and Devices. 2004 , 445-522	1
248	Fundamentals of luminescence. 2006 ,	2

- 247 Enhanced light extraction from organic light-emitting diodes by reducing plasmonic loss through graded photonic super-crystals. **2020**, 37, 1283 6
- 246 Corrugated organic light-emitting diodes to effectively extract internal modes. **2019**, 27, A372-A384 15
- 245 Room temperature phosphorescence from Si-doped-CD-based composite materials with long lifetimes and high stability. **2020**, 28, 19550-19561 5
- 244 High-efficiency solution-processed WOLEDs with very high color rendering index based on a macrospirocyclic oligomer matrix host. **2018**, 8, 3208 2
- 243 High-energy Q-switched ytterbium-doped all-fiber laser with tris-(8-hydroxyquinoline) aluminum as saturable absorber. **2019**, 9, 3215 14
- 242 Novel nano- and micro-textures for highly efficient outcoupling in white organic light emitting diodes. **2012**, 2
- 241 Recent Progress on Organic Emitters for Organic Light Emitting Diode Lightings. **2016**, 27, 455-466 8
- 240 Waiting for Act 2: what lies beyond organic light-emitting diode (OLED) displays for organic electronics?. **2020**, 10, 31-40 4
- 239 Towards Highly Efficient TADF Yellow-Red OLEDs Fabricated by Solution Deposition Methods: Critical Influence of the Active Layer Morphology. **2020**, 10, 11
- 238 Structure and DFT Calculation of fac-Tris(3-methyl-2-phenylpyridine)Ir(III) Complex. **2003**, 24, 1521-1524 14
- 237 Synthesis and Structural Characterization of Main Group 15 Organometallics R₃M and R(Ph)₂P(=N-Ar)(M = P, Sb, Bi; R = phenanthrenyl; Ar = 2,6-iPr₂-C₆H₃). **2005**, 26, 1946-1952 3
- 236 Highly Efficient Red Phosphorescent OLEDs Based on Ir(III) Complexes with Fluorine-substituted Benzoylphenylpyridine Ligand. **2010**, 31, 3711-3717 11
- 235 Red-Orange Emissive Cyclometalated Neutral Iridium(III) Complexes and Hydridoiridium(III) Complex Based on 2-Phenylquinoxaline : Structure, Photophysics and Reactivity of Acetylacetone Towards Cyclometalated Iridium Dimer. **2011**, 32, 4321-4326 7
- 234 Highly Efficient Red Emissive Heteroleptic Cyclometalated Iridium(III) Complexes Bearing Two Substituted 2-Phenylquinoxaline and One 2-Pyrazinecarboxylic Acid. **2013**, 34, 167-173 7
- 233 Phosphorescence Properties of Neat Flrpic Films. **2013**, 34, 1547-1550 6
- 232 Recent Developments of ‘‘Real Practical’’ Organic Luminescent Materials. **2012**, 70, 465-472 7
- 231 Highly efficient all fluorescent white organic light-emitting devices made by sequential doping. **2013**, 62, 197204 3
- 230 Study of isolation method of green fluorescent pigments contained in cherry tomatoes using column chromatography. **2020**, 59, SCCA09 2

- 229 Highly Efficient Green Phosphorescent Organic Light-Emitting Diodes with High Electron Mobility. **2011**, 50, 01BC07 4
- 228 Surface Potential Measurement of Tris(8-hydroxyquinolino)aluminum and Bis[N-(1-naphthyl)-N-phenyl]benzidine Thin Films Fabricated on Indium Tin Oxide by Kelvin Probe Force Microscopy. **2011**, 50, 071601 4
- 227 Improved Device Performances in Phosphorescent Organic Light-Emitting Diodes by Microcavity Effects. **2012**, 51, 09MH01 6
- 226 The role of halogen bonding in metal free phosphors. **2021**, 23, 23351-23359
- 225 Multifunctional assistant acceptor modulated pyrenyl phenanthrimidazole derivatives for highly efficient blue and host-sensitized OLEDs. 3
- 224 High Performance Organic Semiconductor Devices. **2002**, 51, 87-87
- 223 ?? EL ??????????????. **2003**, 15, 173-181
- 222 Applications. **2004**, 525-614 1
- 221 Recent Progresses and Problems in Research and Development on Organic Semiconductor Lasers. **2004**, 32, 570-575
- 220 Liquid crystalline materials. **2004**,
- 219 Polymeric semiconductors. **2004**,
- 218 Fundamentals of Organic Electroluminescent Devices. **2005**, 125, 649-652
- 217 Electroluminescence materials. **2006**,
- 216 Lowering the Driving Voltage of Organic Light Emitting Diodes by Chemical Doping. **2007**, 28, 236-241
- 215 Transition Metal Acetylide Polymers Containing Main Group Elements in the Main Chain: Synthesis, Light Emission and Optoelectronic Applications. **2008**, 37-69 1
- 214 Fabrication and Characterization of High Efficiency Green PhOLEDs with [TCTA-TAZ] : Ir(ppy)₃ Double Emission Layers. **2008**, 18, 199-203 1
- 213 High Efficiency Green Phosphorescent Organic Light Emitting Devices using the Emission Layer of (TCTA/TCTA1/3TAZ2/3/TAZ) : Ir(ppy)₃. **2008**, 18, 347-351
- 212 Flexible Organic Light-Emitting Diodes for Automobiles. **2008**, 20, 869-873

- 211 High Efficiency and Simple Architecture Phosphorescent OLEDs. **2009**,
- 210 Electrical and Optical Properties of Partially Doped Blue Phosphorescent OLEOs. **2009**, 22, 512-515
- 209 OLED Materials and Device Architectures for Full-Color Displays and Solid-State Lighting. **2009**, 433-509 1
- 208 Organic Light-Emitting Diodes and Photodetectors for Optical Communication. **2009**, 511-528
- 207 Organic Light-Emitting Diodes in Chemical and Biological Sensors. **2009**, 529-550
- 206 Polymer white light-emitting diodes with a single emission layer of fluorescent polymer blend. **2010**, 59, 4240 3
- 205 Electrical and Optical Properties of Organic Light Emission Devices using Selective Doping in a Single Host. **2010**, 23, 124-127
- 204 The Potential of Polymer Photonics for Microflow Cytometry. **2010**,
- 203 Improving the Electrical and Optical Properties of Blue Polymer Light Emitting Diodes by Introducing TPBI Electron Transport Layer. **2010**, 20, 294-300
- 202 Multiperiod gratings in a high refractive index material for enhanced OLED outcoupling. **2011**,
- 201 Triplet-Emitter Doped Organic Materials. **2011**, 97-115
- 200 Organic Light-Emitting Diodes with Field-Effect Electron Transport. **2011**, 49-63
- 199 Devices Based on Diperfluorohexyl-quaterthiophene Derivatives. **2011**, 65-79
- 198 Progress of white organic light-emitting device. **2011**, 60, 087808 6
- 197 High Efficiency White Organic Light-Emitting Devices. **2011**,
- 196 Very low color-temperature Organic Light-Emitting Diodes for lighting at night. **2011**,
- 195 High-Efficiency Electrophosphorescence Red Organic Light-Emitting Diodes Using a Thin 1,3-Bis[2-(2,2'-bipyridin-6-yl)-1,3,4-oxadiazol-5-yl]benzene Cleaving Layer in an Ir-Complex-Doped Emitter Layer. **2011**, 50, 04DK19
- 194 Quantitative description of the scattering angles in electrically-driven OLEDs fabricated on periodically corrugated substrates. **2012**,

193 Active Matrix Flat Panel Displays. **2013**, 69-105

192 Functional Dyes and Pigments as the Driving Force behind Advanced Information Technology Systems for Home Appliances. **2013**, 86, 190-197

191 Introduction. **2014**, 1-8

190 Fabrication of an 3D aspherical microlens for OLED with PDMS modified using a dry etching process. **2013**, 541-544

189 Improvement of Outcoupled Light Efficiency of Organic Light-emitting Diodes with a Use of Microlens Array. **2014**, 27, 307-311

188 Enhancing Optical Out-coupling of Organic Light-Emitting Devices with Nanostructured Composite Electrodes Consisting of Indium Tin Oxide Nanomesh and Conducting Polymer. **2015**,

187 Efficient Green Phosphorescent OLEDs with Hexaazatrinaphthylene Derivatives as a Hole Injection Layer. **2015**, 26, 725-729

186 Performance Analysis of OLED with Hole Block Layer and Impact of Multiple Hole Block Layer. **2017**, 452-462

185 Estimation of Energetic and Charge Transfer Properties of Iridium(III) Bis(2-phenylpyridinato-*N,C*)acetylacetonate by Electrochemical Methods. **2017**, 8, 96-100

184 Development of AMOLED hole transport layer based on thiophene with carbazole. **2018**,

183 Functionalization of Organometallic Complexes Aimed at Solution-Processed Organic Light-Emitting Diode: Strategic Molecular Designs of Phosphorescent Dendritic Emitters. **2019**, 77, 26-39

182 Polarons, Solitons, Excitons, and Conducting Polymers. 301-401

181 Heteroleptic Cyclometalated NHC Iridium(III) complex with a bulky acetylacetonate: Photophysics of an unexplored class of compounds. **2020**, 919, 121251

180 Interlayer Triplet-Sensitized Luminescence in Layered Two-Dimensional Hybrid Metal-Halide Perovskites. 4079-4096

179 A novel benzo[4,5]furo[3,2-d]pyrimidine-based host as a n-type host for blue phosphorescent organic light-emitting diodes. 1

178 Ultrahigh Supramolecular Cascaded Room-Temperature Phosphorescence Capturing System. 2

177 Ultrahigh Supramolecular Cascaded Room-Temperature Phosphorescence Capturing System. **2021**, 60, 27171

176 Enhanced light extraction from organic light emitting diodes using a flexible polymer-nanoparticle scattering layer. **2021**, 100, 106386

175	Effects of Secondary Acceptors on Excited-State Properties of Sky-Blue Thermally Activated Delayed Fluorescence Molecules: Luminescence Mechanism and Molecular Design. 2021 , 125, 175-186		3
174	Improved OLED Outcoupling Using Alternative Emitters with Preferred Horizontal Orientation. 2020 ,		
173	Physics and Design Principles of OLED Devices. 2020 , 1-73		0
172	Investigation on electrohydrodynamic printing of conductors in display backplane circuits. 2020 , 5, 035008		
171	Parameter optimization of light outcoupling structures for high-efficiency organic light-emitting diodes. <i>Journal of Applied Physics</i> , 2020 , 128, 185501	2.5	2
170	Low-Molecular-Weight Materials: Wet Processing. 2021 , 1-16		
169	Thermally activated delayed fluorescence (TADF) organic molecules for efficient X-ray scintillation and imaging. 2021 ,		31
168	Computational Search to Find Efficient Red/Near-Infrared Emitting Organic Molecules Based on Thermally Activated Delayed Fluorescence for Organic Light-Emitting Diodes. 2100416		1
167	Organic Devices: Fabrication, Applications, and Challenges. 2022 , 51, 447		2
166	Rivers of Light Ternary Exciplex Blends for High Efficiency Solution-Processed Red Phosphorescent Organic Light Emitting Diodes. 2108128		0
165	Long-Lived Room-Temperature Phosphorescence Based on Hydrogen Bonding Self-Assembling Supramolecular Film.		0
164	Fabrication of a Solution-Processed White Light Emitting Diode Containing a Single Dimeric Copper(I) Emitter Featuring Combined TADF and Phosphorescence.. 2021 , 12,		4
163	Quantitative Correlation of Triplet Exciton Management in Host with the Device Lifetime of Blue Phosphorescent Organic Light-Emitting Diodes. 2101444		2
162	Symmetric Double Spiro Wide Energy Gap Hosts for Blue Phosphorescent OLED Devices. 2022 , 10, 2101530		1
161	Can A Double-Doped Device Modification of A Standard Bilayer OLED Improve the Photo- And/or Electro-luminescence Efficiency? A Case Study of Architecture Design in Fluorescent Devices with A Potential Roadmap for High-Efficiency Phosphorescent Devices. 1-29		
160	Cohosts with efficient host-to-emitter energy transfer for stable blue phosphorescent organic light-emitting diodes. 2021 , 9, 17412-17418		1
159	A Bipolar Delayed Fluorescence Luminogen with Fast Reverse Intersystem Crossing and High Horizontal Dipole Orientation for High-Performance Sky-Blue and White OLEDs. 2102339		1
158	Vibronic Coupling Effect on the Vibrationally Resolved Electronic Spectra and Intersystem Crossing Rates of a TADF Emitter: 7-PhQAD.. 2022 ,		6

- 157 Ultra-thick inverted green organic light-emitting diodes for high power efficiency over 300 lm/W. **2022**, 101, 106414 0
- 156 Triplet harvesting aryl carbonyl-based luminescent materials: progress and prospective. **2021**, 9, 17233-17264 2
- 155 Narrowband Deep-Blue Multi-Resonance Induced Thermally Activated Delayed Fluorescence: Insights from the Theoretical Molecular Design.. **2022**, 27, 0
- 154 Probing polaron-induced exciton quenching in TADF based organic light-emitting diodes.. **2022**, 13, 254 4
- 153 Time-Resolved X-Ray Spectroscopy to Study Luminophores with Relevance for OLEDs.
- 152 Effects of Charge Dynamics in the Emission Layer on the Operational Lifetimes of Blue Phosphorescent Organic Light-Emitting Diodes. 2108595 3
- 151 Highly efficient and stable blue thermally activated delayed fluorescent organic light-emitting diodes. **2022**, 117-191 0
- 150 Achieving Ultimate Narrowband and Ultrapure Blue Organic Light-Emitting Diodes Based on Polycyclo-Heteraborin Multi-Resonance Delayed Fluorescence Emitters. **2021**, e2107951 18
- 149 Harnessing bipolar acceptors for highly efficient exciplex-forming systems. 2
- 148 The Second Excited Triplet-State Facilitates TADF and Triplet-Triplet Annihilation Photon Upconversion via a Thermally Activated Reverse Internal Conversion. 2102275 2
- 147 Optical Simulations on the Surface Plasmon Polaritons Loss & Power Dissipation in Organic Light Emitting Diodes. **2022**, 2173, 012008 1
- 146 Excited-state modulation via alteration of the heterocyclic moiety in 9,9-dimethylfluorene-based Ir(III) phosphorescent dopants for blue PhOLEDs. 2
- 145 Highly Efficient and Stable Organic Light-Emitting Diodes with Inner Passivating Hole-Transfer Interlayers of Poly(amic acid)-Polyimide Copolymer.. **2022**, e2105851 2
- 144 Intermolecular TADF: Bulk and Interface Exciplex. 3
- 143 Ultrapure deep-blue aggregation-induced emission and thermally activated delayed fluorescence emitters for efficient OLEDs with CIEy 0.1 and low efficiency roll-offs. 1
- 142 Molecular physics of persistent room temperature phosphorescence and long-lived triplet excitons. **2022**, 9, 011304 11
- 141 Phenylpyridine and carbazole based host materials for highly efficient blue TADF OLEDs. **2022**, 102, 106450 0
- 140 Creating efficient delayed fluorescence luminogens with acridine-based spiro donors to improve horizontal dipole orientation for high-performance OLEDs. **2022**, 435, 134934 4

139	Photoluminescence and Electrochemiluminescence of Thermally Activated Delayed Fluorescence (TADF) Emitters Containing Diphenylphosphine Chalcogenide-Substituted Carbazole Donors.	3
138	Numerical Device Model for Organic Light-Emitting Diodes Based on Thermally Activated Delayed Fluorescence. 2101261	0
137	Diazine-based thermally activated delayed fluorescence chromophores. 2022 , 200, 110157	6
136	Cocrystallization tailoring radiative decay pathways for thermally activated delayed fluorescence and room-temperature phosphorescence emission.. 2022 ,	0
135	Isomeric thermally activated delayed fluorescence emitters based on a quinolino[3,2,1-de]acridine-5,9-dione multiple resonance core and carbazole substituent. 2022 , 6, 966-972	3
134	Rational design of blocking groups for high triplet energy n-type host materials.	0
133	Exciplex host coupled with a micro-cavity enabling high efficiency OLEDs with narrow emission profile. 2022 , 10, 5666-5671	
132	Recent Advances of Interface Exciplex in Organic Light-Emitting Diodes.. 2022 , 13,	1
131	Accurate and fast master equation modeling of triplet-triplet annihilation in organic phosphorescent emission layers including correlations. 2022 , 105,	
130	Cibalackrot Dendrimers for Hyperfluorescent Organic Light-Emitting Diodes.. 2022 , e2200118	0
129	Trifluoromethyl Substituted Derivatives of Pyrazoles as Materials for Photovoltaic and Electroluminescent Applications. 2022 , 12, 434	1
128	Comparison of simulated and experimental data for optimized OLEDs. 2022 , 54, 1	0
127	Enhanced Light Extraction from Organic Light-Emitting Diodes with Micro-Nano Hybrid Structure.. 2022 , 12,	2
126	Highly efficient orange and white OLEDs based on ultrathin phosphorescent emitters with double reverse intersystem crossing system. 2022 , 246, 118852	0
125	Theoretical Design of Blue-Color Phosphorescent Complexes for Organic Light-Emitting Diodes: Emission Intensities and Nonradiative Transition Rate Constants in Ir(ppy)(acac) Derivatives.. 2021 , 125, 10604-10614	
124	Discrimination of Degradation Mechanisms for Organic Light-Emitting Diodes by In Situ, Layer-Specific Spectroscopic Analysis. 2022 , 9, 82-89	0
123	Highly Efficient Candlelight Organic Light-Emitting Diode with a Very Low Color Temperature.. 2021 , 26,	2
122	Hyperfluorescence—Excel the performance, create the future.	

- 121 Improving the bending resistance of double-layer printed flexible OLEDs with PEDOT: PSS-PEO composite HIL films. **2021**, 6, 045016
- 120 Novel Deep-Blue Hot Exciton Material for High-Efficiency Nondoped Organic Light-Emitting Diode. 4
- 119 Theoretical Approach for the Luminescent Properties of Ir(III) Complexes to Produce Red-Green-Blue LEC Devices.. **2022**, 27, 0
- 118 Evidence for near-unity radiative quantum efficiency of bright excitons in carbon nanotubes from the Purcell effect. **2022**, 4,
- 117 Highly Efficient and Long-Range Charge-Transfer Complex Emission Between Two Blue Phosphorescent Emitters for White Organic Light-Emitting Diodes. 2112736 1
- 116 Preparation and performance of plastic scintillators with copper iodide complex-loaded for radiation detection. **2022**, 249, 124832 1
- 115 Data_Sheet_1.PDF. **2021**,
- 114 Table_1.DOC. **2020**,
- 113 Data_Sheet_1.doc. **2019**,
- 112 Data_Sheet_1.pdf. **2019**,
- 111 Crystallization induced room-temperature phosphorescence and chiral photoluminescence properties of phosphoramides. 0
- 110 Aggregation-induced emission luminogens for organic light-emitting diodes. **2022**, 315-372
- 109 Phosphorescent Host-Guest Complexes on the Basis of Polyhedral Oligomeric Silsesquioxane-Functionalized Metallo tweezers.. **2022**, 1
- 108 Aggregation-induced emission luminogens for organic light-emitting diodes with a single-component emitting layer. 1
- 107 Theory of exciton dynamics in thermally activated delayed fluorescence.
- 106 Promising four-coordinated organoboron emitters for organic light-emitting diodes. **2022**, 110383 2
- 105 Purely organic pyridium-based materials with thermally activated delayed fluorescence for orange-red light-emitting electrochemical cells. **2022**, 203, 110346 3
- 104 Blue Phosphorescent Organic Light-Emitting Diodes Using N-Type Semiconductor Extra Emission Layer. **2017**, 14, 1700162

103	Dibenzophenazine based TADF emitters as dual electrochromic and electroluminescence materials.. 2022 ,	0
102	Singlet and triplet to doublet energy transfer: improving organic light-emitting diodes with radicals.. 2022 , 13, 2744	3
101	Mechanism of Ir(ppy) ₃ Guest Exciton Formation with the Exciplex-Forming TCTA:TPBI Cohost within a Phosphorescent Organic Light-Emitting Diode Environment. 2022 , 23, 5940	1
100	Donor-Acceptor-Donor Hot Exciton Triads for High Reverse Intersystem Crossing in OLEDs. 2200509	0
99	Excited-state regulated electroluminescence performance from thermally-activated delayed fluorescence (TADF) to hybridized local and charge-transfer (HLCT) emission. 2022 , 110463	2
98	Understanding the performance differences between solution and vacuum deposited OLEDs: A computational approach. 2022 , 156, 214703	0
97	Theoretical studies on the photophysical property of 3DPyM-pDTC in solution and in the solid phase. 2022 , 801, 139727	
96	Luminescence of doublet molecular systems. 2022 , 467, 214616	1
95	Heavy main group element containing organometallic phosphorescent materials. 2022 , 4, 100399	0
94	Applications of Metal Complexes in Organic Light-Emitting Diodes (Oleds). 2022 , 1737-1775	
93	Progress of Backlight Devices: Emergence of Halide Perovskite Quantum Dots/Nanomaterials. 4,	0
92	Eliminating the Reverse ISC Bottleneck of TADF Through Excited State Engineering and Environment-Tuning Toward State Resonance Leading to Mono-Exponential Sub- μ s Decay. High OLED External Quantum Efficiency Confirms Efficient Exciton Harvesting. 2201772	0
91	Micro-Sphere PDMS for Enhancing Light Extraction in Organic Light-Emitting Devices. 2022 , 12, 2007	
90	Exciton harvesting of dual-emitting room temperature organic phosphors using a thermally activated delayed fluorescence sensitizer. 2022 , 108, 106581	1
89	New insights in luminescent fluorinated transition metal compounds. 2022 , 189-231	
88	Rare-earth-activated phosphors for LED applications. 2022 , 205-240	
87	Delayed Fluorescence by Triplet-Triplet Annihilation from Columnar Liquid Crystal Films.	
86	Nonbonding/Bonding Molecular Orbital Regulation of Nitrogen-Boron-Oxygen-embedded Blue/Green Multiresonant TADF Emitters with High Efficiency and Color Purity.	2

- 85 Balanced electron and hole injection and transport in OLEDs by using transparent electrodes. ○
- 84 Post-synthesis from Lewis acid-base interaction: an alternative way to generate light and harvest triplet excitons. 18, 825-836 ○
- 83 Novel Ortho -Linkage Donor-Acceptor Type Host Materials for Efficiently Red Phosphorescence Organic Light-Emitting Diodes. **2022**, 7, ○
- 82 N-heterocyclic carbene platinum-butadiyne Click/iClick complexes. Towards blue-violet phosphorescence. **2022**, 976, 122440
- 81 Theoretical studies on boron dimesityl-based thermally activated delayed fluorescence organic emitters: excited-state properties and mechanisms. **2022**, 46, 15678-15685 ○
- 80 High Performance Solution-Processed Red Phosphorescent Organic Light-Emitting Diodes by Co-Doping Europium Complex as Sensitizer.
- 79 Suppressing triplet exciton quenching by regulating the triplet energy of crosslinkable hole transport materials for efficient solution-processed TADF OLEDs. 1
- 78 Efficient Solution-Processed Red Fluorescent OLEDs Using Diluted Exciplex Host to Reduce Non-Radiative Loss of Triplet Excitons. **2022**, 9, 2200830
- 77 Near-Infrared Light-Emitting Diodes from Organic Radicals with Charge Control. 2200628 ○
- 76 Realization of room temperature electro-phosphorescence from an iridium metal based efficient novel triplet emitter. **2022**, 128, ○
- 75 Engineering the spin-exchange interaction in organic semiconductors. 2
- 74 Bipolar tetraphenylsilane-based host molecules for blue phosphorescence. **2022**, 206, 110684 ○
- 73 Synthesis and excited state modulation of organic blue light emitters based on 2,4,6-triphenyl-1,3,5-triazine and carbazole derivatives through ortho-positioned linking models. **2022**, 46, 16121-16129 ○
- 72 Effect of the dangling aromatic ring on neutral luminescent bis(phosphine) Cu(i)/Ag(i) complexes with the asymmetric pyridyl-tetrazolate ligands. **2022**, 12, 27267-27274 ○
- 71 Recent Progress in Imidazole Based Efficient near Ultraviolet/Blue Hybridized Local Charge Transfer (HLCT) Characteristics Fluorophores for Organic Light-Emitting Diodes. ○
- 70 Rational designs of structurally similar TADF and HLCT emitters with benzo- or naphtho-carbazole units as electron donors. ○
- 69 Lifetime modeling for organic light-emitting diodes: a review and analysis. 1-14 ○
- 68 Simplified Green-Emitting Single-Layer Phosphorescent Organic Light-Emitting Diodes with an External Quantum Efficiency > 22%. **2022**, 34, 8345-8355 ○

- 67 Theoretical perspective for the relationship between molecular structures and circularly polarised thermally activated delayed fluorescence properties. ○
- 66 Cyclometalated Spirobifluorene Imidazolylidene Platinum(II) Complexes with Predominant 3LC Emissive Character and High Photoluminescence Quantum Yields. **2022**, 61, 15499-15509 ○
- 65 Diphenylimidazole Based Fluorophores for Explosive Chemosensors and as Efficient Host Materials for Green Phosphorescent Organic Light Emitting Diodes. 1
- 64 Rational Molecular Design Enables Efficient Blue TADF OLEDs with Flexible Graphene Substrate. 2207324 ○
- 63 Spin-orbit coupling in organic microcavities: Lower polariton splitting, triplet polaritons, and disorder-induced dark-state relaxation. **2022**, 106, ○
- 62 Multiple resonance type thermally activated delayed fluorescence by dibenzo [1,4] azaborine derivatives. 10, ○
- 61 Transient Absorption Spectroscopy of a Carbazole-Based Room-Temperature Phosphorescent Molecule: Real-Time Monitoring of Singlet-Triplet Transitions. 9381-9389 ○
- 60 Redox photocatalysis. **2022**, ○
- 59 Advances in Solution-processed OLEDs and their Prospects for Use in Displays. 2207454 ○
- 58 32.2: Invited Paper: Next Generation OLEDs. **2022**, 53, 348-348 ○
- 57 Distinguishing the Quantum Yield and Lifetime of Carbazole-Based Room-Temperature Phosphorescence Materials: QM/MM Study. 2200342 ○
- 56 High-efficiency circularly polarized emission from liquid-crystalline platinum complexes. **2022**, 107934 ○
- 55 Dense Local Triplet States and Steric Shielding of Multi-Resonance TADF Emitter Enables High-Performance Deep Blue OLEDs. 2207416 1
- 54 Organic Phosphorescence Lasing Based on a Thermally Activated Delayed Fluorescence Emitter. 10424-10431 ○
- 53 Understanding the emission from dendrimers composed of thermally activated delayed fluorescence-based dendrons and a phosphorescent fac-tris[2-(thiophen-2-yl)-4-(phenyl)quinoline]iridium(iii) core. ○
- 52 A theoretical study on the influence of N-containing heterocyclic ligands on the luminescence mechanisms (phosphorescence or TADF) of Au (III) complexes. **2023**, 113, 106676 ○
- 51 Materials Design of Organic Lasers Aimed at Low Lasing Threshold. **2022**, 80, 1065-1074 ○
- 50 High performance solution-processed red phosphorescent organic light-emitting diodes by Co-doping europium complex as sensitizer. **2022**, 106688 ○

- 49 Degradation-induced energy level mismatch in cohost-dopant blue phosphorescent OLEDs after device operation. **2022**, 155753 ○
- 48 TCTA:Ir(ppy)₃ Green Emissive Blends in Organic Light-Emitting Transistors (OLETs). ○
- 47 Design and Development of an Unprecedented Phosphorescent Bidentate Iridium (III) Complex Exhibiting Green Electroluminescence. **2022**, 104973 ○
- 46 Probing impact of interface mixing on charge carrier dynamics of solution-processed organic light emitting diode via impedance spectroscopy. ○
- 45 Benzimidazole/carbazole-based bipolar host materials for highly efficient green phosphorescent OLEDs with negligible efficiency roll-off. **2023**, 113, 106715 ○
- 44 Theoretical study on thermally activated delayed fluorescent molecules based on space charge transfer. **2023**, 288, 122131 ○
- 43 Discovery of Novel Organic Luminescence Molecules. **2022**, 34, 423-424 ○
- 42 Anthracene-based fluorescent emitters for efficient blue organic light-emitting diodes. **2022**, 106724 ○
- 41 Numerical Analysis and Optimization of a Hybrid Layer Structure for Triplet-Triplet Fusion Mechanism in Organic Light-Emitting Diodes. 2200633 ○
- 40 In Search of Hosts for Blue OLEDs: Computational Design and Experimental Validation. ○
- 39 Effects of Energy-Level Alignment on Operating Voltages of Blue Organic Light-Emitting Diodes. 2201925 ○
- 38 Effects of Solvent Dielectric on Thermally Activated Delayed Fluorescence: A Predictive Computational Polarization Consistent Approach. ○
- 37 A Configurationally Confined Thermally Activated Delayed Fluorescent Two-Coordinate Cu(I) Complex for Efficient Blue Electroluminescence. ○
- 36 A Configurationally Confined Thermally Activated Delayed Fluorescent Two-Coordinate Cu(I) Complex for Efficient Blue Electroluminescence. ○
- 35 Aligning Extended Deficient Ligands to Afford Submicrosecond Phosphorescence Radiative Decay Time of Mononuclear Ir(III) Complexes. **2023**, 62, 810-822 ○
- 34 Phosphorescent cyclometalated platinum(II) complexes with phenyldiazine N⁺C ligands. ○
- 33 Discrimination and control of the exciton-recombination region of thermal-stressed blue organic light-emitting diodes. ○
- 32 Selective Triplet-Singlet Förster-Resonance Energy Transfer for Bright Red Afterglow Emission. 2211604 1

- 31 Multiresonant TADF Materials: Triggering the Reverse Intersystem Crossing to alleviate the Efficiency roll-off in OLEDs. ○
- 30 Stable and Efficient Hole Selective Contacts for Silicon Photovoltaics via Solution-Processed Luminescent Small Molecules. ○
- 29 OLEDs: Emerging technology trends and designs. **2023**, 307-328 ○
- 28 Gamma radiation induced variation in structure formation and optical characteristics of evaporated tris [2-phenylpyridinato-C2,N]iridium(III) films prepared by electron beam evaporator in photovoltaic applications. ○
- 27 Solution-Processed OLEDs for Printing Displays. ○
- 26 Polymer Structure-Induced Room-Temperature Phosphorescence of Carbon Dot Materials. 2200327 3
- 25 Molecular Design and Synthesis of Photofunctional Materials. **2012**, 245-286 ○
- 24 White Light-Emitting Polymers and Devices. **2012**, 424-444 ○
- 23 Doublet-emissive materials for organic light-emitting diodes: exciton formation and emission processes. ○
- 22 Modulating Narrow-Band Phosphorescence of Pt₂Au₄ Cluster Complexes by Differently Positioned Bis(acetylido)-Naphthalene Linkers. **2023**, 5, 994-1001 ○
- 21 Design and Synthesis of Asymmetric Au(III) Complexes Exhibiting Bright Anisotropic Emission for High-Performance Organic Light-Emitting Diodes. 2202519 ○
- 20 Phosphorescent organic light-emitting devices: Iridium based emitter materials [An overview]. **2023**, 483, 215100 ○
- 19 Highly efficient fluorescent organic electroluminescent diodes based on doping-free phosphorescent sensitization system. **2023**, 116, 106772 ○
- 18 Enhanced triplet-triplet fusion for high efficiency and long lifetime of multiresonant pure blue organic light emitting diodes. **2023**, 122, 452-458 ○
- 17 Improved device efficiency and lifetime of green thermally activated delayed fluorescence materials with multiple donors and cyano substitution. **2023**, 214, 111200 ○
- 16 Lifetime evaluation of thermally activated delayed fluorescence materials according to the positions of CN substituents. **2023**, 258, 119787 ○
- 15 A theoretical study of a series of iridium complexes with methyl or nitro-substituted 2-(4-fluorophenyl)pyridine ligands with the low-efficiency roll-off performance. **2023**, 820, 140465 ○
- 14 Thermally activated delayed fluorescent small molecule sensitized fluorescent polymers with reduced concentration-quenching for efficient electroluminescence. **2023**, 16, ○

- 13 Aggregation-Induced Emission in a Flexible Phosphine Oxide and its Zn(II) Complexes: A Simple Approach to Blue Luminescent Materials. **2023**, 33, 2212436 ○
- 12 Nanoengineering Triplet-Triplet Annihilation Upconversion: From Materials to Real-World Applications. **2023**, 17, 3259-3288 1
- 11 Influence of host materials on degradation of phosphorescent organic light-emitting diodes under electrical stress. **2023**, 11, 3596-3605 ○
- 10 Platinum(II) Bisocyanide Cyclometallated Complexes: Synthesis, Structure, Photophysical Properties, and Mechanochromic Behavior. **2023**, 93, 43-55 ○
- 9 Unexpected Quasi-Axial Conformer in Thermally Activated Delayed Fluorescence DMAC-TRZ, Pushing Green OLEDs to Blue. 2300910 ○
- 8 Luminescence and Palladium: The Odd Couple. **2023**, 28, 2663 ○
- 7 Host Material for Multi-Color Display with High and Stable Electro-Phosphorescent Efficiencies: Meta-Linkage for Balanced Hole and Electron Injection. 2215066 ○
- 6 Plasmon Mediated Near-Field Energy Transfer From Solid-State, Electrically Injected Excitons to Solution Phase Chromophores. ○
- 5 Anthracene derivatives with hot exciton and TTA process for high-efficiency organic light-emitting diodes. **2023**, 215, 111276 ○
- 4 Promising Candidature of OLEDs, Mini LEDs & Micro LEDs in the realm of AR/VR applications. **2022**, ○
- 3 A First-Principles Investigation of Structure-Luminescence Activity of Donor-Acceptor-Donor Organic Triad. **2023**, 127, 3330-3338 ○
- 2 Single-particle properties of topological Wannier excitons in bismuth chalcogenide nanosheets. **2023**, 13, ○
- 1 Exploring the Influence of Engineering the Linker between the Donor and Acceptor Fragments on Thermally Activated Delayed Fluorescence Characteristics. ○