

CITATION REPORT

List of articles citing

The genetics of phenylthiocarbamide perception

DOI: 10.1080/03014460151056310

Annals of Human Biology, 2001, 28, 111-42.

Source: <https://exaly.com/paper-pdf/32357051/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
233	Taste, Smell, and the Genetics of Food Preferences. 2002 , 17, 1-14		1
232	GENETIC AND ENVIRONMENTAL INFLUENCES ON CHILDHOOD OBESITY. 2002 , 4, 277-294		8
231	Influence of genetic taste sensitivity to 6-n-propylthiouracil (PROP), dietary restraint and disinhibition on body mass index in middle-aged women. 2002 , 75, 305-12		135
230	Receptors for bitter and sweet taste. 2002 , 12, 366-71		105
229	Genetic analysis of a complex trait in the Utah Genetic Reference Project: a major locus for PTC taste ability on chromosome 7q and a secondary locus on chromosome 16p. 2003 , 112, 567-72		114
228	Positional cloning of the human quantitative trait locus underlying taste sensitivity to phenylthiocarbamide. 2003 , 299, 1221-5		690
227	Genetics of individual differences in bitter taste perception: lessons from the PTC gene. 2005 , 67, 275-80		114
226	Bitter receptor gene (TAS2R38), 6-n-propylthiouracil (PROP) bitterness and alcohol intake. 2004 , 28, 1629-37		276
225	The sweet and the bitter of mammalian taste. 2004 , 14, 423-7		93
224	Brisbane Adolescent Twin Study: Outline of study methods and research projects. 2004 , 56, 65-78		183
223	Genetics of human taste perception. 2004 , 83, 448-53		117
222	The distinctiveness of ionic and nonionic bitter stimuli. 2004 , 80, 421-31		43
221	Intensity of taste and astringency sensations elicited by red wines is associated with sensitivity to PROP (6-n-propylthiouracil). 2004 , 15, 147-154		76
220	Natural selection and molecular evolution in PTC, a bitter-taste receptor gene. 2004 , 74, 637-46		264
219	Genetic Variation in Taste Sensitivity. 2004 ,		16
218	TAS2R38 (phenylthiocarbamide) haplotypes, coronary heart disease traits, and eating behavior in the British Women's Heart and Health Study. 2005 , 81, 1005-11		73
217	Human taste genetics. 2005 , 6, 217-35		123

216	Adiposity in middle-aged women is associated with genetic taste blindness to 6-n-propylthiouracil. 2005 , 13, 1017-23	88
215	The molecular basis of individual differences in phenylthiocarbamide and propylthiouracil bitterness perception. 2005 , 15, 322-7	537
214	No relationship between sequence variation in protein coding regions of the Tas1r3 gene and saccharin preference in rats. 2005 , 30, 231-40	23
213	Associations between phenylthiocarbamide gene polymorphisms and cigarette smoking. 2005 , 7, 853-8	83
212	Phenylthiocarbamide perception in patients with schizophrenia and first-degree family members. 2005 , 162, 788-90	16
211	Reviews of Physiology, Biochemistry and Pharmacology. 2005 ,	
210	Elucidation of mammalian bitter taste. 2005 , 154, 37-72	101
209	Three distinct categories of time course of pain produced by oral capsaicin. 2005 , 6, 315-22	8
208	Diverse tastes: Genetics of sweet and bitter perception. 2006 , 88, 215-26	122
207	Short-term vegetable intake by young children classified by 6-n-propylthiouracil bitter-taste phenotype. 2006 , 84, 245-51	164
206	. 2006 ,	4
205	Taste Receptors and Their Variants. 2006 , 386-411	1
204	The molecular signature of selection underlying human adaptations. 2006 , Suppl 43, 89-130	68
203	Modern psychophysics and the assessment of human oral sensation. 2006 , 63, 221-241	33
202	Heritability and genetic covariation of sensitivity to PROP, SOA, quinine HCl, and caffeine. 2006 , 31, 403-13	83
201	Nutrigenomics of taste - impact on food preferences and food production. 2007 , 60, 176-182	34
200	Phenylthiocarbamide (PTC) perception in Parkinson disease. 2007 , 20, 145-8	15
199	Perception and acceptance of selected high-intensity sweeteners and blends in model soft drinks by propylthiouracil (PROP) non-tasters and super-tasters. 2007 , 18, 531-540	39

198	Phenylthiocarbamide (PTC) perception in patients with schizophrenia and first-degree family members: relationship to clinical symptomatology and psychophysical olfactory performance. 2007 , 90, 221-8		22
197	Lack of support for the inability to taste phenylthiocarbamide as an endophenotypic marker in patients with schizophrenia and their first-degree relatives. 2007 , 95, 65-9		5
196	[Changed taste perception in patients with eating disorders]. 2007 , 35, 423-34		6
195	Refining associations between TAS2R38 diplotypes and the 6-n-propylthiouracil (PROP) taste test: findings from the Avon Longitudinal Study of Parents and Children. 2007 , 8, 51		41
194	Functional variants in TAS2R38 and TAS2R16 influence alcohol consumption in high-risk families of African-American origin. 2007 , 31, 209-15		105
193	EFFECT OF SERVING TEMPERATURE ON THE SENSORY ATTRIBUTES OF RED AND WHITE WINES. <i>Journal of Sensory Studies</i> , 2008 , 23, 398-416	2.2	28
192	Ability to taste 6-n-propylthiouracil and BMI in low-income preschool-aged children. 2008 , 16, 1522-8		44
191	Variation in the bitter-taste receptor gene TAS2R38, and adiposity in a genetically isolated population in Southern Italy. 2008 , 16, 2289-95		137
190	Thermal taste, PROP responsiveness, and perception of oral sensations. 2008 , 95, 581-90		128
189	Nutritional implications of genetic taste variation: the role of PROP sensitivity and other taste phenotypes. 2008 , 28, 367-88		220
188	Impact of genetic and environmental determinants of taste with food preferences in older adults. 2008 , 27, 267-76		25
187	Bitter taste receptor gene polymorphisms are an important factor in the development of nicotine dependence in African Americans. 2008 , 45, 578-82		59
186	Tasting Phenylthiocarbamide (PTC): A New Integrative Genetics Lab with an Old Flavor. 2008 , 70, e23-e28		7
185	Astringency: mechanisms and perception. 2008 , 48, 858-75		184
184	Genetic variation in taste and its influence on food selection. 2009 , 13, 69-80		189
183	Genetic variation in taste sensitivity to 6-n-propylthiouracil and its relationship to taste perception and food selection. 2009 , 1170, 126-39		95
182	Perspectives on population-based epidemiological studies of olfactory and taste impairment. 2009 , 1170, 514-30		54
181	Risk assessment and communication tools for genotype associations with multifactorial phenotypes: the concept of "edge effect" and cultivating an ethical bridge between omics innovations and society. 2009 , 13, 43-61		45

180	TAS2R38 genotypes and phenylthiocarbamide bitter taste perception in a population of young adults. 2009 , 2, 251-6	19
179	Genetic variation in bitter taste and plasma markers of anti-oxidant status in college women. 2009 , 60 Suppl 2, 35-45	25
178	Vegetable bitterness is related to calcium content. 2009 , 52, 498-504	22
177	Age modifies the genotype-phenotype relationship for the bitter receptor TAS2R38. 2010 , 11, 60	129
176	Effect of Liberibacter infection (huanglongbing or "greening" disease) of citrus on orange juice flavor quality by sensory evaluation. 2010 , 75, S220-30	46
175	Individual differences in prefrontal cortex activity during perception of bitter taste using fNIRS methodology. 2010 , 35, 801-12	20
174	Sensitivity to 6-n-propylthiouracil is associated with gustin (carbonic anhydrase VI) gene polymorphism, salivary zinc, and body mass index in humans. 2010 , 92, 539-45	103
173	Genetics and bitter taste responses to goitrin, a plant toxin found in vegetables. 2010 , 35, 685-92	62
172	Genetics of taste and smell: poisons and pleasures. 2010 , 94, 213-40	171
171	Study of the effects of the casein derived bitter tastant on the melanophores in milieu with the melatonin receptors. 2011 , 31, 381-6	1
170	Polymorphisms in TAS2R38 and the taste bud trophic factor, gustin gene co-operate in modulating PROP taste phenotype. 2011 , 104, 1065-71	91
169	Oral sensitivity to oleic acid is associated with fat intake and body mass index. 2011 , 30, 838-44	106
168	Validation of edible taste strips for identifying PROP taste recognition thresholds. 2011 , 121, 1177-83	12
167	Molecular biology of mammalian bitter taste receptors. A review.. 2011 , 26, 260-268	31
166	Value and pitfalls in iodine fortification and supplementation in the 21st century. 2011 , 106, 964-73	12
165	A rapid screening method for the identification of a single-nucleotide polymorphism in the carbonic anhydrase VI gene in studies of sensitivity to the bitter taste of 6-n-propylthiouracil. 2011 , 15, 721-4	1
164	Psychophysical dissection of genotype effects on human bitter perception. 2011 , 36, 161-7	42
163	Association of schizophrenia with the phenylthiocarbamide taste receptor haplotype on chromosome 7q. 2012 , 22, 286-9	4

162	Development of eating behavior: biology and context. 2012 , 33, 261-71	71
161	Genetic study of phenylthiocarbamide (PTC) taste perception among six human populations of Jammu and Kashmir (India). 2012 , 13, 161-166	11
160	Taste preferences. 2012 , 108, 383-426	21
159	Implication of the G145C polymorphism (rs713598) of the TAS2r38 gene on food consumption by Brazilian older women. 2012 , 54, e13-8	16
158	Response to bitter substances in primates: roles of diet tendency and weaning age. 2013 , 13, 916-29	7
157	Modifying bitterness in functional food systems. 2013 , 53, 464-81	53
156	Do polymorphisms in the TAS1R1 gene contribute to broader differences in human taste intensity?. 2013 , 38, 719-28	18
155	The bad taste of medicines: overview of basic research on bitter taste. 2013 , 35, 1225-46	142
154	PROP taster status interacts with the built environment to influence children's food acceptance and body weight status. 2013 , 21, 786-94	22
153	An examination of associations between the inability to taste phenylthiocarbamide (PTC) and clinical characteristics and trait markers in first-episode, nonaffective psychotic disorders. 2013 , 209, 27-31	6
152	Distribution of sensory taste thresholds for phenylthiocarbamide (PTC) taste ability in North Indian Muslim populations. 2013 , 14, 367-373	2
151	Validation of edible taste strips for assessing PROP taste perception. 2013 , 38, 529-39	18
150	Dysfunctional chemosensation in myasthenia gravis: a systematic review. 2013 , 15, 1-6	8
149	Energy intake and diet selection during buffet consumption in women classified by the 6-n-propylthiouracil bitter taste phenotype. 2013 , 98, 1583-91	40
148	Marked increase in PROP taste responsiveness following oral supplementation with selected salivary proteins or their related free amino acids. 2013 , 8, e59810	43
147	The gustin (CA6) gene polymorphism, rs2274333 (A/G), as a mechanistic link between PROP tasting and fungiform taste papilla density and maintenance. 2013 , 8, e74151	67
146	Taste genetics. 72-80	
145	Audition. 36-44	2

144	Age-related differences in bitter taste and efficacy of bitter blockers. 2014 , 9, e103107	34
143	A population-based approach to study the impact of PROP perception on food liking in populations along the Silk Road. 2014 , 9, e91716	25
142	Taste response profiles of the labellar chemosensilla of the medfly <i>Ceratitis capitata</i> (Diptera: Tephritidae). 2014 , 81, 32-42	4
141	Exploring associations between taste perception, oral anatomy and polymorphisms in the carbonic anhydrase (gustin) gene CA6. 2014 , 128, 148-54	54
140	Multiplex minisequencing screening for PTC genotype associated with bitter taste perception. 2014 , 41, 1563-7	1
139	The relationship between taste sensitivity to phenylthiocarbamide and anhedonia. 2014 , 215, 444-7	7
138	Bitter taste genetics--the relationship to tasting, liking, consumption and health. 2014 , 5, 3040-54	19
137	Differential Perception of Caffeine Bitter Taste Depending on Smoking Status. 2014 , 7, 47-55	6
136	Racial differences between African Americans and Asian Americans in the effect of 6-n-propylthiouracil taste intensity and food liking on body mass index. 2014 , 114, 938-944	9
135	Genetic sensitivity to the bitter taste of 6-n-propylthiouracil (PROP) and its association with physiological mechanisms controlling body mass index (BMI). 2014 , 6, 3363-81	76
134	Association of a novel TAS2R38 haplotype with alcohol intake among Mexican-Mestizo population. 2015 , 14, 729-734	24
133	Relationship of 6-n-propylthiouracil taste intensity and chili pepper use with body mass index, energy intake, and fat intake within an ethnically diverse population. 2015 , 115, 389-396	12
132	The population structure of Ukraine in relation to the phenylthiocarbamide sensitivity. 2015 , 16, 135-139	3
131	Variability in Human Bitter Taste Sensitivity to Chemically Diverse Compounds Can Be Accounted for by Differential TAS2R Activation. 2015 , 40, 427-35	27
130	Consumption of a high-fat soup preload leads to differences in short-term energy and fat intake between PROP non-taster and super-taster women. 2015 , 89, 196-202	13
129	Comparative analysis of goitrogenic effects of phenylthiourea and methimazole in zebrafish embryos. 2015 , 57, 10-20	18
128	Evolutionary Ethnobiology. 2015 ,	13
127	Biological and Cultural Bases of the Use of Medicinal and Food Plants. 2015 , 175-184	5

126	"A spoonful of sugar helps the medicine go down": bitter masking by sucrose among children and adults. 2015 , 40, 17-25	52
125	Taste receptors in innate immunity. 2015 , 72, 217-36	83
124	The gustin (CA6) gene polymorphism, rs2274333 (A/G), is associated with fungiform papilla density, whereas PROP bitterness is mostly due to TAS2R38 in an ethnically-mixed population. 2015 , 138, 6-12	41
123	Individual Differences Among Children in Sucrose Detection Thresholds: Relationship With Age, Gender, and Bitter Taste Genotype. 2016 , 65, 3-12	59
122	Relationship of Phenylthiocarbamide (PTC) Taster Status to Olfactory and Gustatory Function in Patients with Chemosensory Disturbances. 2016 , 41, 685-96	7
121	Growth of <i>Pseudomonas weihenstephanensis</i> , <i>Pseudomonas proteolytica</i> and <i>Pseudomonas</i> sp. in raw milk: Impact of residual heat-stable enzyme activity on stability of UHT milk during shelf-life. 2016 , 59, 20-28	57
120	Variation in the Ability to Taste Bitter Thiourea Compounds: Implications for Food Acceptance, Dietary Intake, and Obesity Risk in Children. 2016 , 36, 157-82	57
119	Human Oral Sensory Systems and Swallowing. 2016 , 1, 38-47	3
118	Morphological and electrophysiological analysis of tarsal sensilla in the medfly <i>Ceratitis capitata</i> (Wiedemann, 1824) (Diptera: Tephritidae). 2016 , 83, 456-468	12
117	Bitter taste perception and TAS2R38 genotype: effects on taste sensitivity, food consumption and anthropometry in Mexican adults. 2016 , 31, 310-318	4
116	Understanding the role of personality and alexithymia in food preferences and PROP taste perception. 2016 , 157, 72-8	27
115	A role for airway taste receptor modulation in the treatment of upper respiratory infections. 2016 , 10, 157-70	4
114	A potential sex dimorphism in the relationship between bitter taste and alcohol consumption. 2017 , 8, 1116-1123	16
113	Sensory perception of and salivary protein response to astringency as a function of the 6-n-propylthioural (PROP) bitter-taste phenotype. 2017 , 173, 163-173	23
112	First objective evaluation of taste sensitivity to 6-n-propylthiouracil (PROP), a paradigm gustatory stimulus in humans. 2017 , 7, 40353	36
111	Flavones modulate respiratory epithelial innate immunity: Anti-inflammatory effects and activation of the T2R14 receptor. 2017 , 292, 8484-8497	63
110	Bitterness Perception in Humans: An Evolutionary Perspective. 2017 , 37-50	2
109	Use of Adult Sensory Panel to Study Individual Differences in the Palatability of a Pediatric HIV Treatment Drug. 2017 , 39, 2038-2048	8

108	Genetic variation in bitter taste receptor gene TAS2R38, PROP taster status and their association with body mass index and food preferences in Indian population. 2017 , 627, 363-368	23
107	Next generation semiconductor based sequencing of bitter taste receptor genes in different pig populations and association analysis using a selective DNA pool-seq approach. 2017 , 48, 97-102	12
106	Contributory role of sex differences in the variations of gustatory function. 2017 , 95, 594-603	34
105	Flavors, Taste Preferences, and the Consumer. 2017 , 377-389	3
104	Taste Receptors Mediate Sinonasal Immunity and Respiratory Disease. 2017 , 18,	11
103	Recognition of phenylthiocarbamide (PTC) in taste test is related to blood group B phenotype, females, and risk of developing food allergy: a cross-sectional Brazilian-based study. 2018 , 52, 22-38	4
102	6-n-propylthiouracil taste disruption and TAS2R38 nontasting form in Parkinson's disease. 2018 , 33, 1331-1339	13
101	Association of the bitter taste receptor gene TAS2R38 (polymorphism RS713598) with sensory responsiveness, food preferences, biochemical parameters and body-composition markers. A cross-sectional study in Italy. 2018 , 69, 245-252	25
100	Bivariate genome-wide association analysis strengthens the role of bitter receptor clusters on chromosomes 7 and 12 in human bitter taste. 2018 , 19, 678	13
99	Individual Variation in PROP Status, Fungiform Papillae Density, and Responsiveness to Taste Stimuli in a Large Population Sample. 2018 , 43, 697-710	35
98	Taste Exam: A Brief and Validated Test. 2018 ,	5
97	Impact of bitter taste receptor phenotype upon clinical presentation in chronic rhinosinusitis. 2018 , 8, 1013-1020	6
96	Measuring Sweet and Bitter Taste in Children: Individual Variation due to Age and Taste Genetics. 2018 , 1-34	2
95	Association of TAS2R38 polymorphism with measures of adiposity in Indian population. 2018 , 18, 68-72	1
94	Associations between sweet taste function, oral complex carbohydrate sensitivity, liking and consumption of sweet and non-sweet carbohydrate milkshakes among female adults. 2019 , 122, 829-840	2
93	A Brief Review of Genetic Approaches to the Study of Food Preferences: Current Knowledge and Future Directions. 2019 , 11,	12
92	Social Media, Thin-Ideal, Body Dissatisfaction and Disordered Eating Attitudes: An Exploratory Analysis. 2019 , 16,	39
91	Emotional stability is associated with the MAOA promoter uVNTR polymorphism in women. 2019 , 9, e01376	12

90	Taste disorders are partly genetically determined: Role of the TAS2R38 gene, a pilot study. 2019 , 129, E307-E312	7
89	TAS2R38 bitter taste genotype is associated with complementary feeding behavior in infants. 2019 , 14, 13	5
88	Differences in subjective taste between Japanese and Sri Lankan students depending on food composition, nationality, and serum zinc. 2019 , 23, 60-68	
87	Taste and the Gastrointestinal tract: from physiology to potential therapeutic target for obesity. 2019 , 9, 1-9	6
86	Odor Identification Performance in Idiopathic Parkinson's Disease Is Associated With Gender and the Genetic Variability of the Olfactory Binding Protein. 2019 , 44, 311-318	17
85	TAS2R38 gene polymorphism and its association with taste perception, alcoholism and tobacco chewing among the Koraga -a primitive tribal population of Southwest coast of India. 2019 , 20, 100549	3
84	Genetic Background of Taste Perception, Taste Preferences, and Its Nutritional Implications: A Systematic Review. 2019 , 10, 1272	44
83	Investigation of the link between PROP taste perception and vegetables consumption using FAOSTAT data. 2019 , 70, 484-490	2
82	Cross-cultural differences in lingual tactile acuity, taste sensitivity phenotypical markers, and preferred oral processing behaviors. 2020 , 80, 103803	14
81	Expanding the role of bitter taste receptor in extra oral tissues: TAS2R38 is expressed in human adipocytes. 2020 , 9, 7-15	10
80	Exploring the relationships between taste phenotypes, genotypes, ethnicity, gender and taste perception using Chi-square and regression tree analysis. 2020 , 83, 103928	15
79	Consuming Reduces the Desire for High-Sugar Sweet Foods. 2020 , 12,	1
78	Palatability of Crushed Over-the-Counter Medications. 2021 , 61, 755-762	
77	Using the Integrated Genome Viewer to reveal amplicon-derived polymorphism enriched at the phenylthiocarbamide locus in the teaching lab. 2021 , 49, 361-371	
76	Determination and Analysis of the Taste Ability to Phenylthiocarbamide (PTC). 2021 , 11, 129-133	
75	Allyl Isothiocyanate: A TAS2R38 Receptor-Dependent Immune Modulator at the Interface Between Personalized Medicine and Nutrition. 2021 , 12, 669005	4
74	Association study of taste preference: Analysis in the Lithuanian population. 2021 , 9, 4310-4321	0
73	The influence of TAS2R38 bitter taste gene polymorphisms on obesity risk in three racially diverse groups.. 2021 , 11, 43-49	1

72	The Influence of Common Noncommunicable Diseases on Chemosensory Perception and Clinical Implications in Children and Adolescents. 2021 ,	1
71	Taste perception and expression in stomach of bitter taste receptor <i>tas2r38</i> in obese and lean subjects. 2021 , 166, 105595	1
70	Identification of perceptual attributes affecting preference for vegetables using item-focused and consumer-focused approaches. 2022 , 95, 104357	1
69	Combined influence of <i>TAS2R38</i> genotype and PROP phenotype on the intensity of basic tastes, astringency and pungency in the Italian taste project. 2022 , 95, 104361	2
68	Changes of Taste, Smell and Eating Behavior in Patients Undergoing Bariatric Surgery: Associations with PROP Phenotypes and Polymorphisms in the Odorant-Binding Protein <i>OBPIIa</i> and <i>CD36</i> Receptor Genes. 2021 , 13,	5
67	Block protocol for conventional profiling to sensory characterize plant protein isolates. 2020 , 83, 103927	5
66	Evolution in Health and Disease. 2007 ,	32
65	Introducing Evolutionary Thinking For Medicine. 2007 , 3-16	2
64	Global spatial patterns of infectious diseases and human evolution. 2007 , 19-30	5
63	Human genetic variation of medical significance. 2007 , 51-62	1
62	Intimate relations: Evolutionary conflicts of pregnancy and childhood. 2007 , 65-76	3
61	How hormones mediate trade-offs in human health and disease. 2007 , 77-94	10
60	Functional significance of MHC variation in mate choice, reproductive outcome, and disease risk. 2007 , 95-108	2
59	The ecology and evolution of antibiotic-resistant bacteria. 2007 , 125-138	6
58	Pathogen evolution in a vaccinated world. 2007 , 139-152	6
57	The evolution and expression of virulence. 2007 , 153-168	8
56	Evolutionary origins of diversity in human viruses. 2007 , 169-184	1
55	The population structure of pathogenic bacteria. 2007 , 185-198	3

54	Emergence of new infectious diseases. 2007 , 215-228		5
53	Evolutionary biology as a foundation for studying aging and aging-related disease. 2007 , 241-252		3
52	Evolution, developmental plasticity, and metabolic disease. 2007 , 253-264		4
51	Lifestyle, diet, and disease: comparative perspectives on the determinants of chronic health risks. 2007 , 265-276		4
50	Phenylthiocarbamide: a 75-year adventure in genetics and natural selection. 2006 , 172, 2015-23		59
49	Progress in Human Bitter Phenylthiocarbamide Genetics. 2004 ,		2
48	Assessment of Different Methods for 6-n-Propylthiouracil Status Classification. 2004 ,		5
47	Taste as the Gatekeeper of Personalized Nutrition. 2007 , 115-132		1
46	Responsiveness to 6-n-propylthiouracil (PROP) is associated with salivary levels of two specific basic proline-rich proteins in humans. 2012 , 7, e30962		74
45	Processing information about flavour. 2006 , 36-61		5
44	Genetics of taste receptors. 2014 , 20, 2669-83		105
43	The Relationship between Single Nucleotide Polymorphisms of the Carbonic Anhydrase 6 Gene and Phenylthiocarbamide Taste Sensitivity, Taste Disorder. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2012 , 55, 155	0.2	1
42	Genome-based nutrition: an intervention strategy for the prevention and treatment of obesity and nonalcoholic steatohepatitis. 2015 , 21, 3449-61		24
41	Evolution of phenylthiocarbamide taster trait in Mysore, South India. 2007 , 13, 16-20		3
40	Role of phenylthiocarbamide as a genetic marker in predicting the predisposition of disease traits in humans. 2012 , 3, 43-7		6
39	How bitter taste influences nutrition and health in primary care. 2020 , 9, 3205-3208		2
38	Genetic Factor of Bitter Taste Perception in Humans.. 2008 , 18, 1011-1014		1
37	A model system for identifying genes underlying complex traits. 2003 , 68, 365-71		

- 36 Contemporary Measurement of Human Gustatory Function. **2003**,
- 35 6-n-Propylthiouracil as a Genetic Taste Marker for Fat Intake, Obesity, and Chronic Disease Risk. **2004**,
- 34 Genetic Basis for 6-n-Propylthiouracil Taster and Supertaster Status Determined Across Cultures. **2004**, 1
- 33 Phenylthiocarbamide Tasting (PTC).
- 32 The evolutionary context of human aging and degenerative disease. **2007**, 301-312
- 31 Health consequences of ecogenetic variation. **2007**, 43-50 0
- 30 Cancer as a microevolutionary process. **2007**, 289-300
- 29 Evolution of parasites. **2007**, 229-238 2
- 28 Perspectives on human health and disease from evolutionary and behavioral ecology. **2007**, 109-122
- 27 Medically relevant variation in the human genome. **2007**, 31-42
- 26 Cancer: evolutionary origins of vulnerability. **2007**, 277-288
- 25 Whole-genome analysis of pathogen evolution. **2007**, 199-214
- 24 Taste Thresholds of Phenylthiocarbamide and 6-n-Propylthiouracil and their Correlation with TAS2R38 Genotype. *Korean Journal of Otorhinolaryngology-Head and Neck Surgery*, **2010**, 53, 547 0.2
- 23 Physiology of the Oral Cavity. **2010**, 1200-1214
- 22 Does Taste Perception Effect Body Mass Index in Preschool Children?. *Journal of Clinical and Diagnostic Research JCDR*, **2015**, 9, ZC01-4 0 1
- 21 Bivariate genome-wide association analysis strengthens the role of bitter receptor clusters on chromosomes 7 and 12 in human bitter taste.
- 20 Bitter Taste. **2020**, 231-246
- 19 Genetic Basis of Olfactory Deficits. **2006**, 101-113

18	Prevalence and Genetic Analysis of Bitter Taste Perception for Phenylthiocarbamide (PTC) Among Some Muslim Populations of Uttar Pradesh, India. <i>Iranian Journal of Public Health</i> , 2014 , 43, 441-52	0.7	2
17	[Taste signal transduction and the role of taste receptors in the regulation of microbial infection]. <i>Hua Xi Kou Qiang Yi Xue Za Zhi = Huaxi Kouqiang Yixue Zazhi = West China Journal of Stomatology</i> , 2017 , 35, 549-554		
16	HSP90 function is required for T2R bitter taste receptor nitric oxide production and innate immune responses in human airway epithelial cells and macrophages.		0
15	Role of the TAS2R38 Bitter Taste Receptor Gene Single Nucleotide Polymorphism in Patients With Taste Disorders. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2021 , 64, 800-805	0.2	
14	Characterization of sensory perceptions elicited by white wine spiked with different aroma, taste and mouth-feel active molecules. <i>Ciencia E Tecnica Vitivinicola</i> , 2021 , 36, 139-150	1	1
13	Comparison of Chinese and American subjects on the self-administered Waterless Empirical Taste Test. <i>Journal of Sensory Studies</i> ,	2.2	
12	Table_1.docx. 2019 ,		
11	Table_2.docx. 2019 ,		
10	Table_3.docx. 2019 ,		
9	HSP90 Modulates T2R Bitter Taste Receptor Nitric Oxide Production and Innate Immune Responses in Human Airway Epithelial Cells and Macrophages.. <i>Cells</i> , 2022 , 11,	7.9	0
8	Chemosensory Contributions of E-Cigarette Additives on Nicotine Use. <i>Frontiers in Neuroscience</i> , 16,	5.1	0
7	Preface to the Second Edition. 2007 , v-vi		
6	Copyright Page. 2007 , iv-iv		
5	Contributors. 2007 , xix-xxii		
4	Bitter taste receptor-stimulated nitric oxide innate immune responses are reduced by loss of CFTR function in nasal epithelial cells and macrophages.		0
3	Emotional responses to taste and smell stimuli: Self-reports, physiological measures, and a potential role for individual and genetic factors.		0
2	Variations in the TAS2R38 gene among college students in Hubei. 2022 , 159,		0
1	Loss of CFTR function is associated with reduced bitter taste receptor-stimulated nitric oxide innate immune responses in nasal epithelial cells and macrophages. 14,		0

