

Effect of dorzolamide timolol combination versus timolol patients with primary open-angle glaucoma

American Journal of Ophthalmology

132, 490-495

DOI: [10.1016/s0002-9394\(01\)01158-8](https://doi.org/10.1016/s0002-9394(01)01158-8)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Does glaucoma medication influence the diameter of the retinal arteriole in the human eye?. Acta Physiologica Hungarica, 2001, 88, 281-292.	0.9	10
2	The effects of antiglaucoma and systemic medications on ocular blood flow. Progress in Retinal and Eye Research, 2003, 22, 769-805.	7.3	138
3	A Six-Week, Parallel, Randomized, Double-Blind Study Comparing the Efficacy and Safety of the 0.5% Timolol/2.0% MK-507 Combination B.I.D. to the Concomitant Administration of 0.5% Timolol B.I.D. and 2.0% MK-507 B.I.D.. Journal of Ocular Pharmacology and Therapeutics, 2003, 19, 417-423.	0.6	1
6	Ocular Blood Flow and Systemic Blood Pressure in Patients with Primary Open-Angle Glaucoma and Ocular Hypertension. , 2004, 45, 834.		226
7	Patient and Ophthalmologist Attitudes Concerning Compliance and Dosing in Glaucoma Treatment. Journal of Ocular Pharmacology and Therapeutics, 2004, 20, 461-469.	0.6	52
8	A comparison of the effects of dorzolamide/timolol fixed combination versus latanoprost on intraocular pressure and pulsatile ocular blood flow in primary open-angle glaucoma patients. Acta Ophthalmologica, 2004, 82, 730-737.	0.4	44
9	Assessment of retinal hemodynamics with the Canon laser blood flowmeter after a single dose of 2 % dorzolamide hydrochloride eyedrops. Canadian Journal of Ophthalmology, 2004, 39, 506-510.	0.4	12
10	Effect of dorzolamide and timolol on ocular blood flow in patients with primary open angle glaucoma and ocular hypertension. British Journal of Ophthalmology, 2005, 89, 1293-1297.	2.1	100
11	Topical Dorzolamide 2%/Timolol 0.5% Ophthalmic Solution. Drugs and Aging, 2006, 23, 977-995.	1.3	21
12	The Effect of Timolol-Dorzolamide and Timolol-Pilocarpine Combinations on Ocular Blood Flow in Patients With Glaucoma. American Journal of Ophthalmology, 2006, 141, 1158-1160.	1.7	13
13	Volumetric colour Doppler imaging: a useful tool for the determination of ocular blood flow in glaucoma patients?. Eye, 2006, 20, 668-673.	1.1	16
14	A comparison of the effects of 0.005% latanoprost and fixed combination dorzolamide/timolol on retrobulbar haemodynamics in previously untreated glaucoma patients. Current Medical Research and Opinion, 2006, 22, 67-73.	0.9	39
15	Reply to Sangtam et al. Eye, 2007, 21, 1014-1015.	1.1	0
16	The clinical utility of colour Doppler imaging. Eye, 2007, 21, 1015-1015.	1.1	4
17	Reply to A Harris. Eye, 2007, 21, 1015-1016.	1.1	2
18	Retrobulbar haemodynamic effects of the latanoprost/timolol and the dorzolamide/timolol fixed combinations in newly diagnosed glaucoma patients. International Journal of Clinical Practice, 2007, 61, 815-825.	0.8	25
19	The effects of dorzolamide 2% and dorzolamide/timolol fixed combination on retinal and optic nerve head blood flow in primary open-angle glaucoma patients. Eye, 2008, 22, 1172-1179.	1.1	16
20	Effectiveness and Safety of Dorzolamide " Timolol Alone or Combined with Latanoprost in Open-Angle Glaucoma or Ocular Hypertension. Annals of Pharmacotherapy, 2008, 42, 498-504.	0.9	19

#	ARTICLE	IF	CITATIONS
21	Intraocular Pressure Lowering, Change of Antiapoptotic Molecule Expression, and Neuroretinal Changes by Dorzolamide 2%/Timolol 0.5% Combination in a Chronic Ocular Hypertension Rat Model. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2008, 24, 563-572.	0.6	8
22	24-hour control of intraocular pressure with 2% dorzolamide/0.5% timolol fixed-combination ophthalmic solution in open-angle glaucoma. <i>Current Medical Research and Opinion</i> , 2008, 24, 2403-2412.	0.9	10
23	Ocular Hypotensive Drugs. , 2008, , 139-174.		1
24	Rational use of the fixed combination of dorzolamide – timolol in the management of raised intraocular pressure and glaucoma. <i>Clinical Ophthalmology</i> , 2008, 2, 389.	0.9	14
25	Role of fixed-combination brinzolamide 1%/timolol 0.5% in the treatment of elevated intraocular pressure in open-angle glaucoma and ocular hypertension. <i>Clinical Ophthalmology</i> , 2009, 3, 593.	0.9	8
26	Visual Function, Optic Nerve Structure, and Ocular Blood Flow Parameters after 1 Year of Glaucoma Treatment with Fixed Combinations. <i>European Journal of Ophthalmology</i> , 2009, 19, 790-797.	0.7	17
27	Carbonic anhydrase inhibitors. , 2009, , 407-419.		4
28	Prolongation of activity of single intravitreal bevacizumab by adjuvant topical aqueous depressant (Timolol-Dorzolamide). <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2009, 247, 35-42.	1.0	19
29	Literature Review and Meta-Analysis of Topical Carbonic Anhydrase Inhibitors and Ocular Blood Flow. <i>Survey of Ophthalmology</i> , 2009, 54, 33-46.	1.7	77
30	Update and critical appraisal of combined timolol and carbonic anhydrase inhibitors and the effect on ocular blood flow in glaucoma patients. <i>Clinical Ophthalmology</i> , 2010, 4, 233.	0.9	3
31	Efficacy, safety and tolerability of combination therapy with timolol and dorzolamide in glaucoma and ocular hypertension. <i>Drug, Healthcare and Patient Safety</i> , 2010, 2, 73.	1.0	2
32	Effectiveness of Dorzolamide&eac8220;Timolol (COSOPT) in Patients Who Were Treatment Naive for Open-Angle Glaucoma or Ocular Hypertension: The COSOPT First-Line Study. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2010, 26, 503-511.	0.6	12
33	The additive effect of dorzolamide hydrochloride (Trusopt) and a morning dose of bimatoprost (Lumigan) on intraocular pressure and retrobulbar blood flow in patients with primary open-angle glaucoma. <i>British Journal of Ophthalmology</i> , 2010, 94, 1307-1311.	2.1	12
34	Intraocular pressure and ocular hemodynamics in patients with primary open-angle glaucoma treated with the combination of morning dosing of bimatoprost and dorzolamide hydrochloride. <i>Acta Ophthalmologica</i> , 2011, 89, e57-e63.	0.6	13
35	Use of colour Doppler imaging in ocular blood flow research. <i>Acta Ophthalmologica</i> , 2011, 89, e609-e630.	0.6	112
36	Evaluation of Hemodynamic Parameters as Predictors of Glaucoma Progression. <i>Journal of Ophthalmology</i> , 2011, 2011, 1-9.	0.6	16
37	Comparison of Intraocular Pressure, Blood Pressure, Ocular Perfusion Pressure and Blood Flow Fluctuations During Dorzolamide Versus Timolol Add-On Therapy in Prostaglandin Analogue Treated Glaucoma Subjects. <i>Pharmaceuticals</i> , 2012, 5, 325-338.	1.7	5
38	Short-Term Effects of Brimonidine/Timolol and Dorzolamide/Timolol on Ocular Perfusion Pressure and Blood Flow in Glaucoma. <i>Advances in Therapy</i> , 2012, 29, 53-63.	1.3	5

#	ARTICLE	IF	CITATIONS
39	Effects of Dorzolamide-Timolol and Brimonidine-Timolol on Retinal Vascular Autoregulation and Ocular Perfusion Pressure in Primary Open Angle Glaucoma. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2013, 29, 639-645.	0.6	15
40	The effect of acetazolamide on different ocular vascular beds. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 1389-1398.	1.0	14
41	The Effect of Nebulized Dorzolamide/Timolol Fixed Combination Mist versus Drops on Retrobulbar Blood Flow and Intraocular Pressure in Glaucoma Patients. <i>Medicina (Lithuania)</i> , 2013, 49, 48.	0.8	1
42	Effect of dorzolamide/timolol combination on the visual field in glaucoma. <i>Clinical Ophthalmology</i> , 2014, 8, 1579.	0.9	2
43	Fixed Combination Therapies in Glaucoma. , 2015, , 583-592.		10
44	Topical Dorzolamide-Timolol With Intravitreal Anti-“Vascular Endothelial Growth Factor for Neovascular Age-Related Macular Degeneration. <i>JAMA Ophthalmology</i> , 2016, 134, 437.	1.4	24
45	Changes in spectral parameters of corneal pulse following canaloplasty. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2019, 257, 2449-2459.	1.0	3
46	EFFECT OF INTRAOCULAR PRESSURE-“LOWERING MEDICATIONS ON NEOVASCULAR AGE-RELATED MACULAR DEGENERATION TREATMENT OUTCOMES IN THE COMPARISON OF AGE-RELATED MACULAR DEGENERATION TREATMENT TRIALS. <i>Retina</i> , 2019, 39, 636-647.	1.0	5
47	Effect of Adjuvant Topical Dorzolamide-Timolol vs Placebo in Neovascular Age-Related Macular Degeneration. <i>JAMA Ophthalmology</i> , 2020, 138, 560.	1.4	10
48	Dorzolamide/Timolol Fixed Combination: Learning from the Past and Looking Toward the Future. <i>Advances in Therapy</i> , 2021, 38, 24-51.	1.3	16
49	Comparison of the Effects of Dorzolamide/Timolol Fixed Combination versus Latanoprost on Intraocular Pressure and Ocular Perfusion Pressure in Patients with Normal-Tension Glaucoma: A Randomized, Crossover Clinical Trial. <i>PLoS ONE</i> , 2016, 11, e0146680.	1.1	9
50	General presentation. , 2003, , 59-61.		1
51	Indications for Intraocular Pressure Reduction and Target Intraocular Pressure. , 2003, , 58-58.		0
52	EMGT (Early Manifest Glaucoma Trial). , 2003, , 62-62.		0
53	Other Tests in Glaucoma: Optic Nerve Blood Flow II. , 2010, , 165-173.		0
54	A Comparative Study of Efficacy and Tolerability of Dorzolamide and Timolol Maleate in Pre-Operative Cataract Patients. <i>Journal of Pharmaceutical Research</i> , 2015, 11, 11.	0.2	0
55	Other Tests in Glaucoma: Optic Nerve Blood Flow II. , 2016, , 193-203.		0
56	PROSPECTIVE, OPEN, NON-RANDOMISED COMPARATIVE STUDY TO ASSESS EFFICACY OF 0.5% TIMOLOL MALEATE EYE DROP WITH COMBINATION TREATMENT OF 2% DORZOLAMIDE AND 0.5% TIMOLOL MALEATE EYE DROPS IN PATIENTS WITH PRIMARY OPEN ANGLE GLAUCOMA. <i>Journal of Evolution of Medical and Dental Sciences</i> . 2017. 6. 5248-5252.	0.1	0

#	ARTICLE	IF	CITATIONS
57	The use of dorzolamide versus other hypotensive agents to prevent glaucomatous progression. Therapeutics and Clinical Risk Management, 2007, 3, 725-32.	0.9	1
58	Changes in peripapillary blood flow after dorzolamide 2%/timolol 0.5% versus latanoprost 0.005%/timolol 0.5% using optical coherence tomography angiography. Egyptian Retina Journal, 2021, 8, 19.	0.2	0
59	Anti-Glaucoma Effects of Timolol and Bimatoprost in Novel Ocular Hypertension Model in Rats. International Journal of Pharmacology, 2022, 18, 279-291.	0.1	0