

Large river offsets and Plio-Quaternary dextral slip rate

Journal of Geophysical Research

106, 819-836

DOI: [10.1029/2000jb900135](https://doi.org/10.1029/2000jb900135)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Oblique Stepwise Rise and Growth of the Tibet Plateau. <i>Science</i> , 2001, 294, 1671-1677.	12.6	3,037
2	Morphology, displacement, and slip rates along the North Anatolian Fault, Turkey. <i>Journal of Geophysical Research</i> , 2002, 107, ETG 9-1-ETG 9-33.	3.3	226
3	The 14 November 2001, Mw = 7.8 Kokoxili Earthquake in Northern Tibet (Qinghai Province, China). <i>Seismological Research Letters</i> , 2002, 73, 125-135.	1.9	57
4	Magnetic fabric study across the Ailao Shan "Red River shear zone. <i>Tectonophysics</i> , 2002, 346, 137-150.	2.2	18
5	Uniform postglacial slip-rate along the central 600 km of the Kunlun Fault (Tibet), from ²⁶ Al, ¹⁰ Be, and ¹⁴ C dating of riser offsets, and climatic origin of the regional morphology. <i>Geophysical Journal International</i> , 2002, 148, 356-388.	2.4	359
6	Offset on the Main Recent Fault of NW Iran and implications for the late Cenozoic tectonics of the Arabia-Eurasia collision zone. <i>Geophysical Journal International</i> , 2002, 150, 422-439.	2.4	256
7	Northwest-trending, middle Cenozoic, left-lateral faults in southern Yunnan, China, and their tectonic significance. <i>Journal of Structural Geology</i> , 2003, 25, 781-792.	2.3	73
8	Reconstruction of the deformed collision zone Between India and Asia by backward motion of lithospheric blocks. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	400
9	Active faulting and seismicity of the Dasht-e-Bayaz region, eastern Iran. <i>Geophysical Journal International</i> , 2004, 157, 265-282.	2.4	72
10	Geomorphic constraints on surface uplift, exhumation, and plateau growth in the Red River region, Yunnan Province, China. <i>Bulletin of the Geological Society of America</i> , 2004, 116, 895.	3.3	257
11	4-D evolution of SE Asia's mantle from geological reconstructions and seismic tomography. <i>Earth and Planetary Science Letters</i> , 2004, 221, 103-115.	4.4	248
12	Cenozoic deformation in western Yunnan (China-Myanmar border). <i>Journal of Asian Earth Sciences</i> , 2005, 24, 495-515.	2.3	141
13	Fault-related folding, drainage network evolution and valley incision during the Neogene in the Andean Precordillera of Northern Chile. <i>Geomorphology</i> , 2005, 65, 279-300.	2.6	84
14	Late Quaternary systematic stream offsets caused by repeated large seismic events along the Kunlun fault, northern Tibet. <i>Geomorphology</i> , 2005, 71, 278-292.	2.6	51
15	New paleomagnetic constraints on the extrusion of Indochina: Late Cretaceous results from the Song Da terrane, northern Vietnam. <i>Earth and Planetary Science Letters</i> , 2005, 229, 273-285.	4.4	30
16	Contemporary crustal deformation around the southeast borderland of the Tibetan Plateau. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	556
17	Exhumation of the Ailao Shan shear zone recorded by Cenozoic sedimentary rocks, Yunnan Province, China. <i>Tectonics</i> , 2005, 24, n/a-n/a.	2.8	39
18	Structural and Geochronological Evidence for Multiple Episodes of Tertiary Deformation along the Ailaoshan-Red River Shear Zone, Southeastern Asia, Since the Paleocene. <i>Acta Geologica Sinica</i> , 2006, 80, 79-96.	1.4	27

#	ARTICLE	IF	CITATIONS
19	High-resolution land topography. <i>Comptes Rendus - Geoscience</i> , 2006, 338, 1029-1041.	1.2	12
20	Miocene to present activity along the Red River fault, China, in the context of continental extrusion, upper-crustal rotation, and lower-crustal flow. <i>Bulletin of the Geological Society of America</i> , 2006, 118, 672-688.	3.3	140
21	Propagation of surface uplift, lower crustal flow, and Cenozoic tectonics of the southeast margin of the Tibetan Plateau. <i>Geology</i> , 2006, 34, 813.	4.4	156
22	Discussion on the role of the Red River shear zone, Yunnan and Vietnam, in the continental extrusion of SE Asia <i>Journal</i> , Vol. 163, 2006, 1025-1036. <i>Journal of the Geological Society</i> , 2007, 164, 1253-1260.	2.1	123
23	How much strain can continental crust accommodate without developing obvious through-going faults?. , 2007, , 51-61.		3
24	The Age of the Potassic Alkaline Igneous Rocks along the Ailao Shan-Red River Shear Zone: Implications for the Onset Age of Left-Lateral Shearing. <i>Journal of Geology</i> , 2007, 115, 231-242.	1.4	136
25	Displacement and timing of left-lateral faulting in the Kunlun Fault Zone, northern Tibet, inferred from geologic and geomorphic features. <i>Journal of Asian Earth Sciences</i> , 2007, 29, 253-265.	2.3	124
26	Structure and shearing conditions in the Day Nui Con Voi massif: Implications for the evolution of the Red River shear zone in northern Vietnam. <i>Tectonics</i> , 2007, 26, n/a-n/a.	2.8	85
27	A decade of GPS in Southeast Asia: Resolving Sundaland motion and boundaries. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	314
28	Climatic and tectonic controls on weathering in south China and Indochina Peninsula: Clay mineralogical and geochemical investigations from the Pearl, Red, and Mekong drainage basins. <i>Geochemistry, Geophysics, Geosystems</i> , 2007, 8, n/a-n/a.	2.5	216
29	Implication of fault interaction to seismic hazard assessment in Sichuan-Yunnan provinces of southeastern China. <i>Acta Seismologica Sinica</i> , 2008, 21, 181-201.	0.2	11
30	Evolving east Asian river systems reconstructed by trace element and Pb and Nd isotope variations in modern and ancient Red River-Song Hong sediments. <i>Geochemistry, Geophysics, Geosystems</i> , 2008, 9, .	2.5	125
31	Seismic reflection evidence for a Dangerous Grounds miniplate: No extrusion origin for the South China Sea. <i>Tectonics</i> , 2008, 27, .	2.8	152
32	Exhumation history of the Red River shear zone in northern Vietnam: New insights from zircon and apatite fission-track analysis. <i>Journal of Asian Earth Sciences</i> , 2008, 33, 78-90.	2.3	34
33	Late Quaternary activity of the Zemuhe and Xiaojiang faults in southwest China from geomorphological mapping. <i>Geomorphology</i> , 2008, 96, 62-85.	2.6	61
34	Late Cenozoic deformation along the northwestern continuation of the Xianshuihe fault system, Eastern Tibetan Plateau. <i>Bulletin of the Geological Society of America</i> , 2008, 120, 312-327.	3.3	52
35	Tectonic Subsidence of Qiongdongnan Basin and Its Main Control Factors. <i>Chinese Journal of Geophysics</i> , 2008, 51, 248-255.	0.2	23
36	Evidence against Quaternary slip on the northern Karakorum Fault suggests kinematic reorganization at the western end of the Himalayan-Tibetan orogen. <i>Earth and Planetary Science Letters</i> , 2009, 286, 158-170.	4.4	53

#	ARTICLE	IF	CITATIONS
37	The Red River Fault zone in the Yinggehai Basin, South China Sea. <i>Tectonophysics</i> , 2009, 476, 397-417.	2.2	157
38	Evaluating the evolution of the Red River system based on in situ Uâ€Pb dating and Hf isotope analysis of zircons. <i>Geochemistry, Geophysics, Geosystems</i> , 2009, 10, .	2.5	68
39	Direct measurement of strain rates in ductile shear zones: A new method based on syntectonic dikes. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	60
40	Major intracontinental strike-slip faults and contrasts in lithospheric strength. , 2010, 6, 444-467.		140
41	Restoration of Cenozoic deformation in Asia and the size of Greater India. <i>Tectonics</i> , 2011, 30, .	2.8	224
42	A Biogeographic Synthesis of the Amphibians and Reptiles of Indochina. <i>Bulletin of the American Museum of Natural History</i> , 2011, 360, 1-138.	3.4	71
43	Reorganization of a deeply incised drainage: role of deformation, sedimentation and groundwater flow. <i>Basin Research</i> , 2011, 23, 631-651.	2.7	42
44	Rate and processes of river network rearrangement during incipient faulting: The case of the Cahabon River, Guatemala. <i>Numerische Mathematik</i> , 2012, 312, 449-507.	1.4	26
45	Displacement along the Karakoram fault, NW Himalaya, estimated from LA-ICP-MS Uâ€Pb dating of offset geologic markers. <i>Earth and Planetary Science Letters</i> , 2012, 337-338, 156-163.	4.4	40
46	River drainage patterns in the New Zealand Alps primarily controlled by plate tectonic strain. <i>Nature Geoscience</i> , 2012, 5, 744-748.	12.9	131
47	Displacement along the Red River Fault constrained by extension estimates and plate reconstructions. <i>Tectonics</i> , 2012, 31, .	2.8	49
48	Late Quaternary tectonics and seismotectonics along the Red River fault zone, North Vietnam. <i>Earth-Science Reviews</i> , 2012, 114, 224-235.	9.1	51
49	Pliocene-to-present morphotectonics of the Dien Bien Phu fault in northwest Vietnam. <i>Geomorphology</i> , 2012, 173-174, 52-68.	2.6	22
50	Inception of activity and slip rate on the Main Recent Fault of Zagros Mountains, Iran. <i>Geomorphology</i> , 2012, 175-176, 86-97.	2.6	24
51	Relationships between porphyry Cuâ€Mo mineralization in the Jinshajiangâ€Red River metallogenic belt and tectonic activity: Constraints from zircon Uâ€Pb and molybdenite Reâ€Os geochronology. <i>Ore Geology Reviews</i> , 2012, 48, 460-473.	2.7	75
52	Mapping Geo-Hazard by Satellite Radar Interferometry. <i>Proceedings of the IEEE</i> , 2012, 100, 2835-2850.	21.3	5
53	Offset rivers, drainage spacing and the record of strike-slip faulting: The Kuh Banan Fault, Iran. <i>Tectonophysics</i> , 2012, 530-531, 251-263.	2.2	41
54	The sedimentary, magmatic and tectonic evolution of the southwestern South China Sea revealed by seismic stratigraphic analysis. <i>Marine Geophysical Researches</i> , 2013, 34, 341-365.	1.2	30

#	ARTICLE	IF	CITATIONS
55	Late Tertiary tectonics of the Red River Fault Zone: Structural evolution of sedimentary rocks. <i>Journal of Geodynamics</i> , 2013, 69, 31-53.	1.6	11
56	Timing of left-lateral shearing along the Ailao Shan-Red River shear zone: constraints from zircon Uâ€Pb ages from granitic rocks in the shear zone along the Ailao Shan Range, Western Yunnan, China. <i>International Journal of Earth Sciences</i> , 2013, 102, 605-626.	1.8	63
57	A possible mechanism for the initiation of the Yinggehai Basin: A visco-elasto-plastic model. <i>Journal of Asian Earth Sciences</i> , 2013, 74, 25-36.	2.3	10
58	Geometry and deformation features of the most recent co-seismic surface ruptures along the Xiaojiang Fault and its tectonic implications for the Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2013, 77, 21-30.	2.3	22
59	Late Cenozoic tectonics of the Red River Fault Zone, Vietnam, in the light of geomorphic studies. <i>Journal of Geodynamics</i> , 2013, 69, 11-30.	1.6	34
60	The tectonic evolution of the Qiongdongnan Basin in the northern margin of the South China Sea. <i>Journal of Asian Earth Sciences</i> , 2013, 77, 163-182.	2.3	77
61	Internal crustal deformation in the northern part of Shan-Thai Block: New evidence from paleomagnetic results of Cretaceous and Paleogene redbeds. <i>Tectonophysics</i> , 2013, 608, 1138-1158.	2.2	59
62	Active fault segmentation and seismic hazard in Hoa-Binh reservoir, Vietnam. <i>Open Geosciences</i> , 2013, 5, .	1.7	7
63	Structural differences between the western and eastern Qiongdongnan Basin: evidence of Indochina block extrusion and South China Sea seafloor spreading. <i>Marine Geophysical Researches</i> , 2013, 34, 309-323.	1.2	37
64	Refining the model of South China Seaâ€™s tectonic evolution: evidence from Yinggehai-Song Hong and Qiongdongnan Basins. <i>Marine Geophysical Researches</i> , 2013, 34, 325-339.	1.2	20
65	Magnetostratigraphy of the Dali Basin in Yunnan and implications for late Neogene rotation of the southeast margin of the Tibetan Plateau. <i>Journal of Geophysical Research: Solid Earth</i> , 2013, 118, 791-807.	3.4	75
67	The 2011 MW 6.8 Burma earthquake: fault constraints provided by multiple SAR techniques. <i>Geophysical Journal International</i> , 2013, 195, 650-660.	2.4	71
68	The Cretaceous and Cenozoic tectonic evolution of Southeast Asia. <i>Solid Earth</i> , 2014, 5, 227-273.	2.8	234
69	Nonâ€uniform hyperâ€extension in advance of seafloor spreading on the vietnam continental margin and the SW South China Sea. <i>Basin Research</i> , 2014, 26, 106-134.	2.7	33
70	Structure, Timing, and Mechanism of the Pliocene and Late Miocene Uplift Process of the Ailao Shanâ€Diancang Shan, SE Tibet, China. <i>Acta Geologica Sinica</i> , 2014, 88, 1084-1101.	1.4	6
71	New c. 270â€kyr strike-slip and uplift rates for the southern Alpine Fault and implications for the New Zealand plate boundary. <i>Journal of Structural Geology</i> , 2014, 64, 39-52.	2.3	33
72	On the Geodynamic Mechanism of Episodic Uplift of the Tibetan Plateau during the Cenozoic Era. <i>Acta Geologica Sinica</i> , 2014, 88, 699-716.	1.4	7
73	The Xuelongshan high strain zone: Cenozoic structural evolution and implications for fault linkages and deformation along the Ailao Shanâ€Red River shear zone. <i>Journal of Structural Geology</i> , 2014, 69, 209-233.	2.3	49

#	ARTICLE	IF	CITATIONS
74	Structure and tectonic geomorphology of the Qujiang fault at the intersection of the Ailao Shanâ€“Red River fault and the Xianshuiheâ€“Xiaojiang fault system, China. <i>Tectonophysics</i> , 2014, 634, 156-170.	2.2	32
75	Evidences of Cenozoic strike-slip dislocations of the red river fault system in Paleozoic carbonate strata of Cat Ba Island (Northern Vietnam). <i>Russian Journal of Pacific Geology</i> , 2014, 8, 163-176.	0.7	7
76	Late Miocene southwestern Chinese floristic diversity shaped by the southeastern uplift of the Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 411, 208-215.	2.3	53
77	Inversion of fluvial channels for paleorock uplift rates in Taiwan. <i>Journal of Geophysical Research F: Earth Surface</i> , 2014, 119, 1853-1875.	2.8	90
78	Dynamic Ridges and Valleys in a Strikeâ€“Slip Environment. <i>Journal of Geophysical Research F: Earth Surface</i> , 2015, 120, 2016-2026.	2.8	40
79	Timing and rate of exhumation along the Litang fault system, implication for fault reorganization in Southeast Tibet. <i>Tectonics</i> , 2015, 34, 1219-1243.	2.8	58
80	Microseismicity of the BÃ©arn range: Reactivation of inversion and collision structures at the northern edge of the Iberian plate. <i>Tectonics</i> , 2015, 34, 934-950.	2.8	23
82	The mechanics of continental extension in Qiongdongnan Basin, northern South China Sea. <i>Marine Geophysical Researches</i> , 2015, 36, 197-210.	1.2	26
83	The Cenozoic rotational extrusion of the Chuan Dian Fragment: New paleomagnetic results from Paleogene red-beds on the southeastern edge of the Tibetan Plateau. <i>Tectonophysics</i> , 2015, 658, 46-60.	2.2	34
84	Structure and sediment budget of Yinggehaiâ€“Song Hong basin, South China Sea: Implications for Cenozoic tectonics and river basin reorganization in Southeast Asia. <i>Tectonophysics</i> , 2015, 655, 177-190.	2.2	62
85	Late Neogene structural inversion around the northern Gulf of Tonkin, Vietnam: Effects from right-lateral displacement across the Red River fault zone. <i>Tectonics</i> , 2015, 34, 290-312.	2.8	44
86	Insights from heavy minerals and zircon Uâ€“Pb ages into the middle Mioceneâ€“Pliocene provenance evolution of the Yinggehai Basin, northwestern South China Sea. <i>Sedimentary Geology</i> , 2015, 327, 32-42.	2.1	54
87	Late Quaternary slip-rate along the central Bangong-Chaxikang segment of the Karakorum fault, western Tibet. <i>Bulletin of the Geological Society of America</i> , 0, , B31269.1.	3.3	7
88	Cenozoic paleoaltimetry of the SE margin of the Tibetan Plateau: Constraints on the tectonic evolution of the region. <i>Earth and Planetary Science Letters</i> , 2015, 432, 415-424.	4.4	126
89	Constraining recent fault offsets with statistical and geometrical methods: Example from the Jasneuf Fault (Western Alps, France). <i>Tectonophysics</i> , 2016, 693, 1-21.	2.2	5
90	Tectonic-geomorphology of the Litang fault system, SE Tibetan Plateau, and implication for regional seismic hazard. <i>Tectonophysics</i> , 2016, 682, 278-292.	2.2	53
91	Deformation of an experimental drainage network in oblique collision. <i>Tectonophysics</i> , 2016, 693, 210-222.	2.2	26
92	The Canada Basin compared to the southwest South China Sea: Two marginal ocean basins with hyper-extended continent-ocean transitions. <i>Tectonophysics</i> , 2016, 691, 171-184.	2.2	12

#	ARTICLE	IF	CITATIONS
93	The Dinaric fault system: Large-scale structure, rates of slip, and Pliocene-Pleistocene evolution of the transpressive northeastern boundary of the Adria microplate. <i>Tectonics</i> , 2016, 35, 2258-2292.	2.8	43
94	New insights into the Cenozoic lateral extrusion of crustal blocks on the southeastern edge of Tibetan Plateau: Evidence from paleomagnetic results from Paleogene sedimentary strata of the Baoshan Terrane. <i>Tectonics</i> , 2016, 35, 2494-2514.	2.8	26
95	Late Cenozoic tectonic evolution of the Ailao Shan-Red River fault (SE Tibet): Implications for kinematic change during plateau growth. <i>Tectonics</i> , 2016, 35, 1969-1988.	2.8	67
96	Geomorphic signal of active faulting at the northern edge of Lut Block: Insights on the kinematic scenario of Central Iran. <i>Tectonics</i> , 2016, 35, 76-102.	2.8	22
97	Paleomagnetism of the Jianshui basin in Yunnan, SW China, and geomorphological evolution of the Yunnan Plateau since the Neogene. <i>Journal of Asian Earth Sciences</i> , 2016, 123, 67-77.	2.3	9
98	Relationship between the regional tectonic activity and crustal structure in the eastern Tibetan plateau discovered by gravity anomaly. <i>Earthquake Science</i> , 2016, 29, 71-81.	0.9	3
99	Red River barrier and Pleistocene climatic fluctuations shaped the genetic structure of <i>Microhyla fissipes</i> complex (Anura: Microhylidae) in southern China and Indochina. <i>Environmental Epigenetics</i> , 2016, 62, 531-543.	1.8	47
100	Source-to-sink transport processes of fluvial sediments in the South China Sea. <i>Earth-Science Reviews</i> , 2016, 153, 238-273.	9.1	351
101	Reappraisal of the Jianchuan Cenozoic basin stratigraphy and its implications on the SE Tibetan plateau evolution. <i>Tectonophysics</i> , 2017, 700-701, 162-179.	2.2	96
102	Late Cenozoic landscape evolution along the Ailao Shan Shear Zone, SE Tibetan Plateau: Evidence from fluvial longitudinal profiles and cosmogenic erosion rates. <i>Earth and Planetary Science Letters</i> , 2017, 472, 323-333.	4.4	24
103	Paleomagnetic constraints on the Mesozoic-Cenozoic paleolatitudinal and rotational history of Indochina and South China: Review and updated kinematic reconstruction. <i>Earth-Science Reviews</i> , 2017, 171, 58-77.	9.1	116
105	Characterizing a middle to upper crustal shear zone: Microstructures, quartz c-axis fabrics, deformation temperatures and flow vorticity analysis of the northern Ailao Shan-Red River shear zone, China. <i>Journal of Asian Earth Sciences</i> , 2017, 139, 95-114.	2.3	24
106	Wet tropical climate in SE Tibet during the Late Eocene. <i>Scientific Reports</i> , 2017, 7, 7809.	3.3	29
107	Landscape antiquity and Cenozoic drainage development of southern Yukon, through restoration modeling of the Tintina Fault. <i>Canadian Journal of Earth Sciences</i> , 2017, 54, 1085-1100.	1.3	6
108	Detrital zircon U-Pb geochronological and sedimentological study of the Simao Basin, Yunnan: Implications for the Early Cenozoic evolution of the Red River. <i>Earth and Planetary Science Letters</i> , 2017, 476, 22-33.	4.4	51
109	Neotectonic Deformation in Central Eurasia: A Geodynamic Model Approach. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 9461-9484.	3.4	8
110	Cenozoic clockwise rotation of the Chuan Dian Fragment, southeastern edge of the Tibetan Plateau: Evidence from a new paleomagnetic study. <i>Journal of Geodynamics</i> , 2017, 112, 46-57.	1.6	20
111	Link between bedrock lithology and sedimentary systems in Lake Erhai Basin, southwest China, with respect to source to sink. <i>Interpretation</i> , 2017, 5, ST53-ST64.	1.1	3

#	ARTICLE	IF	CITATIONS
112	Cretaceous Strike-Slip Dislocations in the Dalat Zone (Southeastern Vietnam). <i>Russian Journal of Pacific Geology</i> , 2017, 11, 408-420.	0.7	2
113	Fault Slip and GPS Velocities Across the Shan Plateau Define a Curved Southwestward Crustal Motion Around the Eastern Himalayan Syntaxis. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 2502-2518.	3.4	41
114	Tectonics and Paleomagnetic Rotation Pattern of Yunnan (24°N–25°N, China): Gaoligong Fault Shear Versus Megablock Drift. <i>Tectonics</i> , 2018, 37, 1524-1551.	2.8	19
115	Limit on slip rate and timing of recent seismic ground-ruptures on the Jinghong fault, SE of the eastern Himalayan syntaxis. <i>Tectonophysics</i> , 2018, 734-735, 148-166.	2.2	8
116	Evidence of Quaternary and recent activity along the Kyaukkyan Fault, Myanmar. <i>Journal of Asian Earth Sciences</i> , 2018, 156, 207-225.	2.3	10
117	3D_Fault_Offsets, a Matlab Code to Automatically Measure Lateral and Vertical Fault Offsets in Topographic Data: Application to San Andreas, Owens Valley, and Hope Faults. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 815-835.	3.4	29
118	The Role of Near-Fault Relief Elements in Creating and Maintaining a Strike-Slip Landscape. <i>Geophysical Research Letters</i> , 2018, 45, 11,683.	4.0	12
119	Surface Rupture of the 1515 Yongsheng Earthquake in Northwest Yunnan, and Its Seismogeological Implications. <i>Acta Geologica Sinica</i> , 2018, 92, 1324-1333.	1.4	5
120	Linking Paleogene Rifting and Inversion in the Northern Song Hong and Beibuwan Basins, Vietnam, With Left-Lateral Motion on the Ailao Shan-Red River Shear Zone. <i>Tectonics</i> , 2018, 37, 2559-2585.	2.8	31
121	Crustal Structure of Southwest China and Northern Vietnam From Ambient Noise Tomography: Implication for the Large-Scale Material Transport Model in SE Tibet. <i>Tectonics</i> , 2018, 37, 1492-1506.	2.8	47
122	Varied thermo-rheological structure, mechanical anisotropy and lithospheric deformation of the southeastern Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2018, 163, 108-130.	2.3	12
123	Slip Rate and Rare Large Prehistoric Earthquakes of the Red River Fault, Southwestern China. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 2014-2031.	2.5	29
124	Oligocene-Early Miocene Topographic Relief Generation of Southeastern Tibet Triggered by Thrusting. <i>Tectonics</i> , 2019, 38, 374-391.	2.8	61
125	Neotectonic (Miocene to recent) vertical movements in the Lao Cai Basin (Red River Fault Zone), Tj ETQq1 1 0.784314 rgBT /Overlock 11	2.3	11
126	When Did the Paleotethys Ailaoshan Ocean Close: New Insights From Detrital Zircon U-Pb age and Hf Isotopes. <i>Tectonics</i> , 2019, 38, 1798-1823.	2.8	51
127	Detrital zircon ages: A key to unraveling provenance variations in the eastern Yinggehai-Song Hong Basin, South China Sea. <i>AAPG Bulletin</i> , 2019, 103, 1525-1552.	1.5	13
128	The Red River sediment budget in the Yinggehai and Qiongdongnan basins, northwestern South China Sea, and its tectonic implications. <i>International Geology Review</i> , 2020, 62, 1019-1035.	2.1	6
129	Recent tectonics, geodynamics and seismotectonics in the Ninh Thuan Nuclear Power plants and surrounding regions, South Vietnam. <i>Journal of Asian Earth Sciences</i> , 2020, 187, 104080.	2.3	8

#	ARTICLE	IF	CITATIONS
130	Intracontinental deformation within the India-Eurasia oblique convergence zone: Case studies on the Nantinghe and Dayingjiang faults. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 850-862.	3.3	17
131	The Ailao Shanâ€Red River shear zone revisited: Timing and tectonic implications. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 1165-1182.	3.3	59
132	Diffuse Deformation in the SE Tibetan Plateau: New Insights From Geodetic Observations. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2020JB019383.	3.4	17
133	Cenozoic Exhumation of the Ailaoshanâ€Red River Shear Zone: New Insights From Lowâ€Temperature Thermochronology. <i>Tectonics</i> , 2020, 39, e2020TC006151.	2.8	21
134	Automated Microseismic Processing and Integrated Interpretation of Induced Seismicity during a Multistage Hydraulic-Fracturing Stimulation, Alberta, Canada. <i>Bulletin of the Seismological Society of America</i> , 2020, 110, 2018-2030.	2.3	9
135	Tectonic Activities and Evolution of the Red River Delta (North Viet Nam) in the Holocene. <i>Geotectonics</i> , 2020, 54, 113-129.	0.9	5
136	Paleogene structural development of the northern Song Hong Basin and adjacent areas: Implications for the role of extrusion tectonics in basin formation in the Gulf of Tonkin. <i>Tectonophysics</i> , 2020, 789, 228522.	2.2	9
137	Characteristic slip distribution and earthquake recurrence along the eastern Altyn Tagh fault revealed by high-resolution topographic data. , 2020, 16, 392-406.		16
138	Tectonic Control on Rapid Late Mioceneâ€Quaternary Incision of the Mekong River Knickzone, Southeast Tibetan Plateau. <i>Tectonics</i> , 2020, 39, e2019TC005782.	2.8	34
139	Neotectonics of the Avaj region (NW Iran): left-lateral strike-slip and range-parallel reverse faults. <i>Journal of Mountain Science</i> , 2020, 17, 838-850.	2.0	3
140	Thrusting, exhumation, and basin fill on the western margin of the South China block during the India-Asia collision. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 74-90.	3.3	36
141	Deformation patterns and potential active movements of the Fansipan mountain range, northern Vietnam. <i>International Journal of Earth Sciences</i> , 2021, 110, 35-51.	1.8	3
142	Latest Quaternary Active Faulting and Paleoeearthquakes on the Southern Segment of the Xiaojiang Fault Zone, SE Tibetan Plateau. <i>Lithosphere</i> , 2021, 2021, .	1.4	8
143	Strain characteristics distribution and potential information analysis in Yunnan based on GNSS data. <i>International Journal of Earth Sciences</i> , 2021, 110, 979-994.	1.8	1
144	Contrasting exhumation histories and relief development within the Three Rivers Region (south-east) Tj ETQq0 0 0 ggBT /Overlock 10 Tf	2.8	10
145	Active Tectonics of Central Asia. <i>Geotectonics</i> , 2021, 55, 361-376.	0.9	2
146	Eoceneâ€Oligocene Crustal Thickening-Collapse of the Eastern Tibetan Plateau: Evidence from the Potassic Granitoids in SW China. <i>Lithosphere</i> , 2021, 2021, .	1.4	4
147	The 2014 Northern Thailand Mw6.1 Earthquake and Its Seismogenic Tectonics. <i>Acta Geologica Sinica</i> , 0, , .	1.4	0

#	ARTICLE	IF	CITATIONS
148	Sandbox Modeling of Transrotational Tectonics With Changeable Poles: Implications for the Yinggehai Basin. <i>Frontiers in Earth Science</i> , 2021, 9, .	1.8	0
149	Initiation of Clockwise Rotation and Eastward Transport of Southeastern Tibet Inferred from Deflected Fault Traces and GPS Observations. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 1129-1142.	3.3	30
150	Role of the Early Miocene Jinhe-Qinghe Thrust Belt in the building of the Southeastern Tibetan Plateau topography. <i>Tectonophysics</i> , 2021, 811, 228871.	2.2	14
151	Evaluation of Seismic Site Amplification Using 1D Site Response Analyses at Ba Dinh Square Area, Vietnam. <i>Advances in Civil Engineering</i> , 2021, 2021, 1-11.	0.7	3
152	Tectonics of the offshore Red River Fault recorded in the junction of the Yinggehai and Qiongdongnan Basins. <i>Science China Earth Sciences</i> , 2021, 64, 1893-1908.	5.2	11
153	Analysis of the current activity of the Red River fault based on GPS data: new seismological inferences. <i>Journal of Seismology</i> , 0, , 1.	1.3	2
154	Geochemical record of the sediments in the continental shelf of the northwestern South China Sea: Implications for the provenance and sedimentary evolution. <i>Marine Geology</i> , 2021, 440, 106582.	2.1	3
155	Geometric and kinematic analysis of normal faults bordering continental shelves: A 3D seismic case study from the northwest South China Sea. <i>Marine and Petroleum Geology</i> , 2021, 133, 105263.	3.3	8
156	Stream channel offsets along strike-slip faults: Interaction between fault slip and surface processes. <i>Geomorphology</i> , 2021, 394, 107965.	2.6	3
157	Soil Classification and Seismic Site Response Analysis for Some Areas in Hanoi City. <i>VNU Journal of Science Earth and Environmental Sciences</i> , 2018, 34, .	0.1	3
159	Strike-Slip Basin – Its Configuration and Sedimentary Facies. , 0, , .		13
160	Eruption Sequences and Characteristics of Weizhou Island Volcano, Guangxi Province, South of China. <i>Frontiers in Earth Science</i> , 2021, 9, .	1.8	0
161	Formation of the Cenozoic Ailao Shan mid-crustal tectonic discontinuity: Role of Oligo-Miocene stratified sub-horizontal middle to lower crustal flow in the southeastern Tibetan Plateau. <i>Journal of Structural Geology</i> , 2021, 153, 104464.	2.3	4
162	Pliocene - present tectonics and strain rate in Ninh Thuan region and surrounding continental shelf. <i>Vietnam Journal of Earth Sciences</i> , 2020, 43, 33-55.	1.0	4
163	Tectonic transformation and its exhumation history of the Ailao Shan-Red River shear zone in Oligocene: Evidences from apatite fission track thermochronology of the southern segment of the Ailao Shan range. <i>Acta Petrologica Sinica</i> , 2020, 36, 1787-1802.	0.8	3
164	Deformation and Sedimentary Responses to Topographic North Shear Along the Range Front of the Big Bend of the Ailao Shan – Red River Shear Zone, SE Edge of the Tibetan Plateau, and Its Tectonic Implications. <i>Tectonics</i> , 2021, 40, e2021TC007067.	2.8	4
165	Flexural subsidence modelling of post-rift paleobathymetry and sedimentary infill in the northern South China Sea margin. <i>Journal of Asian Earth Sciences</i> , 2022, 226, 105076.	2.3	4
166	Extensional Tectonics and Basement Uplift of the Fansipan and Tule Mountain Ranges in Northern Vietnam. <i>Frontiers in Earth Science</i> , 2022, 9, .	1.8	2

#	ARTICLE	IF	CITATIONS
167	Active Tectonics of the Nantinghe Fault in Southeastern Tibetan Plateau and its Implications for Continental Collision. <i>Frontiers in Earth Science</i> , 2022, 9, .	1.8	2
168	Molecular phylogeny and historical biogeography of the cave fish genus <i>Sinocyclocheilus</i> (Cypriniformes: Cyprinidae) in southwest China. <i>Integrative Zoology</i> , 2022, 17, 311-325.	2.6	17
169	Characteristics of earthquake source and ground motions in Northern Vietnam investigated through the 2020 Moc Chau M5.0 earthquake sequence. <i>Journal of Asian Earth Sciences</i> , 2022, , 105144.	2.3	0
170	Cenozoic rifting and inversion of Beibuwan Basin and its linkage with the strike-slip movement along the Ailao Shan-Red River Shear Zone. <i>International Geology Review</i> , 2022, 64, 2966-2983.	2.1	3
171	The crustal and uppermost mantle dynamics of the Tengchong-Baoshan region revealed by P-wave velocity and azimuthal anisotropic tomography. <i>Geophysical Journal International</i> , 2022, 230, 1092-1105.	2.4	6
172	Cenozoic tectonic evolution of regional fault systems in the SE Tibetan Plateau. <i>Science China Earth Sciences</i> , 2022, 65, 601-623.	5.2	16
173	éè—é«~ăŽŸă,œă←ç¼~æ—è£,ă½“ç³»æ—°ç”Ÿă»£æž,éœæ¼”ăĒ—. <i>SCIENTIA SINICA Terrae</i> , 2022, , .	0.3	0
174	Kinematics and ⁴⁰ Ar/ ³⁹ Ar geochronology of the Lincang-Inthanon tectonic belt: Implication for Cenozoic tectonic extrusion of SE Asia. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 2854-2866.	3.3	6
175	Structures and sand injectites in Oligocene deep-lacustrine deposits, Bach Long Vi island, Gulf of Tonkin, Vietnam: Integrating UAV imaging with modern field work methods. <i>Marine and Petroleum Geology</i> , 2022, 140, 105645.	3.3	0
176	Earthquake Potential Assessment Around the Southeastern Tibetan Plateau Based on Seismic and Geodetic Data. <i>Pure and Applied Geophysics</i> , 2022, 179, 11-44.	1.9	5
177	Three-Dimensional Community Active Faults Models of CSES. , 2022, , 91-109.		1
179	Drainage Pattern Evolution During Continental Indentation in Central Alps: Constraints from the Sedimentary Record of Associated Deep-Water Clastic Offshoots. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
180	Source Model and Seismogenic Environment of the Ms 6.4 Yangbi Earthquake in Yunnan, China—Based on InSAR Observation. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 5908.	2.5	1
181	Cenozoic tectonic evolution of offshore Chinese Basins and its response to geodynamic processes of the East Asian Continental Margin. <i>Earth-Science Reviews</i> , 2022, 232, 104140.	9.1	6
182	Southwestward growth of plateau surfaces in eastern Tibet. <i>Earth-Science Reviews</i> , 2022, 232, 104160.	9.1	18
183	Drainage pattern evolution during continental indentation in Central Alps: Constraints from the sedimentary record of associated deep-water clastic offshoots. <i>Marine and Petroleum Geology</i> , 2022, 144, 105846.	3.3	1
184	Present-day fault kinematic around the eastern Himalayan Syntaxis and probable viscoelastic relaxation perturbation following the 1950 Mw 8.7 Assam earthquake. <i>Journal of Asian Earth Sciences</i> , 2022, 238, 105396.	2.3	1
185	Complex structural fault system and distributed deformation across the Big Bend of the Red River fault, Yunnan, China. <i>Physics of the Earth and Planetary Interiors</i> , 2022, 333, 106942.	1.9	5

#	ARTICLE	IF	CITATIONS
186	Oligocene-early Miocene rapid exhumation along the Xianshuihe fault system: Implications for the growth of the Southeastern Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2022, 240, 105443.	2.3	3
187	Characteristics of stress field and crustal kinematics of the southern region of Sichuan-Yunnan block, southern Tibet Plateau. <i>Quaternary International</i> , 2022, , .	1.5	0
188	Transcurrent tectonic system and deep seismogenic mechanism in the southeastern Tibetan Plateau: A view from gravity and magnetic anomalies. <i>Earth-Science Reviews</i> , 2023, 236, 104269.	9.1	4
189	Discrete Element Modeling of Southeast Asia's 3D Lithospheric Deformation During the Indian Collision. <i>Journal of Geophysical Research: Solid Earth</i> , 2023, 128, .	3.4	6
190	Tectonic dynamics of the Zhongjiannan Basin in the western South China Sea since the late Miocene. <i>Frontiers in Earth Science</i> , 0, 10, .	1.8	1
191	Recent Uplift Characteristics of the Southeast Tibetan Plateau, an Analysis Based on Fluvial Indices. <i>Remote Sensing</i> , 2023, 15, 433.	4.0	0
192	Geodynamic processes control sediment routing: Insight from the Earth surface evolution of the northern South China Sea margin and SE Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2023, , 105555.	2.3	0
193	Responses of Stream Geomorphic Indices to Piedmont Fault Activity in the Northern Segment of the Red River Fault Zone. <i>Remote Sensing</i> , 2023, 15, 988.	4.0	2
194	Drainage development on the northern Tibetan Plateau controlled by the Altyn Tagh Fault: Insights from analogue modelling. <i>Earth Surface Processes and Landforms</i> , 0, , .	2.5	0
195	The Cenozoic hyper-oblique collision zone of Indochina: A re-appraisal of escape tectonics. <i>Earth-Science Reviews</i> , 2023, 243, 104453.	9.1	4
196	Cenozoic tectonic reactivation and its implications for landscape transience in southeastern Brazil. <i>Earth Surface Processes and Landforms</i> , 2023, 48, 2939-2959.	2.5	1
197	New Constraints on the Late Oligoceneâ€“Miocene Thermoâ€“Tectonic Evolution of the Southeastern Tibetan Plateau From Lowâ€“Temperature Thermochronology. <i>Tectonics</i> , 2023, 42, .	2.8	4
198	Eoceneâ€“Miocene tectonic reworking of the southeastern Tibetan Plateau: Geochronological and geochemical records from granitoids along the Ailao Shanâ€“Red River Shear Zone. <i>Gondwana Research</i> , 2024, 126, 202-222.	6.0	0
199	Seismic Reflection Imaging of a Deepâ€“Penetrating Red River Fault in the Yinggehai Basin, Northwest of the South China Sea. <i>Geophysical Research Letters</i> , 2023, 50, .	4.0	1
200	Seismological research in Yunnan Province, China, and its tectonic implication between the Xianshuihe-Xiaojiang fault system and the Red River fault zone. <i>Frontiers in Earth Science</i> , 0, 11, .	1.8	1
201	Geological and hydrochemical controls on water chemistry and stable isotopes of hot springs in the Three Parallel Rivers Region, southeast Tibetan Plateau: The genesis of geothermal waters. <i>Science of the Total Environment</i> , 2024, 906, 167648.	8.0	0
202	Finding Argoland: Reconstructing a microcontinental archipelago from the SE Asian accretionary orogen. <i>Gondwana Research</i> , 2024, 128, 161-263.	6.0	1
203	Strong earthquake recurrence interval in the southern segment of the Red River Fault, southwestern China. <i>Frontiers in Earth Science</i> , 0, 11, .	1.8	0

#	ARTICLE	IF	CITATIONS
204	Continental-scale shearing triggered by Oligocene subduction in Myanmar-Indochina, SE Asia. Geological Journal, 0, , .	1.3	0
205	Middle Miocene Onset of the Litang Fault System Records Kinematic Change in Eastern Tibet. Tectonics, 2023, 42, .	2.8	0
206	Tectonic evolution of the Ailaoshan-Red River shear zone and its relationship with the growth of the southeastern Tibetan Plateau. Gondwana Research, 2024, 129, 91-106.	6.0	0
207	Investigating paleoseismicity using high-resolution airborne LiDAR data - A case study of the Huangxianggou fault in the northeastern Tibetan plateau. Journal of Structural Geology, 2024, 180, 105063.	2.3	0
208	Geochemical Characteristics of Thermal Springs and Insights Into the Intersection Between the Xiaojiang Fault and the Red River Fault, Southeastern Tibet Plateau. Geochemistry, Geophysics, Geosystems, 2024, 25, .	2.5	0
209	Geomorphic impacts within Red River Fault and island shifting as witnessed by the phylogeography of the largest water strider. Molecular Phylogenetics and Evolution, 2024, 195, 108062.	2.7	0