

CITATION REPORT

List of articles citing

A model based on linguistic 2-tuples for dealing with multigranular hierarchical linguistic contexts in multi-expert decision-making

DOI: 10.1109/3477.915345

IEEE Transactions on Systems, Man, and Cybernetics,
2001, 31, 227-34.

Source: <https://exaly.com/paper-pdf/32394489/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
658	. 2000 , 8, 746-752		1577
657	Recursive information granulation: aggregation and interpretation issues. <i>IEEE Transactions on Systems, Man, and Cybernetics</i> , 2003 , 33, 96-112		50
656	A fuzzy logic based method for analyzing sensory evaluation data.		
655	An ideal point based approach to multi-criteria decision making with uncertain linguistic information.		
654	Incorporating filtering techniques in a fuzzy linguistic multi-agent model for information gathering on the web. 2004 , 148, 61-83		72
653	Managing non-homogeneous information in group decision making. 2005 , 166, 115-132		452
652	A multigranular hierarchical linguistic model for design evaluation based on safety and cost analysis. 2005 , 20, 1161-1194		63
651	AN APPROACH TO PURE LINGUISTIC MULTIPLE ATTRIBUTE DECISION MAKING UNDER UNCERTAINTY. 2005 , 04, 197-206		39
650	.		1
649	MEDM in general multi-granular hierarchical linguistic contexts based on the 2-tuples linguistic model. 2005 ,		6
648	A satisfactory-oriented approach to multiexpert decision-making with linguistic assessments. <i>IEEE Transactions on Systems, Man, and Cybernetics</i> , 2005 , 35, 184-96		81
647	AN APPROACH TO GROUP DECISION MAKING BASED ON INCOMPLETE LINGUISTIC PREFERENCE RELATIONS. 2005 , 04, 153-160		65
646	A new version of 2-tuple fuzzy linguistic representation model for computing with words. 2006 , 14, 435-445		353
645	Linguistic-labels aggregation and consensus measure for autocratic decision making using group recommendations. 2006 , 36, 558-568		182
644	. 2006 , 36, 876-889		60
643	A Linguistic Hierarchical Evaluation Model for Engineering Systems. 2006 , 295-305		
642	Incomplete linguistic preference relations and their fusion. 2006 , 7, 331-337		111

641	Fuzzy logic from the viewpoint of machine intelligence. 2006 , 157, 628-634		29
640	A Direct Approach to Group Decision Making with Uncertain Additive Linguistic Preference Relations. 2006 , 5, 21-32		25
639	A Note on Linguistic Hybrid Arithmetic Averaging Operator in Multiple Attribute Group Decision Making with Linguistic Information. <i>Group Decision and Negotiation</i> , 2006 , 15, 593-604	2.5	153
638	A Practical Procedure for Group Decision Making under Incomplete Multiplicative Linguistic Preference Relations. <i>Group Decision and Negotiation</i> , 2006 , 15, 581-591	2.5	43
637	Image Retrieval using Fuzzy Representation of Colors. <i>Soft Computing</i> , 2006 , 11, 287-298	3.5	12
636	Manipulation of qualitative degrees to handle uncertainty: formal models and applications. 2006 , 9, 385-411		16
635	On the fusion of multi-granularity linguistic label sets in group decision making. <i>Computers and Industrial Engineering</i> , 2006 , 51, 526-541	6.4	79
634	Induced uncertain linguistic OWA operators applied to group decision making. 2006 , 7, 231-238		321
633	An Optimal Algorithm of Group Decision Making Based on Linguistic Fuzzy Preference Information. 2006 ,		
632	A FUZZY MODEL FOR DESIGN EVALUATION BASED ON MULTIPLE CRITERIA ANALYSIS IN ENGINEERING SYSTEMS. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2006 , 14, 317-336	0.8	52
631	On generalized induced linguistic aggregation operators. 2006 , 35, 17-28		71
630	Grey relational analysis method for multiple attribute group decision making based on two-tuple linguistic information. 2007 ,		
629	. 2007 ,		
628	F-CUBE FACTORY: A FUZZY OLAP SYSTEM FOR SUPPORTING IMPRECISION. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2007 , 15, 59-81	0.8	9
627	A method for multiple attribute decision making with incomplete weight information under uncertain linguistic preference relations. 2007 ,		
626	Dynamic Linguistic Preference Relations and Their Use in Multi-Period Decision Making. 2007 ,		
625	A survey of preference relations. 2007 , 36, 179-203		208
624	Interval Geometric Aggregation Operator and Its Application to Uncertain Linguistic Multiple Attribute Group Decision Making. 2007 ,		

623	Multiple-attribute group decision making with different formats of preference information on attributes. <i>IEEE Transactions on Systems, Man, and Cybernetics</i> , 2007 , 37, 1500-11		82
622	Intuitionistic Fuzzy Aggregation Operators. 2007 , 15, 1179-1187		1611
621	Handling linguistic web information based on a multi-agent system. 2007 , 22, 435-453		14
620	A model of an information retrieval system with unbalanced fuzzy linguistic information. 2007 , 22, 1197-1214		115
619	Sensory evaluation based on linguistic decision analysis. 2007 , 44, 148-164		118
618	Application of consistent fuzzy preference relations in predicting the success of knowledge management implementation. 2007 , 182, 1313-1329		38
617	Forecasting the probability of successful knowledge management by consistent fuzzy preference relations. <i>Expert Systems With Applications</i> , 2007 , 32, 801-813	7.8	54
616	A method for multiple attribute decision making with incomplete weight information under uncertain linguistic environment. 2008 , 21, 837-841		56
615	Intelligent sensory evaluation: Concepts, implementations, and applications. 2008 , 77, 443-452		43
614	Group decision making based on multiple types of linguistic preference relations. <i>Information Sciences</i> , 2008 , 178, 452-467	7.7	166
613	A method for group decision making with multi-granularity linguistic assessment information. <i>Information Sciences</i> , 2008 , 178, 1098-1109	7.7	135
612	Applying fuzzy linguistic preference relations to the improvement of consistency of fuzzy AHP. <i>Information Sciences</i> , 2008 , 178, 3755-3765	7.7	203
611	Kansei evaluation based on prioritized multi-attribute fuzzy target-oriented decision analysis. <i>Information Sciences</i> , 2008 , 178, 4080-4093	7.7	57
610	A Group Decision Support Approach to Evaluate Experts for R&D Project Selection. 2008 , 55, 158-170		66
609	Evolving fuzzy classifier system using PSO for RoboCup vision applications. 2008 ,		
608	An Approach to Group Decision Making Problems Based on 2-Tuple Linguistic Aggregation Operators. 2008 ,		6
607	A Fuzzy Linguistic Methodology to Deal With Unbalanced Linguistic Term Sets. 2008 , 16, 354-370		404
606	Study on multi-attribute group decision making under the information of linguistic fuzzy numbers. 2008 ,		

605	An Approach to Solve Assignment Problems with Linguistic Assessment Information Based on Two-Tuple Linguistic Representation Model. 2008,		
604	Robust Color Classification Using Fuzzy Rule-Based Particle Swarm Optimization. 2008,		7
603	Group Decision Making Method with Incomplete Linguistic 2-tuple Judgement Matrix Based on Additive Consistency. 2008,		
602	Standard deviation method for determining the weights of group multiple attribute decision making under uncertain linguistic environment. 2008,		
601	Method of hybrid multi-attribute decision making based on relative entropy weight and projection algorithm. 2008,		
600	Two-tuple linguistic multiple attribute group decision making based on the group ideal alternative. 2008,		0
599	Applying fuzzy linguistic variable and ELECTRE method in R&D project evaluation and selection. 2008,		3
598	Applying 2-Tuple Multigranularity Linguistic Variables to Determine the Supply Performance in Dynamic Environment Based on Product-Oriented Strategy. 2008, 16, 29-39		42
597	A Model for Evaluating Service Quality Competitiveness Based on Linguistic Information. 2008,		
596	AN APPROACH TO GROUP DECISION MAKING BASED ON INCOMPLETE FUZZY PREFERENCE RELATIONS. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2008, 16, 83-94 ^{0.8}		9
595	A Linguistic Multigranular Sensory Evaluation Model for Olive Oil. 2008, 1, 148-158		34
594	IMPROVING THE EFFECTIVENESS OF KNOWLEDGE BASED RECOMMENDER SYSTEMS USING INCOMPLETE LINGUISTIC PREFERENCE RELATIONS. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2008, 16, 33-56	0.8	13
593	AN INTELLIGENT TECHNOLOGY BASED METHOD FOR INTERPRETING SENSORY EVALUATION DATA PROVIDED BY MULTIPLE PANELS. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2008, 16, 683-698	0.8	
592	A Linguistic-Valued Weighted Aggregation Operator to Multiple Attribute Group Decision Making with Quantitative and Qualitative Information. 2008, 1, 274-284		23
591	Group decision making based on computing with linguistic variables and an example in information system selection. 2008,		1
590	Overview of the study on group decision-making methods based on different judgement matrices. 2008,		
589	Two-tuple linguistic screening evaluation at the front end in new product development. 2008,		
588	Estimation of missing values in an incomplete linguistic 2-tuple judgment matrix based on additive consistency. 2008,		

587	Extended linguistic hierarchies. 2008 ,		
586	Harmonic Mean Operators for Aggregating Linguistic Information. 2008 ,		1
585	A New Decision-Making Method for Stock Portfolio Selection Based on Computing with Linguistic Assessment. 2009 , 2009, 1-20		13
584	FUZZY GROUP DECISION MAKING MODEL BASED ON CREDIBILITY THEORY AND GRAY RELATIVE DEGREE. 2009 , 08, 515-527		36
583	A Fuzzy Linguistic Recommender System to Disseminate the Own Academic Resources in Universities. 2009 ,		2
582	A cumulative belief-degree approach for nuclear safeguards evaluation. 2009 ,		3
581	The product quality improvement evaluation based on linguistic information processing. 2009 ,		
580	Definition of a Consensual Drug Selection Process in Hospital Universitario Virgen de la Victoria. 2009 ,		
579	CORRELATED LINGUISTIC INFORMATION AGGREGATION. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2009 , 17, 633-647	0.8	20
578	FUZZY LINGUISTIC MODELING OF EASE OF DOING BUSINESS INDICATORS. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2009 , 17, 531-557	0.8	10
577	Multiattribute Group Decision Making Method Using Extended Linguistic Variables. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2009 , 17, 793-806	0.8	35
576	UNCERTAIN LINGUISTIC HYBRID GEOMETRIC MEAN OPERATOR AND ITS APPLICATION TO GROUP DECISION MAKING UNDER UNCERTAIN LINGUISTIC ENVIRONMENT. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2009 , 17, 251-267	0.8	180
575	Applying ELECTRE and Maximizing Deviation Method for Stock Portfolio Selection under Fuzzy Environment. 2009 , 85-91		7
574	Method for Risk Evaluation of High-Technology with 2-Tuple Linguistic Information. 2009 ,		1
573	A CONSENSUS MODEL FOR GROUP DECISION MAKING PROBLEMS WITH UNBALANCED FUZZY LINGUISTIC INFORMATION. 2009 , 08, 109-131		190
572	Toward developing agility evaluation of mass customization systems using 2-tuple linguistic computing. <i>Expert Systems With Applications</i> , 2009 , 36, 3439-3447	7.8	81
571	Computing with words in decision making: foundations, trends and prospects. 2009 , 8, 337-364		364
570	An Interactive Approach to Multiple Attribute Group Decision Making with Multigranular Uncertain Linguistic Information. <i>Group Decision and Negotiation</i> , 2009 , 18, 119-145	2.5	101

569	Local decision making and decision fusion in hierarchical levels. 2009 , 17, 44-69		2
568	Combination of Qualitative Information with 2-Tuple Linguistic Representation in DS _m T. 2009 , 24, 786-797		9
567	A fuzzy linguistic method for evaluating collaboration satisfaction of NPD team using mutual-evaluation information. <i>International Journal of Production Economics</i> , 2009 , 122, 547-557	9.3	20
566	Evaluating knowledge management capability of organizations: a fuzzy linguistic method. <i>Expert Systems With Applications</i> , 2009 , 36, 3346-3354	7.8	78
565	A multi-disciplinar recommender system to advice research resources in University Digital Libraries. <i>Expert Systems With Applications</i> , 2009 , 36, 12520-12528	7.8	70
564	Linguistic multiperson decision making based on the use of multiple preference relations. 2009 , 160, 603-623		108
563	A recommender system for research resources based on fuzzy linguistic modeling. <i>Expert Systems With Applications</i> , 2009 , 36, 5173-5183	7.8	79
562	Contextualized mobile recommendation service based on interactive social network discovered from mobile users. <i>Expert Systems With Applications</i> , 2009 , 36, 11950-11956	7.8	33
561	CONTEXTUALIZED RECOMMENDATION BASED ON REALITY MINING FROM MOBILE SUBSCRIBERS. 2009 , 40, 160-175		16
560	An Adaptive Consensus Support Model for Group Decision-Making Problems in a Multigranular Fuzzy Linguistic Context. 2009 , 17, 279-290		271
559	Applying multiple linguistic PROMETHEE method for personnel evaluation and selection. 2009 ,		6
558	Measuring the aggregative risk degree of Taiwanese private university by consistent fuzzy preference relations. 2009 ,		
557	Using Incomplete Fuzzy Linguistic Preference Relations to Characterize User Profiles in Recommender Systems. 2009 ,		2
556	Optimizing the Method for Building an Extended Linguistic Hierarchy. 2009 ,		1
555	A method of Identifying Supply Chain Risk Factors. 2009 ,		5
554	A Method of Converting a Fuzzy System to a Two-Layered Hierarchical Fuzzy System and Its Run-Time Efficiency. 2009 , 17, 93-103		24
553	Computing the Numerical Scale of the Linguistic Term Set for the 2-Tuple Fuzzy Linguistic Representation Model. 2009 , 17, 1366-1378		222
552	AN EVALUATION MODEL OF INNOVATION PERFORMANCE BASED ON FUZZY INTERVAL LINGUISTIC VARIABLES. 2009 , 26, 387-396		4

551	New evaluation scales of linguistic information based on normal distributions. 2010,		1
550	An Extended Hierarchical Linguistic Model for Managing Integral Evaluation. 2010, 3, 486-500		14
549	A fuzzy MCDM approach for personnel selection. <i>Expert Systems With Applications</i> , 2010, 37, 4324-4330	7.8	141
548	Managing the consensus in group decision making in an unbalanced fuzzy linguistic context with incomplete information. 2010, 23, 169-181		253
547	Extension of TOPSIS method for 2-tuple linguistic multiple attribute group decision making with incomplete weight information. 2010, 25, 623-634		141
546	Fusion of imprecise qualitative information. <i>Applied Intelligence</i> , 2010, 33, 340-351	4.9	15
545	A multi-granular linguistic model for management decision-making in performance appraisal. <i>Soft Computing</i> , 2010, 14, 21-34	3.5	53
544	A goal programming approach to group decision-making with three formats of incomplete preference relations. <i>Soft Computing</i> , 2010, 14, 1083-1090	3.5	18
543	Uniformization of multigranular linguistic labels and their application to group decision making. 2010, 19, 257-276		10
542	Dealing with incomplete information in a fuzzy linguistic recommender system to disseminate information in university digital libraries. 2010, 23, 32-39		167
541	The OWA-based consensus operator under linguistic representation models using position indexes. 2010, 203, 455-463		231
540	Fuzzy linguistic decision to provide alternatives to market mechanism strategies. <i>Expert Systems With Applications</i> , 2010, 37, 6986-6996	7.8	10
539	A flexible consensus scheme for multicriteria group decision making under linguistic assessments. <i>Information Sciences</i> , 2010, 180, 1075-1089	7.7	169
538	A new method for fuzzy group decision-making based on interval linguistic labels. 2010,		4
537	A heterogeneous evaluation model for assessing sustainable energy: A Belgian case study. 2010,		0
536	Models for Multiple Attribute Group Decision Making with 2-Tuple Linguistic Assessment Information. 2010, 3, 315-324		45
535	An Integrated Methodology using Linguistic PROMETHEE and Maximum Deviation Method for Third-party Logistics Supplier Selection. 2010, 3, 438-451		41
534	Official selection model based on multi-attribute group decision making. 2010,		

533 . 2010,

532 Multi-Criteria Comprehensive Evaluation Model under the Uncertain Information. 2010,

531 A Review on Information Accessing Systems Based on Fuzzy Linguistic Modelling. 2010, 3, 420-437 41

530 Lessons Learned From Soft Computing Applications At SCK-CEN. 2010, 3, 249-255 2

529 . 2010, 3

528 Computing With Words Is an Implementable Paradigm: Fuzzy Queries, Linguistic Data Summaries, and Natural-Language Generation. 2010, 18, 461-472 143

527 VBM-fuzzy computing of MR brain volume for proper intensity diagnosis of Alzheimer's. 2010, 2

526 A Web based evaluation support system by integral performance appraisal. 2010, 2

525 A multi-granular linguistic QoS model for networking. 2010,

524 Novel model of comprehensive quality evaluation for college students based on multiple attribute decision. 2011,

523 Handling fuzzy decision making problem based on linguistic information and intersection concept. 2011, 2

522 Selecting the Individual Numerical Scale and Prioritization Method in the Analytic Hierarchy Process: A 2-Tuple Fuzzy Linguistic Approach. 2011, 19, 13-25 87

521 Evaluation method for traditional Chinese medicine diagnosis based on two-tuple linguistic. 2011,

520 Boosting social networks in Social Network-Based Recommender System. 2011, 4

519 Towards a New Fuzzy Linguistic Preference Modeling Approach for Geolocation Applications. 2011, 413-424 1

518 AN EXTENDED HIERARCHICAL LINGUISTIC MODEL FOR DECISION-MAKING PROBLEMS. 2011, 27, 489-512 75

517 A Linguistic Screening Evaluation Model in New Product Development. 2011, 58, 165-175 14

516 The role of fuzzy sets in decision sciences: Old techniques and new directions. 2011, 184, 3-28 219

515	A google wave-based fuzzy recommender system to disseminate information in University Digital Libraries 2.0. <i>Information Sciences</i> , 2011 , 181, 1503-1516	7.7	117
514	A method based on preference degrees for handling hybrid multiple attribute decision making problems. <i>Expert Systems With Applications</i> , 2011 , 38, 3147-3154	7.8	36
513	Trust estimation in a virtual team: A decision support method. <i>Expert Systems With Applications</i> , 2011 , 38, 10240-10251	7.8	26
512	A hierarchical model of a linguistic variable. <i>Information Sciences</i> , 2011 , 181, 4394-4408	7.7	12
511	Some generalized aggregating operators with linguistic information and their application to multiple attribute group decision making. <i>Computers and Industrial Engineering</i> , 2011 , 61, 32-38	6.4	109
510	A probabilistic model for linguistic multi-expert decision making involving semantic overlapping. <i>Expert Systems With Applications</i> , 2011 , 38, 8901-8912	7.8	15
509	Approaches based on 2-tuple linguistic power aggregation operators for multiple attribute group decision making under linguistic environment. <i>Applied Soft Computing Journal</i> , 2011 , 11, 3988-3997	7.5	144
508	Using memory to reduce the information overload in a university digital library. 2011 ,		2
507	A Method for Group Decision Making with Multi-Granularity Interval Reciprocal Linguistic Judgment Matrix. 2011 ,		
506	Similarity measures between intervals of linguistic 2-tuples and the intervals of linguistic 2-tuples weighted average operator. 2011 ,		2
505	SOME HARMONIC AGGREGATION OPERATORS WITH 2-TUPLE LINGUISTIC ASSESSMENT INFORMATION AND THEIR APPLICATION TO MULTIPLE ATTRIBUTE GROUP DECISION MAKING. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2011 , 19, 977-998	0.8	54
504	Study on an Assignment Problem with Multi-Mode and Multi-Resource Information Fusing. 2011 ,		
503	A Cumulative Belief Degree-Based Approach for Missing Values in Nuclear Safeguards Evaluation. 2011 , 23, 1441-1454		32
502	The Extension of Quality Function Deployment Based on 2-Tuple Linguistic Representation Model for Product Design under Multigranularity Linguistic Environment. 2012 , 2012, 1-18		6
501	The Unbalanced Linguistic Aggregation Operator in Group Decision Making. 2012 , 2012, 1-12		1
500	An extension of grey target method with multistage fuzzy linguistic evaluation under incomplete weight. 2012 , 41, 736-749		5
499	Training Strategy Model for BDAR Based on Case-Based Reasoning. 2012 ,		
498	POWER GEOMETRIC OPERATORS FOR GROUP DECISION MAKING UNDER MULTIPLICATIVE LINGUISTIC PREFERENCE RELATIONS. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2012 , 20, 139-159	0.8	17

497	A COMPETENCY EVALUATION METHOD OF HUMAN RESOURCES MANAGERS BASED ON MULTI-GRANULARITY LINGUISTIC VARIABLES AND VIKOR METHOD. 2012 , 18, 696-710		30
496	The unbalanced linguistic aggregation operator in group decision making. 2012 ,		4
495	A reconstruction decoder for the perceptual computer. 2012 ,		3
494	Choosing project leader based on interval linguistic TOPSIS and social network technology. 2012 ,		0
493	. 2012 ,		11
492	Design of personnel position system of mine based on the average of RSSI. 2012 ,		2
491	Linguistic power aggregation operators and their application to multiple attribute group decision making. 2012 , 36, 5427-5444		86
490	A linguistic decision support model for QoS priorities in networking. 2012 , 32, 65-75		13
489	Adaptive consensus support model for group decision making systems. <i>Expert Systems With Applications</i> , 2012 , 39, 12580-12588	7.8	43
488	. 2012 ,		1
487	Multicriteria decision making with 2-dimension linguistic aggregation techniques. 2012 , 27, 539-562		27
486	A hybrid recommender system for the selective dissemination of research resources in a Technology Transfer Office. <i>Information Sciences</i> , 2012 , 184, 1-19	7.7	130
485	An overview on the 2-tuple linguistic model for computing with words in decision making: Extensions, applications and challenges. <i>Information Sciences</i> , 2012 , 207, 1-18	7.7	338
484	Ranking multi-attribute alternatives on the basis of linguistic labels in group decisions. <i>Information Sciences</i> , 2012 , 209, 49-60	7.7	43
483	Multiple stages grey target decision making method with incomplete weight based on multi-granularity linguistic label. <i>Information Sciences</i> , 2012 , 212, 15-32	7.7	52
482	New aggregation operators based on the Choquet integral and 2-tuple linguistic information. <i>Expert Systems With Applications</i> , 2012 , 39, 2662-2668	7.8	67
481	Identifying risk factors of IT outsourcing using interdependent information: An extended DEMATEL method. <i>Expert Systems With Applications</i> , 2012 , 39, 3832-3840	7.8	74
480	Some dependent aggregation operators with 2-tuple linguistic information and their application to multiple attribute group decision making. <i>Expert Systems With Applications</i> , 2012 , 39, 5881-5886	7.8	133

479	A method for multi-granularity uncertain linguistic group decision making with incomplete weight information. 2012 , 26, 111-119		77
478	A compensatory model for computing with words under discrete labels and incomplete information. 2012 , 27, 29-37		3
477	The multiattribute group decision making method based on aggregation operators with interval-valued 2-tuple linguistic information. 2012 , 56, 27-35		114
476	Evaluation of the results of multi-attribute group decision-making with linguistic information. 2012 , 40, 294-301		94
475	Autocratic Decision Making Using Group Recommendations Based on the ILLOWA Operator and Likelihood-Based Comparison Relations. 2012 , 42, 115-129		38
474	A Case Study of Group Decision Method for Environmental Foresight and Water Resources Planning Using a Fuzzy Approach. <i>Group Decision and Negotiation</i> , 2012 , 21, 205-232	2.5	7
473	INDUCED CHOQUET INTEGRALS OF 2-TUPLE LINGUISTIC INFORMATION. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2013 , 21, 175-200	0.8	8
472	Linguistic interval 2-tuple power aggregation operators and their applications. 2013 , 6, 381-395		7
471	Some Hybrid Geometric Aggregation Operators with 2-tuple Linguistic Information and Their Applications to Multi-attribute Group Decision Making. 2013 , 6, 750-763		25
470	Measuring consistency of linguistic preference relations: a 2-tuple linguistic approach. <i>Soft Computing</i> , 2013 , 17, 2117-2130	3.5	44
469	Exploiting 2-tuple linguistic representational model for constructing HOQ-based failure modes and effects analysis. <i>Computers and Industrial Engineering</i> , 2013 , 64, 858-865	6.4	41
468	Multi-attribute group decision-making with multi-granularity linguistic assessment information: An improved approach based on deviation and TOPSIS. 2013 , 37, 10129-10140		41
467	Numerical scales generated individually for analytic hierarchy process. 2013 , 229, 654-662		46
466	A granular neural network: Performance analysis and application to re-granulation. 2013 , 54, 1149-1167		15
465	On weighted unbalanced linguistic aggregation operators in group decision making. <i>Information Sciences</i> , 2013 , 223, 31-41	7.7	51
464	Residual implications on the set of discrete fuzzy numbers. <i>Information Sciences</i> , 2013 , 247, 131-143	7.7	21
463	A proposed model for measuring the aggregative risk degree of implementing an RFID digital campus system with the consistent fuzzy preference relations. 2013 , 37, 2605-2622		19
462	. 2013 , 21, 1006-1018		138

461	2-Tuple linguistic hybrid arithmetic aggregation operators and application to multi-attribute group decision making. 2013 , 45, 31-40		81
460	2-Tuple linguistic harmonic operators and their applications in group decision making. 2013 , 44, 10-19		38
459	Some hybrid aggregating operators in linguistic decision making with Dempster-Shafer belief structure. <i>Computers and Industrial Engineering</i> , 2013 , 65, 646-651	6.4	35
458	Hesitant fuzzy power aggregation operators and their application to multiple attribute group decision making. <i>Information Sciences</i> , 2013 , 234, 150-181	7.7	241
457	Some interval-valued 2-tuple linguistic aggregation operators and application in multiattribute group decision making. 2013 , 37, 4269-4282		78
456	Hiperion: A fuzzy approach for recommending educational activities based on the acquisition of competences. <i>Information Sciences</i> , 2013 , 248, 114-129	7.7	31
455	Modelling of linguistic variables in multicriteria energy policy support. 2013 , 227, 227-238		36
454	Material selection using an interval 2-tuple linguistic VIKOR method considering subjective and objective weights. 2013 , 52, 158-167		92
453	An extended compromise ratio method for fuzzy group multi-attribute decision making with SWOT analysis. <i>Applied Soft Computing Journal</i> , 2013 , 13, 3459-3472	7.5	22
452	Extending the strategy game from multi-criteria considerations with linguistic variables. 2013 ,		
451	A maximizing consensus approach for alternative selection based on uncertain linguistic preference relations. <i>Computers and Industrial Engineering</i> , 2013 , 64, 999-1008	6.4	62
450	Multigranular Uncertain Linguistic Prioritized Aggregation Operators and Their Application to Multiple Criteria Group Decision Making. 2013 , 2013, 1-13		9
449	A Multiple Attribute Decision Making Method Based on Uncertain Linguistic Heronian Mean. 2013 , 2013, 1-11		7
448	A Trust Model Award Content Security and Rating Supervision Model. 2013 , 655-657, 1765-1769		
447	Research on the Synthetically Quantitative Evaluation System of Ecological Environment Quality of the Water Conservancy and Hydroelectric Power Project. 2013 , 748, 987-993		
446	Linguistic multicriteria decision making for energy systems: building the RE2S framework. 2013 , 2, 571-585		11
445	Group aggregation method of non-formatted text evaluation information based on linguistic label and evidence distance. 2013 ,		
444	An Interactive Approach Based on Alternative Achievement Scale and Alternative Comprehensive Scale for Multiple Attribute Decision Making under Linguistic Environment. 2013 , 6, 87-95		10

443	. 2013 ,	5
442	PARAMETERIZED 2-TUPLE LINGUISTIC MOST PREFERRED OWA OPERATORS AND THEIR APPLICATION IN DECISION MAKING. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2013 , 21, 799-819	0.8 3
441	A heterogeneous approach for environmental impact significance assessment based on fuzzy linguistic models. 2013 ,	
440	Induced unbalanced linguistic ordered weighted average and its application in multiperson decision making. 2014 , 2014, 642165	4
439	A fuzzy multi-granularity linguistic approach under group decision-making for the evaluation of supply chain flexibility. 2014 , 31, 303-322	6
438	Evaluation on Functions of Urban Waterfront Redevelopment Based on Proportional 2-Tuple Linguistic. 2014 , 7, 796-808	7
437	An interval 2-tuple linguistic MCDM method for robot evaluation and selection. 2014 , 52, 2867-2880	73
436	A new approach to improve the consistency of linguistic pair-wise comparison matrix and derive interval weight vector. 2014 ,	2
435	Fuzzy Comprehensive Evaluation Model of Selecting Football Coach. 2014 , 989-994, 1821-1824	1
434	Multi-attribute group decision making methods with proportional 2-tuple linguistic assessments and weights. 2014 , 7, 758-770	14
433	Research of Two-Tuple Linguistic in Process of Maintenance on Risk Evaluation for Naval Vessel. 2014 , 472, 1094-1098	
432	An Approach to Group Making Problems Based on Two-Tuple Linguistic Theory. 2014 , 472, 456-459	
431	Investor Selection Model under Uncertain Information Environment. 2014 , 989-994, 1845-1848	
430	Linguistic Intuitionistic Fuzzy Sets and Application in MAGDM. 2014 , 2014, 1-11	52
429	A new method for evaluating tour online review based on grey 2-tuple linguistic. 2014 , 43, 601-613	11
428	Applying linguistic information and intersection concept to improve effectiveness of multi-criteria decision analysis technology. 2014 , 13, 291-315	8
427	On the use of Hesitant Fuzzy Linguistic Term Set in FLINTSTONES. 2014 ,	1
426	An Integrated Approach Based on 2-Tuple Fuzzy Representation and QFD for Supplier Selection. 2014 , 621-634	1

425	A linguistic approach to the organization of drug flows: The case of CHU Habib Bourguiba. 2014 ,		
424	Research on the Evaluation Model of Urban Tourism Management Efficiency with Uncertain Linguistic Information. 2014 , 2014, 1-4		1
423	A quality based recommender system to disseminate information in a university digital library. <i>Information Sciences</i> , 2014 , 261, 52-69	7.7	114
422	Using consensus and distances between generalized multi-attribute linguistic assessments for group decision-making. 2014 , 17, 83-92		55
421	Type-1 OWA methodology to consensus reaching processes in multi-granular linguistic contexts. 2014 , 58, 11-22		52
420	Method of multi-criteria group decision-making based on cloud aggregation operators with linguistic information. <i>Information Sciences</i> , 2014 , 274, 177-191	7.7	169
419	Fuzzy Linguistic Induced Euclidean OWA Distance Operator and its Application in Group Linguistic Decision Making. 2014 , 29, 478-491		39
418	Aggregation Operators of Interval-Valued 2-Tuple Linguistic Information. 2014 , 29, 634-667		17
417	TPLUFIB-WEB: A fuzzy linguistic Web system to help in the treatment of low back pain problems. 2014 , 67, 429-438		14
416	Segmentation of color images using a linguistic 2-tuples model. <i>Information Sciences</i> , 2014 , 258, 339-352	7.7	11
415	A linguistic multi-criteria decision making approach based on logical reasoning. <i>Information Sciences</i> , 2014 , 258, 266-276	7.7	32
414	METHODS FOR PROBABILISTIC DECISION MAKING WITH LINGUISTIC INFORMATION. 2014 , 20, 193-209		19
413	Connecting the numerical scale model to the unbalanced linguistic term sets. 2014 ,		3
412	A numerical two-scale model of multi-granularity linguistic variables and it's application to group decision making. 2014 ,		1
411	Multiperson decision making with different preference representation structures: A direct consensus framework and its properties. 2014 , 58, 45-57		97
410	Unbalanced linguistic approach for venture investment evaluation with risk attitudes. 2014 , 3, 1-13		8
409	Consistency and consensus measures for linguistic preference relations based on distribution assessments. 2014 , 17, 46-55		313
408	Induced continuous Choquet integral operators and their application to group decision making. <i>Computers and Industrial Engineering</i> , 2014 , 68, 42-53	6.4	24

407	FLINTSTONES: A fuzzy linguistic decision tools enhancement suite based on the 2-tuple linguistic model and extensions. <i>Information Sciences</i> , 2014 , 280, 152-170	7.7	42
406	A new linguistic computational model based on discrete fuzzy numbers for computing with words. <i>Information Sciences</i> , 2014 , 258, 277-290	7.7	145
405	An axiomatizable logical foundation for lattice-ordered qualitative linguistic approach for reasoning with words. <i>Information Sciences</i> , 2014 , 263, 110-125	7.7	12
404	Operators and Comparisons of Hesitant Fuzzy Linguistic Term Sets. 2014 , 22, 575-585		241
403	Integrating Quality Criteria in a Fuzzy Linguistic Recommender System for Digital Libraries. <i>Procedia Computer Science</i> , 2014 , 31, 1036-1043	1.6	7
402	A reconstruction decoder for computing with words. <i>Information Sciences</i> , 2014 , 255, 1-15	7.7	13
401	Hesitant 2-tuple linguistic information in multiple attributes group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2015 , 30, 109-116	1.6	32
400	An incomplete multi-granular linguistic model and its application in emergency decision of unconventional outburst incidents. <i>Journal of Intelligent and Fuzzy Systems</i> , 2015 , 29, 619-633	1.6	13
399	Aggregation of unbalanced fuzzy linguistic information in decision problems based on Type-1 OWA operator. 2015 ,		1
398	Public Transportation Hub Location with Stochastic Demand: An Improved Approach Based on Multiple Attribute Group Decision-Making. 2015 , 2015, 1-15		2
397	Advanced Computing with Words: Status and Challenges. 2015 , 217-245		5
396	A model to represent users trust in recommender systems using ontologies and fuzzy linguistic modeling. <i>Information Sciences</i> , 2015 , 311, 102-118	7.7	87
395	New operations of hesitant fuzzy linguistic term sets with applications in multi-attribute group decision making. 2015 ,		9
394	A first attempt towards a fuzzy c-means for the linguistic 2-tuple model. 2015 ,		
393	A taxonomy for multiple attribute group decision making literature. 2015 ,		1
392	Representation of unbalanced terms in multi-valued logic. 2015 ,		1
391	The fusion process with heterogeneous preference structures in group decision making: A survey. 2015 , 24, 72-83		162
390	An integrated fuzzy MCDM approach for supplier evaluation and selection. <i>Computers and Industrial Engineering</i> , 2015 , 82, 82-93	6.4	127

389	REFORE: A recommender system for researchers based on bibliometrics. <i>Applied Soft Computing Journal</i> , 2015 , 30, 778-791	7.5	35
388	A web tool to support decision making in the housing market using hesitant fuzzy linguistic term sets. <i>Applied Soft Computing Journal</i> , 2015 , 35, 949-957	7.5	46
387	Consistency issues of interval pairwise comparison matrices. <i>Soft Computing</i> , 2015 , 19, 2321-2335	3.5	36
386	A Novel Linguistic Group Decision-Making Model Based on Extended Hesitant Fuzzy Linguistic Term Sets. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2015 , 23, 379-398	0.8	28
385	Building and managing fuzzy ontologies with heterogeneous linguistic information. 2015 , 88, 154-164		32
384	Uncertain linguistic fuzzy soft sets and their applications in group decision making. <i>Applied Soft Computing Journal</i> , 2015 , 34, 587-605	7.5	24
383	A Normalized Numerical Scaling Method for the Unbalanced Multi-Granular Linguistic Sets. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2015 , 23, 221-243	0.8	16
382	An approach to multiple attribute group decision making based on linguistic intuitionistic fuzzy numbers. 2015 , 8, 747-760		137
381	Multi-granular unbalanced linguistic distribution assessments with interval symbolic proportions. 2015 , 82, 139-151		111
380	A Model Based on Linguistic 2-Tuples for Dealing With Heterogeneous Relationship Among Attributes in Multi-expert Decision Making. 2015 , 23, 1817-1831		49
379	A Multi-criteria Assessment for R&D Innovation with Fuzzy Computing with Words. <i>Advances in Intelligent Systems and Computing</i> , 2015 , 3-14	0.4	
378	Consensus building in multiperson decision making with heterogeneous preference representation structures: A perspective based on prospect theory. <i>Applied Soft Computing Journal</i> , 2015 , 35, 898-910	7.5	55
377	A new linguistic aggregation operator and its application to multiple attribute decision making. 2015 , 2, 156-164		15
376	SICTQUAL: A fuzzy linguistic multi-criteria model to assess the quality of service in the ICT sector from the user perspective. <i>Applied Soft Computing Journal</i> , 2015 , 37, 897-910	7.5	22
375	A HYBRID MODEL FOR DECISION-MAKING IN THE INFORMATION AND COMMUNICATIONS TECHNOLOGY SECTOR. 2015 , 21, 720-737		12
374	Integrating Ontologies and Fuzzy Logic to Represent User-Trustworthiness in Recommender Systems. <i>Procedia Computer Science</i> , 2015 , 55, 603-612	1.6	15
373	On Multi-granular Fuzzy Linguistic Modelling in Decision Making. <i>Procedia Computer Science</i> , 2015 , 55, 593-602	1.6	6
372	A Dynamic Recommender System as Reinforcement for Personalized Education by a Fuzzly Linguistic Web System. <i>Procedia Computer Science</i> , 2015 , 55, 1143-1150	1.6	17

371	Partitioned Bonferroni mean based on linguistic 2-tuple for dealing with multi-attribute group decision making. <i>Applied Soft Computing Journal</i> , 2015 , 37, 166-179	7.5	90
370	Construction of house of quality for new product planning: A 2-tuple fuzzy linguistic approach. 2015 , 73, 117-127		15
369	D-CFPR: D numbers extended consistent fuzzy preference relations. 2015 , 73, 61-68		45
368	On multi-granular fuzzy linguistic modeling in group decision making problems: A systematic review and future trends. 2015 , 74, 49-60		174
367	A Novel Approach for FMEA: Combination of Interval 2-Tuple Linguistic Variables and Gray Relational Analysis. 2015 , 31, 761-772		107
366	Consensus-Based Group Decision Making Under Multi-granular Unbalanced 2-Tuple Linguistic Preference Relations. <i>Group Decision and Negotiation</i> , 2015 , 24, 217-242	2.5	160
365	An Uncertain Linguistic Multi-criteria Group Decision-Making Method Based on a Cloud Model. <i>Group Decision and Negotiation</i> , 2015 , 24, 171-192	2.5	173
364	Consistency-driven automatic methodology to set interval numerical scales of 2-tuple linguistic term sets and its use in the linguistic GDM with preference relation. 2015 , 45, 780-92		191
363	An optimization-based approach to adjusting unbalanced linguistic preference relations to obtain a required consistency level. <i>Information Sciences</i> , 2015 , 292, 27-38	7.7	63
362	Project evaluation method using non-formatted text information based on multi-granular linguistic labels. 2015 , 24, 93-107		17
361	An approach to consensus measurement of linguistic preference relations in multi-attribute group decision making and application. 2015 , 51, 83-92		102
360	Consensus Building in a Local Context for the AHP-GDM With the Individual Numerical Scale and Prioritization Method. 2015 , 23, 354-368		50
359	Multi-criteria group decision making method based on interval 2-tuple linguistic information and Choquet integral aggregation operators. <i>Soft Computing</i> , 2015 , 19, 389-405	3.5	70
358	Evaluating individuals in interactive genetic algorithms using variational granularity. <i>Soft Computing</i> , 2015 , 19, 621-635	3.5	3
357	Model for evaluating the design patterns of the Micro-Air vehicle under interval-valued intuitionistic uncertain linguistic environment. <i>Journal of Intelligent and Fuzzy Systems</i> , 2016 , 30, 2963-2969		5
356	A New Classification Analysis of Customer Requirement Information Based on Quantitative Standardization for Product Configuration. 2016 , 2016, 1-8		1
355	Consistent linguistic fuzzy preference relation with multi-granular uncertain linguistic information for solving decision making problems. 2016 ,		0
354	Interval 2-Tuple Linguistic Distance Operators and Their Applications to Supplier Evaluation and Selection. 2016 , 2016, 1-12		6

353	On Extending Power-Geometric Operators to Interval-Valued Hesitant Fuzzy Sets and Their Applications to Group Decision Making. 2016 , 15, 1055-1114		13
352	A Fuzzy Collaborative Assessment Methodology for Partner Trust Evaluation. 2016 , 31, 488-501		9
351	Similarity-Based Approach for Group Decision Making with Multi-Granularity Linguistic Information. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2016 , 24, 873-900	0.8	11
350	Model for evaluating the virtual enterprise's risk with 2-tuple linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2016 , 31, 193-200	1.6	8
349	A novel model for enterprise technological innovation capability evaluation with 2-tuple linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2016 , 31, 541-546	1.6	5
348	Fusing multi-granular unbalanced hesitant fuzzy linguistic information in group decision making. 2016 ,		4
347	Mapping development of linguistic decision making studies. <i>Journal of Intelligent and Fuzzy Systems</i> , 2016 , 30, 2727-2736	1.6	72
346	Improving queries and representing heterogeneous information in Fuzzy Ontologies using multi-granular fuzzy linguistic modelling methods. 2016 ,		
345	2-tuple linguistic Muirhead mean operators for multiple attribute group decision making and its application to supplier selection. 2016 , 45, 2-29		63
344	2-dimension linguistic computational model with 2-tuples for multi-attribute group decision making. 2016 , 103, 132-142		37
343	Proportional hesitant fuzzy linguistic term set for multiple criteria group decision making. <i>Information Sciences</i> , 2016 , 357, 61-87	7.7	151
342	Robust Nanoparticles Detection From Noisy Background by Fusing Complementary Image Information. 2016 , 25, 5713-5726		13
341	An approach to evaluating the performances of the photoelectric devices with hesitant fuzzy linguistic information. 2016 , 20, 245-249		1
340	A method for emergency plan evaluation under group decision makers based on 2-tuple prioritized OWA operator. 2016 ,		
339	Integrated model of assisted parking system and performance evaluation with entropy weight extended analytic hierarchy process and two-tuple linguistic information. 2016 , 8, 168781401665463		6
338	An optimization-based approach to estimate the range of consistency in hesitant fuzzy linguistic preference relations. 2016 ,		2
337	Multi-expert decision-making with incomplete and noisy fuzzy rules and the monotone test. 2016 ,		1
336	Filling fuzzy ontologies with people knowledge using fuzzy ontologies and group decision making methods. 2016 ,		

335	A Goal Programming Approach for Group Decision Making with Four Incomplete Preference Relations. 2016 ,		2
334	A two-phase decision-making method for handling personnel selection problem. 2016 ,		3
333	Entropy Measures for Extended Hesitant Fuzzy Linguistic Term Sets and Their Applications. 2016 , 151-164		4
332	A new consensus algorithm in uncertain linguistic multiple attribute group decision. 2016 ,		
331	Determination of entropy measures for the ordinal scale-based linguistic models. <i>Information Sciences</i> , 2016 , 369, 63-79	7.7	24
330	Connecting the linguistic hierarchy and the numerical scale for the 2-tuple linguistic model and its use to deal with hesitant unbalanced linguistic information. <i>Information Sciences</i> , 2016 , 367-368, 259-278	7.7	165
329	A Multigranularity Linguistic Group Decision-Making Method Based on Hesitant 2-Tuple Sets. 2016 , 31, 612-634		44
328	Development of some linguistic aggregation operators with conservation of interaction between criteria and their application in multiple attribute group decision problems. 2016 , 24, 635-664		5
327	Applying a linguistic multi-criteria decision-making model to the analysis of ICT suppliers/buffers. <i>Expert Systems With Applications</i> , 2016 , 57, 127-138	7.8	26
326	How OPTIMUS is a city in terms of energy optimization? e-SCEAF: A web based decision support tool for local authorities. 2016 , 29, 149-161		14
325	A Review of Fuzzy Sets in Decision Sciences: Achievements, Limitations and Perspectives. 2016 , 637-691		2
324	A method for large group decision-making based on evaluation information provided by participators from multiple groups. 2016 , 29, 132-141		114
323	Managing multi-granularity linguistic information in qualitative group decision making: an overview. <i>Granular Computing</i> , 2016 , 1, 21-35	5.4	144
322	Fusion of preferences from different perspectives in a decision-making context. 2016 , 29, 120-131		12
321	Improving Linguistic Pairwise Comparison Consistency via Linguistic Discrete Regions. 2016 , 24, 600-614		8
320	Some new Shapley 2-tuple linguistic Choquet aggregation operators and their applications to multiple attribute group decision making. <i>Soft Computing</i> , 2016 , 20, 4037-4053	3.5	27
319	Approaches Based on Interval Type-2 Fuzzy Aggregation Operators for Multiple Attribute Group Decision Making. <i>International Journal of Fuzzy Systems</i> , 2016 , 18, 697-715	3.6	19
318	Creating knowledge databases for storing and sharing people knowledge automatically using group decision making and fuzzy ontologies. <i>Information Sciences</i> , 2016 , 328, 418-434	7.7	29

317	Critical Success Factors for the Iron and Steel Industry in Turkey: A Fuzzy DEMATEL Approach. <i>International Journal of Fuzzy Systems</i> , 2016 , 18, 523-536	3.6	19
316	A linguistic fusion approach for heterogeneous Environmental Impact Significance Assessment. 2016 , 40, 1402-1417		8
315	Linguistic Interval Hesitant Fuzzy Sets and Their Application in Decision Making. 2016 , 8, 52-68		40
314	Soft consensus measures in group decision making using unbalanced fuzzy linguistic information. <i>Soft Computing</i> , 2017 , 21, 3037-3050	3.5	112
313	Understanding customer requirements through quantitative analysis of an improved fuzzy Kano model. 2017 , 231, 699-712		14
312	Energy planning problems with interval-valued 2-tuple linguistic information. 2017 , 17, 821-848		14
311	Personalized individual semantics in computing with words for supporting linguistic group decision making. An application on consensus reaching. 2017 , 33, 29-40		236
310	Managing Multigranular Linguistic Distribution Assessments in Large-Scale Multiattribute Group Decision Making. 2017 , 47, 3063-3076		221
309	Comparisons of probabilistic linguistic term sets for multi-criteria decision making. 2017 , 119, 284-291		135
308	Knowledge base to fuzzy information granule: A review from the interpretability-accuracy perspective. <i>Applied Soft Computing Journal</i> , 2017 , 54, 121-140	7.5	17
307	Method of Multiple Attribute Group Decision Making Based on 2-Dimension Interval Type-2 Fuzzy Aggregation Operators with Multi-granularity Linguistic Information. <i>International Journal of Fuzzy Systems</i> , 2017 , 19, 1880-1903	3.6	23
306	Determining importance ratings of patients' requirements with multi-granular linguistic evaluation information. 2017 , 55, 4110-4122		15
305	Comprehensive evaluation of regional economy development level in Jiangsu Province with 2-tuple linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 32, 859-866	1.6	4
304	Multiple attribute group decision making: A generic conceptual framework and a classification scheme. 2017 , 123, 13-30		47
303	Generating HFLTS possibility distribution with an embedded assessing attitude. <i>Information Sciences</i> , 2017 , 394-395, 141-166	7.7	29
302	Linguistic multi-criteria decision-making model with output variable expressive richness. <i>Expert Systems With Applications</i> , 2017 , 83, 350-362	7.8	13
301	Linguistic multi-attribute decision making with multiple priorities. <i>Computers and Industrial Engineering</i> , 2017 , 109, 15-27	6.4	15
300	Fuzzy system based human behavior recognition by combining behavior prediction and recognition. <i>Expert Systems With Applications</i> , 2017 , 81, 108-133	7.8	33

299	New unbalanced linguistic scale sets: The linguistic information representations and applications. <i>Computers and Industrial Engineering</i> , 2017 , 105, 377-390	6.4	20
298	Decision Mechanism for Supplier Selection Under Sustainability. 2017 , 16, 87-115		34
297	A consistency-driven approach to set personalized numerical scales for hesitant fuzzy linguistic preference relations. 2017 ,		0
296	Two-layer weight large group decision-making method based on multi-granularity attributes. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1797-1807	1.6	6
295	Combined QFD TOPSIS approach with 2-tuple linguistic information for warehouse selection. 2017 ,		5
294	Solving multi-criteria group decision making problems under environments with a high number of alternatives using fuzzy ontologies and multi-granular linguistic modelling methods. 2017 , 137, 54-64		101
293	An optimization-based approach with minimum preference loss to fuse incomplete linguistic distributions in group decision making. 2017 ,		
292	An approach to linguistic multi-attribute decision making based on risk preferences of decision makers. 2017 ,		1
291	Picture uncertain linguistic Bonferroni mean operators and their application to multiple attribute decision making. 2017 , 46, 1777-1800		85
290	Using multi-granular fuzzy linguistic modelling methods for supervised classification learning purposes. 2017 ,		2
289	Picture 2-Tuple Linguistic Bonferroni Mean Operators and Their Application to Multiple Attribute Decision Making. <i>International Journal of Fuzzy Systems</i> , 2017 , 19, 997-1010	3.6	132
288	Using New Version of Extended $\$t\$$ -Norms and $\$s\$$ -Norms for Aggregating Interval Linguistic Labels. 2017 , 47, 3284-3298		15
287	Improving Supervised Learning Classification Methods Using Multigranular Linguistic Modeling and Fuzzy Entropy. 2017 , 25, 1078-1089		57
286	On qualitative multi-attribute group decision making and its consensus measure: A probability based perspective. 2017 , 70, 94-117		50
285	Evaluating the service quality of hospital by using TOPSIS with interval type-2 fuzzy sets. 2017 ,		3
284	A consensus approach for hesitant fuzzy linguistic decision information. 2017 ,		
283	A new transformation algorithm for multi-granularity unbalanced linguistic terms. 2017 ,		
282	A novel linguistic representative model based on discrete fuzzy numbers for multi-granularity linguistic decision-making. 2017 ,		

281	TODIM Method for Single-Valued Neutrosophic Multiple Attribute Decision Making. 2017 , 8, 125		33
280	Comprehensive Evaluation on Employee Satisfaction of Mine Occupational Health and Safety Management System Based on Improved AHP and 2-Tuple Linguistic Information. 2017 , 9, 133		7
279	An Approach to the Evaluation of the Quality of Accounting Information Based on Relative Entropy in Fuzzy Linguistic Environments. 2017 , 19, 152		1
278	Priority of a Hesitant Fuzzy Linguistic Preference Relation with a Normal Distribution in Meteorological Disaster Risk Assessment. 2017 , 14,		15
277	Selecting Visualization Alternative Based on Uncertain Theory. 2017 , 100, 02023		
276	Cloud Generalized Power Ordered Weighted Average Operator and Its Application to Linguistic Group Decision-Making. 2017 , 9, 156		7
275	Proposal of a model for sales and operations planning (S&OP) maturity evaluation. 2017 , 27,		3
274	Face Detection Based on Skin Color Segmentation Using Fuzzy Entropy. 2017 , 19, 26		15
273	Multiple Attribute Group Decision-Making Method Based on Generalized Interval-Valued Hesitant Uncertain Linguistic Power Aggregation Operators and Linguistic-Scale Functions. <i>International Journal of Fuzzy Systems</i> , 2018 , 20, 1995-2015	3.6	4
272	Analysing discussions in social networks using group decision making methods and sentiment analysis. <i>Information Sciences</i> , 2018 , 447, 157-168	7.7	45
271	A group decision making support system for the Web: How to work in environments with a high number of participants and alternatives. <i>Applied Soft Computing Journal</i> , 2018 , 68, 191-201	7.5	23
270	Linguistic terms with weakened hedges: A model for qualitative decision making under uncertainty. <i>Information Sciences</i> , 2018 , 433-434, 37-54	7.7	29
269	Personalized individual semantics based on consistency in hesitant linguistic group decision making with comparative linguistic expressions. 2018 , 145, 156-165		108
268	Completing 2-tuple linguistic preference relations based on upper bound condition. <i>Soft Computing</i> , 2018 , 22, 6215-6227	3.5	3
267	A new emergency decision support methodology based on multi-source knowledge in 2-tuple linguistic model. 2018 , 144, 77-87		27
266	Multi-granularity unbalanced linguistic group decision-making with incomplete weight information based on VIKOR method. <i>Granular Computing</i> , 2018 , 3, 219-228	5.4	16
265	Integrating fuzzy membership function, entropy method and VIKOR to select qualified and stable employee. 2018 ,		3
264	Customizing Semantics for Individuals With Attitudinal HFLTS Possibility Distributions. 2018 , 26, 3452-3466		48

263	Interval-valued probabilistic linguistic term sets in multi-criteria group decision making. 2018 , 33, 1301-1321	40
262	Linguistic Pythagorean fuzzy sets and its applications in multiattribute decision-making process. 2018 , 33, 1234-1263	195
261	Two-stage aggregation paradigm for HFLTS possibility distributions: A hierarchical clustering perspective. <i>Expert Systems With Applications</i> , 2018 , 104, 43-66	7.8 49
260	An approach to multiplicative linguistic group decision making based on possibility degrees. 2018 , 25, 1611-1634	4
259	Picture 2-tuple linguistic aggregation operators in multiple attribute decision making. <i>Soft Computing</i> , 2018 , 22, 989-1002	3.5 121
258	The 2-Rank Consensus Reaching Model in the Multigranular Linguistic Multiple-Attribute Group Decision-Making. 2018 , 48, 2080-2094	76
257	A linguistic multi-criteria decision-aiding system to support university career services. <i>Applied Soft Computing Journal</i> , 2018 , 67, 933-940	7.5 6
256	Type-1 OWA Unbalanced Fuzzy Linguistic Aggregation Methodology: Application to Eurobonds Credit Risk Evaluation. 2018 , 33, 1071-1088	17
255	Hesitant Fuzzy Linguistic Group DEMATEL Method with Multi-granular Evaluation Scales. <i>International Journal of Fuzzy Systems</i> , 2018 , 20, 2187-2201	3.6 20
254	A Case-Based Reasoning Decision-Making Model for Hesitant Fuzzy Linguistic Information. <i>International Journal of Fuzzy Systems</i> , 2018 , 20, 2175-2186	3.6 10
253	Analysis of Different Proposals to Improve the Dissemination of Information in University Digital Libraries. <i>Advances in Intelligent Systems and Computing</i> , 2018 , 195-206	0.4 1
252	Group decision making based on linguistic distributions and hesitant assessments: Maximizing the support degree with an accuracy constraint. 2018 , 41, 151-160	72
251	Some Aggregation Operators for Linguistic Intuitionistic Fuzzy Set and its Application to Group Decision-Making Process Using the Set Pair Analysis. 2018 , 43, 3213-3227	66
250	Consistency of hesitant fuzzy linguistic preference relations: An interval consistency index. <i>Information Sciences</i> , 2018 , 432, 347-361	7.7 84
249	An Integrated Decision Framework for Material Selection Procedure: A Case Study in a Detergent Manufacturer. 2018 , 10, 657	12
248	Hesitant Picture 2-Tuple Linguistic Aggregation Operators Based on Archimedean T-Norm and T-Conorm and Their Use in Decision-Making. 2018 , 10, 629	2
247	Intuitionistic Unbalanced Linguistic Generalized Multiple Attribute Group Decision Making and Its Application to Green Products Selection. 2018 , 2018, 1-24	0
246	Group Decision-Making Approach Based on Generalized Grey Linguistic 2-Tuple Aggregation Operators. 2018 , 2018, 1-14	2

245	Crowd Intelligence for Decision Making Based on Positive and Negative Comparing With Linguistic Scale. 2018 ,		2
244	Prioritized Linguistic Interval-Valued Aggregation Operators and Their Applications in Group Decision-Making Problems. 2018 , 6, 209		12
243	Computing with Words: Revisiting the Qualitative Scale. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2018 , 26, 127-143	0.8	25
242	. 2018 , 6, 78803-78828		16
241	Symmetric Triangular Interval Type-2 Intuitionistic Fuzzy Sets with Their Applications in Multi Criteria Decision Making. 2018 , 10, 401		33
240	Prioritized Aggregation Operators and Correlated Aggregation Operators for Hesitant 2-Tuple Linguistic Variables. 2018 , 10, 39		8
239	A Multi-Granularity 2-Tuple QFD Method and Application to Emergency Routes Evaluation. 2018 , 10, 484		7
238	A Multicriteria Decision-Making Approach Based on Fuzzy AHP with Intuitionistic 2-Tuple Linguistic Sets. 2018 , 2018, 1-12		9
237	An Approach to Linguistic Multiple Attribute Decision-Making Based on Unbalanced Linguistic Generalized Heronian Mean Aggregation Operator. 2018 , 2018, 1404067		6
236	Parking Lot Site Selection Using a Fuzzy AHP-TOPSIS Framework in Tuyserkan, Iran. 2018 , 144, 04018022		20
235	Sharing notes: An academic social network based on a personalized fuzzy linguistic recommender system. 2018 , 75, 1-10		21
234	Signed distance-based consensus in multi-criteria group decision-making with multi-granular hesitant unbalanced linguistic information. <i>Computers and Industrial Engineering</i> , 2018 , 124, 125-138	6.4	47
233	Tri-level multi-attribute group decision making based on regret theory in multi-granular linguistic contexts. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 35, 793-806	1.6	2
232	A new linguistic term transformation method in linguistic decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 35, 2403-2412	1.6	4
231	The Novel Computational Model of Unbalanced Linguistic Variables Based on Archimedean Copula. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2018 , 26, 601-631	0.8	19
230	Approach to Multiple Attribute Group Decision Making Based on Hesitant Fuzzy Linguistic Aggregation Operators. 2018 , 29, 423-439		2
229	A Novel Approach Based on Kano Model, Interval 2-Tuple Linguistic Representation Model, and Prospect Theory for Apperceiving Key Customer Requirements. 2018 , 2018, 1-23		2
228	Group decision making based on the relationships between the information measures for additive and multiplicative linguistic term sets. <i>Soft Computing</i> , 2019 , 23, 7901-7911	3.5	

227	Outranking method for intuitionistic 2-tuple fuzzy linguistic information model in group decision making. <i>Soft Computing</i> , 2019 , 23, 6145-6155	3.5	9
226	An overview of probabilistic-based expressions for qualitative decision-making: techniques, comparisons and developments. 2019 , 10, 1513-1528		31
225	Score-HeDLiSF: A score function of hesitant fuzzy linguistic term set based on hesitant degrees and linguistic scale functions: An application to unbalanced hesitant fuzzy linguistic MULTIMOORA. 2019 , 48, 39-54		94
224	Free Double Hierarchy Hesitant Fuzzy Linguistic Term Sets: An application on ranking alternatives in GDM. 2019 , 47, 45-59		41
223	A 2-tuple integrated DEA-based approach for neuromarketing technology evaluation. 2019 , 48, 949-966		2
222	A cumulative belief degree approach for group decision-making problems with heterogeneous information. 2019 , 36, e12458		9
221	The generalized dice similarity measures for multiple attribute decision making with hesitant fuzzy linguistic information. 2019 , 32, 1498-1520		26
220	A Method for Selecting Enterprise Logistics Operation Mode Based on Ballou Model. 2019 , 2019, 1-9		2
219	Multiattribute decision making based on power operators for linguistic intuitionistic fuzzy set using set pair analysis. 2019 , 36, e12428		14
218	Models for MADM With 2-Tuple Linguistic Neutrosophic Dombi Bonferroni Mean Operators. 2019 , 7, 108878-108905		32
217	The generalized dice similarity measures for evaluating the development level of the mass sports culture organization with 2-tuple linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 1843-1854	1.6	0
216	Research on evaluating the design effect of clothing and accessories with 2-tuple linguistic information. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 2059-2066	1.6	2
215	Fuel Provider Evaluation Using a Combined Decision Aid Model. 2019 , 292, 01019		
214	Carrying out consensual Group Decision Making processes under social networks using sentiment analysis over comparative expressions. 2019 , 165, 335-345		63
213	A consensus model for large-scale multi-attribute group decision making with collaboration-reference network under uncertain linguistic environment. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 4133-4156	1.6	5
212	Derivation of personalized numerical scales from distribution linguistic preference relations: an expected consistency-based goal programming approach. 2019 , 31, 8769-8786		11
211	A combined fuzzy DEMATEL and TOPSIS approach for estimating participants in knowledge-intensive crowdsourcing. <i>Computers and Industrial Engineering</i> , 2019 , 137, 106085	6.4	61
210	TOPSIS Method for Probabilistic Linguistic MAGDM with Entropy Weight and Its Application to Supplier Selection of New Agricultural Machinery Products. 2019 , 21, 953		50

209	An Aspiration-Based Approach for Qualitative Decision-Making With Complex Linguistic Expressions. 2019 , 7, 12529-12546		3
208	Model for Multiple Attribute Decision Making Based on Picture 2-Tuple Linguistic Power Aggregation Operators. 2019 , 11, 35-65		1
207	Constructing the geometric Bonferroni mean from the generalized Bonferroni mean with several extensions to linguistic 2-tuples for decision-making. <i>Applied Soft Computing Journal</i> , 2019 , 78, 595-613	7.5	24
206	Linguistic Interval-Valued Atanassov Intuitionistic Fuzzy Sets and Their Applications to Group Decision Making Problems. 2019 , 27, 2302-2311		133
205	Hesitant 2-tuple linguistic Bonferroni operators and their utilization in group decision making. <i>Applied Soft Computing Journal</i> , 2019 , 77, 653-664	7.5	21
204	A fuzzy linguistic supported framework to increase Artificial Intelligence intelligibility for subject matter experts. <i>Procedia Computer Science</i> , 2019 , 162, 865-872	1.6	
203	A risk-aware fuzzy linguistic knowledge-based recommender system for hedge funds. <i>Procedia Computer Science</i> , 2019 , 162, 916-923	1.6	3
202	A Multi-attribute Group Decision-making Approach Based on Uncertain Linguistic Information. 2019 , ,		
201	Constructing and Managing Multi-Granular Linguistic Values Based on Linguistic Terms and Their Fuzzy Sets. 2019 , 7, 152928-152943		7
200	Differentiating the Personalized Information of the Physician-Patient Communication for the Chronic Obstructive Pulmonary Disease with General Probabilistic Vector Linguistic Terms. 2019 , 2019, 1-21		3
199	Supplier Selection of Medical Consumption Products with a Probabilistic Linguistic MABAC Method. 2019 , 16,		52
198	Numerical Scale Model. 2019 , 17-37		
197	Optimal site selection of straw biomass power plant under 2-dimension uncertain linguistic environment. 2019 , 212, 1179-1192		21
196	An Improved Multi-granularity Interval 2-Tuple TODIM Approach and Its Application to Green Supplier Selection. <i>International Journal of Fuzzy Systems</i> , 2019 , 21, 129-144	3.6	22
195	Preference Analysis and Group Decision-Making Based on LTWHs. 2019 , 141-168		
194	. 2019 , 68, 566-582		87
193	An extended technique for order preference by similarity to ideal solution group decision-making method with linguistic interval-valued intuitionistic fuzzy information. 2019 , 26, 16-26		11
192	Multiple Attribute Decision-Making Methods with Unbalanced Linguistic Variables Based on Maclaurin Symmetric Mean Operators. 2019 , 18, 105-146		10

191	A consensus-based method for group decision making with incomplete uncertain linguistic preference relations. <i>Soft Computing</i> , 2019 , 23, 669-682	3.5	8
190	A novel multi-criteria group decision-making method for heterogeneous and dynamic contexts using multi-granular fuzzy linguistic modelling and consensus measures. 2020 , 53, 240-250		50
189	Flexible Linguistic Expressions and Consensus Reaching With Accurate Constraints in Group Decision-Making. 2020 , 50, 2488-2501		47
188	Quantification of qualitative assessments using computing with words: in framework of fuzzy set theory. <i>Soft Computing</i> , 2020 , 24, 13565-13577	3.5	2
187	Algorithm for solving group decision-making problems based on the similarity measures under type 2 intuitionistic fuzzy sets environment. <i>Soft Computing</i> , 2020 , 24, 7361-7381	3.5	10
186	A decision making model based on fuzzy inference to predict the impact of SCOR [®] indicators on customer perceived value. <i>International Journal of Production Economics</i> , 2020 , 223, 107520	9.3	13
185	A vertical ranking technique for linguistic hesitant fuzzy sets. <i>Soft Computing</i> , 2020 , 24, 8997-9009	3.5	2
184	Integrating interval-valued multi-granular 2-tuple linguistic BWM-CODAS approach with target-based attributes: Site selection for a construction project. <i>Computers and Industrial Engineering</i> , 2020 , 139, 106147	6.4	23
183	. 2020 , 28, 2875-2889		107
182	Evaluation Model of Industrial Operation Quality Under Multi-source Heterogeneous Data Information. <i>International Journal of Fuzzy Systems</i> , 2020 , 22, 522-547	3.6	9
181	A new computational model based on Archimedean copula for probabilistic unbalanced linguistic term set and its application to multiple attribute group decision making. <i>Computers and Industrial Engineering</i> , 2020 , 140, 106264	6.4	12
180	Modeling agent-based consumers decision-making with 2-tuple fuzzy linguistic perceptions. 2020 , 35, 283-299		7
179	Utilizing Linguistic Picture Fuzzy Aggregation Operators for Multiple-Attribute Decision-Making Problems. <i>International Journal of Fuzzy Systems</i> , 2020 , 22, 310-320	3.6	38
178	Distribution linguistic preference relations with incomplete symbolic proportions for group decision making. <i>Applied Soft Computing Journal</i> , 2020 , 88, 106005	7.5	14
177	A context-aware embeddings supported method to extract a fuzzy sentiment polarity dictionary. 2020 , 190, 105236		7
176	Linguistic Interval-Valued Pythagorean Fuzzy Sets and Their Application to Multiple Attribute Group Decision-making Process. 2020 , 12, 1313-1337		52
175	Visualizing the Intellectual Structure of the Fuzzy Linguistic Knowledge Domain: A Bibliometric Analysis. <i>International Journal of Fuzzy Systems</i> , 2020 , 22, 2397-2413	3.6	1
174	A Two-Stage Optimization Model for Large-Scale Group Decision-Making in Disaster Management: Minimizing Group Conflict and Maximizing Individual Satisfaction. <i>Group Decision and Negotiation</i> , 2020 , 29, 901-921	2.5	11

173	The reliability analysis of rating systems in decision making: When scale meets multi-attribute additive value model. 2020 , 138, 113384		2
172	A Two-Phase Model for Personnel Selection Based on Multi-Type Fuzzy Information. 2020 , 8, 1703		6
171	Linguistic Opinions Dynamics Based on Personalized Individual Semantics. 2020 , 1-1		6
170	A New 2-Tuple Linguistic Approach for Unbalanced Linguistic Term Sets. 2020 , 1-1		3
169	Consensus-Based Multicriteria Group Preference Analysis Model With Multigranular Linguistic Distribution Information. 2020 , 28, 3145-3160		6
168	Pythagorean fuzzy combinative distance-based assessment with pure linguistic information and its application to financial strategies of multi-national companies. 2020 , 33, 974-998		10
167	A novel fuzzy credit risk assessment decision support system based on the python web framework. 2020 , 37, 229-244		1
166	Probabilistic linguistic GRA method for multiple attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 38, 4721-4732	1.6	27
165	A systematic review of developments in the 2-tuple linguistic model and its applications in decision analysis. <i>Soft Computing</i> , 2020 , 1	3.5	7
164	Multiple attribute group decision making based on 2-dimension linguistic intuitionistic fuzzy aggregation operators. <i>Soft Computing</i> , 2020 , 24, 17377-17400	3.5	13
163	A New Uncertainty Measure of Discrete Z-numbers. <i>International Journal of Fuzzy Systems</i> , 2020 , 22, 7603-776	3.1	31
162	An objective and interactive-information-based feedback mechanism for the consensus-reaching process considering a non-support degree for minority opinions. 2020 , 37, e12543		8
161	Design of wind turbine blade material for higher efficiency. 2020 , 33, 565-569		2
160	Novel Transformation Methods Among Intuitionistic Fuzzy Models for Mixed Intuitionistic Fuzzy Decision Making Problems. 2020 , 8, 100596-100607		2
159	A probabilistic linguistic-based deviation method for multi-expert qualitative decision making with aspirations. <i>Applied Soft Computing Journal</i> , 2020 , 93, 106362	7.5	12
158	Multiple-criteria decision making method based on the scaled prioritized operators with unbalanced linguistic information. 2020 , 53, 4967-4991		5
157	Investigating participants' attributes for participant estimation in knowledge-intensive crowdsourcing: a fuzzy DEMATEL based approach. 2020 , 1		4
156	Pythagorean 2-tuple linguistic power aggregation operators in multiple attribute decision making. 2020 , 33, 904-933		10

155	Linguistic Distribution and Priority-Based Approximation to Linguistic Preference Relations With Flexible Linguistic Expressions in Decision Making. 2021 , 51, 649-659		18
154	A logical reasoning based decision making method for handling qualitative knowledge. 2021 , 129, 49-63		0
153	Multi-attribute decision-making method based on a novel distance measure of linguistic intuitionistic fuzzy sets. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 1147-1160	1.6	1
152	Comprehensive Evaluation of Non-waste Cities Based on Two-Tuple Mixed Correlation Degree. <i>International Journal of Fuzzy Systems</i> , 2021 , 23, 369-391	3.6	15
151	Consensus reaching for MAGDM with multi-granular hesitant fuzzy linguistic term sets: a minimum adjustment-based approach. 2021 , 300, 443-466		87
150	GSES Using Interval 2-Tuple Linguistic Distance Operators. 2021 , 111-132		
149	Ranking the Most Important Attributes of using Google Classroom in online teaching for Albanian Universities: A Fuzzy AHP Method with Triangular Fuzzy Numbers and Trapezoidal Fuzzy Numbers. 2021 , 6, 297-308		2
148	A Generalized Solution Approach to Matrix Games with 2-Tuple Linguistic Payoffs. <i>Advances in Intelligent Systems and Computing</i> , 2021 , 531-543	0.4	
147	Probabilistic linguistic multiple attribute group decision making for location planning of electric vehicle charging stations based on the generalized Dice similarity measures. 2021 , 54, 4137-4167		19
146	Reducing criteria values in multi-criteria group decision making methods using hierarchical clustering methods and fuzzy ontologies. 2021 , 1-1		1
145	. 2021 , 51, 191-208		46
144	A Method for Selecting Suitable Records Based on Fuzzy Conformance and Aggregation Functions. 2021 , 1-18		
143	A New Computational Method Based on Probabilistic Linguistic Z-Number With Unbalanced Semantics and Its Application to Multi-Criteria Group Decision Making. 2021 , 9, 2950-2965		2
142	On Admissible Orders on the Set of Discrete Fuzzy Numbers for Application in Decision Making Problems. 2021 , 9, 95		1
141	Multi-attribute group decision-making for online education live platform selection based on linguistic intuitionistic cubic fuzzy aggregation operators. 2021 , 40, 1		5
140	Generalized interval-valued picture fuzzy linguistic induced hybrid operator and TOPSIS method for linguistic group decision-making. <i>Soft Computing</i> , 2021 , 25, 5037-5054	3.5	6
139	Multi-Criteria Decision-Making Method Based on a Weighted 2-Tuple Fuzzy Linguistic Representation Model. 2021 , 20, 619-634		1
138	Using Vector Random Linguistic Variables to Manage Consistency and Consensus in Linguistic Group Decision-Making for Public Project. <i>International Journal of Fuzzy Systems</i> , 2021 , 23, 353-368	3.6	

137	A linguistic multi-criteria decision making methodology for the evaluation of tourist services considering customer opinion value. <i>Applied Soft Computing Journal</i> , 2021 , 101, 107045	7.5	9
136	Linguistic scale consistency issues in multi-granularity decision making contexts. <i>Applied Soft Computing Journal</i> , 2021 , 101, 107035	7.5	2
135	Linguistic Einstein aggregation operator-based TOPSIS for multicriteria group decision making in linguistic Pythagorean fuzzy environment. 2021 , 36, 2825-2864		5
134	Evaluating the risk exposure of sustainable freight transportation: a two-phase solution approach. 1		1
133	Online teaching quality evaluation based on multi-granularity probabilistic linguistic term sets. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021 , 40, 9915-9935	1.6	6
132	Two-sided matching decision making with multi-granular hesitant fuzzy linguistic term sets and incomplete criteria weight information. <i>Expert Systems With Applications</i> , 2021 , 168, 114311	7.8	50
131	A new approach to λ -linear Diophantine fuzzy emergency decision support system for COVID19. <i>Journal of Ambient Intelligence and Humanized Computing</i> , 2021 , 1-27	3.7	18
130	EDAS method for probabilistic linguistic multiple attribute group decision making and their application to green supplier selection. <i>Soft Computing</i> , 2021 , 25, 9045-9053	3.5	34
129	The Generalized Dice Similarity Measures for Probabilistic Uncertain Linguistic MAGDM and Its Application to Location Planning of Electric Vehicle Charging Stations. <i>International Journal of Fuzzy Systems</i> , 1	3.6	10
128	A Decision-Making Approach Based on New Aggregation Operators under Fermatean Fuzzy Linguistic Information Environment. 2021 , 10, 113		0
127	An interpretable knowledge-based decision support system and its applications in pregnancy diagnosis. 2021 , 221, 106835		9
126	A geometrical method for consensus building in GDM with incomplete heterogeneous preference information. <i>Applied Soft Computing Journal</i> , 2021 , 105, 107224	7.5	5
125	A Study of OWA Operators Learned in Convolutional Neural Networks. 2021 , 11, 7195		2
124	An RFM Model Customizable to Product Catalogues and Marketing Criteria Using Fuzzy Linguistic Models: Case Study of a Retail Business. 2021 , 9, 1836		2
123	An integrated method for multi-granular probabilistic linguistic multiple attribute decision-making with prospect theory. <i>Computers and Industrial Engineering</i> , 2021 , 159, 107500	6.4	3
122	A study of dynamic fuzzy cognitive map model with group consensus based on linguistic variables. 2021 , 171, 120948		3
121	Consensus reaching for group decision making with multi-granular unbalanced linguistic information: A bounded confidence and minimum adjustment-based approach. 2021 , 74, 96-110		60
120	A multi-attribute group decision model based on unbalanced and multi-granular linguistic information: An application to assess entrepreneurial competencies in secondary schools. <i>Applied Soft Computing Journal</i> , 2021 , 111, 107662	7.5	1

119	Linguistic stochastic dominance to support consensus reaching in group decision making with linguistic distribution assessments. 2021 , 76, 107-121	2
118	Consistency Improvement With a Feedback Recommendation in Personalized Linguistic Group Decision Making. 2021 , PP,	0
117	Approaches to multiple attribute decision making based on picture 2-tuple linguistic power Hamy mean aggregation operators. 2021 , 55, S435-S460	2
116	Integrating Multiple Types of Incomplete Linguistic Preference Relations in Multi-person Decision Making. 2006 , 300-309	6
115	Computing with Words for Decision Making Versus Linguistic Decision Making: A Reflection on both Scenarios. 2015 , 245-260	3
114	Decision Makers' Opinions Changing Attitude-Driven Consensus Model under Linguistic Environment and Its Application in Dynamic MAGDM Problems. 2015 , 73-95	1
113	Relating the theory of partitions in MV-logic to the design of interpretable fuzzy systems. 2003 , 499-523	3
112	Information Gathering on the Internet Using a Distributed Intelligent Agent Model with Multi-Granular Linguistic Information. 2004 , 95-115	2
111	A Fuzzy Model for Olive Oil Sensory Evaluation. 2007 , 615-624	1
110	Linguistic Aggregation Operators: An Overview. 2008 , 163-181	30
109	Group Decision Making with Triangular Fuzzy Linguistic Variables. 2007 , 17-26	16
108	A Fuzzy Approach to Skin Color Detection. 2008 , 532-542	1
107	Applying Linguistic OWA Operators in Consensus Models under Unbalanced Linguistic Information. 2011 , 167-186	10
106	A New Method for Dealing with Unbalanced Linguistic Term Set. 2012 , 207-212	21
105	Application of Variational Granularity Language Sets in Interactive Genetic Algorithms. 2012 , 76-83	1
104	On Prioritized 2-tuple Ordered Weighted Averaging Operators. 2012 , 513-519	1
103	A 2-Tuple Fuzzy Linguistic Model for Sensory Fabric Hand Evaluation. 2004 , 217-234	9
102	A new framework for health-care waste disposal alternative selection under multi-granular linguistic distribution assessment environment. <i>Computers and Industrial Engineering</i> , 2020 , 145, 106489 ^{6.4}	20

101	On aggregation operators for linguistic trapezoidal fuzzy intuitionistic fuzzy sets and their application to multiple attribute group decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020 , 38, 2907-2950	1.6	6
100	CODAS METHOD FOR 2-TUPLE LINGUISTIC PYTHAGOREAN FUZZY MULTIPLE ATTRIBUTE GROUP DECISION MAKING AND ITS APPLICATION TO FINANCIAL MANAGEMENT PERFORMANCE ASSESSMENT. 2020 , 26, 920-932		30
99	Information Technology Outsourcing Risk Factors and Provider Selection. 214-228		1
98	Multi-attribute Group Decision-making Method Based on Triangular Intuitionistic Fuzzy Number and 2-Tuple Linguistic Information. 2012 , 7,		2
97	Supplier selection with different risk preferences and attribute sets: An innovative study based on generalized linguistic term sets. 2021 , 50, 101424		1
96	Recursive Information Granulation. 2003 , 161-192		1
95	Combining Heterogeneous Information in Group Decision Making. 2003 , 81-92		
94	A Method Based on IA Operator for Multiple Attribute Group Decision Making with Uncertain Linguistic Information. 2005 , 684-693		
93	Improving the User-System Interaction in a Web Multi-agent System Using Fuzzy Multi-granular Linguistic Information. 2006 , 390-403		1
92	A Web based Intelligent Sensory Evaluation System in the Textile Integrated Supply Chain. 2007 , 435-456		
91	Robust Color Classification Using Fuzzy Reasoning and Genetic Algorithms in RoboCup Soccer Leagues. 2008 , 548-555		2
90	Fuzzy Group Decision Making Method and Its Application. 2009 , 1090-1097		0
89	Intelligent Ubiquitous Services Based on Social Networks. 2010 , 251-264		
88	Discovering Mobile Social Networks by Semantic Technologies. 2010 , 223-239		
87	2-Tuple Linguistic Fuzzy ISM and Its Application. 2010 , 353-362		1
86	A Heterogeneous Evaluation Model for the Assessment of Sustainable Energy Policies. 2011 , 209-220		
85	A New Linguistic Aggregation Operator and Its Application. 2011 , 284-294		
84	On the Usefulness of Fuzzy Rule Based Systems Based on Hierarchical Linguistic Fuzzy Partitions. 2011 , 155-184		

- 83 Using a Recommender System to Help the Technology Transfer Office Staff to Disseminate Selective Information. **2012**, 45-69
- 82 Research on the Multi-attribute Decision Making Model Based on the Possible Regret Degree of the Policy-maker. **2012**, 7,
- 81 A Linguistic-Valued Information Processing Method for Fuzzy Risk Analysis. **2013**, 117-143
- 80 Multiple Attribute Evaluation and Control Method of Social Scientific Research Achievements. **2013**, 137-143
- 79 Fuzzy Semantics in Closed Domain Question Answering. **2013**, 171-188
- 78 Linguistic Multi-Attribute Decision Making with a Prioritization Relationship. **2013**, 4, 46-54
- 77 A New Unbalanced Linguistic Scale for the Classification of Olive Oil Based on the Fuzzy Linguistic Approach. *Advances in Intelligent Systems and Computing*, **2014**, 389-399 0.4
- 76 Linguistic Distribution Assessments with Interval Symbolic Proportions. *Advances in Intelligent Systems and Computing*, **2014**, 163-173 0.4 1
- 75 Aiding in the Treatment of Low Back Pain by a Fuzzy Linguistic Web System. **2014**, 250-261
- 74 Multi-granular Evaluation Model Through Fuzzy Random Regression to Improve Information Granularity. **2015**, 231-245
- 73 Flintstones: A Fuzzy Linguistic Decision Tools Enhancement Suite. **2015**, 145-168
- 72 3-Dimension Evaluation Method for Stock Investment Based on 2-Tuple Linguistic. **2015**, 326-339
- 71 Decision Making in Heterogeneous Context: 2-Tuple Linguistic Based Approaches. **2015**, 51-82 1
- 70 A Learning Web Platform Based on a Fuzzy Linguistic Recommender System to Help Students to Learn Recommendation Techniques. **2015**, 493-500 1
- 69 A Linguistic Approach for Self-Perceived Health State: A Real Study for Diabetes Disease. **2015**, 71-81 1
- 68 Consensus Under Linguistic Context. **2016**, 77-125
- 67 Implementation of computing with words in evaluating training program. **2015**, 82, 39-48
- 66 Representing and Managing Unbalanced Multi-sets. **2016**, 213-233

65	Opinion Acquisition: An Experiment on Numeric, Linguistic and Color Coded Rating Scale Comparison. <i>Advances in Intelligent Systems and Computing</i> , 2017 , 27-36	0.4	
64	2-Tuple Prioritized Weighted Harmonic Operator and Its Use in Group Decision Making. 2017 , 913-923		
63	A Linguistic 2-Tuple Based Environmental Impact Assessment for Maritime Port Projects: Application to Moa Port. 2018 , 333-348		
62	Using Bibliometrics and Fuzzy Linguistic Modeling to Deal with Cold Start in Recommender Systems for Digital Libraries. <i>Advances in Intelligent Systems and Computing</i> , 2018 , 393-404	0.4	
61	A Fuzzy Linguistics Supported Model to Measure the Contextual Bias in Sentiment Polarity. <i>Advances in Intelligent Systems and Computing</i> , 2018 , 199-210	0.4	
60	Fuzzy Quantitative and Semi-Qualitative Risk Assessment in Projects. 2018 , 2035-2046		
59	Best selection of project portfolio using Fuzzy AHP and Fuzzy TOPSIS. 2018 , 8, 3-10		1
58	A Three-Dimensional Fuzzy Linguistic Evaluation Model. <i>Journal of Advanced Computational Intelligence and Intelligent Informatics</i> , 2018 , 22, 767-776	0.4	
57	Consistency-Driven Methodology. 2019 , 107-140		
56	Introduction. 2019 , 1-16		
55	A Unified Framework. 2019 , 39-65		
54	Linguistic Information Based Selection Methodology for Building Certification. 2019 , 347-360		
53	Two Approaches for the Computational Model for Software Usability in Practice. <i>Advances in Intelligent Systems and Computing</i> , 2020 , 191-202	0.4	1
52	A Three-Level Aggregation Model for Evaluating Software Usability by Fuzzy Logic. <i>International Journal of Applied Mathematics and Computer Science</i> , 2019 , 29, 489-501	1.7	1
51	Z-Matrix Consistency. <i>Advances in Intelligent Systems and Computing</i> , 2020 , 841-845	0.4	
50	Managing changes in alternatives and criteria during a dynamic multi-criteria group decision making process. 2020 ,		
49	Matrix games with proportional linguistic payoffs. <i>Soft Computing</i> , 2021 , 25, 15067-15081	3.5	0
48	Linguistic Multi-Attribute Decision Making with a Prioritization Relationship. 473-480		

47	A Multi-granular Linguistic Hierarchical Model to Evaluate the Quality of Web Site Services. 2006 , 247-274		1
46	A Linguistic Decision Based Model Applied to Olive Oil Sensory Evaluation. 2008 , 317-334		
45	A Fuzzy Linguistic Recommender System to Advice Research Resources in University Digital Libraries. 2008 , 567-585		1
44	New Method for the Problem of Fuzzy Group Decision Making. 2007 , 322-328		
43	Towards a Distributed Fuzzy Decision Making System. 2008 , 103-112		0
42	An Integrated Group Decision-Making Method with Hesitant Qualitative Information Based on DEA Cross-Efficiency and Priority Aggregation for Evaluating Factors Affecting a Resilient City. <i>Group Decision and Negotiation</i> , 1	2.5	0
41	Multiple attribute group decision-making based on generalized aggregation operators under linguistic interval-valued Pythagorean fuzzy environment. <i>Granular Computing</i> , 1	5.4	2
40	Multiple attribute group decision making based on advanced linguistic intuitionistic fuzzy weighted averaging aggregation operator of linguistic intuitionistic fuzzy numbers. <i>Information Sciences</i> , 2021 , 587, 813-813	7.7	8
39	Exploring the Intellectual Structure and International Cooperation in Information Management. <i>Journal of Global Information Management</i> , 2021 , 29, 1-20	1.9	2
38	A novel approach on decision support system based on triangular linguistic cubic fuzzy Dombi aggregation operators. <i>Soft Computing</i> , 2022 , 26, 1637-1669	3.5	0
37	A Stochastic Perspective on a Group Decision-Making Method Based on Two-Dimension 2-Tuple Linguistic Information. <i>International Journal of Fuzzy Systems</i> , 1	3.6	1
36	A multi-granular linguistic distribution-based group decision making method for renewable energy technology selection. <i>Applied Soft Computing Journal</i> , 2022 , 116, 108379	7.5	3
35	An integrated qualitative group decision-making method for assessing health-care waste treatment technologies based on linguistic terms with weakened hedges. <i>Applied Soft Computing Journal</i> , 2022 , 117, 108435	7.5	5
34	Profiling clients in the tourism sector using fuzzy linguistic models based on 2-tuples. <i>Procedia Computer Science</i> , 2022 , 199, 718-724	1.6	1
33	Three-way decision theory based on interval type-2 fuzzy linguistic term sets. <i>Journal of Intelligent and Fuzzy Systems</i> , 2022 , 1-22	1.6	1
32	Uncertain linguistic terms with weakened hedges for multi-granular linguistic decision making with its application to evaluating communication technologies. <i>Applied Intelligence</i> , 1	4.9	0
31	Dempster-shafer theory and linguistic intuitionistic fuzzy number-based framework for blending knowledge from knowledge repositories: An approach for knowledge management. <i>Expert Systems With Applications</i> , 2022 , 199, 117142	7.8	0
30	A decision-making model for managing returns in a circular economy: A case of indian electronics industry. <i>International Journal of Production Economics</i> , 2022 , 108505	9.3	0

29	Linguistic Pythagorean hesitant fuzzy matrix game and its application in multi-criteria decision making. <i>Applied Intelligence</i> ,	4.9	0
28	A new method for image processing using generalized linguistic neutrosophic cubic aggregation operator. <i>Complex & Intelligent Systems</i> ,	7.1	2
27	Type-2 fuzzy envelope of extended hesitant fuzzy linguistic term set : Application to multi-criteria group decision making. <i>Computers and Industrial Engineering</i> , 2022 , 108208	6.4	1
26	A Novel Approach of Linguistic Picture Fuzzy Dombi Heronian Mean Operators and their Application to Emergency Program Selection. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , 1-28	2	
25	Group decision making based on improved linguistic interval-valued Atanassov intuitionistic fuzzy weighted averaging aggregation operator of linguistic interval-valued Atanassov intuitionistic fuzzy numbers. <i>Information Sciences</i> , 2022 ,	7.7	0
24	A multi-criterion three-way decision-making method under linguistic interval-valued intuitionistic fuzzy environment. <i>Journal of Ambient Intelligence and Humanized Computing</i> ,	3.7	2
23	A New Development of FDOSM Based on a 2-Tuple Fuzzy Environment: Evaluation and Benchmark of Network Protocols as a Case Study. <i>Computers</i> , 2022 , 11, 109	1.9	
22	3-tuple linguistic distance-based model for a new product go/no-go evaluation. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> ,	0.8	
21	A Multi-Criteria Approach for Urban Mobility Project Selection in Medium-Sized Cities. <i>Sustainable Cities and Society</i> , 2022 , 104096	10.1	1
20	Cosine similarity measures between q-rung orthopair linguistic sets and their application to group decision making problems. 2022 , 12,		1
19	A Multi-perceptual-Based Approach for Group Decision Aiding. 2022 , 15-25		0
18	Risks and Opportunities of High-Quality Development of Higher Education from the Perspective of ISO45001:2018. 2022 , 2022, 1-8		1
17	Managing Missing Preference Values Through Consistency and Consensus in Distributed Linguistic Preference Relations: A Two-stage Method Based on Personalized Individual Semantics.		0
16	WDBA method for probabilistic linguistic MAGDM with entropy weight and application to consumer competitiveness evaluation in creative and cultural industries. 2022 , 1-11		0
15	A new situation assessment method for aerial targets based on linguistic fuzzy sets and trapezium clouds. 2023 , 117, 105610		0
14	Three-way failure mode and effect analysis approach for reliability management in multigranular unbalanced linguistic contexts. 2023 , 175, 108909		0
13	Linguistic Interval-Valued Spherical Fuzzy Sets and Related Properties. 2022 , 26-36		0
12	A geospatial model of RFM analysis: An application to tourism in the Iberian Peninsula. 2022 , 214, 825-830		0

- 11 2-Bli Tam Dilsel Sezgisel Bulan Kine Yaklae Karar Verme Zerine Bir Uygulama. ○
- 10 Grey relational analysis method for building material suppliers selection based on the 2-tuple linguistic neutrosophic number. **2022**, 1-12 ○
- 9 Matrix games involving interval-valued hesitant fuzzy linguistic sets and its application to electric vehicles. **2022**, 1-22 ○
- 8 Examining the barriers to electric truck adoption as a system: A Grey-DEMATEL approach. **2023**, 17, 100746 ○
- 7 A Digital Capability Maturity Model Based on the Hesitant Fuzzy Linguistic Variables. **2022**, 687-695 ○
- 6 A consensus model for group decision-making with personalized individual self-confidence and trust semantics: A perspective on dynamic social network interactions. **2023**, 627, 147-168 ○
- 5 Three-level model for opinion aggregation under hesitance. ○
- 4 An Evaluation Method for the State of Industry Competition Based on the Five Forces Model. **2023**, 12, 112-126 ○
- 3 An MAGDM approach with 2-tuple linguistic neutrosophic number for mental health education evaluation of college students. **2023**, 1-12 ○
- 2 A three-way decision model associated with decision-theoretic rough fuzzy sets based on computing with words. **2023**, 1-20 ○
- 1 Handling multi-granular hesitant information: A group decision-making method based on cross-efficiency with regret theory. **2023**, 227, 120332 ○