

CITATION REPORT

List of articles citing

A default mode of brain function

DOI: 10.1073/pnas.98.2.676

Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 676-82.

Source: <https://exaly.com/paper-pdf/32395694/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2289	References. 219-257		
2288	Brain mechanisms of impaired consciousness in epilepsy. 209-220		1
2287	Functional brain imaging of acute pain in healthy humans. 329-422		
2286	Peripheral and central mechanisms and manifestations of chronic pain and sensitization. 453-539		
2285	References. 493-526		
2284	Rostrolateral prefrontal cortex involvement in relational integration during reasoning. 2001 , 14, 1136-49		551
2283	An fMRI study of imagined self-rotation. 2001 , 1, 239-49		68
2282	Searching for the baseline. 2001 , 2, 150-150		
2281	Searching for a baseline: functional imaging and the resting human brain. 2001 , 2, 685-94		2618
2280	When zero is not zero: the problem of ambiguous baseline conditions in fMRI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 12760-6	11.5	561
2279	Medial prefrontal cortex and self-referential mental activity: relation to a default mode of brain function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 4259-64	11.5	2346
2278	Emotion-induced changes in human medial prefrontal cortex: II. During anticipatory anxiety. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 688-93	11.5	368
2277	Deactivation of sensory-specific cortex by cross-modal stimuli. 2002 , 14, 420-9		322
2276	The neural system that bridges reward and cognition in humans: an fMRI study. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 5669-74	11.5	352
2275	The functional neuroanatomy of the placebo effect. 2002 , 159, 728-37		570
2274	Extensive individual differences in brain activations associated with episodic retrieval are reliable over time. 2002 , 14, 1200-14		123
2273	Appraising the brain's energy budget. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 10237-9	11.5	454

2272	Distinct neural systems subserve person and object knowledge. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 15238-43	11.5	315
2271	What catatonia can tell us about "top-down modulation": a neuropsychiatric hypothesis. 2002 , 25, 555-77; discussion 578-604		275
2270	A cortical network sensitive to stimulus salience in a neutral behavioral context across multiple sensory modalities. 2002 , 87, 615-20		467
2269	Orbitofrontal Cortical Dysfunction and Sensori-motor Regression—A Combined Study of fMRI and Personal Constructs in Catatonia. 2002 , 4, 151-171		4
2268	Brain activity in ventromedial prefrontal cortex correlates with individual differences in negative affect. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 2450-4	11.5	136
2267	An investigation of the value of spin-echo-based fMRI using a Stroop color-word matching task and EPI at 3 T. 2002 , 15, 719-26		108
2266	The anterior frontomedian cortex and evaluative judgment: an fMRI study. 2002 , 15, 983-91		300
2265	Altered processing of acoustic stimuli during sleep: reduced auditory activation and visual deactivation detected by a combined fMRI/EEG study. 2002 , 16, 251-8		156
2264	Functional neuroanatomy of emotion: a meta-analysis of emotion activation studies in PET and fMRI. 2002 , 16, 331-48		2718
2263	ICA of fMRI group study data. 2002 , 16, 551-63		105
2262	A parametric study of mental spatial transformations of bodies. 2002 , 16, 857-72		117
2261	The roles of timing and task order during task switching. 2002 , 17, 95-109		137
2260	Reflective Self-Awareness and Conscious States: PET Evidence for a Common Midline Parietofrontal Core. 2002 , 17, 1080-1086		334
2259	What does the frontomedian cortex contribute to language processing: coherence or theory of mind?. 2002 , 17, 1599-612		228
2258	Cortical deactivation induced by visual stimulation in human slow-wave sleep. 2002 , 17, 1325-35		85
2257	Age-related differences in movement representation. 2002 , 17, 1720-8		168
2256	Sustained negative BOLD, blood flow and oxygen consumption response and its coupling to the positive response in the human brain. 2002 , 36, 1195-210		487
2255	Evidence supporting a role for N-acetyl-L-aspartate as a molecular water pump in myelinated neurons in the central nervous system. An analytical review. 2002 , 40, 295-300		156

2254 The circulatory and metabolic correlates of functional activity. **2002**, 1235, 15-20

2253 Catatonia isn't ready for a unified theory. **2002**, 25, 579-580

1

2252 Does catatonia have a specific brain biology?. **2002**, 25, 580-581

2251 The disease status of catatonia. **2002**, 25, 590-591

1

2250 Top-down versus bottom-up is not the same thing as psychological versus biological. **2002**, 25, 585-586

2249 Catatonia: A window into the cerebral underpinnings of will. **2002**, 25, 582-584

2

2248 Do neurodegenerative cascades in Parkinson's disease really reflect bottom-up processing?. **2002**, 25, 591-591

2247 Catatonia: A disorder of motivation and movement. **2002**, 25, 584-585

1

2246 What medical catatonias tell us about top-down modulation. **2002**, 25, 581-582

2245 Does the form of akinetic mutism linked to mesodiencephalic injuries bridge the double dissociation of Parkinson's disease and catatonia?. **2002**, 25, 586-587

2244 Does anticipation of pain affect cortical nociceptive systems?. **2002**, 22, 3206-14

348

2243 Somatosensory processing in the human inferior prefrontal cortex. **2002**, 88, 1400-6

47

2242 Dopamine, Parkinson's disease, and volition. **2002**, 25, 586-586

3

2241 Catatonia, motor neglect, and hysterical paralysis: Some similarities and differences. **2002**, 25, 587-588

1

2240 Neurophysiology, neuropsychiatry and neurophilosophy of catatonia. **2002**, 25, 592-599

1

2239 A self frozen in time and space: Catatonia as a kinesthetic analog to mirrored self-misidentification. **2002**, 25, 589-590

2

2238 Top-down modulation, emotion, and hallucination. **2002**, 25, 578-578

1

2237 Catatonia in Alzheimer's disease: The role of the amygdalo-hippocampal circuits. **2002**, 25, 588-589

1

2236	Nonconscious processing, anterior cingulate, and catatonia. 2002 , 25, 578-579	37
2235	Reversed hemispheric asymmetry during simple visual perception in schizophrenia. 2002 , 116, 25-32	20
2234	Imaging hippocampal function across the human life span: is memory decline normal or not?. 2002 , 51, 290-5	160
2233	In vivo ¹ H ₂ O T ₂ + measurement in the human occipital lobe at 4T and 7T by Carr-Purcell MRI: detection of microscopic susceptibility contrast. 2002 , 47, 742-50	99
2232	Human electrophysiological and cognitive effects of exposure to ELF magnetic and ELF modulated RF and microwave fields: a review of recent studies. 2002 , 23, 144-57	103
2231	Origin of negative blood oxygenation level-dependent fMRI signals. 2002 , 22, 908-17	287
2230	Finding the self? An event-related fMRI study. 2002 , 14, 785-94	1308
2229	The neural basis of autobiographical and semantic memory: new evidence from three PET studies. 2003 , 3, 234-54	99
2228	Brain areas activated in fMRI during self-regulation of slow cortical potentials (SCPs). 2003 , 152, 113-22	61
2227	Brain activations during conscious self-monitoring of speech production with delayed auditory feedback: an fMRI study. 2003 , 20, 22-8	159
2226	Model assessment and model building in fMRI. 2003 , 20, 227-38	25
2225	Event-related analysis for event types of fixed order and restricted spacing by temporal quantification of trial-averaged fMRI time courses. 2003 , 18, 599-607	13
2224	Separating neural processes using mixed event-related and epoch-based fMRI paradigms. 2003 , 131, 41-50	11
2223	Pre-frontal executive committee for perception, working memory, attention, long-term memory, motor control, and thinking: a tutorial review. 2003 , 12, 83-139	195
2222	Self-representation: searching for a neural signature of self-consciousness. 2003 , 12, 529-43	90
2221	Social Neuroscience: A Role for Brain Imaging. 2003 , 24, 759-764	12
2220	Multiple neuronal networks mediate sustained attention. 2003 , 15, 1028-38	253
2219	The posterior cingulate and medial prefrontal cortex mediate the anticipatory allocation of spatial attention. 2003 , 18, 633-41	256

2218	Emotional valence modulates activity in the posterior fusiform gyrus and inferior medial prefrontal cortex in social perception. 2003 , 18, 675-84	99
2217	A region of mesial prefrontal cortex tracks monetarily rewarding outcomes: characterization with rapid event-related fMRI. 2003 , 18, 263-72	682
2216	Comparison of fMRI activation at 3 and 1.5 T during perceptual, cognitive, and affective processing. 2003 , 18, 813-26	104
2215	Residual naming after damage to the left temporal pole: a PET activation study. 2003 , 19, 846-60	24
2214	Eye closure in darkness animates sensory systems. 2003 , 19, 924-34	126
2213	Effects of gender on blood flow correlates of naming concrete entities. 2003 , 20, 940-54	48
2212	Functional brain imaging of olfactory processing in monkeys. 2003 , 20, 257-64	20
2211	Structural (operational) synchrony of EEG alpha activity during an auditory memory task. 2003 , 20, 529-42	44
2210	Functional connectivity in the resting brain: a network analysis of the default mode hypothesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 253-8	11.5 4758
2209	Brain, conscious experience and the observing self. 2003 , 26, 671-5	382
2208	Reciprocal neural response within lateral and ventral medial prefrontal cortex during hot and cold reasoning. 2003 , 20, 2314-21	149
2207	Cerebral localization, then and now. 2003 , 20 Suppl 1, S2-7	30
2206	Functional specialization within the anterior medial prefrontal cortex: a functional magnetic resonance imaging study with human subjects. 2003 , 335, 183-6	67
2205	The human amygdala and the emotional evaluation of sensory stimuli. 2003 , 41, 88-123	872
2204	Neural correlates of the first-person-perspective. 2003 , 7, 38-42	507
2203	Neural correlates of lexical access during visual word recognition. 2003 , 15, 372-93	263
2202	A parametric manipulation of factors affecting task-induced deactivation in functional neuroimaging. 2003 , 15, 394-408	899
2201	The three vectors of consciousness and their disturbances after brain injury. 2003 , 13, 13-29	25

2200	Keeping pain out of mind: the role of the dorsolateral prefrontal cortex in pain modulation. 2003 , 126, 1079-91		664
2199	Functional deactivations: change with age and dementia of the Alzheimer type. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 14504-9	11.5	602
2198	Functional imaging and pain: behavior, perception, and modulation. 2003 , 9, 354-69		92
2197	Dissociating the roles of the rostral anterior cingulate and the lateral prefrontal cortices in performing two tasks simultaneously or successively. 2003 , 13, 329-39		114
2196	Electroencephalographic signatures of attentional and cognitive default modes in spontaneous brain activity fluctuations at rest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 11053-8	11.5	773
2195	Visual word recognition in the left and right hemispheres: anatomical and functional correlates of peripheral alexias. 2003 , 13, 1313-33		270
2194	Common neural mechanisms for response selection and perceptual processing. 2003 , 15, 1095-110		56
2193	Imagined viewer and object rotations dissociated with event-related fMRI. 2003 , 15, 1002-18		122
2192	Common neural substrates for response selection across modalities and mapping paradigms. 2003 , 15, 1080-94		117
2191	Distinct patterns of neural modulation during the processing of conceptual and syntactic anomalies. 2003 , 15, 272-93		201
2190	Anterior cingulate cortex regulation of sympathetic activity. 2003 , 126, 2119-20		70
2189	Dissociating cortical regions activated by semantic and phonological tasks: a fMRI study in blind and sighted people. 2003 , 90, 1965-82		129
2188	Quantitative analysis of attention and detection signals during visual search. 2003 , 90, 3384-97		196
2187	Visual cortical activations on fMRI upon stimulation of the vision-implicated acupoints. 2003 , 14, 669-73		83
2186	Just because you're imaging the brain doesn't mean you can stop using your head: a primer and set of first principles. 2003 , 85, 650-61		109
2185	Response suppression in v1 agrees with psychophysics of surround masking. 2003 , 23, 6884-93		161
2184	Brain function and neurophysiological correlates of signals used in functional neuroimaging. 2003 , 23, 3972-80		154
2183	Altered cortical visual processing in PD with hallucinations: an fMRI study. 2004 , 63, 1409-16		158

2182	Detection of functional networks in the resting brain.		2
2181	Default-mode network activity distinguishes Alzheimer's disease from healthy aging: evidence from functional MRI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 4637-42	11.5	2769
2180	Semi-blind ICA of fMRI: a method for utilizing hypothesis-derived time courses in a spatial ICA analysis.		3
2179	Thinking about actions: the neural substrates of person knowledge. 2004 , 14, 209-14		58
2178	Brain regions activated during an auditory discrimination task in insomniac postmenopausal patients before and after hormone replacement therapy: low-resolution brain electromagnetic tomography applied to event-related potentials. 2004 , 49, 134-53		33
2177	Default brain functionality in blind people. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 15500-5	11.5	29
2176	Neural correlates of first-person perspective as one constituent of human self-consciousness. 2004 , 16, 817-27		406
2175	The human cortex responds to an interoceptive challenge. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 6333-4	11.5	187
2174	Parietal cortex and representation of the mental Self. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 6827-32	11.5	437
2173	Frontostriatal deficits in fragile X syndrome: relation to FMR1 gene expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 3615-20	11.5	107
2172	Functional neuroanatomy of spatial orientation processing in Turner syndrome. 2004 , 14, 174-80		73
2171	The new perspectives in fMRI Research Award: Exploring patterns of default-mode brain activity. 2004 , 16, 1479-80		8
2170	Deactivations, global signal, and the default mode of brain function. 2004 , 16, 1481-3		26
2169	Human brain regions involved in recognizing environmental sounds. 2004 , 14, 1008-21		197
2168	Functional MRI during sleep: BOLD signal decreases and their electrophysiological correlates. 2004 , 20, 566-74		140
2167	Is the human primary motor cortex involved in motor imagery?. 2004 , 19, 138-44		164
2166	Decrease in prefrontal hemoglobin oxygenation during reaching tasks with delayed visual feedback: a near-infrared spectroscopy study. 2004 , 20, 480-90		31
2165	Neural systems supporting timing and chronometric counting: an fMRI study. 2004 , 21, 183-92		68

2164	Psychological and physiological characteristics of a proposed object-referral/self-referral continuum of self-awareness. 2004 , 13, 401-20	76
2163	Percept-related activity in the human somatosensory system: functional magnetic resonance imaging studies. 2004 , 22, 1539-48	56
2162	Resting EEG is affected by exposure to a pulsed ELF magnetic field. 2004 , 25, 196-203	70
2161	Reciprocal modulation and attenuation in the prefrontal cortex: an fMRI study on emotional-cognitive interaction. 2004 , 21, 202-12	200
2160	Functional coupling of simultaneous electrical and metabolic activity in the human brain. 2004 , 21, 257-70	173
2159	Functional connectivity as revealed by spatial independent component analysis of fMRI measurements during rest. 2004 , 22, 165-78	438
2158	Medial prefrontal activity predicts memory for self. 2004 , 14, 647-54	436
2157	Default-mode activity during a passive sensory task: uncoupled from deactivation but impacting activation. 2004 , 16, 1484-92	563
2156	The effect of set on the resting state in functional imaging: a role for the striatum?. 2004 , 22, 1407-1407	
2155	Electroencephalography-correlated functional MR imaging studies of epileptic activity. 2004 , 14, 487-506	31
2154	Perfusion abnormalities and decision making in cocaine dependence. 2004 , 56, 527-30	57
2153	Resting neural activity distinguishes subgroups of schizophrenia patients. 2004 , 56, 931-7	136
2152	Predicting success: patterns of cortical activation and deactivation prior to response inhibition. 2004 , 16, 776-85	108
2151	Perfusion- and BOLD-based fMRI in the study of a human pathological model for task-related flow reductions. 2004 , 63, 1-5	4
2150	Cortical midline structures and the self. 2004 , 8, 102-7	1141
2149	Central representation of muscle pain and mechanical hyperesthesia in the orofacial region: a positron emission tomography study. 2004 , 108, 284-293	65
2148	Halothane augments event-related gamma oscillations in rat visual cortex. 2004 , 123, 269-78	28
2147	Relation between asymmetry of prefrontal cortex activities and the autonomic nervous system during a mental arithmetic task: near infrared spectroscopy study. 2004 , 369, 69-74	162

2146	Learning letters in adulthood: direct visualization of cortical plasticity for forming a new link between orthography and phonology. 2004 , 42, 311-22	103
2145	Neural basis of spontaneous thought processes. 2004 , 40, 623-30	179
2144	Interindividual variability in the hemispheric organization for speech. 2004 , 21, 422-35	98
2143	A functional MRI study of visual oddball: evidence for frontoparietal dysfunction in subjects at risk for alcoholism. 2004 , 21, 329-39	48
2142	Watching social interactions produces dorsomedial prefrontal and medial parietal BOLD fMRI signal increases compared to a resting baseline. 2004 , 21, 1167-73	378
2141	Circulatory basis of fMRI signals: relationship between changes in the hemodynamic parameters and BOLD signal intensity. 2004 , 21, 1204-14	64
2140	Regional homogeneity approach to fMRI data analysis. 2004 , 22, 394-400	1470
2139	Activity in ventromedial prefrontal cortex covaries with sympathetic skin conductance level: a physiological account of a "default mode" of brain function. 2004 , 22, 243-51	358
2138	The effect of set on the resting state in functional imaging: a role for the striatum?. 2004 , 22, 1407-13	20
2137	Covariance PET patterns in early Alzheimer's disease and subjects with cognitive impairment but no dementia: utility in group discrimination and correlations with functional performance. 2004 , 23, 35-45	85
2136	Comparison of baseline conditions to investigate syntactic production using functional magnetic resonance imaging. 2004 , 23, 104-10	16
2135	Coupling of cerebral blood flow and oxygen consumption during physiological activation and deactivation measured with fMRI. 2004 , 23, 148-55	211
2134	When less means more: deactivations during encoding that predict subsequent memory. 2004 , 23, 921-7	311
2133	A reply to Uttal (2004). 2005 , 28, 77-9	1
2132	Functional connectivity changes with concentration of sevoflurane anesthesia. 2005 , 16, 285-8	191
2131	Magnetic resonance approaches to brain aging and Alzheimer disease-associated neuropathology. 2005 , 16, 439-52	24
2130	Education-associated cortical glucose metabolism during sustained attention. 2005 , 16, 1473-1476	14
2129	The Neural Basis of the Psychomotor Vigilance Task. 2005 ,	17

2128	Midazolam sedation increases fluctuation and synchrony of the resting brain BOLD signal. 2005 , 23, 531-7	118
2127	Being a self: considerations from functional imaging. 2005 , 14, 679-97	92
2126	Brain networks that track musical structure. 2005 , 1060, 111-24	32
2125	Statistical criteria in fMRI studies of multisensory integration. 2005 , 3, 93-113	174
2124	Ongoing spontaneous activity controls access to consciousness: a neuronal model for inattentive blindness. 2005 , 3, e141	206
2123	Involvement of rostral prefrontal cortex in selection between stimulus-oriented and stimulus-independent thought. 2005 , 21, 1423-31	141
2122	Neuronal mechanisms underlying control of a brain-computer interface. 2005 , 21, 3169-81	109
2121	Reading vascular changes in brain imaging: is dendritic calcium the key?. 2005 , 6, 77-85	224
2120	Simultaneous detection of blood volume, oxygenation, and intracellular calcium changes during cerebral ischemia and reperfusion in vivo using diffuse reflectance and fluorescence. 2005 , 25, 1078-92	25
2119	The role of anterior cingulate cortex and precuneus in the coordination of motor behaviour. 2005 , 22, 235-46	222
2118	How do we modulate our emotions? Parametric fMRI reveals cortical midline structures as regions specifically involved in the processing of emotional valences. 2005 , 25, 348-58	78
2117	Characteristic functional networks in high- versus low-proficiency second language speakers detected also during native language processing: an explorative EEG coherence study in 6 frequency bands. 2005 , 25, 566-78	20
2116	About being BOLD. 2005 , 50, 229-43	102
2115	Neural mechanisms involved in the detection of our first name: a combined ERPs and PET study. 2005 , 43, 12-9	123
2114	Brain-based mechanisms underlying complex causal thinking. 2005 , 43, 1204-13	88
2113	The brain basis of piano performance. 2005 , 43, 199-215	84
2112	Brain activations associated with probability matching. 2005 , 43, 1598-608	13
2111	Change in perfusion, hallucinations and fluctuations in consciousness in dementia with Lewy bodies. 2005 , 139, 79-88	48

2110	Functional activation imaging in aging and dementia. 2005 , 140, 97-113	75
2109	Effects of electroacupuncture versus manual acupuncture on the human brain as measured by fMRI. 2005 , 24, 193-205	273
2108	Spontaneous low-frequency BOLD signal fluctuations: an fMRI investigation of the resting-state default mode of brain function hypothesis. 2005 , 26, 15-29	1097
2107	Altered resting state networks in mild cognitive impairment and mild Alzheimer's disease: an fMRI study. 2005 , 26, 231-9	589
2106	Neural mechanisms of autonomic, affective, and cognitive integration. 2005 , 493, 154-66	906
2105	Intrinsic brain activity sets the stage for expression of motivated behavior. 2005 , 493, 167-76	176
2104	Resting EEG effects during exposure to a pulsed ELF magnetic field. 2005 , 26, 367-76	45
2103	Short-term visual deprivation alters neural processing of tactile form. 2005 , 166, 572-82	49
2102	Serotonin modulation of cerebral blood flow measured with positron emission tomography (PET) in humans. 2005 , 55, 224-9	23
2101	Modeling the minimally conscious state: measurements of brain function and therapeutic possibilities. 2005 , 150, 473-93	36
2100	Effects of healthy aging on hippocampal and rhinal memory functions: an event-related fMRI study. 2006 , 16, 1771-82	276
2099	Functional connectivity in elderly controls and AD patients using resting state fMRI: a pilot study. 2005 , 2, 115-6	34
2098	Pharmacological modulation of pain-related brain activity during normal and central sensitization states in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 18195-200	11.5 218
2097	Intersubject variability of near-infrared spectroscopy signals during sensorimotor cortex activation. 2005 , 10, 44001	84
2096	Assessing the spatiotemporal evolution of neuronal activation with single-trial event-related potentials and functional MRI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 17798-803	11.5 251
2095	Combined EEG and fMRI studies of human brain function. 2005 , 66, 291-321	50
2094	Prefrontal and anterior cingulate contributions to volition in depression. 2005 , 67, 73-94	36
2093	The cognitive modulation of pain: hypnosis- and placebo-induced analgesia. 2005 , 150, 251-69	72

2092	Generalized epileptic discharges show thalamocortical activation and suspension of the default state of the brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 15236-40	11.5	459
2091	The cerebral response during subjective choice with and without self-reference. 2005 , 17, 1897-906		86
2090	Differential functions of lateral and medial rostral prefrontal cortex (area 10) revealed by brain-behavior associations. 2006 , 16, 1783-9		88
2089	Beyond affect: a role for genetic variation of the serotonin transporter in neural activation during a cognitive attention task. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 12224-9	11.5	299
2088	Long-range EEG phase synchronization during an arithmetic task indexes a coherent cortical network simultaneously measured by fMRI. 2005 , 27, 553-63		68
2087	Brain dynamics during natural viewing conditions--a new guide for mapping connectivity in vivo. 2005 , 24, 339-49		152
2086	Independent component analysis of fMRI group studies by self-organizing clustering. 2005 , 25, 193-205		274
2085	CASL fMRI of subcortico-cortical perfusion changes during memory-guided finger sequences. 2005 , 25, 122-32		40
2084	Semi-blind ICA of fMRI: A method for utilizing hypothesis-derived time courses in a spatial ICA analysis. 2005 , 25, 527-38		118
2083	Self-face recognition activates a frontoparietal "mirror" network in the right hemisphere: an event-related fMRI study. 2005 , 25, 926-35		323
2082	Reduced functional connectivity between V1 and inferior frontal cortex associated with visuomotor performance in autism. 2005 , 25, 916-25		233
2081	Increased sensitivity in neuroimaging analyses using robust regression. 2005 , 26, 99-113		234
2080	General and specific contributions of the medial prefrontal cortex to knowledge about mental states. 2005 , 28, 757-62		172
2079	The spatiotemporal MEG covariance matrix modeled as a sum of Kronecker products. 2005 , 27, 402-15		29
2078	Some neurophysiological constraints on models of word naming. 2005 , 27, 677-93		183
2077	Mining the posterior cingulate: segregation between memory and pain components. 2005 , 27, 520-32		127
2076	The integrated response of the human cerebro-cerebellar and limbic systems to acupuncture stimulation at ST 36 as evidenced by fMRI. 2005 , 27, 479-96		376
2075	Anterior cingulate activity during error and autonomic response. 2005 , 27, 885-95		362

2074	Fate of unattended fearful faces in the amygdala is determined by both attentional resources and cognitive modulation. 2005 , 28, 249-55		277
2073	Attachment-style differences in the ability to suppress negative thoughts: exploring the neural correlates. 2005 , 28, 835-47		232
2072	Classifying brain states and determining the discriminating activation patterns: Support Vector Machine on functional MRI data. 2005 , 28, 980-95		536
2071	The role of quantitative structural imaging in the early diagnosis of Alzheimer's disease. 2005 , 15, 803-26, x		25
2070	Volumetric, connective, and morphologic changes in the brains of children with chromosome 22q11.2 deletion syndrome: an integrative study. 2005 , 25, 169-80		169
2069	Human functional neuroimaging of brain changes associated with practice. 2005 , 15, 1089-102		544
2068	The human brain is intrinsically organized into dynamic, anticorrelated functional networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 9673-8	11.5	6098
2067	Study of temporal stationarity and spatial consistency of fMRI noise using independent component analysis. 2005 , 24, 712-8		19
2066	Investigations into resting-state connectivity using independent component analysis. 2005 , 360, 1001-13		2523
2065	Rostral and dorsal anterior cingulate cortex make dissociable contributions during antisaccade error commission. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 15700-5	11.5	166
2064	Neuroanatomical correlates of behavioural disorders in dementia. 2005 , 128, 2612-25		384
2063	The left inferior frontal gyrus under focus: an fMRI study of the production of deixis via syntactic extraction and prosodic focus. 2005 , 18, 237-258		25
2062	A pre-task resting condition neither 'baseline' nor 'zero'. 2005 , 391, 43-7		10
2061	Neural correlates of temporal-order judgments versus those of spatial-location: deactivation of hippocampus may facilitate spatial performance. 2005 , 59, 103-13		26
2060	Top-down reorganization of activity in the visual pathway after learning a shape identification task. 2005 , 46, 823-35		155
2059	Synaptic activity regulates interstitial fluid amyloid-beta levels in vivo. 2005 , 48, 913-22		882
2058	Negative BOLD differentiates visual imagery and perception. 2005 , 48, 859-72		176
2057	Delusions in individuals with schizophrenia: factor structure, clinical correlates, and putative neurobiology. 2005 , 38, 338-44		46

2056	Reduced activation of posterior cingulate cortex during imagery in subjects with high degrees of alexithymia: a functional magnetic resonance imaging study. 2005 , 57, 982-90	114
2055	Neural mechanism for judging the appropriateness of facial affect. 2005 , 25, 659-67	22
2054	Volume of the cingulate and outcome in schizophrenia. 2005 , 72, 91-108	102
2053	Molecular, structural, and functional characterization of Alzheimer's disease: evidence for a relationship between default activity, amyloid, and memory. 2005 , 25, 7709-17	1550
2052	The mental self. 2005 , 150, 197-204	42
2051	The link between social cognition and self-referential thought in the medial prefrontal cortex. 2005 , 17, 1306-15	571
2050	Global workspace theory of consciousness: toward a cognitive neuroscience of human experience. 2005 , 150, 45-53	365
2049	Alterations in memory networks in mild cognitive impairment and Alzheimer's disease: an independent component analysis. 2006 , 26, 10222-31	533
2048	The ebb and flow of attention in the human brain. 2006 , 9, 863-5	17
2047	Neural representations of self versus other: visual-spatial perspective taking and agency in a virtual ball-tossing game. 2006 , 18, 898-910	216
2046	Neuron-glia metabolic coupling and plasticity. 2006 , 209, 2304-11	505
2045	Alzheimer: 100 Years and Beyond. 2006 ,	5
2044	Automated Classification of Bipolar, Schizophrenic, and Healthy Individuals Via Multiple Spatial ICA Functional Brain 'Modes'. 2006 ,	5
2043	Consistent resting-state networks across healthy subjects. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 13848-53	11.5 3210
2042	Brain connectivity related to working memory performance. 2006 , 26, 13338-43	660
2041	Brain work and brain imaging. 2006 , 29, 449-76	1110
2040	Abstract grammatical processing of nouns and verbs in Broca's area: evidence from fMRI. 2006 , 42, 540-62	88
2039	Task-dependent posterior cingulate activation in mild cognitive impairment. 2006 , 29, 485-92	84

2038	A method for generating reproducible evidence in fMRI studies. 2006 , 29, 383-95	18
2037	Segregated neural representation of distinct emotion dimensions in the prefrontal cortex-an fMRI study. 2006 , 30, 325-40	157
2036	Extraretinal saccadic signals in human LGN and early retinotopic cortex. 2006 , 30, 214-9	29
2035	Interrupting the "stream of consciousness": an fMRI investigation. 2006 , 29, 1185-91	372
2034	Understanding metamemory: neural correlates of the cognitive process and subjective level of confidence in recognition memory. 2006 , 29, 1150-60	137
2033	Controlling for individual differences in fMRI brain activation to tones, syllables, and words. 2006 , 30, 554-62	27
2032	A method to produce evolving functional connectivity maps during the course of an fMRI experiment using wavelet-based time-varying Granger causality. 2006 , 31, 187-96	115
2031	Functional imaging of working memory following normal sleep and after 24 and 35 h of sleep deprivation: Correlations of fronto-parietal activation with performance. 2006 , 31, 419-28	190
2030	Self-referential processing in our brain--a meta-analysis of imaging studies on the self. 2006 , 31, 440-57	1959
2029	Mapping cerebral blood flow during speech production in hereditary ataxia. 2006 , 31, 246-54	34
2028	A rapid fMRI task battery for mapping of visual, motor, cognitive, and emotional function. 2006 , 31, 732-44	78
2027	Restored speech comprehension linked to activity in left inferior prefrontal and right temporal cortices in postlingual deafness. 2006 , 31, 842-52	40
2026	Changes in hippocampal connectivity in the early stages of Alzheimer's disease: evidence from resting state fMRI. 2006 , 31, 496-504	635
2025	It don't mean a thing... Keeping the rhythm during polyrhythmic tension, activates language areas (BA47). 2006 , 31, 832-41	104
2024	Task-induced deactivations during successful paired associates learning: an effect of age but not Alzheimer's disease. 2006 , 31, 818-31	53
2023	Brain activation patterns during memory of cognitive agency. 2006 , 31, 896-905	54
2022	Flexible cognitive control: effects of individual differences and brief practice on a complex cognitive task. 2006 , 31, 866-86	46
2021	Determining significant connectivity by 4D spatiotemporal wavelet packet resampling of functional neuroimaging data. 2006 , 31, 1142-55	47

2020	EEG-fMRI of idiopathic and secondarily generalized epilepsies. 2006 , 31, 1700-10	227
2019	Separating respiratory-variation-related fluctuations from neuronal-activity-related fluctuations in fMRI. 2006 , 31, 1536-48	1019
2018	Eye closure in darkness animates olfactory and gustatory cortical areas. 2006 , 32, 293-300	40
2017	Sex differences in mental rotation: top-down versus bottom-up processing. 2006 , 32, 445-56	101
2016	Human brain glucose metabolism may evolve during activation: findings from a modified FDG PET paradigm. 2006 , 33, 1036-41	35
2015	Inhibition and generation of saccades: rapid event-related fMRI of prosaccades, antisaccades, and nogo trials. 2006 , 33, 644-59	117
2014	Linking implicit and explicit memory: common encoding factors and shared representations. 2006 , 49, 917-27	184
2013	Commentary on "Perspective on a pathogenesis and treatment of Alzheimer's disease." Comment on the mitochondrial metabolism hypothesis. 2006 , 2, 74-5	
2012	Functional MRI in the early detection of dementias. 2006 , 162, 941-4	5
2011	Where the BOLD signal goes when alpha EEG leaves. 2006 , 31, 1408-18	298
2010	The precuneus: a review of its functional anatomy and behavioural correlates. 2006 , 129, 564-83	3364
2009	Functional classification of schizophrenia using feed forward neural networks. 2006 , Suppl, 6631-4	26
2008	Patterns of normal human brain plasticity after practice and their implications for neurorehabilitation. 2006 , 87, S20-9	117
2007	Independent component model of the default-mode brain function: Assessing the impact of active thinking. 2006 , 70, 263-9	205
2006	Changes of cerebral blood oxygenation and optical pathlength during activation and deactivation in the prefrontal cortex measured by time-resolved near infrared spectroscopy. 2006 , 78, 2734-41	41
2005	From emotion perception to emotion experience: emotions evoked by pictures and classical music. 2006 , 60, 34-43	316
2004	Regional cerebral blood flow changes associated with interoceptive awareness in the recovery process of anorexia nervosa. 2006 , 30, 1265-70	61
2003	When the brain loses its self: prefrontal inactivation during sensorimotor processing. 2006 , 50, 329-39	487

2002	A core system for the implementation of task sets. 2006 , 50, 799-812	1335
2001	Resolving emotional conflict: a role for the rostral anterior cingulate cortex in modulating activity in the amygdala. 2006 , 51, 871-82	1033
2000	Modafinil activates cortical and subcortical sites in the sleep-deprived state. 2006 , 29, 1471-81	41
1999	A preliminary fluorodeoxyglucose positron emission tomography study in healthy adults reporting dream-enactment behavior. 2006 , 29, 927-33	44
1998	How the body controls brain temperature: the temperature shielding effect of cerebral blood flow. 2006 , 101, 1481-8	63
1997	fMRI Studies of Language. 2006 , 496-511	2
1996	Relaxation and Muscular Tension: A Biobehavioristic Explanation.. 2006 , 13, 131-153	
1995	On-line attentional selection from competing stimuli in opposite visual fields: effects on human visual cortex and control processes. 2006 , 96, 2601-12	60
1994	Non-Inferential Multi-Subject Study of Functional Connectivity during Visual Stimulation. 2007 , 19, 711-5	
1993	Self-conscious emotion deficits in frontotemporal lobar degeneration. 2006 , 129, 2508-16	140
1992	Recent advances and future prospects in neuroimaging of acute and chronic pain. 2006 , 1, 203-213	12
1991	Functional connectivity in a baseline resting-state network in autism. 2006 , 17, 1687-90	485
1990	Functional magnetic resonance imaging of cholinergic modulation in mild cognitive impairment. 2006 , 19, 299-306	17
1989	Effects of cognitive demands on postmovement motor cortical deactivation. 2006 , 17, 371-5	6
1988	Stroop performance in bipolar disorder: further evidence for abnormalities in the ventral prefrontal cortex. 2006 , 8, 28-39	123
1987	Regional cerebral blood flow changes associated with clitorally induced orgasm in healthy women. 2006 , 24, 3305-16	150
1986	An fMRI examination of developmental differences in the neural correlates of uncertainty and decision-making. 2006 , 47, 1023-30	76
1985	Linking generalized spike-and-wave discharges and resting state brain activity by using EEG/fMRI in a patient with absence seizures. 2006 , 47, 444-8	153

1984	Nitro-PDI incites toxic waste accumulation. 2006 , 9, 865-7	12
1983	Negative functional MRI response correlates with decreases in neuronal activity in monkey visual area V1. 2006 , 9, 569-77	721
1982	The neural bases of momentary lapses in attention. 2006 , 9, 971-8	1196
1981	Applications of fMRI in translational medicine and clinical practice. 2006 , 7, 732-44	244
1980	Large-amplitude, spatially correlated fluctuations in BOLD fMRI signals during extended rest and early sleep stages. 2006 , 24, 979-92	272
1979	Neuroanatomical evidence for distinct cognitive and affective components of self. 2006 , 18, 1586-94	400
1978	The reflection of different aspects of brain activation in the electroencephalogram: Quantitative electroencephalography of the states of rest with the eyes open and closed. 2006 , 32, 377-388	9
1977	The contribution of neuroimaging to the study of language and aphasia. 2006 , 16, 171-83	22
1976	How to see what you are looking for in fMRI and PET--or the crucial baseline condition. 2006 , 253, 551-5	14
1975	Bilateral basal ganglia activation associated with sensorimotor adaptation. 2006 , 175, 544-55	104
1974	Simultaneous EEG-fMRI. 2006 , 30, 823-38	195
1973	Functional imaging: is the resting brain resting?. 2006 , 16, R998-1000	71
1972	Task- and EEG-correlated analyses of BOLD MRI responses to eyes opening and closing. 2006 , 1073-1074, 359-64	16
1971	The emotional power of music: how music enhances the feeling of affective pictures. 2006 , 1075, 151-64	257
1970	Mentalizing and Marr: an information processing approach to the study of social cognition. 2006 , 1079, 66-75	96
1969	Brain activation when hearing one's own and others' names. 2006 , 1116, 153-8	52
1968	Effects of baseline task position on apparent activation in functional imaging of memory. 2006 , 44, 462-8	4
1967	Being with virtual others: Neural correlates of social interaction. 2006 , 44, 718-30	356

1966	How default is the default mode of brain function? Further evidence from intrinsic BOLD signal fluctuations. 2006 , 44, 2836-45	499
1965	Neural mechanisms underlying spatial judgements on seen and imagined visual stimuli in the left and right hemifields in men. 2006 , 44, 2846-60	17
1964	Negative BOLD responses to epileptic spikes. 2006 , 27, 488-97	140
1963	Neural correlates of the interaction between transient and sustained processes: a mixed blocked/event-related fMRI study. 2006 , 27, 545-51	12
1962	Affective judgment and beneficial decision making: ventromedial prefrontal activity correlates with performance in the Iowa Gambling Task. 2006 , 27, 572-87	82
1961	Temporal lobe interictal epileptic discharges affect cerebral activity in "default mode" brain regions. 2007 , 28, 1023-32	237
1960	Tissue specificity of nonlinear dynamics in baseline fMRI. 2006 , 55, 626-32	15
1959	Task-modulation of functional synchrony between spontaneous low-frequency oscillations in the human brain detected by fMRI. 2006 , 56, 41-50	12
1958	Combining EEG and fMRI: a multimodal tool for epilepsy research. 2006 , 23, 906-20	203
1957	Functional connectivity networks are disrupted in left temporal lobe epilepsy. 2006 , 59, 335-43	253
1956	A generalized spatiotemporal covariance model for stationary background in analysis of MEG data. 2006 , 2006, 3680-3	4
1955	Brain activation and hypothalamic functional connectivity during human non-rapid eye movement sleep: an EEG/fMRI study. 2006 , 129, 655-67	187
1954	Differences between Alzheimer's disease and dementia with Lewy bodies: an fMRI study of task-related brain activity. 2006 , 129, 1780-8	70
1953	Obesity-specific circuits in the human brain: exploration by dynamic Brain Self-Reference (dynBSR). 2006 , 38, 777-82	5
1952	Functional connectivity of the fusiform gyrus during a face-matching task in subjects with mild cognitive impairment. 2006 , 129, 1113-24	192
1951	Age-related Changes in Brain Activity across the Adult Lifespan. 2006 , 18, 227-241	381
1950	fMRI of Past Tense Processing: The Effects of Phonological Complexity and Task Difficulty. 2006 , 18, 278-297	67
1949	Performance-related activity in medial rostral prefrontal cortex (area 10) during low-demand tasks. 2006 , 32, 45-58	89

1948	Sex differences in regional brain response to aversive pelvic visceral stimuli. 2006 , 291, R268-76		65
1947	Dynamics of prefrontal and cingulate activity during a reward-based logical deduction task. 2007 , 17, 749-59		26
1946	Imaging the earliest stages of Alzheimer's disease. 2006 , 3, 529-39		19
1945	Medial prefrontal activity differentiates self from close others. 2006 , 1, 18-25		279
1944	Neural connections of the posteromedial cortex in the macaque. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 1563-8	11.5	235
1943	Microvascular disease in type 1 diabetes alters brain activation: a functional magnetic resonance imaging study. 2006 , 55, 334-40		58
1942	Within-subject reproducibility of near-infrared spectroscopy signals in sensorimotor activation after 6 months. 2006 , 11, 014021		42
1941	Normalizing motor-related brain activity: subthalamic nucleus stimulation in Parkinson disease. 2006 , 66, 1192-9		122
1940	Failing to deactivate: resting functional abnormalities in autism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 8275-80	11.5	488
1939	Investigating audiovisual integration of emotional signals in the human brain. 2006 , 156, 345-61		79
1938	Neural activity in speech-sensitive auditory cortex during silence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 189-94	11.5	111
1937	Functional organization of perisylvian activation during presentation of sentences in preverbal infants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 14240-5	11.5	268
1936	Insights in Specific Cerebellar and Cerebral Activations in Blind Subjects. 2006 , 2, 435-442		
1935	A Functional Magnetic Resonance Imaging Study of Neural Dissociations between Brand and Person Judgments. 2006 , 33, 31-40		195
1934	Complexity Analysis of fMRI Time Sequences. 2006 ,		1
1933	Cortical oscillatory changes occurring during somatosensory and thermal stimulation. 2006 , 159, 237-52		29
1932	Neural basis of embodiment: distinct contributions of temporoparietal junction and extrastriate body area. 2006 , 26, 8074-81		343
1931	Additive effects of genetic variation in dopamine regulating genes on working memory cortical activity in human brain. 2006 , 26, 3918-22		198

1930	Coherent spontaneous activity identifies a hippocampal-parietal memory network. 2006 , 96, 3517-31		813
1929	Theoretical model of temperature regulation in the brain during changes in functional activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 12144-9	11.5	78
1928	[11C]PIB in a nondemented population: potential antecedent marker of Alzheimer disease. 2006 , 67, 446-52		893
1927	A comparison of resting-state brain activity in humans and chimpanzees. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 17146-51	11.5	158
1926	Selective changes of resting-state networks in individuals at risk for Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 18760-5	11.5	806
1925	Nicotine enhances visuospatial attention by deactivating areas of the resting brain default network. 2007 , 27, 3477-89		165
1924	Inhibitory deficit theory: Recent developments in a "new view". 145-162		151
1923	The sleeping brain, the states of consciousness, and the human intelligence. 2007 , 30, 159-159		
1922	Resting-state networks in the infant brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 15531-6	11.5	497
1921	Aberrant "default mode" functional connectivity in schizophrenia. 2007 , 164, 450-7		855
1920	Right TPJ deactivation during visual search: functional significance and support for a filter hypothesis. 2007 , 17, 2625-33		200
1919	Abnormal default-mode network activation in cirrhotic patients: a functional magnetic resonance imaging study. 2007 , 48, 781-7		26
1918	Gene expression profiles in anatomically and functionally distinct regions of the normal aged human brain. 2007 , 28, 311-22		184
1917	Are anticorrelated networks in the brain relevant to schizophrenia?. 2007 , 33, 994-1003		95
1916	As time goes by: temporal constraints on emotional activation of inferior medial prefrontal cortex. 2007 , 17, 2753-9		13
1915	Extrinsic and intrinsic systems in the posterior cortex of the human brain revealed during natural sensory stimulation. 2007 , 17, 766-77		289
1914	Resting state brain activity and functional brain mapping. 2007 , 17, 511-519		1
1913	Effects of gamma-aminobutyric acid-modulating drugs on working memory and brain function in patients with schizophrenia. 2007 , 64, 156-67		90

1912	How does our brain constitute defense mechanisms? First-person neuroscience and psychoanalysis. 2007 , 76, 141-53	80
1911	Age differences in deactivation: a link to cognitive control?. 2007 , 19, 1021-32	250
1910	Cortical deactivation in mild cognitive impairment: high-field-strength functional MR imaging. 2007 , 245, 224-35	119
1909	Interactions of pain intensity and cognitive load: the brain stays on task. 2007 , 17, 1412-22	129
1908	Injury and recovery in the developing brain: evidence from functional MRI studies of prematurely born children. 2007 , 3, 558-71	31
1907	Neural correlates of attentional expertise in long-term meditation practitioners. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 11483-8	11.5 614
1906	Modeling spatiotemporal covariance for magnetoencephalography or electroencephalography source analysis. 2007 , 75, 011928	7
1905	Dissociable intrinsic connectivity networks for salience processing and executive control. 2007 , 27, 2349-56	4845
1904	Where am I now? Distinct roles for parahippocampal and retrosplenial cortices in place recognition. 2007 , 27, 6141-9	251
1903	Functional MRI in ADHD: a systematic literature review. 2007 , 7, 1337-56	103
1902	'Brain activation and hypothalamic functional connectivity during human non-rapid eye movement sleep: an EEG/fMRI study'--its limitations and an alternative approach. 2007 , 130, e75; author reply e76	57
1901	Cingulate activation increases dynamically with response speed under stimulus unpredictability. 2007 , 17, 1664-71	158
1900	Regional brain volume differences associated with hyperglycemia and severe hypoglycemia in youth with type 1 diabetes. 2007 , 30, 2331-7	155
1899	Phenomenal consciousness lite: No thanks!. 2007 , 30, 520-521	2
1898	Reuniting (scene) phenomenology with (scene) access. 2007 , 30, 521-521	8
1897	A plug for generic phenomenology. 2007 , 30, 504-505	14
1896	What is cognitive accessibility? Accessibility to?. 2007 , 30, 508-508	1
1895	The flesh's evidence: model comparison and alternative interpretations of feedback. 2007 , 30, 505-506	

1894	What about the neural basis of crystallized intelligence?. 2007 , 30, 159-161	10
1893	Psychology supports independence of phenomenal consciousness. 2007 , 30, 500-501	7
1892	Piece of mind; a full systems approach is required. 2007 , 30, 167-168	2
1891	Many ways to awareness: A developmental perspective on cognitive access. 2007 , 30, 506-507	3
1890	Accessed, accessible, and inaccessible: Where to draw the phenomenal line. 2007 , 30, 521-522	10
1889	Right answer to the wrong question: A reply to Jung and Haier. 2007 , 30, 170-171	3
1888	Access to phenomenality: A necessary condition of phenomenality?. 2007 , 30, 499-500	21
1887	Why babies are more conscious than we are. 2007 , 30, 503-504	2
1886	Intelligence? What intelligence?. 2007 , 30, 155-156	14
1885	Access for what? Reflective consciousness. 2007 , 30, 525-526	10
1884	Beautiful minds (i.e., brains) and the neural basis of intelligence. 2007 , 30, 174-178	16
1883	Expecting phenomenology. 2007 , 30, 526-527	2
1882	Phenomenality without access?. 2007 , 30, 515-516	
1881	What if phenomenal consciousness admits of degrees?. 2007 , 30, 528-529	9
1880	Incomplete stimulus representations and the loss of cognitive access in cerebral achromatopsia. 2007 , 30, 508-509	
1879	Functional connectivity in the brain and human intelligence. 2007 , 30, 169-170	1
1878	Inherent limits on the identification of a neural basis for general intelligence. 2007 , 30, 154-155	124
1877	Phenomenological overflow and cognitive access. 2007 , 30, 522-523	8

1876 The neuronal basis of intelligence: A riddle, wrapped in a mystery?. **2007**, 30, 172-173

1875 Selecting between intelligent options. **2007**, 30, 155-155

4

1874 Intelligence and reasoning are not one and the same. **2007**, 30, 163-164

1873 Intelligence, hormones, sex, brain size, and biochemistry: It all needs to have equal causal standing before integration is possible. **2007**, 30, 164-165

3

1872 Plasticity in high-order cognition: Evidence of dissociation in aphasia. **2007**, 30, 171-172

2

1871 P-FIT and the neuroscience of intelligence: How well does P fit?. **2007**, 30, 166-167

6

1870 Do we see more than we can access?. **2007**, 30, 501-502

10

1869 Phenomenology without conscious access is a form of consciousness without top-down attention. **2007**, 30, 509-510

10

1868 Sue Ned Block!: Making a better case for P-consciousness. **2007**, 30, 511-512

3

1867 Broken telephone in the brain: The need for metacognitive measures. **2007**, 30, 513-514

1866 Two kinds of access. **2007**, 30, 514-515

9

1865 The measurement problem in consciousness research. **2007**, 30, 516-517

18

1864 Reportability and illusions of phenomenality in the light of the global neuronal workspace model. **2007**, 30, 518-520

16

1863 Conscious access overflows overt report. **2007**, 30, 523-524

8

1862 Phenomenal consciousness and cognitive accessibility. **2007**, 30, 527-528

1

1861 P-FIT: A major contribution to theories of intelligence. **2007**, 30, 158-159

1860 Global workspace theory emerges unscathed. **2007**, 30, 524-525

10

1859 Overall intelligence and localized brain damage. **2007**, 30, 173-174

1

1858 What is cognitively accessed?. **2007**, 30, 505-505

1857 A roadmap for integrating the brain with mind maps. **2007**, 30, 156-158

2

1856 The challenge of disentangling reportability and phenomenal consciousness in post-comatose states. **2007**, 30, 529-530

7

1855 Can the Parieto-Frontal Integration Theory be extended to account for individual differences in skilled and expert performance in everyday life?. **2007**, 30, 168-169

3

1854 Integrative action in the fronto-parietal network: A cure for a scattered mind. **2007**, 30, 161-162

3

1853 On images from correlations. **2007**, 30, 162-163

1

1852 Partial awareness and the illusion of phenomenal consciousness. **2007**, 30, 510-511

12

1851 Overflow, access, and attention. **2007**, 30, 530-548

21

1850 Spontaneous low-frequency fluctuations in the BOLD signal in schizophrenic patients: anomalies in the default network. **2007**, 33, 1004-12

456

1849 Response to Comment on "Wandering Minds: The Default Network and Stimulus-Independent Thought". **2007**, 317, 43c-43c

16

1848 Alcohol and the wandering mind: A new direction in the study of alcohol on attentional lapses. **2007**, 6,

12

1847 fMRI data predict individual differences of behavioral effects of nicotine: a partial least square analysis. **2007**, 19, 658-70

45

1846 Comment on "Wandering Minds: The Default Network and Stimulus-Independent Thought". **2007**, 317, 43b-43b

126

1845 Posteromedial parietal cortical activity and inputs predict tactile spatial acuity. **2007**, 27, 11091-102

63

1844 Can we equate iconic memory with visual awareness?. **2007**, 30, 512-513

2

1843 The precuneus and consciousness. **2007**, 12, 545-52

229

1842 Pain enhances functional connectivity of a brain network evoked by performance of a cognitive task. **2007**, 97, 3651-9

124

1841 What is in a word? No versus Yes differentially engage the lateral orbitofrontal cortex. **2007**, 7, 649-659

16

1840	Electroencephalography/functional MRI in human epilepsy: what it currently can and cannot do. 2007 , 20, 417-23	94
1839	The effect of long-acting risperidone on working memory in schizophrenia: a functional magnetic resonance imaging study. 2007 , 27, 560-70	21
1838	Divergent social functioning in behavioral variant frontotemporal dementia and Alzheimer disease: reciprocal networks and neuronal evolution. 2007 , 21, S50-7	125
1837	Modulation of corticospinal activity by strong emotions evoked by pictures and classical music: a transcranial magnetic stimulation study. 2007 , 18, 261-5	91
1836	Reciprocal effects of antidepressant treatment on activity and connectivity of the mood regulating circuit: an fMRI study. 2007 , 19, 274-82	152
1835	Who is telling what from where? A functional magnetic resonance imaging study. 2007 , 18, 405-9	18
1834	Missing links in phenomenological clinical neuroscience: why we still are not there yet. 2007 , 20, 559-69	26
1833	Experience and agency: Slipping the mesh. 2007 , 30, 502-503	4
1832	Dodging the explanatory gap for bridging it. 2007 , 30, 518-518	10
1831	Discharges in ventromedial frontal cortex during absence spells. 2007 , 11, 546-57	57
1830	Being with virtual others: studying social cognition in temporal lobe epilepsy. 2007 , 11, 316-23	14
1829	Self-projection and the brain. 2007 , 11, 49-57	1962
1828	Deconstructing episodic memory with construction. 2007 , 11, 299-306	822
1827	The proactive brain: using analogies and associations to generate predictions. 2007 , 11, 280-9	930
1826	Decoding human brain activity during real-world experiences. 2007 , 11, 356-65	140
1825	Circadian rhythms in cognitive performance: methodological constraints, protocols, theoretical underpinnings. 2007 , 90, 196-208	206
1824	N-Acetylaspartate in the CNS: from neurodiagnostics to neurobiology. 2007 , 81, 89-131	970
1823	Prefrontal acetylcholine release controls cue detection on multiple timescales. 2007 , 56, 141-54	444

1822	The behavioral significance of spontaneous fluctuations in brain activity. 2007 , 56, 8-9	21
1821	Disruption of large-scale brain systems in advanced aging. 2007 , 56, 924-35	1171
1820	Human fear-related motor neurocircuitry. 2007 , 150, 1-7	62
1819	Distinct brain networks for adaptive and stable task control in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 11073-8	11.5 1857
1818	Altered default mode network activity in patient with anxiety disorders: an fMRI study. 2007 , 63, 373-8	176
1817	Functional MRI today. 2007 , 63, 138-45	46
1816	Differential involvement of regions of rostral prefrontal cortex (Brodmann area 10) in time- and event-based prospective memory. 2007 , 64, 233-46	190
1815	Functional dysconnectivity of the dorsolateral prefrontal cortex in first-episode schizophrenia using resting-state fMRI. 2007 , 417, 297-302	238
1814	Differential engagement of anterior cingulate and adjacent medial frontal cortex in adept meditators and non-meditators. 2007 , 421, 16-21	373
1813	Normal aging decreases regional homogeneity of the motor areas in the resting state. 2007 , 423, 189-93	60
1812	Individual differences in EEG theta and alpha dynamics during working memory correlate with fMRI responses across subjects. 2007 , 118, 2419-36	123
1811	A randomized controlled feasibility and safety study of deep transcranial magnetic stimulation. 2007 , 118, 2730-44	105
1810	Classification of fMRI independent components using IC-fingerprints and support vector machine classifiers. 2007 , 34, 177-94	203
1809	Does the brain have a baseline? Why we should be resisting a rest. 2007 , 37, 1073-1082	280
1808	A comment on the severity of the effects of non-white noise in fMRI time-series. 2007 , 36, 282-8	33
1807	Evidence for bilateral involvement in idiom comprehension: An fMRI study. 2007 , 34, 1280-91	67
1806	Spatio-temporal information analysis of event-related BOLD responses. 2007 , 34, 1545-61	38
1805	Regional coherence changes in the early stages of Alzheimer's disease: a combined structural and resting-state functional MRI study. 2007 , 35, 488-500	434

1804	Acute effects of alcohol on neural correlates of episodic memory encoding. 2007 , 35, 928-39	34
1803	Ventral medial prefrontal cortex and cardiovagal control in conscious humans. 2007 , 35, 698-708	165
1802	Where the brain grows old: decline in anterior cingulate and medial prefrontal function with normal aging. 2007 , 35, 1231-7	119
1801	The mind of expert motor performance is cool and focused. 2007 , 35, 804-13	207
1800	Unrest at rest: default activity and spontaneous network correlations. 2007 , 37, 1091-6; discussion 1097-9	434
1799	Amplitude of low frequency fluctuation within visual areas revealed by resting-state functional MRI. 2007 , 36, 144-52	361
1798	Self awareness and speech processing: an fMRI study. 2007 , 35, 1645-53	38
1797	Atrophy is associated with posterior cingulate white matter disruption in dementia with Lewy bodies and Alzheimer's disease. 2007 , 36, 1-7	78
1796	A default mode of brain function: a brief history of an evolving idea. 2007 , 37, 1083-90; discussion 1097-9	1570
1795	The neural basis for understanding non-intended actions. 2007 , 36 Suppl 2, T119-27	55
1794	The relationship within and between the extrinsic and intrinsic systems indicated by resting state correlational patterns of sensory cortices. 2007 , 36, 684-90	68
1793	Gaze fixations predict brain activation during the voluntary regulation of picture-induced negative affect. 2007 , 36, 1041-55	196
1792	Time course of semantic processes during sentence comprehension: an fMRI study. 2007 , 36, 924-32	154
1791	Distinct mechanisms of altered brain activation in patients with multiple sclerosis. 2007 , 37, 937-46	57
1790	Comprehension of implicit meanings in social situations involving irony: a functional MRI study. 2007 , 37, 1417-26	77
1789	Waiting for spiders: brain activation during anticipatory anxiety in spider phobics. 2007 , 37, 1427-36	229
1788	Greater activation of the "default" brain regions predicts stop signal errors. 2007 , 38, 640-8	155
1787	Motor deactivation in the human cortex and basal ganglia. 2007 , 38, 538-48	28

1786	Low-frequency fluctuations in the cardiac rate as a source of variance in the resting-state fMRI BOLD signal. 2007 , 38, 306-20	416
1785	fMRI during natural sleep as a method to study brain function during early childhood. 2007 , 38, 696-707	62
1784	Structural and functional imaging correlates for age-related changes in the brain. 2007 , 37, 69-87	24
1783	Using imagination to understand the neural basis of episodic memory. 2007 , 27, 14365-74	563
1782	Sustained and transient neural modulations in prefrontal cortex related to declarative long-term memory, working memory, and attention. 2007 , 43, 22-37	69
1781	The Parieto-Frontal Integration Theory (P-FIT) of intelligence: converging neuroimaging evidence. 2007 , 30, 135-54; discussion 154-87	1052
1780	Empirical perspectives from the self-model theory of subjectivity: a brief summary with examples. 2008 , 168, 215-45	59
1779	Electrophysiological signatures of resting state networks in the human brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 13170-5	11.5 1415
1778	Attending to the present: mindfulness meditation reveals distinct neural modes of self-reference. 2007 , 2, 313-22	811
1777	Task-induced deactivation identified by SPM and Group Independent Component Analysis. 2007 ,	
1776	Sustained neural activity patterns during working memory in the human medial temporal lobe. 2007 , 27, 7807-16	200
1775	EEG Default Mode Network in the Human Brain: Spectral Field Power, Coherence Topology, and Current Source Imaging. 2007 ,	4
1774	Network structure of cerebral cortex shapes functional connectivity on multiple time scales. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 10240-5	11.5 1321
1773	Modulation of visual processing by attention and emotion: windows on causal interactions between human brain regions. 2007 , 362, 837-55	286
1772	Aging, self-referencing, and medial prefrontal cortex. 2007 , 2, 117-33	156
1771	[Epileptogenic and non-epileptogenic zones: blood flow studies of temporo-limbic seizures]. 2007 , 163, 1178-90	
1770	Task-induced deactivation of midline cortical regions in schizophrenia assessed with fMRI. 2007 , 91, 82-6	164
1769	Functional disintegration in paranoid schizophrenia using resting-state fMRI. 2007 , 97, 194-205	336

1768	Prospection: experiencing the future. 2007 , 317, 1351-4	781
1767	Function and localization within rostral prefrontal cortex (area 10). 2007 , 362, 887-99	192
1766	Wandering minds: the default network and stimulus-independent thought. 2007 , 315, 393-5	1989
1765	Resting-state functional connectivity in major depression: abnormally increased contributions from subgenual cingulate cortex and thalamus. 2007 , 62, 429-37	1650
1764	Genetic variation in serotonin transporter alters resting brain function in healthy individuals. 2007 , 62, 600-6	121
1763	Consciousness, accessibility, and the mesh between psychology and neuroscience. 2007 , 30, 481-99; discussion 499-548	532
1762	Negative BOLD fMRI response in the visual cortex carries precise stimulus-specific information. 2007 , 2, e410	53
1761	What are you feeling? Using functional magnetic resonance imaging to assess the modulation of sensory and affective responses during empathy for pain. 2007 , 2, e1292	282
1760	Time-on-task impairment of psychomotor vigilance is affected by mild skin warming and changes with aging and insomnia. 2007 , 30, 96-103	56
1759	Bimanual passive movement: functional activation and inter-regional coupling. 2007 , 1, 5	6
1758	Moving with or without will: functional neural correlates of alien hand syndrome. 2007 , 62, 301-6	76
1757	Regional cerebral blood flow after recovery from anorexia or bulimia nervosa. 2007 , 40, 488-92	34
1756	Electrophysiological and hemodynamic evidence for late maturation of hand power grip and force control under visual feedback. 2007 , 28, 69-84	31
1755	Functional neural circuits for mental timekeeping. 2007 , 28, 394-408	119
1754	Single-trial analysis of oddball event-related potentials in simultaneous EEG-fMRI. 2007 , 28, 602-13	173
1753	fMRI study of effort and information processing in a working memory task. 2007 , 28, 431-40	57
1752	Stabilities of negative correlations between blood oxygen level-dependent signals associated with sensory and motor cortices. 2007 , 28, 681-90	17
1751	Neural correlates of automatic beliefs about gender and race. 2007 , 28, 915-30	130

1750	Altered functional connectivity in early Alzheimer's disease: a resting-state fMRI study. 2007 , 28, 967-78	551
1749	Dissociation of response inhibition and performance monitoring in the stop signal task using event-related fMRI. 2007 , 28, 1347-58	199
1748	The units of thought. 2007 , 17, 420-8	171
1747	The study of autism as a distributed disorder. 2007 , 13, 85-95	142
1746	Quantitative BOLD: mapping of human cerebral deoxygenated blood volume and oxygen extraction fraction: default state. 2007 , 57, 115-26	275
1745	Self-consciousness in non-communicative patients. 2007 , 16, 722-41; discussion 742-5	111
1744	Spontaneous attentional fluctuations in impaired states and pathological conditions: a neurobiological hypothesis. 2007 , 31, 977-86	644
1743	Cluster analysis detection of functional MRI activity in temporal lobe epilepsy. 2007 , 76, 22-33	25
1742	Assessing functional connectivity in the human brain by fMRI. 2007 , 25, 1347-57	301
1741	Long story short: the serotonin transporter in emotion regulation and social cognition. 2007 , 10, 1103-9	802
1740	Spontaneous fluctuations in brain activity observed with functional magnetic resonance imaging. 2007 , 8, 700-11	4876
1739	Intrinsic functional architecture in the anaesthetized monkey brain. 2007 , 447, 83-6	1462
1738	Hemodynamic responses to interictal epileptiform discharges in children with symptomatic epilepsy. 2007 , 48, 2068-78	83
1737	The Search for Neural Correlates of Consciousness. 2007 , 2, 461-474	15
1736	Functional MRI of working memory and selective attention in vibrotactile frequency discrimination. 2007 , 8, 48	43
1735	Some problems for representations of brain organization based on activation in functional imaging. 2007 , 102, 130-40	33
1734	Altered baseline brain activity in children with ADHD revealed by resting-state functional MRI. 2007 , 29, 83-91	1548
1733	When sex meets syntactic gender on a neural basis during pronoun processing. 2007 , 1146, 185-98	21

1732	Making sense of nonsense: an fMRI study of task induced inference processes during discourse comprehension. 2007 , 1166, 77-91	57
1731	Widespread disruption in brain activation patterns to a working memory task during cocaine abstinence. 2007 , 1171, 83-92	107
1730	Wechsler Memory Scale Revised Edition: neural correlates of the visual paired associates subtest adapted for fMRI. 2007 , 1177, 66-78	20
1729	Psychopathology and pathophysiology of the self in depression - neuropsychiatric hypothesis. 2007 , 104, 1-14	146
1728	A network approach to fMRI condition-dependent cognitive activation studies as applied to understanding sex differences. 2007 , 6, 391-398	9
1727	Interactions between attention and memory. 2007 , 17, 177-84	339
1726	A Few Steps Toward a Science of Mental Life. 2007 , 1, 28-47	47
1725	Neural responses to dynamic expressions of fear in schizophrenia. 2007 , 45, 107-23	100
1724	Spontaneous dissociation during functional MRI experiments. 2007 , 41, 69-73	7
1723	Functional MRI studies of associative encoding in normal aging, mild cognitive impairment, and Alzheimer's disease. 2007 , 1097, 146-55	164
1722	Effects of elevated plasma tryptophan on brain activation associated with the Stroop task. 2007 , 190, 383-9	14
1721	[Executive functions in patients with depression. The role of prefrontal activation]. 2007 , 78, 628, 630-2, 634-6 passim	21
1720	Use of functional magnetic resonance imaging in the early identification of Alzheimer's disease. 2007 , 17, 127-43	70
1719	Functional integration and the mind. 2007 , 159, 315-328	82
1718	Brain activation during mental rotation in school children and adults. 2007 , 114, 675-86	78
1717	Recent advances in structural and functional brain imaging studies of attention-deficit/hyperactivity disorder. 2007 , 9, 401-7	63
1716	Deactivations during the numerical processing. 2007 , 52, 1807-1812	2
1715	Advances in functional magnetic resonance imaging: technology and clinical applications. 2007 , 4, 360-70	28

1714	Performance of blind source separation algorithms for fMRI analysis using a group ICA method. 2007 , 25, 684-94	126
1713	Default mode network as revealed with multiple methods for resting-state functional MRI analysis. 2008 , 171, 349-55	133
1712	An improved approach to detection of amplitude of low-frequency fluctuation (ALFF) for resting-state fMRI: fractional ALFF. 2008 , 172, 137-41	1074
1711	Pathogenesis of CNS involvement in disorders of amino and organic acid metabolism. 2008 , 31, 194-204	35
1710	Rivastigmine effects on EEG spectra and three-dimensional LORETA functional imaging in Alzheimer's disease. 2008 , 198, 323-32	32
1709	Evidence for direct projections from the basal nucleus of the amygdala to retrosplenial cortex in the Macaque monkey. 2008 , 186, 47-57	21
1708	Differences in saccade-evoked brain activation patterns with eyes open or eyes closed in complete darkness. 2008 , 186, 419-30	17
1707	A new integrative model of cerebral activation, deactivation and default mode function in Alzheimer's disease. 2008 , 35 Suppl 1, S12-24	41
1706	Metabolic connectivity by interregional correlation analysis using statistical parametric mapping (SPM) and FDG brain PET; methodological development and patterns of metabolic connectivity in adults. 2008 , 35, 1681-91	111
1705	The task dependent interaction of the deactivation regions. 2008 , 53, 1527-1532	1
1704	Cognition and brain imaging in type 1 diabetes. 2008 , 8, 132-7	11
1703	Auditory Oddball fMRI in Schizophrenia: Association of Negative Symptoms with Regional Hypoactivation to Novel Distractors. 2008 , 2, 132-145	38
1702	Multimodal Magnetic Resonance Imaging for Brain Disorders: Advances and Perspectives. 2008 , 2, 249-257	6
1701	Very low frequency EEG oscillations and the resting brain in young adults: a preliminary study of localisation, stability and association with symptoms of inattention. 2008 , 115, 279-85	49
1700	The impact of EPI voxel size on SNR and BOLD sensitivity in the anterior medio-temporal lobe: a comparative group study of deactivation of the Default Mode. 2008 , 21, 279-90	37
1699	Neuropsychiatry. An old discipline in a new gestalt bridging biological psychiatry, neuropsychology, and cognitive neurology. 2008 , 258, 226-38	10
1698	Mourning and melancholia revisited: correspondences between principles of Freudian metapsychology and empirical findings in neuropsychiatry. 2008 , 7, 9	68
1697	The ventro-medial prefrontal cortex: a major link between the autonomic nervous system, regulation of emotion, and stress reactivity?. 2008 , 2, 21	91

1696	Monoaminergic modulation of emotional impact in the inferomedial prefrontal cortex. 2009 , 63, 160-6	4
1695	Source of low-frequency fluctuations in functional MRI signal. 2008 , 27, 891-7	20
1694	Differential interictal activity of the precuneus/posterior cingulate cortex revealed by resting state functional MRI at 3T in generalized vs. partial seizure. 2008 , 27, 1214-20	34
1693	Reducing correlated noise in fMRI data. 2008 , 59, 939-45	24
1692	Validation of oxygen extraction fraction measurement by qBOLD technique. 2008 , 60, 882-8	107
1691	Complementary circuits connecting the orbital and medial prefrontal networks with the temporal, insular, and opercular cortex in the macaque monkey. 2008 , 506, 659-93	273
1690	Sustained attention and serotonin: a pharmaco-fMRI study. 2008 , 23, 221-30	43
1689	Development of 2dTCA for the detection of irregular, transient BOLD activity. 2008 , 29, 57-69	26
1688	Biphasic hemodynamic responses influence deactivation and may mask activation in block-design fMRI paradigms. 2008 , 29, 385-99	43
1687	Low frequency BOLD fluctuations during resting wakefulness and light sleep: a simultaneous EEG-fMRI study. 2008 , 29, 671-82	441
1686	Ranking and averaging independent component analysis by reproducibility (RAICAR). 2008 , 29, 711-25	68
1685	Posterior cingulate activation during moral dilemma in adolescents. 2008 , 29, 910-21	29
1684	Temporal lobe and "default" hemodynamic brain modes discriminate between schizophrenia and bipolar disorder. 2008 , 29, 1265-75	278
1683	Neural correlates of orthographic and phonological consistency effects in children. 2008 , 29, 1416-29	62
1682	Visual target modulation of functional connectivity networks revealed by self-organizing group ICA. 2008 , 29, 1450-61	33
1681	Persistent default-mode network connectivity during light sedation. 2008 , 29, 839-47	433
1680	The effect of respiration variations on independent component analysis results of resting state functional connectivity. 2008 , 29, 740-50	239
1679	Resting in peace or noise: scanner background noise suppresses default-mode network. 2008 , 29, 858-67	46

1678	Modulation of temporally coherent brain networks estimated using ICA at rest and during cognitive tasks. 2008 , 29, 828-38	464
1677	Endogenous brain oscillations and related networks detected by surface EEG-combined fMRI. 2008 , 29, 762-9	156
1676	The power of spectral density analysis for mapping endogenous BOLD signal fluctuations. 2008 , 29, 778-90	104
1675	The proactive brain: using rudimentary information to make predictive judgments. 2008 , 7, 319-330	30
1674	Neuroscientific approaches and applications within anthropology. 2008 , Suppl 47, 2-32	72
1673	Functional neuroimaging of belief, disbelief, and uncertainty. 2008 , 63, 141-7	116
1672	Network homogeneity reveals decreased integrity of default-mode network in ADHD. 2008 , 169, 249-54	322
1671	Neuronal correlates of "free will" are associated with regional specialization in the human intrinsic/default network. 2008 , 17, 587-601	23
1670	Minds at rest? Social cognition as the default mode of cognizing and its putative relationship to the "default system" of the brain. 2008 , 17, 457-67	472
1669	Neural correlates of a clinical continuous performance test. 2008 , 26, 504-12	68
1668	Independent component model of the default-mode brain function: combining individual-level and population-level analyses in resting-state fMRI. 2008 , 26, 905-13	113
1667	Spontaneous low-frequency blood oxygenation level-dependent fluctuations and functional connectivity analysis of the 'resting' brain. 2008 , 26, 1055-64	163
1666	The mind and brain of short-term memory. 2008 , 59, 193-224	596
1665	Sleep deprivation and vigilant attention. 2008 , 1129, 305-22	749
1664	Intrinsic brain activity in altered states of consciousness: how conscious is the default mode of brain function?. 2008 , 1129, 119-29	297
1663	Cognitive neuroscience of aging. 2008 , 1124, 127-44	337
1662	The brain's default network: anatomy, function, and relevance to disease. 2008 , 1124, 1-38	6450
1661	Cerebral white matter: neuroanatomy, clinical neurology, and neurobehavioral correlates. 2008 , 1142, 266-309	336

1660	When attention matters: the curious incident of the wandering mind. 2008 , 36, 1144-50	281
1659	Activiteit in het brein als men gevraagd wordt niets te doen. 2008 , 12, 86-91	2
1658	Multi-site phasic neural activity mediates the execution of an auditory continuous performance task: a PET and electrophysiological study. 2008 , 18, 241-51	3
1657	Multi-site phasic neural activity mediates the execution of an auditory continuous performance task: a PET and electrophysiological study. 2008 , 18, 364-74	6
1656	Effects of development and enculturation on number representation in the brain. 2008 , 9, 278-91	498
1655	Sensory-motor mechanisms in human parietal cortex underlie arbitrary visual decisions. 2008 , 11, 1446-53	166
1654	Dense array EEG: methodology and new hypothesis on epilepsy syndromes. 2008 , 49 Suppl 3, 3-14	48
1653	Epileptic networks studied with EEG-fMRI. 2008 , 49 Suppl 3, 42-51	163
1652	Simultaneous EEG-fMRI in drug-naïve children with newly diagnosed absence epilepsy. 2008 , 49, 1510-9	174
1651	A comparison of five fMRI protocols for mapping speech comprehension systems. 2008 , 49, 1980-97	137
1650	NIRS-measured oxy- and deoxyhemoglobin changes associated with EEG spike-and-wave discharges in children. 2008 , 49, 1871-80	85
1649	EEG-fMRI study of the ictal and interictal epileptic activity in patients with eyelid myoclonia with absences. 2008 , 49, 2078-86	41
1648	Distinct patterns of grey matter abnormality in high-functioning autism and Asperger's syndrome. 2008 , 49, 1287-95	132
1647	Multimodal and Multi-tissue Measures of Connectivity Revealed by Joint Independent Component Analysis. 2008 , 2, 986-997	31
1646	A Data and Model-Driven Approach to Explore Inter-Subject Variability of Resting-State Brain Activity Using EEG-fMRI. 2008 , 2, 944-953	4
1645	[Functional magnetic resonance and neuropsychology: basic concepts]. 2008 , 50, 351-65; quizz 365	2
1644	Enhanced resting-state brain activities in ADHD patients: a fMRI study. 2008 , 30, 342-8	102
1643	Age-related differences in brain activity during verbal recency memory. 2008 , 1199, 111-25	39

1642	Functional connectivity of the sensorimotor area in naturally sleeping infants. 2008 , 1223, 42-9	78
1641	Uncovering genes for cognitive (dys)function and predisposition for alcoholism spectrum disorders: a review of human brain oscillations as effective endophenotypes. 2008 , 1235, 153-71	53
1640	Neural correlates of self-face recognition: an effect-location meta-analysis. 2008 , 1232, 173-84	117
1639	Thinking about the future versus the past in personal and non-personal contexts. 2008 , 1233, 106-19	106
1638	The neural substrates of probabilistic and intertemporal decision making. 2008 , 1234, 104-15	135
1637	Group independent component analysis reveals consistent resting-state networks across multiple sessions. 2008 , 1239, 141-51	103
1636	Amyloid flirting with synaptic failure: towards a comprehensive view of Alzheimer's disease pathogenesis. 2008 , 585, 109-18	47
1635	An extended theory of global workspace of consciousness. 2008 , 18, 789-793	1
1634	The origins of insight in resting-state brain activity. 2008 , 46, 281-91	225
1633	Neural correlates of emotional working memory in patients with mild cognitive impairment. 2008 , 46, 37-48	55
1632	Data-driven clustering reveals a fundamental subdivision of the human cortex into two global systems. 2008 , 46, 540-53	142
1631	Is there continuity between categorical and coordinate spatial relations coding? Evidence from a grid/no-grid working memory paradigm. 2008 , 46, 576-94	38
1630	Functional abnormalities of the medial temporal lobe memory system in mild cognitive impairment and Alzheimer's disease: insights from functional MRI studies. 2008 , 46, 1624-35	285
1629	Altered deactivation in individuals with genetic risk for Alzheimer's disease. 2008 , 46, 1679-87	76
1628	Regional homogeneity, functional connectivity and imaging markers of Alzheimer's disease: a review of resting-state fMRI studies. 2008 , 46, 1648-56	186
1627	EEG-fMRI study of the interictal epileptic activity in patients with partial epilepsy. 2008 , 268, 117-23	12
1626	Altered resting-state functional connectivity and anatomical connectivity of hippocampus in schizophrenia. 2008 , 100, 120-32	249
1625	From emotion resonance to empathic understanding: a social developmental neuroscience account. 2008 , 20, 1053-80	329

1624	Cingulate-precuneus interactions: a new locus of dysfunction in adult attention-deficit/hyperactivity disorder. 2008 , 63, 332-7	671
1623	Decomposing intra-subject variability in children with attention-deficit/hyperactivity disorder. 2008 , 64, 607-14	118
1622	Effects of fluctuating physiological rhythms during prolonged EEG-fMRI studies. 2008 , 119, 2762-74	73
1621	Biology, politics, and the emerging science of human nature. 2008 , 322, 912-4	142
1620	Functional neuroanatomy of meaning acquisition from context. 2008 , 20, 2153-66	85
1619	fMRI connectivity analysis of acupuncture effects on an amygdala-associated brain network. 2008 , 4, 55	108
1618	The Medical Basis of Psychiatry. 2008 ,	4
1617	Meeting George Bush versus meeting Cinderella: the neural response when telling apart what is real from what is fictional in the context of our reality. 2008 , 20, 965-76	41
1616	Brain Imaging Studies of Intelligence and Creativity: What is the Picture for Education?. 2008 , 30, 171-180	25
1615	FDG autoradiography reveals developmental and pathological effects of mutant amyloid in PDAPP transgenic mice. 2008 , 26, 253-8	28
1614	Brain imaging of acupuncture: comparing superficial with deep needling. 2008 , 434, 144-9	62
1613	Default-mode network activity distinguishes amnesic type mild cognitive impairment from healthy aging: a combined structural and resting-state functional MRI study. 2008 , 438, 111-5	191
1612	Emotional experience modulates brain activity during fixation periods between tasks. 2008 , 443, 72-6	13
1611	Neural correlates of pre-performance routines in expert and novice archers. 2008 , 445, 236-41	43
1610	Frontal theta EEG activity correlates negatively with the default mode network in resting state. 2008 , 67, 242-51	280
1609	Fronto-striatal deficit in Parkinson's disease during semantic event sequencing. 2008 , 29, 397-407	58
1608	The reorienting system of the human brain: from environment to theory of mind. 2008 , 58, 306-24	2635
1607	Activity in both hippocampus and perirhinal cortex predicts the memory strength of subsequently remembered information. 2008 , 59, 547-53	94

1606	Error-specific medial cortical and subcortical activity during the stop signal task: a functional magnetic resonance imaging study. 2008 , 155, 1142-51	78
1605	The resting brain and our self: self-relatedness modulates resting state neural activity in cortical midline structures. 2008 , 157, 120-31	194
1604	Touch or pain? Spatio-temporal patterns of cortical fMRI activity following brief mechanical stimuli. 2008 , 138, 362-374	60
1603	Acupuncture and the CNS: what can the brain at rest suggest?. 2008 , 136, 230-231	3
1602	Concept of functional imaging of memory decline in Alzheimer's disease. 2008 , 44, 304-14	10
1601	Imaging the imagination: the trouble with motor imagery. 2008 , 45, 319-24	34
1600	Attention regulation and monitoring in meditation. 2008 , 12, 163-9	1432
1599	Parahippocampal and retrosplenial contributions to human spatial navigation. 2008 , 12, 388-96	682
1598	The Discovery and Development of Pharmacotherapy for Psychiatric Disorders: A Critical Survey of Animal and Translational Models and Perspectives for Their Improvement. 2008 , 1-57	3
1597	Right hemisphere activation in recovery from aphasia: lesion effect or function recruitment?. 2008 , 70, 290-8	127
1596	Segmenting the stream of consciousness: the psychological correlates of temporal structures in the time series data of a continuous performance task. 2008 , 66, 50-6	64
1595	Factors affecting the hippocampal BOLD response during spatial memory. 2008 , 187, 433-41	51
1594	Do some neurological conditions induce brain plasticity processes?. 2008 , 192, 143-8	13
1593	Disconnection syndromes of basal ganglia, thalamus, and cerebrocerebellar systems. 2008 , 44, 1037-66	213
1592	Going AWOL in the brain: mind wandering reduces cortical analysis of external events. 2008 , 20, 458-69	328
1591	The precuneus/posterior cingulate cortex plays a pivotal role in the default mode network: Evidence from a partial correlation network analysis. 2008 , 42, 1178-84	866
1590	Reduced resting-state brain activity in the "default network" in normal aging. 2008 , 18, 1856-64	885
1589	Behavioral states, network states, and sensory response variability. 2008 , 100, 1160-8	147

1588	BOLD and perfusion changes during epileptic generalised spike wave activity. 2008 , 39, 608-18	88
1587	Biophysical model for integrating neuronal activity, EEG, fMRI and metabolism. 2008 , 39, 290-309	91
1586	Competition between functional brain networks mediates behavioral variability. 2008 , 39, 527-37	935
1585	Global familiarity of visual stimuli affects repetition-related neural plasticity but not repetition priming. 2008 , 39, 515-26	25
1584	A simple view of the brain through a frequency-specific functional connectivity measure. 2008 , 39, 279-89	176
1583	Concordance between distributed EEG source localization and simultaneous EEG-fMRI studies of epileptic spikes. 2008 , 39, 755-74	75
1582	Effects of neonatal amygdala or hippocampus lesions on resting brain metabolism in the macaque monkey: a microPET imaging study. 2008 , 39, 832-46	34
1581	Assessment of functional development in normal infant brain using arterial spin labeled perfusion MRI. 2008 , 39, 973-8	49
1580	Attentional and linguistic interactions in speech perception. 2008 , 39, 1444-56	71
1579	The intrinsic functional organization of the brain is altered in autism. 2008 , 39, 1877-85	382
1578	Changes in activity of striato-thalamo-cortical network precede generalized spike wave discharges. 2008 , 39, 1839-49	161
1577	A method for functional network connectivity among spatially independent resting-state components in schizophrenia. 2008 , 39, 1666-81	699
1576	Reading normal and degraded words: contribution of the dorsal and ventral visual pathways. 2008 , 40, 353-66	215
1575	Recent advances in recording electrophysiological data simultaneously with magnetic resonance imaging. 2008 , 40, 515-528	152
1574	A new verbal reports fMRI dichotic listening paradigm for studies of hemispheric asymmetry. 2008 , 40, 902-911	69
1573	EEG default mode network in the human brain: spectral regional field powers. 2008 , 41, 561-74	181
1572	Neural correlates of the processing of another's mistakes: a possible underpinning for social and observational learning. 2008 , 42, 450-9	61
1571	Mapping resting-state functional connectivity using perfusion MRI. 2008 , 40, 1595-605	95

1570	Transient and linearly graded deactivation of the human default-mode network by a visual detection task. 2008 , 41, 100-12	238
1569	Impaired semantic processing during sentence reading in children with dyslexia: combined fMRI and ERP evidence. 2008 , 41, 153-68	86
1568	Touch, sound and vision in human superior temporal sulcus. 2008 , 41, 1011-20	155
1567	Default-mode function and task-induced deactivation have overlapping brain substrates in children. 2008 , 41, 1493-503	118
1566	Neural substrates of narrative comprehension and memory. 2008 , 41, 1408-25	124
1565	A study of the brain's resting state based on alpha band power, heart rate and fMRI. 2008 , 42, 112-21	85
1564	Pictures of a thousand words: investigating the neural mechanisms of reading with extremely rapid event-related fMRI. 2008 , 42, 973-87	54
1563	Chronic vagus nerve stimulation for treatment-resistant depression decreases resting ventromedial prefrontal glucose metabolism. 2008 , 42, 879-89	65
1562	A unified framework for group independent component analysis for multi-subject fMRI data. 2008 , 42, 1078-93	130
1561	Proactive inhibitory control of movement assessed by event-related fMRI. 2008 , 42, 1196-206	138
1560	Mapping and correction of vascular hemodynamic latency in the BOLD signal. 2008 , 43, 90-102	89
1559	Neural correlates of successful encoding of semantically and phonologically mediated inter-item associations. 2008 , 43, 165-72	32
1558	A space-frequency analysis of MEG background processes. 2008 , 43, 478-88	
1557	Negation in the brain: modulating action representations. 2008 , 43, 358-67	129
1556	White matter integrity linked to functional impairments in aging and early Alzheimer's disease. 2008 , 4, 381-9	47
1555	Evidence for a frontoparietal control system revealed by intrinsic functional connectivity. 2008 , 100, 3328-42	1315
1554	Neuroimaging of attention deficit hyperactivity disorder: can new imaging findings be integrated in clinical practice?. 2008 , 17, 385-404, x	25
1553	Decision Thresholds in Functional MR Image Analysis. 2008 ,	

1552	Beyond superior temporal cortex: intersubject correlations in narrative speech comprehension. 2008 , 18, 230-42	204
1551	Enrichment Effects on Adult Cognitive Development: Can the Functional Capacity of Older Adults Be Preserved and Enhanced?. 2008 , 9, 1-65	817
1550	A critical role for the right fronto-insular cortex in switching between central-executive and default-mode networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 12569-74	11.5 1851
1549	Development of neural networks for exact and approximate calculation: a fMRI study. 2008 , 33, 447-73	117
1548	What's in a smile? Neural correlates of facial embodiment during social interaction. 2008 , 3, 37-50	125
1547	Structural insights into aberrant topological patterns of large-scale cortical networks in Alzheimer's disease. 2008 , 28, 4756-66	714
1546	Multimodal functional neuroimaging: integrating functional MRI and EEG/MEG. 2008 , 1, 23-40	88
1545	Age-related memory impairment associated with loss of parietal deactivation but preserved hippocampal activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 2181-6	11.5 301
1544	Probabilistic maps, morphometry, and variability of cytoarchitectonic areas in the human superior parietal cortex. 2008 , 18, 2141-57	287
1543	Glutamate and the neural basis of the subjective effects of ketamine: a pharmaco-magnetic resonance imaging study. 2008 , 65, 154-64	257
1542	Observer-independent cytoarchitectonic mapping of the human superior parietal cortex. 2008 , 18, 846-67	223
1541	Maturation changes in anterior cingulate and frontoparietal recruitment support the development of error processing and inhibitory control. 2008 , 18, 2505-22	209
1540	Differential frontal activation during exogenous and endogenous orientation of visuospatial attention. A near-infrared spectroscopy study. 2008 , 58, 55-64	3
1539	Chapter 3.1 Functional neuroanatomy of remote, episodic memory. 2008 , 239-269	
1538	Imaging epileptic activity using functional MRI. 2008 , 5, 286-95	12
1537	Sex Differences in Hierarchical Clustering of the Spontaneous Fluctuations in Brain Resting State. 2008 ,	1
1536	Beyond feeling: chronic pain hurts the brain, disrupting the default-mode network dynamics. 2008 , 28, 1398-403	569
1535	A BOLD window into brain waves. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 15641-2	11.5 51

1534	Dopaminergic suppression of brain deactivation responses during sequence learning. 2008 , 28, 10687-95		60
1533	Microstructural organization of the cingulum tract and the level of default mode functional connectivity. 2008 , 28, 10844-51		258
1532	Que PASA? The posterior-anterior shift in aging. 2008 , 18, 1201-9		860
1531	Network analysis of intrinsic functional brain connectivity in Alzheimer's disease. 2008 , 4, e1000100		813
1530	Catechol-O-methyltransferase (COMT) val158met genotype is associated with BOLD response as a function of task characteristic. 2008 , 33, 3046-57		50
1529	Origin of synchronized low-frequency blood oxygen level-dependent fluctuations in the primary visual cortex. 2008 , 29, 1722-9		27
1528	Deficit in a neural correlate of reality monitoring in schizophrenia patients. 2008 , 18, 2532-9		93
1527	Resting states affect spontaneous BOLD oscillations in sensory and paralimbic cortex. 2008 , 100, 922-31		92
1526	Mapping the structural core of human cerebral cortex. 2008 , 6, e159		2853
1525	Consistency and functional specialization in the default mode brain network. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 9781-6	11.5	269
1524	The maturing architecture of the brain's default network. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 4028-32	11.5	999
1523	Aging does not affect brain patterns of repetition effects associated with perceptual priming of novel objects. 2008 , 20, 1762-76		23
1522	Age-related differences in brain activity underlying working memory for spatial and nonspatial auditory information. 2008 , 18, 189-99		66
1521	Prediction of human errors by maladaptive changes in event-related brain networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 6173-8	11.5	354
1520	Cognitive Deficits in the Early Stages of Alzheimer's Disease. 2008 , 17, 198-202		40
1519	Brain mechanisms of serial and parallel processing during dual-task performance. 2008 , 28, 7585-98		183
1518	Medial temporal lobe BOLD activity at rest predicts individual differences in memory ability in healthy young adults. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 18555-60	11.5	48
1517	Functional abnormalities of the default network during self- and other-reflection in autism. 2008 , 3, 177-90		184

1516	Alzheimer's disease is associated with reduced expression of energy metabolism genes in posterior cingulate neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 4441-6	11.5	407
1515	Functional MRI in the early diagnosis of Alzheimer's disease: is it time to refocus?. 2008 , 8, 169-75		11
1514	The functional integration of the anterior cingulate cortex during conflict processing. 2008 , 18, 796-805		131
1513	The Brain: What is Critical About It?. 2008 ,		15
1512	The influence of parental history of Alzheimer's disease and apolipoprotein E epsilon4 on the BOLD signal during recognition memory. 2009 , 132, 383-91		66
1511	Depressive state- and disease-related alterations in neural responses to affective and executive challenges in geriatric depression. 2008 , 165, 863-71		63
1510	NEDICA: Detection of group functional networks in FMRI using spatial independent component analysis. 2008 ,		9
1509	Activity in right temporo-parietal junction is not selective for theory-of-mind. 2008 , 18, 262-71		381
1508	Functional-MRI correlates of cued slow-eye-closure and task non-responsiveness during visuomotor tracking. 2008 , 2008, 4122-5		2
1507	Failure to deactivate in the prefrontal cortex in schizophrenia: dysfunction of the default mode network?. 2008 , 38, 1185-93		251
1506	Frontal contributions to face processing differences in autism: evidence from fMRI of inverted face processing. 2008 , 14, 922-32		88
1505	Simultaneous EEG-fMRI in human epilepsy. 2008 , 35, 420-35		20
1504	Chapter 3.7 The role of the precuneus in episodic memory. 2008 , 363-377		3
1503	ANAGRAM PROBLEM-SOLVING AND LEARNING IN ANTERIOR PREFRONTAL CORTEX. 2008 , 01, 157-175		
1502	The left dorsal striatum is involved in the processing of neutral feedback. 2008 , 19, 1497-500		7
1501	Baseline brain perfusion and working memory capacity: a neuroimaging study. 2008 , 19, 1803-7		8
1500	Residual functional connectivity in the split-brain revealed with resting-state functional MRI. 2008 , 19, 703-9		123
1499	Resting-state oscillatory brain dynamics in Alzheimer disease. 2008 , 25, 187-93		54

1498	The Neuronal Workspace Model: Conscious Processing and Learning. 2008 , 729-757	14
1497	Contribution of exploratory methods to the investigation of extended large-scale brain networks in functional MRI: methodologies, results, and challenges. 2008 , 2008, 218519	25
1496	Distinct neurocognitive strategies for comprehensions of human and artificial intelligence. 2008 , 3, e2797	5
1495	"Thinking about not-thinking": neural correlates of conceptual processing during Zen meditation. 2008 , 3, e3083	116
1494	Consciousness of oneself and others in relation to mental disorders. 408-413	4
1493	Dialogue: commentaries on "Are mental illnesses disorders of consciousness?" 414-429	
1492	Consciousness: An Overview of the Phenomenon and of Its Possible Neural Basis This work was financially supported by the Mathers Foundation (A.D.) and by the Swiss National Science Foundation (K.M.). 2009 , 3-14	19
1491	Large-Scale Functional Brain Network Abnormalities in Alzheimer's Disease: Insights from Functional Neuroimaging. 2009 , 21, 63-75	140
1490	Functional MRI Assessment of Task-Induced Deactivation of the Default Mode Network in Alzheimer's Disease and At-Risk Older Individuals. 2009 , 21, 77-91	74
1489	Interpreting the BOLD response. 400-424	
1488	Anxiety, EEG patterns, and neurofeedback. 2009 , 453-472	12
1487	Modeling the impact of lesions in the human brain. 2009 , 5, e1000408	387
1486	Common cortical loci are activated during visuospatial interpolation and orientation discrimination judgements. 2009 , 4, e4585	6
1485	Uncovering intrinsic modular organization of spontaneous brain activity in humans. 2009 , 4, e5226	450
1484	Spontaneous brain activity in the default mode network is sensitive to different resting-state conditions with limited cognitive load. 2009 , 4, e5743	241
1483	Causal hierarchy within the thalamo-cortical network in spike and wave discharges. 2009 , 4, e6475	116
1482	Impact of working memory load on fMRI resting state pattern in subsequent resting phases. 2009 , 4, e7198	84
1481	Involvement of the intrinsic/default system in movement-related self recognition. 2009 , 4, e7527	24

1480	Resting network plasticity following brain injury. 2009 , 4, e8220		181
1479	Is our self nothing but reward? Neuronal overlap and distinction between reward and personal relevance and its relation to human personality. 2009 , 4, e8429		95
1478	Posterior midline and ventral parietal activity is associated with retrieval success and encoding failure. 2009 , 3, 13		137
1477	Convergent approaches for defining functional imaging endophenotypes in schizophrenia. 2009 , 3, 37		30
1476	Modularity maps reveal community structure in the resting human brain. 2009 ,		8
1475	Ising-like dynamics in large-scale functional brain networks. 2009 , 79, 061922		133
1474	EEG-Correlated fMRI in Epilepsy: Current State of the Art. 2009 , 33, 65-83		
1473	Neural correlates of admiration and compassion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 8021-6	11.5	310
1472	The adaptive brain: aging and neurocognitive scaffolding. 2009 , 60, 173-96		1561
1471	Neural correlates of pragmatic language comprehension in autism spectrum disorders. 2009 , 132, 1941-52		74
1470	Mindful awareness, mindsight, and neural integration.. 2009 , 37, 137-158		66
1469	Anterior cingulate cortex hypoactivations to an emotionally salient task in cocaine addiction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 9453-8	11.5	139
1468	Regional differences in the coupling between resting cerebral blood flow and metabolism may indicate action preparedness as a default state. 2009 , 19, 375-82		38
1467	Effects of aging on functional connectivity of the amygdala for subsequent memory of negative pictures: a network analysis of functional magnetic resonance imaging data. 2009 , 20, 74-84		115
1466	Chapter 8 Aging, Self-Regulation, and Learning from Text. 2009 , 255-296		20
1465	The Role of Prefrontal Abnormalities in Schizophrenia. 2009 , 383-401		
1464	Default network and intelligence difference. 2009 , 2009, 2212-5		20
1463	Resting-state functional connectivity reflects structural connectivity in the default mode network. 2009 , 19, 72-8		1639

1462 Real-time functional MRI for patient monitoring during a language task. **2009**, 2009, 5389-92

1461 Electrophysiological neuroimaging: cortical correlates of alpha rhythm modulation. **2009**, 2009, 1934-6

1460 The proactive brain: memory for predictions. **2009**, 364, 1235-43

410

1459 Central and autonomic nervous system interaction is altered by short-term meditation. *Proceedings of the National Academy of Sciences of the United States of America*, **2009**, 106, 8865-70

11.5 418

1458 Distinct cerebellar contributions to intrinsic connectivity networks. **2009**, 29, 8586-94

773

1457 Learning sculpts the spontaneous activity of the resting human brain. *Proceedings of the National Academy of Sciences of the United States of America*, **2009**, 106, 17558-63

11.5 589

1456 Source modeling sleep slow waves. *Proceedings of the National Academy of Sciences of the United States of America*, **2009**, 106, 1608-13

11.5 318

1455 From Attention to Goal-Directed Behavior. **2009**,

3

1454 Evidence on the emergence of the brain's default network from 2-week-old to 2-year-old healthy pediatric subjects. *Proceedings of the National Academy of Sciences of the United States of America*, **2009**, 106, 6790-5

11.5 394

1453 Cortical hubs revealed by intrinsic functional connectivity: mapping, assessment of stability, and relation to Alzheimer's disease. **2009**, 29, 1860-73

2076

1452 Unification of speaker and meaning in language comprehension: an fMRI study. **2009**, 21, 2085-99

61

1451 Examination of processing speed deficits in multiple sclerosis using functional magnetic resonance imaging. **2009**, 15, 383-93

72

1450 An fMRI study of level of proficiency as a predictor of neurocognitive convergence for L1/L2 during a lexicosemantic task in a paediatric population. **2009**, 25, 107-134

3

1449 Neuroscience. Pains and pleasures of social life. **2009**, 323, 890-1

148

1448 Saving for the future self: neural measures of future self-continuity predict temporal discounting. **2009**, 4, 85-92

167

1447 Decoupling of the brain's default mode network during deep sleep. *Proceedings of the National Academy of Sciences of the United States of America*, **2009**, 106, 11376-81

11.5 527

1446 Functional brain networks develop from a "local to distributed" organization. **2009**, 5, e1000381

1040

1445 Contrasting activity profile of two distributed cortical networks as a function of attentional demands. **2009**, 29, 1191-201

107

1444	The effect of acute tryptophan depletion on emotional distraction and subsequent memory. 2009 , 4, 357-68	14
1443	Impairment of attentional networks after 1 night of sleep deprivation. 2009 , 19, 233-40	145
1442	Dysfunction of the default mode network in Parkinson disease: a functional magnetic resonance imaging study. 2009 , 66, 877-83	202
1441	Interactions between cortical rhythms and spiking activity of single basal ganglia neurons in the normal and parkinsonian state. 2009 , 19, 1330-44	33
1440	Neural correlates of metamemory: a comparison of feeling-of-knowing and retrospective confidence judgments. 2009 , 21, 1751-65	109
1439	A paradigm shift in functional brain imaging. 2009 , 29, 12729-34	203
1438	Functional network connectivity analysis based on partial correlation in Alzheimer's disease. 2009 ,	
1437	Regionally specific cortical thinning in children with sickle cell disease. 2009 , 19, 1549-56	32
1436	Combination of DTI and fMRI reveals the white matter changes correlating with the decline of default-mode network activity in Alzheimer's disease. 2009 ,	
1435	Cortical and subcortical networks in human secondarily generalized tonic-clonic seizures. 2009 , 132, 999-1012	214
1434	Prefrontal activation deficits during episodic memory in schizophrenia. 2009 , 166, 863-74	202
1433	Seven topics in functional magnetic resonance imaging. 2009 , 8, 371-403	21
1432	Anterior intraparietal sulcus is sensitive to bottom-up attention driven by stimulus salience. 2009 , 21, 1584-601	63
1431	Noxious somatosensory stimulation affects the default mode of brain function: evidence from functional MR imaging. 2009 , 253, 797-804	39
1430	Spontaneous brain activity in the newborn brain during natural sleep--an fMRI study in infants born at full term. 2009 , 66, 301-5	167
1429	Funktionelle Bildgebung bei der Amyotrophen Lateralsklerose: Analyse der Ruheaktivität 2009 , 40, 263-269	1
1428	Cholinergic modulation of the cerebral metabolic response to citalopram in Alzheimer's disease. 2009 , 132, 392-401	28
1427	Structural and metabolic correlates of episodic memory in relation to the depth of encoding in normal aging. 2009 , 21, 372-89	23

1426	Modulation of ventral prefrontal cortex functional connections reflects the interplay of cognitive processes and stimulus characteristics. 2009 , 19, 1042-54	12
1425	The effects of stimulus modality and frequency of stimulus presentation on cross-modal distraction. 2009 , 19, 993-1007	30
1424	Temporo-parietal junction activity in theory-of-mind tasks: falseness, beliefs, or attention. 2009 , 21, 1179-92	131
1423	Altered negative BOLD responses in the default-mode network during emotion processing in depressed subjects. 2009 , 34, 932-43	262
1422	Retrieval and unification of syntactic structure in sentence comprehension: an fMRI study using word-category ambiguity. 2009 , 19, 1493-503	189
1421	Structural and functional MRI in mild cognitive impairment. 2009 , 6, 179-85	82
1420	Dopamine transporters in striatum correlate with deactivation in the default mode network during visuospatial attention. 2009 , 4, e6102	114
1419	The relationship between aberrant neuronal activation in the pregenual anterior cingulate, altered glutamatergic metabolism, and anhedonia in major depression. 2009 , 66, 478-86	242
1418	Auditory oddball deficits in schizophrenia: an independent component analysis of the fMRI multisite function BIRN study. 2009 , 35, 67-81	123
1417	Sensory MEG responses predict successful and failed inhibition in a stop-signal task. 2009 , 19, 134-45	58
1416	Is adaptive neuronal plasticity an epiphenomenon of the BOLD-signal?. 2009 , 27, 567-78	3
1415	Impact of Alzheimer's disease on the functional connectivity of spontaneous brain activity. 2009 , 6, 541-53	68
1414	Development of anterior cingulate functional connectivity from late childhood to early adulthood. 2009 , 19, 640-57	430
1413	Effective connectivity analysis of default mode network based on the Bayesian network learning approach. 2009 ,	4
1412	High-field MRI reveals an acute impact on brain function in survivors of the magnitude 8.0 earthquake in China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 15412-7	11.5 122
1411	Three stages and four neural systems in time estimation. 2009 , 29, 14803-11	81
1410	Searching for an integrated self-representation. 2009 , 2, 365-7	19
1409	Direct electrophysiological measurement of human default network areas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 12174-7	11.5 107

1408	Dynamic changes in the mental rotation network revealed by pattern recognition analysis of fMRI data. 2009 , 21, 890-904	24
1407	Association of nicotine addiction and nicotine's actions with separate cingulate cortex functional circuits. 2009 , 66, 431-41	203
1406	Temporal filtering of nociceptive information by dynamic activation of endogenous pain modulatory systems. 2009 , 29, 10264-71	82
1405	A brain mechanism for facilitation of insight by positive affect. 2009 , 21, 415-32	201
1404	Reaching across the abyss: recent advances in functional magnetic resonance imaging and their potential relevance to disorders of consciousness. 2009 , 177, 261-74	36
1403	Inhibition of imitative behaviour and social cognition. 2009 , 364, 2359-67	217
1402	Zooming in and zooming out of the attentional focus: an FMRI study. 2009 , 19, 805-19	29
1401	Aberrant functional connectivity of dorsolateral prefrontal and cingulate networks in patients with major depression during working memory processing. 2009 , 39, 977-87	116
1400	Functional neuroimaging in mood disorders. 2009 , 8, 102-104	1
1399	Perspective-taking as part of narrative comprehension: a functional MRI study. 2009 , 47, 813-24	32
1398	Neural systems mediating field and observer memories. 2009 , 47, 2239-51	118
1397	Opaque for the reader but transparent for the brain: neural signatures of morphological complexity. 2009 , 47, 1964-71	35
1396	Right dorsolateral prefrontal cortex is engaged during post-retrieval processing of both episodic and semantic information. 2009 , 47, 2409-16	71
1395	Aberrant functional activation in school age children at-risk for mathematical disability: a functional imaging study of simple arithmetic skill. 2009 , 47, 2470-9	49
1394	Drug interactions at the blood-brain barrier: fact or fantasy?. 2009 , 123, 80-104	145
1393	Medial prefrontal default-mode hypoactivity affecting trait physical anhedonia in schizophrenia. 2009 , 171, 155-65	52
1392	Resting state corticolimbic connectivity abnormalities in unmedicated bipolar disorder and unipolar depression. 2009 , 171, 189-98	289
1391	An fMRI study of visual attention and sensorimotor function before and after antipsychotic treatment in first-episode schizophrenia. 2009 , 172, 16-23	50

1390	Principal component analysis in mild and moderate Alzheimer's disease--a novel approach to clinical diagnosis. 2009 , 173, 8-14	26
1389	Inhibition-related activity in subgenual cingulate is associated with symptom severity in major depression. 2009 , 172, 1-6	51
1388	Patterns of brain activity during a semantic task differentiate normal aging from early Alzheimer's disease. 2009 , 173, 218-27	15
1387	Effect of a psychoneurotherapy on brain electromagnetic tomography in individuals with major depressive disorder. 2009 , 174, 231-9	35
1386	Differential brain activation during facial emotion discrimination in first-episode schizophrenia. 2009 , 43, 592-9	61
1385	Brain exploration and schizophrenia. 2009 , 43, 583-4	
1384	Towards a neurocircuitry in anorexia nervosa: evidence from functional neuroimaging studies. 2009 , 43, 1133-45	87
1383	A resting state network in the motor control circuit of the basal ganglia. 2009 , 10, 137	116
1382	Low-frequency BOLD fluctuations demonstrate altered thalamocortical connectivity in diabetic neuropathic pain. 2009 , 10, 138	83
1381	Orienting asymmetries and lateralized processing of sounds in humans. 2009 , 10, 14	14
1380	Hierarchies in the Structure of Personality Traits. 2009 , 3, 812-826	38
1379	The resting human brain and motor learning. 2009 , 19, 1023-7	382
1378	A lack of default network suppression is linked to increased distractibility in ADHD. 2009 , 1273, 114-28	223
1377	Acupuncture modulates spontaneous activities in the anticorrelated resting brain networks. 2009 , 1279, 37-49	89
1376	Abnormal resting-state functional connectivity patterns of the putamen in medication-naïve children with attention deficit hyperactivity disorder. 2009 , 1303, 195-206	156
1375	Abnormal resting-state functional connectivity of posterior cingulate cortex in amnesic type mild cognitive impairment. 2009 , 1302, 167-74	157
1374	Value judgments and self-control of action: the role of the medial frontal cortex. 2009 , 60, 368-78	57
1373	The functional neuroanatomy of geriatric depression. 2009 , 24, 798-808	76

1372	Brain network dynamics during error commission. 2009 , 30, 24-37	88
1371	Integrated local correlation: a new measure of local coherence in fMRI data. 2009 , 30, 13-23	47
1370	Model-free group analysis shows altered BOLD FMRI networks in dementia. 2009 , 30, 256-66	107
1369	Functional connectivity of default mode network components: correlation, anticorrelation, and causality. 2009 , 30, 625-37	771
1368	Developmental differences of neurocognitive networks for phonological and semantic processing in Chinese word reading. 2009 , 30, 797-809	57
1367	The salient characteristics of the central effects of acupuncture needling: limbic-paralimbic-neocortical network modulation. 2009 , 30, 1196-206	182
1366	Alcohol dose effects on brain circuits during simulated driving: an fMRI study. 2009 , 30, 1257-70	55
1365	Parsing neural mechanisms of social and physical risk identifications. 2009 , 30, 1338-51	14
1364	Regional homogeneity changes in patients with Parkinson's disease. 2009 , 30, 1502-10	319
1363	Estimating cerebral oxygen metabolism from fMRI with a dynamic multicompartment Windkessel model. 2009 , 30, 1548-67	38
1362	fMRI evidence for multisensory recruitment associated with rapid eye movements during sleep. 2009 , 30, 1705-22	80
1361	Neural connectivity as an intermediate phenotype: brain networks under genetic control. 2009 , 30, 1938-46	99
1360	Regional brain activation changes and abnormal functional connectivity of the ventrolateral prefrontal cortex during working memory processing in adults with attention-deficit/hyperactivity disorder. 2009 , 30, 2252-66	112
1359	Interrater and intermethod reliability of default mode network selection. 2009 , 30, 2293-303	97
1358	Functional connectivity in the default network during resting state is preserved in a vegetative but not in a brain dead patient. 2009 , 30, 2393-400	245
1357	Changes in the interaction of resting-state neural networks from adolescence to adulthood. 2009 , 30, 2356-66	212
1356	Increased self-focus in major depressive disorder is related to neural abnormalities in subcortical-cortical midline structures. 2009 , 30, 2617-27	203
1355	Two systems of resting state connectivity between the insula and cingulate cortex. 2009 , 30, 2731-45	510

1354	Cardiorespiratory effects on default-mode network activity as measured with fMRI. 2009 , 30, 3031-42	98
1353	Syllable congruency and word frequency effects on brain activation. 2009 , 30, 3079-88	35
1352	Functionally linked resting-state networks reflect the underlying structural connectivity architecture of the human brain. 2009 , 30, 3127-41	759
1351	Magnetoencephalographic gamma power reduction in patients with schizophrenia during resting condition. 2009 , 30, 3254-64	84
1350	Detection of irregular, transient fMRI activity in normal controls using 2dTCA: comparison to event-related analysis using known timing. 2009 , 30, 3393-405	6
1349	Time-varied characteristics of acupuncture effects in fMRI studies. 2009 , 30, 3445-60	86
1348	Enhanced visual processing contributes to matrix reasoning in autism. 2009 , 30, 4082-107	118
1347	Specialization in the default mode: Task-induced brain deactivations dissociate between visual working memory and attention. 2010 , 31, 126-39	133
1346	Test-retest reproducibility of the default-mode network in healthy individuals. 2010 , 31, 237-46	132
1345	Resting state and task-induced deactivation: A methodological comparison in patients with schizophrenia and healthy controls. 2010 , 31, 424-37	106
1344	Sensorimotor network rewiring in mild cognitive impairment and Alzheimer's disease. 2010 , 31, 515-25	54
1343	Being liked activates primary reward and midline self-related brain regions. 2010 , 31, 660-8	89
1342	Semiblind spatial ICA of fMRI using spatial constraints. 2010 , 31, 1076-88	90
1341	Associations evoked during memory encoding recruit the context-network. 2009 , 19, 141-51	32
1340	Hippocampal activation during a cognitive task is associated with subsequent neuroendocrine and cognitive responses to psychological stress. 2010 , 20, 323-34	47
1339	Combining spatial and temporal information to explore function-guide action of acupuncture using fMRI. 2009 , 30, 41-6	41
1338	Changes in human EEG alpha activity following exposure to two different pulsed magnetic field sequences. 2009 , 30, 9-20	31
1337	Greater than the sum of its parts: a review of studies combining structural connectivity and resting-state functional connectivity. 2009 , 213, 525-33	629

1336	Measurement of spontaneous signal fluctuations in fMRI: adult age differences in intrinsic functional connectivity. 2009 , 213, 571-85	47
1335	Impaired perceptual networks in temporal lobe epilepsy revealed by resting fMRI. 2009 , 256, 1705-13	93
1334	Remote effects of hippocampal damage on default network connectivity in the human brain. 2009 , 256, 2021-9	59
1333	Background and evoked activity and their interaction in the human brain. 2009 , 27, 1140-50	11
1332	The neural correlates of calculation ability in children: an fMRI study. 2009 , 27, 1187-97	39
1331	A disturbed sense of self in the psychosis prodrome: linking phenomenology and neurobiology. 2009 , 33, 807-17	116
1330	Cerebral white matter integrity and cognitive aging: contributions from diffusion tensor imaging. 2009 , 19, 415-35	306
1329	Negative BOLD in sensory cortices during verbal memory: a component in generating internal representations?. 2009 , 21, 221-31	29
1328	Detecting functional connectivity in fMRI using PCA and regression analysis. 2009 , 22, 134-44	36
1327	Meditators and non-meditators: EEG source imaging during resting. 2009 , 22, 158-65	43
1326	Characteristic changes in brain electrical activity due to chronic hypoxia in patients with obstructive sleep apnea syndrome (OSAS): a combined EEG study using LORETA and omega complexity. 2009 , 22, 185-90	15
1325	Stability Of Default-Mode Network Activity In The Aging Brain. 2009 , 3, 123-131	45
1324	Posterior Cingulate and Lateral Parietal Gray Matter Volume in Older Adults with Depressive Symptoms. 2009 , 3, 233-239	16
1323	Gender Differences in Cognitive Control: an Extended Investigation of the Stop Signal Task. 2009 , 3, 262-276	82
1322	Explanatory Correlates of Consciousness: Theoretical and Computational Challenges. 2009 , 1, 50-63	74
1321	Acute exercise modulates cigarette cravings and brain activation in response to smoking-related images: an fMRI study. 2009 , 203, 589-98	86
1320	Body and brain temperature coupling: the critical role of cerebral blood flow. 2009 , 179, 701-10	33
1319	Mapping cortical hubs in tinnitus. 2009 , 7, 80	151

1318	Cortical deactivations during gastric fundus distension in health: visceral pain-specific response or attenuation of 'default mode' brain function? A H2 15O-PET study. 2009 , 21, 259-71	44
1317	A combined neuropsychological and brain imaging study of obstructive sleep apnea. 2009 , 18, 36-48	177
1316	Metabolic and hemodynamic events after changes in neuronal activity: current hypotheses, theoretical predictions and in vivo NMR experimental findings. 2009 , 29, 441-63	126
1315	PET functional imaging of deep brain stimulation in movement disorders and psychiatry. 2009 , 29, 1743-54	41
1314	Complex brain networks: graph theoretical analysis of structural and functional systems. 2009 , 10, 186-98	7021
1313	What does the retrosplenial cortex do?. 2009 , 10, 792-802	873
1312	Neural correlates of direct and reflected self-appraisals in adolescents and adults: when social perspective-taking informs self-perception. 2009 , 80, 1016-38	196
1311	Neurocognitive development of relational reasoning. 2009 , 12, 55-66	151
1310	The relation of ventromedial prefrontal cortex activity and heart rate fluctuations at rest. 2009 , 30, 2205-10	49
1309	What's new in neuroimaging methods?. 2009 , 1156, 260-93	148
1308	Sequential analysis of fMRI images: A new approach to study human epileptic networks. 2009 , 50, 2526-37	20
1307	Structures involved at the time of temporal lobe spikes revealed by interindividual group analysis of EEG/fMRI data. 2009 , 50, 2549-56	57
1306	Beyond p-values: averaged and reproducible evidence in fMRI experiments. 2009 , 46, 367-78	3
1305	Images-based suppression of unwanted global signals in resting-state functional connectivity studies. 2009 , 27, 1058-64	37
1304	Claude Bernard and the heart-brain connection: further elaboration of a model of neurovisceral integration. 2009 , 33, 81-8	1127
1303	Chronic whiplash symptoms are related to altered regional cerebral blood flow in the resting state. 2009 , 13, 65-70	32
1302	Distributed analysis of simultaneous EEG-fMRI time-series: modeling and interpretation issues. 2009 , 27, 1120-30	32
1301	Default-mode brain dysfunction in mental disorders: a systematic review. 2009 , 33, 279-96	1164

1300	Dopamine modulates neural networks involved in effort-based decision-making. 2009 , 33, 383-93	106
1299	The trans-species core SELF: the emergence of active cultural and neuro-ecological agents through self-related processing within subcortical-cortical midline networks. 2009 , 18, 193-215	97
1298	Hypnotic induction decreases anterior default mode activity. 2009 , 18, 848-55	124
1297	Network characteristics of idiopathic generalized epilepsies in combined MEG/EEG. 2009 , 85, 187-98	61
1296	Predicting human resting-state functional connectivity from structural connectivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 2035-40	11.5 2136
1295	Neural correlates of arithmetic calculation strategies. 2009 , 9, 270-85	35
1294	Cortical spreading ischaemia is a novel process involved in ischaemic damage in patients with aneurysmal subarachnoid haemorrhage. 2009 , 132, 1866-81	415
1293	Essentials of Functional Neuroimaging. 2009 ,	2
1292	The resting brain: unconstrained yet reliable. 2009 , 19, 2209-29	706
1291	Psychological and Neural Mechanisms of Short-Term Memory. 2009 ,	3
1290	Self versus Others/Self-Regulation. 2009 ,	2
1289	Social Cognition. 2009 ,	
1288	Error-related negativity is mediated by fractional anisotropy in the posterior cingulate gyrus--a study combining diffusion tensor imaging and electrophysiology in healthy adults. 2009 , 19, 293-304	64
1287	The Somatovisceral Components of Emotions and Their Role in Decision Making: Specific Attention to the Ventromedial Prefrontal Cortex. 2009 ,	1
1286	Modalities, modes, and models in functional neuroimaging. 2009 , 326, 399-403	340
1285	Regional cerebral blood flow increases during wakeful rest following cognitive training. 2009 , 80, 133-8	19
1284	Changes of resting state brain networks in amyotrophic lateral sclerosis. 2009 , 217, 147-53	165
1283	Brain activation and deactivation during location and color working memory tasks in 11-13-year-old children. 2009 , 69, 56-64	23

1282	Attention, emotion, and deactivation of default activity in inferior medial prefrontal cortex. 2009 , 69, 344-52	19
1281	The developmental cognitive neuroscience of functional connectivity. 2009 , 70, 1-12	78
1280	Temporal sequence of hemispheric network activation during semantic processing: a functional network connectivity analysis. 2009 , 70, 238-46	25
1279	A cognitive neuroscience hypothesis of mood and depression. 2009 , 13, 456-63	106
1278	A brief history of human brain mapping. 2009 , 32, 118-26	161
1277	Cingulate cortex: diverging data from humans and monkeys. 2009 , 32, 566-74	98
1276	On the multivariate nature of brain metabolic impairment in Alzheimer's disease. 2009 , 30, 186-97	41
1275	Ageing-related changes of neural activity associated with spatial contextual memory. 2009 , 30, 630-45	51
1274	The brain under self-control: modulation of inhibitory and monitoring cortical networks during hypnotic paralysis. 2009 , 62, 862-75	137
1273	Amyloid deposition is associated with impaired default network function in older persons without dementia. 2009 , 63, 178-88	728
1272	Altering cortical connectivity: remediation-induced changes in the white matter of poor readers. 2009 , 64, 624-31	283
1271	Genetics of emotion regulation. 2009 , 164, 43-54	64
1270	Posterior parietal cortex and episodic encoding: insights from fMRI subsequent memory effects and dual-attention theory. 2009 , 91, 139-54	239
1269	Towards a theory of chronic pain. 2009 , 87, 81-97	545
1268	Assessing neuronal networks: understanding Alzheimer's disease. 2009 , 89, 125-33	92
1267	Temporally anticorrelated brain networks during working memory performance reveal aberrant prefrontal and hippocampal connectivity in patients with schizophrenia. 2009 , 33, 1464-73	75
1266	Age-related differences in prefrontal control of heart rate in humans: a pharmacological blockade study. 2009 , 72, 81-8	36
1265	Disconnected brains: what is the role of fMRI in connectivity research?. 2009 , 73, 27-32	21

1264	Combining fMRI with EEG and MEG in order to relate patterns of brain activity to cognition. 2009 , 73, 43-52	89
1263	Negative and affirmative sentences increase activation in different areas in the brain. 2009 , 22, 1-17	35
1262	An fMRI study of acupuncture using independent component analysis. 2009 , 449, 6-9	43
1261	Dopamine modulates default mode network deactivation in elderly individuals during the Tower of London task. 2009 , 458, 1-5	64
1260	General proactive interference and the N450 response. 2009 , 462, 239-43	10
1259	Analysis of ongoing dynamics in neural networks. 2009 , 64, 177-84	6
1258	Sensitivity of neural-hemodynamic coupling to alterations in cerebral blood flow during hypercapnia. 2009 , 14, 044038	18
1257	Serotonin modulation of cerebral glucose metabolism in depressed older adults. 2009 , 66, 259-66	39
1256	Dorsolateral prefrontal cortex activity predicts responsiveness to cognitive-behavioral therapy in schizophrenia. 2009 , 66, 594-602	91
1255	97. Reduced precuneus deactivation during object naming in dementia. 2009 , 120, e41-e42	
1254	The paradoxical effect of warning on reaction time: demonstrating proactive response inhibition with event-related potentials. 2009 , 120, 730-7	48
1253	How wrong can we be? The effect of inaccurate mark-up of EEG/fMRI studies in epilepsy. 2009 , 120, 1637-47	40
1252	Cognitive inhibition of number/length interference in a Piaget-like task: evidence by combining ERP and MEG. 2009 , 120, 1501-13	16
1251	Hippocampal dysfunction in amnesic-type mild cognitive impairment: implications for predicting Alzheimer's risk. 2009 , 4, 649-662	4
1250	Joint Blind Source Separation by Multi-set Canonical Correlation Analysis. 2009 , 57, 3918-3929	250
1249	Music and the self. 2009 , 131-141	5
1248	The common neural basis of autobiographical memory, prospection, navigation, theory of mind, and the default mode: a quantitative meta-analysis. 2009 , 21, 489-510	1585
1247	Successful Aging. 2009 ,	1

1246	The construction system of the brain. 2009 , 364, 1263-71		328
1245	Neuronal networks in Alzheimer's disease. 2009 , 15, 333-50		166
1244	MRI of neuronal network structure, function, and plasticity. 2009 , 175, 483-96		44
1243	fMRI Techniques and Protocols. 2009 ,		11
1242	Challenges of functional imaging research of pain in children. 2009 , 5, 30		15
1241	Social Emotion: Neuroimaging. 2009 , 35-39		4
1240	Cognitive and emotional modulation of brain default operation. 2009 , 21, 1065-80		41
1239	Disruption of functional connectivity in clinically normal older adults harboring amyloid burden. 2009 , 29, 12686-94		444
1238	Experience sampling during fMRI reveals default network and executive system contributions to mind wandering. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 8719-24	11.5	1147
1237	Brain mechanisms of altered conscious states during epileptic seizures. 2009 , 5, 267-76		81
1236	Modulation of cortical midline structures by implicit and explicit self-relevance evaluation. 2009 , 4, 197-211		119
1235	Efficiency of functional brain networks and intellectual performance. 2009 , 29, 7619-24		821
1234	Segregated fronto-cerebellar circuits revealed by intrinsic functional connectivity. 2009 , 19, 2485-97		566
1233	Correspondence of the brain's functional architecture during activation and rest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 13040-5	11.5	3661
1232	The lateral and ventromedial prefrontal cortex work as a dynamic integrated system: evidence from FMRI connectivity analysis. 2009 , 21, 141-54		31
1231	Hyperactivity and hyperconnectivity of the default network in schizophrenia and in first-degree relatives of persons with schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 1279-84	11.5	1067
1230	The default mode network and self-referential processes in depression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 1942-7	11.5	981
1229	Distinct patterns of brain activity in young carriers of the APOE-epsilon4 allele. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 7209-14	11.5	1286

1228	The global signal and observed anticorrelated resting state brain networks. 2009 , 101, 3270-83	1439
1227	Neurophysiology of functional imaging. 2009 , 45, 1047-54	37
1226	Influence of heart rate on the BOLD signal: the cardiac response function. 2009 , 44, 857-69	448
1225	The impact of global signal regression on resting state correlations: are anti-correlated networks introduced?. 2009 , 44, 893-905	1766
1224	Neural mechanisms for illusory filling-in of degraded speech. 2009 , 44, 1133-43	92
1223	Dynamic activation of the anterior cingulate cortex during anticipatory anxiety. 2009 , 44, 975-81	105
1222	Distinct striatal regions for planning and executing novel and automated movement sequences. 2009 , 44, 1369-79	67
1221	Modeling brain activation patterns for the default and cognitive states. 2009 , 45, 298-311	33
1220	Cluster analysis of resting-state fMRI time series. 2009 , 45, 1117-25	88
1219	Dissociating functional brain networks by decoding the between-subject variability. 2009 , 45, 349-59	34
1218	Multiple neural networks supporting a semantic task: an fMRI study using independent component analysis. 2009 , 45, 1347-58	32
1217	Neural basis of interaction between target presence and display homogeneity in visual search: an fMRI study. 2009 , 45, 993-1001	13
1216	Hemodynamic changes preceding the interictal EEG spike in patients with focal epilepsy investigated using simultaneous EEG-fMRI. 2009 , 45, 1220-31	104
1215	An ICA-based method for the identification of optimal FMRI features and components using combined group-discriminative techniques. 2009 , 46, 73-86	89
1214	Components of variance in brain perfusion and the design of studies of individual differences: the baseline study. 2009 , 46, 12-22	26
1213	Lost in localization: the need for a universal coordinate database. 2009 , 48, 1-7	70
1212	Modulation of functional connectivity with the syntactic and semantic demands of a Noun Phrase Formation Task: a possible role for the Default Network. 2009 , 46, 882-90	14
1211	Spatial and temporal reproducibility-based ranking of the independent components of BOLD fMRI data. 2009 , 46, 1041-54	16

1210	Duration matters: dissociating neural correlates of detection and evaluation of social gaze. 2009 , 46, 1154-63	116
1209	Identifying the structures involved in seizure generation using sequential analysis of ictal-fMRI data. 2009 , 47, 173-83	38
1208	Time-variant fMRI activity in the brainstem and higher structures in response to acupuncture. 2009 , 47, 289-301	85
1207	Interactions between different EEG frequency bands and their effect on alpha-fMRI correlations. 2009 , 47, 69-76	110
1206	Gender differences in the functional and structural neuroanatomy of mathematical cognition. 2009 , 47, 342-52	109
1205	Abnormalities of intrinsic functional connectivity in autism spectrum disorders. 2009 , 47, 764-72	400
1204	Effects of model-based physiological noise correction on default mode network anti-correlations and correlations. 2009 , 47, 1448-59	394
1203	Motor inhibition in hysterical conversion paralysis. 2009 , 47, 1026-37	167
1202	fMRI in the presence of task-correlated breathing variations. 2009 , 47, 1092-104	109
1201	Generic aspects of complexity in brain imaging data and other biological systems. 2009 , 47, 1125-34	98
1200	Neural network of speech monitoring overlaps with overt speech production and comprehension networks: a sequential spatial and temporal ICA study. 2009 , 47, 1982-91	52
1199	Brain encoding of acupuncture sensation--coupling on-line rating with fMRI. 2009 , 47, 1055-65	92
1198	Functional but not structural changes associated with learning: an exploration of longitudinal voxel-based morphometry (VBM). 2009 , 48, 117-25	77
1197	Transition from rest to movement: brain correlates revealed by functional connectivity. 2009 , 48, 207-16	36
1196	Resting-state BOLD networks versus task-associated functional MRI for distinguishing Alzheimer's disease risk groups. 2009 , 47, 1678-90	176
1195	Neural correlates of processing situational relationships between a part and the whole: an fMRI study. 2009 , 48, 486-96	8
1194	Hierarchical coding of characters in the ventral and dorsal visual streams of Chinese language processing. 2009 , 48, 423-35	22
1193	Momentary reductions of attention permit greater processing of irrelevant stimuli. 2009 , 48, 609-15	31

1192	Static and dynamic characteristics of cerebral blood flow during the resting state. 2009 , 48, 515-24	159
1191	Default Network and Intelligence Difference. 2009 , 1, 101-109	14
1190	Cortical network functional connectivity in the descent to sleep. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 4489-94	11.5 349
1189	Default mode of brain activity demonstrated by positron emission tomography imaging in awake monkeys: higher rest-related than working memory-related activity in medial cortical areas. 2009 , 29, 14463-71	51
1188	Electrophysiological correlates of default-mode processing in macaque posterior cingulate cortex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 5948-53	11.5 126
1187	Investigating the functional heterogeneity of the default mode network using coordinate-based meta-analytic modeling. 2009 , 29, 14496-505	412
1186	The Minimally Conscious State: Clinical Features, Pathophysiology and Therapeutic Implications. 2009 , 173-190	4
1185	The Neurology of Consciousness: An Overview. 2009 , 375-412	14
1184	Where is the semantic system? A critical review and meta-analysis of 120 functional neuroimaging studies. 2009 , 19, 2767-96	2561
1183	Trial-by-trial coupling between EEG and BOLD identifies networks related to alpha and theta EEG power increases during working memory maintenance. 2009 , 44, 1224-38	242
1182	BOLD correlates of EEG alpha phase-locking and the fMRI default mode network. 2009 , 45, 903-16	211
1181	Neural origins of human sickness in interoceptive responses to inflammation. 2009 , 66, 415-22	244
1180	Mettre la maladie d'Alzheimer en images. 2009 , 9, 196-202	
1179	Increased intrasubject variability in response time in youths with bipolar disorder and at-risk family members. 2009 , 48, 628-635	47
1178	Modulation of a human memory circuit by subsyndromal depression in late life: a functional magnetic resonance imaging study. 2009 , 17, 24-9	14
1177	Changes in cortical potential associated with modulation of peripheral sympathetic activity in patients with epilepsy. 2009 , 71, 84-92	25
1176	The restless brain: attention-deficit hyperactivity disorder, resting-state functional connectivity, and intrasubject variability. 2009 , 54, 665-72	64
1175	Effects of methylphenidate on cerebral glucose metabolism in patients with impaired consciousness after acquired brain injury. 2009 , 32, 335-9	20

1174	Frequency and spatial characteristics of high-frequency neuromagnetic signals in childhood epilepsy. 2009 , 11, 113-25	61
1173	Neural basis for recognition confidence in younger and older adults. 2009 , 24, 139-53	35
1172	Brain activation changes before and after PAP treatment in obstructive sleep apnea. 2009 , 32, 1161-72	88
1171	Electrical neuroimaging in the time domain. 111-144	27
1170	Arterial spin-labeled perfusion MRI in basic and clinical neuroscience. 2009 , 22, 348-55	160
1169	Neuroimaging studies in Alzheimer's disease. A review. 2009 , 22, 525-33	
1168	The nature of brain dysfunction in autism: functional brain imaging studies. 2010 , 23, 124-30	208
1167	Network models of psychopathology and comorbidity: philosophical and pragmatic considerations. 2010 , 33, 159-60	3
1166	Network origins of anxiety and depression. 2010 , 33, 161-2	4
1165	Toward scientifically useful quantitative models of psychopathology: the importance of a comparative approach. 2010 , 33, 163-4	13
1164	Comorbidity: cognition and biology count!. 2010 , 33, 168-70	3
1163	The missing developmental dimension in the network perspective. 2010 , 33, 175-6	4
1162	Visualizing genetic similarity at the symptom level: the example of learning disabilities. 2010 , 33, 155-7	
1161	Symptom networks and psychiatric categories. 2010 , 33, 158-9	4
1160	Looking at comorbidity through the glasses of neuroscientific memory research: a brain-network perspective. 2010 , 33, 170-1	4
1159	The importance of modeling comorbidity using an intra-individual, time-series approach. 2010 , 33, 172-3	5
1158	The abandonment of latent variables: philosophical considerations. 2010 , 33, 177-8	5
1157	The rocky road from Axis I to Axis II: extending the network model of diagnostic comorbidity to personality pathology. 2010 , 33, 151-2	3

1156	Comorbid science?. 2010 , 33, 153-5	5
1155	The network perspective will help, but is comorbidity the question?. 2010 , 33, 162-3	0
1154	Questions about networks, measurement, and causation. 2010 , 33, 164-5	2
1153	Comorbidity: the case of developmental psychopathology. 2010 , 33, 167-8	4
1152	Consequences of a network view for genetic association studies. 2010 , 33, 173-4	4
1151	Aligning psychological assessment with psychological science. 2010 , 33, 152-3	3
1150	An agenda for symptom-based research. 2010 , 33, 157	7
1149	Extending the network perspective on comorbidity. 2010 , 33, 158	6
1148	Networks as complex dynamic systems: applications to clinical and developmental psychology and psychopathology. 2010 , 33, 174-5	4
1147	Comorbidity in the context of neural network properties. 2010 , 33, 176-7	7
1146	Complex realities require complex theories: Refining and extending the network approach to mental disorders. 2010 , 33, 178-193	53
1145	Symptoms as latent variables. 2010 , 33, 165-6	5
1144	Evidence of altered posteromedial cortical fMRI activity in subjects at risk for Alzheimer disease. 2010 , 24, 28-36	57
1143	The 'intrinsic' system in the human cortex and self-projection: a data driven analysis. 2010 , 21, 569-74	6
1142	Current status of research in the genetics of anxiety disorders. 139-155	
1141	Neural representation of subjective value under risk and ambiguity. 2010 , 103, 1036-47	269
1140	Typical and atypical development of functional human brain networks: insights from resting-state fMRI. 2010 , 4, 21	244
1139	DPARF: A MATLAB Toolbox for "Pipeline" Data Analysis of Resting-State fMRI. 2010 , 4, 13	1980

1138	Graph-based network analysis of resting-state functional MRI. 2010 , 4, 16	350
1137	Altered functional connectivity and small-world in mesial temporal lobe epilepsy. 2010 , 5, e8525	391
1136	Functional magnetic resonance imaging and estrogen effects on the brain: cautious interpretation of a BOLD finding. 2010 , 17, 669-71	7
1135	Neuroimaging through the course of Alzheimer's disease. 2010 , 19, 273-90	17
1134	Combining transcranial magnetic stimulation and fMRI to examine the default mode network. 2010 , ,	10
1133	Consciousness and the Problem of Other Minds. 2010 , 52, 105-112	1
1132	Does mind wandering reflect executive function or executive failure? Comment on Smallwood and Schooler (2006) and Watkins (2008). 2010 , 136, 188-197	322
1131	Dispositional mindfulness and depressive symptomatology: correlations with limbic and self-referential neural activity during rest. 2010 , 10, 12-24	146
1130	Differential brain activation patterns in adult attention-deficit hyperactivity disorder (ADHD) associated with task switching. 2010 , 24, 413-23	50
1129	Making sense by making sentient: effectance motivation increases anthropomorphism. 2010 , 99, 410-35	253
1128	Analysis of connectivity in the resting state of the default mode of brain function: a major role for the cerebellum?. 2010 , 9, 236	
1127	Dynamical inter-region coupling in the brain: A meso-scopic model from a dynamical systems viewpoint. 2010 , 1, 79-88	
1126	EEG differences between resting states with eyes open and closed in darkness. 2010 , 36, 367-369	31
1125	Functional-anatomic fractionation of the brain's default network. 2010 , 65, 550-62	1800
1124	Metastability and Transients in Brain Dynamics: Problems and Rigorous Results. 2010 , 133-175	2
1123	Real-time fMRI feedback training may improve chronic tinnitus. 2010 , 20, 696-703	141
1122	Disease and the brain's dark energy. 2010 , 6, 15-28	673
1121	Chapter 14:Ketone Bodies as a Therapeutic for Alzheimer's Disease. 2010 , 275-306	

1120	Self-specific processing in the default network: a single-pulse TMS study. 2010 , 207, 27-38	45
1119	Neuroimaging after coma. 2010 , 52, 15-24	45
1118	On the sensitivity of ASL MRI in detecting regional differences in cerebral blood flow. 2010 , 28, 928-35	76
1117	Third Meeting of West European Societies of Biological Psychiatry, June 2-4, Berlin, Germany. 2010 , 260, 3-78	4
1116	Eunethydis 1st international ADHD conference: from data to best clinical practice. 2010 , 19, 5-91	18
1115	Brain activity in the resting state: default mode network as an inside story within the brain. 2010 , 15, 1-4	0
1114	Evaluating the effective connectivity of resting state networks using conditional Granger causality. 2010 , 102, 57-69	159
1113	Saliency, switching, attention and control: a network model of insula function. 2010 , 214, 655-67	3221
1112	Present and future of simultaneous EEG-fMRI. 2010 , 23, 309-16	45
1111	Increased sleep pressure reduces resting state functional connectivity. 2010 , 23, 375-89	114
1110	Comparison of functional connectivity in default mode and sensorimotor networks at 3 and 7T. 2010 , 23, 339-49	31
1109	Resting developments: a review of fMRI post-processing methodologies for spontaneous brain activity. 2010 , 23, 289-307	174
1108	A historical perspective on the evolution of resting-state functional connectivity with MRI. 2010 , 23, 279-88	20
1107	In vivo MR imaging of brain networks: illusion or revolution?. 2010 , 23, 275-7	3
1106	An investigation of brain processes supporting meditation. 2010 , 11, 57-84	83
1105	A self-referential default brain state: patterns of coherence, power, and eLORETA sources during eyes-closed rest and Transcendental Meditation practice. 2010 , 11, 21-30	108
1104	The exploration of meditation in the neuroscience of attention and consciousness. 2010 , 11, 1-7	72
1103	Searching for Mindfulness in the Brain: A Process-Oriented Approach to Examining the Neural Correlates of Mindfulness. 2010 , 1, 41-63	36

1102	Kinds and Dimensions of Mindfulness: Why it is Important to Distinguish Them. 2010 , 1, 152-160	39
1101	Functional alterations in memory networks in early Alzheimer's disease. 2010 , 12, 27-43	389
1100	Utility of functional MRI in pediatric neurology. 2010 , 10, 40-6	15
1099	Biomarkers to predict antidepressant response. 2010 , 12, 553-62	111
1098	Default network response to a working memory challenge after withdrawal of continuous positive airway pressure treatment for obstructive sleep apnea. 2010 , 4, 155-63	26
1097	Functional mapping of dynamic happy and fearful facial expression processing in adolescents. 2010 , 4, 164-76	35
1096	Development of the brain's functional network architecture. 2010 , 20, 362-75	94
1095	Automatic Bayesian classification of healthy controls, bipolar disorder, and schizophrenia using intrinsic connectivity maps from fMRI data. 2010 , 57, 2850-60	68
1094	Linking neuroscience and psychoanalysis from a developmental perspective: why and how?. 2010 , 104, 303-8	9
1093	Functional connectivity of the temporo-parietal region in schizophrenia: effects of rTMS treatment of auditory hallucinations. 2010 , 44, 725-31	75
1092	Theory of mind ability in the behavioural variant of frontotemporal dementia: an analysis of the neural, cognitive, and social levels. 2010 , 48, 2-12	142
1091	Effects of heartbeat and respiration on macaque fMRI: implications for functional connectivity. 2010 , 48, 1886-94	23
1090	Differential engagement of brain regions within a 'core' network during scene construction. 2010 , 48, 1501-9	99
1089	Increased neural activation during picture encoding and retrieval in 60-year-olds compared to 20-year-olds. 2010 , 48, 2188-97	15
1088	Mental state attribution and the temporoparietal junction: an fMRI study comparing belief, emotion, and perception. 2010 , 48, 2528-36	43
1087	Having a body versus moving your body: neural signatures of agency and body-ownership. 2010 , 48, 2740-9	257
1086	Atypical network connectivity for imitation in autism spectrum disorder. 2010 , 48, 2931-9	86
1085	Top-down control of MEG alpha-band activity in children performing Categorical N-Back Task. 2010 , 48, 3573-9	14

1084	The default network and processing of personally relevant information: converging evidence from task-related modulations and functional connectivity. 2010 , 48, 3815-23	41
1083	Resting brain activity: differences between genders. 2010 , 48, 3918-25	57
1082	Using perfusion MRI to measure the dynamic changes in neural activation associated with tonic muscular pain. 2010 , 148, 375-386	63
1081	Exploring the brain in pain: activations, deactivations and their relation. 2010 , 148, 257-267	160
1080	Reduced task-related suppression during semantic repetition priming in schizophrenia. 2010 , 181, 114-20	33
1079	MRI-related anxiety levels change within and between repeated scanning sessions. 2010 , 182, 160-4	38
1078	Escitalopram attenuates posterior cingulate activity during self-evaluation in healthy volunteers. 2010 , 182, 81-7	18
1077	Volumetric cerebral perfusion imaging in healthy adults: regional distribution, laterality, and repeatability of pulsed continuous arterial spin labeling (PCASL). 2010 , 182, 266-73	54
1076	Structural and functional imaging approaches in attention deficit/hyperactivity disorder: does the temporal lobe play a key role?. 2010 , 183, 230-6	92
1075	Functional connectivity between ventral prefrontal cortex and amygdala at low frequency in the resting state in bipolar disorder. 2010 , 182, 207-10	137
1074	[Regional effects of age and sex in magnetic resonance spectroscopy]. 2010 , 52, 342-50	3
1073	Modulating spontaneous brain activity using repetitive transcranial magnetic stimulation. 2010 , 11, 145	58
1072	What is the value of human FMRI in CNS drug development?. 2010 , 15, 973-80	32
1071	Semantic domain-specific functional integration for action-related vs. abstract concepts. 2010 , 112, 223-32	32
1070	Functional connectivity between brain regions involved in learning words of a new language. 2010 , 113, 21-7	66
1069	Alterations of resting state functional connectivity in the default network in adolescents with autism spectrum disorders. 2010 , 1313, 202-14	316
1068	Altered local coherence in the default mode network due to sevoflurane anesthesia. 2010 , 1318, 110-21	68
1067	Alterations in regional homogeneity of resting-state brain activity in autism spectrum disorders. 2010 , 1321, 169-79	209

1066	Altered spontaneous neuronal activity of the default-mode network in mesial temporal lobe epilepsy. 2010 , 1323, 152-60	172
1065	Altered spontaneous low frequency brain activity in attention deficit/hyperactivity disorder. 2010 , 1322, 134-43	75
1064	Neural mechanisms of repetition priming of familiar and globally unfamiliar visual objects. 2010 , 1343, 122-34	17
1063	Encoding of visual-spatial information in working memory requires more cerebral efforts than retrieval: Evidence from an EEG and virtual reality study. 2010 , 1347, 80-9	48
1062	Neurodynamics of an election. 2010 , 1351, 198-211	6
1061	The effects of acupuncture on the brain networks for emotion and cognition: an observation of gender differences. 2010 , 1362, 56-67	34
1060	How and when the fMRI BOLD signal relates to underlying neural activity: the danger in dissociation. 2010 , 62, 233-44	201
1059	Increased neural resources recruitment in the intrinsic organization in major depression. 2010 , 121, 220-30	176
1058	The Future of Educational Neuroscience. 2010 , 4, 68-80	73
1057	Electroencephalographic Coherence and Learning: Distinct Patterns of Change During Word Learning and Figure Learning Tasks. 2010 , 4, 208-218	2
1056	Evaluation of a quantitative blood oxygenation level-dependent (qBOLD) approach to map local blood oxygen saturation. 2011 , 24, 393-403	64
1055	Reduced functional coupling in the default-mode network during self-referential processing. 2010 , 31, 1117-27	77
1054	Brain responses to success and failure: Direct recordings from human cerebral cortex. 2010 , 31, 1217-32	24
1053	The volatility of the amygdala response to masked fearful eyes. 2010 , 31, 1601-8	25
1052	fMRI study of mesial temporal lobe epilepsy using amplitude of low-frequency fluctuation analysis. 2010 , 31, 1851-61	145
1051	Overall brain connectivity maps show cortico-subcortical abnormalities in schizophrenia. 2010 , 31, 2003-14	113
1050	Is the ADHD brain wired differently? A review on structural and functional connectivity in attention deficit hyperactivity disorder. 2010 , 31, 904-16	406
1049	Functional phenotyping of successful aging in long-term memory: Preserved performance in the absence of neural compensation. 2011 , 21, 803-14	60

1048	What are we missing here? Brain imaging evidence for higher cognitive functions in primary visual cortex V1. 2010 , 20, 131-139	64
1047	Effects of the BDNF val66met polymorphism on prefrontal brain function in a population at high genetic risk of schizophrenia. 2010 , 153B, 1474-82	11
1046	A phase I trial of deep brain stimulation of memory circuits in Alzheimer's disease. 2010 , 68, 521-34	549
1045	Analysis of functional networks involved in motor execution and motor imagery using combined hierarchical clustering analysis and independent component analysis. 2010 , 28, 653-60	5
1044	Is subcortical-cortical midline activity in depression mediated by glutamate and GABA? A cross-species translational approach. 2010 , 34, 592-605	115
1043	Reliable differences in brain activity between young and old adults: a quantitative meta-analysis across multiple cognitive domains. 2010 , 34, 1178-94	234
1042	Spatiotemporal BOLD dynamics from a poroelastic hemodynamic model. 2010 , 265, 524-34	38
1041	MR connectomics: Principles and challenges. 2010 , 194, 34-45	218
1040	Mapping resting-state brain networks in conscious animals. 2010 , 189, 186-96	105
1039	Fully exploratory network ICA (FENICA) on resting-state fMRI data. 2010 , 192, 207-13	49
1038	Functional epileptic network in left mesial temporal lobe epilepsy detected using resting fMRI. 2010 , 88, 168-78	45
1037	Generalized spike-wave discharges involve a default mode network in patients with juvenile absence epilepsy: a MEG study. 2010 , 89, 176-84	39
1036	Cerebral blood flow differences between long-term meditators and non-meditators. 2010 , 19, 899-905	59
1035	Neurophysiologische Korrelate der Wirkung von YNSA bei Patienten mit chronischen Schmerzen des Bewegungsapparates. 2010 , 53, 8-13	
1034	On consciousness, resting state fMRI, and neurodynamics. 2010 , 4 Suppl 1, S9	12
1033	Differences in brain structure and function in older adults with self-reported disabling and nondisabling chronic low back pain. 2010 , 11, 1183-97	42
1032	NIRS-measured oxy- and deoxyhemoglobin changes associated with EEG spike-and-wave discharges in a genetic model of absence epilepsy: the GAERS. 2010 , 51, 1374-84	24
1031	BOLD signal changes preceding negative responses in EEG-fMRI in patients with focal epilepsy. 2010 , 51, 1837-45	45

1030	The orchestration of conscious experience by subcortical structures. 2010 , 85, 281-99	3
1029	Modulation of cortical activity in patients suffering from upper arm spasticity following stroke and treated with botulinum toxin A: an fMRI study. 2010 , 20, 9-15	29
1028	Default mode network connectivity as a predictor of post-traumatic stress disorder symptom severity in acutely traumatized subjects. 2010 , 121, 33-40	206
1027	Regional P-glycoprotein activity and inhibition at the human blood-brain barrier as imaged by positron emission tomography. 2010 , 87, 579-85	51
1026	The 20 W sleep-walkers. 2010 , 11, 2	2
1025	Medial prefrontal cortex pathology in schizophrenia as revealed by convergent findings from multimodal imaging. 2010 , 15, 823-30	142
1024	Evaluating self-generated decisions in frontal pole cortex of monkeys. 2010 , 13, 120-6	124
1023	A functional magnetic resonance imaging study of the effect of sacral neuromodulation on brain responses in women with Fowler's syndrome. 2010 , 105, 366-72	72
1022	Cultural Neuroscience. 2010 , 13, 72-82	54
1021	Brain systems underlying anxiety disorders: a view from neuroimaging. 192-203	7
1020	Long-lasting effects of childhood abuse on neurobiology. 166-177	2
1019	Human Biology, Energetics, and the Human Brain. 425-438	5
1018	Functional imaging of schizophrenia. 30-47	
1017	Functional imaging of major depression. 151-169	
1016	A figyelmi rendszerek fejlődése. 2010 , 30, 77-87	1
1015	Fractal complexity in spontaneous EEG metastable-state transitions: new vistas on integrated neural dynamics. 2010 , 1, 128	55
1014	Beyond dopamine: functional MRI predictors of responsiveness to cognitive behaviour therapy for psychosis. 2010 , 4, 4	19
1013	The neural substrates of subjective time dilation. 2010 , 4, 2	53

1012	Age-related changes in processing speed: unique contributions of cerebellar and prefrontal cortex. 2010 , 4, 10	104
1011	A cognitive training intervention increases resting cerebral blood flow in healthy older adults. 2010 , 4, 16	93
1010	Age differences in default mode activity on easy and difficult spatial judgment tasks. 2010 , 3, 75	73
1009	Whole brain resting-state analysis reveals decreased functional connectivity in major depression. 2010 , 4,	341
1008	Hemispheric Asymmetries during Processing of Immoral Stimuli. 2010 , 2, 110	11
1007	Mal-adaptation of event-related EEG responses preceding performance errors. 2010 , 4,	39
1006	The Saccadic Re-Centering Bias is Associated with Activity Changes in the Human Superior Colliculus. 2010 , 4, 193	14
1005	Cognitive control signals in posterior cingulate cortex. 2010 , 4, 223	37
1004	Diverting attention suppresses human amygdala responses to faces. 2010 , 4, 226	21
1003	Deconstructing the "resting" state: exploring the temporal dynamics of frontal alpha asymmetry as an endophenotype for depression. 2010 , 4, 232	50
1002	Conditional mutual information maps as descriptors of net connectivity levels in the brain. 2010 , 4, 115	29
1001	Modular organization of brain resting state networks in chronic back pain patients. 2010 , 4, 116	39
1000	Complementary roles of systems representing sensory evidence and systems detecting task difficulty during perceptual decision making. 2010 , 4, 190	12
999	Resting-state functional connectivity differences in premature children. 2010 , 4,	62
998	Using coherence to measure regional homogeneity of resting-state FMRI signal. 2010 , 4, 24	69
997	Adolescent resting state networks and their associations with schizotypal trait expression. 2010 , 4,	25
996	Is Social Phobia a "Mis-Communication" Disorder? Brain Functional Connectivity during Face Perception Differs between Patients with Social Phobia and Healthy Control Subjects. 2010 , 4, 152	28
995	Effects of Visual Experience on the Human MT+ Functional Connectivity Networks: An fMRI Study of Motion Perception in Sighted and Congenitally Blind Individuals. 2010 , 4, 159	31

994	Prediction of cognitive decline in healthy older adults using fMRI. 2010 , 21, 871-85	50
993	Altered effective connectivity network of the amygdala in social anxiety disorder: a resting-state FMRI study. 2010 , 5, e15238	128
992	High-field FMRI reveals brain activation patterns underlying saccade execution in the human superior colliculus. 2010 , 5, e8691	35
991	Simultaneous EEG-fMRI during a working memory task: modulations in low and high frequency bands. 2010 , 5, e10298	139
990	Default network deactivations are correlated with psychopathic personality traits. 2010 , 5, e12611	30
989	Functional connectivity of the posteromedial cortex. 2010 , 5, e13107	95
988	Intermediate levels of hippocampal activity appear optimal for associative memory formation. 2010 , 5, e13147	5
987	Task-related effects on the temporal and spatial dynamics of resting-state functional connectivity in the default network. 2010 , 5, e13311	87
986	Neuroendocrinology and Neuroimaging Studies of Social Anxiety Disorder. 2010 , 273-312	1
985	Greater default-mode network abnormalities compared to high order visual processing systems in amnesic mild cognitive impairment: an integrated multi-modal MRI study. 2010 , 22, 523-39	19
984	Reduced posterior cingulate mitochondrial activity in expired young adult carriers of the APOE $\epsilon 4$ allele, the major late-onset Alzheimer's susceptibility gene. 2010 , 22, 307-13	118
983	Growth and Development. 377-378	
982	Occipital and parietal lobes. 33-58	
981	Measurement of precuneal and hippocampal volumes using magnetic resonance volumetry in Alzheimer's disease. 2010 , 6, 196-203	30
980	PVT lapses differ according to eyes open, closed, or looking away. 2010 , 33, 197-204	55
979	Clinical applications of resting state functional connectivity. 2010 , 4, 19	745
978	Inferring attitudes from mindwandering. 2010 , 36, 1255-66	17
977	Does brain activity at rest reflect adaptive strategies? Evidence from speech processing after cochlear implantation. 2010 , 20, 1217-22	40

976	Some mental disorders are based on networks, others on latent variables. 2010 , 33, 166-7	2
975	Comorbidity: a network perspective. 2010 , 33, 137-50; discussion 150-93	711
974	Applications of Neuroimaging in Behavioral Medicine. 2010 , 783-802	
973	Neuroimaging of Depression and Other Emotional States. 2010 , 803-819	
972	Human neuroscience and the aging mind: a new look at old problems. 2010 , 65, 405-15	277
971	Default-mode network dysfunction and cognitive impairment in progressive MS. 2010 , 74, 1252-9	251
970	Is there a contradiction between the network and latent variable perspectives?. 2010 , 33, 160-1	5
969	Setting the frame: the human brain activates a basic low-frequency network for language processing. 2010 , 20, 1286-92	62
968	Auditory selective attention to speech modulates activity in the visual word form area. 2010 , 20, 622-32	94
967	The contribution of neuroimaging for the study of cognitive deficits in Parkinson's disease. 2010 , 41, 76-81	6
966	Latent variable models are network models. 2010 , 33, 166	13
965	Functional subdivisions in the left angular gyrus where the semantic system meets and diverges from the default network. 2010 , 30, 16809-17	188
964	Latent variables and the network perspective. 2010 , 33, 150-1	31
963	Functional alterations in brain activation and deactivation in mild cognitive impairment in response to a graded working memory challenge. 2010 , 30, 553-68	37
962	Distinct frontoparietal networks set the stage for later perceptual identification priming and episodic recognition memory. 2010 , 30, 13272-80	20
961	Altered functional connectivity in frontal lobe circuits is associated with variation in the autism risk gene CNTNAP2. 2010 , 2, 56ra80	198
960	Functional connectivity density mapping. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 9885-90	11,5 461
959	A multivariate analysis of age-related differences in default mode and task-positive networks across multiple cognitive domains. 2010 , 20, 1432-47	247

958	Specialization of the rostral prefrontal cortex for distinct analogy processes. 2010 , 20, 2647-59	58
957	Matching mind to world and vice versa: Functional dissociations between belief and desire mental state processing. 2010 , 5, 1-18	32
956	Rapid formation of pragmatic rule representations in the human brain during instruction-based learning. 2010 , 20, 1656-67	103
955	The core network in absence epilepsy. Differences in cortical and thalamic BOLD response. 2010 , 75, 904-11	109
954	Dissociable connectivity within human angular gyrus and intraparietal sulcus: evidence from functional and structural connectivity. 2010 , 20, 2636-46	318
953	Brain Informatics. 2010 ,	2
952	Reading networks at rest. 2010 , 20, 2549-59	105
951	Functional brain imaging in schizophrenia: selected results and methods. 2010 , 4, 181-214	50
950	Short-term effects of antipsychotic treatment on cerebral function in drug-naïve first-episode schizophrenia revealed by "resting state" functional magnetic resonance imaging. 2010 , 67, 783-92	294
949	Advances and pitfalls in the analysis and interpretation of resting-state FMRI data. 2010 , 4, 8	624
948	A role for the intraparietal sulcus in transforming musical pitch information. 2010 , 20, 1350-9	121
947	Abnormal body perception and neural activity in the insula in depression: an fMRI study of the depressed "material me". 2010 , 11, 538-49	92
946	Graph theoretical analysis of functional brain networks during Alzheimer's disease. 2010 ,	1
945	Structural and Functional Brain Abnormalities in Schizophrenia. 2010 , 19, 226-231	77
944	Brain activation in complex partial seizures during switching from a the goal-directed task to a resting state: comparison of fMRI maps to the default mode network. 2010 , 2010, 5685-8	1
943	Functional networks in the anesthetized rat brain revealed by independent component analysis of resting-state FMRI. 2010 , 103, 3398-406	114
942	Suppressing the Mind. 2010 ,	10
941	Abnormal regional brain activity during rest and (anticipated) gastric distension in functional dyspepsia and the role of anxiety: a H(2)(15)O-PET study. 2010 , 105, 913-24	93

940	Intrinsic functional connectivity as a tool for human connectomics: theory, properties, and optimization. 2010 , 103, 297-321		1375
939	Biological markers of the effects of intravenous methylphenidate on improving inhibitory control in cocaine-dependent patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 14455-9	11.5	76
938	Attention to memory and the environment: functional specialization and dynamic competition in human posterior parietal cortex. 2010 , 30, 8445-56		95
937	It's in your eyes--using gaze-contingent stimuli to create truly interactive paradigms for social cognitive and affective neuroscience. 2010 , 5, 98-107		155
936	Expectation-driven changes in cortical functional connectivity influence working memory and long-term memory performance. 2010 , 30, 14399-410		78
935	Altered resting state attentional networks in diabetic neuropathic pain. 2010 , 81, 806-11		96
934	A schizophrenia risk gene, ZNF804A, influences neuroanatomical and neurocognitive phenotypes. 2010 , 35, 2284-91		78
933	Ultrafast method for mapping local functional connectivity hubs in the human brain. 2010 , 2010, 4274-7		11
932	A synergistic view of autonomous cognitive systems. 2010 ,		3
931	Divergent network connectivity changes in behavioural variant frontotemporal dementia and Alzheimer's disease. 2010 , 133, 1352-67		707
930	Differential involvement of excitatory and inhibitory neurons of cat motor cortex in coincident spike activity related to behavioral context. 2010 , 30, 8048-56		12
929	Resting state networks change in clinically isolated syndrome. 2010 , 133, 1612-21		194
928	Genetic control over the resting brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 1223-8	11.5	362
927	White matter maturation reshapes structural connectivity in the late developing human brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 19067-72	11.5	486
926	Switching between executive and default mode networks in posttraumatic stress disorder: alterations in functional connectivity. 2010 , 35, 258-66		98
925	Default network connectivity reflects the level of consciousness in non-communicative brain-damaged patients. 2010 , 133, 161-71		574
924	Brain noise is task dependent and region specific. 2010 , 104, 2667-76		99
923	Effects of treatment for tobacco dependence on resting cerebral glucose metabolism. 2010 , 35, 605-12		15

922	Treatment with olanzapine is associated with modulation of the default mode network in patients with Schizophrenia. 2010 , 35, 904-12	153
921	Cerebral Correlates of Amygdala Responses During Non-Conscious Perception of Facial Affect in Adolescent and Pre-Adolescent Children. 2010 , 1, 33-43	6
920	Topographic maps of multisensory attention. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 20110-4	11.5 64
919	Reduced functional connectivity in a right-hemisphere network for volitional ocular motor control in schizophrenia. 2010 , 133, 625-37	35
918	The brain's shared circuits of interpersonal understanding: implications for psychoanalysis and psychodynamic psychotherapy. 2010 , 38, 381-411	4
917	Effects of duloxetine treatment on brain response to painful stimulation in major depressive disorder. 2010 , 35, 2305-17	52
916	Going their separate ways: dissociation of hippocampal and dorsolateral prefrontal activation during episodic retrieval and post-retrieval processing. 2010 , 22, 513-25	21
915	Event Perception. 2010 , 53, 253-299	14
914	Resting brain connectivity: changes during the progress of Alzheimer disease. 2010 , 256, 598-606	222
913	Decreased default mode neural modulation with age in schizophrenia. 2010 , 18, 897-907	13
912	Functional connectivity in late-life depression using resting-state functional magnetic resonance imaging. 2010 , 18, 643-51	67
911	Individual Differences in Working Memory and Higher-Ordered Processing: The Commentaries. 2010 , 419-436	
910	Quantification of indirect pathway inhibition by the adenosine A2a antagonist SYN115 in Parkinson disease. 2010 , 30, 16284-92	72
909	Patterns of brain activity supporting autobiographical memory, prospection, and theory of mind, and their relationship to the default mode network. 2010 , 22, 1112-23	678
908	The influence of rest period instructions on the default mode network. 2010 , 4, 218	37
907	Topographic electrophysiological signatures of FMRI Resting State Networks. 2010 , 5, e12945	117
906	The unrested resting brain: sleep deprivation alters activity within the default-mode network. 2010 , 22, 1637-48	106
905	Exploring the electrophysiological correlates of the default-mode network with intracerebral EEG. 2010 , 4, 27	86

904	Amyloid plaques disrupt resting state default mode network connectivity in cognitively normal elderly. 2010 , 67, 584-7	421
903	Baseline brain perfusion and the serotonin transporter promoter polymorphism. 2010 , 67, 317-22	33
902	Attentional control activation relates to working memory in attention-deficit/hyperactivity disorder. 2010 , 67, 632-40	100
901	Auditory hallucinations in schizophrenia are associated with reduced functional connectivity of the temporo-parietal area. 2010 , 67, 912-8	204
900	Striatal dysfunction marks preexisting risk and medial prefrontal dysfunction is related to problem drinking in children of alcoholics. 2010 , 68, 287-95	80
899	Atypical default network connectivity in youth with attention-deficit/hyperactivity disorder. 2010 , 68, 1084-91	266
898	The SNAP25 gene is linked to working memory capacity and maturation of the posterior cingulate cortex during childhood. 2010 , 68, 1120-5	51
897	Altered function and connectivity of the medial frontal cortex in pediatric obsessive-compulsive disorder. 2010 , 68, 1039-47	114
896	A comparative study of different references for EEG default mode network: the use of the infinity reference. 2010 , 121, 1981-91	149
895	Amplitude of low-frequency oscillations in schizophrenia: a resting state fMRI study. 2010 , 117, 13-20	349
894	Disturbed sexual dimorphism of brain activation during mental rotation in schizophrenia. 2010 , 122, 53-62	41
893	Aberrant salience network (bilateral insula and anterior cingulate cortex) connectivity during information processing in schizophrenia. 2010 , 123, 105-15	171
892	A CCA+ICA based model for multi-task brain imaging data fusion and its application to schizophrenia. 2010 , 51, 123-34	73
891	Can structure predict function in the human brain?. 2010 , 52, 766-76	419
890	Spontaneous brain activity and EEG microstates. A novel EEG/fMRI analysis approach to explore resting-state networks. 2010 , 52, 1149-61	235
889	Neural correlates of stimulus-invariant decisions about motion in depth. 2010 , 51, 329-35	10
888	Association of individual resting state EEG alpha frequency and cerebral blood flow. 2010 , 51, 365-72	101
887	Separating distinct aspects of the voluntary selection between response alternatives: N2- and P3-related BOLD responses. 2010 , 51, 356-64	40

886	Intrinsic connectivity between the hippocampus and posteromedial cortex predicts memory performance in cognitively intact older individuals. 2010 , 51, 910-7	201
885	Development of functional and structural connectivity within the default mode network in young children. 2010 , 52, 290-301	381
884	COMT Val158Met polymorphism in relation to activation and de-activation in the prefrontal cortex: A study in patients with schizophrenia and healthy subjects. 2010 , 53, 899-907	21
883	Practice effects in the brain: Changes in cerebral activation after working memory practice depend on task demands. 2010 , 52, 658-68	87
882	Modality-specific and modality-independent components of the human imagery system. 2010 , 52, 677-85	94
881	Selective aberrant functional connectivity of resting state networks in social anxiety disorder. 2010 , 52, 1549-58	235
880	Hippocampal-cortical structural connectivity disruptions in schizophrenia: an integrated perspective from hippocampal shape, cortical thickness, and integrity of white matter bundles. 2010 , 52, 1181-9	57
879	Reactivity of hemodynamic responses and functional connectivity to different states of alpha synchrony: a concurrent EEG-fMRI study. 2010 , 52, 1252-60	95
878	Imaging haemodynamic changes related to seizures: comparison of EEG-based general linear model, independent component analysis of fMRI and intracranial EEG. 2010 , 53, 196-205	64
877	Abnormal functional connectivity of default mode sub-networks in autism spectrum disorder patients. 2010 , 53, 247-56	462
876	Enhancing creativity by means of cognitive stimulation: evidence from an fMRI study. 2010 , 52, 1687-95	193
875	Dependence of the negative BOLD response on somatosensory stimulus intensity. 2010 , 53, 189-95	50
874	Slow EEG pattern predicts reduced intrinsic functional connectivity in the default mode network: an inter-subject analysis. 2010 , 53, 239-46	77
873	Default network activity, coupled with the frontoparietal control network, supports goal-directed cognition. 2010 , 53, 303-17	781
872	Alcohol increases spontaneous BOLD signal fluctuations in the visual network. 2010 , 53, 534-43	51
871	Engagement of large-scale networks is related to individual differences in inhibitory control. 2010 , 53, 653-63	133
870	Dissociating mental states related to doing nothing by means of fMRI pattern classification. 2010 , 53, 1294-300	6
869	Distinct functional connectivity associated with lateral versus medial rostral prefrontal cortex: a meta-analysis. 2010 , 53, 1359-67	66

868	The episodic memory system: neurocircuitry and disorders. 2010 , 35, 86-104	362
867	Altered resting-state connectivity in subjects at ultra-high risk for psychosis: an fMRI study. 2010 , 6, 58	100
866	Normal development of brain circuits. 2010 , 35, 147-68	761
865	Canonical Correlation Analysis for Data Fusion and Group Inferences: Examining applications of medical imaging data. 2010 , 27, 39-50	174
864	Correlaciones neurofisiológicas de la acción de la YNSA en pacientes con dolores crónicos del aparato locomotor. 2010 , 4, 130-135	
863	Regional effects of age and sex in magnetic resonance spectroscopy. 2010 , 52, 342-350	2
862	Regional brain activity in functional dyspepsia: a H(2)(15)O-PET study on the role of gastric sensitivity and abuse history. 2010 , 139, 36-47	70
861	Social Cognitive Neuroscience. 2010 ,	48
860	A Few Suggestions about Suggestion, Psychoanalysis, and Neuroscience. 2010 , 12, 32-34	1
859	Prediction of individual brain maturity using fMRI. 2010 , 329, 1358-61	1424
858	Deriving difference between the Bayesian networks based patterns of the effective connectivity using permutation test in fMRI studies. 2010 ,	1
857	Spatial remapping of cortico-striatal connectivity in Parkinson's disease. 2010 , 20, 1175-86	317
856	Resting state functional connectivity of the whole head with near-infrared spectroscopy. 2010 , 1, 324-336	125
855	Functional neuroimaging of duration discrimination on two different time scales. 2010 , 469, 411-5	10
854	Impairments in cognition and resting-state connectivity of the hippocampus in elderly subjects with type 2 diabetes. 2010 , 473, 5-10	100
853	Functional connectivity in fronto-subcortical circuitry during the resting state in obsessive-compulsive disorder. 2010 , 474, 158-162	93
852	What does delta band tell us about cognitive processes: a mental calculation study. 2010 , 483, 11-5	59
851	Brain resting state is disrupted in chronic back pain patients. 2010 , 485, 26-31	138

850	Morphology and dynamic repertoire of EEG short-term spectral patterns in rest: explorative study. 2010 , 66, 299-312	4
849	Topographic mapping of rapid transitions in EEG multiple frequencies: EEG frequency domain of operational synchrony. 2010 , 68, 207-24	12
848	Alpha rhythm operational architectonics in the continuum of normal and pathological brain states: current state of research. 2010 , 76, 93-106	24
847	Lapses in sustained attention and their relation to executive control and fluid abilities: An individual differences investigation. 2010 , 38, 111-122	120
846	The resting state questionnaire: An introspective questionnaire for evaluation of inner experience during the conscious resting state. 2010 , 81, 565-73	117
845	Specific role of medial prefrontal cortex in retrieving recent autobiographical memories: an fMRI study of young female subjects. 2010 , 46, 29-39	37
844	Sustained activity within the default mode network during an implicit memory task. 2010 , 46, 354-66	21
843	Age-related changes in prefrontal cortex activity are associated with behavioural deficits in both temporal and spatial context memory retrieval in older adults. 2010 , 46, 535-49	77
842	[Neuro-anatomic activations of prepotent responses in schizophrenia in Hayling's task]. 2010 , 36, 277-84	7
841	[Hallucinations, consciousness and psychosis]. 2010 , 36, 348-54	2
840	Effects of acupuncture on the brain hemodynamics. 2010 , 157, 74-80	36
839	What has fMRI told us about the development of cognitive control through adolescence?. 2010 , 72, 101-13	568
838	Deactivation in the sensorimotor area during observation of a human agent performing robotic actions. 2010 , 72, 394-9	31
837	Neuroimaging and neuroenergetics: brain activations as information-driven reorganization of energy flows. 2010 , 72, 449-56	18
836	Alteration of resting brain function by genetic variation in angiotensin converting enzyme in amnesic-type mild cognitive impairment of Chinese Han. 2010 , 208, 619-25	21
835	EEG-fMRI reciprocal functional neuroimaging. 2010 , 121, 1240-50	23
834	Alpha-gamma interactions are disturbed in schizophrenia: a fusion of electroencephalography and functional magnetic resonance imaging. 2010 , 121, 1427-1437	23
833	The brain and its resting state activity--experimental and methodological implications. 2010 , 92, 593-600	68

832	Age-related alterations in default mode network: impact on working memory performance. 2010 , 31, 839-52	364
831	Enhanced brain correlations during rest are related to memory for recent experiences. 2010 , 65, 280-90	382
830	The development of human functional brain networks. 2010 , 67, 735-48	543
829	Neural syntax: cell assemblies, synapsembles, and readers. 2010 , 68, 362-85	748
828	The functional neurophysiology of the amyloid precursor protein (APP) processing pathway. 2010 , 59, 243-67	50
827	I know the pain you feel-how the human brain's default mode predicts our resonance to another's suffering. 2010 , 169, 143-8	41
826	Interacting noradrenergic and corticosteroid systems shift human brain activation patterns during encoding. 2010 , 93, 56-65	131
825	Reliability of cortical activity during natural stimulation. 2010 , 14, 40-8	379
824	Two views of brain function. 2010 , 14, 180-90	734
823	Large-scale brain networks in cognition: emerging methods and principles. 2010 , 14, 277-90	1510
822	Cognitive neuroscience 2.0: building a cumulative science of human brain function. 2010 , 14, 489-96	139
821	Rest-stimulus interaction in the brain: a review. 2010 , 33, 277-84	197
820	Neurofeedback treatment in autism. Preliminary findings in behavioral, cognitive, and neurophysiological functioning. 2010 , 4, 386-399	54
819	Thalamic activation and cortical deactivation during typical absence status monitored using [18F]FDG-PET: a case report. 2010 , 19, 198-201	11
818	EEG-fMRI study of generalized spike and wave discharges without transitory cognitive impairment. 2010 , 18, 313-6	32
817	Loss of 'small-world' networks in Alzheimer's disease: graph analysis of FMRI resting-state functional connectivity. 2010 , 5, e13788	434
816	Simulation, conversion ou majoration? Évolution des explorations fonctionnelles. Discussion à propos d'un cas en rééducation. 2010 , 168, 306-310	2
815	Dissociating the roles of the default-mode, dorsal, and ventral networks in episodic memory retrieval. 2010 , 50, 1648-57	190

814	Identifying the brain's most globally connected regions. 2010 , 49, 3132-48	407
813	Exploring the brain network: a review on resting-state fMRI functional connectivity. 2010 , 20, 519-34	1915
812	First episode drug-naïve major depressive disorder with panic disorder: gray matter deficits in limbic and default network structures. 2010 , 20, 676-82	83
811	Dopaminergic modulation of the default mode network in Parkinson's disease. 2010 , 20, 784-92	87
810	Sources of group differences in functional connectivity: an investigation applied to autism spectrum disorder. 2010 , 49, 401-14	148
809	Altered brain response without behavioral attention deficits in healthy siblings of schizophrenic patients: an event-related fMRI study. 2010 , 49, 1080-90	25
808	Overlapping brain activity between episodic memory encoding and retrieval: roles of the task-positive and task-negative networks. 2010 , 49, 1045-54	105
807	Independent component analysis reveals dynamic ictal BOLD responses in EEG-fMRI data from focal epilepsy patients. 2010 , 49, 366-78	57
806	Independent component analysis of short-time Fourier transforms for spontaneous EEG/MEG analysis. 2010 , 49, 257-71	116
805	A neural measure of behavioral engagement: task-residual low-frequency blood oxygenation level-dependent activity in the precuneus. 2010 , 49, 1911-8	52
804	Taking a gamble or playing by the rules: dissociable prefrontal systems implicated in probabilistic versus deterministic rule-based decisions. 2010 , 49, 1810-9	27
803	Unconsciously deciphering handwriting: subliminal invariance for handwritten words in the visual word form area. 2010 , 49, 1786-99	55
802	The oscillating brain: complex and reliable. 2010 , 49, 1432-45	911
801	Cognitive control of drug craving inhibits brain reward regions in cocaine abusers. 2010 , 49, 2536-43	221
800	When less is more: TPJ and default network deactivation during encoding predicts working memory performance. 2010 , 49, 2638-48	217
799	K-space reconstruction of magnetic resonance inverse imaging (K-InI) of human visuomotor systems. 2010 , 49, 3086-98	22
798	A pilot multivariate parallel ICA study to investigate differential linkage between neural networks and genetic profiles in schizophrenia. 2010 , 53, 1007-15	47
797	Continuous EEG source imaging enhances analysis of EEG-fMRI in focal epilepsy. 2010 , 49, 3219-29	54

796	Localization of cerebral functional deficits in treatment-naïve, first-episode schizophrenia using resting-state fMRI. 2010 , 49, 2901-6	120
795	Learning to appreciate others: neural development of cognitive perspective taking. 2010 , 50, 837-46	27
794	Impairment and compensation coexist in amnesic MCI default mode network. 2010 , 50, 48-55	243
793	Learning second language vocabulary: neural dissociation of situation-based learning and text-based learning. 2010 , 50, 802-9	40
792	Modulation by EEG features of BOLD responses to interictal epileptiform discharges. 2010 , 50, 15-26	29
791	Computational and dynamic models in neuroimaging. 2010 , 52, 752-65	102
790	Attractors and noise: twin drivers of decisions and multistability. 2010 , 52, 740-51	87
789	Trait dialectical thinking is associated with the strength of functional coupling between the dACC and the default mode network.. 2022 , 1	
788	Neuroimaging in bipolar disorder and schizophrenia. 2022 , 171-191	
787	Resting-state network activity revealed by EEG in unresponsive hospice patients at the end of life.. 2021 ,	
786	Subregions of DLPFC display graded yet distinct structural and functional connectivity.. 2022 ,	1
785	Trouble du spectre de l'autisme : La remédiation cognitive "Bride du programme MIO" , le cas de Zohra. 2022 , 1, 112-131	
784	Investigating Structure-Function Connectivity in a Patient With Locked-in Syndrome by 7 T Magnetic Resonance Imaging: A Case Report.. 2022 ,	1
783	Meta-analytic evidence for downregulation of the amygdala during working memory maintenance.. 2022 ,	
782	Reconfiguration of Cortical Brain Network from Searching to Spotting for Dynamic Visual Targets.. 2022 , 109577	0
781	A computational model of neurodegeneration in Alzheimer's disease.. 2022 , 13, 1643	3
780	Brain Network Topology and Structural-Functional Connectivity Coupling Mediate the Association Between Gut Microbiota and Cognition.. 2022 , 16, 814477	0
779	Whole brain network analysis of neural synchrony and information flow during transition from wakefulness to light non-rapid eye movement sleep.	0

778	Reduced Precision Underwrites Ego Dissolution and Therapeutic Outcomes Under Psychedelics.. 2022 , 16, 827400	0
777	The relationships between dynamic resting-state networks and social behavior in autism spectrum disorder revealed by fuzzy entropy-based temporal variability analysis of large-scale network.. 2022 , ,	0
776	Social cognitive network neuroscience.. 2022 ,	2
775	Exploring behavioural and cognitive dysexecutive syndrome in patients with focal prefrontal cortex damage.. 2022 , 1-21	
774	DyNAmiC: A prospective longitudinal study of dopamine and brain connectomes: A new window into cognitive aging.. 2022 ,	0
773	Decoding cognition from spontaneous neural activity.. 2022 ,	2
772	Integrated Functional Neuroimaging, Monoamine Neurotransmitters, and Behavioral Score on Depressive Tendency in Intensive Care Unit Medical Staffs Induced by Sleep Deprivation After Night Shift Work.. 2022 , 13, 848709	1
771	The neural correlates of amplitude of low-frequency fluctuation: a multimodal resting-state MEG and fMRI-EEG study.. 2022 ,	0
770	Research on user experience of the video game difficulty based on flow theory and fNIRS. 1-17	0
769	Overview of (f)MRI Studies of Cognitive Aging for Non-Experts: Looking through the Lens of Neuroimaging.. 2022 , 12,	0
768	A meta-analysis on neural changes of cognitive training for mental disorders in executive function tasks: increase or decrease brain activation?. 2022 , 22, 155	2
767	Impairments of glutamatergic synaptic transmission in Alzheimer's disease.. 2022 ,	0
766	Study of extravisual resting-state networks in pituitary adenoma patients with vision restoration.. 2022 , 23, 15	
765	Decision Making as a Learned Skill in Mice and Humans.. 2022 , 16, 834701	0
764	Bipartite functional fractionation within the neural system for social cognition supports the psychological continuity of self versus other.. 2022 ,	
763	Grey matter correlates of affective and somatic symptoms of premenstrual dysphoric disorder.. 2022 , 12, 5996	1
762	Exploring neural correlates of behavioral and academic resilience among children in poverty.. 2022 , 54, 101090	0
761	Coexistence of the social semantic effect and non-semantic effect in the default mode network.. 2022 , 1	0

- 760 Cortical Myelination in Toddlers and Preschoolers with Autism Spectrum Disorder.. **2022**, 0
- 759 Patience is a virtue: Individual differences in cue-evoked pupil responses under temporal certainty.. **2022**, 1 0
- 758 A Comparative Study of Regional Homogeneity of Resting-State fMRI Between the Early-Onset and Late-Onset Recurrent Depression in Adults.. **2022**, 13, 849847 0
- 757 Neural network of bipolar disorder: Toward integration of neuroimaging and neurocircuit-based treatment strategies.. **2022**, 12, 143 0
- 756 Altered temporal variability in brain functional connectivity identified by fuzzy entropy underlines schizophrenia deficits.. **2022**, 148, 315-324 0
- 755 From a Demand-Based to a Supply-Limited Framework of Brain Metabolism.. **2022**, 16, 818685 1
- 754 Amplitude of Low-Frequency Fluctuation With Different Clinical Outcomes in Patients With Generalized Tonic-Clonic Seizures.. **2022**, 13, 847366 0
- 753 Path Analysis: A Method to Estimate Altered Pathways in Time-varying Graphs of Neuroimaging Data. 1-45 0
- 752 Altered intrinsic brain activity in patients with CSF1R-related leukoencephalopathy.. **2022**, 1
- 751 The mouse claustrum synaptically connects cortical network motifs. 0
- 750 The Brain Is Adaptive Not Triune: How the Brain Responds to Threat, Challenge, and Change.. **2022**, 13, 802606 1
- 749 Investigating the role of future thinking in a case of highly superior autobiographical memory.. **2022**, 149, 188-201 1
- 748 Brain-heart interactions are optimized across the respiratory cycle via interoceptive attention.
- 747 Volume of the posterior hippocampus mediates age-related differences in spatial context memory and is correlated with increased activity in lateral frontal, parietal and occipital regions in healthy aging.. **2022**, 119164 1
- 746 Changes in pairwise functional connectivity associated with changes in cognitive performance in cognitively normal older individuals: a two-year observational study.. **2022**, 136618 1
- 745 Frequency-domain analysis of fNIRS fluctuations induced by rhythmic mental arithmetic.. **2022**, e14063 0
- 744 Altered brain network topology in children with Auditory Processing Disorder: a resting-state multi-echo fMRI study.
- 743 Extended functional connectivity of convergent structural alterations among individuals with PTSD: A neuroimaging meta-analysis. 0

- 742 Resting-state fMRI Functional Connectivity and Mindfulness in Clinical and Non-clinical Contexts: A Review and Synthesis.. **2022**, 104583 1
- 741 Multimodal brain deficits shared in early-onset and adult-onset schizophrenia predict positive symptoms regardless of illness stage.. **2022**,
- 740 Large-scale distributed networks and cerebral hemispheres.. **2022**, 152, 53-58 0
- 739 A New Method on Construction of Brain Effective Connectivity Based on Functional Magnetic Resonance Imaging.. **2022**, 2022, 4542106
- 738 Abnormal regional spontaneous brain activities in white matter in patients with autism spectrum disorder.. **2022**, 0
- 737 Increased prefrontal cortex connectivity associated with depression vulnerability and relapse.. **2022**, 304, 133-141 1
- 736 Deep neural networks reveal topic-level representations of sentences in medial prefrontal cortex, lateral anterior temporal lobe, precuneus, and angular gyrus.. **2022**, 251, 119005 2
- 735 Enhanced semantic memory in a case of highly superior autobiographical memory.. **2022**, 151, 1-14
- 734 Asthma induces psychiatric impairments in association with default mode and salience networks alteration: A resting-state EEG study.. **2022**, 300, 103870 1
- 733 Altered functional connectivity between brain structures in adults with type 1 diabetes and polyneuropathy.. **2022**, 147882 1
- 732 Functional connectivity patterns of trait empathy are associated with age.. **2022**, 159, 105859 0
- 731 The overlapping modular organization of human brain functional networks across the adult lifespan.. **2022**, 253, 119125 0
- 730 Across the adult lifespan the ipsilateral sensorimotor cortex negative BOLD response exhibits decreases in magnitude and spatial extent suggesting declining inhibitory control.. **2022**, 119081 0
- 729 Comparison of domain specific connectivity metrics for estimation brain network indices in boys with ADHD-C. **2022**, 76, 103626 0
- 728 Exploring neural correlates of behavioral and academic resilience among children in poverty.
- 727 Decreased Neural Connectivity in the Default Mode Network Among Youth and Young Adults With Chronic Kidney Disease.. **2021**, 41, 455-461 2
- 726 Trust and Learning. **2021**, 185-218
- 725 Neuropsychological Level of Trust. **2021**, 99-218

724	Attention networks and the intrinsic network structure of the human brain. 2021 ,	5
723	Test-Retest Reliability of Synchrony and Metastability in Resting State fMRI.. 2021 , 12,	0
722	Neuroimaging alterations in dementia with Lewy bodies and neuroimaging differences between dementia with Lewy bodies and Alzheimer's disease: An activation likelihood estimation meta-analysis. 2021 ,	2
721	Personal Meaning and Solving Creative Tasks: Contemporary Neurocognitive Studies. 2021 , 48, 406-414	0
720	Reduced learning of sound categories in dyslexia is associated with reduced regularity-induced auditory cortex adaptation.. 2021 ,	0
719	The effect of obstructed action efficacy on reward-based decision-making in healthy adolescents: a novel functional MRI task to assay frustration.. 2021 , 1	0
718	Neuroimaging. 2021 , 741-769	
717	Conceptual Design of a Creative Artificial Intelligence System Based on the Neurocognitive Bases of Human Creativity in the Brain. 1-22	1
716	Learning to diagnose X-rays: a neuroscientific study of practice-related activation changes in the prefrontal cortex. 2021 ,	
715	Experience-dependent plasticity modulates ongoing activity in the antennal lobe and enhances odor representations.. 2021 , 37, 110165	1
714	Correlations Between the DMN and the Smoking Cessation Outcome of a Real-Time fMRI Neurofeedback Supported Exploratory Therapy Approach: Descriptive Statistics on Tobacco-Dependent Patients. 2021 , 15500594211062703	
713	Effects of escitalopram therapy on resting-state functional connectivity of subsystems of the default mode network in unmedicated patients with major depressive disorder.. 2021 , 11, 634	2
712	Brain network coupling associated with cognitive performance varies as a function of a child's environment in the ABCD study. 2021 , 12, 7183	3
711	Brain Model Based on the Canonical Ensemble with Functional MRI: A Thermodynamic Exploration of the Neural System. 2021 , 2021, 1-12	
710	Relationship between Resting-State Alpha Coherence and Cognitive Control in Individuals with Internet Gaming Disorder: A Multimodal Approach Based on Resting-State Electroencephalography and Event-Related Potentials.. 2021 , 11,	1
709	Effective connectivity of LSD-induced ego dissolution.	0
708	Cognitive decline, socioemotional change, or both? How the science of aging can inform future research on sacrificial moral dilemmas.. 2021 , 1-28	0
707	Maladaptive Self-Focused Attention and Default Mode Network Connectivity: A Transdiagnostic Investigation Across Social Anxiety and Body Dysmorphic Disorders. 2021 ,	

- 706 Brain Adaptation to Acute Stress: Effect of Time, Social Buffering, and Nicotinic Cholinergic System.. **2021**, 0
- 705 Temporal Lobe Spikes Affect Distant Intrinsic Connectivity Networks.. **2021**, 12, 746468
- 704 When self comes to a wandering mind: Brain representations and dynamics of self-generated concepts in spontaneous thought.
- 703 A multimodal neuroimaging study investigating resting-state connectivity, glutamate and GABA at 7 T in first-episode psychosis.. **2021**, 46, E702-E710 0
- 702 Neural Changes in Borderline Personality Disorder After Dialectical Behavior Therapy-A Review.. **2021**, 12, 772081 0
- 701 Dynamic Subcortical Modulators of Human Default Mode Network Function.. **2021**, 2
- 700 Functional Subdivisions of the Cerebellum in Naturalistic Paradigm Functional Magnetic Resonance Imaging.. **2021**, 15, 748561
- 699 Perception and propagation of activity through the cortical hierarchy is determined by neural variability. 0
- 698 Delineation of Cerebrocerebellar Networks with MRI Measures of Functional and Structural Connectivity. **2022**, 703-719
- 697 Aberrant Resting-State Functional Connectivity of the Dorsal Attention Network in Tinnitus.. **2021**, 2021, 2804533 0
- 696 Altered Default Mode Network Is Associated With Cognitive Impairment in CADASIL as Revealed by Multimodal Neuroimaging.. **2021**, 12, 735033 1
- 695 Functional connectivity between the habenula and default mode network and its association with the antidepressant effect of ketamine.. **2021**, 0
- 694 Hierarchical Emergent Ontology (HEO). **2022**, 151-245
- 693 Noise and Coherence in Meditation. **2022**, 125-144
- 692 Training allows switching from limited-capacity manipulations to large-capacity perceptual processing.. **2022**,
- 691 The effectiveness of adaptive working memory training on EEG and cognitive performance in Alzheimer disease. **2022**, 26, 19-36
- 690 A Descriptive Review of the Impact of Patient Motion in Early Childhood Resting-State Functional Magnetic Resonance Imaging. **2022**, 12, 1032 0
- 689 High activity and high functional connectivity are mutually exclusive in resting state zebrafish and human brains.. **2022**, 20, 84 0

- 688 Eliciting Implicit Awareness in Alzheimer's Disease and Mild Cognitive Impairment: A Task-Based Functional MRI Study.. **2022**, 14, 816648
- 687 Neural Phenomenon in Musicality: The Interpretation of Dual-Processing Modes in Melodic Perception.. **2022**, 16, 823325
- 686 Involvement of the default mode network under varying levels of cognitive effort.. **2022**, 12, 6303 o
- 685 Abnormal Large-Scale Neuronal Network in High Myopia.. **2022**, 16, 870350 o
- 684 Acting out and enactment: An effort at clarity. 1-15
- 683 An evolutionary gap in primate default mode network organization.. **2022**, 39, 110669 2
- 682 Distributed networks for auditory memory differentially contribute to recall precision.. **2022**, 119227
- 681 Unsupervised Classification Reveals Consistency and Degeneracy in Neural Network Patterns of Emotion.. **2022**, o
- 680 Functional connectivity between mesial temporal and default mode structures may help lateralize surgical temporal lobe epilepsy.. **2022**, 1-11 1
- 679 Visual expertise modulates baseline brain activity: a preliminary resting-state fMRI study using expertise model of radiologists.. **2022**, 23, 24 o
- 678 Sense of agency as synecdoche: Multiple neurobiological mechanisms may underlie the phenomenon summarized as sense of agency.. **2022**, 101, 103307 o
- 677 BOLD fMRI: an update with emphasis on pediatric applications. 281-295
- 676 Data_Sheet_1.DOCX. **2018**,
- 675 DataSheet1.docx. **2018**,
- 674 Image_1.JPEG. **2018**,
- 673 Image_2.JPEG. **2018**,
- 672 Image_3.JPEG. **2018**,
- 671 Table_1.DOCX. **2018**,

670 Image_1.TIF. **2020**,

669 Data_Sheet_1.PDF. **2019**,

668 Data_Sheet_1.docx. **2018**,

667 Table_1.pdf. **2019**,

666 Table_1.XLSX. **2020**,

665 Data_Sheet_1.docx. **2018**,

664 Data_Sheet_2.docx. **2018**,

663 Table_1.docx. **2019**,

662 Table_2.docx. **2019**,

661 Table_3.docx. **2019**,

660 Table_4.docx. **2019**,

659 Table_1.PDF. **2018**,

658 Table_2.xlsx. **2018**,

657 Data_Sheet_1.PDF. **2019**,

656 Data_Sheet_1.pdf. **2020**,

655 Data_Sheet_1.docx. **2018**,

654 Data_Sheet_1.docx. **2018**,

653 Image_1.TIF. **2018**,

652 Image_2.TIF. **2018**,

651 Image_3.TIF. **2018**,

650 Table_1.DOCX. **2018**,

649 Data_Sheet_1.PDF. **2019**,

648 Table_1.pdf. **2019**,

647 Data_Sheet_1.PDF. **2020**,

646 Image_1.JPEG. **2019**,

645 Image_2.JPEG. **2019**,

644 Table_1.DOCX. **2019**,

643 Table_2.DOCX. **2019**,

642 Table_1.docx. **2020**,

641 Data_Sheet_1.doc. **2020**,

640 Video_1.mp4. **2019**,

639 Video_2.mp4. **2019**,

638 Image_1.jpg. **2018**,

637 Image_2.jpg. **2018**,

636 Data_Sheet_1.doc. **2019**,

635 Video_1.WMV. **2019**,

634 Table_1.DOCX. **2018**,

633 Table_1.DOCX. **2020**,

632 Table_1.DOCX. **2019**,

631 Data_Sheet_1.PDF. **2018**,

630 Video_1.WMV. **2018**,

629 Video_2.WMV. **2018**,

628 Data_Sheet_1.PDF. **2018**,

627 Data_Sheet_2.PDF. **2018**,

626 Data_Sheet_3.PDF. **2018**,

625 Data_Sheet_4.PDF. **2018**,

624 Data_Sheet_1.pdf. **2020**,

623 Data_Sheet_1.docx. **2020**,

622 Image_1.TIF. **2019**,

621 Image_1.TIF. **2018**,

620 Image_2.TIF. **2018**,

619 Image_3.TIF. **2018**,

618 Image_4.TIF. **2018**,

617 Image_1.tif. **2018**,

616 Image_2.tif. **2018**,

615 Table_1.docx. **2020**,

614 Table_2.docx. **2020**,

613 Data_Sheet_1.docx. **2018**,

612 Data_Sheet_1.DOCX. **2020**,

611 Image_1.TIF. **2020**,

610 Image_2.TIF. **2020**,

609 Table_1.DOCX. **2020**,

608 Table_2.DOCX. **2020**,

607 Image_1.pdf. **2020**,

606 Table_1.pdf. **2020**,

605 Image_1.JPEG. **2020**,

604 Data_Sheet_1.docx. **2020**,

603 Data_Sheet_1.docx. **2020**,

602 Table_1.DOCX. **2020**,

601 Table_2.docx. **2020**,

600 Table_1.pdf. **2019**,

599 Image_1.TIF. **2018**,

598 Image_2.TIF. **2018**,

597 Table_1.DOCX. **2018**,

596 Table_1.DOCX. **2020**,

595 DataSheet_1.docx. **2020**,

594 DataSheet_1.docx. **2020**,

593 Table1.DOCX. **2018**,

592 Data_Sheet_1.PDF. **2018**,

591 Data_Sheet_2.PDF. **2018**,

590 Data_Sheet_3.PDF. **2018**,

589 Data_Sheet_4.PDF. **2018**,

588 Data_Sheet_5.PDF. **2018**,

587 Image_1.tif. **2020**,

586 Data_Sheet_1.PDF. **2020**,

585 Data_Sheet_1.docx. **2020**,

584 Table_1.doc. **2019**,

583 Table_2.doc. **2019**,

582 Table_1.pdf. **2018**,

581 DataSheet_1.pdf. **2019**,

580 Data_Sheet_1.doc. **2019**,

579 Image_1.tif. **2019**,

578 Image_1.JPEG. **2018**,

577 DataSheet_1.doc. **2020**,

576 Table_1.docx. **2018**,

575 Whole-Brain Modelling: Past, Present, and Future.. **2022**, 1359, 313-355

o

574 Effects of modafinil on electroencephalographic microstates in healthy adults.. **2022**, 1

o

573 Bridging the big (data) gap: levels of control in small- and large-scale cognitive neuroscience research.. **2022**,

o

572 A resting-state fMRI pattern of spinocerebellar ataxia type 3 and comparison with F-FDG PET.. **2022**, 34, 103023

o

571 OUP accepted manuscript.

o

570 OUP accepted manuscript.

o

569 Digital transformation: basic approaches to defining the notion. **2022**, 19, 20-28

568 Altered Brain Function in First-Episode and Recurrent Depression: A Resting-State Functional Magnetic Resonance Imaging Study.. **2022**, 16, 876121

o

567 Identifying the Neural Correlates of Resting State Affect Processing Dynamics. **2022**, 1,

566 Sex-Dependent Structure of Socioemotional Salience, Executive Control, and Default Mode Networks in Preschool-Aged Children with Autism.. **2022**, 119252

o

565 Auricular Transcutaneous Vagus Nerve Stimulation Acutely Modulates Brain Connectivity in Mice.. **2022**, 16, 856855

o

564 Variability in Resting-State Functional Magnetic Resonance Imaging: The Effect of Body Mass, Blood Pressure, Hematocrit and Glycated Hemoglobin on Hemodynamic and Neuronal Parameters.. **2022**,

563 Greater Similarity Between L1 and L2's Brain Network in Adults Than in Children.. **2022**, 16, 816729

- 562 A systematic data-driven approach to analyze sensor-level EEG connectivity: Identifying robust phase-synchronized network components using surface Laplacian with spectral-spatial PCA.. **2022**, e14080 ○
- 561 Brain-Heart Interaction and the Experience of Flow While Playing a Video Game.. **2022**, 16, 819834
- 560 Within- and between-subject reproducibility and variability in multi-modal, longitudinal brain networks. ○
- 559 Brain-wide interactions during hippocampal sharp wave ripples.. *Proceedings of the National Academy of Sciences of the United States of America*, **2022**, 119, e2200931119 11.5 1
- 558 From representations in predictive processing to degrees of representational features.
- 557 EEG Microstate-Specific Functional Connectivity and Stroke-Related Alterations in Brain Dynamics. **2022**, 16, ○
- 556 Toward coordinate-based cognition dictionaries: A brainmap and neurosynth demo.. **2022**,
- 555 Abnormal Dynamic Functional Network Connectivity in Adults with Autism Spectrum Disorder.. **2022**, 1 ○
- 554 Heart Rate Variability Covaries with Amygdala Functional Connectivity During Voluntary Emotion Regulation.
- 553 Cognitive and hippocampal changes weeks and years after memory training.. **2022**, 12, 7877 ○
- 552 Beneficial Effect of High-Frequency Repetitive Transcranial Magnetic Stimulation for the Verbal Memory and Default Mode Network in Healthy Older Adults. **2022**, 14, 1
- 551 Self-transcendence Predicts Better Pre- and Postoperative Outcomes in Two Randomized Clinical Trials of Brief Mindfulness-Based Interventions. 1 1
- 550 Investigating the Association Between Polygenic Risk Scores for Alzheimer's Disease With Cognitive Performance and Intrinsic Functional Connectivity in Healthy Adults. **2022**, 14,
- 549 The task-dependent modular covariance networks unveiled by multiple-way fusion-based analysis. ○
- 548 Meta-analytic evidence for the cognitive control model of loneliness in emotion processing.. **2022**, 104686 1
- 547 Abnormal spontaneous neural activity as a potential predictor of early treatment response in patients with obsessive-compulsive disorder.. **2022**, ○
- 546 Diurnal variations of resting-state fMRI data: A graph-based analysis.. **2022**, 119246 ○
- 545 Effects of escitalopram therapy on functional brain controllability in major depressive disorder.. **2022**, 310, 68-74 ○

- 544 Tonic pain alters functional connectivity of the descending pain modulatory network involving amygdala, periaqueductal gray, parabrachial nucleus and anterior cingulate cortex.. **2022**, 256, 119278 ○
- 543 Mind Wandering. **2021**, 1-8
- 542 Brain Network Changes in Lumbar Disc Herniation Induced Chronic Nerve Roots Compression Syndromes. **2022**, 2022, 1-10 ○
- 541 Resting-State Functional Connectivity Differences in College Students with and without Food Insecurity. **2022**, 14, 2064 ○
- 540 Test-retest reliability of diffusion kurtosis imaging metrics in the healthy adult brain. **2022**, 2, 100098
- 539 Decreased Efficiency of Between-Network Dynamics During Early Memory Consolidation With Aging. **2022**, 14,
- 538 The effect of mindfulness training on resting-state networks in pre-adolescent children with sub-clinical anxiety related attention impairments.. **2022**,
- 537 Graph Ricci curvatures reveal atypical functional connectivity in autism spectrum disorder.. **2022**, 12, 8295 ○
- 536 Alterations of Functional Connectivity in Patients With Restless Legs Syndrome.. **2022**, 18, 290-297
- 535 Experiences Questionnaire (EQ). **2022**, 1-23
- 534 Top-Down Processing. **2022**, 7020-7027
- 533 Multimodal Noninvasive Imaging Strategies for Clinically Monitoring Degenerative Disorders of the Brain. **2022**, 183-202
- 532 Mindfulness-Enhanced Computerized Cognitive Training for Depression: An Integrative Review and Proposed Model Targeting the Cognitive Control and Default-Mode Networks. **2022**, 12, 663
- 531 A synergistic core for human brain evolution and cognition. 3
- 530 Abnormal Dynamic Functional Connectivity in Patients With End-Stage Renal Disease. **2022**, 16,
- 529 Ongoing Brain Activity and Its Role in Cognition: Dual versus Baseline Models. 107385842210817 ○
- 528 Distinct population and single-neuron selectivity for executive and episodic processing in human dorsal posterior cingulate.
- 527 Electrocortical correlates of the association between cardiorespiratory fitness and sustained attention in young adults. **2022**, 172, 108271

526 Imaging connectivity and functional brain networks in mild traumatic brain injury. **2022**, 379-391

525 Towards Automated Monitoring of Parkinson's Disease Following Drug Treatment. **2022**, 196-207

524 Post-coma syndrome in the context of severe acquired brain injury: Traumatic brain injury and beyond. **2022**, 205-219

523 Decoding Individual Differences in Expressing and Inhibiting Anger from Structural Brain Networks: A Supervised Machine Learning Approach. 1

522 Baseline Patterns of Resting Functional Connectivity within Posterior Default-Mode Intranetwork Associated with Remission to Antidepressants in Major Depressive Disorder.

521 Still Wanting to Win: Reward System Stability in Healthy Aging. 14,

520 Intrinsic Connectivity Networks of Glutamate-Mediated Antidepressant Response: A Neuroimaging Review. **2022**, 13, 1

519 Training-Specific Changes in Regional Spontaneous Neural Activity Among Professional Chinese Chess Players. **2022**, 16,

518 Disrupted Causal Connectivity Anchored on the Right Anterior Insula in Drug-Naïve First-Episode Patients With Depressive Disorder. **2022**, 13,

517 Increased sensorimotor structural connectivity in high schizotypy. 1

516 The effect of casein hydrolysate intake on cerebral neural regulation during cognitive tasks in the elderly. **2022**, 111853

515 The broad edge of synchronization: Griffiths effects and collective phenomena in brain networks. **2022**, 380, 0

514 Brain Activity Characteristics of Patients With Disorders of Consciousness in the EEG Resting State Paradigm: A Review. **2022**, 16, 1

513 Personal socio-cultural preferences modulate neural correlates of decisions to socialize with powerful persons.

512 Effect of channel density, inverse solutions and connectivity measures on EEG resting-state networks: a simulation study.

511 Impaired Functional Homotopy and Topological Properties Within the Default Mode Network of Children With Generalized Tonic-Clonic Seizures: A Resting-State fMRI Study. **2022**, 16, 1

510 Neuro-anatomie morphologique et fonctionnelle. **2021**, e1-e168

509 Imagerie statique et dynamique du cerveau. **2021**, 27-38

508	Discriminant subgraph learning from functional brain sensory data. 1-14	1
507	Cognitive control inhibition networks in adulthood are impaired by early iron deficiency in infancy. 2022 , 35, 103089	0
506	Multiple functions of the angular gyrus at high temporal resolution.	0
505	The Bilateral Precuneus as a Potential Neuroimaging Biomarker for Right Temporal Lobe Epilepsy: A Support Vector Machine Analysis. 13,	1
504	Forebrain Network Associated with Cardiovascular Control in Exercising Humans. Publish Ahead of Print,	0
503	Spatiotemporal dynamics of memory encoding and memory retrieval states.	0
502	The neural substrates of sex differences in balanced time perspective: A unique role for the precuneus.	0
501	Memory for the Future: Psychodynamic Approach to Time and Self Through the Default Network. 16,	0
500	Sleep deprivation reorganizes the dynamic configurations of default mode network activity during recovery sleep.	
499	A generic neural factor linking resting-state neural dynamics and the brain's response to unexpectedness in multilevel cognition.	
498	Dysfunctional cortical gradient topography in treatment resistant major depression.	
497	Differential grey matter structure in women with premenstrual dysphoric disorder: evidence from brain morphometry and data-driven classification. 2022 , 12,	0
496	Microstates imbalance is associated with a functional dysregulation of the resting-state networks in obsessive-compulsive disorder: a high-density electrical neuroimaging study using the TESS method.	
495	Current Perspectives on Kisspeptins Role in Behaviour. 13,	1
494	The human brain reactivates context-specific past information at event boundaries of naturalistic experiences.	0
493	Mindful Attention as a Skillful Means Toward Intergroup Prosociality.	0
492	Posterior cingulate cortex reveals an expression profile of resilience in cognitively intact elders.	0
491	Functional Significance of Human Resting-State Networks Hubs Identified Using MEG During the Transition From Childhood to Adulthood. 13,	

- 490 Reward Enhances Connectivity between the Ventral Striatum and the Default Mode Network. **2022**, 119398 o
- 489 Reorganized hubs of brain functional networks following acute mild traumatic brain injury. o
- 488 A Functional Connectome of Parkinson's Disease Patients Prior to Deep Brain Stimulation: A Tool for Disease-Specific Connectivity Analyses. 16, 1
- 487 Maturational networks of fetal brain activity. o
- 486 Examining the Role of Socioeconomic Status and Maternal Sensitivity in Predicting Functional Brain Network Connectivity in 5-Month-Old Infants. 16, o
- 485 The INSIDEOUT framework provides precise signatures of the balance of intrinsic and extrinsic dynamics in brain states. **2022**, 5, 1
- 484 The biological basis of intelligence: Benchmark findings. **2022**, 93, 101665 1
- 483 Local inefficiency of the default mode network in young men with narcissistic personality disorder. **2022**, 784, 136720
- 482 Quantitative electroencephalography changes in patients with mild cognitive impairment after choline alfoscerate administration. **2022**, 102, 42-48 o
- 481 Altered dynamic functional network connectivity within default mode network of epileptic children with generalized tonic-clonic seizures. **2022**, 184, 106969 o
- 480 Empirical estimation of the eigenmodes of macroscale cortical dynamics: Reconciling neural field eigenmodes and resting-state networks. **2022**, 2, 100103 o
- 479 The natural frequencies of the resting human brain: An MEG-based atlas. **2022**, 258, 119373 o
- 478 Self-projection in early childhood: No evidence for a common underpinning of episodic memory, episodic future thinking, theory of mind, and spatial navigation. **2022**, 223, 105481 o
- 477 Neuroimaging, Neural Population Models for. **2022**, 2256-2281
- 476 Neural correlates of working memory and compensation at different stages of cognitive impairment in Parkinson's disease. **2022**, 35, 103100
- 475 Self-Empathy as a Necessary Element for Regulation of Emotions. **2022**, 13, 62-71
- 474 Pathological changes of brain oscillations following ischemic stroke. 0271678X2211056 o
- 473 The Effects of Respiratory Muscle Training on Resting-State Brain Activity and Thoracic Mobility in Healthy Subjects: A Randomized Controlled Trial. o

- 472 Functional connectivity correlates of reduced goal-directed behaviors in behavioural variant frontotemporal dementia. 1
- 471 Unifying turbulent dynamics framework distinguishes different brain states. **2022**, 5, 1
- 470 Excessive Daytime Sleepiness in Parkinson's Disease is Related to Functional Abnormalities in the Left Angular Gyrus.
- 469 Abnormal functional connectivities patterns of multidomain cognitive impairments in pontine stroke patients. 0
- 468 Energy landscape analysis based sliding window studies of brain dynamics in young and old subjects. **2022**,
- 467 Brain functional topology differs by sex in cognitively normal older adults. **2022**, 3,
- 466 May the 4C's be with you: an overview of complexity-inspired frameworks for analysing resting-state neuroimaging data. **2022**, 19, 0
- 465 EEG Resting-State Functional Networks in Amnesic Mild Cognitive Impairment. 155005942211100 0
- 464 Individual-level Functional Connectivity Predicts Cognitive Control Efficiency.
- 463 Developmental changes in story-evoked responses in the neocortex and hippocampus. 11, 0
- 462 Stepping Out of the Palace of Luxury: Mindfulness and Modern Psychiatry. **2022**, 92, e5-e7
- 461 Corticostriatal Beta Power Changes Associated with Cognitive Function in Parkinson's Disease.
- 460 Enhancement of the neural response during 40'Hz auditory entrainment in closed-eye state in human prefrontal region. 0
- 459 Brain Metabolic Connectivity Patterns in Patients with Prolonged Disorder of Consciousness after Hypoxic-Ischemic Injury: A Preliminary Study. **2022**, 12, 892 0
- 458 The human posterior parietal cortex: effective connectome, and its relation to function. 2
- 457 Sleep to Internalizing Pathway in Young Adolescents (SIPYA): A proposed model. **2022**, 104780 0
- 456 Resting State Neural Networks at Complex Visual Hallucinations in Charles Bonnet Syndrome.
- 455 Depression induced by low-frequency repetitive transcranial magnetic stimulation to ventral medial frontal cortex in monkeys. **2022**, 114168

- 454 Resting-State Brain Variability in Youth With Attention-Deficit/Hyperactivity Disorder. 13, 1
- 453 Lifespan associations of resting-state brain functional networks with ADHD symptoms. **2022**, 25, 104673 0
- 452 Variability in cognitive task performance in early adolescence is associated with stronger between-network anticorrelation and future attention problems.
- 451 Frontopolar cortex shapes brain network structure across prefrontal and posterior cingulate cortex. **2022**, 102314 0
- 450 Disruption of Functional Brain Networks Underlies the Handwriting Deficit in Children With Developmental Dyslexia. 16, 1
- 449 Altered bladder-related brain network in multiple sclerosis women with voiding dysfunction. 0
- 448 Different incubation tasks in insight problem solving: evidence for unconscious analytic thought. 1-35
- 447 The current role and future directions of imaging in failed back surgery syndrome patients: an educational review. **2022**, 13, 0
- 446 The Interaction Between Sleep and Epilepsy. 1
- 445 Oscillatory mechanisms of intrinsic brain networks.
- 444 Cofluctuation analysis reveals aberrant default mode network patterns in adolescents and youths with autism spectrum disorder.
- 443 Meta-analytic evidence that mindfulness training alters resting state default mode network connectivity. **2022**, 12, 0
- 442 A multimodal neuroimaging study of brain abnormalities and clinical correlates in post treatment Lyme disease.
- 441 The brain at rest: Exploratory Neurophysiological Findings Among Men With Histories of Childhood Sexual Abuse.
- 440 Post-traumatic Headache: Recent Developments and Future Directions.
- 439 Connectivity dynamics and cognitive variability during aging. **2022**, 0
- 438 How associative thinking influences scene perception. **2022**, 103, 103377
- 437 Charting the dorsal-medial functional gradient of the default mode network in major depressive disorder. **2022**, 153, 1-10 0

- 436 Reduced functional connectivity supports statistical learning of temporally distributed regularities. **2022**, 260, 119459 o
- 435 A Brief History of Arguments in Resting-State Functional Magnetic Resonance Imaging Research. 1-4
- 434 Abnormal network homogeneity of default-mode network and its relationships with clinical symptoms in antipsychotic-naïve first-diagnosis schizophrenia. 16,
- 433 Reconfiguration of static and dynamic thalamo-cortical network functional connectivity of epileptic children with generalized tonic-clonic seizures. 16,
- 432 Local efficiency analysis of resting state functional brain network in methamphetamine users. **2022**, 114022
- 431 Development and validation of the Mental-Physical Verb Norms (MPVN): A text analysis measure of mental state attribution.
- 430 Functional connectivity with medial temporal regions differs across cultures during post-encoding rest.
- 429 A window into eye movement dysfunction following mTBI: A scoping review of magnetic resonance imaging and eye tracking findings.
- 428 Molecular signatures underlying neurofibrillary tangle susceptibility in Alzheimer's disease. **2022**, 1
- 427 The Cerebellum and Beauty: The Impact of the Cerebellum in Art Experience and Creativity. **2022**, 213-233 o
- 426 Critical roles for breathing in the genesis and modulation of emotional states. **2022**, 151-178
- 425 Altered brain network topology in children with auditory processing disorder: A resting-state multi-echo fMRI study. **2022**, 35, 103139 o
- 424 Aberrant brain connectivity is associated with childhood maltreatment in individuals with major depressive disorder. o
- 423 A parsimonious description of global functional brain organization in three spatiotemporal patterns. **2022**, 25, 1093-1103 o
- 422 Default mode network mediates low-frequency fluctuations in brain activity and behavior during sustained attention.
- 421 Altered Brain Function in Treatment-Resistant and Non-treatment-resistant Depression Patients: A Resting-State Functional Magnetic Resonance Imaging Study. 13, o
- 420 Direct intracranial recordings in the human angular gyrus during arithmetic processing. o
- 419 Intelligence Correlates with the Temporal Variability of Brain Networks. **2022**,

- 418 Combined functional and structural imaging of brain white matter reveals stage-dependent impairment in multiple system atrophy of cerebellar type. **2022**, 8,
- 417 Neuronal dynamics of the default mode network and anterior insular cortex: Intrinsic properties and modulation by salient stimuli.
- 416 Temporal stability of the hemodynamic response function across the majority of human cerebral cortex. ○
- 415 Alterations in local activity and functional connectivity in patients with postherpetic neuralgia after short-term spinal cord stimulation. 15, ○
- 414 The default mode network, depression and Alzheimer's disease. **2022**, 34, 675-678
- 413 Increased brain gyrification and subsequent relapse in patients with first-episode schizophrenia. 13, 1
- 412 Effective connectivity of functionally anticorrelated networks under LSD. **2022**, ○
- 411 Peripheral Interleukin-18 is negatively correlated with abnormal brain activity in patients with depression: a resting-state fMRI study. **2022**, 22, ○
- 410 Evaluating the three-network theory of creativity: Effects of music listening on resting state EEG. 030573562211161
- 409 Dynamic regional homogeneity alterations and cognitive impairment in patients with moderate and severe obstructive sleep apnea. 16,
- 408 Functional brain imaging and central control of the bladder in health and disease. 13,
- 407 Intergenerational concordance of brain structure between depressed mothers and their never-depressed daughters.
- 406 Colloquium : Multiscale modeling of brain network organization. **2022**, 94, ○
- 405 Targeting default mode network connectivity with mindfulness-based fMRI neurofeedback: A pilot study among adolescents with affective disorder history.
- 404 Neural Activity Associated with Symptoms Change in Depressed Adolescents following Self-Processing Neurofeedback. **2022**, 12, 1128 ○
- 403 Disrupted intra- and inter-network connectivity in unilateral acute tinnitus with hearing loss. 14,
- 402 Predicting Antidepressant Effects of Ketamine: The Role of the Pregenual Anterior Cingulate Cortex as a Multimodal Neuroimaging Biomarker. ○
- 401 Functional neuroimaging in psychiatry and the case for failing better. **2022**, 110, 2524-2544 2

- 400 Altered dynamic spontaneous neural activity in minimal hepatic encephalopathy. 13,
- 399 Brain metabolic changes and clinical response to superolateral medial forebrain bundle deep brain stimulation for treatment-resistant depression. 1
- 398 Regional optimum frequency analysis of resting-state fMRI data for early detection of Alzheimer's disease biomarkers.
- 397 Misophonia: Analysis of the neuroanatomic patterns at the basis of psychiatric symptoms and changes of the orthosympathetic/ parasympathetic balance. 16,
- 396 Abnormal topological parameters in the default mode network in patients with impaired cognition undergoing maintenance hemodialysis. 13,
- 395 Altered Medial Prefrontal Connectivity in Parkinson's Disease Patients with Somatic Symptoms. 0
- 394 Metabolic demands of the posteromedial default mode network are shaped by dorsal attention and frontoparietal control networks.
- 393 Connectivity impairment of cerebellar and sensorimotor connector hubs in Parkinson's disease. 0
- 392 Replay, the default mode network and the cascaded memory systems model. 3
- 391 Mindfulness meditation increases default mode, salience, and central executive network connectivity. 2022, 12,
- 390 Front and center: Maturation dysregulation of frontal lobe functional neuroanatomic connections in attention deficit hyperactivity disorder. 16, 0
- 389 Machine learning analysis reveals abnormal functional network hubs in the primary angle-closure glaucoma patients. 16,
- 388 Abnormal percent amplitude of fluctuation and functional connectivity within and between networks in benign epilepsy with centrotemporal spikes. 2022, 185, 106989
- 387 The alterations of brain functional connectivity networks in major depressive disorder detected by machine learning through multisite rs-fMRI data. 2022, 435, 114058 0
- 386 A review of functional brain differences predicting relapse in substance use disorder: Actionable targets for new methods of noninvasive brain stimulation. 2022, 141, 104821
- 385 Reorganizations of latency structures within the white matter from wakefulness to sleep. 2022, 93, 52-61
- 384 Altered functional connectivity in common resting-state networks in patients with major depressive disorder: A resting-state functional connectivity study. 2022, 155, 33-41 0
- 383 Default mode network alterations underlie auditory verbal hallucinations in schizophrenia. 2022, 155, 24-32

- 382 Lanthanide nanoparticles for near-infrared II theranostics. **2022**, 471, 214724 4
- 381 Brain-heart interactions are modulated across the respiratory cycle via interoceptive attention. **2022**, 262, 119548 o
- 380 How Imagination and Memory Shape the Moral Mind. 108886832211142 o
- 379 Learning and the Evolution of Conscious Agents. 1
- 378 Dynamic functional connections in leukoaraiosis patients without cognitive impairment: A pilot study. 14, o
- 377 Structural and functional brain alterations in Cushing's disease: A narrative review. **2022**, 67, 101033 o
- 376 Young children with autism show atypical prefrontal cortical responses to humanoid robots: An fNIRS study. **2022**, 181, 23-32 o
- 375 Distinct connectivity patterns in human medial parietal cortices: Evidence from standardized connectivity map using cortico-cortical evoked potential. **2022**, 263, 119639 o
- 374 Nodes of the default mode network implicated in the quality of empathic responses: A clinical perspective of the empathic response. **2023**, 23, 100319 o
- 373 Distinct patterns of functional brain network integration between treatment-resistant depression and non treatment-resistant depression: A resting-state functional magnetic resonance imaging study. **2023**, 120, 110621 o
- 372 Real-Time Symptom Capture of Hallucinations in Schizophrenia with fMRI: Absence of Duration-Dependent Activity. **2022**, 3, o
- 371 The Brain Understands Social Relationships: The Emerging Field of Functional-Connectome-Based Interpersonal Research. **2022**, 17, 263310552211194 o
- 370 Altered frequency-specific/universal amplitude characteristics of spontaneous brain oscillations in patients with bipolar disorder. **2022**, 36, 103207 o
- 369 Rumination. **2022**, o
- 368 Mind und mindfulness | Eine bildungstheoretische Diskussion. **2022**, 5-27 o
- 367 Paradigm shifts in the field of psychophysiology. **2022**, o
- 366 An insight into applications of deep learning in neuroimaging. **2023**, 323-340 o
- 365 fMRI Studies of Opponent Interregional Interactions in the Macaca mulatta Brain. **2022**, 58, 1001-1014 o

364	Methods Used to Estimate EEG Source-Space Networks: A Comparative Simulation-Based Study. 2022 ,	o
363	Functional Connectivity Stability: A Signature of Neurocognitive Development and Psychiatric Problems in Children. 2022 ,	o
362	Macromolecular-Suppressed GABA -Edited MR Spectroscopy in the Posterior Cingulate Cortex of Patients With Acute Mild Traumatic Brain Injury.	o
361	Aberrant intrinsic neural network strength in individuals with Smartphone addiction—An MRI data fusion study. 2022 , 12,	1
360	Increased structural connectivity in high schizotypy. 1-45	o
359	Central precuneus lesions are associated with impaired executive function.	o
358	The involvement of the posterior parietal cortex in promotion and prevention focus.	o
357	Neural underpinnings of default mode network on empathy revealing by intracranial stereoelectroencephalography.	o
356	Inferring a Cognitive Architecture from Multitask Neuroimaging Data: A Data-Driven Test of the Common Model of Cognition Using Granger Causality.	o
355	Multimodal resting-state connectivity predicts affective neurofeedback performance. 16,	o
354	Functional connectivity of the central autonomic and default mode networks represent neural correlates and predictors of individual personality.	o
353	Uncovering a tripartite landmark in posterior cingulate cortex. 2022 , 8,	1
352	Alterations in cerebral glucose metabolism measured by FDG PET in subjects performing a meditation practice based on clitoral stimulation. 11, 1015	o
351	Neural mechanisms of emotional health in traumatic brain injury patients undergoing rTMS treatment.	o
350	A distinct intra-individual suppression subnetwork in the brain—default mode network across cognitive tasks.	o
349	Intentionality of Self-Generated Thought: Contributions of Mind Wandering to Creativity. 1-10	1
348	Heightened emotion processing as a compensatory mechanism in persons with Alzheimer's disease: Psychological insights from the tri-network model. 1,	o
347	Investigation of Neurofunctional Changes Over the Course of Electroconvulsive Therapy.	o

- 346 Vision- and touch-dependent brain correlates of body-related mental processing.. **2022**, o
- 345 Distinct population and single-neuron selectivity for executive and episodic processing in human dorsal posterior cingulate. 11, o
- 344 Abnormal brain networks related to drug and non-drug reward anticipation and outcome processing in stimulant use disorder: A functional connectomics approach.. **2022**, o
- 343 Association between cognitive impairments and aberrant dynamism of overlapping brain sub-networks in unmedicated major depressive disorder: A resting-state MEG study. **2022**, o
- 342 Cortical thickness and its relationship to cognitive performance and metabolic control in adults with phenylketonuria. o
- 341 SynBOLD-DisCo: Synthetic BOLD images for distortion correction of fMRI without additional calibration scans. o
- 340 Adaptation of Dynamics in Default Mode Network Depending on Mental States: the One-to-many dynamic functional connectivity analysis with fMRI. o
- 339 Ability of an altered functional coupling between resting-state networks to predict behavioral outcomes in subcortical ischemic stroke: A longitudinal study. 14, o
- 338 Impaired Brain Information Transmission Efficiency and Flexibility in Parkinson's Disease and Rapid Eye Movement Sleep Behavior Disorder: Evidence from Functional Connectivity and Functional Dynamics. **2022**, 2022, 1-10 o
- 337 Signal Variability and Cognitive Function in Older Long-Term Survivors of Breast Cancer with Exposure to Chemotherapy: A Prospective Longitudinal Resting-State fMRI Study. **2022**, 12, 1283 o
- 336 Water exchange rates measure active transport and homeostasis in neural tissue. o
- 335 Episodic Memory and Recollection Network Disruptions Following Chemotherapy Treatment in Breast Cancer Survivors: A Review of Neuroimaging Findings. **2022**, 14, 4752 o
- 334 Early life stress is associated with the default mode and fronto-limbic network connectivity among young adults. 16, o
- 333 Topographic organization of the human caudate functional connectivity and age-related changes with resting-state fMRI. 16, o
- 332 Meta-analysis of structural and functional brain abnormalities in schizophrenia with persistent negative symptoms using activation likelihood estimation. 13, 1
- 331 Extended functional connectivity of convergent structural alterations among individuals with PTSD: a neuroimaging meta-analysis. **2022**, 18, o
- 330 Impaired brain networks functional connectivity after acute mild hypoxia. **2022**, 101, e30485 o
- 329 The salience network is activated during self-recognition from both first-person and third-person perspectives. o

328	Neural Mechanisms and Psychology of Psychedelic Ego Dissolution. 2022 , 74, 876-917	0
327	Rethinking clinical decision-making to improve clinical reasoning. 9,	0
326	Extracting default mode network based on graph neural network for resting state fMRI study. 1,	1
325	Quantitative Electroencephalogram (qEEG) as a Natural and Non-Invasive Window into Living Brain and Mind in the Functional Continuum of Healthy and Pathological Conditions. 2022 , 12, 9560	0
324	Postoperative Changes in Resting State Functional Connectivity and Clinical Scores in Patients With Cervical Myelopathy. 2022 ,	0
323	Socio-psychological portrait of a modern schoolchild. 2022 , 10,	0
322	Altered functional connectivity in first-episode and recurrent depression: A resting-state functional magnetic resonance imaging study. 13,	0
321	Age differences in the functional organization of the prefrontal cortex: analyses of competing hypotheses.	0
320	Resting-state brain network in Parkinson's disease with different degrees of depression. 16,	0
319	Associations of lifetime concussion history and repetitive head impact exposure with resting-state functional connectivity in former collegiate American football players: An NCAA 15-year follow-up study. 2022 , 17, e0273918	0
318	A role for the claustrum in cognitive control. 2022 ,	0
317	Receptor-informed network control theory links LSD and psilocybin to a flattening of the brain's control energy landscape. 2022 , 13,	3
316	Structural-Functional Connectivity Bandwidth of the Human Brain. 2022 , 119659	0
315	Spontaneous activity patterns in human motor cortex replay evoked activity patterns for hand movements. 2022 , 12,	0
314	Altered resting-state functional connectivity of the dorsal anterior cingulate cortex with intrinsic brain networks in male problematic smartphone users. 13,	1
313	Excitation-inhibition imbalance in Alzheimer's disease using multiscale neural model inversion of resting-state fMRI.	1
312	Aberrant interhemispheric functional reciprocities of the default mode network and motor network in subcortical ischemic stroke patients with motor impairment: A longitudinal study. 13,	0
311	Serum neurofilament light chain is associated with disturbed limbic-based functional connectivity in patients with anti-NMDAR encephalitis.	0

- 310 Altered functional connectivity in emotional subregions of the anterior cingulate cortex in young and middle-aged patients with major depressive disorder: A resting-state fMRI study. **2022**, 175, 108426 ○
- 309 Symptoms of depression together with trait anxiety increase the ability to predict alpha power change between attention and resting states. **2022**, 182, 57-69 1
- 308 Psychosen im Kindes- und Jugendalter. **2021**, 1-37 ○
- 307 Mind-Wandering and Emotional Processing in Nondirective Meditation. **2022**, 201-210 ○
- 306 State-like changes in the salience network correlate with delusion severity in first-episode psychosis patients. **2022**, 36, 103234 ○
- 305 How and Why Our Mind Wanders?. **2022**, 23-41 ○
- 304 Introduction. The Lines, Circles and Zigzag on Mind-Wandering. **2022**, 1-21 ○
- 303 Education in Agency, Mind-Wandering, and the Contemplative Mind. **2022**, 159-173 ○
- 302 Baseline patterns of resting functional connectivity within posterior default-mode intranetwork associated with remission to antidepressants in major depressive disorder. **2022**, 36, 103230 ○
- 301 Intrinsic Brain Activity and Resting State Networks. **2022**, 1939-1990 ○
- 300 The Secret Powers of a Wandering Mind: Underestimated Potential of a Resting State Network for Language Acquisition. **2022**, 211-224 ○
- 299 Mind and Body: The Manifestation of Mind Wandering in Bodily Behaviors. **2022**, 59-75 ○
- 298 Migraine and Posttraumatic Headache: Similarities and Differences in Brain Network Connectivity. **2022**, 42, 441-448 ○
- 297 Predicting the long-term after-effects of rTMS in autism spectrum disorder using temporal variability analysis of scalp EEG. **2022**, 19, 056044 ○
- 296 Functional connectivity in behavioral variant frontotemporal dementia. ○
- 295 Free Association, Synchrony, and Neural Networks as Evolutionary Exponents in Psychoanalysis. 1
- 294 Adult lifespan trajectories of neuromagnetic signals and interrelations with cortical thickness. ○
- 293 Amblyopia: progress and promise of functional magnetic resonance imaging. ○

- 292 Brain connectivity changes associated with episodic recollection decline in aging: A review of fMRI studies. 14, ○
- 291 Frequency-specific brain network architecture in resting-state fMRI. ○
- 290 The Resting State Functional MRI in Neurology and Psychiatry. ○
- 289 Self-Referential Processing and Resting-State Functional MRI Connectivity of Cortical Midline Structures in Glioma Patients. **2022**, 12, 1463 ○
- 288 Mindfulness-induced endogenous theta stimulation occasions self-transcendence and inhibits addictive behavior. **2022**, 8, 1
- 287 Identification of cholinergic centro-cingulate topography as main contributor to cognitive functioning in Parkinson's disease: Results from a data-driven approach. 14, ○
- 286 Dysfunctional cortical gradient topography in treatment resistant major depression. **2022**, ○
- 285 Retrosplenial and subicular inputs converge on superficially projecting layer V neurons of medial entorhinal cortex. **2022**, 227, 2821-2837 ○
- 284 A multimodal neuroimaging study of brain abnormalities and clinical correlates in post treatment Lyme disease. **2022**, 17, e0271425 ○
- 283 Disrupted topological organization of resting-state functional brain networks in Parkinson's disease patients with glucocerebrosidase gene mutations. ○
- 282 The cross-domain functional organization of posterior lateral temporal cortex: insights from ALE meta-analyses of 7 cognitive domains spanning 12,000 participants. ○
- 281 Graph Analysis of Functional Connectivity Rs-fMRI in Healthy and Epileptic Brain Using Visibility Algorithm. **2023**, 27-36 ○
- 280 Cross-module switching diversity of brain network nodes in resting and cognitive states. ○
- 279 Functional Connectivity in Patients With Parkinson's Disease and Freezing of Gait Using Resting-State EEG and Graph Theory. 154596832211292 ○
- 278 Higher Sensory Sensitivity is Linked to Greater Expansion Amongst Functional Connectivity Gradients. ○
- 277 Trait related aberrant connectivity in clinically stable patients with schizophrenia: A seed based resting state fMRI study. 1
- 276 Review of the Research Progress of Human Brain Oxygen Extraction Fraction by Magnetic Resonance Imaging. **2022**, 2022, 1-13 ○
- 275 Topology of pain networks in patients with temporomandibular disorder and pain-free controls with and without concurrent experimental pain: A pilot study. 3, ○

- 274 Effects of parental verbal abuse experience on the Glutamate response to swear words in the ventromedial prefrontal cortex: A functional 1H-magnetic resonance spectroscopy study. ○
- 273 Neural signatures of second language proficiency in narrative processing. ○
- 272 Functional significance of the dorsolateral prefrontal cortex during exhaustive exercise. **2022**, 175, 108442 ○
- 271 Strength-dependent perturbation of whole-brain model working in different regimes reveals the role of fluctuations in brain dynamics. **2022**, 18, e1010662 ○
- 270 Low-Level Light Therapy Effect on Resting-State Connectivity in Patients Following Moderate Traumatic Brain Injury. ○
- 269 Default mode network scaffolds immature frontoparietal network in cognitive development. ○
- 268 An orderly sequence of autonomic and neural events at transient arousal changes. **2022**, 264, 119720 ○
- 267 Nasal airflow promotes default mode network activity. **2023**, 307, 103981 ○
- 266 The Role of Ketogenic Metabolic Therapy on the Brain in Serious Mental Illness: A Review. ○
- 265 Psychopharmacotherapy of Pain. **2022**, 4095-4126 ○
- 264 Functional MRI in familial and idiopathic PD. **2023**, 201-250 ○
- 263 A Psychoanalytic Perspective on Psychedelic Experience. **2022**, 32, 452-468 1
- 262 The implication of a diversity of non-neuronal cells in disorders affecting brain networks. 16, ○
- 261 Default But Not Rest: Topological Discrimination Defines the Default Mode Network. ○
- 260 Effectiveness of immersive VR-based rehabilitation on upper extremity recovery in subacute stroke: a randomized controlled trial. ○
- 259 Circuit-specific selective vulnerability in the DMN persists in the face of widespread amyloid burden. ○
- 258 The Cerebellum Is a Key Structure in the Neural Network for Mentalizing: An MRI Study in the Behavioral Variant of Frontotemporal Dementia. **2022**, 10, 2901 ○
- 257 Longitudinal Patterns of Functional Connectivity in Moderate-to-Severe Traumatic Brain Injury. ○

256	First Few Seconds for Flow: A Comprehensive Proposal of the Neurobiology and Neurodynamics of State Onset. 2022 , 104956	0
255	Characterizing functional brain networks via Spatio-Temporal Attention 4D Convolutional Neural Networks (STA-4DCNNs). 2022 ,	2
254	Altered Resting-State Functional Connectivity in the Anterior Versus Posterior Hippocampus in Post-traumatic Stress Disorder: The Central Role of the Anterior Hippocampus.	0
253	Amplitude of low frequency fluctuations during resting state fMRI in autistic children.	0
252	Intrinsic brain dynamics in the Default Mode Network predict involuntary fluctuations of visual awareness. 2022 , 13,	0
251	Neuroimaging in schizophrenia: A review article. 16,	1
250	Whole-Brain fMRI Functional Connectivity Signatures Predict Sustained Emotional Experience in Naturalistic Contexts.	0
249	Triple network activation causes tinnitus in patients with sudden sensorineural hearing loss: A model-based volume-entropy analysis. 16,	0
248	Hippocampal neuronal integrity and functional connectivity within the default mode network in mild cognitive impairment: a multimodal investigation.	0
247	Exploring the properties of the left angular gyrus using TMS-evoked potentials.	0
246	The thalamocortical inhibitory network controls human conscious perception. 2022 , 264, 119748	0
245	Altered structural connectome of children with Auditory Processing Disorder: A diffusion MRI study.	0
244	The impact of knowledge on poetry composition: An fMRI investigation. 2022 , 235, 105202	0
243	Within- and across-network alterations in the default network and in visual network patients with somatic symptom disorder. 2022 , 327, 111563	0
242	Resting-State fNIRS Classification Using Connectivity and Convolutional Neural Networks. 2022 ,	0
241	Imagination: the dawn of consciousness. 2022 , 114035	0
240	Validation of dynamic [18F]FE-PE2I PET for estimation of relative regional cerebral blood flow: a comparison with [15O]H2O PET. 2022 , 12,	0
239	Causal influences of salience/cerebellar networks on dorsal attention network subserved age-related cognitive slowing.	0

- 238 Free Your Mind: Creative Thinking Contributes to Overcoming Conflict-Related Biases. **2022**, 12, 1566 o
- 237 Electrophysiological signatures of resting state networks under new environmental conditions. **2023**, 794, 137012 o
- 236 EEG source derived salience network coupling supports real-world attention switching. **2023**, 178, 108445 o
- 235 Sex Difference in General Cognition Associated with Coupling of Whole-brain Functional Connectivity Strength to Cerebral Blood Flow Changes During Alzheimer's Disease Progression. **2023**, 509, 187-200 o
- 234 Microstate analysis in infancy. **2023**, 70, 101785 o
- 233 Central-positive complexes in ECT-induced seizures: Possible evidence for thalamocortical mechanisms. **2023**, 146, 77-86 o
- 232 Decoding individual differences in expressing and suppressing anger from structural brain networks: A supervised machine learning approach. **2023**, 439, 114245 1
- 231 Recollection and prior knowledge recruit the left angular gyrus during recognition. o
- 230 Altered brain function in patients with vestibular migraine: a study on resting state functional connectivity. o
- 229 Big Five, self-reported depression, and anxiety are predictive for Alzheimer's disease. o
- 228 Default mode network mechanisms of repeated transcranial magnetic stimulation in heroin addiction. o
- 227 Characterization of Resting-State Striatal Differences in First-Episode Depression and Recurrent Depression. **2022**, 12, 1603 o
- 226 Changes in music-evoked emotion and ventral striatal functional connectivity after psilocybin therapy for depression. 026988112211253 o
- 225 Editorial: Dynamic functional connectivity in neuropsychiatric disorders: Methods and applications, volume II. 16, o
- 224 Sex Differences of the Functional Brain Activity in Treatment-Resistant Depression: A Resting-State Functional Magnetic Resonance Study. **2022**, 12, 1604 o
- 223 Increased Functional Connectivity of the Precuneus in Individuals with a Family History of Alzheimer's Disease. **2022**, 1-13 o
- 222 The Time Has Come to Be Mindwonderful: Mind Wandering and the Intuitive Psychology Mode. **2023**, 145-160 o
- 221 Large-scale signal and noise correlations configure multi-task coding in human brain networks. o

220	Variability in cognitive task performance in early adolescence is associated with stronger between-network anticorrelation and future attention problems. 2022 ,	0
219	Open-source versatile 3D-print animal conditioning platform design for in-vivo preclinical brain imaging in awake mice and anesthetized mice and rats.	0
218	Turning and multitask gait unmask gait disturbance in mild-to-moderate multiple sclerosis: Underlying specific cortical thinning and connecting fibers damage.	1
217	Dose-related Adaptive Reconstruction of DMN in isoflurane Administration: a Study in the Rat.	0
216	Hyperactivity of the default mode network in schizophrenia and free energy: A dialogue between Freudian theory of psychosis and neuroscience. 16,	0
215	A tripartite view of the posterior cingulate cortex.	0
214	Early stage of radiological expertise modulates resting-state local coherence in the inferior temporal lobe.	0
213	The gradient model of brain organization in decisions involving "empathy for pain"	0
212	Development of the neural correlates of recollection.	0
211	Differences in the functional connectivity of large-scale brain networks between young adults with subclinical attention-deficit/hyperactivity and autistic traits.	0
210	An explainable autoencoder with multi-paradigm fMRI fusion for identifying differences in dynamic functional connectivity during brain development. 2022 ,	0
209	Functional network organization of the mouse cortex determined by wide-field fluorescence imaging shares some "but not all" properties revealed with simultaneous fMRI-BOLD.	0
208	Exploring the behavioral and neural correlates of semantic distance in creative writing.	0
207	Annual Research Review: Emotion processing in offspring of mothers with depression diagnoses "a systematic review of neural and physiological research.	1
206	Differences in resting state functional connectivity underlie visuomotor performance declines in older adults with a genetic risk (APOE "4") for Alzheimer's disease. 14,	0
205	Altered patterns of central executive, default mode and salience network activity and connectivity are associated with current and future depression risk in two independent young adult samples.	0
204	Better characterization of attention and hyperactivity/impulsivity in children with ADHD: The key to understanding the underlying white matter microstructure. 2022 , 327, 111568	0
203	Neural representations of naturalistic events are updated as our understanding of the past changes. 11,	0

- 202 Oxygen and the Spark of Human Brain Evolution: Complex Interactions of Metabolism and Cortical Expansion across Development and Evolution. 107385842211380 ○
- 201 APOE alleles are associated with sex-specific structural differences in brain regions affected in Alzheimer's disease and related dementia. **2022**, 20, e3001863 ○
- 200 Low-dissipation optimization of the prefrontal cortex in the 12° head-down tilt position: A functional near-infrared spectroscopy study. 13, ○
- 199 The Noninvasive Evaluation for Minimally Invasive Pediatric Epilepsy Surgery (MIPES): A Multimodal Exploration of the Localization-Based Hypothesis. ○
- 198 Reliability of resting-state functional connectivity in the human spinal cord: assessing the impact of distinct noise sources. ○
- 197 The mouse claustrum synaptically connects cortical network motifs. **2022**, 41, 111860 ○
- 196 Resting-State Functional Networks Correlate with Motor Performance in a Complex Visuomotor Task: An EEG Microstate Pilot Study on Healthy Individuals. ○
- 195 Frailty and functional brain connectivity (FBC) in older adults with mild cognitive impairment (MCI): baseline results from the SYNERGIC Trial. ○
- 194 Interaction Between Memory Load and Experimental Design on Brain Connectivity and Network Topology. ○
- 193 Probing the antidepressant potential of psilocybin: integrating insight from human research and animal models towards an understanding of neural circuit mechanisms. 1
- 192 Unraveling the therapeutic mechanism of deep-brain stimulation. ○
- 191 Modeling psychopathology: 4D multiplexes to the rescue. **2023**, 201, ○
- 190 Shared and distinct patterns of dynamic functional connectivity variability of thalamo-cortical circuit in bipolar depression and major depressive disorder. ○
- 189 Temporal Dynamics of Activity in Default Mode Network Suggest a Role in Top-Down Processing for Trial Responses. ○
- 188 A metáfora psicológica de Freud: o lugar da neurologia na fundamentação da psicanálise. **2011**, 19-58 ○
- 187 Visual System. **2022**, 565-589 ○
- 186 EEG-fMRI in Children with Epilepsy. **2022**, 487-508 ○
- 185 Neurocognitive Underpinning of Neurological Disorders: Role of Default Mode Network. **2022**, 269-297 ○

- 184 Sleep. **2022**, 405-437 o
- 183 EEG-fMRI in Generalised Epilepsy: Adults. **2022**, 473-486 o
- 182 Integrating EEG-fMRI Through Brain Simulation. **2022**, 745-777 o
- 181 The Relationship Between Alpha Power and Heart Rate Variability Commonly Seen in Various Mental States. o
- 180 Effects of neuromodulation on cognitive and emotional responses to psychosocial stressors in healthy humans. **2023**, 22, 100515 o
- 179 Higher-order organization of multivariate time series. o
- 178 Novel Objective Measures of Hypersomnolence. o
- 177 Alzheimer's Disease and Synapse Loss: What Can We Learn from Induced Pluripotent Stem Cells?. **2023**, o
- 176 Hippocampal functional connectivity across age in an App knock-in mouse model of Alzheimer's disease. 14, o
- 175 Consciousness, Memory, and the Human Self: Commentary on Consciousness as a Memory System By Budson et al (2022). Publish Ahead of Print, o
- 174 Responsiveness variability during anaesthesia relates to inherent differences in brain structure and function of the frontoparietal networks. o
- 173 Toward naturalistic neuroscience: Mechanisms underlying the flattening of brain hierarchy in movie-watching compared to rest and task. **2023**, 9, 1
- 172 Eyes-Open and Eyes-Closed Resting State Network Connectivity Differences. **2023**, 13, 122 o
- 171 Role of ventral subiculum neuronal ensembles in incubation of oxycodone craving after electric barrier-induced voluntary abstinence. **2023**, 9, o
- 170 Neurocognitive Endophenotypes for Eating Disorders: A Preliminary High-Risk Family Study. **2023**, 13, 99 o
- 169 Resting state networks of awake adolescent and adult squirrel monkeys using ultra-high field (9.4T) functional magnetic resonance imaging. o
- 168 Neural and cognitive correlates of performance in dynamic multi-modal settings. **2023**, 108483 o
- 167 Functional Correlates of Striatal Dopamine Transporter Cerebrospinal Fluid Levels in Alzheimer's Disease: A Preliminary 18F-FDG PET/CT Study. **2023**, 24, 751 o

- 166 How can artificial neural networks approximate the brain?. 13, ○
- 165 Mechanisms underlying corruption of working memory in Parkinson's disease. ○
- 164 Prolonged microgravity induces reversible and persistent changes on human cerebral connectivity. **2023**, 6, ○
- 163 Immediate modulatory effects of transcutaneous auricular vagus nerve stimulation on the resting state of major depressive disorder. **2023**, ○
- 162 Brief diesel exhaust exposure acutely impairs functional brain connectivity in humans: a randomized controlled crossover study. **2023**, 22, ○
- 161 Neurophysiological and emotional influences on team communication and metacognitive cyber situational awareness during a cyber engineering exercise. 16, ○
- 160 Meditation attenuates Default-mode activity: a pilot study using ultra-high strength MRI. ○
- 159 A method for reconstruction of interpretable brain networks from transient synchronization in resting-state BOLD fluctuations. 16, ○
- 158 Multivariate Multiscale Entropy (mMSE) as a tool for understanding the resting-state EEG signal dynamics: the spatial distribution and sex/gender- related differences. ○
- 157 Neural Synchronization as a Function of Engagement with the Narrative. ○
- 156 Sex and age variations in the impact of puberty on cortical thickness and associations with internalizing symptoms and suicidal ideation in early adolescence. **2023**, 59, 101195 ○
- 155 Functional disconnection between subsystems of the default mode network in bipolar disorder. **2023**, 325, 22-28 ○
- 154 Predominant polarity as a neurobiological specifier in bipolar disorder: Evidence from a multimodal neuroimaging study. **2023**, 123, 110718 ○
- 153 Georg Northoff's Neurophilosophical Approach. **2022**, 26, 790-804 ○
- 152 A neurocognitive account of attentional control theory: how does trait anxiety affect the brain's attentional networks?. 1-18 ○
- 151 Lipreading a naturalistic narrative in a female population: Neural characteristics shared with listening and reading. ○
- 150 Mind Wandering. **2022**, 868-875 ○
- 149 Prospection. **2022**, 1392-1401 ○

- 148 Does combined training of biofeedback and neurofeedback affect smoking status, behavior, and longitudinal brain plasticity?. 17, ☐
- 147 Aberrant dynamic functional network connectivity in vestibular migraine patients without peripheral vestibular lesion. ☐
- 146 Letting it go: The interplay between mind wandering, mindfulness, and creativity. **2023**, ☐
- 145 The autism spectrum among transgender youth: default mode functional connectivity. ☐
- 144 Transcranial Magnetic Stimulation Improves Executive Functioning through Modulation of Social Cognitive Networks in Patients with Mild Cognitive Impairment: Preliminary Results. **2023**, 13, 415 ☐
- 143 Two independent response mechanisms to auditory stimuli measured with fNIRS in sleeping infants.. ☐
- 142 Transcranial focused ultrasound-mediated neurochemical and functional connectivity changes in deep cortical regions in humans. ☐
- 141 The Effect of Early fMRI Abnormalities on Later Cognitive Dysfunction in mTBI: A Multi-modal Analysis of rs-fMRI and DTI. **2023**, 81-95 ☐
- 140 Mapping Brain Networks Using Multimodal Data. **2023**, 2975-3025 ☐
- 139 Changes in Functional Connectivity Between Default Mode Network and Attention Network in Response to Changes in Aerobic Exercise Intensity. **2023**, 20, 27-34 ☐
- 138 Altered default mode network causal connectivity patterns in autism spectrum disorder revealed by Liang information flow analysis. ☐
- 137 The neuroprotective and neural circuit mechanisms of acupoint stimulation for cognitive impairment. **2023**, 18, ☐
- 136 Resting-state functional-MRI in iNPH: can default mode and motor networks changes improve patient selection and outcome? Preliminary report. **2023**, 20, ☐
- 135 Salience-based information integration: An overarching function of the Social brain? ☐
- 134 Infant brain regional cerebral blood flow increases supporting emergence of the default-mode network. 12, ☐
- 133 Evidence of functional abnormalities in the default mode network in bipolar depression: A coordinate-based activation likelihood estimation meta-analysis. **2023**, ☐
- 132 Step 5: Create Solutions. **2023**, 77-87 ☐
- 131 Effects of Stress and Genetic Predisposition on Symptoms of Psychopathology. **2023**, 53, 70-80 ☐

- 130 Same, Same but Different? A Multi-Method Review of the Processes Underlying Executive Control. ○
- 129 Altered functional connectivity between the default mode network in diabetic retinopathy patients. **2023**, 34, 309-314 ○
- 128 Beyoncé & Lemonade. **2023**, 122-137 ○
- 127 New Technologies, Social Justice, and the Future in Beyoncé & Audiovisual Albums. **2023**, 335-355 ○
- 126 Arguments for Engaging with Audiovisually Intensified Media Now, Including Corporate- and Government-Authored Materials. **2023**, 369-372 ○
- 125 Bibliography. **2023**, 403-427 ○
- 124 Notes. **2023**, 373-402 ○
- 123 Desire and craving measured using behavioral ratings and brain network topology differ significantly among moderate to heavy alcohol consumers. ○
- 122 The relationship between resting-state amplitude fluctuations and memory-related deactivations of the default mode network in young and older adults. ○
- 121 Connectivity-based Meta-Bands: A new approach for automatic frequency band identification in connectivity analyses. ○
- 120 Information flow and dynamic functional connectivity during electroconvulsive therapy in patients with depression. **2023**, 328, 141-152 ○
- 119 Test-retest reliability of 3D velocity-selective arterial spin labeling for detecting normal variations of cerebral blood flow. **2023**, 271, 120039 ○
- 118 The current and future contribution of neuroimaging to the understanding of disorders of consciousness. **2023**, 52, 104163 ○
- 117 A randomized controlled trial of desvenlafaxine-induced structural brain changes in the treatment of persistent depressive disorder. **2023**, 331, 111634 ○
- 116 Comparative study of magnetic resonance imaging-based neuroimaging methods in older adults with depression. **2023**, 331, 111637 ○
- 115 Dynamics of Internal Attention and Internally-Directed Cognition: The Attention-to-Thoughts (A2T) Model. **2022**, 33, 239-260 ○
- 114 Excess BMI in early adolescence adversely impacts maturing functional circuits supporting high-level cognition and their structural correlates. ○
- 113 Early infant prefrontal gray matter volume is associated with concurrent and future infant emotionality. **2023**, 13, ○

- 112 EEG-fMRI in Adults with Focal Epilepsy. **2022**, 439-471 o
- 111 Brain Rhythms. **2022**, 377-404 o
- 110 A variational Bayesian approach to identifying whole-brain directed networks with fMRI data. **2023**, 17, o
- 109 Patients with Alzheimer's disease dementia show partially preserved parietal hubs modeled from resting-state alpha electroencephalographic rhythms. 15, o
- 108 Sex-based structural and functional MRI outcomes in the rat brain after soman (GD) exposure-induced status epilepticus. o
- 107 A spatiotemporal complexity architecture of human brain activity. **2023**, 9, o
- 106 The neurobiology of irritable bowel syndrome. 1
- 105 Aberrant protein S-nitrosylation contributes to hyperexcitability-induced synaptic damage in Alzheimer's disease: Mechanistic insights and potential therapies. 17, o
- 104 A Network Analysis of Cigarette Craving. o
- 103 Sulcal morphology of posteromedial cortex substantially differs between humans and chimpanzees. o
- 102 The cerebellum is causally involved in episodic memory under aging. o
- 101 Cross-modality comparison between structural and metabolic networks in individual brain based on the Jensen-Shannon divergence method: a healthy Chinese population study. o
- 100 TikTok and Costume-Drama Mashups on YouTube. **2023**, 247-261 o
- 99 Janelle Monáe's "You Make Me Feel" and Anderson .Paak with Kendrick Lamar's "N95" **2023**, 211-228 o
- 98 How to Analyze Music Videos. **2023**, 175-195 o
- 97 Tracing the Asset. **2023**, 319-332 o
- 96 Introduction. **2023**, 1-24 o
- 95 Partying in The Great Gatsby. **2023**, 27-47 o

- 94 Hippocampal Connectivity With the Default Mode Network Is Linked to Hippocampal Volume in the Clinical High Risk for Psychosis Syndrome and Healthy Individuals. 216770262211388 ○
- 93 Storytelling on the Ledge. **2023**, 154-172 ○
- 92 Avant-Gardists and the Lure of Pop Music. **2023**, 97-121 ○
- 91 Functional magnetic resonance imaging in migraine: A systematic review. **2023**, 43, 033310242211282 ○
- 90 Tracing the Carters through the Galleries. **2023**, 138-153 ○
- 89 Music Video Directors, Production Houses, and the Media Swirl. **2023**, 290-304 ○
- 88 Who Needs Music Documentaries When There's TikTok and Carpool Karaoke?. **2023**, 231-246 ○
- 87 Dave Meyers's Moments of Audiovisual Bliss. **2023**, 196-210 ○
- 86 Beyoncé's Overwhelming Opus; or, the Past and Future of Music Video. **2023**, 71-96 ○
- 85 Shattered Pleasures. **2023**, 48-67 ○
- 84 The Art of Color Grading. **2023**, 265-289 ○
- 83 Fox News, COVID-19, Brief Media Aesthetics, and Historical Resonances. **2023**, 356-368 ○
- 82 Music Video's Multisensory. **2023**, 307-318 ○
- 81 Resting-State Functional Connectivity Changes in Older Adults with Sleep Disturbance and the Role of Amyloid Burden. ○
- 80 Interactions within the social brain: Co-activation and connectivity among networks enabling empathy and Theory of Mind. **2023**, 147, 105080 ○
- 79 Executive Function and Intelligent Goal-Directed Behavior: Perspectives from Psychology, Neurology, and Computer Science. **2023**, 324-350 ○
- 78 Zen Meditative Consciousness and Brain's Default Mode Network. **2023**, 77, 117-136 ○
- 77 Functional connectivity profiles of the default mode and visual networks reflect temporal accumulative effects of sustained naturalistic emotional experience. **2023**, 269, 119941 ○

- 76 Association of default-mode network neurotransmitters and inter-network functional connectivity in first episode psychosis. **2023**, 48, 781-788 ○
- 75 Neuronal dynamics of the default mode network and anterior insular cortex: Intrinsic properties and modulation by salient stimuli. **2023**, 9, ○
- 74 Functional networks in the infant brain during sleep and wake states. ○
- 73 Neural Substrates of Body Ownership and Agency during Voluntary Movement. **2023**, 43, 2362-2380 ○
- 72 Altered longitudinal trajectory of default mode network connectivity in healthy youth with subclinical depressive and posttraumatic stress symptoms. **2023**, 60, 101216 ○
- 71 Brain network mapping and glioma pathophysiology. **2023**, 5, ○
- 70 Task-Based and Resting-State Functional MRI in Observing Eloquent Cerebral Areas Personalized for Epilepsy and Surgical Oncology Patients: A Review of the Current Evidence. **2023**, 13, 370 ○
- 69 Frequency-specific brain network architecture in resting-state fMRI. **2023**, 13, ○
- 68 Source Localization of Somatosensory Neural Generators in Adults with Attention-Deficit/Hyperactivity Disorder. **2023**, 13, 370 ○
- 67 Identifying the distinct spectral dynamics of laminar-specific interhemispheric connectivity with bilateral line-scanning fMRI. 0271678X2311584 ○
- 66 The Contribution of Non-invasive Brain Stimulation to the Study of the Neural Bases of Creativity and Aesthetic Experience. **2023**, 163-196 ○
- 65 The Potential of Causal Approaches in Creativity Using Ultrasonic Brain Stimulation. **2023**, 235-253 ○
- 64 State switching and high-order spatiotemporal organization of dynamic Functional Connectivity are disrupted by Alzheimer's Disease. ○
- 63 Negative affect homogenizes and positive affect diversifies social memory consolidation across people. ○
- 62 Alternations of neuromagnetic activity across neurocognitive core networks among benign childhood epilepsy with centrotemporal spikes: A multi-frequency MEG study. 17, ○
- 61 Linking resting-state network fluctuations with systems of coherent synaptic density: A multimodal fMRI and 11C-UCB-J PET study. 17, ○
- 60 Altered dynamic functional connectivity associates with post-traumatic stress disorder. ○
- 59 Amygdala connectivity related to subsequent stress responses during the COVID-19 outbreak. 14, ○

- 58 Altered structural connectome of children with auditory processing disorder: a diffusion MRI study. ○
- 57 Construction of Meta-Thinking Educational Program Based on Mental-Brain Simulation (MTMBS) and Evaluating its Effectiveness on Executive Functions, Emotion Regulation, and Impulsivity in Children With ADHD: A Resting-State Functional MRI Study. 108705472311554 ○
- 56 Education reduces cognitive dysfunction in Alzheimer's disease by changing regional cerebral perfusion: An in-vivo arterial spin labeling study. ○
- 55 Development of brain state dynamics involved in working memory. ○
- 54 Reduced coupling between offline neural replay events and default mode network activation in schizophrenia. **2023**, 5, ○
- 53 Mind wandering in reading: An embodied approach. 17, ○
- 52 Decreased functional connectivity is associated with increased levels of Cerebral Spinal Fluid soluble-PDGFR α marker of blood brain barrier breakdown, in older adults. ○
- 51 Modeling the role of the thalamus in resting-state functional connectivity: nature or structure. ○
- 50 Effect of channel density, inverse solutions and connectivity measures on EEG resting-state networks reconstruction: A simulation study. **2023**, 271, 120006 ○
- 49 Hippocampal connectivity and memory decline in cognitively intact APOE ϵ carriers. ○
- 48 Assessing Cerebral Oxygen Metabolism Changes in Patients With Preeclampsia Using Voxel-Based Morphometry of Oxygen Extraction Fraction Maps in Magnetic Resonance Imaging. **2023**, 24, 324 ○
- 47 Altered neuromagnetic activity in default mode network in childhood absence epilepsy. 17, ○
- 46 How Obstructed Action Efficacy Impacts Reward-Based Decision Making in Adolescent Depression: An fMRI Study. **2023**, ○
- 45 Theory of Mind and Cerebellum. **2023**, 379-385 ○
- 44 The role of the salience network in cognitive and affective deficits. 17, ○
- 43 Joint-embeddings reveal functional differences in default-mode network architecture between marmosets and humans. **2023**, 272, 120035 ○
- 42 Neurobiology of Treatment in Pediatric Anxiety Disorders. **2023**, ○
- 41 Negative association between non-suicidal self-injury in adolescents and default mode network activation during the distraction blocks of a rumination task. ○

- 40 Pre-stimulus gamma power in human posteromedial cortex shows supra-modal mechanisms in predicting the amplitude and latency of task-induced suppression. o
- 39 Contribution of default mode network to game and delayed-response task performance: power and connectivity analyses of theta oscillation in the monkey. o
- 38 Abnormal metabolic connectivity in default mode network of right temporal lobe epilepsy. 17, o
- 37 Clinical Assessment in the Neurocritical Care Unit. **2013**, 84-98.e3 o
- 36 Altered brain entropy and functional connectivity patterns in generalized anxiety disorder patients. **2023**, 332, 168-175 o
- 35 Decoding reappraisal and suppression from neural circuits: A combined supervised and unsupervised machine learning approach. o
- 34 Detecting individuals with severe mental illness using artificial intelligence applied to magnetic resonance imaging. **2023**, 90, 104541 o
- 33 Brain-wide network analysis of resting-state neuromagnetic data. o
- 32 Changes in large-scale neural networks under stress are linked to affective reactivity to stress in real life. o
- 31 Long-term stress shapes dynamic reconfiguration of functional brain networks across multi-task demands. o
- 30 Pre-surgical features of intrinsic brain networks predict single and joint epilepsy surgery outcomes. **2023**, 38, 103387 o
- 29 Reducing default mode network connectivity with mindfulness-based fMRI neurofeedback: a pilot study among adolescents with affective disorder history. o
- 28 Rf references. **2022**, 249-265 o
- 27 Brain dysconnectivity with heart failure. **2023**, 5, o
- 26 Microsurgical anatomy of the isthmic cingulum: a new white matter crossroad and neurosurgical implications in the posteromedial interhemispheric approaches and the glioma invasion patterns. **2023**, 46, o
- 25 A multimodal meta-analysis of regional functional and structural brain abnormalities in obsessive-compulsive disorder. o
- 24 Temperament & Character account for brain functional connectivity at rest: A diathesis-stress model of functional dysregulation in psychosis. o
- 23 Das Default-Netzwerk: Die Quelle des Neuen?. **2023**, 247-263 o

- 22 Advanced imaging in first episode psychosis: a systematic review. **2023**, ○
- 21 Neurodevelopment in Chronic Kidney Disease. **2023**, 1553-1576 ○
- 20 Cognition is entangled with metabolism: relevance for resting-state EEG-fMRI. 17, ○
- 19 Contribution of cortical layers to human dynamic functional connectivity. ○
- 18 F = ma. Is the macaque brain Newtonian?. 1-33 ○
- 17 The human cerebellum in reward anticipation and outcome processing: An activation likelihood estimation meta-analysis. **2023**, 149, 105171 ○
- 16 As without, so within: how the brain's temporo-spatial alignment to the environment shapes consciousness. **2023**, 13, 1
- 15 Driving and suppressing the human language network using large language models. ○
- 14 Visuo-spatial attention and semantic memory competition in the parietal cortex. **2023**, 13, ○
- 13 When You're Smiling How Posed Facial Expressions Affect Visual Recognition of Emotions. **2023**, 13, 668 ○
- 12 Enhancing the network specific individual characteristics in rs-fMRI functional connectivity by dictionary learning. ○
- 11 The neural organization of visual information in the auditory cortex of the congenitally deaf. ○
- 10 Exercise Training Augments Brain Function and Reduces Pain Perception in Adults with Chronic Pain: A Systematic Review of Intervention Studies. **2023**, 100129 ○
- 9 How can graph theory inform the dual-stream model of speech processing? a resting-state fMRI study of post-stroke aphasia. ○
- 8 Higher order diffusion imaging as a putative index of human sleep-related microstructural changes and glymphatic clearance. **2023**, 120124 ○
- 7 Episodic Memory formation: A review of complex Hippocampus input pathways. **2023**, 110757 ○
- 6 Proteostasis failure exacerbates neuronal circuit dysfunction and sleep impairments in Alzheimer's disease. **2023**, 18, ○
- 5 A new causal centrality measure reveals the prominent role of subcortical structures in the causal architecture of the extended default mode network. ○

4	Heart rate variability covaries with amygdala functional connectivity during voluntary emotion regulation. 2023 , 274, 120136	<input type="radio"/>
3	Resting state hyperconnectivity of the default mode network in schizophrenia and clinical high-risk state for psychosis.	<input type="radio"/>
2	Chaotic neural dynamics facilitate probabilistic computations through sampling.	<input type="radio"/>
1	Edge-centric functional network predicts risk propensity in economic decision-making: evidence from a resting-state fMRI study.	<input type="radio"/>