

# CITATION REPORT

List of articles citing

## Supercritical fluid extraction in herbal and natural product studies - a practical review

DOI: 10.1016/S0039-9140(00)00557-9  
Talanta, 2001, 53, 771-82.

**Source:** <https://exaly.com/paper-pdf/32469325/citation-report.pdf>

**Version:** 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
520	Current awareness in phytochemical analysis. <b>2001</b> , 12, 215-22		
519	Chapter 21 Sampling and sample preparation for fragrance analysis. <b>2002</b> , 699-719		
518	Supercritical fluid extraction and high-performance liquid chromatography-diode array-electrochemical detection of signature redox compounds from sand and soil samples. <b>2002</b> , 301, 225-34		6
517	On-line coupling of supercritical fluid extraction with high-performance liquid chromatography for the determination of explosives in vapour phases. <b>2002</b> , 963, 73-82		51
516	Supercritical fluid extraction of isoflavones from soybean flour. <b>2002</b> , 78, 111-117		90
515	Fast supercritical fluid extraction and high-resolution gas chromatography with electron-capture and flame photometric detection for multiresidue screening of organochlorine and organophosphorus pesticides in Brazil's medicinal plants. <b>2003</b> , 985, 159-66		65
514	Sampling and sample preparation for analysis of aromas and fragrances. <b>2003</b> , 22, 160-169		99
513	Before the injection--modern methods of sample preparation for separation techniques. <b>2003</b> , 1000, 3-27		349
512	Supercritical Fluid Extraction of Quercetin and Rutin from Hyperici Herba. <b>2003</b> , 26, 2517-2533		14
511	Solubility of Artemisinin in Supercritical Carbon Dioxide. <b>2003</b> , 48, 330-332		51
510	Supercritical extraction from solid: process design data (2001-2003). <b>2003</b> , 7, 321-330		77
509	Pressurized water extraction of naphthodianthrones in St. John's wort ( <i>Hypericum perforatum</i> L.). <b>2003</b> , 5, 387		14
508	Extraction and chromatography-mass spectrometric analysis of the active principles from selected Chinese herbs and other medicinal plants. <b>2003</b> , 31, 927-44		21
507	The rapid detection of pesticides in food. <b>2003</b> , 55-74		1
506	Supercritical Fluid Extraction of Bioactive Components from St. John's Wort ( <i>Hypericum perforatum</i> L.) and <i>Ginkgo biloba</i> . <b>2003</b> , 130-144		1
505	Sample Preparation and Determination of Ginkgo Terpene Trilactones in Selected Beverage, Snack, and Dietary Supplement Products by Liquid Chromatography with Evaporative Light-Scattering Detection. <b>2004</b> , 87, 815-826		15
504	Enrichment of hyperforin from St. John's wort ( <i>Hypericum perforatum</i> ) by pilot-scale supercritical carbon dioxide extraction. <b>2004</b> , 21, 443-51		26

503	Supercritical fluid extraction of saponins from tubers of <i>Smilax china</i> . <b>2004</b> , 75, 656-61	13
502	Single-step recovery of ephedrine hydrochloride from raw materials using expanded bed adsorption. <b>2004</b> , 26, 1233-6	4
501	Effects of modifiers on the supercritical CO <sub>2</sub> extraction of glycyrrhizin from licorice and the morphology of licorice tissue after extraction. <b>2004</b> , 9, 447-453	20
500	Mass transfer enhancement in supercritical fluids extraction by means of power ultrasound. <b>2004</b> , 11, 241-4	162
499	Optimization of supercritical CO <sub>2</sub> extraction of <i>Thymra spicata</i> oil. <b>2004</b> , 30, 189-199	37
498	Supercritical carbon dioxide extraction of red pepper ( <i>Capsicum annum L.</i> ) oleoresin. <b>2004</b> , 65, 55-66	88
497	Production Practices and Quality Assessment of Food Crops. <b>2004</b> ,	5
496	Essential Oil Drugs I Terpene Composition of Aromatic Herbs. <b>2004</b> , 73-128	3
495	The rapid detection of pesticide residues. <b>2005</b> , 156-176	0
494	Mathematical model for supercritical fluid extraction of natural products and extraction curve evaluation. <b>2005</b> , 33, 35-52	226
493	Determination of optimum conditions for SC-(CO <sub>2</sub> + ethanol) extraction of $\beta$ -carotene from apricot pomace using response surface methodology. <b>2005</b> , 34, 331-338	84
492	Supercritical fluid extraction of tea seed oil and its comparison with solvent extraction. <b>2005</b> , 220, 401-405	62
491	Performance testing activities for analytical assessment of supercritical fluid extractors. <b>2005</b> , 10, 219-228	2
490	EXTRACTION OF LIPIDS FROM GRAIN SORGHUM DDG. <b>2005</b> , 48, 1883-1888	24
489	Quantification of Lipid Extraction from Grain Sorghum DDG. <b>2005</b> ,	1
488	Composition of the Oil and Supercritical Fluid CO <sub>2</sub> Extract of Sweet Gale ( <i>Myrica gale L.</i> ) Fruits. <b>2005</b> , 17, 188-191	6
487	Natural Products. <b>2005</b> , 11-72	5
486	Supercritical CO <sub>2</sub> extraction and purification of compounds with antioxidant activity. <b>2006</b> , 54, 2441-69	218

485	Simultaneous Determination of Cyanazine, Chlorotoluron and Chlorbenzuron in Environmental Water Samples with SPE Multiwalled Carbon Nanotubes and LC. <b>2006</b> , 65, 25-30	47
484	Comparison of Several Extraction Methods for the Isolation of Benzoic Acid Derivatives from <i>Melissa officinalis</i> . <b>2006</b> , 29, 1633-1644	13
483	Recent advances in extraction of nutraceuticals from plants. <b>2006</b> , 17, 300-312	1203
482	Supercritical carbon dioxide extraction of compounds with antimicrobial activity from <i>Origanum vulgare</i> L.: determination of optimal extraction parameters. <b>2006</b> , 69, 369-75	57
481	Recovery of oil components of okara by ethanol-modified supercritical carbon dioxide extraction. <b>2006</b> , 97, 1509-14	45
480	Extraction of berberine from rhizome of <i>Coptis chinensis</i> Franch using supercritical fluid extraction. <b>2006</b> , 41, 1056-60	65
479	Extraction of ginsenosides from North American ginseng using modified supercritical carbon dioxide. <b>2006</b> , 39, 40-47	47
478	Supercritical fluid extraction and fractionation of natural matter. <b>2006</b> , 38, 146-166	789
477	Sensitive determination of thiamethoxam, imidacloprid and acetamiprid in environmental water samples with solid-phase extraction packed with multiwalled carbon nanotubes prior to high-performance liquid chromatography. <b>2006</b> , 385, 1520-5	98
476	Chemical products from temperate forest tree species Developing strategies for exploitation. <b>2006</b> , 24, 238-243	31
475	On-line hyphenation of supercritical fluid extraction and two-dimensional high performance liquid chromatography-atmospheric pressure chemical ionization tandem mass spectrometer for the analysis of <i>Ganoderma lucidum</i> . <b>2006</b> , 29, 2514-22	20
474	Assessing supercritical fluid extraction for the analysis of fipronil, kresoxim-methyl, acrinathrin, and pyridaben residues in melon. <b>2007</b> , 42, 809-15	12
473	Supercritical fluid extraction and other technologies for extraction of high-value food processing co-products. <b>2007</b> , 217-257	1
472	Comparative Evaluation of SFE and Steam Distillation Methods on the Yield and Composition of Essential Oil Extracted from Spearmint ( <i>Mentha spicata</i> ). <b>2007</b> , 30, 463-475	19
471	Solubility of Tocopheryl Succinate in Supercritical Carbon Dioxide Using Offline HPLC-MS/MS Analysis. <b>2007</b> , 52, 1123-1127	4
470	Thin Layer Chromatographic Techniques (TLC, OP TLC) for Determination of Biological Activated Compounds from Herb Extracts. <b>2007</b> , 30, 2617-2628	5
469	Solubility of the sesquiterpene alcohol patchoulol in supercritical carbon dioxide. <b>2007</b> , 52, 235-238	14
468	Extraction of paeonol from Jisheng Shenqi Wan using supercritical fluid extraction. <b>2007</b> , 21, 79-83	8

467	Comparison of supercritical CO <sub>2</sub> and hexane extraction of lipids from sorghum distillers grains. <b>2007</b> , 109, 567-574	26
466	Hydrodistillation of caraway by direct induction heating assisted by a magnetic field process. <b>2007</b> , 22, 178-183	9
465	Hydrodynamics in an expanded bed of large size ion-exchange resin, and natural product adsorption. <b>2007</b> , 82, 135-142	5
464	Orthogonal array design for the optimization of supercritical fluid extraction of baicalin from roots of <i>Scutellaria baicalensis</i> Georgi. <b>2007</b> , 30, 1568-74	21
463	GC/MS characterization of mate tea leaves extracts obtained from high-pressure CO <sub>2</sub> extraction. <b>2007</b> , 40, 354-359	42
462	Effect of the addition of cosolvent on the supercritical fluid extraction of bioactive compounds from <i>Helianthus annuus</i> L.. <b>2007</b> , 41, 43-49	48
461	Application of Chrastil's model to the extraction in SC-CO <sub>2</sub> of $\beta$ -carotene and lutein in <i>Mentha spicata</i> L.. <b>2007</b> , 43, 32-36	23
460	The use of ultrasound in the extraction of <i>Ilex paraguariensis</i> leaves: a comparison with maceration. <b>2007</b> , 14, 6-12	41
459	Supercritical fluid extraction of daidzein and genistein isoflavones from soybean hypocotyl after hydrolysis with endogenous $\beta$ -glucosidases. <b>2007</b> , 105, 266-272	34
458	Use of compressed fluids for sample preparation: food applications. <b>2007</b> , 1152, 234-46	213
457	Optimization and comparison of three methods for extraction of volatile compounds from <i>Cyperus rotundus</i> evaluated by gas chromatography-mass spectrometry. <b>2007</b> , 44, 444-9	37
456	Comparative analysis of the oil and supercritical CO <sub>2</sub> extract of <i>Artemisia sieberi</i> . <b>2007</b> , 79, 306-311	41
455	Identification of beta-sitosterol, stigmasterol and ergosterin in <i>A. roxburghii</i> using supercritical fluid extraction followed by liquid chromatography/atmospheric pressure chemical ionization ion trap mass spectrometry. <b>2007</b> , 21, 3024-32	23
454	Techniques of preparing plant material for chromatographic separation and analysis. <b>2007</b> , 70, 253-61	130
453	Production of rose geranium oil using supercritical fluid extraction. <b>2007</b> , 41, 50-60	77
452	Determination of anabolic steroids in creatine nutritional supplements after supercritical fluid extraction. <b>2008</b> , 160, 113-118	2
451	Orthogonal array design for the optimization of supercritical fluid extraction of tanshinones from Danshen. <b>2008</b> , 31, 321-8	21
450	Supercritical fluid extraction of polyhalogenated pollutants from aquaculture and marine environmental samples: a review. <b>2008</b> , 31, 1333-45	33

449	Production of Chemicals from Biomass. <b>2008</b> , 77-101	22
448	Fresh tomato packinghouses waste as high added-value biosource. <b>2008</b> , 53, 96-106	19
447	Optimization of supercritical fluid extraction of dl-tetrahydropalmatine from rhizome of <i>Corydalis yanhusuo</i> W.T. Wang with orthogonal array design. <b>2008</b> , 64, 242-246	21
446	Extraction of soybean isoflavones from soybean meal with aqueous methanol modified supercritical carbon dioxide. <b>2008</b> , 89, 384-389	62
445	Supercritical CO <sub>2</sub> extraction of lipids from grain sorghum dried distillers grains with solubles. <b>2008</b> , 99, 1373-82	45
444	Isolation of the sweet components from <i>Siraitia grosvenorii</i> . <b>2008</b> , 107, 1022-1028	42
443	Essential oil composition of <i>Valeriana officinalis</i> L. roots cultivated in Iran. Comparative analysis between supercritical CO <sub>2</sub> extraction and hydrodistillation. <b>2008</b> , 1180, 159-64	24
442	Impact of seed structure modification on the rate of supercritical CO <sub>2</sub> extraction. <b>2008</b> , 44, 211-218	16
441	Supercritical fluid extraction of bioactive compounds from sunflower leaves with carbon dioxide and water on a pilot plant scale. <b>2008</b> , 45, 37-42	36
440	Obtaining E Caryophyllene from <i>Cordia verbenacea</i> de Candolle by supercritical fluid extraction. <b>2008</b> , 46, 27-32	40
439	Mathematical modeling and study of mass transfer parameters in supercritical fluid extraction of fatty acids from Trout powder. <b>2008</b> , 40, 72-78	25
438	Solubilizing amino acids and polypeptides in supercritical CO <sub>2</sub> via reverse micelle formation. <b>2008</b> , 315, 110-116	3
437	Response surface optimization of wheat germ oil yield by supercritical carbon dioxide extraction. <b>2008</b> , 86, 227-231	49
436	A comprehensive review on vanilla flavor: extraction, isolation and quantification of vanillin and others constituents. <b>2008</b> , 59, 299-326	217
435	Extraction of grape seed oil using compressed carbon dioxide and propane: extraction yields and characterization of free glycerol compounds. <b>2008</b> , 56, 2558-64	73
434	Application of PLE for the determination of essential oil components from <i>Thymus vulgaris</i> L. <i>Talanta</i> , <b>2008</b> , 76, 878-84	6.2 71
433	Natural product isolation. <b>2008</b> , 25, 517-54	213
432	Development and Validation of a Method for the Determination of Tanshinones in Supercritical Fluid Extraction Products by HPLC. <b>2008</b> , 31, 543-554	3

431	New Supercritical Fluid Extraction Treatment Method for Determination of Tripterine in <i>Tripterygium wilfordii</i> Hook. F. <b>2008</b> , 31, 1422-1433	5
430	Ultrasound-Assisted Extraction in Food Analysis. <b>2008</b> ,	27
429	. <b>2008</b> ,	72
428	Improving Shelf Life And Quality Of Dehydrated Cilantro By Partial Propane Extraction. <b>2009</b> ,	
427	Solvent Derived Artifacts in Natural Products Chemistry. <b>2009</b> , 4, 1934578X0900400	9
426	Extraction of oil from wheat germ by supercritical CO <sub>2</sub> . <b>2009</b> , 14, 2573-81	41
425	Enrichment of omega3 fatty acids from Tyulka oil by supercritical CO <sub>2</sub> extraction. <b>2009</b> , 84, 1854-1859	2
424	Identification and quantification of the volatile constituents in <i>Cnidium monnieri</i> using supercritical fluid extraction followed by GC-MS. <b>2009</b> , 32, 252-7	13
423	SFE kinetics of bioactive compounds from <i>Helianthus annuus</i> L. <b>2009</b> , 32, 1445-53	9
422	Identification of volatile compounds of <i>Atractylode lancea rhizoma</i> using supercritical fluid extraction and GC-MS. <b>2009</b> , 32, 3152-6	16
421	Static and dynamic superheated water extraction of essential oil components from <i>Thymus vulgaris</i> L. <b>2009</b> , 32, 3034-42	26
420	Enhanced extraction yields and mobile phase separations by solvent mixtures for the analysis of metabolites in <i>Annona muricata</i> L. leaves. <b>2009</b> , 32, 4176-85	19
419	Application of supercritical CO <sub>2</sub> in lipid extraction I A review. <b>2009</b> , 95, 240-253	417
418	Breaking the spores of the fungus <i>Ganoderma lucidum</i> by supercritical CO <sub>2</sub> . <b>2009</b> , 112, 71-76	31
417	Application of supercritical carbon dioxide (scCO <sub>2</sub> ) for the extraction of glycolipids from <i>Lactobacillus plantarum</i> B-01. <b>2009</b> , 49, 45-51	17
416	Supercritical carbon dioxide extraction of xanthenes with antioxidant activity from <i>Garcinia mangostana</i> : Characterization by HPLC/LCESI-MS. <b>2009</b> , 49, 330-337	36
415	Supercritical carbon dioxide and co-solvent extractions of estradiol and progesterone from antler velvet. <b>2009</b> , 22, 72-78	12
414	Pumpkin ( <i>Cucurbita maxima</i> ) seed oil extraction using supercritical carbon dioxide and physicochemical properties of the oil. <b>2009</b> , 95, 208-213	93

413	Decontamination of hazardous substances from solid matrices and liquids using supercritical fluids extraction: a review. <b>2009</b> , 161, 1-20	112
412	Sample preparation for the analysis of isoflavones from soybeans and soy foods. <b>2009</b> , 1216, 2-29	152
411	Chemical composition and antibacterial activity of <i>Cordia verbenacea</i> extracts obtained by different methods. <b>2009</b> , 100, 6615-23	103
410	Approaches for application of sub and supercritical fluid extraction for quantification of orbifloxacin from plasma and milk: application to disposition kinetics. <b>2009</b> , 631, 108-15	16
409	Pigment content and fatty acid composition of paprika oleoresins obtained by conventional and supercritical carbon dioxide extraction. <b>2009</b> , 7, 95-102	14
408	Flavour Characterization of Sumach ( <i>Rhus Coriaria</i> L.) by Means of GC/MS and Sensory Flavour Profile Analysis Techniques. <b>2009</b> , 12, 379-387	15
407	A Novel HPLC Method to Analyze Imperatorin and Isoimperatorin of <i>Angelica dahurica</i> Oils Obtained by Supercritical Fluid Extraction. <b>2009</b> , 32, 2384-2395	3
406	Co-solvent-Modified Supercritical Carbon Dioxide Extraction of 10-Deacetylbaccatin III from Needles of <i>Taxus baccata</i> L. <b>2009</b> , 44, 2004-2021	2
405	Optimization of Supercritical Fluid Extraction of Essential Oil from <i>Herba Moslae</i> by Response Surface Methodology and Its Chemical Composition Analysis. <b>2010</b> , 16, 185-190	5
404	GCMS Studies of Thiophenes in the Supercritical Fluid CO <sub>2</sub> and Solvent Extracts of <i>Tagetes patula</i> L.. <b>2010</b> , 71, 1039-1047	5
403	Supercritical carbon dioxide extraction of bioactive flavonoid from <i>Strobilanthes crispus</i> (Pecah Kaca). <b>2010</b> , 88, 319-326	85
402	Optimization of supercritical carbon dioxide removal of lipid and cholesterol from goat placenta using response surface methodology. <b>2010</b> , 88, 298-304	10
401	Response surface optimization of supercritical fluid extraction of kaempferol glycosides from tea seed cake. <b>2010</b> , 32, 123-128	49
400	Optimization of supercritical fluid extraction of saikosaponins from <i>Bupleurum falcatum</i> with orthogonal array design. <b>2010</b> , 33, 1161-6	13
399	Removal of toxic aristolochic acid components from <i>Aristolochia</i> plants by supercritical fluid extraction. <b>2010</b> , 72, 269-274	11
398	Supercritical carbon dioxide extraction of triglycerides from <i>Aquilaria crassna</i> seeds. <b>2010</b> , 73, 135-141	19
397	Extraction of mangiferin from <i>Mahkota Dewa</i> ( <i>Phaleria macrocarpa</i> ) using subcritical water. <b>2010</b> , 16, 425-430	43
396	High-power ultrasonic processing: Recent developments and prospective advances. <b>2010</b> , 3, 35-47	81



395	Supercritical carbon dioxide and solvent extraction of 2-acetyl-1-pyrroline from Pandan leaf: The effect of pre-treatment. <b>2010</b> , 55, 200-207	18
394	Bioseparation of Nutraceuticals Using Supercritical Carbon Dioxide. <b>2010</b> , 353-392	1
393	Bioanalytical applications using supercritical fluid techniques. <b>2010</b> , 2, 9-25	26
392	New Trends in Sample Preparation for Analysis of Plant-Derived Medicines. <b>2010</b> , 14, 1698-1713	19
391	Extraction of nobiletin and tangeretin from Citrus depressa Hayata by supercritical carbon dioxide with ethanol as modifier. <b>2010</b> , 31, 59-64	78
390	Composition of Essential Oil Obtained From Tubular, Head and Ligulate Flowers of Calendula officinalis L. by Steam Distillation of Plant Material and CO <sub>2</sub> Extracts. <b>2010</b> , 22, 143-146	4
389	Biodiesel production: the potential of algal lipids extracted with supercritical carbon dioxide. <b>2011</b> , 13, 1422	122
388	Food Engineering Interfaces. <b>2011</b> ,	10
387	Supercritical fluid technology: concepts and pharmaceutical applications. <b>2011</b> , 65, 333-44	21
386	Investigation of Oleuropein Content in Olive Leaf Extract Obtained by Supercritical Fluid Extraction and Soxhlet Methods. <b>2011</b> , 46, 1829-1837	42
385	Extraction with supercritical fluid and comparison of chemical composition from adults and young leaves of Zanthoxylum tingoassuiba. <b>2011</b> , 21, 564-567	3
384	Identification of Major Compounds Extracted by Supercritical Fluids from Helianthus Annuus L Leaves. <b>2011</b> , 18, 55-68	2
383	Extraction of Lepidium apetalum seed oil using supercritical carbon dioxide and anti-oxidant activity of the extracted oil. <b>2011</b> , 16, 10029-45	18
382	Advances in Extraction of Plant Products in Nutraceutical Processing. <b>2011</b> , 15-52	5
381	Supercritical Fluid Extraction in Food Processing. <b>2011</b> , 195-222	
380	Supercritical antisolvent fractionation of ryanodol from Persea indica. <b>2011</b> , 60, 16-20	17
379	Potential allelopathic of the fractions obtained from sunflower leaves using supercritical carbon dioxide. <b>2011</b> , 60, 28-37	13
378	Biological activities of Solanum paludosum Moric. extracts obtained by maceration and supercritical fluid extraction. <b>2011</b> , 58, 391-397	10

377	Comparison of different extraction methods for the extraction of major bioactive flavonoid compounds from spearmint ( <i>Mentha spicata</i> L.) leaves. <b>2011</b> , 89, 67-72	182
376	Supercritical fluid extraction of flavonoids from <i>Maydis stigma</i> and its nitrite-scavenging ability. <b>2011</b> , 89, 333-339	76
375	Coumarin Extraction from <i>Cuscuta reflexa</i> using Supercritical Fluid Carbon Dioxide and Development of an Artificial Neural Network Model to Predict the Coumarin Yield. <b>2011</b> , 4, 737-744	34
374	Separation of $\alpha$ -linolenic and other polyunsaturated fatty acids from Boraginaceae via supercritical CO <sub>2</sub> . <b>2011</b> , 34, 233-40	20
373	Supercritical extraction of phloroglucinol and benzophenone derivatives from <i>Hypericum carinatum</i> : quantification and mathematical modeling. <b>2011</b> , 34, 3107-13	12
372	Optimization of process variables for essential oil components from <i>Satureja hortensis</i> by supercritical fluid extraction using Box-Behnken experimental design. <b>2011</b> , 55, 944-948	70
371	Supercritical fluid extraction of wormwood ( <i>Artemisia absinthium</i> L.). <b>2011</b> , 56, 64-71	35
370	Viscosity of pure carbon dioxide at supercritical region: Measurement and correlation approach. <b>2011</b> , 56, 144-151	85
369	Supercritical CO <sub>2</sub> extraction of <i>Persea indica</i> : Effect of extraction parameters, modelling and bioactivity of its extracts. <b>2011</b> , 57, 120-128	26
368	Various extraction and analytical techniques for isolation and identification of secondary metabolites from <i>Nigella sativa</i> seeds. <b>2011</b> , 11, 947-55	13
367	Supercritical fluid extraction from vegetable materials. <b>2011</b> , 27,	62
366	Supercritical carbon dioxide extraction of bioactive compounds from <i>Ampelopsis grossedentata</i> stems: process optimization and antioxidant activity. <b>2011</b> , 12, 6856-70	23
365	<i>Cassia auriculata</i> : Aspects of Safety Pharmacology and Drug Interaction. <b>2011</b> , 2011, 915240	9
364	Determination of the isoflavone genistein in soybeans by high-performance liquid chromatography following cloud point extraction. <b>2012</b> , 95, 845-9	4
363	Application of supercritical fluid carbon dioxide to the extraction and analysis of lipids. <b>2012</b> , 4, 2413-22	20
362	Analytical methodology for the determination of organochlorine pesticides in vegetation. <b>2012</b> , 95, 1291-310	17
361	Membrane applications in functional foods and nutraceuticals. <b>2012</b> , 52, 347-71	37
360	Natural Products Isolation. <b>2012</b> ,	35

359	Ethanol modified supercritical carbon dioxide extraction of flavonoids from <i>Momordica charantia</i> L. and its antioxidant activity. <b>2012</b> , 90, 579-587		69
358	Supercritical Extraction and Separation of Antioxidants from Residues of the Wine Industry. <b>2012</b> , 42, 1762-1766		5
357	Comparison of headspace analysis of volatile constituents with GCMS analysis of hydrodistilled and supercritical fluid extracted oil of <i>Capillipedium parviflorum</i> . <b>2012</b> , 24, 315-320		6
356	Extraction of <i>Mucuna</i> seed oil using supercritical carbon dioxide to increase the concentration of l-Dopa in the defatted meal. <b>2012</b> , 69, 75-81		26
355	Optimization of supercritical fluid extraction combined with dispersive liquid-liquid microextraction as an efficient sample preparation method for determination of 4-nitrotoluene and 3-nitrotoluene in a complex matrix. <i>Talanta</i> , <b>2012</b> , 88, 50-3	6.2	29
354	Application of Supercritical Carbon Dioxide to Fruit and Vegetables: Extraction, Processing, and Preservation. <b>2012</b> , 28, 253-276		43
353	Theoretical models for supercritical fluid extraction. <b>2012</b> , 1250, 2-26		101
352	Techniques to extract bioactive compounds from food by-products of plant origin. <b>2012</b> , 46, 505-513		205
351	Analysis and Antioxidant Capacity of Anthocyanin Pigments. Part III: An Introduction to Sample Preparation and Extraction. <b>2012</b> , 42, 284-312		13
350	Optimization of Extraction Condition for Supercritical Carbon Dioxide (SCCO 2) Extraction of <i>Strobilantes crispus</i> (Pecah Kaca) Leaves by Response Surface Methodology. <b>2012</b> , 04,		
349	Supercritical fluid extraction of phenolic compounds from <i>Eucalyptus globulus</i> Labill bark. <b>2012</b> , 71, 71-79		94
348	Supercritical carbon dioxide extraction of omega-3 oil compounds from <i>Ficus awkeotsang</i> Makino achenes. <b>2012</b> , 98, 62-68		9
347	Supercritical fluid extraction in natural products analyses. <b>2012</b> , 864, 43-74		14
346	Cellulosic materials as biopolymers and supercritical CO <sub>2</sub> as a green process: chemistry and applications. <b>2012</b> , 5, 47-65		24
345	Extraction of Bioactive Compounds from Leaves of <i>Lawsonia inermis</i> by Green Pressurized Fluids. <b>2012</b> , 47, 1006-1013		9
344	Pressurized Fluid Extraction and Analysis of Bioactive Compounds in Birch Bark. <b>2012</b> , 259-285		
343	Extraction of astaxanthin from <i>Haematococcus pluvialis</i> by supercritical carbon dioxide fluid with ethanol modifier. <b>2012</b> , 12, 638-647		61
342	Optimization of Supercritical Carbon Dioxide Extraction of Bioactive Flavonoid Compounds from Spearmint ( <i>Mentha spicata</i> L.) Leaves by Using Response Surface Methodology. <b>2012</b> , 5, 912-920		63

341	Supercritical fluid extraction of <i>Alnus glutinosa</i> (L.) Gaertn.. <b>2012</b> , 61, 55-61	28
340	Extraction of polar lipids from bifidobacteria by supercritical carbon dioxide (scCO <sub>2</sub> ). <b>2012</b> , 62, 149-154	8
339	A novel correlation approach to estimate thermal conductivity of pure carbon dioxide in the supercritical region. <b>2012</b> , 64, 39-45	38
338	Development of a green extraction procedure with super/subcritical fluids to produce extracts enriched in oleuropein from olive leaves. <b>2012</b> , 67, 89-93	68
337	Response surface optimization of hemp seed ( <i>Cannabis sativa</i> L.) oil yield and oxidation stability by supercritical carbon dioxide extraction. <b>2012</b> , 68, 45-51	65
336	Food process innovation through new technologies: Use of ultrasound. <b>2012</b> , 110, 200-207	202
335	Analytical sonochemistry; developments, applications, and hyphenations of ultrasound in sample preparation and analytical techniques. <b>2012</b> , 10, 938-976	24
334	A bitter plant with a sweet future? A comprehensive review of an oriental medicinal plant: <i>Andrographis paniculata</i> . <b>2012</b> , 11, 39-75	51
333	Novel extraction techniques for phytochemicals. <b>2013</b> , 412-433	2
332	Optimization of Supercritical Fluid Extraction of Phenolics from Date Seeds and Characterization of its Antioxidant Activity. <b>2013</b> , 6, 781-788	18
331	Optimisation of ultrasound-assisted extraction of rosehip ( <i>Rosa canina</i> L.) with response surface methodology. <b>2013</b> , 93, 2804-9	18
330	Mass Transfer Coefficients and Correlation of Supercritical Carbon Dioxide Extraction of Sarawak Black Pepper. <b>2013</b> , 10, 1-15	5
329	Supercritical antisolvent extraction of antioxidants from grape seeds after vinification. <b>2013</b> , 82, 238-243	57
328	Supercritical fluid extracts with antioxidant and antimicrobial activities from myrtle ( <i>Myrtus communis</i> L.) leaves. Response surface optimization. <b>2013</b> , 83, 57-64	31
327	Optimisation of process variables for antioxidant components from <i>Crataegus monogyna</i> by supercritical fluid extraction (CO <sub>2</sub> ) using Box-Behnken experimental design. <b>2013</b> , 81, 112-118	12
326	Contribution of microwaves or ultrasonics on carvone and limonene recovery from dill fruits ( <i>Anethum graveolens</i> L.). <b>2013</b> , 17, 114-119	26
325	UHPLC: The Greening Face of Liquid Chromatography. <b>2013</b> , 76, 1429-1437	39
324	Combination of supercritical fluid extraction with counter-current chromatography to isolate anthocyanidins from the petals of <i>Chaenomeles sinensis</i> based on mathematical calculations. <b>2013</b> , 36, 3517-26	9

323	Optimization of olive leaf extract obtained by ultrasound-assisted extraction with response surface methodology. <b>2013</b> , 20, 595-602	225
322	A review of the dietary flavonoid, kaempferol on human health and cancer chemoprevention. <b>2013</b> , 138, 2099-107	533
321	Investigation of Polyphenolic Content of Rose Hip ( L.) Tea Extracts: A Comparative Study. <b>2013</b> , 2, 43-52	10
320	Perspectives for natural product based agents derived from industrial plants in textile applications A review. <b>2013</b> , 57, 2-18	218
319	Techniques for extraction of bioactive compounds from plant materials: A review. <b>2013</b> , 117, 426-436	1269
318	Modified Redlich-Kwong equation of state for supercritical carbon dioxide. <b>2013</b> , 81, 92-98	28
317	The advances of electromigration techniques applied for alkaloid analysis. <b>2013</b> , 27, 1312-38	5
316	Application of supercritical fluid extraction coupled with counter-current chromatography for extraction and online isolation of unstable chemical components from Rosa damascena. <b>2013</b> , 36, 2104-13	9
315	Analytical methodologies for the determination of endocrine disrupting compounds in biological and environmental samples. <b>2013</b> , 2013, 674838	58
314	OBTAINING SCARLET SAGE (SALVIA COCCINEA) EXTRACT THROUGH HOMOGENIZER- AND ULTRASOUND-ASSISTED EXTRACTION METHODS. <b>2013</b> , 200, 1197-1209	19
313	Nanosized objects in equilibrium supercritical fluids. <b>2013</b> , 3, 01062	2
312	Supercritical Fluid Technology in Analytical Chemistry - Review. <b>2013</b> , 10, 3-28	31
311	Optimization of Supercritical Co2 Extraction of Swietenia Mahagoni Seed by Response Surface Methodology. <b>2014</b> , 67,	1
310	Extraction Processes. <b>2014</b> , 129-158	
309	Factorial Design Optimization of Solid-Phase Microextraction for High-Performance Liquid Chromatography-Ultraviolet Spectrometry Analysis of Polycyclic Aromatic Hydrocarbons in Cigarette Filter Tar. <b>2014</b> , 34, 115-134	4
308	Extraction Methodologies in Plants: General Introduction. <b>2014</b> , 1-26	2
307	Supercritical Fluid Chromatography: A Green Approach for Separation and Purification of Organic and Inorganic Analytes. <b>2014</b> , 55-80	
306	Study on Optimization of Extraction Technology for Bitter Melon Seed Oil by Supercritical CO2. <b>2014</b> , 618, 354-361	3

305	Investigation of ice-assisted sonication on the microstructure and chemical quality of <i>Ganoderma lucidum</i> spores. <b>2014</b> , 79, E2253-65	15
304	A comparative study of various oil extraction techniques from plants. <b>2014</b> , 30,	53
303	Recent Advances in Redox Active Plant and Microbial Products. <b>2014</b> ,	3
302	The Modern Art of Identification of Natural Substances in Whole Plants. <b>2014</b> , 31-94	
301	Modeling and optimization of supercritical fluid extraction of anthocyanin and phenolic compounds from <i>Syzygium cumini</i> fruit pulp. <b>2014</b> , 51, 1938-46	75
300	Optimization of supercritical CO <sub>2</sub> extraction of different anatomical parts of lovage ( <i>Levisticum officinale</i> Koch.) using response surface methodology and evaluation of extracts composition. <b>2014</b> , 87, 93-103	17
299	Optimization of essential oil supercritical extraction from Algerian <i>Myrtus communis</i> L. leaves using response surface methodology. <b>2014</b> , 85, 89-94	30
298	Green Chromatographic Techniques. <b>2014</b> ,	4
297	Influence of the leaf content and herbal particle size on the presence and extractability of quantitated phenolic compounds in <i>Cistus incanus</i> herbal teas. <b>2014</b> , 62, 10978-88	13
296	Supercritical carbon dioxide extraction of highly unsaturated oil from <i>Phaleria macrocarpa</i> seed. <b>2014</b> , 65, 394-400	13
295	Recrystallization of Adefovir Dipivoxil Particles Using the Aerosol Solvent Extraction System Process. <b>2014</b> , 53, 1663-1671	7
294	Supercritical fluid extraction of volatile oil from <i>Lippia alba</i> (Mill.) cultivated in Arag� (Spain). <b>2014</b> , 94, 206-211	12
293	Environmentally benign supercritical CO <sub>2</sub> extraction of galanthamine from floricultural crop waste of <i>Narcissus pseudonarcissus</i> . <b>2014</b> , 93, 7-19	9
292	Optimizing oil and xanthorrhizol extraction from <i>Curcuma xanthorrhiza</i> Roxb. rhizome by supercritical carbon dioxide. <b>2014</b> , 51, 2197-203	25
291	Extraction Methods of Citrus Peel Phenolic Compounds. <b>2014</b> , 30, 265-290	63
290	Extraction of oil and �sitosterol from peach ( <i>Prunus persica</i> ) seeds using supercritical carbon dioxide. <b>2014</b> , 92, 319-323	33
289	Recent developments in solid- state fermentation: Chinese herbs as substrate. <b>2014</b> , 131-154	
288	Biodiesel Production From Marine Macroalgae. <b>2015</b> , 478-505	

287	Supercritical Fluid Extraction of Bioactives. <b>2015</b> , 129-146	
286	Influence of flow rate, temperature and pressure on multiphase flows of supercritical carbon dioxide and water using multivariate partial least square regression. <b>2015</b> , 25, 105001	4
285	Extractions of oil from <i>Descurainia sophia</i> seed using supercritical CO <sub>2</sub> , chemical compositions by GC-MS and evaluation of the anti-tussive, expectorant and anti-asthmatic activities. <b>2015</b> , 20, 13296-312	10
284	Supercritical Algal Extracts: A Source of Biologically Active Compounds from Nature. <b>2015</b> , 2015, 1-14	20
283	Antioxidant and Antibacterial Assays on <i>Polygonum minus</i> Extracts: Different Extraction Methods. <b>2015</b> , 2015, 1-10	15
282	Mass Transfer Models for Supercritical Fluid Extraction. <b>2015</b> , 77-115	4
281	Green extraction of antioxidants from different varieties of red grape pomace. <b>2015</b> , 20, 9686-702	63
280	Analysis of Lichen Metabolites, a Variety of Approaches. <b>2015</b> , 229-261	1
279	Ethanol modified supercritical carbon dioxide extraction of antioxidant rich extract from <i>Pereskia bleo</i> . <b>2015</b> , 21, 1314-1322	27
278	Supercritical extraction of essential oil from <i>Juniperus communis</i> L. needles: Application of response surface methodology. <b>2015</b> , 99, 8-14	24
277	Green solvents for green technologies. <b>2015</b> , 90, 1631-1639	203
276	Kinetic modelling of supercritical carbon dioxide extraction of sage ( <i>Salvia officinalis</i> L.) leaves and jatropha ( <i>Jatropha curcas</i> L.) seeds. <b>2015</b> , 100, 142-145	11
275	Bioactive profile, dehydration, extraction and application of the bioactive components of olive leaves. <b>2015</b> , 42, 150-172	149
274	Antioxidative effect of loquat ( <i>Eriobotrya japonica</i> Lindl.) fruit skin extract in soybean oil. <b>2015</b> , 3, 74-80	8
273	Enzyme-assisted supercritical fluid extraction of phenolic antioxidants from pomegranate peel. <b>2015</b> , 104, 122-131	117
272	Extraction of Coal Tar Distillate by Supercritical n-Pentane: A Study on Dissolving Capacity and Selectivity. <b>2015</b> , 29, 3992-4000	3
271	Coriander seeds processing: Sequential extraction of non-polar and polar fractions using supercritical carbon dioxide extraction and ultrasound-assisted extraction. <b>2015</b> , 95, 218-227	24
270	Biomass as a Feedstock. <b>2015</b> , 31-52	1

269	Application of gas chromatography to analysis of spirit-based alcoholic beverages. <b>2015</b> , 45, 201-25	17
268	Influence of extraction techniques on antioxidant properties and bioactive compounds of loquat fruit ( <i>Eriobotrya japonica</i> Lindl.) skin and pulp extracts. <b>2015</b> , 3, 179-87	17
267	Supercritical extraction as an effective first-step in a maize stover biorefinery. <b>2015</b> , 5, 43831-43838	28
266	Preparation of olanzapine and methyl- $\beta$ -cyclodextrin complexes using a single-step, organic solvent-free supercritical fluid process: An approach to enhance the solubility and dissolution properties. <b>2015</b> , 494, 408-16	35
265	Extraction of value-added chemicals from pyrolysis liquids with supercritical carbon dioxide. <b>2015</b> , 113, 174-185	31
264	Recent Advances in Lichenology. <b>2015</b> ,	4
263	Advanced analytical techniques for the extraction and characterization of plant-derived essential oils by gas chromatography with mass spectrometry. <b>2015</b> , 38, 483-501	23
262	Supercritical fluid extraction of oil from muskmelon ( <i>Cucumis melo</i> ) seeds. <b>2015</b> , 47, 71-78	46
261	Winter Melon ( <i>Benincasa hispida</i> ) Seeds and Impact of Extraction on Composition. <b>2015</b> , 407-414	4
260	Box-Behnken design based multi-response analysis and optimization of supercritical carbon dioxide extraction of bioactive flavonoid compounds from tea ( <i>Camellia sinensis</i> L.) leaves. <b>2015</b> , 52, 92-104	92
259	Catechins: Sources, extraction and encapsulation: A review. <b>2015</b> , 93, 122-138	145
258	Therapeutic and nutraceutical potential of bioactive compounds extracted from fruit residues. <b>2015</b> , 55, 319-37	95
257	Effect of ultrasound pre-treatment of hemp ( <i>Cannabis sativa</i> L.) seed on supercritical CO <sub>2</sub> extraction of oil. <b>2015</b> , 52, 1748-53	33
256	Enhancement of food processes by ultrasound: a review. <b>2015</b> , 55, 570-94	170
255	High Pressure Fluid Technology for Green Food Processing. <b>2015</b> ,	6
254	ENVIRONMENTAL FRIENDLY BIO-PESTICIDE ROTENONE EXTRACTED FROM <i>Derris</i> sp.: A REVIEW ON THE EXTRACTION METHOD, TOXICITY AND FIELD EFFECTIVENESS. <b>2016</b> , 78,	2
253	. <b>2016</b> ,	20
252	Methods for Extracting Essential Oils. <b>2016</b> , 31-38	11



251	Innovative Alternative Technologies to Extract Carotenoids from Microalgae and Seaweeds. <b>2016</b> , 14,	160
250	Supercritical Carbon Dioxide and Microwave-Assisted Extraction of Functional Lipophilic Compounds from <i>Arthrospira platensis</i> . <b>2016</b> , 17,	49
249	Supercritical Fluids. <b>2016</b> , 1-28	1
248	By-product of honeybush ( <i>Cyclopia maculata</i> ) tea processing as source of hesperidin-enriched nutraceutical extract. <b>2016</b> , 87, 132-141	13
247	Thermal analysis of activated carbon obtained from residue after supercritical extraction of hops. <b>2016</b> , 125, 1199-1204	40
246	Pilot-plant scale extraction of phenolic compounds from mango leaves using different green techniques: Kinetic and scale up study. <b>2016</b> , 299, 420-430	50
245	Encapsulation of edible active compounds using supercritical fluids. <b>2016</b> , 16-40	1
244	On food and chemesthesis [Food science and culinary perspectives. <b>2016</b> , 250-267	2
243	Application of response surface methodology for optimizing the recovery of phenolic compounds from hazelnut skin using different extraction methods. <b>2016</b> , 91, 114-124	53
242	Volumetric properties of supercritical carbon dioxide from volume-translated and modified Peng-Robinson equations of state. <b>2016</b> , 33, 3231-3244	8
241	Functional nutraceuticals: past, present, and future. <b>2016</b> , 41-78	1
240	Optimization of Supercritical Fluid Extraction and Rapid Resolution LC-MS/ESI Identification of Chromones from <i>Saposhnikovia Radix</i> through Orthogonal Array Design. <b>2016</b> , 8, 314-322	4
239	Industrial Production of Nanonutraceuticals. <b>2016</b> , 275-287	
238	Guaran[ <i>Paullinia cupana</i> ) seeds: Selective supercritical extraction of phenolic compounds. <b>2016</b> , 212, 703-11	46
237	Comparison of environmental laws publications in Science Citation Index Expanded and Social Science Index: a bibliometric analysis. <b>2016</b> , 109, 227-239	15
236	Emerging and Traditional Technologies for Safe, Healthy and Quality Food. <b>2016</b> ,	5
235	Supercritical fluid extraction of bioactive compounds. <b>2016</b> , 76, 40-51	319
234	Feasibility study of a new approach to removal of paint coatings in remanufacturing. <b>2016</b> , 234, 102-112	20

233	Herbal Insecticides, Repellents and Biomedicines: Effectiveness and Commercialization. <b>2016,</b>		4
232	Extraction, Purification and Characterisation of Insecticidal Compounds from Plants. <b>2016,</b> 101-115		1
231	Herbal Processing and Extraction Technologies. <b>2016,</b> 45, 305-320		54
230	Impact of supercritical extraction on solid fuel wood pellet properties and off-gassing during storage. <b>2016,</b> 18, 2682-2690		28
229	Detection of Bioactive Compounds in Plants and Food Products. <b>2016,</b> 81-109		3
228	Supercritical carbon dioxide extraction of essential oils from leaves of <i>Eucalyptus globulus</i> L., their analysis and application. <b>2016,</b> 8, 1339-1350		15
227	Molecularly imprinted solid phase extraction in a syringe filter for determination of triazine herbicides in <i>Radix Paeoniae Alba</i> by ultra-fast liquid chromatography. <i>Talanta</i> , <b>2016,</b> 148, 539-47	6.2	30
226	Optimization of a High Pressure CO <sub>2</sub> Antisolvent Process for the Recycling of Polystyrene Wastes. <b>2016,</b> 55, 335-342		1
225	Extraction Methods in Trace Analysis. <b>2016,</b> 123-152		1
224	Optimization and scale-up process for supercritical fluids extraction of ginger oil from <i>Zingiber officinale</i> var. <i>Amarum</i> . <b>2017,</b> 120, 285-294		35
223	Rice bran nutraceuticals: A comprehensive review. <b>2017,</b> 57, 3771-3780		113
222	Green Extraction Methods for Polyphenols from Plant Matrices and Their Byproducts: A Review. <b>2017,</b> 16, 295-315		326
221	Extraction of Flaxseed Oil: A Comparative Study of Three-Phase Partitioning and Supercritical Carbon Dioxide Using Response Surface Methodology. <b>2017,</b> 10, 940-948		18
220	Biorefining of blackcurrant pomace into high value functional ingredients using supercritical CO <sub>2</sub> , pressurized liquid and enzyme assisted extractions. <b>2017,</b> 124, 10-19		46
219	Micro-mechanism analysis of ultrahigh pressure extraction from green tea leaves by numerical simulation. <b>2017,</b> 180, 51-57		9
218	Evaluation of new natural deep eutectic solvents for the extraction of isoflavones from soy products. <i>Talanta</i> , <b>2017,</b> 168, 329-335	6.2	103
217	Genetic programming (GP) approach for prediction of supercritical CO <sub>2</sub> thermal conductivity. <b>2017,</b> 122, 164-175		37
216	Functionalization and optimization of PLA with coumarin via click chemistry in supercritical CO <sub>2</sub> . <b>2017,</b> 20, 20-26		7

215	Supercritical CO <sub>2</sub> extraction of oil from green coffee beans: Solubility, triacylglycerol composition, thermophysical properties and thermodynamic modelling. <b>2017</b> , 128, 386-394	34
214	Supercritical CO <sub>2</sub> extraction from endemic Corsican plants; comparison of oil composition and extraction yield with hydrodistillation method. <b>2017</b> , 20, 263-273	15
213	Enzyme-assisted supercritical fluid extraction: an alternative and green technology for non-extractable polyphenols. <b>2017</b> , 409, 3645-3655	39
212	Extraction of $\beta$ -carotene from organic phase using ammonium based ionic liquids aqueous solution. <b>2017</b> , 227, 15-20	27
211	Supercritical fluid extraction of Rumex Acetosa L. roots: Yield, composition, kinetics, bioactive evaluation and comparison with conventional techniques. <b>2017</b> , 122, 1-9	28
210	Supercritical carbon dioxide extraction of $\beta$ -carotene and Tocopherol from pumpkin: a BoxBehnken design for extraction variables. <b>2017</b> , 9, 294-303	21
209	Tannins. <b>2017</b> , 199-232	32
208	Rapid gas chromatography with flame photometric detection of multiple organophosphorus pesticides in <i>Salvia miltiorrhiza</i> after ultrasonication assisted one-step extraction. <b>2017</b> , 1068-1069, 233-238	18
207	Recent advances in extraction of antioxidants from plant by-products processing industries. <b>2017</b> , 1, 61-81	62
206	Phytochemistry. <b>2017</b> , 111-140	2
205	Extraction of Aril Oil from Gac ( <i>Momordica cochinchinensis</i> Spreng) Using Supercritical Carbon Dioxide. <b>2017</b> , 41, e13122	3
204	Supercritical carbon dioxide extraction of antioxidants from <i>Crocus sativus</i> petals of saffron industry residues: Optimization using response surface methodology. <b>2017</b> , 121, 19-31	46
203	Piperine-The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. <b>2017</b> , 16, 124-140	147
202	Potential of Novel Technologies for Aqueous Extraction of Plant Bioactives. <b>2017</b> , 399-419	5
201	Effect of Supercritical Carbon Dioxide Extraction Parameters on the Biological Activities and Metabolites Present in Extracts from <i>Arthrospira platensis</i> . <b>2017</b> , 15,	15
200	Mass transfer and kinetic modelling of supercritical CO <sub>2</sub> extraction of fresh tea leaves ( <i>Camellia sinensis</i> L.). <b>2017</b> , 34, 799-810	9
199	Steam distillation/drop-by-drop extraction with gas chromatography-mass spectrometry for fast determination of volatile components in jujube ( <i>Ziziphus jujuba</i> Mill.) extract. <b>2017</b> , 11, 101	4
198	Determination of hexabromocyclododecane in soil by supercritical fluid extraction and gas chromatography mass spectrometry. <b>2018</b> , 10, 1181-1189	6

197	Supercritical CO <sub>2</sub> extraction in chia oils production: impact of process duration and co-solvent addition. <b>2018</b> , 27, 677-686	19
196	Phase Equilibrium Study of the Ternary System CO <sub>2</sub> + H <sub>2</sub> O + Ethanol At Elevated Pressure: Thermodynamic Model Selection. Application to Supercritical Extraction of Polar Compounds. <b>2018</b> , 138, 17-28	8
195	Berry press residues as a valuable source of polyphenolics: Extraction optimisation and analysis. <b>2018</b> , 93, 583-591	36
194	A review on assessment of biodiesel production methodologies from Calophyllum inophyllum seed oil. <b>2018</b> , 114, 28-44	32
193	Correlating supercritical fluid extraction parameters with volatile compounds from Finnish wild mushrooms () and yield prediction by partial least squares regression analysis.. <b>2018</b> , 8, 5233-5242	6
192	Modern Extraction Techniques for Drugs and Medicinal Agents. <b>2018</b> , 65-106	5
191	Supercritical extraction of waxes and lipids from biomass: A valuable first step towards an integrated biorefinery. <b>2018</b> , 177, 684-698	44
190	A critical analysis of extraction techniques used for botanicals: Trends, priorities, industrial uses and optimization strategies. <b>2018</b> , 100, 82-102	183
189	Supercritical carbon dioxide as a green media in textile dyeing: A review. <b>2018</b> , 88, 1184-1212	55
188	Valorization of spruce needle waste via supercritical extraction of waxes and facile isolation of nonacosan-10-ol. <b>2018</b> , 171, 557-566	12
187	Investigating the antioxidant potential of licorice extracts obtained through different extraction modes. <b>2018</b> , 42, e12466	7
186	Extraction of oil from Elaeis spp. using subcritical propane and cosolvent: Experimental and modeling. <b>2018</b> , 133, 401-410	18
185	Extraction of Astaxanthin and Lutein from Microalga in the Red Phase Using CO <sub>2</sub> Supercritical Fluid Extraction Technology with Ethanol as Co-Solvent. <b>2018</b> , 16,	69
184	Use of hop cone extract obtained under supercritical CO <sub>2</sub> conditions for producing antibacterial all-purpose cleaners. <b>2018</b> , 11, 419-428	4
183	Enzyme-assisted optimized supercritical fluid extraction to improve Medicago sativa polyphenolics isolation. <b>2018</b> , 124, 931-940	33
182	Application of supercritical fluids in cholesterol extraction from foodstuffs: a review. <b>2018</b> , 55, 2813-2823	17
181	New Trends in Food Technology for Green Recovery of Bioactive Compounds From Plant Materials. <b>2018</b> , 1-36	2
180	Innovative technologies for the recovery of phytochemicals from Stevia rebaudiana Bertoni leaves: A review. <b>2018</b> , 268, 513-521	66

179	Seaweed-Derived Carotenoids. <b>2018</b> , 95-107	3
178	Analysis of Herbicide and/or Pesticide Residues in Dietary Botanical Supplements. <b>2018</b> , 1-95	1
177	Green techniques in comparison to conventional ones in the extraction of Amaryllidaceae alkaloids: Best solvents selection and parameters optimization. <b>2018</b> , 1567, 99-110	32
176	Application of supercritical and subcritical fluids in food processing. <b>2018</b> , 2, 59-67	28
175	Pharmaceutical Analysis   Sample Preparation. <b>2018</b> , 231-231	2
174	Phenolic Acids From Plants: Extraction and Application to Human Health. <b>2018</b> , 389-417	26
173	Recovery of lipophilic products from wild cyanobacteria ( <i>Aphanizomenon flos-aquae</i> ) isolated from the Curonian Lagoon by means of supercritical carbon dioxide extraction. <b>2018</b> , 35, 10-21	13
172	Agricultural and Food Industry By-Products: Source of Bioactive Components for Functional Beverages. <b>2019</b> , 543-589	2
171	Novel extraction techniques and pharmaceutical activities of luteolin and its derivatives. <b>2019</b> , 43, e12974	54
170	Colchicine: Isolation, LC-MS QToF Screening, and Anticancer Activity Study of Seeds. <b>2019</b> , 24,	13
169	Potential application of herbs and spices and their effects in functional dairy products. <b>2019</b> , 5, e01989	75
168	A Review of the Different Methods Applied in Ginsenoside Extraction From <i>Panax ginseng</i> and <i>Panax quinquefolius</i> Roots. <b>2019</b> , 14, 1934578X1986839	6
167	Valorization of rice bran: Modified supercritical CO <sub>2</sub> extraction of bioactive compounds. <b>2019</b> , 80, 273-282	12
166	Supercritical Fluid Extraction and Fractionation. <b>2019</b> , 133-171	1
165	SUPERCritical CARBON DIOXIDE EXTRACTION OF MANGO GINGER ( <i>CURCUMA MANGGA ROXB.</i> ): PROCESS OPTIMIZATION USING TAGUCHI METHOD. <b>2019</b> , 152-155	
164	Development of generalized and simplified models for supercritical fluid extraction: Case study of papaya ( <i>Carica papaya</i> ) seed oil. <b>2019</b> , 150, 341-358	14
163	Tailor-made natural deep eutectic solvents for green extraction of isoflavones from chickpea ( <i>Cicer arietinum</i> L.) sprouts. <b>2019</b> , 140, 111724	41
162	Valorisation of sweet corn ( <i>Zea mays</i> ) cob by extraction of valuable compounds. <b>2019</b> , 54, 1240-1246	16

161	Recent advances in the SuzukiMiyaura cross-coupling reaction using efficient catalysts in eco-friendly media. <b>2019</b> , 21, 381-405	220
160	Supercritical fluid extraction of essential oils. <b>2019</b> , 118, 182-193	81
159	Pumpkin (Cucurbita pepo L.) Seed Oil. <b>2019</b> , 765-788	4
158	Are supercritical fluids solvents for the future?. <b>2019</b> , 141, 107532	51
157	A benign process for the recovery of solanesol from tomato leaf waste. <b>2019</b> , 5, e01523	7
156	Response Surface Optimization of Supercritical Carbon Dioxide Extraction of Tea Polyphenols from Green Tea Scraps. <b>2019</b> , 102, 451-456	5
155	Optimization of Microwave-Assisted Extraction (MAE) for the Isolation of Antioxidants from Basil (Ocimum basilicum L.) by Response Surface Methodology (RSM). <b>2019</b> , 52, 2751-2763	5
154	Experimental study and optimization of the extraction of Algerian date stones oil (Phoenix dactylifera L.) using supercritical carbon dioxide. <b>2019</b> , 42, e13049	9
153	Production of biodiesel from rice bran oil. <b>2019</b> , 409-447	7
152	Factorial design-assisted supercritical carbon-dioxide extraction of cytotoxic active principles from Carica papaya leaf juice. <b>2019</b> , 9, 1716	5
151	Extraction of phytosterols from melon (Cucumis melo) seeds by supercritical CO <sub>2</sub> as a clean technology. <b>2019</b> , 8, 677-682	3
150	Supercritical fluid extraction of $\beta$ -carotene from ripe bitter melon pericarp. <b>2019</b> , 9, 19266	11
149	5. Supercritical fluid-assisted electrospinning. <b>2019</b> , 99-128	
148	The Quest for Phenolic Compounds from Macroalgae: A Review of Extraction and Identification Methodologies. <b>2019</b> , 9,	39
147	An overview of the recent trends on the waste valorization techniques for food wastes. <b>2019</b> , 233, 352-370	157
146	Effects of subcritical water extraction microenvironment on the structure and biological activities of polysaccharides from Lentinus edodes. <b>2019</b> , 123, 1002-1011	66
145	Solid-Liquid Equilibrium in Food Processes. <b>2019</b> , 335-384	3
144	Mass spectrometric evaluation of the soluble species of Shengli lignite using cluster analysis methods. <b>2019</b> , 236, 1037-1042	17

143	Copper wire as a clean and efficient catalyst for click chemistry in supercritical CO <sub>2</sub> . <b>2020</b> , 346, 65-68	2
142	Experimental measurement on the viscosity of supercritical carbon dioxide. <b>2020</b> , 151, 107188	5
141	Extraction of lipids from algae using supercritical carbon dioxide. <b>2020</b> , 17-39	5
140	Supercritical fluids for the extraction of oleoresins and plant phenolics. <b>2020</b> , 279-328	1
139	Selective extraction of phospholipids from food by-products by supercritical carbon dioxide and ethanol and formulating ability of extracts. <b>2020</b> , 238, 116394	6
138	Supercritical fluid extraction of <i>Arbutus unedo</i> distillate residues [Impact of process conditions on antiproliferative response of extracts. <b>2020</b> , 37, 29-38	13
137	Recovery of eggplant field waste as a source of phytochemicals. <b>2020</b> , 261, 109023	20
136	Pomegranate seed oil in food industry: Extraction, characterization, and applications. <b>2020</b> , 105, 273-283	14
135	Predicting thermal conductivity of carbon dioxide using group of data-driven models. <b>2020</b> , 113, 165-177	20
134	Advanced Nanotechnology and Application of Supercritical Fluids. <b>2020</b> ,	1
133	Algae Biotechnology. <b>2020</b> , 1-31	3
132	Bovine jugular vein valved conduit: A new hybrid method of devitalization and protection by chitosan-based coatings using super- and subcritical CO <sub>2</sub> . <b>2020</b> , 164, 104893	2
131	The Influence of Plant Material Enzymatic Hydrolysis and Extraction Conditions on the Polyphenolic Profiles and Antioxidant Activity of Extracts: A Green and Efficient Approach. <b>2020</b> , 25,	10
130	Perspective on the transformation of carbohydrates under green and sustainable reaction conditions. <b>2020</b> , 3-71	2
129	Antioxidant Activity of Two Edible Korean Seaweed Oil Obtained from SC-CO <sub>2</sub> and Solvent Extraction. <b>2020</b> , 147, 03014	3
128	Hydrodistillation by Solvent-Free Microwave Extraction of Fresh Japanese Peppermint ( <i>Mentha arvensis</i> L.). <b>2020</b> , 23, 77-84	3
127	Unravelling the relationship between aroma compounds and consumer acceptance: Coffee as an example. <b>2020</b> , 19, 2380-2420	10
126	Dye-sensitized solar cells based on natural photosensitizers: A green view from Iran. <b>2020</b> , 828, 154329	19

125	Super Critical Fluid Extracted Fatty Acids from Seeds Repair Psoriasis-Like Skin Lesions and Attenuate Pro-Inflammatory Cytokines (TNF- $\alpha$ and IL-6) Release. <b>2020</b> , 10,	13
124	Supercritical fluid extraction and solubilization of <i>Carica papaya</i> linn. leaves in ternary system with CO <sub>2</sub> + ethanol solvents. <b>2020</b> , 156, 31-42	7
123	On the Enhanced Accuracy of Kinetic Curve Building in Supercritical Fluid Extraction from Aroma Plants Using a New 3D-Printed Extract Collection Device. <b>2020</b> , 25,	1
122	Recent developments in detoxication techniques for aristolochic acid-containing traditional Chinese medicines.. <b>2020</b> , 10, 1410-1425	4
121	Green Approaches to Sample Preparation Based on Extraction Techniques. <b>2020</b> , 25,	20
120	Evaluation of different solvents on flavonoids extraction efficiency from sweet oranges and ripe and immature Seville oranges. <b>2020</b> , 55, 3123-3134	8
119	Description of phase equilibrium and volumetric properties for CO <sub>2</sub> +water and CO <sub>2</sub> +ethanol using the CPA equation of state. <b>2020</b> , 161, 104841	4
118	Introduction to natural products analysis. <b>2020</b> , 3-15	7
117	Supercritical Fluid Extraction of Pesticides and Insecticides from Food Samples and Plant Materials. <b>2021</b> , 51, 482-501	7
116	Modeling Techniques in Empirical Supercritical Extraction Designs: Recent Trends and Practices. <b>2021</b> , 722-748	
115	EcoDesign and Sustainability I. <b>2021</b> ,	
114	Efficient Heated Ultrasound Assisted Extraction and Clean-Up Method for Quantifying Paclitaxel Concentrations in <i>Taxus Wallichiana</i> . <b>2021</b> , 101, 549-560	1
113	Headway in Supercritical Extraction of Fragrances and Colors. <b>2021</b> , 620-639	1
112	Modern Applications of Supercritical Fluids Extraction in Food Toxicology. <b>2021</b> , 640-659	1
111	Exploitation of , , and By-Product Seeds as Dermo-Cosmetic Agents. <b>2021</b> , 26,	9
110	Emerging technologies for the clean recovery of antioxidants from microalgae. <b>2021</b> , 173-205	1
109	Green solvents for soil and sediment remediation. <b>2021</b> , 37-65	0
108	Waste Valorization of Water Hyacinth Using Biorefinery Approach: A Sustainable Route. <b>2021</b> , 669-703	1



107	Supercritical fluid extraction of quercetin from sumac ( <i>Rhus coriaria</i> L.): effects of supercritical extraction parameters. 1-7	1
106	Supercritical Fluid Extract of Wall. Seeds Mitigates Fertility Impairment in a Zebrafish Model. <b>2021</b> , 26,	1
105	Incorporating essential oils or compounds derived thereof into edible coatings: Effect on quality and shelf life of fresh/fresh-cut produce. <b>2021</b> , 108, 245-257	26
104	A Review on Extraction Techniques and Its Future Applications in Industry. <b>2021</b> , 123, 2000302	12
103	Extraction of Cannabinoids from <i>Cannabis sativa</i> L. (Hemp) <b>Review</b> . <b>2021</b> , 11, 384	16
102	Complete drying and micronization of ecamsule using supercritical CO <sub>2</sub> as the antisolvent. <b>2021</b> , 170, 105157	2
101	Supercritical CO <sub>2</sub> Extraction as a Tool to Isolate Anti-Inflammatory Sesquiterpene Lactones from L. Roots. <b>2021</b> , 26,	2
100	Promising Green Technology in Obtaining Functional Plant Preparations: Combined Enzyme-Assisted Supercritical Fluid Extraction of Flavonoids Isolation from Leaves. <b>2021</b> , 14,	2
99	Micronization and coating of bioflavonoids extracted from <i>Citrus sinensis</i> L. peels to preparation of sustained release pellets using supercritical technique. <b>2021</b> , 18, 3235	0
98	Response surface methodology to optimize supercritical carbon dioxide extraction of <i>Polygonum cuspidatum</i> . <b>2021</b> ,	0
97	Comparative study on yields and quality parameters of argan oils extracted by conventional and green extraction techniques. <b>2021</b> , 4, 125-125	4
96	Micronization of Thebaine Extracted from <i>Papaver Bracteatum</i> Lindl. Using Supercritical Fluid Technology. <b>2021</b> ,	1
95	Green miniaturized technologies in analytical and bioanalytical chemistry. <b>2021</b> , 143, 116383	10
94	Optimization and application of QuEChERS and SPE methods followed by LC-PDA for the determination of triazines residues in fruits and vegetables from Pietermaritzburg local supermarkets. <b>2021</b> , 360, 129818	3
93	A review on potential bioactive phytochemicals for novel therapeutic applications with special emphasis on mangrove species. <b>2021</b> , 1, 100107	6
92	The isolation of a DNA aptamer to develop a fluorescent aptasensor for the thiamethoxam pesticide. <b>2021</b> , 146, 1986-1995	5
91	Key Considerations in the Selection of Ingredients and Processing Technologies for Functional Foods and Nutraceutical Products. 79-111	1
90	Technologies and Applications of Airborne Power Ultrasound in Food Processing. <b>2011</b> , 617-641	5

89	Microalgae Lipid Extraction Methods and the Fuel Characteristics of <i>Isochrysis galbana</i> by Ultrasound-Assisted Extraction. <b>2015</b> , 141-157	2
88	Health Benefits of Bioactive Compounds from Vegetables. <b>2020</b> , 115-166	4
87	Effect of flow rate, particle size and modifier ratio on the supercritical fluid extraction of anthocyanins from <i>Hibiscus sabdariffa</i> (L).. 932, 012031	5
86	Recent advances in extraction of antioxidants from plant by-products processing industries. <b>2017</b> , 1, 61-81	19
85	Chapter 4 Carrot: Secondary Metabolites and their Prospective Health Benefits. <b>2016</b> , 107-194	0
84	Essential Oils Extraction and Fractionation Using Supercritical Fluids. <b>2007</b> , 305-335	4
83	Coupling Microwave-Assisted Drying and Supercritical Carbon Dioxide Extraction for Coconut Oil Processing. <b>2013</b> , 1, 12-16	3
82	Soy Isoflavones and their Effects on Xenobiotic Metabolism. <b>2019</b> , 20, 46-53	13
81	Quality of commercial ground paprika and its oleoresins. <b>2008</b> , 77-83	8
80	Experimental Design Procedure for Optimization of Saponin Extraction from <i>Glycyrrhiza glabra</i> : A Biosurfactant for Emulsification of Heavy Crude Oil. <b>2017</b> , 54, 308-314	10
79	Valorization of Tropical Biomass Waste by Supercritical Fluid Extraction Technology. <b>2021</b> , 13, 233	13
78	Betulinic Acid from Bark Using Focused Microwave-Assisted Extraction and Response Surface Methodology. <b>2017</b> , 13, 226-229	3
77	Extraction of the Main Ingredients from Chuanxiong by CO <sub>2</sub> Supercritical Fluid Extraction. <b>2012</b> , 03, 905-915	1
76	Kinetics of Extraction of $\beta$ -Carotene from Tray Dried Carrots by Using Supercritical Fluid Extraction Technique. <b>2012</b> , 03, 591-595	4
75	Measurement of Antioxidant Activities and Phenolic and Flavonoid Contents of the Brown Seaweed <i>Sargassum horneri</i> : Comparison of Supercritical CO <sub>2</sub> and Various Solvent Extractions. <b>2015</b> , 18, 123-130	12
74	Optimization of ScCO <sub>2</sub> Extraction of Rambutan Seed Oil Using Response Surface Methodology. 187-190	3
73	The rapid detection of pesticide residues. <b>2004</b> , 294-313	
72	Traditional, Analytical, and Preparative Separations of Natural Products. <b>2006</b> , 263-317	0

- 71 Energy Efficiency And Conservation In Supercritical Fluid Processing. **2008**,
- 70 Natural Products. 1 0
- 69 Advances in Technology to Generate Cardiovascular-Friendly Functional Food Products. **2012**, 29-52
- 68 Comparison of Antimicrobial and Antioxidant Activities by Different Extraction Methods in Korean Bamboos. **2012**, 27, 131-135 1
- 67 Supercritical Extraction. **2013**, 215-250 0
- 66 Volatile components extracted from hawthorn by supercritical carbon dioxide extraction as affected by polarities of co-solvents. **2013**, 5, 253-256
- 65 Encyclopedia of Lipidomics. **2016**, 1-3
- 64 Chapter 2 Advanced Techniques in Extraction of Phenolics from Cereals, Pulses, Fruits, and Vegetables. **2016**, 27-76 0
- 63 Chapter 4 Carrot: Secondary Metabolites and their Prospective Health Benefits. **2016**, 107-194
- 62 Determination of Antibiotic Residues: I. Extraction and Clean-up Methods for Solid Samples\_A Review. **2016**, 32, 600-627
- 61 Chapter 2 Advanced Techniques in Extraction of Phenolics from Cereals, Pulses, Fruits, and Vegetables. **2016**, 27-76
- 60 Influence of Modifiers, Extractants, and Trappers on Lipid Composition with Liquids in Standard State Extraction, Supercritical Fluid Extraction and Trapping by Supercritical Fluid Extraction, Part II. **2017**, 05, 87-95
- 59 Encyclopedia of Sustainability Science and Technology. **2018**, 1-40
- 58 Modeling the Extraction Process of Sage (*Salvia Officinalis* L.) with Supercritical CO<sub>2</sub> at Different Temperatures. **2019**, 469-479
- 57 Biological Activities and Extraction Technologies of *Pheonix dactylifera*: A Review. **2019**, 9, 3-13 1
- 56 Katı Sıvı Ekstraksiyonunda Kullanılan Modern Teknikler ve Bu Teknikler Arasında Ultrason Yardımı Ekstraksiyonun Yeri. 201-216 1
- 55 Experimental and modeling study of polyphenols in *Olea europaea* leaves through ultrasound-assisted extraction. 383-394 1
- 54 Type of green solvents used in separation and preconcentration methods. **2020**, 207-266 5

53	Tannins and Polyphenols Extracted from Natural Plants and Their Versatile Application. <b>2021</b> , 715-757	0
52	Supercritical Carbon Dioxide Extraction of Malaysian Stingless Bees Propolis: Influence of Extraction Time, Co-modifier and Kinetic Modelling. 932, 012018	1
51	Decellularization of the human donor aortic conduit by a new hybrid treatment in a multicomponent system with supercritical CO <sub>2</sub> and Tween 80. <b>2022</b> , 180, 105452	1
50	Molecular Approaches to Screen Bioactive Compounds from Medicinal Plants. <b>2020</b> , 1-32	1
49	The Application of Supercritical Carbon Dioxide in the Extraction of Biomolecules. <b>2020</b> , 141-164	
48	Development of an Integrated Process for the Production and Recovery of Some Selected Bioproducts From Lignocellulosic Materials. <b>2020</b> , 439-467	2
47	Modeling and Optimizing of Microwave-Assisted Extraction of Antioxidants and Phenolics from Wormwood ( <i>Artemisia absinthium</i> L.) Using Response Surface Methodology. 357-367	
46	References. <b>2021</b> , 239-264	
45	Novel Prospective of <i>N. sativa</i> Essential Oil Analysis, Culinary and Medicinal Uses. <b>2021</b> , 97-129	3
44	Stakeholders Influence Towards Sustainability Transition in Textile Industries. <b>2021</b> , 233-248	0
43	Antioxidant and antilipid peroxidation potential of supercritical fluid extract and ethanol extract of leaves of <i>vitex negundo</i> linn. <b>2011</b> , 73, 422-9	2
42	Statistical modeling of supercritical extraction of hemp ( <i>Cannabis sativa</i> ) and papaya ( <i>Carica papaya</i> ) seed oils through artificial neural network and central composite design. 1	0
41	Application of choline chloride-based deep eutectic solvents for the extraction of dopamine from purslane ( <i>Portulaca oleracea</i> L.). <b>2022</b> , 4, 100299	1
40	Advances in low-temperature extraction of natural resources using liquefied dimethyl ether. <b>2022</b> , 1, 16-26	
39	A comparative study of supercritical fluid extraction and accelerated solvent extraction of lipophilic compounds from lignocellulosic biomass. <b>2022</b> , 26, 100608	1
38	Bakuchiol - a natural meroterpenoid: structure, isolation, synthesis and functionalization approaches.. <b>2022</b> , 12, 8815-8832	1
37	Antioxidant and Antimicrobial Peptides Derived from Food Proteins.. <b>2022</b> , 27,	4
36	Red ginseng ( Meyer) oil: A comprehensive review of extraction technologies, chemical composition, health benefits, molecular mechanisms, and safety.. <b>2022</b> , 46, 214-224	0

35	Optimizing Procedures of Ultrasound-Assisted Extraction of Waste Orange Peels by Response Surface Methodology.. <b>2022</b> , 27,	2
34	Alternative green solvents in sample preparation. <b>2022</b> , 1, 100007	2
33	High-Pressure Technologies for the Recovery of Bioactive Molecules from Agro-Industrial Waste. <b>2022</b> , 12, 3642	4
32	Supercritical CO2 extracts in cosmetic industry: Current status and future perspectives. <b>2022</b> , 27, 100688	1
31	Green extraction and characterization of leaves phenolic compounds: a comprehensive review.. <b>2021</b> , 1-39	4
30	Sustainable Green Processing of Grape Pomace Using Micellar Extraction for the Production of Value-Added Hygiene Cosmetics.. <b>2022</b> , 27,	2
29	Identification of a supercritical fluid extraction process for modelling the energy consumption. <b>2022</b> , 252, 124033	
28	Optimisation of asarone removal from Piper sarmentosum Roxburgh leaves using supercritical carbon dioxide extraction: the Box-Behnken design. 58,	
27	Supercritical CO2 extraction of bioactive compounds from local Peganum Harmala plant seeds and optimization of the extraction yield and the antioxidant activities. <b>2022</b> , 28, 100729	0
26	Borage Extracts as Biostimulants of Plant Growth and Development. <b>2022</b> , 51-69	
25	Industrial hemp nutraceutical processing and technology. <b>2022</b> , 191-218	
24	Anti-skin-aging effects of tissue-cultured mountain-grown ginseng and quantitative HPLC/ELSD analysis of major ginsenosides.	0
23	Valorization of Food Processing Waste to Produce Valuable Polyphenolics.	3
22	Aroma determination in alcoholic beverages: Green MS-based sample preparation approaches.	0
21	Recent advances in the recovery of tannins from natural matter. <b>2022</b> , 289-328	0
20	Green Extraction Processes for Complex Samples from Vegetable Matrices Coupled with On-Line Detection System: A Critical Review. <b>2022</b> , 27, 6272	0
19	Functional relevance of bioactive compounds in purple maize: a contemporary extraction progressions and prospective applications.	0
18	Systematic evaluation on the physicochemical characteristics of a series polysaccharides extracted from different edible lilies by ultrasound and subcritical water. 9,	0

17	Extraction of Bioactive Compounds from Different Vegetable Sprouts and Their Potential Role in the Formulation of Functional Foods against Various Disorders: A Literature-Based Review. <b>2022</b> , 27, 7320	3
16	Bioactive Compounds from Red Microalgae with Therapeutic and Nutritional Value. <b>2022</b> , 10, 2290	0
15	Parameter Effects and Optimisation in Supercritical Fluid Extraction of Phenolic Compounds from <i>Labisia pumila</i> . <b>2022</b> , 9, 385	0
14	A Review of the Influence of Various Extraction Techniques and the Biological Effects of the Xanthones from Mangosteen ( <i>Garcinia mangostana</i> L.) Pericarps. <b>2022</b> , 27, 8775	1
13	In-vitro antiviral activity of <i>Carica papaya</i> formulations against dengue virus type 2 and chikungunya virus. <b>2022</b> , 8, e11879	0
12	<i>Terminalia arjuna</i> , a Cardioprotective Herbal Medicine Relevance in the Modern Era of Pharmaceuticals and Green Nanomedicine: A Review. <b>2023</b> , 16, 126	0
11	Algal cell factories as a source of marine antioxidants. <b>2023</b> , 161-184	0
10	A valorization approach of food industry wastewater using microwave-assisted extraction. <b>2023</b> , 155-178	0
9	Nutritional, functional, and ethno-medical properties of sweet corn cob: a concurrent review. <b>2023</b> , 58, 2181-2188	0
8	Comparative study of phytochemical extraction using hydrogen-rich water and supercritical fluid extraction methods. <b>2023</b> , 128, 218-226	0
7	Green chemistry methods for food analysis: Overview of sample preparation and determination. <b>2023</b> , 5, 100053	0
6	Extraction, characterization, and application of tomato seed oil in the food industry: An updated review. <b>2023</b> , 11, 100529	0
5	Critical review on <i>Rumex dentatus</i> L. a strong pharmacophore and the future medicine: Pharmacology, phytochemical analysis and traditional uses. <b>2023</b> , 9, e14159	0
4	Valorization of Tomato Fruit Processing Residues. <b>2023</b> , 215-243	0
3	Value addition of fruit and vegetable waste: a nutraceutical perspective. <b>2023</b> , 253-268	0
2	Recent advances in extraction of natural compounds. <b>2023</b> , 17-33	0
1	Fractionation of Marigold Waxy Extract Using Supercritical CO <sub>2</sub> . <b>2023</b> , 10, 298	0