

CITATION REPORT

List of articles citing

The prevalence of comorbid depression in adults with diabetes: a meta-analysis

DOI: 10.2337/diacare.24.6.1069
Diabetes Care, 2001, 24, 1069-78.

Source: <https://exaly.com/paper-pdf/32552833/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2263	Transient monocular blindness and increased platelet aggregability treated with aspirin. A case report. 1972 , 22, 280-5		63
2262	Chick-embryo deaths traced to tincture of iodine. 1973 , 127, 581		
2261	Calendar of Events. 1992 , 12, 167-170		
2260	The Importance of Individualized Pharmaceutical Therapy in the Treatment of Diabetes Mellitus. 2001 , 4, 5-23		6
2259	Current literature in diabetes. 2001 , 17, 402-9		
2258	Monitoring of psychological well-being in outpatients with diabetes: effects on mood, HbA(1c), and the patient's evaluation of the quality of diabetes care: a randomized controlled trial. <i>Diabetes Care</i> , 2001 , 24, 1929-35	14.6	97
2257	Enduring increased risk of developing depression and mania in patients with dementia. 2002 , 73, 40-4		31
2256	Comorbid depression is associated with increased health care use and expenditures in individuals with diabetes. <i>Diabetes Care</i> , 2002 , 25, 464-70	14.6	575
2255	A Place at the Table: Integrating Diet and Nutrition into Family Therapy Practice. 2002 , 30, 243-255		2
2254	Beliefs and attitudes of African Americans with type 2 diabetes toward depression. 2002 , 28, 258-68		28
2253	Case Study: Glycemic Control in the Elderly: Risks and Benefits. 2002 , 20, 118-121		3
2252	Mental disorders and quality of diabetes care in the veterans health administration. 2002 , 159, 1584-90		153
2251	The diabetes social support questionnaire-family version: evaluating adolescents' diabetes-specific support from family members. 2002 , 27, 665-76		85
2250	American association of clinical endocrinologists meeting, may 2002. <i>Diabetes Care</i> , 2002 , 25, 1464-71	14.6	2
2249	Case Study: Nondysphoric Depression in a Man With Type 2 Diabetes. 2002 , 20, 122-123		1
2248	Obesity, hypertension, and insulin resistance. <i>Diabetes Care</i> , 2002 , 25, 2088-97	14.6	46
2247	Cognitive Functioning and Self-Management in Older People With Diabetes. 2002 , 15, 116-121		11

2246	Research opportunities in diabetes. 2002 , 16, 86-94	2
2245	Diabetes, the brain, and behavior: is there a biological mechanism underlying the association between diabetes and depression?. 2002 , 51, 455-79	54
2244	Epidemiologic evidence on the comorbidity of depression and diabetes. 2002 , 53, 903-6	111
2243	Depression and public health: an overview. 2002 , 53, 849-57	341
2242	Eating disorders in young women with type 1 diabetes mellitus. 2002 , 53, 943-9	115
2241	Obesity-depression associations in the population. 2002 , 53, 935-42	291
2240	Prevalence of anxiety in adults with diabetes: a systematic review. 2002 , 53, 1053-60	388
2239	Depression and mental disorders in patients with diabetes, kidney disease, and obesity and eating disorders. 2002 , 53, 841-960	3
2238	Diabetes, diversity, and disparity: what do we do with the evidence?. 2002 , 92, 543-8	70
2237	Was Willis right? Thoughts on the interaction of depression and diabetes. 2002 , 18, 173-5	24
2236	Emotional and quality-of-life aspects of diabetes management. 2002 , 2, 153-9	83
2235	Diabetes and depression. 2002 , 2, 465-6	6
2234	Major depressive disorder in Parkinson's disease: a register-based study. 2002 , 106, 202-11	87
2233	Depression as a predictor of mortality and hospitalization among hemodialysis patients in the United States and Europe. 2002 , 62, 199-207	355
2232	Motivational interviewing in diabetes practice. 2002 , 19 Suppl 3, 1-6	20
2231	Psychological counselling in problematic diabetes: does it help?. 2002 , 19, 265-73	73
2230	A time-limited, problem-orientated psychotherapeutic intervention in Type 1 diabetic patients with complications: a randomized controlled trial. 2002 , 19, 814-21	32
2229	Gender differences in the psychological adjustment to type 1 diabetes mellitus: an explorative study. 2002 , 48, 139-45	43

2228	Biological, psychosocial, and sociodemographic variables associated with depressive symptoms in persons with type 2 diabetes. 2003 , 26, 435-58	37
2227	Rates and risks for co-morbid depression in patients with Type 2 diabetes mellitus: results from a community-based study. 2003 , 46, 892-8	150
2226	Suicide attempts in the United States: the role of physical illness. 2003 , 56, 1783-8	106
2225	Effects of selective serotonin reuptake inhibitors on immobility time in the tail suspension test in streptozotocin-induced diabetic mice. 2003 , 75, 247-54	29
2224	Improving primary care treatment of depression among patients with diabetes mellitus: the design of the pathways study. 2003 , 25, 158-68	63
2223	The relationship of depressive symptoms to symptom reporting, self-care and glucose control in diabetes. 2003 , 25, 246-52	304
2222	Depressive symptoms and the risk of type 2 diabetes mellitus in a US sample. 2003 , 19, 202-8	44
2221	Prevalence of psychiatric disorders in an onset cohort of adults with type 1 diabetes. 2003 , 19, 216-22	38
2220	Cross-cultural comparisons of anxiety and depression in adults with type 1 diabetes. 2003 , 19, 401-7	16
2219	Severe depression determines quality of life in urinary incontinent women. 2003 , 22, 563-8	58
2218	Affective disorders in neurological diseases: a case register-based study. 2003 , 108, 41-50	9
2217	Underdiagnosis of depression in HIV: who are we missing?. 2003 , 18, 450-60	193
2216	Guidelines for improving the care of the older person with diabetes mellitus. 2003 , 51, S265-80	531
2215	Safety and tolerability of atypical antipsychotics in patients with bipolar disorder: prevalence, monitoring and management. 2003 , 5 Suppl 2, 62-79	38
2214	Identifying patients with type 2 diabetes with a higher likelihood of erectile dysfunction: the role of the interaction between clinical and psychological factors. 2003 , 169, 1422-8	48
2213	Health-related quality of life deficits associated with varying degrees of disease severity in type 2 diabetes. 2003 , 1, 78	30
2212	Antidepressant activity of quercetin, a bioflavonoid, in streptozotocin-induced diabetic mice. 2003 , 6, 391-5	69
2211	Clinical and health services relationships between major depression, depressive symptoms, and general medical illness. 2003 , 54, 216-26	824

2210	Persistent pain and depression: a biopsychosocial perspective. 2003 , 54, 399-409		257
2209	Depression and cardiovascular disease: mechanisms of interaction. 2003 , 54, 248-61		354
2208	Relationship of depression to diabetes types 1 and 2: epidemiology, biology, and treatment. 2003 , 54, 317-29		459
2207	No increased risk of developing depression in diabetes compared to other chronic illness. 2003 , 62, 113-21		18
2206	Depression as risk factor for mortality after coronary artery bypass surgery. 2003 , 362, 1501-1502		2
2205	Differential effects of antipsychotic agents on the risk of development of type 2 diabetes mellitus in patients with mood disorders. 2003 , 25, 1150-71		67
2204	Academy of Psychosomatic Medicine: Proceedings From the 49th Annual Meeting November 21-24, 2002, Tucson, Arizona. 2003 , 44, 130-166		1
2203	Depression: a quiet killer by any name. <i>Diabetes Care</i> , 2003 , 26, 2952-3	14.6	15
2202	A descriptive and comparative study of the prevalence of depressive and anxiety disorders in low-income adults with type 2 diabetes and other chronic illnesses. <i>Diabetes Care</i> , 2003 , 26, 2311-7	14.6	104
2201	Prevalence and predictors of sexual dysfunction in patients with type 1 diabetes. <i>Diabetes Care</i> , 2003 , 26, 409-14	14.6	158
2200	On the association between diabetes and mental disorders in a community sample: results from the German National Health Interview and Examination Survey. <i>Diabetes Care</i> , 2003 , 26, 1841-6	14.6	98
2199	Psychological Functioning of Obese Individuals. 2003 , 16, 245-252		24
2198	Independent factors associated with major depressive disorder in a national sample of individuals with diabetes. <i>Diabetes Care</i> , 2003 , 26, 104-11	14.6	166
2197	Unadjusted and adjusted prevalence of diagnosed depression in type 2 diabetes. <i>Diabetes Care</i> , 2003 , 26, 744-9	14.6	112
2196	Farming and Slaughterhouse Practices to Reduce Meat-Borne Disease—Reply. 2003 , 290, 3194		
2195	Epidemiology, treatment and costs of depression in adults with Type 2 diabetes. 2003 , 3, 251-62		13
2194	Cognitive and Physical Disabilities and Aging-Related Complications of Diabetes. 2003 , 21, 113-118		25
2193	Effect of the treatment of Type II diabetes mellitus on the development of cognitive impairment and dementia. 2002 , CD003804		45

2192	A comparison of the health utilities indices Mark 2 and Mark 3 in type 2 diabetes. 2003 , 23, 489-501		31
2191	Prevalence and costs of major depression among elderly claimants with diabetes. <i>Diabetes Care</i> , 2003 , 26, 415-20	14.6	108
2190	Psychiatric education in an era of rapidly occurring scientific advances. 2003 , 78, 351-4		23
2189	[Inpatient medical rehabilitation in diabetes mellitus in light of evidence based practice guidelines: an evaluation on the basis of BfA routine data]. 2003 , 42, 94-108		4
2188	Occult Cushing's syndrome in type-2 diabetes. 2003 , 88, 5808-13		219
2187	Depression and coronary heart disease in women with diabetes. 2003 , 65, 376-83		117
2186	Fluvoxamine-induced hyperglycaemia in a diabetic patient with comorbid depression. 2003 , 6, 85-7		8
2185	Blood glucose is correlated with cerebrospinal fluid neurotransmitter metabolites. 2003 , 78, 339-43		18
2184	. 2003 ,		4
2183	Depression and self-care in people with diabetes. 2003 , 14, 210-214		
2182	Clinical outcomes in patients with type 2 diabetes managed by a diabetes resource nurse in a primary care practice. 2003 , 16, 336-40		8
2181	Diabetes mellitus e depressã: uma revisã sistemãica. 2003 , 47, 19-29		12
2180	[Psychological aspects and blood glucose control of a type 1 diabetes mellitus group from Minas Gerais]. 2004 , 48, 261-6		8
2179	[Fingerstick capillary glycemia versus ear lobe measurement: comparative analysis of results and patient preferences]. 2004 , 48, 389-93		8
2178	High glucose levels induce an increase in membrane antioxidants, in terms of vitamin E and coenzyme Q10, in children and adolescents with type 1 diabetes. <i>Diabetes Care</i> , 2004 , 27, 630-1	14.6	10
2177	Elevated serum ferritin concentrations in a glucose-impaired population and in normal glucose tolerant first-degree relatives in familial type 2 diabetic pedigrees. <i>Diabetes Care</i> , 2004 , 27, 622-3	14.6	20
2176	Memory impairments associated with postprandial hyperglycemia and glycemic control: comment on Greenwood et al. <i>Diabetes Care</i> , 2004 , 27, 633-4; author reply 634-5	14.6	1
2175	Oral glucose tolerance test evaluation with forearm and fingertip glucose measurements in pregnant women. <i>Diabetes Care</i> , 2004 , 27, 627-8	14.6	7

2174	Influence of the polymorphisms Tpr64Arg in the beta 3-adrenergic receptor gene and Pro12Ala in the PPAR gamma 2 gene on metabolic syndrome-related phenotypes in an indigenous population of the Brazilian Amazon. <i>Diabetes Care</i> , 2004 , 27, 621-2	14.6	9
2173	Memory Impairments Associated With Postprandial Hyperglycemia and Glycemic Control: Response to Kubiak et al.. <i>Diabetes Care</i> , 2004 , 27, 634-635	14.6	1
2172	Increased oxidative stress is associated with serum levels of triglyceride, insulin resistance, and hyperinsulinemia in Japanese metabolically obese, normal-weight men. <i>Diabetes Care</i> , 2004 , 27, 631-2	14.6	44
2171	Reduced fear of hypoglycemia in successful islet transplantation. <i>Diabetes Care</i> , 2004 , 27, 624-5	14.6	39
2170	Exercise: A Key Component of Diabetes Management. 2004 , 17, 142-144		2
2169	Simultaneous bilateral facial palsy in a diabetic patient. <i>Diabetes Care</i> , 2004 , 27, 623-4	14.6	16
2168	The Diabetes Treatment Satisfaction Questionnaire: a cross-cultural South African perspective. <i>Diabetes Care</i> , 2004 , 27, 618	14.6	5
2167	Alternative site testing at the earlobe tip: reliability of glucose measurements and pain perception. <i>Diabetes Care</i> , 2004 , 27, 616-7	14.6	7
2166	Depression, diabetes, and glycemic control in Pima Indians. <i>Diabetes Care</i> , 2004 , 27, 618-9	14.6	18
2165	Efficacy of conversion from bedtime NPH insulin injection to once- or twice-daily injections of insulin glargine in type 1 diabetic patients using basal/bolus therapy. <i>Diabetes Care</i> , 2004 , 27, 632-3	14.6	68
2164	Off-Loading in Trials of Neuropathic Diabetic Foot Ulceration: Further evidence of the need for a paradigm shift. <i>Diabetes Care</i> , 2004 , 27, 636-637	14.6	
2163	C-reactive protein and glycemic control in adults with diabetes: response to King et al. <i>Diabetes Care</i> , 2004 , 27, 637; author reply 637-8	14.6	2
2162	Effects of depression on work loss and disability bed days in individuals with diabetes. <i>Diabetes Care</i> , 2004 , 27, 1751-3	14.6	98
2161	Depression increases diabetes symptoms by complicating patients' self-care adherence. 2004 , 30, 485-92		118
2160	Integration of Clinical Psychology in the Comprehensive Diabetes Care Team. 2004 , 22, 129-131		5
2159	Diabetes, major depression, and functional disability among U.S. adults. <i>Diabetes Care</i> , 2004 , 27, 421-8	14.6	246
2158	Self-report of depressed mood and depression in women with type 2 diabetes. 2004 , 25, 243-60		14
2157	Silent hypoglycemia presenting as dysesthesias. <i>Diabetes Care</i> , 2004 , 27, 628-9	14.6	3

2156	Depressive symptoms and the risk of type 2 diabetes: the Atherosclerosis Risk in Communities study. <i>Diabetes Care</i> , 2004 , 27, 429-35	14.6	178
2155	Acute hyperglycemia: implications for contrast-induced nephropathy during cardiac catheterization. <i>Diabetes Care</i> , 2004 , 27, 620-1	14.6	13
2154	Off-loading in trials in neuropathic diabetic foot ulceration: no, it's not time for a paradigm shift. <i>Diabetes Care</i> , 2004 , 27, 635-6; author reply 636-7	14.6	26
2153	Improper insulin compliance may lead to hepatomegaly and elevated hepatic enzymes in type 1 diabetic patients. <i>Diabetes Care</i> , 2004 , 27, 619-20	14.6	8
2152	A case of lipoatrophy with Lispro insulin without insulin pump therapy. <i>Diabetes Care</i> , 2004 , 27, 625-6	14.6	24
2151	Diabetes in a nonpancreatectomized child with nesidioblastosis. <i>Diabetes Care</i> , 2004 , 27, 626-7	14.6	5
2150	Effect of diabetes intervention programs on physical activity among migrant Mexican women with type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27, 616	14.6	7
2149	Relationship between periodontal disease and diabetic retinopathy. <i>Diabetes Care</i> , 2004 , 27, 615	14.6	26
2148	C-Reactive Protein and Glycemic Control in Adults With Diabetes: Response to Bell, Hardy, and Desmond. <i>Diabetes Care</i> , 2004 , 27, 637-638	14.6	3
2147	Needle reuse and tip damage. <i>Diabetes Care</i> , 2004 , 27, 617	14.6	9
2146	Exercise increases adiponectin levels and insulin sensitivity in humans. <i>Diabetes Care</i> , 2004 , 27, 629-30	14.6	166
2145	Principles of Diabetes Mellitus. 2004 ,		
2144	Commentary: The Association Between Insulin Resistance, Depression, and Dementia. 2004 , 59, M189-M191		1
2143	The Pathways Study: a randomized trial of collaborative care in patients with diabetes and depression. 2004 , 61, 1042-9		579
2142	Diabetic patients who smoke: are they different?. 2004 , 2, 26-32		69
2141	Functional status before and after diagnosis of Type 2 diabetes. 2004 , 21, 793-7		7
2140	A prospective study of Type 2 diabetes and depressive symptoms in the elderly: the Rancho Bernardo Study. 2004 , 21, 1185-91		78
2139	Persistent poor glycaemic control in adult Type 1 diabetes. A closer look at the problem. 2004 , 21, 1263-8		56

2138	Cardiac risk factors in patients with diabetes mellitus and major depression. 2004 , 19, 1192-9	116
2137	Depression after stroke: a prospective epidemiological study. 2004 , 52, 774-8	125
2136	Is depression related to subsequent diabetes mellitus?. 2004 , 110, 178-83	54
2135	Relationship of obesity to depression: a family-based study. 2004 , 28, 790-5	148
2134	Efficacy, safety, and tolerability of sertraline in patients with late-life depression and comorbid medical illness. 2004 , 52, 86-92	65
2133	Profiles of people with type 2 diabetes mellitus: the extremes of glycemic control. 2004 , 58, 2655-66	41
2132	Chronic diseases and depression: the modifying role of psychosocial resources. 2004 , 59, 721-33	196
2131	Increased risk of developing diabetes in depressive and bipolar disorders?. 2004 , 38, 395-402	21
2130	A brief, regular, proactive telephone "coaching" intervention for diabetes: rationale, description, and preliminary results. 2004 , 18, 113-8	46
2129	Geriatric depression and vascular diseases: what are the links?. 2004 , 81, 1-16	87
2128	Cerebral dysfunction in type 1 diabetes: effects of insulin, vascular risk factors and blood-glucose levels. 2004 , 490, 159-68	105
2127	The relationship between type 2 diabetes and cognitive dysfunction: longitudinal studies and their methodological limitations. 2004 , 490, 169-75	210
2126	Hippocampal synaptic plasticity and glutamate receptor regulation: influences of diabetes mellitus. 2004 , 490, 177-86	130
2125	Increased insulin is not required for beta2-adrenoceptor-induced increases in mouse brain tryptophan. 2004 , 497, 105-10	5
2124	Depressive symptoms and risk factors in Chinese persons with type 2 diabetes. 2004 , 35, 301-7	30
2123	Depression and diabetes symptom burden. 2004 , 26, 430-6	174
2122	Diabetes mellitus, cognitie en dementie. 2004 , 8, 59-62	
2121	Construct validity of the RAND-12 and Health Utilities Index Mark 2 and 3 in type 2 diabetes. 2004 , 13, 435-48	38

2120	The population perspective on quality of life among Americans with diabetes. 2004 , 13, 1391-400		24
2119	Outcomes of decompression surgery for lumbar spinal stenosis in elderly diabetic patients. 2004 , 13, 32-7		84
2118	Tricyclic antidepressant imipramine reduces the insulin secretory rate in islet cells of Wistar albino rats through a calcium antagonistic action. 2004 , 47, 909-16		20
2117	Screening of depression in patients with diabetes mellitus. 2004 , 47, 1469-70		4
2116	Diabetes inhibits the DOI-induced head-twitch response in mice. 2004 , 177, 224-9		7
2115	Recognizing and treating depression in patients with diabetes. 2004 , 4, 119-25		83
2114	Impact of medical comorbid disease on antidepressant treatment of major depressive disorder. 2004 , 6, 193-201		47
2113	Management of geriatric endocrine disorders. 2004 , 30, 10-7		1
2112	Diabetes in Canadian Women. 2004 , 4 Suppl 1, S16		21
2111	Medical comorbidity in late-life depression. 2004 , 19, 935-43		50
2110	Repetitive ulceration in neuropathic patients. 2004 , 20 Suppl 1, S23-8		31
2109	The cognitive orientation of patients with type 2 diabetes in Israel. 2004 , 53, 257-67		6
2108	Behavioral and clinical factors associated with depression among individuals with diabetes. <i>Diabetes Care</i> , 2004 , 27, 914-20	14.6	321
2107	Diabetes attenuates the antidepressant-like effect mediated by the activation of 5-HT _{1A} receptor in the mouse tail suspension test. 2004 , 29, 461-9		55
2106	Le diabète du sujet âgé. 2004 , 4, 33-38		1
2105	The relationship between impaired glucose tolerance, type 2 diabetes, and cognitive function. 2004 , 26, 1044-80		386
2104	Depression in the elderly: new concepts and therapeutic approaches. 2004 , 16, 176-89		25
2103	Socioeconomic position and health among persons with diabetes mellitus: a conceptual framework and review of the literature. 2004 , 26, 63-77		382

2102	Diabetes, depression, and quality of life: a population study. <i>Diabetes Care</i> , 2004 , 27, 1066-70	14.6	428
2101	Neuropsychiatric side effects of HCV therapy and their treatment: focus on IFN alpha-induced depression. 2004 , 33, S35-50		22
2100	The longitudinal relation between chronic diseases and depression in older persons in the community: the Longitudinal Aging Study Amsterdam. 2004 , 57, 187-94		120
2099	Individuals with type 2 diabetes and depressive symptoms exhibited lower adherence with self-care. 2004 , 57, 978-84		92
2098	Relationship of depression and diabetes self-care, medication adherence, and preventive care. <i>Diabetes Care</i> , 2004 , 27, 2154-60	14.6	769
2097	Depressive symptoms, insulin resistance, and risk of diabetes in women at midlife. <i>Diabetes Care</i> , 2004 , 27, 2856-62	14.6	190
2096	Psychosocial predictors of relapse among diabetes patients: a 2-year follow-up after inpatient diabetes education. 2004 , 45, 343-9		14
2095	Association of depression with medical illness: does cortisol play a role?. 2004 , 55, 1-9		429
2094	Diagnosing and treating depression in general hospitals. 2004 , 65, 103-7		2
2093	Diabetes, employment and fatigue-related complaints: a comparison between diabetic employees, "healthy" employees, and employees with other chronic diseases. 2004 , 46, 828-36		23
2092	Depression as a Risk Factor for Coronary Artery Disease: Evidence, Mechanisms, and Treatment. 2004 , 66, 305-315		21
2091	Does antidepressant adherence have an effect on glycemic control among diabetic antidepressant users?. 2004 , 34, 291-304		7
2090	Receipt of diabetes services by insured adults with and without claims for mental disorders. 2004 , 42, 1167-75		62
2089	The relationship between diabetes and depression: improving the effectiveness of case management interventions. 2004 , 9, 177-83		3
2088	Quality of depression care in a population-based sample of patients with diabetes and major depression. 2004 , 42, 1222-9		149
2087	Diabetes and depression: addressing the depression can improve glycemic control. 2004 , 104, 56-9		1
2086	The effectiveness of depression care management on diabetes-related outcomes in older patients. 2004 , 140, 1015-24		227
2085	Changes in depressive symptoms and metabolic control over 3 years among African Americans with type 2 diabetes. 2005 , 35, 377-82		4

2084	Depression-related hyperglycemia in type 1 diabetes: a mediational approach. 2005 , 67, 195-9	54
2083	Gender differences in the link between depression and cardiovascular disease. 2005 , 67 Suppl 1, S15-8	69
2082	Depression in diabetic patients: The relationship between mood and glycemic control. 2005 , 19, 113-122	61
2081	Treatment of Depression in Medical Illness. 2005 , 253-278	1
2080	Effect of comorbid chronic diseases on prevalence and odds of depression in adults with diabetes. 2005 , 67, 46-51	74
2079	Potentially modifiable factors associated with disability among people with diabetes. 2005 , 67, 233-40	86
2078	History of depression increases risk of type 2 diabetes in younger adults. <i>Diabetes Care</i> , 2005 , 28, 1063-71.6	91
2077	Cardiovascular risk factors may moderate pharmacological treatment effects in major depressive disorder. 2005 , 67, 703-6	48
2076	Increasing lifestyle physical activity in patients with depression or other serious mental illness. 2005 , 11, 379-88	49
2075	Clinical and functional outcomes of depression treatment in patients with and without chronic medical illness. 2005 , 35, 271-9	78
2074	Complexity of medication use in the Veterans Affairs healthcare system: Part II. Antidepressant use among younger and older outpatients. 2005 , 11, 16-26	36
2073	Anger, anxiety, and depression as risk factors for cardiovascular disease: the problems and implications of overlapping affective dispositions. 2005 , 131, 260-300	632
2072	Cognitive behavioural group training (CBGT) for patients with type 1 diabetes in persistent poor glycaemic control: who do we reach?. 2005 , 56, 313-22	24
2071	Depression and glycemic control in Hispanic primary care patients with diabetes. 2005 , 20, 460-6	74
2070	Depression and suicidal behaviors in Medicare primary care patients under age 65. 2005 , 20, 397-403	15
2069	Affective and anxiety disorders in a German sample of diabetic patients: prevalence, comorbidity and risk factors. 2005 , 22, 293-300	120
2068	Gender influences the impact of sickle cell trait on Type 2 diabetic complications. 2005 , 22, 954	
2067	Depression in Croatian Type 2 diabetic patients: prevalence and risk factors. A Croatian survey from the European Depression in Diabetes (EDID) Research Consortium. 2005 , 22, 942-5	24

2066	Contribution of fasting and postprandial plasma glucose to HbA1c. 2005 , 22, 954-5	2
2065	Diabetes and endocrinology as a career? A questionnaire survey of medical senior house officers. 2005 , 22, 955-6	9
2064	Malignant melanoma presenting as foot ulcer. 2005 , 22, 956-7	2
2063	Psychosocial problems and barriers to improved diabetes management: results of the Cross-National Diabetes Attitudes, Wishes and Needs (DAWN) Study. 2005 , 22, 1379-85	602
2062	Fat food for a bad mood. Could we treat and prevent depression in Type 2 diabetes by means of omega-3 polyunsaturated fatty acids? A review of the evidence. 2005 , 22, 1465-75	19
2061	Cognitive impairment following severe hypoglycaemia: response to Kubiak et al. 2005 , 22, 958-9	
2060	Viruses and diabetes. 2005 , 22, 957-8; author reply 958	0
2059	Reply. 2005 , 22, 958-958	0
2058	Metabolic control, self-management and psychosocial adjustment in women with type 2 diabetes. 2005 , 14, 195-203	95
2057	Relationship of white matter hyperintensities to cerebrospinal fluid glucose polyol pathway metabolites-a pilot study in treatment-resistant affective disorder patients. 2005 , 85, 341-50	18
2056	Alteration in dendritic morphology of cortical neurons in rats with diabetes mellitus induced by streptozotocin. 2005 , 1048, 108-15	88
2055	Improving depression outcomes in older adults with comorbid medical illness. 2005 , 27, 4-12	114
2054	Telephonic case-finding of major depression in a Medicaid chronic disease management program for diabetes and heart failure. 2005 , 27, 338-43	21
2053	Depression in diabetic patients: the relationship between mood and glycemic control. 2005 , 19, 113-22	259
2052	Chronic disease and mental disorder. 2005 , 60, 789-97	74
2051	Abnormal benzodiazepine receptor function in the depressive-like behavior of diabetic mice. 2005 , 82, 615-20	7
2050	The relationship of guideline-concordant depression treatment and patient adherence to oral diabetes medications. 2005 , 1, 378-88	8
2049	The mediating role of health beliefs in the relationship between depressive symptoms and medication adherence in persons with diabetes. 2005 , 1, 508-25	69

2048	Prevalence of depression among elderly Chinese with diabetes. 2005 , 20, 570-5	35
2047	Cognitive decline and dementia in diabetes--systematic overview of prospective observational studies. 2005 , 48, 2460-9	676
2046	A prospective study of depression and mortality in patients with type 2 diabetes: the Fremantle Diabetes Study. 2005 , 48, 2532-9	101
2045	"Anxietas tibiaram". Depression and anxiety disorders in patients with restless legs syndrome. 2005 , 252, 67-71	185
2044	Chronic physical conditions and aging: Is mental health a potential protective factor?. 2005 , 30, 88-104	77
2043	Het eerste jaar na de diagnose: psychologische gevolgen van screening naar diabetes. 2005 , 48, 210-214	
2042	Health-related quality of life among adults with diabetes. 2005 , 5, 124-30	45
2041	Diabetes-related symptoms and negative mood in participants of a targeted population-screening program for type 2 diabetes: The Hoorn Screening Study. 2005 , 14, 1501-9	29
2040	Understanding the developmental and psychological needs of young people with diabetes. 2005 , 22, 59-64	15
2039	Geriatric Depression. 2005 , 317-339	1
2038	Estr� oxidativo y presi�: �Un posible rol etiol�gico?. 2005 , 43, 329	3
2037	Group visits for Hmong adults with type 2 diabetes mellitus: a pre-post analysis. 2005 , 16, 315-27	31
2036	Type 2 Diabetes Mellitus in Senior Citizens. 1431-1445	1
2035	Depress� e comorbidades cl�nicas. 2005 , 32, 149-159	33
2034	Efficacy of continuous glucose monitoring system to detect unrecognized hypoglycemia in children and adolescents with type 1 diabetes. 2005 , 49, 569-74	6
2033	Predictors of health care costs in adults with diabetes. <i>Diabetes Care</i> , 2005 , 28, 59-64	14.6 169
2032	Psychosocial factors and diabetes mellitus: evidence-based treatment guidelines. 2005 , 1, 255-70	37
2031	Effect of depression on self-management behaviors and health outcomes in adults with type 2 diabetes. 2005 , 1, 235-43	66

2030	Empowering patients with diabetes: a qualitative primary care study focusing on South Asians in Leicester, UK. 2005 , 22, 647-52		68
2029	Editorial: new psychological interventions in chronic illness: towards examining mechanisms of action and improved targeting. 2005 , 10, 179-84		2
2028	The effects of type 1 diabetes on cognitive performance: a meta-analysis. <i>Diabetes Care</i> , 2005 , 28, 726-35	14.6	534
2027	Depression symptoms and antidepressant medicine use in Diabetes Prevention Program participants. <i>Diabetes Care</i> , 2005 , 28, 830-7	14.6	49
2026	The Diabetes Attitudes, Wishes, and Needs (DAWN) Program: A New Approach to Improving Outcomes of Diabetes Care. 2005 , 18, 136-142		135
2025	Health related quality of life, cognitive function, and depression in diabetic patients with foot ulcer or amputation. A preliminary study. 2005 , 26, 128-34		91
2024	Depressive symptoms and mortality among persons with and without diabetes. 2005 , 161, 652-60		240
2023	Longitudinal predictors of reduced mobility and physical disability in patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2005 , 28, 2441-7	14.6	97
2022	Depressive symptoms predict hospitalization for adolescents with type 1 diabetes mellitus. 2005 , 115, 1315-9		130
2021	[Diabetes and depression]. 2005 , 130, 1097-102		5
2020	Depression and the adolescent with type 1 diabetes: the covert comorbidity. 2005 , 26, 137-48		14
2019	Diabetes Mellitus. 2005 , 203-218		
2018	The association of comorbid depression with mortality in patients with type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 2668-72	14.6	480
2017	Stress and Diabetes: A Review of the Links. 2005 , 18, 121-127		125
2016	Depression and all-cause and coronary heart disease mortality among adults with and without diabetes. <i>Diabetes Care</i> , 2005 , 28, 1339-45	14.6	337
2015	Diabetes and cognitive function in a middle-aged cohort: findings from the Whitehall II study. 2005 , 65, 1597-603		68
2014	Prevalence and correlates of depressive symptoms among rural older African Americans, Native Americans, and whites with diabetes. <i>Diabetes Care</i> , 2005 , 28, 823-9	14.6	76
2013	Mood and cognitive function in elderly diabetic patients living in care facilities. 2005 , 19, 369-75		5

2012	Use of psychotherapy for depression in older adults. 2005 , 162, 711-7	78
2011	Evaluation of the UCL diabetes self-management programme (UCL-DSMP): a randomized controlled trial. 2005 , 10, 261-76	50
2010	Long-term risk for depressive symptoms after a medical diagnosis. 2005 , 165, 1260-6	169
2009	[Reduction of endogenous regulation in internal medicine patients]. 2005 , 12, 333-41	5
2008	A 21st Century approach to chronic disease management in the United Kingdom: implications for nurse education. 2005 , 20, 201-11	1
2007	Evidence-based pharmacologic interventions for geriatric depression. 2005 , 28, 821-35, viii	18
2006	Biofeedback-assisted relaxation in type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 2145-9	14.6 53
2005	Muscle-derived interleukin-6--a possible link between skeletal muscle, adipose tissue, liver, and brain. 2005 , 19, 371-6	141
2004	Depressive symptoms of type 2 diabetics treated with insulin compared to diabetics taking oral anti-diabetic drugs: a Korean study. 2005 , 69, 243-8	19
2003	Treatment regimen determines the relationship between depression and glycemic control. 2005 , 69, 78-80	26
2002	Serious diabetes-specific emotional problems and depression in a Croatian-Dutch-English Survey from the European Depression in Diabetes [EDID] Research Consortium. 2005 , 70, 166-73	66
2001	Depressive symptoms and mental health service utilization among persons with limb loss: results of a national survey. 2005 , 86, 650-8	120
2000	Management of diabetes during acute stroke and inpatient stroke rehabilitation. 2005 , 86, 2377-84	22
1999	The impact of diabetes mellitus and other chronic medical conditions on health-related Quality of Life: is the whole greater than the sum of its parts?. 2005 , 3, 2	107
1998	Mood disorders in the medically ill: scientific review and recommendations. 2005 , 58, 175-89	771
1997	Use of antidepressants in older patients with co-morbid medical conditions: guidance from studies of depression in somatic illness. 2005 , 22, 273-87	14
1996	Evaluation and Treatment of Depression (Part I). 2005 , 13, 295-306	7
1995	The development and validation of the Norfolk QOL-DN, a new measure of patients' perception of the effects of diabetes and diabetic neuropathy. 2005 , 7, 497-508	151

1994	Depression and diabetes: a large population-based study of sociodemographic, lifestyle, and clinical factors associated with depression in type 1 and type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 1904-9	14.6	133
1993	Psychosocial and psychiatric challenges of diabetes mellitus. 2006 , 41, 667-80, viii		23
1992	The Diabetic Foot. 2006 ,		9
1991	Psychological interventions to improve glycaemic control in patients with type 1 diabetes: systematic review and meta-analysis of randomised controlled trials. 2006 , 333, 65		241
1990	Depressive symptoms in elderly patients after a somatic illness event: prevalence, persistence, and risk factors. 2006 , 47, 33-42		41
1989	The role of alexithymia factors in glucose control of persons with type 1 diabetes: a pilot study. 2006 , 32, 417-24		34
1988	Difficulties of smoking cessation in diabetic inpatients benefiting from a systematic consultation to help them to give up smoking. 2006 , 32, 435-41		17
1987	Gender-specific care of the patient with diabetes: review and recommendations. 2006 , 3, 131-58		159
1986	Managing psychiatric disorders with antidiabetic agents: translational research and treatment opportunities. 2006 , 7, 1305-21		19
1985	The Role of Lifestyle in Secondary Prevention of Coronary Heart Disease in Patients With Type 2 Diabetes. 2006 , 30, 1-7		2
1984	Vulnerable populations with diabetes mellitus. 2006 , 41, 605-23, vii		6
1983	Disease-focused or integrated treatment: diabetes and depression. 2006 , 90, 627-46		19
1982	Behavioral interventions for diabetes self-management. 2006 , 41, 641-54, viii		7
1981	Personal features and dropout from diabetic care. 2006 , 11, 115-9		19
1980	Brain magnetic resonance imaging correlates of impaired cognition in patients with type 2 diabetes. 2006 , 55, 1106-13		366
1979	The potential role of increased adrenal volume in the pathophysiology of obesity-related type 2 diabetes. 2006 , 29, 159-63		22
1978	Intimate partner violence and women's physical, mental, and social functioning. 2006 , 30, 458-66		439
1977	Limb deficiency and prosthetic management. 4. Comorbidities associated with limb loss. 2006 , 87, S21-7		19

1976	Cognitive function in adults with type 2 diabetes and major depression. 2006 , 21, 787-96	56
1975	Impact of diabetes on health-related quality of life in a population study in Japan. 2006 , 73, 51-7	40
1974	Effects of soy protein and genistein on blood glucose, antioxidant enzyme activities, and lipid profile in streptozotocin-induced diabetic rats. 2006 , 79, 1578-84	165
1973	Health Utilities Index mark 3 demonstrated construct validity in a population-based sample with type 2 diabetes. 2006 , 59, 472-7	27
1972	The role of socioeconomic status, depression, quality of life, and glycemic control in type 1 diabetes mellitus. 2006 , 149, 526-31	195
1971	Association between diabetes and depression: Sex and age differences. 2006 , 120, 696-704	41
1970	Diabetes-Specific Emotional Distress among African Americans and Hispanics with Type 2 Diabetes. 2006 , 17, 88-105	30
1969	The interrelationship of depression and diabetes. 165-194	4
1968	[Metabolic/glycemic control accuracy, effect and complications of the continuous glucose monitoring system in diabetic patients]. 2006 , 52, 395-400	0
1967	Depression and prognosis in cardiac patients. 87-108	6
1966	. 2006 ,	
1965	Overlapping of the spectra: physical comorbidity between schizophrenia and affective disorders. 207-223	
1964	Understanding the determinants of health for people with type 2 diabetes. 2006 , 96, 1649-55	79
1963	Education in the Management of the Foot in Diabetes. 2006 , 143-158	5
1962	The answer to diabetes prevention: science, surgery, service delivery, or social policy?. 2006 , 96, 1562-9	33
1961	Diabetes mellitus as a model of psychosomatic and somatopsychic interrelationships. 2006 , 9, 75-85	13
1960	Medical co-morbidity and validity of DSM-IV depression criteria. 2006 , 36, 27-36	87
1959	Depression in pregnancy: drug safety and nursing management. 2006 , 31, 10-5; quiz 16-7	3

1958	Relationship between symptoms of depression, functional health status, and chronic disease among a residential sample of African Americans. 2006 , 29, 133-40	10
1957	Depression, anxiety, and nonalcoholic steatohepatitis. 2006 , 68, 563-9	77
1956	Clinical characteristics of depressed patients with comorbid diabetes mellitus. 2006 , 21, 43-7	5
1955	A psychological approach to providing self-management education for people with type 2 diabetes: the Diabetes Manual. 2006 , 7, 70	18
1954	Resource use among patients with diabetes, diabetic neuropathy, or diabetes with depression. 2006 , 4, 18	40
1953	â€œThe long and winding roadâ€ 2006 , 23, 69-74	
1952	Mental?physical comorbidity in Te Rau Hinengaro: The New Zealand Mental Health Survey. 2006 , 40, 882-888	2
1951	Reduced hippocampal neurogenesis and number of hilar neurones in streptozotocin-induced diabetic mice: reversion by antidepressant treatment. 2006 , 23, 1539-46	91
1950	The prevalence of co-morbid depression in adults with Type 1 diabetes: systematic literature review. 2006 , 23, 445-8	236
1949	The prevalence of co-morbid depression in adults with Type 2 diabetes: a systematic review and meta-analysis. 2006 , 23, 1165-73	821
1948	The prevalence of depression and anxiety in adults with Type 1 diabetes. 2006 , 23, 1381-4	45
1947	Improving depression care in patients with diabetes and multiple complications. 2006 , 21, 1036-41	44
1946	Minor depression as a predictor of the first onset of major depressive disorder over a 15-year follow-up. 2006 , 113, 36-43	80
1945	Screening for depression in chronic hemodialysis patients: comparison of the Beck Depression Inventory, primary nurse, and nephrology team. 2006 , 10, 35-41	30
1944	Perceived barriers and effective strategies to diabetes self-management. 2006 , 54, 151-8	248
1943	Association between comorbidity and erectile dysfunction in patients with diabetes. 2006 , 18, 348-53	20
1942	Depressive symptoms and insulin resistance in young adult males: results from the Northern Finland 1966 birth cohort. 2006 , 11, 929-33	47
1941	Psychosocial characteristics and cardiovascular risk in African Americans with diabetes. 2006 , 20, 226-33	5

1940	Nurses' recognition and registration of depression, anxiety and diabetes-specific emotional problems in outpatients with diabetes mellitus. 2006 , 60, 235-40	99
1939	Diabetic patients: Psychological aspects. 2006 , 1084, 329-49	23
1938	Post-traumatic stress disorder and diabetes: co-morbidity and outcomes in a male veterans sample. 2006 , 29, 411-8	72
1937	Diabetes and depression: the role of social support and medical symptoms. 2006 , 29, 523-31	56
1936	Feasibility of a pilot intervention targeting self-care behaviors in adults with diabetes mellitus. 2006 , 13, 239-249	
1935	Integrating mind and body: Graduate psychology education in primary behavioral health care. 2006 , 13, 3-11	3
1934	Co-occurrence of mental and physical illness in US Latinos. 2006 , 41, 927-34	83
1933	How to screen for depression and emotional problems in patients with diabetes: comparison of screening characteristics of depression questionnaires, measurement of diabetes-specific emotional problems and standard clinical assessment. 2006 , 49, 469-77	214
1932	Depression as a risk factor for the onset of type 2 diabetes mellitus. A meta-analysis. 2006 , 49, 837-45	653
1931	Comment on: Knol MJ, Twisk JWR, Beekman ATF, Heine RJ, Snoek FJ, Pouwer F. (2006) depression as a risk factor for the onset of type 2 diabetes mellitus. A meta-analysis. <i>Diabetologia</i> ; 49: 837-845. 2006 , 49, 2797-8; author reply 2799-800	11
1930	Reply to comment on: Knol MJ, Twisk JWR, Beekman ATF, Heine RJ, Snoek FJ, Pouwer F (2006) Depression as a risk factor for the onset of type 2 diabetes mellitus. A meta-analysis. <i>Diabetologia</i> 49:837-845. 2006 , 49, 2799-2800	3
1929	Prevalent and incident depression in community-dwelling elderly persons with diabetes mellitus: results from the ZARADEMP project. 2006 , 49, 2627-33	81
1928	Vascular depression in older people with diabetes. 2006 , 49, 2828-36	27
1927	Involvement of diazepam-insensitive benzodiazepine receptors in the suppression of DOI-induced head-twitch responses in diabetic mice. 2006 , 186, 1-6	1
1926	Facilitating narrative medical discussions of type 1 diabetes with computer visualizations and photography. 2006 , 64, 313-21	23
1925	Psychosoziale Behandlung des metabolischen Syndroms. 2006 , 1, 19-27	2
1924	Is glycemic variability important to assessing antidiabetes therapies?. 2006 , 6, 350-6	10
1923	Inadequate follow-up care for depression and its impact on antidepressant treatment duration among veterans with and without diabetes mellitus in the Veterans Health Administration. 2006 , 28, 465-74	20

1922	Effects of histamine H(1) receptor antagonists on depressive-like behavior in diabetic mice. 2006 , 83, 214-20	10
1921	Comorbidity in patients with diabetes mellitus: impact on medical health care utilization. 2006 , 6, 84	146
1920	Psychological aspects of diabetes management. 2006 , 34, 61-62	24
1919	Diabetes-specific emotional distress among African Americans and Hispanics with type 2 diabetes. 2006 , 17, 88-105	57
1918	Gender differences in depression. 2006 , 2, 425-34	14
1917	Living with diabetes: perceptions of Hispanic migrant farmworkers. 2006 , 23, 49-64	26
1916	Special Considerations in Older Adults With Diabetes: Meeting the Challenge. 2006 , 19, 229-233	12
1915	Ethnic differences in the relationship between depressive symptoms and health-related quality of life in people with type 2 diabetes. 2006 , 11, 59-80	16
1914	Treating Depression to Prevent Diabetes and Its Complications: Understanding Depression as a Medical Risk Factor. 2006 , 24, 79-86	22
1913	Prevalence and correlates of depressed mood among youth with diabetes: the SEARCH for Diabetes in Youth study. 2006 , 117, 1348-58	239
1912	Is Psychological Distress a Risk Factor for the Incidence of Diabetes Among American Indians? The Strong Heart Study. 2006 , 25, 605-725	7
1911	Cost-effectiveness and net benefit of enhanced treatment of depression for older adults with diabetes and depression. <i>Diabetes Care</i> , 2006 , 29, 265-70	14.6 201
1910	The rise in spending among Medicare beneficiaries: the role of chronic disease prevalence and changes in treatment intensity. 2006 , 25, w378-88	169
1909	Cognitive performance, psychological well-being, and brain magnetic resonance imaging in older patients with type 1 diabetes. 2006 , 55, 1800-6	118
1908	Mental-physical comorbidity in Te Rau Hinengaro: the New Zealand Mental Health Survey. 2006 , 40, 882-8	30
1907	Sertraline for prevention of depression recurrence in diabetes mellitus: a randomized, double-blind, placebo-controlled trial. 2006 , 63, 521-9	150
1906	Chronic Diseases and Health Care. 2006 ,	
1905	Insulin treatment and the problem of weight gain in type 2 diabetes. 2006 , 32, 910-7	82

1904	Baseline characteristics of the randomised cohort from the Look AHEAD (Action for Health in Diabetes) study. 2006 , 3, 202-15		130
1903	Physician and nurse use of psychosocial strategies in diabetes care: results of the cross-national Diabetes Attitudes, Wishes and Needs (DAWN) study. <i>Diabetes Care</i> , 2006 , 29, 1256-62	14.6	61
1902	Depression and stroke: an up-to-date review. 2006 , 15, 284-294		3
1901	Assessing psychosocial variables: a tool for diabetes educators. 2006 , 32, 51-8		10
1900	Qualitative study of an intervention for depression among patients with diabetes: how can we optimize patient-professional interaction?. 2006 , 2, 231-42		16
1899	The prevalence of erectile dysfunction in the primary care setting: importance of risk factors for diabetes and vascular disease. 2006 , 166, 213-9		181
1898	Depression and glycemic control in elderly ethnically diverse patients with diabetes: the IDEATel project. <i>Diabetes Care</i> , 2006 , 29, 830-5	14.6	55
1897	Diabetes Self-Management Education for Older Adults: General Principles and Practical Application. 2006 , 19, 234-240		41
1896	Examining knowledge, attitudes, and beliefs about depression among Latino adults with type 2 diabetes. 2006 , 32, 603-13		40
1895	Gender differences in adherence and metabolic control in urban youth with poorly controlled type 1 diabetes: the mediating role of mental health symptoms. 2006 , 31, 793-802		69
1894	Safety and efficacy of s-citalopram in patients with co-morbid major depression and diabetes mellitus. 2006 , 54, 208-14		17
1893	Type 2 diabetes does not increase risk of depression. 2006 , 175, 42-6		56
1892	Depression treatment and satisfaction in a multicultural sample of type 1 and type 2 diabetic patients. <i>Diabetes Care</i> , 2006 , 29, 549-53	14.6	49
1891	Counselling and Relaxation Therapies. 2006 , 158-178		
1890	Cognitive dysfunction is associated with poor diabetes control in older adults. <i>Diabetes Care</i> , 2006 , 29, 1794-9	14.6	258
1889	Screening for depression in a diabetic outpatient population. 2007 , 11, 268-72		2
1888	Association between diabetes and mental disorders in two American Indian reservation communities. <i>Diabetes Care</i> , 2007 , 30, 2228-9	14.6	16
1887	A detailed profile of cognitive dysfunction and its relation to psychological distress in patients with type 2 diabetes mellitus. 2007 , 13, 288-97		72

1886	Depression and depression care in diabetes: relationship to perceived discrimination in African Americans. <i>Diabetes Care</i> , 2007 , 30, 364-6	14.6	44
1885	Integrating Depression Care With Diabetes Care in Real-World Settings: Lessons From the Robert Wood Johnson Foundation Diabetes Initiative. 2007 , 20, 10-16		20
1884	The impact of diabetes on psychological well being and quality of life. The role of patient education. 2007 , 12, 545-55		49
1883	The unmet needs of the elderly with diabetes in home health care. 2007 , 45, 1-17		10
1882	Gender Differences in Adherence to Type 1 Diabetes Management Across Adolescence: The Mediating Role of Depression. 2007 , 36, 83-98		39
1881	Coping with Chronic Illness and Disability. 2007 ,		33
1880	Interventions for being active among individuals with diabetes: a systematic review of the literature. 2007 , 33, 962-88; discussion 989-90		46
1879	Type 1 Diabetes in Adults. 2007 ,		0
1878	Depression among type 2 diabetes rural Appalachian clinic attendees. <i>Diabetes Care</i> , 2007 , 30, 1602-4	14.6	28
1877	A review of the evidence for a neuroendocrine link between stress, depression and diabetes mellitus. 2007 , 3, 252-9		155
1876	The relationships among health functioning indicators and depression in older adults with diabetes. 2007 , 28, 133-50		8
1875	Cost-effectiveness of systematic depression treatment among people with diabetes mellitus. 2007 , 64, 65-72		237
1874	Stress mechanisms and metabolic complications. 2007 , 39, 430-8		98
1873	Diabetes mellitus, glycemic control, and incident depressive symptoms among 70- to 79-year-old persons: the health, aging, and body composition study. 2007 , 167, 1137-44		116
1872	A cohort study of people with diabetes and their first foot ulcer: the role of depression on mortality. <i>Diabetes Care</i> , 2007 , 30, 1473-9	14.6	152
1871	Psychiatric disorders among bariatric surgery candidates: relationship to obesity and functional health status. 2007 , 164, 328-34; quiz 374		385
1870	Depression and its association with diabetes, cardiovascular disease, and birth weight. 2007 , 39, 634-40		24
1869	Geriatric Diabetes. 2007 ,		2

1868	Managing complex problems: treatment for common mental disorders in the UK. 2007 , 16, 302-8		8
1867	Culturally competent interventions for Hispanic adults with type 2 diabetes: a systematic review. 2007 , 18, 157-66		78
1866	Efficacy of sertraline in prevention of depression recurrence in older versus younger adults with diabetes. <i>Diabetes Care</i> , 2007 , 30, 801-6	14.6	34
1865	Cognitive function in older diabetic subjects with a history of alcohol abuse. 2007 , 101, 1125-32		7
1864	Depression and type 2 diabetes mellitus: the multiethnic study of atherosclerosis. 2007 , 69, 529-36		62
1863	Understanding prognostic benefits of exercise and antidepressant therapy for persons with depression and heart disease: the UPBEAT study--rationale, design, and methodological issues. 2007 , 4, 548-59		38
1862	Depression screening disparities among veterans with diabetes compared with the general veteran population. <i>Diabetes Care</i> , 2007 , 30, 2216-21	14.6	17
1861	The impact of promotoras on social support and glycemic control among members of a farmworker community on the US-Mexico border. 2007 , 33 Suppl 6, 172S-178S		67
1860	Clinical depression versus distress among patients with type 2 diabetes: not just a question of semantics. <i>Diabetes Care</i> , 2007 , 30, 542-8	14.6	351
1859	Physical activity in U.S. adults with diabetes and at risk for developing diabetes, 2003. <i>Diabetes Care</i> , 2007 , 30, 203-9	14.6	310
1858	Depression in Elderly Diabetes Patients. 2007 , 20, 71-75		13
1857	Ins2Akita mice exhibit hyperphagia and anxiety behavior via the melanocortin system. 2007 , 19, 649		
1856	Depression and cost-related medication nonadherence in Medicare beneficiaries. 2007 , 64, 602-8		53
1855	Adherence, body mass index, and depression in adults with type 2 diabetes: the mediational role of diabetes symptoms and self-efficacy. 2007 , 26, 693-700		52
1854	Diabetes, depression, and metabolic control in Latinas. 2007 , 13, 225-31		17
1853	What do general medical guidelines say about depression care? Depression treatment recommendations in general medical practice guidelines. 2007 , 20, 626-31		15
1852	Changes in depressive symptoms and glycemic control in diabetes mellitus. 2007 , 69, 235-41		65
1851	Insulin resistance and depressive symptoms in young adult males: findings from Finnish military conscripts. 2007 , 69, 723-8		32

1850	Depression in diabetes: the chicken or the egg?. 2007 , 69, 297-9	40
1849	Diabetes, common mental disorders, and disability: findings from the UK National Psychiatric Morbidity Survey. 2007 , 69, 543-50	119
1848	Psychosocial Issues and Self-Care. 2007 , 107, 38	
1847	No increased incidence of diabetes in antidepressant users. 2007 , 22, 382-6	42
1846	Stressors, depressive symptoms, and learned resourcefulness among Taiwanese adults with diabetes mellitus. 2007 , 21, 83-97	14
1845	Implementation of a consumer-directed approach in behavioral health care: problems and prospects. 2007 , 58, 300-2	6
1844	Quality of life and its predictors for middle-aged and elderly patients with type 2 diabetes mellitus. 2007 , 15, 193-201	25
1843	Depressive symptoms in subjects with diagnosed and undiagnosed type 2 diabetes. 2007 , 69, 300-5	86
1842	Depression and diabetes in Iranian patients: a comparative study. 2007 , 37, 81-6	37
1841	Psychosocial issues and self-care. 2007 , 107, 34-8; quiz 38	18
1840	Diabetic Encephalopathy. 2007 , 187-205	3
1839	Racial and ethnic differences in diabetic patient-reported depression symptoms, diagnosis, and treatment. 2007 , 75, 119-22	39
1838	An examination of the moderating effect of treatment with anti-depressants on the association of heart disease with depression in males with type 2 diabetes attending a Veterans Affairs Medical Center. 2007 , 75, 220-8	7
1837	Efficacy of continuous glucose monitoring system (CGMS) to detect postprandial hyperglycemia and unrecognized hypoglycemia in type 1 diabetic patients. 2007 , 75, 30-4	55
1836	The role of depression and anxiety in onset of diabetes in a large population-based study. 2007 , 62, 31-8	227
1835	Major depressive disorder viewed as a dysfunction in astroglial bioenergetics. 2007 , 68, 370-7	23
1834	No health without mental health. 2007 , 370, 859-77	2109
1833	Gender-specific care of diabetes. 2007 , 3, 735-64	2

1832	Should Depressive Syndromes Be Reclassified as "Metabolic Syndrome Type II"? 2007 , 19, 257-64	180
1831	Comorbiditeit en functioneren. 2007 , 32, 38-46	
1830	Depression, self-care, and medication adherence in type 2 diabetes: relationships across the full range of symptom severity. <i>Diabetes Care</i> , 2007 , 30, 2222-7	14.6 413
1829	Diabetes and depression: a review of the literature. 2007 , 42, 67-78, vii	9
1828	Diabetic Neuropathy. 2007 ,	7
1827	Lay explanations and self-management of diabetes in Kathmandu, Nepal. 2007 , 19, 683-704	7
1826	The psychological impact of living with diabetes: women's day-to-day experiences. 2007 , 33, 680-90	50
1825	Effects of gender and depression on oral medication adherence in persons with type 2 diabetes mellitus. 2007 , 4, 205-13	34
1824	Treating depression in the medically ill. 2007 , 30, 77-90	33
1823	Self-reported predictors of depressive symptomatology in an elderly population with type 2 diabetes mellitus: a prospective cohort study. 2007 , 5, 50	31
1822	Development and validation of the insulin treatment appraisal scale (ITAS) in patients with type 2 diabetes. 2007 , 5, 69	83
1821	Mental health, antipsychotics and hyperglycaemia. 2007 , 1, 209-224	1
1820	Improving diabetes self-management through acceptance, mindfulness, and values: a randomized controlled trial. 2007 , 75, 336-43	472
1819	Stress, Insulin Resistance, and Type II Diabetes. 2007 , 654-659	1
1818	[Depression and clinical illness: comorbidity in a geriatric outpatient clinic]. 2007 , 23, 691-700	28
1817	The relationship between depressive symptoms in outpatients with chronic illness and health care costs. 2007 , 48, 787-94	4
1816	Mental health status and diabetes among Whites and Native Americans: is race an effect modifier?. 2007 , 18, 599-608	10
1815	. 2007 ,	4

1814	Predictors of depression in a sample of 1,021 primary care patients with osteoarthritis. 2007 , 57, 415-22	105
1813	Depression symptoms in movement disorders: comparing Parkinson's disease, dystonia, and essential tremor. 2007 , 22, 666-72	98
1812	Process evaluation of a minimal psychological intervention to reduce depression in chronically ill elderly persons. 2007 , 68, 252-7	21
1811	Generalist care managers for the treatment of depressed medicaid patients in North Carolina: a pilot study. 2007 , 8, 7	20
1810	Walking behaviour and glycemic control in type 2 diabetes: seasonal and gender differences--study design and methods. 2007 , 6, 1	49
1809	Diabetes, minor depression and health care utilization and expenditures: a retrospective database study. 2007 , 5, 4	41
1808	Enhancing care in older people with type 2 diabetes. 2007 , 24, 98-101	1
1807	Should diabetes services routinely screen for psychological distress?. 2007 , 24, 483-486	2
1806	History of major depressive disorder and diabetes outcomes in diet- and tablet-treated post-menopausal women: a case control study. 2007 , 24, 211-6	12
1805	Prevalence of depression and diabetes: a population-based study from rural Bangladesh. 2007 , 24, 872-7	84
1804	No evidence for increased self-reported cognitive failure in Type 1 and Type 2 diabetes: a cross-sectional study. 2007 , 24, 735-40	11
1803	Reliability and validity of the Japanese version of the World Health Organization-Five Well-Being Index in the context of detecting depression in diabetic patients. 2007 , 61, 112-9	136
1802	The safety and tolerability of duloxetine in depressed elderly patients with and without medical comorbidity. 2007 , 61, 1283-93	40
1801	Diabetes and depression: pharmacologic considerations. 2007 , 43, 93-6	1
1800	Hispanic adults' beliefs about type 2 diabetes: clinical implications. 2007 , 19, 536-45	53
1799	Relation between body mass index and depression: a structural equation modeling approach. 2007 , 7, 17	51
1798	Cost-effectiveness of collaborative care for chronically ill patients with comorbid depressive disorder in the general hospital setting, a randomised controlled trial. 2007 , 7, 28	26
1797	Diabetes attenuates psychological stress-elicited 5-HT secretion in the prefrontal cortex but not in the amygdala of mice. 2007 , 1147, 233-9	33

1796	Predictors of depressive symptoms among foster caregivers. 2007 , 31, 295-310	26
1795	Major depression in individuals with chronic medical disorders: prevalence, correlates and association with health resource utilization, lost productivity and functional disability. 2007 , 29, 409-16	42 ⁰
1794	Use of insulin and weight gain: optimizing diabetes nutrition therapy. 2007 , 107, 1386-93	7
1793	Depressive symptoms and hypomagnesemia in older diabetic subjects. 2007 , 38, 752-6	22
1792	Why is blood pressure so hard to control in patients with type 2 diabetes?. 2007 , 2, 114-8	14
1791	Antidepressant-like effect of leptin in streptozotocin-induced diabetic mice. 2007 , 86, 27-31	26
1790	Predictors of cognitive impairment in type 1 diabetes. 2007 , 32, 1041-51	86
1789	Coping and psychosocial adaptation to Type 2 diabetes in older Blacks born in the Southern US and the Caribbean. 2007 , 30, 151-63	7
1788	Brain-derived neurotrophic factor (BDNF) and type 2 diabetes. 2007 , 50, 431-8	463
1787	Association of glucose levels and glucose variability with mood in type 1 diabetic patients. 2007 , 50, 930-3	38
1786	Brain derived neurotrophic factor (BDNF) release from the human brain in patients with type 2 diabetes--possible influence of venous anatomy and comorbid major depressive disorder. 2007 , 50, 2027-2028	10
1785	Quality of life, health status and clinical outcomes in Type 2 diabetes patients. 2007 , 16, 165-77	114
1784	Specific associations of insulin resistance with impaired health-related quality of life in the Hertfordshire Cohort Study. 2007 , 16, 429-36	35
1783	Tricyclic antidepressants for chronic vomiting in diabetic patients. 2007 , 52, 418-24	77
1782	Social Support and the Association of Type 2 Diabetes and Depressive and Anxiety Disorders Among Low-income Adults Seen in Primary Care Clinics. 2007 , 14, 351-359	8
1781	Recent advances in understanding depression in adults with diabetes. 2007 , 7, 114-22	29
1780	Exploring doctor-patient communication in immigrant Australians with type 2 diabetes: a qualitative study. 2007 , 22, 459-63	40
1779	Health-related quality of life among adults with serious psychological distress and chronic medical conditions. 2008 , 17, 521-8	70

1778	Impact of comorbid diabetes on quality of life and perception of angina pain in people with angina registered with general practitioners in the UK. 2008 , 17, 887-94	6
1777	Susto and nervios: expressions for stress and depression. 2008 , 32, 406-20	56
1776	Effects of cyclohexanonic long-chain fatty alcohol, tCFA15 on amino acids in diabetic rat brain: a preliminary study. 2008 , 33, 1189-95	3
1775	Coping with diabetes in adulthood: a meta-analysis. 2008 , 31, 291-300	79
1774	The difficulty of making psychology research and clinical practice relevant to medicine: experiences and observations. 2008 , 15, 65-72	6
1773	Perfectionism and depression among low-income chronically ill African American and White adolescents and their maternal parent. 2008 , 15, 171-81	22
1772	Depression and osteoporosis: epidemiology and potential mediating pathways. 2008 , 19, 1-12	79
1771	The association between antidepressant use and disturbances in glucose homeostasis: evidence from spontaneous reports. 2008 , 64, 531-8	72
1770	Psychosomatische Aspekte des Diabetes mellitus. 2008 , 53, 293-305	4
1769	[Depression as a comorbid disorder in primary care]. 2008 , 51, 411-21	23
1768	Diabetes und Depression. 2008 , 4, 129-142	0
1767	Die Effektivität psychologischer Behandlungsansätze zur Verbesserung der Stoffwechselkontrolle bei Patienten mit Diabetes mellitus. 2008 , 2, 131-137	
1766	Probleme des Diabetesmanagement bei älteren Menschen mit Diabetes mellitus. 2008 , 2, 138-144	1
1765	Behandlung depressiver Störungen bei Diabetes mellitus. 2008 , 2, 151-159	1
1764	Depression in the medically ill: diagnostic and therapeutic implications. 2008 , 10, 272-9	10
1763	Recent advances in understanding depression in adults with diabetes. 2008 , 10, 495-502	20
1762	Behavioral genetics of the depression/cancer correlation: a look at the Ras oncogene family and the 'cerebral diabetes paradigm'. 2008 , 35, 307-22	10
1761	Cognitive Development in Young-old Type-2 Diabetes Patients: A Longitudinal Analysis From The 'Interdisciplinary Longitudinal Study of Aging' 2008 , 27, 6-15	8

1760	Web-based cognitive behavioural therapy (W-CBT) for diabetes patients with co-morbid depression: design of a randomised controlled trial. 2008 , 8, 9	33
1759	Depression, anxiety and various aspects of positive well-being in uncontrolled adults with Type 2 diabetes. 2008 , 7,	
1758	A work force model to support the adoption of best practice care in chronic diseases - a missing piece in clinical guideline implementation. 2008 , 3, 35	20
1757	The association between antidepressant use and hypoglycaemia in diabetic patients: a nested case-control study. 2008 , 17, 336-44	21
1756	Influence of antidepressants on glycaemic control in patients with diabetes mellitus. 2008 , 17, 577-86	23
1755	The effect of depression on quality of life of patients with type II diabetes mellitus. 2008 , 25, 98-106	84
1754	The epidemiology of depression in diabetes. 2008 , 5, 91-96	5
1753	Depression of chronic medical inpatients in China. 2008 , 22, 39-49	20
1752	Trajectories and predictors of anxiety and depression in women during the 12 months following an acute cardiac event. 2008 , 13, 135-53	57
1751	Do patients' beliefs about type 2 diabetes differ in accordance with complications: an investigation into diabetic foot ulceration and retinopathy. 2008 , 15, 173-9	11
1750	Diabetes en de hersenen: cognitieve en psychologische gevolgen bij patiënten met type 1 of type 2 diabetes. 2008 , 36, 4-12	
1749	Psychosociale interventies bij mensen met diabetes. 2008 , 36, 209-220	
1748	Quality of life and depression of people living with type 2 diabetes mellitus and those at low and high risk for type 2 diabetes: findings from the Study to Help Improve Early evaluation and management of risk factors Leading to Diabetes (SHIELD). 2008 , 62, 562-8	57
1747	Frailty, health-related quality of life and mental well-being in older adults with cardiometabolic risk factors. 2008 , 62, 1447-51	45
1746	How well are we preparing undergraduates to deal with diabetes?. 2008 , 32, 291	1
1745	Depression and renal disease. 2005 , 18, 73-81	34
1744	Classification of adult patients with type 2 diabetes using the Temperament and Character Inventory. 2008 , 62, 279-85	6
1743	Gender-specific care of diabetes mellitus: particular considerations in the management of diabetic women. 2008 , 10, 1135-56	41

1742	Prevalence and associations of psychological distress in young adults with Type 1 diabetes. 2008 , 25, 91-6	105
1741	Psychotherapy intervention to reduce depressive symptoms in patients with diabetic foot syndrome. 2008 , 25, 206-12	65
1740	Symptoms of depression in people with impaired glucose metabolism or Type 2 diabetes mellitus: The Hoorn Study. 2008 , 25, 843-9	40
1739	Symptoms of depression prospectively predict poorer self-care in patients with Type 2 diabetes. 2008 , 25, 1102-7	127
1738	Unrecognized glucose intolerance is not associated with depression. Screening for Impaired Glucose Tolerance study 3 (SIGT 3). 2008 , 25, 1361-5	21
1737	The association of physical activity and depression in Type 2 diabetes. 2008 , 25, 1133-41	44
1736	Are symptoms of depression more common in diabetes? Results from the Heinz Nixdorf Recall study. 2008 , 25, 1330-6	34
1735	Association between depression and concurrent Type 2 diabetes outcomes varies by diabetes regimen. 2008 , 25, 1324-9	32
1734	Cognitive behavioural therapy (CBT) compared with blood glucose awareness training (BGAT) in poorly controlled Type 1 diabetic patients: long-term effects on HbA moderated by depression. A randomized controlled trial. 2008 , 25, 1337-42	48
1733	Perspectives of patients with type 2 diabetes following a critical cardiac event - an interpretative approach. 2008 , 17, 16-24	11
1732	A systematic review of the efficacy of non-pharmacological treatments for depression on glycaemic control in type 2 diabetics. 2008 , 17, 2524-30	38
1731	Isolation, motivation and balance: living with type 1 or cystic fibrosis-related diabetes. 2008 , 17, 235-43	17
1730	Validation of a questionnaire measuring the regulation of autonomic function. 2008 , 8, 26	24
1729	Prevalence of depressive symptoms among non insulin treated Greek type 2 diabetic subjects. 2008 , 1, 101	21
1728	Longitudinal effects of depression on glycemic control in veterans with Type 2 diabetes. 2008 , 30, 509-14	96
1727	Quality of depression care for people with coincident chronic medical conditions. 2008 , 30, 528-35	13
1726	Correlates of depression in type 2 diabetic elderly patients: a correlational study. 2008 , 45, 571-9	16
1725	A comparison of baseline sociodemographic and clinical characteristics between major depressive disorder patients with and without diabetes: a STAR*D report. 2008 , 108, 113-20	13

1724	Quantifying links between acute myocardial infarction and depression, anxiety and schizophrenia using case register databases. 2008 , 109, 177-81	43
1723	Insulin resistance and depressive symptoms in middle-aged and elderly Chinese: findings from the Nutrition and Health of Aging Population in China Study. 2008 , 109, 75-82	57
1722	Undiagnosed Depression in Patients with Type 2 Diabetes and Its Associated Factors. 2008 , 20, 44-48	2
1721	Depressive disorder in renal transplantation: an analysis of Medicare claims. 2008 , 51, 819-28	115
1720	Erectile dysfunction among men with diabetes is strongly associated with premature ejaculation and reduced libido. 2008 , 5, 2125-34	70
1719	Psychosocial factors contributing to persistent depressive symptoms in type 2 diabetic patients: a Croatian survey from the European Depression in Diabetes Research Consortium. 2008 , 22, 246-53	17
1718	Eating disorders and diabetes. 2008 , 7, 179-182	17
1717	Fatness and fitness: how do they influence health-related quality of life in type 2 diabetes mellitus?. 2008 , 6, 110	23
1716	Mental Health, Depression, Dementia and Diabetes. 2008 , 211-229	
1715	Effective Medication Management in Older People. 2008 , 230-249	
1714	Psychological distress and short-term disability in people with diabetes: results from the Canadian Community Health Survey. 2008 , 65, 165-72	7
1713	Mental disorders among persons with diabetes--results from the World Mental Health Surveys. 2008 , 65, 571-80	129
1712	The comorbidity of diabetes mellitus and depression. 2008 , 121, S8-15	181
1711	Association between sleep duration and hemoglobin A1c level. 2008 , 9, 745-52	59
1710	P2RX7 Gln460Arg polymorphism is associated with depression among diabetic patients. 2008 , 32, 1884-8	34
1709	Prominently decreased hippocampal neurogenesis in a spontaneous model of type 1 diabetes, the nonobese diabetic mouse. 2008 , 210, 359-67	57
1708	Integrating co-morbid depression and chronic physical disease management: identifying and resolving failures in self-regulation. 2008 , 28, 1426-46	88
1707	Depression and diabetes in a rural community in Pakistan. 2008 , 79, 124-7	47

1706	Association of psychosocial factors with anxiety and depressive symptoms in Chinese patients with type 2 diabetes. 2008 , 79, 523-30		27
1705	Does diabetes increase levels of depression and anxiety after lower limb amputation?. 2008 , 80, e14-5		1
1704	Quality of life in individuals with serious mental illness and type 2 diabetes. 2008 , 49, 109-14		26
1703	Guideline for management of postmeal glucose. 2008 , 18, S17-33		83
1702	Depression and type 2 diabetes over the lifespan: a meta-analysis. <i>Diabetes Care</i> , 2008 , 31, 2383-90	14.6	1017
1701	Cardiovascular risk profile and subsequent disability and mental well-being: the Zutphen Elderly Study. 2008 , 16, 874-82		11
1700	Neuroanatomical correlates of executive functioning in depressed adults with type 2 diabetes. 2008 , 30, 389-97		18
1699	Retinal microvascular abnormalities and cognitive dysfunction: a systematic review. 2008 , 92, 1017-25		44
1698	Effect of selective serotonin reuptake inhibitors on cardiovascular morbidity and mortality. 2008 , 13, 32-40		21
1697	An audit on diabetes management in Asian patients treated by specialists: the Diabcare-Asia 1998 and 2003 studies. 2008 , 24, 507-14		38
1696	Association of comorbid depression, anxiety, and stress disorders with Type 2 diabetes in Bahrain, a country with a very high prevalence of Type 2 diabetes. 2008 , 31, 1020-4		44
1695	Case records of the Massachusetts General Hospital. Case 14-2008. A 78-year-old man with anergia and anhedonia associated with cardiovascular surgery. 2008 , 358, 2051-9		3
1694	Depressive symptoms in patients with type 2 diabetes in the ambulatory care setting: opportunities to improve outcomes in the course of routine care. 2008 , 48, 737-43		9
1693	Improving glycemic control: the role of leisure activities and intrinsic motivation in older type 2 diabetic men. 2008 , 34, 162-72		1
1692	Prevalence of depression among U.S. adults with diabetes: findings from the 2006 behavioral risk factor surveillance system. <i>Diabetes Care</i> , 2008 , 31, 105-7	14.6	206
1691	Long-term effects on medical costs of improving depression outcomes in patients with depression and diabetes. <i>Diabetes Care</i> , 2008 , 31, 1155-9	14.6	126
1690	Screening for depressive symptoms: validation of the center for epidemiologic studies depression scale (CES-D) in a multiethnic group of patients with diabetes in Singapore. <i>Diabetes Care</i> , 2008 , 31, 1118-9	14.6	78
1689	"It Feels Like Home When You Eat Rice and Beans": Perspectives of Urban Latinos Living With Diabetes. 2008 , 21, 120-127		17

1688	Impact of diabetes mellitus on the sexuality of Peruvian postmenopausal. 2008 , 24, 470-4	45
1687	Depression and the vision-related quality of life in patients with retinitis pigmentosa. 2008 , 92, 650-4	64
1686	Diabetes and psychological co-morbidity in children with a family history of early-onset type 2 diabetes. 2008 , 43, 937-42	4
1685	Integrated primary care and behavioral health services for Latinos: a blueprint and research agenda. 2008 , 47, 438-54	19
1684	Examining a bidirectional association between depressive symptoms and diabetes. 2008 , 299, 2751-9	585
1683	A review on neurobiological and psychological mechanisms underlying the anti-depressive effect of qigong exercise. 2008 , 13, 857-63	47
1682	Depression in patients with diabetes: does it impact clinical goals?. 2008 , 21, 392-7	30
1681	[Depression, anxiety, quality of life and type D pattern among inpatients suffering from diabetic foot syndrome]. 2008 , 58, 44-50	19
1680	The effects of pharmacologic agents for type 2 diabetes mellitus on body weight. 2008 , 120, 5-17	38
1679	Women with coronary artery disease and depression: a neglected risk group. 2008 , 9, 92-101	21
1678	Epidemiology of type 2 diabetes in children and adolescents. 2008 , 33, 35-58	36
1677	Co-occurring mental illness and health care utilization and expenditures in adults with obesity and chronic physical illness. 2008 , 11, 153-60	29
1676	Screening older people with musculoskeletal pain for depressive symptoms in primary care. 2008 , 58, 688-93	31
1675	[Elevated open-platform test: simple method for evaluation of stress vulnerability in mice]. 2008 , 132, 213-6	1
1674	Brain alterations in autoimmune and pharmacological models of diabetes mellitus: focus on hypothalamic-pituitary-adrenocortical axis disturbances. 2008 , 15, 61-7	29
1673	Comorbidity of depression with chronic diseases: a population-based study in Aleppo, Syria. 2008 , 38, 169-84	25
1672	Psychometric properties of the Portuguese version of the Depressive Cognition Scale in Brazilian adults with diabetes mellitus. 2008 , 16, 125-35	10
1671	Assessing the prevalence of depression among individuals with diabetes in a Medicaid managed-care program. 2008 , 38, 13-29	24

1670	The influence of educational attainment on depression and risk of type 2 diabetes. 2008 , 98, 1480-5	39
1669	Screening for depression in patients with diabetes mellitus. 2008 , 70, 869-74	32
1668	Clinical depressive symptoms and diabetes in a binational border population. 2008 , 21, 223-33	29
1667	Food restriction and streptozotocin treatment decrease 5-HT1A and 5-HT2A receptor-mediated behavioral effects in rats. 2008 , 19, 292-7	26
1666	Depression revealed: the need for screening, treatment, and monitoring. 2008 , 26, 543-50	11
1665	The influence of depressive symptoms on clinician-patient communication among patients with type 2 diabetes. 2008 , 46, 257-65	46
1664	General hospital psychiatry. 515-539	
1663	PSYCHOSOCIAL ASPECTS OF DIABETIC FOOT COMPLICATIONS. 2008 , 573-581	1
1662	Ethnic density, physical illness, social deprivation and antidepressant prescribing in primary care: ecological study. 2008 , 193, 235-9	33
1661	[Anxiety and depression in patients with medical diseases]. 2008 , 54, 354-67	9
1660	The influence of depression and anxiety on outcomes after an intervention for prediabetes. 2009 , 190, S81-5	13
1659	The Pattern and Nature of Mental-Physical Comorbidity: Specific or General?. 51-83	9
1658	Early-Life Psychosocial Factors and Adult-Onset Diabetes. 136-143	1
1657	Diabetes, Depression and Doctor-Patient Relationship. 2009 , 33, 178	3
1656	Depression and Self-care Behavior in Patients with Diabetes Mellitus. 2009 , 33, 432	7
1655	Depression and diabetes mellitus. 2009 , 36, 93-99	3
1654	[Depressive symptoms and quality of life in type 2 diabetic patients with diabetic distal polyneuropathy]. 2009 , 53, 1103-11	13
1653	Depression, anxiety and their relationship with chronic diseases: a review of the epidemiology, risk and treatment evidence. 2009 , 190, S54-60	336

1652	Endocrine Diseases and Metabolic Disorders. 617-688		1
1651	Diabetes and the risk of multi-system aging phenotypes: a systematic review and meta-analysis. 2009 , 4, e4144		258
1650	The prevalence of depression in white-European and South-Asian people with impaired glucose regulation and screen-detected type 2 diabetes mellitus. 2009 , 4, e7755		27
1649	The relationship between diabetes mellitus, depression, and missed appointments in a low-income uninsured population. 2009 , 35, 966-77		14
1648	Disease Management Programmes for Major Depression: Making the Financial Case. 2009 , 15, 679-725		
1647	Economic evaluation of a minimal psychological intervention in chronically ill elderly patients with minor or mild to moderate depression: a randomized trial (the DELTA-study). 2009 , 25, 497-504		21
1646	Telephonic nurse case management for patients with diabetes and mental illnesses: a qualitative perspective. 2009 , 5, 257-67		13
1645	Depression and increased mortality in diabetes: unexpected causes of death. 2009 , 7, 414-21		165
1644	Assessment of depressive symptoms during post-transplant follow-up care performed via telehealth. 2009 , 15, 700-6		15
1643	Management of Chinese patients with type 2 diabetes, 1998-2006: the Diabcare-China surveys. 2009 , 25, 39-45		60
1642	Mindfulness-Based Stress Reduction and Diabetes. 2009 , 22, 226-230		30
1641	Prevalence and correlates of depression in individuals with and without type 1 diabetes. <i>Diabetes Care</i> , 2009 , 32, 575-9	14.6	101
1640	Exploration of the relationship between household food insecurity and diabetes in Canada. <i>Diabetes Care</i> , 2009 , 32, 2218-24	14.6	124
1639	Daytime sleepiness and functional outcomes in older adults with diabetes. 2009 , 35, 455-64		24
1638	An assessment of attitudes, behaviors, and outcomes of patients with type 2 diabetes. 2009 , 22, 280-90		69
1637	Structural and ultrastructural analysis of cerebral cortex, cerebellum, and hypothalamus from diabetic rats. 2009 , 2009, 329632		79
1636	Disabilities position statement. 2009 , 35, 41-4		3
1635	"Worried all the time": distress and the circumstances of everyday life among immigrant Australians with type 2 diabetes. 2009 , 5, 21-32		38

1634	Peer status in school and adult disease risk: a 30-year follow-up study of disease-specific morbidity in a Stockholm cohort. 2009 , 63, 1028-34	37
1633	Changes in diabetes distress related to participation in an internet-based diabetes care management program and glycemic control. 2009 , 3, 117-24	41
1632	[Diabetes mellitus in pregnancy--a mental strain?]. 2009 , 49, 244-8	1
1631	The risk for depression comorbidity in patients with COPD. 2009 , 135, 108-114	50
1630	Unexpected lower prevalence of depression in patients with diabetes: selection bias in a waiting room population. 2009 , 20, 419-23	
1629	The association of depressive symptoms with prediabetes versus diagnosed diabetes: is ignorance really bliss?. 2009 , 37, 143-5	5
1628	Association between diabetes and perinatal depression among low-income mothers. 2009 , 301, 842-7	131
1627	Depressive status does not alter renal oxidative and immunological parameters during early diabetic nephropathy in rats. 2009 , 10, 560-6	3
1626	Association of higher carbohydrate intake with depressive mood in elderly diabetic women. 2009 , 12, 267-71	9
1625	Is chronic inflammation a possible cause of obesity-related depression?. 2009 , 2009, 439107	9
1624	In the Beginning: Setting the Stage for Effective Diabetes Care. 2009 , 27, 149-151	13
1623	Effects of insulin and glucose on cellular metabolic fluxes in homocysteine transsulfuration, remethylation, S-adenosylmethionine synthesis, and global deoxyribonucleic acid methylation. 2009 , 94, 1017-25	78
1622	The role of physical activity in the management of type 2 diabetes mellitus. 2009 , 85, 129-33	5
1621	Effect of pharmacological treatment of depression on A1C and quality of life in low-income Hispanics and African Americans with diabetes: a randomized, double-blind, placebo-controlled trial. <i>Diabetes Care</i> , 2009 , 32, 2156-60	14.6 65
1620	AADE Guidelines for the Practice of Diabetes Self-Management Education and Training (DSME/T). 2009 , 35, 85S-107S	58
1619	Does diabetes double the risk of depression?. 2009 , 7, 328-35	62
1618	Ongoing education in type 2 diabetes: the attitudes of hard-to-reach participants. 2009 , 10, 38	
1617	Prevalence of diagnosed depression in South Asian and white European people with type 1 and type 2 diabetes mellitus in a UK secondary care population. 2009 , 85, 238-43	23

1616	The influence of religiosity on depression among low-income people with diabetes. 2009 , 34, 137-47	17
1615	Depression and diabetes. 2009 , 8, 203-207	1
1614	Depression as a Comorbidity to Diabetes: Implications for Management. 2009 , 5, 523-535	7
1613	The mediating effects of coping strategies in the relationship between automatic negative thoughts and depression in a clinical sample of diabetes patients. 2009 , 46, 460-464	28
1612	Prefrontal myo-inositol concentration and visuospatial functioning among diabetic depressed patients. 2009 , 171, 10-9	19
1611	Endothelial dysfunction and history of recurrent depression in postmenopausal women with Type 2 diabetes: a case-control study. 2009 , 23, 18-24	22
1610	Erectile dysfunction in diabetes mellitus. 2009 , 6, 1232-47	247
1609	The longitudinal effects of depression on physical activity. 2009 , 31, 306-15	300
1608	The effect of depression on self-care behaviors and quality of care in a national sample of adults with diabetes. 2009 , 31, 422-7	79
1607	Prevalence of major depressive episode in CKD. 2009 , 54, 424-32	132
1606	Letter to the editor in response to Dr. Kapoor's comments "Systemic and psychiatric disorders associated with polymorphisms of the P2RX7 gene" 2009 , 150B, 596-596	
1605	Diabetes incidence associated with depression and antidepressants in the Melbourne Longitudinal Studies on Healthy Ageing (MELSHA). 2010 , 25, 688-96	42
1604	Adjustment to inflammatory bowel disease: the relative influence of illness perceptions and coping. 2009 , 15, 47-55	66
1603	Insulin therapy and quality of life. A review. 2009 , 25 Suppl 1, S4-S10	43
1602	[Health status of type 2 diabetics in Austria - perspective of a quality improvement initiative]. 2009 , 159, 126-33	6
1601	Diabetes mellitus type II as a risk factor for depression: a lower than expected risk in a general practice setting. 2009 , 24, 641-8	34
1600	Effect of a brief, regular telephone intervention by paraprofessionals for type 2 diabetes. 2009 , 32, 349-59	87
1599	Depressive symptoms and diabetes control in African Americans. 2009 , 11, 66-70	22

1598	Cognitive and psychosocial aspects of caring for elderly patients with diabetes. 2009 , 9, 140-6	5
1597	Psychosocial issues in youth with type 2 diabetes mellitus. 2009 , 9, 147-53	6
1596	Depression, Angst und Schlafstörungen – wichtige Komorbiditäten der Neuropathie. 2009 , 5, 350-359	2
1595	Starvation-induced true diabetic euglycemic ketoacidosis in severe depression. 2009 , 24, 129-31	44
1594	Association between diagnosed diabetes and serious psychological distress among U.S. adults: the Behavioral Risk Factor Surveillance System, 2007. 2009 , 54 Suppl 1, 43-51	38
1593	Identification of genetic loci involved in diabetes using a rat model of depression. 2009 , 20, 486-97	9
1592	Patients with depressive disorder, their co-morbidity, visiting rate and disability in relation to self-evaluation of physical and mental health: a cross-sectional study in family practice. 2009 , 10, 38	13
1591	Cost-effectiveness analysis of cognitive behaviour therapy for treatment of minor or mild-major depression in elderly patients with type 2 diabetes: study protocol for the economic evaluation alongside the MIND-DIA randomized controlled trial (MIND-DIA CEA). 2009 , 9, 25	8
1590	The association between history of diabetic foot ulcer, perceived health and psychological distress: the Nord-Trøndelag Health Study. 2009 , 9, 18	30
1589	Psychoeducation versus treatment as usual in diabetic patients with subthreshold depression: preliminary results of a randomized controlled trial. 2009 , 10, 78	13
1588	Perceptions of a service redesign by adults living with type 2 diabetes. 2009 , 65, 1432-41	18
1587	Caring for people with type 1 diabetes mellitus engaging in disturbed eating or weight control: a qualitative study of practitioners' attitudes and practices. 2009 , 18, 384-90	19
1586	Predictors of depression in Chinese community-dwelling people with type 2 diabetes. 2009 , 18, 1295-304	35
1585	Circulating endothelial progenitor cells and depression: a possible novel link between heart and soul. 2009 , 14, 523-31	76
1584	Hmong American women living with diabetes. 2009 , 41, 139-48	13
1583	Depression, quality of life, and glycemic control in individuals with type 2 diabetes. 2009 , 21, 214-24	29
1582	Neuropathy is associated with depression independently of health-related quality of life in Japanese patients with diabetes. 2009 , 63, 65-72	36
1581	Symptoms of depression and diabetes-specific emotional distress are associated with a negative appraisal of insulin therapy in insulin-naïve patients with Type 2 diabetes mellitus. A study from the European Depression in Diabetes [EDID] Research Consortium. 2009 , 26, 28-33	56

1580	Healthcare charges and utilization associated with diabetic neuropathy: impact of Type 1 diabetes and presence of other diabetes-related complications and comorbidities. 2009 , 26, 61-9	14
1579	Anxiety and depression symptoms in patients with diabetes. 2009 , 26, 153-61	277
1578	Not all roads lead to Rome-a review of quality of life measurement in adults with diabetes. 2009 , 26, 315-27	170
1577	National guidelines for psychological care in diabetes: how mindful have we been?. 2009 , 26, 447-50	18
1576	The relationship between depression and diabetes mellitus: findings from the Hertfordshire Cohort Study. 2009 , 26, 641-8	67
1575	Psychosocial adjustment to diabetes-related lower limb amputation. 2009 , 26, 1063-7	56
1574	Moderating effects of coping styles on anxiety and depressive symptoms caused by psychological stress in Chinese patients with Type 2 diabetes. 2009 , 26, 1282-8	12
1573	The prevalence of depressive symptoms in a white European and South Asian population with impaired glucose regulation and screen-detected Type 2 diabetes mellitus: a comparison of two screening tools. 2010 , 27, 896-905	7
1572	Online cognitieve gedragstherapie voor diabetespatiënten met depressieve klachten: een gerandomiseerd gecontroleerd onderzoek. 2009 , 37, 222-228	2
1571	Patient- Versus Parent-Reported Psychological Symptoms as Predictors of Type 1 Diabetes Management in Adolescents. 2009 , 38, 200-212	4
1570	Stress hormones: physiological stress and regulation of metabolism. 2009 , 9, 787-93	222
1569	A call to incorporate the prevention and treatment of geriatric disorders in the management of diabetes in the elderly. 2009 , 35, 168-77	65
1568	Prevalence and correlates of undiagnosed depression among U.S. adults with diabetes: the Behavioral Risk Factor Surveillance System, 2006. 2009 , 83, 268-79	97
1567	Depression is greater in non-English speaking hospital outpatients with type 2 diabetes. 2009 , 83, e51-3	6
1566	The relationship between generic and diabetes specific psychological factors and glycaemic control in adults with type 1 diabetes. 2009 , 85, e26-9	14
1565	Racial differences in the discussion and treatment of depressive symptoms accompanying type 2 diabetes. 2009 , 86, 111-6	16
1564	Diabetes nurse case management and motivational interviewing for change (DYNAMIC): study design and baseline characteristics in the Chronic Care Model for type 2 diabetes. 2009 , 30, 366-74	44
1563	A prospective evaluation of the directionality of the depression-inflammation relationship. 2009 , 23, 936-44	280

1562	The effects of stressful stimuli and hypothalamic-pituitary-adrenal axis activation are reversed by the melanin-concentrating hormone 1 receptor antagonist SNAP 94847 in rodents. 2009 , 197, 284-91	37
1561	Depressive symptomatology mediates the effect of socioeconomic disadvantage on HbA(1c) among rural African Americans with type 2 diabetes. 2009 , 67, 289-96	10
1560	Type 1 diabetes is associated with alexithymia in nondepressed, non-mentally ill diabetic patients: a case-control study. 2009 , 67, 307-13	32
1559	Depression after coronary artery disease is associated with heart failure. 2009 , 53, 1440-7	55
1558	Depressive symptoms and diabetes mellitus in an Asian multiracial population. 2009 , 2, 66-70	10
1557	The Maudsley Prescribing Guidelines. 2009 ,	110
1556	Community-based peer-led diabetes self-management: a randomized trial. 2009 , 35, 641-51	325
1555	Patient versus general practitioner perception of problems with treatment adherence in type 2 diabetes: from adherence to concordance. 2009 , 15, 147-53	21
1554	Women with type 2 diabetes perceive harder effort during exercise than nondiabetic women. 2009 , 34, 851-7	41
1553	Interaction between psychiatric and autoimmune disorders in coeliac disease patients in the Northeastern United States. 2009 , 29, 898-905	40
1552	Quality of life and suicide risk in patients with diabetes mellitus. 2009 , 50, 16-23	54
1551	Psychosocial factors in chronic pain in the dysvascular and diabetic patient. 2009 , 20, 705-17	
1550	Cost and policy implications from the increasing prevalence of obesity and diabetes mellitus. 2009 , 6 Suppl 1, 86-108	32
1549	Daily negative mood affects fasting glucose in type 2 diabetes. 2009 , 28, 265-72	47
1548	The Efficacy of Nutrition and Lifestyle Approaches in the Treatment of Depression. 2009 , 24, 55-66	3
1547	Treatment of depression in diabetes: an update. 2009 , 22, 211-7	62
1546	Influence of antidepressant use on glycemic control in patients with diabetes mellitus: an open-label comparative study. 2009 , 29, 405-8	5
1545	Impact of lifestyle intervention on lost productivity and disability: improving control with activity and nutrition. 2009 , 51, 139-45	25

1544	Stressful life events, chronic difficulties, and the symptoms of clinical depression. 2009 , 197, 154-60	73
1543	Comorbid depression is associated with increased healthcare utilization and lost productivity in persons with diabetes: a large nationally representative Hungarian population survey. 2009 , 71, 501-7	53
1542	Stress and health outcomes: The mediating role of negative affectivity in female health care workers.. 2009 , 16, 45-64	22
1541	Multidisciplinary approach for the treatment of diabetes in the elderly. 2009 , 5, 207-216	4
1540	Management of depression in UK general practice in relation to scores on depression severity questionnaires: analysis of medical record data. 2009 , 338, b750	153
1539	Outcome of depression in later life in primary care: longitudinal cohort study with three years' follow-up. 2009 , 338, a3079	71
1538	Glucose Abnormalities in Schizophrenia, Bipolar and Major Depressive Disorders. 2009 , 47-65	3
1537	Identifying risk factors for racial disparities in diabetes outcomes: the translating research into action for diabetes study. 2009 , 47, 700-6	52
1536	Cardiovascular rehabilitation in patients with diabetes. 2010 , 30, 157-64	26
1535	Diabetic patients with psychiatric illness. 2010 , 6, 222-7	3
1534	Collaborative care for depressed patients with chronic medical conditions: a randomized trial in Puerto Rico. 2010 , 61, 144-50	39
1533	The biopsychosocial milieu of type 2 diabetes: an exploratory study of the impact of social relationships on a chronic inflammatory disease. 2010 , 40, 289-305	11
1532	Evidence of early retinal microvascular changes in patients with type 2 diabetes and depression. 2010 , 72, 535-8	17
1531	Low respiratory function increases the risk of depressive symptoms in later life in men. 2010 , 72, 53-60	14
1530	Psychological and pharmacological interventions for depression in patients with diabetes mellitus. 2010 ,	
1529	Identification of depression in diabetes: the efficacy of PHQ-9 and HADS-D. 2010 , 60, e239-45	60
1528	Psychologic Factors and Diabetes. 2010 , 807-834	
1527	Depression and diabetes: Establishing the pharmacist's role in detecting comorbidity in pregnant women. 2010 , 50, 195-9	12

1526	The Epidemiology of Depression and Diabetes. 2010 , 1-27	8
1525	Bidirectional association between depression and type 2 diabetes mellitus in women. 2010 , 170, 1884-91	254
1524	Evaluation of the relationship between hyperinsulinaemia and myocardial ischaemia/reperfusion injury in a rat model of depression. 2009 , 118, 259-67	14
1523	Patient and health care provider views of depressive symptoms and diabetes in American Samoa. 2010 , 16, 461-7	12
1522	Inpatient rehabilitation diabetes consult service: a rehabilitation psychology approach to assessment and intervention. 2010 , 55, 331-9	5
1521	Age differences in hopelessness and toe pain in persons with insulin-dependent and non-insulin-dependent diabetes mellitus. 2010 , 100, 445-51	3
1520	Testing covariates of Type 2 diabetes-cognition associations in older adults: moderating or mediating effects?. 2010 , 24, 547-562	20
1519	The association between regulatory focus and distress in patients with a chronic disease: the moderating role of partner support. 2010 , 15, 63-78	26
1518	Confirmatory factor analysis of the depressive cognition scale. 2010 , 24, 397-407	5
1517	Psychologische implicaties van type-2-diabetes mellitus. 2010 , 26, 64-70	
1516	Type 2 diabetes mellitus as a risk factor for the onset of depression: a systematic review and meta-analysis. 2010 , 53, 2480-6	470
1515	Antihyperglycemic, antihyperlipidemic, and antioxidant effects of Chaenomeles sinensis fruit extract in streptozotocin-induced diabetic rats. 2010 , 231, 415-421	24
1514	The role of health behaviors in mediating the relationship between depressive symptoms and glycemic control in type 2 diabetes: a structural equation modeling approach. 2010 , 45, 67-76	35
1513	A systematic review of the relationship of diabetes mellitus, depression, and missed appointments in a low-income uninsured population. 2010 , 24, 317-29	23
1512	Independent factors associated with depression in type 1 diabetes mellitus. 2010 , 47, 201-7	11
1511	Determinants of depression and anxiety in family practice patients with comorbidities. 2010 , 122 Suppl 2, 35-9	4
1510	Longstanding disease, disability or infirmity and depression in primary care. 2010 , 122, 567-71	3
1509	Diabetes und Depression. 2010 , 6, 255-265	1

1508	Depression: Risikofaktor für den Typ-2-Diabetes?. 2010 , 6, 266-271	
1507	Screening, Diagnostik und psychosomatische Therapieansätze bei Patienten mit Diabetes und Depression. 2010 , 6, 272-279	
1506	Sexualstörungen bei Diabetes mellitus. 2010 , 6, 389-404	
1505	Depression bei älteren Menschen mit Typ-2-Diabetes. 2010 , 6, 541-550	1
1504	Sleep duration and the risk of diabetes mellitus: epidemiologic evidence and pathophysiologic insights. 2010 , 10, 43-7	68
1503	Exploring the relationship between diabetes self-efficacy, depressive symptoms, and glycemic control among men and women with type 2 diabetes. 2010 , 33, 81-9	57
1502	Relationship between glycemic control and depression among American Indians in the Strong Heart Study. 2010 , 24, 217-22	19
1501	Mood after stroke: a case control study of biochemical, neuro-imaging and socio-economic risk factors for major depression in stroke survivors. 2010 , 10, 125	29
1500	Within-trial economic evaluation of diabetes-specific cognitive behaviour therapy in patients with type 2 diabetes and subthreshold depression. 2010 , 10, 625	6
1499	Primary care nurses: effects on secondary care referrals for diabetes. 2010 , 10, 230	13
1498	Validation of the PHQ-9 as a screening instrument for depression in diabetes patients in specialized outpatient clinics. 2010 , 10, 235	118
1497	The impact of diabetes on depression treatment outcomes. 2010 , 32, 33-41	20
1496	The effect of major depression on preventive care and quality of life among adults with diabetes. 2010 , 32, 563-9	35
1495	Prevalence and correlates of depressive disorders in elderly with type 2 diabetes in primary health care settings. 2010 , 123, 197-201	32
1494	Cognitive and anxiety symptoms in screening for clinical depression in diabetes: a systematic examination of diagnostic performances of the HADS and BDI-SF. 2010 , 123, 332-6	27
1493	Functional disability as an explanation of the associations between chronic physical conditions and 12-month major depressive episode. 2010 , 124, 38-44	24
1492	Depression and obesity: do shared genes explain the relationship?. 2010 , 27, 799-806	53
1491	The association between depression and health-related quality of life in people with type 2 diabetes: a systematic literature review. 2010 , 26, 75-89	117

1490	Cognitive dysfunction in patients with type 2 diabetes. 2010 , 26, 507-19	170
1489	Body image, intimacy and diabetes. 2010 , 7, 82-86	7
1488	Theory in practice: helping providers address depression in diabetes care. 2010 , 30, 172-9	10
1487	The prevalence and correlates of depression and anxiety in a sample of diabetic patients in Sharjah, United Arab Emirates. 2010 , 11, 80	34
1486	Cognitive behavioural therapy in elderly type 2 diabetes patients with minor depression or mild major depression: study protocol of a randomized controlled trial (MIND-DIA). 2010 , 10, 21	13
1485	The Chronic CARE for diAbeTes study (CARAT): a cluster randomized controlled trial. 2010 , 9, 23	21
1484	Evaluation of major depression in a routine clinical assessment. 2010 , 2, 9	
1483	Measuring psychological morbidity for diabetes commissioning. 2010 , 27, 22-26	6
1482	Psychological support and care for young people with diabetes in the "transition" period. 2010 , 27, 145-148c	4
1481	Speaking through diabetes: Rethinking the significance of lay discourses on diabetes. 2010 , 24, 220-39	52
1480	Benchmarks for effective primary care-based nursing services for adults with depression: a Delphi study. 2010 , 66, 269-81	23
1479	Diabesity: therapeutic options. 2010 , 12, 463-73	81
1478	A one-year study to assess the safety and efficacy of the CB1R inverse agonist taranabant in overweight and obese patients with type 2 diabetes. 2010 , 12, 517-31	38
1477	Does diabetes-related distress explain the presence of depressive symptoms and/or poor self-care in individuals with Type 1 diabetes?. 2010 , 27, 234-7	75
1476	Lifetime depression and diabetes self-management in women with Type 2 diabetes: a case-control study. 2010 , 27, 713-7	23
1475	Diabetes-specific emotional distress mediates the association between depressive symptoms and glycaemic control in Type 1 and Type 2 diabetes. 2010 , 27, 798-803	108
1474	Depressive symptoms in the first year from diagnosis of Type 2 diabetes: results from the DESMOND trial. 2010 , 27, 965-7	26
1473	Evaluation of patient self-management outcomes in health care: a systematic review. 2010 , 57, 159-67	50

1472	Improving the quality of diabetes care in general practice. 2010 , 18, 187-93	12
1471	Psychological symptoms and insulin sensitivity in adolescents. 2010 , 11, 417-23	36
1470	. 2010 ,	11
1469	Perceptions of cardiac risk among a low-income urban diabetic population. 2010 , 21, 362-70	5
1468	Supporting people with diabetes-related stress and depression. 2010 , 21, 362-365	2
1467	Assessment and treatments for erectile dysfunction in diabetes. 2010 , 21, 416-420	2
1466	Mood-Disordered Patients. 2010 , 73-92	1
1465	Medical Costs of Depression and Diabetes. 2010 , 63-79	3
1464	Type 2 diabetes and risk for functional decline and disability in older persons. 2010 , 6, 134-43	62
1463	Pathophysiological basis of cardiovascular disease and depression: a chicken-and-egg dilemma. 2010 , 32, 181-91	18
1462	Assessment of quality of life and depression in Korean patients with Graves' ophthalmopathy. 2010 , 24, 65-72	30
1461	Treatment of Depression in Patients with Diabetes: Efficacy, Effectiveness and Maintenance Trials, and New Service Models. 2010 , 81-107	8
1460	Racial disparities in the treatment of depression in low-income persons with diabetes. <i>Diabetes Care</i> , 2010 , 33, 1050-4	14.6 23
1459	Role of motivation in the relationship between depression, self-care, and glycemic control in adults with type 2 diabetes. 2010 , 36, 276-83	82
1458	Novel insights on diagnosis, cause and treatment of diabetic neuropathy: focus on painful diabetic neuropathy. 2010 , 1, 69-88	12
1457	Depression and treatment nonadherence in type 2 diabetes: Assessment issues and an integrative treatment approach. 2010 , 19, 110-115	9
1456	The effects of a web-based intervention on psychosocial well-being among adults aged 60 and older with diabetes: a randomized trial. 2010 , 36, 446-56	94
1455	An ethnic/racial comparison of causal beliefs and treatment preferences for the symptoms of depression among patients with diabetes. 2010 , 36, 816-27	12

1454	Community screening outcomes for diabetes, hypertension, and cholesterol: Nashville REACH 2010 project. 2010 , 33, 155-62		8
1453	The Frequency of Depression in Turkish Patients With Diabetes and Diabetic Complications. 2010 , 20, 19-22		3
1452	Disordered eating behavior in individuals with diabetes: importance of context, evaluation, and classification. <i>Diabetes Care</i> , 2010 , 33, 683-9	14.6	117
1451	Depression and insulin resistance: cross-sectional associations in young adults. <i>Diabetes Care</i> , 2010 , 33, 1128-33	14.6	69
1450	Barriers to achieving glycemic targets: who omits insulin and why?. <i>Diabetes Care</i> , 2010 , 33, 450-2	14.6	33
1449	Diabetes and Depression: Some Thoughts to Think About. 2010 , 23, 11-15		5
1448	Depression Among Adults With Diabetes: Prevalence, Impact, and Treatment Options. 2010 , 23, 15-18		30
1447	A Model of Community-Based Behavioral Intervention for Depression in Diabetes: Program ACTIVE. 2010 , 23, 18-25		8
1446	Living With Depression and Type 1 or Type 2 Diabetes in Late Adolescence and Young Adulthood: Lessons From Research. 2010 , 23, 32-37		15
1445	Is depression a modifiable risk factor for diabetes burden?. 2010 , 1, 55-61		8
1444	Antidepressant pharmacotherapy in adults with type 2 diabetes: rates and predictors of initial response. <i>Diabetes Care</i> , 2010 , 33, 485-9	14.6	24
1443	Depression and Diabetes: Sociodemographic and Cultural Aspects and Public Health Implications. 2010 , 143-171		3
1442	Diabetes and the Brain. 2010 ,		3
1441	Soft drink consumption and mental health problems among adults in Australia. 2010 , 13, 1073-9		56
1440	Antidepressant use before and after the diagnosis of type 2 diabetes: a longitudinal modeling study. <i>Diabetes Care</i> , 2010 , 33, 1471-6	14.6	39
1439	Depressive disorders among cohorts of women veterans with diabetes, heart disease, and hypertension. 2010 , 19, 1475-86		16
1438	Healthy coping: issues and implications in diabetes education and care. 2010 , 13, 227-33		23
1437	Effectiveness of Motivational Interviewing for Improving Self-Care Among Northern Plains Indians With Type 2 Diabetes. 2010 , 23, 107-114		16

1436	Age and sex differences in hospitalizations associated with diabetes. 2010 , 19, 2033-42		16
1435	Prevalence of depression in relation to glucose intolerance in urban south Indians--the Chennai Urban Rural Epidemiology Study (CURES-76). 2010 , 12, 989-94		23
1434	Psychological dysfunction is associated with symptom severity but not disease etiology or degree of gastric retention in patients with gastroparesis. 2010 , 105, 2357-67		81
1433	Diagnosis of co-morbid axis-I psychiatric disorders among women with newly diagnosed, untreated endocrine disorders. 2010 , 11, 991-6		9
1432	Depression is associated with the metabolic syndrome among patients with type 1 diabetes. 2010 , 42, 495-501		20
1431	Clinical Benefit of Self-Monitoring of Blood Glucose Is Uncertain for Non-Insulin-Treated Patients With Type 2 Diabetes. 2010 , 28, 121-123		3
1430	Patients' experience of a telephone booster intervention to support weight management in Type 2 diabetes and its acceptability. 2010 , 16, 221-3		15
1429	Identifying psychosocial interventions that improve both physical and mental health in patients with diabetes: a systematic review and meta-analysis. <i>Diabetes Care</i> , 2010 , 33, 926-30	14.6	115
1428	Screening and Identification of Children and Adolescents at Risk for Depression During a Diabetes Clinic Visit. 2010 , 23, 25-31		11
1427	Depressive symptoms and risk of type 2 diabetes in a national sample of middle-aged and older adults: the English longitudinal study of aging. <i>Diabetes Care</i> , 2010 , 33, 792-7	14.6	68
1426	Cognitive Behavioral Therapy for Adherence and Depression (CBT-AD) in Type 2 Diabetes. 2010 , 24, 329-343		31
1425	Depressive symptoms and diabetes self-management among rural older adults. 2010 , 34, 36-44		34
1424	Health locus of control theory in diabetes: a worthwhile approach in managing diabetic foot ulcers?. 2010 , 19, 228-33		9
1423	Depression in systemic lupus erythematosus: the key role of illness intrusiveness and concealment of symptoms. 2010 , 73, 329-40		15
1422	Type 2 diabetes: an expanded view of pathophysiology and therapy. 2010 , 122, 145-57		25
1421	Prevalence of depression among diabetic patients in an outpatient clinic in Hospital Sik: A rural hospital in Malaysia. 2010 , 3, 76-7		
1420	Correlates of depression among people with diabetes: The Translating Research Into Action for Diabetes (TRIAD) study. 2010 , 4, 215-22		21
1419	Neurobehavioral deficits in db/db diabetic mice. 2010 , 101, 381-8		128

1418	Younger women with symptomatic peripheral arterial disease are at increased risk of depressive symptoms. 2010 , 52, 637-44	20
1417	Simultaneous determination of gliquidone, fexofenadine, buclizine, and levocetirizine in dosage formulation and human serum by RP-HPLC. 2010 , 48, 382-5	19
1416	The association between conventional antidepressants and the metabolic syndrome: a review of the evidence and clinical implications. 2010 , 24, 741-53	57
1415	Fatigue in patients with diabetes: a review. 2010 , 69, 33-41	153
1414	Anxiety and depressive disorders in patients presenting with chest pain to the emergency department: a comparison between cardiac and non-cardiac origin. 2010 , 39, 144-50	29
1413	Inducible nitric oxide synthase-mediated decrease of intestinal P-glycoprotein expression under streptozotocin-induced diabetic conditions. 2010 , 86, 402-9	43
1412	[Depression in type 1 diabetes mellitus and associated factors]. 2010 , 135, 151-5	6
1411	Overcoming barriers to diabetes care: Perceived communication issues of healthcare professionals attending a pilot Diabetes UK training programme. 2010 , 87, e11-4	14
1410	Diabetes and depression: global perspectives. 2010 , 87, 302-12	316
1409	Depression and hemoglobin A1c in type 1 and type 2 diabetes: the role of self-efficacy. 2010 , 90, 141-6	30
1408	Antidiabetic effects of cinnamon oil in diabetic KK-Ay mice. 2010 , 48, 2344-9	59
1407	Integrating depression and chronic disease care among patients with diabetes and/or coronary heart disease: the design of the TEAMcare study. 2010 , 31, 312-22	82
1406	Duloxetine treatment and glycemic controls in patients with diagnoses other than diabetic peripheral neuropathic pain: a meta-analysis. 2010 , 26, 2579-88	8
1405	Chronic diseases and risk for depression in old age: a meta-analysis of published literature. 2010 , 9, 131-41	231
1404	Improving the quality of diabetes care: a behavioral health intervention. 2010 , 32, 43-51	1
1403	Depression shows divergent effects on evoked and spontaneous pain behaviors in rats. 2010 , 11, 219-29	64
1402	Antidepressants for depression in physically ill people. 2010 , CD007503	86
1401	Inflammation, sanitation, and consternation: loss of contact with coevolved, tolerogenic microorganisms and the pathophysiology and treatment of major depression. 2010 , 67, 1211-24	135

1400 Diabetes-Associated Comorbidities. **2011**, 251-260

1399	Lifestyle Care Indicators in Individuals with Major, Minor No Depression: A Community-Based Diabetes Study in Quebec. 2011 , 35, 22-30	3
1398	Tissue-specific alterations in expression and function of P-glycoprotein in streptozotocin-induced diabetic rats. 2011 , 32, 956-66	35
1397	Design and methods for a pilot randomized clinical trial involving exercise and behavioral activation to treat comorbid type 2 diabetes and major depressive disorder. 2011 , 4, 13-21	15
1396	Does treatment of subsyndromal depression improve depression and diabetes related outcomes: protocol for a randomised controlled comparison of psycho-education, physical exercise and treatment as usual. 2011 , 12, 17	13
1395	Cytokines and depression: findings, issues, and treatment implications. 2011 , 22, 295-302	21
1394	[Long-term neuropsychological impact of type 1 diabetes in children]. 2011 , 18, 432-40	0
1393	The bidirectional relationship of depression and diabetes: a systematic review. 2011 , 31, 1239-46	175
1392	Impact of dose adjustment for normal eating in Australia (OzDAFNE) on subjective wellbeing, coping resources and negative affects in adults with type 1 diabetes: a prospective comparison study. 2011 , 91, 271-9	9
1391	Barriers to diabetes management: patient and provider factors. 2011 , 93, 1-9	381
1390	Prevalence and incidence of mental illness in diabetes: a national population-based cohort study. 2011 , 93, 106-14	19
1389	Circumstantial evidence for a role of glutamine-synthetase in suicide. 2011 , 76, 905-7	26
1388	A review of treating depression in diabetes: emerging findings. 2011 , 52, 1-18	157
1387	The association of comorbid depression with intensive care unit admission in patients with diabetes: a prospective cohort study. 2011 , 52, 117-26	40
1386	The Bidirectional Relationship Between Psychiatry and Type 2 Diabetes Mellitus. 2011 ,	1
1385	Sarcopenia, Sarcopenic Obesity and Insulin Resistance. 2011 ,	
1384	Mine Your Own Business: Market-Structure Surveillance Through Text Mining. 2011 ,	3
1383	Programmes de lutte contre le diabète dans six pays européens et au Canada. 2011 , 23, 41	6

- 1382 Diabetes: using a psychological approach in primary care. **2011**, 2, 33-37
- 1381 A panoramic view of a chosen patient's journey. **2011**, 2, 272-276
- 1380 [Antidepressants, antipsychotics and metabolic risks]. **2011**, 153, 42-4
- 1379 Heart and mind: coronary heart disease and depression. **2011**, 2, 37-42
- 1378 The relationship between asthma and depression in primary care patients: a historical cohort and nested case control study. **2011**, 6, e20750 47
- 1377 Reducing stress in adolescents with diabetes: what can be done?. **2011**, 1, 5-8 1
- 1376 Antidepressant use, depression, lifestyle factors, and new-onset diabetes. **2011**, 26, 159-68 13
- 1375 Depression and cardiac disease: a review. **2011**, 19, 130-42 209
- 1374 Do individuals with both diabetes and depression have an increased mortality risk?. **2011**, 1, 251-254
- 1373 Massive insulin overdose managed by monitoring daily insulin levels. **2011**, 18, e162-6 21
- 1372 Factors associated with receipt of adequate antidepressant pharmacotherapy by VA patients with recurrent depression. **2011**, 62, 381-8 8
- 1371 International Diabetes Center Treatment of Type 2 Diabetes Glucose Algorithm. **2011**, 1, 175-189 12
- 1370 Long-term glucose control among type 2 diabetes patients with and without serious mental illness. **2011**, 199, 899-902 10
- 1369 Role of metabolic dysfunction in treatment resistance of major depressive disorder. **2011**, 1, 441-455 8
- 1368 Predicting severe hypoglycemia in the community: a review of recent evidence. **2011**, 1, 109-128 1
- 1367 Directionality of the relationship between depressive symptom dimensions and C-reactive protein in patients with acute coronary syndromes. **2011**, 73, 370-7 20
- 1366 Treatment patterns and resource use among patients with comorbid diabetes mellitus and major depressive disorder. **2011**, 14, 440-7 15
- 1365 The implementation of the chronic care model with respect to dealing with the biopsychosocial aspects of the chronic disease of diabetes. **2011**, 24, 475-84 2

1364	Self-reported depression and anxiety after prenatal famine exposure: mediation by cardio-metabolic pathology?. 2011 , 2, 136-43	17
1363	Glycemic control among Latinos with type 2 diabetes: the role of social-environmental support resources. 2011 , 30, 251-8	44
1362	Psychology can be indispensable to health care reform and the patient-centered medical home.. 2011 , 8, 53-68	17
1361	Longitudinal risk of cardiovascular events in relation to depression symptoms after discharge among survivors of myocardial infarction. Osaka Acute Coronary Insufficiency Study. 2011 , 75, 2878-84	15
1360	[Clinical aspects of the link between diabetes and depression]. 2011 , 152, 498-504	1
1359	Barriers to glycemic control in youth with type 1 diabetes and type 2 diabetes. 2011 , 12, 197-205	28
1358	Depressive symptoms and unmet psychological needs of Dutch youth with type 1 diabetes: results of a web-survey. 2011 , 12, 172-6	30
1357	More co-morbid depression in patients with Type 2 diabetes with multiple complications. An observational study at a specialized outpatient clinic. 2011 , 28, 86-9	35
1356	Potential of education-based insulin therapy for achievement of good metabolic control: a real-life experience. 2011 , 28, 539-42	8
1355	Evidence of dysregulated affect indicated by high alexithymia in obstructive sleep apnea. 2011 , 20, 92-100	1
1354	Type 2 diabetes: perceptions of quality of life and attitudes towards diabetes from a gender perspective. 2011 , 25, 688-95	18
1353	Crowd-out and exposure effects of physical comorbidities on mental health care use: implications for racial-ethnic disparities in access. 2011 , 46, 1259-80	11
1352	Self-Management Abilities of Diabetes in People With an Intellectual Disability Living in New Zealand. 2011 , 8, 223-230	30
1351	Social Pathways in the Comorbidity between Type 2 Diabetes and Mental Health Concerns in a Pilot Study of Urban Middle- and Upper-Class Indian Women. 2011 , 39, 211-225	29
1350	Prioritization of care in adults with diabetes and comorbidity. 2011 , 1243, 69-87	32
1349	Sexual function in women with type 1 diabetes matched with a control group: depressive and psychosocial aspects. 2011 , 8, 1694-700	22
1348	Effects of a 6-days-a-week low protein diet regimen on depressive symptoms in young-old type 2 diabetic patients. 2011 , 27, 46-49	16
1347	Depression and incident lower limb amputations in veterans with diabetes. 2011 , 25, 175-82	44

1346	A high-fat diet exacerbates depressive-like behavior in the Flinders Sensitive Line (FSL) rat, a genetic model of depression. 2011 , 36, 623-33	61
1345	The relationship of depression and diabetes: pathophysiological and treatment implications. 2011 , 36, 1276-86	131
1344	Relationships among depression, anxiety, self-care behaviour and diabetes education difficulties in patients with type-2 diabetes: a cross-sectional questionnaire survey. 2011 , 48, 1376-83	37
1343	Increased health burden associated with comorbid depression in older Brazilians with diabetes. 2011 , 134, 77-84	10
1342	Prevalence and incidence of anxiety disorders in diabetic patients: a national population-based cohort study. 2011 , 33, 8-15	38
1341	Prevalence of depressive symptoms in patients with chronic obstructive pulmonary disease: a systematic review, meta-analysis and meta-regression. 2011 , 33, 217-23	134
1340	Depression and incident diabetic retinopathy: a prospective cohort study. 2011 , 33, 429-35	31
1339	Major depression and chronic kidney disease in Pakistan. 2011 , 13, 80-81	
1338	The relationships between depression and life activities and well-being of multiple sclerosis patients. 2011 , 6, 652-661	3
1337	Gender issues in diabetes prevalence and outcome. 2011 , 2, 25-29	
1336	Somatic items in the assessment of depressive symptoms in pediatric patients with diabetes. 2011 , 34, 112-9	10
1335	Predictors of quality of life in type 2 diabetes patients with schizophrenia, major mood disorder, and without mental illness. 2011 , 20, 1419-25	9
1334	The effect of a 4-week treatment with reboxetine on metabolic parameters of depressed inpatients. 2011 , 261, 173-7	4
1333	Type 2 diabetes quality of life patients treated with insulin and oral hypoglycemic medication. 2011 , 48, 237-42	22
1332	[Psychotropic drugs and diabetes]. 2011 , 161, 531-42	0
1331	[Longitudinal associations between depressive symptoms and type 2 diabetes and their impact on mortality in primary care patients]. 2011 , 54, 98-107	9
1330	[Health economic aspects of physical-mental comorbidity]. 2011 , 54, 120-7	6
1329	Disturbed subjective sleep characteristics in adult patients with long-standing type 1 diabetes mellitus. 2011 , 54, 1967-76	58

1328	Development and reach of a web-based cognitive behavioural therapy programme to reduce symptoms of depression and diabetes-specific distress. 2011 , 84, 49-55	30
1327	Depression in patients with diabetes mellitus and its impact on diabetes self-care, medication adherence and glycemic control. 2011 , 31, 154-160	4
1326	Diabetes and co-morbid depression among racially diverse, low-income adults. 2011 , 41, 300-9	11
1325	Metabolic syndrome and depressive symptoms among Japanese men and women. 2011 , 16, 363-8	12
1324	The role of sleep disturbance and depression in patients with type 2 diabetes. 2011 , 2, 79-85	3
1323	Diabetes and depression. 2011 , 13, 26-30	42
1322	Comparison of the CES-D and PHQ-9 depression scales in people with type 2 diabetes in Tehran, Iran. 2011 , 11, 61	45
1321	Depression, glycemic control and type 2 diabetes. 2011 , 3, 26	63
1320	Undoing Descartes: integrating diabetes care for those with mental illness. 2011 , 28, 270-275	7
1319	Diabetes and depression? Secular trends in the use of antidepressants among persons with diabetes in Finland in 1997-2007. 2011 , 20, 338-43	20
1318	Effectiveness of a community orientated diabetes education (CODE) programme for people with type 2 diabetes. 2011 , 8, 94-99a	3
1317	Buddhist group therapy for diabetes patients with depressive symptoms. 2011 , 25, 195-205	20
1316	Prevalence of major depressive episode among patients with pre-dialysis chronic kidney disease. 2011 , 41, 47-56	19
1315	Basal insulin: beyond glycemia. 2011 , 123, 27-37	12
1314	Increased mortality risk in women with depression and diabetes mellitus. 2011 , 68, 42-50	122
1313	Time trends in mortality in patients with type 1 diabetes: nationwide population based cohort study. 2011 , 343, d5364	108
1312	Impact of the QOF and the NICE guideline in the diagnosis and management of depression: a qualitative study. 2011 , 61, e279-89	55
1311	Einfluss von telemedizinischer Betreuung auf Stoffwechseleinstellung und Lebensqualität bei Patienten mit Typ-2-Diabetes mellitus. 2011 , 6, 164-169	3

1310	Depressive symptoms, not completing a depression screening questionnaire, and risk of poor compliance with regular primary care visits in patients with type 2 diabetes: the Japan Diabetes Outcome Intervention Trial 2 (J-DOIT2) study group. 2011 , 119, 276-80		4
1309	[Diabetes mellitus and comorbid depression: economic findings from a systematic literature review]. 2011 , 38, 369-75		9
1308	Depression associated with chronic illness. 2011 , 4, 272-277		2
1307	Web-based depression treatment for type 1 and type 2 diabetic patients: a randomized, controlled trial. <i>Diabetes Care</i> , 2011 , 34, 320-5	14.6	156
1306	The effect of a structured behavioral intervention on poorly controlled diabetes: a randomized controlled trial. 2011 , 171, 1990-9		89
1305	Pharmacist-led group medical appointments for the management of type 2 diabetes with comorbid depression in older adults. 2011 , 45, 1346-55		50
1304	Reminiscence and adaptation to critical life events in older adults with mild to moderate depressive symptoms. 2011 , 15, 638-46		44
1303	Depression in diabetes: have we been missing something important?. <i>Diabetes Care</i> , 2011 , 34, 236-9	14.6	186
1302	What is the relationship between diabetes and depression? a qualitative meta-synthesis of patient experience of co-morbidity. 2011 , 7, 239-52		50
1301	Depressive symptoms in a general population: associations with obesity, inflammation, and blood pressure. 2011 , 2011, 740957		5
1300	A test for common genetic and environmental vulnerability to depression and diabetes. 2011 , 14, 169-72		18
1299	Vascular pathology and blood-brain barrier disruption in cognitive and psychiatric complications of type 2 diabetes mellitus. 2011 , 2011, 609202		65
1298	The correlates and course of depression in patients with lacunar stroke: results from the Secondary Prevention of Small Subcortical Strokes (SPS3) study. 2011 , 32, 354-60		30
1297	Association of cardiac and non-cardiac chronic disease comorbidity on glycaemic control in a multi-ethnic population with type 1 and type 2 diabetes. 2011 , 87, 763-8		10
1296	The provision of diabetes-monitoring exams to older Latinos. 2011 , 23, 1075-100		2
1295	Depression in diabetes mellitus: to screen or not to screen? A patient-centred approach. 2011 , 11, 276-281		8
1294	Keys to successful diabetes self-management for uninsured patients: social support, observational learning, and turning points: a safety net providers' strategic alliance study. 2011 , 103, 257-64		14
1293	Standards of medical care in diabetes--2011. <i>Diabetes Care</i> , 2011 , 34 Suppl 1, S11-61	14.6	2104

1292	Association of depressive symptoms with impaired glucose regulation, screen-detected, and previously known type 2 diabetes: findings from the Finnish D2D Survey. <i>Diabetes Care</i> , 2011 , 34, 71-6	14.6	29
1291	Multimorbidity and persistent depression among veterans with diabetes, heart disease, and hypertension. 2011 , 36, 109-19		35
1290	Depressive symptoms and quality of life in adolescents with type 2 diabetes: baseline data from the TODAY study. <i>Diabetes Care</i> , 2011 , 34, 2205-7	14.6	61
1289	Validity and reliability of the social support scale for exercise behavior in diabetic women. 2011 , 23, 730-41		16
1288	The Iranian version of the exercise self-efficacy scale (ESES): Factor structure, internal consistency and construct validity. 2011 , 70, 21-31		13
1287	Are vascular risk factors associated with post-stroke depressive symptoms?. 2011 , 24, 215-21		11
1286	Vanadium-Enriched Cordyceps sinensis, a Contemporary Treatment Approach to Both Diabetes and Depression in Rats. 2011 , 2011, 450316		13
1285	Psychological Co-morbidities of Physical Illness. 2011 ,		10
1284	Low-level subchronic arsenic exposure from prenatal developmental stages to adult life results in an impaired glucose homeostasis. 2011 , 119, 613-7		24
1283	Diabetes modulates ethanol-induced increase in serotonin release from rat hippocampus: an in vivo microdialysis study. 2011 , 14, 96-105		4
1282	Screening for type 2 diabetes and dysglycemia. 2011 , 33, 63-87		59
1281	"Blues" ain't good for the heart. 2011 , 53, 192-4		5
1280	Fasting Blood Glucose and Depressive Mood among Patients with Mental Illness in a Medicaid Managed Care Program. 2011 , 2011, 862708		3
1279	A group medical visit program for primary care patients with chronic pain.. 2011 , 42, 153-159		4
1278	Diapression: An Integrated Model for Understanding the Experience of Individuals With Co-Occurring Diabetes and Depression. 2011 , 29, 43-49		19
1277	Selectively bred rodents as models of depression and anxiety. 2012 , 12, 139-87		34
1276	Understanding physicians' challenges when treating type 2 diabetic patients' social and emotional difficulties: a qualitative study. <i>Diabetes Care</i> , 2011 , 34, 1086-8	14.6	55
1275	Comparative quality of life in patients with depression and rheumatoid arthritis. 2011 , 23, 118-24		17

1274	Text Messaging as an Adjunct to CBT in Low-Income Populations: A Usability and Feasibility Pilot Study. 2011 , 42, 472-478	119
1273	Emotional and cognitive health correlates of leisure activities in older Latino and Caucasian women. 2011 , 16, 661-74	14
1272	Alternative therapies useful in the management of diabetes: A systematic review. 2011 , 3, 504-12	134
1271	Health disparities in endocrine disorders: biological, clinical, and nonclinical factors--an Endocrine Society scientific statement. 2012 , 97, E1579-639	245
1270	Integrated Primary and Behavioral Health Care in Patient-Centered Medical Homes for Jail Releasees With Mental Illness. 2012 , 39, 533-551	14
1269	Powerlessness, social support, and glycemic control in Korean adults with type 2 diabetes. 2012 , 42, 272-9	7
1268	[Different insulin treatment regimens in patient with diabetes mellitus type 1: effects on quality of life]. 2012 , 69, 569-75	1
1267	Fatigue in women with type 2 diabetes. 2012 , 38, 662-72	28
1266	Prevalence of depression in consecutive patients with type 2 diabetes mellitus of 5-year duration and its impact on glycemic control. 2012 , 16, 764-8	22
1265	A study of association of depressive symptoms among the type 2 diabetic outpatients presenting to a tertiary care hospital. 2012 , 34, 30-3	20
1264	Temperament and character traits of the patients with type 2 diabetes. 2012 , 2, 153	
1263	The Association of Depression and the Cardiovascular Risk Factors of Blood Pressure, HbA1c, and Body Mass Index among Patients with Diabetes: Results from the Translating Research into Action for Diabetes Study. 2012 , 2012, 747460	9
1262	Association of depression and its relation with complications in newly diagnosed type 2 diabetes. 2012 , 16, 759-63	25
1261	Metabolic and inflammatory links to depression in youth with diabetes. <i>Diabetes Care</i> , 2012 , 35, 2443-6	14.6 69
1260	[Type 2 diabetes mellitus and depressive symptoms: what is the cause of what? A systematic literature review]. 2012 , 137, 523-8	9
1259	Characteristics of neuropsychological functions in inpatients with poorly-controlled type 2 diabetes mellitus. 2012 , 3, 325-30	10
1258	Association between serum endogenous secretory receptor for advanced glycation end products and risk of type 2 diabetes mellitus with combined depression in the Chinese population. 2012 , 14, 936-42	10
1257	Depression and chronic illness: a test of competing hypotheses. 2012 , 17, 100-9	17

1256	The association of mental conditions with blood glucose levels in older adults with diabetes. 2012 , 16, 950-7		17
1255	Mine Your Own Business: Market-Structure Surveillance Through Text Mining. 2012 , 31, 521-543		416
1254	Does glycemic variability impact mood and quality of life?. 2012 , 14, 303-10		69
1253	Central amygdala nucleus (Ce) gene expression linked to increased trait-like Ce metabolism and anxious temperament in young primates. 2012 , 109, 18108-13		45
1252	Resting-state brain networks in type 1 diabetic patients with and without microangiopathy and their relation to cognitive functions and disease variables. 2012 , 61, 1814-21		99
1251	Sustained effects of a mindfulness-based stress-reduction intervention in type 2 diabetic patients: design and first results of a randomized controlled trial (the Heidelberger Diabetes and Stress-study). <i>Diabetes Care</i> , 2012 , 35, 945-7	14.6	94
1250	Adiponectin is critical in determining susceptibility to depressive behaviors and has antidepressant-like activity. 2012 , 109, 12248-53		115
1249	A practical approach to the treatment of depression in patients with chronic kidney disease and end-stage renal disease. 2012 , 81, 247-55		169
1248	Impact of a diabetes disease management program on diabetes control and patient quality of life. 2012 , 15, 12-9		23
1247	Psychological and pharmacological interventions for depression in patients with diabetes mellitus and depression. 2012 , 12, CD008381		72
1246	The influence of diabetes on a clinician-rated assessment of depression in adults with type 1 diabetes. 2012 , 38, 695-704		17
1245	Depression predicts all-cause mortality: epidemiological evaluation from the ACCORD HRQL substudy. <i>Diabetes Care</i> , 2012 , 35, 1708-15	14.6	107
1244	Look who's (not) talking: diabetic patients' willingness to discuss self-care with physicians. <i>Diabetes Care</i> , 2012 , 35, 1466-72	14.6	72
1243	Association between spirituality and depression in adults with type 2 diabetes. 2012 , 38, 427-35		26
1242	Twenty-year depressive trajectories among older women. 2012 , 69, 1073-9		100
1241	Diabetes and disabilities. 2012 , 38, 133-6		
1240	Sex-gender differences in diabetes vascular complications and treatment. 2012 , 12, 179-96		41
1239	Prefrontal cortical deficits in type 1 diabetes mellitus: brain correlates of comorbid depression. 2012 , 69, 1267-76		24

1238	Diabetes: support for those at risk of malnutrition in the community. 2012 , 17, 529-30, 532-4	7
1237	Predictors of daily blood glucose monitoring in Appalachian Ohio. 2012 , 36, 193-202	2
1236	A neural circuitry linking insulin resistance to depressed mood. 2012 , 74, 476-82	45
1235	Predictors of depression symptoms in patients with diabetes in Slovakia. 2012 , 44, 351-66	6
1234	Diabetes. 2012 , 179-200	
1233	Can treating depression improve diabetic management?. 2012 , 37, 46-52	2
1232	Do the effects of psychological treatments on improving glycemic control in type 1 diabetes persist over time? A long-term follow-up of a randomized controlled trial. 2012 , 74, 319-23	16
1231	The relationship between the severity of depressive symptoms and diabetes-related emotional distress in patients with type 2 diabetes. 2012 , 51, 263-9	17
1230	The Contributing Role of Negative Affectivity and Experiential Avoidance to Increased Cardiovascular Risk. 2012 , 6, 551-565	9
1229	Epidemiology of depression and diabetes: a systematic review. 2012 , 142 Suppl, S8-21	593
1228	Work-related factors associated with self-care and psychological health among people with type 2 diabetes in Japan. 2012 , 14, 520-7	8
1227	Depression and diabetes in India: perspectives and recommendations. 2012 , 29, e308-11	4
1226	Depressive temperament, distress, psychological adjustment and depressive symptoms in type 2 diabetes. 2012 , 143, 1-4	12
1225	One-year changes in symptoms of depression and weight in overweight/obese individuals with type 2 diabetes in the Look AHEAD study. 2012 , 20, 783-93	81
1224	Rosiglitazone treatment reversed depression- but not psychosis-like behavior of db/db diabetic mice. 2012 , 26, 724-32	38
1223	[Depression and diabetes mellitus type 2]. 2012 , 83, 1410-22	6
1222	Depressive symptoms and apathy are associated with psychomotor slowness and frontal activation. 2012 , 262, 493-9	11
1221	Susto, coraje, and abuse: depression and beliefs about diabetes. 2012 , 36, 480-92	14

1220	Characteristics of suicide among diabetes patients: a population based study of suicide victims in Northern Finland. 2012 , 73, 268-71	24
1219	Association between serotonin transporter promoter polymorphisms and psychological distress in a diabetic population. 2012 , 200, 343-8	8
1218	Behavioral health referrals and treatment initiation rates in integrated primary care: a Collaborative Care Research Network study. 2012 , 2, 337-44	30
1217	Actualizaci3n en el tratamiento de la diabetes mellitus tipo 2. 2012 , 11, 1397-1405	
1216	Psychiatric disorders presenting in the elderly with type 2 diabetes mellitus. 2012 , 20, 645-52	26
1215	Co-occurrence of diabetes and depression: conceptual considerations for an emerging global health challenge. 2012 , 142 Suppl, S56-66	72
1214	Key concepts in screening for depression in people with diabetes. 2012 , 142 Suppl, S72-9	15
1213	Chronic disease management: the changing landscape of primary care. 2012 , 39, xv-xxi	3
1212	Winter depression and diabetes. 2012 , 24, 509-18	3
1211	Illness representations in patients with multimorbid long-term conditions: qualitative study. 2012 , 27, 1211-26	58
1210	Glycemic outcome not predicted by baseline psychological measures in a diabetes management program. 2012 , 15, 163-7	7
1209	Relationship between retinopathy severity, visual impairment and depression in persons with long-term type 1 diabetes. 2012 , 19, 196-203	17
1208	Standards of medical care in diabetes--2012. <i>Diabetes Care</i> , 2012 , 35 Suppl 1, S11-63	14.6 1663
1207	[Screening for depression in an elderly population living at home. Interest of the Mini-Geriatric Depression Scale]. 2012 , 60, 287-93	11
1206	Urbanization and prevalence of depression in diabetes. 2012 , 126, 104-11	8
1205	Anxiety and depression in obese and normal-weight individuals with diabetes type 2: a gender perspective. 2012 , 26, 349-54	23
1204	Depression and visual functioning in patients with ocular inflammatory disease. 2012 , 153, 370-378.e2	44
1203	Erectile dysfunction and diabetes: a review of the current evidence-based medicine and a synthesis of the main available therapies. 2012 , 38, 1-13	85

1202	Patient-provider communication in patients with diabetes and depressive symptoms. 2012 , 95, e10-3	7
1201	Serious psychological distress, health risk behaviors, and diabetes care among adults with type 2 diabetes: the California Health Interview Survey 2007. 2012 , 95, 406-14	17
1200	A systematic review of the association of diabetic retinopathy and cognitive impairment in people with Type 2 diabetes. 2012 , 96, 101-10	35
1199	Diabetes and depressive symptoms among Korean American older adults: the mediating role of subjective health perceptions. 2012 , 97, 432-7	4
1198	A systematic review of patient reported factors associated with uptake and completion of cardiovascular lifestyle behaviour change. 2012 , 12, 120	77
1197	Behavioral health coaching for rural-living older adults with diabetes and depression: an open pilot of the HOPE Study. 2012 , 12, 37	27
1196	Increased risk of affective disorders in type 2 diabetes is minimized by sulfonylurea and metformin combination: a population-based cohort study. 2012 , 10, 150	32
1195	Diabetes and depression comorbidity and socio-economic status in low and middle income countries (LMICs): a mapping of the evidence. 2012 , 8, 39	56
1194	Difference between the prevalence of symptoms of depression and anxiety in non-diabetic smokers and in patients with type 2 diabetes with and without nicotine dependence. 2012 , 4, 39	5
1193	Depressed mood, glycaemic control and functional capacity in overweight/obese men with and without type 2 diabetes. 2012 , 4, 46	7
1192	Diabetes distress, but not depressive symptoms, is associated with glycaemic control among Japanese patients with type 2 diabetes: Diabetes Distress and Care Registry at Tenri (DDCRT 1). 2012 , 29, 1451-5	51
1191	Sexual dysfunction in men with type 2 diabetes. 2012 , 88, 152-9	58
1190	[Mental disorders and diabetes mellitus]. 2012 , 124 Suppl 2, 107-14	1
1189	Psychometric testing of the Depressive Cognition Scale in Korean adults. 2012 , 25, 264-70	7
1188	Prevalence of psychiatric disorders in patients with diabetes types 1 and 2. 2012 , 53, 1169-73	42
1187	WHO-5, a tool focusing on psychological needs in patients with diabetes: the French contribution to the DAWN study. 2012 , 38, 515-22	18
1186	[Depressive disorders in diabetic patients]. 2012 , 38, 404-10	6
1185	Psychological distress and mental disorders among Spanish diabetic adults: a case-control study. 2012 , 6, 149-56	13

1184	Diabetes Mellitus. 2012,	
1183	Assessment in Geriatric Settings. 2012,	
1182	Diabetes Mellitus. 2012, 1225-1240	
1181	The costs of depression. 2012, 35, 1-14	465
1180	Psychosocial and Educational Implications of Diabetic Foot Complications. 2012, 503-518	
1179	Diabetes and Mental Health. 2012, 214-238	
1178	Lifetime history of depression, type 2 diabetes, and endothelial reactivity to acute stress in postmenopausal women. 2012, 19, 503-11	24
1177	Depression and diabetes: the role and impact of models of health care systems. 2012, 142 Suppl, S80-8	12
1176	Psychological adjustment to diabetes mellitus: highlighting self-integration and self-regulation. 2012, 49 Suppl 1, S33-40	21
1175	Symptom burden of adults with type 2 diabetes across the disease course: diabetes & aging study. 2012, 27, 1674-81	69
1174	A qualitative study of perceived responsibility and self-blame in type 2 diabetes: reflections of physicians and patients. 2012, 27, 1180-7	46
1173	The depression treatment cascade in primary care: a public health perspective. 2012, 14, 328-35	76
1172	Epidemiology of depression in diabetes: international and cross-cultural issues. 2012, 142 Suppl, S22-9	59
1171	Coronary Artery Disease. 2012,	2
1170	Prevalence of co-morbid depression in out-patients with type 2 diabetes mellitus in Bangladesh. 2012, 12, 123	42
1169	Effect of depression on mortality and cardiovascular morbidity in type 2 diabetes mellitus after 3 years follow up. The DIADEMA study protocol. 2012, 12, 95	11
1168	Diabetes MILES--The Netherlands: rationale, design and sample characteristics of a national survey examining the psychosocial aspects of living with diabetes in Dutch adults. 2012, 12, 925	20
1167	The predictive power of depression screening procedures for veterans with coronary artery disease. 2012, 8, 233-8	9

1166	Management of type 2 diabetes mellitus in older adults. 2012 , 36, 336-44	43
1165	Gut gegen Depressionen, schlecht ff.das Gewicht?. 2012 , 23, 35-40	
1164	Prevalence and risk factors of depression and diabetes- related emotional distress in patients with type 2 diabetes: A cross-sectional study. 2012 , 3,	1
1163	Depressive symptoms in patients with type 2 diabetes mellitus: do stress and coping matter?. 2012 , 28, 111-22	16
1162	NMDA receptor involvement in antidepressant-like effect of pioglitazone in the forced swimming test in mice. 2012 , 223, 345-55	49
1161	Sociodemographic, clinical and lifestyle factors associated with psychiatric illness among individuals with diabetes. 2012 , 32, 98-104	1
1160	Associations between positive and negative affect and 12-month physical disorders in a national sample. 2012 , 19, 197-210	6
1159	Individuelle Therapieziele bei Patienten mit Diabetes und Depression. 2012 , 8, 139-142	
1158	Can lifestyle interventions do more than reduce diabetes risk? Treating depression in adults with type 2 diabetes with exercise and cognitive behavioral therapy. 2012 , 12, 157-66	44
1157	Measuring psychological well-being in South Asians with diabetes; a qualitative investigation of the PHQ-9 and the WHO-5 as potential screening tools for measuring symptoms of depression. 2012 , 29, 140-7	21
1156	Diabetes as a chronic metabolic stressor: causes, consequences and clinical complications. 2012 , 233, 68-78	76
1155	The relationship between depressive symptoms and medication nonadherence in type 2 diabetes: the role of social support. 2012 , 34, 249-53	48
1154	Diabetes mellitus and risk of subsequent depression: a longitudinal study. 2012 , 49, 437-44	10
1153	Depression and Anxiety in Older and Middle-aged Adults With Diabetes. 2012 , 47, 90-97	5
1152	Diurnal salivary cortisol and urinary catecholamines are associated with diabetes mellitus: the Multi-Ethnic Study of Atherosclerosis. 2012 , 61, 986-95	57
1151	Depression and type 2 diabetes: inflammatory mechanisms of a psychoneuroendocrine co-morbidity. 2012 , 36, 658-76	169
1150	Explanatory models of diabetes in the U.S. and Mexico: the patient-provider gap and cultural competence. 2012 , 75, 1088-96	33
1149	A secondary analysis of the moderating effects of depression and multimorbidity on the effectiveness of a chronic disease self-management programme. 2012 , 87, 67-73	43

1148	Social and emotional impact of diabetic retinopathy: a review. 2012 , 40, 27-38	70
1147	Indicators of self-rated health in the Canadian population with diabetes. 2012 , 29, 1021-8	34
1146	Quality and Outcomes Framework screening questions for depression in patients with diabetes: effective but non-efficient. 2012 , 29, 957-8	2
1145	The association between intensive care unit admission and subsequent depression in patients with diabetes. 2012 , 27, 22-30	14
1144	A comparison of depression prevalence estimates measured by the Patient Health Questionnaire with two administration modes: computer-assisted telephone interviewing versus computer-assisted personal interviewing. 2012 , 57, 225-33	18
1143	Five-year follow-up of a cohort of people with their first diabetic foot ulcer: the persistent effect of depression on mortality. 2012 , 55, 303-10	62
1142	Socioeconomic factors, rather than diabetes mellitus per se, contribute to an excessive use of antidepressants among young adults with childhood onset type 1 diabetes mellitus: a register-based study. 2012 , 55, 617-24	5
1141	Satisfaction with Life and Psychosocial Factors among Underserved Minorities with Type 2 Diabetes. 2012 , 106, 359-370	9
1140	[Diabetes and dementia]. 2012 , 45, 17-22	12
1139	Sleep quality as a potential mediator between psychological distress and diabetes quality of life in veterans with type 2 diabetes. 2013 , 69, 1121-31	20
1138	Endocrine and inflammatory profiles in type 2 diabetic patients with and without major depressive disorder. 2013 , 6, 61	12
1137	Factors associated with quality of life among women with fecal incontinence. 2013 , 24, 493-9	29
1136	Why and When Should We Screen for Depression and Other Psychological Problems?. 2013 , 3-26	
1135	Disentangling Clinical Depression from Diabetes-Specific Distress: Making Sense of the Mess Weâve Made. 2013 , 27-46	13
1134	Key Concepts in Screening for Depression in People with Diabetes. 2013 , 47-65	
1133	Measuring Depression in Children and Young People. 2013 , 119-138	
1132	Depression in Older Adults with Diabetes: Measurement and Implications for Care. 2013 , 139-159	
1131	Screening for Depression in People with Diabetes in Primary Care. 2013 , 161-180	

1130 Screening in Secondary Care. **2013**, 181-197

1129 A systematic literature review of diabetes self-management education features to improve diabetes education in women of Black African/Caribbean and Hispanic/Latin American ethnicity. **2013**, 92, 235-45 55

1128 A systematic review and meta-analysis of the association between depression and insulin resistance. *Diabetes Care*, **2013**, 36, 480-9 14.6 222

1127 Depression, anxiety and stress symptoms among diabetics in Malaysia: a cross sectional study in an urban primary care setting. **2013**, 14, 69 65

1126 A qualitative study of primary care professionals' views of case finding for depression in patients with diabetes or coronary heart disease in the UK. **2013**, 14, 46 31

1125 Cost-effectiveness of a stepped-care intervention to prevent major depression in patients with type 2 diabetes mellitus and/or coronary heart disease and subthreshold depression: design of a cluster-randomized controlled trial. **2013**, 13, 128 22

1124 Association of diabetes with anxiety: a systematic review and meta-analysis. **2013**, 74, 89-99 228

1123 Health literacy and antidepressant medication adherence among adults with diabetes: the diabetes study of Northern California (DISTANCE). **2013**, 28, 1181-7 67

1122 Depression and risk of hospitalizations for ambulatory care-sensitive conditions in patients with diabetes. **2013**, 28, 921-9 30

1121 Pain and functional impairment as mediators of the link between medical symptoms and depression in type 2 diabetes. **2013**, 20, 22-9 10

1120 Influence of a Community Health Worker Intervention on Mental Health Outcomes among Low-Income Latino and African American Adults with Type 2 Diabetes. **2013**, 5, 137-146 19

1119 Diabetes group visits: integrated medical care and behavioral support to improve diabetes care and outcomes from a primary care perspective. **2013**, 13, 177-87 28

1118 Cognition as a therapeutic target in late-life depression: potential for nicotinic therapeutics. **2013**, 86, 1133-44 13

1117 The Relationship Between Depression and Perception of Sexuality in Patients with Type II Diabetes: In Turkey. **2013**, 31, 43-52 6

1116 Food-based ingredients to modulate blood glucose. **2013**, 70, 181-227 14

1115 Associations of 25-hydroxyvitamin D with fasting glucose, fasting insulin, dementia and depression in European elderly: the SENECA study. **2013**, 52, 917-25 38

1114 Sleep architecture variation: a mediator of metabolic disturbance in individuals with major depressive disorder. **2013**, 14, 943-9 28

1113 Comparative validity of the WHO-5 Well-Being Index and two-question instrument for screening depressive symptoms in patients with type 2 diabetes. **2013**, 50, 117-21 23

1112	A psychological support program for individuals with Type 1 diabetes. 2013 , 50, 209-16	13
1111	Accelerometer-assessed physical activity and depression among U.S. adults with diabetes. 2013 , 6, 79-82	15
1110	Social stigma in diabetes : a framework to understand a growing problem for an increasing epidemic. 2013 , 6, 1-10	160
1109	[Diabetes mellitus and depressive disorder, an undesirable association]. 2013 , 60, 583-9	4
1108	Impact of socioeconomic status on diabetes and cardiovascular risk factors: results of a large French survey. 2013 , 39, 56-62	42
1107	Psychosocial issues in diabetes self-management: strategies for healthcare providers. 2013 , 37, 36-40	9
1106	Measuring depressive symptoms using the Patient Health Questionnaire-9 in Hong Kong Chinese subjects with type 2 diabetes. 2013 , 151, 660-666	43
1105	Diab�te et sant�mentale. 2013 , 37, S459-S465	0
1104	Psychological trauma symptoms and Type 2 diabetes prevalence, glucose control, and treatment modality among American Indians in the Strong Heart Family Study. 2013 , 27, 553-7	50
1103	Does antidepressant medication use affect persistence with diabetes medicines?. 2013 , 22, 615-22	16
1102	Population impact of depression either as a risk factor or consequence of type 2 diabetes in adults: a meta-analysis of longitudinal studies. 2013 , 6, 460-72	24
1101	Diabetes with comorbid depression: role of SSRI in better glycemic control. 2013 , 6, 364-8	11
1100	Prevalence of depression in chronic kidney disease: systematic review and meta-analysis of observational studies. 2013 , 84, 179-91	369
1099	Positive psychological characteristics in diabetes: a review. 2013 , 13, 917-29	35
1098	Diagnosed prevalence and health care expenditures of mental health disorders among dual eligible older people. 2013 , 53, 334-44	14
1097	Screening for Depression and Other Psychological Problems in Diabetes. 2013 ,	4
1096	Psychological care in a national health service: challenges for people with diabetes. 2013 , 13, 894-9	3
1095	Collaborative care for patients with depression and diabetes mellitus: a systematic review and meta-analysis. 2013 , 13, 260	108

1094	The impact of knowledge about diabetes, resilience and depression on glycemic control: a cross-sectional study among adolescents and young adults with type 1 diabetes. 2013 , 5, 55	34
1093	Functional Val66Met polymorphism of Brain-derived neurotrophic factor in type 2 diabetes with depression in Han Chinese subjects. 2013 , 9, 34	22
1092	Study protocol of the Diabetes and Depression Study (DAD): a multi-center randomized controlled trial to compare the efficacy of a diabetes-specific cognitive behavioral group therapy versus sertraline in patients with major depression and poorly controlled diabetes mellitus. 2013 , 13, 206	16
1091	What's distressing about having type 1 diabetes? A qualitative study of young adults' perspectives. 2013 , 13, 25	73
1090	Efficacy and cost-effectiveness of a web-based intervention with mobile phone support to treat depressive symptoms in adults with diabetes mellitus type 1 and type 2: design of a randomised controlled trial. 2013 , 13, 306	40
1089	Prevalence of depression and associated risk factors among persons with type-2 diabetes mellitus without a prior psychiatric history: a cross-sectional study in clinical settings in urban Nepal. 2013 , 13, 309	40
1088	Personal and relationship challenges of adults with type 1 diabetes: a qualitative focus group study. <i>Diabetes Care</i> , 2013 , 36, 2483-8	14.6 41
1087	Increased risk of suicidal ideation in Korean adults with both diabetes and depression. 2013 , 101, e14-7	24
1086	[Diabetes and sleep. What remains unrecognized by the patient]. 2013 , 155, 63-5	
1085	Evidence supporting an association between hypoglycemic events and depression. 2013 , 29, 1609-15	11
1084	Building mental health promotion capacity in health care: results from Phase I of a workforce development project. 2013 , 15, 76-92	2
1083	Rationale and design of the Chronic Kidney Disease Antidepressant Sertraline Trial (CAST). 2013 , 34, 136-44	22
1082	Branched-chain amino acids alter neurobehavioral function in rats. 2013 , 304, E405-13	34
1081	Experience of social role strain in Korean women with type 2 diabetes. 2013 , 69, 1400-9	7
1080	Resources, roadblocks and turning points: a qualitative study of American Indian/Alaska Native adults with type 2 diabetes. 2013 , 38, 86-94	23
1079	Depression and risk of mortality in individuals with diabetes: a meta-analysis and systematic review. 2013 , 35, 217-25	196
1078	Is depression associated with glucose tolerance abnormality in pregnant women? A cross-sectional study. 2013 , 27, 219-22	7
1077	Predicting aerobic fitness improvements after participation in a hybrid supervised and home-based exercise program in people with type 2 diabetes. 2013 , 37, 388-93	9

1076	Pregnancy complications, mental health-related problems and type 2 diabetes mellitus in Malaysian women. 2013 , 7, 191-7	4
1075	Screening for depression in a single CF centre. 2013 , 12, 794-6	22
1074	A pilot randomized controlled trial of a depression and disease management program delivered by phone. 2013 , 151, 769-774	15
1073	Diabetes, depressive symptoms, and inflammation in older adults: results from the Health, Aging, and Body Composition Study. 2013 , 75, 419-24	38
1072	Functional profile of the binary brain corticosteroid receptor system: mediating, multitasking, coordinating, integrating. 2013 , 719, 53-62	52
1071	Probing for depression and finding diabetes: a mixed-methods analysis of depression interviews with adults treated for type 2 diabetes. 2013 , 150, 533-9	14
1070	Changes in depressive symptoms and changes in lifestyle-related indicators: a 1-year follow-up study among adults with type 2 diabetes in Quebec. 2013 , 37, 243-248	10
1069	New pathways of increased cardiovascular risk in depression: a pilot study on the association of high-sensitivity C-reactive protein with pro-atherosclerotic markers in patients with depression. 2013 , 146, 420-5	10
1068	Frequency of blood glucose testing in well educated patients with diabetes mellitus type 1: how often is enough?. 2013 , 101, 57-61	19
1067	Screening for Depression in Patients with Diabetes: Addressing the Challenge. 2013 , 9, 208-213	6
1066	Patient-reported use of collaborative goal setting and glycemic control among patients with diabetes. 2013 , 92, 94-9	52
1065	The association between smoking and depression in a Canadian community-based sample with type 2 diabetes. 2013 , 37, 150-5	13
1064	Mild depressive symptoms do not influence cognitive functioning in patients with type 2 diabetes. 2013 , 38, 376-86	12
1063	Abnormal glucose tolerance, white blood cell count, and telomere length in newly diagnosed, antidepressant-naïve patients with depression. 2013 , 28, 49-53	60
1062	Depression and death in diabetes; 10-year follow-up of all-cause and cause-specific mortality in a diabetic cohort. 2013 , 54, 428-36	42
1061	EMPOWER: a randomized trial using community health workers to deliver a lifestyle intervention program in African American women with Type 2 diabetes: design, rationale, and baseline characteristics. 2013 , 36, 147-53	34
1060	Diabetes and mental health. 2013 , 37 Suppl 1, S87-92	34
1059	Psychometric and screening properties of the WHO-5 well-being index in adult outpatients with Type 1 or Type 2 diabetes mellitus. 2013 , 30, e63-9	119

1058	Relationship between major depression and insulin resistance: does it vary by gender or race/ethnicity among young adults aged 20-39 years?. 2013 , 5, 471-81	7
1057	The epidemiology of depression across cultures. 2013 , 34, 119-38	1310
1056	Brain insulin dysregulation: implication for neurological and neuropsychiatric disorders. 2013 , 47, 1045-65	68
1055	Diabetes mellitus as a risk factor for depression. A meta-analysis of longitudinal studies. 2013 , 99, 98-104	137
1054	Standards of medical care in diabetes--2013. <i>Diabetes Care</i> , 2013 , 36 Suppl 1, S11-66	14.6 2668
1053	Depression, obesity, and smoking were independently associated with inadequate glycemic control in patients with type 1 diabetes. 2013 , 168, 861-9	43
1052	Recurrent depression, cardiovascular disease, and diabetes among middle-aged and older adult women. 2013 , 150, 895-902	25
1051	Top Ten Screening Tools for Measuring Depression in People with Diabetes. 2013 , 87-115	
1050	Testosterone replacement therapy with long-acting testosterone undecanoate improves sexual function and quality-of-life parameters vs. placebo in a population of men with type 2 diabetes. 2013 , 10, 1612-27	101
1049	Encyclopedia of Behavioral Medicine. 2013 , 593-593	
1048	Is There a Core Process Across Depression and Anxiety?. 2013 , 37, 307-323	21
1047	'The chicken and egg thing': cognitive representations and self-management of multimorbidity in people with diabetes and depression. 2013 , 28, 103-19	29
1046	Diabetes mellitus and depressive disorder, an undesirable association. 2013 , 60, 583-589	2
1045	Encyclopedia of Behavioral Medicine. 2013 ,	73
1044	A prospective study on the prevalence and risk factors of poststroke depression. 2013 , 3, 1-13	53
1043	Is treatment of depression cost-effective in people with diabetes? A systematic review of the economic evidence. 2013 , 29, 384-91	17
1042	Insulin and the Brain. 2013 , 9, 102-116	7
1041	White matter tract integrity of anterior limb of internal capsule in major depression and type 2 diabetes. 2013 , 38, 1451-9	33

1040	Pathways to Illness, Pathways to Health. 2013,	20
1039	Systemic immune activation leads to neuroinflammation and sickness behavior in mice. 2013, 2013, 271359	199
1038	Depression and chronic illness: Asian/Pacific Islander adults in Hawaii. 2013, 34, 169-79	13
1037	Psychological problems in patients with type 2 diabetes--clinical considerations. 2013, 70, 1138-44	17
1036	Proportion of depression and its determinants among type 2 diabetes mellitus patients in various tertiary care hospitals in Mangalore city of South India. 2013, 17, 681-8	20
1035	Dietary treatment options for depression among diabetic patient, focusing on macronutrients. 2013, 2013, 421832	4
1034	Impact of an education program on patient anxiety, depression, glycemic control, and adherence to self-care and medication in Type 2 diabetes. 2013, 20, 77-82	23
1033	Prevalence of Depression in Patients with Type II Diabetes Mellitus and its Impact on Quality of Life. 2013, 35, 284-9	35
1032	Diabetes education improves depressive state in newly diagnosed patients with type 2 diabetes. 2013, 29, 1147-52	3
1031	Diabetes cognitive impairments and the effect of traditional chinese herbs. 2013, 2013, 649396	12
1030	Trajectory classes of body mass index in a representative elderly community sample. 2013, 68, 699-704	23
1029	Contributors to depressive symptoms among Korean immigrants with type 2 diabetes. 2013, 62, 115-21	4
1028	Correlations among social support, depression, and anxiety in patients with type-2 diabetes. 2013, 21, 129-38	22
1027	Comparison of depressive symptoms in type 2 diabetes using a two-stage survey design. 2013, 75, 791-7	41
1026	The association of the metabolic profile in diabetes mellitus type 2 patients with obsessive-compulsive symptomatology and depressive symptomatology: new insights. 2013, 17, 48-55	10
1025	Diabetes and Depression in the Hispanic/Latino Community. 2013, 31, 43-45	10
1024	Negative correlation between affective symptoms and prefrontal activation during a verbal fluency task: a near-infrared spectroscopy study. 2013, 67, 103-10	8
1023	The relationship between microvascular complications and depression in patients with type 2 diabetes mellitus who use insulin. 2013, 4,	1

1022	Subgroups of Alzheimer's disease associated with diabetes mellitus based on brain imaging. 2013 , 35, 280-90	37
1021	Diabetes self-care, major depression, and chronic kidney disease in an outpatient diabetic population. 2013 , 124, 106-12	15
1020	Mortality in depressed and non-depressed primary care Swedish patients: a 12-year follow-up cohort study. 2013 , 30, 514-9	5
1019	Sleep loss and its effects on health of family caregivers of individuals with primary malignant brain tumors. 2013 , 36, 386-99	22
1018	Reduction of depressive symptoms in an elderly Mexican-American female with type 2 diabetes mellitus: a single-subject study. 2013 , 20, 35-44	6
1017	Screening and correlates of depression and HbA1 C in United Arab Emirates (UAE) women with diabetes. 2013 , 49, 262-8	8
1016	Generating hypotheses about care needs of high utilizers: lessons from patient interviews. 2013 , 16 Suppl 1, S26-33	50
1015	Reducing the risks of diabetes complications through diabetes self-management education and support. 2013 , 16, 74-81	36
1014	Providers' attitudes towards treating depression and self-reported depression treatment practices in HIV outpatient care. 2013 , 27, 171-80	15
1013	Self-efficacy, self-care behavior, anxiety, and depression in Taiwanese with type 2 diabetes: A cross-sectional survey. 2013 , 15, 213-9	31
1012	Diabetic db/db mice exhibit central nervous system and peripheral molecular alterations as seen in neurological disorders. 2013 , 3, e263	33
1011	The impact of self-monitoring of blood glucose on a behavioral weight loss intervention for patients with type 2 diabetes. 2013 , 39, 397-405	17
1010	A descriptive and comparative study from China on patients with type-2 diabetes with and without depressive symptoms. 2013 , 30, 106-15	1
1009	Primary Care Psychology: An Opportunity for Closing the Gap in Mental Health Services for Older Adults. 2013 , 36, 195-215	3
1008	Practice-based interventions addressing concomitant depression and chronic medical conditions in the primary care setting: a systematic review and meta-analysis. 2013 , 4, 294-306	87
1007	Fatigue and related factors in people with type 2 diabetes. 2013 , 39, 320-6	26
1006	Prevalence of depression and utilization of health care in single and multiple morbidity: a population-based cohort study. 2013 , 43, 1423-31	49
1005	Elevated alanine aminotransferase independently predicts new onset of depression in employees undergoing health screening examinations. 2013 , 43, 2603-13	18

1004	Population-based cohort analyses of the bidirectional relationship between type 2 diabetes and depression. <i>Diabetes Care</i> , 2013 , 36, 376-82	14.6	92
1003	Improving confidence for self care in patients with depression and chronic illnesses. 2013 , 39, 1-6		51
1002	Reversed Shared Care in Mental Health: Bringing Primary Physical Health Care to Psychiatric Patients. 2013 , 32, 1-16		8
1001	Burden of Type 2 Diabetes from the Healthcare Payer Perspective in Slovenia / Breme Sladkorne Bolezni Tipa 2 S Stališ Plašika Zdravstvenega Varstva V Sloveniji. 2013 , 52, 162-180		6
1000	Factors associated with perceived feasibility and willingness of non-psychiatric doctors in Japan to treat depressed patients. 2013 , 46, 153-67		1
999	Exploring differences in Canadian adult men and women with diabetes management: results from the Canadian Community Health Survey. 2013 , 13, 1089		12
998	Development, implementation, and evaluation of a pharmacist-conducted screening program for depression. 2013 , 53, 22-9		28
997	Antenatal depression and gestational diabetes: a review of maternal and fetal outcomes. 2013 , 17, 22-33		26
996	Comorbid diabetes and depression: do E-health treatments achieve better diabetes control?. 2013 , 3, 379-388		11
995	Metabolic disturbances connecting obesity and depression. 2013 , 7, 177		179
994	Which increases depressive symptoms in obese patients; hypertension or diabetes?. 2013 , 9		1
993	Factors associated with depression and suicide among patients with diabetes mellitus and essential hypertension in a Nigerian teaching hospital. 2013 , 13, 68-77		27
992	Management of depression in diabetes: A review of psycho-social interventions. 2013 , 01, 022-026		
991	Behavioral Problems and Depressive Symptoms in Adolescents with Type 1 Diabetes Mellitus: Self and Parent Reports. 2013 ,		1
990	Recurrent diabetic ketoacidosis in two community teaching hospitals. 2013 , 19, 829-33		17
989	Influência do nível de atividade física sobre a aptidão física e qualidade de vida relacionada à saúde em idosos portadores ou não de diabetes mellitus tipo 2. 2013 , 19, 410-414		
988	Association of major depressive episode with negative outcomes of tuberculosis treatment. 2013 , 8, e69514		33
987	Citation classics in systematic reviews and meta-analyses: who wrote the top 100 most cited articles?. 2013 , 8, e78517		51

986	The longitudinal association between depressive symptoms and initiation of insulin therapy in people with type 2 diabetes in primary care. 2013 , 8, e78865	15
985	Mind and body: how the health of the body impacts on neuropsychiatry. 2013 , 4, 158	32
984	The depressive situation. 2013 , 4, 429	8
983	Diabetes in Women. 2013 , 873-882	
982	Advanced BrainAGE in older adults with type 2 diabetes mellitus. 2013 , 5, 90	103
981	The impact of bariatric surgery on psychological health. 2013 , 2013, 837989	102
980	Use and effectiveness of quitlines for smokers with diabetes: cessation and weight outcomes, Washington State Tobacco Quit Line, 2008. 2013 , 10, E105	11
979	Problems related to functioning and quality of life of patients with diabetic foot ulcers. 2013 , 4, 338-342	1
978	Quality of Life in Telemedicine-Based Interventions for Type-2 Diabetes Patients: The TECNOB Project. 2013 ,	0
977	Psychodiabetic Kit and Its Application in Clinical Practice and Research. 2013 ,	
976	Depression, Coping Strategies, Glycemic Control and Patient Compliance in Type 2 Diabetic Patients in an endocrine Outpatient Clinic. 2015 , 31, 19-24	7
975	Sex differences in type 2 diabetes: focus on disease course and outcomes. 2014 , 7, 409-20	80
974	Long-term corticosterone exposure decreases insulin sensitivity and induces depressive-like behaviour in the C57BL/6NCrl mouse. 2014 , 9, e106960	42
973	Associations between depression and diabetes in the community: do symptom dimensions matter? Results from the Gutenberg Health Study. 2014 , 9, e105499	19
972	Abnormal anxiety- and depression-like behaviors in mice lacking both central serotonergic neurons and pancreatic islet cells. 2014 , 8, 325	24
971	Disturbance of the glutamatergic system in mood disorders. 2014 , 23, 28-35	82
970	Prevalence of anxiety and depression and its comorbidities in patients with chronic kidney disease on hemodialysis and peritoneal dialysis. 2014 , 36, 325-31	32
969	Depression and Diabetes in Jimma University Specialized Hospital, Southwest Ethiopia. 2014 , 17,	2

968	A Cross Sectional Study on Associated Factors of Depression among Type 2 Diabetic Outpatients in Black Lion General Specialized Hospital, Addis Ababa, Ethiopia. 2014 , 03,		0
967	Profile of mood states in adult type 1 diabetes mellitus men and women with disease onset in childhood and in adulthood. 2015 , 28, 279-85		3
966	Coffee consumption is inversely associated with depressive status in Japanese patients with type 2 diabetes. 2014 , 55, 135-42		20
965	High rates of depressive symptoms in low-income urban Hispanics of Caribbean origin with poorly controlled diabetes: correlates and risk factors. 2014 , 25, 321-31		8
964	Antidepressant-like Activity of <i>Andrographis paniculata</i> in Type-2 Diabetic Rats. 2014 , S2,		2
963	Peer support in health care and prevention: cultural, organizational, and dissemination issues. 2014 , 35, 363-83		82
962	Psychological health and the risk of diabetes mellitus in Australian women: a 21-year prospective study. 2014 , 23, 912-9		4
961	Nutrition Considerations for the Growing Population of Older Adults With Diabetes. 2014 , 27, 29-36		8
960	Depression in adults in the T1D Exchange Clinic Registry. <i>Diabetes Care</i> , 2014 , 37, 1563-72	14.6	55
959	Supporting behaviour change in older people with type 2 diabetes. 2014 , 19, 22-7		5
958	The impact of neuropathic pain and other comorbidities on the quality of life in patients with diabetes. 2014 , 12, 171		46
957	The Prevalence and Correlates of Mental and Emotional Health Among American Indian Adults With Type 2 Diabetes. 2014 , 40, 319-328		16
956	Shared neurobiological pathways between type 2 diabetes and depressive symptoms: a review of morphological and neurocognitive findings. 2014 , 14, 560		10
955	Depression and adherence to lifestyle changes in type 2 diabetes: a systematic review. 2014 , 40, 731-44		44
954	Diabetic encephalopathy-related depression: experimental evidence that insulin and clonazepam restore antioxidant status in rat brain. 2014 , 32, 711-9		11
953	Individual mindfulness-based cognitive therapy and cognitive behavior therapy for treating depressive symptoms in patients with diabetes: results of a randomized controlled trial. <i>Diabetes Care</i> , 2014 , 37, 2427-34	14.6	84
952	Utilization of VA mental health and primary care services among Iraq and Afghanistan veterans with depression: the influence of gender and ethnicity status. 2014 , 179, 515-20		3
951	Findings of a retrospective study on factors responsible for depression in a Northern Indian State. 2014 , 4, 1		

950	"I Kept Coming for the Love": Enhancing the Retention of Urban African Americans in Diabetes Education. 2014 , 40, 351-360	8
949	Differences in the perceptions of self-care, health education barriers and educational needs between diabetes patients and nurses. 2014 , 46, 187-96	9
948	Neighbourhood characteristics and 10-year risk of depression in Canadian adults with and without a chronic illness. 2014 , 30, 279-86	20
947	Diabetes and mental health. 2014 , 14, 669-72	14
946	Incentivised case finding for depression in patients with chronic heart disease and diabetes in primary care: an ethnographic study. 2014 , 4, e005146	27
945	Diabetes and ischemic heart disease: double jeopardy with regard to depressive mood and reduced quality of life. 2014 , 3, 156-60	4
944	[Psychopharmacological treatment of patients in a university department of internal medicine]. 2014 , 139, 417-22	
943	The association between self-reported history of physical diseases and psychological distress in a community-dwelling Japanese population: the Ohsaki Cohort 2006 Study. 2014 , 24, 45-9	25
942	Possessing Spirits and Healing Selves. 2014 ,	25
941	Type 2 diabetes: a case study. 2014 , 29, 37-43	
940	Metabolically healthy obesity and risk of incident type 2 diabetes: a meta-analysis of prospective cohort studies. 2014 , 15, 504-15	273
939	Weight cycling and depressive symptoms in diabetes: a community-based study of adults with type 2 diabetes mellitus in Quebec. 2014 , 38, 456-60	5
938	Effect of gender and diabetes on major depressive disorder using heart rate asymmetry. 2014 , 2014, 6679-82	2
937	The confusing tale of depression and distress in patients with diabetes: a call for greater clarity and precision. 2014 , 31, 764-72	255
936	Check your health validity and reliability of a measure of health and burden of diabetes. 2014 , 28, 139-45	12
935	Impaired insulin signaling and mechanisms of memory loss. 2014 , 121, 413-49	31
934	Association between bone mineral density and type 1 diabetes mellitus: a meta-analysis of cross-sectional studies. 2014 , 30, 531-42	52
933	Psychosocial problems associated with depression at 18 months poststroke. 2014 , 29, 144-52	22

932	Expert consensus on blood pressure management of diabetic patients in China. 2014 , 6, 202-11	1
931	Differential association of insulin resistance with cognitive and somatic symptoms of depression. 2014 , 31, 994-1000	11
930	Psychological and pharmacological interventions for depression in patients with diabetes mellitus: an abridged Cochrane review. 2014 , 31, 773-86	79
929	NIDDK international conference report on diabetes and depression: current understanding and future directions. <i>Diabetes Care</i> , 2014 , 37, 2067-77	14.6 84
928	Functional and self-rated health mediate the association between physical indicators of diabetes and depressive symptoms. 2014 , 15, 157	13
927	Depression, smoking, physical inactivity and season independently associated with midnight salivary cortisol in type 1 diabetes. 2014 , 14, 75	22
926	Depression symptoms in people with diabetes attending outpatient podiatry clinics for the treatment of foot ulcers. 2014 , 7, 47	15
925	Associations between depressive symptoms and incident ESRD in a diabetic cohort. 2014 , 9, 920-8	25
924	The synergistic effects of HIV, diabetes, and aging on cognition: implications for practice and research. 2014 , 46, 292-305	21
923	Is the association between depressive symptoms and glucose metabolism bidirectional? Evidence from the English Longitudinal Study of Ageing. 2014 , 76, 555-61	38
922	Targeting Diabetes Distress: The Missing Piece of the Successful Type 1 Diabetes Management Puzzle. 2014 , 27, 143-9	18
921	Psychiatric comorbidity in diabetes type 1: a cross-sectional observational study. 2014 , 60, 59-62	22
920	State of the science: depression and type 2 diabetes. 2014 , 36, 1158-82	14
919	Depression bei Diabetes. 2014 , 10, 497-510	
918	Treatment of depression in diagnosed diabetes: common cause or detection bias?. 2014 , 44, 1205-12	4
917	Induction of response to psychotropic medications in depression and panic after concurrent treatment of diabetes. 2014 , 36, 201-3	
916	Selected factors determining a way of coping with stress in type 2 diabetic patients. 2014 , 2014, 587823	3
915	Impact of the Healthy Eating and Exercise Lifestyle Programme on depressive symptoms in overweight people with heart disease and diabetes. 2014 , 21, 1117-24	12

914	Predictors and incidence of post-partum depression: a longitudinal cohort study. 2014 , 40, 2191-200	32
913	Mood and its association with metabolic health in adolescents: a longitudinal study, <i>EarlyBird</i> 65. 2014 , 15, 599-605	12
912	The Problem Areas in Diabetes (PAID) scale: psychometric evaluation survey in a Greek sample with type 2 diabetes. 2014 , 21, 345-53	21
911	Treatment response in type 2 diabetes patients with major depression. 2014 , 21, 39-48	16
910	The mental health sequelae of traumatic head injury in South Vietnamese ex-political detainees who survived torture. 2014 , 55, 1626-38	16
909	Integrated medical care management and behavioral risk factor reduction for multicondition patients: behavioral outcomes of the TEAMcare trial. 2014 , 36, 129-34	22
908	Depression and type 2 diabetes in low- and middle-income countries: a systematic review. 2014 , 103, 276-85	62
907	Elevated systemic expression of ER stress related genes is associated with stress-related mental disorders in the Detroit Neighborhood Health Study. 2014 , 43, 62-70	38
906	Depression and type 2 diabetes: a causal association?. 2014 , 2, 236-45	95
905	Depression among patients with diabetes attending a safety-net primary care clinic: relationship with disease control. 2014 , 55, 548-54	3
904	Effects of diabetes and diabetes control on susceptibility to learned helplessness in streptozotocin-induced diabetic rats. 2014 , 5, 53-61	1
903	The differential associations of depression and diabetes distress with quality of life domains in type 2 diabetes. 2014 , 37, 501-10	47
902	Chronic fatigue in type 1 diabetes: highly prevalent but not explained by hyperglycemia or glucose variability. <i>Diabetes Care</i> , 2014 , 37, 73-80	14.6 58
901	Renin-angiotensin-aldosterone-blockade is associated with decreased use of antidepressant therapy in patients with type 1 diabetes and diabetic nephropathy. 2014 , 51, 529-33	7
900	Depression and quality of life in youth-onset type 2 diabetes mellitus. 2014 , 14, 449	14
899	Effect of streptozotocin-induced diabetes on performance on a progressive ratio schedule. 2014 , 231, 2375-84	7
898	Association between extraversion personality and abnormal glucose regulation in young Korean women. 2014 , 51, 421-7	6
897	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. 2014 , 57, 699-709	47

896	The INSPIRED study: a randomised controlled trial of the Whole Person Model of disease self-management for people with type 2 diabetes. 2014 , 14, 134	7
895	Prevalence of depression among people with type 2 diabetes mellitus: a cross sectional study in Palestine. 2014 , 14, 163	72
894	Diabetes burden and diabetes distress: the buffering effect of social support. 2014 , 48, 145-55	93
893	Depression and adherence to treatment in diabetic children and adolescents: a systematic review and meta-analysis of observational studies. 2014 , 173, 203-12	49
892	Neuroendocrine circuits governing energy balance and stress regulation: functional overlap and therapeutic implications. 2014 , 19, 910-25	65
891	Psychopathology in bariatric surgery candidates: a review of studies using structured diagnostic interviews. 2014 , 55, 248-59	75
890	Diabetes and depression. 2014 , 14, 491	220
889	Risk factors for poststroke depression: identification of inconsistencies based on a systematic review. 2014 , 27, 147-58	88
888	Exploring the relationship between cognitive illness representations and poor emotional health and their combined association with diabetes self-care. A systematic review with meta-analysis. 2014 , 76, 265-74	51
887	Depression, deficits in functional capacity, and impaired glycemic control in urban African Americans with type 2 diabetes. 2014 , 52, 21-7	16
886	Depression and chronic kidney disease: A review for clinicians. 2014 , 48, 530-41	62
885	[Prevalence of type 2 diabetes and factors associated in depression]. 2014 , 40, 9-14	6
884	Depression in type 2 diabetes mellitus--a brief review. 2014 , 8, 62-5	30
883	Psychological predictors of mental health and health-related quality of life after bariatric surgery: a review of the recent research. 2014 , 8, e314-24	43
882	Differential hippocampal gene expression and pathway analysis in an etiology-based mouse model of major depressive disorder. 2014 , 165B, 457-66	16
881	Emotional burden of diabetes is comparable among recently diagnosed and previously diagnosed patients. An observation related to the DAWN2 study results. 2014 , 31, 247-8	1
880	Depression and all-cause mortality in persons with diabetes mellitus: are older adults at higher risk? Results from the Translating Research Into Action for Diabetes Study. 2014 , 62, 1017-22	42
879	Early origins of diabetes: an update from the EarlyBird study. 2014 , 11, 58-62	

878	The association between depressive symptoms and systemic inflammation in people with type 2 diabetes: findings from the South London Diabetes Study. <i>Diabetes Care</i> , 2014 , 37, 2186-92	14.6	77
877	Depression is not associated with diabetes control in minority elderly. 2014 , 28, 798-804		10
876	Nurses' perception and comfort level with diabetes management practices in long-term care. 2014 , 38, 314-9		5
875	Diabetes en depressie: wat doen we ermee?. 2014 , 9, 72-74		1
874	Cognitive disorders in diabetic patients. 2014 , 126, 145-66		15
873	Diabetes and neurodegeneration in the brain. 2014 , 126, 489-511		28
872	Les besoins des jeunes adultes ayant un diabète de type 1 d'équilibre: ^ propos d'une recherche qualitative. 2014 , 8, 430-436		
871	Elevated levels of hs-CRP are associated with high prevalence of depression in Japanese patients with type 2 diabetes: the Diabetes Distress and Care Registry at Tenri (DDCRT 6). <i>Diabetes Care</i> , 2014 , 37, 2459-65	14.6	33
870	Synaptic Stress and Pathogenesis of Neuropsychiatric Disorders. 2014 ,		2
869	Prevalence of depression in patients with type 2 diabetes attending an outpatient clinic in India. 2014 , 90, 552-6		18
868	The prevalence and odds of depressive symptoms and clinical depression in psoriasis patients: a systematic review and meta-analysis. 2014 , 134, 1542-1551		206
867	Follow-up two years after diagnosis of diabetes in patients with psychosocial problems receiving an intervention by a medical social worker. 2014 , 53, 584-600		4
866	Ondansetron, a 5HT3 receptor antagonist reverses depression and anxiety-like behavior in streptozotocin-induced diabetic mice: possible implication of serotonergic system. 2014 , 744, 59-66		27
865	Prevalence of depression in adults with type 2 diabetes in the Basque Country: relationship with glycaemic control and health care costs. 2014 , 14, 769		27
864	Mental disorders in Bangladesh: a systematic review. 2014 , 14, 216		91
863	Measures of adiposity predict interleukin-6 responses to repeated psychosocial stress. 2014 , 42, 33-40		52
862	Social Relationships and Health Among Chinese Americans With Diabetes: Does Age Make a Difference?. 2014 , 37, 191-210		8
861	Prenatal depressive symptoms and abnormalities of glucose tolerance during pregnancy among Hispanic women. 2014 , 17, 65-72		14

860	Depression in silent lacunar infarction: a cross-sectional study of its association with location of silent lacunar infarction and vascular risk factors. 2014 , 35, 1553-9	19
859	High levels of anxiety and depression in diabetic patients with Charcot foot. 2014 , 7, 22	25
858	Standards of medical care in diabetes--2014. <i>Diabetes Care</i> , 2014 , 37 Suppl 1, S14-80	14.6 3373
857	Depression as a predictor of length of stay in patients admitted to the cardiovascular intensive care unit at a university medical center. 2014 , 65, 580-4	5
856	Ambulante Schulung bei Typ-2-Diabetes. 2014 , 10, 293-299	3
855	Diabetes and psychiatric illness in the total population of Stockholm. 2014 , 77, 169-73	28
854	Interactions between diabetes and anxiety and depression: implications for treatment. 2014 , 43, 269-83	25
853	Depression, diabetic complications and disability among persons with comorbid schizophrenia and type 2 diabetes. 2014 , 55, 343-351	4
852	Characteristics of smokers with type 2 diabetes. 2014 , 27, 72-7	
851	Experience of persistent psychological symptoms and perceived stigma among people with HIV on antiretroviral therapy (ART): a systematic review. 2014 , 51, 1171-89	114
850	Family factors contribute to general anxiety disorder and suicidal ideation among Latina Americans. 2014 , 24, e345-52	24
849	Role of genomics in translational research for Parkinson's disease. 2014 , 452, 226-35	15
848	Psychometric testing of a Mandarin Chinese Version of the Clinically Useful Depression Outcome Scale for patients diagnosed with type 2 diabetes mellitus. 2014 , 51, 1595-604	9
847	How robust is the association between smoking and depression in adults? A meta-analysis using linear mixed-effects models. 2014 , 39, 1418-29	124
846	The Korean Medication Algorithm for Depressive Disorder: second revision. 2014 , 167, 312-21	20
845	Association of depression and anxiety symptoms with functional disability and disability days in a community sample with type 2 diabetes. 2014 , 55, 659-67	12
844	Adenosine through the A2A adenosine receptor increases IL-1 β in the brain contributing to anxiety. 2014 , 41, 218-31	31
843	Role of baseline depressive symptoms in the development of depressive episode in patients receiving antiviral therapy for hepatitis C infection. 2014 , 77, 109-15	14

842	Gender differences in a cohort of major depressive patients: further evidence for the male depression syndrome hypothesis. 2014 , 167, 85-92	19
841	Incidence and risk of diabetes mellitus associated with depressive symptoms in adults: evidence from longitudinal studies. 2014 , 8, 82-7	14
840	Effect of resveratrol on behavioral performance of streptozotocin-induced diabetic mice in anxiety tests. 2014 , 63, 277-87	26
839	Mood, food, and obesity. 2014 , 5, 925	194
838	Prescription medication burden in patients with newly diagnosed diabetes: a SURveillance, PREvention, and ManagEment of Diabetes Mellitus (SUPREME-DM) study. 2014 , 54, 374-82	18
837	St. John's wort promotes adipocyte differentiation and modulates NF- κ B activation in 3T3-L1 cells. 2014 , 37, 1132-8	13
836	How Do Interventions That Exemplify the Joint Principles of the Patient Centered Medical Home Affect Hemoglobin A1C in Patients With Diabetes: A Review. 2014 , 1, 2333392814556153	4
835	SYNDEMIC SUFFERING IN SOWETO: VIOLENCE AND INEQUALITY AT THE NEXUS OF HEALTH TRANSITION IN SOUTH AFRICA. 2014 , 38, 300-316	14
834	Development of a situation-specific theory for explaining health-related quality of life among older South Korean adults with type 2 diabetes. 2014 , 28, 113-26	8
833	Depressive symptoms and type 2 diabetes mellitus in rural appalachia: an 18-month follow-up study. 2015 , 48, 263-77	9
832	Prevalence of Depression in Patients With Hypertension: A Systematic Review and Meta-Analysis. 2015 , 94, e1317	120
831	The Association Between Medical Treatment of Physical Diseases and Psychological Distress After the Great East Japan Earthquake: The Shichigahama Health Promotion Project. 2015 , 9, 374-81	17
830	Depression and serum 25-hydroxyvitamin D in older adults living at northern latitudes - AGES-Reykjavik Study. 2015 , 4, e37	16
829	Facteurs associ�s � la d�pression chez la femme diab�tique de type 2 : tude cas-t�moin. 2015 , 9, 418-422	1
828	Study of somatosensory evoked potentials in children with newly diagnosed type I diabetes. 2015 , 05, 033-037	1
827	Association between depression and glycemic control among type 2 diabetes patients in Lima, Peru. 2015 , 7, 419-26	11
826	Relationship between the intensity of physical activity and depressive symptoms among Korean adults: analysis of Korea Health Panel data. 2015 , 27, 1233-7	10
825	Depressive Disorders: Major Depressive Disorder and Persistent Depressive Disorder. 2015 , 902-965	

824	Psychosocial functioning and glycemic control in emerging adults with Type 1 diabetes: A 5-year follow-up study. 2015 , 34, 1058-65	23
823	A culturally adapted depression intervention for African American adults experiencing depression: Oh Happy Day. 2015 , 85, 11-22	23
822	High rates of elevated diabetes distress in research populations: A systematic review and meta-analysis. 2015 , 12, 93-107	16
821	Which is worse for your long-term health, a white-collar or a blue-collar job?. 2015 , 38, 228-243	3
820	Patients' and Spouses' Contribution Toward Adherence to Self-Care Behaviors in Type 2 Diabetes. 2015 , 29, 276-96	6
819	Association between number of comorbid medical conditions and depression among individuals with diabetes; race and ethnic variations. 2015 , 14, 56	24
818	Country-of-birth differences in adverse health behaviours among people with type 2 diabetes. 2015 , 39, 250-4	2
817	Health-care climate, perceived self-care competence, and glycemic control among patients with type 2 diabetes in primary care. 2015 , 2, 2055102915579778	15
816	TYPE 2 DIABETES IN PATIENTS WITH MAJOR DEPRESSIVE DISORDER: A META-ANALYSIS OF PREVALENCE ESTIMATES AND PREDICTORS. 2015 , 32, 763-73	102
815	Culture-centered approaches: the relevance of assessing emotional health for Latinos with type 2 diabetes. 2015 , 3, e000064	4
814	Antidepressant-like and anxiolytic-like effects of hydrogen sulfide in streptozotocin-induced diabetic rats through inhibition of hippocampal oxidative stress. 2015 , 26, 427-35	46
813	Place and health in diabetes: the neighbourhood environment and risk of depression in adults with type 2 diabetes. 2015 , 32, 944-50	15
812	The Physiological Mechanisms of Diabetes and Aging on Brain Health and Cognition: Implications for Nursing Practice and Research. 2015 , 47, E12-22	3
811	Assessing the longitudinal associations and stability of smoking and depression syndrome over a 4-year period in a community sample with type 2 diabetes 24. 2015 , 7, 95-101	4
810	Mental health in early pregnancy is associated with pregnancy outcome in women with pregestational diabetes. 2015 , 32, 1484-91	5
809	Glycaemic control and its associated factors in Chinese adults with type 1 diabetes mellitus. 2015 , 31, 803-10	16
808	Integrating Community Health Workers Into Primary Care to Support Behavioral Health Service Delivery: A Pilot Study. 2015 , 38, 263-72	18
807	Being diagnosed with type 1 diabetes during adolescence. How do young people develop a healthy understanding of diabetes?. 2015 , 32, 339-344a	2

806	Genetic Predictors of Depressive Symptoms in the Look AHEAD Trial. 2015 , 77, 982-92	5
805	The INTERPRET-DD study of diabetes and depression: a protocol. 2015 , 32, 925-34	16
804	Cyclical relationship between depressive symptoms and diabetes distress in people with Type 2 diabetes mellitus: results from the Montreal Evaluation of Diabetes Treatment Cohort Study. 2015 , 32, 1272-8	27
803	Psychosocial, psychiatric, and clinical implications of diabetic foot ulceration: A prospective analysis. 2015 , 03, 089-094	4
802	Prescribing pattern of psychotropic drugs used in non-psychiatric patients among outpatient department of two teaching hospitals in Bangladesh. 2015 , 10,	
801	Recognition of and steps to mitigate anxiety and fear of pain in injectable diabetes treatment. 2015 , 8, 49-56	37
800	The multinational second Diabetes, Attitudes, Wishes and Needs study: results of the French survey. 2015 , 9, 289-97	20
799	Depression and Diabetes: Common Link and Challenges of Developing Epidemic!!. 2015 , 18,	1
798	Chronic diseases, lack of medications, and depression among Syrian refugees in Jordan, 2013-2014. 2015 , 12, E10	52
797	Positive Psychological Interventions for Patients with Type 2 Diabetes: Rationale, Theoretical Model, and Intervention Development. 2015 , 2015, 428349	50
796	From Physiome to Pathome: A Systems Biology Model of Major Depressive Disorder and the Psycho-Immune-Neuroendocrine Network. 2015 , 11, 32-62	10
795	Understanding Psycho-Social Aspects and Social Welfare Information of Low-Income Diabetes Patients. 2015 , 16, 212	
794	Psychosocial concerns among patients with diabetes attending the preanesthetic and pain clinic. 2015 , 03, 072-078	2
793	How fisetin reduces the impact of age and disease on CNS function. 2015 , 7, 58-82	67
792	Clinical Depression in Diabetic Geriatric Population. 2015 , 05,	
791	Clinical variables associated with depression in patients with type 2 diabetes. 2015 , 61, 336-40	6
790	Diabetes and stem cell function. 2015 , 2015, 592915	21
789	Hormonal determinants of the severity of andropausal and depressive symptoms in middle-aged and elderly men with prediabetes. 2015 , 10, 1381-91	8

788	The Patient Centered Assessment Method (PCAM): integrating the social dimensions of health into primary care. 2015 , 5, 110-119	24
787	Impact of community based peer support in type 2 diabetes: a cluster randomised controlled trial of individual and/or group approaches. 2015 , 10, e0120277	56
786	The effects of antidepressants "fluoxetine and imipramine" on vascular abnormalities and Toll like receptor-4 expression in diabetic and non-diabetic rats exposed to chronic stress. 2015 , 10, e0120559	24
785	Psychiatric Disorders in HTLV-1-Infected Individuals with Bladder Symptoms. 2015 , 10, e0128103	7
784	Multimorbidity and Patient Safety Incidents in Primary Care: A Systematic Review and Meta-Analysis. 2015 , 10, e0135947	57
783	The Association between Depressive Symptoms and Physical Diseases in Switzerland: A Cross-Sectional General Population Study. 2015 , 3, 47	8
782	Illness Perception and Depressive Symptoms among Persons with Type 2 Diabetes Mellitus: An Analytical Cross-Sectional Study in Clinical Settings in Nepal. 2015 , 2015, 908374	19
781	TCM Formula Xiaoyaosan Decoction Improves Depressive-Like Behaviors in Rats with Type 2 Diabetes. 2015 , 2015, 415243	18
780	Peripheral Administration of Tumor Necrosis Factor-Alpha Induces Neuroinflammation and Sickness but Not Depressive-Like Behavior in Mice. 2015 , 2015, 716920	42
779	The effect of post-stroke depression on rehabilitation outcome and the impact of caregiver type as a factor of post-stroke depression. 2015 , 39, 74-80	45
778	Health status and mental health in patients after percutaneous coronary intervention. 2015 , 68, 589-95, 676-82	1
777	Investigation of anxiety and depression symptom co-morbidity in a community sample with type 2 diabetes: Associations with indicators of self-care. 2016 , 106, e496-501	15
776	Pharmacological Treatments for Type 2 Diabetes. 2015 ,	1
775	Cortisol, platelet serotonin content, and platelet activity in patients with major depression and type 2 diabetes: an exploratory investigation. 2015 , 77, 145-55	25
774	Depression and subsequent risk of Parkinson disease: A nationwide cohort study. 2015 , 84, 2422-9	105
773	Psychological Distress in Physical Long-Term Conditions. 2015 , 227-234	
772	Diagnosis of Type 2 Diabetes: The Experience of Jordanian Patients with Co-existing Depression. 2015 , 36, 231-8	8
771	Lower PHQ-9 cutpoint accurately diagnosed depression in people with long-term conditions attending the Accident and Emergency Department. 2015 , 176, 155-63	20

770	Diabetes: knowledge, psychosocial impact, and attitude of patients. 2015 , 35, 253-257	
769	Psychosocial Factors Associated with Diabetes Self-Management. 2015 , 45-56	2
768	The link between depression and diabetes: the search for shared mechanisms. 2015 , 3, 461-471	273
767	Ethnic Differences in Geriatric Conditions and Diabetes Complications Among Older, Insured Adults With Diabetes: The Diabetes and Aging Study. 2015 , 27, 894-918	26
766	Bidirectional longitudinal study of type 2 diabetes and depression symptoms in black and white church going adults. 2015 , 14, 25	8
765	Schizophrenia and Depression Co-Morbidity: What We have Learned from Animal Models. 2015 , 6, 13	38
764	Mental health symptoms and patient-reported diabetes symptom burden: implications for medication regimen changes. 2015 , 32, 317-22	2
763	"I Live in Constant Fear of Highs," the Daily Impact of Type 1 Diabetes. 2020 , 7, 911-914	
762	Depression in Barbadian adults with type 2 diabetes. 2020 , 19, 1465-1471	
761	Meta-analysis of cognitive and behavioral tests in leptin- and leptin receptor-deficient mice. 2021 , 170, 217-235	1
760	Detection and prevalence of depression among adult type 2 diabetes mellitus patients attending non-communicable diseases clinics in Lilongwe, Malawi. 2020 , 14, 79	4
759	The TUDID Study - Background and Design of a Prospective Cohort. 2020 ,	
758	Acid-Producing Diet and Depressive Symptoms among Breast Cancer Survivors: A Longitudinal Study. 2020 , 12,	5
757	Relationships between Chronic Diseases and Depression among Middle-aged and Elderly People in China: A Prospective Study from CHARLS. 2020 , 40, 858-870	11
756	Management and Treatment of Patients With Major Depressive Disorder and Chronic Diseases: A Multidisciplinary Approach. 2020 , 11, 542444	6
755	Relationship between Resilience and Quality of Life in Patients with Fear of Hypoglycemia: The Mediating Effects of Anxiety and Depression. 2020 , 12, 8512	3
754	Anxiety and depression in diabetes care: longitudinal associations with health-related quality of life. 2020 , 10, 8307	7
753	Effect of Depression and Antidepressants on Sexual Dysfunction in Men with Diabetes: A National Population-Based Cohort Study. 2020 , 16, 1105-1112	1

752	Chinese Taoist Cognitive Therapy for Symptoms of Depression and Anxiety in Adults in China: A Systematic Review and Meta-Analysis. 2020 , 11, 769	0
751	Effects of Mindfulness-Based Stress Reduction and Mindfulness-Based Cognitive Therapy in People With Diabetes: A Systematic Review and Meta-Analysis. 2020 , 52, 379-388	6
750	Association between subthreshold depression and self-care behaviours in adults with type 2 diabetes: A protocol for a cross-sectional study. 2021 , 30, 2453-2461	
749	Systemic TNF- β blockade attenuates anxiety and depressive-like behaviors in mice through downregulation of inflammatory signaling in peripheral immune cells. 2020 , 28, 621-629	5
748	Relationship between diabetic neuropathic pain and comorbidity. Their impact on pain intensity, diabetes complications and quality of life in patients with type-2 diabetes mellitus. 2020 , 165, 108236	9
747	Depression and Diabetes Distress in South Asian Adults Living in Low- and Middle-Income Countries: A Scoping Review. 2020 , 44, 521-529.e1	4
746	Diabetes Distress in Adolescents and Young Adults Living With Type 1 Diabetes. 2020 , 44, 537-540	1
745	Online Acceptance and Commitment Therapy for People with Painful Diabetic Neuropathy in the United Kingdom: A Single-Arm Feasibility Trial. 2020 , 21, 2777-2788	6
744	Susceptibility to Hyperglycemia in Rats With Stress-Induced Depressive-Like Behavior: Involvement of IL-6 Mediated Glucose Homeostasis Signaling. 2020 , 11, 557	2
743	Diabetic patient assessment of chronic illness care using PACIC. 2020 , 20, 543	2
742	Prevalence of Depressive Symptoms in Patients with Type 1 and 2 Diabetes Mellitus. 2020 , 14, 443-454	6
741	Gamma Oryzanol Alleviates High-Fat Diet-Induced Anxiety-Like Behaviors Through Downregulation of Dopamine and Inflammation in the Amygdala of Mice. 2020 , 11, 330	4
740	The Association between Diabetes-Related Distress and Medication Adherence in Adult Patients with Type 2 Diabetes Mellitus: A Cross-Sectional Study. 2020 , 2020, 4760624	8
739	Utilization of Health Care Among Perinatal Women in the United States: The Role of Depression. 2020 , 29, 944-951	1
738	Temporal trajectories of accompanying comorbidities in patients with type 2 diabetes: a Korean nationwide observational study. 2020 , 10, 5535	6
737	Association between subthreshold depression and self-care behaviors in people with type 2 diabetes: a systematic review of observational studies. 2020 , 9, 45	5
736	Association between hospital admission for ketoacidosis and subsequent suicide attempt in young adults with type 1 diabetes. 2020 , 63, 1745-1752	3
735	The Epidemiology of Depression and Diabetes Distress in Type 2 Diabetes in Kuwait. 2020 , 2020, 7414050	3

734	Biopsychosocial factors associated with a current depressive episode in diabetes: the ELSA-Brasil study. 2020 , 37, 1742-1751	4
733	Co-occurrence of diabetes and depression in the U.S. 2020 , 15, e0234718	5
732	Effect of sertraline in patients with newly diagnosed depression and type 2 diabetes mellitus or hypertension: An observational study from south India. 2020 , 14, 1065-1068	1
731	Post-Stroke Depression and Estimated Glomerular Filtration Rate: A Prospective Stroke Cohort. 2020 , 16, 201-208	4
730	Altered circulatory levels of miR-128, BDNF, cortisol and shortened telomeres in patients with type 2 diabetes and depression. 2020 , 57, 799-807	21
729	Prevalence of depression and its associated factors among patients with diabetes mellitus at Tirunesh-Beijing general hospital, Addis Ababa, Ethiopia. 2020 , 20, 266	9
728	Comparison of long-term mortality between living alone patients vs. living together patients with acute coronary syndrome treated with percutaneous coronary intervention. 2020 , 6, 332-337	1
727	Variants in the Upstream Region of the Insulin Receptor Substrate-1 Gene Is Associated with Major Depressive Disorder in the Han Chinese Population. 2020 , 16, 501-507	1
726	Association between plasma dipeptidyl peptidase-4 activity to brain-derived neurotrophic factor ratio and depressive symptoms in middle-aged and older adults with normal glucose tolerance: A cross-sectional study. 2020 , 21, 642-650	
725	Depression und Demenz. 2020 , 16, 104-110	1
724	Mitochondria, endoplasmic reticulum and innate immune dysfunction in mood disorders: Do Mitochondria-Associated Membranes (MAMs) play a role?. 2020 , 1866, 165752	8
723	Peer-Delivered Cognitive Behavioral Training to Improve Functioning in Patients With Diabetes: A Cluster-Randomized Trial. 2020 , 18, 15-23	10
722	Influence of Depressive Symptoms on the Clinical Outcomes of Total Ankle Arthroplasty. 2020 , 59, 59-63	9
721	Connectivity of depression symptoms before and after diagnosis of a chronic disease: A network analysis in the U.S. Health and Retirement Study. 2020 , 266, 230-234	7
720	Association Between the Use of Antidepressants and the Risk of Type 2 Diabetes: A Large, Population-Based Cohort Study in Japan. <i>Diabetes Care</i> , 2020 , 43, 885-893	14.6 3
719	Associations of n-3, n-6 Fatty Acids Intakes and n-6:n-3 Ratio with the Risk of Depressive Symptoms: NHANES 2009-2016. 2020 , 12,	13
718	Trends in diabetes self-management education: where are we coming from and where are we going? A narrative review. 2020 , 37, 436-447	15
717	Major depressive disorder and cardiometabolic diseases: a bidirectional Mendelian randomisation study. 2020 , 63, 1305-1311	25

716	Factors affecting medication adherence among pre-dialysis chronic kidney disease patients: a systematic review and meta-analysis of literature. 2020 , 52, 903-916	22
715	Psychological interventions to improve glycemic control in adults with type 2 diabetes: a systematic review and meta-analysis. 2020 , 8,	6
714	Acute Hyperglycemia Increases Brain Pregenual Anterior Cingulate Cortex Glutamate Concentrations in Type 1 Diabetes. 2020 , 69, 1528-1539	4
713	CONSENSUS STATEMENT BY THE AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS AND AMERICAN COLLEGE OF ENDOCRINOLOGY ON THE COMPREHENSIVE TYPE 2 DIABETES MANAGEMENT ALGORITHM -. 2020 , 26, 107-139	206
712	Potential role of insulin on the pathogenesis of depression. 2020 , 53, e12806	15
711	Psychological Morbidity and Chronic Disease Among Adults With Traumatic Spinal Cord Injuries: A Longitudinal Cohort Study of Privately Insured Beneficiaries. 2020 , 95, 920-928	10
710	Inflammation and central adiposity as mediators of depression and uncontrolled diabetes in the study on global AGEing and adult health (SAGE). 2020 , 32, e23413	2
709	Analytic hierarchy process: An innovative technique for culturally tailoring evidence-based interventions to reduce health disparities. 2021 , 24 Suppl 1, 70-81	5
708	Risk factors for symptomatic retears after arthroscopic repair of full-thickness rotator cuff tears. 2021 , 30, 27-33	7
707	Physical health among patients with common mental health disorders in primary care in Europe: a scoping review. 2021 , 38, 76-92	5
706	Clinical Characteristics of Patients with co-Existent Diabetic Peripheral Neuropathy and Depression: A Systematic Review. 2021 , 129, 77-85	4
705	The effect of psychological distress on self-care intention and behaviour in young adults with type 1 diabetes. 2021 , 26, 543-555	4
704	The relationship between depression and metabolic control parameters in type 2 diabetic patients: A cross-sectional and feasibility interventional study. 2021 , 75, e13777	3
703	Practice Facilitation in Integrated Behavioral Health and Primary Care Settings: a Scoping Review. 2021 , 48, 133-155	3
702	Depression as a risk factor for dementia in older people with type 2 diabetes and the mediating effect of inflammation. 2021 , 64, 448-457	4
701	Increase in neuropeptide Y activity impairs social behaviour in association with glutamatergic dysregulation in diabetic mice. 2021 , 178, 726-740	7
700	Serum Levels of CRP are Associated with Depression in a Middle-aged and Elderly Population with Diabetes Mellitus: A Diabetes Mellitus-Stratified Analysis in a Population-Based Study. 2021 , 281, 351-357	2
699	Low-dose alcohol ameliorated high fat diet-induced anxiety-related behavior via enhancing adiponectin expression and activating the Nrf2 pathway. 2021 , 12, 241-251	1

698	The relationship between diabetes and depressive symptoms in men with or at risk of HIV infection. 2021 , 22, 37-46	
697	Psychometric Properties of Two Brief Versions of the Hopkins Symptom Checklist: HSCL-5 and HSCL-10. 2021 , 28, 617-631	19
696	Daily Life Physical Activity, Quality of Life and Symptoms of Depression and Anxiety in Adult Patients with Type 2 Diabetes: A Preliminary Study. 2021 , 12, 1277-1286	
695	Mobile App Use in Adults with Comorbid Type 2 Diabetes and Depression. 2021 , 193945920988791	
694	Integration of Diabetes and Depression Care Is Associated with Glucose Control in Midwestern Federally Qualified Health Centers. 2021 , 36, 978-984	1
693	The impact of insulin on the serotonergic system and consequences on diabetes-associated mood disorders. 2021 , 33, e12928	6
692	Mental Health and Well-being of Refugees. 2021 , 333-353	
691	Effect of locally-contextualized nurse-led diabetes self-management education on psychosocial health and quality of life: A controlled before-after study. 2021 , 15, 100325	0
690	The Effect of Multidomain Interventions on Global Cognition, Symptoms of Depression and Apathy - A Pooled Analysis of Two Randomized Controlled Trials.. 2022 , 9, 96-103	0
689	Depression and anxiety on post-bariatric surgery among Saudi Adults residing in Abha, Asir Province, Saudi Arabia. 165-171	0
688	Quality of life and depression among diabetic patients attending the lifestyle clinic of a teaching hospital, West Bengal. 2021 , 10, 321-326	0
687	Depression and the occurrence of gastric cancer: a meta-analysis based on their relationship and epidemiological evaluation. 1	0
686	Association Between Systemic Immune-Inflammation Index and Diabetic Depression. 2021 , 16, 97-105	8
685	Diabetic ketoacidosis: a canary in the mine for mental health disorders?. 2021 ,	1
684	Impact of impaired glucose metabolism on responses to a psychophysical stressor: modulation by ketamine. 2021 , 238, 1005-1015	2
683	Cannabidiol induces antidepressant and anxiolytic-like effects in experimental type-1 diabetic animals by multiple sites of action. 2021 , 36, 639-652	9
682	[Depression therapy for somatic diseases]. 2021 , 121, 106-112	
681	Social support and diabetes distress among adults with type 2 diabetes covered by Alabama Medicaid. 2021 , 38, e14503	4

680	Association between Polymorphism and Depressive Symptoms in Patients Newly Diagnosed with Type 2 Diabetes Mellitus. 2021 , 62, 359-365	2
679	Depression and Anxiety among Patients with Type II Diabetes Mellitus in Chitwan Medical College Teaching Hospital, Nepal. 2021 , 2021, 8846915	2
678	Sortilin/neurotensin receptor-3 and its derived peptides in depression. 2021 , 235-241	
677	Interventions for preventing type 2 diabetes in adults with mental disorders in low- and middle-income countries. 2021 , 2, CD013281	1
676	Treatment-Resistant Depression Revisited: A Glimmer of Hope. 2021 , 11,	11
675	The effectiveness of cognitive behavioral group intervention on depression and anxiety in patients with type II diabetes. 2021 , 71, 100624	
674	Psychological interventions for treating foot ulcers, and preventing their recurrence, in people with diabetes.	2
673	Systematic analysis of brain lactate and pH levels in 65 animal models related to neuropsychiatric conditions.	2
672	A Prospective, Non-randomized Feasibility and Preliminary Efficacy Study of a Telemedicine-Enabled Co-management Intervention for Adults With Type 2 Diabetes and Moderate Anxiety and/or Depression. 2021 , 47, 144-152	0
671	Social workers as members of burn care teams: A qualitative thematic analysis. 2021 , 48, 191-191	0
670	Association Between Genetic Risk for Type 2 Diabetes and Structural Brain Connectivity in Major Depressive Disorder. 2021 ,	2
669	Prevalence of depressive and anxiety symptoms in women with gestational diabetes: a longitudinal cohort study. 2021 , 58, 1091-1100	
668	Depressive symptoms and type II diabetes mellitus among midlife women. 2021 , 28, 650-659	
667	Nutrition-based interventions for mood disorders. 2021 , 21, 303-315	9
666	Insights about interventions to address food insecurity in adults with type 2 diabetes: Valuable lessons from the stories of African Americans living in the inner city. 2021 , 104, 2785-2790	1
665	Analysis of the prevalence and influencing factors of depression and anxiety among maintenance dialysis patients during the COVID-19 pandemic. 2021 , 53, 1453-1461	7
664	Single-Session Acceptance and Commitment Therapy (ACT) Interventions for Patients with Chronic Health Conditions: A Systematic Review and Meta-Analysis. 2021 , 20, 52-69	2
663	The Increasing Economic Burden with Additional Steps of Pharmacotherapy in Major Depressive Disorder. 2021 , 39, 691-706	1

662	Diabetic Distress Among Diabetic Patients in the Amhara Regional State, Ethiopia. 2021 , 272684X211004931		
661	The TELE-DD project on treatment nonadherence in the population with type 2 diabetes and comorbid depression. 2021 , 11, 8889		0
660	Depression in Urban Omani Adults with Type 2 Diabetes: A cross-sectional study.. 2022 , 22, 45-50		0
659	The Mental Status in Patients with Diabetes Mellitus Admitted to a Diabetes Clinic After Presenting in the Emergency Room: The Application of the SCL-90 Scale. 2021 , 14, 1833-1840		0
658	Depression and Retinopathy in Patients With Type 2 Diabetes Mellitus: A Meta-Analysis. 2021 , 83, 239-246		0
657	Neuropeptide Y and glutamatergic mechanisms in the amygdala and ventral hippocampus differentially mediate impaired social behavior in diabetic mice. 2021 , 405, 113195		1
656	Mental disorder prevalence among populations impacted by coronavirus pandemics: A multilevel meta-analytic study of COVID-19, MERS & SARS. 2021 , 70, 124-133		5
655	Social-capital determinants of the women with diabetes: a population-based study. 2021 , 20, 511-521		
654	Increased Risk of Cardiovascular Disease and Mortality in Patients with Diabetes and Coexisting Depression: A Nationwide Population-Based Cohort Study. 2021 , 45, 379-389		8
653	The Secret-Self Management Loop: A grounded theory of provider mistrust among older Latinas with type 2 diabetes and mental health symptoms. 2021 , 175, 108787		1
652	High Prevalence of Depressive Symptoms in Patients With Type 1 and Type 2 Diabetes in Developing Countries: Results From the International Diabetes Management Practices Study. <i>Diabetes Care</i> , 2021 , 44, 1100-1107	14.6	4
651	The effects of wheat germ consumption on mental health and brain-derived neurotrophic factor in subjects with type 2 diabetes mellitus: a randomized, double-blind, placebo-controlled trial. 2021 , 1-8		1
650	Health Conditions, Lifestyle Factors and Depression in Adults in Qingdao, China: A Cross-Sectional Study. 2021 , 12, 508810		3
649	Meta-analysis of studies on depression prevalence among diabetes mellitus patients in Africa. 2021 , 7, e07085		2
648	COVID-19 Associated Suicidal Ideation in Older Adults: Two Case Reports With a Review of the Literature. 2021 , 29, 1101-1116		3
647	Prevalence, awareness, treatment, and control of diabetes mellitus by depressive symptom severity: a cross-sectional analysis of NHANES 2011-2016. 2021 , 9,		1
646	Does being involved by doctors satisfy patients' fundamental psychological needs? A study on a large European sample. 2021 , 1-13		
645	Refining Black men's depression measurement using participatory approaches: a concept mapping study. 2021 , 21, 1194		0

644	Quality of Diabetes Care in the USA. 2021 , 23, 73	1
643	Osteocalcin promotes proliferation, differentiation, and survival of PC12 cells. 2021 , 557, 174-179	1
642	Investigating Pleiotropy Between Depression and Autoimmune Diseases Using the UK Biobank. 2021 , 1, 48-58	4
641	Effect of depression on progression to end-stage renal disease or pre-end-stage renal disease death in advanced diabetic nephropathy: A prospective cohort study of the Diabetes Study from the Center of Tokyo Women's Medical University. 2021 ,	1
640	Anorexia nervosa related to type 2 diabetes mellitus in an elderly woman: a case report. 2021 , 21, 839-840	
639	P2X7R antagonists in chronic stress-based depression models: a review. 2021 , 271, 1343-1358	4
638	Altered islet prohormone processing: a cause or consequence of diabetes?. 2022 , 102, 155-208	3
637	Analysis of Major Depression Risk Genes Reveals Evolutionary Conservation, Shared Phenotypes, and Extensive Genetic Interactions. 2021 , 12, 698029	1
636	Association between Psychiatric Disorders and Glomerular Disease. 2021 , 1, 118-128	1
635	Glycemic control, depression, diabetes distress among adolescents with type 1 diabetes: effects of sex, race, insurance, and obesity. 2021 , 58, 1627-1635	2
634	Clinically significant depressive symptoms and high diabetes distress in adults with type 1 and type 2 diabetes in Appalachian Ohio. 2021 , 121, 813-824	3
633	Prevalence of depression and associated factors among patients with type 2 diabetes mellitus in eastern Sudan. 2021 , 21, 336	1
632	Diabetes comorbidities in low- and middle-income countries: An umbrella review. 2021 , 11, 04040	3
631	Psychosocial factors and subsequent risk of hospitalizations with peripheral artery disease: The Atherosclerosis Risk in Communities (ARIC) Study. 2021 , 329, 36-43	1
630	SITAgliptin for Depressive Symptoms in Type 2 Diabetes: A Feasibility Randomized Controlled Trial. 2021 , 83, 913-923	1
629	Factors Associated with Depressive Symptoms in Korean Adults with Diabetes Mellitus: A Cross-Sectional Study. 2021 , 9,	1
628	Sexual health and function in women with diabetes. 2021 , 38, e14644	2
627	The Association of Metabolic Dysfunction and Mood Across Lifespan Interacts With the Default Mode Network Functional Connectivity. 2021 , 13, 618623	1

626	Cost-effectiveness of a stepped care program to prevent depression among primary care patients with diabetes mellitus type 2 and/or coronary heart disease and subthreshold depression in comparison with usual care. 2021 , 21, 402	
625	Psychological Stress in the Era of Covid-19 Pandemic in Diabetic Population of Nagpur, India - A Cross Sectional Study. 2021 , 10, 2460-2464	
624	Classifying depression using blood biomarkers: A large population study. 2021 , 140, 364-372	0
623	A Systematic Review of Depression and Anxiety in Adults with Pyoderma Gangrenosum. 2021 , 34, 432-436	0
622	Incremental burden of comorbid major depressive disorder in patients with type 2 diabetes or cardiovascular disease: a retrospective claims analysis. 2021 , 21, 778	1
621	Study of emotional distress in a comparative effectiveness trial of diabetes treatments: Rationale and design. 2021 , 107, 106366	0
620	Targeting Metabolic Dysfunction for the Treatment of Mood Disorders: Review of the Evidence. 2021 , 11,	1
619	Depression and Diabetes in Workers Across the Life Span: Addressing the Health of America's WorkforceâBehavioral Risk Factor Surveillance System, 2014â2018. ds210022	0
618	Myrsinoic acid B from Myrsine coriacea reverses depressive-like behavior and brain oxidative stress in streptozotocin-diabetic rats. 2021 , 347, 109603	1
617	Increased Risk of Cardiovascular Disease and Mortality in Patients with Diabetes and Coexisting Depression: A Nationwide Population-Based Cohort Study (Diabetes Metab J 2021;45:379-89). 2021 , 45, 789-790	
616	Erectile dysfunction and diabetes: A melting pot of circumstances and treatments. 2021 , e3494	6
615	Cardiovascular and metabolic morbidity following spinal cord injury. 2021 , 21, 1520-1527	3
614	Liraglutide Alleviates Cognitive Deficit in db/db Mice: Involvement in Oxidative Stress, Iron Overload, and Ferroptosis. 2021 , 1	6
613	Estimating the joint effect of diabetes and subsequent depressive symptoms on mortality among older latinos. 2021 , 64, 120-126	1
612	Prevalence Estimates, Severity, and Risk Factors of Depressive Symptoms among Coronary Artery Disease Patients after Ten Days of Percutaneous Coronary Intervention. 2021 , 17, 103-113	0
611	Exploring protective factors through positive psychology and salutogenesis in Danish families with type 2 diabetes. 2021 ,	
610	Increase in brain l-lactate enhances fear memory in diabetic mice: Involvement of glutamate neurons. 2021 , 1767, 147560	0
609	Low-grade inflammation and endothelial dysfunction predict four-year risk and course of depressive symptoms: The Maastricht study. 2021 , 97, 61-67	3

- 608 Effect of a Behavioural Intervention for Adoption and Maintenance of a Physically Active Lifestyle on Psychological Well-Being and Quality of Life in Patients with Type 2 Diabetes: The IDES_2 Randomized Clinical Trial. **2021**, 1 1
- 607 Prolonged saturated, but not monounsaturated, high-fat feeding provokes anxiodepressive-like behaviors in female mice despite similar metabolic consequences. **2021**, 16, 100324 2
- 606 Catalpol Weakens Depressive-like Behavior in Mice with Streptozotocin-induced Hyperglycemia via PI3K/AKT/Nrf2/HO-1 Signaling Pathway. **2021**, 473, 102-118 5
- 605 Depression among patients with type 2 diabetes mellitus: Evidence from the Northeast region of Vietnam. **2021**, 15, 102293 1
- 604 Hippocampal-specific insulin resistance elicits behavioral despair and hippocampal dendritic atrophy. **2021**, 15, 100354 2
- 603 Effect of ketamine on the physiological responses to combined hypoglycemic and psychophysical stress. **2021**, 11, 81-87
- 602 Depression with Comorbid Diabetes: What Evidence Exists for Treatments Using Traditional Chinese Medicine and Natural Products?. **2020**, 11, 596362 3
- 601 Higher HEI-2015 Score Is Associated with Reduced Risk of Depression: Result from NHANES 2005-2016. **2021**, 13, 3
- 600 Bidirectional association between depression and multimorbidity in middle-aged and elderly Chinese adults: a longitudinal cohort study. **2021**, 1-7 2
- 599 Mental Health and Well-being of Refugees. **2021**, 1-21
- 598 Risk of Depression among Early Onset Type 2 Diabetes Mellitus Patients. **2021**, 27, 55-65
- 597 Digital Interventions for Psychological Comorbidities in Chronic Diseases-A Systematic Review. **2021**, 11, 2
- 596 Körperliche Komorbidität. **2006**, 257-276 2
- 595 The Practice of Psychology in Medical Settings: Financially Sustainable Models. **2014**, 199-216 2
- 594 Coping with Diabetes: Psychological Determinants of Diabetes Outcomes. **2007**, 215-239 3
- 593 Intersecting Genetics with Lifestyle: the Role of Exercise and Diet in Synaptic Plasticity and Cognitive Enhancement. 337-375 1
- 592 Primary Care Is the De Facto Mental Health System. **2008**, 9-21 41
- 591 Peer Support in Prevention, Chronic Disease Management, and Well-Being. **2018**, 643-677 6

590	Psychological Burden of Diabetes and What It Means to People with Diabetes. 2012 , 1-22	3
589	Psychological Issues in Adults with Type 2 Diabetes. 2011 , 73-121	12
588	Mood Disorders and Immunity. 2013 , 167-209	1
587	Aging and Health in Mexican Americans: Selected Findings from the Hispanic EPESE. 2015 , 171-186	1
586	Working with Challenging Patients in Diabetes Treatment. 2009 , 197-212	2
585	Diabetes Mellitus Overview. 2009 , 15-27	1
584	Optimizing Self-Care with Diabetes Complications and Comorbidities. 2009 , 97-114	1
583	Eating Disorders and Depression in Women with Diabetes. 2009 , 127-143	1
582	Cognition in Adults with Type 1 Diabetes. 2009 , 277-293	4
581	Cognition in Type 2 Diabetes or Pre-diabetic Stages. 2009 , 295-322	5
580	Approach to Stress and Mental Disorders in Patients with Diabetes. 2018 , 239-250	1
579	Diabetes Mellitus and Erectile Dysfunction. 2015 , 119-128	2
578	Rodent Models of Stress-Induced Depression: The Link Between Stress and Immune System Related Changes. 2015 , 33-62	2
577	The Design of Mobile Technology to Support Diabetes Self-Management in Older Adults. 2015 , 211-221	5
576	Psychische Störungen bei somatischen Krankheiten. 2011 , 2511-2598	0
575	Depression und Diabetes mellitus – ein gefährlicher Teufelskreis. 2013 , 127-144	2
574	Psychische Störungen bei somatischen Krankheiten. 2015 , 1-114	0
573	Prevalence of Depression in Chronic Heart Failure. 2006 , 99-108	1

572	Depression, Anxiety, and Physical Morbidity in Women. 2020 , 259-279	2
571	Mood Disorders: Major Depressive Disorder and Dysthymic Disorder. 2008 , 391-398	2
570	Depression in the Peruvian population and its associated factors: analysis of a national health survey. 2020 , 273, 291-297	9
569	Depressive and anxiety symptoms and following of the Dutch Dietary Guidelines 2015 in adults with diabetes: Results from Diabetes MILES-The Netherlands. 2020 , 135, 110160	3
568	Diabète et précarité: Étude d'une vaste population française. 2008 , 192, 1707-1723	4
567	Depression in primary care. 1-16	1
566	Is Cognitive Behavioural Therapy focusing on Depression and Anxiety Effective for People with Long-Term Physical Health Conditions? A Controlled Trial in the Context of Type 2 Diabetes Mellitus. 2018 , 46, 129-147	9
565	Effects of light at night on laboratory animals and research outcomes. 2018 , 132, 302-314	18
564	Comparison of integrated behavioral health treatment for internalizing psychiatric disorders in patients with and without Type 2 diabetes. 2016 , 34, 367-377	2
563	Connection between Depression and Inability to Fill Prescriptions in Rural FQHC Patients with Chronic Disease. 2016 , 40, 113-123	2
562	Impact of Ethnic and Socioeconomic Factors on Diabetes-Related Health and Management. 2010 , 285-308	1
561	Treating depression in patients with chronic disease: recognition and treatment are crucial; depression worsens the course of a chronic illness. 2001 , 175, 292-3	61
560	Depressive Symptoms and Multimorbidity: Is There an Association for Older Black Americans?. 2021 , 33, 310-316	1
559	Liaison psychiatrist in a specialist diabetes centre. 2008 , 32, 461-463	1
558	Prevalence and determinants of anxiety and depression symptoms in patients with type 2 diabetes in Lithuania. 2014 , 20, 182-90	21
557	Depression and Anxiety in patients undergoing Percutaneous Coronary Intervention for Acute Coronary Syndrome. 2020 , 36, 1100-1105	3
556	Understanding depression in type 2 diabetes: a biological approach in observational studies. 2018 , 7,	10
555	Provision of mental health care within primary care in Peru: A qualitative study exploring the perspectives of psychologists, primary health care providers, and patients. 2018 , 3, 9	4

554	Diabetes and depression. 2018 , 35, 27-35	3
553	[Diabetes and depression--a life-endangering interaction]. 2006 , 52, 289-309	11
552	Modulation ofTcf7l2 expression alters behavior in mice. 2011 , 6, e26897	15
551	Association of N-terminal pro-brain natriuretic peptide with cognitive function and depression in elderly people with type 2 diabetes. 2012 , 7, e44569	20
550	Depression as a risk factor for mortality in individuals with diabetes: a meta-analysis of prospective studies. 2013 , 8, e79809	50
549	Clinical impact of the temporal relationship between depression and type 2 diabetes: the Fremantle diabetes study phase II. 2013 , 8, e81254	18
548	Waist-to-hip ratio, dyslipidemia, glycemic levels, blood pressure and depressive symptoms among diabetic and non-diabetic Chinese women: a cross-sectional study. 2014 , 9, e109765	10
547	Soluble urokinase plasminogen activator receptor as a marker for use of antidepressants. 2014 , 9, e110555	23
546	Investigating Factors Associated with Depression of Type 2 Diabetic Retinopathy Patients in China. 2015 , 10, e0132616	11
545	Fusing Data Mining, Machine Learning and Traditional Statistics to Detect Biomarkers Associated with Depression. 2016 , 11, e0148195	37
544	Neighbourhood Walkability and Daily Steps in Adults with Type 2 Diabetes. 2016 , 11, e0151544	15
543	Association between Depressive Symptoms and Cognitive Function in Persons with Diabetes Mellitus: A Systematic Review. 2016 , 11, e0160809	35
542	Fatigue in Type 2 Diabetes: Impact on Quality of Life and Predictors. 2016 , 11, e0165652	26
541	What works best for whom? Cognitive Behavior Therapy and Mindfulness-Based Cognitive Therapy for depressive symptoms in patients with diabetes. 2017 , 12, e0179941	17
540	Association of usual sleep quality and glycemic control in type 2 diabetes in Japanese: A cross sectional study. Sleep and Food Registry in Kanagawa (SOREKA). 2018 , 13, e0191771	23
539	The utility of the Diabetes Anxiety Depression Scale in Type 2 diabetes mellitus: The Fremantle Diabetes Study Phase II. 2018 , 13, e0194417	2
538	Adherence to Medication, Physical Activity and Diet in Older Adults With Diabetes: Its Association With Cognition, Anxiety and Depression. 2019 , 11, 583-592	20
537	Peruvian Mental Health Reform: A Framework for Scaling-up Mental Health Services. 2017 , 6, 501-508	36

536	Toxic Immunoglobulin Light Chain Autoantibodies are Associated with a Cluster of Severe Complications in Older Adult Type 2 Diabetes. 2016 , 3,	5
535	Type 2 Diabetes Predicts Increased Risk of Neurodegenerative Complications in Veterans Suffering Traumatic Brain Injury. 2019 , 6,	6
534	Mediating Effects of Perceived Barriers on the Relationship between Depression and Diabetes Management Self-efficacy in Type 2 Diabetes Patients. 2015 , 15, 235	1
533	Depression in romanian patients with type 2 diabetes: prevalence and risk factors. 2016 , 89, 371-7	3
532	[Psychiatric disorders leading to noncompliance in a consultative psychiatric practice]. 2007 , 148, 509-12	1
531	[Accuracy, effect on insulin therapy and glycemic control and complications of the continuous glucose monitoring system in type 1 diabetic patients]. 2005 , 49, 563-8	2
530	Integrated Public Health and Health Service Delivery for Noncommunicable Diseases and Comorbid Infectious Diseases and Mental Health. 2017 , 287-303	2
529	Program ACTIVE II: Design and Methods for a Multi-Center Community-Based Depression Treatment for Rural and Urban Adults with Type 2 Diabetes. 2015 , 1,	6
528	Self-perceived health status, Depression, and Suicidal Behavior among People with Diabetes. 2014 , 45, 231-254	6
527	A review of the bidirectional relationship between psychiatric disorders and diabetes mellitus. 2018 , 23, 91-96	5
526	Program ACTIVE: Cognitive Behavioral Therapy to Treat Depression in Adults With Type 2 Diabetes in Rural Appalachia. 2017 , 31, 158-170	6
525	Psychological Well-Being and Type 2 Diabetes. 2017 , 4,	2
524	Chapter 10Diabetes. 2010 ,	1
523	Prevalence and Associated Factors of Anxiety and Depression Among Patients with Type 2 Diabetes in Kerman, Southern Iran. 2020 , 13, 1509-1517	3
522	Appropriate application of evidence to the care of elderly patients with diabetes. 2007 , 3, 260-3	20
521	Type 1 diabetes in young adulthood. 2015 , 11, 239-50	89
520	Web-Based Intervention Using Behavioral Activation and Physical Activity for Adults With Depression (The eMotion Study): Pilot Randomized Controlled Trial. 2018 , 20, e10112	26
519	Using Passive Smartphone Sensing for Improved Risk Stratification of Patients With Depression and Diabetes: Cross-Sectional Observational Study. 2019 , 7, e11041	19

518	Addressing Depression Comorbid With Diabetes or Hypertension in Resource-Poor Settings: A Qualitative Study About User Perception of a Nurse-Supported Smartphone App in Peru. 2019 , 6, e11701	8
517	Web-Based Benefit-Finding Writing for Adults with Type 1 or Type 2 Diabetes: Preliminary Randomized Controlled Trial. 2019 , 4, e13857	6
516	Digital Cognitive Behavior Therapy Intervention for Depression and Anxiety: Retrospective Study. 2020 , 7, e21304	5
515	The Case for Jointly Targeting Diabetes and Depression Among Vulnerable Patients Using Digital Technology. 2017 , 2, e1	7
514	Web-Based Interventions for Depression in Individuals with Diabetes: Review and Discussion. 2018 , 3, e13	10
513	Do Web-Based Interventions Improve Well-Being in Type 2 Diabetes? A Systematic Review and Meta-Analysis. 2016 , 18, e270	35
512	Web-Based Cognitive Behavior Therapy for Depression in People With Diabetes Mellitus: A Randomized Controlled Trial. 2017 , 19, e157	36
511	The Impact of a Mobile Diabetes Health Intervention on Diabetes Distress and Depression Among Adults: Secondary Analysis of a Cluster Randomized Controlled Trial. 2017 , 5, e183	15
510	The OnTrack Diabetes Web-Based Program for Type 2 Diabetes and Dysphoria Self-Management: A Randomized Controlled Trial Protocol. 2015 , 4, e97	3
509	Writing for Health: Rationale and Protocol for a Randomized Controlled Trial of Internet-Based Benefit-Finding Writing for Adults With Type 1 or Type 2 Diabetes. 2017 , 6, e42	2
508	Diabetes mellitus and anxiety—are they correlated?. 2018 , 9,	1
507	Establishment of the T1D Exchange Quality Improvement Collaborative (T1DX-QI). 2020 , 38, 141-151	20
506	5. Facilitating Behavior Change and Well-being to Improve Health Outcomes:. <i>Diabetes Care</i> , 2021 , 44, S53-S72	14.6 93
505	Psychosocial Interventions for Emergent Adults With Type 1 Diabetes: Near-Empty Systematic Review and Exploratory Meta-Analysis. 2019 , 32, 249-256	2
504	Stress exposure, food intake and emotional state. 2015 , 18, 381-99	86
503	Epidemiology of Type 2 Diabetes in Children and Adolescents. 2008 , 103-123	3
502	Gender differences in cardiovascular disease and comorbid depression. 2007 , 9, 71-83	125
501	Pathways linking late-life depression to persistent cognitive impairment and dementia. 2008 , 10, 345-57	305

500	Depressogenic effects of medications: a review. 2011 , 13, 109-25	60
499	Depression and diabetes. 2018 , 20, 47-52	65
498	An innovative model for changing the lifestyles of persons with obesity and/or Type 2 diabetes mellitus. 2011 , 34, e349-54	13
497	Psychological interventions to improve self-management of type 1 and type 2 diabetes: a systematic review. 2020 , 24, 1-232	11
496	CHOICE: Choosing Health Options In Chronic Care Emergencies. 2017 , 5, 1-272	1
495	Nonpharmacological management and psychosocial support for children and adolescents with type 1 diabetes. 2011 , 54, 45-50	2
494	PECULIARITIES OF DIAGNOSTICS OF DEPRESSIONS AND CLINICAL MANIFESTATIONS IN PATIENTS WITH OBESITY AND CONCOMITANT TYPE 2 DIABETES MELLITUS. 2019 , 72, 519-522	1
493	Depression and Chronic Medical Illness: Diabetes as a Model. 2002 , 32, 528-534	6
492	Evaluating Late-life Depression in Patients With Diabetes. 2004 , 34, 305-312	1
491	Quality of life, family behavior, and health outcomes in children with type 2 diabetes. 2005 , 34, 722-9	15
490	Effects of tangible social support and depression on diabetes self-efficacy. 2008 , 34, 32-9	26
489	Gender differences in the relationship between diabetes-specific quality of life and depressive symptoms in middle-aged and older korean immigrants. 2013 , 6, 283-92	4
488	New frontiers in cardiovascular behavioral medicine: comparative effectiveness of exercise and medication in treating depression. 2011 , 78 Suppl 1, S35-43	15
487	Utility of Observer-Rated and Self-Report Instruments for Detecting Major Depression in Women After Cardiac Surgery: A Pilot Study. 2007 , 16, 260-269	5
486	Diabetes and depressive symptoms in korean women: the fifth korean national health and nutrition examination survey (2010-2011). 2014 , 35, 127-35	8
485	Depression, diabetes, and glycemic control in an American Indian community. 2008 , 69, 800-9	32
484	Variations in the probability of depression screening at community-based physician practice visits. 2010 , 12,	11
483	Insulin overdose among patients with diabetes: a readily available means of suicide. 2009 , 11, 258-62	21

482	Cognitive-behavioral therapy for the treatment of depression and adherence in patients with type 1 diabetes: pilot data and feasibility. 2012 , 14,	8
481	How the Probability and Potential Clinical Significance of Pharmacokinetically Mediated Drug-Drug Interactions Are Assessed in Drug Development: Desvenlafaxine as an Example. 2015 , 17,	3
480	Depressive Symptoms in Inner-City Children With Asthma. 2002 , 4, 174-177	16
479	Escitalopram: A New SSRI for the Treatment of Depression in Primary Care. 2002 , 4, 209-214	18
478	Adequate initial antidepressant treatment among patients with chronic obstructive pulmonary disease in a cohort of depressed veterans. 2006 , 8, 71-6	10
477	Depressive symptoms in children of women with newly diagnosed type 2 diabetes. 2007 , 9, 21-4	3
476	The 3-year clinical and functional course of schizophrenia among individuals with and without diabetes at study entry. 2007 , 9, 122-8	4
475	Psychosocial stress in South African patients with type 2 diabetes. 2016 , 1,	1
474	Consultation-liaison psychiatry services: Difference in the patient profile while following different service models in the medical emergency. 2015 , 57, 361-6	11
473	Prevalence and prescription of antidepressants in depression with somatic comorbidity in Asia: the Research on East Asian Psychotropic Prescription Patterns study. 2015 , 128, 853-8	6
472	A study of sociodemographic clinical and glycemic control factors associated with co-morbid depression in type 2 diabetes mellitus. 2014 , 23, 134-42	16
471	Psychiatric morbidity among diabetic patients: A hospital-based study. 2010 , 19, 47-9	25
470	Longitudinal effect of depression on glycemic control in patients with type 2 diabetes: a 3-year prospective study. 2017 , 38, 27	1
469	Insulin and insulin-like growth factor prevent brain atrophy and cognitive impairment in diabetic rats. 2012 , 16, S601-10	10
468	Phosphodiesterase-5 inhibitors for erectile dysfunction in patients with diabetes mellitus: A systematic review and meta-analysis of randomized controlled trials. 2015 , 19, 451-61	24
467	Prevalence and predictors of depression and anxiety in patients of diabetes mellitus in a tertiary care center. 2016 , 20, 746-751	35
466	Correlates of anxiety and depression among patients with type 2 diabetes mellitus. 2011 , 15, S50-4	52
465	Healthcare technician delivered screening of adults with diabetes to improve primary care provider recognition of depression. 2012 , 1, 97-102	9

464	Association of depression with type 2 diabetes and relevant factors. 2014 , 3, 244	13
463	Occurrence and Predictors of Depression and Poor Quality of Life among Patients with Type-2 Diabetes: A Northern India Perspective. 2017 , 21, 564-569	12
462	RSSDI-ESI Clinical Practice Recommendations for the Management of Type 2 Diabetes Mellitus 2020. 2020 , 24, 1-122	33
461	Prevalence of Psychiatric Comorbidity among Patients of Type 2 Diabetes Mellitus in a Hilly State of North India. 2019 , 23, 602-608	3
460	Emotional and Psychological Needs of People with Diabetes. 2018 , 22, 696-704	58
459	Effect of Sertraline as an Add-on Therapy in T2DM Patients with Comorbid Depression: An Open Label Randomized Controlled Trial. 2019 , 23, 357-362	1
458	Comparative Study of Psychiatric Manifestations among Type I and Type II Diabetic Patients. 2017 , 39, 342-346	7
457	The association of diabetes duration and glycemic control with depression in elderly men with type 2 diabetes mellitus. 2019 , 24, 17	6
456	Relationship between Depression and Treatment Satisfaction among Patients with Type 2 Diabetes. 2012 , 3,	11
455	Creating Effective Self-Management for Older Adults with Type 2 Diabetes and Cognitive Impairment. 2015 , 04, 33-41	7
454	Prevalence of Depression among Arab Women with Type 2 Diabetes: A Systematic Review and Meta-Analysis. 2016 , 08, 650-657	2
453	Depression and Insulin Resistance in Non-Diabetic Subjects: An Intervention Study with Insulin Clamp Technique. 2012 , 03, 575-581	4
452	The effect of family history of diabetes on sleep quality, depression, and anxiety in adult males with diabetes. 2013 , 03, 11-14	2
451	Psychological Wellbeing of Saudi Patients Diagnosed with Chronic Illnesses. 2015 , 06, 55-62	3
450	Factors Related to Depression in Patients Undergoing Hemodialysis Due to Renal Failure in Senegal. 2015 , 06, 409-414	1
449	Diabetes self-care in primary health facilities in India - challenges and the way forward. 2019 , 10, 341-349	16
448	Fluoxetine-Induced Hypoglycaemia in a Patient with Congenital Hyperinsulinism on Lanreotide Therapy. 2016 , 8, 347-50	5
447	Pseudoexfoliation Syndrome and Antidepressant Drug Use. 2019 , 49, 1-5	3

446	Survey of Depression in the Elderly Patients with Diabetes Mellitus. 2015 , 54, 475	3
445	Health Care Utilization and Expenditures of Patients with Diabetes Comorbid with Depression Disorder: A National Population-Based Cohort Study. 2017 , 14, 770-778	6
444	Can Physical Activity Prevent or Treat Clinical Depression? 1. 2018 , 380-408	1
443	Influence of perceived social support on depression among Type 2 diabetes patients: a concurrent cross-sectional mixed-method study. 2020 , 1, 93-104	2
442	Differences in the perceptions of self-care, health education barriers and educational needs between diabetes patients and nurses. 2013 ,	1
441	The interdependence of behavioral and somatic health: implications for conceptualizing health and measuring treatment outcomes. 2007 , 7, e10	4
440	What part of the total care consumed by type 2 diabetes patients is directly related to diabetes? Implications for disease management programs. 2011 , 11, e140	8
439	Are Type 2 Diabetes Mellitus and Depression Part of a Common Clock Genes Network?. 2018 , 16, 4	4
438	The Relation Between Depressive Symptoms and Self-Care in Patients with Diabetes Mellitus Type 2 in Kosovo. 2016 , 70, 425-428	1
437	Antidepressant Activity of Karnim in Diabetes Associated Depression in Experimental Animals. 2012 , 3, 413-419	4
436	Prevalence of Anxiety and Depression in Diabetic Patients: A Comparative Study. 2017 , S,	1
435	triADD: the risk for alcohol abuse, depression, and diabetes multimorbidity in the American Indian and Alaska Native populations. 2007 , 14, 1-23	33
434	Mental health service and provider preference among American Indians with type 2 diabetes. 2016 , 23, 1-23	7
433	Chronic Health Conditions, Depression, and the Role of Financial Wellbeing: How Middle Age Group (45-64) and Older Adults (65-79) Differ?. 2011 , 12, 77-93	2
432	Prevalence and correlates of psychological distress among diabetes mellitus adults in the Jilin province in China: a cross-sectional study. 2017 , 5, e2869	10
431	Comparative Study on HbA1C, Self-care Behavior, and Quality of Life by Depression Status in Type II Diabetic Patients. 2012 , 19, 353-362	6
430	The Impact of Type 2 Diabetes in Parkinson's Disease.	
429	Prevalence and characteristics of antidepressant prescribing in adults with comorbid depression and type 2 diabetes mellitus: A systematic review and meta-analysis.. 2021 , 1, None	0

- 428 Depression across Endocrine Disorders. **2021**, 7-18
- 427 The impact of Type 2 diabetes in Parkinson's disease. 0
- 426 Mental Health History and DECIDE (Decision-Making Education for Choices in Diabetes Everyday) Diabetes Support Program Outcomes Among African Americans With Type 2 Diabetes. **2021**, 26350106211048782
- 425 Senescence and Type 2 Diabetic Cardiomyopathy: How Young Can You Die of Old Age?. **2021**, 12, 716517 1
- 424 Diabetes severity measured by treatment control status and number of anti-diabetic drugs affects presenteeism among workers with type 2 diabetes. **2021**, 21, 1865 0
- 423 Impact of diabetes on the accuracy and speed of accessing information from episodic and working memory. **2021**, 8, 0
- 422 A Hypothesis of Gender Differences in Self-Reporting Symptom of Depression: Implications to Solve Under-Diagnosis and Under-Treatment of Depression in Males. **2021**, 12, 589687 7
- 421 Prevalence of Depression Among Patients With Type 2 Diabetes at King Abdullah Medical City. **2021**, 13, e18447 1
- 420 Higher fasting C-peptide is associated with post-stroke depression: a multicenter prospective cohort study. **2021**, 21, 383 1
- 419 Cognitive Impairment and Its Associated Risk Factors in the Elderly With Type 2 Diabetes Mellitus. **2021**, 12, 669725 0
- 418 Age effects on treatment patterns in 138,097 patients with unipolar depression followed in general practices in Germany. **2021**, 144, 208-216 0
- 417 Psychologische Aspekte bei Diabetes mellitus. **2004**, 437-447
- 416 Psychological and Psychiatric Issues in Diabetes Mellitus. **2004**, 639-653
- 415 Psychological Problems and Management of Patients with Diabetes Mellitus.
- 414 Psychological factors and glycaemic control. **2004**, 115-134
- 413 Obesity and Mood Disorders. **2006**, 41-92
- 412 Depression in Older Patients. **2006**, 713-725 0
- 411 Diabetes mellitus. **2006**, 157-173

- 410 [Perception of quality of life and social adjustment of patients with recurrent depression]. **2006**, 134, 369-74 0
- 409 Lebenszufriedenheit bei chronischen Erkrankungen. **2007**, 15, 23-31 1
- 408 Psychosocial therapies for psychiatric disorders and diabetes mellitus. **2007**, 195-217
- 407 Diabetes mellitus and depression. **2007**, 29-40
- 406 [Visual stability in diabetic retinopathy treated by panretinal laser photocoagulation]. **2007**, 51, 575-80 1
- 405 Diagnosis and treatment of major depression 2007. **2007**, 11, 35-42 2
- 404 Psychosocial Issues and Type 2 Diabetes. **2007**, 83-95
- 403 Comorbid Depression and Diabetes. **2008**, 331-352
- 402 Depressive und Angststörungen bei somatischen Krankheiten. **2008**, 1501-1566 1
- 401 Mood Disorders and Medical Illness in the Elderly. **2008**, 179-196 1
- 400 Diabetes and Depression. **2009**, 343-363
- 399 Early detection of mental ill-health, harmful stress and suicidal behaviours. **2009**, 544-550
- 398 Diabetes Mellitus. **2009**, 417-425
- 397 Policy and practice for diabetes care. **2009**, 127-150
- 396 Neuropsychological Sequelae of Type 1 and Type 2 Diabetes. **2010**, 415-429
- 395 Epidemiology. **2010**, 457-482
- 394 Physical Illness and Medical Needs of Women with Mental Disorders. **2010**, 81-105
- 393 [Comorbidity of depression and type 2 diabetes--risk factors and clinical significance]. **2010**, 67, 493-500 1

392 Recognition and Treatment of Depression. **2010**, 956-965.e1

391 Trial Design in Behavioral Medicine. **2010**, 925-939

1

390 Services in an Era of Managed Care. **2010**, 201-227

389 The Aims of Diabetes Care. 323-333

388 Integrated Disease and Depression Management for Insureds in Medicare Supplement Plans. **2010**, 40, 408-414

387 Treatment of Depression in the Medically Ill. **2011**, 399-414

386 Adult Diabetes and Quality of Life, Psychosocial Issues, and Sexual Health. **2010**, 471-490

385 Diabetes and Mortality. **2010**, 267-284

384 Diabetes and Disability, Cognitive Decline, and Aging-Related Outcomes. **2010**, 225-246

383 Treatment of Late-Life Depression in Community Settings. **2010**, 524-528

382 Pseudo-CushingâSyndrome. **2011**, 57-70

381 Depressive symptoms and Lifestyle in a community population. **2011**, 26, 68-71

0

380 Diabetes. **2011**, 294-306

379 Diabetes. **2011**, 328-360

378 Encyclopedia of Clinical Neuropsychology. **2011**, 830-831

377 Diabetes Mellitus. **2011**, 217-230

376 Metabolic Syndrome and Mental Illness. 177-193

375 Prognostic Implications of Depression in Ischemic Syndromes. **2012**, 147-167

- 374 Diabetes and Special Groups. **2012**, 103-133
- 373 8 Diabetes mellitus. **2012**, 111-124
- 372 Use of antidepressants in diabetes patients not using drugs, but only monitoring blood glucose. **2012**, 02, 234-237
- 371 Screening for Depression in Patients with Chronic Obstructive Pulmonary Disease: A Systematic Review. **2012**, 83, 468 4
- 370 Comorbidity of Depression and Diabetes: In a Nutshell. **2012**, 03, 787-794
- 369 Diabetes patients at risk of malnutrition. **2012**, 2012,
- 368 Diabetisches Fußsyndrom. **2013**, 119-126
- 367 [Diabetes mellitus and comorbid depression]. **2013**, 50, 744-7 1
- 366 Diabetesbezogene Belastungen. **2013**, 105-118 0
- 365 Association Between Blood Sugar Level, Psychological Impact, and Emotional Symptoms in Patients Newly Diagnosed with Diabetes. **2013**, 14, 46 1
- 364 Diabetes and Obesity. **2013**, 145-155
- 363 Healthcare technician delivered screening of adults with diabetes to improve primary care provider recognition of depression. **2013**, 2, 209
- 362 Mood Disorders and Chronic Physical Illness. 451-461
- 361 «Det gån å mestre det meste ved gruppebasert kurs som dette her» – Gruppebasert oppløring og mestring ved diabetes type 2: En kvalitativ studie. **2013**, 3, 194-205
- 360 Psychiatric pharmacist management of depression in patients with diabetes. **2013**, 15, 3
- 359 Metabolic Stress and Neuropsychiatric Disorders. **2014**, 295-311
- 358 Psychosocial Health Status of Patients Diagnosed with Chronic Illnesses in Jordan. **2014**, 03, 281-291 2
- 357 Effects of Depression on Aspects of Self-Care in Type 2 Diabetes. **2014**, 06, 1522-1531 0

356 Endocrinology. **2014**, 417-458

355 Spezielle Situationen. **2014**, 261-300

354 Cut-Off Values of Anthropometric Indices for the Prediction of Hypertension in a Sample of Egyptian Adults. **2014**, 2, 89-94

1

353 Different Wound Type. **2015**, 113-142

352 Early Phase Metabolic Research with Reference to Special Populations. **2015**, 225-242

351 Depression, metabolisches Syndrom und kardiovaskuläre Erkrankungen. **2015**, 6-17

350 Multimorbidity in a Mexican Community: Secondary Analysis of Chronic Illness and Depression Outcomes. **2015**, 2, 35-47

3

349 Diabetes mellitus. **2015**, 81-93

348 Depression bei Diabetes.

347 Factors Affecting Clinical Depression in Diabetic Geriatric Population. **2015**, 05, 238-244

346 Autoantibodies in Human Diabetic Depression Inhibit Adult Neural Progenitor Cells and Induce Depressive-Like Behavior in Rodents. **2015**, 2,

2

345 Metabolic control and depression in type 1 diabetes mellitus. **2015**, 18, 47-53

344 How Often do Chronic Diseases Cause Episodes of Depression?. **2015**, 25, 61-69

343 Depressive Symptoms, Age at Diagnosis and A Clinically Defined Metabolic Syndrome as Independent Correlates of Glycemic Control in Patients with Type 2 Diabetes Mellitus. **2015**, 2,

342 Structural and Associational Solidarity Between Adult Children and Older Parents: Impact on Older Parents' Cognitive Functioning. **2015**, 33, 105-118

341 Mineral Deficiencies and Depression: Evidence-Based Research. **2015**, 115-132

340 Integrative Approaches for Geriatric Depression. **2015**, 457-478

339 Living Well with Loss in Later Life. **2016**, 19-28

- 338 Cognitive Deficits and Depression Among Diabetic and Nondiabetic Patients with Coronary Heart Disease. **2016**, 47-62
- 337 Insulin Resistance, Glucose Regulation, Obesity, and Mood. **2016**, 849-871
- 336 Study of Depression and Anxiety in Type II Diabetic Clients Presenting to Yazd Diabetes Research Center Clinic and Its Correlation with HBA1c. **2016**, 1, 0
- 335 Encyclopedia of Clinical Neuropsychology. **2016**, 1-3
- 334 Influence of psychiatric comorbidity on the treatment process of type 2 diabetic patient. **2016**, 32, 177 1
- 333 Diabetes Mellitus (Type 1). **2016**, 131-147 0
- 332 Diabetes mellitus. **2016**, 175-183
- 331 Biochemical and Clinical Profile in Type 2 Diabetics with Depression. **2016**, 10, BC19-23 3
- 330 PSYCHOLOGICAL IMPACTS AMONG PATIENTS WITH TYPE 2 DIABETES MELLITUS: A CROSS SECTIONAL STUDY. **2016**, 5, 2634-2640
- 329 Integrated Diabetes Care in Hong Kong: From Research to Practice to Policy. **2017**, 65-85
- 328 Barriers to adherence and their solutions. **2016**, 41-58
- 327 Diabetes mellitus und Depression. **2017**, 1-6
- 326 Therapiemanual: Therapiesitzungen. **2017**, 13-44
- 325 Diabetes mellitus und Altersdepression. **2017**, 209-218
- 324 Typ-2-Diabetes mellitus und Depression bei älteren Menschen. **2017**, 3-8
- 323 Gesamtliteraturverzeichnis. **2017**, 1-153
- 322 Patientenbegleitbuch. **2017**, 53-111
- 321 Psychische Störungen bei somatischen Krankheiten. **2017**, 2693-2805 5

- 320 Special Features of Ketoacidosis Episodes of Diabetics Aged at least 65 Years in an Internal Medicine Department. **2017**, 4,
- 319 Depression and Glycemic Control in a Sample of Patients with Type 2 Diabetes. **2017**, 3, 1
- 318 The Relation of Socio-Demographic and Clinical Factors to Depression and Anxiety Levels in Diabetic Patients. 18-27 0
- 317 Eating Disorders and Type 1 Diabetes. **2017**, 247-276
- 316 RISK FACTORS OF DEPRESSIVE DISORDER IN PATIENTS WITH TYPE TWO DIABETES MELLITUSSTUDY IN A TERTIARY CARE CENTRE. **2017**, 6, 6167-6171 1
- 315 Depression and anxiety disorders in people with diabetes. **2017**, 18, 360-366
- 314 Fall 27: Spießschiden âB1 Jahre, ?, DM Typ 1, Depression. **2018**, 105-107
- 313 Psychosocial and Educational Implications of Diabetic Foot Complications. **2018**, 471-483
- 312 Diabetes, Depression, and Cognitive Disorders. **2018**, 689-716
- 311 Diabetes Mellitus and Aging. **2018**, 269-287
- 310 Medical Family Therapy in Endocrinology. **2018**, 293-319
- 309 Provision of mental health care within primary care in Peru: A qualitative study exploring the perspectives of psychologists, primary health care providers, and patients. 3, 9 0
- 308 The Effects of Socioeconomic Deprivation on Health Status in the elderly: Focusing on the Mediating Role of Depression. **2018**, 38, 88-124 3
- 307 A novel, biologically-informed polygenic score reveals role of mesocorticolimbic insulin receptor gene network on impulsivity and addiction. 1
- 306 Transplantation of human pluripotent stem cells overexpressing ERRÎan efficiently improve the symptoms of type 2 diabetes patient. **2018**, 4,
- 305 Influence of Biofeedback-Based Breathing Training for Diabetic Patients on Long-Term Glycemic Control. **2018**, 30, 68-74
- 304 Behavioral therapy in diabetes mellitus and obesity. 015-021
- 303 Sex Disparities in Hospitalization. **2018**, 137-148

- 302 Correlation Between Depression and Glycemic Control in Patients with Diabetes Mellitus: A Cross-Sectional Study in a Clinical Setting in India in the Year 2013. **2018**, In Press,
- 301 A STUDY OF DEPRESSION IN DIABETES AND THE RELATION OF DEPRESSION WITH GLYCAEMIC CONTROL AND DISEASE ACCEPTANCE. **2018**, 7, 4896-4899
- 300 Genetic variation in the Major Histocompatibility Complex and association with depression. 1
- 299 Corporate Strategies: Employer and Insurer's Perspective. **2019**, 181-190
- 298 Depression, metabolisches Syndrom und kardiovaskuläre Erkrankungen. **2019**, e.6-e.13
- 297 Neuropsychological Sequelae of Type 1 and Type 2 Diabetes. **2019**, 533-548
- 296 The Elderly with Diabetes. **2019**, 977-989
- 295 Factors Affecting Fatigue in Patients with Type II Diabetes Mellitus Referring to Ardabil Diabetes Clinic. **2019**, 20, 280-291 2
- 294 Dietary Patterns and Their Association with Depression among Type 2 Diabetes Patients in Gaza Strip, Palestine. **2019**, 10, 533-550 1
- 293 Rate of positive depression screenings among Marshallese patients with diabetes in Northwest Arkansas. **2019**, 9, 36-40
- 292 Early Phase Metabolic Research with Reference to Special Populations. **2019**, 517-538
- 291 Diabetes and Mental Health: From Distress to Depression. **2019**, 417-428
- 290 Depression, Anxiety, and Physical Morbidity in Women. **2019**, 1-21
- 289 Diabetes Mellitus and Aging. **2019**, 359-377 0
- 288 Mental health care use in men with comorbid diabetes and depression: The role of age and race. **2019**, 4,
- 287 Diabetes, Depression, and Cognitive Disorders. **2019**, 1-28
- 286 Facing Diabetes: A Guide for Psychiatric Providers. **2019**, 49, 60-64
- 285 COMPARISON OF QUALITY OF LIFE OF TYPE TWO DIABETIC PATIENTS WITH AND WITHOUT DEPRESSION- STUDY IN A TERTIARY CARE CENTRE. **2019**, 8, 797-799

- 284 Severe Depressive Episode with Psychotic Symptoms and Type 2 Diabetes: A 2010-2017 Longitudinal Study. **2019**, 25, 1760-1768 1
- 283 Experiencia de pacientes con diabetes e hipertensi3n que participan en un programa de telemonitoreo. **2019**, 33, 31-41 0
- 282 The Prevalence and Patterns of Combined Psychotropic Polypharmacy among Acute Care Hospitals in Japan.
- 281 Depression, cardiovascular disease, and related pathophysiologic mechanisms in women. **2019**, 61, e300-e304
- 280 Evaluate Factors Influencing Depression in Baghdad: Using Deck-Depression Inventory. **2019**, 10,
- 279 La medicina emotiva e comportamentale: un nuovo paradigma per i sistemi sanitari?. **2019**,
- 278 An Analysis of ComorbiditiesâRole in Diabetes Mellitus and Its Data-Intensive Technology-Based Prediction to Reduce Risk and Diagnostic Costs. **2020**, 83-99
- 277 Diyabetik Hastalarda Subjektif Uyku Kalitesinin Glisemi Kontrolve Kronik Diyabetik Komplikasyonlar ile İliisi. **2019**, 28, 62-69 1
- 276 Comorbid Psychiatric Illnesses. **2020**, 139-178
- 275 Psychodiabetologie in der Rehabilitation. **2020**, 327-342
- 274 Effects of Diabetes on Neurocognitive Function of Children. **2020**, 79-89
- 273 Prevalence of Depression among Type 2 Diabetes Mellitus Patients of a Tertiary Care Hospital. **2020**, 7, 726-729
- 272 Frequency of Depression and Quality of Life in Patients with Diabetes Mellitus in Public Health Facilities in Metropolitan Lima. **2020**, 50, 243-243
- 271 Clinical depression among patients with post-acute coronary syndrome: a prospective single-tertiary centre analysis. **2020**, 1
- 270 Is there an association between serum 25(OH)D and mental well-being in patients with type 2 diabetes? Results from a cohort study in primary care. **2020**, 19, 361-367
- 269 Improving Diabetes Management in Emerging Adulthood: An Intervention Development Study Using the Multiphase Optimization Strategy (Preprint).
- 268 Psikiyatrik Hastalarda Solunum Egzersizleri ile Birlikte Gevme Egzersizlerinin Psikolojik Duruma Etkisi. 46-56
- 267 Psychosocial Contributors to Depressive Symptoms in Hispanic Patients With Type 2 Diabetes. **2021**, 26350106211054420 1

266	Depression and Anxiety in Adults with Diabetes. 2020 , 329-352	1
265	Mental Disorder Prevalence Among Populations Impacted by Coronavirus Pandemics: A Multilevel Meta-Analytic Study of COVID-19, MERS & SARS.	
264	Persistent risk: psychological comorbidity in polycystic ovary syndrome. 2020 , 8, 139-141	0
263	Contemporary approaches to correction of cognitive impairment in endogenous depression. 2020 , 82-93	
262	Chamomile decoction mitigates high fat diet-induced anxiety-like behavior, neuroinflammation and cerebral ROS overload. 2020 , 1-12	5
261	Investigating pleiotropy between depression and autoimmune diseases using the UK Biobank.	
260	Polycystic ovary syndrome and increased risk of psychiatric disorders. 2020 , 8, 133-137	
259	The Effects of Stress on Glycemic Control Brought on by Changes in Social Conditions due to COVID-19. 2021 ,	0
258	Encyclopedia of Behavioral Medicine. 2020 , 645-650	
257	Trastorno por atracón asociado a depresión y ansiedad en pacientes con diabetes tipo 2. 2020 , 18, 367-372	
256	Behavioral Abnormalities of Diabetes Mellitus and Streptozotocin-Induced Diabetic Mouse Model. 2020 , 10, 1348-1352	
255	The Association among Glycemic Control and Depression Symptoms in Patients with Type 2 Diabetes. 2020 , 32, 177-182	2
254	Diabetes, Depression, and Cognitive Disorders. 2020 , 687-714	
253	The Relationship between Self-Rated Health Status and Mental Health among Korean Older Adults: The Moderating Role of Self-Rated Socio-Economic Levels. 2021 , 32, 121-144	0
252	Use of the PsycheMERGE Network to Investigate the Association Between Depression Polygenic Scores and White Blood Cell Count. 2021 , 78, 1365-1374	3
251	The Relationship Between Emotional Intelligence and Diabetes Management: A Systematic Review. 2021 , 12, 754362	
250	Sex/Gender Psychological Differences in the Adult Diabetic Patient and How a Child's Response to Chronic Disease Varies with Age and Can Be Influenced by Technology. 2021 , 2, 215-225	0
249	Prevalence and Risk Factors of Postpartum Depression in Women: A Systematic Review and Meta-analysis. 2021 ,	6

248	Frequency of depression and quality of life in patients with diabetes mellitus in public health facilities in Metropolitan Lima. 2021 , 50, 243-251	
247	The relationship between health-related quality of life and melancholic depressive symptoms is modified by brain insulin receptor gene network. 2021 , 11, 21588	0
246	Depression in High-Risk Type 2 Diabetes Adults. 2020 , 27, 204-213	0
245	Lebenszufriedenheit bei chronischen Erkrankungen: Zum wechselseitigen Einfluss von Strategien der Krankheitsbewältigung, Depression und Sozialer Unterstützung. 2006 , 495-519	
244	Psychosocial and Educational Implications of Diabetic Foot Complications. 2006 , 507-521	1
243	Depression in Type 2 Diabetes. 2008 , 403-412	
242	Diabetes Education in Geriatric Populations. 2009 , 289-307	
241	Encyclopedia of Clinical Neuropsychology. 2018 , 1131-1134	
240	Behandlung psychischer Störungen bei Diabetes mellitus. 2007 , 111-123	
239	Factors associated with symptoms of depression among pregnant women with gestational diabetes mellitus in Japan. 2020 , 14, 232-238	1
238	Does Treatment for Depression With Collaborative Care Improve the Glycemic Levels in Diabetic Patients with Depression? A Systematic Review. 2020 , 12, e10551	1
237	Improving Diabetes Management in Emerging Adulthood: An Intervention Development Study Using the Multiphase Optimization Strategy. 2020 , 9, e20191	1
236	An Intervention to Change Illness Representations and Self-Care of Individuals With Type 2 Diabetes: A Randomized Controlled Trial. 2021 , 83, 71-84	1
235	Should Insulin-dependent Diabetic Patients Be Screened for Malnutrition Before Total Joint Arthroplasty? A Cohort at Risk. 2021 , 29, 673-680	0
234	Evaluating the Influence of Mood and Stress on Glycemic Variability in T1DM Patients using Glucose Monitoring Sensors and Pools.	
233	Major depressive disorder but not bipolar disorder and schizophrenia is a causal factor for type 2 diabetes as determined by Mendelian randomization.	
232	Depressive disorders in Asian American adults. 2002 , 176, 239-44	17
231	The vital link between chronic disease and depressive disorders. 2005 , 2, A14	149

230	Identifying and managing depression in the medical patient. 2005 , 7, 282-93; quiz 294-5	3
229	Managing depression in primary care: achieving remission. 2006 , 8, 88-97	3
228	SONRISA: a curriculum toolbox for promotores to address mental health and diabetes. 2007 , 4, A101	14
227	Characteristics of men and women with diabetes: observations during patients' initial visit to a diabetes education centre. 2008 , 54, 219-27	31
226	Understanding "masculinity" and the challenges of managing type-2 diabetes among African-American men. 2007 , 99, 550-2, 554-8	35
225	Diabetes, depression, and healthcare utilization among African Americans in primary care. 2004 , 96, 476-84	17
224	Do depressed patients with diabetes experience more side effects when treated with Citalopram Than their counterparts without diabetes? a STAR*D study. 2009 , 11, 186-96	
223	Quality of care indicators, health behaviors, and physical functioning in adults with diabetes. 2007 , 7, 158-66	1
222	Glucose self-monitoring: think twice for type 2 patients. 2008 , 57, 731-4	
221	Health status of patients with self-reported chronic diseases in Jamaica. 2009 , 1, 356-64	3
220	Depression and anxiety in patients with epilepsy, with or without other chronic disorders. 2011 , 13, 112-6	12
219	Metabolic imbalance in affective disorders. 2013 , 6, 45-9	1
218	Differences in the clinical recognition of depression in diabetes patients: the Diabetes Study of Northern California (DISTANCE). 2013 , 19, 344-52	16
217	Depression in diabetes mellitus: a comprehensive review. 2012 , 16, 205-14	65
216	Screening and management of depression for adults with chronic diseases: an evidence-based analysis. 2013 , 13, 1-45	11
215	Motivational Interviewing (MI) to Change Type 2DM Self Care Behaviors: A Nursing Intervention. 2010 , 14, 112-118	9
214	Chronic Medical Conditions and Major Depressive Disorder: Differential Role of Positive Religious Coping among African Americans, Caribbean Blacks and Non-Hispanic Whites. 2014 , 5, 405-13	50
213	Psychological disorders in gastrointestinal disease: epiphenomenon, cause or consequence?. 2014 , 27, 224-230	38

212	Challenges in Type 1 diabetes management in South East Asia: Descriptive situational assessment. 2014 , 18, 600-7	8
211	Diabetes mellitus may induce cardiovascular disease by decreasing neuroplasticity. 2014 , 29, 7-13	6
210	Health status of dually eligible beneficiaries in managed care plans. 2004 , 25, 59-74	7
209	How Should We Screen Patients for Major Depression?. 2004 , 8, 24-6	1
208	Depression, anxiety and stress among patients with diabetes in primary care: A cross-sectional study. 2015 , 10, 9-21	9
207	Discrimination and Depression among Urban Hispanics with Poorly Controlled Diabetes. 2015 , 25, 130-7	5
206	Major Depression Comorbid with Medical Conditions: Analysis of Quality of Life, Functioning, and Depressive Symptom Severity. 2018 , 48, 8-25	1
205	IN MY OWN WORDS: THE VALUE OF STORYTELLING TO SHAPE THE ACADEMIC MEDICINE JOURNEY. 2018 , 129, 312-324	
204	Evidence-Based Clinical Vignettes from the Care Management Institute: Major Depression. 2002 , 6, 34-42	2
203	Race and Ethnic Differences in the Associations between Cardiovascular Diseases, Anxiety, and Depression in the United States. 2014 , 2, 107-113	4
202	Marital Satisfaction and Depression in Mothers of 3-4 Year Old Children with Developmental Delay in Comparison with Mothers of Normal Children. 2019 , 13, 91-108	4
201	The Effectiveness of Flower for Immediate Relief from Symptoms of Depression. 2020 , 93, 251-264	3
200	A systematic review and meta-analysis to compare the prevalence of depression between people with and without Type 1 and Type 2 diabetes. 2021 ,	1
199	Obesity and Uncontrolled Diabetes Predict Depression in HF Patients. 2021 , 10,	
198	Development and Validation of the Depression Inventory for Type 1 Diabetes (DID-1). 2021 , 18,	
197	Implanted pluripotent stem-cell-derived pancreatic endoderm cells secrete glucose-responsive C-peptide in patients with type 1 diabetes. 2021 , 28, 2047-2061.e5	21
196	Mental distress of parents with chronic diseases during the COVID-19 pandemic in Australia: A prospective cohort study. 2021 , 152, 110688	2
195	Adaptive multi-task positive-unlabeled learning for joint prediction of multiple chronic diseases using online shopping behaviors. 2022 , 191, 116232	0

- 194 Screening for depression among chronically ill patients in community pharmacy settings: a pilot study in Bulgaria. **2021**, 35, 1393-1400
- 193 mHealth prompts within diabetes prevention programs: a scoping review.. **2022**, 8, 20 3
- 192 Psychological and traumatic stress and the risk of developing diabetes and psychiatric disorders after a disaster-relief mission: An eight-year longitudinal study of Japan Maritime Self-Defense Force personnel dispatched for the 2011 Great East Japan Earthquake disaster-relief mission.. **2021**, 146, 118-124
- 191 Association between nonalcoholic fatty liver disease and depression: A systematic review and meta-analysis of observational studies.. **2022**, 301, 8-13 2
- 190 AN OVERVIEW OF DEPRESSION TENDENCIES IN PATIENTS WITH TYPE 2 DIABETES MELLITUS IN KEBONSARI PRIMARY HEALTHCARE CENTER, SURABAYA CITY. **2020**, 15, 339
- 189 The effect and mechanism of Jiao-tai-wan in the treatment of diabetes mellitus with depression based on network pharmacology and experimental analysis. **2021**, 27, 154 0
- 188 Efeito do transtorno depressivo no acesso feminino ao ensino superior brasileiro. 5-25
- 187 Exercise as a Moderator of Persistent Neuroendocrine Symptoms of Covid 19.. **2022**, 50, 2
- 186 Depression, diabetes, their comorbidity and all-cause and cause-specific mortality: a prospective cohort study.
- 185 Efeito do transtorno depressivo no acesso feminino ao ensino superior brasileiro. **2022**, 10, 5
- 184 Psychiatric comorbidity and risk of premature mortality and suicide among those with chronic respiratory diseases, cardiovascular diseases, and diabetes in Sweden: A nationwide matched cohort study of over 1 million patients and their unaffected siblings.. **2022**, 19, e1003864 0
- 183 Type 2 Diabetes Management, Control and Outcomes During the COVID-19 Pandemic in Older US Veterans: an Observational Study.. **2022**, 37, 870 1
- 182 Depression and Anxiety Are Associated with Physical Performance in Patients Undergoing Cardiac Rehabilitation: A Retrospective Observational Study.. **2022**, 9, 1
- 181 Risk of Negative Health Outcomes and High Costs for People With Diabetes and Unmet Psychological Needs in the United States. 0
- 180 Colorectal Cancer Survivors' Receptivity toward Genomic Testing and Targeted Use of Non-Steroidal Anti-Inflammatory Drugs to Prevent Cancer Recurrence.. **2022**, 1 1
- 179 Effectiveness of eHealth-Based Psychological Interventions for Depression Treatment in Patients With Type 1 or Type 2 Diabetes Mellitus: A Systematic Review.. **2021**, 12, 746217 0
- 178 Prevalence of gastrointestinal complications in patients with type 2 diabetes mellitus in Iran: a systematic review and meta-analysis. 1
- 177 Risk of Depression and Suicide in Diabetic Patients.. **2022**, 14, e20860 0

- 176 Does Awareness of Diabetic Status Increase Risk of Depressive or Anxious Symptoms? Findings from the China Multi-Ethnic Cohort (CMEC) Study.
- 175 Proteomics Study Reveals the Anti-Depressive Mechanisms and the Compatibility Advantage of Chaihu-Shugan-San in a Rat Model of Chronic Unpredictable Mild Stress.. **2021**, 12, 791097 1
- 174 A 12-month longitudinal study examining the shared and unique contributions of self-compassion and psychological inflexibility to distress and quality of life in people with Type 2 Diabetes.. **2022**, 155, 110728 0
- 173 Associations of Serum Cytokines, Growth Factors, and High-Sensitivity C-Reactive Protein Levels in Patients with Major Depression with and without Type 2 Diabetes Mellitus: An Explanatory Investigation.. **2022**, 18, 173-186 1
- 172 Prevalence and correlates of diabetes distress and depressive symptoms among individuals with type-2 diabetes mellitus during Ramadan fasting: A cross-sectional study in Bangladesh amid the COVID-19.. **2022**, 109210 0
- 171 Associations between depression and cognition, mild cognitive impairment and dementia in persons with diabetes mellitus: a systematic review and meta-analysis.. **2022**, 109227 2
- 170 Loneliness and functional limitations among older adults with diabetes: Comparing directional models.. **2022**, 154, 110740
- 169 Evaluation of a Stepped Care Approach to Manage Depression and Diabetes Distress in Patients with Type 1 Diabetes and Type 2 Diabetes: Results of a Randomized Controlled Trial (ECCE HOMO Study). **2021**, 1-16 1
- 168 Metformin Treatment Attenuates Brain Inflammation and Rescues PACAP/VIP Neuropeptide Alterations in Mice Fed a High-Fat Diet.. **2021**, 22, 1
- 167 Impact of a Psychological Follow-Up of Diabetics in the Management of Diabetes in Morocco. **2022**, 115-123
- 166 Egészségpszichológia a gyermekgyógyászatban. **2022**, 147-166
- 165 The Association of the Prevalence of Depression in Type 2 Diabetes Mellitus with Visual-Related Quality of Life and Social Support.. **2022**, 15, 535-544 1
- 164 Early Optimized Pharmacological Treatment in Patients With Depression and Chronic Pain.. **2022**, 1-40
- 163 Decreased Risk of Anxiety in Diabetic Patients Receiving Glucagon-like Peptide-1 Receptor Agonist: A Nationwide, Population-Based Cohort Study.. **2022**, 13, 765446 0
- 162 The Association of Hemoglobin A1c Levels and Depression Among Adults With Diabetes in the United States.. **2022**, 14, e22688
- 161 Neighbourhood characteristics related to mental health service use among adults with diabetes: a population-based cohort study in New Brunswick, Canada.. **2022**, 15, 79 0
- 160 Beyond Sarcopenia: older adults with type II diabetes mellitus tend to experience an elevated risk of poor dynamic balance-a case-control study.. **2022**, 22, 138 0
- 159 Comorbidity of Anxiety and Depression with Hypertension, Diabetes, and Cardiovascular Disease: A Selective Systematic Review from India.

158	A Sex-Specific Genome-Wide Association Study of Depression Phenotypes in UK Biobank.	0
157	Trends in depression by glycemic status: Serial cross-sectional analyses of the National Health and Nutrition Examination Surveys, 2005-2016.. 2022 ,	
156	Vitamin D Supplementation for the Treatment of Depressive Symptoms in Women with Type 2 Diabetes: A Randomized Clinical Trial.. 2022 , 2022, 4090807	2
155	Gender-specific association of biochemical variables with depression: a population-based case-control study from North India. 2022 , 29,	0
154	The Risk of Herpes Zoster in Women with Polycystic Ovary Syndrome: A Retrospective Population-Based Study.. 2022 , 19,	1
153	Long non-coding RNA screening and identification of potential biomarkers for type 2 diabetes.. 2022 , e24280	1
152	The Other Face of Insulin-Overdose and Its Effects.. 2022 , 10,	1
151	Impact of lipid ratio as an objective indicator of mental health status in Indian Individuals with Diabetes mellitus: an observational pilot study. 1	
150	Effectiveness of cognitive behavioral therapy-based interventions on psychological symptoms in adults with type 2 diabetes mellitus: An update review of randomized controlled trials.. 2022 , 108185	0
149	LC/ESI/TOF-MS Characterization, Anxiolytic and Antidepressant-like Effects of Korth Extract in Diabetic Rats.. 2022 , 27,	0
148	Insulin action in the brain: cell types, circuits, and diseases.. 2022 ,	4
147	Comorbid obstructive sleep apnea and insomnia and its associations with mood and diabetes-related distress in type 2 diabetes mellitus. 2021 ,	0
146	Coronavirus Disease 2019 Pandemic Associated with Anxiety and Depression among Non-Hispanic Whites with Chronic Conditions in the US.. 2022 , 100331	0
145	Achieving diabetes treatment targets in people with registered mental illness is similar or improved compared with those without: Analyses of linked observational datasets.. 2022 , e14835	0
144	Apelin controls emotional behavior in age- and metabolic state-dependent manner.. 2022 , 140, 105711	0
143	Depression and Anxiety Disorders. 305-450	
142	P.0642 The apelinergic system influences anxiety-like behavior in a mouse model of comorbidity between diabetes and depression. 2021 , 53, S472-S473	
141	Type 2 Diabetes in Women-Different and Difficult. 2021 ,	

- 140 Home Bridge - Smart Elderly Care System. **2021**, 0
- 139 5. Facilitating Behavior Change and Well-being to Improve Health Outcomes: Standards of Medical Care in Diabetes-2022.. *Diabetes Care*, **2022**, 45, S60-S82 14.6 24
- 138 High Bodyweight Variability Increases Depression Risk in Patients With Type 2 Diabetes Mellitus: A Nationwide Cohort Study in Korea.. **2021**, 12, 765129 0
- 137 Mindfulness-based interventions for adults with type 2 diabetes mellitus. **2021**, 2021, 0
- 136 Hyperinsulinemia Associated Depression.. **2022**, 15, 11795514221090244 1
- 135 Mental health and quality of life in different obesity phenotypes: a systematic review.. **2022**, 20, 63 0
- 134 Evaluating the Influence of Mood and Stress on Glycemic Variability in People with T1DM Using Glucose Monitoring Sensors and Pools. **2022**, 3, 268-275 0
- 133 A Systematic Review of Long-term Antidepressant Outcomes in Comorbid Depression and Type 2 Diabetes. 0
- 132 Conclusions. 145-156 0
- 131 Table_1.pdf. **2019**, 0
- 130 Image_1.PDF. **2018**, 0
- 129 Image_1.jpg. **2020**, 0
- 128 Table_1.docx. **2020**, 0
- 127 Challenges in Type 1 diabetes management in South East Asia: Descriptive situational assessment. **2014**, 18, 600 20
- 126 Function of the GABAergic System in Diabetic Encephalopathy.. **2022**, 1 0
- 125 PPAR γ Dysfunction in the Medial Prefrontal Cortex Mediates High-Fat Diet-Induced Depression.. **2022**, 1 0
- 124 Living with diabetes and its impact on mental health: results of an online survey.. **2022**, 11, e0262 0
- 123 Molecular mechanisms linking stress and insulin resistance.. **2022**, 21, 317-334 0

- 122 The individualisation of glycaemic targets in response to patient characteristics in type 2 diabetes: a scoping review.. **2022**,
- 121 Aetiology and Pathogenesis. **2022**, 231-245
- 120 DEPRESSION AMONG TYPE ONE DIABETES PATIENTS IN BURAYDAH IN 2019.. **2022**, 137-140
- 119 Suicide Risk in Patients With Diabetes Varies by the Duration of Diabetes: The Korea National Health and Nutrition Examination Survey (2019).. **2022**, 19, 326-332 0
- 118 Guideline Development for Medical Device Technology: Issues for Consideration.. **2022**, 19322968221093355
- 117 Memory complaints moderate the concordance between self-report and electronically monitored adherence in adults with type 2 diabetes. **2022**, 108205
- 116 The relationship of life-course patterns of adiposity with type 2 diabetes, depression, and their comorbidity in the Northern Finland Birth Cohort 1966.. **2022**, 0
- 115 De relatie tussen coping, diabetesregulatie en depressie bij mensen met diabetes. **2005**, 33, 213-220
- 114 ALGORITHM FOR SCREENING OF DEPRESSION IN INSULIN-DEPENDENT DIABETES. **2013**, 99-104
- 113 An Article in Two Parts: My Dinners With Richard and Addressing Diabetes Disparities in Hispanic Populations. **2022**, 35, 252-256
- 112 Epidemiology and socioeconomic impact of diabetes and Charcot neuroarthropathy. **2022**, 77-98
- 111 HTR1A Gene Polymorphism in Type 2 Diabetes Mellitus Comorbid with Major Depressive Disorder in a Chinese Population. Volume 15, 1597-1604
- 110 Higher dietary glyceemic load is inversely associated with stress prevalence among Iranian adults. **2022**, 23,
- 109 Family history of diabetes moderates metabolic depression endophenotypes in overweight/obese adults. **2022**,
- 108 A mixed-methods approach to understanding the perspectives, experiences, and attitudes of a culturally tailored cognitive behavioral therapy/motivational interviewing intervention for African American patients with type 2 diabetes: a randomized parallel design pilot study. **2022**, 8,
- 107 Effect of Compound Lactic Acid Bacteria Capsules on the Small Intestinal Bacterial Overgrowth in Patients with Depression and Diabetes: A Blinded Randomized Controlled Clinical Trial. **2022**, 2022, 1-6 1
- 106 How Income and Income Inequality Drive Depressive Symptoms in U.S. Adults, Does Sex Matter: 2005â2016. **2022**, 19, 6227 0
- 105 The Relationship Between Obesity and Depression Is Partly Dependent on Metabolic Health Status: A Nationwide Inpatient Sample Database Study. **2022**, 13, 1

- 104 Depression, diabetes, comorbid depression and diabetes and risk of all-cause and cause-specific mortality: a prospective cohort study. 1
- 103 Targeted treatment for type 2 diabetes mellitus and sleep disorders from a clinical and neuroimaging perspective. **2022**,
- 102 Correlation of IL-6, Coping, & Depression in Adolescent and Adult Patients Receiving Hemodialysis: A Comparative Study.
- 101 The Nexus Between Diabetes and Depression: A Narrative Review. **2022**, 0
- 100 Depression in Diabetic Patients: What Is the Link With Eating Disorders? Results of a Study in a Representative Sample of Patients With Type 1 Diabetes. 13, 1
- 99 Long term high fat diet induces metabolic disorders and aggravates behavioral disorders and cognitive deficits in MAPT P301L transgenic mice. 0
- 98 Assessing depressive symptoms and diabetes distress in Type 1 diabetic adults: A comparison of continuous subcutaneous insulin infusion (CSII) and multiple daily injections (MDI) users. 135910532210984
- 97 The Impact of Type 2 Diabetes in Parkinson's Disease. 0
- 96 The efficacy of cognitive behavioral therapy-based intervention on patients with diabetes: A meta-analysis. **2022**, 189, 109965 0
- 95 Literatur. **2022**, 151-163
- 94 Effect of treadmill walking for anxiety, depression and social well-being in women with diabetes type 2: A randomized controlled trial. 1-19
- 93 Distress and Living with Diabetes: Defining Characteristics Through an Online Survey. 0
- 92 Smoking cessation in people with and without diabetes after acute coronary syndrome. 0
- 91 Economic and Cardiometabolic Risk Factors Are Predictors of Lower Thyroid Stimulating Hormone (TSH) Levels in Hispanic/Latinx Adults with Euthyroidism—Community-Based Study. **2022**, 19, 8142 0
- 90 Clinical pharmacist interventions in ambulatory psychogeriatric patients with excessive polypharmacy. **2022**, 12, 0
- 89 Diabetes Health Profile-18 is Reliable, Valid and Sensitive in Singapore. **2016**, 45, 383-393 2
- 88 Comparison of the incidence of depression before and after endovascular treatment in patients with lower limb peripheral artery disease.
- 87 Severity of depressive but not anxiety symptoms impacts glucose metabolism among patients with type 2 diabetes in primary care. 9,

- 86 CBT in Medical Patients. **2010**,
- 85 The management of erectile dysfunction in men with diabetes mellitus unresponsive to phosphodiesterase type 5 inhibitors. 2
- 84 Metformin improves neurobehavioral impairments of streptozotocin-treated and western diet-fed mice: Beyond glucose-lowering effects.
- 83 Diabetes Treatment and Mental Illness: A Call for an Integrated Health Care System in Underserved Semi-Rural Malaysia. **2022**, 19, 10015 0
- 82 Pre-existing Mental Health Diagnoses Are Associated with Higher Rates of Postoperative Complications, Readmissions, and Reoperations Following Arthroscopic Rotator Cuff Repair. **2022**, 0
- 81 Régimes hyperlipidiques et dépression. **2022**,
- 80 Canagliflozin, mental health adverse events and diabetes: Exploratory analysis of the CREDENCE trial and CANVAS Program.
- 79 Association between single and multiple cardiometabolic diseases and depression: A cross-sectional study of 391,083 participants from the UK biobank. 10, 0
- 78 The Relationship between Stress, Inflammation, and Depression. **2022**, 10, 1929 2
- 77 Traditional chinese medicine to prevent and treat diabetic erectile dysfunction. 13, 0
- 76 DIABETES MELLITUS AND DEPRESSION DISORDERS (literature review). **2010**, 71-75 1
- 75 Metabolisches Syndrom und Depression. **2022**, 501-508 0
- 74 Does awareness of diabetic status increase risk of depressive or anxious symptoms? Findings from the China Multi-Ethnic cohort (CMEC) study. **2023**, 320, 218-229 0
- 73 Depression and Associated Risk Factors Among Type 2 Diabetic Patients: A Cross Sectional Study on a Convenience Sample from the Diabetic Center, Khamis Mushait; Saudi Arabia. Volume 18, 1975-1984 0
- 72 Use of Patient-Reported Outcomes for Assessing Diabetes Outcomes. **2022**, 0
- 71 High-Intensity Interval Training-Induced Hippocampal Molecular Changes Associated with Improvement in Anxiety-like Behavior but Not Cognitive Function in Rats with Type 2 Diabetes. **2022**, 12, 1280 1
- 70 Insulin modulates emotional behavior through a serotonin-dependent mechanism. 0
- 69 The differentiation of health behaviors by depression in U.S. diabetic patients. **2022**, 11, 122-128 0

- 68 Identification of MRAP protein family as broad-spectrum GPCR modulators. **2022**, 12, ○
- 67 Effects of Electroconvulsive Therapy on Glycemic Control in Type 1 Diabetes. **2022**, ○
- 66 Depression and multimorbidity - Results from a nationwide study. **2022**, ○
- 65 Polypharmacy and Antidepressant Acceptability in Comorbid Depression and Type 2 Diabetes. BJGP.2022.0295○
- 64 Psychiatric Disorders and Type 2 Diabetes mellitus: A Bidirectional Mendelian Randomization. ○
- 63 The Economic Burden Associated with Depressive Symptoms among Middle-Aged and Elderly People with Chronic Diseases in China. **2022**, 19, 12958 ○
- 62 Associations between urea nitrogen and risk of depression among subjects with and without type 2 diabetes: A nationwide population-based study. 13, ○
- 61 Psychometric and biomedical outcomes of glycated haemoglobin target-setting in adults with type 1 and type 2 diabetes: Protocol for a mixed-methods parallel-group randomised feasibility study. **2022**, 17, e0275980 ○
- 60 Association of comorbid mental disorders with cardiovascular disease risk in patients with type 2 diabetes: A nationwide cohort study. **2022**, 79, 33-41 ○
- 59 Implementation Planning for Integrating Depression Screening in Diabetes Mellitus and HIV Clinics in Botswana. ○
- 58 ESTIMATION OF THE FACTORS INFLUENCING THE DEVELOPMENT OF DIABETIC NEPHROPATHY AND DEPRESSION IN PATIENTS WITH DIABETES I. **2011**, 116-119 ○
- 57 Depression, Diabetes Mellitus and Mortality in Older Adults: A National Cohort Study in Taiwan. Volume 18, 2639-2648 ○
- 56 Cost-Effectiveness of a Collaborative Care Model Among Patients With Type 2 Diabetes and Depression in India. ○
- 55 Association between visit-to-visit fasting glycemic variability and depression: a retrospective cohort study in a representative Korean population without diabetes. **2022**, 12, ○
- 54 Nordic walking improves cardio-metabolic parameters, fitness performance and quality of life in older adults with type-2 diabetes. **2022**, 1 ○
- 53 Achievement of glycemic control and antidepressant medication use in comorbid depression and type 2 diabetes. **2023**, 324, 1-7 ○
- 52 Supporting people with type 2 diabetes who need insulin. **2022**, 39, 11-16 ○
- 51 Investigating the association between diabetes and mental health: A train-and-test approach. 13, ○

50	Exercise Increasing Health-Related Quality of Life in Type 2 Diabetics: A Meta-Analysis. 1-32	0
49	Psychopathology and eating behaviour in people with type 2 diabetes referred for bariatric surgery.	0
48	Glucagon-like Peptide 1 Receptor Activation Inhibits Microglial Pyroptosis via Promoting Mitophagy to Alleviate Depression-like Behaviors in Diabetic Mice. 2023 , 15, 38	0
47	The prevalence and factors associated with depressive symptoms among tertiary level students in Bangladesh: A survey in Rajshahi district. 2022 , 10, 100445	0
46	The effect of the smartphone app DiaCert on health related quality of life in patients with type 2 diabetes: results from a randomized controlled trial. 2022 , 14,	0
45	Long-Term Hyperglycemia Causes Depressive Behaviors in Mice with Hypoactive Glutamatergic Activity in the Medial Prefrontal Cortex, Which Is Not Reversed by Insulin Treatment. 2022 , 11, 4012	0
44	Inflammation-activated C/EBP β mediates high-fat diet-induced depression-like behaviors in mice. 15,	1
43	5. Facilitating Positive Health Behaviors and Well-being to Improve Health Outcomes: Standards of Care in Diabetesâ2023. 2023 , 46, S68-S96	1
42	Individual-level determinants of depressive symptoms and associated diseases history in Turkish persons aged 15 years and older: A population-based study. 13,	0
41	Prevalence and Impact of Mental and Physical Comorbidity in the Adult Singapore Population. 2012 , 41, 105-114	8
40	Evaluation of quality of life and depression in family caregivers of patients with type 1 diabetes in Iran: A caseâcontrol study. 2023 , 11, 205031212211460	0
39	Impact of Depression on Health Related Quality of Life in Patients with Diabetes. 2010 , 39, 913-919	3
38	Diabetes mellitus. 2022 , 221-287	0
37	Mendelian randomization shows depression increase the risk of type 2 diabetes.	0
36	Music Therapy: A Best Way to Solve Anxiety and Depression in Diabetes Mellitus Patients. 2023 , 237-247	0
35	The GLP-1 receptor agonist exenatide ameliorates neuroinflammation, locomotor activity, and anxiety-like behavior in mice with diet-induced obesity through the modulation of microglial M2 polarization and downregulation of SR-A4. 2023 , 115, 109653	0
34	The relationship between the joint effect of C-reactive protein and glycated hemoglobin with the risk of depressive symptoms among middle-aged and older adults: Findings from the China health and retirement longitudinal study. 2023 , 158, 88-94	0
33	Clinical health psychology: An introduction to the special issue. 2009 , 1, 9-11	0

- 32 Diabetes and clinical psychology. **2009**, 1, 29-31 ○
- 31 Factors associated with depression, anxiety and severe mental illness among adults with atopic eczema or psoriasis: a systematic review and meta-analysis. ○
- 30 Effects of Mind-Body Training as a Mental Health Therapy in Adults with Diabetes Mellitus Type II: A Systematic Review. **2023**, 12, 853 ○
- 29 The risk of experiencing depression among older adults in India: A cross-sectional study. ○
- 28 Association between polypharmacy and depression relapse in individuals with comorbid depression and type 2 diabetes: a UK electronic health record study. **2023**, 222, 112-118 ○
- 27 Self-Compassion and Chronic Medical Conditions. **2023**, 329-346 ○
- 26 Mental Health, Adherence, and Self-Management Among Children with Diabetes. **2023**, 59-116 ○
- 25 High-cholesterol diet promotes depression- and anxiety-like behaviors in mice by impact gut microbe and neuroinflammation. **2023**, 327, 425-438 ○
- 24 Geriatric Syndromes in Older Adults with Diabetes. **2023**, 52, 341-353 ○
- 23 Anxiety and depression among people with type 2 diabetes visiting diabetes clinics of Pokhara Metropolitan, Nepal: a cross-sectional study. **2023**, 13, e064490 ○
- 22 A sex-specific genome-wide association study of depression phenotypes in UK Biobank. ○
- 21 Relationships between Physical Activity Frequency and Self-Perceived Health, Self-Reported Depression, and Depressive Symptoms in Spanish Older Adults with Diabetes: A Cross-Sectional Study. **2023**, 20, 2857 ○
- 20 Determinants of depressive symptoms in older outpatients with cardiometabolic diseases in a Japanese frailty clinic: Importance of bidirectional association between depression and frailty. **2023**, 18, e0281465 ○
- 19 Factors associated with the prevalence of depression among people with oculocutaneous albinism in Jinja, Uganda. A cross sectional study. ○
- 18 Factors Associated With Diabetes Distress Among Patients With Poorly Controlled Type 2 Diabetes. **2023**, 7, ○
- 17 Molecular Changes in Cells of Patients with Type 2 Diabetes Mellitus Depending on Changes in Glycemia Level in the Context of Lifestyle—An Overview of the Latest Scientific Discoveries. **2023**, 45, 1961-1981 ○
- 16 Diabetes and Depression: Strategies to Address a Common Comorbidity within the Primary Care Context. **2023**, 100039 ○
- 15 Post hoc depression analysis from a pharmacist-led diabetes trial. **2023**, 13, 18-24 ○

- 14 Predicting suicide attempts among people with diabetes using a large multicenter electronic health records dataset. 009121742311624
- 13 The physical-mental health interface in the preconception period: analysis of 131 182 women planning pregnancy in the UK.
- 12 Depression, cardiometabolic disease, and their co-occurrence after childhood maltreatment: an individual participant data meta-analysis including over 200,000 participants. **2023**, 21,
- 11 Gender Differences in Self-Efficacy for Diabetes Self-Management Among Hispanics: The Mediating Role of Perceived Support and Depressive Symptoms. **2023**, 49, 91-100
- 10 PHQ-9, CES-D, health insurance data—who is identified with depression? A Population-based study in persons with diabetes. **2023**, 15,
- 9 Lurasidone and risk of metabolic syndrome: results from short and long-term studies in patients with bipolar depression. 1-8
- 8 Methylglyoxal is the main culprit to impairing neuronal function: mediated through tryptophan depletion.
- 7 Depression and determinants among diabetes mellitus patients in Ethiopia, a systematic review and meta-analysis. **2023**, 23,
- 6 Glutamate shall not pass: a mechanistic role for astrocytic O-GlcNAc transferase in stress and depression. **2023**, 133,
- 5 Is insomnia severity a moderator of the associations between obstructive sleep apnea severity with mood and diabetes-related distress?.
- 4 Comparing sodium-glucose cotransporter 2 inhibitors and dipeptidyl peptidase-4 inhibitors on new-onset depression: a propensity score-matched study in Hong Kong.
- 3 A Review of Research on the Association between Neuron–Astrocyte Signaling Processes and Depressive Symptoms. **2023**, 24, 6985
- 2 Probiotics for the treatment of depression and its comorbidities: A systemic review. 13,
- 1 Is Being a Lark Healthier for Patients with Type 1 Diabetes Mellitus?. **2023**, 16, 075-083