

CITATION REPORT

List of articles citing

High-Sensitivity C-Reactive Protein: A Novel and Promising Marker of Coronary Heart Disease

DOI: 10.1093/clinchem/47.3.403
Clinical Chemistry, 2001, 47, 403-411.

Source: <https://exaly.com/paper-pdf/32632402/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
406	Performance characteristics of a point of care C-reactive protein assay. 2001 , 314, 255-9		32
405	RE: Europium Nanoparticles and Time-resolved Fluorescence for Ultrasensitive Detection of Prostate-specific Antigen. <i>Clinical Chemistry</i> , 2001 , 47, 1743-1744	5.5	
404	High-Sensitivity C-Reactive Protein: Product Claims and the Food and Drug Administration. <i>Clinical Chemistry</i> , 2001 , 47, 1743-1743	5.5	
403	Loop-mediated Isothermal Amplification Reaction Using a Nondenatured Template. <i>Clinical Chemistry</i> , 2001 , 47, 1742-1743	5.5	327
402	Helicobacter Pylori Infection: A New Cause of Anorexia in Peritoneal Dialysis Patients. 2001 , 21, 152-156		33
401	Serum C-Reactive Protein in Canadian Inuit and Its Association with Genetic Variation on Chromosome 1q21. <i>Clinical Chemistry</i> , 2001 , 47, 1707-1709	5.5	9
400	Comment on High-Sensitivity C-Reactive Protein: Product Claims and the Food and Drug Administration. <i>Clinical Chemistry</i> , 2001 , 47, 1743-1743	5.5	
399	New strategies for the management of acute decompensated heart failure. 2001 , 16, 164-73		5
398	Value or desirability of hemorheological-hemostatic parameter changes as endpoints in blood lipid-regulating trials. 2001 , 12, 629-37		17
397	Inflammation-induced changes in the nutritional biomarkers serum retinol and carotenoids. 2001 , 4, 477-81		60
396	Inflammation and atherosclerosis: the value of the high-sensitivity C-reactive protein assay as a risk marker. 2001 , 116 Suppl, S108-15		32
395	False increase in serum C-reactive protein caused by monoclonal IgM-lambda: a case report. 2001 , 39, 983-7		15
394	High sensitivity immunoassays for C-reactive protein: promises and pitfalls. 2001 , 39, 1171-6		42
393	Pharmaceutical thrombosis prevention in cardiovascular disease. 2002 , 11, 553-63		
392	Prospective study of effect of androgens on serum inflammatory markers in men. 2002 , 22, 1136-41		61
391	Inflammatory response to coronary stent implantation in patients with unstable angina. 2002 , 40, 769-74		12
390	Gender differences in C-reactive protein concentrations-confirmation with two sensitive methods. 2002 , 40, 56-9		49

389	Biochemical Markers in Risk Stratification and Diagnosis of Acute Coronary Syndromes. 2002 , 33, 42-53	
388	Inflammation and cholesterol. 2002 , 4, A18-A25	1
387	C-reactive protein relaxes human vessels in vitro. 2002 , 22, 1865-8	38
386	Tumour necrosis factor-alpha, interleukin-2 soluble receptor and different inflammatory parameters in patients with rheumatoid arthritis. 2002 , 11, 345-9	6
385	Circulating soluble E-selectin in early rheumatoid arthritis: a prospective five year study. 2002 , 61, 242-6	45
384	In the elderly, interleukin-6 plasma levels and the -174G>C polymorphism are associated with the development of cardiovascular disease. 2002 , 22, 2066-71	213
383	Time course of plasma adhesion molecules in acute coronary syndromes. 2002 , 13, 215-21	3
382	High-sensitivity C-reactive protein and cardiovascular risk in patients with coronary heart disease. 2002 , 17, 325-31	36
381	Cyclooxygenase-2 and atherosclerosis. 2002 , 13, 497-504	35
380	Inflammatory markers and coronary heart disease. 2002 , 13, 383-9	78
379	Diagnostic value of CRP and Lp(a) in coronary heart disease. 2002 , 57, 197-204	36
378	The effect of 17beta-estradiol on endothelial and inflammatory markers in postmenopausal women: a randomized, controlled trial. 2002 , 165, 301-7	85
377	Elevated C-reactive protein associates with early-stage carotid atherosclerosis in young subjects with type 1 diabetes. 2002 , 25, 1432-8	102
376	Lipoprotein-associated phospholipase A2: a target directed at the atherosclerotic plaque. 2002 , 6, 309-14	23
375	C-reactive protein and cardiovascular disease: a review of risk prediction and interventions. 2002 , 317, 1-15	115
374	Development of ELISA on microplate for serum C-reactive protein and establishment of age-dependent normal reference range. 2002 , 322, 163-8	75
373	Performance characteristics of an automated high-sensitivity C-reactive protein assay on the Dimension RXL analyzer. 2002 , 323, 151-5	8
372	Effects of high- and low-isoflavone (phytoestrogen) soy foods on inflammatory biomarkers and proinflammatory cytokines in middle-aged men and women. 2002 , 51, 919-24	126

371	C-reactive protein: history and revival. 2002 , 13, 412		112
370	Association of C-reactive protein with coronary heart disease risk factors in patients with type 2 diabetes mellitus. 2002 , 58, 37-44		42
369	Inflamaci3n, hemostasia y enfermedad coronaria. La prote3na C reactiva y el d3mero D como marcadores del proceso de la arteriosclerosis. 2002 , 14, 242-257		
368	Effect of Analytical Error on the Assessment of Cardiac Risk by the High-Sensitivity C-Reactive Protein and Lipid Screening Model. <i>Clinical Chemistry</i> , 2002 , 48, 1955-1962	5.5	5
367	Effect of Atorvastatin and Fish Oil on Plasma High-Sensitivity C-Reactive Protein Concentrations in Individuals with Visceral Obesity. <i>Clinical Chemistry</i> , 2002 , 48, 877-883	5.5	118
366	C-Reactive Protein Kinetics in Newborns: Application of a High-Sensitivity Analytic Method in Its Determination. <i>Clinical Chemistry</i> , 2002 , 48, 1103-1106	5.5	34
365	High-Sensitivity C-Reactive Protein Methods Examined. <i>Clinical Chemistry</i> , 2002 , 48, 359-362	5.5	42
364	Effects of simvastatin (40 and 80 mg) on highly sensitive C-reactive protein in patients with combined hyperlipidemia. 2002 , 89, 468-9		8
363	Notes from a recent visitor to Berlin: on myocarditis, effect of coronary angiography on thyroid function, and Virchow's inflammatory theory of atherosclerosis. 2002 , 89, 1011-2		3
362	Association of systemic inflammatory state with troponin I elevation after elective uncomplicated percutaneous coronary intervention. 2002 , 89, 981-3		37
361	Effects of simvastatin on high-sensitivity C-reactive protein and serum albumin in hemodialysis patients. 2002 , 39, 1213-7		122
360	Les marqueurs d'instabilit3 de plaque: la CRP ultrasensible. 2002 , 4, 42-44		
359	Pleiotropic effects of HMG-CoA reductase inhibitors. 2002 , 97, 105-16		161
358	Inflammatory bio-markers and cardiovascular risk prediction. 2002 , 252, 283-94		498
357	The effect of early treatment by cerivastatin on the serum level of C-reactive protein, interleukin-6, and interleukin-8 in patients with unstable angina and non-Q-wave myocardial infarction. 2003 , 246, 45-50		22
356	C-Reactive Protein and Cardiovascular Diseases. 2003 , 12, 1-12		17
355	Role of C-reactive protein in the assessment of cardiovascular risk. 2003 , 91, 200-2		37
354	Utility of inflammatory markers in the management of coronary artery disease. 2003 , 92, 10i-8i		64

353	Chronomics: circadian and circaseptan timing of radiotherapy, drugs, calories, perhaps nutraceuticals and beyond. 2003 , 3, 223-60	34
352	Radiation-associated cardiovascular disease. 2003 , 45, 55-75	393
351	Update on C-reactive protein as a risk marker in cardiovascular disease. 2003 , S58-61	28
350	Recent trends in lipid management: raising the bar and shifting the goalposts?. 2003 , 33, 95-102	
349	The metabolic syndrome is associated with elevated circulating C-reactive protein in healthy reference range, a systemic low-grade inflammatory state. 2003 , 27, 443-9	158
348	Relaci3n entre la infecci3n por Helicobacter pylori y el perfil lip3dico: efecto del tratamiento erradicador. 2003 , 15, 16-20	
347	Electrogenerated chemiluminescence. 72. Determination of immobilized DNA and C-reactive protein on Au(111) electrodes using tris(2,2'-bipyridyl)ruthenium(II) labels. 2003 , 75, 5825-34	167
346	Serum matrix metalloproteinase-3 and tissue inhibitor of metalloproteinases-1 as potential markers of carotid atherosclerosis in infraclinical hyperlipidemia. 2003 , 169, 139-46	67
345	Leisure time physical activity and early atherosclerosis: the Los Angeles Atherosclerosis Study. 2003 , 115, 19-25	55
344	An Electrochemical Immunosensor for Assays of C-Reactive Protein. 2003 , 36, 1547-1556	20
343	Statins inhibit high glucose-mediated neutrophil-endothelial cell adhesion through decreasing surface expression of endothelial adhesion molecules by stimulating production of endothelial nitric oxide. 2003 , 65, 118-24	36
342	Evaluation of a modified hsCRP method for point-of-service testing. 2003 , 334, 249-52	2
341	Metabolic syndrome best defines the multivariate distribution of blood variables in postinfarction patients. 2003 , 171, 351-8	15
340	Comparison of treatment with fluvastatin extended-release 80-mg tablets and immediate-release 40-mg capsules in patients with primary hypercholesterolemia. 2003 , 25, 904-18	15
339	Why does C-reactive protein increase in non-ST elevation acute coronary syndromes? Role of myocardial damage. 2003 , 92, 129-35	7
338	Synergistic effect of persistent Chlamydia pneumoniae infection, autoimmunity, and inflammation on coronary risk. 2003 , 107, 2566-70	58
337	Serum plasma pregnancy-associated protein A: a potential marker of echogenic carotid atherosclerotic plaques in asymptomatic hyperlipidemic subjects at high cardiovascular risk. 2003 , 23, e7-10	62
336	Immunoturbidimetric determination of C-reactive protein (CRP) and high-sensitivity CRP on heparin plasma. Comparison with serum determination. 2003 , 41, 948-9	32

335	Changes in clinically relevant metabolites with psychological stress parameters. 2003 , 29, 52-9		33
334	Standardization of immunoassays for measurement of high-sensitivity C-reactive protein. Phase I: evaluation of secondary reference materials. <i>Clinical Chemistry</i> , 2003 , 49, 611-6	5.5	59
333	Xuezhikang decreases serum lipoprotein(a) and C-reactive protein concentrations in patients with coronary heart disease. <i>Clinical Chemistry</i> , 2003 , 49, 1347-52	5.5	44
332	Evaluation and validation of a duck IgY antibody-based immunoassay for high-sensitivity C-reactive protein: avian antibody application in clinical diagnostics. <i>Clinical Chemistry</i> , 2003 , 49, 810-3	5.5	7
331	C-reactive protein and cardiovascular risk: an update on what is going on in cardiology. 2003 , 18, 1039-41		11
330	Risk assessment in cardiovascular disease: from traditional risk factors to genomics. 2003 , 5, F48-F55		0
329	Cardiac allograft vasculopathy: central role of endothelial injury leading to transplant "atheroma". 2003 , 76, 891-9		125
328	Body mass index, but not physical activity, is associated with C-reactive protein. 2003 , 35, 1160-6		91
327	Survey of microbial air sampling in the NHS. 2003 , 60, 161-2		
326	Investigating interactions of the pentraxins serum amyloid P component and C-reactive protein by mass spectrometry. 2003 , 375, 323-8		32
325	C-reactive protein as a novel biomarker. Reactant can flag atherosclerosis and help predict cardiac events. 2003 , 114, 39-44; quiz 16		16
324	Effect of sample tube type and time to separation on in vitro levels of C-reactive protein. 2003 , 60, 164-5		1
323	Elevation of serum C-reactive protein levels is associated with obesity in boys. 2003 , 26, 541-6		48
322	Effects of Statins on C-Reactive Protein: Are All Statins Similar?. 2004 , 189-201		
321	The levels of hs-CRP in patients with coronary heart disease. 2004 , 13, 102		
320	Identifying patients at risk of coronary vascular disease: the potential role of inflammatory markers. 2004 , 6, C21-C27		5
319	Nontraditional risk factors for cardiovascular disease in diabetes. 2004 , 25, 153-75		126
318	Oxidative stress and myocardial damage during elective percutaneous coronary interventions and coronary angiography. A comparison of blood-borne isoprostane and troponin release. 2004 , 38, 517-25		31

317	OBESITY IN PREGNANCY. 2004 , 15, 109-132	2
316	Chlamydia pneumoniae infection and inflammation in adults with asthma. 2004 , 71, 120-5	29
315	Results of blood inflammatory markers are associated more strongly with toe-brachial index than with ankle-brachial index in patients with type 2 diabetes. 2004 , 27, 1381-6	24
314	The effect of fenofibrate on the levels of high sensitivity C-reactive protein in dyslipidemic obese patients. 2004 , 30, 343-9	7
313	Statins: potent vascular anti-inflammatory agents. 2004 , 58, 41-8	17
312	C-reactive protein and risk factors for peripheral vascular disease in subjects with Type 2 diabetes mellitus. 2004 , 21, 336-41	26
311	Intense lipid peroxidation in premature clinical coronary atherosclerosis is associated with metabolic abnormalities. 2004 , 143, 99-105	6
310	Effect of the G-308A polymorphism of the tumor necrosis factor (TNF)-alpha gene promoter site on plasma levels of TNF-alpha and C-reactive protein in smokers: a cross-sectional study. 2004 , 4, 17	13
309	Relation of homocysteine and C-reactive protein to urinary albumin loss. 2004 , 93, 926-8	3
308	Simultaneous detection of C-reactive protein and other cardiac markers in human plasma using micromosaic immunoassays and self-regulating microfluidic networks. 2004 , 19, 1193-202	159
307	Plasma C-reactive protein concentrations in active and passive smokers: influence of antioxidant supplementation. 2004 , 23, 141-7	63
306	Lipaemia, inflammation and atherosclerosis: novel opportunities in the understanding and treatment of atherosclerosis. 2004 , 64 Suppl 2, 19-41	52
305	Metabolic syndrome: an appraisal of the pro-inflammatory and procoagulant status. 2004 , 33, 431-53, table of contents	93
304	Analytical performance of the Synchron LX20 Pro, BN trade mark II and IMMAGE high sensitivity C-reactive protein assays and concordance in cardiovascular risk stratification. 2004 , 347, 71-9	10
303	Comparison of serum concentrations of C-reactive protein, TNF-alpha, and interleukin 6 between elderly Korean women with normal and impaired glucose tolerance. 2004 , 64, 99-106	57
302	Estrogen, inflammation and cardiovascular risk in women: a critical appraisal. 2004 , 15, 66-72	46
301	High-sensitivity C-reactive protein concentration in a healthy Brazilian population. 2004 , 97, 433-8	12
300	C-reactive protein is not only an inflammatory marker but also a direct cause of cardiovascular diseases. 2004 , 62, 499-506	167

299	Atheroscleritis is a more rational term for the pathological entity currently known as atherosclerosis. 2004 , 63, 100-2	27
298	Effects of obesity on C-reactive protein level and metabolic disturbances in male patients with obstructive sleep apnea. 2004 , 117, 118-21	105
297	Association between white blood cell count and carotid arteriosclerosis in Japanese smokers. 2004 , 175, 95-100	18
296	Association between leisure time physical activity and markers of chronic inflammation related to coronary heart disease. 2004 , 176, 303-10	66
295	C-reactive protein is associated with psychological risk factors of cardiovascular disease in apparently healthy adults. 2004 , 66, 684-91	116
294	CD40-ligand-dependent induction of COX-2 gene expression in endothelial cells by activated platelets: inhibitory effects of atorvastatin. 2005 , 16, 105-10	18
293	Effects of an angiotensin-converting enzyme inhibitor (ramipril) on inflammatory markers in secondary prevention patients: RAICES Study. 2005 , 16, 423-9	14
292	Systemic inflammatory markers in acute coronary syndrome: association with cardiovascular risk factors and effect of early lipid lowering. 2005 , 16, 415-22	9
291	Acute Responses of Inflammatory Markers of Cardiovascular Disease Risk to a Single Walking Session. 2005 , 2, 324-332	9
290	Comparative study of two automated high-sensitivity C-reactive protein methods in a large population. 2005 , 38, 31-5	20
289	The influence of lifestyle on cardiovascular risk factors. Analysis using a neural network. 2005 , 40, 157-72	5
288	Suspected toxicity from an iodoform preparation in a diabetic patient with multiple foot ulcers. 2005 , 22, 1121-2	1
287	Onset of beta-cell autoimmunity is not associated with elevated concentration of C-reactive protein in children at genetic risk for Type 1 diabetes. 2005 , 22, 1123-4	2
286	The effect of fenofibrate on the levels of high sensitivity C-reactive protein in dyslipidaemic hypertensive patients. 2005 , 59, 415-8	11
285	C-reactive protein increases matrix metalloproteinase-2 expression and activity in cultured human vascular smooth muscle cells. 2005 , 146, 287-98	33
284	Retinopathy and hypertension affect serum high-sensitivity C-reactive protein levels in Type 2 diabetic patients. 2005 , 19, 123-7	13
283	Dietary diacylglycerol reduces postprandial hyperlipidemia and ameliorates glucose intolerance in Otsuka Long-Evans Tokushima Fatty (OLETF) rats. 2005 , 21, 933-9	28
282	Microfluidics for Processing Surfaces and Miniaturizing Biological Assays. 2005 , 17, 2911-2933	208

281	A study of the effect of oral glucose loading on plasma oxidant:antioxidant balance in normal subjects. 2005 , 44, 250-4	29
280	Fluvastatin in the therapy of acute coronary syndrome: Rationale and design of a multicenter, randomized, double-blind, placebo-controlled trial (The FACS Trial)[ISRCTN81331696]. 2005 , 6, 4	11
279	Relations of plasma high-sensitivity C-reactive protein to various cardiovascular risk factors. 2005 , 20, 379-83	12
278	Potential role of ultrafine particles in associations between airborne particle mass and cardiovascular health. 2005 , 113, 934-46	654
277	Platelet hyperfunction as risk factor for chronic and acute coronary events. 2005 , 15, 425-31	1
276	Acute-Phase Proteins and Inflammation: Immunological and Clinical Implications. 2005 , 131-143	2
275	Serum C-reactive protein in elderly men and women: association with mortality, morbidity and various biochemical values. 2005 , 65, 23-31	17
274	New biochemical insights into the pathogenesis of osteoarthritis and the role of laboratory investigations in clinical assessment. 2005 , 42, 279-309	33
273	Ambient particulate matter, C-reactive protein, and coronary artery disease. 2005 , 17, 409-13	27
272	Evaluation of a high-sensitivity turbidimetric immunoassay for serum C-reactive protein: application to the study of longitudinal changes throughout normal pregnancy. 2005 , 43, 308-13	10
271	Conditional risk factors for atherosclerosis. 2005 , 80, 219-30	71
270	Biomarkers in angina. 2005 , 240, 86-92	5
269	Is serum C-reactive protein concentration correlated with HbA1c and insulin resistance in Type 2 diabetic men with or without coronary heart disease?. 2005 , 28, 145-50	35
268	Effects of lacidipine on vascular responses in patients with coronary artery disease. 2005 , 101, 377-83	8
267	Effect of exercise training on C-reactive protein in postmenopausal breast cancer survivors: a randomized controlled trial. 2005 , 19, 381-8	148
266	Orlistat for obesity: benefits beyond weight loss. 2005 , 67, 78-83	47
265	Relationship of obesity and visceral adiposity with serum concentrations of CRP, TNF-alpha and IL-6. 2005 , 69, 29-35	579
264	Prognostic value of inflammatory markers alone and in combination with blood lipids in patients with stable coronary artery disease. 2005 , 16, 47-52	15

263	Chlamydia pneumoniae immunoreactivity in coronary artery plaques of patients with acute coronary syndromes and its relation with serology. 2005 , 150, 681-8	16
262	Biochemical markers surrogating on vascular effects of sex steroid hormones. 2006 , 22, 163-73	12
261	[How to evaluate the cardiovascular and renal risk at the individual level?]. 2006 , 35 Suppl 1, 35-40	
260	[How to watch over a patient treated with a NSAID in relation to the cardiovascular and renal risk?]. 2006 , 35 Suppl 1, 41-6	3
259	Native pentameric C-reactive protein displays more potent pro-atherogenic activities in human aortic endothelial cells than modified C-reactive protein. 2006 , 184, 48-52	36
258	Proportion of oxidized LDL relative to plasma apolipoprotein B does not change during statin therapy in patients with heterozygous familial hypercholesterolemia. 2006 , 185, 307-12	40
257	Metabolic syndrome and heart failure. 2006 , 2, 1-11	3
256	Lower heart rate variability is associated with higher serum high-sensitivity C-reactive protein concentration in healthy individuals aged 46 years or more. 2006 , 107, 333-7	31
255	Prevalence of a normal C-reactive protein with an elevated erythrocyte sedimentation rate in biopsy-proven giant cell arteritis. 2006 , 113, 1842-5	133
254	Lipoproteína(a) e inibiã da fibrinólise na doenã arterial coronariana. 2006 , 28, 53	1
253	Intake of a single morning dose of standard and novel plant sterol preparations for 4 weeks does not dramatically affect plasma lipid concentrations in humans. 2006 , 136, 1012-6	41
252	Initially elevated osteoprotegerin serum levels may predict a perioperative myocardial lesion in patients undergoing coronary artery bypass grafting. 2006 , 34, 76-80	9
251	Association of C-reactive protein with the presence and extent of angiographically verified coronary artery disease. 2006 , 209, 197-206	20
250	Measuring endothelial function. 2006 , 6, 267-73	6
249	Effects of colesvelam hydrochloride (WelChol) on biomarkers of inflammation in patients with mild hypercholesterolemia. 2006 , 98, 641-3	37
248	Mechanisms of c-reactive protein up-regulation in arterialized vein grafts. 2006 , 139, 254-62	8
247	Determination of C-reactive protein with an ultra-sensitivity immunochemiluminometric assay. 2006 , 311, 87-95	16
246	Macroangiopathy in adults and children with diabetes: risk factors (part 2). 2006 , 38, 706-20	9

245	Relation between proinflammatory to anti-inflammatory cytokine ratios and long-term prognosis in patients with non-ST elevation acute coronary syndrome. 2006 , 92, 1041-6		71
244	An overview of inflammatory markers in type 2 diabetes from the perspective of the clinical chemist. 2006 , 8, 37-44		7
243	Interleukin-17 stimulates C-reactive protein expression in hepatocytes and smooth muscle cells via p38 MAPK and ERK1/2-dependent NF-kappaB and C/EBPbeta activation. 2007 , 282, 27229-27238		144
242	The serum high-sensitive C reactive protein and homocysteine levels to evaluate the prognosis of acute ischemic stroke. 2007 , 2007, 15929		20
241	Homocysteine and nitric oxide are related to blood pressure and vascular function in small-for-gestational-age children. 2007 , 50, 396-402		25
240	High-sensitivity C-reactive protein in umbilical cord of small-for-gestational-age neonates. 2007 , 91, 186-9		22
239	Effects of dydrogesterone on the vascular system. 2007 , 23 Suppl 1, 2-8		6
238	Systemic effects of chronic obstructive pulmonary disease. 2007 , 1, 75-84		9
237	Decreased serum retinol is associated with increased mortality in renal transplant recipients. <i>Clinical Chemistry</i> , 2007 , 53, 1841-6	5.5	7
236	The Effect of Atorvastatin Treatment on Insulin Resistance, Leptin, and Highly Sensitive C-Reactive Protein in Hypercholesterolemic Patients. 2007 , 17, 315-317		3
235	C-reactive protein level in severe stenosis of cerebral arteries. 2007 , 23, 430-4		6
234	Vascular inflammatory markers in early-onset obese and type 2 diabetes subjects before and after three months' aerobic exercise training. 2007 , 4, 231-4		28
233	Proinflammatory circulating molecules in peripheral arterial disease (Review). 2007 ,		1
232	Magnesium intake and plasma concentrations of markers of systemic inflammation and endothelial dysfunction in women. 2007 , 85, 1068-74		129
231	Cardiovascular disease under the influence of excess visceral fat. 2007 , 6, 51-9		133
230	Correlation of High Sensitivity C-Reactive Protein and Calcific Aortic Valve Disease. 2007 , 82, 171-174		18
229	Measuring soluble CD40 ligand:interleukin-10 ratio as a prognostic marker in acute myocardial infarction: yet another prognostic biomarker?. 2007 , 121, 289-91		
228	EBPG guideline on nutrition. 2007 , 22 Suppl 2, ii45-87		293

227	Coronary artery disease risk factors in patients with schizophrenia: effects of short term antipsychotic treatment. 2007 , 21, 857-63	38
226	Correlation of high sensitivity C-reactive protein and calcific aortic valve disease. 2007 , 82, 171-4	23
225	Association of the Gly82Ser polymorphism in the receptor for advanced glycation end products (RAGE) gene with circulating levels of soluble RAGE and inflammatory markers in nondiabetic and nonobese Koreans. 2007 , 56, 199-205	87
224	Establishment of external quality control program for hs-CRP and three-year follow-up of the performance for precision and accuracy. 2007 , 14, 287-93	11
223	Methodology and Applications of Disease Biomarker Identification in Human Serum. 2007 , 2, 1177271907002099	9
222	A useful predictor of early atherosclerosis in obese children: serum high-sensitivity C-reactive protein. 2007 , 22, 192-7	26
221	Adaptation and evaluation of the Randox full-range CRP assay on the Olympus AU2700. 2007 , 21, 34-9	1
220	Myocardial infarction with normal coronary arteries: a conundrum with multiple aetiologies and variable prognosis: an update. 2007 , 261, 330-48	91
219	Interaction between cytokines and sCD40L in patients with stable and unstable coronary syndromes. 2007 , 37, 623-8	54
218	C-reactive protein (CRP) as a marker in peripheral vascular disease. 2007 , 34, 18-22	24
217	Effects of histamine 2 receptor antagonists on endothelial-neutrophil adhesion and surface expression of endothelial adhesion molecules induced by high glucose levels. 2007 , 21, 50-5	12
216	Metabolic complications of obesity: inflated or inflamed?. 2007 , 21, 128-36	41
215	Endothelin-1 accentuates the proatherosclerotic effects associated with C-reactive protein. 2007 , 133, 1137-46	5
214	Acute myocardial infarction and proinflammatory gene variants. 2007 , 1119, 227-42	13
213	Statins and biomarkers of inflammation. 2007 , 9, 33-41	52
212	High-sensitivity C-reactive protein (hs-CRP) level in children with nephrotic syndrome. 2007 , 22, 403-8	7
211	Cost-effectiveness analysis in diagnosis of coronary artery disease: choice of laboratory markers. 2007 , 40, 1180-7	3
210	High-sensitivity C-reactive protein: discriminator between patients with primary and secondary antiphospholipid syndrome. 2008 , 41, 1449-53	6

209	Inflammatory factors, physical activity, and physical fitness in young people. 2008 , 18, 543-56	47
208	Sleep and inflammation. 2007 , 65, S244-52	59
207	Urocortins in heart failure and ischemic heart disease. 2008 , 127, 307-12	21
206	Effect of food preparation on the structure and metabolic responses to a monostearin/water gel-based spread. 2008 , 41, 1065-1071	26
205	Gene-environment interaction and oxidative stress in cardiovascular disease. 2008 , 200, 229-38	42
204	Biomarkers related to aging in human populations. 2008 , 46, 161-216	106
203	Positive correlation of CRP and fibrinogen levels as cardiovascular risk factors in early stage of continuous ambulatory peritoneal dialysis patients. 2008 , 30, 219-25	13
202	Cardiovascular risk evaluated by C-reactive protein levels in diabetic and obese Mexican subjects. 2008 , 72, 1170-4	8
201	Low-grade inflammation and arterial wave reflection in patients with chronic fatigue syndrome. 2008 , 114, 561-6	33
200	O uso de provas de atividade inflamatória em reumatologia. 2009 , 49, 413-430	7
199	Evaluation of the VITROS 5,1 FS analyzer in a large clinical laboratory: comparison of methods using different specimens and chemistry systems / Evaluation des Systems VITROS 5,1 FS in einem großen klinischen Laboratorium: Methodenvergleiche mit verschiedenen Probenmaterialien und Systemen. 2009 , 33, 22-32	
198	Hepatocyte gp130 deficiency reduces vascular remodeling after carotid artery ligation. 2009 , 54, 1035-42	5
197	Screening tests for inflammatory activity: applications in rheumatology. 2009 , 19, 469-477	14
196	Afebriles Erysipel unter Etanercept-Therapie. 2009 , 35, 444-446	0
195	Seasonal and sex variation of high-sensitivity C-reactive protein in healthy adults: a longitudinal study. <i>Clinical Chemistry</i> , 2009 , 55, 313-21	5.5 29
194	Chapter 2 The Potential Role of Heat Shock Proteins in Cardiovascular Disease. 2009 , 27-72	40
193	Comparison of atherosclerotic indicators between cardio ankle vascular index and brachial ankle pulse wave velocity. 2009 , 60, 468-76	54
192	Haptoglobin and risk of myocardial infarction, stroke, and congestive heart failure in 342,125 men and women in the Apolipoprotein MOrtality RISK study (AMORIS). 2009 , 41, 522-32	40

191	Levels of sCD40, sCD40L, TNF α and TNF-RI in the Culprit Coronary Artery During Myocardial Infarction. 2009 , 40, 660-664	1
190	Molecular genetics of atherosclerosis. 2009 , 125, 467-91	36
189	Development of indirect-competitive quartz crystal microbalance immunosensor for C-reactive protein. 2009 , 143, 444-448	54
188	A novel indicator of widespread endothelial damage and ischemia in diabetic patients: ischemia-modified albumin. 2009 , 36, 425-32	38
187	Disposable screen-printed chemiluminescent biochips for the simultaneous determination of four point-of-care relevant proteins. 2009 , 393, 1191-8	32
186	A Ubiquitous Chronic Disease Care system using cellular phones and the internet. 2009 , 26, 628-35	113
185	Optimization of digestion parameters for protein quantification. 2009 , 393, 48-55	67
184	Absolute quantification of C-reactive protein in human plasma derived from patients with epithelial ovarian cancer utilizing protein cleavage isotope dilution mass spectrometry. 2009 , 8, 1085-90	50
183	Acute metabolic responses to butter, margarine, and a monoglyceride gel-structured spread. 2009 , 42, 1034-1039	12
182	Progestogens and target tissues: vascular systems. 2009 , 62, 356-61	6
181	Analysis of the relationship of leptin, high-sensitivity C-reactive protein, adiponectin, insulin, and uric acid to metabolic syndrome in lean, overweight, and obese young females. 2009 , 7, 17-22	32
180	Relationship between carotid artery stiffness index, BNP and high-sensitivity CRP. 2009 , 23, 783-7	15
179	High serum uric acid and low-grade inflammation are associated with smaller LDL and HDL particles. 2009 , 203, 236-42	39
178	The biological relevance and measurement of plasma markers of oxidative stress in diabetes and cardiovascular disease. 2009 , 202, 321-9	182
177	Components of the metabolic syndrome among a sample of overweight and obese Costa Rican schoolchildren. 2009 , 30, 161-70	17
176	Gene-gene and gene - clinical factors interaction in acute myocardial infarction: a new detailed risk chart. 2010 , 16, 783-8	16
175	The effects of Italian Mediterranean organic diet (IMOD) on health status. 2010 , 16, 814-24	84
174	Nanoparticles as biochemical sensors. 2010 , 3, 65-76	80

173	Biodemography: new approaches to understanding trends and differences in population health and mortality. 2010 , 47 Suppl, S41-64	75
172	The effect of aerobic versus strength-based training on high-sensitivity C-reactive protein in older adults. 2010 , 110, 161-9	62
171	The metabolic profile in patients with skin tags. 2010 , 10, 193-7	50
170	Intra-individual variation in serum C-reactive protein over 4 years: an implication for epidemiologic studies. 2010 , 21, 847-51	29
169	Effects of HMG-CoA reductase inhibitors on continuous post-inflammatory vascular remodeling late after Kawasaki disease. 2010 , 56, 245-53	36
168	A unifying biologic explanation for "high-sensitivity" C-reactive protein and "low-grade" inflammation. 2010 , 62, 442-6	49
167	Gold nanoparticle-based signal augmentation of quartz crystal microbalance immunosensor measuring C-reactive protein. 2010 , 10, 1227-1230	32
166	Early increase of plasma homocysteine in sepsis patients with poor outcome. 2010 , 16, 498-504	28
165	Whole grains are associated with serum concentrations of high sensitivity C-reactive protein among premenopausal women. 2010 , 140, 1669-76	41
164	Arterial wall thickness and blood pressure in children who were born small for gestational age: correlation with umbilical cord high-sensitivity C-reactive protein. 2010 , 95, 31-4	10
163	Relations of dietary magnesium intake to biomarkers of inflammation and endothelial dysfunction in an ethnically diverse cohort of postmenopausal women. 2010 , 33, 304-10	121
162	[Predictive value of inflammation and myocardial necrosis markers in acute coronary syndrome]. 2010 , 63, 662-7	3
161	Albuminuria and VEGF as early markers of cardiovascular disturbances in young type 1 diabetic patients. 2010 , 80, 440-4	5
160	Adiponectin/C-reactive protein interplay in healthy individuals and in patients with coronary artery disease. 2010 , 144, 82-4	
159	Inflammatory response following a short-term course of chiropractic treatment in subjects with and without chronic low back pain. 2010 , 9, 107-14	14
158	Inflammatory markers, lipoprotein components and risk of major cardiovascular events in 65,005 men and women in the Apolipoprotein MOrtality RiSk study (AMORIS). 2010 , 213, 299-305	43
157	Electrogenerated chemiluminescence determination of C-reactive protein with carboxyl CdSe/ZnS core/shell quantum dots. 2010 , 12, 10073-80	52
156	Papel de la proteína C reactiva en las enfermedades cardiovasculares. 2011 , 18, 273-278	5

155	C-reactive protein as a biomarker for urological cancers. 2011 , 8, 659-66	78
154	Biomarkers of inflammation and placental dysfunction are associated with subsequent preterm birth. 2011 , 24, 600-5	37
153	A review and meta-analysis of the association between C-reactive protein and age-related macular degeneration. 2011 , 56, 184-94	60
152	Cardio-Ankle Vascular Index is a predictor of cardiovascular events. 2011 , 5, 91	33
151	Combined use of high-sensitivity C-reactive protein and apolipoprotein B/apolipoprotein A-1 ratio prior to elective coronary angiography and oral glucose tolerance tests. 2011 , 44, 1284-91	4
150	Sharing pathogenetic mechanisms between acute myocardial infarction and Alzheimer's disease as shown by partially overlapping of gene variant profiles. 2011 , 23, 421-31	17
149	Novel Biomarkers and Subclinical Atherosclerosis. 2011 , 461-486	
148	Effect of laparoscopic sleeve gastrectomy on elevated C-reactive protein and atherogenic dyslipidemia in morbidly obese patients. 2011 , 44, 342-4	23
147	Detection of multiple cardiac markers with an integrated acoustic platform for cardiovascular risk assessment. 2011 , 699, 1-5	46
146	Relationship between mean platelet volume levels and subclinical target organ damage in newly diagnosed hypertensive patients. 2011 , 20, 92-7	42
145	The Oxidative Stress Balance Measured in Humans with Different Markers, Following a Single Oral Antioxidants Supplementation or a Diet Poor of Antioxidants. 2011 , 01, 64-70	1
144	Is there any correlation between high sensitive CRP and disease activity in systemic lupus erythematosus?. 2011 , 20, 1494-500	37
143	Influence of glucoregulation quality on C-reactive protein, interleukin-6 and tumor necrosis factor-alpha level in patients with diabetes type 1. 2011 , 68, 756-61	5
142	The soluble receptor for advanced glycation end products can prospectively identify patients at greatest risk for preterm birth. 2012 , 25, 1762-8	13
141	Independent and synergistic associations of asthma and obesity with systemic inflammation in adolescents. 2012 , 49, 1044-50	10
140	Endogenous reproductive hormones and C-reactive protein across the menstrual cycle: the BioCycle Study. 2012 , 175, 423-31	99
139	Dan-Shen-Yin protects the heart against inflammation and oxidative stress induced by acute ischemic myocardial injury in rats. 2012 , 3, 314-318	11
138	Myocardial infarction with normal coronaries: an autopsy perspective. 2012 , 65, 512-6	14

137	Fréquence du syndrome plurimétabolique et des anomalies associées au sein d'une population noire au Sénégal: Frequency of metabolic syndrome in Black Africans, in Senegal. 2012 , 6, 238-243	2
136	Effects of alpha-lipoic acid supplementation on inflammation, oxidative stress, and serum lipid profile levels in patients with end-stage renal disease on hemodialysis. 2012 , 22, 244-250	47
135	Assessment of leisure-time physical activity for the prediction of inflammatory status and cardiometabolic profile. 2012 , 15, 511-8	10
134	The potential role of heat shock protein 27 in cardiovascular disease. 2012 , 413, 15-24	58
133	Pro-inflammatory genetic profile and familiarity of acute myocardial infarction. 2012 , 9, 14	16
132	Abdominal obesity and cardiovascular disease: is inflammation the missing link?. 2012 , 28, 642-52	84
131	Comparison of inflammatory markers between diabetic and nondiabetic ST segment elevation myocardial infarction. 2012 , 60, 204-9	14
130	Designed protein binders in combination with nanocrystalline diamond for use in high-sensitivity biosensors. 2012 , 404, 1643-51	12
129	Chlamydia pneumoniae and helicobacter pylori serology - importance in patients with coronary heart disease. 2012 , 24, 151-6	5
128	Physical Activity and Cardiovascular Health. 2012 ,	
127	Associations between serum C-reactive protein and serum zinc, ferritin, and copper in Guatemalan school children. 2012 , 148, 154-60	25
126	Neighborhoods and systemic inflammation: high CRP among legal and unauthorized Brazilian migrants. 2012 , 18, 683-93	25
125	Effect of whole grains on markers of subclinical inflammation. 2012 , 70, 387-96	45
124	Postmortem measurement of C-reactive protein and interpretation of results in ketoacidosis. 2012 , 14, 140-6	13
123	Associations of urinary 6-sulfatoxymelatonin with biomarkers related to cardiovascular disease in Japanese women. 2012 , 61, 70-5	11
122	Markers of Cardiovascular Risk and Metabolism Assessed on Multiple Baseline Occasions and in Response to a Single Fatty Meal in Healthy Young Adults. 2013 , 4, 49-57	2
121	Assessment of interleukin-1 gene cluster polymorphisms in lone atrial fibrillation: new insight into the role of inflammation in atrial fibrillation. 2013 , 36, 1220-7	16
120	The presentation of metabolic dysfunction and the relationship with energy output in breast cancer survivors: a cross-sectional study. 2013 , 12, 99	12

119	Dosage of statin, cardiovascular comorbidities, and risk of atrial fibrillation: a nationwide population-based cohort study. 2013 , 168, 1131-6	14
118	Calcium fructoborate helps control inflammation associated with diminished bone health. 2013 , 155, 315-21	26
117	Does arterio-venous fistula creation affects development of pulmonary hypertension in hemodialysis patients?. 2013 , 35, 344-51	7
116	Quantification of ovarian cancer markers with integrated microfluidic concentration gradient and imaging nanohole surface plasmon resonance. 2013 , 138, 1450-8	49
115	CHADS(2) score, statin therapy, and risks of atrial fibrillation. 2013 , 126, 133-40	25
114	Role of C-reactive protein in urological cancers: a useful biomarker for predicting outcomes. 2013 , 20, 161-71	44
113	The lipid-lowering effect of atorvastatin in Taiwanese diabetic patients with hyperlipidemia. 2013 , 25, 168-174	
112	The consumption of low-mineral bottled water increases the risk of cardiovascular disease: an experimental study of rabbits and young men. 2013 , 168, 4454-6	6
111	Effect of exercise on markers of inflammation in breast cancer survivors: the Yale exercise and survivorship study. 2013 , 6, 109-18	78
110	Lateral flow assay with near-infrared dye for multiplex detection. <i>Clinical Chemistry</i> , 2013 , 59, 641-8	5.5 54
109	Electrical detection of C-reactive protein using a single free-standing, thermally controlled piezoresistive microcantilever for highly reproducible and accurate measurements. 2013 , 13, 9653-68	26
108	Neopterin: a potential marker in chronic peripheral arterial disease. 2013 , 7, 1855-8	6
107	Prevalence of metabolic syndrome and related factors in bank employees according to different defining criteria, Vitória/ES, Brazil. 2013 , 68, 69-74	11
106	The Role of Diet in the Prevention and Treatment of Cardiovascular Disease. 2013 , 541-567	1
105	High-Sensitivity C-Reactive Protein is Related to Central Obesity and the Number of Metabolic Syndrome Components in Jamaican Young Adults. 2014 , 1, 12	14
104	Effect of vitamin D supplementation on the level of circulating high-sensitivity C-reactive protein: a meta-analysis of randomized controlled trials. 2014 , 6, 2206-16	89
103	Clinical Complications of Type-2 Diabetes Mellitus in South Asian and Chinese Populations: An Overview. 2014 , 05,	2
102	Elevated plasma pentraxin 3 and its association with retinal vein occlusion. 2014 , 28, 460-5	4

101	Changes in High-sensitivity C-reactive Protein Levels after Laparoscopic Gastric Stapling Procedures versus Laparoscopic Gastric Banding. 2014 , 80, 1044-1048	2
100	Failure to consider the menstrual cycle phase may cause misinterpretation of clinical and research findings of cardiometabolic biomarkers in premenopausal women. 2014 , 36, 71-82	44
99	Effects of high versus low-dose atorvastatin on high sensitive C-reactive protein in acute coronary syndrome. 2014 , 55, 490-4	3
98	Homocysteine and other cardiovascular risk factors in patients with lichen planus. 2014 , 28, 1507-13	29
97	Uric acid levels in metabolically healthy and unhealthy obese patients. 2014 , 41, 676-680	
96	Localized surface plasmon resonance nanosensing of C-reactive protein with poly(2-methacryloyloxyethyl phosphorylcholine)-grafted gold nanoparticles prepared by surface-initiated atom transfer radical polymerization. 2014 , 86, 5587-94	60
95	Effect of biologically synthesized gold nanoparticles on alloxan-induced diabetic rats-an in vivo approach. 2014 , 122, 505-511	58
94	A bidirectional relationship of oral-systemic responses: observations of systemic host responses in patients after full-mouth extractions. 2014 , 117, 435-44	4
93	A three-line lateral flow assay strip for the measurement of C-reactive protein covering a broad physiological concentration range in human sera. 2014 , 61, 285-9	69
92	Reduced lung function, C-reactive protein, and increased risk of cardiovascular mortality. 2014 , 78, 2309-16	16
91	Association of Fitness Level With Cardiovascular Risk and Vascular Function in Older Nonexercising Individuals. 2015 , 23, 417-24	4
90	Correlation of high-sensitivity C-reactive protein and carotid plaques with coronary artery disease in elderly patients. 2015 , 10, 275-278	11
89	Relationship Between Red Blood Cell Distribution Width and Mortality of Patients with Acute Myocardial Infarction Referring to Tehran Heart Center. 2015 , 14, 112-5	7
88	Serum hsCRP and procalcitonin levels in dyspeptic patients infected with CagA-positive <i>Helicobacter pylori</i> . 2015 , 29, 469-73	
87	Detection of Biomarkers for Different Diseases on Biosensor Surfaces. 2015 , 487-524	
86	Complement activation and choriocapillaris loss in early AMD: implications for pathophysiology and therapy. 2015 , 45, 1-29	128
85	Docosahexaenoic acid-enriched canola oil increases adiponectin concentrations: a randomized crossover controlled intervention trial. 2015 , 25, 52-9	21
84	Development of C-reactive protein certified reference material NMIJ CRM 6201-b: optimization of a hydrolysis process to improve the accuracy of amino acid analysis. 2015 , 407, 3137-46	11

83	Cardiovascular disease in patients with coeliac disease: A systematic review and meta-analysis. 2015 , 47, 847-52	26
82	Synthesis of grafted phosphorylcholine polymer layers as specific recognition ligands for C-reactive protein focused on grafting density and thickness to achieve highly sensitive detection. 2015 , 17, 9951-8	19
81	Haemostatic and inflammatory alterations in familial hypercholesterolaemia, and the impact of angiotensin II infusion. 2015 , 16, 328-38	12
80	Involvement of RBP4 in hyperinsulinism-induced vascular smooth muscle cell proliferation. 2015 , 48, 472-82	9
79	Increased high-sensitivity C-reactive protein, erythrocyte sedimentation rate and lactic acid in stroke patients with internal carotid artery occlusion. 2016 , 12, 546-51	11
78	Association between hs-CRP Levels and the Outcomes of Patients with Small-Artery Occlusion. 2016 , 8, 191	12
77	Infusion of angiotensin II increases fibrinolysis in healthy individuals but not in patients with familial combined hyperlipidemia. 2016 , 27, 113-6	2
76	Clinical and angiographic correlation of high-sensitivity C-reactive protein with acute ST elevation myocardial infarction. 2016 , 12, 4089-4098	4
75	The relationship between visfatin and serum concentrations of C-reactive protein, interleukin 6 in patients with metabolic syndrome. 2016 , 39, 917-22	18
74	Inverse association linking serum levels of potential antioxidant vitamins with C-reactive protein levels using a novel analytical approach. 2016 , 116, 1256-1264	5
73	The correlation between highly sensitive C-reactive protein levels and erectile function among men with late-onset hypogonadism. 2016 , 19, 239-243	15
72	Second-Trimester Sonographic Thymus Measurements Are Not Associated With Preterm Birth and Other Adverse Obstetric Outcomes. 2016 , 35, 989-97	5
71	Periodontitis and Diabetes Mellitus: A Complex Relationship. 2016 , 19-37	
70	Mendelian Randomization Analyses for Selection of Therapeutic Targets for Cardiovascular Disease Prevention: a Note of Circumspection. 2016 , 30, 65-74	9
69	A randomized study of coconut oil versus sunflower oil on cardiovascular risk factors in patients with stable coronary heart disease. 2016 , 68, 498-506	37
68	A plasmonic chip-based bio/chemical hybrid sensing system for the highly sensitive detection of C-reactive protein. 2016 , 52, 3883-6	26
67	The beneficial pleiotropic effects of tumour necrosis factor-related apoptosis-inducing ligand (TRAIL) within the vasculature: A review of the evidence. 2016 , 247, 87-96	26
66	The effect of resistance training on markers of immune function and inflammation in previously sedentary women recovering from breast cancer: a randomized controlled trial. 2016 , 155, 471-82	63

65	Evaluation of menstrual cycle-related changes in 85 clinical laboratory analytes. 2016 , 53, 365-76	8
64	Interval versus continuous aerobic exercise training in breast cancer survivors--a pilot RCT. 2016 , 24, 119-127	39
63	New insights to the mechanisms underlying atherosclerosis in rheumatoid arthritis. 2017 , 20, 287-297	38
62	High Dose Supplementation of Vitamin D Affects Measures of Systemic Inflammation: Reductions in High Sensitivity C-Reactive Protein Level and Neutrophil to Lymphocyte Ratio (NLR) Distribution. 2017 , 118, 4317-4322	41
61	Childhood life events, immune activation and the development of mood and anxiety disorders: the TRAILS study. 2017 , 7, e1112	21
60	Exploring Black-White Differences in the Relationship Between Inflammation and Timing of Menopause. 2017 , 4, 410-417	4
59	Absolute quantitation of disease protein biomarkers in a single LC-MS acquisition using apolipoprotein F as an example. 2017 , 7, 12072	4
58	Systemic frequencies of T helper 1 and T helper 17 cells in patients with age-related macular degeneration: A case-control study. 2017 , 7, 605	18
57	Levels of osteopontin in plasma and tissue in relation to metabolic status in patients with lichen planus. 2017 , 14, 173-178	1
56	The Role of Diet in the Prevention and Treatment of Cardiovascular Disease. 2017 , 595-623	3
55	Association of Plasma Magnesium with Prediabetes and Type 2 Diabetes Mellitus in Adults. 2017 , 7, 12763	12
54	Association of Serum Prealbumin with Angiographic Severity in Patients with Acute Coronary Syndrome. 2017 , 23, 4041-4049	13
53	The efficacy of radiofrequency ablation in the treatment of pediatric arrhythmia and its effects on serum IL-6 and hs-CRP. 2017 , 14, 3563-3568	2
52	Relationship of circulating spexin with markers of cardiovascular disease: a pilot study in adolescents with obesity. 2018 , 13, 374-380	29
51	Cartilage oligomeric protein, matrix metalloproteinase-3, and Coll2-1 as serum biomarkers in knee osteoarthritis: a cross-sectional study. 2018 , 38, 821-830	21
50	Wide-range CRP versus high-sensitivity CRP on Roche analyzers: focus on low-grade inflammation ranges and high-sensitivity cardiac troponin T levels. 2018 , 78, 346-351	6
49	Blood CRP levels are elevated in children and adolescents with functional neurological symptom disorder. 2019 , 28, 491-504	9
48	Vascular Effects of Progestogens. 2019 , 197-207	

47	Association of high sensitivity C-reactive protein with tearing of the long head of the biceps tendon. 2019 , 20, 518	1
46	Sex Steroids' Effects on Brain, Heart and Vessels. 2019 ,	
45	Association between 25-OH-vitamin D and C-reactive protein as a marker of inflammation and cardiovascular risk in clinical practice. 2019 , 56, 502-507	0
44	Compensated Interferometry Measures of CYFRA 21-1 Improve Diagnosis of Lung Cancer. 2019 , 21, 465-472	19
43	Urinary phthalate metabolites, coronary heart disease, and atherothrombotic markers. 2019 , 173, 37-44	24
42	Plasma markers of chronic low-grade inflammation in polypoidal choroidal vasculopathy and neovascular age-related macular degeneration. 2019 , 97, 99-106	29
41	Assessment of Serum Lipid Profiles and High-sensitivity C-reactive Protein Among Patients Suffering from Rheumatoid Arthritis at Tikur Anbessa Specialized Hospital, Addis Ababa, Ethiopia: A Cross-Sectional Study. 2020 , 12, 223-232	3
40	Association Between High-Sensitivity C-Reactive Protein and Idiopathic Adhesive Capsulitis. 2020 , 102, 761-768	2
39	High-sensitivity C-reactive protein is associated with clonal hematopoiesis of indeterminate potential. 2020 , 4, 2430-2438	22
38	Pro-inflammatory cytokines, oxidative stress and diffuse coronary reocclusions in elderly patients after coronary stenting. 2020 , 129, 155028	3
37	Clonal haematopoiesis and cardiovascular diseases: A growing relationship. 2021 , 114, 316-324	1
36	Systematic review and Meta-analysis of 26 randomized controlled clinical trials of Compound Danshen Dripping Pill for non-proliferating diabetic retinopathy. 2021 ,	
35	Epidemiology and burden of gluten-related disorders. 2022 , 59-81	
34	Links Between Biomarkers and Mortality. 2011 , 381-398	15
33	Toll-like receptor-2 mediates diet and/or pathogen associated atherosclerosis: proteomic findings. 2008 , 3, e3204	74
32	Association between exposure to HSV1 and cognitive functioning in a general population of adolescents. The TRAILS study. 2014 , 9, e101549	24
31	The association between herpes virus infections and functional somatic symptoms in a general population of adolescents. The TRAILS study. 2017 , 12, e0185608	5
30	A Study on Hs-CRP, Carotid Intima Media Thickness, and Lipid Profile in Children of Patients with Premature CAD. 2015 , 9, 193-198	1

29	Seasonal and inter-day variation in serum high-sensitivity C-reactive protein in Japanese male workers: a longitudinal study. 2012 , 50, 60-3	2
28	Correlation of Past Smoking Behaviors and Duration of Smoking Cessation with High-sensitivity C-reactive Protein Among Past Smokers in Korean Male Adults : Korean National Health and Nutrition Examination Survey. 2018 , 9, 71-79	1
27	Non-Atherosclerotic Causes of Acute Coronary Syndrome and Management of The Patients. 2013 , 10,	1
26	Serum high sensitivity C-reactive protein levels in obese middle school boys. 2006 , 49, 617	2
25	[C-reactive protein and carotid intima-media thickness in a population of middle-aged Koreans]. 2009 , 42, 29-34	5
24	High-Sensitivity C-Reactive Protein Is the Most Effective Prognostic Measurement of Acute Coronary Events. 2002 , 11, 482-486	21
23	Evaluation of Serum Adenosine Deaminase and Inflammatory Markers in Psoriatic Patients. 2019 , 64, 207-212	6
22	The effect of early treatment by cerivastatin on the serum level of C-reactive protein, interleukin-6, and interleukin-8 in the patients with unstable angina and non-Q-wave myocardial infarction. 2003 , 45-50	1
21	Vascular Inflammation as a Cardiovascular Risk Factor. 2005 , 577-604	
20	Direct vascular actions of estrogens. 2005 , 159-172	
19	C-reactive protein and HDL-cholesterol level in the patients with suspected acute myocardial infarction immediately after reception at the Internal Medicine surgery. 2007 , 38, 65-70	
18	Obesity and Inflammation. 2007 , 139-165	
17	High-Sensitivity C-Reactive Protein and the Metabolic Syndrome. 2008 , 167-188	
16	Concentration of Lp-PLA2 in stable patients in secondary prevention after STEMI and dose-effect of statins on its values. 2011 , 53, 712-716	
15	Biomarkers of Cardiovascular Aging. 2014 , 305-318	
14	A Study on Hs-CRP, Carotid Intima Media Thickness, and Lipid Profile in Children of Patients with Premature CAD. 2015 , 9, 193-198	
13	A Study on Hs-CRP, Carotid Intima Media Thickness, and Lipid Profile in Children of Patients with Premature CAD. 2015 , 9, 193-198	1
12	HIGH SENSITIVITY C-REACTIVE PROTEIN IN ACUTE ISCHAEMIC STROKE. 2017 , 6, 426-429	

- 11 Assessment of cardiovascular risk in patients with androgenetic alopecia using high-sensitivity C-reactive protein and lipoprotein a. **2019**, 16, 119
- 10 Association between Relative Handgrip Strength and C-Reactive Protein in Adults. **2020**, 38, 164-170
- 9 The Usefulness of C-Reactive Protein to Albumin Ratio in the Prediction of Adverse Cardiovascular Events in Coronary Chronic Total Occlusion Undergoing Percutaneous Coronary Intervention. **2021**, 8, 731261 ○
- 8 Self-rated health may be a predictor for metabolic syndrome and high hs-CRP prevalences in healthy adults in South Korea: Based on the 2015 Korea National Health and Nutrition Examination Survey.. **2022**, 102, 71-83 1
- 7 Short-term and residential exposure to air pollution: Associations with inflammatory biomarker levels in adults living in northern France.. **2022**, 154985 ○
- 6 Methods and tools used to describe and quantify the associations between diet, inflammation, and health. **2022**, 163-225
- 5 Heart disease prediction model using tree-based method. **2022**,
- 4 Association of Duration of Smoking Cessation or Cumulative Smoking Amount with Serum hs-CRP Level in Korean Adults: A Nationwide Population-Based Cross-Sectional Study. **2022**, 10, 533 ○
- 3 Assay Performance of a Label-Free, Solution-Phase CYFRA 21-1 Determination. **2022**, 7, 31916-31923 ○
- 2 LEVEL OF THE C-REACTIVE PROTEIN AT MEN WITH A DIABETES TYPE 2 DEPENDING ON THE ANDROGENS CONCENTRATION. **2008**, 47-51 ○
- 1 Serum visfatin, resistin levels and inflammation markers in psoriasis patients. **2023**, 94, 48-56 ○