

CITATION REPORT

List of articles citing

Development of a Rapid, Quantitative Method for LDL Subfractionation with Use of the Quantimetrix Lipoprint LDL System

DOI: 10.1093/clinchem/47.2.266
Clinical Chemistry, 2001, 47, 266-274.

Source: <https://exaly.com/paper-pdf/32632618/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
212	Measurement of cholesterol in plasma and other body fluids. 2001 , 3, 404-11		10
211	A ketogenic diet favorably affects serum biomarkers for cardiovascular disease in normal-weight men. 2002 , 132, 1879-85		209
210	Low-density lipoprotein subclass and its correlating factors in diabetics. 2003 , 36, 657-61		22
209	Production of polyacrylamide gradient gel for lipoprotein electrophoretic separation. 2003 , 338, 73-8		2
208	Rapid separation of LDL subclasses by iodixanol gradient ultracentrifugation. <i>Clinical Chemistry</i> , 2003 , 49, 1865-72	5.5	46
207	Comparison of low-density lipoprotein size by polyacrylamide tube gel electrophoresis and polyacrylamide gradient gel electrophoresis. 2003 , 119, 439-45		16
206	An isoenergetic very low carbohydrate diet improves serum HDL cholesterol and triacylglycerol concentrations, the total cholesterol to HDL cholesterol ratio and postprandial lipemic responses compared with a low fat diet in normal weight, normolipidemic women. 2003 , 133, 2756-61		89
205	Comparison of a very low-carbohydrate and low-fat diet on fasting lipids, LDL subclasses, insulin resistance, and postprandial lipemic responses in overweight women. 2004 , 23, 177-84		113
204	LDL particle size and lipid composition are risk factors for microalbuminuria in normotensive and normocholesterolemic patients with type 2 diabetes. 2004 , 66, 229-36		8
203	Fluvastatin improves endothelial dysfunction in overweight postmenopausal women through small dense low-density lipoprotein reduction. 2004 , 53, 733-9		18
202	Effects of omega-3 fatty acid supplementation and exercise on low-density lipoprotein and high-density lipoprotein subfractions. 2004 , 53, 749-54		46
201	Low-density lipoprotein particle size and coronary atherosclerosis in subjects belonging to hypertensive sibships. 2004 , 17, 845-51		9
200	Very low-carbohydrate and low-fat diets affect fasting lipids and postprandial lipemia differently in overweight men. 2004 , 134, 880-5		123
199	Effects of fluvastatin slow-release (XL 80 mg) versus simvastatin (20 mg) on the lipid triad in patients with type 2 diabetes. 2005 , 22, 527-42		7
198	Lipoprotein-associated phospholipase A2 activity is a marker of small, dense LDL particles in human plasma. <i>Clinical Chemistry</i> , 2005 , 51, 2264-73	5.5	146
197	Significance of small dense low-density lipoproteins as coronary risk factor in diabetic and non-diabetic Korean populations. 2005 , 43, 431-7		6
196	Conditional risk factors for atherosclerosis. 2005 , 80, 219-30		71

195	Identification of unique lipoprotein subclasses for visceral obesity by component analysis of cholesterol profile in high-performance liquid chromatography. 2005 , 25, 578-84		186
194	Metal ion complexes of EDTA: a solute system for density gradient ultracentrifugation analysis of lipoproteins. 2005 , 77, 200-7		20
193	Pleiotropic genetic effects contribute to the correlation between HDL cholesterol, triglycerides, and LDL particle size in hypertensive sibships. 2005 , 18, 99-103		25
192	A novel quantitative trait locus on chromosome 1 with pleiotropic effects on HDL-cholesterol and LDL particle size in hypertensive sibships. 2005 , 18, 1084-90		14
191	LDL cholesterol estimation in patients with the metabolic syndrome. 2006 , 5, 8		24
190	Heterogeneidad de las subfracciones de las lipoproteínas de baja densidad. 2006 , 18, 27-34		
189	Concentration and relative distribution of low-density lipoprotein subfractions in patients with metabolic syndrome defined according to the National Cholesterol Education Program criteria. 2006 , 55, 885-91		64
188	Relationship of low-density lipoprotein particle size to insulin resistance and intima-media thickness in nondiabetic Koreans. 2006 , 55, 1610-5		4
187	Significance of small dense low-density lipoprotein as a risk factor for coronary artery disease and acute coronary syndrome. 2006 , 47, 405-14		29
186	The hypertriglyceridemic waist phenotype is a predictor of elevated levels of small, dense LDL cholesterol. 2006 , 41, 647-54		66
185	Lipoprotein subfraction changes after continuous or intermittent exercise training. 2006 , 38, 367-72		35
184	Component analysis of HPLC profiles of unique lipoprotein subclass cholesterol for detection of coronary artery disease. <i>Clinical Chemistry</i> , 2006 , 52, 2049-53	5.5	37
183	Quantitative trait loci influencing low density lipoprotein particle size in African Americans. 2006 , 47, 1457-62		10
182	Disparate LDL phenotypic classification among 4 different methods assessing LDL particle characteristics. <i>Clinical Chemistry</i> , 2006 , 52, 1722-7	5.5	80
181	Purified eicosapentaenoic acid reduces small dense LDL, remnant lipoprotein particles, and C-reactive protein in metabolic syndrome. 2007 , 30, 144-6		109
180	Differential effect of hypolipidemic drugs on lipoprotein-associated phospholipase A2. 2007 , 27, 2236-43		108
179	Lipoprotein(a) and LDL particle size are related to the severity of coronary artery disease. 2007 , 108, 282-9		34
178	Clinical importance and therapeutic modulation of small dense low-density lipoprotein particles. 2007 , 7, 53-72		81

177	Effect of ezetimibe monotherapy on the concentration of lipoprotein subfractions in patients with primary dyslipidaemia. 2007 , 23, 1169-76	88
176	Associations of apolipoprotein E polymorphism with low-density lipoprotein size and subfraction profiles in Arab patients with coronary heart disease. 2007 , 56, 484-90	21
175	Association of Pro12Ala polymorphism in the peroxisome proliferator-activated receptor gamma2 gene with small dense low-density lipoprotein in the general population. 2007 , 56, 1345-9	17
174	Ethnic differences in low-density lipoprotein particle size in hypertensive adults. 2007 , 1, 218-24	9
173	Small, dense low-density lipoprotein and C-reactive protein in obese subjects with and without other criteria for the metabolic syndrome. 2007 , 1, 599-604	5
172	Low-intensity training dissociates metabolic from aerobic fitness. 2008 , 18, 86-94	24
171	Hypertriglyceridaemic waist phenotype criteria and prevalent metabolic triad in women. 2008 , 24, 223-30	9
170	Application of machine learning algorithms to predict coronary artery calcification with a sibship-based design. 2008 , 32, 350-60	48
169	Baseline triglyceride levels and insulin sensitivity are major determinants of the increase of LDL particle size and buoyancy induced by rosuvastatin treatment in patients with primary hyperlipidemia. 2008 , 590, 327-32	21
168	Circulating levels of ganglioside GM3 in metabolic syndrome: A pilot study. 2008 , 2, I-II	34
167	A rapid 3% polyacrylamide slab gel electrophoresis method for high through put screening of LDL phenotype. 2008 , 7, 47	12
166	Effects of a low-calorie diet associated with weight loss on lipoprotein-associated phospholipase A2 (Lp-PLA2) activity in healthy obese women. 2008 , 18, 477-82	35
165	Small dense LDL particles and metabolic syndrome in a sample of middle-aged women. Findings from Progetto Atena. 2008 , 388, 179-83	27
164	Chapter 8 Atherogenic Lipoprotein Subprofiling. 2008 , 295-317	9
163	LDL species heterogeneity in the atherogenic dyslipidemia of polycystic ovary syndrome. 2008 , 129, 802-10	10
162	Effects of increasing particle size of low-density lipoprotein on restenosis after coronary stent implantation. 2008 , 72, 1059-64	9
161	Small dense LDL-cholesterol relative to LDL-cholesterol is a strong independent determinant of hypoadiponectinemia in metabolic syndrome. 2008 , 72, 932-9	22
160	Hypothyroidism results in small dense LDL independent of IRS traits and hypertriglyceridemia. 2008 , 55, 381-9	25

159	Effects of different statin treatments on small dense low-density lipoprotein in patients with metabolic syndrome. 2009 , 16, 684-90	20
158	Persistence of an atherogenic lipid profile after treatment of acute infection with Brucella. 2009 , 50, 2532-9	28
157	Lack of association between small dense low-density lipoprotein levels and coronary artery disease in chronic hemodialysis patients. 2009 , 30, 310-4	9
156	Tracking and determinants of LDL particle size in healthy children from 7 to 11 years of age: the STRIP Study. 2009 , 168, 531-9	7
155	Relationship of low-density lipoprotein (LDL) particle size to thyroid function status in Koreans. 2009 , 71, 130-6	14
154	Quantitative and qualitative effects of rosuvastatin on LDL-cholesterol: what is the clinical significance?. 2009 , 63, 478-85	12
153	The effects of ezetimibe on LDL-cholesterol: quantitative or qualitative changes?. 2009 , 204, 330-3	27
152	Comparability of methods for LDL subfraction determination: A systematic review. 2009 , 205, 342-8	49
151	Advanced diagnostic support in lipidology project: role for phenotypic and functional evaluation of lipoproteins in dyslipidemias. 2010 , 5, 329-337	5
150	Lipoprotein subclass patterns in women with polycystic ovary syndrome (PCOS) compared with equally insulin-resistant women without PCOS. 2010 , 95, 3933-9	33
149	Evaluaci3n de un m3todo electrofor3tico para el subfraccionamiento de las part3culas plasm3ticas de lipoprote3nas de baja densidad. 2010 , 3, 31-36	
148	Estimation of the low-density lipoprotein (LDL) subclass phenotype using a direct, automated assay of small dense LDL-cholesterol without sample pretreatment. 2010 , 411, 1361-6	15
147	Smaller Mean LDL Particle Size and Higher Proportion of Small Dense LDL in Korean Type 2 Diabetic Patients. 2011 , 35, 536-42	12
146	Prevalence of LDL atherogenic phenotype in patients with systemic lupus erythematosus. 2011 , 7, 75-80	19
145	Low-density lipoprotein size and lipoprotein-associated phospholipase A2 in HIV-infected patients switching to abacavir or tenofovir. 2011 , 16, 459-68	19
144	Investigation of the europium emission spectra of the europium-oxytetracycline complex in the presence of human low-density lipoproteins. 2011 , 21, 887-92	3
143	Lipoprint adequately estimates LDL size distribution, but not absolute size, versus polyacrylamide gradient gel electrophoresis. 2011 , 46, 1163-7	12
142	Comparison of effects of diet versus exercise weight loss regimens on LDL and HDL particle size in obese adults. 2011 , 10, 119	69

141	"European panel on low density lipoprotein (LDL) subclasses": a statement on the pathophysiology, atherogenicity and clinical significance of LDL subclasses. 2011 , 9, 533-71	138
140	Estimation of plasma small dense LDL cholesterol from classic lipid measures. 2011 , 136, 20-9	28
139	Improved efficacy for ezetimibe and rosuvastatin by attenuating the induction of PCSK9. 2011 , 52, 679-87	37
138	Metabolic profile in two physically active Inuit groups consuming either a western or a traditional Inuit diet. 2012 , 71, 17342	8
137	Exercise training improves HR responses and $\dot{V}O_2$ peak in predialysis kidney patients. 2012 , 44, 2392-9	41
136	Estudio de las subfracciones lipoproteicas tras el tratamiento de simvastatina y ezetimiba, en monoterapia o combinado, en pacientes hiperlipidémicos. 2012 , 24, 217-225	
135	Small dense LDL: An emerging risk factor for cardiovascular disease. 2012 , 414, 215-24	102
134	Comparability of two different polyacrylamide gel electrophoresis methods for the classification of LDL pattern type. 2012 , 413, 251-7	25
133	Intermittent fasting combined with calorie restriction is effective for weight loss and cardio-protection in obese women. 2012 , 11, 98	115
132	Improvement in coronary heart disease risk factors during an intermittent fasting/calorie restriction regimen: Relationship to adipokine modulations. 2012 , 9, 98	46
131	LDL ist nicht gleich LDL. 2012 , 15, 32-34	
130	Lack of association between low density lipoprotein particle size and on-treatment platelet reactivity in patients with coronary artery disease. 2012 , 42, 551-7	1
129	Relative importance of different lipid risk factors for the development of myocardial infarction at a very young age (≤ 40 years of age). 2012 , 42, 631-6	47
128	Particle size measurement of lipoprotein fractions using diffusion-ordered NMR spectroscopy. 2012 , 402, 2407-15	23
127	Effect of insulin analog initiation therapy on LDL/HDL subfraction profile and HDL associated enzymes in type 2 diabetic patients. 2013 , 12, 54	17
126	Alternate day fasting and endurance exercise combine to reduce body weight and favorably alter plasma lipids in obese humans. 2013 , 21, 1370-9	151
125	Early postoperative changes of HDL subfraction profile and HDL-associated enzymes after laparoscopic sleeve gastrectomy. 2013 , 23, 1973-80	12
124	Association between urinary albumin excretion and low-density lipoprotein heterogeneity following treatment of type 2 diabetes patients with the dipeptidyl peptidase-4 inhibitor, vildagliptin: a pilot study. 2013 , 13, 443-50	43

123	Alternate day fasting increases LDL particle size independently of dietary fat content in obese humans. 2013 , 67, 783-5	37
122	Serum low density lipoprotein subclasses in asthma. 2013 , 107, 1866-72	26
121	Influence of obesity on atherogenic dyslipidemia in women with polycystic ovary syndrome. 2013 , 43, 549-56	7
120	Association between small dense LDL and early atherosclerosis in a sample of menopausal women. 2013 , 426, 1-5	26
119	Serum cholesterol and triglyceride reference ranges of twenty lipoprotein subclasses for healthy Japanese men and women. 2013 , 231, 238-45	24
118	Heterogeneous properties of intermediate- and low-density lipoprotein subpopulations. 2013 , 46, 1509-15	10
117	Relation between lipoprotein subfractions and TSH levels in the cardiovascular risk among women with subclinical hypothyroidism. 2013 , 78, 777-82	21
116	Bivariate and multivariate analyses of the influence of blood variables of patients submitted to Roux-en-Y gastric bypass on the stability of erythrocyte membrane against the chaotropic action of ethanol. 2013 , 246, 231-42	7
115	Higher levels of small dense low-density lipoprotein (LDL) are associated with cardiac autonomic neuropathy in patients with type 2 diabetes. 2013 , 30, 694-701	9
114	Protection from age-related increase in lipid biomarkers and inflammation contributes to cardiovascular protection in Gilbert's syndrome. 2013 , 125, 257-64	63
113	Paraoxonase 1 gene polymorphism does not affect clopidogrel response variability but is associated with clinical outcome after PCI. 2013 , 8, e52779	22
112	Establishing reference intervals for LDL subfractions in a Korean population using the Lipoprint LDL system. 2013 , 51, e179-82	2
111	Increased Small Dense LDL and Decreased Paraoxonase Enzyme Activity Reveals Formation of an Atherogenic Risk in Streptozotocin-Induced Diabetic Guinea Pigs. 2013 , 2013, 860190	7
110	Effect of hypolipidemic treatment on emerging risk factors in mixed dyslipidemia: a randomized pilot trial. 2013 , 43, 698-707	11
109	Highly purified eicosapentaenoic acid may increase low-density lipoprotein particle size by improving triglyceride metabolism in patients with hypertriglyceridemia. 2013 , 77, 2349-57	23
108	Bivariate and multivariate analyses of the correlations between stability of the erythrocyte membrane, serum lipids and hematological variables. 2013 , 50, 305-20	11
107	Effects of Oral L-Citrulline Supplementation on Lipoprotein Oxidation and Endothelial Dysfunction in Humans with Vasospastic Angina. 2013 , 13, 214-220	28
106	Association of serum retinol binding protein 4 with atherogenic dyslipidemia in morbid obese patients. 2013 , 8, e78670	24

105	CASE REPORT OF A PATIENT WITH RARE P.ARG136CYS (APOE2*) MUTATION IN APOLIPOPROTEIN E GENE. 2014 , 14, 36-43	
104	LDL-migration index (LDL-MI), an indicator of small dense low-density lipoprotein (sdLDL), is higher in non-alcoholic steatohepatitis than in non-alcoholic fatty liver: a multicenter cross-sectional study. 2014 , 9, e115403	25
103	Plasma lipidomics discloses metabolic syndrome with a specific HDL phenotype. 2014 , 28, 5163-71	34
102	The effects of treatment on lipoprotein subfractions evaluated by polyacrylamide gel electrophoresis in patients with autoimmune hypothyroidism and hyperthyroidism. 2014 , 13, 158	6
101	Effects of chitosan on plasma lipids and lipoproteins: a 4-month prospective pilot study. 2014 , 65, 538-42	31
100	Association of triglyceride-rich lipoproteins-related markers and low-density lipoprotein heterogeneity with cardiovascular risk: effectiveness of polyacrylamide-gel electrophoresis as a method of determining low-density lipoprotein particle size. 2014 , 63, 60-8	22
99	Flow-mediated dilation, carotid wall thickness and HDL function in subjects with hyperalphalipoproteinemia. 2014 , 24, 777-83	20
98	Less but better: cardioprotective lipid profile of patients with GCK-MODY despite lower HDL cholesterol level. 2014 , 51, 625-32	27
97	Development of a low-cost, high-throughput native polyacrylamide gel electrophoresis (N-PAGE) protocol for lipoprotein sub-fractionation using Quality by Design approach. 2014 , 92, 119-26	3
96	Predominance of small dense LDL differentiates metabolically unhealthy from metabolically healthy overweight adults in Korea. 2014 , 63, 415-21	9
95	Effects of rosuvastatin versus atorvastatin on small dense low-density lipoprotein: a meta-analysis of randomized trials. 2014 , 29, 287-99	11
94	Effect of TAK-085 on Low-density Lipoprotein Particle Size in Patients with Hypertriglyceridemia: A Double-blind Randomized Clinical Study. 2015 , 33, 317-23	6
93	Participation in a Social-Support Physical Activity Intervention Modestly Improves Lipoprotein Cholesterol Distribution Among Postpartum Sedentary Hispanic Women. 2015 , 12, 1289-97	2
92	Lipid subclasses profiles and oxidative stress in aggressive periodontitis before and after treatment. 2015 , 50, 890-6	8
91	Association of small dense LDL serum levels and circulating monocyte subsets in stable coronary artery disease. 2015 , 10, e0123367	25
90	Systemic Inflammatory Markers Are Closely Associated with Atherogenic Lipoprotein Subfractions in Patients Undergoing Coronary Angiography. 2015 , 2015, 235742	5
89	Asthma and metabolic syndrome: Current knowledge and future perspectives. 2015 , 3, 285-92	29
88	Effects of Armolipid Plus on small dense LDL particles in a sample of patients affected by familial combined hyperlipidemia. 2015 , 10, 475-480	14

87	Effect of short term aerobic exercise on fasting and postprandial lipoprotein subfractions in healthy sedentary men. 2015 , 14, 151	6
86	Association of plasma small dense LDL cholesterol with PCSK9 levels in patients with angiographically proven coronary artery disease. 2015 , 25, 426-33	23
85	Anti-inflammatory and antiatherogenic effects of the NLRP3 inflammasome inhibitor arglabin in ApoE2.Ki mice fed a high-fat diet. 2015 , 131, 1061-70	116
84	Lipoprotein subfractions partly mediate the association between serum uric acid and coronary artery disease. 2015 , 441, 109-14	13
83	The effects of atorvastatin treatment on the mean platelet volume and red cell distribution width in patients with dyslipoproteinemia and comparison with plasma atherogenicity indicators--A pilot study. 2015 , 48, 557-61	20
82	Comparison of a direct enzymatic assay and polyacrylamide tube gel electrophoresis for measurement of small, dense low-density lipoprotein cholesterol. 2015 , 53, 139-48	2
81	The effect of rosuvastatin on low-density lipoprotein subfractions in patients with impaired fasting glucose. 2015 , 20, 276-83	7
80	Influence of Atorvastatin on Plasma Atherogenic Biomarkers. 2016 ,	
79	Recent Advances in Analytical Methods on Lipoprotein Subclasses: Calculation of Particle Numbers from Lipid Levels by Gel Permeation HPLC Using "Spherical Particle Model". 2016 , 65, 265-82	37
78	Large HDL Subfraction But Not HDL-C Is Closely Linked With Risk Factors, Coronary Severity and Outcomes in a Cohort of Nontreated Patients With Stable Coronary Artery Disease: A Prospective Observational Study. 2016 , 95, e2600	24
77	Comprehensive assessment of lipoprotein subfraction profiles according to glucose metabolism status, and association with insulin resistance in subjects with early-stage impaired glucose metabolism. 2016 , 225, 327-331	9
76	Effect of nopales (<i>Opuntia</i> spp.) on lipoprotein profile and oxidative stress among moderately hypercholesterolemic adults: A pilot study. 2016 , 27, 115-121	5
75	In vivo triglyceride synthesis in subcutaneous adipose tissue of humans correlates with plasma HDL parameters. 2016 , 251, 147-152	6
74	Chromatography of Membrane Proteins and Lipoproteins. 2016 , 1-46	
73	HDL subfractions and very early CAD: novel findings from untreated patients in a Chinese cohort. 2016 , 6, 30741	13
72	LDL particle number and size and cardiovascular risk: anything new under the sun?. 2017 , 28, 261-266	15
71	Advanced lipoprotein testing for cardiovascular diseases risk assessment: a review of the novel approaches in lipoprotein profiling. 2017 , 55, 1453-1464	13
70	Comprehensive Lipoprotein Characterization Using Lipidomics Analysis of Human Plasma. 2017 , 16, 2947-2953	17

69	Association of lipoprotein subfractions with endothelial function and arterial stiffness in acute ischemic stroke. 2017 , 77, 36-39	3
68	SUBFRACTION DISTRIBUTION OF APO B-CONTAINING LIPOPROTEINS DEPENDING ON THE ACHIEVEMENT OF THE TARGET LEVEL OF LOW DENSITY LIPOPROTEINS UNDER STATINS THERAPY IN PATIENTS WITH CORONARY ATHEROSCLEROSIS. 2017 , 13, 794-799	
67	Circulating Atherogenic Multiple-Modified Low-Density Lipoprotein: Pathophysiology and Clinical Applications. 2017 ,	
66	Small Dense Low-Density Lipoprotein as Biomarker for Atherosclerotic Diseases. 2017 , 2017, 1273042	133
65	Insulin Resistance Predicts Atherogenic Lipoprotein Profile in Nondiabetic Subjects. 2017 , 2017, 1018796	10
64	Association between body shape index and small dense LDL particles in a cohort of mediterranean women: findings from Progetto ATENA. 2017 , 61, 130-134	10
63	Reference values assessment in a Mediterranean population for small dense low-density lipoprotein concentration isolated by an optimized precipitation method. 2017 , 13, 201-207	4
62	Serum lipoproteins are not associated with the severity of asthma. 2018 , 50, 57-61	3
61	Higher D-lactate levels are associated with higher prevalence of small dense low-density lipoprotein in obese adolescents. 2018 , 56, 1100-1108	7
60	Lipoprotein apheresis affects lipoprotein particle subclasses more efficiently compared to the PCSK9 inhibitor evolocumab, a pilot study. 2018 , 57, 91-96	10
59	Serum obestatin level strongly correlates with lipoprotein subfractions in non-diabetic obese patients. 2018 , 17, 39	4
58	Transcriptomic analysis of the liver of cholesterol-fed rabbits reveals altered hepatic lipid metabolism and inflammatory response. 2018 , 8, 6437	7
57	Atherogenic Lipoprotein Subfractions and Carotid Atherosclerosis in Menopausal Women. 2018 , 69, 666-671	4
56	Distribution of Paraoxonase-1 (PON-1) and Lipoprotein Phospholipase A2 (Lp-PLA2) across Lipoprotein Subclasses in Subjects with Type 2 Diabetes. 2018 , 2018, 1752940	15
55	Plasminogen Activator Inhibitor-1 Level Correlates with Lipoprotein Subfractions in Obese Nondiabetic Subjects. 2018 , 2018, 9596054	11
54	CVD Risk Stratification in the PCSK9 Era: Is There a Role for LDL Subfractions?. 2018 , 6,	7
53	Direct bilirubin is associated with low-density lipoprotein subfractions and particle size in overweight and centrally obese women. 2018 , 28, 1021-1028	7
52	Association between apolipoprotein E genotypes and panic disorder in Turkish population. 2018 , 72, 477-483	

51	Association between Lp(a) and small dense LDL in menopausal women without metabolic syndrome. 2019 , 74, 232-236	1
50	The LipoGlo reporter system for sensitive and specific monitoring of atherogenic lipoproteins. 2019 , 10, 3426	17
49	Comparative use of three different laboratory methods to investigate a paradigmatic case of severe genetic dysbetalipoproteinemia. 2019 , 12, 293-303	
48	Effect of berries/apple mixed juice consumption on the positive modulation of human lipid profile. 2019 , 60, 103417	2
47	HIV and cardiovascular diseases risk: exploring the interplay between T-cell activation, coagulation, monocyte subsets, and lipid subclass alterations. 2019 , 316, H1146-H1157	13
46	Correlation between the small dense LDL level and nonalcoholic fatty liver disease: Possibility of a new biomarker. 2020 , 99, e21162	3
45	Estimation of the LDL subclasses in ischemic stroke as a risk factor in a Chinese population. 2020 , 20, 414	5
44	Endothelial function improvement in patients with familial hypercholesterolemia receiving PCSK-9 inhibitors on top of maximally tolerated lipid lowering therapy. 2020 , 194, 229-236	13
43	Pasta Supplemented with Extract Improves Metabolic Parameters and Reduces Atherogenic Small Dense Low-Density Lipoproteins in Patients with Risk Factors for the Metabolic Syndrome: A Four-Week Intervention Study. 2020 , 10,	8
42	Green-banana biomass consumption by diabetic patients improves plasma low-density lipoprotein particle functionality. 2020 , 10, 12269	3
41	Association between atherogenic index of plasma and carotid intima-media thickness in a cohort of Mediterranean women. 2021 , 76, 987-992	2
40	Lipid Profile, Lipoprotein Subfractions, and Fluidity of Membranes in Children and Adolescents with Depressive Disorder: Effect of Omega-3 Fatty Acids in a Double-Blind Randomized Controlled Study. 2020 , 10,	6
39	Changes in carotid stiffness in patients with familial hypercholesterolemia treated with Evolocumab : A prospective cohort study. 2020 , 30, 996-1004	9
38	Gender differences in LDL and HDL subfractions in atherogenic and nonatherogenic phenotypes. 2020 , 79, 9-13	9
37	The pro-inflammatory marker soluble suppression of tumorigenicity-2 (ST2) is reduced especially in diabetic morbidly obese patients undergoing bariatric surgery. 2020 , 19, 26	5
36	The beneficial effects of nutraceuticals and natural products on small dense LDL levels, LDL particle number and LDL particle size: a clinical review. 2020 , 19, 66	22
35	Analysis of the regenerative capacity of human serum exosomes after a simple multistep separation from lipoproteins. 2021 , 15, 63-77	2
34	Association of Gene Variants with Atherogenic Dyslipidemia Among Thai Patients Treated with Statin. 2021 , 14, 1-13	2

33	Machine learning modelling of blood lipid biomarkers in familial hypercholesterolaemia versus polygenic/environmental dyslipidaemia. 2021 , 11, 3801	1
32	MassARRAY multigene screening combined with LDL-C and sdLDL-C detection for more favorable outcomes in type 2 diabetes mellitus therapy. 2021 , 14, 83	1
31	Low-Density Lipoprotein Cholesterol 4: The Notable Risk Factor of Coronary Artery Disease Development. 2021 , 8, 619386	2
30	Relationship between small dense low-density lipoprotein cholesterol with carotid plaque in Chinese individuals with abnormal carotid artery intima-media thickness. 2021 , 21, 216	2
29	Growth hormone replacement may influence the biological action of thyroid hormone on liver and bone tissue. 2021 , 57-58, 101393	2
28	Reduction of small dense LDL and Il-6 after intervention with Plantago psyllium in adolescents with obesity: a parallel, double blind, randomized clinical trial. 2021 , 180, 2493-2503	0
27	Characterization of Particle Size Distribution of Plasma Lipoproteins in Dairy Cattle Using High-Resolution Polyacrylamide Electrophoresis. 2021 , 2,	0
26	Metabolomic signatures associated with depression and predictors of antidepressant response in humans: A CAN-BIND-1 report. 2021 , 4, 903	2
25	Low Levels of Serum Fetuin-A and Retinol-Binding Protein 4 Correlate with Lipoprotein Subfractions in Morbid Obese and Lean Non-Diabetic Subjects. 2021 , 11,	3
24	Main differences between two highly effective lipid-lowering therapies in subclasses of lipoproteins in patients with acute myocardial infarction. 2021 , 20, 124	
23	Small dense low-density lipoprotein: Analytical review. 2021 , 520, 172-178	4
22	The heterogeneity of lipoproteins and their role in the development of cardiovascular diseases. 2019 , 82-89	2
21	Comparison of Low-Density Lipoprotein Size by Polyacrylamide Tube Gel Electrophoresis and Polyacrylamide Gradient Gel Electrophoresis. 2003 , 119, 0-0	
20	The parameters related to small dense low-density lipoprotein evaluated by non-denaturing polyacrylamide gel electrophoresis method in dyslipidemic subjects: with reference to the Japanese guideline for prevention of atherosclerotic cardiovascular diseases. 2009 , 53, 39-43	
19	Small Dense Low-density Lipoprotein and Cardiovascular Disease. 2012 , 1, 1	
18	LOW-DENSITY LIPOPROTEIN SUBFRACTIONS AND VARYING DEGREE OF CORONARY STENOSIS. 2013 , 12, 16-20	
17	GENDER SPECIFICS OF SUBFRACTIONAL PLASMA LIPOPROTEIDS DISTRIBUTION. 2016 , 15, 70-74	
16	MULTIMARKER DIAGNOSTIC PANELS FOR ATHEROSCLEROSIS. 2018 , 65-73	4

15	LipoGlo: A sensitive and specific reporter of atherogenic lipoproteins.		
14	Association between small dense low-density lipoprotein cholesterol and neuroimaging markers of cerebral small vessel disease in middle-aged and elderly Chinese populations. 2021 , 21, 436		1
13	Comparison of the modified polyacrylamide gradient gel electrophoresis and high-performance liquid chromatography methods in determining LDL size. 2022 ,		
12	Determination of Serum Progranulin in Patients with Untreated Familial Hypercholesterolemia.. <i>Biomedicines</i> , 2022 , 10,	4.8	○
11	An Untargeted Lipidomic Analysis Reveals Depletion of Several Phospholipid Classes in Patients with Familial Hypercholesterolemia on Treatment with Evolocumab.. <i>Biomedicines</i> , 2021 , 9,	4.8	○
10	First Recombinant High-Density Lipoprotein Particles Administration in a Severe ICU COVID-19 Patient, a Multi-Omics Exploratory Investigation.. <i>Biomedicines</i> , 2022 , 10,	4.8	○
9	Extreme duration exercise affects old and younger men differently.. <i>Acta Physiologica</i> , 2022 , e13816	5.6	○
8	Analysis of a paediatric cohort of dyslipidaemic patients using unsupervised learning methods provides insights into the biochemical phenotypes of familial hypercholesterolemia.		
7	Changes in lipoproteins associated with lipid-lowering and antiplatelet strategies in patients with acute myocardial infarction. 2022 , 17, e0273292		○
6	Changes in serum pigment epithelium-derived factor levels after kidney transplantation in patients with end-stage renal disease. 2022 , 44, 1649-1659		○
5	Sphingosine 1-Phosphate and Apolipoprotein M Levels and Their Correlations with Inflammatory Biomarkers in Patients with Untreated Familial Hypercholesterolemia. 2022 , 23, 14065		○
4	Development of Machine Learning Tools for Predicting Coronary Artery Disease in the Chinese Population. 2022 , 2022, 1-18		○
3	Association between measured or calculated small dense low-density lipoprotein cholesterol and oxidized low-density lipoprotein in subjects with or without type 2 diabetes mellitus.		○
2	Lipoprotein Subfractions Associated with Endothelial Function in Previously Healthy Subjects with Newly Diagnosed Sleep Apnea: A Pilot Study. 2023 , 13, 441		○
1	Small Dense LDL Level and LDL/HDL Distribution in Acute Coronary Syndrome Patients. 2023 , 11, 1198		○