

# CITATION REPORT

List of articles citing

## Effects of Hemoglobin Variants and Chemically Modified Derivatives on Assays for Glycohemoglobin

DOI: 10.1093/clinchem/47.2.153  
Clinical Chemistry, 2001, 47, 153-163.

**Source:** <https://exaly.com/paper-pdf/32632794/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
434	The Monitoring of Metabolic Control for Patients with Diabetes Mellitus. <b>2001</b> , 32, 378-383		
433	Analytical evaluation of the Bio-Rad variant II automated HbA(1C) analyzer. <i>Clinical Biochemistry</i> , <b>2001</b> , 34, 361-5	3.5	23
432	Silent haemoglobin variants and determination of HbA(1c) with the HPLC Bio-Rad Variant II. <b>2002</b> , 55, 699-703		20
431	Prevention and detection of diabetic embryopathy. <b>2002</b> , 5, 33-9		34
430	Approved IFCC reference method for the measurement of HbA1c in human blood. <b>2002</b> , 40, 78-89		415
429	Screening for diabetes: is it warranted?. <i>Clinica Chimica Acta</i> , <b>2002</b> , 315, 61-9	6.2	23
428	Assessment of the effect of hemoglobin variants on routine HbA1c measurements by electrospray ionization mass spectrometry. <i>Clinica Chimica Acta</i> , <b>2002</b> , 323, 89-101	6.2	23
427	Reference measurement systems in clinical chemistry. <i>Clinica Chimica Acta</i> , <b>2002</b> , 323, 73-87	6.2	54
426	Effects of Hemoglobin C and S Traits on Eight Glycohemoglobin Methods. <i>Clinical Chemistry</i> , <b>2002</b> , 48, 383-385	5.5	41
425	Guidelines and Recommendations for Laboratory Analysis in the Diagnosis and Management of Diabetes Mellitus. <i>Clinical Chemistry</i> , <b>2002</b> , 48, 436-472	5.5	659
424	Detection and identification of protein variants and adducts in blood and tissues: an application of soft ionization mass spectrometry to clinical diagnosis. <b>2002</b> , 776, 15-30		24
423	Analytical evaluation of hemoglobin A(1c) dual kit assay on Bio-Rad Variant II: an automated HPLC hemoglobin analyzer for the management of diabetic patients. <i>Clinical Biochemistry</i> , <b>2003</b> , 36, 317-20	3.5	18
422	Evaluation of the analytic performances of the new HPLC system HLC-723 G7 for the measurement of hemoglobin A1c. <i>Clinical Biochemistry</i> , <b>2003</b> , 36, 607-10	3.5	14
421	Determination of haemoglobin A(1c) by liquid chromatography using a new cation-exchange column. <b>2003</b> , 791, 73-83		19
420	Changes in glycated haemoglobin levels in diabetic rats measured with an automatic affinity HPLC. <b>2003</b> , 30, 752-8		11
419	Haemoglobin Etobicoke, an incidental finding in an Irish diabetic. <b>2003</b> , 25, 259-62		3
418	Hemoglobin variants and hemoglobin A1c analysis: problem solved?. <i>Clinical Chemistry</i> , <b>2003</b> , 49, 1245-7	5.5	54

417	Haemoglobin Marseille-Long Island and interpretation of HbA1c: which HbA1c result is the "right answer"?. <b>2003</b> , 79, 174-5		2
416	Hemoglobin G $\beta$ wihl [ $\alpha$ 2 $\beta$ (2)5(A2)Pro $\rightarrow$ Ala], an electrophoretically silent variant with impaired glycation. <i>Clinical Chemistry</i> , <b>2003</b> , 49, 137-43	5.5	19
415	Discordance between HbA1c and fructosamine: evidence for a glycosylation gap and its relation to diabetic nephropathy. <b>2003</b> , 26, 163-7		160
414	[Glycohemoglobin (GHb): clinical and analytical aspects]. <b>2004</b> , 48, 451-63		10
413	Hypoglycemic coma in a diabetic patient on peritoneal dialysis due to interference of icodextrin metabolites with capillary blood glucose measurements. <b>2004</b> , 27, 2279		16
412	Conditions associated with very low values of glycohaemoglobin measured by an HPLC method. <b>2004</b> , 57, 346-9		28
411	Resolution of diabetic cheiroarthropathy after pancreatic transplantation. <b>2004</b> , 27, 2279-80		8
410	The GILHT-E Syndrome?. <b>2004</b> , 27, 2285-6		3
409	Deficiency in the Detection of Microalbuminuria by Urinary Dipstick in Diabetic Patients: Response to Selgren. <b>2004</b> , 27, 2283-2284		1
408	Deficiency in the detection of microalbuminuria by urinary dipstick in diabetic patients: response to Comper et al. <b>2004</b> , 27, 2283; author reply 2283-4		1
407	Short-term intensive insulin therapy in newly diagnosed type 2 diabetes: response to Ryan, Imes, and Wallace. <b>2004</b> , 27, 2281-2; author reply 2282-3		14
406	Short-Term Intensive Insulin Therapy in Newly Diagnosed Type 2 Diabetes: Response to Yoshioka, Yoshida, and Yoshikawa. <b>2004</b> , 27, 2282-2283		4
405	The Korle-Bu Hb variant in Caucasian women with type 1 diabetes: a pitfall in the assessment of diabetes control. <b>2004</b> , 27, 2280-1		1
404	Diabetes mellitus non-glucose monitoring: point-of-care testing. <b>2004</b> , 38, 1039-47		10
403	A Systematic Review of Adherence With Medications for Diabetes: Response to Wens et al.. <b>2004</b> , 27, 2285-2285		10
402	Prevalence of eating disorders in young patients with type 1 diabetes from two different Italian cities. <b>2004</b> , 27, 2278		15
401	Can the method of glycosylated haemoglobin assay affect results of such long-term studies?. <b>2004</b> , 21, 499-500		
400	The number of unexpected HbA variants may be a greater problem in routine practice than is generally realized. <b>2004</b> , 21, 1041-4		9

399	Determination of glycated hemoglobin in clinically silent hemoglobin variants. <b>2004</b> , 20, 460-5		19
398	Tests of glycemia in diabetes. <b>2004</b> , 27, 1761-73		432
397	A systematic review of adherence with medications for diabetes: response to Cramer. <b>2004</b> , 27, 2284; author reply 2285		8
396	Effects of beta thalassemia minor on results of six glycated hemoglobin methods. <i>Clinica Chimica Acta</i> , <b>2004</b> , 350, 123-8	6.2	8
395	Tentative identification of hemoglobin variants in the Bio-Rad VARIANT II Hb A1C method. <i>Clinical Biochemistry</i> , <b>2005</b> , 38, 272-7	3.5	12
394	Glycated hemoglobin and liver disease in diabetes mellitus. <b>2005</b> , 155, 411-5		10
393	Isolation and characterization of a fructosyl-amine oxidase from an <i>Arthrobacter</i> sp. <b>2005</b> , 27, 27-32		23
392	HAEMOGLOBINS (HEMOGLOBINS). <b>2005</b> , 223-229		
391	Haemoglobin A1c: evaluation of three point of care analysers for use in a paediatric diabetes clinic. <b>2005</b> , 42, 124-9		12
390	Analysis of minor hemoglobins by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. <i>Clinical Chemistry</i> , <b>2005</b> , 51, 989-96	5.5	50
389	Effects of hemoglobin C and S traits on glycohemoglobin measurements by eleven methods. <i>Clinical Chemistry</i> , <b>2005</b> , 51, 776-8	5.5	76
388	Serum free hemoglobin concentrations in healthy individuals are related to haptoglobin type. <i>Clinical Chemistry</i> , <b>2005</b> , 51, 1754-5	5.5	35
387	Hemoglobin (Hb) Stanleyville II causes gross overestimation of the Hb A1c proportion in routine HPLC. <i>Clinical Chemistry</i> , <b>2005</b> , 51, 1752-4	5.5	3
386	Validation by a mass spectrometric reference method of use of boronate affinity chromatography to measure glycohemoglobin in the presence of hemoglobin S and C traits. <i>Clinical Chemistry</i> , <b>2005</b> , 51, 264-5	5.5	51
385	Effects of oral contraceptives and hormone replacement therapy on markers of cobalamin status. <i>Clinical Chemistry</i> , <b>2005</b> , 51, 778-81	5.5	21
384	[Interventional radiology as treatment of haematoma of the rectus abdominis]. <b>2005</b> , 125, 77-8		1
383	[Simultaneous description of the first two causes of hemoglobinopathy Korle-Bu in Spain]. <b>2005</b> , 125, 78		
382	Boronated saccharides: potential applications. <b>2005</b> , 391-494		2

381	Parámetros analíticos en el paciente con diabetes mellitus. <b>2006</b> , 53, 418-426		2
380	Preparation of a chimeric armored RNA as a versatile calibrator for multiple virus assays. <i>Clinical Chemistry</i> , <b>2006</b> , 52, 1446-8	5-5	13
379	. <b>2006</b> ,		3
378	Body mass index negatively influences glycated albumin, but not glycated hemoglobin, in diabetic patients. <b>2006</b> , 53, 387-91		94
377	Determination of fructosyl amino acids and fructosyl peptides in protease-digested blood sample by a flow-injection system with an enzyme reactor. <b>2006</b> , 22, 1139-43		6
376	The Globalization of Glycohemoglobin Measurement for Monitoring and for Diagnosis of Diabetes Mellitus. Are We There Yet?. <b>2006</b> , 5, 69-73		
375	Glycaemic Control. <b>2006</b> , 59-69		
374	Les difficultés d'interprétation du dosage de l'hémoglobine A1c. <b>2006</b> , 2006, 39-43		
373	Characterization of hemoglobin Witzburg (alpha2beta2 4(A1)Thr-->Asn), a new electrophoretically silent variant, by mass spectrometry and molecular modeling studies. <b>2006</b> , 1115, 118-24		3
372	Lack of precision in HbA(1c) values on variant II in cases of hemoglobin Q India. <b>2006</b> , 21, 72-5		4
371	Detection and characterization of variant and modified structures of proteins in blood and tissues by mass spectrometry. <b>2006</b> , 25, 686-712		41
370	Assessing glycemia in diabetes using self-monitoring blood glucose and hemoglobin A1c. <b>2006</b> , 295, 1688-97		243
369	Calibration of HbA1c and its measurement in the presence of variant haemoglobins: report on questionnaire to manufacturers. <b>2006</b> , 43, 135-45		12
368	Mass Spectrometry in the Study of Hemoglobin: from Covalent Structure to Higher Order Assembly. <b>2006</b> , 10, 535-553		18
367	Race differences in long-term diabetes management in an HMO: response to Adams et al. <b>2006</b> , 29, 1461-2; author reply 1462		2
366	Incidence of variant hemoglobin (Hb) and increased fetal Hb concentrations and their effect on Hb A1c measurement in a Korean population. <i>Clinical Chemistry</i> , <b>2006</b> , 52, 1445-6	5-5	19
365	Disparities in HbA1c levels between African-American and non-Hispanic white adults with diabetes: a meta-analysis. <b>2006</b> , 29, 2130-6		259
364	Evaluation of Inaccuracies in the Measurement of Glycemia in the Laboratory, by Glucose Meters, and Through Measurement of Hemoglobin A1c. <b>2007</b> , 25, 43-49		24

363	Mass spectrometric detection of an SNP panel as an internal positive control for fetal DNA analysis in maternal plasma. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 141-2	5.5	24
362	Misleading glycosylated hemoglobin results in a patient with hemoglobin SC disease. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 1394-5	5.5	4
361	Non enzymatic glycosylated proteins in the blood and cardiovascular disease. <b>2007</b> , 13, 3688-95		36
360	Mass spectrometry-based detection of hemoglobin E mutation by allele-specific base extension reaction. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 2205-9	5.5	21
359	Unequal concentrations of free T3 and free T4 after ultrafiltration. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 1384-5	5.5	5
358	Hemoglobin constant spring can interfere with glycosylated hemoglobin measurements by boronate affinity chromatography. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 142-3	5.5	14
357	Desirable performance standards for HbA(1c) analysis - precision, accuracy and standardisation: consensus statement of the Australasian Association of Clinical Biochemists (AACB), the Australian Diabetes Society (ADS), the Royal College of Pathologists of Australasia (RCPA), Endocrine Society of Australia (ESA), and the Australian Diabetes Educators Association (ADEA). <b>2007</b> , 45, 1083-97		48
356	Negative association of obesity and its related chronic inflammation with serum glycosylated albumin but not glycosylated hemoglobin levels. <i>Clinica Chimica Acta</i> , <b>2007</b> , 378, 48-52	6.2	111
355	Glycosylated haemoglobin (HbA1c): today and tomorrow. <b>2007</b> , 68, 357-65		7
354	Effects of 7 hemoglobin variants on the measurement of glycohemoglobin by 14 analytical methods. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 2202-5	5.5	28
353	Problem of using hemoglobin A1C measurement in endemic area of hemoglobinopathy. <b>2007</b> , 1, 173-5		13
352	Solubility and crystal structure of N-(1-deoxy-beta-D-fructopyranos-1-yl)-L-histidine monohydrate ('D-fructose-L-histidine'). <b>2007</b> , 342, 131-8		14
351	Evaluation of HbA1c on the Roche COBAS Integra 800 closed tube system. <i>Clinical Biochemistry</i> , <b>2007</b> , 40, 822-7	3.5	21
350	An enzymatic method for the rapid measurement of the hemoglobin A1c by a flow-injection system comprised of an electrochemical detector with a specific enzyme-reactor and a spectrophotometer. <b>2007</b> , 583, 45-54		17
349	Association of erythrocyte indices with glycosylated haemoglobin in pre-menopausal women. <b>2007</b> , 24, 843-7		55
348	Relationship between glycosylated haemoglobin levels and mean glucose levels over time. <b>2007</b> , 50, 2239-44		277
347	Usefulness of single spot plasma glucose at a routine clinic: a preliminary report. <b>2008</b> , 25, 66-68		2
346	Synthesis of sulfonamide- and sulfonyl-phenylboronic acid-modified silica phases for boronate affinity chromatography at physiological pH. <b>2008</b> , 372, 227-36		58

345	Direct enzymatic assay for %HbA1c in human whole blood samples. <i>Clinical Biochemistry</i> , <b>2008</b> , 41, 576-835	45
344	Performance evaluation of ion exchange and affinity chromatography for HbA1c estimation in diabetic patients with HbD: a study of 129 samples. <i>Clinical Biochemistry</i> , <b>2008</b> , 41, 1204-10	35 8
343	Inaccurate hemoglobin A(1C) levels in patients with type 1 diabetes and hereditary persistence of hemoglobin F. <b>2008</b> , 153, 137-9	14
342	Falsely low HbA1c value due to a rare variant of hemoglobin J-Baltimore. <b>2008</b> , 2, 155-7	6
341	Simultaneous determination of glycated haemoglobin, a long term biomarker of diabetes mellitus, and total haemoglobin by isotope dilution and HPLC-ICP-MS. <b>2008</b> , 23, 758	22
340	Hemoglobin A1c determination in the A1C-Derived Average Glucose (ADAG) study. <b>2008</b> , 46, 1617-23	15
339	The effect of elevated fetal hemoglobin on hemoglobin A1c results: five common hemoglobin A1c methods compared with the IFCC reference method. <b>2008</b> , 129, 811-4	65
338	Glycemic Control and Hemoglobinopathy: When A1C May Not Be Reliable. <b>2008</b> , 21, 46-49	26
337	Haemoglobin A1c analysis in the management of patients with diabetes: from chaos to harmony. <b>2008</b> , 61, 983-7	25
336	Association between serum bioavailable testosterone concentration and the ratio of glycated albumin to glycated hemoglobin in men with type 2 diabetes. <b>2008</b> , 31, 397-401	21
335	Translating the A1C assay into estimated average glucose values. <b>2008</b> , 31, 1473-8	1065
334	The silent hemoglobin alpha chain variant Hb Riccarton [ $\alpha$ 51(CE9)Gly $\rightarrow$ Ser] may affect HbA1c determination on the HLC-723 G7 analyzer. <b>2008</b> , 46, 827-30	9
333	Haemoglobin A1c in the diagnosis and monitoring of diabetes mellitus. <b>2008</b> , 61, 977-82	46
332	Effects of hemoglobin C and S traits on the results of 14 commercial glycated hemoglobin assays. <b>2008</b> , 130, 136-40	47
331	A new look at screening and diagnosing diabetes mellitus. <b>2008</b> , 93, 2447-53	305
330	Evaluation of the DCA Vantage analyzer for HbA 1c assay. <b>2008</b> , 46, 1195-8	29
329	Improving the Accuracy of Hemoglobin A1c: Your Help Is Needed. <b>2008</b> , 39, 389-393	1
328	Conundrum of elevated HbA1C and hypoglycemia-a rare cause. <b>2008</b> , 335, 382-6	2

327	A mistaken diagnosis of type 2 diabetes due to hemoglobin N-Baltimore. <b>2008</b> , 336, 524-6	6
326	A case of discordant HbA(1c): a method-dependent error. <b>2009</b> , 191, 347-9	2
325	Hemoglobin Yamagata: hemoglobin variant detected by HbA1c test. <b>2009</b> , 29, 536-40	5
324	THE MOLECULAR, CELLULAR, AND GENETIC BASIS OF HEMOGLOBIN DISORDERS. 1-2	
323	[Interference of hemoglobin variants on glycated hemoglobin measurement using Architect ci8200 immunoassay (Abbott Diagnostics)]. <b>2009</b> , 67, 557-62	
322	Hb Belleville [beta 10(A7)Ala-->Thr] affects the determination of Hb A1c by routine cation exchange high performance liquid chromatography. <b>2009</b> , 33, 45-50	3
321	Perspectives for practice: translating estimated average glucose (eAG) to promote diabetes self-management capacity. <b>2009</b> , 35, 581, 585-6, 588-90 passim	5
320	Prevention of non-enzymic glycation of proteins by dietary agents: prospects for alleviating diabetic complications. <b>2009</b> , 101, 1714-21	75
319	Primary care physicians identify and act upon glycemic abnormalities found in structured, episodic blood glucose monitoring data from non-insulin-treated type 2 diabetes. <b>2009</b> , 11, 283-91	26
318	Appropriateness of the National Academy of Clinical Biochemistry recommendation of repeating HbA1c analysis for extreme results in clinical practice. <b>2009</b> , 46, 165-6	1
317	Racial and ethnic differences in mean plasma glucose, hemoglobin A1c, and 1,5-anhydroglucitol in over 2000 patients with type 2 diabetes. <b>2009</b> , 94, 1689-94	163
316	Factitious biochemical measurements resulting from hematologic conditions. <b>2009</b> , 131, 195-204	35
315	Serum glycated albumin levels are influenced by smoking status, independent of plasma glucose levels. <b>2009</b> , 46, 141-4	31
314	The potential of mass spectrometry to study iron-containing proteins used in clinical diagnosis. <b>2009</b> , 634, 1-14	18
313	Involvement of vascular endothelial growth factor, CD44 and CD133 in periodontal disease and diabetes: an immunohistochemical study. <b>2009</b> , 36, 3-10	30
312	Ethnic variation in the correlation between random serum glucose concentration and glycated haemoglobin. <b>2009</b> , 26, 128-33	31
311	Levels of glycated haemoglobin A--HbA1c in nondiabetic carriers of haemoglobin O-Arab. <b>2009</b> , 31, 471-4	
310	Review of hemoglobin A(1c) in the management of diabetes. <b>2009</b> , 1, 9-17	171



309	Two-dimensional liquid chromatographic methods to examine phenylboronate interactions with recombinant antibodies. <b>2009</b> , 1216, 5676-86		21
308	Interference of hemoglobinA1c (HbA1c) detection using ion-exchange high performance liquid chromatography (HPLC) method by clinically silent hemoglobin variant in University Malaya Medical Centre (UMMC)--a case report. <i>Clinical Biochemistry</i> , <b>2009</b> , 42, 430-4	3.5	26
307	Electrochemical characterisation of a conductive polymer molecularly imprinted with an Amadori compound. <b>2009</b> , 24, 3170-3		34
306	Disordered hydrogen bonding in N-(1-deoxy-beta-D-fructopyranos-1-yl)-N-allylaniline. <b>2009</b> , 344, 948-51		9
305	Vascular endothelial growth factor and microvessel density in periodontitis patients with and without diabetes. <b>2009</b> , 80, 1783-9		24
304	Haemoglobin A1c: evaluation of a new HbA1c point-of-care analyser Bio-Rad in2it in comparison with the DCA 2000 and central laboratory analysers. <b>2009</b> , 46, 373-6		12
303	Effects of thyroid hormone on serum glycated albumin levels: study on non-diabetic subjects. <b>2009</b> , 84, 163-7		72
302	Reporting variant hemoglobins discovered during hemoglobin A1c analysis - common practices in clinical laboratories. <i>Clinica Chimica Acta</i> , <b>2009</b> , 406, 124-8	6.2	18
301	Falsely elevated hemoglobin A1c due to S-beta+-thalassemia interference in Bio-Rad Variant II Turbo HbA1c assay. <i>Clinica Chimica Acta</i> , <b>2009</b> , 409, 18-20	6.2	7
300	Assessing glycemic control in maintenance hemodialysis patients with type 2 diabetes. <b>2009</b> , 32, 1137-42		75
299	A new beta-chain variant: Hb stockholm [beta 7(A4)GluAsp] causes falsely low Hb A(1c). <b>2009</b> , 33, 137-42		5
298	Association of serum glycated albumin to haemoglobin A1C ratio with hepatic function tests in patients with chronic liver disease. <b>2009</b> , 46, 368-72		30
297	Common hemoglobin variants in southern Taiwan and their effect on the determination of HbA1c by ion-exchange high-performance liquid chromatography. <b>2009</b> , 72, 362-7		8
296	HbA1c: how do we measure it and what does it mean?. <b>2009</b> , 16, 113-8		80
295	Fasting plasma glucose and glycosylated hemoglobin in the screening for diabetes mellitus after renal transplantation. <b>2009</b> , 88, 429-34		89
294	Hemoglobins of the Embryo, Fetus, and Adult. 119-136		9
293	Hémoglobine glyquée. <b>2009</b> , 4, 1-6		0
292	Clinical impact of glycated albumin as another glycemic control marker. <b>2010</b> , 57, 751-62		188

291	Serum glycated albumin, but not glycated haemoglobin, is low in relation to glycemia in hyperuricemic men. <b>2010</b> , 47, 173-7		25
290	Normal glucose tolerance with high HbA1c levels observed in two cases of Hb variants. <i>Diabetology International</i> , <b>2010</b> , 1, 104-107	2-3	3
289	Taking Action Together: a YMCA-based protocol to prevent type-2 diabetes in high-BMI inner-city African American children. <b>2010</b> , 11, 60		23
288	Disparity in estimated average glucose due to different hemoglobin A1c methods and hemoglobin S trait. <b>2010</b> , 48, 571-2		3
287	A1C cut points to define various glucose intolerance groups in Asian Indians. <b>2010</b> , 33, 515-9		89
286	Spuriously high HbA1c due to the presence of haemoglobin Raleigh: a case report and review of the literature. <b>2010</b> , 65, 336-40		4
285	Artefactually Low Hemoglobin A1C in a Patient with Hemolytic Anemia. <b>2010</b> , 41, 267-270		9
284	Comparison of glycated albumin and hemoglobin A1c concentrations in diabetic subjects on peritoneal and hemodialysis. <b>2010</b> , 30, 72-9		91
283	Undiagnosed diabetes in kidney transplant candidates: a case-finding strategy. <b>2010</b> , 5, 616-22		50
282	Glycated albumin levels are higher relative to glycated haemoglobin levels in gastrectomized subjects. <b>2010</b> , 47, 39-43		19
281	Hemoglobin variants detected by hemoglobin A1c (HbA1c) analysis and the effects on HbA1c measurements. <b>2010</b> , 30, 86-90		35
280	Abnormally low HbA1c secondary to hemoglobin J-Baltimore [beta 16(A13) Gly-->Asp]. Family study. <b>2010</b> , 57, 83-5		4
279	Serum glycated albumin, but not glycated hemoglobin, is low in relation to glycemia in men with hypertriglyceridemia. <b>2010</b> , 1, 202-7		13
278	Measurement of glycated hemoglobin and glycated albumin in umbilical cord: evaluation of the glycemic control indicators in neonates. <b>2011</b> , 31, 430-3		10
277	Unexpected hemoglobin A1c results. <i>Clinical Chemistry</i> , <b>2011</b> , 57, 153-6	5-5	24
276	Status of hemoglobin A1c measurement and goals for improvement: from chaos to order for improving diabetes care. <i>Clinical Chemistry</i> , <b>2011</b> , 57, 205-14	5-5	212
275	Anti-oxidant, anti-glycant, and inhibitory activity against $\alpha$ amylase and $\alpha$ glucosidase of selected spices and culinary herbs. <b>2011</b> , 62, 175-84		38
274	A patient with acute lymphoblastic leukaemia presenting with an extremely high level (21.0%) of HbA(1c). <b>2011</b> , 48, 474-7		4

273	Usefulness of glycated albumin as an indicator of glycemic control status in patients with hemolytic anemia. <i>Clinica Chimica Acta</i> , <b>2011</b> , 412, 253-7	6.2	58
272	Method-dependent HbA1c values in a family with hemoglobin Himeji. <i>Clinica Chimica Acta</i> , <b>2011</b> , 412, 1689-92	6.2	14
271	The glycation of albumin: structural and functional impacts. <b>2011</b> , 93, 645-58		292
270	Hb Riesa or $\beta 3$ (F9) Cys->Ser, a new electrophoretically silent haemoglobin variant interfering with haemoglobin A1c measurement. <b>2011</b> , 879, 2952-6		6
269	Effects of the Hb E, Hb H and Hb G-Taichung variants on HbA1c values by the Bio-Rad variant II turbo analyzer. <i>Clinical Biochemistry</i> , <b>2011</b> , 44, 1338-42	3.5	27
268	Unexpected Hemoglobin A1c Results. <b>2011</b> , 1, 67		
267	Hemoglobin Raleigh results in factitiously low hemoglobin A1c when evaluated via immunoassay analyzer. <b>2011</b> , 25, 14-8		12
266	Glycated albumin but not HbA1c reflects glycaemic control in patients with neonatal diabetes mellitus. <b>2011</b> , 54, 2247-53		34
265	Hemoglobin determination with paired emitter detector diode. <b>2011</b> , 399, 3293-7		32
264	Evaluation of the glycated albumin/HbA1c ratio by stage of diabetic nephropathy. <i>Diabetology International</i> , <b>2011</b> , 2, 141-145	2.3	12
263	Cases with Hb Toranomon show abnormal HbA1c levels measured by upgraded high-performance liquid chromatography models. <i>Diabetology International</i> , <b>2011</b> , 2, 202-207	2.3	7
262	Hemoglobin Seville [ $\alpha \alpha$ 81 (EF5) Leu->Phe] a silent phenotypic variant that interferes in hemoglobin A1c measurement by ion-exchange HPLC method. <i>Clinical Biochemistry</i> , <b>2011</b> , 44, 933-5	3.5	5
261	Quantitative targeted biomarker assay for glycated haemoglobin by multidimensional LC using mass spectrometric detection. <b>2011</b> , 74, 35-43		23
260	Guidelines and recommendations for laboratory analysis in the diagnosis and management of diabetes mellitus. <i>Clinical Chemistry</i> , <b>2011</b> , 57, e1-e47	5.5	293
259	Glycated hemoglobin A <sub>1c</sub> (HbA <sub>1c</sub> ) and diabetes: a new era?. <b>2011</b> , 27 Suppl 3, 7-11		5
258	A1C versus glucose testing: a comparison. <b>2011</b> , 34, 518-23		284
257	Does glucose variability influence the relationship between mean plasma glucose and HbA1c levels in type 1 and type 2 diabetic patients?. <b>2011</b> , 34, 1843-7		63
256	Basic performance of an enzymatic method for glycated albumin and reference range determination. <i>Journal of Diabetes Science and Technology</i> , <b>2011</b> , 5, 1455-62	4.1	77

255	Commentary. <i>Clinical Chemistry</i> , <b>2011</b> , 57, 156	5.5	
254	Gaps in the glycation gap hypothesis. <i>Clinical Chemistry</i> , <b>2011</b> , 57, 150-2	5.5	24
253	Red cell transfusion decreases hemoglobin A1c in patients with diabetes. <i>Clinical Chemistry</i> , <b>2011</b> , 57, 344-6	5.5	35
252	Is there a relationship between mean blood glucose and glycated hemoglobin?. <i>Journal of Diabetes Science and Technology</i> , <b>2011</b> , 5, 1572-83	4.1	44
251	Guidelines and recommendations for laboratory analysis in the diagnosis and management of diabetes mellitus. <b>2011</b> , 34, e61-99		316
250	The Challenge of the Use of Glycemic Biomarkers in Diabetes: Reflecting on Hemoglobin A1C, 1,5-Anhydroglucitol, and the Glycated Proteins Fructosamine and Glycated Albumin. <b>2012</b> , 25, 141-148		21
249	Interference of hemoglobin D on measurements of hemoglobin A1c by the high-performance liquid chromatography HA-8160 in 27 patients. <i>Journal of Diabetes Science and Technology</i> , <b>2012</b> , 6, 1235-7	4.1	8
248	Classification of variant forms of haemoglobin according to the ratio of glycated haemoglobin to glycated albumin. <b>2012</b> , 49, 441-4		20
247	Early basal insulin therapy decreases new-onset diabetes after renal transplantation. <b>2012</b> , 23, 739-49		144
246	Glycated albumin is a potential diagnostic tool for diabetes mellitus. <b>2012</b> , 12, 568-71		20
245	Association of HIV infection with incident diabetes mellitus: impact of using hemoglobin A1C as a criterion for diabetes. <b>2012</b> , 61, 334-40		59
244	Special considerations of care and risk management for African American patients with type 2 diabetes mellitus. <b>2012</b> , 104, 265-73		8
243	Evaluation of turbidimetric inhibition immunoassay (TINIA) and HPLC methods for glycated haemoglobin determination. <b>2012</b> , 26, 481-5		21
242	HbA(1c)--an analyte of increasing importance. <i>Clinical Biochemistry</i> , <b>2012</b> , 45, 1038-45	3.5	28
241	Glycated albumin in diabetic patients with chronic kidney disease. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 1555-612		55
240	Comparison of hemoglobin A1c measurements of samples with elevated fetal hemoglobin by three commercial assays. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 1712-3	6.2	7
239	The glycated albumin to glycated haemoglobin ratio increases along with the fibrosis stage in non-alcoholic steatohepatitis. <b>2012</b> , 49, 387-90		11
238	HbA1c in pregnancy. <b>2012</b> , 6, 59-64		16

237	Use of HbA(1C) testing to diagnose pre-diabetes in high risk African American children: a comparison with fasting glucose and HOMA-IR. <b>2012</b> , 6, 157-62		11
236	Applications of reversible covalent chemistry in analytical sample preparation. <b>2012</b> , 137, 5457-82		42
235	A spurious haemoglobin A(1c) result associated with double heterozygote for haemoglobin Raleigh (H[NA1]Val -> Ala) and (H)-thalassaemia. <b>2012</b> , 49, 445-9		4
234	Efeito do treinamento combinado e aerbico no controle gliccico no diabetes tipo 2. <b>2012</b> , 25, 399-409		0
233	Evaluation of the AutoLab HbA1cReagent by Using Hitachi Clinical Analyzer 7180. <b>2012</b> , 2, 74		
232	Development of hemoglobin A1c certified reference material by liquid chromatography isotope dilution mass spectrometry. <b>2012</b> , 403, 549-54		10
231	Reduction in glycated albumin can predict change in HbA1c: comparison of oral hypoglycaemic agent and insulin treatments. <b>2012</b> , 29, 74-9		14
230	Current controversies in the use of haemoglobin A1c. <b>2012</b> , 271, 227-36		71
229	Glycated albumin is lower in infants than in adults and correlated with both age and serum albumin. <b>2013</b> , 14, 25-30		19
228	A diabetic patient with hemoglobin variant Hb Mito diagnosed from a change in HbA1c measurement method. <i>Diabetology International</i> , <b>2013</b> , 4, 257-260	2.3	
227	HbA1c for screening and diagnosis of diabetes mellitus. <b>2013</b> , 43, 266-73		41
226	Review: Glycation of human serum albumin. <i>Clinica Chimica Acta</i> , <b>2013</b> , 425, 64-76	6.2	232
225	Evaluation of biological variation of glycated albumin (GA) and fructosamine in healthy subjects. <i>Clinica Chimica Acta</i> , <b>2013</b> , 423, 1-4	6.2	27
224	Interference of the most frequent haemoglobin variants on quantification of HbA1c: comparison between the LC-MS (IFCC reference method) and three routinely used methods. <b>2013</b> , 39, 363-9		28
223	Improved glycemic control in moderate altitude type II diabetic residents. <b>2013</b> , 14, 27-30		2
222	An improved enzymatic assay for glycated serum protein. <b>2013</b> , 5, 2461		15
221	Identification of a rare variant haemoglobin (Hb Sinai-Baltimore) causing spuriously low haemoglobin A(1c) values on ion exchange chromatography. <b>2013</b> , 50, 83-6		2
220	Hemoglobin Jerez [H H 95 (FG2) Lys->Gln]: performance of HbA1c measurement with five analytical methods. <i>Clinica Chimica Acta</i> , <b>2013</b> , 425, 160-2	6.2	1

219	Glycated albumin is set lower in relation to plasma glucose levels in patients with Cushing's syndrome. <i>Clinica Chimica Acta</i> , <b>2013</b> , 424, 164-7	6.2	14
218	Impact of glutathione-HbA1c on HbA1c measurement in diabetes diagnosis via array isoelectric focusing, liquid chromatography, mass spectrometry and ELISA. <b>2013</b> , 115, 323-8		5
217	The long and winding road to optimal HbA1c measurement. <i>Clinica Chimica Acta</i> , <b>2013</b> , 418, 63-71	6.2	71
216	Dapsone interferes with hemoglobin A1c monitoring of diabetes in an HIV-infected patient. <b>2013</b> , 27, 299-301		7
215	Hemoglobin A1c in diabetes: panacea or pointless?. <b>2013</b> , 62, 41-3		30
214	Ethnic differences in glycemic markers in patients with type 2 diabetes. <b>2013</b> , 36, 2931-6		62
213	Interference of hemoglobin (Hb) N-Baltimore on measurement of HbA(1c) using the HA-8160 HPLC method. <b>2013</b> , 51, e13-5		5
212	Effect of hemoglobin Porto Alegre on glycated hemoglobin (HbA(1c)) measurement with the HA-8160 high performance liquid chromatography method. <b>2013</b> , 51, e247-9		3
211	Unreliable oral glucose tolerance test and haemoglobin A1C in beta thalassaemia major--a case for continuous glucose monitoring?. <b>2013</b> , 162, 132-5		10
210	Haemoglobin Kenitra detected by HPLC assay and its compromising effect on the measurement of HbA1c. <b>2013</b> , 35, e18-20		1
209	Evaluation of glycated hemoglobin and fetal hemoglobin-adjusted HbA1c measurements in infants. <b>2013</b> , 14, 267-72		15
208	A rare hemoglobin variant (Hb Iraq-Halabja) causing spuriously low hemoglobin A1c values. <i>Internal Medicine</i> , <b>2013</b> , 52, 2443-6	1.1	4
207	Elevated CD40 ligand silences $\gamma$ Interferon production in an HIV-related immune reconstitution inflammatory syndrome. <b>2013</b> , 27, 297-9		3
206	In vitro determination of hemoglobin A1c for diabetes diagnosis and management: technology update. <b>2014</b> , 21		2
205	Performance Evaluation of the ARKRAY ADAMS A1c HA-8180. <b>2014</b> , 4, 164		
204	The presence of Hb J-Bangkok caused spuriously low glycated hemoglobin value on the Tosoh G7. <b>2014</b> , 74, 725-7		2
203	Importance of HbA1c and Fructosamine As A Marker Of Glycemic Control and Evaluation Of Some Biochemical Parameters During Pregnancy. <b>2014</b> , 39, 336-343		
202	Study of a newly developed high-performance liquid chromatography analyser for glycosylated haemoglobin measurements in blood containing haemoglobin variants in the Japanese population. <b>2014</b> , 51, 591-601		4

201	A Rare Hemoglobin Variant Which Interfered Hemoglobin A1C Result: Hemoglobin South Florida [I(NA1)Val>Met, GTG>ATG; HBB: c.4G>A]. <b>2014</b> , 39, 226-230		
200	The ratio of estimated average glucose to fasting plasma glucose level is superior to glycated albumin, hemoglobin A1c, fructosamine, and GA/A1c ratio for assessing $\beta$ cell function in childhood diabetes. <b>2014</b> , 2014, 370790		4
199	Glycated hemoglobin a1c as a modern biochemical marker of glucose regulation. <b>2014</b> , 67, 339-344		8
198	Aberrant glycated haemoglobin (HbA1c) results leading to haemoglobinopathy diagnosis in four Belgian patients. <b>2014</b> , 69, 456-9		1
197	1,5-Anhydroglucitol and glycated albumin in glycemia. <b>2014</b> , 64, 269-301		22
196	Serum albumin-adjusted glycated albumin is an adequate indicator of glycemic control in patients with Cushing's syndrome. <i>Clinical Biochemistry</i> , <b>2014</b> , 47, 279-82	3.5	4
195	Diabetic Cataract and Role of Antiglycating Phytochemicals. <b>2014</b> , 131-140		1
194	Rare presumptive Hb variant misidentification prevents appropriate Hb A1c result. <i>Clinica Chimica Acta</i> , <b>2014</b> , 431, 111-2	6.2	2
193	Hb Hope: A Rare Variant of Haemoglobin-Forged a Rise in HbA1c on Immunoturbidimetric Assay. <b>2014</b> , 29, 517-9		3
192	Pitfalls in hemoglobin A1c measurement: when results may be misleading. <b>2014</b> , 29, 388-94		159
191	Glycated albumin; clinical usefulness. <i>Clinica Chimica Acta</i> , <b>2014</b> , 433, 96-104	6.2	120
190	Degree of discrepancy between HbA1c and glycemia in variant hemoglobin is smaller when HbA1c is measured by new-type Arkray HPLC compared with old-type HPLC. <i>Clinical Biochemistry</i> , <b>2014</b> , 47, 123-5	3.5	7
189	Effects of hemoglobin variants on hemoglobin a1c values measured using a high-performance liquid chromatography method. <i>Journal of Diabetes Science and Technology</i> , <b>2014</b> , 8, 1168-76	4.1	20
188	Pathology consultation on HbA(1c) methods and interferences. <b>2014</b> , 141, 5-16		49
187	Effect of non-enzymatic glycation on cystatin: a spectroscopic study. <b>2014</b> , 24, 1107-17		18
186	Multicentre evaluation of glycated haemoglobin (HbA1c) of Roche Diagnostics in Andalusia. <i>Clinical Biochemistry</i> , <b>2014</b> , 47, 1108-11	3.5	
185	Consensus guidelines for glycemic monitoring in type 1/type 2 & GDM. <b>2014</b> , 8, 187-95		10
184	HbA1c can be a useful glycemic control marker for patients with neonatal diabetes mellitus older than 20 weeks of age. <i>Clinica Chimica Acta</i> , <b>2014</b> , 436, 93-6	6.2	4

183	Prevalence of hemoglobin variants in a diabetic population at high risk of hemoglobinopathies and optimization of HbA1c monitoring by incorporating HPLC in the laboratory workup. <b>2014</b> , 9, 25768		6
182	A Mosaic Expression of a Hb J-Amiens (HBB: c.54G > T; p.Lys18Asn) and its Interference with Hb A1c Analysis. <b>2015</b> , 39, 435-7		1
181	Hemoglobin Valme HBB:c.124T>G: a new hemoglobin variant with diminished oxygen affinity causes interference in hemoglobin A1c measurement in an automated ion-exchange HPLC method. <b>2015</b> , 53, e211-3		2
180	The ratio of glycated albumin to hemoglobin A1c measured in IFCC units accurately represents the glycation gap. <b>2015</b> , 62, 161-72		4
179	A Rare Case of Variant Hemoglobin (Hb Yahata) Suspected Based on Inconsistent Plasma Glucose and HbA1c Levels. <i>Internal Medicine</i> , <b>2015</b> , 54, 1771-5	1.1	2
178	Early Diagnosis of Diabetes through the Eye. <b>2015</b> , 91, 1497-504		15
177	Two novel haemoglobin variants that affect haemoglobin A1c measurement by ion-exchange chromatography. <b>2015</b> , 53, 1465-71		9
176	Analytical evaluation of the Diazyme glycated serum protein assay on the siemens ADVIA 1800: comparison of results against HbA1c for diagnosis and management of diabetes. <i>Journal of Diabetes Science and Technology</i> , <b>2015</b> , 9, 192-9	4.1	21
175	Selective label-free electrochemical impedance measurement of glycated haemoglobin on 3-aminophenylboronic acid-modified eggshell membranes. <b>2015</b> , 407, 5287-97		11
174	Accuracy of three hemoglobin A1c point-of-care systems for glucose monitoring in patients with diabetes mellitus. <b>2015</b> , 62, 478-84		6
173	Accuracy of three hemoglobin A1c point-of-care systems for glucose monitoring in patients with diabetes mellitus. <b>2015</b> , 62, 478-484		2
172	Detection of abnormal glucose tolerance in Africans is improved by combining A1C with fasting glucose: the Africans in America Study. <b>2015</b> , 38, 213-9		37
171	Effects of 49 Different Rare Hb Variants on HbA1c Measurement in Eight Methods. <i>Journal of Diabetes Science and Technology</i> , <b>2015</b> , 9, 849-56	4.1	42
170	In vitro human serum albumin glycation monitored by Terahertz spectroscopy. <b>2015</b> , 47, 961-973		9
169	Comparison of fasting plasma glucose and glycated hemoglobin for diagnosing diabetes in a Taiwanese population. <b>2015</b> , 13, 203-7		6
168	Aspirin-mediated acetylation of haemoglobin increases in presence of high glucose concentration and decreases protein glycation. <b>2015</b> , 8, 116-127		8
167	Factors affecting A1C in non-diabetic individuals: Review and meta-analysis. <i>Clinica Chimica Acta</i> , <b>2015</b> , 445, 107-14	6.2	36
166	Evaluation of hemoglobin A1c measurement by Capillarys 2 electrophoresis for detection of abnormal glucose tolerance in African immigrants to the United States. <i>Clinica Chimica Acta</i> , <b>2015</b> , 446, 54-60	6.2	5



165	HbG-Coushatta: an unexpected discovery during HbA1c measurement. <i>Clinica Chimica Acta</i> , <b>2015</b> , 444, 163-6	6.2	4
164	The interference by HbF on HbA1c (BM Test HbA1c) measurement in enzymatic method. <b>2015</b> , 52, 569-75		2
163	Glycated hemoglobin, serum proteins, and other markers as tools for monitoring. <b>2015</b> , 853-871		1
162	Limitations of hemoglobin A1c for the diagnosis of posttransplant diabetes mellitus. <b>2015</b> , 99, 629-35		23
161	Role of glycated hemoglobin in the screening and diagnosis of posttransplantation diabetes mellitus after renal transplantation: A diagnostic accuracy study. <i>Clinica Chimica Acta</i> , <b>2015</b> , 445, 48-53	6.2	9
160	Effects of hemoglobin S variants on the measurement of glycosylated hemoglobin A1c by four analytical methods. <b>2015</b> , 35, 392-399		
159	Bioactive ginger constituents alleviate protein glycation by trapping methylglyoxal. <b>2015</b> , 28, 1842-9		34
158	Mass spectrometry based characterization of Hb Beckman variant in a falsely elevated HbA(1c) sample. <b>2015</b> , 489, 53-8		4
157	Possible role of fructosamine 3-kinase genotyping for the management of diabetic patients. <b>2015</b> , 53, 1315-20		10
156	Glycated Serum Albumin and AGE Receptors. <b>2015</b> , 72, 205-75		24
155	Interference of the Hope Hemoglobin With Hemoglobin A1c Results. <b>2015</b> , 46, 221-5		2
154	Identification of Hb Wayne and its effects on HbA1c measurement by 5 methods. <i>Clinical Biochemistry</i> , <b>2015</b> , 48, 1144-50	3.5	12
153	Frutosamina como principal parâmetro glicêmico do paciente diabético em hemodiálise. <b>2016</b> , 9, 119		
152	Incidental detection of a rare hemoglobin variant (Hemoglobin N Seattle) leading to undetectable levels of HbA1c in a diabetic female: a case report. <b>2016</b> , 7,		
151	Where Has All the Hemoglobin A1c Gone?. <i>Clinical Chemistry</i> , <b>2016</b> , 62, 1415-6	5.5	
150	Navigating Misconduct in Research Oversight. <i>Clinical Chemistry</i> , <b>2016</b> , 62, 1416-1417	5.5	
149	Glycemic Assessment in a Patient with HB Leiden and Type 2 Diabetes. <b>2016</b> , 2, e307-e310		2
148	Glycated Hemoglobin (HbA1c): Clinical Applications of a Mathematical Concept. <b>2016</b> , 24, 233-238		6

147	Glycated Hemoglobin Levels in Patients with Decompensated Cirrhosis. <b>2016</b> , 2016, 8390210	20
146	Hb A1c Separation by High Performance Liquid Chromatography in Hemoglobinopathies. <b>2016</b> , 2016, 2698362	3
145	Comparing the Efficacy of Samsung LABGEO PT10 and Bio-Rad Variant II Turbo for HbA1c Measurement in Three Types of Blood Samples. <b>2016</b> , 6, 152	
144	Glycated Albumin versus Glycated Hemoglobin as a Glycemic Indicator in Diabetic Patients on Peritoneal Dialysis. <b>2016</b> , 17,	18
143	Hb Melusine and Hb Athens-Georgia: potentially underreported in the Belgian population? Four cases demonstrating the lack of detection using common CE-HPLC methods either for glycated hemoglobin (HbA) analysis or Hb variant screening. <b>2016</b> , 71, 458-461	6
142	Analysis of Hemoglobin Glycation Using Microfluidic CE-MS: A Rapid, Mass Spectrometry Compatible Method for Assessing Diabetes Management. <b>2016</b> , 88, 5324-30	31
141	Erroneous HbA1c results in a patient with elevated HbC and HbF. <i>Clinica Chimica Acta</i> , <b>2016</b> , 462, 153-158.2	1
140	Haemoglobin kenitra identified in a Portuguese man with type 2 diabetes and pheochromocytoma. <b>2016</b> , 38, e1-3	1
139	Glycated albumin is superior to glycated hemoglobin for glycemic control assessment at an early stage of diabetes treatment: A multicenter, prospective study. <b>2016</b> , 30, 1609-1613	15
138	A Test in Context: Hemoglobin A and Cardiovascular Disease. <b>2016</b> , 68, 2479-2486	15
137	Are There Clinical Implications of Racial Differences in HbA1c? A Difference, to Be a Difference, Must Make a Difference. <b>2016</b> , 39, 1462-7	54
136	Role of Glycated Proteins in the Diagnosis and Management of Diabetes: Research Gaps and Future Directions. <b>2016</b> , 39, 1299-306	94
135	Diagnosis of Diabetes Mellitus by Extraction of Morphological Features of Red Blood Cells Using an Artificial Neural Network. <b>2016</b> , 124, 548-556	1
134	When are HBA1C Values Misleading?. <b>2016</b> , 2, e377-e379	7
133	Detection of hemoglobin variant HbS on the basis of discrepant HbA1c values in different measurement methods. <i>Diabetology International</i> , <b>2016</b> , 7, 199-203	2-3
132	A multiplexed three-dimensional paper-based electrochemical impedance device for simultaneous label-free affinity sensing of total and glycated haemoglobin: The potential of using a specific single-frequency value for analysis. <b>2016</b> , 936, 1-11	31
131	Diabetes and Cardiovascular Disease Risk in Cambodian Refugees. <b>2016</b> , 18, 110-7	26
130	Hemoglobin Hirose: A rare beta chain variant causing falsely low HbA1c by HPLC. <i>Clinical Biochemistry</i> , <b>2016</b> , 49, 498-501	3-5 4

129	Hemoglobin A2-Leuven (H21 His>Asp): a novel delta-chain variant potentially interfering in hemoglobin A1c measurement using cation exchange HPLC. <b>2016</b> , 54, e161-3		2
128	Hb variants in Korea: effect on HbA1c using five routine methods. <b>2017</b> , 55, 1234-1242		10
127	Hemoglobinopathies/thalassemias: Why clinical biochemists need to know about them. <i>Clinical Biochemistry</i> , <b>2017</b> , 50, 464-465	3.5	1
126	Evaluation of glycated albumin (GA) and GA/HbA1c ratio for diagnosis of diabetes and glycemic control: A comprehensive review. <b>2017</b> , 54, 219-232		57
125	Diabetes and Anemia: International Diabetes Federation (IDF) - Southeast Asian Region (SEAR) position statement. <b>2017</b> , 11 Suppl 2, S685-S695		26
124	Management of Hemoglobin Variants Detected Incidentally in HbA1c Testing: A Common Problem Currently Lacking a Standard Approach. <b>2017</b> , 40, e8-e9		8
123	Effect of Hb Shuangfeng on HbA1c results. <b>2017</b> , 77, 394-396		2
122	How Can We Realize the Clinical Benefits of Continuous Glucose Monitoring?. <b>2017</b> , 19, S27-S36		41
121	Functional food supplements to ameliorate the secondary complications in high fructose fed diabetic rats. <b>2017</b> , 8, 1840-1850		2
120	Dans quelle mesure l'HbA1c permet de prévoir le risque des complications de microangiopathie dans le diabète ?. <b>2017</b> , 11, 438-443		
119	Average glucose from hemoglobin A for altered red blood cell lifetimes: Predictions based on a model for hemoglobin A1c formation. <i>Clinica Chimica Acta</i> , <b>2017</b> , 474, 124-129	6.2	3
118	Prevalence of Rare Hemoglobin Variants Identified During Measurements of Hb A by Capillary Electrophoresis. <i>Clinical Chemistry</i> , <b>2017</b> , 63, 1901-1902	5.5	6
117	The usage of fasting glucose and glycated hemoglobin for the identification of unknown type 2 diabetes in high risk patients with morbid obesity. <b>2017</b> , 77, 505-512		1
116	An overview of in vitro and in vivo glycation of albumin: a potential disease marker in diabetes mellitus. <b>2017</b> , 34, 575-584		18
115	Hemoglobin Providence (H21 Lys > Asn, Asp) and lower-than-expected HbA1c in a nonadherent teenager with type 1 diabetes: a case report and literature review. <b>2017</b> , 5, 2000-2002		2
114	International Consensus on Use of Continuous Glucose Monitoring. <b>2017</b> , 40, 1631-1640		872
113	Haemoglobin variants may cause significant differences in haemoglobin A1c as measured by high-performance liquid chromatography and enzymatic methods in diabetic patients: a cross-sectional study. <b>2017</b> , 54, 432-437		3
112	Novel biomarkers for prediabetes, diabetes, and associated complications. <b>2017</b> , 10, 345-361		88

111	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <b>2017</b> , 14, e1002383		223
110	Hemoglobin Himeji and inconsistent hemoglobin A1c values: a case report. <b>2017</b> , 11, 201		4
109	ESTIMATION OF HEMOGLOBIN A1C USING THE COMPLETE BLOOD COUNT MEASURES IN THE DIAGNOSIS OF DIABETES. <b>2017</b> , 10, 214		1
108	HbA1c levels in individuals heterozygous for hemoglobin variants. <b>2017</b> , 63, 341-346		
107	Genetics of HbA1c: a case study in clinical translation. <b>2018</b> , 50, 79-85		16
106	Calcium dobesilate: A drug treatment for diabetic retinopathy can negatively interfere with the measurement of glycated albumin using the enzymatic method. <i>Clinica Chimica Acta</i> , <b>2018</b> , 483, 1-5	6.2	2
105	Label-free spectrochemical probe for determination of hemoglobin glycation in clinical blood samples. <b>2018</b> , 11, e201700397		6
104	Glycosylated haemoglobin: a false sense of security. <b>2018</b> , 11,		0
103	Selecting the Appropriate Continuous Glucose Monitoring System - a Practical Approach. <b>2018</b> , 14, 24-29		29
102	Gold Nanoparticle-Based Detection of Low Molecular Weight AGEs from In Vitro Glycated Haemoglobin A0 Samples. <b>2018</b> , 13, 390		3
101	Genetic Ancestry Markers and Difference in A1c Between African American and White in the Diabetes Prevention Program. <b>2019</b> , 104, 328-336		9
100	An HbA1c of 25%-Is It Real?. <i>journal of applied laboratory medicine, The</i> , <b>2018</b> , 3, 511-514		2
99	Clinical Implications of Real-time and Intermittently Scanned Continuous Glucose Monitoring. <b>2018</b> , 41, 2265-2274		73
98	Molecularly imprinted mesoporous silica nanoparticles for specific extraction and efficient identification of Amadori compounds. <b>2018</b> , 1019, 65-73		27
97	Study of High Performance Liquid Chromatography and Turbidimetric Inhibition Immunoassay for HbA1c Analysis in Diabetic Patients with Variant Hemoglobin. <b>2018</b> , 8, 114-117		
96	Influence of Iron Deficiency on HbA1c Levels in Pregnant Women: Comparison with Non-Pregnant Women. <b>2018</b> , 7,		6
95	Recombinant fructosyl peptide oxidase preparation and its immobilization on polydopamine coating for colorimetric determination of HbA1c. <b>2018</b> , 120, 325-331		5
94	Different strategies for detection of HbA1c emphasizing on biosensors and point-of-care analyzers. <b>2019</b> , 123, 85-100		22

93	Diabetes mellitus and laboratory medicine in sub-Saharan Africa: challenges and perspectives. <b>2019</b> , 74, 137-142		5
92	The ratio of fasting plasma glucose to hemoglobin A1c as a predictor of all-cause mortality in individuals with normal glucose levels: The Jichi Medical School cohort study. <b>2019</b> , 7, 2050312119860398		2
91	A diabetic patient in whom Hb Weesp was incidentally detected when her HbA1c level was measured. <i>Diabetology International</i> , <b>2019</b> , 10, 300-302	2.3	
90	Mendelian Randomization Analysis of Hemoglobin A as a Risk Factor for Coronary Artery Disease. <b>2019</b> , 42, 1202-1208		17
89	Diabetic Cataract and Role of Antiglycating Phytochemicals. <b>2019</b> , 271-290		2
88	Utilizing the Ambulatory Glucose Profile to Standardize and Implement Continuous Glucose Monitoring in Clinical Practice. <b>2019</b> , 21, S217-S225		40
87	Clinical Targets for Continuous Glucose Monitoring Data Interpretation: Recommendations From the International Consensus on Time in Range. <b>2019</b> , 42, 1593-1603		998
86	Cellulose binding domain fusion enhanced soluble expression of fructosyl peptide oxidase and its simultaneous purification and immobilization. <b>2019</b> , 133, 980-986		6
85	Monitoring novel modified hemoglobin using mass spectrometry contributes to accurate blood glucose management of the Han Chinese population. <i>Clinica Chimica Acta</i> , <b>2019</b> , 489, 124-129	6.2	1
84	Shortened mean erythrocyte age in female patients with type 2 diabetes mellitus. <b>2019</b> , 33, e22681		2
83	Modification of reduced graphene/Au-aptamer to develop an electrochemical based aptasensor for measurement of glycated albumin. <b>2020</b> , 211, 120722		29
82	HbA1C as a marker of retrograde glycaemic control in diabetes patient with co-existed beta-thalassaemia: A case report and a literature review. <b>2020</b> , 45, 379-383		3
81	Two cases with Hb Andrew-Minneapolis showing high or low-normal HbA1c levels depending on the measurement method. <i>Clinica Chimica Acta</i> , <b>2020</b> , 501, 229-233	6.2	2
80	Continuous glucose monitoring: The achievement of 100 years of innovation in diabetes technology. <b>2020</b> , 170, 108502		20
79	The trials and tribulations of determining HbA targets for diabetes mellitus. <b>2020</b> , 16, 717-730		13
78	The ratio of estimated average glucose to fasting plasma glucose level as an indicator of insulin resistance in young adult diabetes: An observational study. <b>2020</b> , 99, e22337		1
77	Capillary Zone Electrophoresis-Top-Down Tandem Mass Spectrometry for In-Depth Characterization of Hemoglobin Proteoforms in Clinical and Veterinary Samples. <b>2020</b> , 92, 10531-10539		8
76	3 cases of variant hemoglobin Hb A2-Niigata detected by falsely high HbA1c values. <i>Clinica Chimica Acta</i> , <b>2020</b> , 510, 656-658	6.2	1

75	Hb broomhill [I or N 114(GH2) pro > ala; or :c.343C > G]: a rare Hb variant found in a diabetic chinese individual. <b>2020</b> , 80, 606-609		
74	Hemoglobin Himeji as a cause of interference in the measurement of glycated hemoglobin. <b>2020</b> , 68, 671-671		
73	Estimation of Hemoglobin A1c from Continuous Glucose Monitoring Data in Individuals with Type 1 Diabetes: Is Time In Range All We Need?. <b>2020</b> , 22, 501-508		22
72	Evaluation and Treatment of Prediabetes in Youth. <b>2020</b> , 219, 11-22		10
71	Fasting glucose-to-HbA1c ratio is a good indicator of G6PD deficiency, but not thalassemia, in patients with type 2 diabetes mellitus. <i>Clinica Chimica Acta</i> , <b>2020</b> , 506, 9-15	6.2	1
70	Association Between Continuous Glucose Monitoring-Derived Time in Range, Other Core Metrics, and Albuminuria in Type 2 Diabetes. <b>2020</b> , 22, 768-776		31
69	Silent hemoglobin variant during capillary electrophoresis: A case report. <b>2020</b> , 11, 1014-1017		2
68	Glycation ratio determination through simultaneous detection of human serum albumin and glycated albumin on an advanced lateral flow immunoassay sensor. <b>2020</b> , 20, 844-851		13
67	Analytical techniques for the detection of glycated haemoglobin underlining the sensors. <b>2020</b> , 155, 685-696		13
66	Error! Hemoglobin A1c Outside of Range. <i>journal of applied laboratory medicine, The</i> , <b>2021</b> , 6, 560-564	2	
65	Utilizing continuous glucose monitoring in primary care practice: What the numbers mean. <b>2021</b> , 15, 199-207		5
64	Determination of glycated albumin in serum and saliva by capillary electrophoresis utilizing affinity of 3-acrylamido phenylboronic acid selected by virtual screening and molecular docking. <b>2021</b> , 1636, 461793		0
63	Unexpected HbA results in the presence of three rare hemoglobin variants. <b>2021</b> , 81, 59-64		1
62	A Kinetic Model for Glucose Levels and Hemoglobin A1c Provides a Novel Tool for Individualized Diabetes Management. <i>Journal of Diabetes Science and Technology</i> , <b>2021</b> , 15, 294-302	4.1	11
61	Association of hemoglobin H (HbH) disease with hemoglobin A and glycated albumin in diabetic and non-diabetic patients. <b>2021</b> , 59, 1127-1132		3
60	Correlation between glycosylated serum albumin and glycosylated haemoglobin in the southwest Chinese population: Establishment of a regression model. <b>2021</b> , 35, 107796		
59	Sky High or Undetectable? A Patient with Discordant Hemoglobin A1c. <b>2021</b> , 52, e129-e132		
58	Beyond A1C: A Practical Approach to Interpreting and Optimizing Continuous Glucose Data in Youth. <b>2021</b> , 34, 139-148		

57	Emerging Diabetic Novel Biomarkers of the 21st Century. 57,	1
56	American Association of Clinical Endocrinology Clinical Practice Guideline: The Use of Advanced Technology in the Management of Persons With Diabetes Mellitus. <b>2021</b> , 27, 505-537	27
55	Comprehensive overview of human serum albumin glycation in diabetes mellitus. <b>2021</b> , 12, 1057-1069	2
54	Clinical Utilities of Continuous Glucose Monitoring and Insulin Pumps in Pediatric Patients with Type 1 Diabetes. <b>2021</b> , 44, 55-62	
53	Association of advanced glycation end products with diabetic retinopathy in type 2 diabetes mellitus. <b>2021</b> , 177, 108880	2
52	A case of Echain variant hemoglobin (Hb Chad) with falsely high HbA1c levels measured by immunoassay.. <i>Diabetology International</i> , <b>2022</b> , 13, 330-335	2.3 0
51	Use of large scale EHR data to evaluate A1c utilization among sickle cell disease patients. <b>2021</b> , 21, 268	
50	Continuous Glucose Monitoring Integration for Remote Diabetes Management: Virtual Diabetes Care with Case Studies. <b>2021</b> , 23, S56-S65	1
49	Time in range is a tool for assessing the quality of glycemic control in diabetes. <b>2021</b> , 24, 282-290	1
48	The Use of Standardized Reporting and Time-in-Range in the Management of Diabetes: A Consensus Report. <b>2021</b> , 12, 316-327	0
47	Hemoglobin, Iron, and Bilirubin. <b>2012</b> , 985-1030	6
46	Alarming increase in HbA1c and near misdiagnosis of diabetes mellitus resulting from a clinical laboratory instrument upgrade and haemoglobin variant. <b>2018</b> , 2018,	2
45	Verification of a novel point-of-care HbA device in real world clinical practice by comparison to three high performance liquid chromatography instruments. <b>2018</b> , 28, 020705	2
44	A rare haemoglobin variant (Hb Phnom Penh) manifesting as a falsely high haemoglobin A1c value on ion-exchange chromatography. <b>2014</b> , 55, e126-8	5
43	Chapter 5 Glycated haemoglobin (HbA1c) monitoring for diabetes diagnosis, management and therapy. <b>2016</b> , 97-124	1
42	Motherhood, apple pie, hemoglobin A(1C), and the DCCT. <b>2012</b> , 18, 78-84	7
41	Update on biomarkers of glycemic control. <b>2019</b> , 10, 1-15	31
40	Optimization of Enzyme Digestion Conditions for Quantification of Glycated Hemoglobin Using Isotope Dilution Liquid Chromatography-Tandem Mass Spectrometry. <b>2014</b> , 5, 52-56	1

39	Serum glycated albumin as a new glycemic marker in pediatric diabetes. <b>2013</b> , 18, 208-13		8
38	Clinical usefulness of the measurement of serum fructosamine in childhood diabetes mellitus. <b>2015</b> , 20, 21-6		4
37	Current status of continuous glucose monitoring among Korean children and adolescents with type 1 diabetes mellitus. <b>2020</b> , 25, 145-151		4
36	Glycated Hemoglobin and Serum Proteins as Tools for Monitoring.		
35	Diabetes in Pregnancy. <b>2004</b> , 359-390		
34	Correspondence (letter to the editor): HbA1c falsely high or low. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2010</b> , 107, 494		2.5
33	Diabetes Mellitus. <b>2012</b> , 1415-1456		6
32	[Sources of error when using haemoglobin A1c]. <i>Tidsskrift for Den Norske Laegeforening</i> , <b>2014</b> , 134, 417-415		7
31	Quando a HbA1c no suficiente: um caso de Hemoglobina de Baltimore. <i>Revista Brasileira De Medicina De Famlia E Comunidade</i> , <b>2018</b> , 13, 1-6		0.3
30	Hemoglobinopati, Asetil Salisilik Asit Kullanimi Ve Feminin mturbidimetrik Ve HPLC Hemoglobin A1c hleri zerine Etkileri. <i>Celal Bayar iversitesi Sa Bilimleri Enstit Dergisi</i> ,		
29	Hemoglobin Variant Frequency Detected during a Comprehensive Medical Examination in Japan at GENKI PLAZA MEDICAL CENTER FOR HEALTH CARE. <i>Health Evaluation and Promotion</i> , <b>2019</b> , 46, 468-479 <sup>0.1</sup>		
28	The Interaction between Hb A1C and Selected Genetic Factors in the African American Population in the USA. <i>journal of applied laboratory medicine, The</i> , <b>2021</b> , 6, 167-179	2	0
27	«TIME IN RANGE» INDICATOR DEPENDING ON THE DEGREE OF VIOLATIONS OF THE GLUCOSE CONTROL SYSTEM. <i>Bulletin of Problems Biology and Medicine</i> , <b>2020</b> , 1, 167		0.1
26	Hb Phnom Penh Showing Falsely High or Reasonable HbA1c Values Depending on the Type of High-performance Liquid Chromatography System. <i>Internal Medicine</i> , <b>2020</b> , 59, 805-809	1.1	0
25	Associations of Habitual Mineral Intake with New-Onset Prediabetes/Diabetes after Acute Pancreatitis. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	1
24	Proteoforms and their expanding role in laboratory medicine.. <i>Practical Laboratory Medicine</i> , <b>2022</b> , 28, e00260	1.7	2
23	Hemoglobin Himeji as a cause of interference in the measurement of glycated hemoglobin.. <i>Endocrinolog Diabetes Y Nutric (English Ed)</i> , <b>2021</b> , 68, 671-672		0.1
22	Natural Occurrence of Carbon Dots during Nonenzymatic Glycosylation of Hemoglobin A0.. <i>ACS Omega</i> , <b>2022</b> , 7, 3881-3888		3.9



21	Use of Retrospective Continuous Glucose Monitoring Data Is Underrated and Underused.. <i>Journal of Diabetes Science and Technology</i> , <b>2022</b> , 19322968211070837	4.1	1
20	An unusual case of non-measurable glycosylated hemoglobin (HbA1c) by high-performance liquid chromatography in a type 2 diabetes. <i>Journal of Diabetology</i> , <b>2022</b> , 13, 129	0.8	
19	HemoglobinA1c is a Risk Factor for Changes of Heel Bone Mineral Density: A Mendelian Randomization Study. <i>SSRN Electronic Journal</i> ,	1	
18	Impact of haemoglobin variants on the use of haemoglobin A1c for the diagnosis and monitoring of diabetes: a contextualised review.. <i>Irish Journal of Medical Science</i> , <b>2022</b> , 1	1.9	1
17	Analytical Interference of 33 different Hemoglobin Variants on HbA1c Measurements comparing High-Performance Liquid Chromatography with whole blood enzymatic assay: a multi-center study.. <i>Clinica Chimica Acta</i> , <b>2022</b> ,	6.2	1
16	Hb Westport [121 (GH4) Glu>Asp; HBB: c.366A>C]: A novel Hb variant interfering with HbA1c measurement.. <i>Clinical Biochemistry</i> , <b>2022</b> ,	3.5	
15	Flash glucose monitoring system in special situations. <i>Archives of Endocrinology and Metabolism</i> , <b>2022</b> ,	2.2	0
14	HemoglobinA1c Is a Risk Factor for Changes of Bone Mineral Density: A Mendelian Randomization Study. <i>Frontiers in Endocrinology</i> , 13,	5.7	1
13	Cases of fulminant type 1 and type 2 diabetes mellitus whose HbA1c levels were unmeasurable due to increased labile HbA1c. <i>Diabetology International</i> ,	2.3	
12	Hb Kirikiriroa [57(E6)Gly->Cys; HBA1: c.172G>T]: A Novel Unstable Hb Variant with Oxidized Derivatives Interfering with Hb A1c. 1-6		
11	Sex differences in the association of fasting glucose with HbA1c, and their consequences for mortality: A Mendelian randomization study. <b>2022</b> , 84, 104259		0
10	Analytical Challenges in Diabetes Management: Towards Glycated Albumin Point-of-Care Detection. <b>2022</b> , 12, 687		0
9	A case of a novel hemoglobin variant, Hb A2-Karatsu, discovered following a falsely elevated HbA1c value. <b>2022</b> , 537, 154-157		0
8	A Novel Approach for Glycosylated Hemoglobin Testing Using Microchip Affinity Electrophoresis. <b>2022</b> , 1-8		0
7	Addendum 1: Forum for Injection Technique and Therapy Expert Recommendations, India.		0
6	Interference of hemoglobin variants in HbA1c quantification. <b>2023</b> , 539, 55-65		0
5	Development of aptamer based colorimetric assay for whole blood glycated hemoglobin (HbA1c) estimation using gold nanoparticles. <b>2023</b> , 13, 100304		0
4	Non-enzymatic glycation of human angiogenin: Effects on enzymatic activity and binding to hRI and DNA. <b>2022</b> ,		0

- 3 Usefulness of measuring fast valley height rate using high-performance liquid chromatography for variant hemoglobin, Hb A2-Niigata. ○
- 2 Trends in Quantification of HbA1c Using Electrochemical and Point-of-Care Analyzers. **2023**, 23, 1901 ○
- 1 Clinical and Diagnostic Implications of Glycated Albumin in Diabetes Mellitus: An Update. **2023**, 1-21 ○