

CITATION REPORT

List of articles citing

Carbohydrate-deficient Transferrin as a Marker of Chronic Alcohol Abuse: A Critical Review of Preanalysis, Analysis, and Interpretation

DOI: 10.1093/clinchem/47.1.13
Clinical Chemistry, 2001, 47, 13-27.

Source: <https://exaly.com/paper-pdf/32632955/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
270	Alcohol and the heart. <i>Herz</i> , 2001 , 26, 345-52	2.6	33
269	Carbohydrate-deficient transferrin and chronic alcohol ingestion in subjects with transferrin CD-variants. 2001 , 39, 937-43		24
268	Comparison of HPLC and Small Column (CDTect) Methods for Disialotransferrin. <i>Clinical Chemistry</i> , 2001 , 47, 1782-1787	5.5	33
267	Interference of Transferrin Isoform Types with Carbohydrate-deficient Transferrin Quantification in the Identification of Alcohol Abuse. <i>Clinical Chemistry</i> , 2001 , 47, 1225-1233	5.5	148
266	Capillary electrophoresis: a new tool in forensic medicine and science. 2001 , 41, 203-10		11
265	Trisialo-Fe ²⁺ -Transferrin Does Not Improve the Diagnostic Accuracy of Carbohydrate-deficient Transferrin as a Marker of Chronic Excessive Alcohol Intake. 2001 , 25, 407-410		2
264	Update and perspectives on congenital disorders of glycosylation. 2001 , 11, 129R-143R		128
263	Congenital disorders of glycosylation and the pediatric liver. 2001 , 21, 501-15		27
262	Multicentre validation study of instrument applications for %CDT, an immunoassay for quantification of carbohydrate-deficient transferrin in serum. <i>Alcohol and Alcoholism</i> , 2002 , 37, 209-12	3.5	9
261	Caveats in Carbohydrate-deficient Transferrin Determination. <i>Clinical Chemistry</i> , 2002 , 48, 208-209	5.5	13
260	Comparison of Two Methods for Measuring Salivary Cortisol. <i>Clinical Chemistry</i> , 2002 , 48, 207-208	5.5	63
259	Alcohol Abuse and Carbohydrate-deficient Transferrin Analysis: Are Screening and Confirmatory Analysis Required?. <i>Clinical Chemistry</i> , 2002 , 48, 2072-2074	5.5	22
258	Carbohydrate-deficient Transferrin Isoforms Measured by Capillary Zone Electrophoresis for Detection of Alcohol Abuse. <i>Clinical Chemistry</i> , 2002 , 48, 2177-2186	5.5	73
257	Diagnostic Accuracy of α -Acid Glycoprotein Fucosylation for Liver Cirrhosis in Patients Undergoing Hepatic Biopsy. <i>Clinical Chemistry</i> , 2002 , 48, 2195-2201	5.5	34
256	Cell mediated immunity and alcohol intake in Antarctic wintering personnel. 2002 , 61, 208-15		4
255	Chromatographic methods for the determination of markers of chronic and acute alcohol consumption. 2002 , 781, 457-80		54
254	Ethanol impairs monosaccharide uptake and glycosylation in cultured rat astrocytes. 2002 , 83, 601-12		33

253	Determination of CDT, a marker of chronic alcohol abuse, for driving license issuing: immunoassay versus capillary electrophoresis. 2002 , 128, 53-8		22
252	Evaluation and optimization of capillary zone electrophoresis with different dynamic capillary coatings for the determination of carbohydrate-deficient transferrin in human serum. 2002 , 979, 43-57		56
251	Capillary zone electrophoresis with a dynamic double coating for analysis of carbohydrate-deficient transferrin in human serum: impact of resolution between disialo- and trisialotransferrin on reference limits. 2003 , 24, 4272-81		34
250	Biochemical markers of alcohol use in pregnant women. <i>Clinical Biochemistry</i> , 2003 , 36, 9-19	3.5	46
249	Capillary zone electrophoresis with a dynamic double coating for analysis of carbohydrate-deficient transferrin in human serum. Precision performance and pattern recognition. 2003 , 1013, 131-47		35
248	Protective effects of lysophosphatidic acid (LPA) on chronic ethanol-induced injuries to the cytoskeleton and on glucose uptake in rat astrocytes. 2003 , 87, 220-9		34
247	Effects of ondansetron in early- versus late-onset alcoholics: a prospective, open-label study. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1150-5	3.7	85
246	Value of determining carbohydrate-deficient transferrin isoforms in the diagnosis of alcoholic liver disease. 2003 , 78, 703-7		9
245	Use of capillary zone electrophoresis for differentiating excessive from moderate alcohol consumption. <i>Clinical Chemistry</i> , 2003 , 49, 440-9	5.5	54
244	The analysis of carbohydrate-deficient transferrin, marker of chronic alcoholism, using capillary electrophoresis. 2003 , 41, 739-46		25
243	A new modified gamma-%CDT method improves the detection of problem drinking: studies in alcoholics with or without liver disease. <i>Clinica Chimica Acta</i> , 2003 , 338, 45-51	6.2	30
242	Capillary electrophoresis and its application in the clinical laboratory. <i>Clinica Chimica Acta</i> , 2003 , 330, 1-30	6.2	98
241	Analyte comigrating with trisialotransferrin during capillary zone electrophoresis of sera from patients with cancer. <i>Clinical Chemistry</i> , 2003 , 49, 1854-64	5.5	16
240	Increased carbohydrate-deficient transferrin of unknown etiology in a 15-year-old male patient with autoimmune hepatitis type 1. <i>Clinical Chemistry</i> , 2003 , 49, 1025-6	5.5	5
239	Mass spectrometric analysis of human transferrin in different body fluids. 2003 , 41, 1580-8		31
238	Improved HPLC method for carbohydrate-deficient transferrin in serum. <i>Clinical Chemistry</i> , 2003 , 49, 1881-90	5.5	142
237	Modification of the colorimetric assay for serum unsaturated iron-binding capacity. <i>Clinical Chemistry</i> , 2003 , 49, 1023-5	5.5	2
236	Asialotransferrin--an alternative to carbohydrate-deficient transferrin?. <i>Clinical Chemistry</i> , 2003 , 49, 1023-5	5.5	21

235	Diagnostic characteristics of different carbohydrate-deficient transferrin methods in the detection of problem drinking: effects of liver disease and alcohol consumption. <i>Alcohol and Alcoholism</i> , 2003 , 38, 415-20	3.5	29
234	Multicentre evaluation of a new assay for determination of carbohydrate-deficient transferrin. <i>Alcohol and Alcoholism</i> , 2003 , 38, 270-5	3.5	11
233	Distribution and dose response of laboratory markers to alcohol consumption in a general population: results of the study of health in Pomerania (SHIP). 2003 , 64, 75-82		33
232	Diagnosis of congenital disorders of glycosylation by capillary zone electrophoresis of serum transferrin. <i>Clinical Chemistry</i> , 2004 , 50, 101-11	5.5	87
231	Prenatal ethanol exposure alters the cytoskeleton and induces glycoprotein microheterogeneity in rat newborn hepatocytes. <i>Alcohol and Alcoholism</i> , 2004 , 39, 203-12	3.5	19
230	Method-dependent characteristics of carbohydrate-deficient transferrin measurements in the follow-up of alcoholics. <i>Alcohol and Alcoholism</i> , 2004 , 39, 59-63	3.5	13
229	Carbohydrate-deficient transferrin: a marker of alcohol abuse. 2004 , 58, 391-3		1
228	Laboratory markers carbohydrate-deficient transferrin, gamma-glutamyltransferase, and mean corpuscular volume are not useful as screening tools for high-risk drinking in the general population: results from the Study of Health in Pomerania (SHIP). <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 331-40	3.7	37
227	Multicenter validation study of the %CDT TIA kit in alcohol abuse and alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 1331-7	3.7	15
226	A review of genetic, biological, pharmacological, and clinical factors that affect carbohydrate-deficient transferrin levels. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 1347-53	3.7	69
225	Should we use carbohydrate deficient transferrin as a marker for alcohol abusers?. 2004 , 19, 36-44		5
224	Determination of carbohydrate deficient transferrin (CDT) with capillary electrophoresis: an inter laboratory comparison. 2004 , 141, 153-7		12
223	Study of the feasibility of using a pellicular anion-exchange column for separation of transferrin isoforms in human serum by HPLC with UV detection. 2004 , 378, 383-7		9
222	Capillary zone electrophoresis for determination of carbohydrate-deficient transferrin in human serum. 2004 , 25, 469-75		17
221	Improved capillary electrophoresis method for the determination of carbohydrate-deficient transferrin in patient sera. 2004 , 25, 2309-18		51
220	Prediction of liver fibrosis in patients with features of the metabolic syndrome regardless of alcohol consumption. 2004 , 39, 1639-46		45
219	Forensic analysis of carbohydrate-deficient transferrin (CDT): implementation of a screening and confirmatory analysis concept is hampered by the lack of CDT isoform standards. 2004 , 146, 9-16		35
218	Pitfalls and drawbacks in screening of congenital disorders of glycosylation. 2004 , 42, 583-9		4

217	La transferrine hyposialylée et le % CDT. Mesure par électrophorèse capillaire avec le coffret CEofix CDT (ANALIS) chez des sujets consommateurs modérés*1. 2004 ,		
216	High-throughput comprehensive analysis of human plasma proteins: a step toward population proteomics. 2004 , 76, 1733-7		66
215	The use of biological laboratory markers in the diagnosis of alcohol misuse: an evidence-based approach. 2004 , 74, 273-9		31
214	La transferrine hyposialylée et le % CDT. Mesure par électrophorèse capillaire avec le coffret CEofix CDT (ANALIS) chez des sujets consommateurs modérés. 2004 , 19, 148-156		2
213	On-line capillary isoelectric focusing-mass spectrometry for quantitative analysis of peptides and proteins. 2005 , 37, 423-8		52
212	Validity of carbohydrate-deficient transferrin (%CDT), gamma-glutamyltransferase (gamma-GT) and mean corpuscular erythrocyte volume (MCV) as biomarkers for chronic alcohol abuse: a study in patients with alcohol dependence and liver disorders of non-alcoholic and alcoholic origin. 2005 , 100, 1457-61		100
211	Carbohydrate-deficient isoforms of transferrin (%CDT) and sialic acid (SA) in iron-deficiency anemia. 2005 , 27, 297-301		4
210	Comparison of HPLC and capillary electrophoresis for confirmatory testing of the alcohol misuse marker carbohydrate-deficient transferrin. <i>Clinical Chemistry</i> , 2005 , 51, 1528-31	5.5	37
209	Comparison of the unsaturated iron-binding capacity with transferrin saturation as a screening test to detect C282Y homozygotes for hemochromatosis in 101,168 participants in the hemochromatosis and iron overload screening (HEIRS) study. <i>Clinical Chemistry</i> , 2005 , 51, 1048-52	5.5	33
208	Altered distribution of transferrin isoforms according to serum storage conditions. <i>Clinical Chemistry</i> , 2005 , 51, 2159-62	5.5	11
207	Analysis of carbohydrate-deficient transferrin: comparative evaluation of turbidimetric immunoassay, capillary zone electrophoresis, and HPLC. <i>Clinical Chemistry</i> , 2005 , 51, 2368-71	5.5	33
206	Evaluation of a new CA15-3 protein assay method: optical protein-chip system for clinical application. <i>Clinical Chemistry</i> , 2005 , 51, 1038-40	5.5	29
205	Rapid method for beta2-transferrin in cerebrospinal fluid leakage using an automated immunofixation electrophoresis system. <i>Clinical Chemistry</i> , 2005 , 51, 464-70	5.5	37
204	Carbohydrate-deficient transferrin measured by capillary zone electrophoresis and by turbidimetric immunoassay for identification of young heavy drinkers. <i>Clinical Chemistry</i> , 2005 , 51, 1046-8	5.5	14
203	Biomarkers of alcohol consumption in patients classified according to the degree of liver disease severity. 2005 , 65, 141-51		21
202	Strategies to study human serum transferrin isoforms using integrated liquid chromatography ICPMS, MALDI-TOF, and ESI-Q-TOF detection: application to chronic alcohol abuse. 2005 , 77, 5615-21		87
201	Differential susceptibility of transferrin glycoforms to chymotrypsin: a proteomics approach to the detection of carbohydrate-deficient transferrin. 2005 , 44, 16007-13		9
200	HPLC analysis of carbohydrate deficient transferrin isoforms isolated by the Axis-Shield %CDT method. <i>Clinica Chimica Acta</i> , 2005 , 356, 143-6	6.2	30

199	Relationship between blood alcohol concentration and carbohydrate-deficient transferrin among drivers. 2005 , 79, 261-5		21
198	Accurate determination of human serum transferrin isoforms: Exploring metal-specific isotope dilution analysis as a quantitative proteomic tool. 2006 , 78, 8218-26		80
197	Valid carbohydrate-deficient transferrin testing. <i>Clinica Chimica Acta</i> , 2006 , 364, 367-8	6.2	8
196	Determination of carbohydrate-deficient transferrin in human serum using the Bio-Rad %CDT by HPLC test. <i>Clinica Chimica Acta</i> , 2006 , 371, 187-90	6.2	38
195	Primary biliary cirrhosis is not a clinical condition for increased carbohydrate-deficient transferrin: experience with four independent CDT analysis methods. <i>Clinica Chimica Acta</i> , 2006 , 372, 184-7	6.2	18
194	Argininosuccinate lyase deficiency (ASL) and carbohydrate-deficient transferrin (CDT): experience with four independent CDT analysis methods--misleading results given by the %CDT TIA assay. <i>Clinica Chimica Acta</i> , 2006 , 373, 117-20	6.2	10
193	Determination des valeurs de la transferrine carboxydficiente par lectrophorŕe capillaire sur une population d'enfants ġs de 0 ~20'ans. 2006 , 21, 252-254		1
192	Carbohydrate-deficient transferrin and anorexia nervosa. 2006 , 144, 245-6; author reply 247-8		1
191	Carbohydrate-deficient transferrin and anorexia nervosa âAuthor's reply. 2006 , 144, 247-248		1
190	Capillary zone electrophoresis determination of carbohydrate-deficient transferrin using the new CEofix reagents under high-resolution conditions. 2006 , 1130, 272-80		30
189	Carbohydrate-deficient transferrin (CDT) as a marker of alcohol abuse: a critical review of the literature 2001-2005. 2006 , 841, 96-109		131
188	Recent advances in the applications of CE to forensic sciences (2001-2004). 2006 , 27, 231-43		50
187	Capillary electrophoresis and the clinical laboratory. 2006 , 27, 2413-38		51
186	Serum level of sialic acid (SA) and carbohydrate-deficient transferrin (CDT) in type 2 diabetes mellitus with microvascular complications. <i>Journal of Clinical Laboratory Analysis</i> , 2006 , 20, 68-73	3	4
185	Comparison of the combined marker GGT-CDT and the conventional laboratory markers of alcohol abuse in heavy drinkers, moderate drinkers and abstainers. <i>Alcohol and Alcoholism</i> , 2006 , 41, 528-33	3.5	95
184	Glycosylation is altered by ethanol in rat hippocampal cultured neurons. <i>Alcohol and Alcoholism</i> , 2006 , 41, 494-504	3.5	9
183	Development and multicenter evaluation of the N latex CDT direct immunonephelometric assay for serum carbohydrate-deficient transferrin. <i>Clinical Chemistry</i> , 2007 , 53, 1115-21	5.5	66
182	Clinical laboratory testing in human medicine based on the detection of glycoconjugates. 2007 , 7, 397-416		12

181	Toward standardization of carbohydrate-deficient transferrin (CDT) measurements: I. Analyte definition and proposal of a candidate reference method. 2007 , 45, 558-62		95
180	Investigation of human protein variants and their frequency in the general population. 2007 , 6, 1183-7		46
179	Combinations of carbohydrate-deficient transferrin, mean corpuscular erythrocyte volume, gamma-glutamyltransferase, homocysteine and folate increase the significance of biological markers in alcohol dependent patients. 2007 , 89, 60-5		25
178	Biomarkers in alcoholism. <i>Clinica Chimica Acta</i> , 2007 , 377, 39-49	6.2	185
177	Fully automated analysis of Carbohydrate-Deficient Transferrin (CDT) by using a multicapillary electrophoresis system. <i>Clinica Chimica Acta</i> , 2007 , 380, 4-7	6.2	32
176	High prevalence of increased trisialotransferrin concentrations in patients with anorexia nervosa: implications for determination of carbohydrate-deficient transferrin. <i>Clinica Chimica Acta</i> , 2007 , 379, 150-3	6.2	14
175	Screening and diagnosis of congenital disorders of glycosylation. <i>Clinica Chimica Acta</i> , 2007 , 385, 6-20	6.2	70
174	Analyse de la CDT par électrophorèse capillaire: comparaison de deux analyseurs. 2007 , 22, 325-328		
173	Laboratory diagnosis of congenital disorders of glycosylation type I by analysis of transferrin glycoforms. 2007 , 11, 303-11		35
172	Carbohydrate-deficient transferrin determined in blood microsamples from healthy newborns by using capillary zone electrophoresis. 2007 , 67, 191-5		7
171	Carbohydrate-deficient transferrin as a marker of heavy drinking in Korean males. 2007 , 22, 652-5		7
170	Carbohydrate-deficient transferrin (CDT): a reliable indicator of the risk of driving under the influence of alcohol when determined by capillary electrophoresis. 2007 , 170, 175-8		23
169	Detection of alcohol consumption during pregnancy--current and future biomarkers. 2007 , 31, 261-9		24
168	Stability and Splitting Produces Revealed by Matrix-Assisted Laser Desorption Ionization-Time of Flight-Mass Spectrometry in Human Serum Transferrin. 2007 , 35, 791-796		9
167	Sensitization to cross-reactive carbohydrate determinants in relation to alcohol consumption. 2008 , 38, 152-60		26
166	Current role of capillary electrophoretic/electrokinetic techniques in forensic toxicology. 2007 , 388, 1359-64		21
165	Determination of carbohydrate-deficient transferrin in human serum by two capillary zone electrophoresis methods and a direct immunoassay: comparison of patient data. <i>Journal of Separation Science</i> , 2008 , 31, 3079-87	3-4	17
164	Objective post-mortem diagnosis of chronic alcohol abuse--a review of studies on new markers. 2008 , 10, 229-35		12

163	Determination of carbohydrate-deficient transferrin in human serum with capillary zone electrophoresis. Sample preparation strategies for the removal of interferences caused by increased levels of immunoglobulins. 2008 , 1206, 33-40		22
162	Forensic analysis of carbohydrate-deficient transferrin (CDT) by HPLC--statistics and extreme CDT values. 2008 , 175, 27-30		13
161	Stable isotope labelling and FPLC-ICP-SFMS for the accurate determination of clinical iron status parameters in human serum. <i>Analyst, The</i> , 2008 , 133, 379-84	5	38
160	Influence of alcohol use, ethnicity, age, gender, BMI and smoking on the serum transferrin glycoform pattern: implications for use of carbohydrate-deficient transferrin (CDT) as alcohol biomarker. <i>Clinica Chimica Acta</i> , 2008 , 388, 59-67	6.2	61
159	HPLC evaluation of clinical and pharmacological factors reported to cause false-positive carbohydrate-deficient transferrin (CDT) levels. <i>Clinica Chimica Acta</i> , 2008 , 389, 164-6	6.2	32
158	Atypical serum transferrin isoform distribution in liver cirrhosis studied by HPLC, capillary electrophoresis and transferrin genotyping. <i>Clinica Chimica Acta</i> , 2008 , 394, 42-6	6.2	42
157	HPLC and mass spectrometric characterization of a candidate reference material for the alcohol biomarker carbohydrate-deficient transferrin (CDT). <i>Clinica Chimica Acta</i> , 2008 , 395, 142-5	6.2	24
156	Interference of cross-reactive carbohydrates in the determination of specific IgE in alcohol drinkers and strategies to minimize it: the example of latex. 2008 , 101, 394-401		21
155	Determination of carbohydrate-deficient transferrin (CDT) in Italy. 2008 , 46, 1759-62		7
154	Improved HPLC analysis of serum 7alpha-hydroxycholest-4-en-3-one, a marker of bile acid malabsorption. <i>Clinical Chemistry</i> , 2008 , 54, 1087-8	5.5	15
153	Chapter 17 Analytical markers of acute and chronic alcohol consumption. 2008 , 6, 567-588		2
152	Measuring carbohydrate-deficient transferrin by direct immunoassay: factors affecting diagnostic sensitivity for excessive alcohol intake. <i>Clinical Chemistry</i> , 2008 , 54, 1158-65	5.5	32
151	Insufficient standardization of a direct carbohydrate-deficient transferrin immunoassay. <i>Clinical Chemistry</i> , 2008 , 54, 1090-2	5.5	11
150	Screening using serum percentage of carbohydrate-deficient transferrin for congenital disorders of glycosylation in children with suspected metabolic disease. <i>Clinical Chemistry</i> , 2008 , 54, 93-100	5.5	29
149	Clinical characteristics of carbohydrate-deficient transferrin (%disialotransferrin) measured by HPLC: sensitivity, specificity, gender effects, and relationship with other alcohol biomarkers. <i>Alcohol and Alcoholism</i> , 2008 , 43, 436-41	3.5	45
148	Proteomics in liver fibrosis is more than meets the eye. 2008 , 20, 450-64		14
147	[Values of carbohydrate-deficient transferrin after chemical exposure in the workplace]. <i>Orvosi Hetilap</i> , 2008 , 149, 415-9	0.8	1
146	[The level of carbohydrate-deficient transferrin is highly increased in bodybuilders]. <i>Orvosi Hetilap</i> , 2008 , 149, 2087-90	0.8	1

145	Levels of carbohydrate-deficient transferrin according to gender and age in a small town in Hungary. 2009 , 3, 319-325		1
144	[Improvement of carbohydrate deficient transferrin measurement by capillary zone electrophoresis using immunosubtraction of immunoglobulins and transferrin]. <i>Annales De Biologie Clinique</i> , 2009 , 67, 451-5	0.4	5
143	[The role of biology in the diagnosis of cerebrospinal fluid leaks]. <i>Annales De Biologie Clinique</i> , 2009 , 67, 141-51	0.4	2
142	Biomarkers and diagnosis of congenital disorders of glycosylation. 2009 , 3, 395-409		2
141	The diagnostic value of combining carbohydrate-deficient transferrin, fibrosis, and steatosis biomarkers for the prediction of excessive alcohol consumption. 2009 , 21, 18-27		9
140	Quantifying Carbohydrate-Deficient Transferrin in Serum. 2009 , 28, 305-307		3
139	Transferrin D protein variants in the diagnosis of congenital disorders of glycosylation (CDG). <i>Journal of Clinical Laboratory Analysis</i> , 2009 , 23, 77-81	3	5
138	The potential of mass spectrometry to study iron-containing proteins used in clinical diagnosis. 2009 , 634, 1-14		18
137	Diophantine analysis complements electrospray-Q-TOF data for structure elucidation of transferrin glycoforms used for clinical diagnosis in human serum and cerebrospinal fluid. 2009 , 9, 1109-13		6
136	Biomarkers in alcohol misuse: their role in the prevention and detection of thiamine deficiency. <i>Alcohol and Alcoholism</i> , 2009 , 44, 177-82	3.5	39
135	Evaluation of serum percent trisialotransferrin as potential predictive biomarker of hepatocellular dedifferentiation in chronic liver disease. <i>Clinica Chimica Acta</i> , 2009 , 403, 188-93	6.2	5
134	Carbohydrate deficient transferrin and forensic medicine. <i>Clinica Chimica Acta</i> , 2009 , 406, 1-7	6.2	39
133	Transferrine d'sialylè. 2009 , 4, 1-5		
132	Marqueurs biologiques de l'alcoolisme. 2010 , 5, 1-9		2
131	First health and pollution study on harbor seals (<i>Phoca vitulina</i>) living in the German Elbe estuary. 2010 , 60, 2079-86		25
130	Determination of carbohydrate-deficient transferrin levels by using capillary electrophoresis in a Korean population. 2010 , 30, 477-84		5
129	Use of carbohydrate-deficient transferrin (CDT) and a combination of GGT and CDT (GGT-CDT) to assess heavy alcohol consumption in traffic medicine. <i>Alcohol and Alcoholism</i> , 2010 , 45, 247-51	3.5	25
128	Carbohydrate-Deficient Transferrin - A Contemporary Biomarker in Comparison with Traditional Laboratory Markers of Chronic Alcohol Abuse. 2010 , 29, 95-101		1

127	Toward standardization of carbohydrate-deficient transferrin (CDT) measurements: II. Performance of a laboratory network running the HPLC candidate reference measurement procedure and evaluation of a candidate reference material. 2010 , 48, 1585-92		34
126	High-level production of animal-free recombinant transferrin from <i>Saccharomyces cerevisiae</i> . 2010 , 9, 87		31
125	Biomonitoring von Alkohol- und Tabakkonsum: Stellenwert in der arbeitsmedizinischen Vorsorge. 2010 , 60, 40-48		
124	Abstinence monitoring of suspected drinking drivers: ethyl glucuronide in hair versus CDT. 2010 , 11, 123-6		36
123	Metallomics approach for the identification of the iron transport protein transferrin in the blood of harbour seals (<i>Phoca vitulina</i>). 2010 , 2, 683-93		10
122	Novel HPLC-ICP-MS strategy for the determination of beta2-transferrin, the biomarker of cerebrospinal fluid (CSF) leakage. <i>Analyst, The</i> , 2010 , 135, 1538-40	5	16
121	Improved capillary electrophoresis determination of carbohydrate-deficient transferrin including on-line immunosubtraction. 2011 , 51, 26-31		14
120	Absolute quantification of transferrin in blood samples of harbour seals using HPLC-ICP-MS. 2011 , 3, 176-85		20
119	Changes in transferrin glycosylation during pregnancy may lead to false-positive carbohydrate-deficient transferrin (CDT) results in testing for riskful alcohol consumption. <i>Clinica Chimica Acta</i> , 2011 , 412, 129-33	6.2	48
118	A novel C2 transferrin variant interfering with the analysis of carbohydrate-deficient transferrin. <i>Clinica Chimica Acta</i> , 2011 , 412, 1683-5	6.2	11
117	Alkoholkonsummarker. <i>Rechtsmedizin</i> , 2011 , 21, 69-79	0.6	6
116	Protein Traffic Is an Intracellular Target in Alcohol Toxicity. 2011 , 4, 741-757		6
115	Pregnancy and variations of carbohydrate-deficient transferrin levels measured by the candidate reference HPLC method. <i>Alcohol and Alcoholism</i> , 2011 , 46, 123-7	3.5	26
114	Urinary ethyl glucuronide and ethyl sulfate testing for recent drinking in alcohol-dependent outpatients treated with acamprosate or placebo. <i>Alcohol and Alcoholism</i> , 2011 , 46, 553-7	3.5	29
113	High performance liquid chromatography evaluation of serum carbohydrate-deficient transferrin and more sialylated transferrin glycoforms in children. 2012 , 72, 274-80		2
112	Advanced gestational age increases serum carbohydrate-deficient transferrin levels in abstinent pregnant women. <i>Alcohol and Alcoholism</i> , 2012 , 47, 683-7	3.5	23
111	Transferrin immunoextraction for determination of carbohydrate-deficient transferrin in human serum by capillary zone electrophoresis. <i>Journal of Separation Science</i> , 2012 , 35, 3521-8	3.4	14
110	Disialo-trisialo bridging of transferrin is due to increased branching and fucosylation of the carbohydrate moiety. <i>Clinica Chimica Acta</i> , 2012 , 414, 58-64	6.2	22

109	Comparison of different methods for the absolute quantification of harbour seal transferrin glycoforms using HPLC-ICP-MS. 2012 , 27, 440		9
108	Posttraumatic Stress Disorder and Co-Occurring Substance Use Disorders: Advances in Assessment and Treatment. 2012 , 19,		168
107	[Carbohydrate-deficient transferrin in doping and non-doping athletes]. <i>Orvosi Hetilap</i> , 2012 , 153, 514-7	0.8	1
106	Transferrin changes in haemodialysed patients. 2012 , 44, 907-19		8
105	Relationship between CDT and disease activity in rheumatoid arthritis. 2012 , 71, 220-3		3
104	Characterization of Transferrin Glycopeptide Structures in Human Cerebrospinal Fluid. 2012 , 312, 97-106		15
103	Postmortem chemistry update part II. 2012 , 126, 199-215		61
102	Diagnostic performance of ethyl glucuronide in hair for the investigation of alcohol drinking behavior: a comparison with traditional biomarkers. 2012 , 126, 243-50		63
101	Metrology for metalloproteins--where are we now, where are we heading?. 2013 , 405, 5697-723		17
100	Monitoring of alcohol markers by capillary electrophoresis. <i>Journal of Separation Science</i> , 2013 , 36, 75-95	3.4	19
99	Re-assessment of the cut-off levels of Carbohydrate Deficient Transferrin (CDT) for automated immunoassay and multi-capillary electrophoresis for application in a forensic context. <i>Clinica Chimica Acta</i> , 2013 , 416, 1-4	6.2	9
98	Propos du dosage de la transferrine d'sialyl� (CDT) et de ses indications. 2013 , 28, 57-65		
97	Du bon usage de la CDT et de certaines isoformes de la transferrine dans le rep�age du m�susage alcoolique. 2013 , 28, 183-190		1
96	Determination of carbohydrate-deficient transferrin in human serum by capillary zone electrophoresis: evaluation of assay performance and quality assurance over a 10-year period in the routine arena. 2013 , 34, 1563-71		17
95	Improved capillary electrophoresis method for the analysis of carbohydrate-deficient transferrin in human serum, avoiding interference by complement C3. 2013 , 76, 81-6		5
94	Effect of transferrin glycation on the use of carbohydrate-deficient transferrin as an alcohol biomarker. <i>Alcohol and Alcoholism</i> , 2013 , 48, 478-82	3.5	7
93	Multivariate strategies for screening evaluation of harmful drinking. 2013 , 5, 687-99		15
92	Serum carbohydrate deficient transferrin as a sensitive marker in diagnosing alcohol abuse: a case - control study. 2013 , 7, 197-200		7

91	Determination of Serum Carbohydrate-Deficient Transferrin (CDT) by the Nephelometric N Latex CDT Assay in Japanese Habitual Drinkers and Patients with Non-Alcoholic Liver Diseases. 2013 , 01,		
90	KASL clinical practice guidelines: management of alcoholic liver disease. 2013 , 19, 216-54		19
89	Transferrina-Carboidrato carente (CDT): Updating sul marcatore biochimico pistudiato ed utilizzato in ambito alcolico. 2014 , 3,		
88	Diagnostic challenges in alcohol use disorder and alcoholic liver disease. 2014 , 20, 8024-32		7
87	Glycosylation changes in the salivary glycoproteins of alcohol-dependent patients: a pilot study. <i>Alcohol and Alcoholism</i> , 2014 , 49, 23-30	3.5	17
86	How accurate are blood (or breath) tests for identifying self-reported heavy drinking among people with alcohol dependence?. <i>Alcohol and Alcoholism</i> , 2014 , 49, 423-9	3.5	18
85	Progress in monitoring alcohol consumption and alcohol abuse by phosphatidylethanol. 2014 , 6, 2285-94		31
84	Biomarkers of chronic alcohol misuse. 2014 , 9		3
83	New insights in carbohydrate-deficient transferrin analysis with capillary electrophoresis-mass spectrometry. 2014 , 243, 14-22		19
82	Determination of genetic transferrin variants in human serum by high-resolution capillary zone electrophoresis(). <i>Journal of Separation Science</i> , 2014 , 37, 1663-70	3.4	9
81	Quantification of total serum transferrin and transferrin sialoforms in human serum; an alternative method for the determination of carbohydrate-deficient transferrin in clinical samples. 2014 , 6, 3967-3974		9
80	Development, external validation, and comparative assessment of a new diagnostic score for hepatic steatosis. 2014 , 109, 1404-14		60
79	Determination of carbohydrate-deficient transferrin in a Han Chinese population. 2014 , 15, 5		4
78	Sebia Capillarys 2 versus the Helena Biosciences V8 capillary electrophoresis analyser for carbohydrate-deficient transferrin measurement: comparison and analytical evaluation. <i>British Journal of Biomedical Science</i> , 2015 , 72, 23-7	1.6	4
77	Substance misuse and driving. 2015 , 8, 709-716		1
76	The combined effects of alcohol consumption and body mass index on hepatic steatosis in a general population sample of European men and women. 2015 , 41, 467-76		32
75	The Comorbidity of Post-Traumatic-Stress Disorder (PTSD) and Substance Use Disorders. 2015 , 1985-2004		3
74	Mean Corpuscular Volume and Carbohydrate-Deficient Transferrin as Alcohol Biomarkers. 2015 , 139-162		2

73	Alcohol Biomarkers: An Overview. 2015 , 91-120		3
72	A comparison between serum carbohydrate-deficient transferrin and hair ethyl glucuronide in detecting chronic alcohol consumption in routine. <i>Alcohol and Alcoholism</i> , 2015 , 50, 266-70	3.5	9
71	Evaluation of serum carbohydrate-deficient transferrin by HPLC and MALDI-TOF MS. <i>Clinica Chimica Acta</i> , 2015 , 448, 8-12	6.2	7
70	[S2k Guideline non-alcoholic fatty liver disease]. <i>Zeitschrift Fur Gastroenterologie</i> , 2015 , 53, 668-723	1.6	85
69	Biochemical Roles of Eukaryotic Cell Surface Macromolecules. <i>Advances in Experimental Medicine and Biology</i> , 2015 ,	3.6	4
68	Carbohydrate-Deficient Transferrin Determination in a Clinical Setting: Consistency Between Capillary Electrophoresis Assays and Utility of HPLC as a Confirmatory Test. <i>Journal of Clinical Laboratory Analysis</i> , 2016 , 30, 494-9	3	7
67	An increased CDT camouflaged a monoclonal light chain gammopathy: An approach for diagnosis. <i>Clinical Biochemistry</i> , 2016 , 49, 835-8	3.5	2
66	It Is Not Always Alcohol Abuse--A Transferrin Variant Impairing the CDT Test. <i>Alcohol and Alcoholism</i> , 2016 , 51, 148-53	3.5	9
65	Standardisation and use of the alcohol biomarker carbohydrate-deficient transferrin (CDT). <i>Clinica Chimica Acta</i> , 2016 , 459, 19-24	6.2	31
64	Assays of Gamma-Glutamyl Transferase and Carbohydrate-Deficient Transferrin Combination from Maternal Serum Improve the Detection of Prenatal Alcohol Exposure. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 2385-2393	3.7	6
63	Alcoholic cardiomyopathy : The result of dosage and individual predisposition. <i>Herz</i> , 2016 , 41, 484-93	2.6	50
62	Glycosylation site occupancy in health, congenital disorder of glycosylation and fatty liver disease. <i>Scientific Reports</i> , 2016 , 6, 33927	4.9	14
61	Differential diagnosis between occupational chronic intoxication with organic solvents and ethanol abuse by biological markers. Case report and literature review. <i>ARS Medica Tomitana</i> , 2016 , 22, 217-221	0.2	
60	Assessing the iron delivery efficacy of transferrin in clinical samples by native electrospray ionization mass spectrometry. <i>Analyst, The</i> , 2016 , 141, 853-61	5	6
59	How strong is the evidence for using blood biomarkers alone to screen for alcohol consumption during pregnancy? A systematic review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 213, 45-52	2.4	24
58	Analysis of genetic variants of transferrin in human serum after desialylation by capillary zone electrophoresis and capillary isoelectric focusing. <i>Journal of Separation Science</i> , 2017 , 40, 2488-2497	3.4	13
57	Determination of proteins in blood. Part 2: Determination of globulins. <i>Review Journal of Chemistry</i> , 2017 , 7, 147-221	1	
56	A microscale protocol for the isolation of transferrin directly from serum. <i>Clinica Chimica Acta</i> , 2017 , 471, 12-16	6.2	3

55	Toxicology in clinical laboratories: challenging times. <i>British Journal of Biomedical Science</i> , 2017 , 74, 110-120	1	
54	Reprint of Standardisation and use of the alcohol biomarker carbohydrate-deficient transferrin (CDT). <i>Clinica Chimica Acta</i> , 2017 , 467, 15-20	6.2	12
53	IFCC approved HPLC reference measurement procedure for the alcohol consumption biomarker carbohydrate-deficient transferrin (CDT): Its validation and use. <i>Clinica Chimica Acta</i> , 2017 , 465, 91-100	6.2	24
52	Determination of proteins in blood. Part 3: Systematization of methods for the determination of protein compounds in blood. <i>Review Journal of Chemistry</i> , 2017 , 7, 261-333	1	
51	Label-Free MIP Sensors for Protein Biomarkers. <i>Springer Series on Chemical Sensors and Biosensors</i> , 2017 , 291-321	2	3
50	Laborwerte bei Alkoholabstinenz und sozialen Alkoholtrinkgewohnheiten. <i>Rechtsmedizin</i> , 2017 , 27, 510-515	1	
49	Identifying chronic heavy alcohol use in emergency general surgery patients: a pilot study. <i>Trauma Surgery and Acute Care Open</i> , 2017 , 2, e000098	2.4	1
48	Standardization of the capillary electrophoresis procedures Capillarys® CDT and Minicap® CDT in comparison to the IFCC reference measurement procedure. <i>Annales De Biologie Clinique</i> , 2017 , 75, 319-326	9.4	1
47	High-resolution capillary zone electrophoresis for transferrin glycoform analysis associated with congenital disorders of glycosylation. <i>Journal of Separation Science</i> , 2018 , 41, 2808-2818	3.4	4
46	Applications of liquid chromatography-inductively coupled plasma-mass spectrometry in the biosciences: A tutorial review and recent developments. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 104, 11-21	14.6	27
45	Monitoring of transferrin isoforms in biological samples by capillary electrophoresis. <i>Journal of Separation Science</i> , 2018 , 41, 303-322	3.4	8
44	Hemocompatible e-polylysine-heparin microparticles: A platform for detecting triglycerides in whole blood. <i>Biosensors and Bioelectronics</i> , 2018 , 99, 571-577	11.8	22
43	Carbohydrate Deficient Transferrin: How reliable is it as a Biomarker for Chronic Alcohol Consumption?. <i>International Journal of Emergency Mental Health</i> , 2018 , 20,	1	
42	OBSOLETE: Alcoholic Cardiomyopathy. 2018 ,		
41	[Deep venous thrombosis treated by rivaroxaban in a young patient with type la carbohydrate-deficient glycoprotein (CDG) syndrome]. <i>Annales De Biologie Clinique</i> , 2018 , 76, 217-223	0.4	3
40	Alcoholic Cardiomyopathy. 2018 , 58-65		
39	Assessing prevalence of alcohol consumption in early pregnancy: Self-report compared to blood biomarker analysis. <i>European Journal of Medical Genetics</i> , 2018 , 61, 531-538	2.6	8
38	Intérêt du dosage de la Carbohydrate Deficient Transferrin chez l'adulte en anesthésie-réanimation. <i>Praticien En Anesthésie Réanimation</i> , 2018 , 22, 305-306	0	

37	Serum profile of transferrin isoforms in juvenile idiopathic arthritis: a preliminary study. <i>Rheumatology International</i> , 2018 , 38, 1235-1240	3.6	3
36	Determination of serum carbohydrate-deficient transferrin by a nephelometric immunoassay for differential diagnosis of alcoholic and non-alcoholic liver diseases. <i>Clinica Chimica Acta</i> , 2018 , 485, 181-186	6.2	3
35	The Profile of Serum Transferrin Isoforms in Rheumatoid Arthritis. <i>Journal of Clinical Rheumatology</i> , 2019 , 25, 159-162	1.1	8
34	Carbohydrate-deficient transferrin: utility of HPLC in handling atypical samples uninterpretable by capillary electrophoresis. <i>Alcohol and Alcoholism</i> , 2019 , 54, 510-515	3.5	
33	Noninvasive Indirect Markers of Liver Fibrosis in Alcoholics. <i>BioMed Research International</i> , 2019 , 2019, 3646975	3	8
32	Biomarkers of Alcohol Misuse. 2019 , 557-565		0
31	Critical Evaluation of the Association Between Elevated Mean Corpuscular Volume and Alcohol-Related Traffic Accidents: A Retrospective Study on 6244 Car Crash Cases. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 1528-1532	3.7	1
30	Asialo-transferrin: Biochemical aspects and association with alcohol abuse investigation. <i>Alcohol</i> , 2019 , 78, 43-50	2.7	1
29	Alcohol Biomarkers: Clinical Issues and Analytical Methods. 2019 , 25-42		3
28	High-resolution capillary zone electrophoresis and mass spectrometry for distinction of undersialylated and hypoglycosylated transferrin glycoforms in body fluids. <i>Journal of Separation Science</i> , 2020 , 43, 241-257	3.4	4
27	A proof-of-concept analysis of carbohydrate-deficient transferrin by imaged capillary isoelectric focusing and in-capillary immunodetection. <i>BioTechniques</i> , 2020 , 68, 85-90	2.5	4
26	Assessing the prevalence of alcohol consumption in early pregnancy using blood biomarker analysis: a consistent pattern across north-east England?. <i>Journal of Public Health</i> , 2020 , 42, e74-e80	3.5	1
25	Diagnostic Accuracy of Biomarkers of Alcohol Use in Patients With Liver Disease: A Systematic Review. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 25-37	3.7	4
24	Evaluation of the diagnostic utility of carbohydrate-deficient transferrin in chronic alcoholism: Results from Southwest China. <i>Medicine (United States)</i> , 2021 , 100, e24467	1.8	3
23	Accuracy of carbohydrate-deficient transferrin as a biomarker of chronic alcohol abuse during treatment for alcoholism. <i>Hepatology Research</i> , 2021 ,	5.1	2
22	Low-pressure chromatographic separation and UV/Vis spectrophotometric characterization of the native and desialylated human apo-transferrin. <i>Heliyon</i> , 2021 , 7, e08030	3.6	1
21	Immunoaffinity Capillary Electrophoresis in the Era of Proteoforms, Liquid Biopsy and Preventive Medicine: A Potential Impact in the Diagnosis and Monitoring of Disease Progression. <i>Biomolecules</i> , 2021 , 11,	5.9	1
20	Human transferrin: An inorganic biochemistry perspective. <i>Coordination Chemistry Reviews</i> , 2021 , 449, 214186	23.2	4

19	Structural heterogeneity of glycoform of alpha-1 Acid glycoprotein in alcoholic cirrhosis patients. <i>Advances in Experimental Medicine and Biology</i> , 2015 , 842, 389-401	3.6	3
18	Biological markers in alcoholism. <i>Journal of Neural Transmission Supplementum</i> , 2003 , 15-32		28
17	Specific Proteins. 2011 , 259-272		3
16	Alcohol Pathophysiology. <i>Journal of Psychophysiology</i> , 2010 , 24, 215-230	1	4
15	Significance of ubiquitin carboxy-terminal hydrolase L1 elevations in athletes after sub-concussive head hits. <i>PLoS ONE</i> , 2014 , 9, e96296	3.7	55
14	Our Experience with Diagnostics of Congenital Disorders of Glycosylation. <i>Acta Medica (Hradec Kralove)</i> , 2004 , 47, 267-272	0.8	2
13	Carbohydrate-Deficient Transferrin as a Marker of Alcohol Consumption. <i>Hungarian Medical Journal</i> , 2007 , 1, 73-82		2
12	[Level of carbohydrate-deficient transferrin according to age and gender in the Hungarian population]. <i>Orvosi Hetilap</i> , 2007 , 148, 1409-13	0.8	2
11	Alcohol. 2006 , 313-427		
10	C. 2007 , 223-305		
9	Recent Advances in Biochemical Tests for Acute and Chronic Alcohol Consumption. 2007 , 91-118		
8	Carbohydrate-Deficient Transferrin â€¦Values after Exposition to Chemicals at Workplace. <i>Hungarian Medical Journal</i> , 2008 , 2, 623-628		
7	Slate and Trait Markers of Alcohol Abuse. 2012 , 47-92		
6	Biological State Marker for Alcohol Consumption. 2015 , 261-292		
5	Alcohol consumption and employment: a cross-sectional study of office workers and unemployed people. <i>PeerJ</i> , 2020 , 8, e8774	3.1	1
4	The Comorbidity of Post-traumatic Stress Disorder (PTSD) and Substance Use Disorders. 2021 , 1327-1339		0
3	Increased Transferrin Sialylation Predicts Phenoconversion in Isolated REM Sleep Behavior Disorder.. <i>Movement Disorders</i> , 2022 ,	7	0
2	New evidence of high association between carbohydrate deficient transferrin (CDT) and alcohol-related road traffic accidents. A retrospective study on 929 injured drivers. 2022 , 340, 111438		

1	Driving license regranting: Hair EtG, serum CDT, and the role of sociodemographic and medicolegal variables.	o
---	--	---