

CITATION REPORT

List of articles citing

Tandem Mass Spectrometric Analysis for Amino, Organic, and Fatty Acid Disorders in Newborn Dried Blood Spots

DOI: 10.1093/clinchem/47.11.1945
Clinical Chemistry, 2001, 47, 1945-1955.

Source: <https://exaly.com/paper-pdf/32633258/citation-report.pdf>

Version: 2024-04-11

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
411	Newborn Screening by Tandem Mass Spectrometry Gaining Experience. <i>Clinical Chemistry</i> , 2001 , 47, 1937-1938	5.5	29
410	Erweiterung des Neugeborenen Screenings durch Tandemmassenspektrometrie. 2001 , 149, 1297-1303		23
409	Shortage of vaccines: USA, Europe, who next?. 2002 , 87, 9		1
408	Validation of the phenylalanine/tyrosine ratio determined by tandem mass spectrometry: sensitive newborn screening for phenylketonuria. 2002 , 40, 693-7		48
407	Newborn and childhood screening programmes: criteria, evidence, and current policy. 2002 , 87, 6-9		52
406	Incidence and short-term outcome of children with symptomatic presentation of organic acid and fatty acid oxidation disorders in Germany. 2002 , 110, 1204-11		31
405	Newborn screening: the role of the obstetrician. 2002 , 45, 697-710; discussion 730-2		27
404	The application of tandem mass spectrometry to neonatal screening for inherited disorders of intermediary metabolism. 2002 , 3, 17-45		143
403	Neonatal screening for medium-chain acyl-CoA dehydrogenase deficiency. 2002 , 359, 628		3
402	Application of tandem mass spectrometry to biochemical genetics and newborn screening. 2002 , 322, 1-10		69
401	The changing face of newborn screening: diagnosis of inborn errors of metabolism by tandem mass spectrometry. 2002 , 324, 121-8		45
400	Newborn screening with tandem mass spectrometry: examining its cost-effectiveness in the Wisconsin Newborn Screening Panel. 2002 , 141, 524-31		70
399	Postmortem screening for fatty acid oxidation disorders by analysis of Guthrie cards with tandem mass spectrometry in sudden unexpected death in infancy. 2002 , 141, 833-6		35
398	Quantitative fibroblast acylcarnitine profiles in mitochondrial fatty acid beta-oxidation defects: phenotype/metabolite correlations. 2002 , 76, 327-34		20
397	Current literature in mass spectrometry. 2002 , 37, 234-40		
396	Current awareness. 2002 , 22, 168-74		
395	Glycine N-methyltransferase deficiency: a new patient with a novel mutation. 2003 , 26, 745-59		69

394	Arguments for early screening: a clinician's perspective. 2003 , 162 Suppl 1, S2-4	9
393	The impact of screening for propionic and methylmalonic acidaemia. 2003 , 162 Suppl 1, S21-4	36
392	Data required for the evaluation of newborn screening programmes. 2003 , 162 Suppl 1, S57-61	14
391	Advances in analytical mass spectrometry to improve screening for inherited metabolic diseases. 2003 , 162 Suppl 1, S67-76	33
390	Determination of carnitine and acylcarnitines in urine by high-performance liquid chromatography-electrospray ionization ion trap tandem mass spectrometry. 2003 , 984, 203-13	75
389	Direct tandem mass spectrometric analysis of amino acids in dried blood spots without chemical derivatization for neonatal screening. 2003 , 17, 983-90	48
388	Analysis of isomeric long-chain hydroxy fatty acids by tandem mass spectrometry: application to the diagnosis of long-chain 3-hydroxyacyl CoA dehydrogenase deficiency. 2003 , 17, 171-5	18
387	A comparison of in vitro acylcarnitine profiling methods for the diagnosis of classical and variant short chain acyl-CoA dehydrogenase deficiency. 2003 , 337, 103-13	13
386	Screening newborns for inborn errors of metabolism by tandem mass spectrometry. 2003 , 348, 2304-12	493
385	Accurate measurement of free carnitine in dried blood spots by isotope-dilution electrospray tandem mass spectrometry without butylation. 2003 , 335, 137-45	18
384	Arginase deficiency with lethal neonatal expression: evidence for the glutamine hypothesis of cerebral edema. 2003 , 142, 349-52	40
383	MS/MS-based newborn and family screening detects asymptomatic patients with very-long-chain acyl-CoA dehydrogenase deficiency. 2003 , 143, 335-42	90
382	The frequency of short-chain acyl-CoA dehydrogenase gene variants in the US population and correlation with the C(4)-acylcarnitine concentration in newborn blood spots. 2003 , 78, 239-46	53
381	Infantile hypermethioninemia and hyperhomocysteinemia due to high methionine intake: a diagnostic trap. 2003 , 79, 6-16	49
380	Use of tandem mass spectrometry for multianalyte screening of dried blood specimens from newborns. <i>Clinical Chemistry</i> , 2003 , 49, 1797-817	5.5 476
379	Practice parameter: evaluation of the child with global developmental delay: report of the Quality Standards Subcommittee of the American Academy of Neurology and The Practice Committee of the Child Neurology Society. 2003 , 60, 367-80	546
378	Effects of Sterilizing Gamma Irradiation on Bloodspot Newborn Screening Tests and Whole Blood Cyclosporine and Tacrolimus Measurements. 2003 , 119, 292-297	3
377	Effect of expanded newborn screening for biochemical genetic disorders on child outcomes and parental stress. 2003 , 290, 2564-72	238

376	Rare disorders of metabolism with elevated butyryl- and isobutyryl-carnitine detected by tandem mass spectrometry newborn screening. 2003 , 54, 219-23		71
375	Current World Literature. 2003 , 14, 69-91		
374	Expanded newborn screening for inborn errors of metabolism by electrospray ionization-tandem mass spectrometry: results, outcome, and implications. 2003 , 111, 1399-406		369
373	Expanded newborn screening: Lessons learned from MCAD deficiency. 2004 , 9, 241-3		5
372	The risks and benefits of neonatal screening. 2004 , 12, 24-29		2
371	Expanded screening of newborns for genetic disorders. 2004 , 291, 820-1; author reply 821		1
370	Expanded Screening of Newborns for Genetic DisordersReply. 2004 , 291, 820		
369	Emerging role for tandem mass spectrometry in detecting congenital adrenal hyperplasia. <i>Clinical Chemistry</i> , 2004 , 50, 467-8	5.5	14
368	Screening for serum total homocysteine in newborn children. <i>Clinical Chemistry</i> , 2004 , 50, 1769-84	5.5	69
367	Newborn screening for inborn errors of metabolism with tandem mass spectrometry in Bavaria, Germany. Neugeborenen-Screening auf angeborene Stoffwechselerkrankungen mit Tandem-Massenspektrometrie in Bayern (Deutschland). 2004 , 28, 521-524		1
366	The Y42H mutation in medium-chain acyl-CoA dehydrogenase, which is prevalent in babies identified by MS/MS-based newborn screening, is temperature sensitive. 2004 , 271, 4053-63		24
365	Blood acylcarnitine levels in normal newborns and heterozygotes for medium-chain acyl-CoA dehydrogenase deficiency: a relationship between genotype and biochemical phenotype?. 2004 , 27, 81-8		18
364	Neonatal screening for glutaryl-CoA dehydrogenase deficiency. 2004 , 27, 851-9		89
363	Determination of phenylalanine and tyrosine in dried blood specimens by ion-exchange chromatography using the Hitachi L-8800 analyzer. 2004 , 37, 857-62		30
362	Integration of new genetic diseases into statewide newborn screening: New England experience. 2004 , 125C, 35-41		17
361	Newborn screening for hepatorenal tyrosinemia by tandem mass spectrometry: analysis of succinylacetone extracted from dried blood spots. 2004 , 37, 1010-5		84
360	Application of nuclear magnetic resonance spectroscopy combined with principal component analysis in detecting inborn errors of metabolism using blood spots: a metabonomic approach. 2004 , 511, 303-312		55
359	The call from the newborn screening laboratory: frustration in the afternoon. 2004 , 51, 803-18, xii		7

358	An HPLC-MS approach for analysis of very long chain fatty acids and other apolar compounds on octadecyl-silica phase using partly miscible solvents. 2004 , 76, 1935-41	28
357	A common mutation is associated with a mild, potentially asymptomatic phenotype in patients with isovaleric acidemia diagnosed by newborn screening. 2004 , 75, 1136-42	119
356	Tandem mass spectrometry in newborn screening: a primer for neonatal and perinatal nurses. 2004 , 18, 41-58; quiz 59-60	24
355	Enzymatic diagnosis of medium-chain acyl-CoA dehydrogenase deficiency by detecting 2-octenoyl-CoA production using high-performance liquid chromatography: a practical confirmatory test for tandem mass spectrometry newborn screening in Japan. 2005 , 823, 122-30	20
354	Clinical onset and prognosis of Asian children with organic acidemias, as detected by analysis of urinary organic acids using GC/MS, instead of mass screening. 2005 , 27, 39-45	52
353	Newborn screening and the pediatric practitioner. 2005 , 29, 182-8	9
352	Population spectrum of ACADM genotypes correlated to biochemical phenotypes in newborn screening for medium-chain acyl-CoA dehydrogenase deficiency. 2005 , 25, 443-52	81
351	Teaching intermediary metabolism linearly doesn't work. 2005 , 33, 330-4	4
350	Mass spectrometry in metabolome analysis. 2005 , 24, 613-46	456
349	The knowledge gap in expanded newborn screening: survey results from paediatricians in Massachusetts. 2005 , 28, 819-24	22
348	[Inherited metabolic diseases: benefits of metabolomics]. 2005 , 21, 512-6	3
347	Newborn screening in Canada - Are we out of step?. 2005 , 10, 203-7	22
346	INBORN ERRORS OF METABOLISM Classification and Biochemical Aspects. 2005 , 13-22	
345	Advances in newborn screening for biochemical genetic disorders. 2005 ,	
344	Newborn screening for severe combined immunodeficiency (SCID): a review. 2005 , 10, 1024-39	13
343	Diagnosis of methylmalonic acidemia from dried blood spots by HPLC and intramolecular-excimer fluorescence derivatization. <i>Clinical Chemistry</i> , 2005 , 51, 235-7	5.5 14
342	Newborn screening for lysosomal storage disorders. <i>Clinical Chemistry</i> , 2005 , 51, 808-9	5.5 10
341	Fetal fatty acid oxidation disorders, their effect on maternal health and neonatal outcome: impact of expanded newborn screening on their diagnosis and management. 2005 , 57, 78R-86R	71

340	Quantitative acylcarnitine profiling in peripheral blood mononuclear cells using in vitro loading with palmitic and 2-oxoadipic acids: biochemical confirmation of fatty acid oxidation and organic acid disorders. 2005 , 58, 873-80		12
339	Lack of correlation between fatty acid oxidation disorders and haemolysis, elevated liver enzymes, low platelets (HELLP) syndrome?. 2005 , 94, 48-52		13
338	A Neonate With Hyperammonemia. 2005 , 36, 292-295		1
337	Diagnosis Of Glutaric Acidemia Type I: A Cautionary Note. 2005 , 36, 174-177		1
336	Simultaneous measurement of 25 inflammatory markers and neurotrophins in neonatal dried blood spots by immunoassay with xMAP technology. <i>Clinical Chemistry</i> , 2005 , 51, 1854-66	5.5	236
335	Screening of newborns and high-risk group of children for inborn metabolic disorders using tandem mass spectrometry in South Korea: a three-year report. 2005 , 354, 167-80		58
334	Mice heterozygous for a defect in mitochondrial trifunctional protein develop hepatic steatosis and insulin resistance. 2005 , 128, 1381-90		138
333	Tandem mass neonatal screening in Taiwan--report from one center. 2006 , 105, 882-6		22
332	Influence of hematocrit and localisation of punch in dried blood spots on levels of amino acids and acylcarnitines measured by tandem mass spectrometry. 2006 , 373, 27-31		105
331	Newborn screening for metabolic disorders. 2006 , 148, 577-584		41
330	Medium-chain acyl-CoA dehydrogenase deficiency: genotype-biochemical phenotype correlations. 2006 , 87, 32-9		72
329	New frontiers in hereditary metabolic disease: an historical perspective. 2006 , 87, 184-9		1
328	VLCAD deficiency: pitfalls in newborn screening and confirmation of diagnosis by mutation analysis. 2006 , 88, 166-70		75
327	In vitro characterization and in vivo expression of human very-long chain acyl-CoA dehydrogenase. 2006 , 88, 351-8		6
326	Derivatization in mass spectrometry--8. Soft ionization mass spectrometry of small molecules. 2006 , 12, 79-115		79
325	Economics of tandem mass spectrometry screening of neonatal inherited disorders. 2006 , 22, 321-6		14
324	Expanded newborn screening of inherited metabolic disorders by tandem mass spectrometry: clinical and laboratory aspects. 2006 , 39, 315-32		67
323	Incomplete pediatric reference intervals for the management of patients with inborn errors of metabolism. 2006 , 39, 595-9		28

322	Carnitine-esters from the mushroom <i>Suillus laricinus</i> . 2006 , 67, 2676-80	10
321	Metabolic profiling technologies for biomarker discovery in biomedicine and drug development. 2006 , 7, 1055-75	78
320	The tandem mass spectrometry newborn screening experience in North Carolina: 1997-2005. 2006 , 29, 76-85	162
319	Neonatal screening for glutaric aciduria type I: strategies to proceed. 2006 , 29, 378-82	36
318	Newborn screening for medium-chain acyl-CoA dehydrogenase deficiency: a global perspective. 2006 , 29, 370-7	68
317	Short/branched-chain acyl-CoA dehydrogenase deficiency due to an IVS3+3A>G mutation that causes exon skipping. 2006 , 118, 680-90	31
316	Störungen der Fettsäurenoxidation. 2006 , 154, 1231-1244	1
315	Determination of methylmalonic acid in urine by HPLC with intramolecular excimer-forming fluorescence derivatization. 2006 , 20, 54-60	9
314	Newborn screening for 3-methylcrotonyl-CoA carboxylase deficiency: population heterogeneity of MCCA and MCCB mutations and impact on risk assessment. 2006 , 27, 748-59	69
313	Evaluation of electrospray-tandem mass spectrometry for the detection of phenylketonuria and other rare disorders. 2006 , 50, 443-50	8
312	Pilot programs in newborn screening. 2006 , 12, 293-300	19
311	Making the case for objective performance metrics in newborn screening by tandem mass spectrometry. 2006 , 12, 255-61	44
310	Metabolic disorders detectable by tandem mass spectrometry and unexpected early childhood mortality: a population-based study. 2006 , 140, 837-42	22
309	Newborn Screening for Inborn Errors of Metabolism. 2006 , 49-57	
308	California's experience implementing a pilot newborn supplemental screening program using tandem mass spectrometry. 2006 , 117, S261-9	30
307	State newborn screening in the tandem mass spectrometry era: more tests, more false-positive results. 2006 , 118, 448-56	100
306	The epidemiology of medium chain acyl-CoA dehydrogenase deficiency: an update. 2006 , 8, 205-12	102
305	Clinical, biochemical, and genetic heterogeneity in short-chain acyl-coenzyme A dehydrogenase deficiency. 2006 , 296, 943-52	108

304	Newborn screening for metabolic disorders. 2006 , 296, 993-5		13
303	Neonatal screening for very long-chain acyl-coA dehydrogenase deficiency: enzymatic and molecular evaluation of neonates with elevated C14:1-carnitine levels. 2006 , 118, 1065-9		49
302	Long-term stability of amino acids and acylcarnitines in dried blood spots. <i>Clinical Chemistry</i> , 2007 , 53, 717-22	5.5	64
301	Development, validation and application of tandem mass spectrometry for screening of inborn metabolic disorders in Kuwaiti infants. 2007 , 16, 215-21		9
300	Inborn Errors of Mitochondrial Fatty Acid Oxidation. 767-802		1
299	Critical sample pretreatment in monitoring dried blood spot citrulline. 2007 , 386, 105-9		14
298	Carnitine, acylcarnitine and amino acid profiles analyzed by tandem mass spectrometry in a surfactant/virus mouse model of acute hepatic encephalopathy. 2007 , 68, 1692-8		5
297	Outcome of neonatal screening for medium-chain acyl-CoA dehydrogenase deficiency in Australia: a cohort study. 2007 , 369, 37-42		137
296	[Advances in the diagnosis and treatment of maple syrup urine disease: experience in Galicia (Spain)]. 2007 , 67, 337-43		5
295	Newborn screening: a literature review. 2007 , 26, 85-95		8
294	Policy issues related to expanded newborn screening: a review of three genetic/metabolic disorders. 2007 , 8, 201-9		
293	Metabolic screening in children: newborn screening for metabolic diseases past, present and future. 2007 , 17, 273-278		5
292	Mass spectrometry-based metabolomics. 2007 , 26, 51-78		1445
291	Simultaneous quantification of acylcarnitine isomers containing dicarboxylic acylcarnitines in human serum and urine by high-performance liquid chromatography/electrospray ionization tandem mass spectrometry. 2007 , 21, 799-806		48
290	Post-mortem analysis for two prevalent beta-oxidation mutations in sudden infant death. 2007 , 49, 883-7		18
289	Clinical characteristics of neonates with inborn errors of metabolism detected by Tandem MS analysis in Oman. 2007 , 29, 543-6		14
288	Lack of correlation between fatty acid oxidation disorders and haemolysis, elevated liver enzymes, low platelets (HELLP) syndrome?. 2005 , 94, 48-52		3
287	Cost-effectiveness of neonatal screening for medium chain acyl-CoA dehydrogenase deficiency: the homogeneous population of The Netherlands. 2007 , 151, 115-20, 120.e1-3		19

286	Shifts in the carbohydrate, polyol, and amino acid pools during rapid cold-hardening and diapause-associated cold-hardening in flesh flies (<i>Sarcophaga crassipalpis</i>): a metabolomic comparison. 2007 , 177, 753-63	184
285	[Rare metabolic diseases]. 2007 , 50, 1556-63	
284	Recent advances in newborn screening. 2007 , 30, 129-33	32
283	Selective screening for inborn errors of metabolism on clinical patients using tandem mass spectrometry in China: a four-year report. 2007 , 30, 507-14	59
282	Implementation of extended neonatal screening and a metabolic unit in the State of Qatar: developing and optimizing strategies in cooperation with the Neonatal Screening Center in Heidelberg. 2007 , 30, 522-9	34
281	Isovaleric acid reduces Na ⁺ , K ⁺ -ATPase activity in synaptic membranes from cerebral cortex of young rats. 2007 , 27, 529-40	30
280	MALDI TOF/TOF tandem mass spectrometry as a new tool for amino acid analysis. 2007 , 18, 279-84	56
279	Clinical efficacy and cost-effectiveness of newborn screening for medium chain acyl-CoA dehydrogenase deficiency using tandem mass spectrometry. 2007 , 40, 235-41	17
278	Determination of 3-hydroxyisovalerylcarnitine and other acylcarnitine levels using liquid chromatography-tandem mass spectrometry in serum and urine of a patient with multiple carboxylase deficiency. 2008 , 870, 154-9	28
277	Neonatal screening for medium-chain acyl-CoA dehydrogenase (MCAD) deficiency in The Netherlands: the importance of enzyme analysis to ascertain true MCAD deficiency. 2008 , 31, 88-96	37
276	Newborn screening for methylmalonic acidurias--optimization by statistical parameter combination. 2008 , 31, 379-85	25
275	The inclusion of succinylacetone as marker for tyrosinemia type I in expanded newborn screening programs. 2008 , 22, 812-8	48
274	Novel mutations causing medium chain acyl-CoA dehydrogenase deficiency: under-representation of the common c.985 A > G mutation in the New York state population. 2008 , 146A, 610-9	17
273	Role of polyunsaturated fatty acids in the management of Egyptian children with autism. 2008 , 41, 1044-8	87
272	Mitochondrial trifunctional protein defects: clinical implications and therapeutic approaches. 2008 , 60, 1488-96	39
271	Disorders of Fatty Acid Oxidation in the Era of Tandem Mass Spectrometry in Newborn Screening. 2008 , 8, 18-29	1
270	Metabolomics reveals unique and shared metabolic changes in response to heat shock, freezing and desiccation in the Antarctic midge, <i>Belgica antarctica</i> . 2008 , 54, 645-55	130
269	Short-chain acyl-CoA dehydrogenase (SCAD) deficiency: an examination of the medical and neurodevelopmental characteristics of 14 cases identified through newborn screening or clinical symptoms. 2008 , 95, 39-45	54

268	Spectrum of medium-chain acyl-CoA dehydrogenase deficiency detected by newborn screening. 2008 , 121, e1108-14	33
267	Induction of oxidative stress by the metabolites accumulating in isovaleric acidemia in brain cortex of young rats. 2008 , 42, 707-15	18
266	Enhancing newborn screening for tyrosinemia type I. <i>Clinical Chemistry</i> , 2008 , 54, 627-9	5.5 4
265	Newborn screening. 2008 , 40, 104-15	100
264	Newborn screening of metabolic disorders: recent progress and future developments. 2008 , 62, 81-93; discussion 93-6	17
263	Newborn Screening: What's New?. 2008 , 39, 737-741	
262	Development of a new enzymatic diagnosis method for very-long-chain Acyl-CoA dehydrogenase deficiency by detecting 2-hexadecenoyl-CoA production and its application in tandem mass spectrometry-based selective screening and newborn screening in Japan. 2008 , 64, 667-72	17
261	Parental tolerance of false-positive newborn screening results. 2008 , 162, 870-6	30
260	Single-Laboratory Validation of a Liquid Chromatographic/Tandem Mass Spectrometric Method for the Determination of Free and Total Carnitine in Infant Formula and Raw Ingredients. 2008 , 91, 130-142	16
259	Newborn screening for MCAD deficiency: experience of the first three years in British Columbia, Canada. 2008 , 99, 276-80	17
258	The profile of newborn screening coverage in China. 2009 , 16, 163-6	16
257	Biochemical correction of very long-chain acyl-CoA dehydrogenase deficiency following adeno-associated virus gene therapy. 2009 , 17, 425-9	15
256	Creatine administration prevents Na ⁺ ,K ⁺ -ATPase inhibition induced by intracerebroventricular administration of isovaleric acid in cerebral cortex of young rats. 2009 , 1262, 81-8	8
255	Enzymatic evaluation of glutaric acidemia type 1 by an in vitro probe assay of acylcarnitine profiling using fibroblasts and electrospray ionization/tandem mass spectrometry (MS/MS). 2009 , 877, 2648-51	1
254	Neugeborenen screening in Deutschland, Österreich und der Schweiz. 2009 , 157, 1209-1214	4
253	Dissection of biochemical borderline phenotypes in carriers and genetic variants of medium-chain acyl-CoA dehydrogenase deficiency: implications for newborn screening [corrected]. 2009 , 76, 179-87	15
252	Economic evaluation of tandem mass spectrometry newborn screening in Australia. 2009 , 123, 451-7	30
251	Selective screening for organic acidemias by urine organic acid GC-MS analysis in Brazil: fifteen-year experience. 2009 , 400, 77-81	40

250	A Delphi clinical practice protocol for the management of very long chain acyl-CoA dehydrogenase deficiency. 2009 , 96, 85-90		126
249	False-positive newborn screening mimicking glutaric aciduria type I in infants with renal insufficiency. 2009 , 32 Suppl 1, S355-9		12
248	Newborn screening. 2009 , 46, 55-82		36
247	Use of the dried blood spot sampling process coupled with fast gas chromatography and negative-ion chemical ionization tandem mass spectrometry: application to fluoxetine, norfluoxetine, reboxetine, and paroxetine analysis. 2010 , 396, 2523-32		43
246	Newborn screening for disorders of fatty-acid oxidation: experience and recommendations from an expert meeting. 2010 , 33, 521-6		115
245	Very long-chain acyl-CoA dehydrogenase deficiency in a patient with normal newborn screening by tandem mass spectrometry. 2010 , 156, 492-4		33
244	Tandem mass spectrometry screening for very long-chain acyl-CoA dehydrogenase deficiency: the value of second-tier enzyme testing. 2010 , 157, 668-73		40
243	Reduced levels of hydroxylated, polyunsaturated ultra long-chain fatty acids in the serum of colorectal cancer patients: implications for early screening and detection. 2010 , 8, 13		109
242	Polymorphic variants of genes related to arginine metabolism and the risk of orofacial clefts. 2010 , 55, 861-6		3
241	Silent increase of urinary ethylmalonic acid is an indicator of nonspecific brain dysfunction. 2010 , 23, 353-8		2
240	Relationship of octanoylcarnitine concentrations to age at sampling in unaffected newborns screened for medium-chain acyl-CoA dehydrogenase deficiency. <i>Clinical Chemistry</i> , 2010 , 56, 1015-21	5.5	6
239	Projected costs, risks, and benefits of expanded newborn screening for MCADD. 2010 , 125, e286-94		33
238	Sweet and sour aspects of medium-chain acyl CoA dehydrogenase deficiency. Commentary on K. Yusuf et al.: Neonatal ventricular tachyarrhythmias in medium chain acyl-CoA dehydrogenase deficiency (Neonatology 2010;98:260-264). 2010 , 98, 265-7		3
237	Newborn screening of lysosomal storage disorders. <i>Clinical Chemistry</i> , 2010 , 56, 1071-9	5.5	78
236	Direct infusion mass spectrometry or liquid chromatography mass spectrometry for human metabonomics? A serum metabonomic study of kidney cancer. 2010 , 135, 2970-8		118
235	The potential of mass spectrometry for the global profiling of parasite metabolomes. 2010 , 137, 1409-23		13
234	Fatty acid oxidation disorders: maternal health and neonatal outcomes. 2010 , 15, 122-8		17
233	Genotype-phenotype correlations: sudden death in an infant with very-long-chain acyl-CoA dehydrogenase deficiency. 2010 , 33 Suppl 3, S129-31		20

232	Four years of expanded newborn screening in Portugal with tandem mass spectrometry. 2010 , 33 Suppl 3, S133-8	77
231	Expanded newborn screening in Greece: 30 months of experience. 2010 , 33 Suppl 3, S341-8	26
230	Clinical, biochemical, and molecular analysis of combined methylmalonic acidemia and hyperhomocysteinemia (cblC type) in China. 2010 , 33 Suppl 3, S435-42	48
229	Comparison of amino acids and acylcarnitines assay methods used in newborn screening assays by tandem mass spectrometry. 2010 , 411, 684-9	43
228	Newborn screening and early biochemical follow-up in combined methylmalonic aciduria and homocystinuria, cblC type, and utility of methionine as a secondary screening analyte. 2010 , 99, 116-23	81
227	Lack of genotype-phenotype correlations and outcome in MCAD deficiency diagnosed by newborn screening in New York State. 2010 , 99, 263-8	41
226	Maple syrup urine disease: further evidence that newborn screening may fail to identify variant forms. 2010 , 100, 136-42	48
225	Allelic diversity in MCAD deficiency: the biochemical classification of 54 variants identified during 5 years of ACADM sequencing. 2010 , 100, 241-50	40
224	Sudden death in medium chain acyl-coenzyme A dehydrogenase deficiency (MCADD) despite newborn screening. 2010 , 101, 33-9	52
223	Clinical and electrophysiological characterization of myokymia and neuromyotonia in Jack Russell Terriers. 2010 , 24, 882-9	17
222	Characterization of differences between blood sample matrices in untargeted metabolomics. 2011 , 83, 1040-7	90
221	Metabolic screening for the newborn. 2011 , 24 Suppl 2, 6-8	3
220	A digital microfluidic method for dried blood spot analysis. 2011 , 11, 3218-24	86
219	Citrulline levels in a paediatric age group: does measurement on dried blood spots have additional value?. 2011 , 412, 661-4	13
218	Proficiency testing outcomes of 3-hydroxyisovaleryl carnitine measurements by tandem mass spectrometry in newborn screening. 2011 , 412, 631-5	11
217	Mechanisms regulating superoxide generation in experimental models of phenylketonuria: an essential role of NADPH oxidase. 2011 , 104, 241-8	14
216	Tamiz de los errores innatos del metabolismo por espectrometría de masas en tándem: principales biomarcadores. 2011 , 139, 1356-1364	2
215	Clinical, biochemical and genetic analyses in two Korean patients with medium-chain acyl-CoA dehydrogenase deficiency. 2011 , 31, 54-60	9

214	[Circulating citrulline levels: a biomarker for intestinal functionality assessment]. 2011 , 69, 513-21	13
213	Mitochondrial Hepatopathies. 2011 , 767-785.e4	
212	Insights into the pathogenesis and treatment of cancer from inborn errors of metabolism. 2011 , 88, 402-21	44
211	Urgent metabolic service improves survival in long-chain 3-hydroxyacyl-CoA dehydrogenase (LCHAD) deficiency detected by symptomatic identification and pilot newborn screening. 2011 , 34, 185-95	23
210	Automated system for on-line desorption of dried blood spots applied to LC/MS/MS pharmacokinetic study of flurbiprofen and its metabolite. 2011 , 54, 359-67	69
209	Neonatal screening for inborn errors of metabolism using tandem mass spectrometry: experience of the pilot study in Andhra Pradesh, India. 2011 , 78, 953-60	13
208	Hypermethioninemias of genetic and non-genetic origin: A review. 2011 , 157C, 3-32	143
207	Newborn screening for medium chain acyl-CoA dehydrogenase deficiency in England: prevalence, predictive value and test validity based on 1.5 million screened babies. 2011 , 18, 173-81	30
206	False-positive newborn screening result and future health care use in a state Medicaid cohort. 2011 , 128, 715-22	25
205	Newborn screening for isovaleric acidemia using tandem mass spectrometry: data from 1.6 million newborns. <i>Clinical Chemistry</i> , 2011 , 57, 623-6	5.5 32
204	Electronic chemical pathology consultation service and dried blood spot metabolic screening in hospital patients. 2012 , 65, 1141-5	
203	Molecular diagnosis for a fatal case of very long-chain acyl-CoA dehydrogenase deficiency in Hong Kong Chinese with a novel mutation: a preventable death by newborn screening. 2012 , 21, 184-7	8
202	Long-term correction of very long-chain acyl-coA dehydrogenase deficiency in mice using AAV9 gene therapy. 2012 , 20, 1131-8	15
201	Clinical and molecular aspects of Japanese children with medium chain acyl-CoA dehydrogenase deficiency. 2012 , 107, 237-40	6
200	Biochemical screening of 504,049 newborns in Denmark, the Faroe Islands and Greenland—experience and development of a routine program for expanded newborn screening. 2012 , 107, 281-93	47
199	Newborn Screening for Inborn Errors of Metabolism. 2012 , 75-86	3
198	Newborn screening and renal disease: where we have been; where we are now; where we are going. 2012 , 27, 1453-64	
197	Parental attitudes on expanded newborn screening in Hong Kong. 2012 , 126, 954-9	11

196	Isotope dilution direct injection mass spectrometry method for determination of four tyrosine kinase inhibitors in human plasma. 2012 , 93, 307-13	16
195	Biochemical, molecular, and clinical characteristics of children with short chain acyl-CoA dehydrogenase deficiency detected by newborn screening in California. 2012 , 106, 55-61	47
194	Determination of L-methionine using methionine-specific dehydrogenase for diagnosis of homocystinuria due to cystathionine β -synthase deficiency. 2012 , 428, 143-9	16
193	Map of autosomal recessive genetic disorders in Saudi Arabia: concepts and future directions. 2012 , 158A, 2629-40	48
192	Development of electrospray ionization tandem mass spectrometry methods for the study of a high number of urine markers of inborn errors of metabolism. 2012 , 26, 2131-44	19
191	Extraction and analysis of carnitine and acylcarnitines by electrospray ionization tandem mass spectrometry directly from dried blood and plasma spots using a novel autosampler. 2012 , 26, 2548-54	17
190	Cost-effectiveness analysis of universal newborn screening for medium chain acyl-CoA dehydrogenase deficiency in France. 2012 , 12, 60	11
189	Newborn Screening of Genetic Diseases. 2012 , 189-210	
188	Newborn Screening. 2012 , 316-327	
187	C14 and C16 acylcarnitines in newborns with orofacial clefts. 2012 , 5, 276-280	
186	A mass spectrometric study for comparative analysis and evaluation of metabolite recovery from plasma by various solvent systems. 2012 , 23, 128-35	4
185	Analysis of acylcarnitine profiles in umbilical cord blood and during the early neonatal period by electrospray ionization tandem mass spectrometry. 2012 , 45, 546-56	15
184	MCAD deficiency in Denmark. 2012 , 106, 175-88	26
183	LC-ESI-MS/MS determination of paclitaxel on dried blood spots. 2012 , 26, 616-21	15
182	Amino acid analysis by means of MALDI TOF mass spectrometry or MALDI TOF/TOF tandem mass spectrometry. 2012 , 828, 121-35	15
181	Impact of inborn errors of metabolism on admission in a neonatal intensive care unit--a prospective cohort study. 2012 , 79, 494-500	14
180	A simple method for the analysis by MS/MS of underivatized amino acids on dry blood spots from newborn screening. 2012 , 42, 1889-95	16
179	Direct analysis of dried blood spots coupled with mass spectrometry: concepts and biomedical applications. 2012 , 402, 2485-98	112

178	Newborn screening for medium-chain acyl-CoA dehydrogenase deficiency: regional experience and high incidence of carnitine deficiency. 2013 , 8, 102	10
177	Second-tier test for quantification of underivatized amino acids in dry blood spot for metabolic diseases in newborn screening. 2013 , 44, 661-71	9
176	Inborn errors of metabolism and expanded newborn screening: review and update. 2013 , 50, 142-62	99
175	Newborn screening of phenylketonuria using direct analysis in real time (DART) mass spectrometry. 2013 , 405, 3159-64	37
174	Implementation of liquid chromatography/mass spectrometry into the clinical laboratory. 2013 , 420, 4-10	82
173	Expanded newborn screening of inborn errors of metabolism by capillary electrophoresis-electrospray ionization-mass spectrometry (CE-ESI-MS). 2013 , 919, 43-56	5
172	Amino acid and acylcarnitine profiles in premature neonates: a pilot study. 2013 , 80, 736-44	16
171	Expanded newborn screening and confirmatory follow-up testing for inborn errors of metabolism detected by tandem mass spectrometry. 2013 , 51, 157-76	29
170	Five novel mutations in ARG1 gene in Chinese patients of argininemia. 2013 , 49, 119-23	10
169	Separation and identification of underivatized plasma acylcarnitine isomers using liquid chromatography-tandem mass spectrometry for the differential diagnosis of organic acidemias and fatty acid oxidation defects. 2013 , 1319, 97-106	32
168	Highly viscous guar gum shifts dietary amino acids from metabolic use to fermentation substrate in domestic cats. 2013 , 109, 1022-30	10
167	Measurement of free carnitine and acylcarnitines in plasma by HILIC-ESI-MS/MS without derivatization. 2013 , 932, 12-8	33
166	Methylmalonic aciduria: newborn screening in mainland China?. 2013 , 26, 399-400	5
165	Newborn Screening for Glutaric Aciduria-II: The New England Experience. 2014 , 13, 1-14	11
164	Neuropsychological outcomes in fatty acid oxidation disorders: 85 cases detected by newborn screening. 2013 , 17, 260-8	28
163	Current and future use of "dried blood spot" analyses in clinical chemistry. 2013 , 51, 1897-909	78
162	Fatty Acid oxidation disorders in a chinese population in taiwan. 2013 , 11, 165-72	21
161	Age-related reference values for plasma amino acids in a Spanish population measured by gas chromatography-mass spectrometry. 2013 , 26, 333-41	3

160	Efficacy of the biocide Steri-7 against the common Gram-negative bacterial pathogens (<i>Burkholderia cenocepacia</i> , <i>Burkholderia gladioli</i> , <i>Burkholderia multivorans</i> , <i>Pseudomonas aeruginosa</i> and <i>Stenotrophomonas maltophilia</i>) associated with cystic fibrosis (CF). 2013 , 70, 80-1	2
159	Inborn Errors of Metabolism: Classification and Biochemical Aspects. 2013 , 1-10	
158	OPathPaed service model for expanded newborn screening in Hong Kong SAR, China. 2013 , 70, 84-8	4
157	. 2014 ,	23
156	Challenges and opportunities in mass spectrometric analysis of proteins from dried blood spots. 2014 , 11, 685-95	20
155	Direct Solvent Extraction and Analysis of Biomarkers in Dried Blood Spots Using a Flow-Through Autosampler. 2014 , 314-324	
154	Reduction in newborn screening metabolic false-positive results following a new collection protocol. 2014 , 16, 477-83	13
153	Analysis of methylcitrate in dried blood spots by liquid chromatography-tandem mass spectrometry. 2014 , 16, 65-73	15
152	Birth Prevalence of Fatty Acid β -Oxidation Disorders in Iberia. 2014 , 16, 89-94	10
151	Inherited metabolic diseases in the Southern Chinese population: spectrum of diseases and estimated incidence from recurrent mutations. 2014 , 46, 375-82	14
150	Plasma and urine metabolic profiles are reflective of altered beta-oxidation in non-diabetic obese subjects and patients with type 2 diabetes mellitus. 2014 , 6, 129	33
149	Infants suspected to have very-long chain acyl-CoA dehydrogenase deficiency from newborn screening. 2014 , 111, 484-92	38
148	Screening of diseases associated with abnormal metabolites for evaluation of HPLC in organic aciduria profiling. 2014 , 15, 69-78	5
147	Expression, purification, and characterization of mouse glycine N-acyltransferase in <i>Escherichia coli</i> . 2014 , 97, 23-8	10
146	Expanded newborn screening in New South Wales: missed cases. 2014 , 37, 881-7	37
145	Supercritical fluid extraction as a preparation method for mass spectrometry of dried blood spots. 2014 , 969, 199-204	18
144	Clinical features and mutations in seven Chinese patients with very long chain acyl-CoA dehydrogenase deficiency. 2014 , 10, 119-25	9
143	Inborn Error of Metabolism (IEM) screening in Singapore by electrospray ionization-tandem mass spectrometry (ESI/MS/MS): An 8 year journey from pilot to current program. 2014 , 113, 53-61	43

142	Biotin deprivation impairs mitochondrial structure and function and has implications for inherited metabolic disorders. 2015 , 116, 204-14		12
141	Arteriovenous Blood Metabolomics: A Readout of Intra-Tissue Metabostasis. 2015 , 5, 12757		47
140	Neonatal Screening Tests for Inherited Metabolic Disorders using Tandem Mass Spectrometry: Experience of a Clinical Laboratory in Korea. 2015 , 5, 196		4
139	Orphan drugs in development for long-chain fatty acid oxidation disorders: challenges and progress. 2015 , 33		
138	Newborn Screening for Glutaric Aciduria Type I: Benefits and limitations. <i>International Journal of Neonatal Screening</i> , 2015 , 1, 57-68	2.6	7
137	Neonatal Screening for Medium-Chain Acyl-CoA Deficiency Insights and Unexpected Challenges. <i>International Journal of Neonatal Screening</i> , 2015 , 1, 79-88	2.6	4
136	[Blood sampling using "dried blood spot": a clinical biology revolution underway?]. 2015 , 73, 25-37		2
135	Determination of Total Glutathione in Dried Blood Spot Samples Using a High-Performance Liquid Chromatography. 2015 , 53, 879-85		6
134	Genetics professionals' opinions of whole-genome sequencing in the newborn period. 2015 , 24, 452-63		12
133	Eleven novel mutations of the BCKDHA, BCKDHB and DBT genes associated with maple syrup urine disease in the Chinese population: Report on eight cases. 2015 , 58, 617-23		15
132	Recurrent ACADVL molecular findings in individuals with a positive newborn screen for very long chain acyl-coA dehydrogenase (VLCAD) deficiency in the United States. 2015 , 116, 139-45		41
131	Innovations in health and demographic surveillance systems to establish the causal impacts of HIV policies. 2015 , 10, 483-94		13
130	Alanine does not act through branched-chain amino acid catabolism in carp, a species with low muscular carnosine storage. 2015 , 41, 281-7		6
129	Choline supplementation restores substrate balance and alleviates complications of Pcyt2 deficiency. 2015 , 26, 1221-34		17
128	Micro Ion Extractor for Single Drop Whole Blood Analysis. 2015 , 87, 6483-6		10
127	Rapid detection of aspergillosis in immunocompromised patients using DIMS and chemometric analysis. 2015 , 7, 6346-6351		4
126	Very long-chain acyl-coenzyme A dehydrogenase deficiency in Chinese patients: eight case reports, including one case of prenatal diagnosis. 2015 , 58, 134-9		10
125	Possible pathogenic mechanism of propofol infusion syndrome involves coenzyme q. 2015 , 122, 343-52		54

124	A novel method for quantification of human hemoglobin from dried blood spots by use of tandem mass spectrometry. 2015 , 407, 8121-7	9
123	Mutation analysis of methylmalonyl CoA mutase gene exon 2 in Egyptian families: Identification of 25 novel allelic variants. 2015 , 3, 71-88	4
122	Spectrum analysis of common inherited metabolic diseases in Chinese patients screened and diagnosed by tandem mass spectrometry. 2015 , 29, 162-8	23
121	Analysis and interpretation of acylcarnitine profiles in dried blood spot and plasma of preterm and full-term newborns. 2015 , 77, 36-47	16
120	The use of mass spectrometry to analyze dried blood spots. 2016 , 35, 361-438	143
119	Tandem mass spectrometry-based newborn screening strategy could be used to facilitate rapid and sensitive lung cancer diagnosis. 2016 , 9, 2479-87	2
118	A Population-Based Genomic Study of Inherited Metabolic Diseases Detected Through Newborn Screening. 2016 , 36, 561-72	16
117	Fermentable soluble fibres spare amino acids in healthy dogs fed a low-protein diet. 2016 , 12, 130	9
116	Automatic disease screening method using image processing for dried blood microfluidic drop stain pattern recognition. 2016 , 40, 245-54	11
115	Pilot study of newborn screening of inborn error of metabolism using tandem mass spectrometry in Malaysia: outcome and challenges. 2016 , 29, 1031-9	20
114	Inborn Errors of Metabolism and Newborns. 2016 , 1-28	
113	221 newborn-screened neonates with medium-chain acyl-coenzyme A dehydrogenase deficiency: Findings from the Inborn Errors of Metabolism Collaborative. 2016 , 119, 75-82	10
112	Validation of amino-acids measurement in dried blood spot by FIA-MS/MS for PKU management. 2016 , 49, 1047-50	4
111	Determination of selected fatty acids in dried sweat spot using gas chromatography with flame ionization detection. 2016 , 39, 4377-4383	6
110	Does canine inflammatory bowel disease influence gut microbial profile and host metabolism?. 2016 , 12, 114	28
109	Evaluation of Amount of Blood in Dry Blood Spots: Ring-Disk Electrode Conductometry. 2016 , 88, 6531-7	18
108	Seven novel mutations of the SMPD1 gene in four Chinese patients with Niemann-Pick disease type A and prenatal diagnosis for four fetuses. 2016 , 59, 263-8	2
107	Does release of encapsulated nutrients have an important role in the efficacy of xylanase in broilers?. 2016 , 95, 1066-76	15

106	Automatic Pattern Recognition for Detection of Disease from Blood Drop Stain Obtained with Microfluidic Device. 2016 , 655-667	10
105	Progress toward improved therapies for inborn errors of metabolism. 2016 , 25, R27-35	9
104	The status of neonatal screening in China, 2013. 2016 , 23, 59-61	21
103	Quantification of 2-methylcitric acid in dried blood spots improves newborn screening for propionic and methylmalonic acidemias. 2017 , 24, 58-61	14
102	Long-term outcome of expanded newborn screening at Boston children's hospital: benefits and challenges in defining true disease. 2017 , 40, 209-218	15
101	Advances in Clinical Mass Spectrometry. 2017 , 79, 153-198	11
100	The metabolic response in fish to mildly elevated water temperature relates to species-dependent muscular concentrations of imidazole compounds and free amino acids. 2017 , 65, 57-63	6
99	Small molecules as therapeutic agents for inborn errors of metabolism. 2017 , 40, 177-193	15
98	A novel tandem mass spectrometry method for first-line screening of mainly beta-thalassemia from dried blood spots. 2017 , 154, 78-84	13
97	Comparison of C26:0-carnitine and C26:0-lysophosphatidylcholine as diagnostic markers in dried blood spots from newborns and patients with adrenoleukodystrophy. 2017 , 122, 209-215	38
96	Clinical, Biochemical, and Molecular Features in 37 Saudi Patients with Very Long Chain Acyl CoA Dehydrogenase Deficiency. 2018 , 40, 47-53	10
95	Complementary Cell-Free Translational Assay for Quantification of Amino Acids. 2017 , 89, 9638-9642	19
94	Mutations in KARS cause early-onset hearing loss and leukoencephalopathy: Potential pathogenic mechanism. 2017 , 38, 1740-1750	22
93	Quantitative analysis of biofluid spots by coated blade spray mass spectrometry, a new approach to rapid screening. 2017 , 7, 16104	54
92	Paediatric reference values for total homocysteine, tryptophan, tyrosine and phenylalanine in blood spots. 2017 , 77, 410-414	1
91	Newborn screening. 2017 , 125-153	1
90	Imaging-Based Method for Precursors of Impending Disease from Blood Traces. 2017 , 411-424	4
89	The response of canine faecal microbiota to increased dietary protein is influenced by body condition. 2017 , 13, 374	16

88	A Nonsense Variant in the Gene in German Hunting Terriers with Exercise Induced Metabolic Myopathy. 2018 , 8, 1545-1554	4
87	Two novel CPS1 mutations in a case of carbamoyl phosphate synthetase 1 deficiency causing hyperammonemia and leukodystrophy. 2018 , 32, e22375	3
86	Diagnostic potential of stored dried blood spots for inborn errors of metabolism: a metabolic autopsy of medium-chain acyl-CoA dehydrogenase deficiency. 2018 , 71, 885-889	7
85	Effects of birth weight on profiles of dried blood amino-acids and acylcarnitines. 2018 , 55, 92-99	8
84	Structural elucidation of novel biomarkers of known metabolic disorders based on multistage fragmentation mass spectra. 2018 , 41, 407-414	16
83	The interplay between voluntary food intake, dietary carbohydrate-lipid ratio and nutrient metabolism in an amphibian, (<i>Xenopus laevis</i>). 2018 , 13, e0208445	4
82	Fatty acid oxidation disorders. 2018 , 6, 473	68
81	Clinical Analysis by Mass Spectrometry. 2018 ,	
80	Clinical Mass Spectrometry in the Bioinformatics Era: A Hitchhiker's Guide. 2018 , 16, 316-334	14
79	Dried Blood Spheroids for Dry-State Room Temperature Stabilization of Microliter Blood Samples. 2018 , 90, 9353-9358	22
78	Inborn Errors of Carbohydrate, Ammonia, Amino Acid, and Organic Acid Metabolism. 2018 , 230-252.e4	2
77	Newborn Screening. 2018 , 332-346.e3	
76	The New York pilot newborn screening program for lysosomal storage diseases: Report of the First 65,000 Infants. 2019 , 21, 631-640	70
75	Amino Acid Analysis by Means of MALDI TOF Mass Spectrometry or MALDI TOF/TOF Tandem Mass Spectrometry. 2019 , 2030, 17-31	5
74	Hypermethioninemia in Campania: Results from 10 years of newborn screening. 2019 , 21, 100520	1
73	New Ratios for Performance Improvement for Identifying Acyl-CoA Dehydrogenase Deficiencies in Expanded Newborn Screening: A Retrospective Study. 2019 , 10, 811	7
72	Eight novel mutations detected from eight Chinese patients with isovaleric acidemia. 2019 , 498, 116-121	1
71	Diagnostic contribution of metabolic workup for neonatal inherited metabolic disorders in the absence of expanded newborn screening. 2019 , 9, 14098	8

70	A nationwide retrospective observational study of population newborn screening for medium-chain acyl-CoA dehydrogenase (MCAD) deficiency in the Netherlands. 2019 , 42, 890-897	12
69	Medium-chain acyl-coenzyme A dehydrogenase deficiency: Six cases in the Chinese population. 2019 , 61, 551-557	5
68	Systematic literature review and meta-analysis on the epidemiology of methylmalonic acidemia (MMA) with a focus on MMA caused by methylmalonyl-CoA mutase (mut) deficiency. 2019 , 14, 84	15
67	Use of serum citrulline concentrations from routine newborn screen as a biomarker for necrotizing enterocolitis. 2019 , 35, 715-722	4
66	New Advances for Newborn Screening of Inborn Errors of Metabolism by Capillary Electrophoresis-Mass Spectrometry (CE-MS). 2019 , 1972, 139-163	4
65	Misclassification of VLCAD carriers due to variable confirmatory testing after a positive NBS result. 2019 , 10, 447-451	2
64	Systematic literature review and meta-analysis on the epidemiology of propionic acidemia. 2019 , 14, 40	10
63	[Follow-up study in German Hunting Terrier dogs with exercise induced metabolic myopathy]. 2019 , 47, 402-410	
62	Evaluation of earlier versus later dietary management in long-chain 3-hydroxyacyl-CoA dehydrogenase or mitochondrial trifunctional protein deficiency: a systematic review. 2019 , 14, 258	13
61	Urea Cycle Related Amino Acids Measured in Dried Bloodspots Enable Long-Term In Vivo Monitoring and Therapeutic Adjustment. 2019 , 9,	3
60	Expanded Newborn Screening for Inborn Errors of Metabolism by Tandem Mass Spectrometry in Suzhou, China: Disease Spectrum, Prevalence, Genetic Characteristics in a Chinese Population. 2019 , 10, 1052	26
59	Use of Cellular Synthetic Machinery for Biosensing Applications. 2019 , 10, 1166	10
58	Screening and development of enzymes for determination and transformation of amino acids. 2019 , 83, 1402-1416	7
57	Mass Spectrometry Methods for In Situ Analysis of Clinical Biomolecules. 2020 , 4, 1900407	8
56	Emerging trends in paper spray mass spectrometry: Microsampling, storage, direct analysis, and applications. 2020 , 39, 336-370	40
55	Disturbance of mitochondrial functions associated with permeability transition pore opening induced by cis-5-tetradecenoic and myristic acids in liver of adolescent rats. 2020 , 50, 1-13	4
54	One potential hotspot ACADVL mutation in Chinese patients with very-long-chain acyl-coenzyme A dehydrogenase deficiency. 2020 , 503, 218-222	1
53	A newborn screening approach to diagnose 3-hydroxy-3-methylglutaryl-CoA lyase deficiency. 2020 , 54, 79-86	3

52	Evaluation of 11 years of newborn screening for maple syrup urine disease in the Netherlands and a systematic review of the literature: Strategies for optimization. 2020 , 54, 68-78		3
51	Newborn screening and genetic characteristics of patients with short- and very long-chain acyl-CoA dehydrogenase deficiencies. 2020 , 510, 285-290		0
50	Dose-Dependent Effects of Dietary Xylooligosaccharides Supplementation on Microbiota, Fermentation and Metabolism in Healthy Adult Cats. 2020 , 25,		1
49	Reducing False-Positive Results in Newborn Screening Using Machine Learning. <i>International Journal of Neonatal Screening</i> , 2020 , 6,	2.6	13
48	Improved Dried Blood Spot-Based Metabolomics: A Targeted, Broad-Spectrum, Single-Injection Method. 2020 , 10,		17
47	Expanded Screening of One Million Swedish Babies with R4S and CLIR for Post-Analytical Evaluation of Data. <i>International Journal of Neonatal Screening</i> , 2020 , 6, 42	2.6	6
46	Clinical manifestations and management of fatty acid oxidation disorders. 2020 , 21, 479-493		11
45	Retained visual function in a subset of patients with long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency (LCHADD). 2021 , 42, 23-27		1
44	Newborn Screening for Long-Chain 3-Hydroxyacyl-CoA Dehydrogenase and Mitochondrial Trifunctional Protein Deficiencies Using Acylcarnitines Measurement in Dried Blood Spots-A Systematic Review of Test Accuracy. 2021 , 9, 606194		3
43	The genetics of mitochondrial disease: dissecting mitochondrial pathology using multi-omic pipelines. 2021 , 254, 430-442		13
42	Measuring seasonal and agro-ecological effects on nutritional status in tropical ranging dairy cows. 2021 , 104, 4341-4349		1
41	Massachusetts' Findings from Statewide Newborn Screening for Spinal Muscular Atrophy. <i>International Journal of Neonatal Screening</i> , 2021 , 7,	2.6	3
40	Mass Spectrometry in Clinical Laboratories.		
39	Birth prevalence of phenylalanine hydroxylase deficiency: a systematic literature review and meta-analysis. 2021 , 16, 253		1
38	Tandem Mass Spectrometry Screening for Inborn Errors of Metabolism in Newborns and High-Risk Infants in Southern China: Disease Spectrum and Genetic Characteristics in a Chinese Population. 2021 , 12, 631688		4
37	Tissue-specific DNase I footprint analysis confirms the association of GATAD2B Q470* variant with intellectual disability. 2021 , 100, 1		
36	Nutrient-related metabolite profiles explain differences in body composition and size in Nile tilapia (<i>Oreochromis niloticus</i>) from different lakes. 2021 , 11, 16824		0
35	Multiplexed analysis of amino acids in mice brain microdialysis samples using isobaric labeling and liquid chromatography-high resolution tandem mass spectrometry. 2021 , 1656, 462537		0

34	Measurement of plasma/serum acylcarnitines using tandem mass spectrometry. 2010 , 603, 9-25	10
33	Newborn Screening. 2005 , 338-348	1
32	Tandem mass spectrometry in discovery of disorders of the metabolome. 2004 , 113, 354-356	7
31	Identification of the plasma metabolomics as early diagnostic markers between biliary atresia and neonatal hepatitis syndrome. 2014 , 9, e85694	15
30	Institutional experience of newborn screening for inborn metabolism disorders by tandem MS in the Turkish population. 2020 , 33, 703-711	2
29	No longer a leap in the dark: the importance of protein as an energy source in amphibians. 2019 , 2019,	1
28	Global prevalence of classic phenylketonuria based on Neonatal Screening Program Data: systematic review and meta-analysis. 2020 , 63, 34-43	7
27	Biallelic mutations in carbamoyl phosphate synthetase 1 induced hyperammonemia in a neonate: A case report. 2020 , 20, 623-629	2
26	Expanded newborn screening. 2003 , 32, 509-15	8
25	Electrospray Tandem Mass Spectrometry in the Biochemical Genetics Laboratory. 2003 ,	
24	Electrospray Tandem Mass Spectrometry for Newborn Screening. 2004 , 386-390	
23	Routine Newborn Care. 2005 , 323-337	
22	Newborn Screening for Lysosomal Storage Disorders. 2007 , 169-178	
21	Laboratory Testing in Infants and Children. 2011 , 2466-2466.e4	
20	Selective Screening for Inborn Errors of Metabolism: A Report of Six Years Experience. 2017 , 27,	1
19	Inborn Errors of Metabolism and Newborns. 2018 , 1805-1832	
18	The role of tandem mass spectrometry in the diagnosis of inherited metabolic diseases. 2018 , 5, 96-105	5
17	The Acylcarnitine Profile in Dried Blood Spots is Affected by Hematocrit: A Study of Newborn Screening Samples in Very-Low-Birth-Weight Infants. 2020 ,	

16	Arginine, as a Key Indicator for Real-Time Stability Monitoring of Quality Control in the Newborn Screening Test Using Dried Blood Spot. 2021 , 8, 201		1
15	Effects of sterilizing gamma irradiation on bloodspot newborn screening tests and whole blood cyclosporine and tacrolimus measurements. 2003 , 119, 292-7		
14	Prevalence of methylmalonic acidemia among newborns and the clinical-suspected population: a meta-analyse. 2021 , 1-16		0
13	How Environmental Hazards in Childhood Have Been Discovered: Carcinogens, Teratogens, Neurotoxicants, and Others. 2004 , 113, 945-951		7
12	Acute reversible rhabdomyolysis during direct-acting antiviral hepatitis C virus treatment: a case report.. 2021 , 15, 627		1
11	Reference Standards for Newborn Screening of Metabolic Disorders by Tandem Mass Spectrometry: A Nationwide Study on Millions of Chinese Neonatal Populations.. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 719866	5.6	2
10	?????????????????????. <i>Zhejiang Da Xue Xue Bao Yi Xue Ban = Journal of Zhejiang University Medical Sciences</i> , 2022 ,		
9	The Progress and Future of US Newborn Screening. <i>International Journal of Neonatal Screening</i> , 2022 , 8, 41	2.6	3
8	Nutrigenomics in the management and prevention of metabolic disorders. 2023 , 209-274		0
7	Non-derivatizing Tandem Mass Spectrometry Assay for Expanded Newborn Screening and Cutoffs for Preterm Neonates. 2023 , 43, 133-134		0
6	Inborn errors of metabolism: classification and biochemical aspects. 2022 ,		0
5	Successfully Navigating FDA Orphan Drug and Rare Pediatric Disease Designations for AAV9-hPCCA Gene Therapy: The NIH Pave-GT Experience.		0
4	The glycine N-acyltransferases, GLYAT and GLYATL1, contribute to the detoxification of isovaleryl-CoA - an in-silico and in vitro validation. 2023 , 21, 1236-1248		0
3	Moroccan Experience of Targeted Screening for Inborn Errors of Metabolism by Tandem Mass Spectrometry. 2023 , 15, 227-236		0
2	Current State and Innovations in Newborn Screening: Continuing to Do Good and Avoid Harm. 2023 , 9, 15		0
1	A retrospective analysis of MS/MS screening for IEM in high-risk areas. 2023 , 16,		0