## CITATION REPORT List of articles citing

Electrospray Tandem Mass Spectrometry for Analysis of Acylcarnitines in Dried Postmortem Blood Specimens Collected at Autopsy from Infants with Unexplained Cause of Death

DOI: 10.1093/clinchem/47.7.1166 Clinical Chemistry, 2001, 47, 1166-1182.

Source: https://exaly.com/paper-pdf/32634228/citation-report.pdf

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
217	U.S. newborn screening policy dilemmas for the twenty-first century. <b>2001</b> , 74, 64-74		104
216	The Metabolic Autopsy Comes of Age. <i>Clinical Chemistry</i> , <b>2001</b> , 47, 1145-1146	5.5	41
215	Rapid Diagnosis of Methylmalonic and Propionic AcidemiasQuantitative Tandem Mass Spectrometric Analysis of Propionylcarnitine in Filter-Paper Blood Specimens Obtained from Newborns. <i>Clinical Chemistry</i> , <b>2001</b> , 47, 2040-2044	5.5	74
214	Bibliography. Current literature in mass spectrometry. <b>2001</b> , 36, 1164-71		
213	Fatty acid transport and mitochondrial oxidation disorders. <b>2001</b> , 21, 489-500		28
212	Incidence and short-term outcome of children with symptomatic presentation of organic acid and fatty acid oxidation disorders in Germany. <b>2002</b> , 110, 1204-11		31
211	Tandem Mass Spectrometry in Newborn Screening. <b>2002</b> , 12, 50-57		5
210	Early neonatal diagnosis of long-chain 3-hydroxyacyl coenzyme a dehydrogenase and mitochondrial trifunctional protein deficiencies. <b>2002</b> , 75, 120-7		36
209	Fatty acid oxidation disorders. <b>2002</b> , 64, 477-502		354
208	The application of tandem mass spectrometry to neonatal screening for inherited disorders of intermediary metabolism. <b>2002</b> , 3, 17-45		143
207	Application of tandem mass spectrometry to biochemical genetics and newborn screening. <b>2002</b> , 322, 1-10		69
206	Strategies for the diagnosis of mitochondrial fatty acid beta-oxidation disorders. 2002, 323, 37-58		81
205	Newborn screening with tandem mass spectrometry: examining its cost-effectiveness in the Wisconsin Newborn Screening Panel. <b>2002</b> , 141, 524-31		70
204	Postmortem screening for fatty acid oxidation disorders by analysis of Guthrie cards with tandem mass spectrometry in sudden unexpected death in infancy. <b>2002</b> , 141, 833-6		35
203	More on the Metabolic Autopsy. <i>Clinical Chemistry</i> , <b>2002</b> , 48, 964-965	5.5	7
202	Laboratory diagnosis of metabolic myopathies. <b>2002</b> , 25, 649-663		13
201	Clinical approach to inborn errors of metabolism presenting in the newborn period. <b>2002</b> , 38, 511-7		24

200	Incidence of autopsy findings in unexpected deaths of children and adolescents. 2003, 6, 142-55		9
199	Advances in analytical mass spectrometry to improve screening for inherited metabolic diseases. <b>2003</b> , 162 Suppl 1, S67-76		33
198	Sleep and breathing disturbances in infancy and early childhood. 2003, 10, 281-8		1
197	Direct tandem mass spectrometric analysis of amino acids in dried blood spots without chemical derivatization for neonatal screening. <b>2003</b> , 17, 983-90		48
196	Pharmacokinetics of L-carnitine. <b>2003</b> , 42, 941-67		180
195	MS/MS-based newborn and family screening detects asymptomatic patients with very-long-chain acyl-CoA dehydrogenase deficiency. <b>2003</b> , 143, 335-42		90
194	The frequency of short-chain acyl-CoA dehydrogenase gene variants in the US population and correlation with the C(4)-acylcarnitine concentration in newborn blood spots. <b>2003</b> , 78, 239-46		53
193	Use of tandem mass spectrometry for multianalyte screening of dried blood specimens from newborns. <i>Clinical Chemistry</i> , <b>2003</b> , 49, 1797-817	5.5	476
192	Newborn screening by tandem mass spectrometry for medium-chain Acyl-CoA dehydrogenase deficiency: a cost-effectiveness analysis. <b>2003</b> , 112, 1005-15		80
191	Neonatal blood carnitine concentrations: normative data by electrospray tandem mass spectometry. <b>2003</b> , 53, 823-9		39
190	Prospective diagnosis of 2-methylbutyryl-CoA dehydrogenase deficiency in the Hmong population by newborn screening using tandem mass spectrometry. <b>2003</b> , 112, 74-8		53
189	Investigating for inborn errors of metabolism with tandem mass spectrometry in Ankara region, Turkey: a 2 years evaluation. <b>2004</b> , 50, 189-90		O
188	The metabolic investigation of sudden infant death. <b>2004</b> , 41, 282-93		21
187	Changes in blood carnitine and acylcarnitine profiles of very long-chain acyl-CoA dehydrogenase-deficient mice subjected to stress. <b>2004</b> , 34, 191-6		48
186	A critical evaluation of high performance liquid chromatography-electrospray ionisation-mass spectrometry and capillary electrophoresis-electrospray-mass spectrometry for the detection and determination of small molecules of significance in clinical and forensic science. <b>2004</b> , 25, 1413-46		61
185	Preanalytic aspects in postmortem toxicology. <b>2004</b> , 142, 75-100		<b>2</b> 00
184	Macrocyclic Antibiotics as Chiral Selectors in the Design of Enantioselective, Potentiometric Membrane Electrodes. <b>2004</b> , 32, 601-610		3
183	Expression and purification of His-tagged rat mitochondrial medium-chain acyl-CoA dehydrogenase wild-type and Arg256 mutant proteins. <b>2004</b> , 37, 472-8		13

182	A primer on newborn screening. <b>2004</b> , 4, 306-17	9
181	A biochemical perspective on the use of tandem mass spectrometry for newborn screening and clinical testing. <i>Clinical Biochemistry</i> , <b>2005</b> , 38, 296-309	132
180	The expanding role of mass spectrometry in metabolite profiling and characterization. 2005, 6, 1941-51	175
179	Advances in newborn screening for biochemical genetic disorders. 2005,	
178	Mitochondrial trifunctional protein defects: molecular basis and novel therapeutic approaches. <b>2005</b> , 5, 27-40	25
177	Tissue carnitine homeostasis in very-long-chain acyl-CoA dehydrogenase-deficient mice. <b>2005</b> , 57, 760-4	36
176	Fetal fatty acid oxidation disorders, their effect on maternal health and neonatal outcome: impact of expanded newborn screening on their diagnosis and management. <b>2005</b> , 57, 78R-86R	71
175	Sudden unexpected death in infancy (SUDI). <b>2005</b> , 58, 20-1	14
174	The effect of oral L-carnitine supplementation on the lipid profiles of hyperlipidaemic children. <b>2005</b> , 94, 711-716	2
173	Impact of haemodialysis on individual endogenous plasma acylcarnitine concentrations in end-stage renal disease. <b>2005</b> , 42, 387-93	32
172	Diagnosis Of Glutaric Acidemia Type I: A Cautionary Note. <b>2005</b> , 36, 174-177	1
171	Intrinsic isomerase activity of medium-chain acyl-CoA dehydrogenase. <b>2005</b> , 44, 6715-22	9
170	Quantitation of long-chain acylcarnitines by HPLC/fluorescence detection: application to plasma and tissue specimens from patients with carnitine palmitoyltransferase-II deficiency. <b>2005</b> , 352, 81-92	26
169	Rapid measurement of plasma acylcarnitines by liquid chromatography-tandem mass spectrometry without derivatization. <b>2005</b> , 358, 104-12	46
168	Modified and improved method for the measurement of plasma acylcarnitines by online extraction coupled to liquid chromatography-tandem mass spectrometry without derivatization. <b>2006</b> , 365, 352-3	4
167	Bile acylcarnitine profiles in pediatric liver disease do not interfere with the diagnosis of long-chain fatty acid oxidation defects. <b>2006</b> , 367, 185-8	6
166	Influence of hematocrit and localisation of punch in dried blood spots on levels of amino acids and acylcarnitines measured by tandem mass spectrometry. <b>2006</b> , 373, 27-31	105
165	Newborn screening for metabolic disorders. <b>2006</b> , 148, 577-584	41

## (2008-2006)

164	The value of the metabolic autopsy in the pediatric hospital setting. <b>2006</b> , 148, 779-83	23
163	Inborn errors of isoleucine degradation: a review. <b>2006</b> , 89, 289-99	60
162	The clinical aspects of newborn screening: importance of newborn screening follow-up. <b>2006</b> , 12, 246-54	16
161	Metabolic disorders detectable by tandem mass spectrometry and unexpected early childhood mortality: a population-based study. <b>2006</b> , 140, 837-42	22
160	The epidemiology of medium chain acyl-CoA dehydrogenase deficiency: an update. 2006, 8, 205-12	102
159	Decline of acute encephalopathic crises in children with glutaryl-CoA dehydrogenase deficiency identified by newborn screening in Germany. <b>2007</b> , 62, 357-63	88
158	Investigation of unexplained infant deaths in Jerusalem, Israel 1996-2003. <b>2007</b> , 92, 697-9	3
157	Long-term stability of amino acids and acylcarnitines in dried blood spots. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 717-22	64
156	Inborn Errors of Mitochondrial Fatty Acid Oxidation. 767-802	1
155	Unexplained sudden death, including sudden infant death syndrome (SIDS), in the first and second years of life: case definition and guidelines for collection, analysis, and presentation of immunization safety data. <b>2007</b> , 25, 5707-16	30
154	Newborn screening: a literature review. <b>2007</b> , 26, 85-95	8
153	. 2007,	12
152	A new LC-ESI-MS/MS method to measure long-chain acylcarnitine levels in cultured cells. 2007, 599, 1-6	22
151	cis-3,4-Methylene-heptanoylcarnitine: characterization and verification of the C8:1 acylcarnitine in human urine. <b>2007</b> , 857, 251-8	21
150	Simultaneous quantification of acylcarnitine isomers containing dicarboxylic acylcarnitines in human serum and urine by high-performance liquid chromatography/electrospray ionization tandem mass spectrometry. <b>2007</b> , 21, 799-806	48
149	Post-mortem analysis for two prevalent beta-oxidation mutations in sudden infant death. <b>2007</b> , 49, 883-7	18
148	The effect of oral L-carnitine supplementation on the lipid profiles of hyperlipidaemic children. <b>2005</b> , 94, 711-6	1
147	Determination of 3-hydroxyisovalerylcarnitine and other acylcarnitine levels using liquid chromatography-tandem mass spectrometry in serum and urine of a patient with multiple carboxylase deficiency. <b>2008</b> , 870, 154-9	28

146	Neonatal screening for medium-chain acyl-CoA dehydrogenase (MCAD) deficiency in The Netherlands: the importance of enzyme analysis to ascertain true MCAD deficiency. <b>2008</b> , 31, 88-96	37
145	Inhibition of mitochondrial fatty acid oxidation in vivo only slightly suppresses gluconeogenesis but enhances clearance of glucose in mice. <b>2008</b> , 47, 1032-42	26
144	Disturbed hepatic carbohydrate management during high metabolic demand in medium-chain acyl-CoA dehydrogenase (MCAD)-deficient mice. <b>2008</b> , 47, 1894-904	34
143	Mitochondrial trifunctional protein defects: clinical implications and therapeutic approaches. <b>2008</b> , 60, 1488-96	39
142	Carnitine supplementation induces acylcarnitine production in tissues of very long-chain acyl-CoA dehydrogenase-deficient mice, without replenishing low free carnitine. <b>2008</b> , 63, 632-7	59
141	Combined newborn screening for succinylacetone, amino acids, and acylcarnitines in dried blood spots. <i>Clinical Chemistry</i> , <b>2008</b> , 54, 657-64	113
140	Acylcarnitine profile analysis. 2008, 10, 151-6	158
139	Quantification of carnitine and acylcarnitines in biological matrices by HPLC electrospray ionization-mass spectrometry. <i>Clinical Chemistry</i> , <b>2008</b> , 54, 1451-62	66
138	Single-Laboratory Validation of a Liquid Chromatographic/Tandem Mass Spectrometric Method for the Determination of Free and Total Carnitine in Infant Formula and Raw Ingredients. <b>2008</b> , 91, 130-142	16
137	Biochemical correction of very long-chain acyl-CoA dehydrogenase deficiency following adeno-associated virus gene therapy. <b>2009</b> , 17, 425-9	15
136	Supplemental Laboratory Studies. <b>2009</b> , 113-122	1
135	Mass spectrometry in newborn and metabolic screening: historical perspective and future directions. <b>2009</b> , 44, 163-70	63
134	Stability of acylcarnitines and free carnitine in dried blood samples: implications for retrospective diagnosis of inborn errors of metabolism and neonatal screening for carnitine transporter deficiency. <b>2009</b> , 81, 3571-5	60
133	Quantification of malonylcarnitine in dried blood spots by use of MS/MS varies by stable isotope internal standard composition. <b>2009</b> , 402, 14-8	29
132	Rapid metabolic and newborn screening of thyroxine (T4) from dried blood spots by MS/MS. <b>2009</b> , 403, 178-83	21
131	Improved MS/MS analysis of succinylacetone extracted from dried blood spots when combined with amino acids and acylcarnitine butyl esters. <b>2009</b> , 407, 6-9	33
130	Carnitine in parenteral nutrition. <b>2009</b> , 137, S129-34	21
129	Newborn screening for medium chain acyl CoA dehydrogenase deficiency. <b>2009</b> , 94, 235-8	21

## (2011-2010)

128	Very long-chain acyl-CoA dehydrogenase deficiency in a patient with normal newborn screening by tandem mass spectrometry. <b>2010</b> , 156, 492-4	33
127	Investigating sudden unexpected death in infancy and early childhood. <b>2010</b> , 11, 219-25	13
126	Role of postmortem genetic testing demonstrated in a case of glutaric aciduria type II. <b>2010</b> , 19, 184-6	10
125	How to use acylcarnitine profiles to help diagnose inborn errors of metabolism. <b>2010</b> , 95, 151-6	8
124	Evidence for an association between infant mortality and a carnitine palmitoyltransferase 1A genetic variant. <b>2010</b> , 126, 945-51	28
123	Application of liquid chromatography-tandem mass spectrometry (LC-MS/MS) in screening of high risk children with inherited metabolic diseases in northern China. <i>Journal of Pediatric Endocrinology</i> 1.6 and Metabolism, <b>2010</b> , 23, 1245-52	6 6
122	Fatty acid oxidation disorders: maternal health and neonatal outcomes. <b>2010</b> , 15, 122-8	17
121	Genotype-phenotype correlations: sudden death in an infant with very-long-chain acyl-CoA dehydrogenase deficiency. <b>2010</b> , 33 Suppl 3, S129-31	20
120	Collection of biological samples in forensic toxicology. <b>2010</b> , 20, 363-414	102
119	Comparison of amino acids and acylcarnitines assay methods used in newborn screening assays by tandem mass spectrometry. <b>2010</b> , 411, 684-9	43
118	ESI-MS/MS measurement of free carnitine and its precursor Ebutyrobetaine in plasma and dried blood spots from patients with organic acidurias and fatty acid oxidation disorders. <b>2010</b> , 101, 141-5	13
117	Carnitine palmitoyltransferase 1A (CPT1A) P479L prevalence in live newborns in Yukon, Northwest Territories, and Nunavut. <b>2010</b> , 101, 200-4	55
116	Liquid chromatography-tandem mass spectrometry for analysis of acylcarnitines in dried blood specimens collected at autopsy from neonatal intensive care unit. <b>2010</b> , 25, 109-14	3
115	JIMD Reports - Case and Research Reports, 2011/1. <b>2011</b> ,	
114	Proficiency testing outcomes of 3-hydroxyisovalerylcarnitine measurements by tandem mass spectrometry in newborn screening. <b>2011</b> , 412, 631-5	11
113	Retrospective review of Japanese sudden unexpected death in infancy: the importance of metabolic autopsy and expanded newborn screening. <b>2011</b> , 102, 399-406	21
112	The stability of markers in dried-blood spots for recommended newborn screening disorders in the United States. <i>Clinical Biochemistry</i> , <b>2011</b> , 44, 1445-50	51
111	Tamiz de los errores innatos del metabolismo por espectrometr de masas en tildem: principales biomarcadores. <b>2011</b> , 139, 1356-1364	2

110	Altered metabolism and newborn screening using tandem mass spectrometry: lessons learned from the bench to bedside. <b>2011</b> , 12, 965-75	13
109	Prevalence and distribution of the c.1436C-\$\overline{p}\ sequence variant of carnitine palmitoyltransferase 1A among Alaska Native infants. <b>2011</b> , 158, 124-9	27
108	Very long-chain acyl CoA dehydrogenase deficiency which was accepted as infanticide. <b>2011</b> , 210, e1-3	18
107	Relevance of expanded neonatal screening of medium-chain acyl co-a dehydrogenase deficiency: outcome of a decade in galicia (Spain). <b>2011</b> , 1, 131-6	2
106	Tandem mass spectrometry findings at autopsy for detection of metabolic disease in infant deaths: postmortem changes and confounding factors. <b>2011</b> , 64, 1005-9	13
105	Newborn screening for medium chain acyl-CoA dehydrogenase deficiency in England: prevalence, predictive value and test validity based on 1.5 million screened babies. <b>2011</b> , 18, 173-81	30
104	Molecular diagnosis for a fatal case of very long-chain acyl-CoA dehydrogenase deficiency in Hong Kong Chinese with a novel mutation: a preventable death by newborn screening. <b>2012</b> , 21, 184-7	8
103	Dried blood spots in toxicology: from the cradle to the grave?. <b>2012</b> , 42, 230-43	117
102	Electrospray ionization mass spectrometry: a technique to access the information beyond the molecular weight of the analyte. <b>2012</b> , 2012, 282574	284
101	Severe metabolic acidosis in a newborn with an abnormal newborn screen. <b>2012</b> , 51, 518-20	
100	Incidence of medium-chain acyl-CoA dehydrogenase deficiency in Canada using the Canadian Paediatric Surveillance Program: Role of newborn screening. <b>2012</b> , 17, 185-9	2
99	Carnitine and acylcarnitines: pharmacokinetic, pharmacological and clinical aspects. <b>2012</b> , 51, 553-72	222
98	Metabolic autopsy with postmortem cultured fibroblasts in sudden unexpected death in infancy: diagnosis of mitochondrial respiratory chain disorders. <b>2012</b> , 106, 474-7	9
97	Simultaneous measurement of protein-bound 3-chlorotyrosine and homocitrulline by LC-MS/MS after hydrolysis assisted by microwave: application to the study of myeloperoxidase activity during hemodialysis. <b>2012</b> , 99, 603-9	22
96	Direct and quantitative analysis of underivatized acylcarnitines in serum and whole blood using paper spray mass spectrometry. <b>2012</b> , 404, 1389-97	69
95	Causes and risk factors for infant mortality in Nunavut, Canada 1999-2011. <b>2012</b> , 12, 190	25
94	Carnitine deficiency in OCTN2-/- newborn mice leads to a severe gut and immune phenotype with widespread atrophy, apoptosis and a pro-inflammatory response. <b>2012</b> , 7, e47729	17
93	Analysis of acylcarnitine profiles in umbilical cord blood and during the early neonatal period by electrospray ionization tandem mass spectrometry. <b>2012</b> , 45, 546-56	15

92	Routine Metabolic Testing is Not Warranted in Unexpected Infant Death Investigations. 2012, 2, 346-356	3
91	Clinical and environmental influences on metabolic biomarkers collected for newborn screening.  Clinical Biochemistry, <b>2013</b> , 46, 133-8	39
90	Sequencing from dried blood spots in infants with "false positive" newborn screen for MCAD deficiency. <b>2013</b> , 108, 51-5	18
89	Rapid quantitative analysis of carnitine and acylcarnitines by ultra-high performance-hydrophilic interaction liquid chromatography-tandem mass spectrometry. <b>2013</b> , 1292, 189-94	44
88	Association of amino acids with common complications of prematurity. <b>2013</b> , 73, 700-5	12
87	The heritability of metabolic profiles in newborn twins. <b>2013</b> , 110, 253-8	16
86	Thymidine kinase 2 deficiency-induced mtDNA depletion in mouse liver leads to defect Ebxidation. <b>2013</b> , 8, e58843	7
85	The metabolic disease autopsy. 120-138	
84	. 2014,	23
83	The Use of Dried Blood Spots and Stains in Forensic Science. <b>2014</b> , 140-150	2
8 <sub>3</sub>	The Use of Dried Blood Spots and Stains in Forensic Science. <b>2014</b> , 140-150  Applications of Dried Blood Spots in Newborn and Metabolic Screening. <b>2014</b> , 53-75	2
		2
82	Applications of Dried Blood Spots in Newborn and Metabolic Screening. <b>2014</b> , 53-75  Combination of postmortem mass spectrometry imaging and genetic analysis reveals very long-chain acyl-CoA dehydrogenase deficiency in a case of infant death with liver steatosis. <b>2014</b> ,	
82	Applications of Dried Blood Spots in Newborn and Metabolic Screening. <b>2014</b> , 53-75  Combination of postmortem mass spectrometry imaging and genetic analysis reveals very long-chain acyl-CoA dehydrogenase deficiency in a case of infant death with liver steatosis. <b>2014</b> , 244, e34-7	10
82 81 80	Applications of Dried Blood Spots in Newborn and Metabolic Screening. 2014, 53-75  Combination of postmortem mass spectrometry imaging and genetic analysis reveals very long-chain acyl-CoA dehydrogenase deficiency in a case of infant death with liver steatosis. 2014, 244, e34-7  The Clinical Application of Proteomics and Metabolomics in Neonatal Medicine. 2014, 64, 309-346  Clinical chemistry and dried blood spots: increasing laboratory utilization by improved	10
82 81 80	Applications of Dried Blood Spots in Newborn and Metabolic Screening. 2014, 53-75  Combination of postmortem mass spectrometry imaging and genetic analysis reveals very long-chain acyl-CoA dehydrogenase deficiency in a case of infant death with liver steatosis. 2014, 244, e34-7  The Clinical Application of Proteomics and Metabolomics in Neonatal Medicine. 2014, 64, 309-346  Clinical chemistry and dried blood spots: increasing laboratory utilization by improved understanding of quantitative challenges. 2014, 6, 2791-4  Elaidate, an 18-carbon trans-monoenoic fatty acid, inhibits Ebxidation in human peripheral blood	10 1 13
82 81 80 79 78	Applications of Dried Blood Spots in Newborn and Metabolic Screening. 2014, 53-75  Combination of postmortem mass spectrometry imaging and genetic analysis reveals very long-chain acyl-CoA dehydrogenase deficiency in a case of infant death with liver steatosis. 2014, 244, e34-7  The Clinical Application of Proteomics and Metabolomics in Neonatal Medicine. 2014, 64, 309-346  Clinical chemistry and dried blood spots: increasing laboratory utilization by improved understanding of quantitative challenges. 2014, 6, 2791-4  Elaidate, an 18-carbon trans-monoenoic fatty acid, inhibits Ebxidation in human peripheral blood macrophages. 2014, 115, 62-70  High resolution mass spectrometry based techniques at the crossroads of metabolic pathways.	10 1 13 6

Orphan drugs in development for long-chain fatty acid oxidation disorders: challenges and progress. **2015**, 33

73	Metabolic Consequences of Chronic Alcohol Abuse in Non-Smokers: A Pilot Study. <b>2015</b> , 10, e0129570	8
72	The Toolbox Approach to Forensic Pathology. <b>2015</b> , 5, 534-547	2
71	Metabolic autopsy with next generation sequencing in sudden unexpected death in infancy: Postmortem diagnosis of fatty acid oxidation disorders. <b>2015</b> , 5, 26-32	10
70	Lipid Storage Myopathies Due to Fatty Acid Oxidation Defects. <b>2015</b> , 761-795	1
69	Undiagnosed metabolic dysfunction and sudden infant death syndromea case-control study. <b>2015</b> , 29, 151-5	4
68	A highly selective molecularly imprinted sorbent for extraction of 2-aminothiazoline-4-carboxylic acidSynthesis, characterization and application in post-mortem whole blood analysis. <b>2015</b> , 1420, 16-25	22
67	Validated method for the quantification of free and total carnitine, butyrobetaine, and acylcarnitines in biological samples. <b>2015</b> , 87, 8994-9001	35
66	Liquid chromatography tandem mass spectrometry in the clinical laboratory. 2015, 52, 18-38	58
65	Sample Handling. <b>2016</b> , 77-94	
64	Supplemental Laboratory Studies. <b>2016</b> , 132-142	1
63	Deaths: Inherited Metabolic Disease and Sudden Unexpected Death (Pathology. <b>2016</b> , 85-95	2
62	Inborn Errors of Metabolism That Cause Sudden Infant Death: A Systematic Review with Implications for Population Neonatal Screening Programmes. <b>2016</b> , 109, 297-302	25
61	Altered Skeletal Muscle Mitochondrial Proteome As the Basis of Disruption of Mitochondrial Function in Diabetic Mice. <b>2016</b> , 65, 561-73	36
60	Postmortem genetic analysis of sudden unexpected death in infancy: neonatal genetic screening may enable the prevention of sudden infant death. <b>2017</b> , 62, 989-995	14
59	Minor Plasma Lipids Modulate Clotting Factor Activities and May Affect Thrombosis Risk. <b>2017</b> , 1, 93-102	8
58	Severe Fat Accumulation in Multiple Organs in Pediatric Autopsies: An Uncommon but Significant Finding. <b>2017</b> , 20, 269-276	5
57	Sudden infant death "syndrome"-Insights and future directions from a Utah population database analysis. <b>2017</b> , 173, 177-182	5

56	Reference values of amino acids, acylcarnitines and succinylacetone by tandem mass spectrometry for use in newborn screening in southwest Colombia. <b>2017</b> , 48, 113-119	7
55	Diagnostic potential of stored dried blood spots for inborn errors of metabolism: a metabolic autopsy of medium-chain acyl-CoA dehydrogenase deficiency. <b>2018</b> , 71, 885-889	7
54	Clinical and genetic characteristics of patients with fatty acid oxidation disorders identified by newborn screening. <b>2018</b> , 18, 103	16
53	Lower plasma choline levels are associated with sleepiness symptoms. <b>2018</b> , 44, 89-96	11
52	High-Fat Diet, Betaine, and Polydextrose Induce Changes in Adipose Tissue Inflammation and Metabolism in C57BL/6J Mice. <b>2018</b> , 62, e1800455	18
51	Preconception Micronutrient Supplementation Reduced Circulating Branched Chain Amino Acids at 12 Weeks Gestation in an Open Trial of Guatemalan Women Who Are Overweight or Obese. <b>2018</b> , 10,	5
50	Mass Spectrometry. <b>2018</b> , 33-65	4
49	Sudden Infant Death Syndrome. <b>2018</b> , 269-280	2
48	Association of newborn screening metabolites with risk of wheezing in childhood. 2018, 84, 619-624	6
47	Amino acid and lipid associated plasma metabolomic patterns are related to healthspan indicators with ageing. <b>2018</b> , 132, 1765-1777	15
46	Preanalytical interventions when using automated biochemistry tracks. <b>2019</b> , 51, S110	
45	Inherited Metabolic Disease and Sudden Unexplained Death in Infancy and Childhood: Post-mortem Samples and Investigations. <b>2019</b> , 116-126	
44	Inherited Metabolic Disease and Sudden Unexplained Death in Infancy and Childhood: Pathophysiology. <b>2019</b> , 211-218	
43	Development and Validation of a Method Using Dried Oral Fluid Spot to Determine Drugs of Abuse. <b>2019</b> , 64, 1906-1912	8
42	A comprehensive protocol for multiplatform metabolomics analysis in patient-derived skin fibroblasts. <b>2019</b> , 15, 83	9
41	TFAM Enhances Fat Oxidation and Attenuates High-Fat Diet-Induced Insulin Resistance in Skeletal Muscle. <b>2019</b> , 68, 1552-1564	26
40	Inherited metabolic diseases among sudden unexpected infant/child deaths in Hong Kong. <b>2019</b> , 51, S110	
39	Pseudo-hypertriglyceridaemia due to a novel mutation in the glycerol kinase (GK) gene. <b>2019</b> , 51, S109-S110	

38	The dried blood spot sampling method in the laboratory medicine. <b>2019</b> , 120, 223-234	2
37	Infant mortality in Brazil attributable to inborn errors of metabolism associated with sudden death: a time-series study (2002-2014). <b>2019</b> , 19, 52	2
36	Serum C14:1/C12:1 ratio is a useful marker for differentiating affected patients with very long-chain acyl-CoA dehydrogenase deficiency from heterozygous carriers. <b>2019</b> , 21, 100535	3
35	A verification of the application of the non-derivatized mass spectrometry method in newborns screening of metabolic disorders. <b>2019</b> , 98, e15500	2
34	The Sudden Infant Death Syndrome mechanism of death may be a non-septic hyper-dynamic shock. <b>2019</b> , 122, 35-40	0
33	Emerging role of clinical mass spectrometry in pathology. <b>2020</b> , 73, 61-69	18
32	Long-Chain Acylcarnitines and Cardiac Excitation-Contraction Coupling: Links to Arrhythmias. <b>2020</b> , 11, 577856	13
31	Analytical Metabolomics and Applications in Health, Environmental and Food Science. <b>2020</b> , 1-23	18
30	Instability of Acylcarnitines in Stored Dried Blood Spots: The Impact on Retrospective Analysis of Biomarkers for Inborn Errors of Metabolism. <b>2020</b> , 6,	1
29	Post-mortem tissue analyses in a patient with succinic semialdehyde dehydrogenase deficiency (SSADHD). I. Metabolomic outcomes. <b>2020</b> , 35, 601-614	10
28	Earwax: A potentially useful medium to identify inborn errors of metabolism?. <b>2020</b> , 52, 72-78	2
27	Inuit metabolism revisited: what drove the selective sweep of CPT1a L479?. <b>2020</b> , 129, 255-271	4
26	Chronic fluoxetine or ketamine treatment differentially affects brain energy homeostasis which is not exacerbated in mice with trait suboptimal mitochondrial function. <b>2021</b> , 53, 2986-3001	1
25	Laboratory analysis of acylcarnitines, 2020 update: a technical standard of the American College of Medical Genetics and Genomics (ACMG). <b>2021</b> , 23, 249-258	4
24	Fatal Arrhythmia in a 2-day-old Full-term Infant. <b>2021</b> , 42, S27-S29	
23	Early-adolescent antibiotic exposure results in mitochondrial and behavioral deficits in adult male mice. <b>2021</b> , 11, 12875	0
22	Metabolomic Profile in Venous Thromboembolism (VTE). <b>2021</b> , 11,	2
21	Postmortem Investigations. <b>2010</b> , 335-338	5

20	Newborn Screening and Inborn Errors of Metabolism. 2012, 2045-2082		1
19	Bile acid sequestration reduces plasma glucose levels in db/db mice by increasing its metabolic clearance rate. <b>2011</b> , 6, e24564		15
18	Metabolic screening and metabolomics analysis in the Intellectual Developmental Disorders Mexico Study. <b>2017</b> , 59, 423-428		5
17	Screening newborns for metabolic disorders based on targeted metabolomics using tandem mass spectrometry. <i>Annals of Pediatric Endocrinology and Metabolism</i> , <b>2015</b> , 20, 119-24	2.9	21
16	Novel mutations associated with carnitine-acylcarnitine translocase and carnitine palmitoyl transferase 2 deficiencies in Malaysia. <i>Clinical Biochemistry</i> , <b>2021</b> , 98, 48-53	3.5	O
15	Electrospray Tandem Mass Spectrometry in the Biochemical Genetics Laboratory. 2003,		
14	The Investigation of Inherited Metabolic Disease After Death. 2004, 17-44		2
13	CLINICAL ANALYSIS   Inborn Errors of Metabolism. <b>2005</b> , 174-181		
12	Autopsy Chemistry. <b>2009</b> , 89-91		
11	Mass Spectrometry. <b>2012</b> , 329-353		
10	Mass Spectrometry. 2012, 329-353  Metabolic Myopathies. 2012, 1613-1657		
10	Metabolic Myopathies. <b>2012</b> , 1613-1657	1.6	2
10	Metabolic Myopathies. 2012, 1613-1657  Postmortem Investigations. 2017, 551-554  Genetic characteristics and follow-up of patients with fatty acid Ebxidation disorders through expanded newborn screening in a Northern Chinese population. Journal of Pediatric Endocrinology	1.6	2
10 9 8	Metabolic Myopathies. 2012, 1613-1657  Postmortem Investigations. 2017, 551-554  Genetic characteristics and follow-up of patients with fatty acid Ebxidation disorders through expanded newborn screening in a Northern Chinese population. Journal of Pediatric Endocrinology and Metabolism, 2020, 33, 683-690	1.6	2 O
10 9 8 7	Metabolic Myopathies. 2012, 1613-1657  Postmortem Investigations. 2017, 551-554  Genetic characteristics and follow-up of patients with fatty acid Ebxidation disorders through expanded newborn screening in a Northern Chinese population. Journal of Pediatric Endocrinology and Metabolism, 2020, 33, 683-690  Sample Handling. 2022, 169-186  Prevalence of the most common pathogenic variants in three genes for inborn errors of metabolism associated with sudden unexpected death in infancy: a population-based study in		
10 9 8 7 6	Metabolic Myopathies. 2012, 1613-1657  Postmortem Investigations. 2017, 551-554  Genetic characteristics and follow-up of patients with fatty acid Ebxidation disorders through expanded newborn screening in a Northern Chinese population. Journal of Pediatric Endocrinology and Metabolism, 2020, 33, 683-690  Sample Handling. 2022, 169-186  Prevalence of the most common pathogenic variants in three genes for inborn errors of metabolism associated with sudden unexpected death in infancy: a population-based study in south Brazil. Genetics and Molecular Biology, 2020, 43, 20190298  Prevalence of methylmalonic acidemia among newborns and the clinical-suspected population: a	2	0

Metabolomics of a neonatal cohort from the Alliance for Maternal and Newborn Health
Improvement biorepository: Effect of preanalytical variables on reference intervals. **2023**, 18, e0279931

Ο

Dataset from dried blood spot acylcarnitine for detection of Carnitine-Acylcarnitine Translocase (CACT) deficiency and Carnitine Palmitoyl Transferase 2 (CPT2) deficiency. **2023**, 48, 109090

О