

CITATION REPORT

List of articles citing

Evaluation of Nine Automated High-Sensitivity C-Reactive Protein Methods: Implications for Clinical and Epidemiological Applications. Part 2

DOI: 10.1093/clinchem/47.3.418
Clinical Chemistry, 2001, 47, 418-425.

Source: <https://exaly.com/paper-pdf/32634443/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
418	High-sensitivity C-reactive protein: potential adjunct for global risk assessment in the primary prevention of cardiovascular disease. 2001 , 103, 1813-8		1051
417	Performance characteristics of a point of care C-reactive protein assay. 2001 , 314, 255-9		32
416	RE: Europium Nanoparticles and Time-resolved Fluorescence for Ultrasensitive Detection of Prostate-specific Antigen. <i>Clinical Chemistry</i> , 2001 , 47, 1743-1744	5.5	
415	High-Sensitivity C-Reactive Protein: Product Claims and the Food and Drug Administration. <i>Clinical Chemistry</i> , 2001 , 47, 1743-1743	5.5	
414	Loop-mediated Isothermal Amplification Reaction Using a Nondenatured Template. <i>Clinical Chemistry</i> , 2001 , 47, 1742-1743	5.5	327
413	Comment on High-Sensitivity C-Reactive Protein: Product Claims and the Food and Drug Administration. <i>Clinical Chemistry</i> , 2001 , 47, 1743-1743	5.5	
412	Inflammation and atherosclerosis: the value of the high-sensitivity C-reactive protein assay as a risk marker. 2001 , 116 Suppl, S108-15		32
411	Novel clinical markers of vascular wall inflammation. 2001 , 89, 763-71		592
410	C-reactive protein and coronary heart disease: diagnostic and therapeutic implications for primary prevention. 2001 , 1, 153-7		13
409	Markers of the acute phase response in cardiovascular disease: an update. 2001 , 39, 1054-64		10
408	High sensitivity immunoassays for C-reactive protein: promises and pitfalls. 2001 , 39, 1171-6		42
407	Comparison of C-reactive protein and low-density lipoprotein cholesterol levels in the prediction of first cardiovascular events. 2002 , 347, 1557-65		2812
406	High sensitivity C-reactive protein: an emerging role in cardiovascular risk assessment. 2002 , 39, 459-97		44
405	Inflammatory markers and coronary heart disease. 2002 , 13, 383-9		78
404	Effects of tibolone and combined 17beta-estradiol and norethisterone acetate on serum C-reactive protein in healthy post-menopausal women: a randomized trial. 2002 , 17, 2748-53		18
403	Inflammation, cell adhesion molecules, and stroke: tools in pathophysiology and epidemiology?. 2002 , 33, 2141-3		34
402	C-reactive protein and cardiovascular disease: a review of risk prediction and interventions. 2002 , 317, 1-15		115

401	Performance characteristics of an automated high-sensitivity C-reactive protein assay on the Dimension RXL analyzer. 2002 , 323, 151-5		8
400	Effect of Analytical Error on the Assessment of Cardiac Risk by the High-Sensitivity C-Reactive Protein and Lipid Screening Model. <i>Clinical Chemistry</i> , 2002 , 48, 1955-1962	5.5	5
399	C-Reactive Protein Kinetics in Newborns: Application of a High-Sensitivity Analytic Method in Its Determination. <i>Clinical Chemistry</i> , 2002 , 48, 1103-1106	5.5	34
398	High-Sensitivity C-Reactive Protein Methods Examined. <i>Clinical Chemistry</i> , 2002 , 48, 359-362	5.5	42
397	Role of inflammation in cardiovascular disease: how to use C-reactive protein in clinical practice. 2002 , 17, 174-85		15
396	Usefulness of high-sensitivity C-reactive protein in predicting long-term risk of death or acute myocardial infarction in patients with unstable or stable angina pectoris or acute myocardial infarction. 2002 , 89, 145-9		144
395	Relationship between CRP and clinical course of unstable angina depends on assay method. 2002 , 39, 113-5		3
394	C-reaktives Protein in der Risikovorhersage und Intervention bei kardiovaskulären Erkrankungen. 2003 , 27, 100-112		
393	Comparison of frequency of coronary artery calcium in healthy Hispanic versus non-Hispanic white men by electron beam computed tomography. 2003 , 92, 1198-200		24
392	Quantitative detection of C-reactive protein using phosphocholine-labelled enzyme or microspheres. 2003 , 312, 175-81		29
391	Effect of treatment of chronic periodontitis on levels of serum markers of acute-phase inflammatory and vascular responses. 2003 , 30, 334-40		141
390	Hydrodynamic guiding for addressing subsets of immobilized cells and molecules in microfluidic systems. 2003 , 3, 10		15
389	Relation of C-reactive protein and other cardiovascular risk factors to penile vascular disease in men with erectile dysfunction. 2003 , 15, 231-6		83
388	Electrogenerated chemiluminescence. 72. Determination of immobilized DNA and C-reactive protein on Au(111) electrodes using tris(2,2'-bipyridyl)ruthenium(II) labels. 2003 , 75, 5825-34		167
387	Clinical application of C-reactive protein for cardiovascular disease detection and prevention. 2003 , 107, 363-9		1772
386	Markers of inflammation and cardiovascular disease: application to clinical and public health practice: A statement for healthcare professionals from the Centers for Disease Control and Prevention and the American Heart Association. 2003 , 107, 499-511		4541
385	An Electrochemical Immunosensor for Assays of C-Reactive Protein. 2003 , 36, 1547-1556		20
384	Development of a point-of-care assay system for high-sensitivity C-reactive protein in whole blood. 2003 , 332, 51-9		77

383	High sensitivity C-reactive protein as an independent risk factor for essential hypertension. 2003 , 16, 429-33		129
382	La proteína C reactiva como marcador del riesgo cardiovascular. 2003 , 20, 74-81		
381	Alcohol consumption and plasma concentration of C-reactive protein. 2003 , 107, 443-7		264
380	Population distributions of C-reactive protein in apparently healthy men and women in the United States: implication for clinical interpretation. <i>Clinical Chemistry</i> , 2003 , 49, 666-9	5.5	149
379	Blood pressure, C-reactive protein, and risk of future cardiovascular events. 2003 , 108, 2993-9		259
378	Communtability of the CRM 470 C-reactive protein value in the Dade Behring N High Sensitivity CRP assay. 2003 , 41, 177-82		7
377	Plasma concentration of C-reactive protein and the calculated Framingham Coronary Heart Disease Risk Score. 2003 , 108, 161-5		207
376	C-reactive protein concentration distribution among US children and young adults: findings from the National Health and Nutrition Examination Survey, 1999-2000. <i>Clinical Chemistry</i> , 2003 , 49, 1353-7	5.5	113
375	Immunoturbidimetric determination of C-reactive protein (CRP) and high-sensitivity CRP on heparin plasma. Comparison with serum determination. 2003 , 41, 948-9		32
374	Determination of C-reactive protein: comparison of three high-sensitivity immunoassays. <i>Clinical Chemistry</i> , 2003 , 49, 1691-5	5.5	28
373	Standardization of immunoassays for measurement of high-sensitivity C-reactive protein. Phase I: evaluation of secondary reference materials. <i>Clinical Chemistry</i> , 2003 , 49, 611-6	5.5	59
372	Preanalytic and analytic sources of variations in C-reactive protein measurement: implications for cardiovascular disease risk assessment. <i>Clinical Chemistry</i> , 2003 , 49, 1258-71	5.5	165
371	Evaluation and validation of a duck IgY antibody-based immunoassay for high-sensitivity C-reactive protein: avian antibody application in clinical diagnostics. <i>Clinical Chemistry</i> , 2003 , 49, 810-3	5.5	7
370	Evaluation of two new high-sensitivity methods for C-reactive protein. 2003 , 40, 398-405		17
369	C-reaktives Protein in der Risikovorhersage und Intervention bei kardiovaskulären Erkrankungen/C-Reactive Protein for Risk Prediction and Intervention in Cardiovascular Disease. 2003 , 27, 100-112		
368	Multi-Assay Point-of-Care Platform: Highly Sensitive Time-Resolved Fluorometric Detection in Combination with a Universal All-In-One Assay Format. 2003 , 2, 225-232		10
367	Survey of microbial air sampling in the NHS. 2003 , 60, 161-2		
366	Exclusion of pulmonary embolism using C-reactive protein and D-dimer. A prospective comparison. 2003 , 90, 1198-203		15

365	Effect of sample tube type and time to separation on in vitro levels of C-reactive protein. 2003 , 60, 164-5	1
364	Correlation between turbidimetric and nephelometric methods of measuring C-reactive protein in patients with unstable angina or non-ST elevation acute myocardial infarction. 2003 , 81, 133-6, 129-32	8
363	CDC/AHA Workshop on Markers of Inflammation and Cardiovascular Disease: Application to Clinical and Public Health Practice: laboratory tests available to assess inflammation--performance and standardization: a background paper. 2004 , 110, e572-6	68
362	Omega-3 fatty acid supplementation augments sympathetic nerve activity responses to physiological stressors in humans. 2004 , 44, 732-8	40
361	Effect of withdrawal of statin on C-reactive protein. 2004 , 102, 166-70	28
360	Lipoprotein-associated phospholipase A2, high-sensitivity C-reactive protein, and risk for incident coronary heart disease in middle-aged men and women in the Atherosclerosis Risk in Communities (ARIC) study. 2004 , 109, 837-42	525
359	Antiinflammatory effects of angiotensin II subtype 1 receptor blockade in hypertensive patients with microinflammation. 2004 , 110, 1103-7	353
358	CDC/AHA Workshop on Markers of Inflammation and Cardiovascular Disease: Application to Clinical and Public Health Practice: report from the laboratory science discussion group. 2004 , 110, e545-9	186
357	Highly sensitive determination of C-reactive protein on the Innotrac Aio! immunoanalyzer. 2004 , 64, 677-85	11
356	A prospective study of maternal serum C-reactive protein (CRP) concentrations and risk of gestational diabetes mellitus. 2004 , 18, 377-84	94
355	Periodontitis and atherogenesis: causal association or simple coincidence?. 2004 , 31, 402-11	101
354	High-sensitivity C-reactive protein: Clinical importance. 2004 , 29, 439-493	14
353	Effect of physical activity on serum C-reactive protein. 2004 , 93, 221-5	135
352	Possible contribution of C-reactive protein within coronary plaque to increasing its own plasma levels across coronary circulation. 2004 , 93, 611-4	30
351	C-reactive protein levels among women of various ethnic groups living in the United States (from the Women's Health Study). 2004 , 93, 1238-42	197
350	Measurement of C-reactive protein: two high sensitivity methods compared. 2004 , 18, 280-4	53
349	Simultaneous detection of C-reactive protein and other cardiac markers in human plasma using micromosaic immunoassays and self-regulating microfluidic networks. 2004 , 19, 1193-202	159
348	Diagnosis of neonatal sepsis: a clinical and laboratory challenge. <i>Clinical Chemistry</i> , 2004 , 50, 279-87	5.5 151

347	Comparative effects of AT1-antagonism and angiotensin-converting enzyme inhibition on markers of inflammation and platelet aggregation in patients with coronary artery disease. 2004 , 44, 362-8	188
346	The short-term effects of treatment of chronic periodontitis on circulating levels of endotoxin, C-reactive protein, tumor necrosis factor-alpha, and interleukin-6. 2004 , 75, 420-8	93
345	C-reactive protein and other circulating markers of inflammation in the prediction of coronary heart disease. 2004 , 350, 1387-97	2317
344	Quality specifications and the assessment of the biochemical risk of atherosclerosis. 2004 , 346, 55-64	11
343	Influenza and pneumococcal vaccination as a model to assess C-reactive protein response to mild inflammation. 2004 , 23, 362-5	37
342	Body fat is the main predictor of fibrinogen levels in healthy non-obese men. 2004 , 53, 984-8	18
341	Independent prognostic value of elevated high-sensitivity C-reactive protein in chronic heart failure. 2004 , 147, 931-8	146
340	A prospective study of maternal serum C-reactive protein concentrations and risk of preeclampsia. 2004 , 17, 154-60	91
339	C-reactive protein: from innocent bystander to pivotal mediator of atherosclerosis. 2004 , 117, 499-507	122
338	Body fat and C-reactive protein levels in healthy non-obese men. 2004 , 14, 66-72	14
337	Different effects of red wine and gin consumption on inflammatory biomarkers of atherosclerosis: a prospective randomized crossover trial. Effects of wine on inflammatory markers. 2004 , 175, 117-23	194
336	C-reactive protein, cardiovascular risk, and renal disease in a remote Australian Aboriginal community. 2004 , 106, 121-8	43
335	High-sensitivity C-reactive protein: Clinical importance. 2004 , 29, 439-493	30
334	Visualization of Immunoassay Based on a Spot Test and Its Application to C-reactive Protein. 2005 , 34, 704-705	3
333	Elevated preprocedural high-sensitivity C-reactive protein levels are associated with neointimal hyperplasia and restenosis development after successful coronary artery stenting. 2005 , 69, 1477-83	30
332	Comparative study of two automated high-sensitivity C-reactive protein methods in a large population. 2005 , 38, 31-5	20
331	Suspected toxicity from an iodoform preparation in a diabetic patient with multiple foot ulcers. 2005 , 22, 1121-2	1
330	Onset of beta-cell autoimmunity is not associated with elevated concentration of C-reactive protein in children at genetic risk for Type 1 diabetes. 2005 , 22, 1123-4	2

329	Association between consumption of beer, wine, and liquor and plasma concentration of high-sensitivity C-reactive protein in women aged 39 to 89 years. 2005 , 96, 83-8	24
328	Comparison of 3 automated assays for C-reactive protein in end-stage renal disease: clinical and epidemiological implications. 2005 , 145, 305-8	11
327	Effects of atorvastatin on low-density lipoprotein cholesterol phenotype and C-reactive protein levels in patients undergoing long-term dialysis. 2005 , 25, 335-44	18
326	The Long-Term Clinical Outcomes of Combination Therapy with Angiotensin II Type 1 Receptor Blocker and Simvastatin after Percutaneous Coronary Intervention. 2005 , 35, 877	3
325	Serum C-Reactive Protein Level and its Association with Atrial Fibrillation in Korean Adults. 2005 , 35, 309	2
324	Tetrahydrobiopterin corrects Escherichia coli endotoxin-induced endothelial dysfunction. 2005 , 289, H1752-7	29
323	High-sensitivity C-reactive protein: potential adjunct for risk stratification in patients with stable congestive heart failure. 2005 , 26, 2245-50	64
322	Effects of weight loss and pharmacotherapy on inflammatory markers of cardiovascular disease. 2005 , 3, 743-59	8
321	Proapoptotic, antimigratory, antiproliferative, and antiangiogenic effects of commercial C-reactive protein on various human endothelial cell types in vitro: implications of contaminating presence of sodium azide in commercial preparation. 2005 , 97, 135-43	70
320	Evaluation of C-reactive protein measurement for assessing the risk and prognosis in ischemic stroke: a statement for health care professionals from the CRP Pooling Project members. 2005 , 36, 1316-29	226
319	Clinical use and pathogenetic basis of laboratory tests for the evaluation of primary arterial hypertension. 2005 , 42, 393-452	4
318	Evaluation of a high-sensitivity turbidimetric immunoassay for serum C-reactive protein: application to the study of longitudinal changes throughout normal pregnancy. 2005 , 43, 308-13	10
317	Lipoprotein-associated phospholipase A2, high-sensitivity C-reactive protein, and risk for incident ischemic stroke in middle-aged men and women in the Atherosclerosis Risk in Communities (ARIC) study. 2005 , 165, 2479-84	219
316	Biocompatibility parameters of different dialysis membranes assessed during systemic inflammation. 2005 , 23, 196-202	13
315	Effects of a 5-lipoxygenase-activating protein inhibitor on biomarkers associated with risk of myocardial infarction: a randomized trial. 2005 , 293, 2245-56	187
314	Non-HDL cholesterol, apolipoproteins A-I and B100, standard lipid measures, lipid ratios, and CRP as risk factors for cardiovascular disease in women. 2005 , 294, 326-33	540
313	Relation of polymorphism within the C-reactive protein gene and plasma CRP levels. 2005 , 178, 139-45	117
312	The effect of statin therapy on lipoprotein associated phospholipase A2 levels. 2005 , 182, 193-8	80

311	Plasma C-reactive protein in early pregnancy and preterm delivery. 2005 , 162, 1108-13	143
310	Lone mothers are at higher risk for cardiovascular disease compared with partnered mothers. Data from the National Health and Nutrition Examination Survey III (NHANES III). 2005 , 26, 604-21	48
309	Detection of C-reactive protein utilizing magnetic permeability detection based immunoassays. 2005 , 77, 5920-4	66
308	Exercise training is not associated with improved levels of C-reactive protein or adiponectin. 2005 , 54, 533-41	167
307	Evaluation of fluorescence hs-CRP immunoassay for point-of-care testing. 2005 , 356, 172-7	45
306	CRP levels are elevated in smokers but unrelated to the number of cigarettes and are decreased by long-term smoking cessation in male smokers. 2005 , 41, 651-6	86
305	The biology, utilization, and attenuation of C-reactive protein in cardiovascular disease: part I. 2005 , 149, 971-6	11
304	Global inflammation predicts cardiovascular risk in women: a report from the Women's Ischemia Syndrome Evaluation (WISE) study. 2005 , 150, 900-6	51
303	Family history of diabetes or cardiovascular disease and C-reactive protein concentration: findings from the National Health and Nutrition Examination Survey, 1999-2000. 2005 , 29, 57-62	11
302	Race and gender differences in C-reactive protein levels. 2005 , 46, 464-9	514
301	Atherosclerosis: Diet and Drugs. 2005 ,	2
300	Novel Digital-Style Rapid Test Simultaneously Detecting Heart Attack and Predicting Cardiovascular Disease Risk. 2005 , 38, 423-439	23
299	Cardiovascular Biomarkers. 2006 ,	2
298	Influence of body fat content and distribution on variation in metabolic risk. 2006 , 91, 4459-66	226
297	Serum markers of vascular inflammation in dyslipemia. 2006 , 369, 1-16	44
296	The relative strength of C-reactive protein and lipid levels as determinants of ischemic stroke compared with coronary heart disease in women. 2006 , 48, 2235-42	97
295	Periodontitis and plasma C-reactive protein during pregnancy. 2006 , 77, 821-5	22
294	Soluble semicarbazide-sensitive amine oxidase (SSAO) activity is related to oxidative stress and subchronic inflammation in streptozotocin-induced diabetic rats. 2006 , 48, 746-52	38

293	C-reactive protein in hypertension: clinical significance and predictive value. 2006 , 16, 500-8		41
292	C-reactive protein and vulnerability to mental stress-induced myocardial ischemia. 2006 , 12, 269-74		17
291	Effect of combination therapy with simvastatin and carvedilol in patients with left ventricular dysfunction complicated with acute myocardial infarction who underwent percutaneous coronary intervention. 2006 , 70, 1269-74		9
290	Lipoprotein(a), measured with an assay independent of apolipoprotein(a) isoform size, and risk of future cardiovascular events among initially healthy women. 2006 , 296, 1363-70		149
289	C-reactive protein (CRP). 2006 , 1, 1-4		
288	Lack of association between genetic variation in 9 innate immunity genes and baseline CRP levels. <i>Annals of Human Genetics</i> , 2006 , 70, 574-86	2.2	7
287	Effects of exercise training on 5 inflammatory markers associated with cardiovascular risk. 2006 , 151, 367.e7-367.e16		52
286	Relation of soft plaque and elevated preprocedural high-sensitivity C-reactive protein levels to incidence of in-stent restenosis after successful coronary artery stenting. 2006 , 98, 341-5		16
285	The role of procalcitonin as a predictor of nosocomial sepsis in preterm infants. 2006 , 95, 1571-6		32
284	High-sensitivity C-reactive protein and cognitive function in older women. 2006 , 17, 183-9		54
283	High sensitivity C-reactive protein in asthma. 2006 , 27, 908-12		149
282	C-reactive protein's place on the cardiovascular stage: prima ballerina or chorus girl?. 2006 , 24, 627-32		6
281	Point: high-sensitivity C-reactive protein and cardiac C-reactive protein assays: is there a need to differentiate?. <i>Clinical Chemistry</i> , 2006 , 52, 1254-6	5.5	8
280	How and when do we alter inflammatory mechanisms in stroke? Will it help?. 2006 , 26, 75-87		1
279	C-reactive protein in the prediction of rheumatoid arthritis in women. 2006 , 166, 2490-4		33
278	Counterpoint: Food and Drug Administration guidance for C-reactive protein assays: matching claims with performance data. <i>Clinical Chemistry</i> , 2006 , 52, 1256-7	5.5	5
277	C-reactive protein as a risk predictor: do race/ethnicity and gender make a difference?. 2006 , 114, e67-74		59
276	Relationship between C-reactive protein and subclinical atherosclerosis: the Dallas Heart Study. 2006 , 113, 38-43		165

275	Analytical performance and clinical efficacy for cardiovascular risk estimation of an Olympus immunoturbidimetric high-sensitivity C-reactive protein assay. 2006 , 44, 228-31	2
274	Efficacy of varenicline, an alpha4beta2 nicotinic acetylcholine receptor partial agonist, vs placebo or sustained-release bupropion for smoking cessation: a randomized controlled trial. 2006 , 296, 56-63	1117
273	High-sensitivity C-reactive protein and fracture risk in elderly women. 2006 , 296, 1353-5	93
272	Inflammatory markers and particulate air pollution: characterizing the pathway to disease. 2006 , 35, 1347-54	144
271	Clinical relevance of C-reactive protein during follow-up of patients with acute coronary syndromes in the Aggrastat-to-Zocor Trial. 2006 , 114, 281-8	239
270	Fluorogenic nanocrystals for highly sensitive detection of C-reactive protein. 2006 , 153, 54-8	4
269	An overview of inflammatory markers in type 2 diabetes from the perspective of the clinical chemist. 2006 , 8, 37-44	7
268	C-reactive protein (CRP) in neonates: comparing VITROS slide and high-sensitivity CRP methods. <i>Clinical Chemistry</i> , 2007 , 53, 1979-81	5-5
267	C-reactive protein: interaction with the vascular endothelium and possible role in human atherosclerosis. 2007 , 13, 1631-45	65
266	Evaluation of the effect of Neptune Krill Oil on chronic inflammation and arthritic symptoms. 2007 , 26, 39-48	111
265	Evaluation of the high-sensitivity, full-range Olympus CRP OSR6199 application on the Olympus AU640. 2007 , 45, 402-6	1
264	Prognostic significance of the Centers for Disease Control/American Heart Association high-sensitivity C-reactive protein cut points for cardiovascular and other outcomes in patients with stable coronary artery disease. 2007 , 115, 1528-36	262
263	3-O-methyldopamine (3-O-methoxytyramine) interferes with the internal standard 3,4-dihydroxybenzylamine in a plasma catecholamine HPLC method. <i>Clinical Chemistry</i> , 2007 , 53, 1976-7	5-5 1
262	Use of BNP and CRP as biomarkers in assessing cardiovascular disease: diagnosis versus risk. 2007 , 5, 15-25	34
261	Association of classical and related inflammatory markers with high-sensitivity C-reactive protein in healthy individuals: results from the Stanislas cohort. 2007 , 45, 1339-46	11
260	High-sensitivity C-reactive protein, other markers of inflammation, and the incidence of macular degeneration in women. 2007 , 125, 300-5	66
259	Air pollution and serum C-reactive protein concentration in children. 2007 , 17, 169-76	20
258	Relationship between peripheral monocytosis and nonrecovery of left ventricular function in patients with left ventricular dysfunction complicated with acute myocardial infarction. 2007 , 71, 1219-24	17

257	The predictive value of CRP levels on future severe renal disease in overweight and obese subjects without diabetes mellitus and hypertension. 2007 , 334, 444-51	3
256	Subject Index To Volume 4. 2007 , 5, 3-8	
255	AT1-receptor blockade with irbesartan improves peripheral but not coronary endothelial dysfunction in patients with stable coronary artery disease. 2007 , 194, 439-45	25
254	Prognostic utility of lipoprotein-associated phospholipase A2 for cardiovascular outcomes in patients with stable coronary artery disease. 2007 , 27, 2463-9	96
253	Plasma fluorescent oxidation products as potential markers of oxidative stress for epidemiologic studies. 2007 , 166, 552-60	44
252	Association between C-reactive protein and recurrence of atrial fibrillation after successful electrical cardioversion: a meta-analysis. 2007 , 49, 1642-1648	226
251	Prognostic value of B-Type natriuretic peptides in patients with stable coronary artery disease: the PEACE Trial. 2007 , 50, 205-14	177
250	Establishment of external quality control program for hs-CRP and three-year follow-up of the performance for precision and accuracy. 2007 , 14, 287-93	11
249	Effect of Conventional Dose of Simvastatin on Plaque Regression and Vascular Remodeling in the Persistent Reference Segments of Normocholesterolemic Patients: A Serial Intravascular Ultrasound Assessment. 2007 , 37, 483	2
248	Comparison and evaluation of two C-reactive protein assays based on particle-enhanced immunoturbidimetry. 2007 , 21, 71-6	21
247	Adaptation and evaluation of the Randox full-range CRP assay on the Olympus AU2700. 2007 , 21, 34-9	1
246	Maternal serum C-reactive protein concentrations in early pregnancy and subsequent risk of preterm delivery. 2007 , 40, 330-5	63
245	Rationale for targeted rather than population based screening with C-reactive protein using the National Health and Nutrition Examination Survey (1999 to 2002). 2007 , 100, 1130-3	3
244	PON1, a new biomarker of cardiovascular disease, is low in patients with systemic vasculitis. 2007 , 37, 149-55	12
243	Association among C-reactive protein, Fatty liver disease, and cardiovascular risk. 2007 , 52, 2375-9	25
242	Design and testing of a disposable microfluidic chemiluminescent immunoassay for disease biomarkers in human serum samples. 2007 , 9, 245-51	92
241	High-sensitivity C-reactive protein (hs-CRP) level in children with nephrotic syndrome. 2007 , 22, 403-8	7
240	Use of biomarkers to develop treatment strategies for atherosclerosis. 2008 , 10, 304-15	9

239	A high sensitivity assay for the inflammatory marker C-Reactive protein employing acoustic biosensing. 2008 , 6, 5	33
238	Metabolic predictors of inflammation, adhesion, and coagulability in healthy younger-aged adults. 2008 , 16, 2702-6	6
237	Optical scanner for immunoassays with up-converting phosphorescent labels. 2008 , 55, 1560-71	44
236	Effect of soy nuts on adhesion molecules and markers of inflammation in hypertensive and normotensive postmenopausal women. 2008 , 102, 84-6	60
235	Efficacy and safety of a potent and selective peroxisome proliferator activated receptor alpha agonist in subjects with dyslipidemia and type 2 diabetes mellitus. 2008 , 102, 434-9	9
234	Cystatin C and creatinine in an HIV cohort: the nutrition for healthy living study. 2008 , 51, 914-24	43
233	High-sensitivity C-reactive protein as an associate of clinical subsets and organ damage in systemic lupus erythematosus. 2008 , 38, 41-54	53
232	InfectCheck CRP barcode-style lateral flow assay for semi-quantitative detection of C-reactive protein in distinguishing between bacterial and viral infections. 2008 , 336, 30-6	58
231	Dietary glycemic index, dietary glycemic load, blood lipids, and C-reactive protein. 2008 , 57, 437-43	156
230	Lipoprotein(a), hormone replacement therapy, and risk of future cardiovascular events. 2008 , 52, 124-31	63
229	Estimated glomerular filtration rate, inflammation, and cardiovascular events after an acute coronary syndrome. 2008 , 155, 725-31	38
228	Polymorphisms of the HNF1A gene encoding hepatocyte nuclear factor-1 alpha are associated with C-reactive protein. 2008 , 82, 1193-201	155
227	Predictors of inflammation in response to anthracycline-based chemotherapy for breast cancer. 2008 , 22, 98-104	46
226	Modulation of arterial reactivity using amlodipine and atorvastatin measured by ultrasound examination (MARGAUX). 2008 , 197, 420-7	12
225	SERRS immunoassay for quantitative human CRP analysis. 2008 , 133, 1355-7	27
224	Microfluidic capillary system for immunoaffinity separations of C-reactive protein in human serum and cerebrospinal fluid. 2008 , 80, 3853-8	33
223	Regular exercise training compared with percutaneous intervention leads to a reduction of inflammatory markers and cardiovascular events in patients with coronary artery disease. 2008 , 15, 107-12	93
222	Effects of continuous positive airway pressure on systemic inflammation in patients with moderate to severe obstructive sleep apnoea: a randomised controlled trial. 2009 , 64, 67-73	113

221	Ethnic differences in C-reactive protein concentrations. <i>Clinical Chemistry</i> , 2008 , 54, 1027-37	5.5	172
220	C-Reactive Protein, Detected with a Highly Sensitive Assay, in Non-Infected Newborns and Those with Early Onset Infection. 2008 , 35, 37-41		4
219	Variable contributions of fat content and distribution to metabolic syndrome risk factors. 2008 , 6, 281-8		29
218	C-Reactive Protein. 159-180		
217	. 2008 ,		1
216	Small LDL-cholesterol is superior to LDL-cholesterol for determining severe coronary atherosclerosis. 2008 , 15, 250-60		68
215	Metabolic effects of 2 days of strict bed rest. 2008 , 14, 564-9		5
214	The Effects of Rosuvastatin on Plaque Regression in Patients Who Have a Mild to Moderate Degree of Coronary Stenosis With Vulnerable Plaque. 2008 , 38, 366		7
213	Impact of renal dysfunction on clinical outcomes of acute coronary syndrome. 2009 , 50, 537-45		4
212	Inflammatory markers of cardiovascular disease in the elderly. 2009 , 92, 221-8, 227-34		16
211	A sensitive cardiac troponin T assay in stable coronary artery disease. 2009 , 361, 2538-47		651
210	C-reactive protein concentrations are very high and more stable over time than the traditional vascular risk factors total cholesterol and systolic blood pressure in an Australian aboriginal cohort. <i>Clinical Chemistry</i> , 2009 , 55, 336-41	5.5	13
209	C-reactive protein: eighty years from discovery to emergence as a major risk marker for cardiovascular disease. <i>Clinical Chemistry</i> , 2009 , 55, 209-15	5.5	128
208	Association between low-level environmental arsenic exposure and QT interval duration in a general population study. 2009 , 170, 739-46		42
207	Verification of the analytical range of a new reagent for full-range C-reactive protein determination. 2009 , 47, 109-11		2
206	Concentrations of C-reactive protein and B-type natriuretic peptide 30 days after acute coronary syndromes independently predict hospitalization for heart failure and cardiovascular death. <i>Clinical Chemistry</i> , 2009 , 55, 265-73	5.5	45
205	Lipoprotein-associated phospholipase A2 and high-sensitivity C-reactive protein improve the stratification of ischemic stroke risk in the Atherosclerosis Risk in Communities (ARIC) study. 2009 , 40, 376-81		68
204	Variability and correlates of high sensitivity C-reactive protein in systemic lupus erythematosus. 2009 , 18, 966-73		18

203	High-sensitivity C-reactive protein is not independently associated with peripheral subclinical atherosclerosis. 2009 , 60, 12-20	4
202	The response of gamma vitamin E to varying dosages of alpha vitamin E plus vitamin C. 2009 , 58, 469-78	31
201	Positive remodeling is associated with more plaque vulnerability and higher frequency of plaque prolapse accompanied with post-procedural cardiac enzyme elevation compared with intermediate/negative remodeling in patients with acute myocardial infarction. 2009 , 53, 278-87	11
200	Predictors of no-reflow after percutaneous coronary intervention for culprit lesion with plaque rupture in infarct-related artery in patients with acute myocardial infarction. 2009 , 54, 36-44	23
199	Diurnal variability of C-reactive protein in obstructive sleep apnea. 2009 , 13, 415-20	30
198	Disposable screen-printed chemiluminescent biochips for the simultaneous determination of four point-of-care relevant proteins. 2009 , 393, 1191-8	32
197	Activated factor XII type A predicts long-term mortality in patients admitted with chest pain. 2009 , 7, 277-87	25
196	Association of C-reactive protein and metabolic syndrome in a rural Chinese population. 2009 , 42, 976-83	22
195	Metabolic syndrome in older subjects: coincidence or clustering?. 2009 , 48, 146-50	5
194	High sensitivity C-reactive protein: its correlation with sputum cell counts in bronchial asthma. 2009 , 103, 1878-84	15
193	Clinical implications of JUPITER (Justification for the Use of statins in Prevention: an Intervention Trial Evaluating Rosuvastatin) in a U.S. population insights from the ARIC (Atherosclerosis Risk in Communities) study. 2009 , 54, 2388-95	40
192	Plaque characteristics in culprit lesions and inflammatory status in diabetic acute coronary syndrome patients. 2009 , 2, 339-49	53
191	Human formyl peptide receptor 1 (FPR1) c.32C>T SNP is associated with decreased soluble E-selectin levels. 2009 , 10, 951-9	8
190	Risk factor correlates of platelet and leukocyte markers assessed by flow cytometry in a population-based sample. 2009 , 205, 272-8	17
189	Candidate genes for respiratory disease associated with markers of inflammation and endothelial dysfunction in elderly men. 2009 , 206, 480-5	22
188	Circulating angiopoietin-2 in essential hypertension: relation to atherosclerosis, vascular inflammation, and treatment with olmesartan/pravastatin. 2009 , 27, 1641-7	47
187	Activated factor XII type A and B-type natriuretic peptide are complementary and incremental predictors of mortality in patients following admission with acute coronary syndrome. 2009 , 20, 652-60	1
186	Haemodynamical variables versus endothelial hormones in hypertensive and type 2 diabetic patients with endothelial dysfunction. 2010 , 17, 306-19	0

185	Overnight changes of immune parameters and catecholamines are associated with mood and stress. 2010 , 72, 755-62	31
184	Effect of a free prepared meal and incentivized weight loss program on weight loss and weight loss maintenance in obese and overweight women: a randomized controlled trial. 2010 , 304, 1803-10	131
183	Relation between plaque components and plaque prolapse after drug-eluting stent implantation--virtual histology-intravascular ultrasound. 2010 , 74, 1142-51	5
182	Linking higher physical activity to lower serum cystatin C among US adults. 2010 , 18, 515-521	3
181	Therapeutic options to further lower C-reactive protein for patients on statin treatment. 2010 , 12, 34-42	13
180	Serum, plasma, and dried blood spot high-sensitivity C-reactive protein enzyme immunoassay for population research. 2010 , 362, 112-20	111
179	Age-related differences in virtual histology-intravascular ultrasound findings in patients with coronary artery disease. 2010 , 55, 224-31	5
178	Differences in intravascular ultrasound findings in culprit lesions in infarct-related arteries between ST segment elevation myocardial infarction and non-ST segment elevation myocardial infarction. 2010 , 56, 15-22	32
177	Gender differences in coronary plaque components in patients with acute coronary syndrome: virtual histology-intravascular ultrasound analysis. 2010 , 56, 211-9	8
176	Abdominal obesity and other risk factors largely explain the high CRP in indigenous Australians relative to the general population, but not gender differences: a cross-sectional study. 2010 , 10, 700	21
175	Associations between outdoor temperature and markers of inflammation: a cohort study. 2010 , 9, 42	86
174	Association between insulin resistance and c-reactive protein among Peruvian adults. 2010 , 2, 30	41
173	Effect of renal function on ultrasonic coronary plaque characteristics in patients with acute myocardial infarction. 2010 , 105, 936-42	8
172	Relation between aortic knob calcium observed by simple chest x-ray or fluoroscopy and plaque components in patients with diabetes mellitus. 2010 , 106, 38-43	2
171	Regulatory effect of epigallocatechin gallate on the expression of C-reactive protein and other inflammatory markers in an experimental model of atherosclerosis. 2010 , 183, 125-32	35
170	A history of late and very late stent thrombosis is not associated with increased activation of the contact system, a case control study. 2010 , 8, 6	1
169	Markers of cardiovascular risk are not changed by increased whole-grain intake: the WHOLEheart study, a randomised, controlled dietary intervention. 2010 , 104, 125-34	180
168	Repetitive element DNA methylation and circulating endothelial and inflammation markers in the VA normative aging study. 2010 , 5, 222-8	91

167	Plaque components at coronary sites with focal spasm in patients with variant angina: virtual histology-intravascular ultrasound analysis. 2010 , 144, 367-72	28
166	Circulating levels of soluble intercellular adhesion molecule-1 (sICAM-1) independently predict depressive symptom severity after 12 months in heart failure patients. 2010 , 24, 366-9	19
165	Evaluation of high-sensitivity C-reactive protein in comparison with C-reactive protein as biochemical serum markers in women with endometriosis. 2010 , 93, 2125-9	25
164	Reply of the Authors: Comparing high-sensitivity C-reactive protein (hs-CRP) with CRP as a soluble serum marker for the diagnosis of women with endometriosis. 2010 , 94, e52	1
163	Angiotensin II receptor blocker and statins lower elevated levels of osteopontin in essential hypertension--results from the EUTOPIA trial. 2010 , 209, 184-8	41
162	Meta-analysis of genome-wide association studies in >80 000 subjects identifies multiple loci for C-reactive protein levels. 2011 , 123, 731-8	395
161	Growth differentiation factor-15 and risk of recurrent events in patients stabilized after acute coronary syndrome: observations from PROVE IT-TIMI 22. 2011 , 31, 203-10	103
160	Elevated C-reactive protein in the diagnosis, prognosis, and cause of cancer. 2011 , 48, 155-70	313
159	Adhesive microarrays for multipurpose diagnostic tools. 2011 , 11, 3006-10	9
158	Association of obesity and biomarkers of inflammation and endothelial dysfunction in adults in Inner Mongolia, China. 2011 , 150, 247-52	14
157	Relationship between coronary artery calcium score by multidetector computed tomography and plaque components by virtual histology intravascular ultrasound. 2011 , 26, 1052-60	13
156	Relation between high-sensitivity C-reactive protein and coronary plaque components in patients with acute coronary syndrome: virtual histology-intravascular ultrasound analysis. 2011 , 41, 440-6	9
155	High-Sensitivity C-Reactive Protein and Cardiovascular Disease. 2011 , 3, 178-186	
154	C-reactive protein levels, blood pressure and the risks of gestational hypertensive complications: the Generation R Study. 2011 , 29, 2413-21	22
153	Comparison of effects of rosuvastatin and atorvastatin on plaque regression in Korean patients with untreated intermediate coronary stenosis. 2011 , 75, 398-406	31
152	Relationship between microalbuminuria and vulnerable plaque components in patients with acute coronary syndrome and with diabetes mellitus. Virtual histology-intravascular ultrasound. 2011 , 75, 2893-901	4
151	Relationships between pregnancy outcomes, biochemical markers and pre-pregnancy body mass index. 2011 , 35, 570-7	45
150	C-reactive protein levels in early pregnancy, fetal growth patterns, and the risk for neonatal complications: the Generation R Study. 2011 , 205, 132.e1-12	67

149	A blocking-free microfluidic fluorescence heterogeneous immunoassay for point-of-care diagnostics. 2011 , 13, 475-83	7
148	A high sensitivity assay is more accurate than a classical assay for the measurement of plasma CRP levels in endometriosis. 2011 , 9, 113	13
147	Polysaccharide microarrays with a CMOS based signal detection unit. 2011 , 26, 1839-46	14
146	Immunoassay of C-reactive protein by hot electron induced electrochemiluminescence using integrated electrodes with hydrophobic sample confinement. 2011 , 702, 45-9	12
145	A functional turbidimetric method to determine C-reactive protein in horses. 2011 , 23, 308-11	8
144	Systemic inflammation and its response to treatment in patients with asthma. 2011 , 56, 800-5	17
143	Impact of plaque components on no-reflow phenomenon after stent deployment in patients with acute coronary syndrome: a virtual histology-intravascular ultrasound analysis. 2011 , 32, 2059-66	80
142	C-reactive protein in intracerebral hemorrhage: time course, tissue localization, and prognosis. 2012 , 79, 690-9	60
141	Label-free electrochemical diagnosis of viral antigens with genetically engineered fusion protein. 2012 , 12, 10097-108	17
140	Evaluation of correlation between airway and serum inflammatory markers in asthmatic patients. 2012 , 29, 143-6	11
139	Chronic air pollution exposure during pregnancy and maternal and fetal C-reactive protein levels: the Generation R Study. 2012 , 120, 746-51	69
138	An update on the use of C-reactive protein in early-onset neonatal sepsis: current insights and new tasks. 2012 , 102, 25-36	223
137	High-sensitive C-reactive protein: universal prognostic and causative biomarker in heart disease?. 2012 , 6, 19-34	34
136	High sensitive C-reactive protein as a systemic inflammatory marker and LDH-3 isoenzyme in chronic obstructive pulmonary disease. 2012 , 29, 24-9	17
135	Association of in vivo β -adrenergic receptor sensitivity with inflammatory markers in healthy subjects. 2012 , 74, 271-7	14
134	C-reactive protein and heart rate recovery in middle-aged men with severe obstructive sleep apnea. 2012 , 16, 629-37	17
133	The relationship between hs-CRP and asthma control test in asthmatic patients. 2012 , 40, 362-7	14
132	Aging-associated inflammation in healthy Japanese individuals and patients with Werner syndrome. 2012 , 47, 936-9	22

131	Immunochromatographic assay on thread. 2012 , 84, 7736-43	105
130	Simvastatin enhances the antihypertensive effect of ramipril in hypertensive hypercholesterolemic animals and patients. Possible role of nitric oxide, oxidative stress, and high sensitivity C-reactive protein. 2012 , 26, 701-11	5
129	Multimarker strategy for short-term risk assessment in patients with dyspnea in the emergency department: the MARKED (Multi mARKer Emergency Dyspnea)-risk score. 2012 , 60, 1668-77	29
128	Effect of pitavastatin treatment on changes of plaque volume and composition according to the reduction of high-sensitivity C-reactive protein levels. 2012 , 60, 277-82	13
127	Low density lipoprotein-cholesterol/high density lipoprotein-cholesterol ratio predicts plaque vulnerability in patients with stable angina. 2012 , 42, 246-51	6
126	Relation between anemia and vulnerable coronary plaque components in patients with acute coronary syndrome: virtual histology-intravascular ultrasound analysis. 2012 , 27, 370-6	10
125	High sensitivity C-reactive protein predicts nonresponders and cardiac deaths in severe heart failure patients after CRT implantation. 2012 , 53, 306-12	22
124	Can metabolic syndrome predict the vulnerable plaque in patients with stable angina pectoris? Virtual histology-intravascular ultrasound analysis. 2012 , 59, 266-74	7
123	Sensitive and rapid quantification of C-reactive protein using quantum dot-labeled microplate immunoassay. 2012 , 10, 24	51
122	Ultrasensitive amperometric magnetoimmunosensor for human C-reactive protein quantification in serum. 2013 , 188, 212-220	56
121	C-reactive protein concentration as a significant correlate for metabolic syndrome: a Chinese population-based study. 2013 , 43, 351-9	28
120	Positive remodeling is associated with vulnerable coronary plaque components regardless of clinical presentation: virtual histology-intravascular ultrasound analysis. 2013 , 167, 871-6	11
119	Enhancement of the sensitivity of LSPR-based CRP immunosensors by Au nanoparticle antibody conjugation. 2013 , 177, 376-383	39
118	Current analytical strategies for C-reactive protein quantification in blood. 2013 , 415, 1-9	34
117	The associations of the Five Factor Model of personality with inflammatory biomarkers: A four-year prospective study. 2013 , 54, 750-755	22
116	An optimised electrochemical biosensor for the label-free detection of C-reactive protein in blood. 2013 , 39, 94-8	161
115	C-reactive protein and the incidence of macular degeneration: pooled analysis of 5 cohorts. 2013 , 131, 507-13	46
114	Elevated high-sensitivity C-reactive protein as a risk marker of the attenuated relationship between serum cholesterol and cardiovascular events at older age. The ARIC Study. 2013 , 178, 1076-84	25

113	A prospective study of circulating C-reactive protein, interleukin-6, and tumor necrosis factor α receptor 2 levels and risk of ovarian cancer. 2013 , 178, 1256-64	73
112	Association of PPP1R3B polymorphisms with blood lipid and C-reactive protein levels in a Chinese population (PPP1R3B C). 2013 , 5, 275-81	5
111	Effect of soybean protein on novel cardiovascular disease risk factors: a randomized controlled trial. 2013 , 67, 58-63	48
110	Does short-term vitamin C reduce cardiovascular risk in type 2 diabetes?. 2013 , 19, 785-91	8
109	Comparison of Coronary Plaque Components between Non-Culprit Lesions in Patients with Acute Coronary Syndrome and Target Lesions in Patients with Stable Angina: Virtual Histology-Intravascular Ultrasound Analysis. 2013 , 43, 607-14	6
108	The Impact of Ischemic Time on the Predictive Value of High-Sensitivity C-Reactive Protein in ST-Segment Elevation Myocardial Infarction Patients Treated by Primary Percutaneous Coronary Intervention. 2013 , 43, 664-73	7
107	Effects of acute exposure to moderate altitude on vascular function, metabolism and systemic inflammation. 2013 , 8, e70081	15
106	Censored Data Analysis Reveals Effects of Age and Hepatitis C Infection on C-Reactive Protein Levels in Healthy Adult Chimpanzees (Pan troglodytes). 2013 , 2013, 709740	1
105	Relationship between neutrophil-to-lymphocyte ratio and plaque components in patients with coronary artery disease: virtual histology intravascular ultrasound analysis. 2014 , 29, 950-6	16
104	Detection of the inflammation biomarker C-reactive protein in serum samples: towards an optimal biosensor formula. 2014 , 4, 340-57	53
103	Elevated small dense low-density lipoprotein cholesterol as a predictor for future cardiovascular events in patients with stable coronary artery disease. 2014 , 21, 755-67	53
102	Comparability of high-sensitivity CRP methods to detect maturity-onset diabetes of the young due to HNF1A mutations. 2014 , 71, 84-5	4
101	Weight loss, glycemic control, and cardiovascular disease risk factors in response to differential diet composition in a weight loss program in type 2 diabetes: a randomized controlled trial. 2014 , 37, 1573-80	74
100	POINT-OF-CARE TEST FOR C-REACTIVE PROTEIN BY A FLUORESCENCE-BASED LATERAL FLOW IMMUNOASSAY. 2014 , 42, 635-645	10
99	Predictive value of asymmetric dimethylarginine and C-reactive protein for the risk of developing metabolic syndrome in middle-aged men. 2014 , 5, 42-47	2
98	Development of specific immobilization method on gold surface and its application for determining cardiac risk. 2014 , 8, 295-302	1
97	Acculturative stress and inflammation among Chinese immigrant women. 2014 , 76, 320-6	16
96	Rapid and quantitative detection of C-reactive protein using quantum dots and immunochromatographic test strips. 2014 , 9, 5619-26	32

95	C-reactive protein predicts hematoma growth in intracerebral hemorrhage. 2014 , 45, 59-65	55
94	C-reactive protein: clinical and epidemiological perspectives. 2014 , 2014, 605810	61
93	Cardiac autonomic testing and diagnosing heart disease. "A clinical perspective". 2014 , 9, 37-44	19
92	C-Reactive Protein vs. High - Sensitivity C - Reactive Protein: What is the Difference?. 2014 , 39, 43-44	9
91	Metabolic syndrome and C-reactive protein concentration as independent correlates of chronic kidney disease. 2014 , 39, 94-8	6
90	Measurement of hs-CRP is irrelevant to diagnose and stage endometriosis: prospective study of 834 patients. 2014 , 210, 533.e1-533.e10	12
89	Comparing label free electrochemical impedimetric and capacitive biosensing architectures. 2014 , 57, 96-102	67
88	Ultrasensitive electrochemical immunosensor based on Pt nanoparticle-graphene composite. 2014 , 174, 971-83	9
87	Impact of renal dysfunction on long-term outcomes of elderly patients with acute coronary syndrome: a longitudinal, prospective observational study. 2014 , 15, 78	15
86	Label-free capacitive diagnostics: exploiting local redox probe state occupancy. 2014 , 86, 2559-64	55
85	Relation between renal function and neointimal tissue characteristics after drug-eluting stent implantation: virtual histology-intravascular ultrasound analysis. 2014 , 64, 98-104	6
84	Effect of simvastatin on the antihypertensive activity of losartan in hypertensive hypercholesterolemic animals and patients: role of nitric oxide, oxidative stress, and high-sensitivity C-reactive protein. 2014 , 28, 237-48	16
83	Haptoglobin 2-2 phenotype is associated with decreased serum iron levels in endstage renal disease patients resistant to rhEPO therapy. 2014 , 71, 79-81	
82	Development of a quantifiable optical reader for lateral flow immunoassay. 2015 ,	0
81	Detection of Biomarkers for Different Diseases on Biosensor Surfaces. 2015 , 487-524	
80	Sensitive detection of C-reactive protein in serum by immunoprecipitation-microchip capillary gel electrophoresis. 2015 , 478, 102-6	9
79	Arterial stiffness is increased in young women with endometriosis. 2015 , 35, 711-5	8
78	Circulating C-Reactive Protein and Breast Cancer Risk-Systematic Literature Review and Meta-analysis of Prospective Cohort Studies. 2015 , 24, 1439-49	69

77	Highly sensitive C-reactive protein (CRP) assay using metal-enhanced fluorescence (MEF). 2015 , 17, 1	7
76	Coffee Consumption and C-reactive Protein: Epidemiological Studies. 2015 , 323-334	
75	Beneficial Effects of Exercise-Based Cardiac Rehabilitation on High-Density Lipoprotein-Mediated Cholesterol Efflux Capacity in Patients with Acute Coronary Syndrome. 2016 , 23, 865-77	15
74	Association between Serum TNF- α Levels and Recurrent Spontaneous Miscarriage: A Meta-analysis. 2016 , 75, 86-93	20
73	Clinical and angiographic correlation of high-sensitivity C-reactive protein with acute ST elevation myocardial infarction. 2016 , 12, 4089-4098	4
72	Association between high-sensitivity C-reactive protein and hyperuricemia. 2016 , 36, 561-6	5
71	Randomized clinical trial of portion-controlled prepackaged foods to promote weight loss. 2016 , 24, 1230-7	11
70	Assessing accuracy and precision for field and laboratory data: a perspective in ecosystem restoration. 2016 , 24, 18-26	3
69	Residual nanoparticle label immunosensor for wash-free C-reactive protein detection in blood. 2016 , 83, 54-9	12
68	Simultaneous determination of CRP and D-dimer in human blood plasma samples with White Light Reflectance Spectroscopy. 2016 , 84, 89-96	31
67	Single Frequency Impedance Analysis on Reduced Graphene Oxide Screen-Printed Electrode for Biomolecular Detection. 2017 , 183, 672-683	21
66	Immunopathology in Toxicology and Drug Development. 2017 ,	0
65	Association between thyroid hormone parameters and dyslipidemia among type 2 diabetes mellitus patients: Comparative cross-sectional study. 2017 , 11 Suppl 1, S257-S262	7
64	Electrochemical detection of C-reactive protein using Copper nanoparticles and hybridization chain reaction amplifying signal. 2017 , 539, 1-7	31
63	A localized surface plasmon resonance (LSPR) immunosensor for CRP detection using 4-chloro-1-naphthol (4-CN) precipitation. 2017 ,	3
62	Detection of C-reactive protein on an integrated microfluidic system by utilizing field-effect transistors and aptamers. 2017 , 11, 044105	8
61	C-reactive protein and cardiovascular risk in bipolar disorder patients: A systematic review. 2017 , 79, 442-451	15
60	Prognostic nomogram for patients with hepatocellular carcinoma underwent adjuvant transarterial chemoembolization following curative resection. 2017 , 96, e6140	5

59	Associations of Self-Reported Sleep Quality with Circulating Interferon Gamma-Inducible Protein 10, Interleukin 6, and High-Sensitivity C-Reactive Protein in Healthy Menopausal Women. 2017 , 12, e0169216	14
58	Evaluation of some toxic metals in blood samples of smokers in Saudi Arabia by inductive coupled plasma mass spectrometry. 2017 , 15, 2669	3
57	Relationship of High-Sensitivity C-Reactive Protein Concentrations and Systolic Heart Failure. 2017 , 15, 390-396	8
56	Immunoanalytical characteristics of C-reactive protein and high sensitivity C-reactive protein. 2017 , 75, 225-229	25
55	Small dense low-density lipoprotein cholesterol is a promising biomarker for secondary prevention in older men with stable coronary artery disease. 2018 , 18, 965-972	14
54	Rapid C-reactive protein determination in whole blood with a White Light Reflectance Spectroscopy label-free immunosensor for Point-of-Care applications. 2018 , 260, 282-288	14
53	The potential hazardous effect of exposure to iron dust in Egyptian smoking and nonsmoking welders. 2018 , 73, 189-202	3
52	Growth in juvenile pikeperch (<i>Sander lucioperca</i> L.) stimulated with yeast, <i>Saccharomyces cerevisiae</i> , extract. 2018 , 49, 614-620	7
51	The Inflammatory Potential of Dietary Manganese in a Cohort of Elderly Men. 2018 , 183, 49-57	13
50	Predictors of Clinical Outcome in Patients with Angiographically Intermediate Lesions with Minimum Lumen Area Less than 4 mm Using Intravascular Ultrasound in Non-Proximal Epicardial Coronary Artery. 2018 , 54, 190-196	
49	Serum cholinesterase activity is elevated in female diarrhea-predominant irritable bowel syndrome patients compared to matched controls. 2018 , 30, e13464	5
48	Sarcopenic obesity associated with high-sensitivity C-reactive protein in age and sex comparison: a two-center study in South Korea. 2018 , 8, e021232	17
47	CRP-Based Cardiovascular Risk Assessment: New Conventional CRP Assay Fit for Purpose?. 2018 , 2, 952-959	4
46	Effects of Cardiac Rehabilitation on High-Density Lipoprotein-mediated Cholesterol Efflux Capacity and Paraoxonase-1 Activity in Patients with Acute Coronary Syndrome. 2018 , 25, 153-169	7
45	Occlusion phenomenon of redox probe by protein as a way of voltammetric detection of non-electroactive C-reactive protein. 2018 , 117, 232-239	15
44	Isolation, Formulation, and Efficacy Enhancement of Morin Emulsified Carriers Against Lung Toxicity in Rats. 2018 , 19, 2346-2357	8
43	Phosphorylcholine-based hydrogel for immobilization of biomolecules. Application to fluorometric microarrays for use in hybridization assays and immunoassays, and nanophotonic biosensing. 2019 , 186, 570	5
42	A comparison study between wide-range and high-sensitivity C-reactive protein assays (Roche Cobas c702) for low C-reactive protein concentration in patients with cardiovascular risk. 2019 , 33, e22957	3

41	Low serum magnesium is associated with faster decline in kidney function: the Dallas Heart Study experience. 2019 , 67, 987-994	6
40	Synergistic therapeutic effects of <i>Vitis vinifera</i> extract and Silymarin on experimentally induced cardiorenal injury: The pertinent role of Nrf2. 2019 , 110, 37-46	6
39	A prospective follow-up study of the relationship between high-sensitivity C-reactive protein and primary liver cancer. 2020 , 20, 1168	1
38	Fibrosis and Inflammatory Markers and Long-Term Risk of Peripheral Artery Disease: The ARIC Study. 2020 , 40, 2322-2331	12
37	Postpartum metabolic syndrome and high-sensitivity C-reactive protein after gestational hypertension and pre-eclampsia. 2020 , 151, 443-449	2
36	C-reactive protein and ART outcomes: a systematic review. 2020 , 26, 753-773	6
35	Levels and Change in Galectin-3 and Association With Cardiovascular Events: The ARIC Study. 2020 , 9, e015405	7
34	Relationships of Fatty Acids, Delta-5 Desaturase Activity, and Lipid Profiles in Men with Acute Coronary Syndrome. 2020 , 27, 1216-1229	1
33	Intramyocellular Lipids, Insulin Resistance, and Functional Performance in Patients with Severe Obstructive Sleep Apnea. 2020 , 12, 69-78	2
32	Electrochemical detection of C-reactive protein using functionalized iridium nanoparticles/graphene oxide as a tag.. 2020 , 10, 9723-9729	16
31	Association between Depression and hs-CRP Blood Levels in Korean Adults: Using the National Health and Nutrition Survey 2018. 2021 , 11, 191-196	
30	Ovarian Cancer Risk in Relation to Blood Cholesterol and Triglycerides. 2021 , 30, 2044-2051	0
29	The role of systemic inflammation in heart failure. 2021 , 102, 510-517	
28	Assessment of the Effect of A-PRF Application during the Surgical Extraction of Third Molars on Healing and the Concentration of C-Reactive Protein. 2021 , 13,	0
27	Small Dense Low-Density Lipoprotein Cholesterol: A Residual Risk for Rapid Progression of Non-Culprit Coronary Lesion in Patients with Acute Coronary Syndrome. 2021 , 28, 1161-1174	4
26	An electrochemical immunosensor coupling a bamboo-like carbon nanostructure substrate with toluidine blue-functionalized Cu(ii)-MOFs as signal probes for a C-reactive protein assay.. 2021 , 11, 6699-6708	3
25	Inflammation is a crucial feature of atherosclerosis and a potential target to reduce cardiovascular events. 2005 , 697-722	11
24	Clinical Pathology Assays in Immunopathology. 2017 , 457-488	2

23	Lipids, Lipoproteins, Apolipoproteins, and Other Cardiovascular Risk Factors. 2012 , 731-805		4
22	Inflammation in Atherosclerosis-No Longer a Theory. <i>Clinical Chemistry</i> , 2021 , 67, 131-142	5.5	50
21	Correlation of Past Smoking Behaviors and Duration of Smoking Cessation with High-sensitivity C-reactive Protein Among Past Smokers in Korean Male Adults : Korean National Health and Nutrition Examination Survey. 2018 , 9, 71-79		1
20	Urine Level of Interleukin-8 as a Non-Invasive Marker for Diagnosis of Vesicoureteral Reflux in Children. 2009 , 9, 133-139		1
19	Evaluation of Epicardial Fat and Carotid Intima-Media Thickness in Obese Children. 2016 , 26, e2968		9
18	Preanalytic and Analytic Sources of Variations in C-Reactive Protein Measurement. 2003 , 305-317		
17	Vascular Inflammation as a Cardiovascular Risk Factor. 2005 , 577-604		
16	Lack of Association Between Genetic Variation in 9 Innate Immunity Genes and Baseline CRP Levels. <i>Annals of Human Genetics</i> , 2006 , 060721082338045	2.2	
15	Analytic Issues for Clinical Use of C-Reactive Protein. 2006 , 223-235		
14	Elevated Small Dense Low-density Lipoprotein Cholesterol Concentration as a Promising Risk Marker for Severe Stable Coronary Heart Disease, Independently of Adiponectin and C-reactive Protein. <i>The Showa University Journal of Medical Sciences</i> , 2007 , 19, 81-93	0.1	
13	Early Initiation of Statin Treatment Immediately after Acute Myocardial Infarction Improves Clinical Outcomes. <i>Chonnam Medical Journal</i> , 2010 , 46, 25		
12	Study Two: Stretch Intensity vs. Inflammation: Is There a Dose-Dependent Association?. 2018 , 145-157		
11	Study One: Acute Inflammatory Response to Stretching. 2018 , 131-143		
10	C-reactive protein/albumin ratio designates advanced heart failure among outpatients with heart failure. <i>International Journal of the Cardiovascular Academy</i> , 2020 , 6, 51	0.1	0
9	Early life, life course and gender influences on levels of C-reactive protein among migrant Bangladeshis in the UK.. <i>Evolution, Medicine and Public Health</i> , 2022 , 10, 21-35	3	0
8	Measurement and clinical applications of C-reactive protein in gastrointestinal diseases of dogs.. <i>Veterinary Clinical Pathology</i> , 2022 ,	1	1
7	Impact of small dense low-density lipoprotein cholesterol on cholesterol crystals in patients with acute coronary syndrome: An optical coherence tomography study. <i>Journal of Clinical Lipidology</i> , 2022 ,	4.9	1
6	Evaluation of Ibuprofen Use on the Immune System Indicators and Force in Disabled Paralympic Powerlifters of Different Sport Levels. <i>Healthcare (Switzerland)</i> , 2022 , 10, 1331	3.4	0

- 5 Portable air cleaner use and biomarkers of inflammation: A systematic review and meta-analysis. **2022**, 18, 100182
- 4 Impact of small dense low-density lipoprotein cholesterol and triglyceride-rich lipoproteins on plaque rupture with ST-segment elevation myocardial infarction. **2022**, 0
- 3 Advances in Imaging and Targeted Therapies for Recurrent Pericarditis. 2
- 2 GlycA, hsCRP differentially associated with MI, ischemic stroke: In the Dallas Heart Study and Multi-Ethnic Study of Atherosclerosis. **2022**, 12, 100373 2
- 1 C-reactive protein and clinical outcome in COVID-19 patients: the importance of harmonized measurements. **2023**, 0