

CITATION REPORT

List of articles citing

Loop-mediated Isothermal Amplification Reaction Using a Nondenatured Template

DOI: 10.1093/clinchem/47.9.1742
Clinical Chemistry, 2001, 47, 1742-1743.

Source: <https://exaly.com/paper-pdf/32636140/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
345	Detection of loop-mediated isothermal amplification reaction by turbidity derived from magnesium pyrophosphate formation. 2001 , 289, 150-4		1224
344	Accelerated reaction by loop-mediated isothermal amplification using loop primers. 2002 , 16, 223-9		1257
343	Isolation of single-stranded DNA from loop-mediated isothermal amplification products. 2002 , 290, 1195-8		105
342	Loop-mediated isothermal amplification for direct detection of Mycobacterium tuberculosis complex, M. avium, and M. intracellulare in sputum samples. 2003 , 41, 2616-22		499
341	Use of loop-mediated isothermal amplification of the IS900 sequence for rapid detection of cultured Mycobacterium avium subsp. paratuberculosis. 2003 , 41, 4359-65		131
340	[Principle of LAMP method--a simple and rapid gene amplification method]. 2004 , 54, 107-12		23
339	Sensitive and rapid detection of edwardsiellosis in fish by a loop-mediated isothermal amplification method. 2004 , 70, 621-4		74
338	Detection of <i>fgp43</i> of <i>Paracoccidioides brasiliensis</i> by the loop-mediated isothermal amplification (LAMP) method. 2004 , 234, 93-97		83
337	Detection of white spot syndrome virus in shrimp by loop-mediated isothermal amplification. <i>Journal of Virological Methods</i> , 2004 , 115, 59-65	2.6	119
336	Rapid detection of a fish iridovirus using loop-mediated isothermal amplification (LAMP). <i>Journal of Virological Methods</i> , 2004 , 121, 155-61	2.6	68
335	Rapid and sensitive diagnosis of adenoviral keratoconjunctivitis by loop-mediated isothermal amplification (LAMP) method. 2004 , 29, 219-24		9
334	Analysis of specific gene by integration of isothermal amplification and electrophoresis on poly(methyl methacrylate) microchips. 2004 , 76, 3689-93		75
333	Rapid and sensitive diagnosis of adenoviral keratoconjunctivitis by loop-mediated isothermal amplification (LAMP) method. 2004 , 28, 445-50		10
332	Real-time turbidimetry of LAMP reaction for quantifying template DNA. 2004 , 59, 145-57		417
331	An isothermal amplification system based on the tandem-repeated DNA probe. 2004 , 18, 383-8		
330	Detection of periodontal pathogen <i>Porphyromonas gingivalis</i> by loop-mediated isothermal amplification method. 2005 , 43, 233-9		55
329	Loop-mediated isothermal amplification for the rapid detection of <i>Salmonella</i> . 2005 , 253, 155-61		185

328	Development of a rapid assay for the diagnosis of <i>Myxobolus cerebralis</i> in fish and oligochaetes using loop-mediated isothermal amplification. 2005 , 28, 549-57	15
327	Loop-mediated isothermal amplification: an emerging technology for detection of fish and shellfish pathogens. 2005 , 28, 573-81	75
326	Detection of respiratory syncytial virus genome by subgroups-A, B specific reverse transcription loop-mediated isothermal amplification (RT-LAMP). 2005 , 77, 121-7	46
325	Detection of <i>Salmonella enterica</i> in naturally contaminated liquid eggs by loop-mediated isothermal amplification, and characterization of <i>Salmonella</i> isolates. 2005 , 71, 6730-5	123
324	Sensitive and rapid detection of herpes simplex virus and varicella-zoster virus DNA by loop-mediated isothermal amplification. 2005 , 43, 3290-6	67
323	Current and Future Developments in Nucleic Acid-Based Diagnostics. 2005 , 211-244	1
322	Loop-mediated isothermal amplification method for rapid detection of the periodontopathic bacteria <i>Porphyromonas gingivalis</i> , <i>Tannerella forsythia</i> , and <i>Treponema denticola</i> . 2005 , 43, 2418-24	48
321	An inexpensive and rapid diagnostic method of Koi Herpesvirus (KHV) infection by loop-mediated isothermal amplification. 2005 , 2, 83	47
320	Rapid diagnostic method for detection of mumps virus genome by loop-mediated isothermal amplification. 2005 , 43, 1625-31	62
319	Evaluation of a loop-mediated isothermal amplification method for rapid detection of channel catfish <i>Ictalurus punctatus</i> important bacterial pathogen <i>Edwardsiella ictaluri</i> . 2005 , 63, 36-44	71
318	Real-time quantitative LAMP (loop-mediated isothermal amplification of DNA) as a simple method for monitoring ammonia-oxidizing bacteria. 2006 , 125, 484-91	65
317	Sensitive and Rapid Detection of Koi Herpesvirus by LAMP Method. 2006 , 41, 19-27	12
316	Sequence specific visual detection of LAMP reactions by addition of cationic polymers. 2006 , 6, 3	132
315	Advances in molecular phytodiagnostics - new solutions for old problems. 2006 , 116, 1-19	105
314	Novel reverse transcription loop-mediated isothermal amplification for rapid detection of foot-and-mouth disease virus. 2006 , 151, 1093-106	174
313	Information systems in food safety management. 2006 , 112, 181-94	144
312	Transmission control for schistosomiasis - why it matters now. 2006 , 22, 575-82	106
311	Development of a new method for diagnosis of rubella virus infection by reverse transcription-loop-mediated isothermal amplification. 2006 , 44, 3268-73	22

310	Development and evaluation of a loop-mediated isothermal amplification method for rapid diagnosis of <i>Bordetella pertussis</i> infection. 2006 , 44, 1899-902		68
309	Sensitive and rapid detection of Vero toxin-producing <i>Escherichia coli</i> using loop-mediated isothermal amplification. 2007 , 56, 398-406		75
308	Fluorescence single-molecule counting assays for high-sensitivity detection of cytokines and chemokines. <i>Clinical Chemistry</i> , 2007 , 53, 2010-2	5.5	7
307	Isothermal DNA amplification with gold nanosphere-based visual colorimetric readout for herpes simplex virus detection. <i>Clinical Chemistry</i> , 2007 , 53, 2017-20	5.5	49
306	Rapid exonuclease digestion of PCR-amplified targets for improved microarray hybridization. <i>Clinical Chemistry</i> , 2007 , 53, 2020-3	5.5	16
305	Detection of four <i>Plasmodium</i> species by genus- and species-specific loop-mediated isothermal amplification for clinical diagnosis. 2007 , 45, 2521-8		216
304	Faster, simpler, more-specific methods for improved molecular detection of <i>Phytophthora ramorum</i> in the field. 2007 , 73, 4040-7		124
303	Rapid, sensitive and cheap molecular diagnosis of malaria: is microscopy on the way out?. 2007 , 2, 477-480		6
302	Identification of Beer-Spoilage Microorganisms Using the Loop-Mediated Isothermal Amplification Method. 2007 , 65, 77-80		5
301	Loop-mediated isothermal amplification method for detection of human papillomavirus type 6, 11, 16, and 18. 2007 , 79, 605-15		55
300	Loop-mediated isothermal amplification method for the rapid detection of <i>Enterococcus faecalis</i> in infected root canals. 2007 , 22, 131-5		18
299	Rapid detection of <i>Actinobacillus actinomycetemcomitans</i> using a loop-mediated isothermal amplification method. 2007 , 22, 252-9		20
298	Rapid detection of the cariogenic pathogens <i>Streptococcus mutans</i> and <i>Streptococcus sobrinus</i> using loop-mediated isothermal amplification. 2007 , 22, 361-8		18
297	Detection of gene point mutation in paraffin sections using in situ loop-mediated isothermal amplification. 2007 , 57, 594-9		34
296	Tolerance of loop-mediated isothermal amplification to a culture medium and biological substances. 2007 , 70, 499-501		464
295	Loop-mediated isothermal amplification of a single DNA molecule in polyacrylamide gel-based microchamber. 2008 , 10, 539-46		39
294	Alternative DNA amplification methods to PCR and their application in GMO detection: a review. 2008 , 227, 1287-1297		50
293	Loop-mediated isothermal amplification as an emerging technology for detection of <i>Yersinia ruckeri</i> the causative agent of enteric red mouth disease in fish. 2008 , 4, 31		29

292	Specific versus nonspecific isothermal DNA amplification through thermophilic polymerase and nicking enzyme activities. 2008 , 47, 9987-99		135
291	Loop-mediated isothermal amplification method for rapid detection of the toxic dinoflagellate <i>Alexandrium</i> , which causes algal blooms and poisoning of shellfish. 2008 , 282, 15-21		23
290	Loop-mediated isothermal amplification (LAMP) of gene sequences and simple visual detection of products. 2008 , 3, 877-82		1157
289	Loop-mediated isothermal amplification for the rapid, sensitive, and specific detection of the O9 group of <i>Salmonella</i> in chickens. 2008 , 132, 197-204		47
288	Detection of Verotoxigenic <i>Escherichia coli</i> O157 and O26 in food by plating methods and LAMP method: a collaborative study. 2008 , 122, 156-61		57
287	Development and evaluation of a loop-mediated isothermal amplification method for diagnosis of tropical theileriosis. 2008 , 55, 238-43		30
286	Rapid detection of HIV-1 by reverse-transcription, loop-mediated isothermal amplification (RT-LAMP). <i>Journal of Virological Methods</i> , 2008 , 151, 264-270	2.6	168
285	Evaluation of a loop-mediated isothermal amplification assay for detecting <i>Vibrio vulnificus</i> in raw oysters. 2008 , 5, 311-20		41
284	Nucleic acid isothermal amplification technologies: a review. 2008 , 27, 224-43		338
283	Sensitive and rapid detection of <i>Aeromonas caviae</i> in stool samples by loop-mediated isothermal amplification. 2008 , 60, 113-6		6
282	Rapid and simple sex determination method from dental pulp by loop-mediated isothermal amplification. 2008 , 2, 349-53		17
281	Efficient identification of clinically relevant <i>Candida</i> yeast species by use of an assay combining panfungal loop-mediated isothermal DNA amplification with hybridization to species-specific oligonucleotide probes. 2008 , 46, 713-20		64
280	Coupled rolling circle amplification loop-mediated amplification for rapid detection of short DNA sequences. 2008 , 45, 275-80		21
279	Potential of LAMP for detection of plant pathogens.. 2008 , 3,		21
278	Multi-channel turbidity detection of shrimp virus by loop-mediated isothermal amplification reaction. 2009 ,		1
277	Development of loop-mediated isothermal amplification method for diagnosis of bovine leukemia virus infection. <i>Journal of Virological Methods</i> , 2009 , 157, 175-9	2.6	12
276	Development of a loop-mediated isothermal amplification for rapid detection of orf virus. <i>Journal of Virological Methods</i> , 2009 , 157, 200-4	2.6	56
275	Rapid diagnosis of turbot reddish body iridovirus in turbot using the loop-mediated isothermal amplification method. <i>Journal of Virological Methods</i> , 2009 , 158, 18-23	2.6	43

274	Sensitive and rapid detection of infectious pancreatic necrosis virus by reverse transcription loop mediated isothermal amplification. <i>Journal of Virological Methods</i> , 2009 , 158, 77-83	2.6	12
273	A loop-mediated isothermal amplification method targets the phoP gene for the detection of Salmonella in food samples. 2009 , 133, 252-8		53
272	Detection of genetically modified organisms (GMOs) using isothermal amplification of target DNA sequences. 2009 , 9, 7		83
271	A sensitive loop-mediated isothermal amplification (LAMP) method for detection of Renibacterium salmoninarum, causative agent of bacterial kidney disease in salmonids. 2009 , 32, 491-7		9
270	DEVELOPMENT AND EVALUATION OF A LOOP-MEDIATED ISOTHERMAL AMPLIFICATION METHOD FOR DETECTING ESCHERICHIA COLI O157 IN RAW MILK. 2009 , 17, 55-66		16
269	Codeposition of dNTPs detection for rapid LAMP-based sexing of bovine embryos. 2009 , 44, 116-21		10
268	Rapid detection of matrix metalloproteinase-7 and carcinoembryonic antigen mRNA expression in intraoperative pleural lavage samples using the reverse transcriptase loop-mediated isothermal amplification method. 2009 , 53, 283-91		1
267	Rapid diagnosis of duck plagues virus infection by loop-mediated isothermal amplification. 2009 , 87, 53-8		17
266	DNA-basierte Wege zur Identifizierung von Geweben. 2009 , 57, 1015-1018		0
265	Rapid, sensitive, and specific detection of the O4 group of Salmonella enterica by loop-mediated isothermal amplification. 2009 , 53, 216-21		21
264	Electrochemical genosensor for the rapid detection of GMO using loop-mediated isothermal amplification. 2009 , 134, 966-72		60
263	Sensitive and Rapid Detection of Cryptosporidium and Giardia by Loop-Mediated Isothermal Amplification. 2009 , 32, 321-324		1
262	Rapid detection of Vibrio parahaemolyticus strains and virulent factors by loop-mediated isothermal amplification assays. 2010 , 19, 1191-1197		62
261	Visual and Rapid Detection of Two Genetically Modified Soybean Events Using Loop-mediated Isothermal Amplification Method. 2010 , 3, 313-320		70
260	Development and application of a loop-mediated isothermal amplification method on rapid detection Escherichia coli O157 strains from food samples. <i>Molecular Biology Reports</i> , 2010 , 37, 2183-8	2.8	137
259	A novel and more sensitive loop-mediated isothermal amplification assay targeting IS6110 for detection of Mycobacterium tuberculosis complex. 2010 , 165, 211-20		113
258	Detection of red-spotted grouper nervous necrosis virus by loop-mediated isothermal amplification. <i>Journal of Virological Methods</i> , 2010 , 163, 123-8	2.6	31
257	Rapid detection of infectious laryngotracheitis virus isolates by loop-mediated isothermal amplification. <i>Journal of Virological Methods</i> , 2010 , 165, 71-5	2.6	14

256	Detection of Botrytis cinerea by loop-mediated isothermal amplification. 2010 , 51, 650-7	93
255	DEVELOPMENT AND EVALUATION OF A LOOP-MEDIATED ISOTHERMAL AMPLIFICATION (LAMP) METHOD FOR DETECTING LISTERIA MONOCYTOGENES IN RAW MILK. 2010 , 30, 251-262	29
254	Development and evaluation of a loop-mediated isothermal amplification assay for rapid detection of chicken anaemia virus. 2010 , 108, 917-924	31
253	Simple and rapid detection of Salmonella serovar Enteritidis under field conditions by loop-mediated isothermal amplification. 2010 , 109, 1715-23	35
252	FLUORESCENCE BIOSENSOR FOR A SIMPLE AND RAPID DETECTION OF ESCHERICHIA COLI IN FRESH-CUT FRUITS. 2010 , 547-554	
251	ELECTROCHEMICAL BIOSENSOR FOR A SIMPLE AND RAPID DETECTION OF CANCER (XANTHOMONAS AXONOPODIS PV. CITRI) IN POMELO FOR EXPORT. 2010 , 423-430	
250	Loop-mediated isothermal amplification assays for detection of Equid herpesvirus 1 and 4 and differentiating a gene-deleted candidate vaccine strain from wild-type Equid herpesvirus 1 strains. 2010 , 22, 30-6	10
249	Molecular detection of Muscovy duck parvovirus by loop-mediated isothermal amplification assay. 2010 , 89, 477-83	31
248	Development of a reverse transcription-loop-mediated isothermal amplification (RT-LAMP) for clinical detection of Plasmodium falciparum gametocytes. 2010 , 59, 414-20	44
247	A simple and rapid method for detection of Goose Parvovirus in the field by loop-mediated isothermal amplification. 2010 , 7, 14	26
246	Rapid detection of Pseudomonas aeruginosa in mouse feces by colorimetric loop-mediated isothermal amplification. 2010 , 81, 247-52	41
245	Homogenous, real-time duplex loop-mediated isothermal amplification using a single fluorophore-labeled primer and an intercalator dye: Its application to the simultaneous detection of Shiga toxin genes 1 and 2 in Shiga toxigenic Escherichia coli isolates. 2010 , 24, 190-5	35
244	Sequential changes of Legionella antigens and bacterial load in the lungs and urines of a mouse model of pneumonia. 2010 , 66, 253-60	7
243	Possible use of RNA isolate from inactivated vaccine for external positive control in reverse transcription-based detection of foot-and-mouth disease virus in bull semen. 2010 , 392, 557-60	3
242	Detection of Plasmodium vivax infection in the Republic of Korea by loop-mediated isothermal amplification (LAMP). 2010 , 113, 61-5	30
241	Molecular Identification of Fungi. 2010 ,	17
240	Rapid detection of Phytophthora ramorum and P. kernoviae by two-minute DNA extraction followed by isothermal amplification and amplicon detection by generic lateral flow device. 2010 , 100, 143-9	131
239	Rapid detection of Marek's disease virus in feather follicles by loop-mediated amplification. 2011 , 55, 462-7	22

238	An optimized protocol for DNA extraction from wheat seeds and Loop-Mediated Isothermal Amplification (LAMP) to detect <i>Fusarium graminearum</i> contamination of wheat grain. 2011 , 12, 3459-72	45
237	Real-time electrochemical monitoring of isothermal helicase-dependent amplification of nucleic acids. 2011 , 136, 3635-42	60
236	A new strategy for a DNA assay based on a target-triggered isothermal exponential degradation reaction. 2011 , 47, 5262-4	34
235	Microfluidic reactors for diagnostics applications. 2011 , 13, 321-43	49
234	Development and initial results of a low cost, disposable, point-of-care testing device for pathogen detection. 2011 , 58, 805-8	31
233	Isothermal DNA amplification in bioanalysis: strategies and applications. 2011 , 3, 227-39	131
232	Efficacy of loop mediated isothermal amplification (LAMP) assay for the laboratory identification of <i>Mycobacterium tuberculosis</i> isolates in a resource limited setting. 2011 , 84, 71-3	61
231	Nanoparticles in molecular diagnostics. 2011 , 104, 427-88	36
230	One-step ultrasensitive detection of microRNAs with loop-mediated isothermal amplification (LAMP). 2011 , 47, 2595-7	164
229	Evaluation of Loop-Mediated Isothermal Amplification (LAMP) Assay for Diagnosis of Equine Herpesvirus 1 Infection Using Aborted Fetuses. 2011 , 64, 950-953	
228	Direct detection of equine herpesvirus type 1 DNA in nasal swabs by loop-mediated isothermal amplification (LAMP). 2011 , 73, 1225-7	12
227	A LOOP-MEDIATED ISOTHERMAL AMPLIFICATION ASSAY FOR RAPID DETECTION OF <i>LISTERIA MONOCYTOGENES</i> . 2011 , 31, 546-552	4
226	Development of loop-mediated isothermal amplification for rapid detection of avian leukosis virus subgroup A. <i>Journal of Virological Methods</i> , 2011 , 173, 31-6	2.6 16
225	Rapid detection of the most common high-risk human papillomaviruses by loop-mediated isothermal amplification. <i>Journal of Virological Methods</i> , 2011 , 178, 22-30	2.6 33
224	Rapid and sensitive detection of mud crab <i>Scylla serrata</i> reovirus by a reverse transcription loop-mediated isothermal amplification assay. <i>Journal of Virological Methods</i> , 2011 , 178, 153-60	2.6 9
223	A one-step reverse transcription loop-mediated isothermal amplification for detection and discrimination of infectious bursal disease virus. 2011 , 8, 108	18
222	Sex distinction of asparagus by loop-mediated isothermal amplification and observation of seedling phenotypes. 2011 , 177, 91-97	15
221	Use of loop-mediated isothermal amplification of DNA for the rapid detection of <i>Mycobacterium tuberculosis</i> in clinical specimens. 2011 , 30, 937-42	34

220	Development and evaluation of a loop-mediated isothermal amplification assay for the rapid detection of <i>Staphylococcus aureus</i> in food. 2011 , 232, 769-776		23
219	Specific, simple and rapid detection of porcine circovirus type 2 using the loop-mediated isothermal amplification method. 2011 , 8, 126		23
218	Rapid detection of newly isolated Tembusu-related Flavivirus by reverse-transcription loop-mediated isothermal amplification assay. 2011 , 8, 553		38
217	Sensitive and rapid detection of <i>Alicyclobacillus acidoterrestris</i> using loop-mediated isothermal amplification. 2011 , 91, 1070-4		13
216	Molecular identification of mycotoxigenic fungi in food and feed. 2011 , 298-331		5
215	Evaluation of loop-mediated isothermal amplification (LAMP) for malaria diagnosis in a field setting. 2011 , 85, 594-6		61
214	A review of the current isothermal amplification techniques: Applications, advantages and disadvantages. 2011 , 3, 293		29
213	Cross priming amplification: mechanism and optimization for isothermal DNA amplification. <i>Scientific Reports</i> , 2012 , 2, 246	4.9	123
212	Diagnosis of brugian filariasis by loop-mediated isothermal amplification. 2012 , 6, e1948		46
211	Development and evaluation of reverse-transcription loop-mediated isothermal amplification for rapid detection of human immunodeficiency virus type 1. 2012 , 30, 391-6		3
210	Sensitive and rapid detection of the new Delhi metallo-beta-lactamase gene by loop-mediated isothermal amplification. 2012 , 50, 1580-5		51
209	POSTHARVEST NON-DESTRUCTIVE DETERMINATION OF FRUITS: A MODEL ON FRUIT MATURITY ASSAY VIA BIOSENSOR BASED ON COLORIMETRIC CHANGE OF GOLD NANOPARTICLES. 2012 , 205-212		6
208	Simultaneous multiple target detection in real-time loop-mediated isothermal amplification. 2012 , 53, 81-9		151
207	Development of a loop-mediated isothermal amplification method for rapid detection of caprine arthritis-encephalitis virus proviral DNA. 2012 , 157, 1463-9		17
206	Rapid and sensitive detection of shrimp yellow head virus using loop-mediated isothermal amplification and a colorogenic nanogold hybridization probe. <i>Journal of Virological Methods</i> , 2012 , 186, 36-42	2.6	39
205	New grower-friendly methods for plant pathogen monitoring. 2012 , 50, 197-218		78
204	Loop-mediated isothermal amplification (LAMP) for malarial parasites of humans: would it come to clinical reality as a point-of-care test?. 2012 , 122, 233-40		78
203	Development and application of loop-mediated isothermal amplification assays on rapid detection of various types of staphylococci strains. 2012 , 47, 166-173		95

202	A loop-mediated isothermal amplification method for rapid detection of the multidrug-resistance gene cfr. 2012 , 504, 140-3	9
201	Loop-mediated isothermal amplification for the detection of goose circovirus. 2012 , 9, 110	27
200	Molecular Techniques. 2012 , 407-461	1
199	Evaluating the use of loop-mediated isothermal amplification (LAMP) method for detection of <i>Mycobacterium tuberculosis</i> in Indonesian clinical isolates. 2012 , 188	
198	Isothermal nucleic acid amplification technologies for point-of-care diagnostics: a critical review. 2012 , 12, 2469-86	495
197	Rapid, Sensitive, and Quantitative Detection of Pathogenic DNA at the Point of Care through Microfluidic Electrochemical Quantitative Loop-Mediated Isothermal Amplification. 2012 , 124, 4980-4984	55
196	Rapid, sensitive, and quantitative detection of pathogenic DNA at the point of care through microfluidic electrochemical quantitative loop-mediated isothermal amplification. 2012 , 51, 4896-900	193
195	Development of loop-mediated isothermal amplification assay for specific and rapid detection of camelpox virus in clinical samples. <i>Journal of Virological Methods</i> , 2012 , 183, 34-9	2.6 15
194	Detection of <i>Trypanosoma lewisi</i> from wild rats in Southern China and its genetic diversity based on the ITS1 and ITS2 sequences. 2012 , 12, 1046-51	13
193	Development of a loop-mediated isothermal amplification method for detection of <i>Theileria lestoquardi</i> . 2012 , 110, 533-8	9
192	Rapid detection of human rotavirus using NSP4 gene specific reverse transcription loop-mediated isothermal amplification assay. 2013 , 24, 265-71	6
191	Detection of capripoxvirus DNA using a novel loop-mediated isothermal amplification assay. 2013 , 9, 90	17
190	Development and evaluation of specific PCR and LAMP assays for the rapid detection of <i>Phytophthora melonis</i> . 2013 , 137, 597-607	28
189	Development of a rapid assay to detect the dinoflagellate <i>Amyloodinium ocellatum</i> using loop-mediated isothermal amplification (LAMP). 2013 , 196, 265-71	6
188	A loop-mediated isothermal amplification-based method for confirmation of <i>Guignardia citricarpa</i> in citrus black spot lesions. 2013 , 136, 217-224	17
187	Development of a loop-mediated isothermal amplification assay for rapid and sensitive detection of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> race 4. 2013 , 135, 903-911	37
186	Loop-mediated isothermal amplification for the rapid detection of <i>Chrysanthemum chlorotic mottle viroid</i> (CChMVd). <i>Journal of Virological Methods</i> , 2013 , 193, 232-7	2.6 13
185	Improved loop-mediated isothermal amplification for HLA-DRB1 genotyping using RecA and a restriction enzyme for enhanced amplification specificity. 2013 , 65, 405-15	7

184	Loop-mediated isothermal amplification for rapid detection of the causal agents of cassava brown streak disease. <i>Journal of Virological Methods</i> , 2013 , 191, 148-54	2.6	39
183	Development of a real-time fluorescence loop-mediated isothermal amplification assay for rapid and quantitative detection of <i>Fusarium oxysporum</i> f. sp. <i>niveum</i> in soil. 2013 , 349, 127-34		22
182	In-field diagnostics using loop-mediated isothermal amplification. <i>Methods in Molecular Biology</i> , 2013 , 938, 291-300	1.4	13
181	Loop-mediated isothermal amplification test for the molecular diagnosis of malaria. 2013 , 13, 205-18		52
180	Identification of Pathogens by Nonculturing Molecular Techniques. 2013 , 91-106		
179	Comparative evaluation of conventional polymerase chain reaction (PCR), with loop-mediated isothermal amplification and SYBR green I-based real-time PCR for the quantitation of porcine circovirus-1 DNA in contaminated samples destined for vaccine production. <i>Journal of Virological Methods</i> , 2013 , 181, 1-8	2.6	10
178	Loop-mediated isothermal amplification (LAMP): methods for plant species identification in food. 2013 , 61, 2943-9		24
177	Development and Evaluation of a Loop-Mediated Isothermal Amplification (LAMP) Method for Detecting Foodborn Salmonella in Raw Milk. 2013 , 647, 577-582		3
176	Development of a reverse transcription-loop-mediated isothermal amplification (RT-LAMP) system for rapid detection of HDV genotype 1. 2013 , 56, 229-35		14
175	[Polyethylene glycol accelerates loop-mediated isothermal amplification (LAMP) reaction]. 2013 , 133, 1121-6		1
174	Development of a loop-mediated isothermal amplification method for detection of <i>Perkinsus</i> spp. in mollusks. 2013 , 104, 141-8		5
173	Development of a real-time fluorescence loop-mediated isothermal amplification assay for rapid and quantitative detection of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> tropical race 4 in soil. <i>PLoS ONE</i> , 2013 , 8, e82841	3.7	45
172	Challenges and prospects for the control of foot-and-mouth disease: an African perspective. 2014 , 5, 119-138		14
171	A simple isothermal DNA amplification method to screen black flies for <i>Onchocerca volvulus</i> infection. <i>PLoS ONE</i> , 2014 , 9, e108927	3.7	20
170	Rapid and easy molecular authentication of medicinal plant <i>Zingiber officinale</i> Roscoe by loop-mediated isothermal amplification (LAMP)-based marker. 2014 , 8, 756-762		4
169	Colorimetric detection of <i>Ehrlichia canis</i> via nucleic acid hybridization in gold nano-colloids. 2014 , 14, 14472-87		17
168	Point of Care Technologies for HIV. 2014 , 2014, 497046		41
167	Development of multiplex loop-mediated isothermal amplification assays to detect medically important yeasts in dairy products. 2014 , 357, 208-16		10

166	Detection of abalone shrivelling syndrome-associated virus using loop-mediated isothermal amplification. 2014 , 37, 63-7	2
165	Reverse Transcription-Loop-Mediated Isothermal Amplification System for the Detection of Rabies Virus. 2014 , 85-95	
164	Loop-mediated isothermal amplification assays for screening of bacterial integrons. 2014 , 47, 53	3
163	Loop-mediated isothermal amplification assay for rapid diagnosis of malaria infections in an area of endemicity in Thailand. 2014 , 52, 1471-7	32
162	Development of a loop-mediated isothermal amplification assay for detection of <i>Trichomonas vaginalis</i> . 2014 , 79, 337-41	18
161	Rapid and simple detection of methicillin-resistance <i>Staphylococcus aureus</i> by orfX loop-mediated isothermal amplification assay. 2014 , 14, 8	24
160	Loop-mediated isothermal amplification (LAMP) assays for detection and identification of aquaculture pathogens: current state and perspectives. 2014 , 98, 2881-95	29
159	Simultaneous elimination of carryover contamination and detection of DNA with uracil-DNA-glycosylase-supplemented loop-mediated isothermal amplification (UDG-LAMP). 2014 , 50, 3747-9	110
158	Development and evaluation of ITS- and aFlP-based LAMP assays for rapid detection of <i>Aspergillus flavus</i> in food samples. 2014 , 60, 579-84	5
157	Microfluidic chip for rapid analysis of cerebrospinal fluid infected with <i>Staphylococcus aureus</i> . 2014 , 6, 2015-2019	9
156	Advances in loop-mediated isothermal amplification: integrated with several point-of-care diagnostic methods. 2014 , 6, 7585-7589	11
155	Loop-mediated isothermal amplification assay for 16S rRNA methylase genes in Gram-negative bacteria. 2014 , 20, 635-8	7
154	Electrical detection of nucleic acid amplification using an on-chip quasi-reference electrode and a PVC REFET. 2014 , 86, 6968-75	28
153	Development and evaluation of a one step reverse transcription-loop mediated isothermal amplification assay (RT-LAMP) for rapid detection of foot and mouth disease virus in India. 2014 , 25, 358-64	10
152	Ultrasensitive electrochemiluminescent aptasensor for ochratoxin A detection with the loop-mediated isothermal amplification. 2014 , 811, 70-5	46
151	SAS molecular tests <i>Salmonella</i> detection kit. Performance tested method 021202. 2014 , 97, 808-19	4
150	SAS molecular tests <i>Escherichia coli</i> O157 detection kit. Performance tested method 031203. 2014 , 97, 798-807	2
149	Rapid detection of BoHV-1 genomic DNA by loop-mediated isothermal amplification assay. <i>Journal of Virological Methods</i> , 2014 , 204, 81-5	2.6 6

148	Recent advances in molecular diagnostics of hepatitis B virus. 2014 , 20, 14615-25	23
147	Cross-priming amplification for detection of bovine viral diarrhoea virus species 1 and 2. 2015 , 119, 632-9	13
146	Isothermal Amplification and Quantification of Nucleic Acids and its Use in Microsystems. 2015 , 06,	9
145	The Novel Multiple Inner Primers-Loop-Mediated Isothermal Amplification (MIP-LAMP) for Rapid Detection and Differentiation of <i>Listeria monocytogenes</i> . 2015 , 20, 21515-31	19
144	Rapid and quantitative detection of hepatitis B virus. 2015 , 21, 11954-63	21
143	Development of a pan-serotype reverse transcription loop-mediated isothermal amplification assay for the detection of dengue virus. 2015 , 83, 30-6	14
142	Visual detection of isothermal nucleic acid amplification using pH-sensitive dyes. 2015 , 58, 59-68	299
141	Microfluidic method for rapid turbidimetric detection of the DNA of <i>Mycobacterium tuberculosis</i> using loop-mediated isothermal amplification in capillary tubes. 2015 , 182, 523-530	27
140	Exponential amplification of DNA with very low background using graphene oxide and single-stranded binding protein to suppress non-specific amplification. 2015 , 182, 1095-1101	18
139	Method for colorimetric detection of double-stranded nucleic acid using leuco triphenylmethane dyes. 2015 , 473, 28-33	66
138	Multiple Endonuclease Restriction Real-Time Loop-Mediated Isothermal Amplification: A Novel Analytically Rapid, Sensitive, Multiplex Loop-Mediated Isothermal Amplification Detection Technique. 2015 , 17, 392-401	41
137	Isothermal Detection of <i>Mycoplasma pneumoniae</i> Directly from Respiratory Clinical Specimens. 2015 , 53, 2970-6	22
136	Development of a loop-mediated isothermal amplification method for the rapid detection of the dioxin-degrading bacterium <i>Ochrobactrum anthropi</i> in soil. 2015 , 160, 263-70	12
135	Real-time duplex applications of loop-mediated AMPlification (LAMP) by assimilating probes. 2015 , 16, 4786-99	45
134	Plant Pathology. <i>Methods in Molecular Biology</i> , 2015 ,	1.4 2
133	Development and comparative evaluation of loop mediated isothermal amplification (LAMP) assay for simple visual detection of orf virus in sheep and goats. 2015 , 29, 193-5	10
132	Loop-Mediated Isothermal Amplification (LAMP) for Detection of Phytoplasmas in the Field. <i>Methods in Molecular Biology</i> , 2015 , 1302, 99-111	1.4 14
131	Recent trends in the detection of pathogenic <i>Escherichia coli</i> O157 : H7. 2015 , 9, 173-181	22

130	Advanced loop-mediated isothermal amplification method for sensitive and specific detection of Tomato chlorosis virus using a uracil DNA glycosylase to control carry-over contamination. <i>Journal of Virological Methods</i> , 2015 , 213, 68-74	2.6	49
129	Reverse transcription loop-mediated isothermal amplification assay for detecting tomato chlorosis virus. <i>Journal of Virological Methods</i> , 2015 , 213, 93-7	2.6	32
128	The development and evaluation of cross-priming amplification for the detection of avian reovirus. 2015 , 118, 528-36		14
127	Development of the Novel Loop Mediated Isothermal Amplification (LAMP) of IS711 Sequence for Rapid Detection of Brucella Species. 2015 , 85, 685-691		
126	Advances in isothermal amplification: novel strategies inspired by biological processes. 2015 , 64, 196-211		154
125	Molecular methods for microbiological quality control of meat and meat products: a review. 2015 , 55, 1315-9		2
124	Rapid Identification of Officinal Akebiae Caulis and Its Toxic Adulterant Aristolochiae Manshuriensis Caulis (Aristolochia manshuriensis) by Loop-Mediated Isothermal Amplification. 2016 , 7, 887		13
123	A Versatile Multiple Target Detection System Based on DNA Nano-assembled Linear FRET Arrays. <i>Scientific Reports</i> , 2016 , 6, 26879	4.9	14
122	Development of a loop-mediated isothermal amplification method for rapid detection of streptococcal pyrogenic exotoxin B. 2016 , 117, 53-8		2
121	Development and evaluation of probe based real time loop mediated isothermal amplification for Salmonella: A new tool for DNA quantification. 2016 , 126, 24-9		28
120	Clinical Microbiology. 2016 , 438-472		
119	Immobilization-free DNA-based homogeneous electrochemical biosensors. 2016 , 85, 17-32		34
118	On-chip electrical detection of parallel loop-mediated isothermal amplification with DG-BioFETs for the detection of foodborne bacterial pathogens. 2016 , 6, 103872-103887		16
117	Ultimate Single-Copy DNA Detection Using Real-Time Electrochemical LAMP. 2016 , 1, 904-912		36
116	Rapid and specific detection of Tilletia indica using loop-mediated isothermal DNA amplification. 2016 , 45, 361-367		14
115	Development of a loop-mediated isothermal amplification assay for rapid and sensitive detection of Sporisorium scitamineum in sugarcane. 2016 , 168, 321-327		12
114	Loop-Mediated Isothermal Amplification of the sefA Gene for Rapid Detection of Salmonella Enteritidis and Salmonella Gallinarum in Chickens. 2016 , 13, 177-81		14
113	Rapid and quantitative detection of Pythium inflatum by real-time fluorescence loop-mediated isothermal amplification assay. 2016 , 144, 83-95		6

112	Reverse transcription loop-mediated isothermal amplification for rapid and quantitative assay of covert mortality nodavirus in shrimp. 2017 , 150, 130-135	8
111	Development of Loop-Mediated Isothermal Amplification Assay Based on 6b Gene Sequence for Rapid Detection of <i>Pasteurella multocida</i> B:2. 2017 , 87, 1377-1384	1
110	Development of a high-throughput centrifugal loop-mediated isothermal amplification microdevice for multiplex foodborne pathogenic bacteria detection. 2017 , 246, 146-153	39
109	Modern Methods of Diagnosis. 2017 , 109-145	2
108	Rapid diagnosis of soybean anthracnose caused by <i>Colletotrichum truncatum</i> using a loop-mediated isothermal amplification (LAMP) assay. 2017 , 148, 785-793	11
107	Accelerated isothermal nucleic acid amplification in betaine-free reaction. 2017 , 530, 1-4	12
106	A loop-mediated isothermal amplification (LAMP) assay for the rapid detection of <i>Enterococcus</i> spp. in water. 2017 , 122, 62-69	42
105	Rapid detection of tomato leaf curl Bengaluru virus through loop mediated isothermal amplification assay. 2017 , 28, 303-308	9
104	Loop-mediated isothermal amplification (LAMP): A novel rapid detection platform for pathogens. 2017 , 107, 54-61	109
103	Unusual isothermal multimerization and amplification by the strand-displacing DNA polymerases with reverse transcription activities. <i>Scientific Reports</i> , 2017 , 7, 13928	4.9 17
102	Development of a real-time fluorescence loop-mediated isothermal amplification assay for rapid and quantitative detection of <i>Ustilago maydis</i> . <i>Scientific Reports</i> , 2017 , 7, 13394	4.9 17
101	Emerging Biorecognition and Transduction Schemes for Rapid Detection of Pathogenic Bacteria in Food. 2017 , 16, 1188-1205	40
100	The use of loop-mediated isothermal DNA amplification for the detection and identification of the anthrax pathogen. 2017 , 32, 100-108	4
99	Development of a Loop-Mediated Isothermal Amplification Assay for the Detection of <i>Dickeya</i> spp. 2017 , 107, 1339-1345	11
98	Direct detection of various pathogens by loop-mediated isothermal amplification assays on bacterial culture and bacterial colony. 2017 , 102, 1-7	17
97	Improved Performance of Loop-Mediated Isothermal Amplification Assays via Swarm Priming. 2017 , 89, 625-632	25
96	Advances in single-particle detection for DNA sensing. 2017 , 60, 1285-1292	6
95	Loop-mediated isothermal amplification (LAMP) : A rapid molecular diagnosis technique for detection of human pathogens. 2017 , 07, 042-048	0

94	Development of Loop-Mediated Isothermal Amplification Assays for the Detection of Seedborne Fungal Pathogens <i>Fusarium fujikuroi</i> and <i>Magnaporthe oryzae</i> in Rice Seed. <i>Plant Disease</i> , 2018 , 102, 1549-1558	1.5	17
93	Rapid and Specific Detection of <i>Escherichia coli</i> O157:H7 in Ground Beef Using Immunomagnetic Separation Combined with Loop-Mediated Isothermal Amplification. 2018 , 68, 115-123		4
92	High flux isothermal assays on pathogenic, virulent and toxic genetics from various pathogens. 2018 , 116, 68-72		2
91	Development of mRNA-based body fluid identification using reverse transcription loop-mediated isothermal amplification. 2018 , 410, 4371-4378		5
90	Establishment of a Multiplex Loop-Mediated Isothermal Amplification Method for Rapid Detection of Sulfonamide Resistance Genes (<i>sul1</i> , <i>sul2</i> , <i>sul3</i>) in Clinical Enterobacteriaceae Isolates from Poultry. 2018 , 15, 413-419		3
89	Rapid detection and subtyping of human papillomaviruses in condyloma acuminatum using loop-mediated isothermal amplification with hydroxynaphthol blue dye. 2018 , 75, 110-115		7
88	Virulence and resistance on various pathogens mediated by mobile genetic integrons via high flux assays. 2018 , 114, 75-79		1
87	Loop-mediated isothermal amplification (LAMP): a versatile technique for detection of micro-organisms. 2018 , 124, 626-643		227
86	Clinical evaluation of the loop-mediated isothermal amplification assay for the detection of common lower respiratory pathogens in patients with respiratory symptoms. 2018 , 97, e13660		4
85	The development and deployment of a field-based loop mediated isothermal amplification assay for virulent <i>Dichelobacter nodosus</i> detection on Australian sheep. <i>PLoS ONE</i> , 2018 , 13, e0204310	3.7	11
84	Detection of Hepatitis B Virus DNA among Chronic and potential Occult HBV patients in resource-limited settings by Loop-Mediated Isothermal Amplification assay. 2018 , 25, 1306-1311		11
83	The development and application of a duplex reverse transcription loop-mediated isothermal amplification assay combined with a lateral flow dipstick method for <i>Macrobrachium rosenbergii</i> nodavirus and extra small virus isolated in China. 2018 , 40, 1-7		5
82	Development of a loop-mediated isothermal amplification assay for sensitive and specific detection of <i>Fusarium oxysporum</i> f. sp. <i>cucumerinum</i> Owen. 2018 , 46, 283-293		4
81	Molecular Pharmacognosy: A New Borderline Discipline Between Molecular Biology and Pharmacognosy. 2018 , 665-720		3
80	Development of probe-based real-time loop-mediated isothermal amplification for detection of <i>Brucella</i> . 2019 , 126, 1332-1339		6
79	Multiplex Detection of Nucleic Acids Using Recombinase Polymerase Amplification and a Molecular Colorimetric 7-Segment Display. 2019 , 4, 11388-11396		14
78	Utilizing multiplex fluor LAMPs to illuminate multiple gene expressions in situ. <i>PLoS ONE</i> , 2019 , 14, e0223333	3.7	3
77	Self-digitization chip for quantitative detection of human papillomavirus gene using digital LAMP. 2019 , 19, 1035-1040		22

76	Development of a reverse transcription-loop- mediated isothermal amplification (LAMP) assay for the rapid detection of onion yellow dwarf virus. <i>Journal of Virological Methods</i> , 2019 , 271, 113680	2.6	6
75	A Loop-Mediated Isothermal Amplification Assay for Rapid Detection of that Causes Soft Rot in Konjac. 2019 , 20,		12
74	Rapid and sensitive detection of Senecavirus A by reverse transcription loop-mediated isothermal amplification combined with a lateral flow dipstick method. <i>PLoS ONE</i> , 2019 , 14, e0216245	3.7	4
73	Rapid detection of Tobacco streak virus (TSV) in cotton (<i>Gossypium hirsutum</i>) based on Reverse Transcription Loop Mediated Isothermal Amplification (RT-LAMP). <i>Journal of Virological Methods</i> , 2019 , 270, 21-25	2.6	10
72	Development of an RT-LAMP assay for the detection of Lassa viruses in southeast and south-central Nigeria. <i>Journal of Virological Methods</i> , 2019 , 269, 30-37	2.6	4
71	Panel of three loop-mediated isothermal amplification assays differentiates <i>Rathayibacter toxicus</i> populations RT-I, RT-II, RT-III, RT-IV and RT-V. 2019 , 101, 707-717		0
70	Development of a loop-mediated isothermal amplification assay for the detection of chicken anemia virus. 2019 , 98, 1176-1180		0
69	Development of a reverse transcription loop-mediated isothermal amplification assay for rapid and visual detection of Sugarcane streak mosaic virus in sugarcane. 2019 , 119, 38-45		7
68	Specific and sensitive detection of the guava fruit anthracnose pathogen () by loop-mediated isothermal amplification (LAMP) assay. 2020 , 66, 17-24		4
67	Loop-mediated isothermal amplification assay for the detection of <i>Plasmopara viticola</i> infecting grapes. 2020 , 168, 144-155		1
66	Droplet and Microchamber-Based Digital Loop-Mediated Isothermal Amplification (dLAMP). 2020 , 16, e1904469		20
65	Development of a test kit for visual loop-mediated isothermal amplification of <i>Salmonella</i> in spiked ready-to-eat fruits and vegetables. 2020 , 169, 105830		8
64	Loop-mediated amplification as promising on-site detection approach for <i>Legionella pneumophila</i> and <i>Legionella</i> spp. 2020 , 104, 405-415		6
63	Rapid detection of <i>Galba truncatula</i> in water sources on pasture-land using loop-mediated isothermal amplification for control of trematode infections. 2020 , 13, 496		4
62	Rapid detection of rifampicin-resistant <i>Mycobacterium tuberculosis</i> , based on isothermal DNA amplification and DNA chromatography. 2020 , 177, 106062		4
61	Analysis of Dynamics of a Biphasic Isothermal DNA Amplification Reaction. 2020 , 80, 2071-2097		0
60	A lab-on-chip device for the sample-in-result-out detection of viable <i>Salmonella</i> using loop-mediated isothermal amplification and real-time turbidity monitoring. 2020 , 20, 2296-2305		30
59	Loop-Mediated Isothermal Amplification for Screening <i>Salmonella</i> in Animal Food and Confirming <i>Salmonella</i> from Culture Isolation. 2020 ,		4

58	Rapid detection of the <i>Streptococcus mutans</i> <i>cnm</i> gene by loop-mediated isothermal amplification. 2020 , 605, 113812		3
57	Recent trends in molecular techniques for food pathogen detection. 2020 , 177-285		1
56	Improvement of Loop-Mediated Isothermal Amplification Combined with Chromatographic Flow Dipstick Assay for Salmonella in Food Samples. 2020 , 13, 1398-1408		0
55	Rapid and highly sensitive detection of <i>Escherichia coli</i> O157:H7 in food with loop-mediated isothermal amplification coupled to a new bioluminescent assay. 2020 , 41, 1793-1803		4
54	Loop Mediated Isothermal Amplification: Principles and Applications in Plant Virology. 2020 , 9,		52
53	Development of a visible loop mediated isothermal amplification assay for rapid detection of <i>Bacillus anthracis</i> . 2021 , 69, 59-65		1
52	A Novel Approach to the Bioluminescent Detection of the SARS-CoV-2 ORF1ab Gene by Coupling Isothermal RNA Reverse Transcription Amplification with a Digital PCR Approach. 2021 , 22,		2
51	Molecular evaluation of <i>Toxocara</i> species in stray cats using loop-mediated isothermal amplification (lamp) technique as a rapid, sensitive and simple screening assay. 2021 , 7, 647-653		2
50	The Loop-Mediated Isothermal Amplification Technique in Periodontal Diagnostics: A Systematic Review. 2021 , 10,		2
49	Development of a loop-mediated isothermal amplification assay for the detection of <i>Tilletia controversa</i> based on genome comparison. <i>Scientific Reports</i> , 2021 , 11, 11611	4.9	1
48	Rapid quantification of fecal indicator bacteria in water using the most probable number - loop-mediated isothermal amplification (MPN-LAMP) approach on a polymethyl methacrylate (PMMA) microchip. 2021 , 199, 117172		3
47	Loop-Mediated Isothermal Amplification (LAMP): The Better Sibling of PCR?. 2021 , 10,		13
46	Isothermal Nucleic Acid Amplification Technologies for the Detection of Equine Viral Pathogens. 2021 , 11,		0
45	Recent advances in nucleic acid analysis and detection with microfluidic and nanofluidics. 2022 , 199-233		
44	Detection of fish pathogens by loop-mediated isothermal amplification (LAMP) technique. <i>Methods in Molecular Biology</i> , 2015 , 1247, 163-73	1.4	8
43	Real-Time LAMP for <i>Chalara fraxinea</i> Diagnosis. <i>Methods in Molecular Biology</i> , 2015 , 1302, 75-83	1.4	3
42	DNA-Based Authentication of TCM-Plants: Current Progress and Future Perspectives. 2013 , 27-85		6
41	Use of Airborne Inoculum Detection for Disease Management Decisions. 2014 , 39-54		7

40	Diverse Molecular Techniques for Early Diagnosis of COVID-19 and Other Coronaviruses. <i>Medical Virology</i> , 2020 , 135-159	6.6	2
39	RT-LAMP assay: an alternative approach for profiling of bovine heat shock protein 70 gene in PBMC cultured model. <i>Molecular Biology Reports</i> , 2017 , 44, 281-287	2.8	3
38	DETECTION OFFUSARIUM OXYSPOUMF. SP. ELAEIDIS CAUSING FUSARIUM WILT OF OIL PALM USING LOOP-MEDIATED ISOTHERMAL AMPLIFICATION (LAMP).		1
37	Detection of Clostridium perfringens alpha toxin gene in lambs by loop mediated isothermal amplification. <i>Veterinary World</i> , 2016 , 9, 60-4	1.7	5
36	Megalocytiviruses in ornamental fish: A review. <i>Veterinary World</i> , 2020 , 13, 2565-2577	1.7	5
35	Development and evaluation of a loop-mediated isothermal amplification (LAMP) assay for rapid detection of Actinobacillus pleuropneumoniae based the dsbE-like gene. <i>Pesquisa Veterinaria Brasileira</i> , 2012 , 32, 757-760	0.4	4
34	Loop-mediated isothermal amplification: an effective method for express-diagnostics of cancer. <i>Onkourologiya</i> , 2018 , 14, 88-99	0.5	5
33	Loop-Mediated Isothermal Amplification (LAMP). 2004 , 745-749		1
32	ABO genotyping by Loop-Mediated Isothermal Amplification (LAMP). <i>Japanese Journal of Forensic Science and Technology</i> , 2009 , 14, 1-9	0.1	1
31	Applications of Loop-Mediated Isothermal Amplification Methods (LAMP) for Identification and Diagnosis of Mycotic Diseases: Paracoccidioidomycosis and Ochroconis gallopava infection. 2010 , 417-437		1
30	Loop-mediated isothermal amplification assay for differentiation of Mycobacterium bovis and M. tuberculosis. <i>Korean Journal of Veterinary Service</i> , 2013 , 36, 79-86		2
29	Loop-mediated isothermal amplification assay for the detection of Salmonella spp. in pig feces. <i>Korean Journal of Veterinary Research</i> , 2014 , 54, 113-115		
28	The Detection of Tuberculosis by Loop-Mediated Isothermal Amplification (LAMP) Combined with a Lateral Flow Dipstick. <i>Advances in Chemical and Materials Engineering Book Series</i> , 2015 , 269-300	0.2	
27	Combining Isothermal Amplification Techniques: Coupled RCA-LAMP. 2016 , 57-63		
26	Gram Stain and Molecular Method for the Diagnosis of Bacterial Pneumonia. <i>Chinese Medical Journal</i> , 2016 , 129, 1884	2.9	1
25	Rapid Detection of Streptococcus agalactiae Infection Using a Loop-Mediated Isothermal Amplification Method. <i>Jundishapur Journal of Microbiology</i> , 2016 , 9,	1.2	1
24	Rapid visualization and detection of Staphylococcus aureus based on loop-mediated isothermal amplification. <i>World Journal of Microbiology and Biotechnology</i> , 2021 , 37, 209	4.4	2
23	Simple and Feasible Detection of Hepatitis B Virus Combination of Multienzyme Isothermal Rapid Amplification and Lateral Flow Dipstick Strip.. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 763079	5.6	0

22	Genomic attributes and recent advances in detection of white spot syndrome virus in shrimp: a review. <i>Marine Biology Research</i> , 1-21	1	
21	Development and Implementation of a Simple and Rapid Extraction-Free Saliva SARS-CoV-2 RT-LAMP Workflow for Workplace Surveillance.		0
20	Genome-informed design of a LAMP assay for the specific detection of the strain of <i>Candidatus</i> Phytoplasma P. asterisPhytoplasma occurring in grapevines in South Africa.. <i>Plant Disease</i> , 2022 ,	1.5	
19	eDNA-based detection of the invasive crayfish <i>Pacifastacus leniusculus</i> in streams with a LAMP assay using dependent replicates to gain higher sensitivity.. <i>Scientific Reports</i> , 2022 , 12, 6553	4.9	0
18	Development of Loop Mediated Isothermal Amplification (LAMP): A new tool for rapid diagnosis of cotton leaf curl viral disease.. <i>Journal of Virological Methods</i> , 2022 , 114541	2.6	
17	Development and implementation of a simple and rapid extraction-free saliva SARS-CoV-2 RT-LAMP workflow for workplace surveillance. <i>PLoS ONE</i> , 2022 , 17, e0268692	3.7	0
16	Development and Clinical Application of a Rapid and Visual Loop-Mediated Isothermal Amplification Test for tetM gene in <i>Clostridioides difficile</i> Strains Cultured from Feces. <i>International Journal of Infectious Diseases</i> , 2022 ,	10.5	0
15	Diagnosis and control of cryptosporidiosis in farm animals. <i>Journal of Parasitic Diseases</i> ,	1.3	1
14	Recent molecular techniques for the diagnosis of Zika and Chikungunya infections: A systematic review. 2022 , 8, e10225		
13	Development of Colorimetric Reverse Transcription Loop-Mediated Isothermal Amplification Assay for Detecting Feline Coronavirus. 2022 , 12, 2075		2
12	Red sea bream iridoviral disease. 2022 , 247-266		0
11	Application and evaluation of Loop Mediated Isothermal Amplification (LAMP) diagnostic assay for detection of Enterohemorrhagic <i>Escherichia Coli</i> (O157:H7).		0
10	A review of molecular diagnoses of bacterial fish diseases.		1
9	Developing a Loop-Mediated Isothermal Amplification Assay for the Rapid Detection of Seven Respiratory Viruses including SARS-CoV-2. 2022 , 58, 1224		0
8	Detection and Identification of Soil-Borne Pathogens: Classical to Recent Updates. 2022 , 1-45		0
7	Loop-mediated isothermal amplification-microfluidic chip for the detection of <i>Trichophyton</i> infection. 13,		0
6	Development of Loop-Mediated Isothermal Amplification (LAMP) Assay for Specific and Sensitive Detection of <i>Mycocentrospora acerina</i> (Hart.) Causing Round Leaf Spot Disease in Sanqi (<i>Panax notoginseng</i>). 2022 , 8, 1060		0
5	Point-of-Care Diagnostic Platforms for Loop-Mediated Isothermal Amplification. 2201174		1

4	Development of a loop-mediated isothermal amplification assay for detection of Austropeplea tomentosa from environmental water samples. 2022 , 2,	o
3	Shining a LAMP on the applications of isothermal amplification for monitoring environmental biosecurity. 82, 119-144	o
2	Clinical Validation of a Colorimetric Loop-Mediated Isothermal Amplification Using a Portable Device for the Rapid Detection of SARS-CoV-2. 2023 , 13, 1355	o
1	Auto Flow-Focusing Droplet Reinjection Chip-Based Integrated Portable Droplet System (iPODs).	o