

CITATION REPORT

List of articles citing

Diagnostic Accuracy of the Anti-Citrulline Antibody Assay for Rheumatoid Arthritis

DOI: 10.1093/clinchem/47.6.1089
Clinical Chemistry, 2001, 47, 1089-1093.

Source: <https://exaly.com/paper-pdf/32636309/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
231	Prevalence and clinical significance of anti-cyclic citrullinated peptide antibodies in juvenile idiopathic arthritis. 2002 , 61, 608-11		54
230	Diagnostic tests for rheumatoid arthritis: comparison of anti-cyclic citrullinated peptide antibodies, anti-keratin antibodies and IgM rheumatoid factors. 2002 , 41, 809-14		94
229	Autoantibody systems in rheumatoid arthritis: specificity, sensitivity and diagnostic value. 2002 , 4, 87-93		257
228	Use of [Cit312,314] filaggrin (306B24) analogue for the diagnosis of rheumatoid arthritis. Conformational study by circular dichroism and fourier transformed infrared spectroscopy. 2002 , 9, 291-300		1
227	Identification of auto-antibodies in the sera of patients with rheumatoid arthritis. 2003 , 25, 2049-53		1
226	Assessment of serological markers associated with rheumatoid arthritis. 2003 , 4, 109-123		13
225	Defects in the regulation of B cell apoptosis are required for the production of citrullinated peptide autoantibodies in mice. 2003 , 48, 2353-61		24
224	Peptidylarginine deiminase type 4: identification of a rheumatoid arthritis-susceptible gene. 2003 , 9, 503-8		41
223	Les anticorps antipeptides cycliques citrullinés: intérêt dans la polyarthrite rhumatoïde. 2003 , 18, 41-45		1
222	[Autoantibodies in the diagnosis of rheumatoid arthritis. Utility of anti-cyclic citrullinated peptides]. 2003 , 121, 619-24		1
221	Prevalence and clinical significance of anti-cyclic citrullinated peptide and antikeratin antibodies in palindromic rheumatism. An abortive form of rheumatoid arthritis?. 2003 , 42, 972-5		50
220	Radiological progression in early rheumatoid arthritis after DMARDs: a one-year follow-up study in a clinical setting. 2003 , 42, 1044-9		34
219	High diagnostic performance of ELISA detection of antibodies to citrullinated antigens in rheumatoid arthritis. 2003 , 32, 197-204		124
218	Anti-cyclic citrullinated peptide antibodies, IgM and IgA rheumatoid factors in the diagnosis and prognosis of rheumatoid arthritis. 2003 , 42, 677-80		133
217	The STARD statement for reporting studies of diagnostic accuracy: explanation and elaboration. <i>Clinical Chemistry</i> , 2003 , 49, 7-18	5.5	797
216	Clinical epidemiology: diagnostic and prognostic tests. 2003 , 15, 104-9		4
215	Airborne dispersal of <i>Staphylococcus aureus</i> associated with symptomatic rhinitis allergica. 2003 , 139, W-W60		8

214	The STARD statement for reporting studies of diagnostic accuracy: explanation and elaboration. 2003 , 138, W1-12	789
213	Angioedema as a complication of upper endoscopy. 2003 , 139, W-W62	1
212	Anti-cyclic citrullinated peptide antibodies in advanced rheumatoid arthritis. 2003 , 139, 234-5	33
211	Severe neutropenia and thrombocytopenia associated with infliximab. 2003 , 139, W-W63	50
210	The Relative Safety of Ephedra Compared with Other Herbal Products. 2003 , 139, 234	7
209	Rheumatoid factor and anticitrullinated protein antibodies in rheumatoid arthritis: diagnostic value, associations with radiological progression rate, and extra-articular manifestations. 2004 , 63, 1587-93	211
208	Evaluation of anti-citrullinated filaggrin antibodies as hallmarks for the diagnosis of rheumatic diseases. 2004 , 63, 415-9	79
207	Methodology in diagnostic laboratory test research in clinical chemistry and clinical chemistry and laboratory medicine. <i>Clinical Chemistry</i> , 2004 , 50, 530-6	5.5 16
206	Diagnostic characteristics of a gelatin based Waaler-Rose assay (Serodia-RA) for the detection of rheumatoid factor. 2004 , 63, 1169-71	5
205	Diagnostic accuracy of anti-cyclic citrullinated peptide antibodies in juvenile idiopathic arthritis. 2004 , 63, 1687-9	46
204	Antibody response to the human stress protein BiP in rheumatoid arthritis. 2004 , 43, 1283-7	36
203	Diagnostic and prognostic values of anti glucose-6-phosphate isomerase antibodies in community-recruited patients with very early arthritis. 2004 , 137, 606-11	16
202	Anti-CCP antibodies, a highly specific marker for (early) rheumatoid arthritis. 2004 , 4, 239-262	70
201	La polyarthrite rhumatoïde ^ dbut tardif. 2004 , 71, 475-479	
200	Second generation anti-cyclic citrullinated peptide (anti-CCP2) antibodies can replace other anti-filaggrin antibodies and improve rheumatoid arthritis diagnosis. 2004 , 33, 218-20	17
199	Anti-cyclic citrullinated peptide antibodies are highly associated with severe bone lesions in rheumatoid arthritis anti-CCP and bone damage in RA. 2004 , 37, 495-501	38
198	Expression and activity of citrullinating peptidylarginine deiminase enzymes in monocytes and macrophages. 2004 , 63, 373-81	313
197	Decrease of anti-cyclic citrullinated peptide antibodies and rheumatoid factor following anti-TNFalpha therapy (infliximab) in rheumatoid arthritis is associated with clinical improvement. 2004 , 63, 1218-21	138

196	The clinical value of intracellular autoantigens B-cell epitopes in systemic rheumatic diseases. 2004 , 340, 1-25	52
195	Autoantibodies to citrullinated proteins in rheumatoid arthritis: clinical performance and biochemical aspects of an RA-specific marker. 2004 , 350, 17-34	87
194	History and diagnostic value of antibodies to citrullinated proteins in rheumatoid arthritis. 2004 , 17, 107-16	14
193	Antibodies to cyclic citrullinated peptide in patients with chronic arthritis attending an arthritis-monitoring clinic. 2005 , 11, 150-2	3
192	Clinical significance of anti-CCP antibodies in rheumatoid arthritis. 2005 , 44, 1122-6	48
191	[Examination of rheumatoid factor and other serum markers in rheumatoid arthritis]. 2005 , 125, 881-7	
190	Association of anti-cyclic citrullinated peptide antibodies, anti-citrullin antibodies, and IgM and IgA rheumatoid factors with serological parameters of disease activity in rheumatoid arthritis. 2005 , 1050, 295-303	68
189	Multiplexed immunoassay for detection of rheumatoid factors by FIDISTM technology. 2005 , 1050, 357-63	7
188	Additional diagnostic and clinical value of anti-cyclic citrullinated peptide antibodies compared with rheumatoid factor isotypes in rheumatoid arthritis. 2005 , 4, 389-94	25
187	Blood-based biomarkers for detecting mild osteoarthritis in the human knee. 2005 , 13, 861-71	39
186	Anti-CCP and antikeratin antibodies in rheumatoid arthritis, primary Sjögren's syndrome, and Wegener's granulomatosis. 2005 , 24, 673-6	33
185	Citrullinated proteins in rheumatoid arthritis. 2005 , 10, 54-64	54
184	. 2005 ,	1
183	Polymorphism at position -308 of the tumour necrosis factor alpha gene and rheumatoid arthritis pharmacogenetics. 2005 , 64, 793-4	54
182	Anti-CCP: history and its usefulness. 2005 , 12, 131-5	15
181	Takayasu's arteritis with aortic aneurysm associated with Sweet's syndrome in childhood. 2005 , 64, 168-9	20
180	C reactive protein: protecting from lupus in familial Mediterranean fever. 2005 , 64, 786-7	14
179	Juvenile idiopathic arthritis associated with autoimmune hepatitis type 2. 2005 , 64, 157-8	4

178	Reactivation of a latent precore mutant hepatitis B virus related chronic hepatitis during infliximab treatment for severe spondyloarthritis. 2005 , 64, 788-9	87
177	Brucellosis as a cause of carpal tunnel syndrome. 2005 , 64, 792-3	4
176	Autoantibodies to citrullinated proteins: ACPA. 2005 , 38, 17-24	51
175	Rheumatoid arthritis in Poland and Lithuania: different clinical course and HLA associations despite similar genetic background. 2005 , 64, 165-6	2
174	Use of herbal remedies and potential drug interactions in rheumatology outpatients. 2005 , 64, 790	9
173	Chemotherapeutic induced fascial oedema. 2005 , 64, 162-3	1
172	Prevalence of anti-cyclic citrullinated peptide and anti-keratin antibodies in patients with primary Sjögren's syndrome. 2005 , 64, 114-7	114
171	Lambert-Eaton myasthenic syndrome and undifferentiated connective tissue disease in a patient carrying the 8.1 ancestral haplotype. 2005 , 64, 167-8	
170	Absence of fetal cell microchimerism in cutaneous lesions of lupus erythematosus. 2005 , 64, 159-60	31
169	Classification and diagnostic criteria for psoriatic arthritis. 2005 , 64 Suppl 2, ii3-8	121
168	Anti-cyclic citrullinated peptide antibodies in patients with primary Sjögren's syndrome. 2005 , 64, 791-2	21
167	HLA-DRB1 and anti-cyclic citrullinated peptide antibody production in rheumatoid arthritis. 2005 , 137, 315-8	10
166	Efficacy of three ELISA measurements of anti-cyclic citrullinated peptide antibodies in the early diagnosis of rheumatoid arthritis. 2005 , 43, 1234-9	24
165	Fibroblastic rheumatism: a Scandinavian case report. 2005 , 64, 156-7	14
164	Iron deficiency anaemia in chronic inflammatory rheumatic diseases: low mean cell haemoglobin is a better marker than low mean cell volume. 2005 , 64, 787-8	7
163	Cerebral vasculitis as a primary manifestation of systemic lupus erythematosus. 2005 , 64, 784-6	17
162	Genetic and genomic studies of PADI4 in rheumatoid arthritis. 2005 , 44, 869-72	61
161	Diagnostic value of anti-cyclic citrullinated peptide antibodies to detect rheumatoid arthritis in patients with Sjögren's syndrome. 2005 , 64, 160-2	14

160	Risk factors for accelerated atherosclerosis in patients with systemic lupus erythematosus. 2005 , 64, 163-4		10
159	Diagnostik und Prognostik der frühen rheumatoiden Arthritis unter besonderer Berücksichtigung der Labor-Analytik Diagnosis and prognosis of early rheumatoid arthritis, with special emphasis on laboratory analysis. 2005 , 29, 251-256		
158	Anti-citrullinated collagen type I antibody is a target of autoimmunity in rheumatoid arthritis. 2005 , 333, 418-26		54
157	Recurrent auricular chondritis and cartilage repair. 2005 , 64, 783-4		10
156	Diagnostic and predictive value of anti-cyclic citrullinated protein antibodies in rheumatoid arthritis: a systematic literature review. 2006 , 65, 845-51		309
155	Angiotensin converting enzyme (ACE) gene polymorphisms and lupus disease severity: a promising link. 2005 , 64, 164-5		10
154	[Value of anti-cyclic citrullinated peptides antibodies in comparison with rheumatoid factor for rheumatoid arthritis diagnosis]. 2005 , 53, 63-7		3
153	Serum 25-hydroxyvitamin D is unaffected by multiple freeze-thaw cycles. <i>Clinical Chemistry</i> , 2005 , 51, 258-61	5.5	100
152	Diagnostic performance and predictive value of rheumatoid factor, anti-citrullinated peptide antibodies, and the HLA shared epitope for diagnosis of rheumatoid arthritis. <i>Clinical Chemistry</i> , 2005 , 51, 261-3	5.5	17
151	Diagnostic value of anti-human citrullinated fibrinogen ELISA and comparison with four other anti-citrullinated protein assays. 2006 , 8, R122		69
150	Epstein-Barr virus and rheumatoid arthritis: is there a link?. 2006 , 8, 204		64
149	New-onset rheumatoid arthritis after anthrax vaccination. 2006 , 97, 110-2		14
148	Associação do anticorpo anticitrulina e gravidade da artrite reumatóide. 2006 , 46, 165		
147	Valor diagnóstico do anticorpo anti-peptídeo citrulinado cíclico na artrite reumatóide. 2006 , 46, 174		3
146	[Antibodies to citrullinated proteins in rheumatoid arthritis]. 2006 , 29, 49-56		1
145	Autoantibodies in Rheumatoid Arthritis. 2006 , 277-290		
144	Role of anticyclic citrullinated peptide in the diagnosis of early rheumatoid factor-negative suspected rheumatoid arthritis: is it worthwhile to order the test?. 2006 , 12, 172-5		9
143	Anti-cyclic citrullinated peptide (CCP) antibodies in patients with long-standing rheumatoid arthritis and their relationship with extra-articular manifestations. 2006 , 39, 961-5		50

142	Infection and musculoskeletal conditions: Viral causes of arthritis. 2006 , 20, 1139-57		66
141	Anti-CCP antibodies measured at disease onset help identify seronegative rheumatoid arthritis and predict radiological and functional outcome. 2006 , 45, 478-80		105
140	Autoantibodies to intracellular autoantigens and their B-cell epitopes: molecular probes to study the autoimmune response. 2006 , 43, 203-48		35
139	Diagnosis and prognosis of early rheumatoid arthritis, with special emphasis on laboratory analysis. 2006 , 44, 138-43		17
138	Anti-cyclic citrullinated peptide positivity in non-rheumatoid arthritis disease samples: citrulline-dependent or not?. 2007 , 66, 511-6		39
137	Anticyclic citrullinated peptide antibodies in juvenile idiopathic arthritis. <i>Modern Rheumatology</i> , 2006 , 16, 372-375	3-3	12
136	Anti-CCP antibody testing as a diagnostic and prognostic tool in rheumatoid arthritis. 2007 , 100, 193-201		110
135	Anti-citrulline antibodies in the diagnosis and prognosis of rheumatoid arthritis: evolving concepts. 2007 , 44, 339-63		55
134	Performance of automated measurement of antibodies to cyclic citrullinated peptide in the routine clinical laboratory. 2007 , 67, 859-67		2
133	Antibodies to citrullinated peptides: a significant step forward in the early diagnosis of rheumatoid arthritis. 2007 , 45, 150-7		15
132	Analytical and diagnostic characteristics of 11 2nd- and 3rd-generation immunoenzymatic methods for the detection of antibodies to citrullinated proteins. <i>Clinical Chemistry</i> , 2007 , 53, 1527-33	5-5	71
131	Comparison of second- and third-generation anti-cyclic citrullinated peptide antibodies assays for detecting rheumatoid arthritis. 2007 , 386, 76-81		44
130	Diagnostic impact of contemporary biomarker assays for rheumatoid arthritis. 2007 , 36, 97-100		19
129	A genome-wide ordered-subset linkage analysis for rheumatoid arthritis. 2007 , 1 Suppl 1, S101		3
128	Rheumatoid arthritis, item response theory, Blom transformation, and mixed models. 2007 , 1 Suppl 1, S116		10
127	Marcadores de ativação endotelial e auto-anticorpos na artrite reumatóide. 2007 , 47, 411-417		6
126	Are we at a stage to predict autoimmune rheumatic diseases?. 2007 , 56, 1736-44		63
125	Comparative study of anti-CCP and RF for the diagnosis of rheumatoid arthritis. 2007 , 10, 121-124		5

124	Diagnostic value of anti-cyclic citrullinated peptide antibodies in Greek patients with rheumatoid arthritis. 2007 , 8, 37		29
123	Predicting factors for severity of rheumatoid arthritis: a prospective multicenter cohort study of 172 patients over 3 years. 2007 , 27, 1041-8		13
122	Diagnostic performances of anti-cyclic citrullinated peptide antibodies in rheumatoid arthritis. 2007 , 27, 1125-30		20
121	Prevalence and clinical significance of antibodies to citrullinated fibrinogen (ACF) in Chinese patients with rheumatoid arthritis. 2007 , 26, 1505-12		13
120	Anti-CCP antibodies have more diagnostic impact than rheumatoid factor (RF) in a population tested for RF. 2007 , 26, 1883-9		36
119	Magnetic resonance imaging of palindromic rheumatism. 2008 , 29, 87-9		7
118	Diagnostic accuracy of immunoassays for the detection of antibodies to citrullinated proteins. <i>Clinical Reviews in Allergy and Immunology</i> , 2008 , 34, 16-20	12.3	8
117	Prevalence of autoantibodies to cyclic citrullinated peptide in patients with rheumatic diseases other than rheumatoid arthritis: a French multicenter study. <i>Clinical Reviews in Allergy and Immunology</i> , 2008 , 34, 40-4	12.3	24
116	Proteomics in rheumatology: The beginning of a fairy tale?. 2008 , 2, 411-9		5
115	Fine-needle aspiration cytology of a rheumatoid arthritis-associated interstitial lung disease. 2008 , 36, 686-8		2
114	Clinical Trials in Rheumatoid Arthritis and Osteoarthritis. 2008 ,		1
113	[New autoanti-bodies in rheumatoid arthritis: anti-citrullinated protein or peptide autoanti-bodies and the others]. 2008 , 37, 1756-66		4
112	Proteomics in rheumatology. 2008 , 5, 755-9		6
111	The relationship between anti-cyclic citrullinated peptide and bone mineral density and radiographic damage in patients with rheumatoid arthritis. 2008 , 37, 337-42		26
110	The Role of B Cells in Rheumatoid Arthritis. 2009 , 97-106		1
109	Association of ultrasonographic findings of synovitis with anti-cyclic citrullinated Peptide antibodies and rheumatoid factor in patients with palindromic rheumatism during active episodes. 2009 , 28, 1193-9		17
108	[Evaluation of analytical and diagnostic performances of the anti-cyclic citrullinated peptides (anti-CCP) automated assay on Elecsys analyzer]. 2009 , 67, 405-10		
107	Anti-cyclic citrullinated peptide antibodies distinguish hepatitis B virus (HBV)-associated arthropathy from concomitant rheumatoid arthritis in patients with chronic HBV infection. 2009 , 36, 712-6		14

106	Usefulness of anti -CCP antibodies in rheumatic diseases in Indian patients. 2009 , 63, 92-100	9
105	Anti-cyclic citrullinated peptide and anti-keratin antibodies in patients with idiopathic inflammatory myopathy. 2009 , 48, 676-9	13
104	Evaluating epistatic interaction signals in complex traits using quantitative traits. 2009 , 3 Suppl 7, S82	2
103	Assessment of anti-cyclic citrullinated peptide in psoriatic arthritis. 2009 , 2, 44	10
102	A new strategy for the early diagnosis of rheumatoid arthritis: a combined approach. 2009 , 8, 233-7	27
101	Diagnostic and prognostic usefulness of antibodies to citrullinated peptides. 2009 , 76, 343-9	26
100	Anti-citrullinated peptide antibody assays and their role in the diagnosis of rheumatoid arthritis. 2009 , 61, 1472-83	133
99	Association of anti-CCP positivity with serum ferritin and DAS-28. 2009 , 30, 223-7	14
98	Psoriatic arthritis: a review. 2010 , 8, 332-9	11
97	Intérêt diagnostique et pronostique des anticorps dirigés contre les peptides citrullinés. 2009 , 76, 626-633	
96	Proinflammatory cytokine profiles of patients with elderly-onset rheumatoid arthritis: a comparison with younger-onset disease. 2009 , 55, 250-8	55
95	Prevalence of anti cyclic citrullinated peptide antibodies in Malaysian rheumatoid arthritis patients and its correlation with disease activity. <i>International Journal of Rheumatic Diseases</i> , 2009 , 12, 211-5	2.3 13
94	Cartilage Oligomeric Matrix Protein (COMP): A Biomarker of Arthritis. 2009 , 4, 33-44	103
93	Associations of Erosive Arthritis with Anti-Cyclic Citrullinated Peptide Antibodies and MHC Class II Alleles in Systemic Lupus Erythematosus. 2009 , 2009, 27-28	
92	A comparison of performance of anti-cyclic citrullinated peptide 2 and citrullinated protein antibodies in the diagnosis of rheumatoid arthritis in Iranian patients. 2010 , 30, 461-6	7
91	Antibodies directed to cyclic citrullinated peptides in familial Mediterranean fever. 2010 , 30, 467-71	7
90	Is rheumatoid factor still a superior test for the diagnosis of rheumatoid arthritis?. 2010 , 30, 1115-9	8
89	Antibodies against cyclic citrullinated peptides in infectious diseases--a systematic review. 2010 , 29, 1345-51	21

88	Anti-cyclic citrullinated peptide antibodies in juvenile idiopathic arthritis. 2010 , 77, 41-4	16
87	Classification criteria for psoriatic arthritis and ankylosing spondylitis/axial spondyloarthritis. 2010 , 24, 589-604	61
86	Psoriasisarthritis: ein Übersichtsartikel. 2010 , 8, 332-340	14
85	B-cell epitopes of the intracellular autoantigens Ro/SSA and La/SSB: tools to study the regulation of the autoimmune response. 2010 , 35, 256-64	50
84	Diagnostic value of glucose-6-phosphate isomerase in rheumatoid arthritis. 2010 , 411, 2049-53	16
83	Predicting the Progression of Palindromic Rheumatism to Rheumatoid Arthritis: The Role of Ultrasonography and Anti-cyclic Citrullinated Peptide Antibodies. 2010 , 18, 17-26	10
82	Systematic review: accuracy of anti-citrullinated Peptide antibodies for diagnosing rheumatoid arthritis. 2010 , 152, 456-64; W155-66	117
81	Evaluation of three automated enzyme immunoassays for detection of anti-cyclic citrullinated peptide antibodies in qualitative and quantitative aspects. 2010 , 49, 450-7	17
80	Novel multiplex technology for diagnostic characterization of rheumatoid arthritis. 2011 , 13, R102	79
79	Neoplastic and paraneoplastic synovitis. 2011 , 37, 551-72	11
78	Comparison of the second and third generation anti-cyclic citrullinated peptide antibody assays in the diagnosis of Japanese patients with rheumatoid arthritis. 2011 , 31, 617-22	21
77	The prevalence of rheumatoid factor isotypes and anti-cyclic citrullinated peptides in Malaysian rheumatoid arthritis patients. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 12-7	2.3 12
76	[Accuracy and standardization of diagnostic methods for the detection of antibodies to citrullinated peptides]. 2009 , 61, 222-8	
75	[Diagnostic and prognostic value of antibodies to cyclic citrullinated peptide (Anti-CCP) in rheumatoid arthritis]. 2004 , 56, 118-23	
74	Anti-cyclic citrullinated peptide antibodies in adult patients with juvenile idiopathic arthritis. 2011 , 17, 421-3	9
73	Anti-cyclic citrullinated peptide antibodies as a discriminating marker between rheumatoid arthritis and chronic hepatitis C-related polyarthropathy. 2011 , 31, 65-9	18
72	Report of anti-CCP antibody positive paraneoplastic polyarthritits and review of the literature. 2011 , 31, 1635-8	18
71	[Therapeutic strategies in rheumatoid arthritis]. 2011 , 52, 645-56	3

70	A Rheumatoid arthritis study using Raman spectroscopy. 2011 , 130, 1211-1220		12
69	Valutazione analitica e clinica di un nuovo metodo immunocromogenico per la rilevazione in point-of-care di anticorpi anti-peptidi citrullinati. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2011 , 7, 156-162	1.1	
68	Advantages of multiplex proteomics in clinical immunology: the case of rheumatoid arthritis: novel IgXPLEX [®] planar microarray diagnosis. <i>Clinical Reviews in Allergy and Immunology</i> , 2011 , 41, 20-35	12.3	19
67	N-Benzoyl-N5-(2-chloro-1-iminoethyl)-L-ornithine amide, a protein arginine deiminase inhibitor, reduces the severity of murine collagen-induced arthritis. 2011 , 186, 4396-404		206
66	Preliminary evaluation of the first international reference preparation for anticitrullinated peptide antibodies. 2012 , 71, 1388-92		15
65	Preventing and curing citrulline-induced autoimmune arthritis in a humanized mouse model using a Th2-polarizing iNKT cell agonist. 2012 , 90, 630-9		9
64	Anticitrullinated protein antibodies and radiological progression in juvenile idiopathic arthritis. 2012 , 39, 1078-87		9
63	2 Rheumatoid arthritis.		
62	Lectin-like oxidized low-density lipoprotein receptor 1 signal is a potent biomarker and therapeutic target for human rheumatoid arthritis. 2012 , 64, 1024-34		43
61	Second generation automated anti-CCP test better predicts the clinical diagnosis of rheumatoid arthritis. 2012 , 32, 131-7		10
60	The sensitivity, specificity and accuracy of anti-citrulline antibody test in diagnosis of rheumatoid arthritis. 2013 , 33, 1027-30		5
59	Relation of interleukin-6 in rheumatoid arthritis patients to systemic bone loss and structural bone damage. 2013 , 33, 697-703		50
58	A multilectin affinity approach for comparative glycoprotein profiling of rheumatoid arthritis and spondyloarthritis. <i>Clinical Proteomics</i> , 2013 , 10, 11	5	13
57	Enhanced expression and fucosylation of ficolin3 in plasma of RA patients. 2013 , 46, 160-3		12
56	Antigen microarrays for the study of autoimmune diseases. <i>Clinical Chemistry</i> , 2013 , 59, 1036-44	5.5	22
55	Anti-CCP Antibodies Are Not Associated with Familial Mediterranean Fever in Childhood. 2013 , 2013, 498581		
54	Possible involvement of matrix metalloproteinase-3 in the pathogenesis of macroprolactinaemia in some patients with rheumatoid arthritis. 2013 , 169, 203-9		4
53	Comparison of anti-mutated citrullinated vimentin, anti-cyclic citrullinated peptides, anti-glucose-6-phosphate isomerase and anti-keratin antibodies and rheumatoid factor in the diagnosis of rheumatoid arthritis in Chinese patients. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 157-61	2.3	18

52	Higher levels of autoantibodies targeting mutated citrullinated vimentin in patients with psoriatic arthritis than in patients with psoriasis vulgaris. 2013 , 2013, 474028		22
51	A citrullinated fibrinogen-specific T cell line enhances autoimmune arthritis in a mouse model of rheumatoid arthritis. 2013 , 190, 1457-65		26
50	A Comparative Assessment of the Diagnostic Value of Anti-cyclic Citrullinated Peptide Antibodies and Rheumatoid Factor in Rheumatoid Arthritis. 2014 , 04,		1
49	Meta-analysis: diagnostic accuracy of anti-cyclic citrullinated peptide 2 antibody and anti-cyclic citrullinated peptide 3 antibody in rheumatoid arthritis. 2014 , 52, 779-90		8
48	Diagnostic utility of the Elecsys anti-CCP assay in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2014 , 24, 580-4	3-3	2
47	Th1 and Th2 polymorphisms in Sjögren's syndrome and rheumatoid arthritis. 2014 , 43, 418-26		11
46	Rheumatoide Arthritis. 2014 , 11, 53-64		2
45	Association of susceptible genetic markers and autoantibodies in rheumatoid arthritis. 2014 , 93, 597-605		25
44	HLA-DRB1 and HLA-DQB1 allele associations in an Albanian patient population with rheumatoid arthritis: correlations with the specific autoantibody markers and inter-population DRB1 allele frequency variability. 2014 , 34, 1065-71		5
43	Filaggrin peptides with Hairpin structure bind rheumatoid arthritis antibodies. 2014 , 53, 3849-53		8
42	Filaggrin-Peptide mit Hairpin-Struktur binden Rheuma-Antikörper. 2014 , 126, 3928-3933		2
41	Monoclonal antibody against citrullinated peptides obtained from rheumatoid arthritis patients reacts with numerous citrullinated microbial and food proteins. 2015 , 67, 2020-31		26
40	Anti-Citrullinated Peptide Antibodies in Tophaceous Gout: Prevalence in a Polynesian Population. 2015 , 21, 326-8		1
39	Meta-analysis: diagnostic accuracy of anti-cyclic citrullinated peptide antibody for juvenile idiopathic arthritis. 2015 , 2015, 915276		9
38	Performance characteristics of a new automated method for measurement of anti-cyclic citrullinated peptide. 2015 , 53, 1077-82		
37	Identification of anticitrullinated protein antibody reactivities in a subset of anti-CCP-negative rheumatoid arthritis: association with cigarette smoking and HLA-DRB1 'shared epitope' alleles. 2015 , 74, 579-86		56
36	Diagnostic performance of anti-cyclic citrullinated peptide and rheumatoid factor in patients with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 880-6	2-3	17
35	Association of PTPN22 1858C→T polymorphism, HLA-DRB1 shared epitope and autoantibodies with rheumatoid arthritis. 2016 , 36, 1167-75		11

34	Detection and identification of protein citrullination in complex biological systems. 2016 , 30, 1-6		32
33	A phase III, multicentre, randomised, double-blind, active-controlled, parallel-group trial comparing safety and efficacy of HD203, with innovator etanercept, in combination with methotrexate, in patients with rheumatoid arthritis: the HERA study. 2017 , 76, 65-71		32
32	PADI4 polymorphisms and the functional haplotype are associated with increased rheumatoid arthritis susceptibility: A replication study in a Southern Mexican population. 2017 , 78, 553-558		7
31	The Autophagy Level Is Increased in the Synovial Tissues of Patients with Active Rheumatoid Arthritis and Is Correlated with Disease Severity. <i>Mediators of Inflammation</i> , 2017 , 2017, 7623145	4-3	42
30	Combination of Serological Tests (Anti-CCP Antibody, Rheumatoid Factor IgM ELISA and Latex Test) are more Useful in Detection of Rheumatoid Arthritis. <i>American Journal of Immunology</i> , 2017 , 13, 194-200 ³		8 ³
29	Clinical Features of Psoriatic Arthritis: a Comprehensive Review of Unmet Clinical Needs. <i>Clinical Reviews in Allergy and Immunology</i> , 2018 , 55, 271-294	12-3	34
28	A Study on Association Between Protein Carbonyl and Anti-cyclic Citrullinated Peptide Antibody in Rheumatoid Arthritis: Introducing a New Supplementary Biomarker. <i>Indian Journal of Clinical Biochemistry</i> , 2020 , 35, 347-352	2.2	1
27	Role of Infections in the Pathogenesis of Rheumatoid Arthritis: Focus on Mycobacteria. <i>Microorganisms</i> , 2020 , 8,	4-9	9
26	Proteomic analysis of synovial fluid from rheumatic arthritis and spondyloarthritis patients. <i>Clinical Proteomics</i> , 2020 , 17, 29	5	7
25	Association of anti-cyclic citrullinated peptide antibodies and rheumatoid factor isotypes with HLA-DRB1 shared epitope alleles in Egyptian rheumatoid arthritis patients. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 647-653	2-3	3
24	Prevalence of anti-cyclic citrullinated peptide antibodies in patients with spondyloarthritis: A retrospective study. <i>Modern Rheumatology</i> , 2021 , 31, 458-461	3-3	2
23	The cellular immunotherapy of integrated photothermal anti-oxidation Pd-Se nanoparticles in inhibition of the macrophage inflammatory response in rheumatoid arthritis. <i>Acta Pharmaceutica Sinica B</i> , 2021 , 11, 1993-2003	15-5	3
22	Determinazione di profili autoanticorpali con metodi multiparametrici proteomici: impatto su prevenzione, diagnosi, monitoraggio e terapia personalizzata nelle malattie autoimmuni. <i>Rivista Italiana Della Medicina Di Laboratorio</i> ,	1-1	
21	Diagnostic value of anti-cyclic citrullinated peptide antibody combined with rheumatoid factor in rheumatoid arthritis in Asia: a meta-analysis. <i>Journal of International Medical Research</i> , 2021 , 49, 3000605211047714	1-4	1047714
20	Biochemical Markers of Rheumatoid Arthritis and Osteoarthritis: Clinical Utility and Practical Considerations. 2008 , 151-169		1
19	Impact of treatment with infliximab on anticyclic citrullinated peptide antibody and rheumatoid factor in patients with rheumatoid arthritis. <i>Southern Medical Journal</i> , 2006 , 99, 1209-15	0.6	6
18	Autoantibody Testing in Rheumatoid Arthritis. 2006 , 1033-1045		1
17	Evaluation of anti-mutated citrullinated vimentin antibodies, anti-cyclic citrullinated peptide antibodies in patients with rheumatoid arthritis in comparison with other rheumatic diseases; a nephrology point of view. <i>Journal of Nephrology</i> , 2017 , 6, 98-105	0.8	2

16	Citrulline and anti-cyclic citrullinated peptide antibodies in rheumatoid arthritis. <i>Future Rheumatology</i> , 2006 , 1, 249-258		1
15	A systematic review of serum biomarkers anti-cyclic citrullinated Peptide and rheumatoid factor as tests for rheumatoid arthritis. <i>Autoimmune Diseases</i> , 2011 , 2011, 815038	2.9	74
14	Autoimmunity Rheumatoid Arthritis. 2005 , 481-493		
13	Diagnostic Criteria of Psoriatic Arthritis. 2007 , 19-28		
12	Comparison of Anti-CCP Peptide with Rheumatoid Factor and its Isotypes for Early Differential Diagnosis and Prognosis of Rheumatoid Arthritis. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2009 , 10, 19-24	0.5	1
11	CLINICO - SEROLOGICAL EVALUATION OF RHEUMATOID ARTHRITIS WITH SPECIAL REFERENCE TO ANTI - CYCLIC CITRULLINATED PEPTIDE (ANTI - CCP) ANTIBODY : A HOSPITAL BASED STUDY. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2015 , 4, 16245-16249	0.1	
10	Evaluation of clinical and laboratory findings of 147 patients with systemic lupus erythematosus: The relationship between anti-CCP and arthritis. <i>Journal of Surgery and Medicine</i> ,	0.1	
9	Bone marrow findings in rheumatoid arthritis patients with peripheral cytopenias. <i>The Egyptian Journal of Internal Medicine</i> , 2019 , 31, 226-234	0.5	1
8	25 anni di attivit� del Gruppo di Studio SIPMeL in Autoimmunologia: un percorso tra formazione e ricerca scientifica. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2020 , 16,	1.1	
7	LncRNA OSER1-AS1 regulates the inflammation and apoptosis of rheumatoid arthritis fibroblast like synoviocytes via regulating miR-1298-5p/E2F1 axis.. <i>Bioengineered</i> , 2022 , 13, 4951-4963	5.7	1
6	RF AND ANTI-CCP ANTIBODY TESTS- A COMPARATIVE STUDY IN THE DIAGNOSIS OF RHEUMATOID ARTHRITIS IN A TERTIARY CARE HOSPITAL. 2022 , 9-11		
5	Prevalence and clinical significance of serum anti-cyclic citrullinated peptide antibodies in primary Sj�gren's syndrome. <i>The European Research Journal</i> ,	0	
4	Immune dysregulation and pathogenic pathways mediated by common infections in rheumatoid arthritis.		0
3	Utility of Opportunistic Infections, Joints Involvement and Accuracy of Various Screening Tests to Diagnose Rheumatoid Arthritis Patients. 2023 , 59, 367		0
2	Changes in future rheumatoid arthritis treatment in the light of Epstein-Barr virus infection. 2023 , 61-81		0
1	The assessment of rheumatoid factor levels and hemogram parameters as predictors for rheumatologic disease.		0