CITATION REPORT List of articles citing

The Harvard Twin Study of Substance Abuse: What We Have Learned

DOI: 10.1080/10673220127912 Harvard Review of Psychiatry, 2001, 9, 267-279.

Source: https://exaly.com/paper-pdf/32787231/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
208	The Epidemiology of Cannabis Dependence. 2001 , 58-105		48
207	Classical twin studies and beyond. 2002 , 3, 872-82		749
206	Neuropsychological consequences of regular marijuana use: a twin study. 2004 , 34, 1239-50		74
205	A twin study of early cannabis use and subsequent use and abuse/dependence of other illicit drugs. 2004 , 34, 1227-37		127
204	Human 5-HT1A receptor C(-1019)G polymorphism and psychopathology. 2004 , 7, 441-51		130
203	Nicotinic receptor mechanisms and cognition in normal states and neuropsychiatric disorders. 2004 , 18, 457-74		180
202	A Cultural Psychology Approach to Drug Abuse Prevention. 2004, 39, 1779-1820		32
201	Stability, consistency, and heritability of electrodermal response lability in middle-aged male twins. 2004 , 41, 501-9		29
200	A twin study of sexual behavior in men. 2004 , 33, 129-36		20
199	Cannabis and other illicit drugs: comorbid use and abuse/dependence in males and females. 2004 , 34, 217-28		57
198	Association analysis of the DRD4 and COMT genes in methamphetamine abuse. 2004 , 129B, 120-4		85
197	Forms of cannabis and cocaine: a twin study. 2004 , 129B, 125-8		8
196	Adoption of Tobacco Treatment Interventions by Substance-abuse-treatment Clinicians. 2004 , 11, 1-20)	5
195	Marijuana. 2004 , 225-258		
194	Aggressive responding in abstinent heroin addicts: neuroendocrine and personality correlates. 2004 , 28, 129-39		39
193	Decreased absolute amygdala volume in cocaine addicts. 2004 , 44, 729-40		126
192	Nicotinic receptor mechanisms and cognition in normal states and neuropsychiatric disorders. 2004 , 18, 457-474		193

(2006-2005)

191	Functional polymorphism of the NQO2 gene is associated with methamphetamine psychosis. 2005 , 10, 145-8	19
190	Association study between brain-derived neurotrophic factor gene polymorphisms and methamphetamine abusers in Japan. 2005 , 132B, 70-3	48
189	The differential impact of risk factors on illicit drug involvement in females. 2005, 40, 454-66	11
188	Heritability of word recognition in middle-aged men varies as a function of parental education. 2005 , 35, 417-33	64
187	Combining research approaches to advance our understanding of drug addiction. 2005 , 7, 125-32	10
186	Gambling Problems in Youth. 2005,	14
185	Changes in cigarette consumption and drinking outcomes: findings from Project MATCH. 2005 , 29, 221-9	51
184	Illicit drug use and abuse/dependence: modeling of two-stage variables using the CCC approach. 2005 , 30, 1043-8	59
183	Application of item response theory to quantify substance use disorder severity. 2006 , 31, 1035-49	39
182	Genetics and alcoholism: how close are we to potential clinical applications?. 2006, 51, 461-7	11
181	Posttraumatic stress disorder and late-onset smoking in the Vietnam era twin registry. 2006 , 74, 186-90	29
180	The developmental context for adolescent substance abuse intervention. 25-51	11
179	Efficacy of Retrospective Recall of Attention-Deficit Hyperactivity Disorder Symptoms: A Twin Study. 2006 , 9, 220-232	17
178	Linking substance use and problem behavior across three generations. 2006 , 34, 263-92	94
177	Association of GABRA2 with drug dependence in the collaborative study of the genetics of alcoholism sample. 2006 , 36, 640-50	144
176	Genetics of addiction. 2006 , 5, 446-448	1
175	Genome-wide linkage analysis of heroin dependence in Han Chinese: results from wave one of a multi-stage study. 2006 , 141B, 648-52	22
174	Vietnam Service, Combat, and Lifetime Educational Attainment: Preliminary Results From the Vietnam Era Twin Study of Aging. 2006 , 28, 37-55	8

173	Timevarying predictors of smoking cessation among individuals in treatment for alcohol abuse and dependence: findings from Project MATCH. 2007 , 42, 234-40	10
172	Genetics of body mass stability and risk for chronic disease: a 28-year longitudinal study. 2007 , 10, 537-45	26
171	Genetics, Stress, and the Risk for Addiction. 2007 , 127-146	
170	Common genetic risk of major depression and nicotine dependence: the contribution of antisocial traits in a United States veteran male twin cohort. 2007 , 10, 470-8	22
169	Genetics of verbal working memory processes: a twin study of middle-aged men. 2007, 21, 569-80	61
168	Spiritual well-being and health. 2007 , 195, 673-80	35
167	The role of conduct disorder in explaining the comorbidity between alcohol and illicit drug dependence in adolescence. 2007 , 87, 46-53	51
166	Deriving phenotypes for molecular genetic studies of substance use disorders: a family study approach. 2007 , 88, 244-50	6
165	Reasons for increased substance use in psychosis. 2007 , 27, 494-510	172
164	Is the Wisconsin Card Sorting Test a useful neurocognitive endophenotype?. 2007 , 144B, 403-6	41
163	Differences in dopamine responsiveness to drugs of abuse in the nucleus accumbens shell and core of Lewis and Fischer 344 rats. 2007 , 103, 487-99	36
162	Genetic influence on contrast sensitivity in middle-aged male twins. 2007 , 47, 2179-86	7
161	Addiction science and its genetics. 2008, 103, 360-7	47
160	Molecular genetics of addiction and related heritable phenotypes: genome-wide association approaches identify "connectivity constellation" and drug target genes with pleiotropic effects. 2008 , 1141, 318-81	106
159	Genetic influences on drug-induced psychomotor activation in mice. 2008, 7, 859-68	11
158	Common genetic liability to major depression and posttraumatic stress disorder in men. 2008, 105, 109-15	121
157	Reduced CYP2D6 activity is a negative risk factor for methamphetamine dependence. 2008, 434, 88-92	16
156	Familial transmission of derived phenotypes for molecular genetic studies of substance use disorders. 2008 , 92, 100-7	8

(2010-2008)

155	Linkage scan for quantitative traits identifies new regions of interest for substance dependence in the Collaborative Study on the Genetics of Alcoholism (COGA) sample. 2008 , 93, 12-20	63
154	Role of individual, peer and family factors in the use of cannabis and other illicit drugs: a longitudinal analysis among Finnish adolescent twins. 2008 , 97, 33-43	82
153	Genome-wide linkage analysis of heroin dependence in Han Chinese: results from Wave Two of a multi-stage study. 2008 , 98, 30-4	15
152	Posttraumatic stress disorder; combat exposure; and nicotine dependence, alcohol dependence, and major depression in male twins. 2008 , 49, 297-304	54
151	Socioeconomic status and social support following illicit drug use: causal pathways or common liability?. 2008 , 11, 266-74	28
150	Fine mapping of a major QTL influencing morphine preference in C57BL/6 and DBA/2 mice using congenic strains. 2008 , 33, 2801-9	18
149	Storage and executive components of working memory: integrating cognitive psychology and behavior genetics in the study of aging. 2008 , 63, P84-91	8
148	Selective breeding for intravenous drug self-administration in rats: a pilot study. 2008 , 19, 751-64	10
147	Examination of the nicotine dependence (NICSNP) consortium findings in the Iowa adoption studies population. 2009 , 11, 286-92	16
146	Evidence for association between polymorphisms in the cannabinoid receptor 1 (CNR1) gene and cannabis dependence. 2009 , 150B, 736-40	61
145	Factor structure of planning and problem-solving: a behavioral genetic analysis of the Tower of London task in middle-aged twins. 2009 , 39, 133-44	26
144	Consommation du cannabis chez les adolescents : liens entre structure, cohsion, hisarchie familiales et niveau de consommation. 2009 , 167, 541-543	3
143	Role of GABRA2 on risk for alcohol, nicotine, and cannabis dependence in the Iowa Adoption Studies. 2009 , 19, 91-8	31
142	Associations between jet lag and cortisol diurnal rhythms after domestic travel. 2010 , 29, 117-23	21
141	Qualitative differences between C57BL/6J and DBA/2J mice in morphine potentiation of brain stimulation reward and intravenous self-administration. 2010 , 208, 309-21	33
140	Does parental education have a moderating effect on the genetic and environmental influences of general cognitive ability in early adulthood?. 2010 , 40, 438-46	36
139	Delineating the psychic structure of substance abuse and addictions: should anxiety, mood and impulse-control dysregulation be included?. 2010 , 122, 185-97	55
138	Peer substance involvement modifies genetic influences on regular substance involvement in young women. 2010 , 105, 1844-53	38

137	Association of adolescent symptoms of depression and anxiety with daily smoking and nicotine dependence in young adulthood: findings from a 10-year longitudinal study. 2010 , 105, 1652-9	108
136	H2 haplotype at chromosome 17q21.31 protects against childhood sexual abuse-associated risk for alcohol consumption and dependence. 2010 , 15, 1-11	57
135	A genome-wide association study of alcohol dependence. 2010 , 107, 5082-7	367
134	The influence of GABRA2, childhood trauma, and their interaction on alcohol, heroin, and cocaine dependence. 2010 , 67, 20-7	104
133	Salivary cortisol and prefrontal cortical thickness in middle-aged men: A twin study. 2010 , 53, 1093-102	72
132	Predisposicifi genflica comfi en la depresifi mayor y el trastorno de estrE postraumflico en hombres. 2010 , 17, 1-5	
131	Genetic and environmental influences on the size of specific brain regions in midlife: the VETSA MRI study. 2010 , 49, 1213-23	174
130	Risk and Protective Factors for Alcohol and Marijuana Use among African-American Rural and Urban Adolescents. 2011 , 20, 205-220	20
129	A 35-year longitudinal assessment of cognition and midlife depression symptoms: the Vietnam Era Twin Study of Aging. 2011 , 19, 559-70	50
128	The influence of gene-environment interactions on alcohol consumption and alcohol use disorders: a comprehensive review. 2011 , 31, 800-16	113
127	Strategies for characterizing complex phenotypes and environments: general and specific family environmental predictors of young adult tobacco dependence, alcohol use disorder, and co-occurring problems. 2011 , 118, 444-51	25
126	A twin study of spatial and non-spatial delayed response performance in middle age. 2011 , 76, 43-51	1
125	Negative emotionality, depressive symptoms and cortisol diurnal rhythms: analysis of a community sample of middle-aged males. 2011 , 60, 202-9	16
124	Epidemiology of Illicit Drug Use Disorders. 2011 , 381-399	
123	Cross-sectional and 35-year longitudinal assessment of salivary cortisol and cognitive functioning: the Vietnam Era twin study of aging. 2011 , 36, 1040-52	72
122	Adult romantic attachment, negative emotionality, and depressive symptoms in middle aged men: a multivariate genetic analysis. 2011 , 41, 488-98	20
121	Genetic patterns of correlation among subcortical volumes in humans: results from a magnetic resonance imaging twin study. 2011 , 32, 641-53	42
120	Genetic and environmental contributions to regional cortical surface area in humans: a magnetic resonance imaging twin study. 2011 , 21, 2313-21	78

(2013-2011)

119	sample of male twin pairs. 2011 , 14, 16-24	1
118	Genetic architecture of context processing in late middle age: more than one underlying mechanism. 2011 , 26, 852-63	16
117	Alcohol, tobacco, and prescription drugs: the relationship with illicit drugs in the treatment of substance users. 2012 , 47, 963-71	15
116	The genetics of addiction-a translational perspective. 2012 , 2, e140	129
115	Tobacco and alcohol use among healthcare workers in three public hospitals in KwaZulu-Natal, South Africa. 2012 , 54, 61-67	2
114	The B nicotinic acetylcholine receptor subunit influences ethanol-induced sedation. 2012, 46, 463-71	34
113	Understanding genetic risk for substance use and addiction: a guide for non-geneticists. 2012 , 32, 60-70	15
112	Contribution of genetic epidemiology to our understanding of psychiatric disorders. 1-12	
111	The genetics of substance dependence. 2012 , 13, 241-61	83
110	Genetic and environmental multidimensionality of well- and ill-being in middle aged twin men. 2012 , 42, 579-91	25
109	Neuroplasticity, axonal guidance and micro-RNA genes are associated with morphine self-administration behavior. 2013 , 18, 480-95	29
108	Implications of genome wide association studies for addiction: are our a priori assumptions all wrong?. 2013 , 140, 267-79	48
107	Science-based prevention through communities that care: a model of social work practice for public health. 2013 , 28, 349-65	13
106	Positive association between1021TT genotype of dopamine beta hydroxylase gene and progressive behavior of injection heroin users. 2013 , 541, 258-62	23
105	Adult cognitive ability and socioeconomic status as mediators of the effects of childhood disadvantage on salivary cortisol in aging adults. 2013 , 38, 2127-39	17
104	Decision making in the pathway from genes to psychiatric and substance use disorders. 2013 , 18, 640-5	14
103	Shattered childhoods and the genetics of heroin dependence. 2013 , 108, 671-3	1
102	VETSA: the Vietnam Era Twin Study of Aging. 2013 , 16, 399-402	83

101	Festschrift celebrating the career of Ming T. Tsuang. 2013 , 162B, 551-8	1
100	Addiction and choice: theory and new data. 2013 , 4, 31	62
99	Behavior Genetics of Psychopathology. 2014 ,	
98	Environmental factors selectively impact co-occurrence of problem/pathological gambling with specific drug-use disorders in male twins. 2014 , 109, 635-44	68
97	General and substance-specific predictors of young adult nicotine dependence, alcohol use disorder, and problem behavior: replication in two samples. 2014 , 138, 161-8	10
96	Introduction to deep sequencing and its application to drug addiction research with a focus on rare variants. 2014 , 49, 601-14	9
95	Post-traumatic stress symptoms and adult attachment: a 24-year longitudinal study. 2014 , 22, 1603-12	14
94	Revisiting the 'self-medication' hypothesis in light of the new data linking low striatal dopamine to comorbid addictive behavior. 2015 , 5, 172-8	17
93	Variants near CHRNB3-CHRNA6 are associated with DSM-5 cocaine use disorder: evidence for pleiotropy. 2014 , 4, 4497	9
92	A Review of Epigenetic Markers of Tobacco and Alcohol Consumption. 2015 , 33, 675-90	5
91	Phenotypic heterogeneity in study populations may significantly confound the results of genetic association studies on alcohol dependence. 2015 , 25, 234-40	5
90	Frequency and characteristics of individuals with seasonal pattern among depressive patients attending primary care in France. 2015 , 37, 76-80	6
89	Attention-deficit/hyperactivity disorder and risk for substance use disorders in relatives. 2015 , 77, 880-6	53
88	The pharmacogenetics of alcohol use disorder. 2015 , 39, 391-402	43
87	A twin-study of genetic contributions to morningness-eveningness and depression. 2015 , 32, 303-9	45
86	A review of pharmacogenetic studies of substance-related disorders. 2015 , 152, 1-14	22
85	Multigenerational and transgenerational inheritance of drug exposure: The effects of alcohol, opiates, cocaine, marijuana, and nicotine. 2015 , 118, 21-33	86
84	Association of substance dependence phenotypes in the COGA sample. 2015 , 20, 617-27	35

(2018-2016)

83	Who Benefits from Chronic Opioid Therapy? Rethinking the Question of Opioid Misuse Risk. 2016 , 4,	11
82	The Neurobiology of Comorbid Drug Abuse in Schizophrenia and Psychotic Disorders. 2016 , 82-88	54
81	KAT2B polymorphism identified for drug abuse in African Americans with regulatory links to drug abuse pathways in human prefrontal cortex. 2016 , 21, 1217-1232	15
80	Genetic and Environmental Factors Associated with Cannabis Involvement. 2016 , 3, 199-213	9
79	The risk of offspring developing substance use disorders when exposed to one versus two parent(s) with alcohol use disorder: A nationwide, register-based cohort study. 2016 , 80, 52-58	24
78	Nicotinic acetylcholine receptors: upregulation, age-related effects and associations with drug use. 2016 , 15, 89-107	38
77	Searching for evidence of genetic mediation of opioid withdrawal by opioid receptor gene polymorphisms. 2016 , 25, 41-8	12
76	Contribution of Genetic Epidemiology to Our Understanding of Psychiatric Disorders. 2016 , 27-50	
75	Conceptualizing Major Depression. 2016 , 487-501	
74	Adverse Childhood Experiences and Use of Cigarettes and Smokeless Tobacco Products. 2016 , 41, 969-76	22
74 73	Adverse Childhood Experiences and Use of Cigarettes and Smokeless Tobacco Products. 2016 , 41, 969-76 Bad Brains: Crime and Drug Abuse from a Neurocriminological Perspective. 2016 , 41, 47-69	22 7
73	Bad Brains: Crime and Drug Abuse from a Neurocriminological Perspective. 2016 , 41, 47-69 Psychometric modeling of abuse and dependence symptoms across six illicit substances indicates	7
73 72	Bad Brains: Crime and Drug Abuse from a Neurocriminological Perspective. 2016 , 41, 47-69 Psychometric modeling of abuse and dependence symptoms across six illicit substances indicates novel dimensions of misuse. 2016 , 53, 132-40 Substance Use Disorders in Adolescence Exist along Continua: Taxometric Evidence in an	7
73 72 71	Bad Brains: Crime and Drug Abuse from a Neurocriminological Perspective. 2016 , 41, 47-69 Psychometric modeling of abuse and dependence symptoms across six illicit substances indicates novel dimensions of misuse. 2016 , 53, 132-40 Substance Use Disorders in Adolescence Exist along Continua: Taxometric Evidence in an Epidemiological Sample. 2017 , 45, 1577-1586 Differences in prevalence, socio-behavioral correlates, and psychosocial distress between club drug	7 11 7
73 72 71 70	Bad Brains: Crime and Drug Abuse from a Neurocriminological Perspective. 2016, 41, 47-69 Psychometric modeling of abuse and dependence symptoms across six illicit substances indicates novel dimensions of misuse. 2016, 53, 132-40 Substance Use Disorders in Adolescence Exist along Continua: Taxometric Evidence in an Epidemiological Sample. 2017, 45, 1577-1586 Differences in prevalence, socio-behavioral correlates, and psychosocial distress between club drug and hard drug use in Taiwan: Results from the 2014 National Survey of Substance Use. 2017, 48, 99-107 Validation Study of a Predictive Algorithm to Evaluate Opioid Use Disorder in a Primary Care	7 11 7 31
73 72 71 70 69	Bad Brains: Crime and Drug Abuse from a Neurocriminological Perspective. 2016, 41, 47-69 Psychometric modeling of abuse and dependence symptoms across six illicit substances indicates novel dimensions of misuse. 2016, 53, 132-40 Substance Use Disorders in Adolescence Exist along Continua: Taxometric Evidence in an Epidemiological Sample. 2017, 45, 1577-1586 Differences in prevalence, socio-behavioral correlates, and psychosocial distress between club drug and hard drug use in Taiwan: Results from the 2014 National Survey of Substance Use. 2017, 48, 99-107 Validation Study of a Predictive Algorithm to Evaluate Opioid Use Disorder in a Primary Care Setting. 2017, 4, 23333392817717411 Association of the SOD2 (rs2758339 and rs5746136) polymorphisms with the risk of heroin	7 11 7 31

65	Epidemiology of the U.S. opioid crisis: the importance of the vector. 2019 , 1451, 130-143	25
64	Characterization of DSM-IV Opioid Dependence Among Individuals of European Ancestry. 2019 , 80, 319-330	8
63	Genetics of cocaine and methamphetamine consumption and preference in Drosophila melanogaster. 2019 , 15, e1007834	10
62	Genome-wide association study identifies loci associated with liability to alcohol and drug dependence that is associated with variability in reward-related ventral striatum activity in Africanand European-Americans. 2019 , 18, e12580	8
61	Translational Molecular Approaches in Substance Abuse Research. 2020 , 258, 31-60	2
60	Current Status of the Vietnam Era Twin Study of Aging (VETSA). 2019 , 22, 783-787	9
59	Genetic and Environmental Associations Among Executive Functions, Trait Anxiety, and Depression Symptoms in Middle Age. 2019 , 7, 127-142	8
58	Predominantly global genetic influences on individual white matter tract microstructure. 2019 , 184, 871-880	9
57	Posttraumatic stress symptom persistence across 24 years: association with brain structures. 2020 , 14, 1208-1220	7
56	The risk for drug abuse, alcohol use disorder, and psychosocial dysfunction in offspring from high-density pedigrees: its moderation by personal, family, and community factors. 2020 , 25, 1777-1786	9
55	Internalizing and externalizing psychopathology in middle age: genetic and environmental architecture and stability of symptoms over 15 to 20 years. 2020 , 50, 1530-1538	7
54	Predicting Health-Related Quality of Life in Trauma-Exposed Male Veterans in Late Midlife: A 20 Year Longitudinal Study. 2020 , 17,	1
53	Extensive memory testing improves prediction of progression to MCI in late middle age. 2020 , 12, e12004	9
52	Machine-Learning prediction of comorbid substance use disorders in ADHD youth using Swedish registry data. 2020 , 61, 1370-1379	7
51	Endogenous Opioids at the Intersection of Opioid Addiction, Pain, and Depression: The Search for a Precision Medicine Approach. 2020 , 43, 355-374	9
50	Association of baseline semantic fluency and progression to mild cognitive impairment in middle-aged men. 2020 , 95, e973-e983	5
49	Recent advances with 5-HT modulators for neuropsychiatric and gastrointestinal disorders. 2020 , 40, 1593-1678	12
48	An update on the role of common genetic variation underlying substance use disorders. 2020 , 8, 35-46	3

47	Typologies of illicit drug use in mid-adulthood: a quasi-longitudinal latent class analysis in a community-based sample of twins. 2021 , 116, 1101-1112	1
46	Associations between depression and cardiometabolic health: A 27-year longitudinal study. 2021 , 1-11	3
45	Genetic Aspects of Substance Use Disorders. 2021 , 85-94	
44	The Streetlight Effect: Reappraising the Study of Addiction in Light of the Findings of Genome-wide Association Studies. 2020 , 95, 230-246	2
43	Genetics of substance use disorders: a review. 2021 , 51, 2189-2200	8
42	Validity and utility of Hierarchical Taxonomy of Psychopathology (HiTOP): II. Externalizing superspectrum. 2021 , 20, 171-193	20
41	Bibliometric Insights in Genetic Factors of Substance-Related Disorders: Intellectual Developments, Turning Points, and Emerging Trends. 2021 , 12, 620489	1
40	Substance Abuse, Self-Control and Crime. 2021 , 499-515	
39	Whole-Exome Sequencing to Identify Potential Genetic Risk in Substance Use Disorders: A Pilot Feasibility Study. 2021 , 10,	1
38	Polysubstance Use, Mood Disorders, and Chronic Conditions With Anxiety in Opioid Patients. 2021 , 1939459)21 <u>1</u> 03198
38	Polysubstance Use, Mood Disorders, and Chronic Conditions With Anxiety in Opioid Patients. 2021 , 1939459 How Well Does Subjective Cognitive Decline Correspond to Objectively Measured Cognitive Decline? Assessment of 10-12 Year Change. 2021 , 83, 291-304	0 0
	How Well Does Subjective Cognitive Decline Correspond to Objectively Measured Cognitive	
37	How Well Does Subjective Cognitive Decline Correspond to Objectively Measured Cognitive Decline? Assessment of 10-12 Year Change. 2021 , 83, 291-304 Association of NQO1 levels and its genetic polymorphism with susceptibility to methamphetamine	О
37	How Well Does Subjective Cognitive Decline Correspond to Objectively Measured Cognitive Decline? Assessment of 10-12 Year Change. 2021, 83, 291-304 Association of NQO1 levels and its genetic polymorphism with susceptibility to methamphetamine dependence. 2021, 9, e1789 Lifestyle and the aging brain: interactive effects of modifiable lifestyle behaviors and cognitive	0
37 36 35	How Well Does Subjective Cognitive Decline Correspond to Objectively Measured Cognitive Decline? Assessment of 10-12 Year Change. 2021, 83, 291-304 Association of NQO1 levels and its genetic polymorphism with susceptibility to methamphetamine dependence. 2021, 9, e1789 Lifestyle and the aging brain: interactive effects of modifiable lifestyle behaviors and cognitive ability in men from midlife to old age. 2021, 108, 80-89	0 1 2
37 36 35 34	How Well Does Subjective Cognitive Decline Correspond to Objectively Measured Cognitive Decline? Assessment of 10-12 Year Change. 2021, 83, 291-304 Association of NQO1 levels and its genetic polymorphism with susceptibility to methamphetamine dependence. 2021, 9, e1789 Lifestyle and the aging brain: interactive effects of modifiable lifestyle behaviors and cognitive ability in men from midlife to old age. 2021, 108, 80-89 Vulnerability to Substance Abuse. 2010, 201-223	0 1 2 1
37 36 35 34 33	How Well Does Subjective Cognitive Decline Correspond to Objectively Measured Cognitive Decline? Assessment of 10-12 Year Change. 2021, 83, 291-304 Association of NQO1 levels and its genetic polymorphism with susceptibility to methamphetamine dependence. 2021, 9, e1789 Lifestyle and the aging brain: interactive effects of modifiable lifestyle behaviors and cognitive ability in men from midlife to old age. 2021, 108, 80-89 Vulnerability to Substance Abuse. 2010, 201-223 Genetics of Substance Use Disorders. 2014, 185-230	0 1 2 1 O

29	Machine-Learning Prediction of Comorbid Substance Use Disorders in ADHD Youth Using Swedish Registry Data.	2
28	Relations of genetic variants in superoxide dismutase 2 and dystrobrevin-binding protein 1 to methamphetamine psychosis among methamphetamine dependents in Taiwan. 2019 , 33, 83	1
27	Association Study between 5-HT1A Receptor Gene C(-1019)G Polymorphism and Panic Disorder in a Korean Population. 2010 , 7, 141-6	18
26	Rare variant association study of veteran twin whole-genomes links severe depression with a nonsynonymous change in the neuronal gene. 2021 , 1-12	
25	Paradoxical cognitive trajectories in men from earlier to later adulthood. 2021 , 109, 229-238	O
24	Long-term associations of cigarette smoking in early mid-life with predicted brain aging from mid-to late life. 2021 ,	1
23	Cannabis. 2007 , 273-314	
22	Schizophrenia and Other Psychotic Disorders. 2012 , 323-333	O
21	Twin Studies and the Heritability of Substance Use Disorders. 2013 , 475-487	1
20	Introduction to Substance Use Disorders for the Eating Disorder Specialist. 2014 , 227-266	
19	References. 2015 , 310-326	
18	Encyclopedia of Adolescence. 2016 , 1-16	
17	Analysis of the Genetic and Neurological Components of Opioid Addiction, with Public Health Perspectives of the Opioid Epidemic in the United States of America. 4,	1
16	Encyclopedia of Adolescence. 2018 , 3863-3878	
15	Extensive memory testing improves prediction of progression to MCI in late middle age.	
14	Multiple elements of addiction vulnerability are independently heritable in rats.	1
13	Baseline Semantic Fluency Is Associated with Six-Year Progression to Mild Cognitive Impairment in Middle-Aged Men.	
12	Prevention Strategies for Unhealthy Alcohol Use. 2021 , 293-326	

CITATION REPORT

11	Alzheimer's Disease Polygenic Scores Predict Changes in Episodic Memory and Executive Function Across 12 Years in Late Middle Age 2022 , 1-12	1
10	Alcohol use and cognitive aging in middle-aged men: The Vietnam Era Twin Study of Aging 2022, 1-11	
9	Moderate Alcohol Use Is Associated with Reduced Cardiovascular Risk in Middle-Aged Men Independent of Health, Behavior, Psychosocial, and Earlier Life Factors. 2022 , 14, 2183	3
8	Significant Association of the Catechol-O-Methyltransferase Gene Polymorphism (rs4680) and Opioid Use Disorder in Asian Populations, but not Caucasian Populations: A Meta-analysis. <i>Genetic</i> 1.6 <i>Testing and Molecular Biomarkers</i> , 2022 , 26, 316-323	
7	Comorbidities and mortality risk in adults younger than 50 years of age with chronic obstructive pulmonary disease. 2022 , 23,	O
6	Erectile Function, Sexual Satisfaction, and Cognitive Decline in Men from Midlife to Older Adulthood.	1
5	Common variant c22´+´155C´> T of BDNF as a genetic risk factor of opium addiction. 2022 , 34, 201111	О
4	Associations among executive function Abilities, free Water, and white matter microstructure in early old age. 2023 , 37, 103279	О
3	Rostral-middle locus coeruleus integrity and subjective cognitive decline in early old age. 1-12	O
2	Early life substance abuse and epigenetic programming. 2023 , 273-298	O
1	Associations Between Ambient Air Pollution and Cognitive Abilities from Midlife to Early Old Age: Modification by APOE Genotype. 2023 , 1-17	О