

CITATION REPORT

List of articles citing

Isolated sonographic markers for detection of fetal
Down syndrome in the second trimester of pregnancy

DOI: 10.7863/jum.2001.20.10.1053

Journal of Ultrasound in Medicine, 2001, 20, 1053-63.

Source: <https://exaly.com/paper-pdf/32787727/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
224	Prenatal genetic diagnosis of Down's syndrome. 2002 , 2, 605-15		6
223	Fetal nose bone length: a marker for Down syndrome in the second trimester. <i>Journal of Ultrasound in Medicine</i> , 2002 , 21, 1387-94	2.9	107
222	Prenatal evaluation for fetal surgery. 2002 , 14, 187-93		14
221	The genetic sonogram: a method of risk assessment for Down syndrome in the second trimester. <i>Journal of Ultrasound in Medicine</i> , 2002 , 21, 1087-96; quiz 1097-8	2.9	157
220	Advances in prenatal screening for Down syndrome: I. general principles and second trimester testing. 2002 , 323, 1-16		60
219	Early genetic sonogram for Down syndrome detection. 2002 , 187, 1235-8		14
218	Current awareness. 2002 , 22, 168-74		
217	Screening for chromosomal defects. 2003 , 21, 313-21		151
216	Nasal bone hypoplasia in trisomy 21 at 15-22 weeks' gestation. 2003 , 21, 15-8		132
215	Use of genetic sonography for adjusting the risk for fetal Down syndrome. 2003 , 27, 130-44		30
214	Combined serum and ultrasound screening for detection of fetal aneuploidy. 2003 , 27, 145-51		8
213	Down syndrome screening using race-specific femur length. 2003 , 189, 977-9		10
212	Sonographic grading of fetal intracardiac echogenic foci in a population at low risk of aneuploidy. 2003 , 31, 31-8		11
211	Fetal karyotyping after 28 weeks of gestation for late ultrasound findings in a low risk population. 2003 , 23, 1068-72		18
210	The Genetic Sonogram Scoring Index. 2003 , 27, 124-9		11
209	Prenatal diagnosis for detection of aneuploidy: the options. 2003 , 41, 695-708		1
208	The genetic sonogram in second trimester down syndrome screening. 2003 , 46, 897-908		8

207	Absent Nasal Bone in the Prenatal Detection of Fetuses With Trisomy 21 in a High-Risk Population. 2003 , 101, 905-908		27
206	Diagnostic Performance of Intracardiac Echogenic Foci for Down Syndrome. 2003 , 101, 1009-1016		31
205	An ethnic predilection for fetal echogenic intracardiac focus identified during targeted midtrimester ultrasound examination: A retrospective review. 2004 , 4, 12		15
204	Nuchal translucency followed by second-trimester ultrasonography. 2004 , 191, E1-E2		
203	The association between isolated fetal echogenic cardiac foci on second-trimester ultrasound scan and trisomy 21 in low-risk unselected women. 2004 , 23, 346-51		24
202	Femur and humerus length in trisomy 21 fetuses at 11-14 weeks of gestation. 2004 , 23, 143-7		15
201	Veränderte Anforderungen an die Beratung zur pränatalen Diagnostik von fetalen Chromosomenanomalien. 2004 , 37, 257-274		8
200	First- and midtrimester Down syndrome screening and detection. 2004 , 31, 677-94, v		3
199	Cost-effectiveness model for first-trimester versus second-trimester ultrasound screening for Down syndrome. 2004 , 1, 415-21		5
198	Controversial ultrasound findings. 2004 , 31, 61-99		20
197	What's new in prenatal screening and diagnosis?. 2004 , 31, 561-82, ix		9
196	Prenatal screening and the assessment of risk: the view from the other side. 2004 , 26, 329-32		1
195	An isolated echogenic heart focus is not an indication for amniocentesis in 12,672 unselected patients. <i>Journal of Ultrasound in Medicine</i> , 2004 , 23, 489-96	2.9	35
194	Choroid plexus cyst and echogenic intracardiac focus in women at low risk for chromosomal anomalies: the obligation to inform the mother. <i>Journal of Ultrasound in Medicine</i> , 2004 , 23, 883-5	2.9	20
193	Mid trimester sonographic findings for the prediction of Down syndrome in a sonographically screened population. 2005 , 192, 10-6		19
192	Isolated fetal pyelectasis and chromosomal abnormalities. 2005 , 193, 732-8		33
191	Ethnic variation in the prevalence of echogenic intracardiac foci and the association with Down syndrome. 2005 , 26, 158-61		16
190	The role of the second trimester genetic sonogram in screening for fetal Down syndrome. 2005 , 29, 386-94		49

189	Options for Down syndrome screening: what will women choose?. 2005 , 50, 211-8	15
188	Lack of correlation between elevated maternal serum hCG during second-trimester biochemical screening and fetal congenital anomaly. 2005 , 25, 220-4	2
187	Fetal nasal bone and trisomy 21 in the second trimester. 2005 , 25, 511-5	27
186	[Role of "subtle" ultrasonographic signs during antenatal screening for trisomy 21 during the second trimester of pregnancy: meta-analysis and CPDPN protocol of the Grenoble University Hospital]. 2005 , 34, 215-31	11
185	Down syndrome screening in twins. 2005 , 32, 373-86, vi	28
184	Quelle est la place des signes d'appels échographiques dits « mineurs » dans le dépistage prénatal de la trisomie 21 au 2e trimestre de la grossesse ?. 2005 , 4, 209-225	
183	Problem-based learning in obstetrics: Suspected fetal abnormalities. 2005 , 15, 199-205	
182	Anomalías urogenitales fetales. 2006 , 42, 1-20	
181	First-trimester screening. 2006 , 44, 837-61	2
180	First-Trimester Screening. 2006 , 1, 231-255	3
179	Soft markers for congenital anomaly. 2006 , 16, 107-110	
178	Prenatal genetics: the evolution and future directions of screening and diagnosis. 2006 , 20, 93-7	1
177	Anomalies urogénitales fœtales. 2006 , 1, 1-19	
176	Prenatal diagnosis of Turner syndrome: report on 69 cases. <i>Journal of Ultrasound in Medicine</i> , 2006 , 25, 711-7; quiz 718-20	2.9 43
175	Normal obstetric ultrasound reduces the risk of Down syndrome in fetuses of older mothers. 2006 , 50, 429-34	0
174	Nasal bone assessment in prenatal screening for trisomy 21. 2006 , 195, 1219-30	101
173	Uptake of invasive prenatal diagnostic tests in women after detection of soft markers for chromosomal abnormality on ultrasonographic evaluation. 2007 , 27, 550-5	9
172	Screening for aneuploidy in first and second trimesters: is there an optimal paradigm?. 2007 , 19, 176-82	11

171	Dβistage prβatal de lβneuploβie foetale. 2007 , 29, 162-179	2
170	Prenatal screening for fetal aneuploidy. 2007 , 29, 146-161	70
169	[Down syndrome screening in France: the worst consensus]. 2007 , 36, 95-103	6
168	Wyniki nieinwazyjnych i inwazyjnych badaβ prenatalnych u 2364 ciβrnych diagnozowanych w dwβh rβych oβodkach. 2007 , 82, 284-291	
167	The second trimester genetic sonogram. 2007 , 145C, 62-72	33
166	Literature review and suggested protocol for managing ultrasound soft markers for Down syndrome: thickened nuchal fold, echogenic bowel, shortened femur, shortened humerus, pyelectasis and absent or hypoplastic nasal bone. 2007 , 51, 218-25	31
165	Management options for echogenic intracardiac focus and choroid plexus cysts: a review including Australian Association of Obstetrical and Gynaecological Ultrasonologists consensus statement. 2007 , 51, 324-9	16
164	Genetic sonography after first-trimester Down syndrome screening. 2007 , 29, 666-70	33
163	Screening for trisomy 21 during the routine second-trimester ultrasound examination in an unselected Chilean population. 2007 , 30, 946-51	11
162	The risk of a major trisomy in fetuses with pyelectasis: the impact of an abnormal maternal serum screen or additional sonographic markers. 2007 , 196, e24-6	4
161	Isolated choroid plexus cyst or echogenic cardiac focus on prenatal ultrasound: is genetic amniocentesis indicated?. 2007 , 196, 595.e1-3; discussion 595.e3	8
160	Risk assessment for Down syndrome with genetic sonogram in women at risk. 2008 , 28, 1144-8	13
159	Advancing further the sonographic estimation of Down syndrome risk--how early can we go?. 2008 , 31, 129-31	4
158	May all your femurs be long!. 2008 , 31, 489-92	11
157	Prenatal detection of trisomy 21 by second-trimester ultrasound examination and maternal age in a non-selected population of 49 314 births in Norway. 2008 , 32, 493-500	58
156	Comparison of the efficiency of second-trimester nasal bone hypoplasia and increased nuchal fold in Down syndrome screening. 2008 , 199, 281.e1-5	22
155	Time to reconsider our approach to echogenic intracardiac focus and choroid plexus cysts. 2008 , 48, 137-41	10
154	Ultrasonographic findings of fetal aneuploidies in the second trimester--our experiences. 2008 , 23, 105-13	17

153	Prenatal diagnosis: update on invasive versus noninvasive fetal diagnostic testing from maternal blood. 2008 , 8, 727-51		13
152	The role of ultrasound in prenatal detection of chromosomal abnormalities. 2008 , 3, 103-117		
151	Use of the genetic sonogram in the United States in 2001 and 2007. <i>Journal of Ultrasound in Medicine</i> , 2008 , 27, 1543-8	2.9	11
150	Reevaluating humeral length for the detection of fetal trisomy 21. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 1325-30	2.9	6
149	Second-trimester genetic sonography after first-trimester combined screening for trisomy 21. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 321-5	2.9	9
148	Comparison of modes of ascertainment for mosaic vs complete trisomy 21. 2009 , 200, 440.e1-5		12
147	Promises and pitfalls of first trimester sonographic markers in the detection of fetal aneuploidy. 2009 , 29, 62-8		19
146	Prenatal sonographic features of fetuses in trisomy 13 pregnancies (I). 2009 , 48, 210-7		15
145	The Mid-trimester Genetic Ultrasound: Past, Present and Future. 2009 , 17, 143-156		1
144	Role of second-trimester genetic sonography after Down syndrome screening. 2009 , 114, 1189-1196		82
143	Echogenic intracardiac foci: associated with increased risk for fetal trisomy 21 or not?. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 1639-43	2.9	15
142	Model-predicted performance of second-trimester Down syndrome screening with sonographic prenatal thickness. <i>Journal of Ultrasound in Medicine</i> , 2010 , 29, 1741-7	2.9	23
141	What does the patient really have to know about the presence of minor markers on the second-trimester sonogram?. <i>Journal of Ultrasound in Medicine</i> , 2010 , 29, 509-12	2.9	4
140	Iliac crest angle: a novel sonographic parameter for the prediction of Down syndrome risk during the second trimester of pregnancy. 2010 , 35, 163-71		5
139	Mitral valve-tricuspid valve distance as a sonographic marker of trisomy 21. 2010 , 35, 172-7		11
138	Nasal-bone length in euploid fetuses at 16-24 weeks' gestation by three-dimensional ultrasound. 2010 , 36, 285-90		14
137	Are second-trimester minor sonographic markers for Down syndrome useful in patients who have undergone first-trimester combined screening?. 2010 , 203, 408.e1-4		7
136	Complete trisomy 21 vs translocation Down syndrome: a comparison of modes of ascertainment. 2010 , 203, 391.e1-5		9

135	The history of the second-trimester sonographic markers for detecting fetal Down syndrome, and their current role in obstetric practice. 2010 , 30, 644-52			39
134	Ultrasound screening for fetal aneuploidy using soft markers in the overweight and obese gravida. 2010 , 30, 821-6			27
133	The effect of fetal gender in predicting Down syndrome using long bone ultrasonographic measurements. 2010 , 30, 950-5			3
132	The association of maternal BMI with fetal echogenic intracardiac foci and echogenic bowel. 2010 , 23, 781-4			2
131	Ultrasound of fetal cardiac anomalies. 2011 , 197, W747-60			29
130	Second-Trimester Genetic Sonogram and Soft Markers. 2011 , 6, 11-24			
129	Chromosomal Anomaly Diagnosed by Obstetric Ultra Sound. 2011 , 34, 67			
128	Statistical analysis and interpretation of prenatal diagnostic imaging studies, Part 1: evaluating the efficiency of screening and diagnostic tests. <i>Journal of Ultrasound in Medicine</i> , 2011 , 30, 1121-7	2.9		17
127	The genetic sonogram: comparing the use of likelihood ratios versus logistic regression coefficients for Down syndrome screening. <i>Journal of Ultrasound in Medicine</i> , 2011 , 30, 463-9	2.9		10
126	Normal ranges for fetal nasal bone length determined by ultrasound at 18-20 weeks of gestation in a multiethnic Australian population. 2011 , 51, 347-52			3
125	Pränatale Detektion fetaler chromosomaler Aberrationen im 1. und 2. Trimenon. 2011 , 23, 444-452			
124	Screening for fetal aneuploidies at 11 to 13 weeks. 2011 , 31, 7-15			394
123	Revisiting the risk for aneuploidy in fetuses with isolated pyelectasis. 2011 , 31, 566-70			18
122	FIRST AND SECOND TRIMESTER SONOGRAPHIC SCREENING FOR FETAL DOWN SYNDROME. 2011 , 22, 45-66			
121	Phenotypic variability in fetuses with down syndrome: a case-control pathological evaluation. 2011 , 30, 207-14			1
120	Prenatal screening for fetal aneuploidy in singleton pregnancies. 2011 , 33, 736-750			94
119	Prenatal diagnosis and screening for aneuploidy. 2012 , 47-55			
118	Contribution of "modified genetic sonography" to the combined test as a screening method for chromosomal abnormalities. 2012 , 25, 1399-405			1

117	Prenatal diagnosis of down syndrome associated with right aortic arch and dilated septum cavi pellucidi. 2012 , 2012, 329547	2
116	Échographie obstétricale en routine des deuxième et troisième trimestres. 2012 , 7, 1-23	
115	Survey of prenatal counselling practices regarding aneuploidy risk modification, invasive diagnostic procedure risks, and procedure eligibility criteria in Canadian centres. 2012 , 34, 626-36	1
114	Role of fetal echocardiography in stepwise sequential screening for chromosomal disorders (combined test associated with modified genetic sonography). 2012 , 25, 2216-20	1
113	When are amniotic fluid viral PCR studies indicated in prenatal diagnosis?. 2012 , 32, 88-93	6
112	Aberrant right subclavian artery: incidence and correlation with other markers of Down syndrome in second-trimester fetuses. 2012 , 39, 191-5	37
111	Second-trimester soft markers: relation to first-trimester nuchal translucency in unaffected pregnancies. 2012 , 39, 274-8	13
110	Using ICD-9 codes to establish prevalence of malformations in newborn infants. 2012 , 94, 208-14	23
109	Fetal genitourinary imaging. 2012 , 42 Suppl 1, S115-23	19
108	Prénataldiagnostik. 2012 , 45, 35-40	1
107	Adjusted risk for trisomy 21 after the anomaly scan. How accurate is the Fetal Medicine Foundation algorithm?. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 285, 367-70	2.5 0
106	Prenatal Screening for Neural Tube Defects and Aneuploidy. 2013 , 1-23	
105	Follow-up of sonographically detected soft markers for fetal aneuploidy. 2013 , 37, 365-9	14
104	Guía de práctica clínica: Diagnóstico prenatal de los defectos congénitos. Cribado de anomalías cromosómicas. 2013 , 24, 57-72	6
103	Echogenic intracardiac foci: disclosure and the rate of amniocentesis in low-risk patients. 2013 , 209, 377.e1-3	2
102	Meta-analysis of second-trimester markers for trisomy 21. 2013 , 41, 247-61	164
101	Echogenic focus in the fetal left ventricular cavity: is it a false tendon?. 2013 , 89, 479-82	3
100	A retrospective analysis of amniocenteses performed for advanced maternal age and various other indications in Turkish women. 2013 , 26, 242-5	7

99	The Genetic Sonogram Structural Anomalies in the Assessment of Trisomy 21: Case Reports and a Literature Review. 2013 , 7, 475-480		
98	The continuing enigma of the fetal echogenic intracardiac focus in prenatal ultrasound. 2013 , 25, 145-51		11
97	Association of midtrimester short femur and short humerus with fetal growth restriction. 2013 , 33, 130-3		5
96	Sonographic markers for early diagnosis of fetal malformations. 2013 , 5, 356-71		19
95	Echocardiography in children with Down syndrome. 2013 , 2, 36-45		12
94	Anomalies chromosomiques : du dβistage au diagnostic. 2014 , 561-604		
93	Multidisciplinary consensus on the classification of prenatal and postnatal urinary tract dilation (UTD classification system). 2014 , 10, 982-98		239
92	Ultrasonographic fetal soft markers in a low-risk population: prevalence, association with trisomies and invasive tests. 2014 , 93, 367-73		28
91	Systematic review of the clinical prediction rules for the calculation of the risk of Down syndrome based on ultrasound findings in the second trimester of pregnancy. 2014 , 34, 265-72		3
90	THE GENETIC SONOGRAM. 2014 , 25, 12-41		
89	Influence of second-trimester ultrasound markers for Down syndrome in pregnant women of advanced maternal age. 2014 , 2014, 785730		4
88	Fetal imaging: executive summary of a joint Eunice Kennedy Shriver National Institute of Child Health and Human Development, Society for Maternal-Fetal Medicine, American Institute of Ultrasound in Medicine, American College of Obstetricians and Gynecologists, American College of Radiology, Society for Pediatric Radiology, and Society of Radiologists in Ultrasound Fetal Imaging Workshop. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 745-57	2.9	80
87	The "anathema" of arbitrary categorization of continuous predictors. 2014 , 210, 200-3		2
86	The role of ultrasound in the diagnosis of fetal genetic syndromes. 2014 , 28, 417-28		13
85	Fetal imaging: Executive summary of a Joint Eunice Kennedy Shriver National Institute of Child Health and Human Development, Society for Maternal-Fetal Medicine, American Institute of Ultrasound in Medicine, American College of Obstetricians and Gynecologists, American College of Radiology, Society for Pediatric Radiology, and Society of Radiologists in Ultrasound Fetal Imaging		80
84	Impact of gestational age on nuchal fold thickness in the second trimester. <i>Journal of Ultrasound in Medicine</i> , 2014 , 33, 687-90	2.9	1
83	The Welsh study of mothers and babies: protocol for a population-based cohort study to investigate the clinical significance of defined ultrasound findings of uncertain significance. 2014 , 14, 164		5
82	GENETIC SONOGRAM: COMPONENTS AND ROLE IN THE ERA OF PRENATAL SCREENING. 2014 , 25, 214-231		3

81	Fetal imaging: executive summary of a joint Eunice Kennedy Shriver National Institute of Child Health and Human Development, Society for Maternal-Fetal Medicine, American Institute of Ultrasound in Medicine, American College of Obstetricians and Gynecologists, American College of Radiology, Society for Pediatric Radiology, and Society of Radiologists in Ultrasound Fetal Imaging workshop. 2014 , 123, 1070-1082	105
80	Prenatal Diagnosis of Fetal Malformations by Ultrasound. 2015 , 541-598	1
79	Fetal ultrasound examination and assessment of genetic soft markers in Sweden: are ethical principles respected?. 2015 , 94, 141-7	9
78	Continuous variable transformation in anesthesia: useful clinical shorthand, but threat to research. 2015 , 123, 504-6	3
77	Echogenic intracardiac focus on second trimester ultrasound: prevalence and significance in a Middle Eastern population. 2016 , 29, 2293-6	2
76	Urinary Tract Abnormalities. 2015 , 479-517	
75	Fetal Aneuploidies*. 2015 , 31-59	
74	Advances in ultrasound imaging for congenital malformations during early gestation. 2015 , 103, 260-8	10
73	Clinical experience from Thailand: noninvasive prenatal testing as screening tests for trisomies 21, 18 and 13 in 4736 pregnancies. 2016 , 36, 224-31	11
72	Modifying Risk of Aneuploidy with a Positive Cell-Free Fetal DNA Result. 2016 , 36, 249-59	1
71	Prevalence of defined ultrasound findings of unknown significance at the second trimester fetal anomaly scan and their association with adverse pregnancy outcomes: the Welsh study of mothers and babies population-based cohort. 2016 , 36, 40-8	17
70	Ultrasound screening: Status of markers and efficacy of screening for structural abnormalities. 2016 , 40, 67-78	23
69	Practice Bulletin No. 163: Screening for Fetal Aneuploidy. 2016 , 127, e123-e137	200
68	Meta-analysis of validity of echogenic intracardiac foci for calculating the risk of Down syndrome in the second trimester of pregnancy. 2017 , 56, 16-22	4
67	. 2017 , 39, e362-e379	
66	No. 261-Prenatal Screening for Fetal Aneuploidy in Singleton Pregnancies. 2017 , 39, e380-e394	8
65	Prenatal diagnosis of Down syndrome: A 13-year retrospective study. 2017 , 56, 731-735	6
64	How to Integrate Cell-Free DNA Screening With Sonographic Markers for Aneuploidy: An Update. 2018 , 210, 906-912	6

63	Trisomy 21. 2018 , 608-613.e1		1
62	Isolated Echogenic Cardiac Focus: Assessing Association with Trisomy 21 by Combining Results from a Prenatal Center with a Bayesian Meta-Analysis. 2019 , 5, E98-E106		1
61	Femur length parameters in fetuses with Down syndrome. 2020 , 33, 2516-2521		0
60	Clinical Application of Cell-Free DNA Sequencing-Based Noninvasive Prenatal Testing for Trisomies 21, 18, 13 and Sex Chromosome Aneuploidy in a Mixed-Risk Population in Iran. 2020 , 47, 220-227		10
59	Current landscape of prenatal genetic screening and testing. 2020 , 112, 321-331		6
58	Skeletal dynamics of Down syndrome: A developing perspective. 2020 , 133, 115215		5
57	Should chromosomal microarray be offered to fetuses with ultrasonographic soft markers in second trimester: A prospective cohort study and meta-analysis. 2020 , 40, 1569-1577		2
56	Interaction of sexual dimorphism and gene dosage imbalance in skeletal deficits associated with Down syndrome. 2020 , 136, 115367		6
55	A Bibliometric Analysis of Citation Classics in the Journal of Ultrasound in Medicine. <i>Journal of Ultrasound in Medicine</i> , 2020 , 39, 1289-1297	2.9	3
54	Outcome of fetal echogenic bowel: A systematic review and meta-analysis. 2021 , 41, 391-399		6
53	Prenatal chromosomal microarray analysis in 2466 fetuses with ultrasonographic soft markers: a prospective cohort study. 2021 , 224, 516.e1-516.e16		13
52	Anomalies chromosomiques : du d�istage au diagnostic. 2021 , 781-829		
51	Application of Copy Number Variation Detection to Fetal Diagnosis of Echogenic Intracardiac Focus During Pregnancy. 2021 , 12, 626044		1
50	Current Analysis of Skeletal Phenotypes in Down Syndrome. 2021 , 19, 338-346		1
49	Society for Maternal-Fetal Medicine Consult Series #57: Evaluation and management of isolated soft ultrasound markers for aneuploidy in the second trimester: (Replaces Consults #10, Single umbilical artery, October 2010; #16, Isolated echogenic bowel diagnosed on second-trimester ultrasound, August 2011; #17, Evaluation and management of isolated renal pelviectasis on second-trimester ultrasound, December 2011; #25, Isolated fetal choroid plexus cysts, April 2013; #27, Isolated echogenic intracardiac focus., 2021 , 225, B2-B15		2
48	How genomics is changing the practice of prenatal testing. <i>Journal of Perinatal Medicine</i> , 2021 , 49, 1003-1010		0
47	The Term Newborn: Postnatal Screening and Testing. 2021 , 48, 555-572		
46	The Natural History of Trisomy 21: Outcome Data from a Large Tertiary Referral Centre. 2021 , 48, 575-581		1

- 45 MizaBelliklerinin invaziv karyotip testlerini sebe kararlarlerine olan etkisi. **2021**, 46, 1387-1393
- 44 Chromosomal abnormalities. **2007**, 327-359 1
- 43 Complications of Pregnancy. **2008**, 151-201 1
- 42 THE SECOND TRIMESTER GENETIC SONOGRAM. **2008**, 70-111 1
- 41 THE GASTROINTESTINAL TRACT AND ABDOMINAL WALL. **2008**, 587-639 5
- 40 Reference values of nuchal fold thickness in an Iranian population sample. **2018**, 23, 94 1
- 39 Fetal Central Nervous System: Head and Spine. **2004**, 374-413
- 38 Echogenic intracardiac focus: A review of the literature. **2005**, 5, 186-193
- 37 A review of biochemical and ultrasound markers in the detection of down syndrome. **2006**, 15, 19-25
- 36 FETALE ENTWICKLUNGSANOMALIEN. **2006**, 397-429
- 35 Screening for aneuploidy and prenatal diagnosis. **2007**, 30-39
- 34 Genetic Screening for Aneuploidy in the Second-trimester. **2008**, 2, 29-36 1
- 33 Sonographic Fetal Findings with Borderline Significance: The Grey Zone in Fetal Diagnosis. **2008**, 571-602
- 32 Marcadores ecograficos de anomalías cromosómicas en el segundo trimestre. **2008**, 117-126
- 31 Syndromes. **2008**, 129-569
- 30 Screening prenatale, ecografico e biochimico di cromosomopatie. **2008**, 75-85
- 29 Prenatal Diagnosis of Congenital Disorders. **2009**, 221-274 1
- 28 Sonographic Detection of Aneuploidy. 60-73

27	Prenatal Diagnosis of Fetal Malformations by Ultrasound. 819-881		
26	Fetal Genitourinary Abnormalities. 2011 , 301-318.e4		
25	Second-Trimester Screening for Fetal Abnormalities. 2011 , 121-142.e3		
24	Growth in Individuals with Down Syndrome. 2012 , 2231-2245		
23	First- and Second-Trimester Screening for Fetal Aneuploidy and Neural Tube Defects. 55-62		
22	Case 16. 2013 , 33-34		
21	Chromosomale und nicht-chromosomale Syndrome. 2013 , 583-600		
20	Second-trimester fetal genetic ultrasonography to detect chromosomal abnormalities. <i>Journal of Genetic Medicine</i> , 2014 , 11, 49-55	0.2	
19	5. Prenatal diagnosis and screening for aneuploidy. 2016 , 59-74		
18	Chromosomale und nicht chromosomale Syndrome. 2018 , 661-692		
17	Clinical significance of sonographic soft markers: A review. <i>Journal of Genetic Medicine</i> , 2018 , 15, 1-7	0.2	1
16	Fetal min̄anomali saptanan olguları prenatal ve postnatal sonuŕarını deęlendirilmesi. <i>Zeynep Kamil Tip Bulteni</i> ,	0	
15	Efficacy of Genetic Sonogram For Predicting Aneuploidy In a High-Risk Pregnancy Population. <i>Archives of Clinical and Experimental Medicine</i> , 2020 , 5, 52-57	0.1	
14	Introduction to Perinatal Disorders and Reproductive Genetics. 2022 , 1-8		
13	Ultrasonographic soft markers of aneuploidy in second trimester: are we lost?. <i>MedGenMed: Medscape General Medicine</i> , 2006 , 8, 9		9
12	Prenatal Aneuploidies Computerized Screening (SCA TEST): a pilot study on 1000 women. <i>Journal of Prenatal Medicine</i> , 2007 , 1, 47-56		2
11	Trisomy 13, 18, 21, Triploidy and Turner syndrome: the 5T's. Look at the hands. <i>Facts, Views & Vision in ObGyn</i> , 2011 , 3, 15-21	1.4	8
10	Determinant of Prenatal Diagnostic Testing Among Women with Increased Risk of Fetal Aneuploidy and Genetic Disorders. <i>American Journal of Perinatology</i> , 2021 ,	3.3	0

9	The femur too short? 1373 fetuses with short femur during second-trimester screening.. <i>Archives of Gynecology and Obstetrics</i> , 2022 , 1	2.5	1
8	Nasal bone in fetal aneuploidy risk assessment: are they independent markers in the first and second trimesters?. <i>Journal of Perinatal Medicine</i> , 2022 ,	2.7	
7	Molecular Approaches in Fetal Malformations, Dynamic Anomalies and Soft Markers: Diagnostic Rates and Challenges-Systematic Review of the Literature and Meta-Analysis.. <i>Diagnostics</i> , 2022 , 12,	3.8	1
6	Prenatal Sitogenetik Anormallikler ve Ultrasonografik olarak Saptanan Fetal Anomalilerin Korelasyonu. <i>OsmangazJournal of Medicine</i> ,	0.1	
5	Sonographic findings of Down syndrome. 9-14		
4	Advances in prenatal diagnosis. 8-18		
3	Role of Sonographic Second Trimester Soft Markers in the Era of Cell-Free DNA Screening Options: A Review. 2022 , 3, 222-234		
2	Antenatal imaging: A pictorial review. 10, 12854-12874		0
1	Bone mineral density in adults with Down syndrome: a cross-sectional study in a Brazilian sample.		0