

# The Malmö diet and cancer study: representativity, cancer participants and non-participants

European Journal of Cancer Prevention

10, 489-499

DOI: [10.1097/00008469-200112000-00003](https://doi.org/10.1097/00008469-200112000-00003)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A Prospective Study of Adiposity and All-cause Mortality: The Malmö Diet and Cancer Study. <i>Obesity</i> , 2002, 10, 361-369.	4.0	122
2	Postmenopausal breast cancer is associated with high intakes of omega6 fatty acids (Sweden). <i>Cancer Causes and Control</i> , 2002, 13, 883-893.	0.8	76
3	Postmenopausal breast cancer risk in relation to sex steroid hormones, prolactin and SHBG (Sweden). <i>Cancer Causes and Control</i> , 2003, 14, 599-607.	0.8	98
4	External validity in a population-based national prospective study – the Norwegian Women and Cancer Study (NOWAC). <i>Cancer Causes and Control</i> , 2003, 14, 1001-1008.	0.8	134
5	Validity of self-reported information on cancer: Determinants of under- and over-reporting. <i>European Journal of Epidemiology</i> , 2003, 19, 239-247.	2.5	34
6	A prospective study of adiposity and postmenopausal breast cancer risk: The Malmö diet and cancer study. <i>International Journal of Cancer</i> , 2003, 103, 246-252.	2.3	93
7	Effect of Neighborhood Social Participation on Individual Use of Hormone Replacement Therapy and Antihypertensive Medication: A Multilevel Analysis. <i>American Journal of Epidemiology</i> , 2003, 157, 774-783.	1.6	43
8	Dietary fat intake – food sources and dietary correlates in the Malmö Diet and Cancer cohort. <i>Public Health Nutrition</i> , 2003, 6, 559-569.	1.1	13
9	Neighbourhood social participation and women's use of anxiolytic-hypnotic drugs: a multilevel analysis. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 59-64.	2.0	15
10	Non-participants in a preventive health examination for cardiovascular disease: characteristics, reasons for non-participation, and willingness to participate in the future. <i>Scandinavian Journal of Primary Health Care</i> , 2004, 22, 248-251.	0.6	33
11	No relations between breast cancer risk and fatty acids of erythrocyte membranes in postmenopausal women of the Malmö Diet Cancer cohort (Sweden). <i>European Journal of Clinical Nutrition</i> , 2004, 58, 761-770.	1.3	44
12	High fat and alcohol intakes are risk factors of postmenopausal breast cancer: A prospective study from the Malmö diet and cancer cohort. <i>International Journal of Cancer</i> , 2004, 110, 589-597.	2.3	29
13	Smoking is associated with postmenopausal breast cancer in women with high levels of estrogens. <i>International Journal of Cancer</i> , 2004, 112, 324-328.	2.3	14
14	Association between diet, lifestyle, metabolic cardiovascular risk factors, and plasma C-reactive protein levels. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 1436-1442.	1.5	81
15	Past food habit change is related to obesity, lifestyle and socio-economic factors in the Malmo Diet and Cancer Cohort. <i>Public Health Nutrition</i> , 2005, 8, 876-885.	1.1	53
16	Misreporting of energy: prevalence, characteristics of misreporters and influence on observed risk estimates in the Malmö Diet and Cancer cohort. <i>British Journal of Nutrition</i> , 2005, 94, 832-842.	1.2	102
17	Genetic variance of SGK-1 is associated with blood pressure, blood pressure change over time and strength of the insulin-diastolic blood pressure relationship. <i>Kidney International</i> , 2005, 68, 2164-2172.	2.6	67
18	Dietary habits after myocardial infarction – results from a cross-sectional study. <i>Journal of Internal Medicine</i> , 2005, 257, 329-337.	2.7	9

#	ARTICLE	IF	CITATIONS
19	Do organizations that voluntarily participate in a program differ from non-participating organizations?. <i>Evaluation and Program Planning</i> , 2005, 28, 161-165.	0.9	6
20	Smoking as a determinant for plasma levels of testosterone, androstenedione, and DHEAs in postmenopausal women. <i>European Journal of Epidemiology</i> , 2005, 20, 331-337.	2.5	26
21	Blood Pressure Control and Risk of Stroke. <i>Stroke</i> , 2005, 36, 725-730.	1.0	137
22	Risk Factors for Stroke in Subjects With Normal Blood Pressure. <i>Stroke</i> , 2005, 36, 234-238.	1.0	74
23	Who are the "quitters"? a cross-sectional study of circumstances associated with women giving up smoking. <i>Scandinavian Journal of Public Health</i> , 2005, 33, 175-182.	1.2	23
24	The role of preclinical atherosclerosis in the explanation of educational differences in incidence of coronary events. <i>Atherosclerosis</i> , 2006, 187, 251-256.	0.4	7
25	Does Low Participation in Cohort Studies Induce Bias?. <i>Epidemiology</i> , 2006, 17, 413-418.	1.2	495
26	Sex-specific cardiovascular morbidity and mortality in a cohort treated for hypertension. <i>Journal of Hypertension</i> , 2006, 24, 1523-1529.	0.3	22
27	24-h ambulatory blood pressure is linked to chromosome 18q21 and genetic variation of NEDD4L associates with cross-sectional and longitudinal blood pressure in Swedes. <i>Kidney International</i> , 2006, 70, 562-569.	2.6	57
28	Increased risk of acute myocardial infarction and elevated levels of C-reactive protein in carriers of the Thr-87 variant of the ATP receptor P2Y11. <i>European Heart Journal</i> , 2006, 28, 13-18.	1.0	57
29	Representativity of a postal public health questionnaire survey in Sweden, with special reference to ethnic differences in participation. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 132-139.	1.2	97
30	Neighborhood social participation, use of anxiolytic-hypnotic drugs, and women's propensity for disability pension: a multilevel analysis. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 41-48.	1.2	5
31	Sex differences in the relationships between BMI, WHR and incidence of cardiovascular disease: a population-based cohort study. <i>International Journal of Obesity</i> , 2006, 30, 1775-1781.	1.6	76
32	Aortocoronary collateral. <i>European Heart Journal</i> , 2006, 28, 18-18.	1.0	2
33	Effects of body fatness and physical activity on cardiovascular risk: Risk prediction using the bioelectrical impedance method. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 568-575.	1.2	54
34	Area social characteristics and carotid atherosclerosis. <i>European Journal of Public Health</i> , 2007, 17, 333-339.	0.1	7
35	Association Between IgM Against an Aldehyde-Modified Peptide in Apolipoprotein B-100 and Progression of Carotid Disease. <i>Stroke</i> , 2007, 38, 1495-1500.	1.0	45
36	Elevated Lp-PLA 2 Levels Add Prognostic Information to the Metabolic Syndrome on Incidence of Cardiovascular Events Among Middle-Aged Nondiabetic Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1411-1416.	1.1	148

#	ARTICLE	IF	CITATIONS
37	High folate intake is associated with lower breast cancer incidence in postmenopausal women in the Malmö Diet and Cancer cohort. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 434-443.	2.2	99
38	The role of low grade inflammation as measured by C-reactive protein levels in the explanation of socioeconomic differences in carotid atherosclerosis. <i>European Journal of Public Health</i> , 2007, 17, 340-347.	0.1	18
39	Dietary intake of heterocyclic amines in relation to socio-economic, lifestyle and other dietary factors: estimates in a Swedish population. <i>Public Health Nutrition</i> , 2007, 10, 616-627.	1.1	17
40	Both food habit change in the past and obesity status may influence the association between dietary factors and postmenopausal breast cancer. <i>Public Health Nutrition</i> , 2007, 10, 769-779.	1.1	28
41	The epidemiology of Lp-PLA2: Distribution and correlation with cardiovascular risk factors in a population-based cohort. <i>Atherosclerosis</i> , 2007, 190, 388-396.	0.4	92
42	Diet and body constitution in relation to subgroups of breast cancer defined by tumour grade, proliferation and key cell cycle regulators. <i>Breast Cancer Research</i> , 2007, 9, R11.	2.2	15
43	Cardiovascular event risk in relation to dietary fat intake in middle-aged individuals: data from The Malmö Diet and Cancer Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 701-706.	3.1	41
44	Breast tumours following combined hormone replacement therapy express favourable prognostic factors. <i>International Journal of Cancer</i> , 2007, 120, 2202-2207.	2.3	51
45	The metabolic syndrome and incidence of cardiovascular disease in non-diabetic subjects-a population-based study comparing three different definitions. <i>Diabetic Medicine</i> , 2007, 24, 464-472.	1.2	168
46	A prospective study on dietary fat and incidence of prostate cancer (Malmö, Sweden). <i>Cancer Causes and Control</i> , 2007, 18, 1107-1121.	0.8	68
47	Do both heterocyclic amines and omega-6 polyunsaturated fatty acids contribute to the incidence of breast cancer in postmenopausal women of the Malmö diet and cancer cohort?. <i>International Journal of Cancer</i> , 2008, 123, 1637-1643.	2.3	29
48	Sleeping problems as a risk factor for subsequent musculoskeletal pain and the role of job strain: Results from a one-year follow-up of the Malmö shoulder neck study cohort. <i>International Journal of Behavioral Medicine</i> , 2008, 15, 254-262.	0.8	66
49	Telomere Length Is Associated With Obesity Parameters but With a Gender Difference. <i>Obesity</i> , 2008, 16, 2682-2689.	1.5	165
50	C-reactive protein, established risk factors and social inequalities in cardiovascular disease – the significance of absolute versus relative measures of disease. <i>BMC Public Health</i> , 2008, 8, 189.	1.2	7
51	Lp-PLA2 activity and mass are associated with increased incidence of ischemic stroke. <i>Atherosclerosis</i> , 2008, 200, 191-198.	0.4	49
52	Incidence of Ischemic Stroke in Relation to Asymptomatic Carotid Artery Atherosclerosis in Subjects with Normal Blood Pressure. <i>Cerebrovascular Diseases</i> , 2008, 26, 297-303.	0.8	49
53	Enterolactone Is Differently Associated with Estrogen Receptor –Negative and –Positive Breast Cancer in a Swedish Nested Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3241-3251.	1.1	28
54	Assessment of Representativity of a Study Population – Experience of the Kiel Obesity Prevention Study (KOPS). <i>Obesity Facts</i> , 2008, 1, 325-330.	1.6	16

#	ARTICLE	IF	CITATIONS
55	Plant foods and oestrogen receptor $\beta$ - and $\alpha$ -defined breast cancer: observations from the Malmo Diet and Cancer cohort. <i>Carcinogenesis</i> , 2008, 29, 2203-2209.	1.3	45
56	The P2Y13 Met-158-Thr Polymorphism, Which Is in Linkage Disequilibrium with the P2Y12 Locus, Is Not Associated with Acute Myocardial Infarction. <i>PLoS ONE</i> , 2008, 3, e1462.	1.1	10
57	Increased breast cancer risk at high plasma folate concentrations among women with the MT HFR 677T allele. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 1380-1389.	2.2	43
58	Breast feeding, but not use of oral contraceptives, is associated with a reduced risk of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 526-530.	0.5	165
59	Incidence of severe knee and hip osteoarthritis in relation to different measures of body mass: a population-based prospective cohort study. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 490-496.	0.5	304
60	Carotid Intima-Media Thickness, Systemic Inflammation, and Incidence of Heart Failure Hospitalizations. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1691-1695.	1.1	28
61	A prospective Swedish study on body size, body composition, diabetes, and prostate cancer risk. <i>British Journal of Cancer</i> , 2009, 100, 1799-1805.	2.9	73
62	Five meal patterns are differently associated with nutrient intakes, lifestyle factors and energy misreporting in a sub-sample of the Malmo Diet and Cancer cohort. <i>Food and Nutrition Research</i> , 2009, 53, 1970.	1.2	12
63	The Protective Association of High Plasma Enterolactone with Breast Cancer Is Reasonably Robust in Women with Polymorphisms in the Estrogen Receptor $\beta$ and $\alpha$ Genes. <i>Journal of Nutrition</i> , 2009, 139, 993-1001.	1.3	34
64	Folate Intake, Methylenetetrahydrofolate Reductase Polymorphisms, and Breast Cancer Risk in Women from the Malmo Diet and Cancer Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1101-1110.	1.1	59
65	Non-response to baseline, non-response to follow-up and mortality in the Whitehall II cohort. <i>International Journal of Epidemiology</i> , 2009, 38, 831-837.	0.9	60
66	C-reactive protein, metabolic syndrome and incidence of severe hip and knee osteoarthritis. A population-based cohort study. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 168-173.	0.6	154
67	Anthropometric factors in relation to different tumor biological subgroups of postmenopausal breast cancer. <i>International Journal of Cancer</i> , 2009, 124, 402-411.	2.3	36
68	Parity and age at first childbirth in relation to the risk of different breast cancer subgroups. <i>International Journal of Cancer</i> , 2009, 125, 1926-1934.	2.3	39
69	Exposure to cadmium and persistent organochlorine pollutants and its association with bone mineral density and markers of bone metabolism on postmenopausal women. <i>Environmental Research</i> , 2009, 109, 991-996.	3.7	35
70	Neighborhood Disparities in Incident Hospitalized Myocardial Infarction in Four U.S. Communities: The ARIC Surveillance Study. <i>Annals of Epidemiology</i> , 2009, 19, 867-874.	0.9	32
71	A high eating frequency is associated with an overall healthy lifestyle in middle-aged men and women and reduced likelihood of general and central obesity in men. <i>British Journal of Nutrition</i> , 2010, 104, 1065-1073.	1.2	92
72	Prevalence of Asymptomatic Carotid Artery Stenosis in the General Population. <i>Stroke</i> , 2010, 41, 1294-1297.	1.0	330

#	ARTICLE	IF	CITATIONS
73	Male infertility and prostate cancer risk: a nested caseâ€“control study. <i>Cancer Causes and Control</i> , 2010, 21, 1635-1643.	0.8	37
74	Conflict between the work and family domains and exhaustion among vocationally active men and women. <i>Social Science and Medicine</i> , 2010, 70, 1237-1245.	1.8	44
75	Serum levels of vitamin D, PTH and calcium and breast cancer riskâ€“a prospective nested caseâ€“control study. <i>International Journal of Cancer</i> , 2010, 127, 2159-2168.	2.3	92
76	Weak associations between human leucocyte antigen genotype and acute myocardial infarction. <i>Journal of Internal Medicine</i> , 2010, 268, 50-58.	2.7	36
77	Plasma Folate Concentrations Are Positively Associated with Risk of Estrogen Receptor Î² Negative Breast Cancer in a Swedish Nested Case Control Study. <i>Journal of Nutrition</i> , 2010, 140, 1661-1668.	1.3	35
78	Plasma Copeptin and the Risk of Diabetes Mellitus. <i>Circulation</i> , 2010, 121, 2102-2108.	1.6	243
79	The Health Status of Nonparticipants in a Population-based Health Study: The Hordaland Health Study. <i>American Journal of Epidemiology</i> , 2010, 172, 1306-1314.	1.6	271
80	Increased cartilage turnover and circulating autoantibodies in different subsets before the clinical onset of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 520-522.	0.5	30
81	Anthropometric factors and ovarian cancer risk in the MalmÃ¶ Diet and Cancer Study. <i>Cancer Epidemiology</i> , 2011, 35, 432-437.	0.8	11
82	Genetic variants in serum and glucocorticoid regulated kinase 1, a regulator of the epithelial sodium channel, are associated with ischaemic stroke. <i>Journal of Hypertension</i> , 2011, 29, 884-889.	0.3	29
83	Food patterns, inflammation markers and incidence of cardiovascular disease: the MalmÃ¶ Diet and Cancer study. <i>Journal of Internal Medicine</i> , 2011, 270, 365-376.	2.7	38
84	A candidate CpG SNP approach identifies a breast cancer associated ESR1â€™SNP. <i>International Journal of Cancer</i> , 2011, 129, 1689-1698.	2.3	34
85	Dairy products and its association with incidence of cardiovascular disease: the MalmÃ¶ diet and cancer cohort. <i>European Journal of Epidemiology</i> , 2011, 26, 609-618.	2.5	149
86	Human immunoglobulin G levels of viruses and associated glioma risk. <i>Cancer Causes and Control</i> , 2011, 22, 1259-1266.	0.8	31
87	Synergistic interaction effect between job control and social support at work on general psychological distress. <i>International Archives of Occupational and Environmental Health</i> , 2011, 84, 77-89.	1.1	44
88	Low RBM3 protein expression correlates with tumour progression and poor prognosis in malignant melanoma: An analysis of 215 cases from the MalmÃ¶ Diet and Cancer Study. <i>Journal of Translational Medicine</i> , 2011, 9, 114.	1.8	51
89	Tumour-related factors and prognosis in breast cancer detected by screening. <i>British Journal of Surgery</i> , 2011, 99, 78-87.	0.1	20
90	Red cell distribution width and risk for first hospitalization due to heart failure: a population-based cohort study. <i>European Journal of Heart Failure</i> , 2011, 13, 1355-1361.	2.9	95

#	ARTICLE	IF	CITATIONS
91	Food Sources of Fat and Sex Hormone Receptor Status of Invasive Breast Tumors in Women of the MalmÅ¶ Diet and Cancer Cohort. <i>Nutrition and Cancer</i> , 2011, 63, 722-733.	0.9	14
92	A Panel of Kallikrein Marker Predicts Prostate Cancer in a Large, Population-Based Cohort Followed for 15 Years without Screening. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 255-261.	1.1	84
93	Development of a diet quality index assessing adherence to the Swedish nutrition recommendations and dietary guidelines in the MalmÅ¶ Diet and Cancer cohort. <i>Public Health Nutrition</i> , 2011, 14, 835-845.	1.1	40
94	Dietary intakes of carbohydrates in relation to prostate cancer risk: a prospective study in the MalmÅ¶ Diet and Cancer cohort. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1409-1418.	2.2	80
95	Early menopause is an independent predictor of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 378-381.	0.5	101
96	Combined effect of low-penetrant SNPs on breast cancer risk. <i>British Journal of Cancer</i> , 2012, 106, 389-396.	2.9	35
97	Measures of birth size in relation to risk of prostate cancer: the MalmÅ¶ Diet and Cancer Study, Sweden. <i>Journal of Developmental Origins of Health and Disease</i> , 2012, 3, 442-449.	0.7	5
98	Soluble urokinase plasminogen activator receptor in plasma is associated with incidence of CVD. Results from the MalmÅ¶ Diet and Cancer Study. <i>Atherosclerosis</i> , 2012, 220, 502-505.	0.4	83
99	Incidence of Coronary Events and Case Fatality Rate in Relation to Blood Lymphocyte and Neutrophil Counts. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 533-539.	1.1	47
100	Use of snus and acute myocardial infarction: pooled analysis of eight prospective observational studies. <i>European Journal of Epidemiology</i> , 2012, 27, 771-779.	2.5	80
101	Mortality among participants and non-participants in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2012, 27, 837-845.	2.5	58
102	Effect of leisure time physical activity on severe knee or hip osteoarthritis leading to total joint replacement: a population-based prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 73.	0.8	43
103	Interactive effect of genetic susceptibility with height, body mass index, and hormone replacement therapy on the risk of breast cancer. <i>BMC Women's Health</i> , 2012, 12, 17.	0.8	7
104	Genetic predisposition, parity, age at first childbirth and risk for breast cancer. <i>BMC Research Notes</i> , 2012, 5, 414.	0.6	44
105	Genetic Variation in the Glucose-Dependent Insulinotropic Polypeptide Receptor Modifies the Association between Carbohydrate and Fat Intake and Risk of Type 2 Diabetes in the MalmÅ¶ Diet and Cancer Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E810-E818.	1.8	46
106	Role of TCF7L2 risk variant and dietary fibre intake on incident type 2 diabetes. <i>Diabetologia</i> , 2012, 55, 2646-2654.	2.9	66
107	Early menopause and severity of rheumatoid arthritis in women older than 45 years. <i>Arthritis Research and Therapy</i> , 2012, 14, R190.	1.6	27
108	Gender, anthropometric factors and risk of colorectal cancer with particular reference to tumour location and TNM stage: a cohort study. <i>Biology of Sex Differences</i> , 2012, 3, 23.	1.8	43

#	ARTICLE	IF	CITATIONS
109	Modifying effect of gender on the prognostic value of clinicopathological factors and Ki67 expression in melanoma: a population-based cohort study. <i>Biology of Sex Differences</i> , 2012, 3, 16.	1.8	4
110	Dietary Fiber and Saturated Fat Intake Associations with Cardiovascular Disease Differ by Sex in the MalmÅ† Diet and Cancer Cohort: A Prospective Study. <i>PLoS ONE</i> , 2012, 7, e31637.	1.1	59
111	Prospectively measured thyroid hormones and thyroid peroxidase antibodies in relation to breast cancer risk. <i>International Journal of Cancer</i> , 2012, 131, 2126-2133.	2.3	67
112	Vitamin D, PTH, and calcium and the risk of prostate cancer: a prospective nested caseâ€“control study. <i>Cancer Causes and Control</i> , 2012, 23, 1377-1385.	0.8	46
113	Evaluation of Multiple Riskâ€“Associated Single Nucleotide Polymorphisms Versus Prostate-Specific Antigen at Baseline to Predict Prostate Cancer in Unscreened Men. <i>European Urology</i> , 2012, 61, 471-477.	0.9	46
114	A Novel Automated Platform for Quantifying the Extent of Skeletal Tumour Involvement in Prostate Cancer Patients Using the Bone Scan Index. <i>European Urology</i> , 2012, 62, 78-84.	0.9	158
115	Total and differential leucocyte counts in relation to incidence of stroke subtypes and mortality: a prospective cohort study. <i>Journal of Internal Medicine</i> , 2012, 272, 298-304.	2.7	42
116	Immigrant status and increased risk of heart failure: the role of hypertension and life-style risk factors. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 20.	0.7	13
117	Can high psychological job demands, low decision latitude, and high job strain predict disability pensions? A 12-year follow-up of middle-aged Swedish workers. <i>International Archives of Occupational and Environmental Health</i> , 2013, 86, 307-319.	1.1	55
118	Genetic susceptibility to obesity and diet intakes: association and interaction analyses in the MalmÅ† Diet and Cancer Study. <i>Genes and Nutrition</i> , 2013, 8, 535-547.	1.2	55
119	Prognostic value of NT-pro-BNP and hs-CRP for risk stratification in primary care: results from the population-based DETECT study. <i>Clinical Research in Cardiology</i> , 2013, 102, 259-268.	1.5	28
120	Effects of neuromuscular training (NEMEX-TJR) on patient-reported outcomes and physical function in severe primary hip or knee osteoarthritis: a controlled before-and-after study. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 232.	0.8	66
121	Do reproductive and hormonal risk factors for breast cancer associate with attendance at mammography screening?. <i>Cancer Causes and Control</i> , 2013, 24, 1687-1694.	0.8	13
122	A cross-sectional study of subclinical and clinical thyroid disorders in women with microscopic colitis compared to controls. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 1414-1422.	0.6	8
123	Smoking, low formal level of education, alcohol consumption, and the risk of rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 123-130.	0.6	47
124	High intakes of protein and processed meat associate with increased incidence of type 2 diabetes. <i>British Journal of Nutrition</i> , 2013, 109, 1143-1153.	1.2	88
125	The <i>IRS1</i> rs2943641 Variant and Risk of Future Cancer Among Morbidly Obese Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E785-E789.	1.8	7
126	Genetic variation in the fat mass and obesity-associated gene ( <i>FTO</i> ) in association with food preferences in healthy adults. <i>Food and Nutrition Research</i> , 2013, 57, 20028.	1.2	44



#	ARTICLE	IF	CITATIONS
127	Adrenomedullin is a marker of carotid plaques and intima-media thickness as well as brachial pulse pressure. <i>Journal of Hypertension</i> , 2013, 31, 1959-1965.	0.3	11
128	Sex-specific interactions between the IRS1 polymorphism and intakes of carbohydrates and fat on incident type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 208-216.	2.2	30
129	Incidence of myocardial infarction among Swedish and immigrant smoking women: Can physical activity modify the risk? An epidemiological study on the Malmö Diet and Cancer study. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 672-679.	1.2	7
130	Diabetes Mellitus and Elevated Copeptin Levels in Middle Age Predict Low Cognitive Speed after Long-Term Follow-Up. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 35, 67-76.	0.7	5
131	Cohort Profile: The National Prostate Cancer Register of Sweden and Prostate Cancer data Base Sweden 2.0. <i>International Journal of Epidemiology</i> , 2013, 42, 956-967.	0.9	194
132	Scoring models of a diet quality index and the predictive capability of mortality in a population-based cohort of Swedish men and women. <i>Public Health Nutrition</i> , 2013, 16, 468-478.	1.1	25
133	Microscopic Colitis and Reproductive Factors Related to Exposure to Estrogens and Progesterone. <i>Drug Target Insights</i> , 2013, 7, DTI.S12889.	0.9	13
134	Microscopic Colitis is Associated with Several Concomitant Diseases. <i>Drug Target Insights</i> , 2013, 7, DTI.S12109.	0.9	30
135	A High Diet Quality Is Associated with Lower Incidence of Cardiovascular Events in the Malmö Diet and Cancer Cohort. <i>PLoS ONE</i> , 2013, 8, e71095.	1.1	40
136	Atrial Natriuretic Peptide and Type 2 Diabetes Development – Biomarker and Genotype Association Study. <i>PLoS ONE</i> , 2014, 9, e89201.	1.1	38
137	Systematic Pathway Enrichment Analysis of a Genome-Wide Association Study on Breast Cancer Survival Reveals an Influence of Genes Involved in Cell Adhesion and Calcium Signaling on the Patients' Clinical Outcome. <i>PLoS ONE</i> , 2014, 9, e98229.	1.1	16
138	Predictive markers of abdominal aortic stiffness measured by echo-tracking in subjects with varying insulin sensitivity. <i>Journal of Human Hypertension</i> , 2014, 28, 456-460.	1.0	7
139	External validity of a population-based study on osteoporosis and fracture. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 433-437.	1.2	17
140	Genetic Determinants of Long-Term Changes in Blood Lipid Concentrations: 10-Year Follow-Up of the GLACIER Study. <i>PLoS Genetics</i> , 2014, 10, e1004388.	1.5	25
141	Anthropometric measures in relation to risk of heart failure hospitalization: a Swedish population-based cohort study. <i>European Journal of Public Health</i> , 2014, 24, 215-220.	0.1	11
142	Red blood cell distribution width is associated with incidence of atrial fibrillation. <i>Journal of Internal Medicine</i> , 2014, 275, 84-92.	2.7	88
143	Snus (Swedish smokeless tobacco) use and risk of stroke: pooled analyses of incidence and survival. <i>Journal of Internal Medicine</i> , 2014, 276, 87-95.	2.7	43
144	Association of BTC2, CYR61, ZFP36, and SCD Gene Polymorphisms with Graves' Disease and Ophthalmopathy. <i>Thyroid</i> , 2014, 24, 1156-1161.	2.4	24

#	ARTICLE	IF	CITATIONS
145	Genetic variation in NEDD4L, an epithelial sodium channel regulator, is associated with cardiovascular disease and cardiovascular death. <i>Journal of Hypertension</i> , 2014, 32, 294-299.	0.3	32
146	Plasma Alkylresorcinol Metabolites as Biomarkers for Whole-Grain Intake and Their Association with Prostate Cancer: A Swedish Nested Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 73-83.	1.1	20
147	Carotid Plaque, Intima-Media Thickness, and Incident Aortic Stenosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 2343-2348.	1.1	33
148	Plasma Natriuretic Peptides and Incidence of Subtypes of Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2014, 37, 444-450.	0.8	25
149	Genetic Variation in FADS1 Has Little Effect on the Association between Dietary PUFA Intake and Cardiovascular Disease. <i>Journal of Nutrition</i> , 2014, 144, 1356-1363.	1.3	21
150	Nonlinear association between pulse wave velocity and cognitive function. <i>Journal of Hypertension</i> , 2014, 32, 2152-2157.	0.3	30
151	Increased carotid plaque burden in men with the fibrillin-1 2/3 genotype. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014, 41, n/a-n/a.	0.9	2
152	Red cell distribution width and risk for venous thromboembolism: A population-based cohort study. <i>Thrombosis Research</i> , 2014, 133, 334-339.	0.8	72
153	Insomnia Symptoms, Sleep Duration, and Disability Pensions: a Prospective Study of Swedish Workers. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 319-328.	0.8	16
154	The PNPLA3 Ile148Met interacts with overweight and dietary intakes on fasting triglyceride levels. <i>Genes and Nutrition</i> , 2014, 9, 388.	1.2	31
155	Smoking- and alcohol habits in relation to the clinical picture of women with microscopic colitis compared to controls. <i>BMC Women's Health</i> , 2014, 14, 16.	0.8	33
156	TCF7L2 type 2 diabetes risk variant, lifestyle factors, and incidence of prostate cancer. <i>Prostate</i> , 2014, 74, 1161-1170.	1.2	6
157	Serum levels of vitamin D, parathyroid hormone and calcium in relation to survival following breast cancer. <i>Cancer Causes and Control</i> , 2014, 25, 1131-1140.	0.8	22
158	Differences in anthropometric measures in immigrants and Swedish-born individuals: Results from two community-based cohort studies. <i>Preventive Medicine</i> , 2014, 69, 151-156.	1.6	9
159	Age at first childbirth and oral contraceptive use are associated with risk of androgen receptor-negative breast cancer: the Malmö Diet and Cancer Cohort. <i>Cancer Causes and Control</i> , 2014, 25, 945-957.	0.8	17
160	Anemia in the general population: prevalence, clinical correlates and prognostic impact. <i>European Journal of Epidemiology</i> , 2014, 29, 489-498.	2.5	69
161	Breast density and mode of detection in relation to breast cancer specific survival: a cohort study. <i>BMC Cancer</i> , 2014, 14, 229.	1.1	28
162	Associations of hormone replacement therapy and oral contraceptives with risk of colorectal cancer defined by clinicopathological factors, beta-catenin alterations, expression of cyclin D1, p53, and microsatellite-instability. <i>BMC Cancer</i> , 2014, 14, 371.	1.1	22

#	ARTICLE	IF	CITATIONS
163	Psychosocial factors and attendance at a population-based mammography screening program in a cohort of Swedish women. <i>BMC Women's Health</i> , 2014, 14, 33.	0.8	26
164	Breastfeeding in relation to risk of different breast cancer characteristics. <i>BMC Research Notes</i> , 2014, 7, 216.	0.6	26
165	Carotid intima-media thickness is associated with incidence of hospitalized atrial fibrillation. <i>Atherosclerosis</i> , 2014, 233, 673-678.	0.4	31
166	Insomnia increases risk for cardiovascular events in women and in men with low socioeconomic status: A longitudinal, register-based study. <i>Journal of Psychosomatic Research</i> , 2014, 76, 292-299.	1.2	56
167	The chromosome 9p21 variant interacts with vegetable and wine intake to influence the risk of cardiovascular disease: a population based cohort study. <i>BMC Medical Genetics</i> , 2014, 15, 1220.	2.1	26
168	Inbreeding and homozygosity in breast cancer survival. <i>Scientific Reports</i> , 2015, 5, 16467.	1.6	4
169	Fibre intake and incident colorectal cancer depending on fibre source, sex, tumour location and Tumour, Node, Metastasis stage. <i>British Journal of Nutrition</i> , 2015, 114, 959-969.	1.2	23
170	Non-hemodynamic predictors of arterial stiffness after 17 years of follow-up. <i>Journal of Hypertension</i> , 2015, 33, 957-965.	0.3	68
171	Assessment of participation bias in cohort studies: systematic review and meta-regression analysis. <i>Cadernos De Saude Publica</i> , 2015, 31, 2259-2274.	0.4	21
172	Red Cell Distribution Width in Relation to Incidence of Stroke and Carotid Atherosclerosis: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0124957.	1.1	85
173	The Association between Carbohydrate-Rich Foods and Risk of Cardiovascular Disease Is Not Modified by Genetic Susceptibility to Dyslipidemia as Determined by 80 Validated Variants. <i>PLoS ONE</i> , 2015, 10, e0126104.	1.1	33
174	Cerebral Microbleeds and White Matter Hyperintensities in Cognitively Healthy Elderly: A Cross-Sectional Cohort Study Evaluating the Effect of Arterial Stiffness. <i>Cerebrovascular Diseases Extra</i> , 2015, 5, 41-51.	0.5	33
175	Do pathological parameters differ with regard to breast density and mode of detection in breast cancer? The Malmö Diet and Cancer Study. <i>Breast</i> , 2015, 24, 12-17.	0.9	10
176	Multiple anthropometric measures in relation to incidence of diabetes: a Swedish population-based cohort study. <i>European Journal of Public Health</i> , 2015, 25, 1100-1105.	0.1	16
177	Dimethylglycine Deficiency and the Development of Diabetes. <i>Diabetes</i> , 2015, 64, 3010-3016.	0.3	61
178	Is the adiposity-associated <i>FTO</i> gene variant related to all-cause mortality independent of adiposity? Meta-analysis of data from 169,551 Caucasian adults. <i>Obesity Reviews</i> , 2015, 16, 327-340.	3.1	8
179	Mammographic density in relation to tumor biomarkers, molecular subtypes, and mode of detection in breast cancer. <i>Cancer Causes and Control</i> , 2015, 26, 931-939.	0.8	26
180	Anthropometric Measures at Multiple Times Throughout Life and Prostate Cancer Diagnosis, Metastasis, and Death. <i>European Urology</i> , 2015, 68, 1076-1082.	0.9	12

#	ARTICLE	IF	CITATIONS
181	Mass Screening for Untreated Atrial Fibrillation. <i>Circulation</i> , 2015, 131, 2176-2184.	1.6	502
182	Food sources of fat may clarify the inconsistent role of dietary fat intake for incidence of type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1065-1080.	2.2	139
183	Health-related lifestyle factors and mammography screening attendance in a Swedish cohort study. <i>European Journal of Cancer Prevention</i> , 2015, 24, 44-50.	0.6	20
184	Prevalence of knee pain and knee OA in southern Sweden and the proportion that seeks medical care. <i>Rheumatology</i> , 2015, 54, 827-835.	0.9	105
185	Non-attendance in mammography screening and women's social network: a cohort study on the influence of family composition, social support, attitudes and cancer in close relations. <i>World Journal of Surgical Oncology</i> , 2015, 13, 211.	0.8	14
186	Prospectively measured thyroid hormones and thyroid peroxidase antibodies in relation to risk of different breast cancer subgroups: a Malmö Diet and Cancer Study. <i>Cancer Causes and Control</i> , 2015, 26, 1093-1104.	0.8	28
187	Do mammographic tumor features in breast cancer relate to breast density and invasiveness, tumor size, and axillary lymph node involvement?. <i>Acta Radiologica</i> , 2015, 56, 536-544.	0.5	9
188	Body mass index and the risk of giant cell arteritis—results from a prospective study. <i>Rheumatology</i> , 2015, 54, 433-440.	0.9	33
189	A High Diet Quality Based on Dietary Recommendations Is Not Associated with Lower Incidence of Type 2 Diabetes in the Malmö Diet and Cancer Cohort. <i>International Journal of Molecular Sciences</i> , 2016, 17, 901.	1.8	21
190	Diet Quality and Change in Blood Lipids during 16 Years of Follow-up and Their Interaction with Genetic Risk for Dyslipidemia. <i>Nutrients</i> , 2016, 8, 274.	1.7	26
191	Prognostic impact of tumour-infiltrating B cells and plasma cells in colorectal cancer. <i>International Journal of Cancer</i> , 2016, 139, 1129-1139.	2.3	192
192	Cerebral white matter lesions – associations with A $\beta$ isoforms and amyloid PET. <i>Scientific Reports</i> , 2016, 6, 20709.	1.6	52
193	An Okinawan-based Nordic diet improves anthropometry, metabolic control, and health-related quality of life in Scandinavian patients with type 2 diabetes: a pilot trial. <i>Food and Nutrition Research</i> , 2016, 60, 32594.	1.2	34
194	Association between sucrose intake and acute coronary event risk and effect modification by lifestyle factors: Malmö Diet and Cancer Cohort Study. <i>British Journal of Nutrition</i> , 2016, 116, 1611-1620.	1.2	17
195	Vitamin D, PTH, and calcium in relation to survival following prostate cancer. <i>Cancer Causes and Control</i> , 2016, 27, 669-677.	0.8	28
196	Plasma variation and reproducibility of oxidized LDL-cholesterol and low-grade inflammation biomarkers among participants of the Malmö Diet and Cancer cohort. <i>Biomarkers</i> , 2016, 21, 562-571.	0.9	3
197	Acute-phase proteins and incidence of diabetes: a population-based cohort study. <i>Acta Diabetologica</i> , 2016, 53, 981-989.	1.2	23
198	Thyroid function and survival following breast cancer. <i>British Journal of Surgery</i> , 2016, 103, 1649-1657.	0.1	19

#	ARTICLE	IF	CITATIONS
199	Sugar-sweetened beverage consumption and genetic predisposition to obesity in 2 Swedish cohorts. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 809-815.	2.2	61
200	Association of knee pain and different definitions of knee osteoarthritis with health-related quality of life: a population-based cohort study in southern Sweden. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 121.	1.0	45
201	The association between the intake of specific dietary components and lifestyle factors and microscopic colitis. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 1309-1317.	1.3	33
202	The effect of clinical features and glucocorticoids on biopsy findings in giant cell arteritis. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 363.	0.8	37
203	Pancreatic cancer risk in relation to sex, lifestyle factors, and pre-diagnostic anthropometry in the Malmö Diet and Cancer Study. <i>Biology of Sex Differences</i> , 2016, 7, 66.	1.8	21
204	Genetic susceptibility to dyslipidemia and incidence of cardiovascular disease depending on a diet quality index in the Malmö Diet and Cancer cohort. <i>Genes and Nutrition</i> , 2016, 11, 20.	1.2	6
205	Apolipoproteins, lipids and risk of cancer. <i>International Journal of Cancer</i> , 2016, 138, 2648-2656.	2.3	156
206	Orosomucoid, Carotid Plaque, and Incidence of Stroke. <i>Stroke</i> , 2016, 47, 1858-1863.	1.0	22
207	Serum vitamin D (25OHD3) levels and the risk of different subtypes of breast cancer: A nested case-control study. <i>Breast</i> , 2016, 28, 184-190.	0.9	34
208	Active recruitment and limited participant-load related to high participation in large population-based biobank studies. <i>Journal of Clinical Epidemiology</i> , 2016, 78, 52-62.	2.4	14
209	Several type 2 diabetes-associated variants in genes annotated to WNT signaling interact with dietary fiber in relation to incidence of type 2 diabetes. <i>Genes and Nutrition</i> , 2016, 11, 6.	1.2	25
210	Socio-economic status and major trauma in a Scandinavian urban city: A population-based case-control study. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 217-223.	1.2	6
211	Inverse relationship between a genetic risk score of 31 BMI loci and weight change before and after reaching middle age. <i>International Journal of Obesity</i> , 2016, 40, 252-259.	1.6	24
212	Do Genetic Factors Modify the Relationship Between Obesity and Hypertriglyceridemia?. <i>Circulation: Cardiovascular Genetics</i> , 2016, 9, 162-171.	5.1	7
213	The Impact of the Fourth Edition of the WHO Classification of Lung Tumours on Histological Classification of Resected Pulmonary NSCCs. <i>Journal of Thoracic Oncology</i> , 2016, 11, 862-872.	0.5	70
214	Vitamin D, PTH, and calcium and tumor aggressiveness in prostate cancer: a prospective nested case-control study. <i>Cancer Causes and Control</i> , 2016, 27, 69-80.	0.8	11
215	A high body mass index is associated with reduced risk of rheumatoid arthritis in men, but not in women. <i>Rheumatology</i> , 2016, 55, 307-314.	0.9	33
216	Soluble Urokinase-type Plasminogen Activator Receptor (suPAR) and Impaired Kidney Function in the Population-based Malmö Diet and Cancer Study. <i>Kidney International Reports</i> , 2017, 2, 239-247.	0.4	33

#	ARTICLE	IF	CITATIONS
217	Cigarette smoking and the risk of primary Sjögren's syndrome: a nested case control study. <i>Arthritis Research and Therapy</i> , 2017, 19, 50.	1.6	26
218	Smokeless tobacco (snus) is associated with an increased risk of type 2 diabetes: results from five pooled cohorts. <i>Journal of Internal Medicine</i> , 2017, 281, 398-406.	2.7	34
219	Lp-PLA2 activity and mass for prediction of incident abdominal aortic aneurysms: A prospective longitudinal cohort study. <i>Atherosclerosis</i> , 2017, 262, 14-18.	0.4	11
220	Midlife risk factor exposure and incidence of cardiac arrest depending on cardiac or non-cardiac origin. <i>International Journal of Cardiology</i> , 2017, 240, 398-402.	0.8	6
221	Use of moist oral snuff (snus) and pancreatic cancer: Pooled analysis of nine prospective observational studies. <i>International Journal of Cancer</i> , 2017, 141, 687-693.	2.3	22
222	Female white-collar workers remain at higher risk of breast cancer after adjustments for individual risk factors related to reproduction and lifestyle. <i>Occupational and Environmental Medicine</i> , 2017, 74, 652-658.	1.3	17
223	Circulating cadmium concentration and risk of aortic aneurysms: A nested case-control study within the Malmö Diet and Cancer cohort. <i>Atherosclerosis</i> , 2017, 261, 37-43.	0.4	14
224	Podocalyxin-like and RNA-binding motif protein 3 are prognostic biomarkers in urothelial bladder cancer: a validity study. <i>Biomarker Research</i> , 2017, 5, 10.	2.8	16
225	Type 2 diabetes, adiposity and cancer morbidity and mortality risk taking into account competing risk of noncancer deaths in a prospective cohort setting. <i>International Journal of Cancer</i> , 2017, 141, 1170-1180.	2.3	15
226	Waist/Hip Ratio Better Predicts Development of Severe Liver Disease Within 20 Years Than Body Mass Index: A Population-based Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1294-1301.e2.	2.4	36
227	FADD, Caspase-3, and Caspase-8 and Incidence of Coronary Events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 983-989.	1.1	21
228	Arterial Stiffness and Incidence of Diabetes: A Population-Based Cohort Study. <i>Diabetes Care</i> , 2017, 40, 1739-1745.	4.3	79
229	Smokeless tobacco (snus) use and colorectal cancer incidence and survival: Results from nine pooled cohorts. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 741-748.	1.2	7
230	Complement C3 Associates With Incidence of Diabetes, but No Evidence of a Causal Relationship. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 4477-4485.	1.8	22
231	Eosinophil Cationic Protein, Carotid Plaque, and Incidence of Stroke. <i>Stroke</i> , 2017, 48, 2686-2692.	1.0	16
232	Selenium and breast cancer risk: A prospective nested case-control study on serum selenium levels, smoking habits and overweight. <i>International Journal of Cancer</i> , 2017, 141, 1741-1750.	2.3	18
233	No independent association between pulse wave velocity and dementia. <i>Journal of Hypertension</i> , 2017, 35, 2462-2467.	0.3	18
234	Association between statin use and consultation or surgery for osteoarthritis of the hip or knee: a pooled analysis of four cohort studies. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1804-1813.	0.6	25

#	ARTICLE	IF	CITATIONS
235	Androgen receptor expression and breast cancer mortality in a population-based prospective cohort. <i>Breast Cancer Research and Treatment</i> , 2017, 165, 645-657.	1.1	34
236	Psychometric testing of a Swedish version of the Apathy Evaluation Scale. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 477-484.	0.7	5
237	High Level of Fasting Plasma Proenkephalin-A Predicts Deterioration of Kidney Function and Incidence of CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 291-303.	3.0	29
238	Socioeconomic inequalities in knee pain, knee osteoarthritis, and health-related quality of life: a population-based cohort study in southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 143-151.	0.6	34
239	A prospective study of dietary and supplemental zinc intake and risk of type 2 diabetes depending on genetic variation in SLC30A8. <i>Genes and Nutrition</i> , 2017, 12, 30.	1.2	26
240	The Montreal Cognitive Assessment: Normative Data from a Large Swedish Population-Based Cohort. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 893-901.	1.2	133
241	Higher Levels of Serum Zonulin May Rather Be Associated with Increased Risk of Obesity and Hyperlipidemia, Than with Gastrointestinal Symptoms or Disease Manifestations. <i>International Journal of Molecular Sciences</i> , 2017, 18, 582.	1.8	95
242	Variation in the Sweet Taste Receptor Gene and Dietary Intake in a Swedish Middle-Aged Population. <i>Frontiers in Endocrinology</i> , 2017, 8, 348.	1.5	12
243	Atrophy of the Posterior Subiculum Is Associated with Memory Impairment, Tau- and A $\beta$ Pathology in Non-demented Individuals. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 306.	1.7	30
244	The effect of white matter hyperintensities on statistical analysis of diffusion tensor imaging in cognitively healthy elderly and prodromal Alzheimer's disease. <i>PLoS ONE</i> , 2017, 12, e0185239.	1.1	32
245	Postmenopausal hormone therapy and risk of stroke: A pooled analysis of data from population-based cohort studies. <i>PLoS Medicine</i> , 2017, 14, e1002445.	3.9	44
246	High blood glucose levels are associated with higher risk of colon cancer in men: a cohort study. <i>BMC Cancer</i> , 2017, 17, 842.	1.1	31
247	Lifestyle and Dietary Determinants of Serum Apolipoprotein A1 and Apolipoprotein B Concentrations: Cross-Sectional Analyses within a Swedish Cohort of 24,984 Individuals. <i>Nutrients</i> , 2017, 9, 211.	1.7	39
248	Novel subgroups of adult-onset diabetes and their association with outcomes: a data-driven cluster analysis of six variables. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 361-369.	5.5	1,430
249	Twenty-year Risk of Prostate Cancer Death by Midlife Prostate-specific Antigen and a Panel of Four Kallikrein Markers in a Large Population-based Cohort of Healthy Men. <i>European Urology</i> , 2018, 73, 941-948.	0.9	30
250	Irregularity and lack of p waves in short tachycardia episodes predict atrial fibrillation and ischemic stroke. <i>Heart Rhythm</i> , 2018, 15, 805-811.	0.3	22
251	Adherence to diet recommendations and risk of abdominal aortic aneurysm in the Malmö Diet and Cancer Study. <i>Scientific Reports</i> , 2018, 8, 2017.	1.6	13
252	How to investigate and adjust for selection bias in cohort studies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 407-416.	1.3	202

#	ARTICLE	IF	CITATIONS
253	Hormonal factors and pancreatic cancer risk in women: The <sc>M</sc>almÃ¶ <sc>D</sc>iet and <sc>C</sc>ancer <sc>S</sc>tudy. International Journal of Cancer, 2018, 143, 52-62.	2.3	30
254	Blood Lead Levels and Decreased Kidney Function in a Population-Based Cohort. American Journal of Kidney Diseases, 2018, 72, 381-389.	2.1	120
255	18F-AV-1451 in Parkinsonâ€™s Disease with and without dementia and in Dementia with Lewy Bodies. Scientific Reports, 2018, 8, 4717.	1.6	59
256	A genome-wide association study of IgM antibody against phosphorylcholine: shared genetics and phenotypic relationship to chronic lymphocytic leukemia. Human Molecular Genetics, 2018, 27, 1809-1818.	1.4	6
257	ST segment depression on 24-hour electrocardiography predicts incident atrial fibrillation in two population-based cohorts. Europace, 2018, 20, 429-434.	0.7	5
258	Plasma enterolactone and risk of prostate cancer in middle-aged Swedish men. European Journal of Nutrition, 2018, 57, 2595-2606.	1.8	11
259	Increased midlife triglycerides predict brain Î²-amyloid and tau pathology 20 years later. Neurology, 2018, 90, e73-e81.	1.5	76
260	Vitamin D in Graves Disease: Levels, Correlation with Laboratory and Clinical Parameters, and Genetics. European Thyroid Journal, 2018, 7, 27-33.	1.2	40
261	A genetic risk score for fasting plasma glucose is independently associated with arterial stiffness. Journal of Hypertension, 2018, 36, 809-814.	0.3	25
262	Thyroidâ€associated genetic polymorphisms in relation to breast cancer risk in the MalmÃ¶ Diet and Cancer Study. International Journal of Cancer, 2018, 142, 1309-1321.	2.3	10
263	Circulating Midregional Proadrenomedullin and Risk of Incident Abdominal Aortic Aneurysm: A Prospective Longitudinal Cohort Study. Angiology, 2018, 69, 333-338.	0.8	7
264	Comparison of Three Different TTF-1 Clones in Resected Primary Lung Cancer and Epithelial Pulmonary Metastases. American Journal of Clinical Pathology, 2018, 150, 533-544.	0.4	27
265	Pre-diabetes and diabetes are independently associated with adverse cognitive test results: a cross-sectional, population-based study. BMC Endocrine Disorders, 2018, 18, 91.	0.9	35
266	Risk of metabolic disorders in childless men: a population-based cohort study. BMJ Open, 2018, 8, e020293.	0.8	18
267	Genome-wide analysis of genetic determinants of circulating factorâ€activating protease (FSAP) activity. Journal of Thrombosis and Haemostasis, 2018, 16, 2024-2034.	1.9	12
268	A Western dietary pattern is prospectively associated with cardio-metabolic traits and incidence of the metabolic syndrome. British Journal of Nutrition, 2018, 119, 1168-1176.	1.2	87
269	Study of Deiodinase Type 2 Polymorphisms in Gravesâ€™ Disease and Ophthalmopathy in a Swedish Population. European Thyroid Journal, 2018, 7, 289-293.	1.2	2
270	Dietary and genetic risk scores and incidence of type 2 diabetes. Genes and Nutrition, 2018, 13, 13.	1.2	32



#	ARTICLE	IF	CITATIONS
271	Comparing the inflammatory profiles for incidence of diabetes mellitus and cardiovascular diseases: a prospective study exploring the "common soil" hypothesis. <i>Cardiovascular Diabetology</i> , 2018, 17, 87.	2.7	40
272	Genome-wide Scan Identifies Role for AOX1 in Prostate Cancer Survival. <i>European Urology</i> , 2018, 74, 710-719.	0.9	47
273	SNPs related to vitamin D and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2018, 20, 1.	2.2	61
274	Food patterns in relation to weight change and incidence of type 2 diabetes, coronary events and stroke in the Malmö Diet and Cancer cohort. <i>European Journal of Nutrition</i> , 2019, 58, 1801-1814.	1.8	26
275	Healthy diet and fiber intake are associated with decreased risk of incident symptomatic peripheral artery disease – A prospective cohort study. <i>Vascular Medicine</i> , 2019, 24, 511-518.	0.8	23
276	Metabolically healthy obesity (MHO) in the Malmö diet cancer study – Epidemiology and prospective risks. <i>Obesity Research and Clinical Practice</i> , 2019, 13, 548-554.	0.8	23
277	The prediction of colorectal cancer using anthropometric measures: A Swedish population-based cohort study with 22 years of follow-up. <i>United European Gastroenterology Journal</i> , 2019, 7, 1250-1260.	1.6	23
278	Midlife physical activity is associated with lower incidence of vascular dementia but not Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 87.	3.0	30
279	Differences in Longitudinal Disease Activity Between Research Cohort and Noncohort Participants with Rheumatoid Arthritis Using Electronic Health Record Data. <i>ACR Open Rheumatology</i> , 2019, 1, 113-118.	0.9	2
280	A colorectal cancer diet quality index is inversely associated with colorectal cancer in the Malmö diet and cancer study. <i>European Journal of Cancer Prevention</i> , 2019, 28, 463-471.	0.6	6
281	Biomarkers of blood cadmium and incidence of cardiovascular events in non-smokers: results from a population-based proteomics study. <i>Clinical Proteomics</i> , 2019, 16, 21.	1.1	15
282	The use of anthropometric measures in the prediction of incident gout: results from a Swedish community-based cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 294-299.	0.6	6
283	18F-Flortaucipir in TDP-43 associated frontotemporal dementia. <i>Scientific Reports</i> , 2019, 9, 6082.	1.6	26
284	Challenges and benefits of integrating diverse sampling strategies in the observation of cardiovascular risk factors (ORISCAV-LUX 2) study. <i>BMC Medical Research Methodology</i> , 2019, 19, 27.	1.4	20
285	Lp-PLA2 activity and mass and CRP are associated with incident symptomatic peripheral arterial disease. <i>Scientific Reports</i> , 2019, 9, 5609.	1.6	14
286	Pre-diagnostic anthropometry, sex, and risk of colorectal cancer according to tumor immune cell composition. <i>Oncolmmunology</i> , 2019, 8, e1664275.	2.1	5
287	A favorable lifestyle lowers the risk of coronary artery disease consistently across strata of non-modifiable risk factors in a population-based cohort. <i>BMC Public Health</i> , 2019, 19, 1575.	1.2	18
288	Blood Lead Levels and Risk of Atherosclerosis in the Carotid Artery: Results from a Swedish Cohort. <i>Environmental Health Perspectives</i> , 2019, 127, 127002.	2.8	28

#	ARTICLE	IF	CITATIONS
289	Susceptibility to diarrhea is related to hemodynamic markers of sympathetic activation in the general population. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 1426-1432.	0.6	7
290	Predicting clinical decline and conversion to Alzheimer's disease or dementia using novel Elecsys A $\beta$ 2(1-42), pTau and tTau CSF immunoassays. <i>Scientific Reports</i> , 2019, 9, 19024.	1.6	123
291	Association between added sugar intake and mortality is nonlinear and dependent on sugar source in 2 Swedish population-based prospective cohorts. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 411-423.	2.2	69
292	Cardiometabolic Polygenic Risk Scores and Osteoarthritis Outcomes: A Mendelian Randomization Study Using Data From the Malmö Diet and Cancer Study and the UK Biobank. <i>Arthritis and Rheumatology</i> , 2019, 71, 925-934.	2.9	33
293	Increased vascular endothelial growth factor D is associated with atrial fibrillation and ischaemic stroke. <i>Heart</i> , 2019, 105, 553-558.	1.2	29
294	Commonly consumed beverages associate with different lifestyle and dietary intakes. <i>International Journal of Food Sciences and Nutrition</i> , 2019, 70, 88-97.	1.3	4
295	Plasma kidney injury molecule-1 (p-KIM-1) levels and deterioration of kidney function over 16 years. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 265-273.	0.4	43
296	An inverse association between the Mediterranean diet and bladder cancer risk: a pooled analysis of 13 cohort studies. <i>European Journal of Nutrition</i> , 2020, 59, 287-296.	1.8	38
297	Midlife Atherosclerosis and Development of Alzheimer or Vascular Dementia. <i>Annals of Neurology</i> , 2020, 87, 52-62.	2.8	46
298	Investigating the risk of breast cancer among women exposed to chemicals: a nested case-control study using improved exposure estimates. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 261-269.	1.1	12
299	Age at first childbirth and breast cancer survival: a prospective cohort study. <i>BMC Research Notes</i> , 2020, 13, 9.	0.6	4
300	Family patterns of arterial stiffness across three generations in the Malmö Offspring Study. <i>Journal of Hypertension</i> , 2020, 38, 474-480.	0.3	2
301	A Health-Conscious Food Pattern Is Associated with Prediabetes and Gut Microbiota in the Malmö Offspring Study. <i>Journal of Nutrition</i> , 2020, 150, 861-872.	1.3	21
302	Risk prediction of future cardiac arrest by evaluation of a genetic risk score alone and in combination with traditional risk factors. <i>Resuscitation</i> , 2020, 146, 74-79.	1.3	4
303	Association of Enlarged Perivascular Spaces and Measures of Small Vessel and Alzheimer Disease. <i>Neurology</i> , 2021, 96, e193-e202.	1.5	54
304	Probabilistic Quantification of Bias to Combine the Strengths of Population-Based Register Data and Clinical Cohorts Studying Mortality in Osteoarthritis. <i>American Journal of Epidemiology</i> , 2020, 189, 1590-1599.	1.6	5
305	Genome-wide association study identifies novel single nucleotide polymorphisms having age-specific effect on prostate-specific antigen levels. <i>Prostate</i> , 2020, 80, 1405-1412.	1.2	3
306	CYP27A1 expression is associated with risk of late lethal estrogen receptor-positive breast cancer in postmenopausal patients. <i>Breast Cancer Research</i> , 2020, 22, 123.	2.2	14

#	ARTICLE	IF	CITATIONS
307	Grain and dietary fiber intake and bladder cancer risk: a pooled analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1252-1266.	2.2	21
308	Association between dietary fiber intake and risk of incident aortic stenosis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2180-2185.	1.1	3
309	Mammographic tumour appearance is related to clinicopathological factors and surrogate molecular breast cancer subtype. <i>Scientific Reports</i> , 2020, 10, 20814.	1.6	8
310	Development, Relative Validity and Reproducibility of the Aus-SDS (Australian Short Dietary Screener) in Adults Aged 70 Years and above. <i>Nutrients</i> , 2020, 12, 1436.	1.7	11
311	Prediagnostic serum selenium levels in relation to breast cancer survival and tumor characteristics. <i>International Journal of Cancer</i> , 2020, 147, 2424-2436.	2.3	22
312	Serum Iodine and Breast Cancer Risk: A Prospective Nested Case-Control Study Stratified for Selenium Levels. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1335-1340.	1.1	8
313	Association of TIM-1 (T-Cell Immunoglobulin and Mucin Domain 1) With Incidence of Stroke. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 1777-1786.	1.1	5
314	No association between moist oral snuff (snus) use and oral cancer: pooled analysis of nine prospective observational studies. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 833-840.	1.2	7
315	Adherence to a Western dietary pattern and risk of bladder cancer: A pooled analysis of 13 cohort studies of the Bladder Cancer Epidemiology and Nutritional Determinants international study. <i>International Journal of Cancer</i> , 2020, 147, 3394-3403.	2.3	19
316	Effects of tumor-specific CAP1 expression and body constitution on clinical outcomes in patients with early breast cancer. <i>Breast Cancer Research</i> , 2020, 22, 67.	2.2	8
317	Ovarian cancer subtypes and survival in relation to three comprehensive imaging parameters. <i>Journal of Ovarian Research</i> , 2020, 13, 26.	1.3	6
318	The age-related effect on cognitive performance in cognitively healthy elderly is mainly caused by underlying AD pathology or cerebrovascular lesions: implications for cutoffs regarding cognitive impairment. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 30.	3.0	14
319	Reweighting to address nonparticipation and missing data bias in a longitudinal electronic health record study. <i>Annals of Epidemiology</i> , 2020, 50, 48-51.e2.	0.9	2
320	Incretin hormones, insulin, glucagon and advanced glycation end products in relation to cognitive function in older people with and without diabetes, a population-based study. <i>Diabetic Medicine</i> , 2020, 37, 1157-1166.	1.2	11
321	Different domains of self-reported physical activity and risk of type 2 diabetes in a population-based Swedish cohort: the Malmö diet and Cancer study. <i>BMC Public Health</i> , 2020, 20, 261.	1.2	26
322	Association between added sugar intake and micronutrient dilution: a cross-sectional study in two adult Swedish populations. <i>Nutrition and Metabolism</i> , 2020, 17, 15.	1.3	23
323	Statin use, HMGCR expression, and breast cancer survival – The Malmö Diet and Cancer Study. <i>Scientific Reports</i> , 2020, 10, 558.	1.6	26
324	Coffee consumption and risk of bladder cancer: a pooled analysis of 501,604 participants from 12 cohort studies in the Bladder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. <i>European Journal of Epidemiology</i> , 2020, 35, 523-535.	2.5	14

#	ARTICLE	IF	CITATIONS
325	Diabetes mellitus as a risk factor for compression neuropathy: a longitudinal cohort study from southern Sweden. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001298.	1.2	28
326	Exploring and comparing definitions of healthy vascular ageing in the population: characteristics and prospective cardiovascular risk. <i>Journal of Human Hypertension</i> , 2021, 35, 428-436.	1.0	8
327	Tumour-associated macrophages drive stromal cell-dependent collagen crosslinking and stiffening to promote breast cancer aggression. <i>Nature Materials</i> , 2021, 20, 548-559.	13.3	125
328	Swedish snus use is associated with mortality: a pooled analysis of eight prospective studies. <i>International Journal of Epidemiology</i> , 2021, 49, 2041-2050.	0.9	15
329	Pro B-type Natriuretic Peptide and Midregional Proadrenomedullin are Associated with Incident Carotid Stenosis During Long Term Follow-up. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105403.	0.7	3
330	“Association of mammographic features with molecular breast tumor profiles” <i>Cancer Treatment and Research Communications</i> , 2021, 28, 100387.	0.7	2
331	Physical Activity and Psychosocial Factors Associated With Risk of Future Fractures in Middle-Aged Men and Women. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 852-860.	3.1	7
332	Methodological considerations for identifying multiple plasma proteins associated with all-cause mortality in a population-based prospective cohort. <i>Scientific Reports</i> , 2021, 11, 6734.	1.6	2
333	Associations Between Endometriosis and Gut Microbiota. <i>Reproductive Sciences</i> , 2021, 28, 2367-2377.	1.1	49
334	Vegetable intake and the risk of bladder cancer in the BLadder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. <i>BMC Medicine</i> , 2021, 19, 56.	2.3	17
335	Risk of breast cancer in relation to dietary intake of selenium and serum selenium as a marker of dietary intake: a prospective cohort study within The Malmö Diet and Cancer Study. <i>Cancer Causes and Control</i> , 2021, 32, 815-826.	0.8	7
336	External validity in a multicenter randomized clinical trial of proximal humeral fractures: the DelPhi trial. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, , 1.	0.6	1
337	Association between Sugar Intake and Intima Media Thickness as a Marker for Atherosclerosis: A Cross-Sectional Study in the Malmö Diet and Cancer Study (Sweden). <i>Nutrients</i> , 2021, 13, 1555.	1.7	1
338	The association between meat and fish consumption and bladder cancer risk: a pooled analysis of 11 cohort studies. <i>European Journal of Epidemiology</i> , 2021, 36, 781-792.	2.5	11
339	Aortic Stiffness, Inflammation, and Incidence of Cardiovascular Events in Elderly Participants From the General Population. <i>Angiology</i> , 2022, 73, 51-59.	0.8	4
340	Dietary Data in the Malmö Offspring Study—“Reproducibility, Method Comparison and Validation against Objective Biomarkers. <i>Nutrients</i> , 2021, 13, 1579.	1.7	2
341	Circulating Growth Differentiation Factor 15 Levels Are Associated With Risk of Both Intracerebral and Subarachnoid Hemorrhage. <i>Frontiers in Neurology</i> , 2021, 12, 664010.	1.1	5
342	Red cell distribution width: A new parameter for predicting the risk of exacerbation in COPD patients. <i>International Journal of Clinical Practice</i> , 2021, 75, e14468.	0.8	7

#	ARTICLE	IF	CITATIONS
343	Modifiable and Non-Modifiable Risk Factors for Atherothrombotic Ischemic Stroke among Subjects in the Malmö Diet and Cancer Study. <i>Nutrients</i> , 2021, 13, 1952.	1.7	19
344	Serum zinc and dietary intake of zinc in relation to risk of different breast cancer subgroups and serum levels as a marker of intake: a prospective nested case-control study. <i>Breast Cancer Research and Treatment</i> , 2021, 189, 571-583.	1.1	8
345	Is Cadmium a Risk Factor for Breast Cancer – Results from a Nested Case-Control Study Using Data from the Malmö Diet and Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1744-1752.	1.1	7
346	Hyperglycaemia-associated Caspase-3 predicts diabetes and coronary artery disease events. <i>Journal of Internal Medicine</i> , 2021, 290, 855-865.	2.7	11
347	How can precision prevention be approached from a general population perspective within the field of cancer epidemiology?. <i>Acta Oncologica</i> , 2021, 60, 1272-1274.	0.8	2
348	Impact of genetic risk score on the association between male childlessness and cardiovascular disease and mortality. <i>Scientific Reports</i> , 2021, 11, 18526.	1.6	1
349	Carotid-Femoral Pulse Transit Time Variability Predicted Mortality and Improved Risk Stratification in the Elderly. <i>Hypertension</i> , 2021, 78, 1287-1295.	1.3	8
350	Barriers to healthy lifestyle behaviours and adherence to physical activity and dietary guidelines by older Australians: A descriptive analysis. <i>Human Nutrition and Metabolism</i> , 2021, 25, 200127.	0.8	6
351	Associations of carbohydrates and carbohydrate-rich foods with incidence of type 2 diabetes. <i>British Journal of Nutrition</i> , 2021, 126, 1065-1075.	1.2	8
354	Self-reported bowel symptoms are associated with differences in overall gut microbiota composition and enrichment of <i>Blautia</i> in a population-based cohort. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 174-180.	1.4	25
355	Sociodemographic and Lifestyle Factors in relation to Overweight Defined by BMI and ‘Normal-Weight Obesity’. <i>Journal of Obesity</i> , 2020, 2020, 1-11.	1.1	20
356	Genetic determinants of circulating GIP and GLP-1 concentrations. <i>JCI Insight</i> , 2017, 2, .	2.3	46
357	The association of single nucleotide polymorphisms (SNPs) with breast density and breast cancer survival: the Malmö Diet and Cancer Study. <i>Acta Radiologica</i> , 2020, 61, 1326-1334.	0.5	7
358	Can the validity of a cohort be improved by reweighting based on register data? Evidence from the Swedish MDC study. <i>BMC Public Health</i> , 2020, 20, 1918.	1.2	4
359	Associations of Anthropometric Factors with KRAS and BRAF Mutation Status of Primary Colorectal Cancer in Men and Women: A Cohort Study. <i>PLoS ONE</i> , 2014, 9, e98964.	1.1	32
360	Cadmium Exposure and Incidence of Diabetes Mellitus - Results from the Malmö Diet and Cancer Study. <i>PLoS ONE</i> , 2014, 9, e112277.	1.1	48
361	Total and Differential Leukocyte Counts in Relation to Incidence of Diabetes Mellitus: A Prospective Population-Based Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0148963.	1.1	11
362	Low-Grade Inflammation, Oxidative Stress and Risk of Invasive Post-Menopausal Breast Cancer - A Nested Case-Control Study from the Malmö Diet and Cancer Cohort. <i>PLoS ONE</i> , 2016, 11, e0158959.	1.1	30

#	ARTICLE	IF	CITATIONS
363	Acute phase proteins as prospective risk markers for arterial stiffness: The Malmö Diet and Cancer cohort. <i>PLoS ONE</i> , 2017, 12, e0181718.	1.1	15
364	Leisure-time physical activities and the risk of cardiovascular mortality in the Malmö diet and Cancer study. <i>BMC Public Health</i> , 2021, 21, 1948.	1.2	8
365	The risk of chronic kidney disease in relation to anthropometric measures of obesity: A Swedish cohort study. <i>BMC Nephrology</i> , 2021, 22, 330.	0.8	5
366	Early life factors in relation to albuminuria and estimated glomerular filtration rate based on cystatin C and creatinine in adults from a Swedish population-based cohort study. <i>Journal of Nephrology</i> , 2022, 35, 889-900.	0.9	9
367	Proteomic and Metabolomic Characterization of Metabolically Healthy Obesity: A Descriptive Study from a Swedish Cohort. <i>Journal of Obesity</i> , 2021, 2021, 1-9.	1.1	3
368	Incidence of Stroke among Swedish-Born and Migrant Women&lt;br&gt;â€”The Role of Socio-Economic Status, Smoking, and Physical Activity. <i>World Journal of Cardiovascular Diseases</i> , 2014, 04, 556-566.	0.0	2
369	Diet and Lifestyle Factors and Risk of Atherosclerotic Cardiovascular Diseaseâ€”A Prospective Cohort Study. <i>Nutrients</i> , 2021, 13, 3822.	1.7	19
370	Diabetes Mellitus as a Risk Factor for Trigger Finger â€”a Longitudinal Cohort Study Over More Than 20 Years. <i>Frontiers in Clinical Diabetes and Healthcare</i> , 2021, 2, .	0.3	2
371	Relationship between telomere shortening and age in Korean individuals with mild cognitive impairment and Alzheimerâ€™s disease compared to that in healthy controls. <i>Aging</i> , 2021, 13, 2089-2100.	1.4	8
372	Participation in a Prospective Cohort Study on Melanoma did not Affect the Incidence and Mortality of the Studied Disease. <i>Acta Dermato-Venereologica</i> , 2020, 100, 1-6.	0.6	0
373	Single Nucleotide Polymorphisms in Close Proximity to the Fibroblast Growth Factor 21 (FGF21) Gene Found to Be Associated with Sugar Intake in a Swedish Population. <i>Nutrients</i> , 2021, 13, 3954.	1.7	8
374	Blood pressure and bladder cancer risk in men by use of survival analysis and in interaction with NAT2 genotype, and by Mendelian randomization analysis. <i>PLoS ONE</i> , 2020, 15, e0241711.	1.1	4
375	Hyperglycemia and arterial stiffness across two generations. <i>Journal of Hypertension</i> , 2021, 39, 471-475.	0.3	9
376	Comparison of risk factors for ischemic stroke and coronary events in a population-based cohort. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 536.	0.7	14
377	Dairy Consumption, Lactase Persistence, and Mortality Risk in a Cohort From Southern Sweden. <i>Frontiers in Nutrition</i> , 2021, 8, 779034.	1.6	4
378	A possible association between early life factors and burden of functional bowel symptoms in adulthood. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 506-514.	0.6	4
379	Circulating lipids and breast cancer prognosis in the Malmö diet and cancer study. <i>Breast Cancer Research and Treatment</i> , 2021, , 1.	1.1	6
380	Development of an EAT-Lancet index and its relation to mortality in a Swedish population. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 705-716.	2.2	54

#	ARTICLE	IF	CITATIONS
381	Statin use and patterns of breast cancer recurrence in the Malmö Diet and Cancer Study. <i>Breast</i> , 2022, 61, 123-128.	0.9	11
382	Incident cardiovascular disease and long-term exposure to source-specific air pollutants in a Swedish cohort. <i>Environmental Research</i> , 2022, 209, 112698.	3.7	12
383	Associations between long-term exposure to low-level air pollution and risk of chronic kidney disease—findings from the Malmö Diet and Cancer cohort. <i>Environment International</i> , 2022, 160, 107085.	4.8	18
384	Anthropometric measures and the risk of developing atrial fibrillation: a Swedish Cohort Study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 602.	0.7	7
385	Using Distributed Lag Non-Linear Models to Estimate Exposure Lag-Response Associations between Long-Term Air Pollution Exposure and Incidence of Cardiovascular Disease. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2630.	1.2	10
386	Carpal Tunnel Syndrome and Ulnar Nerve Entrapment at the Elbow Are Not Associated With Plasma Levels of Caspase-3, Caspase-8 or HSP27. <i>Frontiers in Neuroscience</i> , 2022, 16, 809537.	1.4	2
387	Association between Adherence to Swedish Dietary Guidelines and Mediterranean Diet and Risk of Stroke in a Swedish Population. <i>Nutrients</i> , 2022, 14, 1253.	1.7	6
388	Low thyroid hormone receptor alpha-2 (THR $\alpha$ -2) tumor expression is associated with unfavorable tumor characteristics and high breast cancer mortality. <i>Breast Cancer Research</i> , 2021, 23, 117.	2.2	8
389	Zinc and Breast Cancer Survival: A Prospective Cohort Study of Dietary Intake and Serum Levels. <i>Nutrients</i> , 2022, 14, 2575.	1.7	6
390	Predicting Sensitivity to Adverse Lifestyle Risk Factors for Cardiometabolic Morbidity and Mortality. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
391	The association between plasma metabolites and future risk of all-cause mortality. <i>Journal of Internal Medicine</i> , 2022, 292, 804-815.	2.7	8
392	Shorter reproductive life span is associated with increased cardiovascular risk and total mortality in Swedish women from an observational, population-based study. <i>Maturitas</i> , 2022, 164, 69-75.	1.0	1
393	Levels of Vitamin D and Expression of the Vitamin D Receptor in Relation to Breast Cancer Risk and Survival. <i>Nutrients</i> , 2022, 14, 3353.	1.7	5
394	Predicting Sensitivity to Adverse Lifestyle Risk Factors for Cardiometabolic Morbidity and Mortality. <i>Nutrients</i> , 2022, 14, 3171.	1.7	1
395	Early menopause and weight loss are significant factors associated with risk of future fracture in middle-aged women. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .	0.8	0
398	Prevalence and Ascertainment of Dementia Cases in the Malmö Diet and Cancer Study. <i>Journal of Alzheimer's Disease Reports</i> , 2022, 6, 529-538.	1.2	1
399	A New Instrument for Assessing Work-Related Body Mechanics and Strain in the General Population. <i>Journal of Pain</i> , 2023, 24, 237-250.	0.7	0
400	Analyses of plasma inflammatory proteins reveal biomarkers predictive of subsequent development of giant cell arteritis: a prospective study. <i>Rheumatology</i> , 2023, 62, 2304-2311.	0.9	7

#	ARTICLE	IF	CITATIONS
401	Association Between Dietary Habits in Midlife With Dementia Incidence Over a 20-Year Period. <i>Neurology</i> , 2023, 100, .	1.5	14
402	Performance of [18F]RO948 PET, MRI and CSF neurofilament light in the differential diagnosis of progressive supranuclear palsy. <i>Parkinsonism and Related Disorders</i> , 2023, 106, 105226.	1.1	3
403	Event dependent overall survival in the population-based LIFE-Adult-Study. <i>PLoS ONE</i> , 2022, 17, e0278069.	1.1	1
404	Milk intake, lactase persistence genotype, plasma proteins and risks of cardiovascular events in the Swedish general population. <i>European Journal of Epidemiology</i> , 2023, 38, 211-224.	2.5	3
405	Triglyceride-glucose (TyG) index is a predictor of arterial stiffness, incidence of diabetes, cardiovascular disease, and all-cause and cardiovascular mortality: A longitudinal two-cohort analysis. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	10
406	Starch intake, amylase gene copy number variation, plasma proteins, and risk of cardiovascular disease and mortality. <i>BMC Medicine</i> , 2023, 21, .	2.3	0
407	Adherence to the EAT-Lancet diet and risk of coronary events in the Malmö Diet and Cancer cohort study. <i>American Journal of Clinical Nutrition</i> , 2023, 117, 903-909.	2.2	13
408	Polygenic risk of type 2 diabetes is associated with incident vascular dementia: a prospective cohort study. <i>Brain Communications</i> , 2023, 5, .	1.5	2
409	Imaging ovarian cancer “ from baseline characteristics to high-risk image factors. <i>Journal of Ovarian Research</i> , 2023, 16, .	1.3	0