

CITATION REPORT

List of articles citing

Waist and hip circumferences have independent and opposite effects on cardiovascular disease risk factors: the Quebec Family Study

DOI: 10.1093/ajcn/74.3.315

American Journal of Clinical Nutrition, 2001, 74, 315-21.

Source: <https://exaly.com/paper-pdf/32845694/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
405	Current World Literature. 2002 , 13, 421-435		
404	Impact of weight loss on the metabolic syndrome. 2002 , 4, 407-14		144
403	Is waist circumference a useful measure in predicting health outcomes in the elderly?. 2002 , 26, 1349-55		70
402	The association of body mass index and waist circumference with blood pressure depends on age and gender: a study of 10,928 non-smoking adults in the Greek EPIC cohort. 2004 , 19, 803-9		26
401	Abdominal fat and sympathetic overactivity. From calorie intake to postmenopausal hypertension. 2003 , 28, 668-73		6
400	Clinical and pathophysiological consequences of abdominal adiposity and abdominal adipose tissue depots. 2003 , 19, 457-66		198
399	Efficacy of rosuvastatin 10 mg in patients with the metabolic syndrome. 2003 , 91, 25C-27C; discussion 28C		34
398	Larger thigh and hip circumferences are associated with better glucose tolerance: the Hoorn study. 2003 , 11, 104-11		137
397	Prognostic factors for the vascular components of erectile dysfunction in patients on renal replacement therapy. 2003 , 15, 44-52		8
396	Relationships of body fat distribution, insulin sensitivity and cardiovascular risk factors in lean, healthy non-diabetic Thai men and women. 2003 , 60, 87-94		17
395	A paradox resolved: the postprandial model of insulin resistance explains why gynoid adiposity appears to be protective. 2003 , 61, 173-6		37
394	Peripheral adiposity exhibits an independent dominant antiatherogenic effect in elderly women. 2003 , 107, 1626-31		215
393	Central and peripheral fat mass have contrasting effect on the progression of aortic calcification in postmenopausal women. 2003 , 24, 1531-7		53
392	Comparisons of waist circumferences measured at 4 sites. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 379-84	7	396
391	Associations of hip and thigh circumferences independent of waist circumference with the incidence of type 2 diabetes: the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 1192-7	7	341
390	Associations of obesity with lower urinary tract symptoms and noncancer prostate surgery in the Third National Health and Nutrition Examination Survey. 2004 , 159, 390-7		105
389	Changes in body weight and body fat distribution as risk factors for clinical diabetes in US men. 2004 , 159, 1150-9		246

388	Re: "Changes in body weight and body fat distribution as risk factors for clinical diabetes in US men". 2004 , 160, 1133-4; author reply 1134-5	5
387	Central fat mass versus peripheral fat and lean mass: opposite (adverse versus favorable) associations with arterial stiffness? The Amsterdam Growth and Health Longitudinal Study. 2004 , 89, 2632-9	149
386	Trunk fat and leg fat have independent and opposite associations with fasting and postload glucose levels: the Hoorn study. 2004 , 27, 372-7	316
385	Waist circumference, body mass index, hip circumference and waist-to-hip ratio as predictors of cardiovascular disease in Aboriginal people. 2004 , 58, 888-93	106
384	Independent and opposite associations of waist and hip circumferences with diabetes, hypertension and dyslipidemia: the AusDiab Study. 2004 , 28, 402-9	218
383	Waist and hip circumferences and all-cause mortality: usefulness of the waist-to-hip ratio?. 2004 , 28, 741-7	75
382	Body size measurements as predictors of type 2 diabetes in Aboriginal people. 2004 , 28, 1580-4	43
381	Independent association of hip circumference with metabolic profile in different ethnic groups. 2004 , 12, 1370-4	30
380	Impact of obesity and body fat distribution on cardiovascular risk factors in Hong Kong Chinese. 2004 , 12, 1805-13	74
379	Hip circumference and cardiovascular morbidity and mortality in men and women. 2004 , 12, 482-7	107
378	High prevalence of metabolic syndrome in Mexico. 2004 , 35, 76-81	93
377	Somatic characteristics and cardiovascular risk factors in growth hormone deficiency: a randomized, double-blind, placebo-controlled study of the effect of treatment with recombinant human growth hormone. 2004 , 16, 533-43	8
376	Comparison of anthropometric parameters as predictors of serum lipids in premenopausal women. 2004 , 27, 340-7	9
375	Lower expression of adiponectin mRNA in visceral adipose tissue in lean and obese subjects. 2004 , 219, 9-15	240
374	Waist circumference and not body mass index explains obesity-related health risk. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 379-84	7 1209
373	Waist circumference as a determinant of hypertension and diabetes in Brazilian women: a population-based study. 2004 , 7, 629-35	41
372	Regional body composition as a determinant of arterial stiffness in the elderly: The Hoorn Study. 2004 , 22, 2339-47	88
371	Fat distribution, body mass index and blood pressure in 22,090 men and women in the Norfolk cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Norfolk) study. 2004 , 22, 2067-74	99

370	Comparison of abdominal adiposity and overall obesity in predicting risk of type 2 diabetes among men. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 555-63	7	723
369	Body fat distribution, body composition, and respiratory function in elderly men. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 996-1003	7	123
368	Adipose tissue function in the insulin-resistance syndrome. 2005 , 33, 1045-8		23
367	Adipose tissue function in the insulin-resistance syndrome. 2005 , 33, 1045		33
366	Adiponectin: action, regulation and association to insulin sensitivity. 2005 , 6, 13-21		488
365	Favourable association of leg fat with cardiovascular risk factors. 2005 , 257, 194-200		42
364	ACDC/adiponectin and PPAR-gamma gene polymorphisms: implications for features of obesity. 2005 , 13, 2113-21		46
363	Relationships between cigarette smoking, body size and body shape. 2005 , 29, 236-43		97
362	Lower-body fat mass as an independent marker of insulin sensitivity--the role of adiponectin. 2005 , 29, 624-31		44
361	Body composition and fat repartition in relation to structure and function of large arteries in middle-aged adults (the SU.VI.MAX study). 2005 , 29, 826-32		89
360	Serum lipids and anthropometric factors related to the prevalence of intermittent claudication. 2005 , 30, 582-7		5
359	Effects of rosuvastatin, atorvastatin, simvastatin, and pravastatin on atherogenic dyslipidemia in patients with characteristics of the metabolic syndrome. 2005 , 95, 360-6		88
358	Waist circumference criteria for the diagnosis of abdominal obesity are not applicable uniformly to all populations and ethnic groups. 2005 , 21, 969-76		179
357	Low subcutaneous thigh fat is a risk factor for unfavourable glucose and lipid levels, independently of high abdominal fat. The Health ABC Study. 2005 , 48, 301-8		309
356	Measures of adiposity in the identification of metabolic abnormalities in elderly men. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 1313-21	7	89
355	Fetal programming of body composition: relation between birth weight and body composition measured with dual-energy X-ray absorptiometry and anthropometric methods in older Englishmen. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 980-7	7	195
354	Practices of growth assessment in children: Is anthropometric measurement important?. 2005 , 45, 145		1
353	Plasma ascorbic acid concentrations and fat distribution in 19,068 British men and women in the European Prospective Investigation into Cancer and Nutrition Norfolk cohort study. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 1203-9	7	92

352	Lower-body adiposity and metabolic protection in postmenopausal women. 2005 , 90, 4573-8	107
351	Which anthropometric measurements is most closely related to elevated blood pressure?. 2005 , 22, 541-7	36
350	Abdominal fat index by ultrasound does not estimate the metabolic risk factors of cardiovascular disease better than waist circumference in severe obesity. 2005 , 31, 471-7	11
349	The association of subclinical coronary atherosclerosis with abdominal and total obesity in asymptomatic men. 2005 , 8, 143-8	13
348	Anthropometrical measures are easily obtainable sensitive and specific predictors of insulin resistance in healthy individuals. 2005 , 1, 175-181	6
347	Possible role of adiponectin and insulin sensitivity in mediating the favorable effects of lower body fat mass on blood lipids. 2006 , 91, 1698-704	26
346	Serum lipid concentration in relation to anthropometric indices of central and peripheral fat distribution in 20,021 British men and women: results from the EPIC-Norfolk population-based cohort study. 2006 , 189, 420-7	38
345	Lower body subcutaneous fat accumulation and diabetes mellitus risk. 2006 , 2, 362-8	18
344	Reported food intake and distribution of body fat: a repeated cross-sectional study. 2006 , 5, 34	31
343	Central obesity is associated with nonatopic but not atopic asthma in a representative population sample. 2006 , 118, 1284-91	99
342	Impact of sex-specific body composition on cardiovascular risk factors: the Hong Kong Cardiovascular Risk Factor Study. 2006 , 55, 563-9	16
341	Metabolic risk factors and markers of cardiovascular and renal damage in overweight subjects. 2006 , 19, 426-31	11
340	Waist-to-thigh ratio can also be a better indicator associated with type 2 diabetes than traditional anthropometrical measurements in Taiwan population. 2006 , 16, 321-31	35
339	Larger hip circumference independently contributed to reduced metabolic risks in Tehranian adult women. 2006 , 108, 338-45	23
338	Waist circumference, blood pressure, and lipid components of the metabolic syndrome. 2006 , 149, 809-16	128
337	Obesity and cardiovascular risk factors among men and women aged 40 years and older in a rural area of Japan. 2006 , 25, 371-5	19
336	Menopause, insulin resistance, and risk factors for cardiovascular disease. 2006 , 13, 809-17	20
335	Use of height ³ :waist circumference ³ as an index for metabolic risk assessment?. 2006 , 95, 1212-20	9

334	Effect of fat distribution on endothelial-dependent and endothelial-independent vasodilatation in healthy humans. 2006 , 8, 296-301	45
333	Diet and physical activity in relation to overall mortality amongst adult diabetics in a general population cohort. 2006 , 259, 583-91	68
332	Associations of anthropometric characteristics with blood cholesterol fractions among adults. The Greek EPIC study. 2006 , 60, 942-8	32
331	Lifestyle correlates of anthropometric estimates of body adiposity in an Italian middle-aged and elderly population: a covariance analysis. 2006 , 30, 926-34	31
330	Substrate-energy metabolism and metabolic risk factors for cardiovascular disease in relation to fetal growth and adult body composition. 2006 , 291, E365-71	40
329	Value of body fat mass vs anthropometric obesity indices in the assessment of metabolic risk factors. 2006 , 30, 475-83	190
328	Liposuction. 2006 ,	18
327	The relation between visceral fat measurement and torso level--is one level better than another? The Atherosclerosis Risk in Communities Study, 1990-1992. 2006 , 163, 352-8	23
326	The epidemiology of overweight and obesity: public health crisis or moral panic?. 2006 , 35, 55-60	436
325	Effects of obesity, body composition, and adiponectin on carotid intima-media thickness in healthy women. 2006 , 91, 1677-82	88
324	Identification of factors differentially associated with isolated impaired fasting glucose and isolated post-load impaired glucose tolerance: the Hong Kong Cardiovascular Risk Factor Study. 2006 , 155, 623-32	14
323	Adipose tissue, insulin resistance and low-grade inflammation: implications for atherogenesis and the cardiovascular harm of estrogen plus progestogen therapy. 2006 , 9, 169-80	17
322	What aspects of body fat are particularly hazardous and how do we measure them?. 2006 , 35, 83-92	405
321	Adipose tissue distribution in relation to insulin resistance in type 2 diabetes mellitus. 2007 , 293, E435-42	49
320	Association of upper trunk and visceral adipose tissue volume with insulin resistance in control and HIV-infected subjects in the FRAM study. 2007 , 46, 283-90	95
319	Chapter 1: Introduction. 2007 , 14, S2-S113	
318	Waist circumference, body mass index and health risk factors among middle aged Thais. 2007 , 19, 10-5	19
317	Body fat distribution and risk of coronary heart disease in men and women in the European Prospective Investigation Into Cancer and Nutrition in Norfolk cohort: a population-based prospective study. 2007 , 116, 2933-43	352

316	Superiority of skinfold measurements and waist over waist-to-hip ratio for determination of body fat distribution in a population-based cohort of Caucasian Dutch adults. 2007 , 156, 655-61	71
315	Predictors of blood pressure in a cohort of school-aged children. 2007 , 14, 624-9	17
314	Weight-related increases in hypertension, hypercholesterolemia, and diabetes risk in normal weight male and female runners. 2007 , 27, 1811-9	34
313	Fifteen-year changes in body mass index and waist circumference in Finnish adults. 2007 , 14, 398-404	49
312	Associations of obesity measures with metabolic risk factors in a community-based population in Japan. 2007 , 71, 776-81	36
311	Metabolic syndrome pathophysiology: the role of adipose tissue. 2007 , 17, 125-39	120
310	Do current body mass index criteria for obesity surgery reflect cardiovascular risk?. 2007 , 3, 577-85	15
309	Ethnic differences in adiposity and body composition: the First Nations bone health study. 2007 , 32, 1065-72	26
308	Metabolic syndrome and cardiovascular disease. 2007 , 44, 232-63	69
307	Waist circumference and waist-to-hip ratio as predictors of cardiovascular events: meta-regression analysis of prospective studies. 2007 , 28, 850-6	644
306	Effect of adding exercise to a diet containing glucomannan. 2007 , 56, 1149-58	37
305	The association of differing measures of overweight and obesity with prevalent atherosclerosis: the Dallas Heart Study. 2007 , 50, 752-9	130
304	Efficacy of Supplementation of Fish Oil and Impact of Nutrition Counselling on Anthropometric and Clinical Profile of at Risk Heart Subjects. 2007 , 21, 33-36	
303	Prevalence of cardiovascular risk factors in adults living in Luzerna, Santa Catarina, in 2006. 2007 , 89, 289-93, 319-24	9
302	Body mass index and hip and thigh circumferences are negatively associated with visceral adipose tissue after control for waist circumference. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1540-4	7 42
301	Different fat distribution as marker of disease in nonalcoholic fatty liver disease. 2007 , 46, 1310-1; author reply 1312	
300	Association of waist and hip circumference with 12-year progression of carotid intima-media thickness in elderly women. 2007 , 31, 1406-11	24
299	Cardiorespiratory fitness and sedentary activities are associated with adiposity in adolescents. 2007 , 15, 1589-99	111

298	11Beta-HSD type 1 expression in human adipose tissue: impact of gender, obesity, and fat localization. 2007 , 15, 1954-60	106
297	Regional body volumes, BMI, waist circumference, and percentage fat in severely obese adults. 2007 , 15, 2688-98	25
296	Waist circumference and BMI cut-off based on 10-year cardiovascular risk: evidence for "central pre-obesity". 2007 , 15, 2832-9	37
295	The NHF-NRG In Balance-project: the application of Intervention Mapping in the development, implementation and evaluation of weight gain prevention at the worksite. 2007 , 8, 347-61	35
294	Methodological considerations for childhood surveillance systems: the case of obesity. 2007 , 15, 147-153	6
293	Influence of waist circumference on the metabolic risk associated with impaired fasting glucose: effect of weight loss after gastric bypass. 2007 , 17, 585-91	17
292	Upregulation of adipose 11-beta-hydroxysteroid dehydrogenase type 1 expression in ovariectomized rats is due to obesity rather than lack of estrogen. 2008 , 16, 731-5	11
291	The association of pericardial fat with calcified coronary plaque. 2008 , 16, 1914-9	114
290	Changes in body weight and waist circumference affect incident hypercholesterolemia during 7 years of follow-up. 2008 , 16, 2163-8	15
289	Increases in weight and body size increase the odds for hypertension during 7 years of follow-up. 2008 , 16, 2541-8	32
288	Body composition, insulin sensitivity, and cardiovascular disease profile in healthy Europeans. 2008 , 16, 2696-701	25
287	Influence of central and extremity circumferences on all-cause mortality in men and women. 2008 , 16, 2690-5	69
286	An evaluation of patterns of change in total and regional body fat mass in healthy Spanish subjects using dual-energy X-ray absorptiometry (DXA). 2008 , 62, 1440-8	25
285	Independent and opposite associations of trunk fat and leg fat with liver enzyme levels. 2008 , 28, 1381-8	19
284	Waist-to-hip ratio and body mass index as risk factors for cardiovascular events in CKD. 2008 , 52, 49-57	105
283	Independent and opposite associations of hip and waist circumference with metabolic syndrome components and with inflammatory and atherothrombotic risk factors in overweight and obese women. 2008 , 57, 1315-22	23
282	Regional body fat distribution and metabolic profile in postmenopausal women. 2008 , 57, 1101-7	50
281	A simple valid tool for measuring obesity-related-CHD risk in Sri Lankan adults. 2008 , 3, 11-19	6

280	Which measures of obesity best predict cardiovascular risk?. 2008 , 52, 616-9	71
279	Waist circumference alone predicts insulin resistance as good as the metabolic syndrome in elderly women. 2008 , 19, 520-6	26
278	The relationship between pedometer-determined and self-reported physical activity and body composition variables in college-aged men and women. 2008 , 57, 39-44	24
277	Regional fat mass by DXA: high leg fat mass attenuates the relative risk of insulin resistance and dyslipidaemia in obese but not in overweight postmenopausal women. 2008 , 68, 204-11	29
276	Obesity indices in relation to cardiovascular disease risk factors among young adult female students. 2008 , 99, 918-24	13
275	Shifts in Postdiscrimination Gradients Within a Stimulus Dimension Based on Female Waist-to-Hip Ratios. 2008 , 58, 51-60	7
274	Prevalence of obesity amongst Chinese populations revisited. 2008 , 3, 139-152	3
273	Distribution of body fat and risk of coronary heart disease in men and women. 2008 , 23, 591-8	116
272	Femoral-gluteal subcutaneous and intermuscular adipose tissues have independent and opposing relationships with CVD risk. 2008 , 104, 700-7	89
271	Prevalence of metabolic syndrome, obesity and diabetes type 2 in cryptogenic cirrhosis. 2008 , 14, 4771-5	55
270	[Prevalence of overweight and obesity among members of the Brazilian army: association with arterial hypertension]. 2008 , 13, 1661-8	9
269	Association of oxidative stress, iron, and centralized fat mass in healthy postmenopausal women. 2009 , 18, 795-801	34
268	Life-course socio-economic factors, skin colour and abdominal obesity in adulthood in a Brazilian birth cohort. 2009 , 12, 2225-35	10
267	Which obesity index best explains the link between adipokines, coronary heart disease risk and metabolic abnormalities in type 2 diabetes mellitus?. 2009 , 18, 123-9	21
266	Pleiotropic effects of rimonabant: clinical implications. 2009 , 15, 553-70	24
265	The freshman 15-a closer look. 2009 , 58, 223-31	51
264	Association of hip circumference with incident diabetes and coronary heart disease: the Atherosclerosis Risk in Communities study. 2009 , 169, 837-47	48
263	Estimates of excess deaths associated with body mass index and other anthropometric variables. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1213-9	7 119

262	Effects of clozapine and olanzapine on cytokine systems are closely linked to weight gain and drug-induced fever. 2009 , 34, 118-28	93
261	Cutoff values for central obesity in Chinese based on mesenteric fat thickness. 2009 , 28, 679-83	16
260	Central obesity and multivariable cardiovascular risk as assessed by the Framingham prediction scores. 2009 , 103, 1403-7	64
259	Endothelial dysfunction and diabetes: roles of hyperglycemia, impaired insulin signaling and obesity. 2009 , 335, 165-89	203
258	Prevalence of low glomerular filtration rate, proteinuria and associated risk factors in North India using Cockcroft-Gault and Modification of Diet in Renal Disease equation: an observational, cross-sectional study. 2009 , 10, 4	69
257	Fat distribution influences the cardio-metabolic profile in a clinically healthy European population. 2009 , 39, 1055-64	3
256	Waist circumference measurement by site, posture, respiratory phase, and meal time: implications for methodology. 2009 , 17, 1056-61	42
255	Low fasting triglycerides: hallmark of the healthy large hip?. 2009 , 17, 1621-6	11
254	Robotic radical prostatectomy in overweight and obese patients: oncological and validated-functional outcomes. 2009 , 73, 316-22	129
253	Interstitial concentrations of adipokines in subcutaneous abdominal and femoral adipose tissue. 2009 , 155, 39-45	25
252	Central obesity and cigarette smoking are key determinants of cardiovascular disease deaths in Australia: a public health perspective. 2009 , 49, 153-7	17
251	Overall obesity and abdominal adiposity as predictors of mortality in u.s. White and black adults. 2009 , 19, 134-42	58
250	Waist-hip-ratio as a predictor of all-cause mortality in high-functioning older adults. 2009 , 19, 724-31	66
249	Prediction of body composition from spine and hip bone densitometry. 2009 , 12, 428-33	13
248	Central-to-peripheral fat ratio, but not peripheral body fat, is related to insulin resistance and androgen markers in polycystic ovary syndrome. 2009 , 25, 793-8	25
247	Leg fat mass as measured by dual X-ray absorptiometry (DXA) impacts insulin resistance differently in obese women versus men. 2009 , 69, 181-9	18
246	Centiles of anthropometric measures of adiposity for 14- to 18-year-old urban Asian Indian adolescents. 2009 , 7, 133-41	15
245	Use of the metabolic syndrome in pediatrics: a blessing and a curse. 2009 , 18, 136-43	19

244	Comparison of overall obesity and body fat distribution in predicting risk of mortality. 2009 , 17, 1232-9	96
243	Comparison of overall obesity and abdominal adiposity in predicting chronic kidney disease incidence among adults. 2009 , 19, 228-37	53
242	ORIGINAL RESEARCH. 2009 , 33, 86-92	
241	Relationship between Large and Small Arterial Compliance and Regional Body Composition in Middle-Aged and Elderly Adults. 2009 , 21, 337-342	1
240	Anthropometric indices and their relationship with cardiometabolic risk factors in a sample of Turkish adults. 2009 , 12, 538-46	36
239	Targeting MCP-1 to reduce vascular complications of obesity. 2009 , 4, 164-76	13
238	Clinical risk factors for osteoporotic fracture: a population-based prospective cohort study in Korea. 2010 , 25, 369-78	31
237	Anthropometric measures and glucose levels in a large multi-ethnic cohort of individuals at risk of developing type 2 diabetes. 2010 , 53, 1322-30	21
236	Prevalence of the metabolic syndrome and its components in relation to socioeconomic status among Jamaican young adults: a cross-sectional study. 2010 , 10, 307	29
235	The efficacy and safety of insulin-sensitizing drugs in HIV-associated lipodystrophy syndrome: a meta-analysis of randomized trials. 2010 , 10, 183	49
234	Linkage analysis of obesity phenotypes in pre- and post-menopausal women from a United States mid-western population. 2010 , 11, 156	6
233	Impacts of visceral adipose tissue and subcutaneous adipose tissue on metabolic risk factors in middle-aged Japanese. 2010 , 18, 153-60	61
232	Indices of central and peripheral body fat: association with non-fatal acute myocardial infarction. 2010 , 34, 733-41	13
231	Gluteofemoral body fat as a determinant of metabolic health. 2010 , 34, 949-59	47 ^o
230	Gender differences in obesogenic behaviour, socioeconomic and metabolic factors in a population-based sample of Iranians: the IHHP study. 2010 , 28, 602-9	16
229	Sex difference of type 2 diabetes affected by abdominal obesity versus overall obesity. 2010 , 51, 850-6	3
228	Impact of changes in obesity parameters on glucose metabolism and insulin resistance over a one-year period. 2010 , 17, 1246-55	7
227	Ketonuria after fasting may be related to the metabolic superiority. 2010 , 25, 1771-6	14

226	Anthropometric indicators of insulin resistance. 2010 , 95, e14-23	32
225	Comparison of obesity and its relationship to some metabolic risk factors of atherosclerosis in Arabs and South Asians in Kuwait. 2010 , 19, 275-80	15
224	Anthropometric assessment of abdominal obesity and coronary heart disease risk in men: the PRIME study. 2010 , 96, 136-40	54
223	Anthropometric measures of obesity and risk of venous thromboembolism: the Tromso study. 2010 , 30, 121-7	50
222	Abdominal fat from spine dual-energy x-ray absorptiometry and risk for subsequent diabetes. 2010 , 95, 3272-6	21
221	The challenges of accurate waist and hip measurement over clothing: Pilot data. 2010 , 4, e163-246	10
220	Waist-to-hip ratio is a better anthropometric index than body mass index for predicting the risk of type 2 diabetes in Taiwanese population. 2010 , 30, 585-93	55
219	Hip circumference and incident metabolic risk factors in Chinese men and women: the People's Republic of China study. 2011 , 9, 55-62	18
218	Hip circumference and the risk of type 2 diabetes in middle-aged and elderly men and women: the Shanghai women and Shanghai men's health studies. 2011 , 21, 358-66	14
217	Body fat distribution and C-reactive protein--a principal component analysis. 2011 , 21, 347-54	9
216	Associations of lower-body fat mass with favorable profile of lipoproteins and adipokines in healthy, slim women in early adulthood. 2011 , 18, 365-72	19
215	Association of different anthropometric measures and indices with coronary atherosclerotic burden. 2011 , 97, 397-401	12
214	Different adipose depots: their role in the development of metabolic syndrome and mitochondrial response to hypolipidemic agents. 2011 , 2011, 490650	215
213	Impact of weight loss on physical function with changes in strength, muscle mass, and muscle fat infiltration in overweight to moderately obese older adults: a randomized clinical trial. 2011 , 2011,	68
212	Endothelial dysfunction associated with obesity and the effect of weight loss interventions. 2011 , 70, 418-25	20
211	Hip Hip Hurrah! Hip size inversely related to heart disease and total mortality. 2011 , 12, 478-81	49
210	The associations of different measurements of obesity with cardiovascular risk factors in Chinese. 2011 , 41, 393-404	14
209	Sex differences in the association of thigh fat and metabolic risk in older adults. 2011 , 19, 422-8	11

208	Lower extremity fat mass is associated with insulin resistance in overweight and obese individuals: the CARDIA study. 2011 , 19, 2248-53		15
207	Ethnic differences in maternal total cholesterol and triglyceride levels during pregnancy: the contribution of demographics, behavioural factors and clinical characteristics. 2011 , 65, 580-9		25
206	Metabolic syndrome (MS) in elderly: a cross sectional survey. 2011 , 53, e263-6		21
205	Obesity and body fat distribution: ethnic differences and the role of socio-economic status. 2011 , 4, 53-60		29
204	Is there really a negative association between waist circumference and height in adults?. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 863-4; author reply 864-5	7	2
203	Reply to RF Burton. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 864-865	7	
202	Predictors of body satisfaction: differences between older men and women's perceptions of their body functioning and appearance. 2011 , 23, 505-28		24
201	Increases in central fat mass and decreases in peripheral fat mass are associated with accelerated arterial stiffening in healthy adults: the Amsterdam Growth and Health Longitudinal Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 40-8	7	36
200	Anthropometry and physical fitness in individuals with family history of type-2 diabetes mellitus: A comparative study. 2011 , 15, 327-30		9
199	Validity of simple, novel measures of generalized and central obesity among young Asian Indian women. 2011 , 65, 518-27		1
198	Association of anthropometric obesity measures with chronic kidney disease risk in a non-diabetic patient population. 2012 , 27, 1860-6		49
197	The influence of hip circumference on the relationship between abdominal obesity and mortality. 2012 , 41, 484-94		63
196	Intrahepatic insulin exposure, intrahepatocellular lipid and regional body fat in nonalcoholic fatty liver disease. 2012 , 97, 2151-9		19
195	Role of subcutaneous adipose tissue in metabolic complications of obesity. 2012 , 10, 319-20		12
194	Inflammation, adiposity, and mortality in the oldest old. 2012 , 15, 445-52		17
193	Value of Waist Circumference in Metabolic Diseases. 2012 , 1947-1958		
192	Anthropometric parameters as indicators of metabolic derangements in schizophrenia patients stabilized on olanzapine in an Indian rural population. 2012 , 3, 277-82		2
191	Visceral adiposity in young patients with coronary artery disease-a case control study. 2012 , 64, 284-9		4

190	Waist circumference is a better predictor than body mass index of insulin resistance in type 2 diabetes. 2012 , 6, e263-346	13
189	Different anthropometric adiposity measures and their association with cardiovascular disease risk factors: a meta-analysis. 2012 , 20, 208-18	72
188	Sex differences in human adipose tissues - the biology of pear shape. 2012 , 3, 13	426
187	Novel and Traditional Cardiovascular Risk Factors in Adolescents. 2012 ,	
186	Relation of absolute or relative adiposity to insulin resistance, retinol binding protein-4, leptin, and adiponectin in type 2 diabetes. 2012 , 36, 415-21	13
185	Sex-specific association of anthropometric measures of body composition with arterial stiffness in a healthy population. 2012 , 18, CR65-71	17
184	Hip circumference is associated with the risk of premenopausal ER-/PR- breast cancer. 2012 , 36, 431-9	41
183	Use of knee height for the estimation of stature in elderly Turkish people and their relationship with cardiometabolic risk factors. 2012 , 54, 82-9	10
182	Relationship between sleep-disordered breathing and markers of systemic inflammation in women from the general population. 2012 , 21, 147-54	43
181	The prevalence and risk factors of vertebral fractures in Korea. 2012 , 30, 183-92	35
180	Subcutaneous fat of extremities independent of abdominal fat does not promote insulin resistance and cardiovascular risk in Japanese type 2 diabetic patients. 2013 , 4, 45-51	
179	Regional, but not total, body composition changes in overweight and obese adults consuming a higher protein, energy-restricted diet are sex specific. 2013 , 33, 629-35	16
178	A pilot study investigating the effect of Caralluma fimbriata extract on the risk factors of metabolic syndrome in overweight and obese subjects: a randomised controlled clinical trial. 2013 , 21, 180-9	25
177	Ectopic fat and cardiometabolic and vascular risk. 2013 , 169, 166-76	125
176	Thigh circumference and low ankle brachial index in US adults: results from the National Health and Nutrition Examination Survey 1999-2004. 2013 , 163, 40-5	5
175	Metabolically obese status with normal weight is associated with both the prevalence and severity of angiographic coronary artery disease. 2013 , 62, 952-60	38
174	Adipose tissue renin-angiotensin-aldosterone system (RAAS) and progression of insulin resistance. 2013 , 378, 1-14	49
173	Sagittal abdominal diameter to triceps skinfold thickness ratio: a novel anthropometric index to predict premature coronary atherosclerosis. 2013 , 227, 329-33	8

172	A systematic review of the impact of including both waist and hip circumference in risk models for cardiovascular diseases, diabetes and mortality. 2013 , 14, 86-94	80
171	Central and peripheral fat and subclinical vascular damage in older women. 2013 , 42, 359-65	22
170	Body mass index and the risk for Crohn's disease and ulcerative colitis: data from a European Prospective Cohort Study (The IBD in EPIC Study). 2013 , 108, 575-82	113
169	Estrogen receptor protein content is different in abdominal than gluteal subcutaneous adipose tissue of overweight-to-obese premenopausal women. 2013 , 62, 1180-8	29
168	Changes in body fat distribution through menopause increase blood pressure independently of total body fat in middle-aged women: the Korean National Health and Nutrition Examination Survey 2007-2010. 2013 , 36, 444-9	17
167	Longitudinal association of body mass index and waist circumference with left ventricular mass in hypertensive predialysis chronic kidney disease patients. 2013 , 28 Suppl 4, iv136-45	6
166	Changes in bread consumption and 4-year changes in adiposity in Spanish subjects at high cardiovascular risk. 2013 , 110, 337-46	29
165	Abnormal regional body fat distribution also exists in non-obese subjects with high blood pressure. 2013 , 35, 528-33	3
164	Estradiol effects on subcutaneous adipose tissue lipolysis in premenopausal women are adipose tissue depot specific and treatment dependent. 2013 , 304, E1167-74	25
163	Correlation between body mass index and waist circumference in nigerian adults: implication as indicators of health status. 2013 , 2, e16	14
162	Adiposity measurements by BMI, skinfolds and dual energy X-ray absorptiometry in relation to risk markers for cardiovascular disease and diabetes in adult males. 2013 , 35, 753-64	18
161	Androgenetic alopecia and risk of coronary artery disease. 2013 , 4, 283-7	23
160	The impact of obesity on benign and malignant urologic conditions. 2013 , 125, 53-69	37
159	Combined influence of leisure-time physical activity and hip circumference on all-cause mortality. 2013 , 21, E78-85	3
158	Heterogeneity in subcutaneous adipose tissue morphology and metabolic complications in overweight and obese women. 2013 , 11, 276-82	4
157	Differences in Adiponectin Gene Expression: Adiponectin Gene Expression is Higher in Gluteal than in Abdominal Adipose Tissue. 2013 , 5, 34-38	
156	Combined use of waist and hip circumference to identify abdominally obese HIV-infected patients at increased health risk. 2013 , 8, e62538	7
155	Anthropometric measures and physical activity and the risk of lung cancer in never-smokers: a prospective cohort study. 2013 , 8, e70672	28

154	Body fat distribution and insulin resistance. 2013 , 5, 2019-27	179
153	Impact of weight regain on metabolic disease risk: a review of human trials. 2014 , 2014, 614519	27
152	Indicadores antropométricos associados a hipertrigliceridemia na predição de gordura visceral. 2014 , 16, 485	1
151	Association of regional body fat with metabolic risks in Chinese women. 2014 , 17, 2316-24	20
150	The myths of femoroacetabular impingement. 2014 , 472, 3623-4; discussion 3624-8	8
149	Single non-invasive model to diagnose non-alcoholic fatty liver disease (NAFLD) and non-alcoholic steatohepatitis (NASH). 2014 , 29, 2006-13	35
148	Obesity index and the risk of diabetes among Chinese women with prior gestational diabetes. 2014 , 31, 1368-77	25
147	Obesity measures and risk of venous thromboembolism and myocardial infarction. 2014 , 29, 821-30	43
146	Evaluation of the dietary pattern of patients with type 2 diabetes in Northern Jordan: An inconvenient truth!. 2014 , 34, 134-138	2
145	The prevalence and trends in overweight and obesity in Irish adults between 1990 and 2011. 2014 , 17, 2389-97	9
144	Bread Intake and Abdominal Fat. 2014 , 261-279	1
143	Metabolic Effects of Abdominal Fats in Animal Models and Humans. 2014 , 295-306	
142	The pathophysiology of abdominal adipose tissue depots in health and disease. 2014 , 19, 57-74	48
141	Waist circumference provides an indication of numerous cardiometabolic risk factors in adults with cerebral palsy. 2014 , 95, 1540-6	36
140	Impact of obesity and bariatric surgery on metabolism and coronary circulatory function. 2014 , 16, 433	10
139	Muscle mass index as a predictor of longevity in older adults. 2014 , 127, 547-53	181
138	Shape of glucose curve can be used as a predictor for screening prediabetes in obese children. 2014 , 103, e199-205	7
137	Findings from the Quebec Family Study on the Etiology of Obesity: Genetics and Environmental Highlights. 2014 , 3, 54-66	59

136	Effects of adipose tissue distribution on maximum lipid oxidation rate during exercise in normal-weight women. 2014 , 40, 215-9		10
135	Sex dimorphism and depot differences in adipose tissue function. 2014 , 1842, 377-92		166
134	Gene-centric meta-analyses for central adiposity traits in up to 57 412 individuals of European descent confirm known loci and reveal several novel associations. 2014 , 23, 2498-510		22
133	Predicting muscle mass from anthropometry using magnetic resonance imaging as reference: a systematic review. 2014 , 72, 113-26		19
132	Derivation and validation of simple equations to predict total muscle mass from simple anthropometric and demographic data. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 1041-51	7	42
131	Predictors of epicardial adipose tissue in patients with type 2 diabetes mellitus. 2014 , 6, 55		19
130	Distinct developmental profile of lower-body adipose tissue defines resistance against obesity-associated metabolic complications. 2014 , 63, 3785-97		107
129	Adipose tissue and metabolic syndrome: too much, too little or neither. 2015 , 45, 1209-17		100
128	High-Density Lipoprotein Therapies—Then and Now. 2015 , 545-555		
127	Neck Circumference and Incidence of Diabetes Mellitus over 10 Years in the Korean Genome and Epidemiology Study (KoGES). 2015 , 5, 18565		27
126	Metabolic syndrome: influence on clinical severity and prognosis in patients with acute ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. 2015 , 70, 149-56		9
125	Independent association between serum C-peptide levels and fat mass-to-lean mass ratio in the aging process. 2015 , 15, 918-26		2
124	Efficacy of thigh volume ratios assessed via stereovision body imaging as a predictor of visceral adipose tissue measured by magnetic resonance imaging. 2015 , 27, 445-57		10
123	Coleus forskohlii Extract Supplementation in Conjunction with a Hypocaloric Diet Reduces the Risk Factors of Metabolic Syndrome in Overweight and Obese Subjects: A Randomized Controlled Trial. 2015 , 7, 9508-22		35
122	. 2015 ,		4
121	LOCATION OF BODY FAT AMONG WOMEN WHO ACCURATELY OR INACCURATELY PERCEIVE THEIR WEIGHT STATUS. 2015 , 121, 602-12		1
120	Adipose tissue content and distribution in children and adolescents with bronchial asthma. 2015 , 109, 200-7		6
119	Risk of breast, endometrial, colorectal, and renal cancers in postmenopausal women in association with a body shape index and other anthropometric measures. 2015 , 26, 219-229		36

118	Femoral lipectomy increases postprandial lipemia in women. 2015 , 309, E63-71	10
117	Association of Blood Pressure with Body Mass Index and Waist Circumference and its Effects Among School Students (Aged 8-16 Years) of Rural West Bengal, India. 2016 , 40, 169-178	
116	The role of adipokines in chronic inflammation. 2016 , 5, 47-56	188
115	Relationships between Rodent White Adipose Fat Pads and Human White Adipose Fat Depots. 2016 , 3, 10	163
114	C-reactive protein, obesity, and the risk of arterial and venous thrombosis. 2016 , 14, 1561-71	46
113	A GWAS follow-up of obesity-related SNPs in SYPL2 reveals sex-specific association with hip circumference. 2016 , 2, 407-414	2
112	High population attributable fractions of myocardial infarction associated with waist-hip ratio. 2016 , 24, 1162-9	12
111	The use and interpretation of anthropometric measures in cancer epidemiology: A perspective from the world cancer research fund international continuous update project. 2016 , 139, 2391-7	26
110	A randomized study of coconut oil versus sunflower oil on cardiovascular risk factors in patients with stable coronary heart disease. 2016 , 68, 498-506	37
109	Insulin resistance: an additional risk factor in the pathogenesis of cardiovascular disease in type 2 diabetes. 2016 , 21, 11-23	122
108	Limitations of body mass index as an obesity measure of perioperative risk. 2016 , 116, 319-21	58
107	Association between various anthropometric measures of obesity and markers of subclinical atherosclerosis. 2016 , 14, 127-35	5
106	Predictive equations for estimating regional body composition: a validation study using DXA as criterion and associations with cardiometabolic risk factors. 2016 , 43, 219-28	5
105	Is prolactin the missing link in adipose tissue dysfunction of polycystic ovary syndrome patients?. 2016 , 51, 163-73	7
104	Mortality prediction of a body shape index versus traditional anthropometric measures in an Iranian population: Tehran Lipid and Glucose Study. 2017 , 33, 105-112	13
103	Association between anthropometric measures of regional fat mass and heart rate variability in obese women. 2017 , 74, 51-60	8
102	The clinical importance of quantifying body fat distribution during androgen deprivation therapy for prostate cancer. 2017 , 24, R35-R48	8
101	Triceps and Subscapular Skinfold in Men Aged 40-65 and Dementia Prevalence 36 Years Later. 2017 , 57, 873-883	1

100	Prevalence of abdominal obesity and its association with cardio metabolic risk factors among older adults in Ecuador. 2017 , 11 Suppl 2, S727-S733	11
99	Increased mid-abdominal circumference is a predictor for surgical wound complications in kidney transplant recipients: A prospective cohort study. 2017 , 31, e12960	4
98	Changes in body mass index, waist circumference and percent body fat rather than their baseline values were significantly associated with incident hypertension after being adjusted for baseline blood pressure in men. 2017 , 44, 567-574	
97	The Impact of Obesity on the Clinical Course of Inflammatory Bowel Disease: A Meta-Analysis. 2017 , 23, 2599-2606	20
96	A partially supervised physical activity program for adult and adolescent survivors of childhood cancer (SURfit): study design of a randomized controlled trial [NCT02730767]. 2017 , 17, 822	8
95	Relationship Between Changes in Fat and Lean Depots Following Weight Loss and Changes in Cardiovascular Disease Risk Markers. 2018 , 7,	2
94	Relation of Waist-Hip Ratio to Long-Term Cardiovascular Events in Patients With Coronary Artery Disease. 2018 , 121, 903-909	14
93	Neighborhood Environment Measurements and Anthropometric Indicators of Obesity: Results from the Women and Their Children's Health (WaTCH) Study. 2018 , 50, 1032-1055	1
92	Energy Balance and Prostate Cancer. 2018 ,	
91	Waist circumference at five common measurement sites in normal weight and overweight adults: which site is most optimal?. 2018 , 8, 21-29	12
90	Comparison of regional fat measurements by dual-energy X-ray absorptiometry and conventional anthropometry and their association with markers of diabetes and cardiovascular disease risk. 2018 , 42, 850-857	70
89	Association of Waist-Hip Ratio with Angiographic Severity of Coronary Artery Disease in Patients with Acute ST-Segment Elevation Myocardial Infarction. 2018 , 32, 70-76	
88	NECK CIRCUMFERENCE AS AN INDICATOR OF OBESITY IN YOUNG ADULTS. 2018 , 11, 390	1
87	Is abdominal obesity at baseline influencing weight changes in observational studies and during weight loss interventions?. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 913-921	7 2
86	A comparison of trunk circumference and width indices for hypertension and type 2 diabetes in a large-scale screening: a retrospective cross-sectional study. 2018 , 8, 13284	3
85	Waist circumference in 6-12-year-old children: The Health Oriented Pedagogical Project (HOPP). 2018 , 46, 12-20	8
84	Effect of adiposity on tissue-specific adiponectin secretion. 2018 , 13, e0198889	19
83	Relevance of human fat distribution on lipid and lipoprotein metabolism and cardiovascular disease risk. 2018 , 29, 285-292	11

82	Assessing causal estimates of the association of obesity-related traits with coronary artery disease using a Mendelian randomization approach. 2018 , 8, 7146	4
81	Optimal cut-points of different anthropometric indices and their joint effect in prediction of type 2 diabetes: results of a cohort study. 2018 , 18, 691	9
80	Anthropometric features as predictors of atherogenic dyslipidemia and cardiovascular risk in a large population of school-aged children. 2018 , 13, e0197922	9
79	Mechanistic Links Between Obesity, Diabetes, and Blood Pressure: Role of Perivascular Adipose Tissue. 2019 , 99, 1701-1763	76
78	Time Spent Working in Custody Influences Work Sample Test Battery Performance of Deputy Sheriffs Compared to Recruits. 2019 , 16,	13
77	A comparison between the abdominal and femoral adipose tissue proteome of overweight and obese women. 2019 , 9, 4202	14
76	The Impact of Aging on Adipose Function and Adipokine Synthesis. 2019 , 10, 137	90
75	Age- and Sex-Related Percentiles of Skinfold Thickness, Waist and Hip Circumference, Waist-to-Hip Ratio and Waist-to-Height Ratio: Results from a Population-Based Pediatric Cohort in Germany (LIFE Child). 2019 , 12, 25-39	11
74	Genetic Architecture of Human Obesity Traits in the Rhesus Macaque. 2019 , 27, 479-488	
73	A Review on the Nutritional Challenges of School Children From the Perspective Developing Countries. 2019 , 109-143	
72	Peripheral fat distribution versus waist circumference for predicting mortality in metabolic syndrome. 2019 , 35, e3116	2
71	Waist Circumference and Waist-to-Hip Ratio in Law Enforcement Agency Recruits: Relationship to Performance in Physical Fitness Tests. 2020 , 34, 1666-1675	27
70	Relationship Between Modified Body Adiposity Index and A Body Shape Index with Biochemical Parameters in Bariatric Surgery Candidates. 2020 , 30, 901-909	2
69	Voxel-wise Study of Cohort Associations in Whole-Body MRI: Application in Metabolic Syndrome and Its Components. 2020 , 294, 559-567	10
68	Body composition of HIV-positive candidates for and recipients of a kidney transplant: comparative analysis between DEXA and anthropometric indices. 2020 , 1-6	
67	Guggulu and Triphala for the Treatment of Hypercholesterolaemia: A Placebo-Controlled, Double-Blind, Randomised Trial. 2021 , 28, 216-225	1
66	The waist-hip ratio: a flawed index. 2020 , 47, 629-631	2
65	Phenotypic and lifestyle determinants of HbA1c in the general population-The Hoorn Study. 2020 , 15, e0233769	

64	The aging human body shape. 2020 , 6, 5		6
63	Adipose depot-specific effects of 16 weeks of pioglitazone on in vivo adipogenesis in women with obesity: a randomised controlled trial. 2021 , 64, 159-167		8
62	Transitions among BMI States: A Test of Competing Hypotheses. 2021 , 1, 1-25		
61	Dietary fat and alcohol in the prediction of indices of vascular health among young adults. 2021 , 84, 111120		1
60	Digital anthropometry for body circumference measurements: Toward the development of universal three-dimensional optical system analysis software. 2021 , 7, 35-44		5
59	Sex and Body Circumferences Associated with Serum Leptin in African American Adults. 2021 ,		1
58	Severe acute malnutrition in childhood, chronic diseases, and human capital in adulthood in the Democratic Republic of Congo: the Lwiro Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 70-79	7	3
57	Effect of an Endurance and Strength Mixed Circuit Training on Regional Fat Thickness: The Quest for the "Spot Reduction". 2021 , 18,		1
56	Abdominal and gluteofemoral fat depots show opposing associations with postprandial lipemia. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1467-1475	7	2
55	Impact of soy milk consumption on cardiometabolic risk factors: A systematic review and meta-analysis of randomized controlled trials. 2021 , 83, 104499		0
54	How Does Time Spent Working in Custody Influence Health and Fitness Characteristics of Law Enforcement Officers?. 2021 , 18,		0
53	Waist and hip circumference are independently associated with the risk of liver disease in population-based studies. 2021 ,		0
52	Body composition of adults with a history of severe acute malnutrition during childhood using the deuterium dilution method in eastern DR Congo: the Lwiro Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2021 ,	7	2
51	Cardiovascular Risk Profile Improvement with Large-Volume Liposuction. 2006 , 451-459		2
50	Effects of Progressive Resistance Training on Obesity Indices in Polycystic Ovary Syndrome and the Relationship With Telomere Length. 2019 , 16, 601-607		3
49	Waist circumference as compared with body-mass index in predicting mortality from specific causes. 2011 , 6, e18582		82
48	Dietary medium chain fatty acid supplementation leads to reduced VLDL lipolysis and uptake rates in comparison to linoleic acid supplementation. 2014 , 9, e100376		24
47	Specific Metabolic Markers Are Associated with Future Waist-Gaining Phenotype in Women. 2016 , 11, e0157733		3

46	Ethnic differences in regional adipose tissue oestrogen receptor gene expression. 2019 , 8, 32-38	4
45	[Waist-hip ratio and waist circumference associated with body mass index in a study with schoolchildren]. 2004 , 20, 1609-16	11
44	Childhood poverty and abdominal obesity in adulthood: a systematic review. 2009 , 25 Suppl 3, S427-40	22
43	Circuit Based Deep Water Running Improves Cardiovascular Fitness, Strength and Abdominal Obesity in Older, Overweight Women Aquatic Exercise Intervention in Older Adults. 2009 , 13, 5-12	11
42	Expression of inflammation-related genes in gluteal and abdominal subcutaneous adipose tissue during weight-reducing dietary intervention in obese women. 2014 , 63, 73-82	12
41	Risk factors associated with chronic low back pain in Syria. 2015 , 5, 110-6	6
40	Relations of pulse wave velocity to waist circumference independent of hip circumference. 2010 , 32, e2010004	9
39	Variation in Lipid Profile Across Different Patterns of Obesity - Observations from Guwahati, Assam. 2015 , 9, OC17-21	6
38	Menopause and Nutrition. 2003 , 133-153	
37	Evaluation of Total and Regional Adiposity. 2003 , 33-79	1
36	Upregulation of Adipose 11- β -Hydroxysteroid Dehydrogenase Type 1 Expression in Ovariectomized Rats Is due to Obesity Rather Than Lack of Estrogen.	
35	Beyond Subcutaneous Fat. 2012 , 381-408	1
34	Cross-Sectional Epidemiology and Intervention Studies of Mediators of the Energy Imbalance-Prostate Cancer Association. 2018 , 87-114	
33	Evaluation of Obesity Criteria to Diagnose Glucose Intolerance in a Worksite Population. 2019 , 46, 345-355	
32	Association Between Familial Mediterranean Fever and Cachexia in Females. 2020 , 35, 477-485	0
31	Anthropometric measurements and serum TNF- α and adiponectin in type 2 diabetes.. 2022 , 13, 396-406	0
30	CORRELATION BETWEEN ANDROGENIC ALOPECIA AND CORONARY ARTERY DISEASE SEVERITY ON CORONARY ANGIOGRAPHY AMONG YOUNG MALES IN CENTRAL INDIA. 2020 , 15-17	
29	Assessment of plasminogen activator inhibitor-1 in obese Egyptian children. 2020 , 68,	0

28	An end-to-end workflow for statistical analysis and inference of large-scale biomedical datasets.	
27	Central obesity in adult patients with optimal weight in primary health care. 2020 , 26, 59-67	
26	Comparison of Age-Related Anthropometric Changes Among Elderly Punjabi Males Residing in Old-Age Homes with Those Residing with Their Families. 2020 , 69, 102-116	1
25	Obesity and the Heart. 2007 , 327-339	
24	Fat Metabolism in Insulin Resistance and Type 2 Diabetes. 2008 , 49-73	1
23	Effect of the EnBalance, a culturally and language-sensitive diabetes education program, on dietary changes and plasma lipid profile in Hispanic diabetics. 2010 , 8, S69-S76	4
22	Physical measurement profile at gilgel gibe field research center, southwest ethiopia. 2012 , 22, 29-37	2
21	Association of apolipoprotein B, apolipoprotein A, and the its ratio with body fat distribution. 2013 , 18, 326-9	3
20	. 2019 , 65, e251-e260	2
19	Normal-weight central obesity: Unique hazard of the toxic waist. 2019 , 65, 399-408	12
18	The Correlation between Waist-Hip Ratio and Achieving Therapeutic Lipid Goals in Taiwan. 2019 , 35, 605-614	2
17	Sagittal abdominal diameter as a marker of visceral obesity in older primary care patients. 2020 , 17, 279-283	
16	Evaluation of different anthropometric indices and association with metabolic syndrome in community-dwelling older adults: Bushehr Elderly Health (BEH) program. 2022 , 30, 100387	
15	Association of anthropometric parameters as a risk factor for development of diabetic retinopathy in patients with diabetes mellitus.. 2022 ,	0
14	Sex Differences in Cognition Across Aging.. 2022 ,	0
13	Hip circumference is associated with high density lipoprotein cholesterol response following statin therapy in hypertensive subjects. 2011 , 34, 680-4	1
12	Fit (and Healthy) for Duty: Blood Lipid Profiles and Physical Fitness Test Relationships from Police Officers in a Health and Wellness Program.. 2022 , 19,	1
11	A 2022 update on the epidemiology of obesity and a call to action: as its twin COVID-19 pandemic appears to be receding, the obesity and dysmetabolism pandemic continues to rage on.. 2022 , 155217	11

- 10 Risk of Chronic Disease after an Episode of Marasmus, Kwashiorkor or Mixed-Type Severe Acute Malnutrition in the Democratic Republic of Congo: The Lwiro Follow-Up Study. **2022**, 14, 2465 ○
- 9 ADGRG6 promotes adipogenesis and is involved in sex-specific fat distribution.
- 8 Relationship between lifestyle and metabolic factors and carotid atherosclerosis: A survey of 47,063 fatty and non-fatty liver patients in China. 9,
- 7 Is Neck Circumference A Better Measure for Determining Obesity? A Cross-Sectional Analytical Study to Assess Its Validity in Type II Diabetes Mellitus Patient. **2022**, 13, 527-531 ○
- 6 Body composition and anthropometric indicators as predictors of blood pressure: a cross-sectional study conducted in young Algerian adults. 1-8 ○
- 5 Understanding Obesity and Cardiometabolic Risk. **2022**, 357-377 ○
- 4 Physiological Oxygen Levels Differentially Regulate Adipokine Production in Abdominal and Femoral Adipocytes from Individuals with Obesity Versus Normal Weight. **2022**, 11, 3532 ○
- 3 Cut-off points for anthropometric indices to screen for hypertension among Iranian adults of the Bandare-Kong cohort: a cross-sectional study. **2022**, 22, ○
- 2 Anthropometric status and lipid profile of older persons in Dekina Local Government Area of Kogi State Nigeria. **2022**, 30, 200171 ○
- 1 A study of factors impacting disease based on the Charlson Comorbidity Index in UK Biobank. 10, ○