

# CITATION REPORT

List of articles citing

Die Versorgungssituation psychischer Strungen in Deutschland Eine klinisch-epidemiologische Abschätzung anhand des Bundes-Gesundheitssurveys 1998

DOI: 10.1007/s001030100269

Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2001, 44, 993-1000.

**Source:** <https://exaly.com/paper-pdf/32886570/citation-report.pdf>

**Version:** 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
115	Estimating the prevalence of mental and somatic disorders in the community: aims and methods of the German National Health Interview and Examination Survey. <b>2002</b> , 11, 1-18		123
114	[Epidemiology and treatment of depressive disorders]. <b>2003</b> , 49, 333-45		2
113	Seelische Gesundheit in Ost und West: Analysen auf der Grundlage des Bundesgesundheitsveys. <b>2004</b> , 33, 251-260		40
112	Epidemiology of anxiety disorders. <b>2004</b> , 3, 2-6		3
111	Psychotherapie und Versorgungsforschung. <i>Psychotherapeut</i> , <b>2004</b> , 49, 407-414	0.5	2
110	Die Versorgung psychisch Erkrankter in Deutschland [Unterbesonderer Berücksichtigung des Faches "Psychiatrie und Psychotherapie". <b>2005</b> , 3-18		3
109	Stigmatisierung und Diskriminierung psychisch Erkrankter als Herausforderung für die Gesundheitsversorgung in Deutschland. <b>2005</b> , 21-26		1
108	Neue Wege der Rückfallprophylaxe bei Depressionen. <i>Psychotherapeut</i> , <b>2005</b> , 50, 415-422	0.5	15
107	[Risk factors for substance abuse and dependence in opioid therapy for chronic noncancer-related pain]. <b>2005</b> , 19, 434-6, 437-40		23
106	Size and burden of depressive disorders in Europe. <b>2005</b> , 15, 411-23		169
105	Onkologisch Kranke als Patienten der psychotherapeutischen Praxis. <i>Psychotherapeut</i> , <b>2006</b> , 51, 369-375.5	0.5	14
104	[Health services research in psychosocial medicine]. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , <b>2006</b> , 49, 175-87	7.5	12
103	[Morbidity and health in old age. A challenge for prevention and health care]. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , <b>2006</b> , 49, 537-46	7.5	12
102	[Prevalence of psychiatric disorders, psychopathology, and the need for treatment in female and male prisoners]. <b>2006</b> , 77, 830-41		47
101	Prevalence of mental disorders based on general population surveys. <b>2007</b> , 42, 537-46		124
100	[Depressive disorders. A diagnostic and therapeutic challenge also for primary care]. <b>2007</b> , 48, 173-186; quiz 187-8		3
99	Psychosoziale Versorgungsforschung. <i>Psychotherapeut</i> , <b>2008</b> , 53, 245-253	0.5	11

98	[Depression as a comorbid disorder in primary care]. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , <b>2008</b> , 51, 411-21	7.5	23
97	Stigma and its impact on help-seeking for mental disorders: what do we know?. <b>2008</b> , 17, 31-7		189
96	Wie häufig nehmen Jugendliche und junge Erwachsene mit Angststörungen eine psychotherapeutische Behandlung in Anspruch?. <b>2008</b> , 18, 26-34		18
95	Da wirst du ja auch bekloppt bei... <b>2009</b> , 25, 283-297		7
94	Ambulante Psychotherapie in Deutschland aus Sicht der Patienten. <i>Psychotherapeut</i> , <b>2010</b> , 55, 503-514	0.5	39
93	Krisenintervention und Suizidprävention. <b>2010</b> , 443-465		1
92	Self-stigma in alcohol dependence: consequences for drinking-refusal self-efficacy. <b>2011</b> , 114, 12-7		123
91	Psychische Erkrankungen im Kontext von Arbeit. <b>2011</b> , 19, 14-15		
90	Prevalence of distress, comorbid conditions and well being in the general population. <b>2011</b> , 130, 429-37		58
89	[Socio-medical aspects of mental disorders: mental disorders in the German medical health care system and socio-medical therapeutic interventions]. <b>2011</b> , 82, 1187-200		2
88	Transfer of manualized Short Term Psychodynamic Psychotherapy (STPP) for social phobia into clinical practice: study protocol for a cluster-randomised controlled trial. <b>2011</b> , 12, 142		2
87	Psychiatry in Germany 2012. <b>2012</b> , 24, 371-8		3
86	Transfer of manualized CBT for social phobia into clinical practice (SOPHO-PRAX): a study protocol for a cluster-randomized controlled trial. <b>2012</b> , 13, 70		4
85	The DGPPN research project on mental healthcare utilization in Germany: inpatient and outpatient treatment of persons with depression by different disciplines. <b>2012</b> , 262 Suppl 2, S51-5		18
84	[Epidemiology of mental health care]. <b>2012</b> , 83, 389-401; quiz 402		4
83	Einstellungen zu Psychotherapie. <i>Psychotherapeut</i> , <b>2013</b> , 58, 466-473	0.5	8
82	Accessibility, standards and challenges of electroconvulsive therapy in Western industrialized countries: a German example. <b>2013</b> , 14, 432-40		30
81	The design and methods of the mental health module in the German Health Interview and Examination Survey for Adults (DEGS1-MH). <b>2013</b> , 22, 83-99		64

80	Use of health care services by people with mental illness: secondary data from three statutory health insurers and the German Statutory Pension Insurance Scheme. <b>2013</b> , 110, 799-808		41
79	Twelve-month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <b>2014</b> , 23, 304-19		249
78	Self-reported utilization of mental health services in the adult German population--evidence for unmet needs? Results of the DEGS1-Mental Health Module (DEGS1-MH). <b>2014</b> , 23, 289-303		131
77	The diagnosis of and treatment recommendations for anxiety disorders. <b>2014</b> , 111, 473-80		45
76	[Significance of regional variations in the prevalence and treatment of depressive disorders and implications for health-care research]. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , <b>2014</b> , 57, 224-33	7.5	5
75	Nichtspezifische, funktionelle und somatoforme Körperbeschwerden. <i>Psychotherapeut</i> , <b>2014</b> , 59, 155-174	0.5	1
74	Fähigkeitsorientierte Verhaltenstherapie bei psychischen Erkrankungen. <b>2014</b> , 24, 2-2		7
73	Belastung Menschen in psychosozialen Krisen. <b>2015</b> , 10, 293-299		
72	Versorgung Zwangserkrankter mit kognitiver Verhaltenstherapie als Behandlungsmethode erster Wahl. <b>2015</b> , 25, 183-190		9
71	Erweiterung der kognitiven Verhaltenstherapie um Emotionsregulationstraining bei Patienten mit multiplen somatoformen Symptomen: Ergebnisse einer kontrollierten Pilotstudie. <b>2015</b> , 25, 13-21		14
70	Affektive Störungen und Angststörungen. <b>2015</b> , 151-156		
69	German Anxiety Barometer-Clinical and Everyday-Life Anxieties in the General Population. <b>2016</b> , 7, 1344		3
68	Transfer of manualized Short Term Psychodynamic Psychotherapy (STPP) for social anxiety disorder into clinical practice: results from a cluster-randomised controlled trial. <b>2017</b> , 17, 92		3
67	Mini - social phobia inventory (mini-SPIN): psychometric properties and population based norms of the German version. <b>2017</b> , 17, 377		18
66	Impaired emotion processing and a reduction in trust in patients with somatic symptom disorder. <b>2018</b> , 25, 163-172		11
65	Efficacy of a guided internet-based intervention (iSOMA) for somatic symptoms and related distress in university students: study protocol of a randomised controlled trial. <b>2018</b> , 8, e024929		5
64	Gründe für das Nichtzustandekommen von Psychotherapien. <i>Psychotherapeut</i> , <b>2019</b> , 64, 153-158	0.5	2
63	Depression treatment in Germany - using claims data to compare a collaborative mental health care program to the general practitioner program and usual care in terms of guideline adherence and need-oriented access to psychotherapy. <b>2020</b> , 20, 591		1

62	How does the integration of collaborative care elements in a gatekeeping system affect the costs for mental health care in Germany?. <b>2020</b> , 21, 751-761	1
61	[Level of personality functioning and attachment style as predictors of the successful referral to outpatient psychotherapy]. <b>2020</b> , 66, 178-192	1
60	Patients Preferences for the treatment of anxiety and depressive disorders: a systematic review of discrete choice experiments. <b>2020</b> , 23, 546-556	4
59	Needs of Older Primary Care Patients. <b>2021</b> , 20-33	
58	Screening for depression in psoriasis patients during a dermatological consultation: A first step towards treatment. <b>2021</b> , 19, 1451-1461	2
57	Attentional processes during emotional face perception in social anxiety disorder: A systematic review and meta-analysis of eye-tracking findings. <b>2021</b> , 111, 110353	7
56	Help-Seeking Behavior and Treatment Barriers in Anxiety Disorders: Results from a Representative German Community Survey. <b>2021</b> , 57, 1505-1517	5
55	Rolle der Rehabilitation im Versorgungsspektrum psychischer Erkrankungen. <b>2005</b> , 61-69	3
54	Epidemiologie. <b>2006</b> , 15-37	17
53	Psychische und Psychosomatische Erkrankungen von Lehrerinnen und Lehrern. <b>2007</b> , 140-159	10
52	Occupational Health Psychology [Gegenstand, Modelle, Aufgaben. 311-330	3
51	Stationäre integrative Psychotherapie. <b>2010</b> , 387-403	0
50	Der Wandel des Krankheitspanoramas und die Bedeutung chronischer Erkrankungen (Epidemiologie, Kosten). <b>2007</b> , 5-23	6
49	Affektive Störungen und Angststörungen. <b>2008</b> , 112-116	0
48	Komorbiditystrukturen bei Angststörungen [Häufigkeit und mögliche Implikationen. <b>2009</b> , 433-447	1
47	Gesundheitliche Lage und Gesundheitsverhalten der Bevölkerung im Erwerbsalter in Deutschland. <b>2010</b> , 69-81	4
46	Occupational Health Psychology [Gegenstand, Modelle, Aufgaben. <b>2011</b> , 337-359	3
45	Die Versorgung von Patienten mit psychischen Störungen. <b>2011</b> , 361-380	7

44	Behandlungsprobleme bei somatoformen Störungen. <b>2004</b> , 594-608	5
43	Implementationsforschung in der Klinischen Psychologie, Rehabilitationspsychologie und Psychotherapie. <b>2014</b> , 65, 150-158	13
42	Inanspruchnahme von ärztlichen und psychotherapeutischen Leistungen durch Kinder und Jugendliche mit psychischen Auffälligkeiten. <b>2014</b> , 23, 229-238	21
41	[Interactive Health Literacy, Sociodemographic Characteristics and the Uptake of Psychotherapeutic or Pharmacological Interventions - are there Social Inequalities in the Treatment of Social Anxiety Disorder?]. <b>2021</b> , 48, 201-207	2
40	[Attitudes of medical students towards psychotherapeutic treatment and training]. <b>2007</b> , 53, 258-72	10
39	[Dropout behavior in inpatient psychosomatic rehabilitation: how and when do inpatients terminate psychotherapy?]. <b>2008</b> , 54, 241-62	2
38	[Treatment of mental and psychosomatic complaints - how the general population in Germany gets treatment, and what it expects and knows about treatment alternatives]. <b>2013</b> , 59, 153-69	14
37	Ambulante psychosomatische und psychotherapeutische Versorgung in Deutschland. <b>2013</b> , 59, 254-272	3
36	Mental Disorders in People Affected by Thalidomide. <b>2017</b> , 114, 168-174	9
35	Screening auf Depression bei Psoriasis-Patienten während einer dermatologischen Konsultation: ein erster Schritt in Richtung Behandlung. <b>2021</b> , 19, 1451-1462	
34	Prävention von Angst und Depression im Jugendalter. <b>2007</b> , 15, 57-66	2
33	[Effects of anxiety self-help groups in the view of patients and experts]. <b>2008</b> , 54, 263-76	2
32	Epidemiologische Beiträge zur Klinischen Psychologie. <b>2011</b> , 57-90	4
31	Literatur. <b>2011</b> , 460-484	
30	Kinder psychisch kranker Eltern: Lebenssituation und Entwicklungsrisiken. <b>2012</b> , 23-46	1
29	Epidemiologie und Ätiologie psychischer Erkrankungen. <b>2012</b> , 3-9	1
28	Somatisierungsstörungen und Hypochondrie. <b>2012</b> , 367-372	
27	Psychische und psychosomatische Erkrankungen von Lehrerinnen und Lehrern. <b>2013</b> , 137-153	2

- 26 Versorgungssituation älterer Menschen in psychosomatischen Kliniken und Abteilungen -  
längsschnittliche Perspektive. **2013**, 59, 290-300 2
- 25 Internetbasierte Selbsthilfeprogramme unterstützen die Behandlung. **2013**, 24, 26-35
- 24 Social Determinants of the Utilization of Psychotherapeutic Care in Germany. **2014**, 279-292 1
- 23 Wichtige Störungen. **2014**, 35-100
- 22 Klinische Forschung zur psychotherapeutischen und psychosomatischen Versorgung. **2014**, 62, 283-289
- 21 Somatoforme Störungen. **2015**, 343-348
- 20 Epidemiologie psychischer Störungen. **2015**, 1-25
- 19 Lebenslagen, Diskriminierung und Empowerment psychisch erkrankter Frauen. **2016**, 197-219
- 18 Somatoforme Störungen (F45). **2017**, 407-420
- 17 Epidemiologie und Biologie psychischer Erkrankungen. **2017**, 3-10
- 16 Epidemiologie psychischer Störungen. **2017**, 123-146
- 15 Gesamtliteraturverzeichnis. **2017**, 1-153
- 14 Central Europe. **2017**, 87-106
- 13 Epidemiologie und Biologie. **2018**, 27-38
- 12 Psychotherapieforschung bei Suchterkrankungen. **2019**, 67-79
- 11 Therapieresistenz und Patientennoncompliance. **2005**, 61-69
- 10 Behandlungspotenziale in der psychiatrisch-psychotherapeutischen Versorgung. **2006**, 423-445
- 9 Rehabilitation. **2006**, 447-462 1

8	Klinische Psychologie I: Klassifikation, Epidemiologie und Prävention psychischer Störungen. 613-638	
7	Prävalenz psychischer Störungen in der Allgemeinbevölkerung. <b>2007</b> , 29-44	
6	Epidemiologische Beiträge zur Klinischen Psychologie. 53-85	3
5	Beratungsprozess. <b>2009</b> , 37-79	1
4	Ambulante Gesundheitsversorgung von Patienten mit Anorexia nervosa und Bulimia nervosa in Sachsen. <i>Psychotherapeut</i> , 1	0.5
3	Affektive Störungen und Angststörungen. <b>2022</b> , 187-191	0
2	Somatische Belastungsstörung und verwandte Störungen. <b>2023</b> , 131-148	0
1	Diskreditierende Versorgungsstudien in deutschen Hausarztpraxen. <b>2003</b> , 79, 579-585	0