Prospective assessment of falls in Parkinson's disease

Journal of Neurology 248, 950-958

DOI: 10.1007/s004150170047

Citation Report

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Physiotherapy versus placebo or no intervention in Parkinson's disease., 2001, , CD002817. | | 37 |
| 2 | The Multiple Tasks Test. Strategies in Parkinson's disease. Experimental Brain Research, 2001, 137, 478-486. | 0.7 | 144 |
| 3 | Incidence and prediction of falls in Parkinson's disease: a prospective multidisciplinary study. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 72, 721-725. | 0.9 | 546 |
| 6 | Gait dynamics in Parkinson's disease: relationship to Parkinsonian features, falls and response to levodopa. Journal of the Neurological Sciences, 2003, 212, 47-53. | 0.3 | 382 |
| 7 | Clinical tests for the evaluation of postural instability in patients with parkinson's disease11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2003, 84, 1669-1674. | 0.5 | 100 |
| 9 | An update on falls. Current Opinion in Neurology, 2003, 16, 15-26. | 1.8 | 146 |
| 10 | Postural Muscle Responses to Multidirectional Translations in Patients With Parkinson's Disease. Journal of Neurophysiology, 2004, 91, 489-501. | 0.9 | 171 |
| 11 | Postural abnormalities to multidirectional stance perturbations in Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2004, 75, 1245-1254. | 0.9 | 225 |
| 12 | Physiotherapy in Parkinson's disease: utilisation and patient satisfaction. Journal of Neurology, 2004, 251, 680-687. | 1.8 | 76 |
| 13 | Falls and freezing of gait in Parkinson's disease: A review of two interconnected, episodic phenomena. Movement Disorders, 2004, 19, 871-884. | 2.2 | 1,068 |
| 14 | Influence of Postural Anxiety on Postural Reactions to Multi-Directional Surface Rotations. Journal of Neurophysiology, 2004, 92, 3255-3265. | 0.9 | 114 |
| 15 | Anxiety, depression, and psychosis in Parkinson's disease: unmet needs and treatment challenges. Neurologic Clinics, 2004, 22, S63-S90. | 0.8 | 20 |
| 16 | Stroke and neurodegenerative disorders. 4. neurodegenerative disorders 11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the authors(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2004, 85, 21-33. | 0.5 | 96 |
| 17 | Falls in Parkinson's disease. Current Opinion in Neurology, 2004, 17, 405-415. | 1.8 | 204 |
| 18 | Dizziness in Orthopaedic Physical Therapy Practice: History and Physical Examination. Journal of Manual and Manipulative Therapy, 2005, 13, 221-250. | 0.7 | 7 |
| 19 | Deep-brain stimulation in the subthalamic nuclei improves balance performance in patients with Parkinson's disease, when tested without anti-parkinsonian medication. Acta Neurologica Scandinavica, 2005, 111, 301-308. | 1.0 | 39 |
| 20 | Falls and injuries resulting from falls among patients with Parkinson's disease and other parkinsonian syndromes. Movement Disorders, 2005, 20, 410-415. | 2.2 | 157 |
| 21 | Falls in degenerative cerebellar ataxias. Movement Disorders, 2005, 20, 497-500. | 2.2 | 101 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 23 | Treadmill walking as an external pacemaker to improve gait rhythm and stability in Parkinson's disease. Movement Disorders, 2005, 20, 1109-1114. | 2.2 | 324 |
| 24 | Falls in outpatients with Parkinson's disease. Journal of Neurology, 2005, 252, 1310-1315. | 1.8 | 228 |
| 25 | Effect of bilateral subthalamic nucleus stimulation on balance and finger control in Parkinson's disease. Journal of Neurology, 2005, 252, 1487-1494. | 1.8 | 33 |
| 26 | Effect of gait speed on gait rhythmicity in Parkinson's disease: variability of stride time and swing time respond differently. Journal of NeuroEngineering and Rehabilitation, 2005, 2, 23. | 2.4 | 206 |
| 27 | Rehabilitation and Neurologic Repair in Parkinson's Disease. NeuroRehabilitation, 2005, 20, 151-152. | 0.5 | 3 |
| 28 | Multiple balance tests improve the assessment of postural stability in subjects with Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 77, 322-326. | 0.9 | 126 |
| 29 | Trunk sway measurements during stance and gait tasks in Parkinson's disease. Gait and Posture, 2005, 22, 240-249. | 0.6 | 128 |
| 30 | Validating the Berg Balance Scale for patients with Parkinson's disease: A key to rehabilitation evaluation. Archives of Physical Medicine and Rehabilitation, 2005, 86, 789-792. | 0.5 | 214 |
| 32 | Effects of random whole-body vibration on postural control in Parkinson's disease. Research in Sports Medicine, 2005, 13, 243-256. | 0.7 | 123 |
| 33 | Postural orientation and equilibrium: what do we need to know about neural control of balance to prevent falls?. Age and Ageing, 2006, 35, ii7-ii11. | 0.7 | 1,628 |
| 34 | Locomotor Training in People With Parkinson Disease. Physical Therapy, 2006, 86, 1426-1435. | 1.1 | 132 |
| 35 | Postural Control, Gait, and Dopamine Functions in Parkinsonian Movement Disorders. Clinics in Geriatric Medicine, 2006, 22, 797-812. | 1.0 | 56 |
| 36 | The "posture second―strategy: A review of wrong priorities in Parkinson's disease. Journal of the Neurological Sciences, 2006, 248, 196-204. | 0.3 | 351 |
| 37 | Falls in patients with neuromuscular disorders. Journal of the Neurological Sciences, 2006, 251, 87-90. | 0.3 | 48 |
| 38 | Predictors of falls and fractures in bradykinetic rigid syndromes: a retrospective study. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 468-473. | 0.9 | 145 |
| 39 | Proprioceptive and Sensorimotor Performance in Parkinson's Disease. Research in Sports Medicine, 2006, 14, 273-287. | 0.7 | 46 |
| 40 | Bone Mineral Density in Hip-Fracture Patients With Parkinson's Disease: A Case-Control Study. Archives of Physical Medicine and Rehabilitation, 2006, 87, 1459-1462. | 0.5 | 35 |
| 41 | Postural control of the trunk during unstable sitting in Parkinson's disease. Gait and Posture, 2006, 24, S110-S111. | 0.6 | 0 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 43 | Do people with Parkinson's disease change strategy during unplanned gait termination?. Neuroscience Letters, 2006, 397, 240-244. | 1.0 | 29 |
| 44 | Strategies used by people with Parkinson's disease who report difficulty turning. Parkinsonism and Related Disorders, 2006, 12, 87-92. | 1.1 | 99 |
| 45 | Cardiovascular dysautonomia as a cause of falls in Parkinson's disease. Parkinsonism and Related Disorders, 2006, 12, 195-204. | 1.1 | 21 |
| 46 | Postural control of the trunk during unstable sitting in Parkinson's disease. Parkinsonism and Related Disorders, 2006, 12, 492-498. | 1.1 | 61 |
| 47 | Abnormal proprioceptive-motor integration contributes to hypometric postural responses of subjects with parkinson $\hat{a} \in \mathbb{R}^{n}$ disease. Neuroscience, 2006, 141, 999-1009. | 1.1 | 169 |
| 49 | Predicting Falls In Individuals with Parkinson Disease. Journal of Neurologic Physical Therapy, 2006, 30, 60-67. | 0.7 | 151 |
| 50 | Factors associated with falling in patients with Parkinson's disease and atypical parkinsonism: An assessment using the Tinetti Gait and Balance Scale. Geriatrics and Gerontology International, 2006, 6, 234-243. | 0.7 | 2 |
| 51 | The Tinetti test. Zeitschrift Fur Gerontologie Und Geriatrie, 2006, 39, 288-291. | 0.8 | 88 |
| 52 | An alternative clinical postural stability test for patients with Parkinson's disease. Journal of Neurology, 2006, 253, 1404-1413. | 1.8 | 100 |
| 53 | Supervised learning of postural tasks in patients with poststroke hemiparesis, Parkinson's disease or cerebellar ataxia. Experimental Brain Research, 2006, 168, 384-394. | 0.7 | 42 |
| 54 | Parkinson's disease patients who fracture their neck of femur: A review of outcome data. Injury, 2006, 37, 929-934. | 0.7 | 32 |
| 55 | Can falls be prevented in Parkinson's disease?. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 78, 661-661. | 0.9 | 3 |
| 56 | Effects of Tango on Functional Mobility in Parkinson's Disease: A Preliminary Study. Journal of Neurologic Physical Therapy, 2007, 31, 173-179. | 0.7 | 236 |
| 57 | Falling in Parkinson Disease. American Journal of Physical Medicine and Rehabilitation, 2007, 86, 621-632. | 0.7 | 61 |
| 58 | Knowledge of Risk Factors for Falling Reported by Patients with Parkinson Disease. Journal of Neuroscience Nursing, 2007, 39, 336-341. | 0.7 | 15 |
| 59 | Six Weeks of Intensive Treadmill Training Improves Gait and Quality of Life in Patients With Parkinson's Disease: A Pilot Study. Archives of Physical Medicine and Rehabilitation, 2007, 88, 1154-1158. | 0.5 | 259 |
| 60 | The association between impaired turning and normal straight walking in Parkinson's disease. Gait and Posture, 2007, 26, 172-178. | 0.6 | 184 |
| 61 | The pedunculopontine nucleus and movement disorders: Anatomy and the role for deep brain stimulation. Parkinsonism and Related Disorders, 2007, 13, S276-S280. | 1.1 | 57 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 62 | The effects of incremental speed-dependent treadmill training on postural instability and fear of falling in Parkinson's disease. Clinical Rehabilitation, 2007, 21, 698-705. | 1.0 | 181 |
| 63 | Reliability and Validity of the Tinetti Mobility Test for Individuals With Parkinson Disease. Physical Therapy, 2007, 87, 1369-1378. | 1.1 | 172 |
| 64 | A comparison of computerized dynamic posturography therapy to standard balance physical therapy in individuals with Parkinson's disease: A pilot study1. NeuroRehabilitation, 2007, 22, 261-265. | 0.5 | 34 |
| 65 | Measurement of Impact Loads Applied to an Implanted Drug Pump Connector in a Porcine Cadaver Specimen. Journal of Medical Devices, Transactions of the ASME, 2007, 1, 119-125. | 0.4 | O |
| 66 | Evidence-based analysis of physical therapy in Parkinson's disease with recommendations for practice and research. Movement Disorders, 2007, 22, 451-460. | 2.2 | 406 |
| 67 | A meta-analysis of six prospective studies of falling in Parkinson's disease. Movement Disorders, 2007, 22, 1892-1900. | 2.2 | 450 |
| 68 | Postural sway and falls in Parkinson's disease: A regression approach. Movement Disorders, 2007, 22, 1927-1935. | 2.2 | 76 |
| 69 | Gait dynamics, fractals and falls: Finding meaning in the stride-to-stride fluctuations of human walking. Human Movement Science, 2007, 26, 555-589. | 0.6 | 687 |
| 70 | Neurological gait disorders in elderly people: clinical approach and classification. Lancet Neurology, The, 2007, 6, 63-74. | 4.9 | 399 |
| 71 | A Study on the Effects of Argentine Tango as a Form of Partnered Dance for those with Parkinson Disease and the Healthy Elderly. American Journal of Dance Therapy, 2007, 29, 109-127. | 0.7 | 107 |
| 72 | Evaluation of anxiety in Parkinson's disease with some commonly used rating scales. Neurological Sciences, 2007, 28, 270-275. | 0.9 | 62 |
| 73 | Sudden turn during walking is impaired in people with Parkinson's disease. Experimental Brain Research, 2008, 190, 43-51. | 0.7 | 54 |
| 75 | Cost effectiveness of preventing falls and improving mobility in people with Parkinson disease: protocol for an economic evaluation alongside a clinical trial. BMC Geriatrics, 2008, 8, 23. | 1.1 | 23 |
| 76 | Quality of life in Parkinson's disease: The relative importance of the symptoms. Movement Disorders, 2008, 23, 1428-1434. | 2.2 | 427 |
| 77 | Footstep adjustments used to turn during walking in Parkinson's disease. Movement Disorders, 2008, 23, 817-823. | 2,2 | 59 |
| 78 | Head and trunk rotation during walking turns in Parkinson's disease. Movement Disorders, 2008, 23, 1391-1397. | 2.2 | 70 |
| 79 | Postoperative gait deterioration after bilateral subthalamic nucleus stimulation in Parkinson's disease. Movement Disorders, 2008, 23, 2404-2406. | 2,2 | 87 |
| 80 | Falls and gait disturbances in Huntington's disease. Movement Disorders, 2008, 23, 970-976. | 2.2 | 146 |

| # | Article | IF | Citations |
|----|--|-------------------|--------------|
| 81 | Comparison of tic characteristics between children and adults. Movement Disorders, 2008, 23, 2407-2411. | 2.2 | 13 |
| 82 | Push and release test predicts better Parkinson fallers and nonfallers than the pull test: Comparison in OFF and ON medication states. Movement Disorders, 2008, 23, 1453-1457. | 2.2 | 49 |
| 83 | Identifying fallers with Parkinson's disease using homeâ€based tests: Who is at risk?. Movement Disorders, 2008, 23, 2411-2415. | 2.2 | 27 |
| 84 | Abduction finger sign: A new sign to detect unilateral functional paralysis of the upper limb. Movement Disorders, 2008, 23, 2415-2419. | 2.2 | 28 |
| 85 | The clinical utility of posturography. Clinical Neurophysiology, 2008, 119, 2424-2436. | 0.7 | 370 |
| 86 | Benzodiazepines and Injurious Falls in Community Dwelling Elders. Drugs and Aging, 2008, 25, 61-70. | 1.3 | 141 |
| 87 | Postural disorders in Parkinson's disease. Neurophysiologie Clinique, 2008, 38, 459-465. | 1.0 | 129 |
| 88 | Lateral Stepping for Postural Correction in Parkinson's Disease. Archives of Physical Medicine and Rehabilitation, 2008, 89, 492-499. | 0.5 | 81 |
| 89 | Long-term outcome of 50 consecutive Parkinson's disease patients treated with subthalamic deep brain stimulation. Parkinsonism and Related Disorders, 2008, 14, 114-119. | 1.1 | 117 |
| 90 | Task-specific measures of balance efficacy, anxiety, and stability and their relationship to clinical balance performance. Gait and Posture, 2008, 27, 676-682. | 0.6 | 79 |
| 91 | A weak balance: the contribution of muscle weakness to postural instability and falls. Nature Clinical Practice Neurology, 2008, 4, 504-515. | 2.7 | 179 |
| 92 | Practice Parameter: Assessing patients in a neurology practice for risk of falls (an evidence-based) Tj ETQq $1\ 1\ 0$ | .784314 rg 1.5 | BT /Qyerlock |
| 93 | It's Not Just About the Score: Using the Full Clinical Picture to Identify Future Fallers. Journal of Neurologic Physical Therapy, 2008, 32, 148-149. | 0.7 | 1 |
| 94 | Treatment of Gait and Balance Disorders. , 2008, , 417-443. | | 3 |
| 95 | Postural Instability in Idiopathic Parkinson's Disease: Discriminating Fallers from Nonfallers Based on Standardized Clinical Measures. Journal of Neurologic Physical Therapy, 2008, 32, 56-61. | 0.7 | 73 |
| 96 | The Effect of Parkinson's Disease on the Step Response to a Backwards Pull. , 2008, , . | | 0 |
| 97 | Musculoskeletal Injuries in the Elderly. , 0, , 324-335. | | 0 |
| 98 | Validation of the brazilian version of the berg balance scale for patients with parkinson's disease. Arquivos De Neuro-Psiquiatria, 2009, 67, 831-835. | 0.3 | 49 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 99 | Muscle strength is significantly associated with hip bone mineral density in women with Parkinson's disease: A cross-sectional study. Journal of Rehabilitation Medicine, 2009, 41, 223-230. | 0.8 | 22 |
| 100 | Epidemiology and pathophysiology of falls in facioscapulohumeral disease. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 1357-1363. | 0.9 | 23 |
| 101 | A Kinematic and Electromyographic Analysis of Turning in People With Parkinson Disease. Neurorehabilitation and Neural Repair, 2009, 23, 166-176. | 1.4 | 77 |
| 102 | Evaluation of a new device to prevent falls in persons with Parkinson's disease. Disability and Rehabilitation: Assistive Technology, 2009, 4, 357-363. | 1.3 | 5 |
| 105 | Exercise therapy for prevention of falls in people with Parkinson's disease: A protocol for a randomised controlled trial and economic evaluation. BMC Neurology, 2009, 9, 4. | 0.8 | 65 |
| 106 | Excessive postural sway and the risk of falls at different stages of Parkinson's disease. Movement Disorders, 2009, 24, 377-385. | 2.2 | 127 |
| 107 | Orthostatic hypotension, balance and falls in Parkinson's disease. Movement Disorders, 2009, 24, 745-751. | 2.2 | 65 |
| 108 | Clinical and physiological assessments for elucidating falls risk in Parkinson's disease. Movement Disorders, 2009, 24, 1280-1289. | 2.2 | 316 |
| 109 | Atypical antipsychotic use and risk of fracture in persons with Parkinsonism. Movement Disorders, 2009, 24, 1941-1948. | 2.2 | 24 |
| 110 | Treadmill training for the treatment of gait disturbances in people with Parkinson's disease: a mini-review. Journal of Neural Transmission, 2009, 116, 307-318. | 1.4 | 155 |
| 111 | Falls, faints, fits and funny turns. Journal of Neurology, 2009, 256, 155-167. | 1.8 | 63 |
| 112 | Balance confidence and functional mobility are independently associated with falls in people with Parkinson's disease. Journal of Neurology, 2009, 256, 742-749. | 1.8 | 125 |
| 113 | Fear of falling is independently associated with recurrent falls in patients with Parkinson's disease: a 1-year prospective study. Journal of Neurology, 2009, 256, 1689-1695. | 1.8 | 154 |
| 114 | The effects of high frequency subthalamic stimulation on balance performance and fear of falling in patients with Parkinson's disease. Journal of NeuroEngineering and Rehabilitation, 2009, 6, 13. | 2.4 | 24 |
| 115 | Mobility and balance in Parkinson's disease: a populationâ€based study. European Journal of Neurology, 2009, 16, 105-111. | 1.7 | 48 |
| 116 | Stops walking when talking: a predictor of falls in older adults?. European Journal of Neurology, 2009, 16, 786-795. | 1.7 | 324 |
| 117 | Deep frontal and periventricular age related white matter changes but not basal ganglia and infratentorial hyperintensities are associated with falls: cross sectional results from the LADIS study. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 608-613. | 0.9 | 127 |
| 118 | Neck rigidity in Parkinson's disease patients is related to incomplete suppression of reflexive head stabilization. Experimental Neurology, 2009, 217, 336-346. | 2.0 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|----------------------|-------------------------|
| 119 | Reduced performance in balance, walking and turning tasks is associated with increased neck tone in Parkinson's disease. Experimental Neurology, 2009, 219, 430-438. | 2.0 | 84 |
| 120 | Early biomechanical markers of postural instability in Parkinson's disease. Gait and Posture, 2009, 30, 538-542. | 0.6 | 38 |
| 121 | The supplementary motor area contributes to the timing of the anticipatory postural adjustment during step initiation in participants with and without Parkinson's disease. Neuroscience, 2009, 164, 877-885. | 1.1 | 198 |
| 122 | Impaired attention predicts falling in Parkinson's disease. Parkinsonism and Related Disorders, 2009, 15, 110-115. | 1.1 | 179 |
| 123 | Dyskinesia-induced postural instability in Parkinson's disease. Parkinsonism and Related Disorders, 2009, 15, 359-364. | 1.1 | 16 |
| 124 | Effects of postural threat on walking features of Parkinson's disease patients. Neuroscience Letters, 2009, 452, 136-140. | 1.0 | 29 |
| 125 | Postural instability in Parkinson's disease: the adrenergic hypothesis and the locus coeruleus. Expert Review of Neurotherapeutics, 2009, 9, 279-290. | 1.4 | 110 |
| 126 | Gait dynamics in Parkinson's disease: Common and distinct behavior among stride length, gait variability, and fractal-like scaling. Chaos, 2009, 19, 026113. | 1.0 | 466 |
| 127 | Acceleration Patterns of the Head and Pelvis During Gait in Older People With Parkinson's Disease: A Comparison of Fallers and Nonfallers. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2009, 64A, 700-706. | 1.7 | 125 |
| 128 | ï¼ï½ï½ï½î½Žã€€ï¼†ã€€ï¼¹ï½ï½°ç°‡ç—‡å°¦å^†é¡žï¼"尦以上ã®ãƒ'ーã,ンã,½ãƒ³ç—æ,£è€ã• | ĸã Šã:ã ,‹ï½ï | ;1/2 1 ;1/2Œ;1/2 |
| 129 | Postural Feedback Scaling Deficits in Parkinson's Disease. Journal of Neurophysiology, 2009, 102, 2910-2920. | 0.9 | 81 |
| 130 | Knee Strength Capabilities and Slip Severity. Journal of Applied Biomechanics, 2009, 25, 140-148. | 0.3 | 13 |
| 131 | Effects of Medication on Turning Deficits in Individuals with Parkinson's Disease. Journal of Neurologic Physical Therapy, 2010, 34, 11-16. | 0.7 | 39 |
| 132 | Effect on Physical Performance of Using a Standing Board to Extend the Triceps Surae of Parkinson's Disease Patients: a Single-Subject Design Investigation. Rigakuryoho Kagaku, 2010, 25, 561-565. | 0.0 | 0 |
| 133 | Parkinsonian single fallers versus recurrent fallers: different fall characteristics and clinical features. Journal of Neurology, 2010, 257, 1543-1551. | 1.8 | 92 |
| 134 | The relationship between visual function, duration and main causes of vision loss and falls in older people with low vision. Graefe's Archive for Clinical and Experimental Ophthalmology, 2010, 248, 527-533. | 1.0 | 46 |
| 135 | Falls in Spinocerebellar Ataxias: Results of the EuroSCA Fall Study. Cerebellum, 2010, 9, 232-239. | 1.4 | 59 |
| 136 | Kinematic study of whole body center of mass position during gait in Parkinson's disease patients with and without festination. Movement Disorders, 2010, 25, 747-754. | 2.2 | 25 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 137 | The effects of an exercise program on fall risk factors in people with Parkinson's disease: A randomized controlled trial. Movement Disorders, 2010, 25, 1217-1225. | 2.2 | 172 |
| 138 | Quantitative evaluation of motor function before and after engraftment of dopaminergic neurons in a rat model of Parkinson's disease. Journal of Biomedical Science, 2010, 17, 9. | 2.6 | 44 |
| 139 | Assessment of fall-related self-efficacy and activity avoidance in people with Parkinson's disease. BMC Geriatrics, 2010, 10, 78. | 1.1 | 67 |
| 140 | Parkinson's disease and hospital admissions: frequencies, diagnoses and costs. Acta Neurologica Scandinavica, 2010, 121, 38-43. | 1.0 | 40 |
| 141 | Evaluating the Contributions of Dynamic Flow to Freezing of Gait in Parkinson's Disease. Parkinson's Disease, 2010, 2010, 1-7. | 0.6 | 14 |
| 142 | Whole body vibration therapy in fracture prevention among adults with chronic disease. World Journal of Orthopedics, 2010, 1, 20. | 0.8 | 22 |
| 143 | Talking while walking: Cognitive loading and injurious falls in Parkinson's disease. International Journal of Speech-Language Pathology, 2010, 12, 455-459. | 0.6 | 46 |
| 144 | Effects of a central cholinesterase inhibitor on reducing falls in Parkinson disease. Neurology, 2010, 75, 1263-1269. | 1.5 | 224 |
| 145 | Predictors of future falls in Parkinson disease. Neurology, 2010, 75, 116-124. | 1.5 | 443 |
| 147 | Cardiac Causes for Falls and Their Treatment. Clinics in Geriatric Medicine, 2010, 26, 539-567. | 1.0 | 30 |
| 148 | Understanding clinical benefits of modeling clay exploration with patients diagnosed with Parkinson's disease. Arts and Health, 2010, 2, 140-148. | 0.6 | 6 |
| 149 | Relationship between mild cognitive impairment and falls in older people with and without Parkinson's disease: 1-Year Prospective Cohort Study. Gait and Posture, 2010, 32, 87-91. | 0.6 | 88 |
| 150 | Effects of a short duration, high dose contact improvisation dance workshop on Parkinson disease: A pilot study. Complementary Therapies in Medicine, 2010, 18, 184-190. | 1.3 | 57 |
| 151 | Dynamic posturography in evaluation of balance in patients of Parkinson's disease with normal pull test: Concept of a diagonal pull test. Parkinsonism and Related Disorders, 2010, 16, 595-599. | 1.1 | 44 |
| 152 | Cardiac responses to orthostatic stress deteriorate in Parkinson disease patients who begin to fall. Neurologia I Neurochirurgia Polska, 2010, 44, 339-349. | 0.6 | 10 |
| 153 | Striding Out With Parkinson Disease: Evidence-Based Physical Therapy for Gait Disorders. Physical Therapy, 2010, 90, 280-288. | 1.1 | 173 |
| 154 | Freezing of gait in Parkinson's disease: a perceptual cause for a motor impairment?. Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 513-518. | 0.9 | 201 |
| 155 | Toward Automated, At-Home Assessment of Mobility Among Patients With Parkinson Disease, Using a Body-Worn Accelerometer. Neurorehabilitation and Neural Repair, 2011, 25, 810-818. | 1.4 | 164 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 156 | Falls in Multiple Sclerosis. PM and R, 2011, 3, 624-632. | 0.9 | 174 |
| 157 | Management of balance and gait in older individuals with Parkinson's disease. Aging Health, 2011, 7, 205-218. | 0.3 | 1 |
| 158 | A sensitivity comparison of clinical tests for postural instability in patients with Huntington's disease. Gait and Posture, 2011, 34, 245-247. | 0.6 | 8 |
| 159 | Factors related to functional independence in females with Parkinson's disease: A systematic review. Maturitas, 2011, 69, 304-311. | 1.0 | 10 |
| 160 | Assessed and distressed: White-coat effects on clinical balance performance. Journal of Psychosomatic Research, 2011, 70, 45-51. | 1.2 | 33 |
| 161 | Saccadic Eye Movements are Related to Turning Performance in Parkinson Disease. Journal of Parkinson's Disease, 2011, 1, 109-118. | 1.5 | 49 |
| 162 | Testing balance and fall risk in persons with Parkinson disease, an argument for ecologically valid testing. Parkinsonism and Related Disorders, 2011, 17, 166-171. | 1,1 | 81 |
| 163 | Balance problems with Parkinson's disease: are they anxiety-dependent?. Neuroscience, 2011, 177, 283-291. | 1.1 | 35 |
| 164 | Effect of Step Training and Rhythmic Auditory Stimulation on Functional Performance in Parkinson Patients. Neurorehabilitation and Neural Repair, 2011, 25, 626-635. | 1.4 | 96 |
| 165 | Unusual gait disorders. , 0, , 185-197. | | 0 |
| 166 | Balance and Gait Rehabilitation in Patients with Parkinson's Disease. , 2011, , . | | 5 |
| 167 | Helping a person with Parkinson's to move. Nursing and Residential Care, 2011, 13, 484-486. | 0.1 | 0 |
| 168 | On the Nature of Fear of Falling in Parkinson's Disease. Behavioural Neurology, 2011, 24, 219-228. | 1.1 | 84 |
| 169 | The Effects of Medication on Turning in People with Parkinson Disease with and without Freezing of Gait. Journal of Parkinson's Disease, 2011, 1, 259-270. | 1.5 | 27 |
| 170 | Psychometric Properties of Activity, Self-Efficacy, and Quality-of-Life Measures in Individuals with Parkinson Disease. Physiotherapy Canada Physiotherapie Canada, 2011, 63, 47-57. | 0.3 | 117 |
| 171 | The Effects of Tai Chi Based Exercise on Dynamic Postural Control of Parkinson's Disease Patients while Initiating Gait. Journal of Physical Therapy Science, 2011, 23, 265-269. | 0.2 | 16 |
| 172 | Rapid assessment of postural instability in Parkinson's disease (RAPID): a pilot study. European Journal of Neurology, 2011, 18, 260-265. | 1.7 | 25 |
| 173 | Evaluation of the Falls Telephone: An Automated System for Enduring Assessment of Falls. Journal of the American Geriatrics Society, 2011, 59, 340-344. | 1.3 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 174 | Fear of falling and falls in people with Parkinson's disease treated with deep brain stimulation in the subthalamic nuclei. Acta Neurologica Scandinavica, 2011, 123, 424-429. | 1.0 | 24 |
| 175 | Recurrent falls and mortality in Parkinson's disease: a prospective two-year follow-up study. Acta Neurologica Scandinavica, 2011, 123, 193-200. | 1.0 | 68 |
| 176 | The pedunculopontine nucleus as a target for deep brain stimulation. Journal of Neural Transmission, 2011, 118, 1461-1468. | 1.4 | 69 |
| 177 | Effects of cognitive function on gait and dual tasking abilities in patients with Parkinson's disease suffering from motor response fluctuations. Experimental Brain Research, 2011, 208, 169-179. | 0.7 | 113 |
| 178 | Arousal, valence and their relative effects on postural control. Experimental Brain Research, 2011, 215, 27-34. | 0.7 | 91 |
| 179 | Causes and consequences of cerebral small vessel disease. The RUN DMC study: a prospective cohort study. Study rationale and protocol. BMC Neurology, 2011, 11, 29. | 0.8 | 154 |
| 180 | Single and dual task gait training in people with Parkinson's Disease: A protocol for a randomised controlled trial. BMC Neurology, 2011, 11, 90. | 0.8 | 49 |
| 181 | Falls and mobility in Parkinson's disease: protocol for a randomised controlled clinical trial. BMC Neurology, 2011, 11, 93. | 0.8 | 26 |
| 182 | Posturography reflects clinical imbalance in Parkinson's disease. Movement Disorders, 2011, 26, 241-246. | 2.2 | 37 |
| 183 | Bicycling breaks the ice for freezers of gait. Movement Disorders, 2011, 26, 367-371. | 2.2 | 56 |
| 184 | Diffusion Tensor Imaging and Gait in Elderly Persons With Cerebral Small Vessel Disease. Stroke, 2011, 42, 373-379. | 1.0 | 53 |
| 185 | Functional Gait Assessment and Balance Evaluation System Test: Reliability, Validity, Sensitivity, and Specificity for Identifying Individuals With Parkinson Disease Who Fall. Physical Therapy, 2011, 91, 102-113. | 1.1 | 242 |
| 186 | Gait assessment in Parkinson's disease patients through a network of wearable accelerometers in unsupervised environments., 2011, 2011, 2233-6. | | 31 |
| 187 | Utility of the Mini-BESTest, BESTest, and BESTest Sections for Balance Assessments in Individuals With Parkinson Disease. Journal of Neurologic Physical Therapy, 2011, 35, 90-97. | 0.7 | 205 |
| 188 | Effects of Whole-Body Vibration on Sensorimotor Performance in People With Parkinson Disease: A Systematic Review. Physical Therapy, 2011, 91, 198-209. | 1.1 | 42 |
| 189 | Yaşlılarda yürüme bozuklukları ve kognitif yıkım arasındaki ilişki / The relationship between gait disorders and cognitive deterioration in the elderly. Dusunen Adam, 2011, , 331-339. | 0.0 | О |
| 190 | The interaction of postural and voluntary strategies for stability in Parkinson's disease. Journal of Neurophysiology, 2012, 108, 1244-1252. | 0.9 | 20 |
| 191 | Postural Instability and Cognitive Dysfunction in Early Parkinson's Disease. Canadian Journal of Neurological Sciences, 2012, 39, 473-482. | 0.3 | 29 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 193 | Inpatient Management of Parkinson Disease. Neurohospitalist, The, 2012, 2, 28-35. | 0.3 | 48 |
| 194 | Measuring Walking Speed. Topics in Geriatric Rehabilitation, 2012, 28, 91-96. | 0.2 | 9 |
| 195 | Home-based balance training programme using Wii Fit with balance board for Parkinsons´s disease: A pilot study. Journal of Rehabilitation Medicine, 2012, 44, 144-150. | 0.8 | 201 |
| 196 | Effects of Obstacle Crossing on Dynamic Postural Control of Parkinson's Disease Patients. Journal of Physical Therapy Science, 2012, 24, 395-400. | 0.2 | 1 |
| 197 | - Visual Dysfunction in Parkinson's Disease. , 2012, , 288-295. | | 0 |
| 198 | Postural disorders in Parkinson's disease: clinical characteristics, frequency, pathophysiology and management. Neurodegenerative Disease Management, 2012, 2, 577-588. | 1.2 | 6 |
| 199 | First trial reactions and habituation rates over successive balance perturbations in Parkinson's disease. Neuroscience, 2012, 217, 123-129. | 1.1 | 50 |
| 200 | Postural Instability and Gait Impairment During Obstacle Crossing in Parkinson's Disease. Archives of Physical Medicine and Rehabilitation, 2012, 93, 703-709. | 0.5 | 62 |
| 201 | Progressive resistance training improves gait initiation in individuals with Parkinson's disease. Gait and Posture, 2012, 35, 669-673. | 0.6 | 111 |
| 202 | Influence of real and virtual heights on standing balance. Gait and Posture, 2012, 36, 172-176. | 0.6 | 98 |
| 203 | A novel conceptual framework for balance training in Parkinson's disease-study protocol for a randomised controlled trial. BMC Neurology, 2012, 12, 111. | 0.8 | 48 |
| 204 | Protocol for a home-based integrated physical therapy program to reduce falls and improve mobility in people with Parkinson's disease. BMC Neurology, 2012, 12, 54. | 0.8 | 11 |
| 205 | Physiotherapy versus placebo or no intervention in Parkinson's disease., 2012,, CD002817. | | 72 |
| 206 | Effects of pain on activities of daily living and functioning in Parkinson's disease patients. Translational Neuroscience, 2012, 3, . | 0.7 | 2 |
| 207 | Physiotherapy versus placebo or no intervention in Parkinson's disease., 2012, , CD002817. | | 40 |
| 208 | Repetitive step training with preparatory signals improves stability limits in patients with Parkinsonââ,¬â,,¢s disease. Journal of Rehabilitation Medicine, 2012, 44, 944-949. | 0.8 | 36 |
| 209 | Reliability in One-Repetition Maximum Performance in People with Parkinson's Disease. Parkinson's Disease, 2012, 2012, 1-6. | 0.6 | 7 |
| 210 | Risk of Falls in Parkinson's Disease: A Cross-Sectional Study of 160 Patients. Parkinson's Disease, 2012, 2012, 1-10. | 0.6 | 53 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 211 | Walking Ability Is a Major Contributor to Fear of Falling in People with Parkinson's Disease: Implications for Rehabilitation. Parkinson's Disease, 2012, 2012, 1-7. | 0.6 | 49 |
| 212 | Gait Difficulty, Postural Instability, and Muscle Weakness Are Associated with Fear of Falling in People with Parkinson's Disease. Parkinson's Disease, 2012, 2012, 1-5. | 0.6 | 40 |
| 213 | Comparing the Mini-BESTest with the Berg Balance Scale to Evaluate Balance Disorders in Parkinson's Disease. Parkinson's Disease, 2012, 2012, 1-7. | 0.6 | 110 |
| 214 | A Review of Dual-Task Walking Deficits in People with Parkinson's Disease: Motor and Cognitive Contributions, Mechanisms, and Clinical Implications. Parkinson's Disease, 2012, 2012, 1-14. | 0.6 | 229 |
| 215 | Accuracy of Fall Prediction in Parkinson Disease: Six-Month and 12-Month Prospective Analyses. Parkinson's Disease, 2012, 2012, 1-7. | 0.6 | 66 |
| 216 | Altered Dynamic Postural Control during Step Turning in Persons with Early-Stage Parkinson's Disease. Parkinson's Disease, 2012, 2012, 1-8. | 0.6 | 35 |
| 217 | Improved Dynamic Postural Task Performance without Improvements in Postural Responses: The Blessing and the Curse of Dopamine Replacement. Parkinson's Disease, 2012, 2012, 1-8. | 0.6 | 12 |
| 218 | A quick and easy-to-use clinical scale to assess balance in Parkinson's disease. Journal of Parkinsonism and Restless Legs Syndrome, 2012, , 67. | 0.8 | 2 |
| 219 | Lack of Short-Term Effectiveness of Rotating Treadmill Training on Turning in People with Mild-to-Moderate Parkinson's Disease and Healthy Older Adults: A Randomized, Controlled Study. Parkinson's Disease, 2012, 2012, 1-8. | 0.6 | 5 |
| 220 | Normal and pathological gait: what we learn from Parkinson's disease: Figure 1. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 979-985. | 0.9 | 116 |
| 221 | Is the Dislocation Rate Higher after Bipolar Hemiarthroplasty in Patients with Neuromuscular Diseases?. Clinical Orthopaedics and Related Research, 2012, 470, 1158-1164. | 0.7 | 24 |
| 222 | Effect of subthalamic deep brain stimulation on turning kinematics and related saccadic eye movements in Parkinson disease. Experimental Neurology, 2012, 236, 389-394. | 2.0 | 30 |
| 223 | Diagnostic value of the rapid assessment of postural instability in parkinson's disease (RAPID) questionnaire. International Journal of Clinical Practice, 2012, 66, 718-721. | 0.8 | 7 |
| 224 | Cerebral blood flow and freezing of gait in Parkinson's disease. Acta Neurologica Scandinavica, 2012, 126, 210-218. | 1.0 | 33 |
| 225 | Frequencies of falls and associated features at different stages of <scp>P</scp> arkinson's disease. European Journal of Neurology, 2013, 20, 160-166. | 1.7 | 35 |
| 226 | Content Analysis of 4 Fear of Falling Rating Scales by Linking to the International Classification of Functioning, Disability and Health. PM and R, 2013, 5, 573. | 0.9 | 20 |
| 227 | Parkinson's Disease and Nonmotor Dysfunction. , 2013, , . | | 9 |
| 228 | Low-frequency subthalamic nucleus deep brain stimulation for axial symptoms in advanced Parkinson's disease. Journal of Neurology, 2013, 260, 2306-2311. | 1.8 | 80 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 229 | Parkinson's Disease: Diagnosis, Motor Symptoms and Non-motor Features. , 2013, , . | | 2 |
| 230 | Daytime Sleepiness is Associated with Falls in Parkinson's Disease. Journal of Parkinson's Disease, 2013, 3, 387-391. | 1.5 | 14 |
| 231 | Home and health in people ageing with Parkinson's disease: study protocol for a prospective longitudinal cohort survey study. BMC Neurology, 2013, 13, 142. | 0.8 | 32 |
| 232 | The effects of augmented visual feedback during balance training in Parkinson's disease: study design of a randomized clinical trial. BMC Neurology, 2013, 13, 137. | 0.8 | 21 |
| 233 | The incidence and risk factors of falls in Parkinson disease: prospective study. Neurologia I Neurochirurgia Polska, 2013, 47, 431-437. | 0.6 | 29 |
| 234 | Turning deficits in people with Parkinson's disease. Tzu Chi Medical Journal, 2013, 25, 200-202. | 0.4 | 16 |
| 235 | Postural Instability in Patients with Parkinson's Disease. CNS Drugs, 2013, 27, 97-112. | 2.7 | 168 |
| 236 | Hip fractures in people with idiopathic Parkinson's disease: Incidence and outcomes. Movement Disorders, 2013, 28, 334-340. | 2.2 | 61 |
| 237 | Ambulation and Parkinson Disease. Physical Medicine and Rehabilitation Clinics of North America, 2013, 24, 371-392. | 0.7 | 19 |
| 238 | Handbook of Parkinson's Disease. , 2013, , . | | 14 |
| 239 | Assistive devices alter gait patterns in Parkinson disease: Advantages of the four-wheeled walker. Gait and Posture, 2013, 38, 20-24. | 0.6 | 43 |
| 240 | Three simple clinical tests to accurately predict falls in people with Parkinson's disease. Movement Disorders, 2013, 28, 655-662. | 2.2 | 167 |
| 241 | Parkinson Disease and Exercise., 2013, 3, 833-848. | | 47 |
| 242 | Home Monitoring Musculo-skeletal Disorders with a Single 3D Sensor. , 2013, , . | | 21 |
| 243 | Physiotherapy versus placebo or no intervention in Parkinson's disease. The Cochrane Library, 2013, , CD002817. | 1.5 | 235 |
| 244 | Causes and consequences of falls in Parkinson disease patients in a prospective study. Neurologia I Neurochirurgia Polska, 2013, 47, 423-430. | 0.6 | 55 |
| 245 | Clinical and posturographic correlates of falling in Parkinson's disease. Movement Disorders, 2013, 28, 1250-1256. | 2.2 | 60 |
| 246 | The mini-BESTest can predict Parkinsonian recurrent fallers: A 6-month prospective study. Journal of Rehabilitation Medicine, 2013, 45, 565-571. | 0.8 | 54 |

| # | Article | IF | CITATIONS |
|-----|---|-----|------------|
| 247 | Memantine for axial signs in Parkinson's disease: a randomised, double-blind, placebo-controlled pilot study. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 552-555. | 0.9 | 55 |
| 248 | Four Square Step Test Performance in People With Parkinson Disease. Journal of Neurologic Physical Therapy, 2013, 37, 2-8. | 0.7 | 48 |
| 249 | Prospective Analysis of Falls in Dominant Ataxias. European Neurology, 2013, 69, 53-57. | 0.6 | 41 |
| 250 | Central Factors Explain Muscle Weakness in Young Fallers With Parkinson's Disease. Neurorehabilitation and Neural Repair, 2013, 27, 753-759. | 1.4 | 25 |
| 251 | Effect of Dopaminergic Medication on Postural Sway in Advanced Parkinson's Disease. Frontiers in Neurology, 2013, 4, 202. | 1.1 | 17 |
| 252 | Barriers to Exercise in People With Parkinson Disease. Physical Therapy, 2013, 93, 628-636. | 1.1 | 229 |
| 253 | Physiotherapy management of Parkinson's and of older people., 2013,, 539-559. | | 0 |
| 254 | Clinical syndromes: Parkinsonian gait. Movement Disorders, 2013, 28, 1552-1559. | 2.2 | 7 3 |
| 255 | Falls in independent ambulatory patients with spinal cord injury: incidence, associated factors and levels of ability. Spinal Cord, 2013, 51, 365-368. | 0.9 | 45 |
| 256 | Parkinson's Disease and Segmental Coordination during Turning: I. Standing Turns. Canadian Journal of Neurological Sciences, 2013, 40, 512-519. | 0.3 | 29 |
| 257 | Parkinson's Disease and Segmental Coordination during Turning: II. Walking Turns. Canadian Journal of Neurological Sciences, 2013, 40, 520-526. | 0.3 | 12 |
| 258 | Surgical Outcome for Hip Fractures in Patients with and without Parkinson's Disease. Journal of Orthopaedic Surgery, 2013, 21, 151-153. | 0.4 | 14 |
| 259 | Impact of Falls and Fear of Falling on Health-Related Quality of Life in Patients with Parkinson's Disease. Journal of Parkinson's Disease, 2013, 3, 409-413. | 1.5 | 76 |
| 260 | Motion Cue Analysis for Parkinsonian Gait Recognition. Open Biomedical Engineering Journal, 2013, 7, 1-8. | 0.7 | 29 |
| 261 | Short- and Long-Term Efficacy of Intensive Rehabilitation Treatment on Balance and Gait in Parkinsonian Patients: A Preliminary Study with a 1-Year Followup. Parkinson's Disease, 2013, 2013, 1-5. | 0.6 | 24 |
| 262 | Recurrent Falls in Parkinson's Disease: A Systematic Review. Parkinson's Disease, 2013, 2013, 1-16. | 0.6 | 309 |
| 263 | Objective Assessment of Fall Risk in Parkinson's Disease Using a Body-Fixed Sensor Worn for 3 Days. PLoS ONE, 2014, 9, e96675. | 1.1 | 181 |
| 264 | Risk for Femoral Fractures in Parkinson's Disease Patients with and without Severe Functional Impairment. PLoS ONE, 2014, 9, e97073. | 1.1 | 33 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 265 | Recurrent Falls in People with Parkinson's Disease without Cognitive Impairment: Focusing on Modifiable Risk Factors. Parkinson's Disease, 2014, 2014, 1-8. | 0.6 | 9 |
| 266 | Balance training. , 0, , 105-119. | | 0 |
| 267 | Effects of physical activity in Parkinson's disease: A new tool for rehabilitation. World Journal of Methodology, 2014, 4, 133. | 1.1 | 67 |
| 269 | Quantification of postural stability in older adults using mobile technology. Experimental Brain Research, 2014, 232, 3861-3872. | 0.7 | 37 |
| 270 | Factors contributing to postural instability in patients with idiopathic Parkinson's disease. Physical Therapy Reviews, 2014, 19, 302-327. | 0.3 | 3 |
| 271 | Feasibility Study of a Wearable System Based on a Wireless Body Area Network for Gait Assessment in Parkinson's Disease Patients. Sensors, 2014, 14, 4618-4633. | 2.1 | 51 |
| 272 | Continuous Monitoring of Turning in Patients with Movement Disability. Sensors, 2014, 14, 356-369. | 2.1 | 205 |
| 273 | Large diameter metal on metal total hip replacement for femoral neck fractures with neurological conditions. Indian Journal of Orthopaedics, 2014, 48, 605-611. | 0.5 | 9 |
| 275 | Synchronized walking cadence for TUG in perturbed environments: Using Earcon or Tacton cues?. , 2014, , . | | 4 |
| 277 | Deep brain stimulation in the ventrolateral thalamus/subthalamic area in dystonia with head tremor. Movement Disorders, 2014, 29, 953-959. | 2.2 | 58 |
| 278 | Designing auditory cues for Parkinson's disease gait rehabilitation., 2014, 2014, 5852-5. | | 12 |
| 279 | A practical approach to remote longitudinal followâ€up of Parkinson's disease: The FOUND study. Movement Disorders, 2014, 29, 743-749. | 2.2 | 14 |
| 280 | Impaired Executive Function Can Predict Recurrent Falls in Parkinson's Disease. Archives of Physical Medicine and Rehabilitation, 2014, 95, 2390-2395. | 0.5 | 48 |
| 281 | Greater Loss of White Matter Integrity in Postural Instability and Gait Difficulty Subtype of Parkinson's Disease. Canadian Journal of Neurological Sciences, 2014, 41, 763-768. | 0.3 | 28 |
| 282 | Low Frontal Assessment Battery Score as a Risk Factor for Falling in Patients with Hoehn-Yahr Stage III Parkinson's Disease: A 2-Year Prospective Study. European Neurology, 2014, 71, 187-192. | 0.6 | 14 |
| 283 | Exposure to Anticholinergic and Sedative Drugs, Risk of Falls, and Mortality. Journal of Clinical Psychopharmacology, 2014, 34, 565-570. | 0.7 | 58 |
| 284 | Qi Gong to Improve Postural Stability (QTIPS) for Parkinson Fall Prevention. Topics in Geriatric Rehabilitation, 2014, 30, 58-69. | 0.2 | 8 |
| 285 | Grooved Pegboard Predicates More of Cognitive Than Motor Involvement in Parkinson's Disease. Assessment, 2014, 21, 723-730. | 1.9 | 35 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 286 | The effects of speed-dependent treadmill training and rhythmic auditory-cued overground walking on balance function, fall incidence, and quality of life in individuals with idiopathic Parkinson's disease: A randomized controlled trial. NeuroRehabilitation, 2014, 34, 541-556. | 0.5 | 26 |
| 287 | Dance for Parkinson's: A new framework for research on its physical, mental, emotional, and social benefits. Complementary Therapies in Medicine, 2014, 22, 426-432. | 1.3 | 45 |
| 288 | Falls, Fear of Falling, Selfâ€Reported Impairments, and Walking Limitations in Persons With Late Effects of Polio. PM and R, 2014, 6, 900-907. | 0.9 | 33 |
| 289 | A Comprehensive Assessment of Gait Accelerometry Signals in Time, Frequency and Time-Frequency Domains. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 603-612. | 2.7 | 131 |
| 290 | The cost-effectiveness of deep brain stimulation in combination with best medical therapy, versus best medical therapy alone, in advanced Parkinson's disease. Journal of Neurology, 2014, 261, 106-116. | 1.8 | 70 |
| 291 | Postural inflexibility in PD: Does it affect compensatory stepping?. Gait and Posture, 2014, 39, 700-706. | 0.6 | 34 |
| 292 | Consensus-based clinical practice recommendations for the examination and management of falls in patients with Parkinson's disease. Parkinsonism and Related Disorders, 2014, 20, 360-369. | 1.1 | 117 |
| 293 | Factors associated with fear of falling in people with Parkinson's disease. BMC Neurology, 2014, 14, 19. | 0.8 | 77 |
| 294 | Locomotor adaptation and locomotor adaptive learning in Parkinson's disease and normal aging. Clinical Neurophysiology, 2014, 125, 313-319. | 0.7 | 66 |
| 295 | Balance and Gait Training With Augmented Feedback Improves Balance Confidence in People With Parkinson's Disease. Neurorehabilitation and Neural Repair, 2014, 28, 524-535. | 1.4 | 86 |
| 296 | The effects of speed-dependent treadmill training and rhythmic auditory-cued overground walking on gait function and fall risk in individuals with idiopathic Parkinson's disease: A randomized controlled trial. NeuroRehabilitation, 2014, 34, 557-572. | 0.5 | 29 |
| 297 | The effect of deep brain stimulation randomized by site on balance in Parkinson's disease. Movement Disorders, 2014, 29, 949-953. | 2.2 | 39 |
| 298 | The Relative Contribution of Physical and Cognitive Fall Risk Factors in People With Parkinson's Disease. Neurorehabilitation and Neural Repair, 2014, 28, 282-290. | 1.4 | 99 |
| 299 | The clinical spectrum of anxiety in Parkinson's disease. Movement Disorders, 2014, 29, 967-975. | 2.2 | 89 |
| 300 | Prevention of falls in Parkinson's disease: a review of fall risk factors and the role of physical interventions. Neurodegenerative Disease Management, 2014, 4, 203-221. | 1.2 | 151 |
| 301 | Protocol for a randomized comparison of integrated versus consecutive dual task practice in Parkinson's disease: the DUALITY trial. BMC Neurology, 2014, 14, 61. | 0.8 | 29 |
| 302 | Automated detection of missteps during community ambulation in patients with Parkinson's disease: a new approach for quantifying fall risk in the community setting. Journal of NeuroEngineering and Rehabilitation, 2014, 11, 48. | 2.4 | 63 |
| 303 | Freezing of Gait and Falls in Parkinson's Disease. Journal of Parkinson's Disease, 2014, 4, 255-260. | 1.5 | 65 |

| # | Article | IF | CITATIONS |
|-----|--|------------|----------------------|
| 304 | Comparing the effects of hydrotherapy and land-based therapy on balance in patients with Parkinson's disease: a randomized controlled pilot study. Clinical Rehabilitation, 2014, 28, 1210-1217. | 1.0 | 83 |
| 305 | Circumstances of falls and fall-related injuries among patients with Parkinson's disease in an outpatient setting. Geriatric Nursing, 2014, 35, 364-369. | 0.9 | 42 |
| 306 | Comparison of the Effects on Dynamic Balance Ability of Warming up in Water Versus on the Ground. Journal of Physical Therapy Science, 2014, 26, 575-578. | 0.2 | 3 |
| 308 | Motor, stance, and balance consequences of cerebral small vessel disease., 0,, 251-260. | | O |
| 309 | Using a portable gait rhythmogram to objectively evaluate acupuncture-mediated improvements in gait disturbance caused by Parkinson's disease:a case report. Zen Nihon Shinkyu Gakkai Zasshi (Journal of) Tj ETQq0 | O OorgBT/0 | Ov e rlock 10 |
| 310 | Comprehensive assessment of gait signals using multiple time scale features. , 2014, , . | | 0 |
| 311 | Why do patients with Parkinson's disease fall? A cross-sectional analysis of possible causes of falls. Npj Parkinson's Disease, 2015, 1, 15011. | 2.5 | 44 |
| 312 | Relationship of Falls and Fear of Falling to Activity Limitations and Physical Inactivity in Parkinson's Disease. Journal of Aging and Physical Activity, 2015, 23, 187-193. | 0.5 | 45 |
| 313 | Disability is an Independent Predictor of Falls and Recurrent Falls in People with Parkinson's Disease Without a History of Falls: A One-Year Prospective Study. Journal of Parkinson's Disease, 2015, 5, 855-864. | 1.5 | 30 |
| 314 | The Retropulsion Test: A Good Evaluation of Postural Instability in Parkinson's Disease?. Journal of Parkinson's Disease, 2015, 5, 43-47. | 1.5 | 38 |
| 315 | Objective assessment of postural stability in Parkinson's disease using mobile technology. Movement Disorders, 2015, 30, 1214-1221. | 2.2 | 60 |
| 316 | A comparative home activity monitoring study using visual and inertial sensors. , 2015, , . | | 16 |
| 317 | What Is Wrong with Balance in Parkinson's Disease?. Journal of Movement Disorders, 2015, 8, 109-114. | 0.7 | 106 |
| 318 | Exergaming as a Viable Therapeutic Tool to Improve Static and Dynamic Balance among Older Adults and People with Idiopathic Parkinson's Disease: A Systematic Review and Meta-Analysis. Frontiers in Aging Neuroscience, 2015, 7, 167. | 1.7 | 45 |
| 319 | Prediction of Falls and/or Near Falls in People with Mild Parkinson's Disease. PLoS ONE, 2015, 10, e0117018. | 1.1 | 57 |
| 320 | Postural and Balance Disorders in Patients with Parkinson's Disease: A Prospective Open-Label Feasibility Study with Two Months of Action Observation Treatment. Parkinson's Disease, 2015, 2015, 1-7. | 0.6 | 11 |
| 321 | Psychological Benefits of Nonpharmacological Methods Aimed for Improving Balance in Parkinson's Disease: A Systematic Review. Behavioural Neurology, 2015, 2015, 1-16. | 1.1 | 56 |
| 322 | Role of Body-Worn Movement Monitor Technology for Balance and Gait Rehabilitation. Physical Therapy, 2015, 95, 461-470. | 1.1 | 173 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 323 | Risk of Falling Assessment on Different Types of Ground Using the Instrumented TUG. , 2015, , . | | 2 |
| 324 | Exercise for falls prevention in Parkinson disease. Neurology, 2015, 84, 304-312. | 1.5 | 209 |
| 325 | Fall frequency and risk factors in patients with <scp>P</scp> arkinson's disease in <scp>B</scp> elgrade, <scp>S</scp> erbia: A crossâ€sectional study. Geriatrics and Gerontology International, 2015, 15, 472-480. | 0.7 | 18 |
| 326 | Technology-Assisted Balance and Gait Training Reduces Falls in Patients With Parkinson's Disease. Neurorehabilitation and Neural Repair, 2015, 29, 103-111. | 1.4 | 92 |
| 327 | A Randomized Controlled Trial to Reduce Falls in People With Parkinson's Disease. Neurorehabilitation and Neural Repair, 2015, 29, 777-785. | 1.4 | 125 |
| 328 | Ancillary investigations to diagnose parkinsonism: a prospective clinical study. Journal of Neurology, 2015, 262, 346-356. | 1.8 | 34 |
| 329 | Dual Tasking With the Timed "Up & Go―Test Improves Detection of Risk of Falls in People With Parkinson Disease. Physical Therapy, 2015, 95, 95-102. | 1.1 | 82 |
| 330 | A physical therapist classification system for persons with complaints of dizziness and balance dysfunction. Physical Therapy Reviews, 2015, 20, 110-121. | 0.3 | 3 |
| 331 | Postural instability in Parkinson Disease: To step or not to step. Journal of the Neurological Sciences, 2015, 357, 146-151. | 0.3 | 12 |
| 332 | Interventions for preventing falls in Parkinson's disease. The Cochrane Library, 0, , . | 1.5 | 11 |
| 333 | The relationship between real world ambulatory activity and falls in incident Parkinson's disease: Influence of classification scheme. Parkinsonism and Related Disorders, 2015, 21, 236-242. | 1.1 | 59 |
| 334 | Mortality and Revision Surgery Are Increased in Patients With Parkinson's Disease and Fractures of the Femoral Neck. Clinical Orthopaedics and Related Research, 2015, 473, 3272-3279. | 0.7 | 25 |
| 335 | Recovery performance and factors that classify young fallers and non-fallers in Parkinson's disease. Human Movement Science, 2015, 41, 136-146. | 0.6 | 13 |
| 336 | Neuromechanical Principles Underlying Movement Modularity and Their Implications for Rehabilitation. Neuron, 2015, 86, 38-54. | 3.8 | 305 |
| 337 | A System for Real-Time Feedback to Improve Gait and Posture in Parkinson's Disease. IEEE Journal of Biomedical and Health Informatics, 2015, 19, 1809-1819. | 3.9 | 17 |
| 338 | Compensatory stepping in Parkinson's disease is still a problem after deep brain stimulation randomized to STN or GPi. Journal of Neurophysiology, 2015, 114, 1417-1423. | 0.9 | 28 |
| 339 | Low FAB score as a predictor of future falling in patients with Parkinson's disease: a 2.5-year prospective study. Journal of Neurology, 2015, 262, 2049-2055. | 1.8 | 11 |
| 340 | Task- and Context-Specific Balance Training Program Enhances Dynamic Balance and Functional Performance in Parkinsonian Nonfallers: AARandomized Controlled Trial With Six-Month Follow-Up. Archives of Physical Medicine and Rehabilitation, 2015, 96, 2103-2111. | 0.5 | 29 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 341 | Molecular imaging of neuropsychiatric symptoms in Alzheimer's and Parkinson's disease. Neuroscience and Biobehavioral Reviews, 2015, 49, 157-170. | 2.9 | 31 |
| 342 | Postural Instability in the ML Direction in Individuals with Parkinson's Disease Before, During and when Recovering from a Forward Reach. , 2016, 6, . | | 1 |
| 343 | Falls in Parkinson Disease. , 2016, 6, . | | 3 |
| 344 | Limited Effect of Dopaminergic Medication on Straight Walking and Turning in Early-to-Moderate Parkinson's Disease during Single and Dual Tasking. Frontiers in Aging Neuroscience, 2016, 8, 4. | 1.7 | 23 |
| 345 | Verbal Auditory Cueing of Improvisational Dance: A Proposed Method for Training Agency in Parkinson's Disease. Frontiers in Neurology, 2016, 7, 15. | 1.1 | 16 |
| 346 | Anticipatory and Compensatory Postural Adjustments in Response to External Lateral Shoulder Perturbations in Subjects with Parkinson's Disease. PLoS ONE, 2016, 11, e0155012. | 1.1 | 15 |
| 347 | Deep Brain Stimulation for Parkinson's Disease with Early Motor Complications: A UK Cost-Effectiveness Analysis. PLoS ONE, 2016, 11, e0159340. | 1.1 | 24 |
| 348 | Postural instability and falls are more frequent in Parkinson's disease patients with worse trunk mobility. Arquivos De Neuro-Psiquiatria, 2016, 74, 519-523. | 0.3 | 13 |
| 349 | Falls and Their Associated Risks in Parkinson's Disease Patients in Nigeria. Journal of Movement Disorders, 2016, 9, 160-165. | 0.7 | 22 |
| 350 | Effects of Exercise Therapy on Postural Instability in Parkinson Disease. Journal of Neurologic Physical Therapy, 2016, 40, 3-14. | 0.7 | 71 |
| 351 | Neurovestibular analysis and falls in Parkinson's disease and atypical parkinsonism. European Journal of Neuroscience, 2016, 43, 1636-1646. | 1.2 | 51 |
| 352 | Two-dimensional posture evaluation in Parkinson's disease: effect of loads on the spinal angle during gait Journal of Physics: Conference Series, 2016, 705, 012017. | 0.3 | 0 |
| 353 | Objectively Assessed Physical Activity and its Association with Balance, Physical Function and Dyskinesia in Parkinson's Disease. Journal of Parkinson's Disease, 2016, 6, 833-840. | 1.5 | 12 |
| 354 | Predictive model for falling in Parkinson disease patients. ENeurologicalSci, 2016, 5, 20-24. | 0.5 | 11 |
| 355 | Fall-related activity avoidance in relation to a history of falls or near falls, fear of falling and disease severity in people with Parkinson's disease. BMC Neurology, 2016, 16, 84. | 0.8 | 52 |
| 356 | Musculoskeletal injuries in the elderly. , 2016, , 462-476. | | 0 |
| 357 | A prospective study of freezing of gait with early Parkinson disease in Chinese patients. Medicine (United States), 2016, 95, e4056. | 0.4 | 53 |
| 358 | Depressive symptoms associated with concerns about falling inÂParkinson's disease. Brain and Behavior, 2016, 6, e00524. | 1.0 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 359 | What daily activities increase the risk of falling in Parkinson patients? An analysis of the utility of the ABC-16 scale. Journal of the Neurological Sciences, 2016, 364, 183-187. | 0.3 | 19 |
| 360 | Comparison of Self-report and Performance-Based Balance Measures for Predicting Recurrent Falls in People With Parkinson Disease: Cohort Study. Physical Therapy, 2016, 96, 1074-1084. | 1.1 | 31 |
| 361 | Postural motor learning in people with Parkinson's disease. Journal of Neurology, 2016, 263, 1518-1529. | 1.8 | 48 |
| 362 | The interrelationship between disease severity, dynamic stability, and falls in cerebellar ataxia. Journal of Neurology, 2016, 263, 1409-1417. | 1.8 | 46 |
| 363 | Efficacy and Safety of Pedunculopontine Nuclei (PPN) Deep Brain Stimulation in the Treatment of Gait Disorders: A Meta-Analysis of Clinical Studies. Canadian Journal of Neurological Sciences, 2016, 43, 120-126. | 0.3 | 32 |
| 364 | Effects of a balance-based exergaming intervention using the Kinect sensor on posture stability in individuals with Parkinson's disease: a single-blinded randomized controlled trial. Journal of NeuroEngineering and Rehabilitation, 2016, 13, 78. | 2.4 | 89 |
| 365 | Concurrent transcranial direct current stimulation and progressive resistance training in Parkinson's disease: study protocol for a randomised controlled trial. Trials, 2016, 17, 326. | 0.7 | 8 |
| 366 | External validation of a 3-step falls prediction model in mild Parkinson's disease. Journal of Neurology, 2016, 263, 2462-2469. | 1.8 | 25 |
| 367 | Toward affordable falls prevention in Parkinson's disease. Movement Disorders, 2016, 31, 3-6. | 2.2 | 4 |
| 368 | Falls and Parkinson's Disease: Evidence from Video Recordings of Actual Fall Events. Journal of the American Geriatrics Society, 2016, 64, 96-101. | 1.3 | 34 |
| 369 | Effects of freezing of gait on postural motor learning in people with Parkinson's disease. Neuroscience, 2016, 334, 283-289. | 1.1 | 25 |
| 370 | Constraining eye movement in individuals with Parkinson's disease during walking turns. Experimental Brain Research, 2016, 234, 2957-2965. | 0.7 | 22 |
| 371 | Risk Factors, Epidemiology and Treatment Strategies for Metabolic Bone Disease in Patients with Neurological Disease. Current Osteoporosis Reports, 2016, 14, 199-210. | 1.5 | 13 |
| 373 | Predicting first fall in newly diagnosed Parkinson's disease: Insights from a fall-na \tilde{A} ve cohort. Movement Disorders, 2016, 31, 1829-1836. | 2.2 | 87 |
| 374 | Vascular disease and vascular risk factors in relation to motor features and cognition in early Parkinson's disease. Movement Disorders, 2016, 31, 1518-1526. | 2.2 | 128 |
| 375 | Factors Associated With Recurrent Falls in Individuals With Traumatic Spinal Cord Injury: A Multicenter Study. Archives of Physical Medicine and Rehabilitation, 2016, 97, 1908-1916. | 0.5 | 40 |
| 376 | What Could Posturography Tell Us About Balance Problems in Parkinson's Disease?. Otology and Neurotology, 2016, 37, e326-e331. | 0.7 | 6 |
| 377 | Balance, Body Motion, and Muscle Activity After High-Volume Short-Term Dance-Based Rehabilitation in Persons With Parkinson Disease: A Pilot Study. Journal of Neurologic Physical Therapy, 2016, 40, 257-268. | 0.7 | 50 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 378 | Brainstem control of locomotion and muscle tone with special reference to the role of the mesopontine tegmentum and medullary reticulospinal systems. Journal of Neural Transmission, 2016, 123, 695-729. | 1.4 | 157 |
| 379 | Can postural instability tests improve the prediction of future falls in people with Parkinson's disease beyond knowing existing fall history?. Journal of Neurology, 2016, 263, 133-139. | 1.8 | 18 |
| 380 | Reactive but not predictive locomotor adaptability is impaired in young Parkinson's disease patients. Gait and Posture, 2016, 48, 177-182. | 0.6 | 13 |
| 381 | Assessing stability in mild and moderate Parkinson's disease: Can clinical measures provide insight?. Gait and Posture, 2016, 49, 7-13. | 0.6 | 14 |
| 382 | Effects of Exercise on Falls, Balance, and Gait Ability in Parkinson's Disease. Neurorehabilitation and Neural Repair, 2016, 30, 512-527. | 1.4 | 194 |
| 383 | Postural instability and falls in Parkinson's disease. Reviews in the Neurosciences, 2016, 27, 549-555. | 1.4 | 44 |
| 384 | Characterising community exercise programmes delivered by fitness instructors for people with neurological conditions: a scoping review. Health and Social Care in the Community, 2016, 24, e101-e116. | 0.7 | 32 |
| 385 | Influence of urinary urgency and other urinary disturbances on falls in Parkinson's disease. Journal of the Neurological Sciences, 2016, 360, 153-157. | 0.3 | 31 |
| 386 | Association between antidepressants and falls in Parkinson's disease. Journal of Neurology, 2016, 263, 76-82. | 1.8 | 12 |
| 387 | Video Recognition of Human Fall Based on Spatiotemporal Features. Intelligent Automation and Soft Computing, 2016, 22, 303-309. | 1.6 | 0 |
| 388 | Comparison of the Fullerton Advanced Balance Scale, Mini-BESTest, and Berg Balance Scale to Predict Falls in Parkinson Disease. Physical Therapy, 2016, 96, 494-501. | 1.1 | 60 |
| 389 | Use of a Short-Form Balance Confidence Scale toÂPredict Future Recurrent Falls in People WithÂParkinson Disease. Archives of Physical Medicine and Rehabilitation, 2016, 97, 152-156. | 0.5 | 19 |
| 390 | Influence of treadmill gait training with additional load on motor function, postural instability and history of falls for individuals with Parkinson's disease: A randomized clinical trial. Journal of Bodywork and Movement Therapies, 2017, 21, 93-100. | 0.5 | 11 |
| 393 | Falls and fear of falling predict future falls and related injuries in ambulatory individuals with spinal cord injury: a longitudinal observational study. Journal of Physiotherapy, 2017, 63, 108-113. | 0.7 | 50 |
| 394 | Falls in people with Parkinson's disease: A prospective comparison of community and home-based falls. Gait and Posture, 2017, 55, 62-67. | 0.6 | 32 |
| 395 | Factors associated with falling in early, treated Parkinson's disease: The NET-PD LS1 cohort. Journal of the Neurological Sciences, 2017, 377, 137-143. | 0.3 | 27 |
| 396 | Have we been overestimating fall rates in Parkinson's disease?. Movement Disorders, 2017, 32, 803-803. | 2.2 | 1 |
| 397 | Assessing postural balance in early Parkinson's Disease—validity of the BDL balance scale. Physiotherapy Theory and Practice, 2017, 33, 490-496. | 0.6 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 398 | Clinical balance scales indicate worse postural control in people with Parkinson's disease who exhibit freezing of gait compared to those who do not: A meta-analysis. Gait and Posture, 2017, 56, 134-140. | 0.6 | 43 |
| 399 | A Cross-sectional Analysis of the Characteristics of Individuals With Parkinson Disease Who Avoid Activities and Participation Due to Fear of Falling. Journal of Neurologic Physical Therapy, 2017, 41, 31-42. | 0.7 | 32 |
| 400 | Gait dynamics in Pisa syndrome and Camptocormia: The role of stride length and hip kinematics. Gait and Posture, 2017, 57, 130-135. | 0.6 | 22 |
| 401 | Older Adults, Falls, and Skin Integrity. Advances in Skin and Wound Care, 2017, 30, 40-46. | 0.5 | 3 |
| 402 | Freezing of gait and fall detection in Parkinson's disease using wearable sensors: a systematic review. Journal of Neurology, 2017, 264, 1642-1654. | 1.8 | 136 |
| 403 | Reducing gait speed affects axial coordination of walking turns. Gait and Posture, 2017, 54, 71-75. | 0.6 | 24 |
| 404 | Pre- and unplanned walking turns in Parkinson's disease – Effects of dopaminergic medication. Neuroscience, 2017, 341, 18-26. | 1.1 | 15 |
| 405 | Falls in Parkinson's disease: A complex and evolving picture. Movement Disorders, 2017, 32, 1524-1536. | 2.2 | 220 |
| 406 | Long-term effects of exercise and physical therapy in people with Parkinson disease. Nature Reviews Neurology, 2017, 13, 689-703. | 4.9 | 318 |
| 407 | Models of Care Delivery for Patients With Parkinson Disease Living in Rural Areas. Family and Community Health, 2017, 40, 324-330. | 0.5 | 10 |
| 408 | The effects of gaze stabilization on gait parameters in individuals with Parkinson's disease. Neuroscience Letters, 2017, 655, 156-159. | 1.0 | 7 |
| 409 | Falls: the adverse drug reaction of the elderly and the impact of pharmacogenetics. Pharmacogenomics, 2017, 18, 1281-1297. | 0.6 | 19 |
| 410 | Falling Direction can Predict the Mechanism of Recurrent Falls in Advanced Parkinson's Disease. Scientific Reports, 2017, 7, 3921. | 1.6 | 29 |
| 411 | Neuromuscular Impairments Are Associated With Impaired Head and Trunk Stability During Gait in Parkinson Fallers. Neurorehabilitation and Neural Repair, 2017, 31, 34-47. | 1.4 | 35 |
| 412 | Effects of supervised slackline training on postural instability, freezing of gait, and falls efficacy in people with Parkinson's disease. Disability and Rehabilitation, 2017, 39, 1573-1580. | 0.9 | 23 |
| 413 | Motion and emotion: anxiety–axial connections in Parkinson's disease. Journal of Neural Transmission, 2017, 124, 369-377. | 1.4 | 12 |
| 414 | A novel approach to falls classification in Parkinsonâ∈™s disease: development of the Fall-Related Activity Classification (FRAC). Physiotherapy, 2017, 103, 459-464. | 0.2 | 12 |
| 415 | Relationship between Gait Parameters and Postural Stability in Early and Late Parkinson's Disease and Visual Feedback-Based Balance Training Effects. Open Access Macedonian Journal of Medical Sciences, 2017, 5, 207-214. | 0.1 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 416 | Experiences of falls and strategies to manage the consequences of falls in persons with late effects of polio: A qualitative study. Journal of Rehabilitation Medicine, 2017, 49, 652-658. | 0.8 | 12 |
| 417 | The Applicability of Rhythm-Motor Tasks to a New Dual Task Paradigm for Older Adults. Frontiers in Neurology, 2017, 8, 671. | 1.1 | 12 |
| 418 | Motor assessment in Parkinson's disease. Annals of Agricultural and Environmental Medicine, 2017, 24, 411-415. | 0.5 | 148 |
| 419 | Fatores associados ao desempenho funcional de idosos portadores da Doença de Parkinson. Revista Kairos: Gerontologia, 2017, 20, 161. | 0.1 | 6 |
| 420 | High incidence of falls and fall-related injuries in wheelchair users with spinal cord injury: A prospective study of risk indicators. Journal of Rehabilitation Medicine, 2017, 49, 144-151. | 0.8 | 44 |
| 421 | Managing Gait, Balance, and Posture in Parkinson's Disease. Current Neurology and Neuroscience Reports, 2018, 18, 23. | 2.0 | 68 |
| 422 | Longitudinal assessment of falls in patients with Parkinson's disease using inertial sensors and the Timed Up and Go test. Journal of Rehabilitation and Assistive Technologies Engineering, 2018, 5, 205566831775081. | 0.6 | 16 |
| 423 | Bilateral anodal transcranial direct current stimulation effect on balance and fearing of fall in patient with Parkinson's disease. NeuroRehabilitation, 2018, 42, 63-68. | 0.5 | 25 |
| 424 | Can Dual Task Walking Improve in Parkinson's Disease After External Focus of Attention Exercise? A Single Blind Randomized Controlled Trial. Neurorehabilitation and Neural Repair, 2018, 32, 18-33. | 1.4 | 25 |
| 425 | Balance and fear of falling in subjects with Parkinson's disease is improved after exercises with motor complexity. Gait and Posture, 2018, 61, 90-97. | 0.6 | 56 |
| 426 | Impaired set shifting is associated with previous falls in individuals with and without Parkinson's disease. Gait and Posture, 2018, 62, 220-226. | 0.6 | 26 |
| 427 | A prospective study of falls in relation to freezing of gait and response fluctuations in Parkinson's disease. Parkinsonism and Related Disorders, 2018, 46, 30-35. | 1.1 | 71 |
| 428 | Control of the Motions of the Body's Center of Mass and End-Points of the Lower Limbs in Patients with Mild Parkinson's Disease During Obstacle-Crossing. Journal of Medical and Biological Engineering, 2018, 38, 534-543. | 1.0 | 4 |
| 429 | How tandem gait stumbled into the neurological exam: a review. Neurological Sciences, 2018, 39, 23-29. | 0.9 | 57 |
| 430 | Stepping reaction time and gait adaptability are significantly impaired in people with Parkinson's disease: Implications for fall risk. Parkinsonism and Related Disorders, 2018, 47, 32-38. | 1.1 | 32 |
| 431 | Effectiveness and costs of specialised physiotherapy given via ParkinsonNet: a retrospective analysis of medical claims data. Lancet Neurology, The, 2018, 17, 153-161. | 4.9 | 91 |
| 432 | Comparing Balance Performance on Force Platform Measures in Individuals with Parkinson's Disease and Healthy Adults. Parkinson's Disease, 2018, 2018, 1-12. | 0.6 | 9 |
| 433 | Parkinson disease. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 159, 173-193. | 1.0 | 22 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 435 | Predictors of mobility domain of health-related quality of life after rehabilitation in Parkinson's disease: a pilot study. Archives of Physiotherapy, 2018, 8, 10. | 0.7 | 8 |
| 436 | Postural Dynamics Are Associated With Cognitive Decline in Parkinson's Disease. Frontiers in Neurology, 2018, 9, 1044. | 1.1 | 25 |
| 437 | Assessing Walking Adaptability in Parkinson's Disease: "The Interactive Walkway― Frontiers in Neurology, 2018, 9, 1096. | 1.1 | 21 |
| 438 | Turning Stability in Individuals With Parkinson Disease. Journal of Neurologic Physical Therapy, 2018, 42, 241-247. | 0.7 | 17 |
| 439 | New Insights on Emotional Contributions to Human Postural Control. Frontiers in Neurology, 2018, 9, 789. | 1.1 | 77 |
| 440 | Can Postural Control Asymmetry Predict Falls in People With Parkinson's Disease?. Motor Control, 2018, 22, 449-461. | 0.3 | 11 |
| 441 | Functional Improvements in Parkinson's Disease Following a Randomized Trial of Yoga. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-8. | 0.5 | 26 |
| 442 | Implementation of the HiBalance training program for Parkinson's disease in clinical settings: A feasibility study. Brain and Behavior, 2018, 8, e01021. | 1.0 | 5 |
| 443 | Effect of Fear of Falling on Turning Performance in Parkinson's Disease in the Lab and at Home. Frontiers in Aging Neuroscience, 2018, 10, 78. | 1.7 | 35 |
| 444 | Cranio-Caudal Kinematic Turn Signature Assessed with Inertial Systems As a Marker of Mobility Deficits in Parkinson's Disease. Frontiers in Neurology, 2018, 9, 22. | 1.1 | 8 |
| 445 | Electromyographical Gait Characteristics in Parkinson's Disease: Effects of Combined Physical Therapy and Rhythmic Auditory Stimulation. Frontiers in Neurology, 2018, 9, 211. | 1.1 | 24 |
| 446 | Phase matters: A role for the subthalamic network during gait. PLoS ONE, 2018, 13, e0198691. | 1.1 | 38 |
| 447 | Gait characteristics and falls in Parkinson's disease: A systematic review and meta-analysis. Parkinsonism and Related Disorders, 2018, 57, 1-8. | 1.1 | 109 |
| 448 | Model-based and Model-free Machine Learning Techniques for Diagnostic Prediction and Classification of Clinical Outcomes in Parkinson's Disease. Scientific Reports, 2018, 8, 7129. | 1.6 | 95 |
| 449 | Neurophysiological analysis of the clinical pull test. Journal of Neurophysiology, 2018, 120, 2325-2333. | 0.9 | 7 |
| 450 | Fallers with Parkinson's disease exhibit restrictive trunk control during walking. Gait and Posture, 2018, 65, 246-250. | 0.6 | 23 |
| 451 | Balancing between the two: Are freezing of gait and postural instability in Parkinson's disease connected?. Neuroscience and Biobehavioral Reviews, 2018, 94, 113-125. | 2.9 | 46 |
| 452 | Awareness and current knowledge of Parkinson's disease: a neurodegenerative disorder. International Journal of Neuroscience, 2019, 129, 55-93. | 0.8 | 57 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 453 | Older Adults With Dizziness., 2019, , 237-254. | | 0 |
| 454 | Effects of a ballet intervention on trunk coordination and range of motion during gait in people with Parkinson's. Cogent Medicine, 2019, 6, 1583085. | 0.7 | 2 |
| 455 | Falls in Parkinson's Disease Subtypes: Risk Factors, Locations and Circumstances. International Journal of Environmental Research and Public Health, 2019, 16, 2216. | 1.2 | 104 |
| 456 | Executive Functioning, Muscle Power and Reactive Balance Are Major Contributors to Gait Adaptability in People With Parkinson's Disease. Frontiers in Aging Neuroscience, 2019, 11, 154. | 1.7 | 14 |
| 457 | Exercise for Parkinson's disease. International Review of Neurobiology, 2019, 147, 1-44. | 0.9 | 47 |
| 458 | High incidence of falls in patients with myotonic dystrophy type 1 and 2: A prospective study. Neuromuscular Disorders, 2019, 29, 758-765. | 0.3 | 10 |
| 459 | Effect of Parkinson's disease on primary total joint arthroplasty outcomes: A meta-analysis of matched control studies. International Journal of Surgery, 2019, 71, 124-131. | 1.1 | 12 |
| 460 | Neuropsychiatric aspects of Parkinson disease psychopharmacology: Insights from circuit dynamics. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2019, 165, 83-121. | 1.0 | 12 |
| 461 | Gait Disorders Questionnaire–Promising Tool for Virtual Reality Designing in Patients With Parkinson's Disease. Frontiers in Neurology, 2019, 10, 1024. | 1.1 | 3 |
| 462 | Virtual Reality Rehabilitation Versus Conventional Physical Therapy for Improving Balance and Gait in Parkinson's Disease Patients: A Randomized Controlled Trial. Medical Science Monitor, 2019, 25, 4186-4192. | 0.5 | 133 |
| 463 | Deactivation of somatosensory and visual cortices during vestibular stimulation is associated with older age and poorer balance. PLoS ONE, 2019, 14, e0221954. | 1.1 | 15 |
| 464 | Antagonist muscle activity during reactive balance responses is elevated in Parkinson's disease and in balance impairment. PLoS ONE, 2019, 14, e0211137. | 1.1 | 36 |
| 465 | Multi-task prioritization during the performance of a postural–manual and communication task. Experimental Brain Research, 2019, 237, 927-938. | 0.7 | 3 |
| 466 | Vestibular heading perception in Parkinson's disease. Progress in Brain Research, 2019, 249, 307-319. | 0.9 | 13 |
| 467 | Trial-by-trial source-resolved EEG responses to gait task challenges predict subsequent step adaptation. Neurolmage, 2019, 199, 691-703. | 2.1 | 25 |
| 468 | Lower Limb Rigidity Is Associated with Frequent Falls in Parkinson's Disease. Movement Disorders Clinical Practice, 2019, 6, 446-451. | 0.8 | 8 |
| 469 | Systematic review of the pharmacoeconomics of Parkinson disease medications. Expert Opinion on Pharmacotherapy, 2019, 20, 1659-1670. | 0.9 | 6 |
| 470 | Gait events during turning can be detected using kinematic features originally proposed for the analysis of straight-line walking. Journal of Biomechanics, 2019, 91, 69-78. | 0.9 | 23 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 471 | Responses to anterior and posterior perturbations in Parkinson's disease with early postural instability: role of axial and limb rigidity. Experimental Brain Research, 2019, 237, 1853-1867. | 0.7 | 10 |
| 472 | Effect of Parkinson's Disease on Hemiarthroplasty Outcomes AfterÂFemoral Neck Fractures. Journal of Arthroplasty, 2019, 34, 1695-1699.e1. | 1.5 | 9 |
| 473 | Utility of center of pressure measures during obstacle crossing in prediction of fall risk in people with Parkinson's disease. Human Movement Science, 2019, 66, 1-8. | 0.6 | 13 |
| 474 | Sit-to-walk performance in Parkinson's disease: A comparison between faller and non-faller patients. Clinical Biomechanics, 2019, 63, 140-146. | 0.5 | 22 |
| 475 | Feasibility of Home-Based Automated Assessment of Postural Instability and Lower Limb Impairments in Parkinson's Disease. Sensors, 2019, 19, 1129. | 2.1 | 37 |
| 476 | Chronic neurological disorders and related comorbidities: Role of age-associated physiological changes. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2019, 167, 105-122. | 1.0 | 7 |
| 477 | Early Postural Instability in Parkinson's Disease: A Biomechanical Analysis of the Pull Test. Parkinson's Disease, 2019, 2019, 1-11. | 0.6 | 12 |
| 478 | Wearable-Sensor-based Detection and Prediction of Freezing of Gait in Parkinson's Disease: A Review. Sensors, 2019, 19, 5141. | 2.1 | 110 |
| 479 | The effect of balance training with Tetra-ataxiometric posturography on balance function in patients with parkinsonism. NeuroRehabilitation, 2019, 45, 379-384. | 0.5 | 2 |
| 480 | Normal and pathological neuronal distribution of the human mesencephalic locomotor region. Movement Disorders, 2019, 34, 218-227. | 2.2 | 26 |
| 481 | The minimum clinically important difference (MCID) for a falls intervention in Parkinson's: A delphi study. Parkinsonism and Related Disorders, 2019, 61, 106-110. | 1.1 | 15 |
| 482 | Factors to Consider in the Selection of Dopamine Agonists for Older Persons with Parkinson's Disease. Drugs and Aging, 2019, 36, 189-202. | 1.3 | 29 |
| 483 | Mobility related physical and functional losses due to aging and disease - a motivation for lower limb exoskeletons. Journal of NeuroEngineering and Rehabilitation, 2019, 16, 2. | 2.4 | 109 |
| 484 | Influence of Parkinson's Disease on Judging Stair Step Height: Exploratory Study. Perceptual and Motor Skills, 2019, 126, 106-118. | 0.6 | 1 |
| 485 | Effects of a ballet-based dance intervention on gait variability and balance confidence of people with Parkinsonâ \in TM s. Arts and Health, 2019, 11, 133-146. | 0.6 | 12 |
| 486 | How and why is turning affected by Parkinson disease?. , 2020, , 123-138. | | 0 |
| 487 | Impact of dual-tasking on mobility tasks in Parkinson's disease as described through 2D kinematic analysis. Aging Clinical and Experimental Research, 2020, 32, 835-840. | 1.4 | 8 |
| 488 | Predicting falls in people with Parkinson's disease: impact of methodological approaches on predictors identified. Aging Clinical and Experimental Research, 2020, 32, 1057-1066. | 1.4 | 5 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 489 | Homeâ€Based Monitoring of Falls Using Wearable Sensors in Parkinson's Disease. Movement Disorders, 2020, 35, 109-115. | 2.2 | 70 |
| 490 | The Transition from Standing to Walking Is Affected in People with Parkinson's Disease and Freezing of Gait. Journal of Parkinson's Disease, 2020, 10, 233-243. | 1.5 | 7 |
| 491 | Perception of whole-body motion during balance perturbations is impaired in Parkinson's disease and is associated with balance impairment. Gait and Posture, 2020, 76, 44-50. | 0.6 | 6 |
| 492 | Improving motor performance in Parkinson's disease: a preliminary study on the promising use of the computer assisted virtual reality environment (CAREN). Neurological Sciences, 2020, 41, 933-941. | 0.9 | 20 |
| 493 | Differentiating Parkinson Disease Subtypes Using Clinical Balance Measures. Journal of Neurologic Physical Therapy, 2020, 44, 34-41. | 0.7 | 9 |
| 494 | Effects of a Smartphone-Based Wearable Telerehabilitation System for In-Home Dynamic Weight-Shifting Balance Exercises by Individuals with Parkinson's Disease. , 2020, 2020, 5678-5681. | | 3 |
| 495 | Restricted Arm Swing in People With Parkinson's Disease Decreases Step Length and Time on Destabilizing Surfaces. Frontiers in Neurology, 2020, 11, 873. | 1.1 | 9 |
| 496 | Turning Detection During Gait: Algorithm Validation and Influence of Sensor Location and Turning Characteristics in the Classification of Parkinson's Disease. Sensors, 2020, 20, 5377. | 2.1 | 22 |
| 497 | Innovative Parkinson's Disease Patients' Motor Skills Assessment: The i-PROGNOSIS Paradigm. Frontiers in Computer Science, 2020, 2, . | 1.7 | 11 |
| 498 | Health anxiety and illness-related fears across diverse chronic illnesses: A systematic review on conceptualization, measurement, prevalence, course, and correlates. PLoS ONE, 2020, 15, e0234124. | 1.1 | 67 |
| 499 | A conceptual method for developing a Torso Assisted Orthopedic Support Brace (TAOSB) device for people with spinal deformities. IOP Conference Series: Materials Science and Engineering, 2020, 788, 012025. | 0.3 | 1 |
| 500 | Dual mobility system. The French solution in elderly patients with intracapsular hip fracture and high risk of dislocation. Revista Española De CirugÃa Ortopédica Y TraumatologÃa, 2020, 64, 335-341. | 0.1 | 0 |
| 501 | Reliability and validity of Persian versions of Mini-BESTest and Brief-BESTest in persons with Parkinson's disease. Physiotherapy Theory and Practice, 2020, , 1-9. | 0.6 | 9 |
| 502 | Has Deep Brain Stimulation Changed the Very Longâ€Term Outcome of Parkinson's Disease? A Controlled Longitudinal Study. Movement Disorders Clinical Practice, 2020, 7, 782-787. | 0.8 | 11 |
| 503 | Dance and Parkinson's: Biological perspective and rationale. Lifestyle Medicine, 2020, 1, e15. | 0.3 | 1 |
| 504 | People With Parkinson's Disease Exhibit Reduced Cognitive and Motor Cortical Activity When Undertaking Complex Stepping Tasks Requiring Inhibitory Control. Neurorehabilitation and Neural Repair, 2020, 34, 1088-1098. | 1.4 | 21 |
| 505 | Digital Biomarkers of Mobility in Parkinson's Disease During Daily Living. Journal of Parkinson's Disease, 2020, 10, 1099-1111. | 1.5 | 40 |
| 506 | Absent Arm Swing and Dual Tasking Decreases Trunk Postural Control and Dynamic Balance in People With Parkinson's Disease. Frontiers in Neurology, 2020, 11, 213. | 1.1 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 507 | Postoperative outcomes after total hip arthroplasty in patients with Parkinson disease. Medicine (United States), 2020, 99, e20018. | 0.4 | 1 |
| 508 | Parkinson's disease and hip fractures: Are complications and mortality rates increased?. European Journal of Orthopaedic Surgery and Traumatology, 2020, 30, 1083-1088. | 0.6 | 3 |
| 509 | A Novel Framework of Two Successive Feature Selection Levels Using Weight-Based Procedure for Voice-Loss Detection in Parkinson's Disease. IEEE Access, 2020, 8, 76193-76203. | 2.6 | 22 |
| 510 | Brain metabolic alterations herald falls in patients with Parkinson's disease. Annals of Clinical and Translational Neurology, 2020, 7, 579-583. | 1.7 | 9 |
| 511 | Variance of the Gait Parameters and Fraction of Double-Support Interval for Determining the Severity of Parkinson's Disease. Applied Sciences (Switzerland), 2020, 10, 577. | 1.3 | 10 |
| 512 | High-Specificity Digital Architecture for Real-Time Recognition of Loss of Balance Inducing Fall. Sensors, 2020, 20, 769. | 2.1 | 4 |
| 513 | Assessing the Relationship between the Enhanced Gait Variability Index and Falls in Individuals with Parkinson's Disease. Parkinson's Disease, 2020, 2020, 1-5. | 0.6 | 5 |
| 514 | Effects of a core stabilization training program on balance ability in persons with Parkinson's disease: a randomized controlled trial. Clinical Rehabilitation, 2020, 34, 764-772. | 1.0 | 7 |
| 515 | The Effects of Augmented Reality Visual Cues on Turning in Place in Parkinson's Disease Patients With Freezing of Gait. Frontiers in Neurology, 2020, 11, 185. | 1.1 | 27 |
| 516 | Balance and Dizziness Disorders in the Elderly: a Review. Current Otorhinolaryngology Reports, 2020, 8, 198-207. | 0.2 | 3 |
| 517 | Comparison of the effect of whole-body vibration therapy versus conventional therapy on functional balance of patients with Parkinson's disease: adding a mixed group. Acta Neurologica Belgica, 2021, 121, 721-728. | 0.5 | 9 |
| 518 | Using machine learning-based analytics of daily activities to identify modifiable risk factors for falling in Parkinson's disease. Parkinsonism and Related Disorders, 2021, 82, 77-83. | 1.1 | 3 |
| 519 | Severityâ€Dependent Effects of Parkinson's Disease on Perception of Visual and Vestibular Heading. Movement Disorders, 2021, 36, 360-369. | 2.2 | 12 |
| 520 | Fractures in Parkinson's Disease: injury patterns, hospitalization, and therapeutic aspects. European Journal of Trauma and Emergency Surgery, 2021, 47, 573-580. | 0.8 | 17 |
| 521 | A scoping review of the nature of physiotherapists' role to avoid fall in people with Parkinsonism. Neurological Sciences, 2021, 42, 3733-3748. | 0.9 | 6 |
| 522 | Acceleration Gait Measures as Proxies for Motor Skill of Walking: A Narrative Review. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, 29, 249-261. | 2.7 | 20 |
| 523 | A vicious cycle of fear of falling avoidance behavior in Parkinson's disease: A path analysis. Clinical Parkinsonism & Related Disorders, 2021, 4, 100089. | 0.5 | 12 |
| 524 | Extrinsic and Behavioral Fall Risk Factors in People With Parkinson's Disease: An Integrative Review. Rehabilitation Nursing, 2021, 46, 3-10. | 0.3 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 525 | Cognitive Behavioral Therapy for Anxiety in Parkinson $\hat{E}^{1/4}$ s Disease: A Randomized Controlled Trial. Movement Disorders, 2021, 36, 2539-2548. | 2.2 | 26 |
| 526 | Center of pressure responses to unpredictable external perturbations indicate low accuracy in predicting fall risk in people with Parkinson's disease. European Journal of Neuroscience, 2021, 53, 2901-2911. | 1.2 | 7 |
| 527 | Continuous home monitoring of Parkinson's disease using inertial sensors: A systematic review. PLoS ONE, 2021, 16, e0246528. | 1.1 | 50 |
| 528 | Comparison of forward and backward postural perturbations in mild-to-moderate Parkinson's disease. Gait and Posture, 2021, 84, 205-208. | 0.6 | 3 |
| 529 | L1-Norm DVM ve Ki-Kare Tabanlı Öznitelik Seçme Algoritmaları ile Parkinson Hastalığının Konuşma Sinyalleri Üzerinden Saptanması. International Journal of Pure and Applied Sciences, 0, , . | 0.3 | 1 |
| 530 | Anxiety in Parkinson's Disease. , 2021, , 139-156. | | 0 |
| 531 | Gait phase triggered deep brain stimulation in Parkinson's disease. Brain Stimulation, 2021, 14, 420-422. | 0.7 | 11 |
| 532 | Preditor de qualidade de vida em indivÃduos com doença de Parkinson moderada. Revista Brasileira De Educação FÃsica E Esporte: RBEFE, 2021, 35, 15-24. | 0.1 | 1 |
| 533 | Establishing content validity for a composite activities-specific risk of falls scale:linkage between fear of falling and physical activity. BMC Geriatrics, 2021, 21, 275. | 1.1 | 2 |
| 534 | Recovery of dynamic stability during slips unaffected by arm swing in people with Parkinson's Disease. PLoS ONE, 2021, 16, e0249303. | 1.1 | 6 |
| 536 | Golf as a Physical Activity to Potentially Reduce the Risk of Falls in Older Adults with Parkinson's Disease. Sports, 2021, 9, 72. | 0.7 | 8 |
| 537 | Abnormal center of mass feedback responses during balance: A potential biomarker of falls in Parkinson's disease. PLoS ONE, 2021, 16, e0252119. | 1.1 | 21 |
| 538 | Subthalamic deep brain stimulation affects heading perception in Parkinson's disease. Journal of Neurology, 2022, 269, 253-268. | 1.8 | 6 |
| 539 | Improvements in clinical signs of Parkinson's disease using photobiomodulation: a prospective proof-of-concept study. BMC Neurology, 2021, 21, 256. | 0.8 | 50 |
| 540 | Integrating Haptic Feedback into a Virtual Reality Mobility Training Game for People with Parkinson's Disease. , 2021, , . | | 2 |
| 541 | Cemented versus uncemented hemiarthroplasty for femoral neck fractures in patients with neuromuscular diseases: a minimum of 2 years' follow-up study. Journal of Orthopaedic Surgery and Research, 2021, 16, 418. | 0.9 | 4 |
| 542 | Managing Advanced Parkinson Disease. Journal of Geriatric Psychiatry and Neurology, 2021, 34, 289-300. | 1.2 | 3 |
| 543 | Objective Measurement of Walking Activity Using Wearable Technologies in People with Parkinson Disease: A Systematic Review Protocol. Biomedicine Hub, 2021, 6, 64-68. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 544 | Inertial Measurement Units for Gait Analysis of Parkinson's Disease Patients. Series in Bioengineering, 2022, , 79-104. | 0.3 | 0 |
| 545 | "Going Backward†Effects of age and fatigue on posterior-directed falls in Parkinson disease. NeuroRehabilitation, 2021, 49, 151-159. | 0.5 | 1 |
| 546 | Does visuospatial motion perception correlate with coexisting movement disorders in Parkinson's disease?. Journal of Neurology, 2022, 269, 2179-2192. | 1.8 | 6 |
| 547 | High satisfaction and improved quality of life with Rock Steady Boxing in Parkinson's disease: results of a large-scale survey. Disability and Rehabilitation, 2022, 44, 6034-6041. | 0.9 | 5 |
| 548 | Assessing the impact of dual-task reactive step practice in people with Parkinson's disease: A feasibility study. Human Movement Science, 2021, 80, 102876. | 0.6 | 7 |
| 549 | Impact of Physiotherapy Absence in COVID-19 Pandemic on Neurological State of Patients With Parkinson Disease. Topics in Geriatric Rehabilitation, 2021, 37, 50-55. | 0.2 | 7 |
| 550 | Falls in Parkinson's Disease and Lewy Body Dementia. , 2020, , 191-210. | | 1 |
| 551 | Effects of Physical Activity on Walking in Individuals with Parkinson's Disease. , 2017, , 177-193. | | 1 |
| 552 | Postural Control and Somatosensory Information: Effects of Aging and Parkinson's Disease. , 2017, , 307-322. | | 2 |
| 553 | PPN Stimulation for Parkinson's Disease. , 2009, , 1649-1663. | | 2 |
| 554 | We only treat what it occurs to us to assess: the importance of knowledge-based assessment. , 2005, , 15-48. | | 8 |
| 555 | Parkinson-Syndrom. , 2013, , 207-233. | | 1 |
| 556 | Interaction between cognition and gait in patients with Parkinson's disease. , 2015, , 91-110. | | 1 |
| 559 | Automated Classification of Postural Control for Individuals With Parkinson's Disease Using a Machine Learning Approach: A Preliminary Study. Journal of Applied Biomechanics, 2020, 36, 334-339. | 0.3 | 4 |
| 560 | Relationship of Falls and Fear of Falling to Activity Limitations and Physical Inactivity in Parkinson's Disease. Journal of Aging and Physical Activity, 2015, 23, 187-193. | 0.5 | 4 |
| 562 | Predicting Falls in Parkinson Disease: What Is the Value of Instrumented Testing in OFF Medication State?. PLoS ONE, 2015, 10, e0139849. | 1.1 | 34 |
| 563 | Use of Fall-Risk Inducing Drugs in Patients Using Anti-Parkinson Drugs (APD): A Swedish Register-Based Study. PLoS ONE, 2016, 11, e0161246. | 1.1 | 7 |
| 564 | Predictive validity of the gait scale in the Performance Oriented Mobility Assessment for stroke survivors: a retrospective cohort study. Physical Therapy Rehabilitation Science, 2016, 5, 1-8. | 0.1 | 3 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 565 | Falls and Physical Injuries in Patients With Parkinson's Disease. Journal of Movement Disorders, 2008, 1, 13-18. | 0.7 | 1 |
| 566 | Falling among people with Parkinson's disease: motor, non-motor, or both?. Arquivos De Neuro-Psiquiatria, 2019, 77, 759-760. | 0.3 | 3 |
| 567 | Age-associated striatal dopaminergic denervation and falls in community-dwelling subjects. Journal of Rehabilitation Research and Development, 2009, 46, 1045. | 1.6 | 31 |
| 568 | Obstacle crossing among people with Parkinson disease is influenced by concurrent music. Journal of Rehabilitation Research and Development, 2010, 47, 225. | 1.6 | 17 |
| 569 | Construct Validity and Test-Retest Reliability of Survey of Activities and Fear of Falling in the Elderly Among Iranian Patients With Parkinson Disease. Middle East Journal of Rehabilitation and Health Studies, 2016, 3, . | 0.1 | 3 |
| 570 | Advances in Therapeutic Options for Gait and Balance in Parkinson's Disease. US Neurology, 2011, 07, 100. | 0.2 | 17 |
| 571 | Computer Vision Methods for Parkinsonian Gait Analysis: A Review on Patents. Recent Patents on Biomedical Engineering, 2013, 6, 97-108. | 0.5 | 8 |
| 572 | On the nature of fear of falling in Parkinson's disease. Behavioural Neurology, 2011, 24, 219-28. | 1.1 | 45 |
| 573 | The Association Between Balance, Fear of Falling and Daily Activities in Drug Phases and Different Levels of Disease Severity in Patients With Parkinson's Disease. Basic and Clinical Neuroscience, 2019, 10, 355-362. | 0.3 | 11 |
| 575 | Correlação entre equilÃbrio e incidência de quedas em pacientes portadores de doença de Parkinson. Revista Neurociencias, 2011, 19, 237-243. | 0.0 | 5 |
| 576 | Falls in Parkinson Disease: The Relevance of Short Steps. Journal of Novel Physiotherapies, 2014, 04, . | 0.1 | 2 |
| 577 | Parkinson's disease and the bones. Swiss Medical Weekly, 2011, 141, w13154. | 0.8 | 21 |
| 578 | Effects of Alexander-Based Corrective Techniques on Forward Flexed Posture, Risk of Fall, and Fear of Falling in Idiopathic Parkinson's Disease. Archives of Neuroscience, 2018, 5, . | 0.1 | 6 |
| 579 | A Selective Corrective Exercise to Decrease Falling and Improve Functional Balance in Idiopathic Parkinson's Disease. Trauma Monthly, 2016, 21, e23573. | 0.2 | 14 |
| 580 | People in early stages of Parkinson's disease are able to intentionally reweight the use of visual information for postural control. PeerJ, 2020, 8, e8552. | 0.9 | 4 |
| 581 | Neurological Rehabilitation of Parkinson's Disease. , 0, , . | | 0 |
| 582 | Progressive Central Nervous System Disorders. , 2007, , 436-472. | | 1 |
| 587 | Postural Control While Sitting and Its Association with Risk of Falls in Patients with Parkinson's Disease., 0,,. | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----------------------|--------------------|
| 588 | Sleep Disorders in Parkinson's Disease and Parkinsonian Syndromes. , 2012, , 330-344. | | 0 |
| 589 | Vestibular Dysfunction. , 2013, , 365-376. | | O |
| 590 | Factors Affecting Bone Mineral Density of the Femur in Parkinson's Disease Patients. Journal of Muscle and Joint Health, 2012, 19, 350-361. | 0.4 | 0 |
| 591 | Basal ganglia disorders. , 2013, , 601-630. | | 5 |
| 592 | Physical and occupational therapy., 2013,, 520-538. | | 0 |
| 594 | Biomechanical Analysis of Gait Adaptability in Parkinson's Disease. The Open Rehabilitation Journal, 2013, 6, 49-58. | 0.8 | 0 |
| 595 | Immediate positive effects of physical therapy on gait disturbance in patients with parkinson's disease. Physical Therapy and Rehabilitation, $2014, 1, 5$. | 0.3 | 0 |
| 597 | Parkinson-Syndrom., 2015, , 77-102. | | 3 |
| 598 | Concurrent and Discriminative Validity of the Mini Balance Evaluation Systems Test (miniBESTest) in People with Parkinson's Disease. Indian Journal of Physical Medicine and Rehabilitation, 2015, 26, 43-48. | 0.1 | 0 |
| 600 | Predicting Falls in Parkinson Disease Patients. Archives of Neuroscience, 2016, 3, . | 0.1 | 2 |
| 601 | Effects of Aerobic Exercise on Disease Severity and Walking Ability in Patients with Parkinson's Disease. The Journal of Korean Physical Therapy, 2016, 28, 227-231. | 0.1 | 2 |
| 604 | Safety Predictors in Performance of Activities of Daily Living in Patients with Parkinson's Disease. Middle East Journal of Rehabilitation and Health Studies, 2017, 5, . | 0.1 | O |
| 605 | Head and Neck Jerks and Tremor., 2018,, 507-523. | | 0 |
| 609 | Effect of Using Staples on Early Functional and Surgical Outcomes in Anterior Vertebral Body Tethering. Ergoterapi Ve Rehabilitasyon Dergisi, 0, , 117-124. | 0.1 | 1 |
| 610 | Short-Term Outcomes of Deep Brain Stimulation of the Subthalamic Nucleus in Patients with Parkinson's Disease - Pilot Study. Journal of Neurological Research and Therapy, 2018, 2, 9-14. | 0.2 | 3 |
| 614 | Đ¡ÑƒÑ‡Đ°ÑĐ½Đ¸Đ¹ Đ¿Đ¾Đ³Đ»ÑĐ´Đ½Đ° ĐºĐ¾Ñ€ĐµĐ°Ñ†Ñ–ÑŽ Đ¿Đ¾ÑÑ,ÑƒÑ€Đ°Đ»ÑŒĐ½Đ¾Ñ— ĐỊ | ⁄2еÑ Ñ,Ñ ⊕Đ¹Đº | Đ ¾ ÑÑ,Ñ– E |
| 615 | Functional gait assessment in early and advanced Parkinson's disease. Egyptian Journal of Neurology, Psychiatry and Neurosurgery, 2021, 57, . | 0.4 | 3 |
| 616 | Development of a Parkinson's disease specific falls questionnaire. BMC Geriatrics, 2021, 21, 614. | 1.1 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 617 | Cortical activation during gait adaptability in people with Parkinson's disease. Gait and Posture, 2022, 91, 247-253. | 0.6 | 8 |
| 618 | Non-Immersive Virtual Reality to Improve Balance and Reduce Risk of Falls in People Diagnosed with Parkinson's Disease: A Systematic Review. Brain Sciences, 2021, 11, 1435. | 1.1 | 14 |
| 619 | TEMPORAL AND FRACTAL BEHAVIOR OF THE CENTER OF PRESSURE IN PARKINSONIAN AND HEALTHY ELDERLY COHORTS DURING QUIET STANDING. Journal of Mechanics in Medicine and Biology, 2020, 20, 2040036. | 0.3 | 0 |
| 620 | Terapia de Ai chi para el tratamiento del equilibrio y la prevención de las caÃdas. Revista De Investigación En Actividades Acuáticas, 2020, 4, 27-35. | 0.0 | 0 |
| 621 | Progression of motor symptoms in Parkinson's disease., 2020,, 267-281. | | 0 |
| 622 | Pedunculopontine and Cuneiform Nuclei Deep Brain Stimulation for Severe Gait and Balance Disorders in Parkinson's Disease: Interim Results from a Randomized Double-Blind Clinical Trial. Journal of Parkinson's Disease, 2022, 12, 639-653. | 1.5 | 6 |
| 623 | Effect of clinical Pilates training on balance and postural control in patients with Parkinson's disease: a randomized controlled trial. Journal of Comparative Effectiveness Research, 2021, 10, 1373-1383. | 0.6 | 5 |
| 624 | Coexistent Osteoarthritis and Parkinson's Disease: Data from the Parkinson's Foundation Outcomes Project. Journal of Parkinson's Disease, 2020, 10, 1601-1610. | 1.5 | 3 |
| 625 | COMPARISON OF STATIC POSTURAL BALANCE IN PATIENTS WITH SWEDDS AND PARKINSON'S DISEASE. Journal of Mechanics in Medicine and Biology, 2020, 20, 2040013. | 0.3 | 7 |
| 627 | Sistema de doble movilidad. La solución francesa en pacientes añosos con fractura intracapsular de cadera y alto riesgo de luxación. Revista Española De CirugÃa Ortopédica Y TraumatologÃa, 2020, 64, 335-341. | 0.1 | 0 |
| 628 | Relationships Between Sensorimotor Inhibition and Mobility in Older Adults With and Without Parkinson's Disease. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 630-637. | 1.7 | 6 |
| 630 | Dance as therapy for individuals with Parkinson disease. European Journal of Physical and Rehabilitation Medicine, 2009, 45, 231-8. | 1.1 | 140 |
| 633 | The association between fear of falling and quality of life for balance impairments based on hip and ankle strategies in the drug On- and Off-phase of patients with idiopathic Parkinson' disease. Medical Journal of the Islamic Republic of Iran, 2016, 30, 453. | 0.9 | 5 |
| 635 | Clinical Usefulness of Retropulsion Tests in Persons with Mild to Moderate Parkinson's Disease. International Journal of Environmental Research and Public Health, 2021, 18, 12325. | 1.2 | 1 |
| 636 | Effect of Fear of Falling on Mobility Measured During Lab and Daily Activity Assessments in Parkinson's Disease. Frontiers in Aging Neuroscience, 2021, 13, 722830. | 1.7 | 7 |
| 637 | Fear of Falling: An Independent Factor Affecting Health-Related Quality of Life in Patients with Parkinson's Disease. Neurology India, 2021, 69, 643. | 0.2 | 3 |
| 638 | Parkinson's Disease Subtyping Using Clinical Features and Biomarkers: Literature Review and Preliminary Study of Subtype Clustering. Diagnostics, 2022, 12, 112. | 1.3 | 12 |
| 639 | An update on falls. Current Opinion in Neurology, 2003, 16, 15-26. | 1.8 | 76 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 640 | Modelling falls in Parkinson's disease and normal ageing in mice using a complex motor task. Brain and Neuroscience Advances, 2022, 6, 239821282210887. | 1.8 | 0 |
| 641 | A theoretical framework for addressing fear of falling avoidance behavior in Parkinson's disease. Physiotherapy Theory and Practice, 2023, 39, 895-911. | 0.6 | 8 |
| 642 | Benefits of Tango Therapy in Alleviating the Motor and Non-Motor Symptoms of Parkinson's Disease Patients—A Narrative Review. Brain Sciences, 2022, 12, 448. | 1.1 | 5 |
| 643 | The Microsoft HoloLens 2 Provides Accurate Measures of Gait, Turning, and Functional Mobility in Healthy Adults. Sensors, 2022, 22, 2009. | 2.1 | 11 |
| 644 | Dual Task Turning in Place: A Reliable, Valid, and Responsive Outcome Measure of Freezing of Gait. Movement Disorders, 2022, 37, 269-278. | 2.2 | 13 |
| 645 | Recalled Number of Falls in the Past Yearâ€"Combined With Perceived Mobilityâ€"Predicts the Incidence of Future Falls in Unilateral Lower Limb Prosthesis Users. Physical Therapy, 2022, 102, . | 1.1 | 5 |
| 646 | Predicting Fall Counts Using Wearable Sensors: A Novel Digital Biomarker for Parkinson's Disease. Sensors, 2022, 22, 54. | 2.1 | 9 |
| 654 | An Activity Recognition Framework for Continuous Monitoring of Non-Steady-State Locomotion of Individuals with Parkinson's Disease. Applied Sciences (Switzerland), 2022, 12, 4682. | 1.3 | 6 |
| 655 | Review of Active Extracorporeal Medical Devices to Counteract Freezing of Gait in Patients with Parkinson Disease. Healthcare (Switzerland), 2022, 10, 976. | 1.0 | 1 |
| 656 | Objective Quantification of Responses to the Clinical Pull-Test in People with Parkinson's Disease. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 657 | Interventions for preventing falls in Parkinson's disease. The Cochrane Library, 2022, 2022, . | 1.5 | 19 |
| 658 | Real-World Stair Ambulation Characteristics Differ Between Prospective Fallers and Non-Fallers in Parkinson's Disease. IEEE Journal of Biomedical and Health Informatics, 2022, 26, 4733-4742. | 3.9 | 4 |
| 659 | Gait biofeedback training in people with Parkinson's disease: a pilot study. Journal of NeuroEngineering and Rehabilitation, 2022, 19, . | 2.4 | 1 |
| 660 | Systematic review for the prevention and management of falls and fear of falling in patients with Parkinson's disease. Brain and Behavior, 2022, 12, . | 1.0 | 6 |
| 661 | Development and Validation of a Fall Questionnaire for Patients with Parkinson's Disease. Movement Disorders Clinical Practice, 2022, 9, 900-908. | 0.8 | 0 |
| 662 | Primary care for people with Parkinson's disease in Brazil: A referral flowchart based on risk of falls. Frontiers in Public Health, $0,10,10$ | 1.3 | 0 |
| 664 | Mediolateral Postural Control during Gait in Parkinson's Disease. Progress in Rehabilitation Medicine, 2022, 7, n/a. | 0.3 | 0 |
| 665 | An examination of the fall risk classification model in short-term intensive inpatient rehabilitation for elderly patients with Parkinson's disease. Japanese Journal of Geriatrics, 2022, 59, 339-346. | 0.0 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 666 | Fracture risk in Parkinson's disease according to its severity and duration. Osteoporosis International, 2023, 34, 81-89. | 1.3 | 2 |
| 667 | Investigation of the relationship between trunk position sense and balance, functional mobility, fear of falling, and disease stage in Parkinson's disease. Irish Journal of Medical Science, 0, , . | 0.8 | O |
| 668 | A systematic review and meta-analysis on effects of aerobic exercise in people with Parkinson's disease. Npj Parkinson's Disease, 2022, 8, . | 2.5 | 14 |
| 669 | Fall Risk Prediction in Parkinson's Disease Using Real-World Inertial Sensor Gait Data. IEEE Journal of Biomedical and Health Informatics, 2023, 27, 319-328. | 3.9 | 4 |
| 670 | Understanding how people with Parkinson's disease turn in gait from a real-world in-home dataset. Parkinsonism and Related Disorders, 2022, 105, 114-122. | 1.1 | 2 |
| 672 | Performing Dynamic Weight-Shifting Balance Exercises With a Smartphone-Based Wearable Telerehabilitation System for Home Use by Individuals With Parkinson's Disease: A Proof-of-Concept Study. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2023, 31, 456-463. | 2.7 | 3 |
| 673 | Predictors of Falls with Injuries in People with Parkinson's Disease. Movement Disorders Clinical Practice, 0, , . | 0.8 | 0 |
| 675 | The Use of the Static Posturography to Assess Balance Performance in a Parkinson's Disease Population. International Journal of Environmental Research and Public Health, 2023, 20, 981. | 1.2 | 5 |
| 676 | Effects of Oral Levodopa on Balance in People with Idiopathic Parkinson's Disease. Journal of Parkinson's Disease, 2023, 13, 3-23. | 1.5 | 3 |
| 677 | Feasibility and effects of cognitive–motor exergames on fall risk factors in typical and atypical Parkinson's inpatients: a randomized controlled pilot study. European Journal of Medical Research, 2023, 28, . | 0.9 | 6 |
| 678 | The Five Times Sit-to-Stand Test is associated with both history of falls and fear of falling among community adults aged 50Âyears and older. Irish Journal of Medical Science, 0, , . | 0.8 | 3 |
| 679 | Proportion of falls reported in persons with Parkinson's disease: A meta-analysis. Clinical Rehabilitation, 2023, 37, 1260-1277. | 1.0 | 4 |
| 680 | Efficacy of Tai Chi on lower limb function of Parkinsonâ \in TM s disease patients: A systematic review and meta-analysis. Frontiers in Aging Neuroscience, 0, 15, . | 1.7 | 4 |
| 681 | Effects of a rollator on fall prevention in Community-Dwelling people with Parkinson's Disease: A prospective cohort study. Clinical Parkinsonism & Related Disorders, 2023, 8, 100190. | 0.5 | 0 |
| 682 | Freeze of Gait and Fall Detection in Parkinson's Patients. , 2022, , . | | 1 |
| 683 | Anticipatory Postural Adjustments and Compensatory Postural Responses to Multidirectional Perturbations—Effects of Medication and Subthalamic Nucleus Deep Brain Stimulation in Parkinson's Disease. Brain Sciences, 2023, 13, 454. | 1.1 | 2 |
| 684 | Machine Learning Applications in the Study of Parkinson's Disease: A Systematic Review. Current Bioinformatics, 2023, 18, . | 0.7 | 0 |
| 685 | Physiological measures and anatomical correlates of subthalamic deep brain stimulation effect on gait in Parkinson's disease. Journal of the Neurological Sciences, 2023, 449, 120647. | 0.3 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 688 | Classification of Fall Types in Parkinson's Disease from Self-report Data Using Natural Language Processing. Lecture Notes in Computer Science, 2023, , 163-172. | 1.0 | 0 |
| 699 | Symptomatology and Clinical Features of Parkinson's Disease. Advances in Medical Diagnosis, Treatment, and Care, 2023, , 14-24. | 0.1 | 1 |
| 704 | Imbalance and gait impairment in Parkinson's disease: discussing postural instability and ataxia. Neurological Sciences, 0, , . | 0.9 | 0 |
| 705 | Prognostic factors for falls in Parkinson's disease: a systematic review. Acta Neurologica Belgica, 0, , | 0.5 | 0 |