

# CITATION REPORT

List of articles citing

## Hydrogen from hydrocarbon fuels for fuel cells

DOI: 10.1016/s0360-3199(00)00097-5

International Journal of Hydrogen Energy, 2001, 26, 291-301.

**Source:** <https://exaly.com/paper-pdf/32924189/citation-report.pdf>

**Version:** 2024-04-18

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
627	Review of fuel processing catalysts for hydrogen production in PEM fuel cell systems. <b>2002</b> , 6, 389-399		577
626	Autothermal Reforming Catalyst Development for Fuel Cell Applications. <b>2002</b> ,		0
625	Activity and characterization of Cu/Zn, Cu/Cr and Cu/Zr on Alumina for methanol reforming for fuel cell vehicles. <b>2002</b> , 234, 111-125		135
624	Enhancement of CO oxidation by use of H <sub>2</sub> -selective membranes impregnated with noble-metal catalysts. <i>International Journal of Hydrogen Energy</i> , <b>2002</b> , 27, 339-346	6.7	22
623	High purity hydrogen generator for on-site hydrogen production. <i>International Journal of Hydrogen Energy</i> , <b>2002</b> , 27, 1043-1047	6.7	44
622	Effects of system configuration and operating condition on MCFC system efficiency. <i>Journal of Power Sources</i> , <b>2002</b> , 108, 232-238	8.9	13
621	Metal membrane-type 25-kW methanol fuel processor for fuel-cell hybrid vehicle. <i>Journal of Power Sources</i> , <b>2002</b> , 112, 484-490	8.9	27
620	Water balance in a polymer electrolyte fuel cell system. <i>Journal of Power Sources</i> , <b>2002</b> , 112, 519-530	8.9	35
619	Are Noble Metal-Based Water-Gas Shift Catalysts Practical for Automotive Fuel Processing?. <b>2002</b> , 206, 169-171		145
618	Two-section reactor model for autothermal reforming of methane to synthesis gas. <b>2003</b> , 49, 1827-1837		31
617	Hydrogen production by oxidative methanol reforming on Pd/ZnO catalyst: effects of Pd loading. <b>2003</b> , 87, 247-253		57
616	Cool flame partial oxidation and its role in combustion and reforming of fuels for fuel cell systems. <b>2003</b> , 29, 155-191		99
615	Thermodynamic analysis of hydrogen production by steam reforming. <i>International Journal of Hydrogen Energy</i> , <b>2003</b> , 28, 159-167	6.7	123
614	Optimization of autothermal reactor for maximum hydrogen production. <i>International Journal of Hydrogen Energy</i> , <b>2003</b> , 28, 1369-1377	6.7	60
613	Low-temperature catalytic partial oxidation of hydrocarbons (C <sub>1</sub> -C <sub>10</sub> ) for hydrogen production. <i>International Journal of Hydrogen Energy</i> , <b>2003</b> , 28, 1379-1386	6.7	41
612	Fast start-up reactor for partial oxidation of methane with electrically-heated metallic monolith catalyst. <i>Journal of Power Sources</i> , <b>2003</b> , 124, 76-80	8.9	33
611	Catalytic autothermal reforming of methane and propane over supported metal catalysts. <b>2003</b> , 241, 261-269		217

610	Zinc Oxide Sorbents for the Removal of Hydrogen Sulfide from Syngas. <b>2003</b> , 42, 1688-1697		89
609	Recent Advances in Materials for Fuel Cells. <b>2003</b> , 33, 183-213		611
608	New Material Needs for Hydrocarbon Fuel Processing: Generating Hydrogen for the PEM Fuel Cell. <b>2003</b> , 33, 1-27		255
607	Control of natural gas catalytic partial oxidation for hydrogen generation in fuel cell applications.		13
606	Enhancing Hydrogen Production for Fuel Cell Vehicles by Superposition of Acoustic Fields on the Reformer: A Preliminary Study. <b>2003</b> ,		2
605	Fuel Cell APU for Silent Watch and Mild Electrification of a Medium Tactical Truck. <b>2004</b> ,		10
604	Exhaust-Gas Reforming of Methane to Aid Natural Gas HCCI Combustion: Experimental Results of Open Loop Hydrogen Production and Basic Thermodynamic Analysis. <b>2004</b> , 453		10
603	Hydrogen from stepwise reforming of methane: a process analysis. <b>2004</b> , 147, 103-108		1
602	Novel catalytic reactor for oxidative reforming of methanol. <b>2004</b> , 54, 203-215		22
601	Catalytic exhaust gas fuel reforming for diesel engines?effects of water addition on hydrogen production and fuel conversion efficiency. <i>International Journal of Hydrogen Energy</i> , <b>2004</b> , 29, 1409-1419 <sup>6.7</sup>		54
600	Partial oxidation of methanol for hydrogen production using ITO/Al <sub>2</sub> O <sub>3</sub> nanoparticle catalysts. <b>2004</b> , 261, 77-86		17
599	Low temperature exhaust gas fuel reforming of diesel fuel. <b>2004</b> , 83, 1837-1845		65
598	Thermodynamic analysis of hydrogen production by partial oxidation reforming. <i>International Journal of Hydrogen Energy</i> , <b>2004</b> , 29, 809-816	6.7	88
597	Characterization of kilowatt-scale autothermal reformer for production of hydrogen from heavy hydrocarbons. <i>International Journal of Hydrogen Energy</i> , <b>2004</b> , 29, 1035-1046	6.7	91
596	Modelling and dynamic simulation of a fuel cell system with an autothermal gasoline reformer. <i>Journal of Power Sources</i> , <b>2004</b> , 127, 313-318	8.9	12
595	Combination of autothermal reforming with water-gas-shift reaction—small-scale testing of different water-gas-shift catalysts. <i>Journal of Power Sources</i> , <b>2004</b> , 126, 112-118	8.9	20
594	Stoichiometric analysis of autothermal fuel processing. <i>Journal of Power Sources</i> , <b>2004</b> , 130, 85-94	8.9	29
593	Shortcut model for water-balanced operation in fuel processor fuel cell systems. <i>Journal of Power Sources</i> , <b>2004</b> , 138, 156-161	8.9	6

592	Exhaust gas assisted reforming of rapeseed methyl ester for reduced exhaust emissions of CI engines. <b>2004</b> , 27, 493-505		53
591	Hydrogen production by reforming of iso-octane using spray-pulsed injection and effect of non-thermal plasma. <b>2004</b> , 276, 169-177		37
590	Hydrogen production by oxidative methanol reforming on Pd/ZnO catalyst: effects of the addition of a third metal component. <b>2004</b> , 277, 265-270		31
589	Control-Oriented Model of an Integrated Fuel Cell Stack and Fuel Processor System. <b>2004</b> , 37, 457-462		3
588	Autothermal Reforming of Natural Gas for High-Temperature Fuel Cells. <b>2005</b> , 549		2
587	H <sub>2</sub> production by steam reforming of methanol over Cu/ZnO/Al <sub>2</sub> O <sub>3</sub> catalysts: transient deactivation kinetics modeling. <b>2005</b> , 279, 155-164		79
586	Autothermal reforming of methane over Pt/ZrO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> catalysts. <b>2005</b> , 281, 19-24		98
585	La <sub>0.6</sub> Ni <sub>0.4</sub> O monolithic perovskite catalysts potential for gasoline autothermal reforming system. <b>2005</b> , 281, 233-246		69
584	Hydrogen production by oxidative methanol reforming on Pd/ZnO. <b>2005</b> , 283, 125-135		43
583	Catalytic partial oxidation of methane to syngas over Ca-decorated-Al <sub>2</sub> O <sub>3</sub> -supported Ni and NiB catalysts. <b>2005</b> , 292, 295-304		76
582	Autoreduction of promoted Ni/Al <sub>2</sub> O <sub>3</sub> during autothermal reforming of methane. <i>Journal of Power Sources</i> , <b>2005</b> , 139, 176-181	8.9	37
581	A methodology for thermodynamic simulation of high temperature, internal reforming fuel cell systems. <i>Journal of Power Sources</i> , <b>2005</b> , 142, 160-168	8.9	24
580	Modeling and optimization of catalytic partial oxidation methane reforming for fuel cells. <i>Journal of Power Sources</i> , <b>2005</b> , 142, 184-193	8.9	31
579	Evaluation of the water-gas shift and CO methanation processes for purification of reformat gases and the coupling to a PEM fuel cell system. <i>Journal of Power Sources</i> , <b>2005</b> , 145, 50-54	8.9	52
578	Test of a water-gas-shift reactor on a 3kWe-scale design points for high- and low-temperature shift reaction. <i>Journal of Power Sources</i> , <b>2005</b> , 152, 189-195	8.9	27
577	Conceptual design and selection of a biodiesel fuel processor for a vehicle fuel cell auxiliary power unit. <i>Journal of Power Sources</i> , <b>2005</b> , 145, 683-690	8.9	33
576	Selective low-temperature removal of carbon monoxide from hydrogen-rich fuels over Cu <sub>2</sub> Al catalysts. <i>Journal of Power Sources</i> , <b>2005</b> , 147, 178-183	8.9	41
575	Modelling an experimental methane fuel processor. <i>Journal of Power Sources</i> , <b>2005</b> , 148, 43-53	8.9	25

574	Catalytic autothermal reforming of diesel fuel for hydrogen generation in fuel cells. <i>Journal of Power Sources</i> , <b>2005</b> , 152, 256-263	8.9	87
573	Hydrogen production on NiPdCe/Al <sub>2</sub> O <sub>3</sub> catalyst by partial oxidation and steam reforming of hydrocarbons for potential application in fuel cells. <b>2005</b> , 84, 1926-1932		17
572	Hydrogen synthesis via combustion of fuel-rich natural gas/air mixtures at elevated pressure. <i>International Journal of Hydrogen Energy</i> , <b>2005</b> , 30, 893-902	6.7	19
571	Hydrogen from natural gas: part I—autothermal reforming in an integrated fuel processor. <i>International Journal of Hydrogen Energy</i> , <b>2005</b> , 30, 829-842	6.7	126
570	Use of catalytic reforming to aid natural gas HCCI combustion in engines: experimental and modelling results of open-loop fuel reforming. <i>International Journal of Hydrogen Energy</i> , <b>2005</b> , 30, 1583-1594	6.7	45
569	Syngas formation by selective catalytic oxidation of liquid hydrocarbons in a short contact time adiabatic reactor. <b>2005</b> , 107, 171-179		7
568	Kinetic and modelling study of methane steam reforming over sulfide nickel catalyst on a gamma alumina support. <b>2005</b> , 112, 1-11		106
567	Production of hydrogen over bimetallic PtNi/Al <sub>2</sub> O <sub>3</sub> . <b>2005</b> , 280, 181-188		46
566	A combined thermodynamic/experimental study for the optimisation of hydrogen production by catalytic reforming of isooctane. <b>2005</b> , 281, 75-83		36
565	Effect of Deposition Conditions on Pt-YSZ Cermet Anodes Made by PEVD. <b>2005</b> , 5, 448-454		
564	Modeling of CO <sub>2</sub> -selective water gas shift membrane reactor for fuel cell. <b>2005</b> , 261, 67-75		54
563	Partial oxidation of CH <sub>4</sub> and C <sub>3</sub> H <sub>8</sub> over hexaaluminate-type oxides. <b>2005</b> , 281, 61-67		36
562	Low-temperature activity of Au/CeO <sub>2</sub> for water gas shift reaction, and characterization by ADF-STEM, temperature-programmed reaction, and pulse reaction. <b>2005</b> , 291, 179-187		159
561	Autothermal reforming of n-octane on Ru-based catalysts. <b>2005</b> , 293, 71-82		47
560	Hydrogen production from rich combustion in porous media. <i>International Journal of Hydrogen Energy</i> , <b>2005</b> , 30, 579-592	6.7	110
559	Development of a LPG fuel processor for PEFC systems: Laboratory scale evaluation of autothermal reforming and preferential oxidation subunits. <i>International Journal of Hydrogen Energy</i> , <b>2005</b> , 30, 963-971	6.7	45
558	Selective oxidation of hydrocarbons into synthesis gas at short contact times: Design of monolith catalysts and main process parameters. <b>2005</b> , 46, 227-250		43
557	Production of hydrogen-rich gas via reforming of iso-octane over NiMn and RhCe bimetallic catalysts using spray pulsed reactor. <b>2005</b> , 100, 17-25		13

556	Catalytic partial oxidation of methane to syngas at elevated pressures. <b>2005</b> , 99, 113-117	58
555	Combustion Characteristics and Exhaust Gas Emissions of a Diesel Engine Supplied with Reformed EGR. <b>2005</b> ,	19
554	Micro Structured Fuel Processors for Energy Generation. <b>2005</b> , 281-408	4
553	Thermodynamic Analysis of Production of Hydrogen Using High-Temperature Fuel Cells. <b>2005</b> , 481	1
552	A Thermodynamic Analysis of Electricity and Hydrogen Co-Production Using a Solid Oxide Fuel Cell. <b>2005</b> , 449	
551	Control of natural gas catalytic partial oxidation for hydrogen generation in fuel cell applications. <b>2005</b> , 13, 3-14	40
550	Reaction Profiles during Exhaust-Assisted Reforming of Diesel Engine Fuels. <b>2005</b> , 19, 744-752	32
549	Integrated Fuel Cell Processor for a 5-kW Proton-Exchange Membrane Fuel Cell. <b>2005</b> , 44, 1535-1541	12
548	Optical Evaluation of Fuel Injection and Mixing Processes in a 10kW Fuel Reformer. <b>2006</b> ,	1
547	FUELS: PROCESSING, STORAGE, TRANSMISSION, DISTRIBUTION, AND SAFETY. <b>2006</b> , 375-438	1
546	Autothermal Reforming of Gasoline for Fuel Cell Applications: A Transient Reactor Model. <b>2006</b> , 45, 5841-5858	19
545	Effect of Gas-to-Liquid Diesel Fuels on Combustion Characteristics, Engine Emissions, and Exhaust Gas Fuel Reforming. Comparative Study. <b>2006</b> , 20, 2377-2384	72
544	Zn adsorption on Pd(111): ZnO and PdZn alloy formation. <b>2006</b> , 110, 11391-8	47
543	Hydrogen-Based Technologies for Mobile Applications. <b>2006</b> , 225-272	1
542	Two-Dimensional Dynamic Simulation of Hydrogen Storage in Metal Hydride Tanks. <b>2006</b> , 265	
541	Hydrogen production by oxidative reforming of hexadecane over Ni and Pt catalysts supported on Ce/La-doped Al <sub>2</sub> O <sub>3</sub> . <b>2006</b> , 297, 60-72	102
540	Catalytic autoignition of higher alkane partial oxidation on Rh-coated foams. <b>2006</b> , 299, 30-45	50
539	Performance of Pt/CeO <sub>2</sub> catalyst for propane oxidative steam reforming. <b>2006</b> , 306, 68-77	65

538	Control-oriented model of fuel processor for hydrogen generation in fuel cell applications. <b>2006</b> , 14, 277-293		53
537	Dynamic modeling and control structure design of an experimental fuel processor. <i>International Journal of Hydrogen Energy</i> , <b>2006</b> , 31, 413-426	6.7	25
536	Hydrogen production by oxidative methanol reforming on Pd/ZnO: Catalyst deactivation. <b>2006</b> , 299, 58-65		57
535	Hydrogen production from partial oxidation of iso-octane over Ni/Ce <sub>0.75</sub> Zr <sub>0.25</sub> O <sub>2</sub> and Ni/Al <sub>2</sub> O <sub>3</sub> catalysts. <b>2006</b> , 302, 133-139		6
534	Water-gas shift reaction over Cu/ZnO and Cu/ZnO/Al <sub>2</sub> O <sub>3</sub> catalysts prepared by homogeneous precipitation. <b>2006</b> , 303, 62-71		136
533	Influence of solid acid catalysts on steam reforming and hydrolysis of dimethyl ether for hydrogen production. <b>2006</b> , 304, 40-48		92
532	A gasoline fuel processor designed to study quick-start performance. <i>Journal of Power Sources</i> , <b>2006</b> , 154, 214-222	8.9	29
531	Thermodynamic equilibrium calculations of hydrogen production from the combined processes of dimethyl ether steam reforming and partial oxidation. <i>Journal of Power Sources</i> , <b>2006</b> , 155, 340-352	8.9	51
530	Dimethyl ether (DME) as an alternative fuel. <i>Journal of Power Sources</i> , <b>2006</b> , 156, 497-511	8.9	868
529	Reforming system for co-generation of hydrogen and mechanical work. <i>Journal of Power Sources</i> , <b>2006</b> , 157, 430-437	8.9	9
528	Study of Ce-Pt/Al <sub>2</sub> O <sub>3</sub> for the selective oxidation of CO in H <sub>2</sub> for application to PEFCs: Effect of gases. <i>Journal of Power Sources</i> , <b>2006</b> , 159, 1266-1273	8.9	22
527	Link-up of a bench-scale shift-less gasoline fuel processor to a polymer electrolyte fuel cell. <i>Journal of Power Sources</i> , <b>2006</b> , 159, 1034-1041	8.9	7
526	Experimental analysis of a 2 kWe LPG-based fuel processor for polymer electrolyte fuel cells. <i>Journal of Power Sources</i> , <b>2006</b> , 157, 914-920	8.9	25
525	Start-up strategies of an experimental fuel processor. <i>Journal of Power Sources</i> , <b>2006</b> , 160, 1275-1286	8.9	11
524	Thermodynamic evaluation of methanol steam reforming for hydrogen production. <i>Journal of Power Sources</i> , <b>2006</b> , 161, 87-94	8.9	114
523	Performance comparison of autothermal reforming for liquid hydrocarbons, gasoline and diesel for fuel cell applications. <i>Journal of Power Sources</i> , <b>2006</b> , 163, 538-546	8.9	121
522	Electronic properties of thin Zn layers on Pd(111) during growth and alloying. <b>2006</b> , 600, 78-94		84
521	Kinetic Study of the Steam Reforming of Isobutane Using a Pt-CeO <sub>2</sub> -Al <sub>2</sub> O <sub>3</sub> Catalyst. <b>2006</b> , 106, 41-48		9

520	Effect of oxygen mobility in solid catalyst on transient regimes of catalytic reaction of methane partial oxidation at short contact times. <b>2006</b> , 110, 235-242		4
519	Reforming reactions of acetic acid on nickel catalysts over a wide temperature range. <b>2006</b> , 308, 182-193		197
518	Catalytic partial oxidation of n-tetradecane in the presence of sulfur or polynuclear aromatics: Effects of support and metal. <b>2006</b> , 311, 8-16		70
517	Hydrogen production for fuel cells by autothermal reforming of methane over sulfide nickel catalyst on a gamma alumina support. <i>Journal of Power Sources</i> , <b>2006</b> , 159, 1248-1257	8.9	35
516	Autothermal reforming study of diesel for fuel cell application. <i>Journal of Power Sources</i> , <b>2006</b> , 159, 1288-1290	8.9	95
515	Integrated fuel processor built on autothermal reforming of gasoline: A proof-of-principle study. <i>Journal of Power Sources</i> , <b>2006</b> , 162, 1254-1264	8.9	21
514	Double bed reactor for the simultaneous steam reforming of ethanol and water gas shift reactions. <i>International Journal of Hydrogen Energy</i> , <b>2006</b> , 31, 1204-1209	6.7	34
513	Optimization of Jet-A fuel reforming for aerospace applications. <i>International Journal of Hydrogen Energy</i> , <b>2006</b> , 31, 1066-1078	6.7	23
512	Theoretical analyses of autothermal reforming methanol for use in fuel cell. <b>2006</b> , 20, 864-873		6
511	Microstructural evolution of nickel nanoparticle catalysts supported on gadolinium-doped ceria during autothermal reforming of iso-octane. <b>2006</b> , 35, 814-821		5
510	Exhaust-gas reforming using precious metal catalysts. <b>2006</b> , 65, 201-206		25
509	Synthesis Gas Production from Natural Gas on Supported Pt Catalysts. <b>2006</b> , 15, 21-27		23
508	Production of Hydrogen With Low Carbon Monoxide Formation Via Catalytic Steam Reforming of Methanol. <b>2006</b> , 3, 369-374		10
507	A Thermodynamic Analysis of Electricity and Hydrogen Co-Production Using a Solid Oxide Fuel Cell. <b>2006</b> , 3, 137-143		28
506	5 kWe LPG Hydrogen Generator for Polymer Electrolyte Fuel Cells: Momentum-Based Modeling of an Autothermal Reformer. <b>2007</b> , 4, 210-218		4
505	Performance of a Polymer Electrolyte Membrane Fuel Cell System Fueled With Hydrogen Generated by a Fuel Processor. <b>2007</b> , 4, 435-440		19
504	Theoretical Analysis on the Autothermal Reforming Process of Ethanol as Fuel for a Proton Exchange Membrane Fuel Cell System. <b>2007</b> , 4, 468-473		11
503	Control Design of Ethanol Steam Reforming in Thermal Plasma Reformer. <b>2007</b> ,		2



502	A Reformer Model for Fuel Cell Power Systems. <b>2007</b> ,		1
501	Development of a Novel Metal Monolith Catalyst for Natural Gas Steam Reforming. <b>2007</b> , 46, 9053-9060		25
500	Reforming of Isooctane over Ni/Al <sub>2</sub> O <sub>3</sub> Catalysts for Hydrogen Production: Effects of Catalyst Preparation Method and Nickel Loading. <b>2007</b> , 21, 570-580		22
499	Hydrogen production reactions from carbon feedstocks: fossil fuels and biomass. <b>2007</b> , 107, 3952-91		922
498	Catalytic autothermal reforming of methane: Performance of a kW scale reformer using pure oxygen as oxidant. <b>2007</b> , 318, 54-62		16
497	Autothermal reforming of methanol: Experiments and modeling. <b>2007</b> , 120, 78-89		43
496	Hydrogen generation from methanol oxidation on supported Cu and Pt catalysts: Effects of active phases and supports. <b>2007</b> , 327, 164-172		17
495	Steam reforming of ethanol on supported nickel catalysts. <b>2007</b> , 327, 197-204		123
494	Integrated fuel processors for fuel cell application: A review. <b>2007</b> , 88, 3-22		146
493	Experimental investigation on the effect of natural gas composition on performance of autothermal reforming. <i>International Journal of Hydrogen Energy</i> , <b>2007</b> , 32, 548-556	6.7	25
492	Autothermal reforming of gasoline on Rh-based monolithic catalysts. <i>International Journal of Hydrogen Energy</i> , <b>2007</b> , 32, 981-991	6.7	81
491	Hydrogen or synthesis gas production via the partial oxidation of methane over supported nickel-cobalt catalysts. <i>International Journal of Hydrogen Energy</i> , <b>2007</b> , 32, 725-730	6.7	137
490	Reactor concept for improved heat integration in autothermal methanol reforming. <i>International Journal of Hydrogen Energy</i> , <b>2007</b> , 32, 1806-1810	6.7	16
489	Effect of Cu loading on CeO <sub>2</sub> for hydrogen production by oxidative steam reforming of methanol. <i>International Journal of Hydrogen Energy</i> , <b>2007</b> , 32, 2888-2894	6.7	60
488	Catalytic behavior of ternary Cu/ZnO/Al <sub>2</sub> O <sub>3</sub> systems prepared by homogeneous precipitation in water-gas shift reaction. <b>2007</b> , 275, 130-138		62
487	Perovskite catalysts for the auto-reforming of sulfur containing fuels. <i>Journal of Power Sources</i> , <b>2007</b> , 167, 472-481	8.9	47
486	Hydrogen production by autothermal reforming of sulfur-containing hydrocarbons over re-modified Ni/Sr/ZrO <sub>2</sub> catalysts. <b>2007</b> , 70, 509-514		26
485	Effect of Ru on LaCoO <sub>3</sub> perovskite-derived catalyst properties tested in oxidative reforming of diesel. <b>2007</b> , 73, 247-258		72

484	Thermal sintering studies of an autothermal reforming catalyst. <b>2007</b> , 74, 251-260		12
483	Model-based investigation of a CO preferential oxidation reactor for polymer electrolyte fuel cell systems. <i>International Journal of Hydrogen Energy</i> , <b>2007</b> , 32, 4040-4051	6.7	15
482	Syngas formation from gasoline in adiabatic reactor: Thermodynamic approach and experimental observations. <b>2007</b> , 134, 145-152		5
481	A thermodynamic analysis of natural gas reforming processes for fuel cell application. <b>2007</b> , 62, 5418-5424		19
480	Performance improvement of diesel autothermal reformer by applying ultrasonic injector for effective fuel delivery. <i>Journal of Power Sources</i> , <b>2007</b> , 172, 845-852	8.9	44
479	Selective separation of CO <sub>2</sub> by using novel facilitated transport membrane at elevated temperatures and pressures. <b>2007</b> , 291, 157-164		87
478	Simulation of a fuel reforming system based on catalytic partial oxidation. <i>Journal of Power Sources</i> , <b>2008</b> , 183, 295-302	8.9	6
477	Hydrogen from coal-derived methanol via autothermal reforming processes. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 57-63	6.7	26
476	Catalytic Performance of Ce <sub>1-x</sub> Ni <sub>x</sub> O <sub>2</sub> Catalysts for Propane Oxidative Steam Reforming. <b>2008</b> , 122, 121-130		41
475	An investigation of reaction progression through the catalyst bed in methanol autothermal reformation. <b>2008</b> , 22, 367-373		4
474	Effects of system parameters on the performance of CO <sub>2</sub> -selective WGS membrane reactor for fuel cells. <b>2008</b> , 39, 129-136		15
473	Modification of ferrite-manganese oxide sorbent by doping with cerium oxide. <b>2008</b> , 86, 448-454		22
472	Experimental and numerical conversion of liquid heptane to syngas through combustion in porous media. <b>2008</b> , 154, 217-231		37
471	Modeling and analysis of autothermal reforming of methane to hydrogen in a fixed bed reformer. <b>2008</b> , 137, 568-578		125
470	Partial oxidation of propane using micro structured reactors. <b>2008</b> , 135, S66-S73		25
469	Selection of appropriate fuel processor for biogas-fuelled SOFC system. <b>2008</b> , 140, 341-351		51
468	Enhanced hydrogen production from biomass with in situ carbon dioxide capture using calcium oxide sorbents. <b>2008</b> , 63, 287-316		372
467	Autothermal reforming of methane over Ni/Al <sub>2</sub> O <sub>3</sub> promoted with Pd: The effect of the Pd source in activity, temperature profile of reactor and in ignition. <b>2008</b> , 334, 243-250		42

466	Hydrogen production for fuel cell by oxidative reforming of diesel surrogate: Influence of ceria and/or lanthana over the activity of Pt/Al <sub>2</sub> O <sub>3</sub> catalysts. <b>2008</b> , 87, 2502-2511		43
465	The role of CeO <sub>2</sub> -ZrO <sub>2</sub> as support in the ZnO-nCr <sub>2</sub> O <sub>4</sub> catalysts for autothermal reforming of methanol. <b>2008</b> , 89, 574-581		22
464	Analysis of jet fuel reforming for solid oxide fuel cell applications in auxiliary power units. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 1067-1075	6.7	28
463	Hydrogen production by autothermal reforming of LPG for PEM fuel cell applications. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 1383-1391	6.7	47
462	Characterization and performance of a ZnO-nCr <sub>2</sub> O <sub>4</sub> /CeO <sub>2</sub> -ZrO <sub>2</sub> monolithic catalyst for methanol auto-thermal reforming process. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 1643-1651	6.7	23
461	Characteristic time as a descriptive parameter in steam reformation hydrogen production processes. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 1652-1660	6.7	30
460	Performance of a 5 kWe fuel processor for polymer electrolyte fuel cells. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 3197-3203	6.7	22
459	Thermodynamic analysis of hydrogen production via autothermal steam reforming of selected components of aqueous bio-oil fraction. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 2489-2500	6.7	132
458	Effects of ethylene on carbon formation in diesel autothermal reforming. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 4780-4788	6.7	90
457	Hydrogen generation from polyethylene by milling and heating with Ca(OH) <sub>2</sub> and Ni(OH) <sub>2</sub> . <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 4097-4103	6.7	19
456	Reactor temperature profile during autothermal methane reforming on Rh/Al <sub>2</sub> O <sub>3</sub> catalyst by IR imaging. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 4798-4808	6.7	39
455	Sustainability assessment of hydrogen production by steam reforming. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 4345-4357	6.7	45
454	Synthesis and characterization of bimetallic Cu-Ni/ZrO <sub>2</sub> nanocatalysts: H <sub>2</sub> production by oxidative steam reforming of methanol. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 4569-4576	6.7	93
453	Aqueous methanol eletrolysis using proton conducting membrane for hydrogen production. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 5905-5910	6.7	76
452	Design of a methane processing system producing high-purity hydrogen. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 5516-5526	6.7	22
451	Thermodynamic analysis of conversion of alternative hydrocarbon-based feedstocks to hydrogen. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 6635-6643	6.7	38
450	Optimal design of an experimental methanol fuel reformer. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 7062-7073	6.7	15
449	Equilibrium model validation through the experiments of methanol autothermal reformation. <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 7039-7047	6.7	17

448	Modelling of methanol-to-hydrogen steam reforming with a heat flux distributed along a microchannel. <b>2008</b> , 15, 509-517	2
447	Mini-Micro Fuel Cells. <b>2008</b> ,	11
446	Effects of noble metal-doping on Cu/ZnO/Al <sub>2</sub> O <sub>3</sub> catalysts for water-gas shift reaction. <b>2008</b> , 337, 48-57	84
445	Micro-Fuel Cells. <b>2008</b> , 613-634	1
444	Thermodynamic equilibrium prediction for natural gas dry reforming in thermal plasma reformer. <b>2008</b> , 31, 891-896	6
443	Syngas Production from Catalytic Partial Oxidation of n-Butane: Comparison between Incipient Wetness and Sol-gel Prepared Pt/Al <sub>2</sub> O <sub>3</sub> . <b>2008</b> , 47, 7184-7189	4
442	Partial Oxidation of n-Tetradecane over 1 wt % Pt/Al <sub>2</sub> O <sub>3</sub> and Co <sub>0.4</sub> Mo <sub>0.6</sub> Cx Carbide Catalysts: A Comparative Study. <b>2008</b> , 47, 7663-7671	8
441	Oxidative Reforming of n-Butane Triggered by Spontaneous Oxidation of CeO <sub>2</sub> at Ambient Temperature. <b>2008</b> , 20, 4176-4178	12
440	Oxidative steam reforming of methanol for hydrogen production over Cu/CeO <sub>2</sub> -ZrO <sub>2</sub> catalysts. <b>2008</b> , 3, 152-157	12
439	On the efficiency of the fuel cell vehicles with onboard hydrogen generation. <b>2008</b> ,	0
438	Adsorption/desorption of H <sub>2</sub> and CO on Zn-modified Pd(111). <b>2008</b> , 129, 224706	30
437	Optimal control design of fuel processing system by linear quadratic Gaussian and loop transfer recovery method. <b>2008</b> , 31, 369-378	5
436	Hydrogen production in a thermal plasma hydrogen reformer using ethanol steam reforming. <b>2008</b> , 31, 417-425	8
435	Optimal Control of Fuel Processing System Using Generalized Linear Quadratic Gaussian and Loop Transfer Recovery Method. <b>2008</b> , 41, 8425-8430	
434	References. <b>2008</b> , 373-407	
433	Thermodynamic simulation of biomass gas steam reforming for a solid oxide fuel cell (SOFC) system. <b>2009</b> , 26, 745-755	9
432	. <b>2009</b> ,	26
431	Nonlinear multivariable predictive control of an autothermal reforming reactor for fuel cell applications. <b>2009</b> ,	6

430	X-ray photoelectron spectroscopy characterization of copper-iron spinel as a catalyst for steam reforming of oxygenated hydrocarbon. <b>2009</b> , 60, 655-658		6
429	Hydrogen production from glycerol: An update. <b>2009</b> , 50, 2600-2604		207
428	La <sub>2-x</sub> Ce <sub>x</sub> Cu <sub>1-y</sub> Zn <sub>y</sub> O <sub>4</sub> perovskites for high temperature water-gas shift reaction. <b>2009</b> , 18, 131-138		8
427	Autothermal catalytic partial oxidation of glycerol to syngas and to non-equilibrium products. <b>2009</b> , 2, 89-98		62
426	Catalytic partial oxidation of methanol and ethanol for hydrogen generation. <b>2009</b> , 2, 927-40		61
425	Design of a CO preferential oxidation reactor for PEFC systems: A modelling approach. <b>2009</b> , 146, 128-135		10
424	A dynamic model of the fuel processor for a residential PEM fuel cell energy system. <b>2009</b> , 64, 1860-1867		5
423	Sodium Hydroxide-Sodium Oxalate-Assisted Co-Precipitation of Highly Active and Stable Cu/ZrO <sub>2</sub> Catalyst in the Partial Oxidation of Methanol to Hydrogen. <b>2009</b> , 131, 632-642		9
422	Tap study of the impact of the oxidation state of Pt/PrCeZrO and Pt/GdCeZrO catalysts on their reactivity in the partial/deep oxidation of methane. <b>2009</b> , 97, 349-354		3
421	Partial oxidation of methane into synthesis gas over a Pt-supported complex fluorite-like oxide: one-channel studies in realistic feeds. <b>2009</b> , 98, 19-26		7
420	Fuel constituent effects on fuel reforming properties for fuel cell applications. <b>2009</b> , 88, 817-825		47
419	Generation of hydrogen gas from polyethylene mechanically milled with Ni-doped layered double hydroxide. <b>2009</b> , 90, 909-913		14
418	n-C <sub>4</sub> H <sub>10</sub> autothermal reforming over MgO-supported base metal catalysts. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 333-342	6.7	22
417	Carbon dioxide reforming of methane at near room temperature in low energy pulsed plasma. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 293-298	6.7	77
416	MCFC-based marine APU: Comparison between conventional ATR and cracking coupled with SR integrated inside the stack pressurized vessel. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 2026-2042	6.7	42
415	Suppression of ethylene-induced carbon deposition in diesel autothermal reforming. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 1844-1851	6.7	63
414	Diesel fuel reformer for automotive fuel cell applications. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 3367-3381	6.7	100
413	Ultra-rich combustion in parallel channels to produce hydrogen-rich syngas from propane. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 5152-5163	6.7	27

412	Analysis of the energy efficiency of innovative ATR-based PEM fuel cell system with hydrogen membrane separation. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 6384-6392	6.7	27
411	Thermodynamic analysis of hydrogen production from glycerol autothermal reforming. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 5683-5690	6.7	105
410	A portable fuel processor for hydrogen production from ethanol in a 250Wel fuel cell system. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 8006-8015	6.7	46
409	Catalytic behavior of Ni/ZrxTi1-xO2 and the effect of SiO2 doping in oxidative steam reforming of n-butane. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 8046-8052	6.7	6
408	High pressure autothermal reforming in low oxygen environments. <i>Journal of Power Sources</i> , <b>2009</b> , 187, 544-554	8.9	8
407	Optimization of bio-ethanol autothermal reforming and carbon monoxide removal processes. <i>Journal of Power Sources</i> , <b>2009</b> , 193, 9-16	8.9	8
406	Self-sustained operation of a kWe-class kerosene-reforming processor for solid oxide fuel cells. <i>Journal of Power Sources</i> , <b>2009</b> , 192, 360-366	8.9	35
405	Effects of thermal activation on hydrogen permeation properties of thin, self-supported Pd/Ag membranes. <b>2009</b> , 68, 403-410		40
404	Steady-state and dynamic modeling of indirect partial oxidation of methane in a wall-coated microchannel. <b>2009</b> , 139, 312-321		24
403	Recent progress in selective CO removal in a H2-rich stream. <b>2009</b> , 139, 280-290		378
402	Structured catalytic substrates with radial configurations for the intensification of the WGS stage in H2 production. <b>2009</b> , 147, S107-S112		28
401	Performance of ionic-conducting ceramic/carbonate composite material as solid oxide fuel cell electrolyte and CO2 permeation membrane. <b>2009</b> , 148, 303-309		106
400	Steam reforming of dimethyl ether over CuO/n-Al2O3/rO2+ZSM-5: A kinetic study. <b>2009</b> , 146, 477-485		42
399	Preparation and calibration of ultrathin Zn layers on Pd(111). <b>2009</b> , 255, 5755-5759		19
398	A Review of Solid Oxide Fuel Cell (SOFC) Dynamic Models. <b>2009</b> , 48, 6068-6086		107
397	Gas Chromatography on Zeolite-Based Adsorbents. <b>2009</b> , 69, 701-708		4
396	Formation of Synthesis Gas from Propane Oxidation over Pt-on-Ceria: Effect of Ceria Surface Area, Reaction Temperature, and Oxygen/Fuel Ratio. <b>2009</b> , 48, 10796-10802		6
395	Neutron Diffraction Studies of Nickel-Containing Perovskite Oxide Catalysts Exposed to Autothermal Reforming Environments. <b>2009</b> , 21, 4830-4838		8

394	PdAgAuNi Membrane Reactor for Methoxymethane Steam Reforming. <b>2009</b> , 54, 2444-2451	2
393	Multiobjective Optimization of Industrial Autothermal Reformer for Syngas Production Using Nonsorting Genetic Algorithm II. <b>2009</b> , 48, 7529-7539	14
392	Effective MgO surface doping of Cu/Zn/Al oxides as water-gas shift catalysts. <b>2009</b> , 44, 211-217	29
391	Engineering a synthetic dual-organism system for hydrogen production. <b>2009</b> , 75, 1867-75	38
390	High sustainability of CuAlOx catalysts against daily start-up and shut-down (DSS)-like operation in the water-gas shift reaction. <b>2009</b> , 10, 1057-1061	18
389	Natural Gas Autothermal Reforming: an Effective Option for a Sustainable Distributed Production of Hydrogen. 287-319	5
388	Characterization of a PEM Fuel Cell Stack Under Transient Conditions and Its Use in Simulating a FC Powertrain. <b>2009</b> ,	1
387	CO2-Selective Membranes for Hydrogen Fuel Processing. <b>2009</b> , 385-413	2
386	Effect of Zn on the adsorption of CO on Pd(111). <b>2010</b> , 133, 214702	12
385	Performance of an Integrated Microtubular Fuel Reformer and Solid Oxide Fuel Cell System. <b>2010</b> , 7,	1
384	State of the art of carbon molecular sieves supported on tubular ceramics for gas separation applications. <b>2010</b> , 5, 169-178	12
383	Optimal control of fuel processing system using generalized linear quadratic Gaussian and loop transfer recovery method. <b>2010</b> , 12, 597-606	6
382	Micro-Scale Catalytic Reactor for Syngas Production. <b>2010</b> , 49, 10924-10933	17
381	Thermoneutral point analysis of ethanol dry autothermal reforming. <b>2010</b> , 165, 864-873	19
380	Design procedure of an experimental membrane enhanced methane steam reformer. <b>2010</b> , 41, 492-499	3
379	Effects of low hydrocarbons on the solid oxide fuel cell anode. <b>2010</b> , 14, 1793-1800	12
378	Catalytic Partial Oxidation of Methanol over Copper-Zinc Based Catalysts: A Comparative Study of Alumina, Zirconia, and Magnesia as Promoters. <b>2010</b> , 140, 69-76	18
377	Support Modification of Supported Nickel Catalysts for Hydrogen Production by Auto-thermal Reforming of Ethanol. <b>2010</b> , 14, 55-63	9

376	Pt and/or Pd Supported/Incorporated Catalyst on Perovskite-Type Oxide for Water Gas Shift Reaction. <b>2010</b> , 53, 621-628		17
375	Catalysts for methanol steam reforming—A review. <b>2010</b> , 99, 43-57		573
374	Cell temperature measurements in micro-tubular, single-chamber, solid oxide fuel cells (MTBCBOFCs). <i>Journal of Power Sources</i> , <b>2010</b> , 195, 7818-7824	8.9	18
373	A multi-function compact fuel reforming reactor for fuel cell applications. <b>2010</b> , 89, 949-957		5
372	Dry catalytic partial oxidation of diesel fuel distillates into syngas. <b>2010</b> , 89, 1202-1211		6
371	Transformation of CH <sub>4</sub> and liquid fuels into syngas on monolithic catalysts. <b>2010</b> , 89, 1230-1240		31
370	Generation of H <sub>2</sub> gas from polystyrene and poly(vinyl alcohol) by milling and heating with Ni(OH) <sub>2</sub> and Ca(OH) <sub>2</sub> . <b>2010</b> , 91, 272-276		5
369	Thermodynamic analysis of glycerol partial oxidation for hydrogen production. <b>2010</b> , 91, 1401-1408		39
368	CuO and CuO/ZnO catalysts supported on CeO <sub>2</sub> and CeO <sub>2</sub> /La <sub>2</sub> O <sub>3</sub> for low temperature water-gas shift reaction. <b>2010</b> , 91, 1438-1445		23
367	Development of a fast empirical design model for PEM stacks. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 2698-2702	6.7	8
366	Numerical modeling of hydrogen production from ammonia decomposition for fuel cell applications. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 589-597	6.7	46
365	Comparison of compact reformer configurations for on-board fuel processing. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 2305-2316	6.7	27
364	Energy efficiency of membrane-based fuel processors [PEM fuel cell systems]. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 3712-3720	6.7	17
363	Hydrogen production by auto-thermal reforming of ethanol over nickel catalyst supported on metal oxide-stabilized zirconia. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 3490-3498	6.7	26
362	Production of synthesis gas by partial oxidation and steam reforming of biomass pyrolysis oils. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 4048-4059	6.7	61
361	An experimental study of methanol autothermal reformation as a method of producing hydrogen for transportation applications. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 6210-6217	6.7	7
360	Numerical analysis of indirect internal reforming with self-sustained electrochemical promotion catalysts. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 6482-6489	6.7	10
359	Structured reactors as alternative to pellets catalyst for propane oxidative steam reforming. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 9810-9817	6.7	21



358	Autothermal reforming over a Pt/Gd-doped ceria catalyst: Heat and mass transport limitations in the steam reforming section. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 6717-6725	6.7	1
357	Thermodynamic study of hydrogen production from crude glycerol autothermal reforming for fuel cell applications. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 6617-6623	6.7	66
356	Reactivity of Ce-ZrO <sub>2</sub> (doped with La-, Gd-, Nb-, and Sm-) toward partial oxidation of liquefied petroleum gas: Its application for sequential partial oxidation/steam reforming. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 6747-6756	6.7	18
355	Performance of SOFC coupled with n-C <sub>4</sub> H <sub>10</sub> autothermal reformer: Carbon deposition and development of anode structure. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 12346-12358	6.7	41
354	Rich n-heptane and diesel combustion in porous media. <b>2010</b> , 34, 359-365		17
353	Novel catalytic behavior of Cu/Al <sub>2</sub> O <sub>3</sub> catalyst against daily start-up and shut-down (DSS)-like operation in the water gas shift reaction. <b>2010</b> , 387, 185-194		25
352	Catalytic activity evaluation for hydrogen production via autothermal reforming of methane. <b>2010</b> , 149, 413-417		19
351	Methanol steam reforming in a dual-bed membrane reactor for producing PEMFC grade hydrogen. <b>2010</b> , 156, 254-260		20
350	An experimental study of syn-gas production via microwave plasma reforming of methane, iso-octane and gasoline. <b>2010</b> , 35, 2734-2743		38
349	Analysis of the Energy Efficiency of Fuel Processor - PEM Fuel Cell Systems. <b>2010</b> ,		
348	Numerical Analysis of the Heat and Mass Transfer Characteristics in an Autothermal Methane Reformer. <b>2010</b> , 7,		7
347	10.1007/s11823-008-1005-1. <b>2010</b> ,		
346	Fuel reforming for diesel engines. <b>2010</b> , 543-561		0
345	Steam reforming of ethanol over metal-oxide-promoted Pt/SiO <sub>2</sub> catalysts: Effects of strong metal-oxide interaction (SMOI). <b>2010</b> , 12, 157-160		35
344	Autothermal reforming. <b>2010</b> ,		
343	Incorporating Energy Generation into Volatile Organic Compound (VOC) Emission Treatment Using a Solid Oxide Fuel Cell: A Model-Based Approach <b>2010</b> , 24, 4693-4702		4
342	Experimental Investigation of a JP8 Fuel Processor: Autothermal Reformer and CO-Cleanup Train. <b>2010</b> , 49, 1577-1587		12
341	What is the point of on-board fuel reforming?. <b>2010</b> , 3, 1918		34

340	Study on a Coupling Reactor for Catalytic Partial Oxidation of Natural Gas to Syngas. <b>2011</b> , 9,		1
339	Energy Resources and Systems. <b>2011</b> ,		26
338	Optimizing H <sub>2</sub> Production from Waste Tires via Combined Steam Gasification and Catalytic Reforming. <b>2011</b> , 25, 2232-2241		28
337	Hydrogen Production from Fossil Fuels: Life Cycle Assessment of Technologies with Low Greenhouse Gas Emissions. <b>2011</b> , 25, 2194-2202		50
336	Hydrogen Energy. <b>2011</b> , 495-629		1
335	Membrane Reactors for Hydrogen Production Processes. <b>2011</b> ,		20
334	Introduction to Fuel Processing. <b>2011</b> , 1-9		3
333	Oxidative Steam Reforming. <b>2011</b> , 129-190		2
332	Reactor Design for Fuel Processing. <b>2011</b> , 451-516		7
331	Evaluation of combined absorption heat pump/methanol steam reforming system: Feasibility criterion as a measure of system performance. <b>2011</b> , 52, 1974-1982		7
330	Design and optimization of a combined fuel reforming and solid oxide fuel cell system with anode off-gas recycling. <b>2011</b> , 52, 3214-3226		68
329	Methane reforming to synthesis gas over Ni catalysts modified with noble metals. <b>2011</b> , 408, 1-24		254
328	Development of a self-sustaining kWe-class integrated diesel fuel processing system for solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 10302-10310	6.7	20
327	Steam reforming of methane to syngas over NiAl <sub>2</sub> O <sub>4</sub> spinel catalysts. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 11433-11439	6.7	93
326	Methanol reformer integrated phosphoric acid fuel cell (PAFC) based compact plant for field deployment. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 14771-14778	6.7	9
325	Reforming of vegetable oil for production of hydrogen: A thermodynamic analysis. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 11666-11675	6.7	32
324	A step-by-step methodology to construct a model of performance of molten carbonate fuel cells with internal reforming. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 15739-15751	6.7	20
323	Experimental analysis of soot abatement in reducing syngas for high temperature fuel cell feeding. <b>2011</b> , 176-177, 295-301		7

322	Steam reforming of methanol over a CuO/ZnO/Al <sub>2</sub> O <sub>3</sub> catalyst, part I: Kinetic modelling. <b>2011</b> , 66, 4913-4921	44
321	Steam reforming of methanol over a CuO/ZnO/Al <sub>2</sub> O <sub>3</sub> catalyst part II: A carbon membrane reactor. <b>2011</b> , 66, 5523-5530	39
320	Catalysts for Hydrogen Production from Heavy Hydrocarbons. <b>2011</b> , 3, 440-457	43
319	Hydrogen production in a reversible flow filtration combustion reactor. <b>2011</b> , 84, 1296-1303	2
318	Study of thermodynamic factors for equilibrium reactions involved in steam reforming of natural gas. <b>2011</b> , 47, 374-380	5
317	Hydrogen Production by Catalytic Reforming of Liquid Hydrocarbons. <b>2011</b> , 15, 25-36	19
316	Performance comparison between partial oxidation and methane steam reforming processes for solid oxide fuel cell (SOFC) micro combined heat and power (CHP) system. <b>2011</b> , 36, 4216-4226	128
315	Oxidative reforming of diesel fuel over LaCoO <sub>3</sub> perovskite derived catalysts: Influence of perovskite synthesis method on catalyst properties and performance. <b>2011</b> , 105, 276-288	81
314	Preferential oxidation of CO over Pt <sub>8</sub> N/AC catalyst: Adsorption, performance and DRIFTS studies. <b>2011</b> , 106, 540-549	25
313	Reactor modeling of sorption-enhanced autothermal reforming of methane. Part I: Performance study of hydrotalcite and lithium zirconate-based processes. <b>2011</b> , 168, 872-882	53
312	Influence of gas-phase reactions on catalytic reforming of isooctane. <b>2011</b> , 33, 3177-3183	25
311	Partial oxidation of palm fatty acids over Ce-ZrO <sub>2</sub> : Roles of catalyst surface area, lattice oxygen capacity and mobility. <b>2011</b> , 57, 2861-2869	11
310	A microreactor modeling, analysis and optimization for methane autothermal reforming in fuel cell applications. <b>2011</b> , 166, 1116-1125	34
309	Reactions for the partial oxidation of propane over Pt-on-Ceria. <b>2011</b> , 392, 127-135	7
308	Partial oxidation of n-hexadecane into synthesis gas over a Pd-based metal monolith catalyst for an auxiliary power unit (APU) system of SOFC. <b>2011</b> , 101, 348-354	7
307	Surface reactivity of LaCoO <sub>3</sub> and Ru/LaCoO <sub>3</sub> towards CO, CO <sub>2</sub> and C <sub>3</sub> H <sub>8</sub> : Effect of H <sub>2</sub> and O <sub>2</sub> pretreatments. <b>2011</b> , 102, 291-301	20
306	Real-time sensing of methane steam reforming by YSZ oxygen sensor. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 2945-2949	6.7 5
305	Autothermal reforming of JP8 on a Pt/Rh catalyst: Catalyst durability studies and effects of sulfur. <i>Journal of Power Sources</i> , <b>2011</b> , 196, 6374-6381	8.9 10

304	Methanol steam reforming in microreactor with constructal tree-shaped network. <i>Journal of Power Sources</i> , <b>2011</b> , 196, 6366-6373	8.9	47
303	Energy Consumption and Emissions Analysis of Natural Gas Exploitation. <b>2011</b> , 335-336, 1525-1529		
302	Maximum Hydrogen Production by Autothermal Steam Reforming of Bio-oil With NiCuZnAl Catalyst. <b>2012</b> , 25, 365-372		2
301	Catalytic Partial Oxidation of Isooctane to Hydrogen on Rhodium Catalysts: Effect of Tail-Gas Recycling. <b>2012</b> , 51, 7536-7546		12
300	Synthesis of mesoporous titania thin films (MTTFs) with two different structures as photocatalysts for generating hydrogen from water splitting. <b>2012</b> , 100, 75-80		50
299	First-principles study toward CO adsorption on Au/Ni surface alloys. <b>2012</b> , 13, 3909-15		8
298	Operation of a solid oxide fuel cell on a reformed FAME mixture. <b>2012</b> , 47, 362-371		1
297	Review of hydrogen production via glycerol reforming. <b>2012</b> , 226, 1060-1075		21
296	Kinetic Study of the Catalytic Partial Oxidation of Synthetic Diesel over 5 wt % Ni/Ce <sub>0.5</sub> Zr <sub>0.33</sub> Ca <sub>0.085</sub> Y <sub>0.085</sub> O <sub>2-<math>\delta</math></sub> Catalyst for Hydrogen Production. <b>2012</b> , 26, 5421-5429		6
295	Hydrogen Production by Homogeneous Partial Oxidation of Propane. <b>2012</b> , 26, 1496-1508		11
294	Development of integrated reformer systems for syngas production. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 10435-10443	6.7	15
293	Hydrogen via steam reforming of liquid biofeedstock. <b>2012</b> , 3, 167-191		41
292	Hydrogen production by steam reforming of liquefied natural gas (LNG) over ordered mesoporous nickelalumina catalyst. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 17967-17977	6.7	37
291	Syngas production from heptane in a non-catalytic counter-flow reactor. <b>2012</b> , 159, 3624-3631		17
290	Synthesis gas production in a novel hydrogen and oxygen perm-selective membranes tri-reformer for methanol production. <b>2012</b> , 9, 149-159		35
289	Fuel Management. <b>2012</b> , 189-206		
288	Fuel Cell Technology. <b>2012</b> , 273-283		1
287	Energy, Transport, & the Environment. <b>2012</b> ,		7

286	Principles of Systems Engineering. <b>2012</b> , 917-961		1
285	Natural Gas Catalytic Partial Oxidation: A Way to Syngas and Bulk Chemicals Production. <b>2012</b> ,		7
284	High electrochemical activity from hybrid materials of electrospun tungsten oxide nanofibers and carbon black. <b>2012</b> , 47, 6607-6613		12
283	Adsorption enhanced steam reforming of methanol for hydrogen generation in conjunction with fuel cell: Process design and reactor dynamics. <b>2012</b> , 67, 26-33		24
282	Crosslinked sulfonated poly(arylene ether sulfone) membranes for fuel cell application. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 2603-2613	6.7	48
281	Thermally integrated fuel processor design for fuel cell applications. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 3447-3458	6.7	12
280	Insights on the role of Ru substitution in the properties of LaCoO <sub>3</sub> -based oxides as catalysts precursors for the oxidative reforming of diesel fuel. <b>2012</b> , 113-114, 271-280		28
279	Damköhler number as a descriptive parameter in methanol steam reforming and its integration with absorption heat pump system. <b>2012</b> , 94, 141-147		15
278	Hydrogen production from oxidative steam reforming of methanol: Effect of the Cu and Ni impregnation on ZrO <sub>2</sub> and their molecular simulation studies. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 9018-9027	6.7	52
277	A diesel fuel processor for stable operation of solid oxide fuel cells system: II. Integrated diesel fuel processor for the operation of solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 9228-9236	6.7	22
276	Electrochemical reforming of ethanol/water solutions for pure H <sub>2</sub> production in a PEM electrolysis cell. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 9504-9513	6.7	83
275	Microchannel catalytic systems for the intensification of hydrogen production from carbon-containing feedstocks. <b>2012</b> , 4, 27-38		3
274	Small-scale reforming of diesel and jet fuels to make hydrogen and syngas for fuel cells: A review. <b>2013</b> , 108, 202-217		102
273	Experimental investigation on a methane fuel processor for polymer electrolyte fuel cells. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 2387-2397	6.7	19
272	Design and Thermodynamic Analysis of an SOFC System for Naval Surface Ship Application. <b>2013</b> , 10,		16
271	Hydrogen production by methanol steam reforming in a disc microreactor with tree-shaped flow architectures. <b>2013</b> , 64, 418-425		36
270	Mesoporous silica supported cobalt catalysts for hydrogen generation in hydrolysis of ammonia borane. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 7280-7290	6.7	44
269	Improvement of catalytic performance of preferential oxidation of CO in H <sub>2</sub> -rich gases on three-dimensionally ordered macro- and meso-porous PtAu/CeO <sub>2</sub> catalysts. <b>2013</b> , 142-143, 615-625		51

268	Hydrogen production by steam reforming of ethanol over nickel supported on La-modified alumina catalysts prepared by sol-gel. <b>2013</b> , 107, 828-835		57
267	Methane-to-hydrogen conversion in a reversible flow filtration combustion reactor at a high pressure. <b>2013</b> , 86, 1002-1007		2
266	CeO <sub>2</sub> /ZrO <sub>2</sub> -promoted CuO/ZnO catalyst for methanol steam reforming. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 4397-4406	6.7	67
265	Plasma-assisted decomposition of gaseous propane to produce CO <sub>x</sub> free hydrogen. <b>2013</b> , 8, 197-202		4
264	Polymer electrolyte membrane fuel cell grade hydrogen production by methanol steam reforming: A comparative multiple reactor modeling study. <i>Journal of Power Sources</i> , <b>2013</b> , 243, 381-391	8.9	12
263	Thermodynamic analysis of hydrogen production by steam and autothermal reforming of soybean waste frying oil. <b>2013</b> , 70, 174-186		13
262	A comparative assessment of homogeneous propane reforming at intermediate temperatures. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 13272-13281	6.7	4
261	Hydrogen production and thermal behavior of methanol autothermal reforming and steam reforming triggered by microwave heating. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 9973-9983	6.7	24
260	Performance and stability of nano-structured Pd and Pd <sub>0.95</sub> M <sub>0.05</sub> (M = Mn, Co, Ce, and Gd) infiltrated Y <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> oxygen electrodes of solid oxide electrolysis cells. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 16569-16578	6.7	17
259	Production of hydrogen by steam reforming of methane over alumina supported nano-NiO/SiO <sub>2</sub> catalyst. <b>2013</b> , 207, 28-35		56
258	Review: Microstructured reactors for distributed and renewable production of fuels and electrical energy. <b>2013</b> , 65, 1-44		183
257	Role of alkali metal in a highly active Pd/alkali/Fe <sub>2</sub> O <sub>3</sub> catalyst for water gas shift reaction. <b>2013</b> , 457, 1-11		23
256	Autothermal reforming of Fischer-Tropsch diesel over alumina and ceria/zirconia supported catalysts. <b>2013</b> , 107, 162-169		20
255	On-Paper Synthesis of Nickel Nanoparticles and Catalytic Propane Steam Reforming for Efficient Hydrogen Production. <b>2013</b> , 34, 889-895		3
254	Hydrogen production via steam and autothermal reforming of beef tallow: A thermodynamic investigation. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 2199-2211	6.7	15
253	Thermodynamic Analysis for Quantifying Fuel Cell Grade H <sub>2</sub> Production by Methanol Steam Reforming. <b>2013</b> , 36, 581-590		13
252	Overview of hydrogen production technologies from biogas and the applications in fuel cells. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 5215-5225	6.7	257
251	System design and process layout for a SOFC micro-CHP unit with reduced operating temperatures. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 431-439	6.7	23

250	Modeling of a 5 kWe tubular solid oxide fuel cell based system operating on desulfurized JP-8 fuel for auxiliary and mobile power applications. <i>Journal of Power Sources</i> , <b>2013</b> , 221, 387-396	8.9	13
249	Catalytic Steam Reforming of Glycerol Over Cerium and Palladium-Based Catalysts for Hydrogen Production. <b>2013</b> , 10,		10
248	A Novel Fuel Cell System Design by Using Ziegler-Nichols-Based Intelligent Fuzzy Controller. <b>2013</b> , 479-480, 934-937		
247	Intelligent Technologies and Engineering Systems. <b>2013</b> ,		4
246	Thermoneutral Design Aspects of Gasoline Chemical Looping Reformer. <b>2013</b> , 13, 971-986		
245	Experimental Study of an SOFC Stack Operated With Autothermally Reformed Diesel Fuel. <b>2013</b> , 13, 304-308		13
244	. <b>2013</b> ,		1
243	An Experimental Analysis of a Nano Structured Inorganic Ceramic Membrane for Carbon Capture Applications in Energy Security Challenges. <b>2014</b> , 4,		2
242	Overview of Hydrogen Production. <b>2014</b> , 38-41		
241	. <b>2014</b> ,		11
240	Hydrogen Production of a Heavy Hydrocarbon Fuel Autothermal Reformer on NiO-Rh Based Monolithic Catalysts. <b>2014</b> ,		
239	Development of a low cost, portable solar hydrogen generation device. <b>2014</b> ,		
238	Integration of Ethanol Processor and CO2 Absorption to Produce Hydrogen for Fuel Cell. <b>2014</b> , 61, 2215-2218		
237	Direct bioethanol fuel cells. <b>2014</b> , 301-321		
236	Power Density Assessment of Variable Volume Batch Reactors for Hydrogen Production with Dynamically Modulated Liquid Fuel Introduction. <b>2014</b> , 53, 18140-18151		4
235	Hydrogen Utilization: Fuel Cells. <b>2014</b> , 153-176		
234	Ce/Mn mixed oxides as supports of copper- and nickel-based catalysts for water-gas shift reaction. <b>2014</b> , 119, 67-73		17
233	Hydrogen production by steam reforming of simulated liquefied natural gas (LNG) over nickel catalyst supported on mesoporous phosphorus-modified alumina xerogel. <b>2014</b> , 148-149, 269-280		37

232	Performance characteristics of MoNi/Al <sub>2</sub> O <sub>3</sub> catalysts in LPG oxidative steam reforming for hydrogen production. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 10061-10073	6.7	32
231	Comparison of several glycerol reforming methods for hydrogen and syngas production using Gibbs energy minimization. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 17969-17984	6.7	55
230	Thermoneutral conditions in dry reforming of ethanol. <b>2014</b> , 9, 196-204		3
229	CoNi bimetal catalyst supported on perovskite-type oxide for steam reforming of ethanol to produce hydrogen. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 5644-5652	6.7	90
228	The effect of reduction of pretreated NiO <sub>x</sub> /NiO catalysts on the water-gas shift reaction for hydrogen production as studied by in situ DRIFTS/MS. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 788-797	6.7	11
227	Reformer faults in SOFC systems: Experimental and modeling analysis, and simulated fault maps. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 21700-21713	6.7	41
226	Autothermal reforming of n-dodecane and desulfurized Jet-A fuel for producing hydrogen-rich syngas. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 19593-19602	6.7	23
225	Comparative study of propane steam reforming in vanadium based catalytic membrane reactor with nickel-based catalysts. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 14792-14799	6.7	17
224	Do Ni/Cu and Cu/Ni alloys have different catalytic performances towards water-gas shift? A density functional theory investigation. <b>2014</b> , 15, 2490-6		14
223	Steam reforming of iso-octane toward hydrogen production over mono- and bi-metallic CuCo/CeO <sub>2</sub> catalysts: Structure-activity correlations. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 19541-19554	6.7	26
222	Energy and exergy analysis as tools for optimization of hydrogen production by glycerol autothermal reforming. <b>2014</b> , 71, 368-380		38
221	Cooling and coke deposition of hydrocarbon fuel with catalytic steam reforming. <b>2014</b> , 128, 128-133		26
220	La-promoted Ni/Al <sub>2</sub> O <sub>3</sub> catalyst for autothermal reforming of methane. <b>2014</b> , 31, 1204-1210		2
219	Modeling study on the production of hydrogen/syngas via partial oxidation using a homogeneous charge compression ignition engine fueled with natural gas. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 1096-1104	6.7	16
218	Hydrogen production by iso-octane steam reforming over Cu catalysts supported on rare earth oxides (REOs). <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 1350-1363	6.7	31
217	Hydrogen production from simple alkanes and oxygenated hydrocarbons over ceria/zirconia supported catalysts: Review. <b>2014</b> , 32, 777-796		86
216	Hydrogen production through the fuel processing of liquefied natural gas with silicon-based micro-reactors. <b>2014</b> , 247, 9-15		12
215	Pd-supporting LaCoO <sub>3</sub> catalyst with structured configuration for water gas shift reaction. <b>2014</b> , 477, 75-82		3



214	Design and demonstration of an ethanol fuel processor for HT-PEM fuel cell applications. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 18135-18145	6.7	19
213	Steam reforming of sulfur-containing dodecane on a RhPt catalyst: Influence of process parameters on catalyst stability and coke structure. <b>2014</b> , 160-161, 525-533		34
212	Hydrogen supply chain architecture for bottom-up energy systems models. Part 2: Techno-economic inputs for hydrogen production pathways. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 8898-8925	6.7	39
211	PRODUCTION OF HYDROGEN FROM THE STEAM AND OXIDATIVE REFORMING OF LPG: THERMODYNAMIC AND EXPERIMENTAL STUDY. <b>2015</b> , 32, 647-662		14
210	3-D model of a radial flow sub-watt methanol fuel processor. <b>2015</b> , 135, 393-402		3
209	MgO and Nb <sub>2</sub> O <sub>5</sub> oxides used as supports for Ru-based catalysts for the methane steam reforming reaction. <b>2015</b> , 257, 122-130		13
208	Hydrogen production and coke minimization through reforming of kerosene over bi-metallic ceria/alumina supported Ru/Ni catalysts. <b>2015</b> , 140, 96-103		18
207	Experimental investigation of hydrogen production by variable volume membrane batch reactors with modulated liquid fuel introduction. <i>International Journal of Hydrogen Energy</i> , <b>2015</b> , 40, 2601-2612	6.7	5
206	Thermal analysis of a micro solar thermal collector designed for methanol reforming. <b>2015</b> , 113, 189-198		23
205	Diesel autothermal reforming with hydrogen peroxide for low-oxygen environments. <b>2015</b> , 156, 99-106		27
204	Influence of Ce-precursor and fuel on structure and catalytic activity of combustion synthesized Ni/CeO <sub>2</sub> catalysts for biogas oxidative steam reforming. <b>2015</b> , 163, 337-347		41
203	Fuel adaptability study of a lab-scale 2.5 kWth autothermal reformer. <i>International Journal of Hydrogen Energy</i> , <b>2015</b> , 40, 6798-6808	6.7	21
202	Hydrogen production by reforming of bio-alcohols. <b>2015</b> , 109-136		16
201	Hydrogen production via the Kvaerner process and plasma reforming. <b>2015</b> , 349-391		4
200	Diesel fuel pre-reforming into methane-hydrogen mixtures. <b>2015</b> , 49, 30-40		8
199	Towards a smart energy network: The roles of fuel/electrolysis cells and technological perspectives. <i>International Journal of Hydrogen Energy</i> , <b>2015</b> , 40, 6866-6919	6.7	107
198	Surface electrochemistry of CO <sub>2</sub> reduction and CO oxidation on Sm-doped CeO(2-x): coupling between Ce(3+) and carbonate adsorbates. <b>2015</b> , 17, 12273-81		69
197	Invariant properties of solid oxide fuel cell systems with integrated reformers. <b>2015</b> , 90, 452-463		3

- 196 Ru/TiO<sub>2</sub> for the preferential oxidation of CO in H<sub>2</sub>-rich stream: Effects of catalyst pre-treatments and reconstruction of Ru sites. **2015**, 143, 318-326 24
- 195 Structured catalysts for steam/autothermal reforming of biofuels on heat-conducting substrates: Design and performance. **2015**, 251, 19-27 19
- 194 Sol-gel synthesis of Ni<sub>0</sub>/Al<sub>2</sub>O<sub>3</sub>MgO<sub>x</sub>ZrO<sub>2</sub> nanocatalyst used in hydrogen production via reforming of CH<sub>4</sub>/CO<sub>2</sub> greenhouse gases. **2015**, 22, 9-21 30
- 193 Hysteresis in autothermal methane reforming over Rh catalysts: Bifurcation analysis. **2015**, 262, 1052-1064 8
- 192 Use of carbohydrates for hydrogen storage. **2016**, 219-241
- 191 Solid oxide fuel cells. **2016**, 89-114 1
- 190 Pure Hydrogen Production in Membrane Reactor with Mixed Reforming Reaction by Utilizing Waste Gas: A Case Study. **2016**, 4, 33 14
- 189 A survey of nickel-based catalysts and monolithic reformers of the onboard fuel reforming system for fuel cell APU applications. *International Journal of Energy Research*, **2016**, 40, 1157-1177 4.5 11
- 188 Parametric analysis of a solid oxide fuel cell auxiliary power unit operating on syngas produced by autothermal reforming of hydrocarbon fuels. **2016**, 8, 024301 6
- 187 Mechanism research of calcined copper slag catalytic steam reforming jatropha oil. **2016**, 8, 063101 2
- 186 Effect of the thermal conductivity of metallic monoliths on methanol steam reforming. **2016**, 273, 131-139 43
- 185 Effect of the aging time of the precipitate on the activity of Cu/ZnO catalysts for alcohol-assisted low temperature methanol synthesis. **2016**, 418-419, 168-174 15
- 184 Energetic, exergetic and environmental life cycle assessment analyses as tools for optimization of hydrogen production by autothermal reforming of bioethanol. *International Journal of Hydrogen Energy*, **2016**, 41, 17723-17739 6.7 17
- 183 Adsorption of water and ethanol on noble and transition-metal substrates: a density functional investigation within van der Waals corrections. **2016**, 18, 29526-29536 25
- 182 Liquid fuel processing for hydrogen production: A review. *International Journal of Hydrogen Energy*, **2016**, 41, 19990-20022 6.7 67
- 181 CO-Cleanup of Hydrogen-Rich Stream for LT PEM FC Feeding: Catalysts and Their Performance in Selective CO Methanation. **2016**, 59, 1394-1412 15
- 180 Elimination of by-products of autothermal diesel reforming. **2016**, 306, 107-116 17
- 179 Selective control of reformed composition of n -heptane via plasma chemistry. **2016**, 186, 150-156 6

178	Gold-containing metal nanoparticles for catalytic hydrogen generation from liquid chemical hydrides. <b>2016</b> , 37, 1594-1599		27
177	Thermoelectric characterization of an intermediate temperature solid oxide fuel cell system directly fed by dry biogas. <b>2016</b> , 127, 90-102		25
176	Recent Trends in the Development of Proton Exchange Membrane Fuel Cell Systems. <b>2016</b> , 509-525		
175	Renewable hydrogen production by solar-powered methanol reforming. <i>International Journal of Hydrogen Energy</i> , <b>2016</b> , 41, 11914-11924	6.7	14
174	Effect of Promoter Addition on Water Gas Shift Property over Structured-Type Iron Oxide Catalyst. <b>2016</b> , 146, 2478-2484		6
173	Hydrogen cogeneration with Generation IV nuclear power plants. <b>2016</b> , 637-659		3
172	Perovskite materials in energy storage and conversion. <b>2016</b> , 11, 338-369		59
171	In-ground operation of Geothermic Fuel Cells for unconventional oil and gas recovery. <i>Journal of Power Sources</i> , <b>2016</b> , 302, 402-409	8.9	5
170	Thermodynamic Modeling of Propane Reforming Processes to Quantify Hydrogen and Syngas Production with and without Product Removal. <b>2016</b> , 11, 125-140		6
169	Preparation of structured catalysts with Ni and NiRh/CeO <sub>2</sub> catalytic layers for syngas production by biogas reforming processes. <b>2016</b> , 273, 3-11		47
168	A highly efficient potassium-treated Au/Cu/Al <sub>2</sub> O <sub>3</sub> catalyst for the preferential oxidation of carbon monoxide. <b>2016</b> , 6, 24603-24609		8
167	Methanol oxidation on sputter-coated platinum oxide catalysts. <i>International Journal of Hydrogen Energy</i> , <b>2016</b> , 41, 265-275	6.7	15
166	Reaction characteristics of methanol steam reforming inside mesh microchannel reactor. <i>International Journal of Hydrogen Energy</i> , <b>2016</b> , 41, 1441-1452	6.7	27
165	Combustion of single char particles from Victorian brown coal under oxy-fuel fluidized bed conditions. <b>2016</b> , 165, 477-483		34
164	Fuel cell technology for sustainable development in Pakistan [An over-view]. <b>2016</b> , 53, 450-461		50
163	Integration of pyrolysis and entrained-bed gasification for the production of chemicals from Victorian brown coal [Process simulation and exergy analysis. <b>2017</b> , 155, 21-31		35
162	Enhanced catalytic performance of Pt/TiO <sub>2</sub> catalyst in water gas shift reaction by incorporation of PRGO. <b>2017</b> , 293-294, 113-121		5
161	Fabrication and characterization of thermochemical hydrogen sensor with laminated structure. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 749-756	6.7	13

160	Selective hydrogen sensor for liquefied petroleum gas steam reforming fuel cell systems. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 740-748	6.7	18
159	Thermo-environmental life cycle assessment of hydrogen production by autothermal reforming of bioethanol. <b>2017</b> , 37, 66-78		15
158	The meeting of hydrogen and automotive: A review. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 23334-23346	6.7	83
157	A novel composite hydrogen sensor based on Pd nanoclusters/TiO <sub>2</sub> nanotube arrays. <b>2017</b> , 167, 012041		3
156	Low temperature-high selectivity carbon monoxide methanation over yttria-stabilized zirconia-supported Pt nanoparticles. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 13754-13762	6.7	14
155	NATURAL GAS CONVERSION. <b>2017</b> , 313-330		
154	Cu supported on ZnAl-LDHs precursor prepared by in-situ synthesis method on Al <sub>2</sub> O <sub>3</sub> as catalytic material with high catalytic activity for methanol steam reforming. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 9930-9937	6.7	35
153	Use of biogas from biowaste in a solid oxide fuel cell stack: Application to an off-grid power plant. <b>2017</b> , 111, 781-791		31
152	Hydrogen production over partial oxidation of methane using Ni Mg Al spinel catalysts: A kinetic approach. <b>2017</b> , 20, 738-746		8
151	Pre-reforming of higher hydrocarbons contained associated gas using a pressurized reactor with a Ni <sub>19.5</sub> -Ru <sub>0.05</sub> /CGO catalyst. <b>2017</b> , 168, 15-22		8
150	Development of efficient membrane electrode assembly for low cost hydrogen production by anion exchange membrane electrolysis. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 10752-10761	6.7	75
149	Catalysts and Processes in Solid Oxide Fuel Cells. <b>2017</b> , 155-221		2
148	Production of hydrogen by dry reforming of ethanol over alumina supported nano-NiO/SiO <sub>2</sub> catalyst. <b>2017</b> , 291, 58-66		25
147	Recent advances on the utilization of layered double hydroxides (LDHs) and related heterogeneous catalysts in a lignocellulosic-feedstock biorefinery scheme. <b>2017</b> , 19, 5269-5302		60
146	Steam reforming of toluene over Ru/SrCO <sub>3</sub> -Al <sub>2</sub> O <sub>3</sub> catalysts. <b>2017</b> , 168, 50-57		9
145	Negative Effects of Dopants on Copper Nanoparticles Catalysts for CO Preferential Oxidation Under the Presence of CO <sub>2</sub> and H <sub>2</sub> O. <b>2017</b> , 147, 2987-3003		7
144	Effect of a diffuser on performance enhancement of a cylindrical methanol steam reformer by computational fluid dynamic analysis. <b>2017</b> , 206, 312-328		11
143	Numerical analysis of performance enhancement and non-isothermal reactant transport of a cylindrical methanol reformer wrapped with a porous sheath under steam reforming. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 24372-24392	6.7	10

142	Autothermal-reformation enhancement using a stratified-catalyst technique. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 25914-25923	6.7	6
141	DFT study of hydrogen production from formic acid decomposition on Pd-Au alloy nanoclusters. <b>2017</b> , 426, 194-205		36
140	Catalysis in Production of Syngas, Hydrogen and Biofuels. <b>2017</b> , 71-89		
139	Distributed H <sub>2</sub> production from bioalcohols and biomethane in conventional steam reforming units. <b>2017</b> , 279-320		0
138	Catalysis for Green Energy and Technology. <b>2017</b> ,		2
137	Effect of preparation methods on structure and catalytic activity of Ni loaded Ce x Zr1-x O2 catalysts for hydrogen production via autothermal reforming of ethane. <b>2017</b> , 43, 2817-2837		5
136	Advances in Medium and High Temperature Solid Oxide Fuel Cell Technology. <b>2017</b> ,		11
135	Characterizing membrane electrode assemblies for high temperature polymer electrolyte membrane fuel cells using design of experiments. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 1189-1202	6.7	13
134	Hydrogen production via catalytic autothermal reforming of desulfurized Jet-A fuel. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 1932-1941	6.7	21
133	. <b>2017</b> ,		3
132	Laser induced photocatalytic activity enhancement of TiO thin films. <b>2017</b> , 25, A1132-A1138		5
131	Exploration of Dual Fuel Diesel Engine Operation with On-Board Fuel Reforming. <b>2017</b> ,		8
130	Combined Cu-CeO <sub>2</sub> /YSZ and Ni/YSZ dual layer anode structures for direct methane solid oxide fuel cells. <i>International Journal of Energy Research</i> , <b>2018</b> , 42, 3228-3243	4.5	3
129	Maximum conversion efficiency of hydrogen fuel cells. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 9015-9021	6.7	56
128	Catalytic Exhaust Gas Recirculation-Loop Reforming for High Efficiency in a Stoichiometric Spark-Ignited Engine through Thermochemical Recuperation and Dilution Limit Extension, Part 2: Engine Performance. <b>2018</b> , 32, 2257-2266		12
127	Design and Experimental Demonstration of a High Pressure Oxy-Methane Combustor. <b>2018</b> ,		
126	Electrical and thermal analysis of an intermediate temperature IIR-SOFC system fed by biogas. <b>2018</b> , 6, 60-72		18
125	Analysis of the control strategies for fuel saving in the hydrogen fuel cell vehicles. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 10810-10821	6.7	121

124	Catalytic Exhaust Gas Recirculation-Loop Reforming for High Efficiency in a Stoichiometric Spark-Ignited Engine through Thermochemical Recuperation and Dilution Limit Extension, Part 1: Catalyst Performance. <b>2018</b> , 32, 2245-2256		12
123	Exergy analysis on non-catalyzed partial oxidation reforming using homogeneous charge compression ignition engine in a solid oxide fuel cell system. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 2943-2960	6.7	8
122	Maximizing the production of hydrogen and carbon nanotubes: Effect of Ni and reaction temperature. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 2781-2793	6.7	3
121	Effects of hydrogenation of fossil fuels with hydrogen and hydroxy gas on performance and emissions of internal combustion engines. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 14047-14058	6.7	45
120	Impact of dissociated Methanol addition on premixed Toluene reference fuel-air mixtures in a constant-volume chamber. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 6745-6755	6.7	5
119	Fuel reforming in internal combustion engines. <b>2018</b> , 67, 88-114		148
118	Low cost hydrogen production by anion exchange membrane electrolysis: A review. <b>2018</b> , 81, 1690-1704		280
117	Negative CO <sub>2</sub> emissions through the use of biofuels in chemical looping technology: A review. <b>2018</b> , 232, 657-684		93
116	Water-gas shift reactor for fuel cell systems: Stable operation for 5000 hours. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 19222-19230	6.7	8
115	Catalytic performance of a high-cell-density Ni honeycomb catalyst for methane steam reforming. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 15975-15984	6.7	11
114	Hierarchical modeling of solid oxide cells and stacks producing syngas via H <sub>2</sub> O/CO <sub>2</sub> Co-electrolysis for industrial applications. <b>2018</b> , 230, 996-1013		30
113	Effect of inert metal foam matrices on hydrogen production intensification of methane steam reforming process in wall-coated reformer. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 12386-12397	6.7	17
112	Millisecond methane steam reforming for hydrogen production: A computational fluid dynamics study. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 12948-12969	6.7	6
111	Solid oxide fuel cell technology for sustainable development in China: An over-view. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 12870-12891	6.7	28
110	Effect of TiO <sub>2</sub> on Pt-Ru-based anodes for methanol electroreforming. <b>2018</b> , 237, 811-816		15
109	Comparisons between methane and methanol steam reforming in thermally integrated microchannel reactors for hydrogen production: A computational fluid dynamics study. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 14710-14728	6.7	13
108	Hydrogen Production through Steam Reforming of Diesel over Highly Efficient Promoted Ni/Al <sub>2</sub> O <sub>3</sub> Catalysts Containing Lanthanide Series (La, Ce, Eu, Pr, and Gd) Promoters. <b>2018</b> , 32, 7054-7065		18
107	Pulsed current water splitting electrochemical cycle for hydrogen production. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 10240-10248	6.7	16

106	High efficient photocatalytic hydrogen evolution from formaldehyde over sensitized Ag@Ag-Pd alloy catalyst under visible light irradiation. <b>2018</b> , 237, 563-573		25
105	Thermodynamic analysis of steam reforming and oxidative steam reforming of propane and butane for hydrogen production. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 13009-13021	6.7	24
104	Methane Steam Reforming on the Pt/CeO <sub>2</sub> Catalyst: Effect of Daily Start-Up and Shut-Down on Long-Term Stability of the Catalyst. <b>2019</b> , 58, 16395-16406		19
103	Influence of controllable slit width and angle of controllable flow on hydrogen/air premixed combustion characteristics in micro combustor with both sides-slitted bluff body. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 20482-20492	6.7	22
102	Study of LPG steam reform using Ni/Mg/Al hydrotalcite-type precursors. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 24471-24484	6.7	9
101	Efficient hydrogen production from partial oxidation of propane over SiC doped Ni/Al <sub>2</sub> O <sub>3</sub> catalyst. <b>2019</b> , 158, 1772-1779		5
100	Mass-producible 2D-WS bulk modified screen printed electrodes towards the hydrogen evolution reaction.. <b>2019</b> , 9, 25003-25011		7
99	The influence of CO, CO <sub>2</sub> and H <sub>2</sub> O on selective CO methanation over Ni(Cl)/CeO <sub>2</sub> catalyst: On the way to formic acid derived CO-free hydrogen. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 9978-9986	6.7	9
98	Hydrogen Production via Synthetic Biogas Reforming in Atmospheric-Pressure Microwave (915 MHz) Plasma at High Gas-Flow Output. <b>2019</b> , 39, 695-711		10
97	Effect of iron content on the hydrogen production kinetics of electroless-deposited CoNiFeP alloy catalysts from the hydrolysis of sodium borohydride, and a study of its feasibility in a new hydrolysis using magnesium and calcium borohydrides. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 15228-15238	6.7	3
96	Catalytic partial oxidation reformation of diesel, gasoline, and natural gas for use in low temperature combustion engines. <b>2019</b> , 246, 295-307		14
95	An overview of the methanol reforming process: Comparison of fuels, catalysts, reformers, and systems. <i>International Journal of Energy Research</i> , <b>2019</b> , 43, 5076-5105	4.5	31
94	A further study of pyrolysis of carbon fibre-epoxy composite from hydrogen tank: Search optimization for kinetic parameters via a Shuffled Complex Evolution. <b>2019</b> , 374, 20-25		9
93	Dynamics of direct hydrocarbon polymer electrolyte membrane fuel cells. <b>2019</b> , 1407, 012088		
92	Steam Reforming, Partial Oxidation, and Autothermal Reforming of Ethanol for Hydrogen Production in Conventional Reactors. <b>2019</b> , 159-191		6
91	Solid Oxide Fuel Cells fuelled with biogas: Potential and constraints. <b>2019</b> , 134, 194-214		85
90	Two new control strategies: For hydrogen fuel saving and extend the life cycle in the hydrogen fuel cell vehicles. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 18967-18980	6.7	43
89	On-board generation of hydrogen to improve in-cylinder combustion and after-treatment efficiency and emissions performance of a hybrid hydrogen-gasoline engine. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 12880-12889	6.7	11

88	Recent advances in photo-assisted preferential CO oxidation in H <sub>2</sub> -rich stream. <b>2020</b> , 21, 9-15		6
87	A new combined electrolysis and catalytic system for removal of VOCs. <b>2020</b> , 382, 123032		4
86	A review on glycerol reforming processes over Ni-based catalyst for hydrogen and syngas productions. <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 18466-18489	6.7	46
85	Comparative study of nanoadditives TiO <sub>2</sub> , CNT, Al <sub>2</sub> O <sub>3</sub> , CuO and CeO <sub>2</sub> on reduction of diesel engine emission operating on hydrogen fuel blends. <b>2020</b> , 262, 116336		56
84	Thermodynamic analysis of fossil fuels reforming for fuel cell application. <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 20232-20239	6.7	7
83	Selective CO oxidation in the hydrogen stream over Ru/Al@Al <sub>2</sub> O <sub>3</sub> catalysts. <b>2020</b> , 352, 148-156		7
82	Single-fuel reactivity controlled compression ignition through catalytic partial oxidation reformation of diesel fuel. <b>2020</b> , 264, 116815		5
81	Reduction of the gas-phase reaction mechanism of iso-octane for the catalytic oxidation and non-catalytic applications. <b>2020</b> , 263, 116483		
80	Investigation of packed conductive foams as a novel reactor configuration for methane steam reforming. <b>2020</b> , 391, 123494		19
79	Au-Decorated Ce-Ti Mixed Oxides for Efficient CO Preferential Photooxidation. <b>2020</b> , 12, 38019-38030		7
78	The Effects of P-Atoms on the Selective Dehydrogenation of C <sub>6</sub> H <sub>10</sub> over Model Ru Surfaces. <b>2020</b> , 124, 18070-18080		1
77	Thermoelectrical-based fuel adaptability analysis of solid oxide fuel cell system and fuel conversion rate prediction. <b>2020</b> , 222, 113264		8
76	Temperature and hydrogen flow rate controls of diesel autothermal reformer for 3.6kW PEM fuel cell system with autoignition delay time analysis. <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 29345-29355	6.7	9
75	Review of composite cathodes for intermediate-temperature solid oxide fuel cell applications. <b>2020</b> , 46, 23314-23325		35
74	The effects of cobalt and cerium promoters on hydrogen production performance of alumina-supported nickel catalysts in propane steam reforming. <b>2020</b> , 95, 3241-3251		2
73	Integrated membrane-assisted reforming in fuel processors for cogeneration applications. <b>2020</b> , 177-196		
72	Conversion of Liquefied Hydrocarbon Gases on Industrial Nickel Catalysts. <b>2020</b> , 12, 119-126		
71	Novel Bimetallic CuPd Nanoparticles as Highly Active Low-Temperature WGS Catalysts. <b>2020</b> , 59, 1789-1799		2



70	Conceptual Design Development of a Fuel-Reforming System for Fuel Cells in Underwater Vehicles. <b>2020</b> , 13, 2000	0
69	Green ionic liquids and deep eutectic solvents for desulphurization, denitrification, biomass, biodiesel, bioethanol and hydrogen fuels: a review. <b>2021</b> , 19, 1001-1023	14
68	Recent Advancement on Anion Exchange Membranes for Fuel Cell and Water Electrolysis. <b>2021</b> , 8, 36-45	21
67	Collaboration between a Pt-dimer and neighboring Co-Pd atoms triggers efficient pathways for oxygen reduction reaction. <b>2021</b> , 23, 1822-1834	6
66	Tri-atomic Pt clusters induce effective pathways in a Co-Pd nanocatalyst surface for a high-performance oxygen reduction reaction. <b>2021</b> , 23, 18012-18025	3
65	Steam Reforming of Methanol for Hydrogen Production: A Critical Analysis of Catalysis, Processes, and Scope. <b>2021</b> , 60, 89-113	43
64	Interfacial atomic Ni tetragon intercalation in a NiO <sub>2</sub> -to-Pd hetero-structure triggers superior HER activity to the Pt catalyst. <b>2021</b> , 9, 12019-12028	2
63	Influence of Synthesis Gas Components on Hydrogen Storage Properties of Sodium Aluminum Hexahydride. <b>2021</b> , 2, 147-159	0
62	Effect of strong metal-oxide interaction on low-temperature ethanol reforming over Fe-promoted Rh/SiO <sub>2</sub> catalyst. <b>2021</b> , 617, 118113	3
61	The role of vacuum based technologies in solid oxide fuel cell development to utilize industrial waste carbon for power production. <b>2021</b> , 142, 110803	10
60	Performance analysis of a turbofan engine integrated with solid oxide fuel cells based on Al-H <sub>2</sub> O hydrogen production for more electric long-endurance UAVs. <b>2021</b> , 235, 113999	6
59	Autothermal Reforming of Diesel Oil for PdCeCrFeCu/Al <sub>2</sub> O <sub>3</sub> -Catalyzed Hydrogen Production. <b>2021</b> , ,	
58	Autothermal Reforming of Low-Sulfur Commercial Diesel Fuel Using Dual Catalyst Configuration of Rh/CeO <sub>2</sub> and Rh/Al <sub>2</sub> O <sub>3</sub> for Hydrogen-Rich Syngas Production. <b>2021</b> , 60, 7775-7787	2
57	Hydrogen Production via Hydrolysis and Alcoholysis of Light Metal-Based Materials: A Review. <b>2021</b> , 13, 134	11
56	Structural Properties of (Ti, Zr)(Mn, Cr) <sub>2</sub> M <sub>0.1</sub> (M = None, Fe, Co, Ni, and Cu) Hydrogen Storage Alloys: Composition Distribution and Occupied Site of Doped Element. <b>2021</b> , 62, 899-904	0
55	High-purity hydrogen production by sorption-enhanced steam reforming of iso-octane over a Pd-promoted Ni-Ca-Al-O bi-functional catalyst. <b>2021</b> , 293, 120430	3
54	Strategic examination of the classical catalysis of formic acid decomposition for intermittent hydrogen production, storage and supply: A review. <b>2021</b> , 45, 101078	2
53	An overview of biofuel power generation on policies and finance environment, applied biofuels, device and performance. <b>2021</b> , 8, 534-553	4

52	Performance Comparison of LPG and Gasoline in an Engine Configured for EGR-Loop Catalytic Reforming.	
51	Synergies in renewable fuels and exhaust heat thermochemical recovery in low carbon vehicles. <b>2021</b> , 302, 117491	3
50	Kinetic modeling of diesel autothermal reforming for fuel cell auxiliary power units. <b>2021</b> , 424, 130564	1
49	A Review on Miniaturization of Solid Oxide Fuel Cell Power Sources-II: From System to Material. <b>2008</b> , 319-347	5
48	An Overview of Hydrogen Production from Biogas. <b>2020</b> , 355-373	2
47	Hydrogen Separation Membranes of Polymeric Materials. <b>2017</b> , 85-116	3
46	Chapter 21 Carbon Dioxide Selective Membranes. <b>2011</b> , 399-414	1
45	Study on Basic Characteristics of Natural Gas Autothermal Reformer for Fuel Cell Applications. <b>2006</b> , 30, 850-857	2
44	kW-class Diesel Autothermal Reformer with Microchannel Catalyst for Solid Oxide Fuel Cell System. <b>2008</b> , 32, 558-565	1
43	Rh-Ni and Rh-Co Catalysts for Autothermal Reforming of Gasoline. <b>2014</b> , 35, 231-235	2
42	Framework for Modeling the Components of a Fuel Processing System for Fuel Cell Applications. <b>2005</b> ,	
41	Review of fuel processing catalysts for hydrogen production in PEM fuel cell systems. <b>2005</b> , 91-106	
40	Study on n-Butane Autothermal Reforming for Portable Fuel Cell. <b>2006</b> , 30, 1123-1130	
39	SPACE VELOCITY AS AN INSUFFICIENT PARAMETER IN THE STEAM-REFORMING PROCESS. <b>2007</b> , 27,	
38	Optimization of Ethanol Autothermal Reforming Process with Chemical Equilibrium Calculations. <b>2009</b> , 3, 79-85	1
37	Autothermal Reforming Case Study. <b>2011</b> , 123-142	1
36	Experimental Study on Autothermal Reformation of Methanol with Various Oxygen to Methanol Ratios for Fuel Cell Applications. <b>2011</b> , 35, 391-397	
35	A Cross-Coupled MIMO Fuel Cell System Design by Using Intelligent Fuzzy-Neural Controller. <b>2013</b> , 203-209	

34	Autothermal Reforming of Propane over Ni/CexZr1-xO2 Catalysts. <b>2013</b> , 51, 47-52		
33	High Load Expansion of Catalytic EGR-Loop Reforming under Stoichiometric Conditions for Increased Efficiency in Spark Ignition Engines.		1
32	Operating Characteristics of MCFC System on the Diversification of Fuel. <b>2015</b> , 26, 156-163		
31	Study on Possibility of Diesel Reforming with Hydrogen Peroxide in Low-Oxygen Environments. <b>2015</b> , 53, 584-589		
30	Hydrogen. <b>2016</b> , 243-293		
29	Production of Hydrogen from Poly Ethylene Terephthalate (PET) using CT 434 ZSM-5 Catalyst at Considerably Low Temperatures. <b>2016</b> , 6, 1269-1273		1
28	A Review on Production of Hydrogen from Renewable Sources and Applications for Fuel Cell Vehicles. <b>2018</b> , 1, 63-68		3
27	Conversion of Liquefied Hydrocarbon Gases on Commercial Nickel Catalysts. <i>Kataliz V Promyshlennosti</i> , <b>2019</b> , 19, 455-464	0.3	
26	Recent development in sustainable technologies for clean hydrogen evolution: Current scenario and future perspectives. <b>2022</b> , 97-130		1
25	CHAPTER 11. Structured Catalysts and Non-conventional Reactor Designs for Energy Applications. <i>RSC Energy and Environment Series</i> , <b>2020</b> , 361-396	0.6	0
24	The Effect of Oxygenated Turpentine Oil Additive in Diesel Fuel on the Performance and Emission Characteristics in One-Cylinder DI Engines. <i>Designs</i> , <b>2021</b> , 5, 73	1.8	2
23	Oxygen feeding strategies for methane ATR. <i>International Journal of Hydrogen Energy</i> , <b>2022</b> ,	6.7	0
22	Recent Advances in the Development of Highly Conductive Structured Supports for the Intensification of Non-adiabatic Gas-Solid Catalytic Processes: The Methane Steam Reforming Case Study. <i>Frontiers in Chemical Engineering</i> , <b>2022</b> , 3,	1	0
21	Synergistic effect of bimetal for steam reforming of n-decane over M-M/CaO/Al <sub>2</sub> O <sub>3</sub> (M = Fe, Co, Ni) catalysts under low S/C condition. <i>International Journal of Hydrogen Energy</i> , <b>2022</b> , 47, 11799-11812	6.7	0
20	Design point analyses of solid oxide fuel cell-steam cycle combined system: Effects of fuel reforming and bottoming cycle steam parameters. <i>International Journal of Energy Research</i> ,	4.5	1
19	Methane reforming in solid oxide fuel cells: Challenges and strategies. <i>Journal of Power Sources</i> , <b>2022</b> , 538, 231573	8.9	2
18	Environmental Footprints of Hydrogen from Crops. <i>Environmental Footprints and Eco-design of Products and Processes</i> , <b>2022</b> , 85-110	0.9	
17	Hydrogen Production from Methanol/Water Solution and Pure Water Electrolysis Using Nanocomposite Perfluorinated Sulfocationic Membranes Modified by Polyaniline. <b>2022</b> , 14, 4500		1

16	The future of hydrogen: Challenges on production, storage and applications. <b>2022</b> , 272, 116326	4
15	Solid oxide fuel cell/internal combustion engine hybrid system utilizing an internal combustion engine for anode off-gas recirculation, external reforming, and additional power generation. <b>2022</b> , 328, 120146	0
14	The effects of fuel type and cathode off-gas recirculation on combined heat and power generation of marine SOFC systems. <b>2023</b> , 276, 116498	0
13	Energy Management Strategy Considering Fuel Economy and Life of Fuel Cell for Fuel Cell Electric Vehicles. <b>2023</b> , 149,	1
12	The Impact of Thermochemical Exhaust Energy Recovery Using Ethanol-Gasoline Blend on Gasoline Direct Injection Engine Performance.	0
11	Production of H <sub>2</sub> via sorption enhanced auto-thermal reforming for small scale Applications-A process modeling and machine learning study. <b>2023</b> ,	1
10	Solar-driven polymer electrolyte membrane fuel cell for photovoltaic hydrogen production. <b>2023</b> ,	0
9	Mechanochemical preparation method for the fabrication of the mesoporous Ni/Al <sub>2</sub> O <sub>3</sub> catalysts for hydrogen production via acetic acid steam reforming. <b>2023</b> , 107, 101160	0
8	Reforming process design and modeling: Steam, dry, and autothermal reforming. <b>2023</b> , 123-140	0
7	A techno-economic review of gas flaring in Iran and its human and environmental impacts. <b>2023</b> , 173, 642-665	0
6	A multilayered plate-type copper/berium catalyst for efficient hydrogen production via the water-gas shift reaction. <b>2023</b> , 345, 128171	0
5	State of charge effects on active material elemental composition changes between pre-thermal-runaway and post-failure states for 8-1-1 nickel-manganese-cobalt 18650 cells. <b>2023</b> , 63, 106974	0
4	Hydrogen production by the steam reforming of synthetic biogas in atmospheric-pressure microwave (915MHz) plasma. <b>2023</b> , 13,	0
3	Ammonia production from syngas: Plant design and simulation. <b>2023</b> , 381-399	0
2	The effect of CO <sub>2</sub> feeding on syngas quality in autothermal reforming of methane over Ni-Al <sub>2</sub> O <sub>3</sub> catalyst: possibility of CO <sub>2</sub> conversion to hydrogen. <b>2023</b> , 136, 671-687	0
1	A Recent Review of Primary Hydrogen Carriers, Hydrogen Production Methods, and Applications. <b>2023</b> , 13, 562	0