

CITATION REPORT

List of articles citing

On the development of proton conducting polymer membranes for hydrogen and methanol fuel cells

DOI: 10.1016/s0376-7388(00)00632-3
Journal of Membrane Science, 2001, 185, 29-39.

Source: <https://exaly.com/paper-pdf/32941031/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2353	Variation of the Dissociation Constant of Triflic Acid with Hydration. 2001 , 105, 6266-6268		37
2352	Proton friction and diffusion coefficients in hydrated polymer electrolyte membranes: Computations with a non-equilibrium statistical mechanical model. 2001 , 115, 7753-7761		66
2351	Solid Acids Show Potential for Fuel Cell Electrolytes. 2001 , 54, 22-24		20
2350	Recent advances in the functionalisation of polybenzimidazole and polyetherketone for fuel cell applications. <i>Journal of Membrane Science</i> , 2001 , 185, 41-58	9.6	479
2349	Polymeric proton conducting membranes for medium temperature fuel cells (110–160°C). <i>Journal of Membrane Science</i> , 2001 , 185, 73-81	9.6	522
2348	Materials for fuel-cell technologies. 2001 , 414, 345-52		6236
2347	A statistical mechanical model for the calculation of the permittivity of water in hydrated polymer electrolyte membrane pores. 2001 , 115, 7762-7771		49
2346	High Temperature Proton Conducting Organic/Inorganic Nanohybrids for Polymer Electrolyte Membrane. 2002 , 149, A953		82
2345	Amphiphilic Organic/Inorganic Nanohybrid Macromolecules for Intermediate-Temperature Proton Conducting Electrolyte Membranes. 2002 , 149, A1389		38
2344	Carboxylated and Sulfonated Poly(arylene-co-arylene sulfone)s: Thermostable Polyelectrolytes for Fuel Cell Applications. 2002 , 35, 7936-7941		86
2343	Evidence of Elongated Polymeric Aggregates in Nafion. 2002 , 35, 4050-4055		411
2342	Ion-exchange membranes prepared by blending sulfonated poly(2,6-dimethyl-1,4-phenylene oxide) with polybenzimidazole. 2002 , 85, 1118-1127		82
2341	Characterization of polymer blends of polyethersulfone/sulfonated polysulfone and polyethersulfone/sulfonated polyetheretherketone for direct methanol fuel cell applications. <i>Journal of Membrane Science</i> , 2002 , 206, 443-453	9.6	226
2340	Transport properties of ionomer composite membranes for direct methanol fuel cells. 2002 , 532, 75-83		172
2339	Enhanced Conductivity in Morphologically Controlled Proton Exchange Membranes: Synthesis of Macromonomers by SFRP and Their Incorporation into Graft Polymers. 2002 , 35, 1348-1355		122
2338	Transport and Structural Studies of Sulfonated Styrene-Ethylene Copolymer Membranes. 2002 , 35, 5916-5921		92
2337	Bristed Acid-Base Ionic Liquids as Proton-Conducting Nonaqueous Electrolytes. 2003 , 107, 4024-4033		601

2336	Ion exchange membranes derived from sulfonated polyaramides. 2003 , 57, 77-92		48
2335	Proton conducting copolymers on the basis of vinylphosphonic acid and 4-vinylimidazole. 2003 , 164, 169-176		82
2334	Analysis of Direct Methanol Fuel Cell (DMFC)-Performance via FTIR Spectroscopy of Cathode Exhaust. 2003 , 3, 161-168		14
2333	Synthesis and characterization of proton-conducting copolymers on the basis of vinylpyrrolidone and acrylamido sulfonic acid. 2003 , 90, 3347-3353		21
2332	Fuel cell materials and components???The Golden Jubilee IssueSelected topics in Materials Science and Engineering: Past, Present and Future, edited by S. Suresh.. 2003 , 51, 5981-6000		930
2331	Defect structure for proton transport in a triflic acid monohydrate solid. 2003 , 368, 108-114		83
2330	New fully polymeric proton solvents with high proton mobility. 2003 , 48, 2165-2171		143
2329	Oxygen permeation studies on alternative proton exchange membranes designed for elevated temperature operation. 2003 , 48, 1845-1859		75
2328	Nano-composite of PtRu alloy electrocatalyst and electronically conducting polymer for use as the anode in a direct methanol fuel cell. 2003 , 48, 2781-2789		105
2327	Proton conducting polydimethylsiloxane/zirconium oxide hybrid membranes added with phosphotungstic acid. 2003 , 48, 3633-3638		42
2326	Permeation of electrolyte water-methanol solutions through a Nafion membrane. 2003 , 268, 476-81		23
2325	Synthesis and conductivity of proton-electrolyte membranes based on hybrid inorganicorganic copolymers. 2003 , 48, 4271-4276		54
2324	Role of the field fluctuations in electrochemical reactions. 2003 , 219, 256-263		11
2323	Reduction of methanol permeability in polyetherketoneeteropolyacid membranes. <i>Journal of Membrane Science</i> , 2003 , 217, 5-15	9.6	103
2322	Separation of H ⁺ /Cu ²⁺ cations by electrodialysis using modified proton conducting membranes. <i>Journal of Membrane Science</i> , 2003 , 216, 13-25	9.6	51
2321	Casting solvent interactions with sulfonated poly(ether ether ketone) during proton exchange membrane fabrication. <i>Journal of Membrane Science</i> , 2003 , 219, 113-121	9.6	206
2320	Synthesis and characterization of proton conducting polymer membranes for fuel cells. <i>Journal of Membrane Science</i> , 2003 , 225, 63-76	9.6	203
2319	Proton-conducting composite membranes derived from sulfonated hydrocarbon and inorganic materials. 2003 , 124, 18-25		141

2318	Properties of SPEEK based PEMs for fuel cell application. 2003 , 82, 213-222	206
2317	Recent developments in high-temperature proton conducting polymer electrolyte membranes. 2003 , 8, 96-102	255
2316	Effect of acidification treatment and morphological stability of sulfonated poly(arylene ether sulfone) copolymer proton-exchange membranes for fuel-cell use above 100 °C. 2003 , 41, 2816-2828	152
2315	Preparation of nano-structured polymeric proton conducting membranes for use in fuel cells. 2003 , 984, 208-25	23
2314	Nanostructure of Nafion membrane material as a function of mechanical load studied by SAXS. 2003 , 44, 4853-4861	45
2313	Proton conducting acidBase mixed materials under water-free condition. 2003 , 48, 2411-2415	77
2312	Quasi-3D Modeling of Water Transport in Polymer Electrolyte Fuel Cells. 2003 , 150, A1432	117
2311	Recent Advances in Materials for Fuel Cells. 2003 , 33, 183-213	611
2310	Self-Conducting Benzimidazole Oligomers for Proton Transport. 2003 , 15, 3044-3045	54
2309	Novel Proton-Conducting Polyelectrolyte Composed of an Aromatic Polyether Containing Main-Chain Pyridine Units for Fuel Cell Applications. 2003 , 15, 5044-5050	80
2308	Novel Sulfonated Poly(arylene ether): A Proton Conductive Polymer Electrolyte Designed for Fuel Cells. 2003 , 36, 9691-9693	188
2307	Theoretical Study of Structures, Energies, and Vibrational Spectra of the ImidazoleImidazolium System. 2003 , 107, 7827-7831	61
2306	State of Water in Disulfonated Poly(arylene ether sulfone) Copolymers and a Perfluorosulfonic Acid Copolymer (Nafion) and Its Effect on Physical and Electrochemical Properties. 2003 , 36, 6281-6285	312
2305	Approaches and Recent Development of Polymer Electrolyte Membranes for Fuel Cells Operating above 100 °C. 2003 , 15, 4896-4915	1436
2304	Non-Fluorinated Polymer Materials for Proton Exchange Membrane Fuel Cells. 2003 , 33, 503-555	690
2303	Proton Conduction Mechanisms at Low Degrees of Hydration in Sulfonic AcidBased Polymer Electrolyte Membranes. 2003 , 33, 289-319	390
2302	Sulfonated Poly(ether ether ketone) Membranes for Direct Methanol Fuel Cells. 2003 , 6, A229	121
2301	Transport in Polymer-Electrolyte Membranes. 2003 , 150, A1008	231

2300	Conductivity and Electrochemical ORR Mass Transport Properties of Solid Polymer Electrolytes Containing Poly(styrene sulfonic acid) Graft Chains. 2003 , 150, E271	28
2299	Family of High-Temperature Polymer-Electrolyte Membranes Synthesized from Amphiphilic Nanostructured Macromolecules. 2003 , 150, A616	36
2298	Polymeric Electrolytes: An Overview. 2009 , 575-622	4
2297	Fuel Cells: Materials. 2004 , 1-5	1
2296	Optomechanical characterization of proton-exchange membrane fuel cells. 2004 , 5532, 316	5
2295	Magnitude and orientation dependence of intermolecular interaction of perfluoropropane dimer studied by high-level ab initio calculations: comparison with propane dimer. 2004 , 121, 9917-24	22
2294	Synthesis, spectroscopic and electrochemical characterization of hybrid membranes for Polymer Electrolyte Membrane Fuel Cells.. 2004 , 835, K9.11.1	
2293	High-Temperature-Tolerant, Proton-Conducting Polytetramethylene Oxide/Zirconia Hybrid Membranes. 2004 , 151, A1396	16
2292	Hydrous Ta ₂ O ₅ ·nH ₂ O Modified Membrane-Electrode Assemblies for PEMFCs. 2004 , 151, A2120	19
2291	Preparation of an Organic-Inorganic Hybrid Ionic Conductive Material with Thermal and Chemical Stability. 2004 , 87, 504-506	16
2290	Fundamental models for fuel cell engineering. 2004 , 104, 4727-65	1003
2289	Preparation and characterization of sulfonated poly(phthalazinone ether sulfone ketone) (SPPEK)/silica hybrid membranes for direct methanol fuel cell applications. 2004 , 12, 413-421	30
2288	Proton transfer in nafion membrane by quantum chemistry calculation. 2004 , 42, 1905-1914	26
2287	Synthesis and characterization of poly (styrene-co-vinyl phosphonate) ionomers. 2004 , 42, 3628-3641	35
2286	Sulfonated poly(aryl ether ketone)s containing naphthalene moieties obtained by direct copolymerization as novel polymers for proton exchange membranes. 2004 , 42, 2866-2876	121
2285	Structure-property correlations of sulfonated polyimides. I. Effect of bridging groups on membrane properties. 2004 , 42, 3612-3620	57
2284	Experimental Investigation of Effect of Flow Bed Design on Performance of Liquid Feed Direct Methanol Fuel Cells. 2004 , 4, 86-89	12
2283	Relationship Between Methanol Permeability and Structure of Different Radiation-Grafted Membranes. 2004 , 4, 328-336	20

2282	Sulfonated PEEK-WC membranes for possible fuel cell applications. <i>Journal of Membrane Science</i> , 2004 , 228, 139-148	9.6	93
2281	Novel proton conducting sulfonated poly(arylene ether) copolymers containing aromatic nitriles. <i>Journal of Membrane Science</i> , 2004 , 239, 199-211	9.6	164
2280	Nano-silica layered composite membranes prepared by PECVD for direct methanol fuel cells. 2004 , 6, 1069-1074		53
2279	Preparation of the electrode for high temperature PEFCs using novel polymer electrolytes based on organic/inorganic nanohybrids. 2004 , 50, 667-672		30
2278	Performance improvement of Nafion based solid state electrochemical supercapacitor. 2004 , 49, 2683-2689		80
2277	Towards the understanding of the specifics of reactions in polymer-electrolyte fuel cells. 2004 , 554, 103-108		7
2276	Emerging membranes for electrochemical systems. 2004 , 127, 135-161		400
2275	Oxygen reduction and transport characteristics at a platinum and alternative proton conducting membrane interface. 2004 , 568, 273-291		41
2274	Alginic acidimidazole composite material as anhydrous proton conducting membrane. 2004 , 45, 8349-8354		60
2273	Synthesis and characterization of sulfonated poly(ether ether ketone) for proton exchange membranes. <i>Journal of Membrane Science</i> , 2004 , 229, 95-106	9.6	771
2272	Direct synthesis of sulfonated aromatic poly(ether ether ketone) proton exchange membranes for fuel cell applications. <i>Journal of Membrane Science</i> , 2004 , 234, 75-81	9.6	358
2271	On the methanol/water electroosmotic transport in a Nafion membrane. <i>Journal of Membrane Science</i> , 2004 , 236, 109-120	9.6	21
2270	Microstructural characterization of Zr-phosphate/Nafion membranes for direct methanol fuel cell (DMFC) applications. <i>Journal of Membrane Science</i> , 2004 , 233, 141-149	9.6	114
2269	Sulfonated poly(arylene ether sulfone) copolymer proton exchange membranes: composition and morphology effects on the methanol permeability. <i>Journal of Membrane Science</i> , 2004 , 243, 317-326	9.6	218
2268	Block copolymer ionomers for ion conductive membranes. <i>Journal of Membrane Science</i> , 2004 , 245, 147-161	9.6	39
2267	Multilayered membranes with suppressed fuel crossover for direct methanol fuel cells. 2004 , 6, 231-236		89
2266	Ambient temperature proton conducting plastic crystal electrolytes. 2004 , 6, 432-434		39
2265	Investigation on methanol permeability of Nafion modified by self-assembled clay-nanocomposite multilayers. 2004 , 50, 659-662		48

2264	In-situ spin trap electron paramagnetic resonance study of fuel cell processes. 2004 , 6, 2891	131
2263	Transport in Polymer-Electrolyte Membranes. 2004 , 151, A311	308
2262	Fine Morphology of Proton-Conducting Ionomers. 2004 , 108, 11953-11963	49
2261	Nanophase-Segregation and Transport in Nafion 117 from Molecular Dynamics Simulations: Effect of Monomeric Sequence. 2004 , 108, 3149-3157	375
2260	High Pressure NMR Study of Water Self-Diffusion in NAFION-117 Membrane. 2004 , 108, 4260-4262	39
2259	Structure and Dielectric Saturation of Water in Hydrated Polymer Electrolyte Membranes: Inclusion of the Internal Field Energy. 2004 , 108, 13231-13241	39
2258	Conducting organic radical cation salts with organic and organometallic anions. 2004 , 104, 5203-42	95
2257	Improvement of Properties of Poly(ether ketone) Ionomer Membranes by Blending and Cross-Linking. 2004 , 43, 4571-4579	52
2256	Morphology of Evaporated Multiblock Copolymer Membranes Studied by Molecular Dynamics Simulations. 2004 , 37, 9132-9138	20
2255	Sulfonation Reaction Kinetics of Poly(ether ketone ketone) (PEKK) Using a Mixture of Concentrated and Fuming Sulfuric Acid. 2004 , 43, 6948-6954	14
2254	Anhydrous Protonic Conductivity of a Self-Assembled AcidBase Composite Material. 2004 , 108, 5522-5526	91
2253	Hydrolytically Stable Polyimide Ionomer for Fuel Cell Applications. 2004 , 16, 2841-2843	137
2252	Toward a New Type of Anhydrous Organic Proton Conductor Based on Immobilized Imidazole□ 2004 , 16, 329-337	206
2251	Fibrillar Structure of Nafion: Matching Fourier and Real Space Studies of Corresponding Films and Solutions. 2004 , 37, 7772-7783	306
2250	An addition to the oxoacid family: H ₂ B ₁₂ (OH) ₁₂ . 2004 , 43, 3786-8	5
2249	Proton Conductive Polyimide Electrolytes Containing Fluorenyl Groups: Synthesis, Properties, and Branching Effect. 2004 , 37, 4956-4960	151
2248	State of understanding of nafion. 2004 , 104, 4535-85	3590
2247	Sulfonated Poly(aryl ether ketone)s Containing the Hexafluoroisopropylidene Diphenyl Moiety Prepared by Direct Copolymerization, as Proton Exchange Membranes for Fuel Cell Application□ 2004 , 37, 7960-7967	274

2246	Direct Methanol Fuel Cell Performance of Disulfonated Poly(arylene ether benzonitrile) Copolymers. 2004 , 151, A2150		118
2245	Transport in proton conductors for fuel-cell applications: simulations, elementary reactions, and phenomenology. 2004 , 104, 4637-78		1744
2244	Proton Conductive Polyimide Electrolytes Containing Trifluoromethyl Groups: Synthesis, Properties, and DMFC Performance. 2004 , 37, 4961-4966		151
2243	Synthesis of Poly(arylene ether ether ketone ketone) Copolymers Containing Pendant Sulfonic Acid Groups Bonded to Naphthalene as Proton Exchange Membrane Materials 2004 , 37, 6748-6754		103
2242	Influence of Nafion Content in Electrodes on Performance of Carbon Supercapacitors. 2004 , 151, A64		61
2241	Blends of Sulfonated Polysulfone and Poly(ethylene oxide)-Grafted-Polyethersulfone as Proton Exchange Membranes for Fuel Cell Applications. 2005 , 230, 33-38		9
2240	Proton electrolyte membrane properties and direct methanol fuel cell performance. 2005 , 140, 34-40		120
2239	Proton electrolyte membrane properties and direct methanol fuel cell performance: II. Fuel cell performance and membrane properties effects. 2005 , 140, 41-49		60
2238	Electroosmotic flow through polymer electrolyte membranes in PEM fuel cells. 2005 , 140, 1-11		66
2237	Solid acid membranes for high temperature ($\geq 140^{\circ}\text{C}$) proton exchange membrane fuel cells. 2005 , 142, 223-237		248
2236	Performance and efficiency of a DMFC using non-fluorinated composite membranes operating at low/medium temperatures. 2005 , 145, 485-494		83
2235	Experimental and computational study of proton and methanol permeabilities through composite membranes. 2005 , 145, 223-230		13
2234	Membrane electrode assemblies based on sol-gel hybrid membranes I A preliminary investigation on fabrication aspects. 2005 , 150, 48-56		12
2233	Investigation of membrane property and fuel cell behavior with sulfonated poly(ether ether ketone) electrolyte: Temperature and relative humidity effects. 2005 , 150, 120-128		123
2232	Functional fluoropolymers for fuel cell membranes. 2005 , 30, 644-687		282
2231	Surface modification of sulfonated poly(ether ether ketone) membranes using Nafion solution for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2005 , 247, 59-63	9.6	88
2230	Highly charged proton exchange membranes prepared by using water soluble polymer blends for fuel cells. <i>Journal of Membrane Science</i> , 2005 , 247, 127-135	9.6	125
2229	Preparation of polyvinyl alcohol-silica hybrid heterogeneous anion-exchange membranes by sol-gel method and their characterization. <i>Journal of Membrane Science</i> , 2005 , 248, 37-44	9.6	135

2228	Heterogeneous ion-exchange membranes based on sulfonated poly(1,4-phenylene sulfide) and linear polyethylene: preparation, oxidation stability, methanol permeability and electrochemical properties. <i>Journal of Membrane Science</i> , 2005 , 250, 151-157	9.6	83
2227	Preparation and characterization of sulfonated poly(ether ether ketone ketone) proton exchange membranes for fuel cell application. <i>Journal of Membrane Science</i> , 2005 , 255, 149-155	9.6	106
2226	Proton conductive membranes of sulfonated poly(ether ketone ketone). <i>Journal of Membrane Science</i> , 2005 , 260, 181-186	9.6	62
2225	Thermal and hydrolytic stability of sulfonated polyimide membranes with varying chemical structure. 2005 , 90, 431-440		43
2224	Anhydrous proton conducting polymer electrolytes based on poly(vinylphosphonic acid)-heterocycle composite material. 2005 , 46, 2986-2992		154
2223	Direct synthesis of sulfonated poly(ether ether ketone ketone)s (SPEEKs) proton exchange membranes for fuel cell application. 2005 , 46, 5820-5827		144
2222	Proton-conducting membranes with high selectivity from phosphotungstic acid-doped poly(vinyl alcohol) for DMFC applications. <i>Journal of Membrane Science</i> , 2005 , 253, 23-31	9.6	95
2221	Organic/inorganic composite membranes for application in DMFC. <i>Journal of Membrane Science</i> , 2005 , 261, 107-113	9.6	134
2220	Sulfonated poly(arylene ether nitrile ketone) and its composite with phosphotungstic acid as materials for proton exchange membranes. <i>Journal of Membrane Science</i> , 2005 , 264, 56-64	9.6	68
2219	The effect of equivalent weight, temperature, cationic forms, sorbates, and nanoinorganic additives on the sorption behavior of Nafion [®] . <i>Journal of Membrane Science</i> , 2005 , 264, 167-175	9.6	107
2218	Nafion [®] /TiO ₂ composite DMFC membranes: physico-chemical properties of the filler versus electrochemical performance. 2005 , 50, 1241-1246		196
2217	Polysulfone ionomers for proton-conducting fuel cell membranes: 2. Sulfophenylated polysulfones and polyphenylsulfones. 2005 , 50, 1939-1946		66
2216	Aqueous pore structure and proton dynamics in solvated Nafion membranes. 2005 , 50, 4234-4240		92
2215	Synthesis and characterization of Nafion [®] -MO ₂ (M=Zr, Si, Ti) nanocomposite membranes for higher temperature PEM fuel cells. 2005 , 51, 553-560		297
2214	Synthesis and characterization of thermally stable sulfonated polybenzimidazoles. 2005 , 41, 1589-1595		86
2213	Proton exchange membranes based on sulfonated poly(phthalazinone ether ketone)s/aminated polymer blends. 2005 , 176, 409-415		35
2212	Low methanol permeable and high proton-conducting Nafion/calcium phosphate composite membrane for DMFC. 2005 , 176, 1079-1089		51
2211	Microscopic states of water and methanol in Nafion membrane observed by NMR micro imaging. 2005 , 176, 2451-2456		27

2210	Chitosan-sodium alginate polyion complexes as fuel cell membranes. 2005 , 41, 1859-1866	231
2209	A new anhydrous proton conducting material based on phosphoric acid doped polyimide. 2005 , 41, 2505-2510	46
2208	Self-assembling multi-layer Pd nanoparticles onto Nafion [®] membrane to reduce methanol crossover. 2005 , 262, 65-70	35
2207	Proton conductivity of zwitterionic-type molecular solids under intermediate temperature and anhydrous conditions. 2005 , 402, 324-328	12
2206	Preparation of carbon supported Pt and PtRu nanoparticles from microemulsion. 2005 , 285, 24-35	94
2205	Anhydrous proton conductive membrane consisting of chitosan. 2005 , 50, 2837-2841	93
2204	Investigation of the electrochemical behaviour in DMFCs of chabazite and clinoptilolite-based composite membranes. 2005 , 50, 5181-5188	44
2203	Nanostructured materials for advanced energy conversion and storage devices. 2005 , 4, 366-77	7496
2202	Membranes from sulfonated block copolymers for use in fuel cells. 2005 , 41, 207-220	74
2201	Fuel Cell Membrane Materials by Chemical Grafting of Aromatic Main-Chain Polymers. 2005 , 5, 248-260	79
2200	Synthetic Strategies for Controlling the Morphology of Proton Conducting Polymer Membranes. 2005 , 5, 171-186	164
2199	About the Choice of the Protogenic Group in PEM Separator Materials for Intermediate Temperature, Low Humidity Operation: A Critical Comparison of Sulfonic Acid, Phosphonic Acid and Imidazole Functionalized Model Compounds. 2005 , 5, 355-365	274
2198	The Chemical and Structural Nature of Proton Exchange Membrane Fuel Cell Properties. 2005 , 5, 213-229	298
2197	Radiation Grafted Membranes for Polymer Electrolyte Fuel Cells. 2005 , 5, 317-335	191
2196	Blended and Cross-Linked Ionomer Membranes for Application in Membrane Fuel Cells. 2005 , 5, 230-247	290
2195	Neutron and X-ray Scattering: Suitable Tools for Studying Ionomer Membranes. 2005 , 5, 261-276	225
2194	Poly(Arylene Ether Sulfone) Copolymers and Related Systems from Disulfonated Monomer Building Blocks: Synthesis, Characterization, and Performance [A Topical Review]. 2005 , 5, 201-212	282
2193	Multilayer Sulfonated Polyaromatic PEMFC Membranes. 2005 , 5, 412-418	20

2192	Preparation and electrochemical characterization of sulfonated polysulfone cation-exchange membranes: Effects of the solvents on the degree of sulfonation. 2005 , 96, 2344-2351	14
2191	Nanosized TiO ₂ -filled sulfonated polyethersulfone proton conducting membranes for direct methanol fuel cells. 2005 , 98, 1875-1878	30
2190	Tensile mechanical properties of sulfonated poly(ether ether ketone) (SPEEK) and BPO ₄ /SPEEK membranes. 2005 , 98, 2380-2393	38
2189	Copolymerization of ethylene, tetrafluoroethylene, and an olefin-containing fluorosulfonyl fluoride: synthesis of high-proton-conductive membranes for fuel-cell applications. 2005 , 44, 564-7	28
2188	Copolymerization of Ethylene, Tetrafluoroethylene, and an Olefin-Containing Fluorosulfonyl Fluoride: Synthesis of High-Proton-Conductive Membranes for Fuel-Cell Applications. 2005 , 117, 570-573	7
2187	Branched/Crosslinked Sulfonated Polyimide Membranes for Polymer Electrolyte Fuel Cells. 2005 , 26, 696-700	85
2186	Proton Conducting Polysulfone Ionomers Carrying Sulfoaryloxybenzoyl Side Chains. 2005 , 26, 1464-1468	76
2185	Membranen für Brennstoffzellen. 2005 , 77, 539-548	2
2184	Novel Nafion/Hydroxyapatite composite membrane with high crystallinity and low methanol crossover for DMFCs. 2005 , 53, 181-192	43
2183	Comparison of the water uptake and swelling between sulfonated poly(phthalazinone ether ketone)s and sulfonated poly(arylene ether ketone)s. 2005 , 54, 57-64	8
2182	Solid polymer electrolyte membranes for fuel cell applications – review. <i>Journal of Membrane Science</i> , 2005 , 259, 10-26	9.6 929
2181	Low water uptake content and low water/methanol transport in CP/Nafion hybrid membrane with high non-hydrogen bonding. <i>Journal of Membrane Science</i> , 2005 , 261, 58-66	9.6 19
2180	Ion exchange membranes: State of their development and perspective. <i>Journal of Membrane Science</i> , 2005 , 263, 1-29	9.6 940
2179	A covalent organic/inorganic hybrid proton exchange polymeric membrane: synthesis and characterization. 2005 , 46, 1754-1758	65
2178	Synthesis and characterization of poly(aryl ether ketone) copolymers containing (hexafluoroisopropylidene)-diphenol moiety as proton exchange membrane materials. 2005 , 46, 3257-3263	107
2177	DBSA-doped PEG/SiO ₂ proton-conducting hybrid membranes for low-temperature fuel cell applications. 2005 , 176, 531-538	20
2176	Silicotungstic acid/organically modified silane proton-conducting membranes. 2005 , 9, 106-113	24
2175	Direct methanol fuel cells: The influence of methanol on the reduction of oxygen over Pt/C catalysts with different particle sizes. 2005 , 11, 112-119	1

2174	Sulphonated poly(ether ether ketone): Synthesis and characterisation. 2005 , 40, 629-636	74
2173	Calculating a Characteristic Bulk Current Density in the Cathode of a Hydrogen-Oxygen Fuel Cell with a Solid Polymer Electrolyte. 2005 , 41, 985-995	
2172	Proton conducting composite membranes from polysulfone and heteropolyacid for fuel cell applications. 2005 , 43, 1538-1547	33
2171	Crosslinked sulfonated polyimide networks as polymer electrolyte membranes in fuel cells. 2005 , 43, 2370-2379	39
2170	Synthesis and properties of novel sulfonated poly(phenylene ether). 2005 , 43, 1741-1744	17
2169	Synthesis and characterization of proton-conducting copolyimides bearing pendant sulfonic acid groups. 2005 , 43, 1545-1553	70
2168	Proton transportation in an organic/inorganic hybrid polymer electrolyte based on a polysiloxane/poly(allylamine) network. 2005 , 43, 3359-3367	33
2167	Functional fluoropolymers for fuel cell membranes. 2005 , 469-511	3
2166	The use of Nafion [®] as electrolyte in fuel cells. 2005 , 439-468	2
2165	Recent Progress in Proton Conducting Membranes for PEFCs. 2005 , 73, 12-19	95
2164	Ionomers. 2005 ,	1
2163	Transport Phenomena in Polymer Electrolyte Membranes. 2005 , 152, A1804	63
2162	Absorption, Desorption, and Transport of Water in Polymer Electrolyte Membranes for Fuel Cells. 2005 , 152, A1149	189
2161	Preparation and Characterization of Nafion/Poly(1-vinylimidazole) Composite Membrane for Direct Methanol Fuel Cell Application. 2005 , 152, A1366	40
2160	Effects of dielectric saturation and ionic screening on the proton self-diffusion coefficients in perfluorosulfonic acid membranes. 2005 , 123, 224704	44
2159	Thermodynamics and Proton Transport in Nafion. 2005 , 152, E84	115
2158	Thermodynamics and Proton Transport in Nafion. 2005 , 152, A1548	73
2157	Crosslinked Organic/Inorganic Hybrid Proton Exchange Polymeric Membranes. 2005 , 885, 1	

2156	Properties of Gas Diffusion Electrodes Containing Sulfonated Poly(ether ether ketone). 2005 , 152, A752	67
2155	Nanostructured Proton-Conducting Membranes for Fuel Cell Applications. 2005 , 229, 168-178	9
2154	Self-Assembly of PDDA-Pt Nanoparticle/Nafion Membranes for Direct Methanol Fuel Cells. 2005 , 8, A574	20
2153	Mesoscale Simulation of Morphology in Hydrated Perfluorosulfonic Acid Membranes. 2005 , 885, 1	
2152	Nafion [®] /TiO ₂ Proton Conductive Composite Membranes for PEMFCs Operating at Elevated Temperature and Reduced Relative Humidity. 2005 , 152, A1035	98
2151	Phosphonic acid functionalized aminopropyl triethoxysilane/PVA composite material: organic/inorganic hybrid proton-exchange membranes in aqueous media. 2005 , 15, 4823	100
2150	New highly proton conductive polymer membranes poly(vinyl alcohol)-2-acrylamido-2-methyl-1-propanesulfonic acid (PVA/AMPS). 2005 , 15, 4414	82
2149	Thermodynamics and Proton Transport in Nafion. 2005 , 152, E123	300
2148	Synthesis of Poly(arylene ether) Copolymers Containing Pendant PEO Groups and Evaluation of Their Blends as Proton Conductive Membranes. 2005 , 38, 9594-9601	21
2147	Nanophase segregation and water dynamics in the dendrion diblock copolymer formed from the Fréchet polyaryl ethereal dendrimer and linear PTFE. 2005 , 109, 10154-67	55
2146	Dynamic behavior of water within a polymer electrolyte fuel cell membrane at low hydration levels. 2005 , 109, 785-93	120
2145	Ionomeric Poly(phenylene) Prepared by Diels-Alder Polymerization: Synthesis and Physical Properties of a Novel Polyelectrolyte. 2005 , 38, 5010-5016	270
2144	High-Performance PEMFCs at Elevated Temperatures Using Nafion 112 Membranes. 2005 , 152, A539	54
2143	Proton-Exchanging Electrolyte Membranes Based on Aromatic Condensation Polymers. 2005 , 83-134	59
2142	Molecular modeling of the short-side-chain perfluorosulfonic acid membrane. 2005 , 109, 7583-93	177
2141	Poly(arylene ether) Ionomers Containing Sulfofluorenyl Groups for Fuel Cell Applications. 2005 , 38, 7121-7126	177
2140	Chemically Modified Poly(vinyl alcohol)/Poly(2-acrylamido-2-methyl-1-propanesulfonic acid) as a Novel Proton-Conducting Fuel Cell Membrane. 2005 , 17, 2413-2421	114
2139	Intrinsically Proton-Conducting Benzimidazole Units Tethered to Polysiloxanes. 2005 , 38, 3283-3289	62

2138	Proton Transport in Polymer Electrolyte Fuel Cell Membranes. 2005 , 361-379	3
2137	Surface characterization of argon-plasma-modified perfluorosulfonic acid membranes. 2006 , 110, 4240-6	26
2136	Temperature-dependent dynamics of water confined in nafion membranes. 2006 , 110, 13769-76	34
2135	Water Stability of Sulfonated Polyimide Membranes. 2006 , 39, 1189-1198	150
2134	Aliphatic/aromatic polyimide ionomers as a proton conductive membrane for fuel cell applications. 2006 , 128, 1762-9	573
2133	Proton Exchange Membranes for Fuel Cell Applications. 2006 , 46, 219-244	117
2132	Water dynamics in ionomer membranes by field-cycling NMR relaxometry. 2006 , 110, 5439-44	56
2131	Thermal stability and thermodynamic properties of hybrid proton-conducting polyaryl etherketones. 2006 , 110, 15817-23	41
2130	Emerging membrane materials for high temperature polymer electrolyte fuel cells: durable hydrocarbon ionomers. 2006 , 16, 4465	48
2129	Experimental Determination of Electro-Osmotic Drag Coefficient in Nafion Membrane for Fuel Cells. 2006 , 153, A1443	69
2128	A Simple New Route to Covalent Organic/Inorganic Hybrid Proton Exchange Polymeric Membranes. 2006 , 18, 69-75	78
2127	On the Development of Naphthalene-Based Sulfonated Polyimide Membranes for Fuel Cell Applications. 2006 , 38, 197-219	162
2126	NEW TRENDS ON MEMBRANE SCIENCE. 2006 , 439-479	3
2125	Ab initio molecular dynamics simulation of the structure and proton transport dynamics of methanol-water solutions. 2006 , 110, 3712-20	99
2124	Molded, high surface area polymer electrolyte membranes from cured liquid precursors. 2006 , 128, 12963-72	64
2123	Solid-State NMR Study of Two Classic Proton Conducting Polymers: Nafion and Sulfonated Poly(ether ether ketone)s. 2006 , 39, 3283-3290	101
2122	Inorganic Polymer Composite Membranes for Proton Exchange Membrane Fuel Cells. 2006 , 46, 245-296	108
2121	Characterization of the solvation and transport of the hydrated proton in the perfluorosulfonic acid membrane nafion. 2006 , 110, 18594-600	156

2120	Self-Assembly of Latex Particles into Proton-Conductive Membranes. 2006 , 39, 8060-8066	23
2119	Proton-Conducting Solid Electrolyte via Ozonolysis of Cationic Ammonium Organoalkoxysilane Surfactant-Templated MCM-41. 2006 , 18, 5634-5636	16
2118	Organic-Inorganic Hybrid Membranes for a PEMFC Operation at Intermediate Temperatures. 2006 , 153, A508	42
2117	Effect of SiO ₂ on relaxation phenomena and mechanism of ion conductivity of [Nafion/(SiO ₂) _x] composite membranes. 2006 , 110, 24972-86	162
2116	On the consequences of side chain flexibility and backbone conformation on hydration and proton dissociation in perfluorosulfonic acid membranes. 2006 , 8, 2193-203	102
2115	About the choice of the protogenic group in polymer electrolyte membranes: Ab initio modelling of sulfonic acid, phosphonic acid, and imidazole functionalized alkanes. 2006 , 8, 4530-42	178
2114	First-principles study on proton dissociation properties of fluorocarbon- and hydrocarbon-based membranes in low humidity conditions. 2006 , 110, 17872-7	17
2113	Structural Study of Proton-Conducting Fluorous Block Copolymer Membranes. 2006 , 39, 720-730	72
2112	Synthesis and Characterization of Hydrated Rubidium Thio-hydroxosilicogermanates Using Mechanochemical Hydrothermal Synthesis. 2006 , 18, 6436-6441	6
2111	Synthesis and properties of phosphonic acid-grafted hybrid inorganic-organic polymer membranes. 2006 , 16, 858-864	50
2110	Molecular Hydrogen, Hydride, and Dihydrogen Complexes. 2006 ,	
2109	Gas Separation with Membranes. 2006 , 53-90	2
2108	Improved performance of sulfonated polyarylene ethers for proton exchange membrane fuel cells. 2006 , 17, 591-597	48
2107	Synthesis and properties of novel sulfonated (co)polyimides bearing sulfonated aromatic pendant groups for PEFC applications. 2006 , 44, 2862-2872	58
2106	Chemically modified proton-conducting membranes based on sulfonated polyimides: Improved water stability and fuel-cell performance. 2006 , 44, 3751-3762	49
2105	Synthesis and properties of polyimides bearing acid groups on long pendant aliphatic chains. 2006 , 44, 3995-4005	42
2104	Selectively sulfonated poly(aryl ether sulfone)-b-polybutadiene for proton exchange membrane. 2006 , 44, 665-672	8
2103	Tensile behavior of Nafion and sulfonated poly(arylene ether sulfone) copolymer membranes and its morphological correlations. 2006 , 44, 1453-1465	61

2102	Mechanical properties of Nafion and titania/Nafion composite membranes for polymer electrolyte membrane fuel cells. 2006 , 44, 2327-2345	174
2101	Polymer electrolyte membranes for the direct methanol fuel cell: A review. 2006 , 44, 2201-2225	376
2100	Influence of blend miscibility on the proton conductivity and methanol permeability of polymer electrolyte blends. 2006 , 44, 2253-2266	16
2099	Sulfonated poly(aryl ether ether ketone)s containing fluorinated moieties as proton exchange membrane materials. 2006 , 44, 2299-2310	21
2098	Effects of different acid functional groups on proton conductivity of polymer-1,2,4-triazole blends. 2006 , 44, 3315-3322	58
2097	Swelling behavior and solubility parameter of sulfonated poly(ether ether ketone). 2006 , 44, 3128-3134	31
2096	Heterogeneous ion-exchange membranes based on sulfonated poly(1,4-phenylene sulfide). 2006 , 198, 256-264	25
2095	Improving of the performances of sulfonated PEEK-WC membranes by introducing heteropolyacids in the polymeric matrix. 2006 , 200, 658-659	5
2094	Mass transport of direct methanol fuel cell species in sulfonated poly(ether ether ketone) membranes. 2006 , 51, 3699-3706	46
2093	Synthesis and characterization of PDDA-stabilized Pt nanoparticles for direct methanol fuel cells. 2006 , 51, 5721-5730	85
2092	Low water/methanol permeable Nafion/CHP organic/inorganic composite membrane with high crystallinity. 2006 , 42, 375-387	29
2091	Preparation and characterization of poly(ether sulfone)/sulfonated poly(ether ether ketone) blend membranes. 2006 , 42, 1688-1695	87
2090	Bristed acid/base polymer electrolyte membrane based on sulfonated poly(phenylene oxide) and imidazole. 2006 , 42, 2199-2203	18
2089	Synthesis and characterization of novel sulfonated naphthalenic polyimides as proton conductive membrane for DMFC applications. 2006 , 42, 2987-2993	30
2088	Sulfonated poly(ether ether ketone) as an alternative charged material to poly(vinyl chloride) in the design of ion-selective electrodes. 2006 , 577, 85-90	9
2087	Recent developments on ion-exchange membranes and electro-membrane processes. 2006 , 119, 97-130	524
2086	Simulation of the charge and potential distribution in the double layer formed by polymer electrolyte. 2006 , 8, 561-564	16
2085	Bipolar membranes in forward bias region for fuel cell reactors. 2006 , 51, 1165-1171	17

2084	Synthesis and properties of imidazole-grafted hybrid inorganicorganic polymer membranes. 2006 , 51, 1351-1358		34
2083	Sorption and permeation of solutions of chloride salts, water and methanol in a Nafion membrane. 2006 , 51, 6297-6303		25
2082	Proton exchange membranes based on modified sulfonated poly(ether ether ketone) membranes with chemically in situ polymerized polypyrrole. 2006 , 52, 847-853		28
2081	Methanol permeability in sulfonated poly(etheretherketone) membranes: A comparison with Nafion membranes. 2006 , 42, 776-785		109
2080	Comparative behaviour of hydrophilic membranes in the pervaporative dehydration of cyclohexane. <i>Journal of Membrane Science</i> , 2006 , 279, 635-644	9.6	9
2079	Characterization of the novel ETFE-based membrane. <i>Journal of Membrane Science</i> , 2006 , 280, 20-28	9.6	18
2078	MD simulations of proton transport along a model Nafion surface decorated with sulfonate groups. 2006 , 129, 92-100		45
2077	Low-swelling proton-conducting copoly(aryl ether nitrile)s containing naphthalene structure with sulfonic acid groups meta to the ether linkage. 2006 , 47, 808-816		85
2076	Advanced functional polymer membranes. 2006 , 47, 2217-2262		1523
2075	Proton exchange membranes based on poly(vinylidene fluoride) and sulfonated poly(ether ether ketone). 2006 , 47, 5044-5049		85
2074	The direct synthesis of wholly aromatic poly(p-phenylene)s bearing sulfobenzoyl side groups as proton exchange membranes. 2006 , 47, 6993-7000		79
2073	Influence of silica content in sulfonated poly(arylene ether ether ketone) (SPAEKK) hybrid membranes on properties for fuel cell application. 2006 , 47, 7871-7880		84
2072	Comparison of the small angle X-ray scattering study of sulfonated poly(etheretherketone) and Nafion membranes for direct methanol fuel cells. 2006 , 153, 29-35		77
2071	A novel PTFE-based proton-conductive membrane. 2006 , 153, 228-233		14
2070	Nano-TiO ₂ -coated polymer electrolyte membranes for direct methanol fuel cells. 2006 , 157, 207-211		37
2069	Synthesis and characterization of sulfonated polysulfone membranes for direct methanol fuel cells. 2006 , 157, 222-225		99
2068	Layer-by-layer films of chitosan, poly(vinyl sulfonic acid), and platinum for methanol electrooxidation and oxygen electroreduction. 2006 , 158, 160-163		25
2067	Chitosanpoly(vinyl pyrrolidone) blends as membranes for direct methanol fuel cell applications. 2006 , 159, 846-854		109

2066	Sulphonated poly(ether ether ketone) membranes for fuel cell application: Thermal and structural characterisation. 2006 , 163, 18-26		109
2065	PEM FC with improved water management. 2006 , 160, 194-201		18
2064	An NMR spectroscopic study of water and methanol transport properties in DMFC composite membranes: Influence on the electrochemical behaviour. 2006 , 163, 52-55		28
2063	Preparation and characterization of sulfonated PEEK-WC membranes for fuel cell applications. 2006 , 160, 139-147		49
2062	Performance analysis and impedance spectral signatures of high temperature PBI-phosphoric acid gel membrane fuel cells. 2006 , 160, 1096-1103		91
2061	Preparation of gas diffusion electrodes using PEG/SiO ₂ hybrid materials and the effect of their composition on microstructure of the catalyst layer and on fuel cell performance. 2006 , 161, 160-167		9
2060	A polyvinyl alcohol/p-sulfonate phenolic resin composite proton conducting membrane. 2006 , 160, 1204-1210		42
2059	Increasing the operation temperature of polymer electrolyte membranes for fuel cells: From nanocomposites to hybrids. 2006 , 159, 12-20		55
2058	Novel composite proton-exchange membrane based on silica-anchored sulfonic acid (SASA). 2006 , 161, 1069-1075		13
2057	Preparation and properties of sulfonated poly(ether ether ketone)s (SPEEK)/polypyrrole composite membranes for direct methanol fuel cells. 2006 , 162, 1-8		63
2056	Block sulfonated poly(ether ether ketone)s (SPEEK) ionomers with high ion-exchange capacities for proton exchange membranes. 2006 , 162, 1003-1009		77
2055	Water-stable crosslinked sulfonated polyimide-silica nanocomposite containing interpenetrating polymer network. 2006 , 163, 339-348		45
2054	Synthesis and characterization of fluorinated ionomer p-perfluoro-[1-(2-sulfonic)ethoxy]ethylated polyacrylonitrile-styrene. 2006 , 127, 1036-1041		4
2053	Morphology control of sulfonated poly(ether ketone ketone) poly(ether imide) blends and their use in proton-exchange membranes. <i>Journal of Membrane Science</i> , 2006 , 270, 22-31	9.6	49
2052	Sulfonated copoly(phthalazinone ether ketone nitrile)s as proton exchange membrane materials. <i>Journal of Membrane Science</i> , 2006 , 278, 26-34	9.6	84
2051	Structural and electrochemical investigation on re-cast Nafion membranes for polymer electrolyte fuel cells (PEFCs) application. <i>Journal of Membrane Science</i> , 2006 , 278, 105-113	9.6	50
2050	Novel SPEEK/heteropolyacids loaded MCM-41 composite membranes for fuel cell applications. <i>Journal of Membrane Science</i> , 2006 , 279, 548-557	9.6	50
2049	Sulfonated poly(ether ether ketone)/poly(amide imide) polymer blends for proton conducting membrane. <i>Journal of Membrane Science</i> , 2006 , 280, 501-508	9.6	71

2048	Synthesis of the block sulfonated poly(ether ether ketone)s (S-PEEKs) materials for proton exchange membrane. <i>Journal of Membrane Science</i> , 2006 , 280, 643-650	9.6	111
2047	Chemical modification of poly(vinyltrimethylsilane) and poly(1-trimethylsilyl-1-propyne) using highly reactive metallating systems. 2006 , 48, 489-497		
2046	Gas diffusion electrodes for polymer electrolyte fuel cell using sulfonated polyimide. 2006 , 32, 533-542		17
2045	Nafion composite membranes containing rod-shaped polyrotaxanes for direct methanol fuel cells. 2006 , 14, 214-219		17
2044	Novel sulfonated poly(arylene ether ketone) containing benzoxazole membranes for proton exchange membrane fuel cell. 2006 , 14, 438-442		22
2043	Structure-property-performance relationships of sulfonated poly(arylene ether sulfone)s as a polymer electrolyte for fuel cell applications. 2006 , 47, 4026-4035		186
2042	Multiblock sulfonated fluorinated poly(arylene ether)s for a proton exchange membrane fuel cell. 2006 , 47, 4132-4139		254
2041	Synthesis and properties of novel side-chain-sulfonated polyimides from bis[4-(4-aminophenoxy)-2-(3-sulfo benzoyl)]phenyl sulfone. 2006 , 47, 2660-2669		60
2040	Synthesis, characterisation and membrane properties of sulphonated poly(aryl ether sulphone) copolymers. 2006 , 66, 634-644		24
2039	The effect of sulfonated poly(ether ether ketone) as an electrode binder for direct methanol fuel cell (DMFC). 2006 , 163, 56-59		53
2038	An NMR and SAXS investigation of DMFC composite recast Nafion membranes containing ceramic fillers. <i>Journal of Membrane Science</i> , 2006 , 270, 221-227	9.6	55
2037	Synthesis and characterization of sulfonated poly(arylene ether sulfone) copolymers containing carboxyl groups for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2006 , 278, 428-436	9.6	79
2036	Preparation and characterization of high selectivity organic/inorganic hybrid-laminated Nafion 115 membranes for DMFC. <i>Journal of Membrane Science</i> , 2006 , 278, 437-446	9.6	28
2035	Effect of selective swelling on protons and methanol transport properties through partially sulfonated block copolymer membranes. <i>Journal of Membrane Science</i> , 2006 , 280, 270-277	9.6	12
2034	Properties of PEMs based on cross-linked sulfonated poly(ether ether ketone). <i>Journal of Membrane Science</i> , 2006 , 285, 306-316	9.6	91
2033	Studies on proton conductivity of polyimide/H ₃ PO ₄ /imidazole blends. 2006 , 51, 5612-5617		45
2032	Preparation and solubility of water/methanol mixtures in sulfonated poly(etherketone) containing a cardo-ring structure. 2006 , 100, 1113-1123		10
2031	Ageing Mechanisms of Proton Exchange Membrane Used in Fuel Cell Applications. 2006 , 6, 10-15		19

2030	A Sulfophenylated Polysulfone as the DMFC Electrolyte Membrane In Evaluation of Methanol Permeability and Cell Performance. 2006 , 6, 340-346	8
2029	Development of Hybrid Polymer Electrolyte Membranes Based on the Semi-Interpenetrating Network Concept. 2006 , 6, 225-236	22
2028	Structure and Local Reactivity of Supported Catalyst/Nafion [®] Layers studied by in-situ STM. 2006 , 6, 425-431	8
2027	Branched and Cross-Linked Proton Conductive Poly(arylene ether sulfone) Ionomers: Synthesis and Properties. 2006 , 207, 1334-1343	33
2026	Highly Fluorinated Comb-Shaped Copolymers as Proton Exchange Membranes (PEMs): Improving PEM Properties Through Rational Design. 2006 , 16, 1814-1822	157
2025	Dynamics of water confined in fuel cell Nafion membranes containing zirconium phosphate nanofiller. 2006 , 18, S2029-S2038	9
2024	PTFE-Based High-Temperature Proton-Conducting Membrane. 2006 , 1, 189-198	1
2023	CATION EXCHANGE POLYMERIC MEMBRANES FOR FUEL CELLS. 2006 , 22,	17
2022	Mesoscale simulation of morphology in hydrated perfluorosulfonic acid membranes. 2006 , 124, 134702	157
2021	Synthesis and Characterization of Novel Sulfonated Polyimides Derived from Naphthalenic Dianhydride. 2006 , 18, 637-654	16
2020	Transport Properties of Sulfonated Poly(styrene-b-isobutylene-b-styrene) Triblock Copolymers at High Ion-Exchange Capacities. 2006 , 39, 399-407	151
2019	Sulphonated Poly(ether ether ketone) Proton Exchange Membranes for Fuel Cell Applications. 2007 , 56, 535-548	13
2018	Atomistic simulations of hydrated nafion and temperature effects on hydronium ion mobility. 2007 , 111, 7234-44	189
2017	Novel Wholly Aromatic Sulfonated Poly(arylene ether) Copolymers Containing Sulfonic Acid Groups on the Pendants for Proton Exchange Membrane Materials. 2007 , 40, 9435-9442	131
2016	Design of organic-inorganic hybrid membrane for polymer type fuel cell applications. 2007 ,	
2015	Electrical Spectroscopy Studies of Organic/Inorganic Nano Composites. 2007 , 29-30, 327-332	
2014	PTFE-Based Solid Polymer Electrolyte Membrane for High-Temperature Fuel Cell Applications. 2007 , 154, B327	23
2013	Polymer Electrolyte Membrane Fuel Cell. 2007 , 40-115	9

2012	Physical Modeling of Fuel Cells and their Components. 2007 ,	1
2011	Bio-Inspired Membranes for Advanced Polymer Electrolyte Fuel Cells. Anhydrous Proton-Conducting Membrane via Molecular Self-Assembly. 2007 , 80, 2110-2123	45
2010	Intermediate temperature proton conductors for PEM fuel cells based on phosphonic acid as protogenic group: a progress report. 2007 , 9, 1764-73	271
2009	Composites of Proton-Conducting Polymer Electrolyte Membrane in Direct Methanol Fuel Cells. 2007 , 32, 51-66	20
2008	Structures and Transport Properties of Hydrated Water-Soluble Dendrimer-Grafted Polymer Membranes for Application to Polymer Electrolyte Membrane Fuel Cells: Classical Molecular Dynamics Approach. 2007 , 111, 2759-2769	47
2007	Polymer Electrolyte Membranes for Direct Methanol Fuel Cells. 2007 , 1, 187-234	7
2006	Anhydrous Proton-Conducting Properties of Nafion [®] , 2,4-Triazole and Nafion [®] Benzimidazole Membranes for Polymer Electrolyte Fuel Cells. 2007 , 154, A290	63
2005	Modelling of morphology and proton transport in PFSA membranes. 2007 , 9, 2602-18	193
2004	Considerations of macromolecular structure in the design of proton conducting polymer membranes: graft versus diblock polyelectrolytes. 2007 , 129, 15106-7	209
2003	Challenging reinforced composite polymer electrolyte membranes based on disulfonated poly(arylene ether sulfone)-impregnated expanded PTFE for fuel cell applications. 2007 , 17, 386-397	50
2002	Dynamics of H ₂ O and Na ⁺ in nafion membranes. 2007 , 111, 2490-4	47
2001	Synthesis and Characterization of Perfluorinated Carboxylate/Sulfonate Ionomer Membranes for Separation and Solid Electrolyte Applications. 2007 , 19, 4576-4584	21
2000	On the Prospects for Phosphonated Polymers as Proton-Exchange Fuel Cell Membranes. 2007 , 1, 119-185	52
1999	Macroscopic Modeling of Polymer-Electrolyte Membranes. 2007 , 47-117	13
1998	Main-chain, statistically sulfonated proton exchange membranes: the relationships of acid concentration and proton mobility to water content and their effect upon proton conductivity. 2007 , 17, 3255	182
1997	Pre-treatment Effect on the Sulfonated Poly(ether ether ketone) Membrane Transport Properties and Direct Methanol Fuel Cell Performance. 2007 , 42, 2909-2925	5
1996	Blend Membranes Based on Sulfonated Poly(ether ether ketone) and Polysulfone Bearing Benzimidazole Side Groups for DMFCs. 2007 , 10, B70	24
1995	Removal of Water from Aqueous Nitric Acid Using Bifunctional Perfluorinated Ionomer Membranes. 2007 , 46, 6032-6040	2

1994	Comparison of PEM Properties of Copoly(aryl ether ether nitrile)s Containing Sulfonic Acid Bonded to Naphthalene in Structurally Different Ways 2007 , 40, 1512-1520	80
1993	Sulfonated Poly(phenylene sulfone) Polymers as Hydrolytically and Thermooxidatively Stable Proton Conducting Ionomers. 2007 , 40, 598-607	223
1992	Aromatic Poly(ether ketone)s with Pendant Sulfonic Acid Phenyl Groups Prepared by a Mild Sulfonation Method for Proton Exchange Membranes 2007 , 40, 1934-1944	322
1991	Low-frequency dynamics of water absorbed in Nafion membranes as a function of temperature. 2007 , 87, 477-483	1
1990	Tuned polymer electrolyte membranes based on aromatic polyethers for fuel cell applications. 2007 , 129, 3879-87	308
1989	A molecular dynamics study of a nafion polyelectrolyte membrane and the aqueous phase structure for proton transport. 2007 , 111, 2208-18	191
1988	Promotion of PEM self-humidifying effect by nanometer-sized sulfated zirconia-supported Pt catalyst hybrid with sulfonated poly(ether ether ketone). 2007 , 111, 6391-9	44
1987	. 2007 ,	6
1986	Sulfonated poly(ether ether sulfone) copolymers for proton exchange membrane fuel cells. 2007 , 104, 1443-1450	31
1985	Proton-Conducting Aromatic Polymers Carrying Hypersulfonated Side Chains for Fuel Cell Applications. 2007 , 17, 2823-2834	161
1984	Proton Conducting Membranes for the High Temperature-Polymer Electrolyte Membrane-Fuel Cell (HT-PEMFC) Based on Functionalized Polysiloxanes. 2007 , 7, 40-46	20
1983	Preparation and Characterization of Nafion /Hydrated Phosphor-Silicate Hybrid Membranes for the Direct Methanol Fuel Cell. 2007 , 7, 32-39	9
1982	Probing Proton Mobility in Polyvinazene and its Sulfonated Derivatives Using ¹ H Solid-State NMR. 2007 , 208, 2076-2084	8
1981	Low Water Swelling and High Proton Conducting Sulfonated Poly(arylene ether) with Pendant Sulfoalkyl Groups for Proton Exchange Membranes. 2007 , 28, 2332-2338	57
1980	Self-assembled Nafion/silica nanoparticles for elevated-high temperature polymer electrolyte membrane fuel cells. 2007 , 9, 2003-2008	116
1979	Cs _{2.5} H _{0.5} PWO ₄ /SiO ₂ as addition self-humidifying composite membrane for proton exchange membrane fuel cells. 2007 , 52, 5479-5483	34
1978	Membrane processes for the sulfur/iodine thermochemical cycle. 2007 , 32, 457-462	9
1977	Acid/Basic blend membranes based on 2-amino-benzimidazole and sulfonated poly(ether ether ketone) for direct methanol fuel cells. 2007 , 9, 905-910	77

1976	Solvation of sulphonic acid groups in Nafion [®] membranes from accurate conductivity measurements. 2007 , 9, 1023-1028		45
1975	Study of basic biopolymer as proton membrane for fuel cell systems. 2007 , 52, 3766-3778		61
1974	Synthesis of organosiloxane-based inorganic/organic hybrid membranes with chemically bound phosphonic acid for proton-conductors. 2007 , 52, 5924-5931		34
1973	Novel Nafion [®] /zirconium phosphate nanocomposite membranes with enhanced stability of proton conductivity at medium temperature and high relative humidity. 2007 , 52, 8125-8132		150
1972	Thermodynamic considerations on the stability of water in Nafion. <i>Journal of Membrane Science</i> , 2007 , 297, 190-198	9.6	19
1971	Synthesis and characterization of poly(arylene ether ketone) with sulfonated fluorene pendants for proton exchange membrane. <i>Journal of Membrane Science</i> , 2007 , 297, 90-97	9.6	41
1970	The influence of absorbed methanol on the conductivity and on the microstructure of ion-exchange membranes. <i>Journal of Membrane Science</i> , 2007 , 298, 126-135	9.6	41
1969	The effects of thermal annealing on commercial Nafion [®] membranes. <i>Journal of Membrane Science</i> , 2007 , 298, 190-201	9.6	72
1968	Proton conducting composite membrane from sulfonated poly(ether ether ketone) and boron orthophosphate for direct methanol fuel cell application. <i>Journal of Membrane Science</i> , 2007 , 299, 156-165	9.6	40
1967	Water sorption, desorption and transport in Nafion membranes. <i>Journal of Membrane Science</i> , 2007 , 301, 93-106	9.6	262
1966	Hybrid materials for polymer electrolyte membrane fuel cells: Water uptake, mechanical and transport properties. <i>Journal of Membrane Science</i> , 2007 , 304, 76-81	9.6	48
1965	Pervaporation of water from aqueous hydriodic acid and iodine mixtures using Nafion [®] membranes. <i>Journal of Membrane Science</i> , 2007 , 304, 156-162	9.6	5
1964	Physicochemical study of poly(ether ether ketone) electrolyte membranes sulfonated with mixtures of fuming sulfuric acid and sulfuric acid for direct methanol fuel cell application. 2007 , 460-461, 475-484		64
1963	Current distribution measurements with a free-breathing direct methanol fuel cell using PVDF-g-PSSA and Nafion [®] 117 membranes. 2007 , 163, 768-776		20
1962	Preparation of a low proton resistance PBI/PTFE composite membrane. 2007 , 164, 481-487		49
1961	Morphology study of sulfonated poly(ether ether ketone)s (SPEEK) membranes: The relationship between morphology and transport properties of SPEEK membranes. 2007 , 165, 701-707		32
1960	Effects of cathode flow fields on direct methanol fuel cell-simulation study. 2007 , 171, 212-217		37
1959	Conductivity in zeolite/polymer composite membranes for PEMFCs. 2007 , 169, 92-97		62

1958	Proton exchange membrane fuel cell from low temperature to high temperature: Material challenges. 2007 , 167, 235-242	425
1957	Crosslinked SPEEK/AMPS blend membranes with high proton conductivity and low methanol diffusion coefficient for DMFC applications. 2007 , 168, 154-161	63
1956	SPEEK/functionalized silica composite membranes for polymer electrolyte fuel cells. 2007 , 170, 259-267	110
1955	Hydrocarbon and partially fluorinated sulfonated copolymer blends as functional membranes for proton exchange membrane fuel cells. 2007 , 172, 20-29	43
1954	Proton conduction in Nafion composite membranes filled with mesoporous silica. 2007 , 171, 530-534	86
1953	Cross-linked poly(vinyl alcohol) and poly(styrene sulfonic acid-co-maleic anhydride)-based semi-interpenetrating network as proton-conducting membranes for direct methanol fuel cells. 2007 , 171, 340-347	75
1952	Blend membranes based on disulfonated poly(aryl ether ether ketone)s (SPEEK) and poly(amide imide) (PAI) for direct methanol fuel cell usages. 2007 , 48, 3090-3097	67
1951	Modification of sulfonated poly(ether ether ketone) with phenolic resin. 2007 , 18, 419-426	17
1950	A method for assessing the choice of polymeric materials for specific applications. 2007 , 47, 1220-1227	1
1949	Polysulfone ionomers functionalized with benzoyl(difluoromethylenephosphonic acid) side chains for proton-conducting fuel-cell membranes. 2007 , 45, 269-283	44
1948	Synthesis and properties of a polyimide containing pendant sulfophenoxypropoxy groups. 2007 , 45, 157-163	82
1947	Synthesis and characterization of sulfonated poly(benzoxazole ether ketone)s by direct copolymerization as novel polymers for proton-exchange membranes. 2007 , 45, 2273-2286	18
1946	Synthesis and characterization of polyimide-polysiloxane segmented copolymers for fuel cell applications. 2007 , 45, 3747-3758	29
1945	Segmented sulfonated poly(arylene ether sulfone)-b-polyimide copolymers for proton exchange membrane fuel cells. I. Copolymer synthesis and fundamental properties. 2007 , 45, 4879-4890	117
1944	Novel multiblock-co-ionomers as potential polymer electrolyte membrane materials. 2007 , 45, 5237-5255	50
1943	Polymer blend for fuel cells based on SPEKK: Effect of cocontinuous morphology on water sorption and proton conductivity. 2007 , 45, 395-404	11
1942	Proton conducting membranes based on sulfonated poly(ether ether ketone)/TiO ₂ nanocomposites for a direct methanol fuel cell. 2007 , 56, 371-375	54
1941	Achievements in the field of proton-conductive portion electrolyte membranes. 2007 , 43, 489-501	16

1940	Proton-exchange membranes for hydrogen-air fuel cells. 2007 , 77, 766-777		22
1939	Characterization of DNA/poly(ethylene imine) electrolyte membranes. 2007 , 15, 581-586		3
1938	Investigation of structure and ORR reactivity of fuel cell catalysts by in-situ STM. 2007 , 37, 1495-1502		3
1937	Modification of Nafion membranes by incorporation of cationic polymers for reduction of methanol permeability. 2007 , 24, 1101-1105		5
1936	Electrochemical modification of cation exchange membrane with polyaniline for improvement in permselectivity. 2007 , 52, 5046-5052		32
1935	Double crosslinked polyetheretherketone-based polymer electrolyte membranes prepared by radiation and thermal crosslinking techniques. 2007 , 48, 6002-6009		81
1934	Simulations of processes related to H ₂ O ₂ PEM fuel cells. 2007 , 607, 17-24		9
1933	Cross-linked sulfonated poly(phthalazinone ether ketone)s for PEM fuel cell application as proton-exchange membrane. 2007 , 164, 488-495		72
1932	The relationship between proton conductivity and water permeability in composite carboxylate/sulfonate perfluorinated ionomer membranes. 2007 , 172, 57-66		13
1931	A review of polymer electrolyte membranes for direct methanol fuel cells. 2007 , 169, 221-238		741
1930	Influence of dispersion solvent for catalyst ink containing sulfonated poly(ether ether ketone) on cathode behaviour in a direct methanol fuel cell. 2007 , 169, 271-275		22
1929	Fabrication and properties of cross-linked sulfonated fluorene-containing poly(arylene ether ketone) for proton exchange membrane. 2007 , 170, 20-27		54
1928	Permeabilities of methanol, ethanol and dimethyl ether in new composite membranes: A comparison with Nafion membranes. <i>Journal of Membrane Science</i> , 2007 , 289, 51-57	9.6	27
1927	Novel interpenetrating polymer network sulfonated poly (phthalazinone ether sulfone ketone)/polyacrylic acid proton exchange membranes for fuel cell. <i>Journal of Membrane Science</i> , 2007 , 295, 80-87	9.6	46
1926	Properties of composite membranes based on sulfonated poly(ether ether ketone)s (SPEEK)/phenoxy resin (PHR) for direct methanol fuel cells usages. <i>Journal of Membrane Science</i> , 2007 , 297, 162-173	9.6	66
1925	Synthesis of proton-conductive sol-gel membranes from trimethoxysilylmethylstyrene and phenylvinylphosphonic acid. <i>Journal of Membrane Science</i> , 2007 , 303, 43-53	9.6	24
1924	Short-side-chain proton conducting perfluorosulfonic acid ionomers: Why they perform better in PEM fuel cells. 2008 , 178, 499-509		277
1923	Functionalized carbon nanotube-poly(arylene sulfone) composite membranes for direct methanol fuel cells with enhanced performance. 2008 , 180, 63-70		65

1922	Modification of sulfonated poly(ether ether ketone) proton exchange membrane for reducing methanol crossover. 2008 , 180, 23-28		67
1921	Effects and properties of various molecular weights of poly(propylene oxide) oligomers/Nafion [®] acid-base blend membranes for direct methanol fuel cells. 2008 , 185, 846-852		18
1920	Synthesis and properties of novel H-bonded composite membranes from sulfonated poly(phthalazinone ether)s for PEMFC. <i>Journal of Membrane Science</i> , 2008 , 312, 59-65	9.6	39
1919	Synthesis and characterization of sulfonated poly(arylene ether)s with sulfoalkyl pendant groups for proton exchange membranes. <i>Journal of Membrane Science</i> , 2008 , 318, 271-279	9.6	55
1918	Inorganic-organic hybrid polymers with pendent sulfonated cyclic phosphazene side groups as potential proton conductive materials for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2008 , 320, 206-214	9.6	39
1917	Crosslinking of sulphonated poly (ether ether ketone) using aromatic bis(hydroxymethyl) compound. <i>Journal of Membrane Science</i> , 2008 , 322, 67-73	9.6	45
1916	Proton and methanol transport behavior of SPEEK/TPA/MCM-41 composite membranes for fuel cell application. <i>Journal of Membrane Science</i> , 2008 , 322, 218-224	9.6	32
1915	PPO-based acid-base polymer blend membranes for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2008 , 322, 331-338	9.6	48
1914	Structure-property relationships for a series of polyimide copolymers with sulfonated pendant groups. 2008 , 49, 4949-4959		42
1913	Synthesis of proton conductive inorganic-organic hybrid membranes through copolymerization of dimethylethoxyvinylsilane with vinylphosphonic acid. 2008 , 46, 107-115		11
1912	Preparation and characterization of inorganic-organic hybrid proton exchange membranes based on phosphorylated PVA and PEG-grafted silica particles. 2008 , 48, 267-271		15
1911	Effect of functionalized silica particles on cross-linked poly(vinyl alcohol) proton conducting membranes. 2008 , 38, 931-938		16
1910	Transport properties of polymer blend membranes of sulfonated and nonsulfonated polysulfones for direct methanol fuel cell application. 2008 , 16, 457-466		23
1909	NMR investigation of water and methanol mobility in nanocomposite fuel cell membranes. 2008 , 14, 243-253		23
1908	Sulfonated poly(ether ether ketone)/zirconium tricarboxybutylphosphonate composite proton-exchange membranes for direct methanol fuel cells. 2008 , 2, 95-101		2
1907	Synthesis and characterization of sulfonated poly(phthalazinone ether phosphine oxide)s by direct polycondensation for proton exchange membranes. 2008 , 46, 1758-1769		44
1906	Preparation and characterization of branched and linear sulfonated poly(ether ketone sulfone) proton exchange membranes for fuel cell applications. 2008 , 46, 1792-1799		37
1905	Synthesis and characterization of epoxy-based semi-interpenetrating polymer networks sulfonated polyimides proton-exchange membranes for direct methanol fuel cell applications. 2008 , 46, 2262-2276		36

1904	Ionomers for proton exchange membrane fuel cells with sulfonic acid groups on the end-groups: Novel branched poly(ether-ketone)s with 3,6-ditrityl-9H-carbazole end-groups. 2008 , 46, 3860-3868	53
1903	Synthesis, properties, and sulfonation of novel dendritic multiblock copoly(ether-sulfone). 2008 , 46, 6365-6375	29
1902	Structural characterization of radiation-grafted block copolymer films, using SANS technique. 2008 , 46, 1660-1668	31
1901	Pt/SiO ₂ as addition to multilayer SPSU/PTFE composite membrane for fuel cells. 2008 , 19, 1809-1815	8
1900	Control of morphology of sulfonated syndio-polystyrene membranes through constraints imposed by siloxane networks. 2008 , 48, 2389-2399	11
1899	Proton-Conducting Properties of Acid-Doped Poly(glycidyl methacrylate)-1,2,4-Triazole Systems. 2008 , 209, 593-603	43
1898	Effect of Polymer Composition and Water Content on Proton Conductivity in Vinyl Benzyl Phosphonic Acid-Vinyl Pyridine Copolymers. 2008 , 209, 2494-2503	32
1897	Electrospun Silica-Polybenzimidazole Nanocomposite Fibers. 2008 , 293, 815-819	17
1896	Präparation und Evaluation neuer Hybrid-Protonenleiter Teil III: Phosphorsäureimprägnierte Polybenzimidazol-Polymerelektrolytmembran für den Brennstoffzellbetrieb. 2008 , 80, 307-315	2
1895	Pore Size Distribution and Water Uptake in Hydrocarbon and Perfluorinated Proton-Exchange Membranes as Studied by NMR Cryoporometry. 2008 , 8, 262-269	11
1894	Synthesis and characterization of a series of SPEEK/TiO ₂ hybrid membranes for direct methanol fuel cell. 2008 , 109, 1057-1062	32
1893	Annealing effect of perfluorosulfonated ionomer membranes on proton conductivity and methanol permeability. 2008 , 107, 396-402	25
1892	Zeta potential of Nafion molecules in isopropanol-water mixture solvent. 2008 , 107, 3306-3309	28
1891	Synthesis and characterization of homogeneously sulfonated poly(ether ether ketone) membranes: Effect of casting solvent. 2008 , 110, 1763-1770	43
1890	Silica Nafion Modified Composite Membranes for Direct Methanol Fuel Cells. 2008 , 14, 119-131	3
1889	A Biomimetic Actuator Based on an Ionic Networking Membrane of Poly(styrene-alt-maleimide)-Incorporated Poly(vinylidene fluoride). 2008 , 18, 1290-1298	114
1888	Incorporation of Functionalized Palladium Nanoparticles within Ultrathin Nafion Films: A Nanostructured Composite for Electrolytic and Redox-Mediated Hydrogen Evolution. 2008 , 18, 1685-1693	32
1887	Proton Conductivity Enhancement by Nanostructural Control of Poly(benzimidazole)-Phosphoric Acid Adducts. 2008 , 20, 2595-2598	159

1886	Synthesis of anion exchange polystyrene membranes for the electrolysis of sodium chloride. 2008 , 54, 940-949		15
1885	Sulfonated Poly(aryl ether)-Type Polymers as Proton Exchange Membranes: Synthesis and Performance. 2008 , 1-45		3
1884	Composite Membranes for High Temperature Direct Methanol Fuel Cells. 2008 , 123-167		4
1883	Self-assembly of Nafion molecules onto silica nanoparticles formed in situ through sol-gel process. 2008 , 326, 55-60		23
1882	Preparation of 4(5)-vinylimidazole-co-acrylic acid copolymer and thermal performances related to applicability as PEM fuel cells. 2008 , 93, 1389-1395		16
1881	Modelling of transport properties and state of water of polyelectrolytes containing various amounts of water. 2008 , 49, 2373-2380		13
1880	Synthesis and characterization of poly(arylene ether sulfone)-b-polybenzimidazole copolymers for high temperature low humidity proton exchange membrane fuel cells. 2008 , 49, 5387-5396		79
1879	Proton-conductive sol-gel membranes from phenylvinylphosphonic acid and organoalkoxysilanes with different functionalities. <i>Journal of Membrane Science</i> , 2008 , 311, 182-191	9.6	15
1878	Synthesis and properties of novel sulfonated polyimides derived from naphthalenic dianhydride for fuel cell application. <i>Journal of Membrane Science</i> , 2008 , 313, 106-119	9.6	25
1877	Characterization of deoxyribonucleic acid/poly(ethylene oxide) proton-conducting membranes. <i>Journal of Membrane Science</i> , 2008 , 313, 217-223	9.6	7
1876	Novel acid-base polyimides synthesized from binaphthalene dianhydride and triphenylamine-containing diamine as proton exchange membranes. <i>Journal of Membrane Science</i> , 2008 , 314, 24-32	9.6	44
1875	Selective and quantitative sulfonation of poly(arylene ether ketone)s containing pendant phenyl rings by chlorosulfonic acid. <i>Journal of Membrane Science</i> , 2008 , 314, 212-220	9.6	25
1874	Thermodynamics of pore wetting and swelling in Nafion. <i>Journal of Membrane Science</i> , 2008 , 315, 125-132	9.6	16
1873	Influences of casting solvents on proton dynamics within sulfonated polyether ether ketones (S-PEEKs) studied using high-resolution solid-state NMR. <i>Journal of Membrane Science</i> , 2008 , 319, 238-243	9.6	18
1872	Effect of varying poly(styrene sulfonic acid) content in poly(vinyl alcohol)/poly(styrene sulfonic acid) blend membrane and its ramification in hydrogen-oxygen polymer electrolyte fuel cells. <i>Journal of Membrane Science</i> , 2008 , 319, 298-305	9.6	76
1871	Sulfonated montmorillonite/sulfonated poly(ether ether ketone) (SMMT/SPEEK) nanocomposite membrane for direct methanol fuel cells (DMFCs). <i>Journal of Membrane Science</i> , 2008 , 323, 337-346	9.6	118
1870	The influence of absorbed methanol on the swelling and conductivity properties of cation-exchange membranes Evaluation of nanostructure parameters. <i>Journal of Membrane Science</i> , 2008 , 323, 167-175	9.6	41
1869	Comparative study of liquid uptake and permeation characteristics of sulfonated cation-exchange membranes in water and methanol. <i>Journal of Membrane Science</i> , 2008 , 323, 421-427	9.6	22

1868	Characterization and performance of proton exchange membranes for direct methanol fuel cell: Blending of sulfonated poly(ether ether ketone) with charged surface modifying macromolecule. <i>Journal of Membrane Science</i> , 2008 , 323, 404-413	9.6	62
1867	Preparation and characterization of Nafion/SPEEK layered composite membrane and its application in vanadium redox flow battery. <i>Journal of Membrane Science</i> , 2008 , 325, 553-558	9.6	192
1866	Radiation-induced grafting of styrene onto ultra-high molecular weight polyethylene powder and subsequent film fabrication for application as polymer electrolyte membranes: I. Influence of grafting conditions. <i>Journal of Membrane Science</i> , 2008 , 325, 964-972	9.6	38
1865	Anhydrous proton-conducting electrolyte membranes based on hyperbranched polymer with phosphonic acid groups for high-temperature fuel cells. 2008 , 178, 627-633		23
1864	Sulfonated poly(fluorinated arylene ether)s/poly(N-vinylimidazole) blend polymer and PTFE layered membrane for operating PEMFC at high temperature. 2008 , 178, 677-682		13
1863	Three-dimensionally ordered macroporous polyimide composite membrane with controlled pore size for direct methanol fuel cells. 2008 , 178, 596-602		44
1862	Improvement of electrochemical performances of sulfonated poly(arylene ether sulfone) via incorporation of sulfonated poly(arylene ether benzimidazole). 2008 , 175, 724-731		47
1861	Sulfonated polyether ether ketone and hydrated tin oxide proton conducting composites for direct methanol fuel cell applications. 2008 , 178, 554-560		64
1860	Mechanical properties of hybrid proton conducting polymer blends based on sulfonated polyetheretherketones. 2008 , 178, 667-670		23
1859	MWCNTs reinforced Nafion [®] membrane prepared by a novel solution-cast method for PEMFC. 2008 , 176, 270-275		32
1858	In situ confocal-Raman measurement of water and methanol concentration profiles in Nafion [®] membrane under cross-transport conditions. 2008 , 176, 39-45		37
1857	Preparation of organic/inorganic composite membranes using two types of polymer matrix via a sol-gel process. 2008 , 181, 259-266		23
1856	Polymer electrolytes based on sulfonated polysulfone for direct methanol fuel cells. 2008 , 179, 34-41		95
1855	Determination of bidirectional permeability of proton exchange membranes using a ¹ H nuclear magnetic resonance technique. 2008 , 179, 451-457		1
1854	Properties and fuel cell performance of a Nafion-based, sulfated zirconia-added, composite membrane. 2008 , 183, 109-113		51
1853	Preparation and characterization of nanocomposite membranes made of poly(2,6-dimethyl-1,4-phenylene oxide) and montmorillonite for direct methanol fuel cells. 2008 , 183, 551-556		49
1852	Comparison of homogeneously and heterogeneously sulfonated polyetheretherketone membranes in preparation, properties and cell performance. 2008 , 185, 63-69		66
1851	Composite polymer electrolyte membranes containing polyrotaxanes. 2008 , 33, 248-253		8

1850	Synthetic strategies for the preparation of proton-conducting hybrid polymers based on PEEK and PPSU for PEM fuel cells. 2008 , 11, 1074-1081		21
1849	Sulfonated poly(ether ether ketone) membranes for electric double layer capacitors. 2008 , 53, 4331-4335		24
1848	Proton exchange in hybrid sulfonated poly(ether ether ketone)silica membranes by ¹ H solid-state NMR. 2008 , 456, 227-230		12
1847	High temperature operation of a composite membrane-based solid polymer electrolyte water electrolyser. 2008 , 53, 7350-7356		76
1846	Effect of cathode binder IEC on kinetic and transport losses in all-SPEEK MEAs. 2008 , 53, 6328-6336		32
1845	Characterization of PVdF-HFP/Nafion/AlO[OH] _n composite membranes for direct methanol fuel cell (DMFC). 2008 , 44, 2225-2230		45
1844	The fabrication and performance of a poly(dimethylsiloxane) (PDMS)-based microreformer for application to electronics. 2008 , 33, 2059-2063		18
1843	Anhydrous proton conducting membranes for PEM fuel cells based on Nafion/Azole composites. 2008 , 33, 2808-2815		77
1842	Primary study on double-layer membranes for direct methanol fuel cell. 2008 , 33, 6766-6771		25
1841	Preliminary study of SPEEK/PVA blend membranes for DMFC applications. 2008 , 33, 6772-6779		105
1840	Sulfonated poly(arylene thioether phosphine oxide)s copolymers for proton exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2008 , 310, 303-311	9.6	38
1839	Sulfonated poly(fluorenyl ether) membranes containing perfluorocyclobutane groups for fuel cell applications. <i>Journal of Membrane Science</i> , 2008 , 325, 217-222	9.6	13
1838	Sulfonated poly(fluorene-co-sulfone)ether membranes containing perfluorocyclobutane groups for fuel cell applications. <i>Journal of Membrane Science</i> , 2008 , 325, 989-996	9.6	13
1837	Star-Shaped Sulfonated Block Copoly(ether ketone)s as Proton Exchange Membranes. 2008 , 41, 7560-7565		94
1836	Preparation and Proton Conductivity of Polymer Electrolytes Based on Alginic Acid and 1,2,4-Triazole. 2008 , 40, 104-108		12
1835	Synthesis and Characterization of Branched Sulfonated Poly(ether sulfone ketone) as Proton Exchange Membrane. 2008 , 40, 979-985		8
1834	Sulfonated Polyimides. 2008 , 185-258		10
1833	Research and Development on Polymeric Membranes for Fuel Cells: An Overview. 2008 , 1-20		2

1832	Systematic Design of Polymer Electrolyte Membranes for Fuel Cells Using a Pore-Filling Membrane Concept. 2008 , 1-15	1
1831	N,N'-Di(3-amino-4-nitrophenyl)piperazine and related poly(benzimidazoles). 2008 , 50, 25-29	1
1830	Parallel cylindrical water nanochannels in Nafion fuel-cell membranes. 2008 , 7, 75-83	1081
1829	Molecular-Level Modeling of the Structure and Wetting of Electrode/Electrolyte Interfaces in Hydrogen Fuel Cells. 2008 , 112, 1985-1993	36
1828	Advanced Mesosstructured Hybrid Silica/Nafion Membranes for High-Performance PEM Fuel Cell. 2008 , 20, 1710-1718	256
1827	Radiation Grafted Membranes. 2008 , 157-217	10
1826	Composite Proton-Conducting Hybrid Polymers: Water Sorption Isotherms and Mechanical Properties of Blends of Sulfonated PEEK and Substituted PPSU. 2008 , 20, 4327-4334	68
1825	Polymer-Supported Organocatalysts. 245-308	0
1824	Probing proton dissociation in ionic polymers by means of in situ ATR-FTIR spectroscopy. 2008 , 10, 1577-83	32
1823	Development of Sulfonated Poly(ether-ether ketone)s for PEMFC and DMFC. 2008 , 1-36	1
1822	Infrared spectroscopic and DFT vibrational mode study of perfluoro(2-ethoxyethane) sulfonic acid (PES), a model nafion side-chain molecule. 2008 , 112, 10535-43	68
1821	Recent developments in proton exchange membranes for fuel cells. 2008 , 1, 101	405
1820	Zeolite micro fuel cell. 2008 , 3631-3	36
1819	Synthesis and Properties of Sulfonated Poly[bis(benzimidazobenzisoquinolinones)] as Hydrolytically and Thermooxidatively Stable Proton Conducting Ionomers. 2008 , 41, 4165-4172	60
1818	Investigating the proton transferring route in a heteroaromatic compound part I: a trial to develop di- and trifunctional benzimidazole model compounds inducing the molecular packing structure with a hydrogen bond network. 2008 , 112, 10348-58	16
1817	Conducting nanocomposite systems. 2008 , 143-235	3
1816	Synthesis and Characterization of a Self-Assembled Nafion/Silica Nanocomposite Membrane for Polymer Electrolyte Membrane Fuel Cells. 2008 , 112, 11556-11568	90
1815	Polybenzimidazole/Acid Complexes as High-Temperature Membranes. 2008 , 63-124	30

1814	Membrane and MEA Development in Polymer Electrolyte Fuel Cells. 2008 , 1-28	
1813	Blend Concepts for Fuel Cell Membranes. 2008 , 1-37	
1812	Polymer Composites for High-Temperature Proton-Exchange Membrane Fuel Cells. 2008 , 1-26	1
1811	Macromolecules in Ionic Liquids: Progress, Challenges, and Opportunities. 2008 , 41, 3739-3749	512
1810	Synthesis and Characterization of Composite Membrane with Three-Dimensionally Ordered Macroporous Polyimide Matrix for DMFC. 2008 , 155, B303	15
1809	Perfluorosulfonated ionomer-modified diffusive gradients in thin films: tool for inorganic arsenic speciation analysis. 2008 , 80, 9806-11	38
1808	Behaviour of water molecules in Nafion 117 for polymer electrolyte membrane fuel cell by molecular dynamics simulation. 2008 , 34, 1237-1244	11
1807	Structural and Morphological Features of Acid-Bearing Polymers for PEM Fuel Cells. 2008 , 55-126	9
1806	Proton-Conducting Polymer Electrolyte Membranes: Water and Structure in Charge. 2008 , 15-54	15
1805	Transport Properties of Hydroxide and Proton Conducting Membranes. 2008 , 20, 2566-2573	305
1804	Sulfonated Aromatic Polymers for Fuel Cell Membranes. 2008 , 1-62	9
1803	Molecular modeling of proton transport in the short-side-chain perfluorosulfonic acid ionomer. 2008 , 112, 2937-49	81
1802	Hard Templates for Soft Materials: Creating Nanostructured Organic Materials□ 2008 , 20, 738-755	342
1801	Composite Nafion Membranes Containing Nanosize TiO[sub 2]□BnO[sub 2] for Proton Exchange Membrane Fuel Cells. 2008 , 155, B1307	26
1800	Novel Polysilsesquioxane Hybrid Membranes for Proton Exchange Membrane Fuel Cell (PEMFC) Applications. 2008 , 43, 3981-4008	6
1799	Azide-assisted cross-linked sulfonated poly(ether sulfone)s as stable and highly conductive membranes with low methanol diffusion coefficients. 2008 , 2028-30	29
1798	A comparative study of the hydrated morphologies of perfluorosulfonic acid fuel cell membranes with mesoscopic simulations. 2008 , 1, 284	126
1797	Cellulose-Based Composites for Membranes by In Situ□Radical Polymerization. 2008 , 484, 71/[437]-85/[451]	1

1796	Comb-Shaped Poly(arylene ether sulfone)s as Proton Exchange Membranes 2008 , 41, 2126-2134	142
1795	Viscoelastic Response of Nafion. Effects of Temperature and Hydration on Tensile Creep. 2008 , 41, 9849-9862	110
1794	Relationships of Acid and water content to proton transport in statistically sulfonated proton exchange membranes: variation of water content via control of relative humidity. 2008 , 112, 2848-58	64
1793	Properties of Water in Prestretched Recast Nafion. 2008 , 41, 4284-4289	52
1792	Synthesis and Properties of Polyimide Ionomers Containing 1H-1,2,4-Triazole Groups. 2008 , 41, 2415-2420	87
1791	Comparison of the hydration and diffusion of protons in perfluorosulfonic acid membranes with molecular dynamics simulations. scui@utk.edu. 2008 , 112, 13273-84	110
1790	Ionomers for Proton Exchange Membrane Fuel Cells with Sulfonic Acid Groups on the End Groups: Novel Branched Poly(ether ketone)s. 2008 , 41, 281-284	138
1789	Structure-Properties Relationship in Proton Conductive Sulfonated Polystyrene-Block-Methyl Methacrylate Block Copolymers (sPS- <i>b</i> -PMMA). 2008 , 41, 8130-8137	60
1788	Facile large-scale fabrication of proton conducting channels. 2008 , 130, 13140-4	55
1787	Beyond Nafion: Charged Macromolecules Tailored for Performance as Ionic Polymer Transducers. 2008 , 41, 7765-7775	119
1786	Advances in the Development of Inorganic/Organic Membranes for Fuel Cell Applications. 2008 , 219-264	16
1785	Ionomers for Proton Exchange Membrane Fuel Cells with Sulfonic Acid Groups on the End Groups: Novel Linear Aromatic Poly(sulfide ketone)s. 2008 , 41, 277-280	85
1784	PVA-PSSA Membrane with Interpenetrating Networks and its Methanol Crossover Mitigating Effect in DMFCs. 2008 , 155, B686	62
1783	State of Water in Perfluorosulfonic Ionomer (Nafion 117) Proton Exchange Membranes. 2008 , 155, B163	94
1782	Gas-Crossover and Membrane-Pinhole Effects in Polymer-Electrolyte Fuel Cells. 2008 , 155, B521	71
1781	Polymer electrolyte membrane fuel cells. 2008 , 101-184	10
1780	Membranes and MEAs Based on Sulfonated Poly(ether ketone ketone) and Heteropolyacids for Polymer Electrolyte Fuel Cells. 2008 , 155, B532	28
1779	Studies on Proton Conductivity and Methanol Permeability of Poly(ether sulfone)/Sulfonated Poly(ether ether ketone) Blend Membranes. 2008 , 1098, 1	1

1778	Fabrication and actuation of electro-active polymer actuator based on PSMI-incorporated PVDF. 2008 , 17, 045002	30
1777	Hybrid Membranes based on Aromatic Polymer Blends for Fuel Cell Applications. 2008 , 1126, 1	
1776	Physical Characterization of Electrocatalysts. 2008 , 487-546	5
1775	Polyaniline/Maleic Acid Copolymers Composites: Synthesis and Characterization. 2008 , 263, 30-37	1
1774	. 2008 ,	27
1773	High Temperature Operation of a Solid Polymer Electrolyte Fuel Cell Stack Based on a New Ionomer Membrane. 2009 ,	
1772	Morphological Investigations of Surface Modified Zirconia Precursor by Perfluorosulfonated Ionomer Using Nano Capping Technique. 2009 , 42, 918-929	5
1771	Electrolytes for Long-Life, Ultra Low-Power Direct Methanol Fuel Cells. 2009 , 1-50	1
1770	Simulation study of sulfonate cluster swelling in ionomers. 2009 , 80, 061802	7
1769	Blend Membranes Consisting of Sulfonated Poly(ether ether ketone) and Polysulfone Bearing 4-Nitrobenzimidazole for Direct Methanol Fuel Cells. 2009 , 156, B258	19
1768	Cross-Linked Sulfonated Polyimide Membranes for Polymer Electrolyte Fuel Cells. 2009 , 156, B628	29
1767	Blend Membranes Based on Acid-Base Interactions for Operation at High Methanol Concentrations. 2009 , 156, B46	9
1766	Electro-osmosis and Water Uptake in Polymer Electrolytes in Equilibrium with Water Vapor at Low Temperatures. 2009 , 156, B330	24
1765	Factors Influencing Electrochemical Properties and Performance of Hydrocarbon-Based Electrolyte PEMFC Catalyst Layers. 2009 , 156, B499	37
1764	Proton Conducting Membrane Prepared by Cross-Linking Highly Sulfonated Peek for PEMFC Application. 2009 ,	0
1763	Sulfonated polynaphthylimides as proton-conducting membranes for fuel cells. 2009 , 78, 53-75	19
1762	Nanostructured Materials for Electrochemical Energy Production and Storage. 2009 ,	4
1761	New 2-methylimidazole-dicarboxylic acid molecular crystals: crystal structure and proton conductivity. 2009 , 21, 345403	13

1760	Proton-Exchange Sulfonated Poly (ether ether ketone) (SPEEK)/SiO _x -S Composite Membranes in Direct Methanol Fuel Cells. 2009 , 17, 207-213	19
1759	Proton-exchange Sulfonated Poly(ether ether ketone)/Sulfonated Phenolphthalein Poly(ether sulfone) Blend Membranes in DMFCs. 2009 , 17, 934-941	12
1758	Polymer and Hybrid Materials: Electrochemistry and Applications. 335-363	
1757	Highly Proton-Conducting Self-Humidifying Microchannels Generated by Copolymer Brushes on a Scaffold. 2009 , 121, 3170-3174	2
1756	Solid Polymer Electrolyte Water Electrolyser Based on Nafion-TiO ₂ Composite Membrane for High Temperature Operation. 2009 , 9, 247-252	50
1755	3DOM Silica Composite Membrane Including Binary PAMPS/PPEES Polymer Electrolyte for DMFC. 2009 , 9, 226-230	9
1754	Sulphonated Tetramethyl Poly(ether ether ketone)/Epoxy/Sulphonated Phenol Novolac Semi-IPN Membranes for Direct Methanol Fuel Cells. 2009 , 9, 570-578	4
1753	Effect of a Proton Conducting Filler on the Physico-Chemical Properties of SPEEK-Based Membranes. 2009 , 9, 372-380	20
1752	Sulphonated Biphenylated Poly(aryl ether ketone)s for Fuel Cell Applications. 2009 , 10, NA-NA	1
1751	Porous polymers: enabling solutions for energy applications. 2009 , 30, 221-36	168
1750	Phosphoniertes Hexaphenylbenzol in kristalliner Protonenleiter. 2009 , 121, 10135-10138	10
1749	Highly proton-conducting self-humidifying microchannels generated by copolymer brushes on a scaffold. 2009 , 48, 3124-8	52
1748	Phosphonated hexaphenylbenzene: a crystalline proton conductor. 2009 , 48, 9951-3	56
1747	Sulfonated poly(ether ether ketone)/epoxy/phenol novolac blend proton-exchange membranes with low methanol permeability. 2009 , 111, 1335-1343	8
1746	Behavior of sulfonated poly(ether ether ketone) in ethanol/water systems. 2009 , 111, 2998-3009	10
1745	Physical and electrochemical behaviors of directly polymerized sulfonated poly(arylene ether ketone sulfone)s proton exchange membranes with different backbone structures. 2009 , 112, 858-866	17
1744	Synthesis and properties of sulfonated poly(siloxane imide)s bearing dimethyl siloxane oligomers for fuel cell applications. 2009 , 112, 3560-3568	2
1743	Preparation and properties of bisphenol A-based sulfonated poly(arylene ether sulfone) proton exchange membranes for direct methanol fuel cell. 2009 , 114, 304-312	18

1742	Fluid flow modeling in a sulfonated cation-exchange membrane. 2009 , 114, 1412-1416		1
1741	Synthesis and characterization of a new type of sulfonated poly(ether ether ketone)s for proton exchange membranes. 2009 , 116, NA-NA		1
1740	Influence of crystal morphology of 1H-1,2,4-triazole on anhydrous state proton conductivity of sulfonated bisphenol A polyetherimide based polyelectrolytes. 2009 , 50, 1034-1045		17
1739	Electrochemical polymerization of 1-(4-nitrophenyl)-2,5-di(2-thienyl)-1 H-pyrrole as a novel immobilization platform for microbial sensing. 2009 , 76, 169-74		24
1738	Hybrid acid-base polymer membranes prepared for application in fuel cells. 2009 , 186, 286-292		65
1737	Hybrid inorganic-organic proton conducting membranes based on Nafion and 5wt% of MxOy (M=Ti, Zr, Hf, Ta and W). Part II: Relaxation phenomena and conductivity mechanism. 2009 , 187, 57-66		74
1736	Preparation of new proton exchange membrane based on self-assembly of Poly(styrene-co-styrene sulfonic acid)-b-poly(methyl methacrylate)/Poly(vinylidene fluoride) blend. 2009 , 188, 127-131		35
1735	Novel sulfonated poly(arylene ether ketone) copolymers bearing carboxylic or benzimidazole pendant groups for proton exchange membranes. 2009 , 193, 507-514		49
1734	Sulfonated poly(ether ether ketone)silica membranes doped with phosphotungstic acid. Morphology and proton conductivity. <i>Journal of Membrane Science</i> , 2009 , 326, 45-57	9.6	58
1733	Novel proton-conducting polymer inclusion membranes. <i>Journal of Membrane Science</i> , 2009 , 326, 382-387	9.6	17
1732	Pervaporation of water from aqueous sulfuric acid at elevated temperatures using Nafion [®] membranes. <i>Journal of Membrane Science</i> , 2009 , 326, 507-513	9.6	7
1731	Electric field processing to control the structure of poly(vinylidene fluoride) composite proton conducting membranes. <i>Journal of Membrane Science</i> , 2009 , 326, 539-548	9.6	26
1730	Effect of the matrix on proton conductivity in electrolyte membranes containing deoxyribonucleic acids. <i>Journal of Membrane Science</i> , 2009 , 328, 211-218	9.6	7
1729	Synthesis and characterization of sulfonated poly(arylene ether phosphine oxide)s with fluorenyl groups by direct polymerization for proton exchange membranes. <i>Journal of Membrane Science</i> , 2009 , 329, 99-105	9.6	29
1728	Synthesis and characterization of crosslinked sulfonated poly(arylene ether sulfone) membranes for DMFC applications. <i>Journal of Membrane Science</i> , 2009 , 335, 13-20	9.6	73
1727	Influence of the silica content in SPEEK/silica membranes prepared from the sol-gel process of polyethoxysiloxane: Morphology and proton mobility. <i>Journal of Membrane Science</i> , 2009 , 337, 125-135	9.6	26
1726	Preparation and barrier properties of SPEEK/Cloisite 15A [®] /TAP nanocomposite membrane for DMFC application. <i>Journal of Membrane Science</i> , 2009 , 345, 119-127	9.6	83
1725	Novel organic-inorganic composite polymer-electrolyte membranes for DMFCs. <i>Journal of Membrane Science</i> , 2009 , 345, 305-314	9.6	78

1724	The catalyst layer containing sulfonated poly(ether ether ketone) as the electrode ionomer for polymer electrolyte fuel cells. 2009 , 54, 3446-3452		16
1723	Nafion and modified-Nafion membranes for polymer electrolyte fuel cells: An overview. 2009 , 32, 285-294		101
1722	Proton conducting composite membranes from sulfonated polyether ether ketone and SiO ₂ . 2009 , 24, 95-99		3
1721	Synthesis and hydrolytic stability of soluble sulfonated polybenzoxazoles derived from bis(3-sulfonate-4-carboxyphenyl) sulfone. 2009 , 62, 593-604		9
1720	Synthesis and properties of novel side-chain-type sulfonated polyimides. 2009 , 63, 1-14		29
1719	Synthesis of sulfonated aromatic poly(ether amide)s and their application to proton exchange membrane fuel cells. 2009 , 47, 485-496		33
1718	Synthesis and properties of novel benzimidazole-containing sulfonated polyethersulfones for fuel cell applications. 2009 , 47, 1920-1929		37
1717	Ionomers for proton exchange membrane fuel cells by sulfonation of novel dendritic multiblock copoly(ether-sulfone)s. 2009 , 47, 5461-5473		25
1716	Naphthalene-based poly(arylene ether ketone) copolymers containing sulfobutyl pendant groups for proton exchange membranes. 2009 , 47, 5772-5783		60
1715	Sulfonated poly(ether sulfone)s with binaphthyl units as proton exchange membranes for fuel cell application. 2009 , 47, 5827-5834		33
1714	Anhydrous state proton conduction in sulfonated bisphenol a polyetherimide with 1H-1,2,4 triazole as proton solvent. 2009 , 47, 2178-2187		4
1713	Synthesis and properties of water stable poly[bis(benzimidazobenzisoquinolinone)] ionomers for proton exchange membranes fuel cells. <i>Journal of Membrane Science</i> , 2009 , 326, 420-428	9.6	7
1712	Sulfonated polyether ether ketone composite membrane using tungstosilicic acid supported on silica/aluminium oxide for direct methanol fuel cell (DMFC). <i>Journal of Membrane Science</i> , 2009 , 329, 18-29	9.6	98
1711	Radiation grafted fuel cell membranes based on co-grafting of β -methylstyrene and methacrylonitrile into a fluoropolymer base film. <i>Journal of Membrane Science</i> , 2009 , 339, 68-77	9.6	54
1710	Mordenite-incorporated PVA/PSSA membranes as electrolytes for DMFCs. <i>Journal of Membrane Science</i> , 2009 , 340, 73-83	9.6	50
1709	Composite membrane of sulfonated poly(ether ether ketone) and sulfated poly(vinyl alcohol) for use in direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2009 , 342, 221-226	9.6	57
1708	Anhydrous solid proton conductors based on perfluorosulfonic ionomer with polymeric solvent for polymer electrolyte fuel cell. 2009 , 11, 457-460		11
1707	An alternative approach to selective sea water oxidation for hydrogen production. 2009 , 11, 1700-1702		49

1706	Perfluorinated nanocomposite membranes modified by polyaniline: Electrotransport phenomena and morphology. 2009 , 54, 2342-2352		46
1705	Proton conducting membranes based on Poly(2,5-benzimidazole) (ABPBI)/Poly(vinylphosphonic acid) blends for fuel cells. 2009 , 34, 2724-2730		72
1704	Preparation of PVdF/PSSA composite membranes using supercritical carbon dioxide for direct methanol fuel cells. 2009 , 34, 6437-6442		12
1703	Preparation and properties of UV irradiation-induced crosslinked sulfonated poly(ether ether ketone) proton exchange membranes. <i>Journal of Membrane Science</i> , 2009 , 326, 400-407	9.6	66
1702	Simulation of equivalent weight dependence of Nafion morphologies and predicted trends regarding water diffusion. <i>Journal of Membrane Science</i> , 2009 , 330, 5-20	9.6	76
1701	Hybridization of Nafion membranes with an acid functionalised polysiloxane: Effect of morphology on water sorption and proton conductivity. <i>Journal of Membrane Science</i> , 2009 , 330, 214-226	9.6	32
1700	Radiation-induced grafting of styrene onto ultra-high molecular weight polyethylene powder for polymer electrolyte fuel cell application: II. Sulfonation and characterization. <i>Journal of Membrane Science</i> , 2009 , 333, 59-67	9.6	37
1699	Synthesis and properties of soluble sulfonated polybenzimidazoles from 3,3'-disulfonate-4,4'-dicarboxylbiphenyl as proton exchange membranes. <i>Journal of Membrane Science</i> , 2009 , 334, 91-100	9.6	49
1698	SPEEK based composite PEMs containing tungstophosphoric acid and modified with benzimidazole derivatives. <i>Journal of Membrane Science</i> , 2009 , 336, 118-127	9.6	15
1697	Synthesis and characterization of sulfonated poly(arylene ether ketone) copolymers containing crosslinking moiety. <i>Journal of Membrane Science</i> , 2009 , 337, 145-152	9.6	31
1696	Investigation of ion concentration and electric potential distributions in charged membrane/electrolyte systems. <i>Journal of Membrane Science</i> , 2009 , 342, 121-130	9.6	17
1695	Novel semi-interpenetrating polymer network hybrid membranes for proton conduction. <i>Journal of Membrane Science</i> , 2009 , 344, 92-100	9.6	15
1694	Direct ESR detection and spin trapping of radicals generated by reaction of oxygen radicals with sulfonated poly(ether ether ketone) (SPEEK) membranes. 2009 , 94, 1779-1787		27
1693	Hydration behavior of perfluorinated and hydrocarbon-type proton exchange membranes: Relationship between morphology and proton conduction. 2009 , 50, 534-540		95
1692	Synthesis of fluorinated polymer electrolyte membranes by radiation grafting and atom transfer radical polymerization techniques. 2009 , 50, 1159-1165		27
1691	Synthesis and characterization of novel (sulfonated) poly(arylene ether)s with pendent trifluoromethyl groups. 2009 , 50, 2010-2024		22
1690	Nafion/clay nanocomposite membranes: Morphology and properties. 2009 , 50, 2402-2410		86
1689	Influence of water and degree of sulfonation on the structure and dynamics of SPEEK studied by solid-state ¹³ C and ¹ H NMR. 2009 , 50, 2664-2673		32

1688	Dispersions of carbon nanotubes in sulfonated poly[bis(benzimidazobenzisoquinolinones)] and their proton-conducting composite membranes. 2009 , 50, 3600-3608	26
1687	Ionic conductivities of perfluorosulfonic acid membrane by group contribution method. 2009 , 50, 3686-3692	7
1686	Novel side-chain-type sulfonated poly(arylene ether ketone) with pendant sulfoalkyl groups for direct methanol fuel cells. 2009 , 50, 4471-4478	43
1685	Novel hydrophilic/hydrophobic multiblock copolyimides as proton exchange membranes: Enhancing the proton conductivity. 2009 , 50, 4505-4511	36
1684	Effects of block length and solution-casting conditions on the final morphology and properties of disulfonated poly(arylene ether sulfone) multiblock copolymer films for proton exchange membranes. 2009 , 50, 6129-6138	109
1683	Novel proton exchange membranes based on water resistant sulfonated poly[bis(benzimidazobenzisoquinolinones)]. 2009 , 187, 67-73	11
1682	Synthesis and properties of sulfonated poly(arylene ether phosphine oxide)s for proton exchange membranes. 2009 , 188, 57-63	25
1681	Blended Nafion [®] /SPEEK direct methanol fuel cell membranes for reduced methanol permeability. 2009 , 189, 958-965	71
1680	Proton conducting sol-gel sulfonated membranes produced from 2-allylphenol, 3-glycidoxypropyl trimethoxysilane and tetraethyl orthosilicate. 2009 , 192, 138-143	13
1679	Novel sulfonated poly(ether ether ketone)s for direct methanol fuel cells usage: Synthesis, water uptake, methanol diffusion coefficient and proton conductivity. 2009 , 189, 875-881	36
1678	Nafion [®] /bio-functionalized montmorillonite nanohybrids as novel polyelectrolyte membranes for direct methanol fuel cells. 2009 , 190, 318-321	61
1677	Durability and stability test of proton exchange membrane fuel cells prepared from polybenzimidazole/poly(tetrafluoro ethylene) composite membrane. 2009 , 193, 170-174	43
1676	Synthesis and characterization of novel sulfonated poly(arylene ether ketone) copolymers with pendant carboxylic acid groups for proton exchange membranes. 2009 , 191, 253-258	32
1675	A facile surface modification of Nafion membrane by the formation of self-polymerized dopamine nano-layer to enhance the methanol barrier property. 2009 , 192, 336-343	51
1674	Controllable sulfonation of aromatic poly(arylene ether ketone)s containing different pendant phenyl rings. 2009 , 193, 477-482	12
1673	Nafion [®] /nitrated sulfonated poly(ether ether ketone) membranes for direct methanol fuel cells. 2009 , 194, 226-233	10
1672	Molecular structure and transport dynamics in Nafion and sulfonated poly(ether ether ketone) membranes. 2009 , 194, 746-752	27
1671	Salt diffusion through cation-exchange membranes in alcohol/water solutions. 2009 , 64, 321-325	6

1670	State of water in hybrid sulfonated poly(ether ether ketone) silica membranes by 1H solid-state NMR. 2009 , 473, 142-145	7
1669	Control of nanoparticle dispersion in SPAES/SiO ₂ composite proton conductors and its influence on DMFC membrane performance. 2009 , 11, 1492-1495	21
1668	A proton pump concept for the investigation of proton transport and anode kinetics in proton exchange membrane fuel cells. 2009 , 54, 2774-2780	24
1667	Surface modification for the perfluorosulfonate proton-conducting electrolyte membrane. 2009 , 255, 4119-4122	5
1666	Proton transport through aqueous Nafion membrane. 2009 , 29, 351-61	7
1665	Development of Aromatic Polymer Electrolyte Membrane with High Conductivity and Durability for Fuel Cell. 2009 , 41, 95-104	109
1664	Nanostructured catalytic membrane reactors of the new generation. 2009 , 1, 29-37	2
1663	Properties of proton-conducting Nafion-type membranes with Nanometer-thick polyaniline surface layers. 2009 , 45, 697-706	23
1662	Effect of Molecular Weight on Hydrated Morphologies of the Short-Side-Chain Perfluorosulfonic Acid Membrane. 2009 , 42, 3358-3367	110
1661	Evaluating the role of additive pKa on the proton conductivities of blended sulfonated poly(ether ether ketone) membranes. 2009 , 113, 10063-7	14
1660	FUEL CELLS PROTON-EXCHANGE MEMBRANE FUEL CELLS High Temperature PEMFCs. 2009 , 951-957	4
1659	From Solutions to Membranes: Structure Studies of Sulfonated Polyphenylene Ionomers. 2009 , 42, 7084-7090	31
1658	Synthesis and properties of sulfonated block copolymers having fluorenyl groups for fuel-cell applications. 2009 , 1, 1279-86	91
1657	Highly Selective Polymer Electrolyte Membranes from Reactive Block Polymers. 2009 , 42, 6075-6085	72
1656	Carboxylic Acid-Terminated Hyperbranched Polybenzoxazole and Its Polyarm-Star Block Copolymers. 2009 , 42, 1541-1553	5
1655	Effect of the Hydrophobic Component on the Properties of Sulfonated Poly(arylene ether sulfone)s. 2009 , 42, 1873-1880	96
1654	A new mixed-matrix membrane for DMFCs. 2009 , 2, 1210	74
1653	Sodium Diffusion through Aluminum-Doped Zeolite BEA System: Effect of Water Solvation. 2009 , 113, 819-826	7

1652	Nanostructure, Morphology, and Properties of Fluorous Copolymers Bearing Ionic Grafts. 2009 , 42, 9467-9480	112
1651	Nanoscale Phase Separation of Sulfonated Poly(arylene ether sulfone)/Poly(ether sulfone) Semi-IPNs for DMFC Membrane Applications. 2009 , 42, 5244-5250	39
1650	Morphology Studies of High Temperature Proton Conducting Membranes Containing Hydrophilic/Hydrophobic Ionic Liquids. 2009 , 42, 2054-2062	95
1649	Nanotechnology for Fuel Cells. 2009 , 151-183	1
1648	SAXS and NMR analysis for the cast solvent effect on SPEEK membrane properties. 2009 , 113, 10072-6	61
1647	Preparation and Characterization of Hybrid Hydrotalcite-Sulfonated Polyetheretherketone (SPEEK) Cation-Exchange Membranes. 2009 , 48, 9504-9513	24
1646	Copoly(arylene ether)s Containing Pendant Sulfonic Acid Groups as Proton Exchange Membranes. NRC Publication No. 50899.. 2009 , 42, 957-963	136
1645	Direct Methanol Fuel Cells: History, Status and Perspectives. 1-78	28
1644	A molecular dynamics simulation study of hydrated sulfonated poly(ether ether ketone) for application to polymer electrolyte membrane fuel cells: Effect of water content. 2009 , 1, 033101	45
1643	Preparation, Properties, and Characterization of Polymer Electrolyte Membranes Based on Poly(1-vinyl-1,2,4 triazole) and Poly(styrene sulfonic acid). 2009 , 156, B1112	22
1642	Domain size manipulation of perfluorinated polymer electrolytes by sulfonic acid-functionalized MWCNTs to enhance fuel cell performance. 2009 , 25, 8299-305	81
1641	High proton conductivity of one-dimensional ferrous oxalate dihydrate. 2009 , 131, 3144-5	280
1640	Ab initio modeling of proton transfer in phosphoric acid clusters. 2009 , 113, 9193-201	57
1639	Analysis of temperature-promoted and solvent-assisted cross-linking in sulfonated poly(ether ether ketone) (SPEEK) proton-conducting membranes. 2009 , 113, 7505-12	91
1638	Two-port transmission line technique for dielectric property characterization of polymer electrolyte membranes. 2009 , 113, 13551-9	22
1637	Acid-functionalized polysilsesquioxane-nafion composite membranes with high proton conductivity and enhanced selectivity. 2009 , 1, 2573-9	55
1636	Novel styrene/N-phenylmaleimide alternating copolymers with pendant sulfonimide acid groups for polymer electrolyte fuel cell applications. 2009 , 19, 514-521	19
1635	Novel highly proton conductive sulfonated poly(p-phenylene) from 2,5-dichloro-4-(phenoxypropyl)benzophenone as proton exchange membranes for fuel cell applications. 2009 , 4744-6	47

1634	Poly(p-phenylene sulfone)s with high ion exchange capacity: ionomers with unique microstructural and transport features. 2009 , 11, 3305-12	94
1633	Aromatic ionomers with superacid groups. 2009 , 6403-5	53
1632	Kinetics and Thermodynamics of Hydrogen Oxidation and Oxygen Reduction in Hydrophobic Room-Temperature Ionic Liquids. 2009 , 156, B943-B954	23
1631	Proton Transport in Polymer Electrolyte Membranes Using Theory and Classical Molecular Dynamics. 2009 , 349-363	8
1630	Polysulfone-based Ionomers for Fuel Cell Applications. 2009 , 21, 673-692	29
1629	FUEL CELLS PROTON-EXCHANGE MEMBRANE FUEL CELLS Membranes: Ambient Temperature. 2009 , 667-679	4
1628	FUEL CELLS PROTON-EXCHANGE MEMBRANE FUEL CELLS Cells. 2009 , 817-827	
1627	FUEL CELLS PROTON-EXCHANGE MEMBRANE FUEL CELLS Membranes. 2009 , 650-666	2
1626	Blends of Aromatic Polyethers Bearing Polar Pyridine Units and Their Evaluation as High Temperature Polymer Electrolytes. 2009 , 279, 183-190	6
1625	Polymer Membranes for Sustainable Technologies. 2009 , 281-297	
1624	Hydrophobic Protic Ionic Liquid for Nonhumidified Intermediate-temperature Fuel Cells. 2009 , 38, 692-693	32
1623	Proton Conductivity and Methanol Permeability of Cross-linked Sulfoethylcellulose Membranes. 2009 , 66, 373-380	1
1622	Conductive filler morphology effect on performance of ionic polymer conductive network composite actuators. 2010 ,	1
1621	Materials for fuel-cell technologies. 2010 , 224-231	42
1620	Structural and Spectroscopic Characteristics of a Proton-Conductive Ionic Liquid Diethylmethylammonium Trifluoromethanesulfonate [dema][TfOH]. 2010 , 83, 328-334	28
1619	Structures and Proton Conductivity of One-Dimensional M(dhbq) \cdot nH ₂ O (M = Mg, Mn, Co, Ni, and Zn, H ₂ (dhbq) = 2,5-Dihydroxy-1,4-benzoquinone) Promoted by Connected Hydrogen-Bond Networks with Absorbed Water. 2010 , 83, 42-48	54
1618	Synthesis, Properties, and Fuel Cell Performance of Perfluorosulfonated Poly(arylene ether)s. 2010 , 83, 960-968	7
1617	Nanoscale morphology in sulphonated poly(Ether ether ketone)-based ionomeric membranes: Mesoscale simulations. 2010 , 52, 191-208	10

1616	Poly(arylene oxides) containing sulfo acid groups: Synthesis, properties, and application. 2010 , 52, 499-519		2
1615	Novel high-performance nanohybrid polyelectrolyte membranes based on bio-functionalized montmorillonite for fuel cell applications. 2010 , 46, 6500-2		60
1614	Physicochemical and electrochemical characterizations of organic montmorillonite (OMMT)/sulfonated poly(ether ether ketone) (SPEEK) composite membranes. 2010 , 5, 60-65		2
1613	New poly ether ether ketones containing phosphorus for membrane preparation. 2010 , 5, 249-255		6
1612	Nanohybrid Nafion Membranes for Fuel Cells. 2010 , 171-185		4
1611	Conductivity of highly sulfonated polyphenylene sulfide in the powder form as a function of temperature and humidity. 2010 , 64, 595-605		4
1610	Atomistic and mesoscale simulation of polymer electrolyte membranes based on sulfonated poly(ether ether ketone). 2010 , 487, 291-296		52
1609	Liquid transport through sulfonated cation-exchange membranes for different water/alcohol solutions. 2010 , 162, 643-648		9
1608	Sulfonated poly(fluorenyl ether ketone nitrile) electrolyte membrane with high proton conductivity and low water uptake. 2010 , 195, 97-103		23
1607	Radiation-grafted membranes based on polyethylene for direct methanol fuel cells. 2010 , 195, 21-29		23
1606	Ionomers based on multisulfonated perylene dianhydride: Synthesis and properties of water resistant sulfonated polyimides. 2010 , 195, 2159-2165		21
1605	Development of multiblock copolymers with novel hydroquinone-based hydrophilic blocks for proton exchange membrane (PEM) applications. 2010 , 195, 1772-1778		49
1604	Effect of acidity and structure on the anhydrous proton conduction of acid-doped inorganic/organic hybrid membranes. <i>Journal of Membrane Science</i> , 2010 , 348, 190-196	9.6	3
1603	Preparation and characterization of new non-fluorinated polymeric and composite membranes for PEMFCs. <i>Journal of Membrane Science</i> , 2010 , 348, 326-336	9.6	54
1602	Synthesis and characteristics of hyperbranched polymer with phosphonic acid groups for high-temperature fuel cells. 2010 , 14, 2179-2189		3
1601	Synthesis and characterization of sulfonated poly(arylene ether sulfone) ionomers incorporating perfluorohexylene units for DMFC membranes. 2010 , 18, 352-357		21
1600	Terminally-crosslinked sulfonated poly(fluorenyl ether sulfone) as a highly conductive and stable proton exchange membrane. 2010 , 18, 992-1000		10
1599	Synthesis and electrochemical properties of ion exchange membrane based on crosslinked styrene-(2-hydroxyethyl acrylate)-lauryl methacrylate copolymer. 2010 , 18, 1209-1217		3

1598	Highly sensitive response to dopamine at a modified electrode involving a composite film with Au nanoparticles dispersed in a fluorocarbon polymer. 2010 , 53, 826-831	6
1597	Blend membranes from poly(2,5-benzimidazole) and poly(styrene sulfonic acid) as proton-conducting polymer electrolytes for fuel cells. 2010 , 45, 993-998	21
1596	Zeolite Proton Conducting Membrane for Micro Fuel Cell Applications. 2010 , 53, 1394-1400	17
1595	Synthesis and characterization of neodymium oxide modified nafion membrane for direct alcohol fuel cells. 2010 , 122, 211-216	27
1594	Synthesis and Characterisation of Sulphonated Poly(arylene sulphone) Terpolymers with Triphenylphosphine Oxide Moieties for Proton Exchange Membrane Fuel Cells. 2010 , 10, 390-400	7
1593	Development of Nafion/Tin Oxide Composite MEA for DMFC Applications. 2010 , 10, 790-797	26
1592	High Temperature Operation of a Solid Polymer Electrolyte Fuel Cell Stack Based on a New Ionomer Membrane. 2010 , 10, 1013-1023	77
1591	Nanostructured poly(benzimidazole): from mesoporous networks to nanofibers. 2010 , 3, 181-7	25
1590	Original Fuel-Cell Membranes from Crosslinked Terpolymers via a Sol-gel Strategy. 2010 , 20, 1090-1098	50
1589	High Electromechanical Response of Ionic Polymer Actuators with Controlled-Morphology Aligned Carbon Nanotube/Nafion Nanocomposite Electrodes. 2010 , 20, 3266-3271	118
1588	Structure-morphology-property relationships of non-perfluorinated proton-conducting membranes. 2010 , 22, 4667-90	458
1587	Proton-Conductive Aromatic Ionomers Containing Highly Sulfonated Blocks for High-Temperature-Operable Fuel Cells. 2010 , 122, 327-330	18
1586	Proton-conductive aromatic ionomers containing highly sulfonated blocks for high-temperature-operable fuel cells. 2010 , 49, 317-20	221
1585	Sulfonated polyether sulfone-poly(vinylidene fluoride) blend membrane for DMFC applications. 2010 , 117, 801-808	23
1584	Sulphonation of polystyrene-butadiene rubber with chlorosulphonic acid for proton exchange membrane: Kinetic study. 2010 , 116, NA-NA	
1583	Effects of organically modified nanoclay on the transport properties and electrochemical performance of acid-doped polybenzimidazole membranes. 2010 , 117, 1227-1233	18
1582	Crosslinked sulfonated poly(arylene ether ketone) with pendant carboxylic acid group via poly(ethylene glycol) for proton exchange membrane. 2010 , 118, 3318-3323	14
1581	Synthesis and characterization of multiblock copolymer ionomers containing phthalazinone ether ketone and fluorene ether ketone moieties. 2010 , 118, n/a-n/a	

1580	Polymer nanocomposite membranes based on sulfonated poly(ether ether ketone) and trisilanol phenyl POSS for fuel cell applications. 2010 , 118, 3013-3023			23
1579	Correlation between Morphology, Water Uptake, and Proton Conductivity in Radiation-Grafted Proton-Exchange Membranes. 2010 , 211, 635-643			37
1578	Poly(vinylphosphonic acid) and its derivatives. 2010 , 35, 1078-1092			81
1577	Fluorinated high-performance polymers: Poly(arylene ether)s and aromatic polyimides containing trifluoromethyl groups. 2010 , 35, 1022-1077			398
1576	Novel high-performance nanocomposite proton exchange membranes based on poly (ether sulfone). 2010 , 35, 226-231			57
1575	Preparation and properties of novel cross-linked sulfonated poly(arylene ether ketone) for direct methanol fuel cell application. <i>Journal of Membrane Science</i> , 2010 , 348, 353-359	9.6		41
1574	A new self-cross-linked, net-structured, proton conducting polymer membrane for high temperature proton exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2010 , 349, 304-311	9.6		59
1573	New hybrid membranes for fuel cells: Plasma treated laponite based sulfonated polysulfone. <i>Journal of Membrane Science</i> , 2010 , 351, 1-10	9.6		31
1572	Enhanced transport performance of sulfonated mesoporous benzene-silica incorporated poly(ether ether ketone) composite membranes for fuel cell application. <i>Journal of Membrane Science</i> , 2010 , 351, 58-64	9.6		31
1571	Locating sulfonic acid groups on various side chains to poly(arylene ether sulfone)s: Effects on the ionic clustering and properties of proton-exchange membranes. <i>Journal of Membrane Science</i> , 2010 , 351, 87-95	9.6		68
1570	Covalently cross-linked proton exchange membranes based on sulfonated poly(arylene ether ketone) and polybenzimidazole oligomer. <i>Journal of Membrane Science</i> , 2010 , 353, 10-16	9.6		17
1569	Preparation and properties of polybenzimidazoles with sulfophenylsulfonyl pendant groups for proton exchange membranes. <i>Journal of Membrane Science</i> , 2010 , 353, 51-59	9.6		38
1568	High ionic exchange capacity polyphenylsulfone (SPPSU) and polyethersulfone (SPES) cross-linked by annealing treatment: Thermal stability, hydration level and mechanical properties. <i>Journal of Membrane Science</i> , 2010 , 354, 134-141	9.6		71
1567	Synthesis and characterization of sulfonated poly(arylene ether ketone/ketone phosphine oxide)s as proton exchange membranes. <i>Journal of Membrane Science</i> , 2010 , 362, 509-516	9.6		12
1566	Enhancing proton conduction and methanol barrier performance of sulfonated poly(ether ether ketone) membrane by incorporated polymer carboxylic acid spheres. <i>Journal of Membrane Science</i> , 2010 , 364, 253-262	9.6		40
1565	Evaluation of hydrogen and methanol fuel cell performance of sulfonated diels alder poly(phenylene) membranes. 2010 , 195, 104-110			28
1564	New proton conducting polymer blends and their fuel cell performance. 2010 , 195, 170-174			23
1563	Nafion [®] /polystyrene-b-poly(ethylene-ran-butylene)-b-polystyrene composite membranes with electric field-aligned domains for improved direct methanol fuel cell performance. 2010 , 195, 736-743			19

1562	A novel crosslinking strategy for preparing poly(vinyl alcohol)-based proton-conducting membranes with high sulfonation. 2010 , 195, 2166-2173	80
1561	Organic/inorganic crosslinked and hybrid membranes derived from sulfonated poly(arylene ether sulfone)/silica via sol-gel process. 2010 , 195, 2541-2548	23
1560	Fabrication of protic ionic liquid/sulfonated polyimide composite membranes for non-humidified fuel cells. 2010 , 195, 5909-5914	138
1559	Hyperbranched poly(benzimidazole-co-benzene) with honeycomb structure as a membrane for high-temperature proton-exchange membrane fuel cells. 2010 , 195, 2470-2477	38
1558	Electrochemical investigation of sulfonated poly(ether ether ketone)/clay nanocomposite membranes for moderate temperature fuel cell applications. 2010 , 195, 2450-2456	69
1557	Characterization of direct methanol fuel cell (DMFC) applications with H ₂ SO ₄ modified chitosan membrane. 2010 , 195, 4915-4922	50
1556	Sulfonated polyimide hybrid membranes for polymer electrolyte fuel cell applications. 2010 , 195, 5856-5861	27
1555	Preparation and properties of crosslinked sulphonated poly(arylene ether sulphone) blends for direct methanol fuel cell applications. 2010 , 195, 4072-4079	21
1554	Crosslinked membranes of sulfonated polyimides for polymer electrolyte fuel cell applications. 2010 , 195, 4676-4684	26
1553	Novel modification method to prepare crosslinked sulfonated poly(ether ether ketone)/silica hybrid membranes for fuel cells. 2010 , 195, 6450-6458	32
1552	Thermal properties of phosphoric acid-doped polybenzimidazole membranes in water and methanol/water mixtures. 2010 , 195, 6389-6397	17
1551	Nafion/poly(1-vinyl-1,2,4-triazole) blends as proton conducting membranes for polymer electrolyte membrane fuel cells. 2010 , 195, 7720-7726	56
1550	Sulfonated poly (fluorenyl ether ketone) membrane with embedded silica rich layer and enhanced proton selectivity for vanadium redox flow battery. 2010 , 195, 7701-7708	79
1549	Effects of temperature and humidity on the cell performance and resistance of a phosphoric acid doped polybenzimidazole fuel cell. 2010 , 195, 7152-7159	77
1548	Enhanced thermo-oxidative stability of sulfophenylated poly(ether sulfone)s. 2010 , 51, 403-413	44
1547	Investigation of nanostructures and properties of sulfonated poly(arylenethioethersulfone) copolymer as proton conducting materials by small angle neutron scattering. 2010 , 51, 1585-1592	14
1546	Novel side-chain-type sulfonated hydroxynaphthalene-based Poly(aryl ether ketone) with H-bonded for proton exchange membranes. 2010 , 51, 3047-3053	21
1545	Synthesis and characterization of sulfonated polyimides bearing sulfonated aromatic pendant group for DMFC applications. 2010 , 51, 3887-3898	33

1544	Click-functionalization of poly(sulfone)s and a study of their utilities as proton conductive membranes in direct methanol fuel cells. 2010 , 51, 5352-5358		17
1543	Synthesis and properties of hexafluoroisopropylidene-containing sulfonated poly(arylene thioether phosphine oxide)s for proton exchange membranes. 2010 , 35, 2436-2445		30
1542	Novel cross-linked sulfonated poly (arylene ether ketone) membranes for direct methanol fuel cell. 2010 , 35, 2176-2182		60
1541	Preparation and properties of epoxy-based cross-linked sulfonated poly(arylene ether ketone) proton exchange membrane for direct methanol fuel cell applications. 2010 , 35, 6409-6417		43
1540	Review of the proton exchange membranes for fuel cell applications. 2010 , 35, 9349-9384		1375
1539	SPE water electrolysis with SPEEK/PES blend membrane. 2010 , 35, 7778-7783		53
1538	Effect of cesium salt of tungstophosphoric acid (Cs-TPA) on the properties of sulfonated polyether ether ketone (SPEEK) composite membranes for fuel cell applications. 2010 , 35, 7784-7795		50
1537	Proton conductive membranes based on doped sulfonated polytriazole. 2010 , 35, 12054-12064		14
1536	Properties of Nafion [®] NR-211 membranes for PEMFCs. <i>Journal of Membrane Science</i> , 2010 , 356, 44-51	9.6	185
1535	Synthesis and properties of sulfonated polybenzothiazoles with benzimidazole moieties as proton exchange membranes. <i>Journal of Membrane Science</i> , 2010 , 356, 70-77	9.6	22
1534	Electron spin resonance investigation of the effects of methanol on microscopic viscosity, ordering, and polarity in different phases of ionomer membranes with sulfonated polyarylene backbones. <i>Journal of Membrane Science</i> , 2010 , 357, 47-53	9.6	10
1533	Acid-Base blend membranes consisting of sulfonated poly(ether ether ketone) and 5-amino-benzotriazole tethered polysulfone for DMFC. <i>Journal of Membrane Science</i> , 2010 , 362, 289-297	9.6	65
1532	Proton-conducting electrolyte membranes based on hyperbranched polymer with a sulfonic acid group for high-temperature fuel cells. 2010 , 55, 1419-1424		5
1531	Structure, properties and proton conductivity of nanocomposite membranes. 2010 , 55, 1431-1444		62
1530	Sulfonated polyimide membrane coated with crosslinkable layer for direct methanol fuel cell. 2010 , 55, 995-1000		16
1529	Performance comparison of portable direct methanol fuel cell mini-stacks based on a low-cost fluorine-free polymer electrolyte and Nafion membrane. 2010 , 55, 6022-6027		19
1528	Physico-chemical properties of temperature tolerant anhydrous nafion-benzimidazole blend membrane. 2010 , 181, 1098-1102		11
1527	Physical ageing and molecular mobilities of sulfonated polysulfone for proton exchange membranes. 2010 , 509, 18-23		24

1526	Trends for fuel cell membrane development. 2010 , 250, 1034-1037	47
1525	Electrodialysis, a mature technology with a multitude of new applications. 2010 , 264, 268-288	898
1524	Cycling performance and efficiency of sulfonated poly(sulfone) membranes in vanadium redox flow batteries. 2010 , 12, 1650-1653	196
1523	Preparation and DMFC performance of a sulfophenylated poly(arylene ether ketone) polymer electrolyte membrane. 2010 , 55, 3817-3823	21
1522	Improvement in silicon-containing sulfonated polystyrene/acrylate membranes by blending and crosslinking. 2010 , 55, 8410-8415	7
1521	Synthesis and characterization of poly(aryl ether ketone) ionomers with sulfonic acid groups on pendant aliphatic chains for proton-exchange membrane fuel cells. 2010 , 46, 81-91	17
1520	Ion-containing polymers: new energy & clean water. 2010 , 13, 34-41	186
1519	Synthesis and characterization of multiblock copolymers based on hydrophilic disulfonated poly(arylene ether sulfone) and hydrophobic partially fluorinated poly(arylene ether ketone) for fuel cell applications. 2010 , 48, 214-222	72
1518	Effects of tetracarboxylic dianhydrides on the properties of sulfonated polyimides. 2010 , 48, 905-915	32
1517	Multifunctional poly(2,5-benzimidazole)/carbon nanotube composite films. 2010 , 48, 1067-1078	16
1516	Proton conduction in 1H-1,2,3-triazole polymers: Imidazole-like or pyrazole-like?. 2010 , 48, 1851-1858	31
1515	Proton-conducting electrolytes based on silylated and sulfonated polyetheretherketone: Synthesis and characterization. 2010 , 48, 2178-2186	9
1514	Sulfonated polybenzimidazoles: Proton conduction and acid-base crosslinking. 2010 , 48, 3640-3650	58
1513	Synthesis and characterization of poly(arylene ether ketone)s bearing pendant sulfonic acid groups for proton exchange membrane materials. 2010 , 48, 5824-5832	31
1512	Nanoporous and proton conductive hydrophobic/hydrophilic copolymer thermoset membranes. 2010 , 48, 1245-1255	5
1511	Preparation of Proton Exchange Membranes by a Plasma Polymerization Method and Application in Direct Methanol Fuel Cells (DMFCs). 2010 , 7, 382-389	32
1510	Structural modification of chitosan biopolymer as a novel polyelectrolyte membrane for green power generation. 2010 , 21, 726-734	52
1509	Synthesis of copper and silver nanoparticles in MF-4SC and sulfonated poly(ether ether ketone) membranes and transport properties of the composites. 2010 , 46, 793-798	6

1508	Basic Aspects in Proton-Conducting Membranes for Fuel Cells. 2010 , 431-465	4
1507	The MembraneElectrode Interface in PEFCs. 2010 , 157, B1608	18
1506	Anhydrous Proton Conducting InorganicOrganic Composite Membranes Based on Tetraethoxysilane/ Ethyl-Triethoxysilane/Trimethylphosphate and 1-Butyl-3-methylimidazolium-bis(trifluoromethylsulfonyl)imide. 2010 , 157, B892	15
1505	Nano Composite Membranes of Sulfonated Amine-Poly(ether sulfone)s and SiO ₂ for Fuel Cell Application. 2010 , 658, 392-395	2
1504	Proton Transport in Nafion117 Membranes by Molecular Dynamics. 2010 , 105-106, 647-649	
1503	Proton Transfer in Perfluorosulfonic Acid Functionalized Carbon Nanotubes. 2010 , 1269, 60701	1
1502	MicrostructurePerformance Relationships of sPEEK-Based Catalyst Layers. 2010 , 157, B1230	14
1501	Ultra-slow Li ion dynamics in Li(2)C(2)--on the similarities of results from (7)Li spin-alignment echo NMR and impedance spectroscopy. 2010 , 22, 245901	14
1500	Solid polymer electrolytes for supercapacitors. 2010 , 431-470	10
1499	PVASSAIPPA Mixed-Matrix-Membrane Electrolytes for DMFCs. 2010 , 157, B1403	15
1498	Synthesis and Characterization of Proton Exchange Membrane Using Polystyrene-butadiene Rubber. 2010 , 32, 591-606	4
1497	Cross-linked poly (ether ether ketone) as a proton exchange membrane for fuel cell applications. 2010 ,	
1496	Catalytic Membranes and Membrane Reactors. 2010 , 109-133	9
1495	Hyperbranched polymer electrolytes for high temperature fuel cells. 2010 , 524-549	3
1494	Nanocomposite membranes based on platinum nanoparticles dispersed in polymeric matrix. 2010 ,	
1493	Mechanisms of Ion Conduction in Polyelectrolyte Multilayers and Complexes. 2010 , 224, 1555-1589	7
1492	Small-Angle X-ray Scattering Study of Water Free Fuel Cell Membranes Containing Ionic Liquids. 2010 , 22, 803-812	46
1491	Probing selected morphological models of hydrated Nafion using large-scale molecular dynamics simulations. 2010 , 114, 3205-18	121

1490	Plasma Membranes. 2010 , 159-197	4
1489	Influence of the polymer backbone structure on the properties of aromatic ionomers with pendant sulfo benzoyl side chains for use as proton-exchange membranes. 2010 , 2, 3718-25	23
1488	Three Phase Interfaces at Electrified Metal/Solid Electrolyte Systems 1. Study of the Pt(hkl)/Nafion Interface. 2010 , 114, 8414-8422	143
1487	Sulfonated Poly(arylene ether sulfone ketone) Multiblock Copolymers with Highly Sulfonated Block. Synthesis and Properties. 2010 , 43, 2684-2691	191
1486	A Reactive Molecular Dynamics Algorithm for Proton Transport in Aqueous Systems. 2010 , 114, 11965-11976	26
1485	Humidity-Dependent DC Conductivity of Polyelectrolyte Multilayers: Protons or Other Small Ions as Charge Carriers?. 2010 , 43, 7282-7287	31
1484	Amine grafted silica/SPEEK nanocomposites as proton exchange membranes. 2010 , 114, 8387-95	34
1483	Proton exchange membranes for application in fuel cells: grafted silica/SPEEK nanocomposite elaboration and characterization. 2010 , 26, 11184-95	28
1482	Surface modification of heteropoly acid/SPEEK membranes by polypyrrole with a sandwich structure for direct methanol fuel cells. 2010 , 20, 9239	43
1481	On the Relationship between Polymer Electrolyte Structure and Hydrated Morphology of Perfluorosulfonic Acid Membranes. 2010 , 114, 11279-11292	88
1480	Grafting poly(phenylene oxide) with poly(vinylphosphonic acid) for fuel cell membranes. 2010 , 1, 739	36
1479	Sulfonated poly(arylene ether sulfone)s with phosphine oxide moieties: a promising material for proton exchange membranes. 2010 , 2, 1601-7	48
1478	Sulfonated Polysulfone/POSS Nanofiber Composite Membranes for PEM Fuel Cells. 2010 , 157, B914	75
1477	Ab initio study of hydration and proton dissociation in ionomer membranes. 2010 , 114, 6904-12	32
1476	Phase separation and water channel formation in sulfonated block copolyimide. 2010 , 114, 12036-45	71
1475	Control of Nafion/Poly(vinylidene fluoride-co-hexafluoropropylene) Composite Membrane Microstructure to Improve Performance in Direct Methanol Fuel Cells. 2010 , 157, B522	3
1474	Physico-Chemical Properties of Highly Flexible Temperature Tolerant Anhydrous Nafion-1,2,3-Triazole Blend Membranes. 2010 , 157, B1872	15
1473	Polymer Electrolyte Membranes Derived from New Sulfone Monomers with Pendent Sulfonic Acid Groups 2010 , 43, 9810-9820	97

1472	Poly(3,4-ethylenedioxythiophene) (PEDOT)-Modified Anodes: Reduced Methanol Crossover in Direct Methanol Fuel Cells. 2010 , 24, 3125-3129	19
1471	Synthesis and Characterization of Highly Fluorinated Cross-linked Aromatic Polyethers for Polymer Electrolytes. 2010 , 22, 5500-5511	43
1470	Active Area Determination of Porous Pt Electrodes Used in Polymer Electrolyte Fuel Cells: Temperature and Humidity Effects. 2010 , 157, B1795	42
1469	Chemical Degradation of Nafion Membranes under Mimic Fuel Cell Conditions as Investigated by Solid-State NMR Spectroscopy. 2010 , 114, 14635-14645	139
1468	Sulfonated Polybenzothiazoles: A Novel Candidate for Proton Exchange Membranes. 2010 , 22, 1022-1031	56
1467	Modifying a proton conductive membrane by embedding a "barrier". 2010 , 114, 13121-7	17
1466	Spectroelectrochemical Studies of the Pt(111)/Nafion Interface Cast Electrode. 2010 , 114, 20130-20140	42
1465	Synthesis of Nonfluorinated Amphiphilic Rod-Coil Block Copolymer and Its Application to Proton Exchange Membrane. 2010 , 22, 3646-3652	23
1464	Atomistic simulations of structure of solvated sulfonated poly(ether ether ketone) membranes and their comparisons to nafion: II. Structure and transport properties of water, hydronium ions, and methanol. 2010 , 114, 8367-73	34
1463	Confinement Effects on Watery Domains in Hydrated Block Copolymer Electrolyte Membranes. 2010 , 43, 8128-8135	37
1462	Poly(arylene ether)s containing superacid groups as proton exchange membranes. 2010 , 2, 1714-21	72
1461	Ab initio molecular dynamics simulations investigating proton transfer in perfluorosulfonic acid functionalized carbon nanotubes. 2010 , 12, 8728-32	51
1460	The effects of the hydrophobic environment on proton mobility in perfluorosulfonic acid systems: an ab initio molecular dynamics study. 2010 , 20, 6342	49
1459	Fuel Cell Engineering: Toward the Design of Efficient Electrochemical Power Plants. 2010 , 49, 10159-10182	73
1458	Oxide-ion and proton conducting electrolyte materials for clean energy applications: structural and mechanistic features. 2010 , 39, 4370-87	634
1457	Nuclear magnetic resonance of polymer electrolyte membrane fuel cells. 2010 , 10, 377-93	12
1456	Proton transport in water confined in carbon nanotubes: a reactive molecular dynamics study. 2010 , 36, 568-578	18
1455	Mesoscale simulation of polymer electrolyte membranes based on sulfonated poly(ether ether ketone) and Nafion. 2010 , 6, 3939	44

1454	Highly charged and stable cross-linked 4,4'-bis(4-aminophenoxy)biphenyl-3,3'-disulfonic acid (BAPBDS)-sulfonated poly(ether sulfone) polymer electrolyte membranes impervious to methanol. 2010 , 20, 8036	52
1453	Moving beyond mass-based parameters for conductivity analysis of sulfonated polymers. 2010 , 1, 123-48	51
1452	Proton-conducting membranes based on benzimidazole polymers for high-temperature PEM fuel cells. A chemical quest. 2010 , 39, 3210-39	552
1451	Hybrid polymer-silicon proton conducting membranes via a pore-filling surface-initiated polymerization approach. 2010 , 2, 279-87	37
1450	First principles modeling of sulfonic acid based ionomer membranes. 2010 ,	
1449	Hydrocarbon membranes. 2010 ,	1
1448	Inorganic/organic composite membranes. 2010 ,	
1447	New materials for DMFC MEAs. 2010 ,	
1446	Design rules for the improvement of the performance of hydrocarbon-based membranes for proton exchange membrane fuel cells (PEMFC). 2010 ,	3
1445	An ab initio modeling study on a modeled hydrated polymer electrolyte membrane, sulfonated polyethersulfone (SPES). 2010 , 114, 2411-21	36
1444	Atomistic simulations of structure of solvated sulfonated poly(ether ether ketone) membranes and their comparisons to nafion: I. Nanophase segregation and hydrophilic domains. 2010 , 114, 8357-66	57
1443	High Proton Conductive and Low Gas Permeable Sulfonated Graft Copolyimide Membrane. 2010 , 43, 7185-7191	59
1442	Sodium-alginate-based proton-exchange membranes as electrolytes for DMFCs. 2010 , 3, 1746	69
1441	A high performance polymer electrolyte membrane based on sulfonated poly(ether sulfone) with binaphthyl units. 2010 , 20, 6662	26
1440	Preparation and Characterization of Polypyrrole Silver Nanocomposites via Interfacial Polymerization. 2010 , 59, 531-543	20
1439	Nanomaterials for Fuel Cell Technologies. 79-109	2
1438	Non-Fickian Diffusion of Water in Nafion. 2010 , 43, 4667-4678	77
1437	Impedance Spectroscopy and Performance of Cross-Linked New Naphthalenic Polyimide Acid Membranes. 2010 , 114, 22773-22782	8

1436	A SAXS study on nanostructure evolution in water free membranes containing ionic liquid: from dry membrane to saturation. 2010 , 12, 13763-9	12
1435	Performance of Polymer Electrolyte Membrane Fuel Cell Based on New Polymeric Ionomers. 2010 ,	
1434	Physical Characterization of Plasma Deposited Polymeric Proton Exchange Membrane Used in Fuel Cells. 2010 , 638-642, 1158-1163	1
1433	FT-NIR Raman and proton conductivity studies of new polymer composite: alginate heterocyclic molecules. 2010 , 83, 844-853	2
1432	Predicting water uptake in poly(perfluorosulfonic acids) using force field simulation methods. 2010 , 12, 14543-52	9
1431	Silicalite-1/SPEEK composite membranes: influence of the zeolite particles loading or size on proton conductivity and water uptake. 2011 , 35, 2573	10
1430	Methanol-Water Solution Transport in Nafion Membranes with Different Cationic Forms. 2011 , 46, 944-949	3
1429	Cross-linked sulfonated poly(ether ether ketone) by using diamino-organosilicon for proton exchange fuel cells. 2011 , 115, 2916-23	12
1428	Novel polyaromatic ionomers with large hydrophilic domain and long hydrophobic chain targeting at highly proton conductive and stable membranes. 2011 , 21, 12068	35
1427	Transition metal hydrogenophosphates: a potential source of new protonic and lithium conductors. 2011 , 21, 12188	24
1426	Hydrocarbon proton conducting polymers for fuel cell catalyst layers. 2011 , 4, 1575	71
1425	A study on the characterization of FEP-g-PVBSA membranes as polymer electrolytes for direct methanol fuel cells. 2011 , 23, 555-560	7
1424	EFFECT OF BINDER CONTENT IN CATHODE ON PERFORMANCE OF DMFC BASED ON SULFONATED POLY(ETHER ETHER KETONE). 2011 , 198, 796-804	1
1423	Understanding the Promotion Effect of Lanthanum Oxide on Gold-Based Catalysts in the Partial Oxidation of Methanol by in Situ XAFS and DSC Studies. 2011 , 115, 15545-15554	9
1422	Densely Sulfophenylated Segmented Copoly(arylene ether sulfone) Proton Exchange Membranes. 2011 , 44, 4901-4910	89
1421	Modeling the nanophase structural dynamics of phenylated sulfonated poly ether ether ketone ketone (Ph-SPEEK) membranes as a function of hydration. 2011 , 115, 1817-24	13
1420	Cross-Linking of Side Chain Unsaturated Aromatic Polyethers for High Temperature Polymer Electrolyte Membrane Fuel Cell Applications. 2011 , 44, 4942-4951	58
1419	Reactive Molecular Dynamics Study of Proton Transport in Polymer Electrolyte Membranes. 2011 , 115, 18835-18846	19

1418	Molecular optimization of multiply-functionalized mesoporous films with ion conduction properties. 2011 , 133, 16023-36	9
1417	Highly Conductive Aromatic Ionomers with Perfluorosulfonic Acid Side Chains for Elevated Temperature Fuel Cells. 2011 , 44, 4605-4609	46
1416	Ionic Purity and Connectivity of Proton-Conducting Channels in Fluorous-Ionic Diblock Copolymers. 2011 , 44, 8845-8857	31
1415	Polymer Electrolyte Membranes Based on Poly(phenylene ether)s with Pendant Perfluoroalkyl Sulfonic Acids. 2011 , 44, 1603-1609	48
1414	Block Copolymers for Fuel Cells. 2011 , 44, 1-11	425
1413	Counterion Condensation in Nafion. 2011 , 44, 8866-8870	47
1412	Importance of electrostatic interactions in the mobility of cations in Nafion. 2011 , 115, 8707-12	15
1411	Unprecedented Structural Sensitivity toward Average Terrace Width: Nafion Adsorption at Pt{hkl} Electrodes. 2011 , 115, 17020-17027	33
1410	New Sulfonated Poly(p-phenylenesulfone)/Poly(1-oxotrimethylene) Nanocomposite Proton-Conducting Membranes for PEMFCs. 2011 , 23, 4452-4458	12
1409	Application of the SCC-DFTB method to neutral and protonated water clusters and bulk water. 2011 , 115, 6790-805	71
1408	Characterization of water in proton-conducting membranes by deuterium NMR T1 relaxation. 2011 , 115, 776-83	32
1407	Nafion as cosurfactant: solubilization of nafion in water in the presence of Pluronic. 2011 , 27, 554-60	4
1406	Proton transport in triflic acid pentahydrate studied via ab initio path integral molecular dynamics. 2011 , 115, 6112-24	33
1405	Fluorene-containing cardo polymers as ion conductive membranes for fuel cells. 2011 , 2, 1919	80
1404	Mechanical and Transport Properties of Nafion: Effects of Temperature and Water Activity. 2011 , 85-113	19
1403	Effect of water/ethanol content on the structure of Nafion in the sandwich model and solvent dynamics in nano-channels; a molecular dynamics study. 2011 , 109, 709-724	16
1402	Fluorene-Based Poly(arylene ether sulfone)s Containing Clustered Flexible Pendant Sulfonic Acids as Proton Exchange Membranes. 2011 , 44, 7296-7306	187
1401	Azole substituted polyphosphazenes as nonhumidified proton conducting membranes. 2011 , 21, 1020-1027	19

1400	Proton solvation and transport in hydrated nafion. 2011 , 115, 5903-12		108
1399	Ab initio simulations of the effects of nanoscale confinement on proton transfer in hydrophobic environments. 2011 , 115, 10826-35		18
1398	Sulfonated poly(arylene ether sulfone) membrane containing sulfated zirconia for high-temperature operation of PEMFCs. 2011 , 21, 7612		50
1397	A unified morphological description of Nafion membranes from SAXS and mesoscale simulations. 2011 , 7, 6820		99
1396	Electrocatalytic Activity and Stability of Pt clusters on State-of-the-Art Supports: A Review. 2011 , 53, 256-336		103
1395	Crosslinked poly(vinyl alcohol)/sulfonated poly(ether ether ketone) blend membranes for fuel cell applications Surface energy characteristics and proton conductivity. 2011 , 196, 946-955		20
1394	Fuel Cells: Proton Exchange Membranes. 2011 ,		
1393	Fuel Cells: Proton Exchange Membranes. 2011 ,		
1392	Synthesis and Characterization of Polyurethanic Proton Exchange Membranes. 2011 , 8,		3
1391	New proton conducting materials for technical applications: what can we learn from solid state NMR studies?. 2011 , 40, 127-33		12
1390	Sulfonated poly(arylene ether sulfone)/functionalized silicate hybrid proton conductors for high-temperature proton exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2011 , 381, 204-210	9.6	25
1389	Nano-scale morphology in graft copolymer proton-exchange membranes cross-linked with DIPB. <i>Journal of Membrane Science</i> , 2011 , 383, 50-59	9.6	17
1388	Influence of PDMS chain length on proton conductivity in polysiloxane based membranes for HT-PEMFC application. <i>Journal of Membrane Science</i> , 2011 , 383, 135-143	9.6	6
1387	Performance comparison of long and short-side chain perfluorosulfonic membranes for high temperature polymer electrolyte membrane fuel cell operation. 2011 , 196, 8925-8930		108
1386	Preparation of main-chain-type and side-chain-type sulfonated poly(ether ether ketone) membranes for direct methanol fuel cell applications. 2011 , 196, 9308-9316		19
1385	Synthesis of poly(arylene ether sulfone)s with locally and densely sulfonated pentaerythritol pendants as highly conductive polymer electrolyte membranes. 2011 , 196, 9876-9883		37
1384	Cross-linked miscible blend membranes of sulfonated poly(arylene ether sulfone) and sulfonated polyimide for polymer electrolyte fuel cell applications. 2011 , 196, 9946-9954		25
1383	Morphology of sulfonated polyarylenethioethersulfone random copolymer series as proton exchange fuel cells membranes by small angle neutron scattering. 2011 , 52, 5615-5621		14

1382	Preparation of new proton exchange membranes using sulfonated poly(ether sulfone) modified by octylamine (SPESOS). 2011 , 128, 456-463	15
1381	Channel orientation anisotropy in perfluorosulfonic acid/SiO ₂ composite proton exchange membranes: Water self-diffusion study using NMR. 2011 , 513, 251-255	9
1380	Quasi-solid-state electric double layer capacitors assembled with sulfonated poly(fluorenyl ether nitrile oxynaphthalate) membranes. 2011 , 58, 285-289	6
1379	Poly(acrylic acid-co-4-vinylimidazole)/Sulfonated poly(ether ether ketone) blend membranes: A role of polymer chain with proton acceptor and donor for enhancing proton transfer in anhydrous system. 2011 , 36, 10384-10391	24
1378	Neodymium triflate modified nafion composite membrane for reduced alcohol permeability in direct alcohol fuel cell. 2011 , 36, 14907-14913	22
1377	Novel ultrathin composite membranes of Nafion/PVA for PEMFCs. 2011 , 36, 9886-9895	60
1376	Self-humidifying nanocomposite membranes based on sulfonated poly(ether ether ketone) and heteropolyacid supported Pt catalyst for fuel cells. 2011 , 36, 10940-10957	33
1375	Composite membranes based on sulfonated poly(aryl ether ketone)s containing the hexafluoroisopropylidene diphenyl moiety and poly(amic acid) for proton exchange membrane fuel cell application. 2011 , 36, 14622-14631	19
1374	Magnetic field aligned nanocomposite proton exchange membranes based on sulfonated poly(ether sulfone) and Fe ₂ O ₃ nanoparticles for direct methanol fuel cell application. 2011 , 36, 15323-15332	54
1373	Development of MFC using sulphonated polyether ether ketone (SPEEK) membrane for electricity generation from waste water. 2011 , 102, 11167-71	124
1372	Morphology, molecular dynamics and electric conductivity of carbohydrate polymer films based on alginic acid and benzimidazole. 2011 , 346, 2718-26	7
1371	Design and properties of functional hybrid organic-inorganic membranes for fuel cells. 2011 , 40, 961-1005	428
1370	Aromatic condensation monomers and polymers containing quinoxal-2,3-diyl groups. 2011 , 53, 223-252	1
1369	Membranes for low and medium temperature fuel cells. State-of-the-art and new trends. 2011 , 51, 480-491	21
1368	Characterization of sulfonated poly(styrene-co-pyrrolidone) pore-filling membranes for fuel cell applications. 2011 , 41, 849-857	4
1367	Proton conducting properties of ionically cross-linked poly(1-vinyl-1,2,4 triazole) and poly(2-acrylamido-2-methyl-1-propanesulfonic acid) electrolytes. 2011 , 66, 1099-1110	10
1366	Understanding properties of copoly(arylene ether nitrile)s high-performance polymer electrolyte membranes for fuel cells from molecular dynamics simulations. 2011 , 130, 555-561	3
1365	Nafion-based composite electrolytes for proton exchange membrane fuel cells operating above 120°C with titania nanoparticles and nanotubes as fillers. 2011 , 196, 1061-1068	52

1364	Novel hybrid polymer electrolyte membranes with high proton conductivity prepared by a silane-crosslinking technique for direct methanol fuel cells. 2011 , 196, 1744-1749		28
1363	Poly(styrene sulfonic acid)/poly(vinyl alcohol) copolymers with semi-interpenetrating networks as highly sulfonated proton-conducting membranes. 2011 , 196, 5470-5477		22
1362	Synthesis and characterisation of novel fluorinated polymers bearing pendant imidazole groups and blend membranes: New materials for PEMFC operating at low relative humidity. <i>Journal of Membrane Science</i> , 2011 , 367, 127-133	9.6	28
1361	(Semi-)Interpenetrating polymer networks as fuel cell membranes. <i>Journal of Membrane Science</i> , 2011 , 368, 1-17	9.6	129
1360	Composite polymer electrolytes of sulfonated poly-ether-ether-ketone (SPEEK) with organically functionalized TiO ₂ . <i>Journal of Membrane Science</i> , 2011 , 369, 536-544	9.6	72
1359	Polyvinyl alcohol nanofiber reinforced Nafion membranes for fuel cell applications. <i>Journal of Membrane Science</i> , 2011 , 372, 191-200	9.6	112
1358	Swelling and permeability of Nafion [®] 117 in water-methanol solutions: An experimental and modelling investigation. <i>Journal of Membrane Science</i> , 2011 , 377, 54-64	9.6	23
1357	The synthesis and characterization of anhydrous proton conducting membranes based on sulfonated poly(vinyl alcohol) and imidazole. <i>Journal of Membrane Science</i> , 2011 , 375, 157-164	9.6	45
1356	Anion exchange membranes for alkaline fuel cells: A review. <i>Journal of Membrane Science</i> , 2011 , 377, 1-35	9.6	1254
1355	Novel postsulfonated poly(ether ether ketone)-block-poly(ether sulfone)s as proton exchange membranes for fuel cells: Design, preparation and properties. <i>Journal of Membrane Science</i> , 2011 , 380, 171-180	9.6	18
1354	In situ diagnostics for water transport in proton exchange membrane fuel cells. 2011 , 37, 204-220		71
1353	SiO ₂ nanoparticles-coated poly(paraphenylene terephthalamide) nonwovens as reinforcing porous substrates for proton-conducting, sulfonated poly(arylene ether sulfone)-impregnated composite membranes. 2011 , 190, 30-37		13
1352	Proton conduction and methanol transport through sulfonated poly(styrene-b-ethylene/butylene-b-styrene)/clay nanocomposite. 2011 , 19, 84-89		7
1351	Preparation and characterization of SPEEK membranes crosslinked by electron beam irradiation. 2011 , 19, 1082-1089		38
1350	Strong correlation between membrane effective fixed charge and proton conductivity in the sulfonated polysulfone cation-exchange membranes. 2011 , 17, 229-238		7
1349	High proton conducting SPEEK/SiO ₂ /PWA composite membranes for direct methanol fuel cells. 2011 , 26, 417-421		7
1348	Sulfonated carbon nanotubes/sulfonated poly(ether sulfone ether ketone) composites for polymer electrolyte membranes. 2011 , 22, 1747-1752		45
1347	Morphological investigations of block sulfonated poly(arylene ether ketone) copolymers as potential proton exchange membranes. 2011 , 22, 2173-2181		9

1346	Polyimide ionomer containing superacid groups. 2011 , 22, 1305-1310	6
1345	Synthesis and proton conductivity studies of 5-aminotetrazole-doped sulfonated polymer electrolyte membranes. 2011 , 32, 1625-1632	8
1344	Sulfonated poly(bis-A)-sulfones as proton exchange membranes for direct methanol fuel cell application. 2011 , 51, 264-271	8
1343	Synthesis and properties of multiblock copoly(arylene ether)s containing superacid groups for fuel cell membranes. 2011 , 49, 452-464	28
1342	Polymer electrolyte membrane based on poly(ether sulfone) containing binaphthyl units with pendant perfluoroalkyl sulfonic acids. 2011 , 49, 2997-3003	14
1341	Simulation study of the equilibrium morphology in ionomers with different architectures. 2011 , 49, 368-376	29
1340	Differences in water sorption and proton conductivity between Nafion and SPEEK. 2011 , 49, 1437-1445	91
1339	Characterization of SPEEK/Y2O3 proton exchange membrane treated with high magnetic field. 2011 , 29, 604-608	3
1338	Research with Neutron and Synchrotron Radiation on Aerospace and Automotive Materials and Components. 2011 , 13, 637-657	5
1337	Organic Proton-Conducting Molecules as Solid-State Separator Materials for Fuel Cell Applications. 2011 , 21, 2216-2224	37
1336	Synthesis and Properties of Random Copolymers of Functionalised Polybenzimidazoles for High Temperature Fuel Cells. 2011 , 11, 212-221	26
1335	Highly Sulphonated Multiblock-co-polymers for Direct Methanol Fuel Cells. 2011 , 11, 787-800	8
1334	Proton Conducting Sulphonated Fluorinated Poly(Styrene) Crosslinked Electrolyte Membranes. 2011 , 11, 611-619	7
1333	A PBI-Sb0.2Sn0.8P2O7-H3PO4 Composite Membrane for Intermediate Temperature Fuel Cells. 2011 , 11, 620-625	13
1332	Durability of sulfonated aromatic polymers for proton-exchange-membrane fuel cells. 2011 , 4, 1526-36	68
1331	Molecular dynamics simulations of triflic acid and triflate ion/water mixtures: a proton conducting electrolytic component in fuel cells. 2011 , 32, 3319-28	22
1330	Styrene/phosphonic acid copolymers: Synthesis and thermal, mechanical, and electrochemical characterization. 2011 , 119, 460-471	2
1329	Polybenzimidazoles based on 3,3'-diaminobenzidine and aliphatic dicarboxylic acids: Synthesis and evaluation of physicochemical properties toward their applicability as proton exchange and gas separation membrane material. 2011 , 120, 1090-1099	15

1328	New hyperbranched polymers for membranes of high-temperature polymer electrolyte membrane fuel cells: Determination of the crystal structure and free-volume size. 2011 , 121, 923-929	10
1327	Stable crosslinked vinyl-addition-type polynorbornene graft copolymer proton-exchange membranes. 2011 , 121, 1166-1175	16
1326	Vibrational predissociation spectroscopy and theory of Ar-tagged, protonated Imidazole (Im) $\text{Im}^+\text{BH}^+\text{Ar}$ clusters. 2011 , 501, 172-178	15
1325	Free volume of poly(perfluorosulfonic acid)/SiO ₂ composite proton exchange membranes by ¹²⁹ Xe NMR. 2011 , 506, 71-75	7
1324	Dissolution and redeposition on Pt nanoparticles under electrochemical conditions. 2011 , 509, 134-137	3
1323	Studies of a high temperature proton exchange membrane based on incorporating an ionic liquid cation 1-butyl-3-methylimidazolium into a Nafion matrix. 2011 , 56, 5940-5946	74
1322	Proton conduction in materials comprising conducting domains with widths less than 6nm. 2011 , 47, 647-650	9
1321	Synthesis and characterization of crosslinked sulfonated poly(arylene ether sulfone) membranes for high temperature PEMFC applications. 2011 , 36, 1813-1819	34
1320	Comparison between direct small molecular weight alcohols fuel cells and hydrogen fuel cell parameters at low and high temperature. Thermodynamic study. 2011 , 36, 4208-4219	21
1319	Effect of flow fields on the performance of micro-direct methanol fuel cells. 2011 , 36, 822-829	38
1318	Hybrid composite membranes based on SPEEK and functionalized PPSU for PEM fuel cells. 2011 , 36, 8063-8069	35
1317	Proton exchange membranes based on hydrophilic/hydrophobic multiblock copolymers using different hydrophobic oligomer. 2011 , 36, 3956-3964	8
1316	Preparation and properties of sulfonated poly(phthalazinone ether sulfone ketone)/zirconium sulfophenylphosphate/PTFE composite membranes. 2011 , 36, 3681-3687	38
1315	Direct methanol fuel cell performance of sulfonated poly (2,6-dimethyl-1,4-phenylene oxide)-polybenzimidazole blend proton exchange membranes. 2011 , 36, 3688-3696	37
1314	A high-performance chitosan-based double layer proton exchange membrane with reduced methanol crossover. 2011 , 36, 6105-6111	32
1313	SPEEK/sulfonated cyclodextrin blend membranes for direct methanol fuel cell. 2011 , 36, 5666-5674	29
1312	Studies on novel heat treated sulfonated poly(ether ether ketone) [SPEEK]/diol membranes for fuel cell applications. 2011 , 36, 8525-8535	31
1311	Synthesis and characterization of proton exchange membranes based on sulfonated poly(flourenyl ether nitrile oxynaphthalate) for direct methanol fuel cells. 2011 , 36, 8492-8498	25

1310	SiO ₂ -coated polyimide nonwoven/Nafion composite membranes for proton exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2011 , 367, 265-272	9.6	49
1309	Synthesis and properties of side-chain-type sulfonated poly(phenylene oxide) for proton exchange membranes. <i>Journal of Membrane Science</i> , 2011 , 373, 160-166	9.6	34
1308	Cesium hydrogen salt of heteropolyacids/Nafion nanocomposite membranes for proton exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2011 , 377, 89-98	9.6	52
1307	Sulfonated poly(tetramethyldiphenyl ether ether ketone) membranes for vanadium redox flow battery application. 2011 , 196, 482-487		162
1306	Characterization of polyethyleneterephthalate (PET) based proton exchange membranes prepared by UV-radiation-induced graft copolymerization of styrene. 2011 , 196, 614-619		15
1305	Preparation and characterization of phosphotungstic acid-derived salt/Nafion nanocomposite membranes for proton exchange membrane fuel cells. 2011 , 196, 988-998		50
1304	Crosslinked sulfonated poly(arylene ether ketone) membranes bearing quinoxaline and acidBase complex cross-linkages for fuel cell applications. 2011 , 196, 1694-1703		40
1303	Stability enhancement of polymer electrolyte membrane fuel cells based on a sulfonated poly(ether ether ketone)/poly(vinylidene fluoride) composite membrane. 2011 , 196, 2483-2489		12
1302	Evaluating chemical degradation of proton conducting perfluorosulfonic acid ionomers in a Fenton test by solid-state ¹⁹ F NMR spectroscopy. 2011 , 196, 2490-2497		57
1301	Synthesis of multi-block poly(arylene ether sulfone) copolymer membrane with pendant quaternary ammonium groups for alkaline fuel cell. 2011 , 196, 4445-4450		120
1300	Sulfonated titania submicrospheres-doped sulfonated poly(ether ether ketone) hybrid membranes with enhanced proton conductivity and reduced methanol permeability. 2011 , 196, 4934-4942		66
1299	Hybrid proton conducting membranes based on sulfonated cross-linked polysiloxane network for direct methanol fuel cell. 2011 , 196, 5803-5810		30
1298	Lamellar crystals as proton conductors to enhance the performance of proton exchange membrane for direct methanol fuel cell. 2011 , 196, 6015-6021		9
1297	Synthesis and characterization of polysulfone-containing sulfonated side chains for direct methanol fuel cells. 2011 , 196, 7481-7487		17
1296	Preparation and properties of sulfonated poly(ether ether ketone)/Analcime composite membrane for a proton exchange membrane fuel cell (PEMFC). 2011 , 42, 190-195		39
1295	Ion-conductive polymer membranes containing 1-butyl-3-methylimidazolium trifluoromethanesulfonate and 1-ethylimidazolium trifluoromethanesulfonate. <i>Journal of Membrane Science</i> , 2011 , 367, 332-339	9.6	44
1294	Analysis of states of water in poly (vinyl alcohol) based DMFC membranes using FTIR and DSC. <i>Journal of Membrane Science</i> , 2011 , 369, 88-95	9.6	32
1293	Synthesis and properties of soluble sulfonated polybenzimidazoles derived from asymmetric dicarboxylic acid monomers with sulfonate group as proton exchange membrane. <i>Journal of Membrane Science</i> , 2011 , 369, 388-396	9.6	35

1292	Preparation and characterization of SPEEK/MMT-STA composite membrane for DMFC application. <i>Journal of Membrane Science</i> , 2011 , 371, 10-19	9.6	62
1291	Environmentally friendly synthesis of alkaline anion exchange membrane for fuel cells via a solvent-free strategy. <i>Journal of Membrane Science</i> , 2011 , 371, 155-162	9.6	56
1290	Cross-linked sulfonated poly (ether ether ketone) (SPEEK)/reactive organoclay nanocomposite proton exchange membranes (PEM). <i>Journal of Membrane Science</i> , 2011 , 372, 40-48	9.6	58
1289	Sulfonated poly(arylene thioether phosphine oxide)/sulfonated benzimidazole blends for proton exchange membranes. <i>Journal of Membrane Science</i> , 2011 , 372, 125-133	9.6	14
1288	Cross-linked poly(2,5-benzimidazole) consisting of wholly aromatic groups for high-temperature PEM fuel cell applications. <i>Journal of Membrane Science</i> , 2011 , 373, 80-88	9.6	50
1287	Low equivalent weight Friedel-Crafts cross-linked sulfonated poly(ether ether ketone). <i>Journal of Membrane Science</i> , 2011 , 376, 290-301	9.6	16
1286	Hydrophilicity/porous structure-tuned, SiO ₂ /polyetherimide-coated polyimide nonwoven porous substrates for reinforced composite proton exchange membranes. 2011 , 362, 607-14		12
1285	Polymer membranes for high temperature proton exchange membrane fuel cell: Recent advances and challenges. 2011 , 36, 813-843		669
1284	Sulfonated hydrocarbon membranes for medium-temperature and low-humidity proton exchange membrane fuel cells (PEMFCs). 2011 , 36, 1443-1498		530
1283	FT NIR Raman studies of alginic acid-benzimidazole polymer composite. 2011 , 79, 797-800		4
1282	Proton exchange membranes for fuel cells operated at medium temperatures: Materials and experimental techniques. 2011 , 56, 289-327		142
1281	Mesoscale modeling of the influence of morphology on the mechanical properties of proton exchange membranes. 2011 , 52, 201-210		20
1280	Preparation and characterization of nanocomposite polyelectrolyte membranes based on Nafion [®] ionomer and nanocrystalline hydroxyapatite. 2011 , 52, 1286-1296		33
1279	Sulfonated multiblock copolynaphthalimides for polymer electrolyte fuel cell application. 2011 , 52, 2255-2262		31
1278	Strontium cross-linked SPEEK proton exchange membranes for fuel cell. 2011 , 192, 627-631		28
1277	Molecular structure and transport dynamics in perfluoro sulfonyl imide membranes. 2011 , 23, 234106		7
1276	Characterization of polymer structures based on Burnside's lemma. 2011 , 84, 011805		2
1275	Conductivity and water uptake in block copolymers containing protonated polystyrene sulfonate and their imidazolium salts. 2011 , 7, 4446		9

1274	Ion exchange membranes for vanadium redox flow batteries. 2011 , 413-434	1
1273	Plasma-induced Styrene Grafting onto the Surface of Polytetrafluoroethylene Powder for Proton Exchange Membrane Application. 2011 , 13, 604-607	2
1272	Effect of temperature on structure and water transport of hydrated sulfonated poly(ether ether ketone): A molecular dynamics simulation approach. 2011 , 3, 043111	23
1271	Water Activity Coefficient and Proton Mobility in Hydrated Acidic Polymers. 2011 , 158, B159	35
1270	Thermodynamics of d-dimensional hard sphere fluids confined to micropores. 2011 , 134, 114502	9
1269	Proton Conduction in Composite Membranes of Sulfonated Hydrocarbon Electrolyte and Layered Tin Phosphate Hydrates. 2011 , 159, B91-B95	3
1268	Partially Fluorinated Sulfonated Poly(ether amide) Fuel Cell Membranes: Influence of Chemical Structure on Membrane Properties. 2011 , 3, 222-235	10
1267	Membrane materials and technology for low temperature fuel cells. 2012 , 27-56e	5
1266	Membranes for redox flow battery applications. 2012 , 2, 275-306	277
1265	References. 2012 , 435-482	
1264	Composite Membrane Based on SiO ₂ -MWCNTs and Nafion for PEMFCs. 2012 , 159, F490-F493	6
1263	A New Amperometric Alcohol Oxidase Biosensor Based on Conducting Polymer of (4,7-Dithien-2-yl-2, 1,3-benzothiadiazole). 2012 , 49, 185-190	7
1262	Developments in membranes, catalysts and membrane electrode assemblies for direct methanol fuel cells (DMFCs). 2012 , 312-369	7
1261	The Development of Novel Electrolyte Membrane with High Proton Conductivity at Medium Temperatures. 2012 , 472-475, 2819-2823	
1260	Sulfonated Poly(Ether Ether Ketone) (SPEEK): A Promising Membrane Material for Polymer Electrolyte Fuel Cell. 2012 , 437-451	2
1259	Molecular modeling of the morphology and transport properties of two direct methanol fuel cell membranes: Phenylated sulfonated poly(ether ether ketone) versus Nafion. 2012 , 27, 1927-1938	6
1258	Fluorinated Aromatic Polyether Ionomers Containing Perfluorocyclobutyl as Cross-Link Groups for Fuel Cell Applications. 2012 , 24, 1443-1453	38
1257	Ion Transfer in and Through Charged Membranes: Structure, Properties, and Theory. 2012 , 267-335	19

1256	Synthesis of soluble copolymers bearing ionic graft for alkaline anion exchange membrane. 2012 , 2, 4250	46
1255	Toward protic ionic liquid and organic ionic plastic crystal electrolytes for fuel cells. 2012 , 84, 213-222	102
1254	Synthesis and Characterization of Sulfonated Cardo Poly(Arylene Ether Sulfone)s for Fuel Cell Proton Exchange Membrane Application. 2012 , 12, 978-986	9
1253	Application of phosphoric acid and phytic acid-doped bacterial cellulose as novel proton-conducting membranes to PEMFC. 2012 , 37, 9182-9192	133
1252	Alternatives toward proton conductive anhydrous membranes for fuel cells: Heterocyclic protogenic solvents comprising polymer electrolytes. 2012 , 37, 1265-1291	132
1251	Ion Exchange Membranes: Preparation, Properties, and Applications. 2012 , 233-276	8
1250	Durable cross-linked copolymer membranes based on poly(benzoxazine) and poly(2,5-benzimidazole) for use in fuel cells at elevated temperatures. 2012 , 22, 7194	48
1249	High performance sulfonated poly(arylene ether phosphine oxide) membranes by self-protected cross-linking for fuel cells. 2012 , 22, 13714	34
1248	Synthesis of superacid-modified poly(arylene ether sulfone)s via post-bromination. 2012 , 2, 5199	11
1247	The effect of the side-chain ratio on main-chain-type and side-chain-type sulfonated poly(ether ether ketone) for direct methanol fuel cell applications. 2012 , 22, 9244	14
1246	Charge transport in poly-imidazole membranes: a fresh appraisal of the Grotthuss mechanism. 2012 , 14, 10910-8	26
1245	Structural effects on the nano-scale morphology and conductivity of ionomer blends. 2012 , 22, 24348	12
1244	Hydrocarbon blend membranes with suppressed chemical crossover for redox flow batteries. 2012 , 2, 5554	29
1243	The effect of hydrogen bond reorganization and equivalent weight on proton transfer in 3M perfluorosulfonic acid ionomers. 2012 , 14, 16349-59	21
1242	Atomistic simulations of structure and dynamics of hydrated Aciplex polymer electrolyte membrane. 2012 , 8, 10827	22
1241	Polyimide nonwoven fabric-reinforced, flexible phosphosilicate glass composite membranes for high-temperature/low-humidity proton exchange membrane fuel cells. 2012 , 22, 18550	24
1240	A proton conductive silicate-nanoencapsulated polyimide nonwoven as a novel porous substrate for a reinforced sulfonated poly(arylene ether sulfone) composite membrane. 2012 , 22, 1634-1642	26
1239	Nafion membranes with ordered mesoporous structure and high water retention properties for fuel cell applications. 2012 , 22, 5810	43

1238	Stable fluorinated sulfonated poly(arylene ether) membranes for vanadium redox flow batteries. 2012 , 2, 8087	64
1237	Exploring the potential of doped zero-dimensional cages for proton transfer in fuel cells: a computational study. 2012 , 116, 9803-11	2
1236	Fully Aromatic Ionomers with Precisely Sequenced Sulfonated Moieties for Enhanced Proton Conductivity. 2012 , 45, 1447-1459	39
1235	Effects of Polymer Morphology on Proton Solvation and Transport in Proton-Exchange Membranes. 2012 , 116, 19104-19116	42
1234	Effect of Confinement on Structure, Water Solubility, and Water Transport in Nafion Thin Films. 2012 , 45, 7920-7930	153
1233	Design of Cluster-free Polymer Electrolyte Membranes and Implications on Proton Conductivity. 2012 , 1, 1155-1160	50
1232	Influence of the water content on the diffusion coefficients of Li ⁺ and water across naphthalenic based copolyimide cation-exchange membranes. 2012 , 116, 11754-66	7
1231	Novel catalyst layer synthesized by an in situ sol-gel process with tetraethoxysilane in a Nafion ionomer solution with Pt/C for PEFCs: the effect of self-assembled Nafion/SiO ₂ on Pt ORR activity and an increased water content in the polymer membranes. 2012 , 2, 6957	8
1230	A comparative ab initio study of the primary hydration and proton dissociation of various imide and sulfonic acid ionomers. 2012 , 116, 1801-13	27
1229	Antiplasticization and Water Uptake of Nafion Thin Films.. 2012 , 1, 291-295	65
1228	Numerical Simulation of Flow Disturbance and Heat Transfer Effects on the Methanol-Steam Reforming in Miniature Annulus Type Reformers. 2012 , 26, 1202-1213	21
1227	Density Functional Theory Study on the Role of Ceria Addition in Ti _x Ce _{1-x} O ₂ Adsorbents for Thiophene Adsorption. 2012 , 116, 3457-3466	24
1226	Investigating the water in hydrated sPEEK membranes using multiple quantum filtered 2H NMR spectroscopy. 2012 , 116, 14724-30	7
1225	Triple-layer proton exchange membranes based on chitosan biopolymer with reduced methanol crossover for high-performance direct methanol fuel cells application. 2012 , 53, 2643-2651	48
1224	Preparation and properties of pore-filling membranes based on sulfonated copolyimides and porous polyimide matrix. 2012 , 53, 3154-3162	28
1223	Controlling phosphonic acid substitution degree on proton conducting polyphosphazenes. 2012 , 53, 3659-3668	19
1222	3 In situ and operando determination of the water content distribution in proton conducting membranes for fuel cells: a critical review. 2012 , 5, 8824	58
1221	Multiblock Copolymers Containing Highly Sulfonated Poly(arylene sulfone) Blocks for Proton Conducting Electrolyte Membranes. 2012 , 45, 6538-6546	65

1220	Thermodynamics, Microstructure and Interfacial Effects in Hydrated Nafion. 2012 , 283-303		1
1219	Development of imidazolium-type alkaline anion exchange membranes for fuel cell application. <i>Journal of Membrane Science</i> , 2012 , 415-416, 242-249	9.6	188
1218	SPAEEK-based binary blends and ternary composites as proton exchange membranes for DMFCs. <i>Journal of Membrane Science</i> , 2012 , 415-416, 520-526	9.6	15
1217	Highly compatible acid/base blend membranes based on sulfonated poly(ether ether ketone) and poly(ether ether ketone-alt-benzimidazole) for fuel cells application. <i>Journal of Membrane Science</i> , 2012 , 415-416, 644-653	9.6	47
1216	Composite proton conducting membranes based on Nafion and sulfonated SiO ₂ nanoparticles. <i>Journal of Membrane Science</i> , 2012 , 415-416, 696-701	9.6	42
1215	Block sulfonated poly(arylene ether ketone) containing flexible side-chain groups for direct methanol fuel cells usage. <i>Journal of Membrane Science</i> , 2012 , 417-418, 61-68	9.6	7
1214	Molecular dynamics simulation study of proton diffusion in polymer electrolyte membranes based on sulfonated poly(ether ether ketone). 2012 , 37, 10256-10264		55
1213	Sulfonated poly(ether ether ketone)/poly(ether sulfone) composite membranes as an alternative proton exchange membrane in microbial fuel cells. 2012 , 37, 11409-11424		92
1212	Thermal, vibrational and Ac impedance studies on proton conducting polymer electrolytes based on poly(vinyl acetate). 2012 , 358, 531-536		16
1211	Chemically stable hybrid polymer electrolyte membranes prepared by silane-crosslinking and thiol-ene click chemistry. 2012 , 214, 285-291		12
1210	Nanocomposite polymer electrolyte membranes based on poly(vinylphosphonic acid)/sulfated nano-titania. 2012 , 217, 158-163		35
1209	Where do poly(vinyl alcohol) based membranes stand in relation to Nafion [®] for direct methanol fuel cell applications?. 2012 , 216, 48-66		66
1208	Cost effective cation exchange membranes: A review. 2012 , 90, 950-959		86
1207	An activation procedure applied to fluorinated and non-fluorinated proton exchange membranes. 2012 , 103, 27-33		7
1206	Synthesis of Hydrophilic/Hydrophobic Block Copolymer Ionomers Based on Polyphenylenes. 2012 , 1, 969-972		56
1205	Neutrons for fuel cell membranes: Structure, sorption and transport properties. 2012 , 213, 195-211		13
1204	Polymer Electrolyte Membrane Degradation. 2012 , 767-775		3
1203	Alternative Hydrocarbon Membranes by Step Growth. 2012 , 621-650		3

1202	Polymers in Membrane Electrode Assemblies. 2012 , 691-720	3
1201	Alternative Proton Exchange Membranes by Chain-Growth Polymerization. 2012 , 651-689	1
1200	Molecular and Mesoscale Modeling of Proton Exchange Membranes. 2012 , 777-810	
1199	Aromatic Polyethers, Polyetherketones, Polysulfides, and Polysulfones. 2012 , 377-430	5
1198	Influence of Anions on Proton-Conducting Membranes Based on Neutralized Nafion 117, Triethylammonium Methanesulfonate, and Triethylammonium Perfluorobutanesulfonate. 2. Electrical Properties. 2012 , 116, 1370-1379	41
1197	Morphology of Proton Exchange Membranes. 2012 , 721-766	
1196	Conductivity Spectra of Polyelectrolyte Multilayers Revealing Ion Transport Processes. 2012 , 321-336	
1195	Developments of highly proton-conductive sulfonated polymers for proton exchange membrane fuel cells. 2012 , 3, 1373	92
1194	Development of NMR: Solid-State NMR and Materials Science, Post 1995. 2012 ,	3
1193	Top-cited Articles in Chemical Engineering in Science Citation Index Expanded: A Bibliometric Analysis. 2012 , 20, 478-488	108
1192	An effective layout of polyaniline nanofibers incorporated in membrane-electrode assembly as methanol transport regulator for direct methanol fuel cells. 2012 , 37, 11975-11983	10
1191	Sulfonated polybenzimidazole/zirconium phosphate composite membranes for high temperature applications. 2012 , 37, 12919-12924	38
1190	Sulfonated PEEK-based polymers in PEMFC and DMFC applications: A review. 2012 , 37, 15241-15255	173
1189	Graphene oxide nanosheets/polymer binders as superior electrocatalytic materials for vanadium bromide redox flow batteries. 2012 , 85, 175-181	30
1188	Preparation of proton-conductive organic/inorganic hybrid titanophosphate membranes. 2012 , 225, 232-235	3
1187	Sulfonated aromatic ionomers: Analysis of proton conductivity and proton mobility. 2012 , 225, 255-259	27
1186	Mechanochemical synthesis of proton conductive composites derived from cesium dihydrogen phosphate and guanine. 2012 , 225, 223-227	10
1185	Cross-linked poly(arylene ether ketone) membrane bearing pendant sulfanilic acid for high proton conductivity and low water uptake. 2012 , 224, 58-63	3

1184	Effects of tin phosphate nanosheet addition on proton-conducting properties of sulfonated poly(ether sulfone) membranes. 2012 , 228, 8-13	4
1183	Crosslinked organic/inorganic proton exchange membranes with multilayer structure. 2012 , 227, 91-95	8
1182	Fluorinated naphthalene-based poly(arylene ether ketone)s containing pendant groups for direct methanol fuel cells. 2012 , 53, 4413-4419	9
1181	Influence of Composite Electrolyte Membrane for Proton Exchange Membrane Fuel Cells. 2012 , 4, 123-130	4
1180	Interplay between mechanical, electrical, and thermal relaxations in nanocomposite proton conducting membranes based on Nafion and a [(ZrO ₂) ₁ (Ta ₂ O ₅) _{0.119}] core-shell nanofiller. 2012 , 134, 19099-107	68
1179	Ion Exchange Membrane Processes [Electrodialysis]. 2012 , 417-451	2
1178	Membrane Durability: Physical and Chemical Degradation. 2012 , 15-88	47
1177	Effects of imidazole on the thermal and conductivity properties of hybrid membrane based on poly(vinyl alcohol)/SiO ₂ . 2012 , 22, 9684	20
1176	Comb-shaped polymers to enhance hydroxide transport in anion exchange membranes. 2012 , 5, 7888	283
1175	Development of novel pectin based membranes as proton conducting material. 2012 , 16, 80-88	23
1174	Nafion membranes reinforced with magnetically controlled Fe ₃ O ₄ /MWCNTs for PEMFCs. 2012 , 22, 14008	21
1173	Imparting high proton conductivity to a metal-organic framework material by controlled acid impregnation. 2012 , 134, 15640-3	358
1172	Assembly of an unbalanced charged polyampholyte onto Nafion [®] to produce high-performance composite membranes. 2012 , 48, 12201-3	16
1171	Structure and Properties of Polymer Electrolyte Membranes Containing Phosphonic Acids for Anhydrous Fuel Cells. 2012 , 24, 115-122	62
1170	Ion Exchange Technology I. 2012 ,	7
1169	Ab Initio Modeling of Transport and Structure of Solid State Proton Conductors. 2012 , 241-294	1
1168	Proton Conductivity of Aromatic Polymers. 2012 , 331-369	1
1167	Synthesis of Polyethylene-Based Proton Exchange Membranes Containing PE Backbone and Sulfonated Poly(arylene ether sulfone) Side Chains for Fuel Cell Applications. 2012 , 45, 2460-2470	28

1166	Microheterogeneity in native and cation-exchanged Nafion membranes. 2012 , 116, 9992-8	4
1165	Sulfonated copoly(norbornene)s bearing sultone pendant groups and application as proton exchange membranes candidates. 2012 , 19, 1	9
1164	Synthesis and Characterizations of Novel Proton-Conducting Fluoropolymer Electrolyte Membranes Based on Poly(vinylidene fluoride-ter-hexafluoropropylene-ter-trifluoromethacrylic acid) Terpolymers Grafted by Aryl Sulfonic Acids. 2012 , 45, 3145-3160	40
1163	Applications of Charged Membranes in Separation, Fuel Cells, and Emerging Processes. 2012 , 761-815	15
1162	Sulfonation and characterization of styrene-indene copolymers for the development of proton conducting polymer membranes. 2012 , 22, 395-400	3
1161	Side chain crosslinking of aromatic polyethers for high temperature polymer electrolyte membrane fuel cell applications. 2012 , 50, 207-216	18
1160	Synthesis and characterization of phenol-based biaryl proton conducting polymers. 2012 , 50, 1187-1196	9
1159	New hybrid membranes based on phosphonic acid functionalized silica particles for PEMFC. 2012 , 50, 1308-1316	13
1158	Water-mediated transport in ion-containing polymers. 2012 , 50, 9-20	72
1157	Nanostructure and properties of proton-conducting sulfonated poly(ether ether ketone) (SPEEK) and zirconia/SPEEK hybrid membranes for direct alcohol fuel cells: effect of the nature of swelling solvent and incorporation of heteropolyacid. 2012 , 61, 82-92	21
1156	Poly(arylene ether)s carrying pendant (3-sulfonated) phenylsulfonyl groups. 2012 , 61, 1249-1255	3
1155	Mesoscale Simulation of Proton Transport in Proton Exchange Membranes. 2012 , 116, 10476-10489	48
1154	Polysulfone functionalized with phosphonated poly(pentafluorostyrene) grafts for potential fuel cell applications. 2012 , 33, 1368-74	49
1153	Synthesis and Characterization of Polymer Blends of Sulfonated Polyethersulfone and Sulfonated Polyethersulfone Octylsulfonamide for PEMFC Applications. 2012 , 12, 179-187	16
1152	Influence of Compressive Stress on the Water Content of Perfluorosulphonated Membranes: A Raman Study. 2012 , 12, 162-168	13
1151	A H ₂ SO ₄ Loaded Polybenzimidazole (PBI) Membrane for High Temperature PEMFC. 2012 , 12, 583-588	20
1150	Cross-linked Poly(arylene ether ketone) Proton Exchange Membranes with High Ion Exchange Capacity for Fuel Cells. 2012 , 12, 589-598	23
1149	Proton Conducting Phase-Separated Multiblock Copolymers with Sulfonated Poly(phenylene sulfone) Blocks for Electrochemical Applications: Preparation, Morphology, Hydration Behavior, and Transport. 2012 , 22, 4456-4470	72

1148	Irradiation-induced grafting of poly(vinylidene fluoride)-graft-poly(styrene sulfonic acid) for the preparation of planar and tube-shaped air-drying membranes. 2012 , 126, 442-451	5
1147	New nanocomposite hybrid inorganic-organic proton-conducting membranes based on functionalized silica and PTFE. 2012 , 5, 1758-66	22
1146	Cross-Linked Benzoxazine-Benzimidazole Copolymer Electrolyte Membranes for Fuel Cells at Elevated Temperature. 2012 , 45, 1438-1446	110
1145	Membrane materials for addressing energy and environmental challenges. 2012 , 3, 395-420	22
1144	Polybenzimidazole/poly(tetrafluoro ethylene) composite membranes for high temperature proton exchange membrane fuel cells. 2012 , 19, 1	12
1143	Natural and synthetic solid polymer hybrid dual network membranes as electrolytes for direct methanol fuel cells. 2012 , 16, 1709-1721	28
1142	Sulfonated poly(phthalazinone ether sulfone) membrane as a separator of vanadium redox flow battery. 2012 , 16, 2169-2177	29
1141	Synthesis and properties of sulfonated poly(ether ketone)s containing 3,5-dimethyl phthalazinone moieties as proton exchange membrane materials. 2012 , 30, 511-519	4
1140	Process intensification and fuel cells using a Multi-Source Multi-Product approach. 2012 , 51, 88-108	7
1139	Catalytic decomposition of hydrous hydrazine to hydrogen over oxide catalysts at ambient conditions for PEMFCs. 2012 , 37, 1133-1139	31
1138	Highly stable hydroxyl anion conducting membranes poly(vinyl alcohol)/poly(acrylamide-co-diallyldimethylammonium chloride) (PVA/PAADDA) for alkaline fuel cells: Effect of cross-linking. 2012 , 37, 4580-4589	63
1137	Evaluation of smectite clays as nanofillers for the synthesis of nanocomposite polymer electrolytes for fuel cell applications. 2012 , 37, 6236-6245	40
1136	SiO ₂ ceramic nanoporous substrate-reinforced sulfonated poly(arylene ether sulfone) composite membranes for proton exchange membrane fuel cells. 2012 , 37, 6189-6198	29
1135	Multilayer-structured, SiO ₂ /sulfonated poly(phenylsulfone) composite membranes for proton exchange membrane fuel cells. 2012 , 37, 6182-6188	18
1134	Inorganic-organic membranes based on Nafion, [(ZrO ₂) ₂ (HfO ₂) _{0.25}] and [(SiO ₂) ₂ (HfO ₂) _{0.28}] nanoparticles. Part II: Relaxations and conductivity mechanism. 2012 , 37, 6215-6227	45
1133	Poly(benzimidazole)-epoxide crosslink membranes for high temperature proton exchange membrane fuel cells. 2012 , 37, 383-392	68
1132	Transport properties and fuel cell performance of sulfonated poly(imide) proton exchange membranes. 2012 , 37, 6153-6160	32
1131	H ₂ SO ₄ stability of PBI-blend membranes for SO ₂ electrolysis. 2012 , 37, 603-614	20

1130	Solid acids as electrolyte materials for proton exchange membrane (PEM) electrolysis: Review. 2012 , 37, 3358-3372	123
1129	Crosslinked sulfonated poly(arylene ether sulfone) membranes for fuel cell application. 2012 , 37, 2603-2613	48
1128	Soluble sulfonated polybenzothiazoles derived from 3,3'-disulfonate-4,4'-dicarboxylbiphenyl for proton exchange membranes. 2012 , 37, 5170-5179	14
1127	Sulfonated poly(ether ether ketone)/ethylene glycol/polyhedral oligosilsesquioxane hybrid membranes for fuel cell applications. 2012 , 37, 5979-5991	20
1126	Design and test of a miniature hydrogen production reactor integrated with heat supply, fuel vaporization, methanol-steam reforming and carbon monoxide removal unit. 2012 , 37, 6562-6571	20
1125	Polypyrrole nanotube-supported gold nanoparticles: An efficient electrocatalyst for oxygen reduction and catalytic reduction of 4-nitrophenol. 2012 , 413-414, 230-237	85
1124	Synthesis, characterization and electrical properties of Titanium molybdate composite membrane. 2012 , 286, 8-15	17
1123	High performance sulfonated aromatic ionomers by solvothermal macromolecular synthesis. 2012 , 37, 8672-8680	36
1122	Sulfonated SBA-15 mesoporous silica-incorporated sulfonated poly(phenylsulfone) composite membranes for low-humidity proton exchange membrane fuel cells: Anomalous behavior of humidity-dependent proton conductivity. 2012 , 37, 9202-9211	35
1121	SPPEK/WO ₃ hybrid membrane fabricated via hydrothermal method for vanadium redox flow battery. 2012 , 17, 30-33	61
1120	Sulfonated poly(arylene ether)/heteropolyacids nanocomposite membranes for proton exchange membrane fuel cells. 2012 , 62, 227-233	23
1119	Cross-linked aryl-sulfonated poly(arylene ether ketone) proton exchange membranes for fuel cell. 2012 , 63, 238-244	27
1118	Influence of the preparation conditions on the properties of polymeric and hybrid cation exchange membranes. 2012 , 66, 164-172	14
1117	Anhydrous protic conduction of mechanochemically synthesized CsHSO ₄ /azole-derived composites. 2012 , 75, 11-19	7
1116	Comparative study of different fuel cell technologies. 2012 , 16, 981-989	419
1115	Characterization of sulfated-zirconia/Nafion® composite membranes for proton exchange membrane fuel cells. 2012 , 198, 66-75	54
1114	Flexible proton-conducting glass-based composite membranes for fuel cell application. 2012 , 199, 61-67	9
1113	A multilayered membrane for vanadium redox flow battery. 2012 , 203, 190-194	75

1112	Conductivity and hydration of sulfonated polyethersulfone in the range 70–120 °C: Effect of temperature and relative humidity cycling. 2012 , 205, 145-150		23
1111	Impact of gas stoichiometry on water management and fuel cell performance of a sulfonated Poly(Ether Ether Ketone) membrane. 2012 , 206, 161-170		8
1110	Sulfonated poly(ether ether ketone)/amino-acid functionalized titania hybrid proton conductive membranes. 2012 , 213, 83-92		61
1109	Broadband electric spectroscopy of proton conducting SPEEK membranes. <i>Journal of Membrane Science</i> , 2012 , 390-391, 58-67	9.6	31
1108	Sulfonated poly(arylene ether)s with high content of phosphine oxide moieties for proton exchange membranes. <i>Journal of Membrane Science</i> , 2012 , 389, 407-415	9.6	12
1107	Mechanical properties and ionic conductivity of electrospun quaternary ammonium ionomers. <i>Journal of Membrane Science</i> , 2012 , 389, 478-485	9.6	24
1106	Azide-assisted terminal crosslinking of ionomeric blocks: Effects on morphology and proton conductivity. <i>Journal of Membrane Science</i> , 2012 , 392-393, 58-65	9.6	15
1105	Transport of liquid water through Nafion membranes. <i>Journal of Membrane Science</i> , 2012 , 392-393, 88-94.6	9.6	92
1104	Polymer blends based on copolymers bearing both side and main chain pyridine units as proton exchange membranes for high temperature fuel cells. <i>Journal of Membrane Science</i> , 2012 , 396, 57-66	9.6	15
1103	Asymmetric membranes with interpenetrating proton-conducting morphology made by a combination of immersion precipitation and photopolymerization. <i>Journal of Membrane Science</i> , 2012 , 401-402, 254-261	9.6	8
1102	Poly(arylene ether sulfone) proton exchange membranes with flexible acid side chains. <i>Journal of Membrane Science</i> , 2012 , 405-406, 68-78	9.6	86
1101	Pendant-sulfonated poly(arylene ether ketone) (PAEK) membranes cross-linked with a proton conducting reagent for fuel cells. <i>Journal of Membrane Science</i> , 2012 , 405-406, 176-184	9.6	31
1100	Synthesis and characterization of novel fluorinated poly(arylene ether sulfone)s containing pendant sulfonic acid groups for proton exchange membrane materials. <i>Journal of Membrane Science</i> , 2012 , 409-410, 145-155	9.6	30
1099	Radiolytic preparation of PFA-g-PVBSA membranes as a polymer electrolyte membrane. 2012 , 274, 83-86		9
1098	Organic/inorganic hybrid titanophosphite proton conductive membranes with graded monomer conversion. 2012 , 206, 22-27		1
1097	Water adsorption/desorption in proton-conducting ionomer membranes: The model case of sulfonated and silylated poly-ether-ether-ketone. 2012 , 209-210, 9-14		5
1096	Preparation and characterization of composite membranes based on sulfonated PEEK and AlPO ₄ for PEMFCs. 2012 , 216, 83-89		27
1095	Effects of Moisture on the Switching Characteristics of Oxide-Based, Gapless-Type Atomic Switches. 2012 , 22, 70-77		217

1094	Multiblock Copolymers with Highly Sulfonated Blocks Containing Di- and Tetrasulfonated Arylene Sulfone Segments for Proton Exchange Membrane Fuel Cell Applications. 2012 , 2, 129-140	63
1093	Synthesis and characterization of polysulfone/clay nanocomposite membranes for fuel cell application. 2012 , 124, E309-E318	22
1092	Novel poly-bridged-naphthalene with blue-light-emitting property via electropolymerization. 2012 , 123, 2706-2714	7
1091	A functional monomer to synthesize sulfonated poly(ether ether ketone) with sulfonic acid group in the pendant side chain. 2012 , 123, 3331-3336	8
1090	Effect of dispersion state of Cloisite15A \square on the performance of SPEEK/Cloisite15A nanocomposite membrane for DMFC application. 2012 , 124, 969-977	12
1089	Thermal analysis of enhanced poly(vinyl alcohol)-based proton-conducting membranes crosslinked with sulfonation agents for direct methanol fuel cells. 2012 , 124, E57-E65	8
1088	Chitosan-polyvinyl alcohol-sulfonated polyethersulfone mixed-matrix membranes as methanol-barrier electrolytes for DMFCs. 2012 , 124, E73-E82	28
1087	Cation-exchange membranes: Comparison of homopolymer, block copolymer, and heterogeneous membranes. 2012 , 124, E66-E72	14
1086	Highly sulfonated poly(phenylene sulfones): optimization of the polymerization conditions. 2012 , 68, 317-326	9
1085	Novel polymer electrolyte membranes based on semi-interpenetrating blends of poly(vinyl alcohol) and sulfonated poly(ether ether ketone). 2013 , 127, 2140-2151	15
1084	Materials Science and Materials Chemistry for Large Scale Electrochemical Energy Storage: From Transportation to Electrical Grid. 2013 , 23, 929-946	516
1083	In situ crosslinkable sulfonated polyaromatic ionomers for the polyelectrolyte used in proton exchange membrane fuel cell. 2013 , 127, 1981-1988	4
1082	Effect of PES on the morphology and properties of proton conducting blends with sulfonated poly(ether ether ketone). 2013 , 127, 5100-5110	10
1081	Proton exchange membranes from sulfonated polyetheretherketone and sulfonated polyethersulfone-cardo blends: Conductivity, water sorption and permeation properties. 2013 , 111, 419-433	25
1080	Transport properties and direct methanol fuel cell performance of sulfonated poly (ether ether ketone)/Cloisite/triaminopyrimidine nanocomposite polymer electrolyte membrane at moderate temperature. 2013 , 118, 567-575	28
1079	Polymer electrolytes integrated with ionic liquids for future electrochemical devices. 2013 , 129, 2363-2376	102
1078	High performance sulfonated poly(phthalazinone ether phosphine oxide)s for proton exchange membranes. <i>Journal of Membrane Science</i> , 2013 , 447, 43-49	9.6 17
1077	Performance analysis of polymer electrolyte membranes for direct methanol fuel cells. 2013 , 243, 519-534	103

1076	Optimal phase segregation in graft copolymers. 2013 , 54, 4629-4636	5
1075	Effect of operating temperature on the behavior of promising SPEEK/cSMM electrolyte membrane for DMFCs. 2013 , 106, 72-81	30
1074	Detection of Radicals by Spin Trapping ESR in a Fuel Cell Operating with a Sulfonated Poly(ether ether ketone) (SPEEK) Membrane. 2013 , 46, 6110-6117	20
1073	Structure of Membranes for Fuel Cells: SANS and SAXS Analyses of Sulfonated PEEK Membranes and Solutions. 2013 , 46, 6057-6066	59
1072	4,4'-Oxydianiline (ODA) containing sulfonated polyimide/protic ionic liquid composite membranes for anhydrous proton conduction. 2013 , 38, 11321-11330	30
1071	Perfluorocyclobutane and poly(vinylidene fluoride) blend membranes for fuel cells. 2013 , 110, 306-315	18
1070	Inhomogeneous transport in model hydrated polymer electrolyte supported ultrathin films. 2013 , 7, 6767-73	48
1069	Polyelectrolyte Nanocomposite Membranes, Based on Chitosan-phosphotungstic Acid Complex and Montmorillonite for Fuel Cells Applications. 2013 , 52, 1226-1241	14
1068	Composite blend polymer membranes with increased proton selectivity and lifetime for vanadium redox flow batteries. 2013 , 231, 301-306	33
1067	Self-Assembly of Nanostructured Proton Exchange Membranes for Fuel Cells. 2013 , 243-263	1
1066	Hydroxyl anion conducting membranes poly(vinyl alcohol)/poly(diallyldimethylammonium chloride) for alkaline fuel cell applications: Effect of molecular weight. 2013 , 111, 351-358	24
1065	High performance proton exchange membranes obtained by adjusting the distribution and content of sulfonic acid side groups. 2013 , 49, 3979-81	16
1064	Ionic Conduction in Nanostructured Membranes Based on Polymerized Protic Ionic Liquids. 2013 , 46, 1543-1548	81
1063	Enhancement of hydroxide conduction by self-assembly in anion conductive comb-shaped copolymers. 2013 , 4, 4612	93
1062	A macroscopic model of proton transport through the membrane-ionomer interface of a polymer electrolyte membrane fuel cell. 2013 , 138, 064903	7
1061	Backbone effects on the charge transport in poly-imidazole membranes: a theoretical study. 2013 , 1, 7751	10
1060	Superacid-doped polybenzimidazole-decorated carbon nanotubes: a novel high-performance proton exchange nanocomposite membrane. 2013 , 5, 11710-7	39
1059	Advances in proton-exchange membranes for fuel cells: an overview on proton conductive channels (PCCs). 2013 , 15, 4870-87	133

1058	Organically modified montmorillonite and chitosan-phosphotungstic acid complex nanocomposites as high performance membranes for fuel cell applications. 2013 , 17, 2123-2137		21
1057	Preparation and characterization of sulfonated poly(ether ether ketone)/poly(vinylidene fluoride) blend membrane for vanadium redox flow battery application. 2013 , 237, 132-140		81
1056	Structure of the hydrophilic phase and its impact on the conductivity of graft copolymer ionomers at low hydration level. 2013 , 54, 4266-4275		12
1055	SPPEK/TPA composite membrane as a separator of vanadium redox flow battery. <i>Journal of Membrane Science</i> , 2013 , 437, 114-121	9.6	68
1054	Performance of a direct methanol fuel cell using flexible proton-conducting glass-based composite membrane. 2013 , 239, 356-360		6
1053	Synthesis and structure-property relationships of poly(sulfone)s for anion exchange membranes. 2013 , 51, 1790-1798		23
1052	Novel anode based on sulfonated polysulfone for medium temperature direct methanol fuel cells. 2013 , 239, 651-658		4
1051	Review of electrochemical ammonia production technologies and materials. 2013 , 38, 14576-14594		418
1050	Water sorption in Nafion [®] membranes analyzed with an improved dual-mode sorption model-structure/property relationships. <i>Journal of Membrane Science</i> , 2013 , 439, 1-11	9.6	25
1049	FTIR characterization of water-polymer interactions in superacid polymers. 2013 , 117, 16266-74		17
1048	Molecular Dynamics Simulations of Proton Transport in 3M and Nafion Perfluorosulfonic Acid Membranes. 2013 , 117, 8079-8091		77
1047	The Effects of Sulfonated Poly(ether ether ketone) Ion Exchange Preparation Conditions on Membrane Properties. 2013 , 3, 182-95		75
1046	Solid State Ionics: from Michael Faraday to green energy-the European dimension. 2013 , 14, 043502		91
1045	Proton exchange membranes from sulfonated poly(ether ether ketone) reinforced with silica nanoparticles. 2013 , 25, 854-867		23
1044	Structure of the Ionomer Film in Catalyst Layers of Proton Exchange Membrane Fuel Cells. 2013 , 117, 25305-25316		48
1043	Preparation of semi-interpenetrating polymer networks with adjustable mesh width and hydrophobicity. 2013 , 54, 134-142		9
1042	Polymer electrolyte membranes with high selectivity based on silicon-containing sulfonated polystyrene/acrylate, poly(vinyl alcohol) and poly(2-acrylamido-2-methyl-1-propanesulfonic acid). 2013 , 238, 485-491		7
1041	Composite polymer electrolytes for fuel cell applications: filler-induced effect on water sorption and transport properties. 2013 , 14, 3814-21		4

1040	Novel polyolefin/silicon dioxide/H ₃ PO ₄ composite membranes with spatially heterogeneous structure for phosphoric acid fuel cell. 2013 , 38, 4132-4143	17
1039	Recent advances in application of chitosan in fuel cells. 2013 , 1, 16	61
1038	Macromolecular cross-linked polybenzimidazole based on bromomethylated poly (aryl ether ketone) with enhanced stability for high temperature fuel cell applications. 2013 , 243, 102-109	37
1037	Synthesis and characterization of 1H-1,2,4-triazole functional polymer electrolyte membranes (PEMs) based on PVDF and 4-(chloromethyl)styrene via photoinduced grafting. 2013 , 20, 1	7
1036	Side chain flexibility in perfluorosulfonic acid ionomers: an ab initio study. 2013 , 117, 10534-43	7
1035	Direct Methanol Fuel Cell [Alternative Materials and Catalyst Preparation. 2013 , 227, 497-540	6
1034	Surface orientation of hydrophilic groups in sulfonated poly(ether ether ketone) membranes. 2013 , 409, 193-203	18
1033	Fractal Inorganic/Organic Interfaces in Hybrid Membranes for Efficient Proton Transport. 2013 , 23, 2872-2880	28
1032	Graft-type polymer electrolyte membranes for fuel cells prepared through radiation-induced graft polymerization into alicyclic polybenzimidazoles. 2013 , 54, 4570-4577	5
1031	Methanol reformation for hydrogen production from a single channel with cavities. 2013 , 38, 13216-13229	18
1030	Sulfonated hydrocarbon graft architectures for cation exchange membranes. 2013 , 49, 3601-3609	8
1029	Microstructure, state of water and proton conductivity of sulfonated poly(ether ether ketone). 2013 , 252, 62-67	12
1028	Conducting Polymer Nanomaterials for Biomedical Applications: Cellular Interfacing and Biosensing. 2013 , 53, 407-442	94
1027	Sulfonated Aromatic Polymers and Organically Modified Montmorillonite Nanocomposite Membranes for Fuel Cells Applications. 2013 , 52, 1578-1590	9
1026	Ion transport in sulfonated polymers. 2013 , 51, 481-493	29
1025	Alternating copolymer based on sulfonamide-substituted phenylmaleimide and vinyl monomers as polymer electrolyte membrane. 2013 , 51, 2233-2242	7
1024	Poly(phenylene) block copolymers bearing tri-sulfonated aromatic pendant groups for polymer electrolyte fuel cell applications. 2013 , 1, 8178	19
1023	Evaluation of the microstructure of dry and hydrated perfluorosulfonic acid ionomers: microscopy and simulations. 2013 , 1, 938-944	31

1022	Impact on the ionic channels of sulfonated poly(ether ether ketone) due to the incorporation of polyphosphazene: a case study in direct methanol fuel cells. 2013 , 3, 14048		22
1021	Novel hybrid acid-base membranes based on sulfonated poly(arylene ether sulfone), tetraethoxysilane and (3-aminopropyl)triethoxysilane for fuel cell application. 2013 , 25, 188-197		4
1020	Fuel cell based on novel hyper-branched polybenzimidazole membrane. 2013 , 21, 35-41		18
1019	Synthesis of sulfonated (ether ether ketone) based membranes containing poly(4-styrenesulfonic acid) and its excellent performance for direct methanol fuel cells. 2013 , 224, 132-138		12
1018	Concentrated sulfonated poly (ether sulfone)s as proton exchange membranes. 2013 , 224, 42-49		61
1017	Enhanced proton conductivity of the proton exchange membranes by the phosphorylated silica submicrospheres. 2013 , 224, 28-36		35
1016	Semi-interpenetrating polymer network proton exchange membranes with narrow and well-connected hydrophilic channels. 2013 , 226, 289-298		38
1015	A Comparative Study of the Processing Scheme of Chitosan and Nafion 117 in Membrane Electrode Assembly. 2013 , 31, 121-128		
1014	Perspectives of neutron scattering on proton conducting oxides. 2013 , 42, 317-29		24
1013	High durable poly(vinyl alcohol)/Quaterized hydroxyethylcellulose ethoxylate anion exchange membranes for direct methanol alkaline fuel cells. 2013 , 227, 291-299		48
1012	Perfluorocyclobutyl (PFCB)-based polymer blends for proton exchange membrane fuel cells (PEMFCs). <i>Journal of Membrane Science</i> , 2013 , 431, 86-95	9.6	23
1011	Silane-cross-linked polybenzimidazole with improved conductivity for high temperature proton exchange membrane fuel cells. 2013 , 1, 621-629		77
1010	Chitosan: A Low Cost Material for the Production of Membrane for Use in PEMFC-A Review. 2013 , 35, 152-163		19
1009	Proton-conductive magnetic metal-organic frameworks, {NR ₃ (CH ₂ COOH)}[M(a)(II)M(b)(III)(ox) ₃]: effect of carboxyl residue upon proton conduction. 2013 , 135, 2256-62		181
1008	Segmented tetrasulfonated copoly(arylene ether sulfone)s: improving proton transport properties by extending the ionic sequence. 2013 , 6, 308-19		19
1007	Electric field processing to control the structure of titanium oxide/sulfonated poly (ether ether ketone) hybrid proton exchange membranes. <i>Journal of Membrane Science</i> , 2013 , 437, 65-71	9.6	19
1006	A novel crosslinking organic-inorganic hybrid proton exchange membrane based on sulfonated poly(arylene ether sulfone) with 4-amino-phenyl pendant group for fuel cell application. <i>Journal of Membrane Science</i> , 2013 , 434, 161-170	9.6	46
1005	Molecular dynamics and electric conductivity process efficiency in an anhydrous system. 1H NMR study of benzimidazolium azelate. 2013 , 237, 40-45		6

1004	Polymer-supported 1-butyl-3-methylimidazolium trifluoromethanesulfonate and 1-ethylimidazolium trifluoromethanesulfonate as electrolytes for the high temperature PEM-type fuel cell. 2013 , 38, 4697-4704		24
1003	Proton conducting membranes based on sulfonated PEEK-WC polymer for PEMFCs. 2013 , 38, 16642-16648		8
1002	Phosphoric acid doped composite membranes from poly (2,5-benzimidazole) (ABPBI) and CsxH3PW12O40/CeO2 for the high temperature PEMFC. 2013 , 38, 11053-11059		12
1001	New cross-linked interfacial layer on hydrocarbon membrane to improve long-term stability of polymer electrolyte fuel cells. 2013 , 92, 285-290		7
1000	Poly(sulfonated phenylene)-block-poly(arylene ether sulfone) copolymer for polymer electrolyte fuel cell application. 2013 , 54, 236-245		24
999	Synthesis and properties of anion conductive multiblock copolymers containing tetraphenyl methane moieties for fuel cell application. <i>Journal of Membrane Science</i> , 2013 , 436, 202-212	9.6	58
998	Understanding structure and transport characteristics in hydrated sulfonated poly(ether ether ketone) sulfonated poly(ether sulfone) blend membranes using molecular dynamics simulations. <i>Journal of Membrane Science</i> , 2013 , 429, 384-395	9.6	35
997	From metal-organic framework (MOF) to MOF-polymer composite membrane: enhancement of low-humidity proton conductivity. 2013 , 4, 983-992		277
996	Highly Oriented Sulfonic Acid Groups in a Nafion Thin Film on Si Substrate. 2013 , 117, 3294-3297		36
995	Highly Proton Conducting Electrolyte Membranes Based on Poly(arylene sulfone)s with Tetrasulfonated Segments. 2013 , 46, 3476-3485		57
994	Phthalimidine based fluorinated sulfonated poly(arylene ether sulfone)s copolymer proton exchange membranes. <i>Journal of Membrane Science</i> , 2013 , 435, 145-154	9.6	30
993	Membrane Electrolytes, from Perfluoro Sulfonic Acid (PFSA) to Hydrocarbon Ionomers. 2013 , 179-215		1
992	A novel, easily synthesized, anhydrous derivative of phosphoric acid for use in electrolyte with phosphoric acid-based fuel cells. 2013 , 237, 47-51		16
991	Molecular dynamics simulations of side chain pendants of perfluorosulfonic acid polymer electrolyte membranes. 2013 , 1, 557-569		35
990	Influence of hydrogen bonding effects on methanol and water diffusivities in acid-base polymer blend membranes of sulfonated poly(ether ether ketone) and base tethered polysulfone. 2013 , 117, 5315-29		15
989	PEM Fuel Cells, Materials and Design Development Challenges. 2013 , 341-367		4
988	Alkaline polymer electrolyte membranes for fuel cell applications. 2013 , 42, 5768-87		473
987	Synthesis and characterization of polymer electrolyte membranes based on PVDF and styrene via photoinduced grafting. 2013 , 20, 1		30

986	Naphthalene dianhydride based semifluorinated sulfonated copoly(ether imide)s: Synthesis, characterization and proton exchange properties. <i>Journal of Membrane Science</i> , 2013 , 441, 168-177	9.6	55
985	Structure and transport properties of solution-cast Nafion [®] membranes subjected to hygrothermal aging. <i>Journal of Membrane Science</i> , 2013 , 435, 242-252	9.6	32
984	Morphology and electrochemical properties of perfluorosulfonic acid ionomers for vanadium flow battery applications: effect of side-chain length. 2013 , 6, 1262-9		40
983	Vanadium Flow Battery for Energy Storage: Prospects and Challenges. 2013 , 4, 1281-94		357
982	Graphene oxide nanosheet with high proton conductivity. 2013 , 135, 8097-100		391
981	Sulfonated Aromatic Polymers as Proton-Conducting Solid Electrolytes for Fuel Cells: a Short Review. 2013 , 227, 595-614		14
980	Effect of carbon nanofiber surface groups on oxygen reduction reaction of supported Pt electrocatalyst. 2013 , 89, 157-162		27
979	Preparation and characterization of proton exchange membranes based on semi-interpenetrating sulfonated poly(imide-siloxane)/epoxy polymer networks. 2013 , 55, 905-915		14
978	Highly flexible, proton-conductive silicate glass electrolytes for medium-temperature/low-humidity proton exchange membrane fuel cells. 2013 , 5, 5034-43		34
977	Enhancement of proton transport in an oriented polypeptide thin film. 2013 , 29, 6798-804		22
976	Nafion/chitosan-wrapped CNT nanocomposite membrane for high-performance direct methanol fuel cells. 2013 , 3, 7337		42
975	Membrane/Ionomer Proton Conductivity Measurements. 2013 , 143-170		
974	High-Temperature PEM Fuel Cells. 2013 , 243-282		2
973	A Critical Revision of the Nano-Morphology of Proton Conducting Ionomers and Polyelectrolytes for Fuel Cell Applications. 2013 , 23, 5390-5397		239
972	Anion-Conductive Multiblock Aromatic Copolymer Membranes: StructureProperty Relationships. 2013 , 117, 15468-15477		34
971	Highly ordered graphene oxide paper laminated with a Nafion membrane for direct methanol fuel cells. 2013 , 237, 187-194		99
970	Nafion [®] Bepiolite composite membranes for improved proton exchange membrane fuel cell performance. <i>Journal of Membrane Science</i> , 2013 , 430, 167-179	9.6	52
969	Nanotechnology for Energy Production. 2013 , 1-39		

968	Nanomaterials for Fuel Cell Technologies. 2013 , 171-211		1
967	Synthesis of highly sulfonated polybenzimidazoles by direct copolymerization and grafting. 2013 , 51, 3654-3666		17
966	The effects of EB-irradiation doses on the properties of crosslinked SPEEK membranes. <i>Journal of Membrane Science</i> , 2013 , 430, 87-95	9.6	24
965	Confinement and Proton Transfer in NAFION Thin Films. 2013 , 46, 413-421		42
964	Controlling Crystallinity in Graft Ionomers, and Its Effect on Morphology, Water Sorption, and Proton Conductivity of Graft Ionomer Membranes. 2013 , 25, 1935-1946		40
963	Novel sulfonated polybenzothiazoles with outstanding dimensional stability for proton exchange membranes. <i>Journal of Membrane Science</i> , 2013 , 425-426, 200-207	9.6	14
962	The effect of sulfonated graphene oxide on Sulfonated Poly (Ether Ether Ketone) membrane for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2013 , 425-426, 11-22	9.6	233
961	Mechanism of proton transport in ionic-liquid-doped perfluorosulfonic acid membranes. 2013 , 117, 14449-56		20
960	Anhydrous Superprotonic Polymer by Superacid Protonation of Cross-linked (PNCl ₂) _n . 2013 , 117, 1548-1553		3
959	Multistep Thickening of Nafion Thin Films in Water. 2013 , 2, 856-859		37
958	Synthesis and Characterization of Sulfonated Polybenzimidazole (SPBI) Copolymer for Polymer Exchange Membrane Fuel Cell. 2013 , 860-863, 803-806		2
957	Polymer electrolyte membranes based on poly(arylene ether)s with penta-sulfonated pendent groups. 2013 , 1, 1465-1474		32
956	Status and Development in Hydrogen Transport and Storage for Energy Applications. 2013 , 1, 501-511		40
955	A DMFC stack operating with hydrocarbon blend membranes and PtRuSnTe/C and PdTe/C electrocatalysts. 2013 , 38, 7448-7457		9
954	Proton dissociation and transfer in proton exchange membrane ionomers with multiple and distinct pendant acid groups: An ab initio study. 2013 , 101, 279-292		29
953	3D fabrication of all-polymer conductive microstructures by two photon polymerization. 2013 , 21, 31029-35		30
952	Novel Blend Membranes of Partially Fluorinated Copolymers Bearing Azole Functions with Sulfonated PEEK for PEMFC Operating at Low Relative Humidity: Influence of the Nature of the N-Heterocycle. 2013 , 46, 3046-3057		48
951	ATR-FTIR Analysis of the State of Water in a Sulfonated Block Poly(arylene ether sulfone ketone) Membrane and Proton Conductivity Measurement during the Hydration/Dehydration Cycle. 2013 , 117, 3762-3771		13

950	Hydrogen bond and proton transport in acid-base complexes and amphoteric molecules by density functional theory calculations and ¹ H and ³¹ P nuclear magnetic resonance spectroscopy. 2013 , 117, 16345-55	14
949	Electrosynthesis and Characterization of a Multielectrochromic Copolymer of Tris[4-(2-thienyl)phenyl]amine with 3,4-Ethylenedioxythiophene. 2013 , 160, G6-G13	16
948	Ion Clustering in Quaternary Ammonium Functionalized Benzylmethyl Containing Poly(arylene ether ketone)s. 2013 , 46, 9270-9278	128
947	Proton-conducting blend membranes of Nafion/poly(vinylphosphonic acid) for proton exchange membrane fuel cells. 2013 , 20, 1	20
946	State of the water in crosslinked sulfonated poly(ether ether ketone). 2013 , 128, 3000-3009	16
945	Vinyl-addition type norbornene copolymers containing flexible spacers and sulfonated pendant groups for proton exchange membranes. 2013 , 128, 3540-3547	5
944	Polymer electrolyte membranes based on poly(arylene ether sulfone) with pendant perfluorosulfonic acid. 2013 , 4, 272-281	56
943	On-Chip Power Generation: Microfluidic-Based Reactor for Catalytic Combustion of Methanol. 2013 , ,	
942	Synthesis and Characterization of Sulfonated Polyimide Based Membranes for Proton Exchange Membrane Fuel Cells. 2013 , 10,	10
941	Synthesis of Sulfonated Poly(arylene ether sulfone)-b-Poly(arylene ether ketone) Copolymers for Proton Exchange Membrane Fuel Cell. 2013 , 798-799, 165-169	
940	Characterization of Multiblock Sulfonated Poly(Arylene Ether Sulfone) as Proton Exchange Membranes. 2013 , 805-806, 1321-1324	
939	Design and Synthesis of Cross-Linked Copolymer Membranes Based on Poly(benzoxazine) and Polybenzimidazole and Their Application to an Electrolyte Membrane for a High-Temperature PEM Fuel Cell. 2013 , 5, 77-111	36
938	Properties and Fuel Cell Performance of a Nanofiber Composite Membrane with 660 Equivalent Weight Perfluorosulfonic Acid. 2013 , 160, F429-F435	17
937	Morphological Heterogeneity by Diffusional Kurtosis NMR Spectroscopy in Perfluorosulfonic Acid/SiO ₂ Composite Proton-Exchange Membranes. 2013 , 214, 1345-1355	5
936	Phosphoric acid-doped imidazolium ionomers with enhanced stability for anhydrous proton-exchange membrane applications. 2013 , 51, 1311-1317	23
935	Temperature Effects on the Molecular Dynamics of Modified Nafion [®] Membranes Incorporating Ionic Liquids' Cations: A ¹ H NMRD Study. 2013 , 13, 1166-1176	13
934	Theoretical and experimental infrared spectra of hydrated and dehydrated Nafion. 2013 , 51, 1329-1334	23
933	Modified Sulfonated Poly(ether ether ketone) Based Mixed Matrix Membranes for Direct Methanol Fuel Cells. 2013 , 13, n/a-n/a	2

932	Design of a humidity controlled sample stage for simultaneous conductivity and synchrotron X-ray scattering measurements. 2013 , 84, 075114	8
931	Stabilization of Sulfonated Aromatic Polymer (SAP) Membranes Based on SPEEK-WC for PEMFCs. 2013 , 13, 86-97	8
930	A PFSA Composite Membrane with Sulfonic Acid Functionalized TiO ₂ Nanotubes for Polymer Electrolyte Fuel Cells and Water Electrolysers. 2013 , 13, 1138-1145	15
929	Ion Conduction in Solid Polyelectrolyte Complex Materials. 2013 , 97-138	3
928	Substrate Dependence of the Proton Transport and Oriented Structure in Oligo[(1,2-propanediamine)-alt-(oxalic acid)] Thin Films. 2013 , 42, 468-470	6
927	Ionic Liquids for Green Energy Applications - Local Structure and Dynamics by Advanced Spectroscopic Techniques. 2013 ,	2
926	FUEL CELLS PROTON-EXCHANGE MEMBRANE FUEL CELLS High-Temperature PEMFC. 2014 ,	
925	Hydration and Proton Conductivity of Ionomers: The Model Case of Sulfonated Aromatic Polymers. 2014 , 2,	3
924	. 2014 ,	17
923	Polymer based Membrane Electrospun Fiber in Fuel Cell Application: A Short Review. 2014 , 69,	4
922	Sulfonated Polyethersulfone (SPES) [Charged Surface Modifying Macromolecules (cSMMs) Blends as a Cation Selective Membrane for Fuel Cells. 2014 , 14, 853-861	48
921	In-situ vapor small angle neutron scattering of sulfonated polyarylenethioethersulfone random copolymer (SPTES 70) fuel cells membrane. 2014 , 1, 035047	
920	Membranes for Direct Methanol Fuel Cells. 2014 , 111-124	
919	Polymer separator to minimize crossover in microfluidic direct methanol fuel cells. 2014 ,	
918	Nanostructured poly(benzimidazole) membranes by N-alkylation. 2014 , 8, 30-38	10
917	Improving the Conductivity of Sulfonated Polyimides as Proton Exchange Membranes by Doping of a Protic Ionic Liquid. 2014 , 6, 2720-2736	16
916	Friedel-Crafts Crosslinked Highly Sulfonated Polyether Ether Ketone (SPEEK) Membranes for a Vanadium/Air Redox Flow Battery. 2013 , 4, 1-19	13
915	Synthesis and Characterization of Nafion-ZrOH-CaO Hybrid Membrane for Proton Exchange Membrane Fuel Cell. 2014 , 11,	3

914	Anion Exchange Membranes for Alkaline Fuel Cells. 2014 , 293-359		
913	Characterization of Sulfonated Diels-Alder Poly(phenylene) Membranes for Electrolyte Separators in Vanadium Redox Flow Batteries. 2014 , 161, A1860-A1868		25
912	Investigations of crystallinity and chain entanglement on sorption and conductivity of proton exchange membranes. <i>Journal of Membrane Science</i> , 2014 , 469, 251-261	9.6	20
911	Synthesis and characterization of hybrid membranes based on sulfonated poly(ether ether ketone) (SPEEK) and polysiloxane. 2014 , 1-7		
910	Application of a micro/macro-homogenization procedure to the investigation of the mechanical behavior of ionomer membranes for fuel cells. 2014 , 52, 1496-1509		5
909	Synthesis and characterization of multiblock sulfonated poly(arylene ether sulfone) membranes with different hydrophilic moieties for application in polymer electrolyte membrane fuel cell. 2014 , 52, 2947-2957		11
908	Molecule motion at polymer brush interfaces from single-molecule experimental perspectives. 2014 , 52, 85-103		12
907	Physical theory of ionomer aggregation in water. 2014 , 89, 032603		11
906	Encyclopedia of Polymeric Nanomaterials. 2014 , 1-13		1
905	Ion distribution in quaternary-ammonium-functionalized aromatic polymers: effects on the ionic clustering and conductivity of anion-exchange membranes. 2014 , 7, 2621-30		73
904	Ionic polymer-metal composite actuators obtained from radiation-grafted cation- and anion-exchange membranes. 2014 , 6, 22847-54		22
903	The Electrochemical Behavior of Phosphoric-Acid-Doped Poly(perfluorosulfonic Acid) Membranes. 2014 , 1, 1471-1475		13
902	Synthesis and properties of sulfonated poly(N-methylisatin-biphenylene) proton exchange membrane by superacid-catalyzed polymerization. 2014 ,		
901	A light-powered bio-capacitor with nanochannel modulation. 2014 , 26, 5846-50		37
900	Direct Alcohol Fuel Cells. 2014 ,		33
899	Effects of hot liquid-water treatment on local proton conductivity at surfaces of sulfonated poly(arylene ketone) block copolymer membrane for fuel cells studied by current-sensing atomic force microscopy. 2014 , 143, 383-389		13
898	Membranes for Direct Alcohol Fuel Cells. 2014 , 121-230		1
897	Preparation and Characterization of Nanocomposite Polymer Membranes Containing Functionalized SnO ₂ Additives. 2014 , 4, 123-42		58

896	Ion exchange membranes for vanadium redox flow batteries. 2014 , 86, 633-649		29
895	10. Solid polymer proton conducting electrolytes for fuel cells. 2014 , 207-240		1
894	Creating internal conductivity in dry biological SEM samples by a simple vapour treatment. 2014 , 256, 226-30		4
893	Sulfonated poly(arylene ether phosphine oxide)s with various distributions and contents of pendant sulfonic acid groups synthesized by direct polycondensation. 2014 , 5, 412-422		18
892	Polymer electrolyte fuel cell performance of poly(arylene ether ketone)-graft-crosslinked-poly(sulfonated arylene ether sulfone). 2014 , 247, 932-938		11
891	Sulfonated poly(ether ether ketone)/mesoporous silica hybrid membrane for high performance vanadium redox flow battery. 2014 , 257, 221-229		102
890	Cross-linked polyelectrolyte for direct methanol fuel cells applications based on a novel sulfonated cross-linker. 2014 , 255, 101-107		42
889	Polymer electrolyte membranes based on poly(arylene ether)s with flexible disulfophenyl pendant. 2014 , 263, 59-65		8
888	Poly(vinylbenzyl sulfonic acid)-grafted poly(ether ether ketone) membranes. 2014 , 321, 59-65		3
887	Synthesis and characterization of sulfonated cardo based poly(arylene ether sulfone) multiblock copolymers for proton exchange membrane. 2014 , 262, 845-851		6
886	Donor-acceptor type neutral green polymers containing 2,3-di(5-methylfuran-2-yl) quinoxaline acceptor and different thiophene donors. 2014 , 125, 241-249		37
885	Novel sulfonated poly(ether ether ketone)/polyetherimide acid-base blend membranes for vanadium redox flow battery applications. 2014 , 130, 90-96		98
884	Probing membrane and interface properties in concentrated electrolyte solutions. <i>Journal of Membrane Science</i> , 2014 , 459, 177-189	9.6	55
883	Preparation and characterization of polybenzimidazole/diethylamine hydrogen sulphate for medium temperature proton exchange membrane fuel cells. 2014 , 245, 915-926		44
882	Long-term room-temperature hydrazine/air fuel cells based on low-cost nanotextured CuNi catalysts. 2014 , 246, 423-429		37
881	Synthesis and characterization of sulfonated polyphosphazene-graft-polystyrene copolymers for proton exchange membranes. 2014 , 32, 151-162		16
880	Tetrazole-based, anhydrous proton exchange membranes for fuel cells. 2014 , 26, 1277-82		40
879	Desalination at overlimiting currents: State-of-the-art and perspectives. 2014 , 342, 85-106		240

878	Comparison of ionically and ionic-covalently cross-linked polyaromatic membranes for SO ₂ electrolysis. 2014 , 39, 28-40		19
877	Rapid, simple and low cost fabrication of a microfluidic direct methanol fuel cell based on polydimethylsiloxane. 2014 , 20, 493-498		7
876	Bacterial cellulose/triethanolamine based ion-conducting membranes. 2014 , 21, 1975		10
875	Silica sol-gel chemistry: creating materials and architectures for energy generation and storage. 2014 , 70, 203-215		14
874	Fabrication of a proton exchange membrane via blended sulfonimide functionalized polyamide. 2014 , 49, 3442-3450		34
873	Improvement of the proton exchange membrane fuel cell performances by optimization of the hot pressing process for membrane electrode assembly. 2014 , 18, 1261-1269		17
872	Sulfonated poly(arylene ether sulfone) membranes blended with hydrophobic polymers for direct methanol fuel cell applications. 2014 , 39, 17524-17532		47
871	Polymer blends of SPEEK for DMFC application at intermediate temperatures. 2014 , 39, 5121-5136		48
870	Ion exchange membranes based upon crosslinked sulfonated polyethersulfone for electrochemical applications. <i>Journal of Membrane Science</i> , 2014 , 452, 263-270	9.6	37
869	Preparation and characterization of crosslinked PVAL membranes loaded with boehmite nanoparticles for fuel cell applications. 2014 , 131, n/a-n/a		11
868	A novel approach to prepare photocrosslinked sulfonated poly(arylene ether sulfone) for proton exchange membrane. <i>Journal of Membrane Science</i> , 2014 , 463, 58-64	9.6	21
867	Enhancement of proton exchange membrane fuel cells performance at elevated temperatures and lower humidities by incorporating immobilized phosphotungstic acid in electrodes. 2014 , 263, 217-222		22
866	Proton conducting membranes prepared by radiation grafting of styrene and various comonomers. 2014 , 53, 75-89		23
865	Hydroxide, halide and water transport in a model anion exchange membrane. <i>Journal of Membrane Science</i> , 2014 , 464, 61-71	9.6	125
864	Polymer Design Strategies for Radiation-Grafted Fuel Cell Membranes. 2014 , 4, 1300827		62
863	Organically functionalized titanium oxide/Nafion composite proton exchange membranes for fuel cells applications. 2014 , 248, 1127-1132		55
862	Functionalized mesoporous structured inorganic materials as high temperature proton exchange membranes for fuel cells. 2014 , 2, 7637-7655		76
861	Functionalized Bentonite clay-sPEEK based composite membranes for direct methanol fuel cells. 2014 , 135, 232-241		62

860	Sulfonated poly (ether ether ketone)-based proton exchange membranes for vanadium redox battery applications. <i>Journal of Membrane Science</i> , 2014 , 450, 313-322	9.6	137
859	Poly(aryl ether ketone) containing flexible tetra-sulfonated side chains as proton exchange membranes. 2014 , 5, 1477-1486		54
858	Molecular Engineering of Functional Inorganic and Hybrid Materials. 2014 , 26, 221-238		127
857	Proton exchange properties of flexible diamine-based new fluorinated sulfonated polyimides. 2014 , 4, 11848		22
856	Ion effects at electrode/solid polymer electrolyte membrane interfaces. 2014 , 16, 1945-56		1
855	Polyelectrolyte Complexes in the Dispersed and Solid State I. 2014 ,		9
854	Multiblock Copolymers Based upon Increased Hydrophobicity Bisphenol A Moieties for Proton Exchange Membranes. 2014 , 161, F535-F543		13
853	Random and Block Sulfonated Polyaramides as Advanced Proton Exchange Membranes. 2015 , 119, 24724-24732		13
852	Irreversibility of proton conductivity of Nafion and Nafion/Titania composites at high relative humidity. 2015 , 4, 1		3
851	Entanglements in Lamellar Phases of Diblock Copolymers. 2015 , 48, 6321-6328		11
850	Encyclopedia of Polymeric Nanomaterials. 2015 , 1745-1750		6
849	Functionalized Al ₂ O ₃ particles as additives in proton-conducting polymer electrolyte membranes for fuel cell applications. 2015 , 40, 14757-14767		19
848	Polymeric Ion Gels: Preparation Methods, Characterization, and Applications. 2015 , 283-315		4
847	Electrochemistry in Ionic Liquids. 2015 ,		6
846	Preparation and evaluation of sulfonated polyoxadiazole membrane containing phenol moiety for PEMFC application. 2015 , 75, 17-24		15
845	Proton Conduction Study on Water Confined in Channel or Layer Networks of La(III)M(III)(ox) ₃ ·nH ₂ O (M = Cr, Co, Ru, La). 2015 , 54, 8529-35		36
844	Modification for Uniform Surface of Nafion Ultrathin Film Deposited by Inkjet Printing. 2015 , 31, 10137-44		12
843	Encyclopedia of Polymeric Nanomaterials. 2015 , 1864-1871		1

842	PVDF-HFP/silica-SH nanocomposite synthesis for PEMFC membranes through simultaneous one-step sol-gel reaction and reactive extrusion. 2015 , 163, 54-62		15
841	Polymer electrolyte membranes prepared by EB-crosslinking of sulfonated poly(ether ether ketone) with 1,4-butanediol. 2015 , 132, n/a-n/a		4
840	Methanol and proton transport in layered double hydroxide and smectite clay-based composites: influence on the electrochemical behavior of direct methanol fuel cells at intermediate temperatures. 2015 , 19, 2053-2061		22
839	Polybenzimidazole/strontium cerate nanocomposites with enhanced proton conductivity for proton exchange membrane fuel cells operating at high temperature. 2015 , 154, 370-378		73
838	Solution processable octa(aminophenyl)silsesquioxane covalently cross-linked sulfonated polyimides for proton exchange membranes. <i>Journal of Membrane Science</i> , 2015 , 476, 364-372	9.6	37
837	A study on the heat behaviour of PEM, prepared by incorporation of crosslinked sulfonated polystyrene in the blend of PVdF-co-HFP/Nafion, for its high temperature application in DMFC. 2015 , 2, e1-e8		11
836	Ionic Cross-Linked Proton Conducting Membranes for Fuel Cells. 2015 , 15, 189-195		8
835	A review of polymer-nanocomposite electrolyte membranes for fuel cell application. 2015 , 21, 36-52		318
834	Ultrasound assisted formation of Al-Ni electrocatalyst for hydrogen evolution. 2015 , 23, 142-7		31
833	Predictive calculation of hydrogen and helium solubility in glassy and rubbery polymers. <i>Journal of Membrane Science</i> , 2015 , 475, 110-121	9.6	22
832	Novel sulfonated poly(arylene ether sulfone) containing hydroxyl groups for enhanced proton exchange membrane properties. 2015 , 6, 233-239		21
831	Polyelectrolyte Nanocomposite Membranes Using Imidazole-Functionalized Nanosilica for Fuel Cell Applications. 2015 , 54, 17-31		11
830	Functionalization of polymeric materials as a high performance membrane for direct methanol fuel cell: A review. 2015 , 86, 248-258		93
829	Sandwich structure SPPO/BPPO proton exchange membranes for fuel cells: Morphology-electrochemical properties relationship. <i>Journal of Membrane Science</i> , 2015 , 475, 30-38	9.6	28
828	Reversible tuning of chemical structure of Nafion cast film by heat and acid treatment. 2015 , 119, 2395-403		6
827	A Vanadium-Cerium Redox Flow Battery with an Anion-Exchange Membrane Separator. 2015 , 80, 412-421		20
826	Perpendicularly oriented MoSe ₂ /graphene nanosheets as advanced electrocatalysts for hydrogen evolution. 2015 , 11, 414-9		239
825	Model biogas steam reforming in a thin Pd-supported membrane reactor to generate clean hydrogen for fuel cells. 2015 , 273, 25-32		55

824	Effect of nano-composite on polyvinyl alcohol-based proton conducting membrane for direct methanol fuel cell applications. 2015 , 21, 507-513	15
823	Preparation and Characterization of an Eco-Friendly Polymer Electrolyte Membrane (PEM) Based in a Blend of Sulphonated Poly(Vinyl Alcohol)/ Chitosan Mechanically Stabilised by Nylon 6,6. 2016 , 19, 954-962	10
822	Synthesis and Characterization of Sulfonated Poly(Phenylene) Containing a Non-Planar Structure and Dibenzoyl Groups. 2016 , 9, 115	13
821	Decoupling ion conductivity and fluid permeation through optimizing hydrophilic channel morphology. 2016 ,	
820	Excited-State Proton Transfer and Conformational Relaxation of 2-(4'-Pyridyl)benzimidazole in Nafion Films. 2016 , 17, 3004-3009	2
819	Low-Permeability Poly(ether Ether Ketone)-Based Ampholytic Membranes. 2016 , 81, 550-556	9
818	Simulation of Proton Transport in Proton Exchange Membranes with Reactive Molecular Dynamics. 2016 , 16, 695-703	22
817	Crosslinking effects on hybrid organic/organic proton conducting membranes based on sulfonated polystyrene and polysiloxane. 2016 , 27, 404-413	3
816	Poly(vinyl alcohol) modified by KE reactive dyes as a novel proton-exchange membrane for potential fuel-cell applications. 2016 , 133, n/a-n/a	4
815	Basicity-based screening of aniline derivative for composite proton exchange membranes. 2016 , 133,	2
814	Sulfonated poly(meta-phenylene isophthalamide)s as proton exchange membranes. 2016 , 54, 2582-2592	6
813	Grafting design: a strategy to increase the performance of radiation-grafted membranes. 2016 , 65, 174-180	13
812	A facile method to construct highly efficient methanol resistive polyamide-based proton exchange membrane. 2016 , 41, 16205-16211	10
811	Nanoscale Distribution of Sulfonic Acid Groups Determines Structure and Binding of Water in Nafion Membranes. 2016 , 128, 4079-4083	4
810	Ab initio and density functional theory (DFT) studies on triflic acid with water and protonated water clusters. 2016 , 22, 293	5
809	Effect of pore-directing agents and silanol groups in mesoporous silica nanoparticles as Nafion fillers on the performance of DMFCs. 2016 , 6, 111666-111680	5
808	Molecular dynamics simulation elucidates the preferential binding affinity of sodium and tetramethylammonium ions for tetrameric Nafion unit under aqueous conditions. 2016 , 6, 97961-97968	5
807	Proton diffusion dynamics along a diol as a proton-conducting wire in a photo-amphiprotic model system. 2016 , 18, 32826-32839	4

806	Ion conduction and chemical and physical properties of sulfonated polyetherimide as membrane: Theoretical study. 2016 , 41, 23345-23353	0
805	Long-Range Proton Conduction across Free-Standing Serum Albumin Mats. 2016 , 28, 2692-8	52
804	Morphology and Proton Transport in Humidified Phosphonated Peptoid Block Copolymers. 2016 , 49, 3083-3090	32
803	Exploring the hydrated microstructure and molecular mobility in blend polyelectrolyte membranes by quantum mechanics and molecular dynamics simulations. 2016 , 6, 35517-35526	19
802	Synthesis and properties of bonding layer containing flexible and fluorinated moieties for hydrocarbon-based membrane electrode assemblies. 2016 , 41, 10884-10895	7
801	New comb-shaped ionomers based on hydrophobic poly(aryl ether ketone) backbone bearing hydrophilic high concentration sulfonated micro-cluster. 2016 , 96, 188-197	22
800	Composite anion exchange membranes based on quaternized cardo-poly(etherketone) and quaternized inorganic fillers for vanadium redox flow battery applications. 2016 , 41, 10766-10775	27
799	Mass transport aspects of electrochemical solar-hydrogen generation. 2016 , 9, 1533-1551	64
798	Sulfonated Graphene/Nafion Composite Membranes for Polymer Electrolyte Fuel Cells Operating under Reduced Relative Humidity. 2016 , 120, 15855-15866	92
797	Electrochemically modified carbon fiber bundles as selective sorbent for online solid-phase microextraction of sulfonamides. 2016 , 183, 813-820	25
796	Activity and stability performance of multifunctional catalyst (Ni/CaO and Ni/Ca ₁₂ Al ₁₄ O ₃₃ CaO) for bio-hydrogen production from sorption enhanced biogas steam reforming. 2016 , 41, 7318-7331	33
795	Tuning of catalytic CO ₂ hydrogenation by changing composition of CuO _x ZnO _y ZrO ₂ catalysts. 2016 , 118, 21-31	104
794	Insights into the Impact of the Nafion Membrane Pretreatment Process on Vanadium Flow Battery Performance. 2016 , 8, 12228-38	125
793	Development of functionalized quantum dot modified poly(vinyl alcohol) membranes for fuel cell applications. 2016 , 6, 47536-47544	12
792	Highly conductive side chain block copolymer anion exchange membranes. 2016 , 12, 5359-71	34
791	Effect of polyethylene glycol on sulfonated polyether imide (SPEI) for fuel cell applications. 2016 , 58, 205-213	1
790	Nafion-porous cerium oxide nanotubes composite membrane for polymer electrolyte fuel cells operated under dry conditions. 2016 , 329, 441-449	33
789	Imidazolium-Functionalized Poly(arylene ether sulfone) Anion-Exchange Membranes Densely Grafted with Flexible Side Chains for Fuel Cells. 2016 , 8, 25279-88	114

788	Proton conductive and low methanol permeable PVA-based zwitterionic membranes. 2016 , 41, 20373-20384	16
787	Side Chain Influence on the Mechanical Properties and Water Uptake of Confined Comb-Shaped Cationic Polymer Thin Films. 2016 , 217, 2442-2451	9
786	Mediated proton transport through Nafion 117 membranes imbibed with varying concentrations of aqueous VOSO ₄ (VO ₂ ⁺) and NH ₄ VO ₃ (VO ₂ ⁺) in 2 M H ₂ SO ₄ . 2016 , 331, 544-552	4
785	Polybenzimidazole composite with acidic surfactant like molecules: A unique approach to develop PEM for fuel cell. 2016 , 84, 421-434	17
784	Proton Conductivity in Phosphoric Acid: The Role of Quantum Effects. 2016 , 117, 156001	12
783	Enhanced proton conductivity of proton exchange membranes by incorporating phosphorylated hollow titania spheres. 2016 , 6, 68407-68415	7
782	A bi-functional polymeric nano-sieve Nafion composite membrane: Improved performance for direct methanol fuel cell applications. 2016 , 41, 17102-17111	30
781	Preparations of an inorganic-framework proton exchange nanochannel membrane. 2016 , 326, 466-475	10
780	Morphology and Surface Characterization of Nanomaterial and Polymer Membranes. 2016 , 207-231	1
779	Morphology Effect on Proton Dynamics in Nafion [®] 117 and Sulfonated Polyether Ether Ketone. 2016 , 85, 094803	1
778	Imidazole-Doped Cellulose as Membrane for Fuel Cells: Structural and Dynamic Insights from Solid-State NMR. 2016 , 120, 19574-19585	26
777	Fabrication of a polymer electrolyte membrane with uneven side chains for enhancing proton conductivity. 2016 , 6, 79593-79601	18
776	Nanostructured proton-conducting membranes based on polymerizable zwitterionic ionic liquid microemulsions. 2016 , 40, 7580-7586	5
775	High performance tetra-sulfonated poly(p-phenylene-co-aryl ether ketone) membranes with microblock moieties for passive direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2016 , 517, 47-58. ⁶	28
774	Polyaromatic ionomers with a highly hydrophobic backbone and perfluorosulfonic acids for PEMFC. 2016 , 214, 182-191	16
773	Effect of Surface Ion Conductivity of Anion Exchange Membranes on Fuel Cell Performance. 2016 , 32, 9557-65	14
772	Simultaneous unzipping and sulfonation of multi-walled carbon nanotubes to sulfonated graphene nanoribbons for nanocomposite membranes in polymer electrolyte fuel cells. <i>Journal of Membrane Science</i> , 2016 , 520, 657-670	9.6 41
771	Anhydrous conducting composite membranes composed of SPEEK/silica/ionic liquids for high-temperature proton exchange. 2016 , 222, 1308-1315	27

770	Synthesis of sulfonated poly(bis(phenoxy)phosphazene) based blend membranes and its effect as electrolyte in fuel cells. 2016 , 296, 127-136		21
769	¹⁹ F Double Quantum NMR Spectroscopy: A Tool for Probing Dynamics in Proton-Conducting Fluorinated Polymer Materials. 2016 , 49, 7331-7339		5
768	Simple, Effective Molecular Strategy for the Design of Fuel Cell Membranes: Combination of Perfluoroalkyl and Sulfonated Phenylene Groups. 2016 , 1, 348-352		28
767	Polymer electrolyte membranes based on cross-linked highly sulfonated co-polyimides. 2016 , 103, 171-179		17
766	Improved and synergistic catalysis of single-pot-synthesized PtNi alloy nanoparticles for anodic oxidation of methanol in alkali. 2016 , 6, 92490-92501		11
765	Proton-Conductive MetalOrganic Frameworks. 2016 , 89, 1-10		90
764	How do you write and present research well? 17Submit your manuscript to the journal you cite most. 2016 , 94, 2174-2178		0
763	Nanomaterials in Advanced Batteries and Supercapacitors. 2016 ,		21
762	Water transport through short side chain perfluorosulfonic acid ionomer membranes. <i>Journal of Membrane Science</i> , 2016 , 520, 155-165	9.6	26
761	Membrane Separators for Electrochemical Energy Storage Technologies. 2016 , 417-462		1
760	Hydrogen Permeation in PEM Electrolyzer Cells Operated at Asymmetric Pressure Conditions. 2016 , 163, F3164-F3170		19
759	An anion-conductive microporous membrane composed of a rigid ladder polymer with a spirobiindane backbone. 2016 , 4, 17655-17659		29
758	Nanocomposite membranes of sulfonated poly(phthalalizinone ether ketone)Sulfonated graphite nanofibers as electrolytes for direct methanol fuel cells. 2016 , 6, 107507-107518		21
757	Molecular Dynamics Study of the Morphology of Hydrated Perfluorosulfonic Acid Polymer Membranes. 2016 , 120, 25832-25842		48
756	Effect of block composition on the morphology, hydration, and transport properties of sulfonated PS-b-PEGPEM-b-PS. 2016 , 133,		5
755	Chapter 3 Glass-Based Proton Exchange Membranes for Fuel Cell Applications. 2016 , 121-196		
754	Effect of modification with hydrated silica on the selectivity and proton conductivity of the Nafion 115 membrane. 2016 , 56, 931-935		2
753	Proton Transport in Electrospun Hybrid OrganicInorganic Membranes: An Illuminating Paradox. 2016 , 26, 594-604		11

752	How Much Can We Coarse-Grain while Retaining the Chemical Specificity? A Study of Sulfonated Poly(ether ether ketone). 2016 , 25, 155-169		5
751	Nanoscale Distribution of Sulfonic Acid Groups Determines Structure and Binding of Water in Nafion Membranes. 2016 , 55, 4011-5		37
750	Proton exchange membrane based on crosslinked sulfonated polyphosphazene containing pendent perfluorosulfonic acid groups with sulfonated poly(ether ether ketone). 2016 , 133,		8
749	A Review of Hydrogen/Halogen Flow Cells. 2016 , 4, 655-678		35
748	Understanding Impacts of Catalyst-Layer Thickness on Fuel-Cell Performance via Mathematical Modeling. 2016 , 163, F691-F703		92
747	Highly sulfonated co-polyimides containing hydrophobic cross-linked networks as proton exchange membranes. 2016 , 7, 4728-4735		34
746	Network engineering of a BTESE membrane for improved gas performance via a novel pH-swing method. <i>Journal of Membrane Science</i> , 2016 , 511, 219-227	9.6	24
745	Strengthening of perfluorosulfonic acid ionomer with sulfonated hydrocarbon polyelectrolyte for application in medium-temperature fuel cell. <i>Journal of Membrane Science</i> , 2016 , 514, 358-365	9.6	14
744	Highly Phase Separated Aromatic Ionomers Bearing Perfluorosulfonic Acids by Bottom-up Synthesis: Effect of Cation on Membrane Morphology and Functional Properties. 2016 , 49, 4164-4177		17
743	Transport studies of ions across polystyrene based composite membrane: Evaluation of fixed charge density using theoretical models. 2016 , 1123, 116-123		5
742	Novel cross-linked partially fluorinated and non-fluorinated polyaromatic PBI-containing blend membranes for SO ₂ electrolysis. 2016 , 41, 11868-11883		5
741	Investigation of SPES as PEM for hydrogen production through electrochemical reforming of aqueous methanol. 2016 , 91, 75-82		32
740	Stable poly(arylene ether sulfone)s anion exchange membranes containing imidazolium cations on pendant phenyl rings. 2016 , 190, 1057-1065		36
739	Preparation of sulfonated poly(ether ether ketone) (SPEEK) membrane using ethanol/water mixed solvent. 2016 , 169, 69-72		13
738	Nano oxides incorporated sulfonated poly(ether ether ketone) membranes with improved selectivity and stability for vanadium redox flow battery. 2016 , 20, 1271-1283		35
737	Crosslinked ethyl phosphoric acid grafted polybenzimidazole and polybenzimidazole blend membranes for high-temperature proton exchange membrane fuel cells. 2016 , 23, 1		22
736	Effect of constrained amorphous region on properties of acidBase polyelectrolyte membranes based on sulphonated poly(ether ether ketone) and a nonconjugated diamine. <i>Journal of Membrane Science</i> , 2016 , 499, 1-11	9.6	19
735	Effect of end-group cross-linking on transport properties of sulfonated poly(phenylene sulfide nitrile)s for proton exchange membranes. 2016 , 307, 834-843		33

734	N-Alkyl Interstitial Spacers and Terminal Pendants Influence the Alkaline Stability of Tetraalkylammonium Cations for Anion Exchange Membrane Fuel Cells. 2016 , 28, 2589-2598		92
733	Charged Polymer Membranes for Environmental/Energy Applications. 2016 , 7, 111-33		71
732	Charge Transport of Polyester Ether Ionomers in Unidirectional Silica Nanopores. 2016 , 5, 476-480		7
731	A comparative study of Nafion series membranes for vanadium redox flow batteries. <i>Journal of Membrane Science</i> , 2016 , 510, 18-26	9.6	288
730	New sulfonated poly(arylene ether sulfone) copolymers containing phenyl side chains as proton exchange membranes. 2016 , 40, 3755-3762		16
729	Improving the comprehensive performances of phosphonic acid functionalized poly(ether sulfone) by compositing with 1H-1,2,3-triazol-4-yl functionalized poly(ether sulfone). 2016 , 41, 4740-4750		12
728	Dynamic modeling and experimental investigation of a high temperature PEM fuel cell stack. 2016 , 41, 4729-4739		17
727	Sulfonated poly(arylene thioether phosphine oxide)s (sPTPO) and sPTPO/sulfonated polybenzothiazole blends as proton exchange membranes. 2016 , 6, 21367-21375		5
726	A monolayer graphene [Nafion sandwich membrane for direct methanol fuel cells. 2016 , 311, 188-194		103
725	Partitioning of mobile ions between ion exchange polymers and aqueous salt solutions: importance of counter-ion condensation. 2016 , 18, 6021-31		100
724	LoLiPEM: Long life proton exchange membrane fuel cells. 2016 , 41, 1921-1934		8
723	12HPW/meso-SiO ₂ nanocomposite CSPEEK membranes for proton exchange membrane fuel cells. 2016 , 36, 132-138		23
722	New siloxane-based copolymers for use in anion exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2016 , 508, 1-6	9.6	7
721	Electrodes modified with sulphonated poly(aryl ether sulphone): effect of casting conditions on their enhanced electroanalytical performance.. 2016 , 194, 405-412		7
720	Trisulfonation approach: To improve the properties of poly(arylene thioether phosphine oxide)s based proton exchange membranes. <i>Journal of Membrane Science</i> , 2016 , 508, 32-39	9.6	11
719	Mimicking nature: Biomimetic ionic channels. <i>Journal of Membrane Science</i> , 2016 , 509, 10-18	9.6	8
718	Interfacial Structure and Proton Conductivity of Nafion at the Pt-Deposited Surface. 2016 , 32, 352-8		38
717	Fuel Cells: Materials. 2016 ,		1

7 ¹⁶	Synthesis of Nitrogen-doped Niobium Dioxide and its co-catalytic effect towards the electrocatalysis of oxygen reduction on platinum. 2016 , 195, 166-174		11
7 ¹⁵	The control and optimization of macro/micro-structure of ion conductive membranes for energy conversion and storage. 2016 , 24, 558-571		17
7 ¹⁴	Tuning surface hydrophilicity/hydrophobicity of hydrocarbon proton exchange membranes (PEMs). 2016 , 466, 168-77		15
7 ¹³	Investigations on the interfacial capacitance and the diffusion boundary layer thickness of ion exchange membrane using electrochemical impedance spectroscopy. <i>Journal of Membrane Science</i> , 2016 , 502, 37-47	9.6	56
7 ¹²	Mixed matrix proton exchange membranes for fuel cells: State of the art and perspectives. 2016 , 57, 103-152		203
7 ¹¹	Constitutive equations for an electroactive polymer. 2016 , 28, 1071-1091		3
7 ¹⁰	The effects of water on the morphology and the swelling behavior of sulfonated poly(ether ether ketone) films. 2016 , 51, 1074-1082		7
7 ⁰⁹	A flexible all-inorganic fuel cell membrane with conductivity above Nafion, and durable operation at 150 °C. 2016 , 303, 142-149		18
7 ⁰⁸	Silicon(lithiated)sulfur full cells with porous silicon anode shielded by Nafion against polysulfides to achieve high capacity and energy density. 2016 , 19, 68-77		69
7 ⁰⁷	Study of hydrogen crossover and proton conductivity of self-humidifying nanocomposite proton exchange membrane based on sulfonated poly (ether ether ketone). 2016 , 94, 292-303		37
7 ⁰⁶	Effect of casting solvent on the characteristics of Nafion/TiO ₂ nanocomposite membranes for microbial fuel cell application. 2016 , 41, 476-482		33
7 ⁰⁵	Synthesis and properties of sulfonated poly(arylene ether ketone sulfone) copolymer. 2016 , 28, 315-321		13
7 ⁰⁴	Synthesis and properties of novel proton exchange membranes based on sulfonated polyethersulfone and N-phthaloyl chitosan blends for DMFC applications. 2016 , 86, 922-929		71
7 ⁰³	Experimental and numerical study on the water transport behavior through Nafion [®] 117 for polymer electrolyte membrane fuel cell. <i>Journal of Membrane Science</i> , 2016 , 497, 194-208	9.6	13
7 ⁰²	Anion exchange membranes based on tetra-quaternized poly(arylene ether ketone). <i>Journal of Membrane Science</i> , 2016 , 497, 318-327	9.6	51
7 ⁰¹	Ultrafine Pt nanoparticle-decorated robust 3D N-doped porous graphene as an enhanced electrocatalyst for methanol oxidation. 2016 , 52, 382-5		75
7 ⁰⁰	Sulfonated copoly(arylene ether nitriles) as proton exchange membrane with excellent mechanical and thermal properties. 2016 , 28, 633-640		4
6 ⁹⁹	Fourfold action of surfactants with superacid head groups: polyoxometalate-silicone nanocomposites as promising candidates for proton-conducting materials. 2016 , 40, 919-922		10

698	Crosslinked composite membrane by radiation grafting of 4-vinylpyridine/triallyl-cyanurate mixtures onto poly(ethylene- co -tetrafluoroethylene) and phosphoric acid doping. 2017 , 42, 9333-9341	9
697	Reduction of methanol crossover in a flowing electrolyte-direct methanol fuel cell. 2017 , 42, 21530-21545	24
696	New Insights into Perfluorinated Sulfonic-Acid Ionomers. 2017 , 117, 987-1104	899
695	Stability of SPEEK/Cloisite μ /TAP nanocomposite membrane under Fenton reagent condition for direct methanol fuel cell application. 2017 , 137, 83-99	19
694	Predicting Salt Permeability Coefficients in Highly Swollen, Highly Charged Ion Exchange Membranes. 2017 , 9, 4044-4056	89
693	Broadband dielectric spectroscopy of Nafion-117, sulfonated polysulfone (sPSF) and sulfonated polyether ketone (sPEK) membranes. 2017 , 134,	3
692	The Use of Neutron and Synchrotron Research for Aerospace and Automotive Materials and Components. 2017 , 327-364	
691	Photo and Humidity Responsive Mesoporous Poly(ionic Liquid) Membrane for Selective Dye Adsorption. 2017 , 2, 1878-1884	9
690	Preparation of Sulfonated Poly(aryl ether sulfone) Electrospun Mat/Phosphosilicate Composite Proton Exchange Membrane. 2017 , 46, 1883-1888	1
689	Development of a Crosslinked Pore-filling Membrane with an Extremely Low Swelling Ratio and Methanol Crossover for Direct Methanol Fuel Cells. 2017 , 232, 226-235	13
688	50th Anniversary Perspective: The Importance of NMR Spectroscopy to Macromolecular Science. 2017 , 50, 1761-1777	46
687	Mesoporous hollow silica spheres as micro-water-tanks in proton exchange membranes. 2017 , 59, 423-429	11
686	Combining control of branching and sulfonation in one-pot synthesis of random sulfonated polyarylethersulfones: effects on thermal stability and water retention. 2017 , 74, 3939-3954	5
685	Comprehensive investigation of physicochemical and electrochemical properties of sulfonated poly(ether ether ketone) membranes with different degrees of sulfonation for proton exchange membrane fuel cell applications. 2017 , 125, 614-628	86
684	Synthesis and Properties of Poly(ether sulfone)s with Clustered Sulfonic Groups for PEMFC Applications under Various Relative Humidity. 2017 , 9, 9805-9814	15
683	Effect of fixed charge group concentration on equilibrium ion sorption in ion exchange membranes. 2017 , 5, 4638-4650	69
682	Synthesis and characterization of sulfonated mutiphenyl conjugated polyimide for PEMFC. 2017 , 49, 99-104	13
681	Hydrocarbon-Based Polymer Electrolyte Membranes: Importance of Morphology on Ion Transport and Membrane Stability. 2017 , 117, 4759-4805	525

680	Influence of alkaline 2D carbon nitride nanosheets as fillers for anchoring HPW and improving conductivity of SPEEK nanocomposite membranes. 2017 , 42, 10317-10328	33
679	Studies of sulfonated poly(phenylene)-block-poly(ethersulfone) for proton exchange membrane fuel cell. 2017 , 42, 12768-12776	18
678	Ionic Liquids and Polymers for Battery and Fuel Cells. 2017 , 465-497	2
677	Dielectric relaxations in phosphoric acid-doped poly(2,5-benzimidazole) and its composite membranes. 2017 , 134,	1
676	Cross-linked sulfonated poly(arylene ether nitrile)s membranes based on macromolecule cross-linker for direct methanol fuel cell application. 2017 , 23, 2133-2142	1
675	Organic-Inorganic Composite Polymer Electrolyte Membranes. 2017 ,	5
674	Porous structure of ion exchange membranes investigated by various techniques. 2017 , 246, 196-216	73
673	Molecular Structuring and Percolation Transition in Hydrated Sulfonated Poly(ether ether ketone) Membranes. 2017 , 121, 4873-4884	15
672	Facile tailor-made enhancement in proton conductivity of sulfonated poly(ether ether ketone) by graphene oxide nanosheet for polymer electrolyte membrane fuel cell applications. 2017 , 295, 1059-1069	17
671	Characterization of highly sulfonated PEEK based membrane for the fuel cell application. 2017 , 42, 23768-23775	4
670	Graphene Oxide Based Electrochemical System for Energy Generation. 2017 , 331-346	1
669	Proton conducting Gel Polymer Electrolytes for supercapacitor applications. 2017 , 242, 31-37	38
668	Ab Initio Molecular Dynamics Simulations on the Hydrated Structures of Na ⁺ -Nafion Models. 2017 , 121, 11215-11225	4
667	Novel sulfonated poly(glycidyl methacrylate) grafted Nafion membranes for fuel cell applications. 2017 , 74, 5195-5220	3
666	Effect of solution concentration and composition on the electrochemical properties of ion exchange membranes for energy conversion. 2017 , 340, 282-293	41
665	A facile functionalized routine for the synthesis of side-chain sulfonated poly(arylene ether ketone sulfone) as proton exchange membranes. 2017 , 42, 5295-5305	20
664	Proton-conducting crystalline porous materials. 2017 , 46, 464-480	394
663	Synthesis of poly(arylene ether ketone) containing phenylsulfonic acid pendant for proton exchange membrane. 2017 , 29, 1232-1240	8

662	Aligned electrospun nanofibers as proton conductive channels through thickness of sulfonated poly (phthalazinone ether sulfone ketone) proton exchange membranes. 2017 , 358, 134-141		38
661	Accounting for frame of reference and thermodynamic non-idealities when calculating salt diffusion coefficients in ion exchange membranes. <i>Journal of Membrane Science</i> , 2017 , 537, 396-406	9.6	33
660	Proton Conductivity of Proton Exchange Membrane Synergistically Promoted by Different Functionalized Metal-Organic Frameworks. 2017 , 9, 22597-22603		82
659	Alkylated sulfonated poly(arylene sulfone)s for proton exchange membranes. 2017 , 25, 400-407		4
658	Polyelectrolyte Nanocomposite Membranes Using Surface Modified Nanosilica for Fuel Cell Applications. 2017 , 56, 383-394		9
657	Optimization of hydrophilic/hydrophobic phase separation in SPEEK membranes by hydrothermal treatments. 2017 , 19, 16013-16022		14
656	Parametric optimisation for the fabrication of polyetherimide-SPEEK asymmetric membranes on a non-woven support layer. 2017 , 186, 78-89		4
655	Potential energy construction in the diabatic picture for quantum mechanical rate constants of intermolecular proton transfer. 2017 , 19, 16857-16866		8
654	Improving electrodialysis based water desalination using a sulfonated Diels-Alder poly(phenylene). <i>Journal of Membrane Science</i> , 2017 , 531, 103-110	9.6	18
653	Polymer materials for electrochemical applications: Processing in supercritical fluids. 2017 , 127, 229-246		17
652	Effect of Imidazole Arrangements on Proton-Conductivity in Metal-Organic Frameworks. 2017 , 139, 6183-6189		315
651	Mechanism Exploration of Ion Transport in Nanocomposite Cation Exchange Membranes. 2017 , 9, 13491-13499		23
650	Synthesis, structural and electrochemical characterization of benzimidazole compounds exhibiting a smectic C liquid crystal phase. 2017 , 1133, 392-397		7
649	Unified solution for poroelastic oscillation indentation on gels for spherical, conical and cylindrical indenters. 2017 , 13, 852-861		29
648	Hybrid nanocomposite membranes of sulfonated poly(ethersulfone)/1,1-carbonyl diimidazole/1-(3-aminopropyl)-silane/silica for direct methanol fuel cells. 2017 , 34, 328-339		3
647	Sulfonated poly(arylene ether sulfone) polymers containing 3,4-difluoro-phenyl moiety as proton exchange membranes. 2017 , 300, 157-164		13
646	Effect of pore-directing agents in SBA-15 nanoparticles on the performance of Nafion [®] /SBA-15n composite membranes for DMFC. <i>Journal of Membrane Science</i> , 2017 , 526, 106-117	9.6	29
645	Fuel cell performance of pendent methylphenyl sulfonated poly(ether ether ketone)s. 2017 , 368, 30-37		17

644	A comparative study of anion-exchange membranes tethered with different hetero-cycloaliphatic quaternary ammonium hydroxides. 2017 , 5, 21965-21978	87
643	Development of hydrophilicity on the proton exchange using sulfonic acid on PEEK in the presence of water: a density functional theory study. 2017 , 136, 1	3
642	Ionomer solution to film solidification dependence upon solvent type and its impact upon morphology and ion transport. 2017 , 97, 169-177	7
641	Atomistic simulation study of the hydrated structure and transport dynamics of a novel multi acid side chain polyelectrolyte membrane. 2017 , 42, 27254-27268	17
640	Ionic Processes in Water Electrolysis: The Role of Ion-Selective Membranes. 2017 , 2, 2625-2634	49
639	Facile synthesis of fluorinated poly(arylene ether)s with pendant sulfonic acid groups for proton exchange membranes. 2017 , 42, 27100-27110	8
638	Vanadium Redox Flow Batteries Using meta-Polybenzimidazole-Based Membranes of Different Thicknesses. 2017 , 9, 36799-36809	84
637	Graft fluorinated poly(arylene ether ketone)s containing highly dense sulfonic-acid-functionalized pendants for proton exchange membranes by C _N coupling. 2017 , 131, 84-94	16
636	Self-assembled monolayers of sulfonate-terminated alkanethiols investigated by frequency modulation atomic force microscopy in liquid. 2017 , 28, 455603	5
635	The influence of various ionic liquids on the properties of SPEEK membrane doped with mesoporous silica. 2017 , 257, 290-300	40
634	Dissipative particle dynamics and molecular dynamics simulations on mesoscale structure and proton conduction in a SPEEK/PVDF-g-PSSA membrane. 2017 , 7, 39676-39684	15
633	Property Enhancement Effects of Side-Chain-Type Naphthalene-Based Sulfonated Poly(arylene ether ketone) on Nafion Composite Membranes for Direct Methanol Fuel Cells. 2017 , 9, 32227-32236	33
632	Order-disorder phase transition in an anhydrous pyrazole-based proton conductor: the enhancement of electrical transport properties. 2017 , 19, 25653-25661	8
631	Multi-mode humidity sensing with water-soluble copper phthalocyanine for increased sensitivity and dynamic range. 2017 , 7, 9921	12
630	Molecular dynamics simulation of Keggin HPA doped Nafion [®] 117 as a polymer electrolyte membrane. 2017 , 7, 44537-44546	7
629	Poly(2,5-benzimidazole)-Grafted Graphene Oxide as an Effective Proton Conductor for Construction of Nanocomposite Proton Exchange Membrane. 2017 , 9, 33049-33058	42
628	UV-crosslinked poly(arylene ether sulfone) [LAPONITE] nanocomposites for proton exchange membranes. 2017 , 7, 28358-28365	4
627	WITHDRAWN: Nanocomposite membranes prepared from sulfonated polyether ether ketone (SPEEK) and nanocaly for enhancement of fuel cell properties. 2017 ,	

626	Fabrication and electrochemical properties of highly selective SPES/GO composite membranes for direct methanol fuel cells. 2017 , 5, 3828-3833		25
625	Investigation of polymer-solvent interactions in poly(styrene sulfonate) thin films. 2017 , 55, 1365-1372		15
624	Proton-Conductivity Enhancement in Polymer Thin Films. 2017 , 33, 12547-12558		44
623	High-performance SPEEK/SWCNT/fly ash polymer electrolyte nanocomposite membranes for fuel cell applications. 2017 , 49, 703-709		24
622	Modified sulfonated Poly(arylene ether) multiblock copolymers containing highly sulfonated blocks for polymer electrolyte membrane fuel cells. <i>Journal of Membrane Science</i> , 2017 , 542, 102-109	9.6	22
621	Sulfonated Copper Phthalocyanine/Sulfonated Polysulfone Composite Membrane for Ionic Polymer Actuators with High Power Density and Fast Response Time. 2017 , 9, 29063-29070		7
620	Proton Conduction in a Quaternary Organic Salt: Its Phase Behavior and Related Spectroscopic Studies. 2017 , 121, 18317-18325		4
619	Polymers application in proton exchange membranes for fuel cells (PEMFCs). 2017 , 2,		14
618	Measurement and adjustment of proton activity in solid polymer electrolytes. 2017 , 82, 145-149		5
617	High Proton Conduction in Crystalline Composites Based on Preyssler-Type Polyoxometalates and Polymers under Nonhumidified or Humidified Conditions. 2017 , 56, 15187-15193		44
616	Membrane architecture with ion-conducting channels through swift heavy ion induced graft copolymerization. 2017 , 5, 24826-24835		8
615	Theoretical study of high performance hydrocarbon-based ion-exchange membranes. 2017 , 1121, 44-48		3
614	Mixed conductivity of polythiophene-based ionic polymers under controlled conditions. 2017 , 132, 216-226		16
613	A Direct Alcohol Fuel Cell Driven by an Outer Sphere Positive Electrode. 2017 , 8, 3523-3529		11
612	Clustered multi-imidazolium side chains functionalized alkaline anion exchange membranes for fuel cells. <i>Journal of Membrane Science</i> , 2017 , 541, 214-223	9.6	49
611	Bottom-Up Fabrication of Nanostructured Bicontinuous and Hexagonal Ion-Conducting Polymer Membranes. 2017 , 50, 5392-5401		11
610	High-Performance Semicrystalline Poly(ether ketone)-Based Proton Exchange Membrane. 2017 , 9, 24527-24537		3
609	A novel multifunctional soft robotic transducer made with poly (ethylene-co-methacrylic acid) ionomer metal nanocomposite. 2017 , 1, 143-156		5

608	Multi-sulfonated polyhedral oligosilsesquioxane (POSS) grafted poly(arylene ether sulfone)s for proton conductive membranes. 2017 , 123, 21-29		19
607	Ionic Conductivity and Potential Application for Fuel Cell of a Modified Imine-Based Covalent Organic Framework. 2017 , 139, 10079-10086		135
606	Fabrication and electrochemical properties of SPVdF-co-HFP/SPES blend proton exchange membranes for direct methanol fuel cells. 2017 , 102, 258-265		36
605	Three-Dimensional Interlocking Interface: Mechanical Nanofastener for High Interfacial Robustness of Polymer Electrolyte Membrane Fuel Cells. 2017 , 29, 1603056		23
604	Molecular interaction between acidic sPPSU and basic HPEI polymers and its effects on membrane formation for ultrafiltration. <i>Journal of Membrane Science</i> , 2017 , 524, 33-42	9.6	44
603	Organic/inorganic hybrid proton-conducting electrolyte membranes based on sulfonated poly(arylene ether sulfone) and SiO ₂ /B ₂ O ₃ /H network for fuel cells. 2017 , 29, 1037-1048		3
602	Sulfonated poly(arylene ether sulfone) nanocomposite electrolyte membrane for fuel cell applications: A review. 2017 , 42, 1063-1074		56
601	Sulfonated polyimide copolymers based on 4,4'-diaminostilbene-2,2'-disulfonic acid and 3,5,3',5'-tetramethylbenzidine with enhanced solubility. 2017 , 74, 895-909		5
600	Morphological and transport characteristics of swollen chitosan-based proton exchange membranes studied by molecular modeling. 2017 , 107, 5-19		5
599	Ion exchange membranes: New developments and applications. <i>Journal of Membrane Science</i> , 2017 , 522, 267-291	9.6	455
598	Effect of pendant group containing fluorine on the properties of sulfonated poly(arylene ether sulfone)s as proton exchange membrane. 2017 , 52, 1028-1038		12
597	Synthesis and performance study of a novel sulfonated polytriazole proton exchange membrane. 2017 , 21, 725-734		17
596	The roles of solvent type and amount of residual solvent on determining the structure and performance of sulfonated poly(ether ether ketone) proton exchange membranes. <i>Journal of Membrane Science</i> , 2017 , 523, 163-172	9.6	19
595	Development of Glassy Bicontinuous Cubic Liquid Crystals for Solid Proton-Conductive Materials. 2017 , 29, 1604429		40
594	Superionic Conductivity in Hybrid of 3-Hydroxypropanesulfonic Acid and Graphene Oxide. 2017 , 12, 194-197		20
593	Preparation and properties of crosslinked hybrid proton exchange membrane based on sulfonated poly(arylene ether nitrile) with improved selectivity for fuel cell application. 2017 , 23, 671-679		5
592	Molecular modeling of OH ⁻ transport in poly(arylene ether sulfone ketone)s containing quaternized ammonio-substituted fluorenyl groups as anion exchange membranes. <i>Journal of Membrane Science</i> , 2017 , 522, 237-244	9.6	33
591	Proton exchange membrane (PEM) and solid oxide (SOFC) fuel cell based vehicles-a review. 2017 ,		4

590	Hydrocarbon Proton Exchange Membranes. 2017 , 107-138	1
589	Benzoxazines in Proton Exchange Membrane Fuel Cells. 2017 , 935-944	1
588	New approach to the preparation of grafted ion exchange membranes based on UV-oxidized polymer films and sulfonated polystyrene. 2017 , 27, 572-573	15
587	Time dependence of the luminescence from a polymer membrane swollen in water: Concentration and isotopic effects. 2017 , 25, 259-271	6
586	10. Polymers application in proton exchange membranes for fuel cells (PEMFCs). 2017 , 293-348	2
585	Polymeric Membranes. 2017 , 297-334	4
584	Proton Conductive Channel Optimization in Methanol Resistive Hybrid Hyperbranched Polyamide Proton Exchange Membrane. 2017 , 9,	5
583	Optimization through Response Surface Methodology of a Reactor Producing Methanol by the Hydrogenation of Carbon Dioxide. 2017 , 5, 62	10
582	Catalyst, Membrane, Free Electrolyte Challenges, and Pathways to Resolutions in High Temperature Polymer Electrolyte Membrane Fuel Cells. 2017 , 7, 16	22
581	Transport in Proton Exchange Membranes for Fuel Cell Applications-A Systematic Non-Equilibrium Approach. 2017 , 10,	17
580	1.10 Plasma Membranes. 2017 , 236-269	2
579	Scanning Probe Microscopy Techniques for Modern Nanomaterials. 2017 , 77-114	0
578	2.13 Membranes and Interfaces Characterization by Impedance Spectroscopy. 2017 , 393-410	2
577	3.7 Basic Aspects in Proton-Conducting Membranes for Fuel Cells. 2017 , 171-205	0
576	Influence of Water and Temperature on Ionomer in Catalytic Layers and Membranes of Fuel Cells and Electrolyzers Evaluated by AFM. 2018 , 18, 239-250	8
575	Impact of solution composition on the resistance of ion exchange membranes. <i>Journal of Membrane Science</i> , 2018 , 554, 39-47	9.6 35
574	Bipolar Membranes Inhibit Product Crossover in CO ₂ Electrolysis Cells. 2018 , 2, 1700187	73
573	Colloidal Nanocrystal Films Reveal the Mechanism for Intermediate Temperature Proton Conductivity in Porous Ceramics. 2018 , 122, 13624-13635	6

572	Anisotropic Proton Conductivity Arising from Hydrogen-Bond Patterns in Anhydrous Organic Single Crystals, Imidazolium Carboxylates. 2018 , 122, 11623-11632		18
571	Investigation of Bistetramethylammonium Hydrogencyclotriphosphate-A Molecular Rotor?. 2018 , 24, 8756-8759		2
570	Photocrosslinking of Sulfonated Poly(arylene ether ketone)s in a Hydrated State to Obtain Proton Exchange Membranes with High Performance. 2018 , 219, 1800056		6
569	Novel Sulfonated Co-poly(ether imide)s Containing Trifluoromethyl, Fluorenyl and Hydroxyl Groups for Enhanced Proton Exchange Membrane Properties: Application in Microbial Fuel Cell. 2018 , 10, 14803-14817 ²⁵		7
568	Structure and morphology of model polymer electrolyte membranes based on sulfonated syndiotactic-polystyrene in the α -crystalline phase resolved by small-angle neutron scattering. 2018 , 320, 392-406		5
567	Increasing salt size selectivity in low water content polymers via polymer backbone dynamics. <i>Journal of Membrane Science</i> , 2018 , 552, 43-50	9.6	14
566	The structure-property-performance relationship of disulfonated naphthyl pendants bearing poly(aryl ether)s for polymer electrolyte membrane applications. <i>Journal of Membrane Science</i> , 2018 , 555, 45-55	9.6	16
565	Amino acid functionalized graphene oxide based nanocomposite membrane electrolytes for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2018 , 551, 1-11	9.6	61
564	Tailored SPVdF-co-HFP/SGO nanocomposite proton exchange membranes for direct methanol fuel cells. 2018 , 140, 22-32		44
563	Electrochemical nanoarchitectonics through polyaminobenzylamine-dodecyl phosphate complexes: redox activity and mesoscopic organization in self-assembled nanofilms. 2018 , 20, 7570-7578		13
562	Cross-linked poly(aryl ether sulfone) membranes for direct methanol fuel cell applications. 2018 , 56, 558-575		5
561	Phosphosilicate Gel-Sulfonated Poly(ether ether ketone) Nanocomposite Membrane for Polymer Electrolyte Membrane Fuel Cell. 2018 , 5, 2186-2192		6
560	Wormlike Acid-Doped Polyaniline: Controllable Electrical Properties and Theoretical Investigation. 2018 , 122, 2032-2040		31
559	Unraveling the Complex Hydration Behavior of Ionomers under Thin Film Confinement. 2018 , 122, 3471-3481		11
558	Thermoelectric effects in solid-state polyelectrolytes. 2018 , 54, 231-236		40
557	Crosslinked anion exchange membranes with connected cations. 2018 , 56, 618-625		7
556	Properties and morphology studies of proton exchange membranes based on cross-linked sulfonated poly(ether ether ketone) for electrochemical application: Effect of cross-linker chain length. 2018 , 316, 75-84		15
555	The Role of Ion Hydration in the Performance of Li ₂ SO ₄ /Polyacrylamide Electrolyte Systems: Material Characterizations under Real-Time Conditions. 2018 , 122, 1939-1945		5

554	Design of 3D continuous proton conduction pathway by controlling co-organization behavior of gemini amphiphilic zwitterions and acids. 2018 , 317, 39-45		11
553	Cesium-substituted mesoporous phosphotungstic acid embedded chitosan hybrid polymer membrane for direct methanol fuel cells. 2018 , 24, 2729-2743		17
552	Changes in Nafion [®] 117 internal structure and related properties during exposure to elevated temperature and pressure in an aqueous environment. 2018 , 262, 264-275		9
551	Cross-linked fully aromatic sulfonated polyamide as a highly efficiency polymeric filler in SPEEK membrane for high methanol concentration direct methanol fuel cells. 2018 , 53, 5501-5510		26
550	Fuel Exhaling Fuel Cell. 2018 , 9, 388-392		19
549	Poly(arylene ether nitrile) anion exchange membranes with dense flexible ionic side chain for fuel cells. <i>Journal of Membrane Science</i> , 2018 , 550, 254-265	9.6	47
548	Characterizing the hydrophobic-to-hydrophilic transition of electrolyte structuring in proton exchange membrane mimicking surfaces. 2018 , 20, 11722-11729		5
547	Correlation of Changes in Electrochemical and Structural Parameters due to Voltage Cycling Induced Degradation in PEM Fuel Cells. 2018 , 165, F3241-F3250		37
546	Tuning quaternary ammonium ionomer composition and processing to produce tough films. 2018 , 142, 99-108		2
545	A thermodynamically-consistent large deformation theory coupling photochemical reaction and electrochemistry for light-responsive gels. 2018 , 116, 239-266		31
544	Porphyrin/sPEEK Membranes with Improved Conductivity and Durability for PEFC Technology. 2018 , 1, 1664-1673		10
543	Functional Liquid Crystals towards the Next Generation of Materials. 2018 , 57, 4355-4371		251
542	Synthesis and properties of poly(arylene ether nitrile) with pendant bisulfonic acid for proton exchange membrane application. 2018 , 30, 571-579		1
541	Phase separation and ion conductivity in the bulk and at the surface of anion exchange membranes with different ion exchange capacities at different humidities. 2018 , 375, 397-403		18
540	Proton mobility in sulfonic acid functionalized mesoporous materials studied by MAS PFG NMR diffusometry and impedance spectroscopy. 2018 , 255, 140-147		8
539	Characterization and evaluation of commercial poly(vinylidene fluoride)-g-sulfonated Polystyrene as proton exchange membrane. 2018 , 29, 130-142		10
538	Comparative study of sulfonated branched and linear poly(phenylene)s polymer electrolyte membranes for fuel cells. 2018 , 43, 5374-5385		28
537	Achieving Amphibious Superprotonic Conductivity in a Cu Metal-Organic Framework by Strategic Pyrazinium Salt Impregnation. 2018 , 24, 872-880		21

536	Pentablock copolymer morphology dependent transport and its impact upon film swelling, proton conductivity, hydrogen fuel cell operation, vanadium flow battery function, and electroactive actuator performance. <i>Journal of Membrane Science</i> , 2018 , 545, 1-10	9.6	18
535	Highly proton conducting proton-exchange membranes based on fluorinated poly(arylene ether ketone)s with octasulfonated segments. 2018 , 56, 25-37		14
534	Tuning the ion channel network of perfluorosulfonated membranes via a facile sacrificial porogen approach. <i>Journal of Membrane Science</i> , 2018 , 545, 275-283	9.6	4
533	Styrene grafted ethylene chlorotrifluoroethylene (ECTFE-g-PSSA) protonic membranes: Preparation, characterization, and transport mechanism. 2018 , 29, 658-667		8
532	Quaternized poly(styrene-co-vinylbenzyl chloride) anion exchange membranes: role of different ammonium cations on structural, morphological, thermal and physio-chemical properties. 2018 , 42, 380-387		13
531	Aliphatic SPI charge-transfer complex hybrid films for high temperature polymer electrolyte membrane fuel cells. 2018 , 135, 46087		6
530	Characterization of a Pd/Ta composite membrane and its application to a large scale high-purity hydrogen separation from mixed gas. 2018 , 200, 221-229		13
529	Highly Proton Conducting Polyelectrolyte Membranes with Unusual Water Swelling Behavior Based on Triptycene-containing Poly(arylene ether sulfone) Multiblock Copolymers. 2018 , 10, 1173-1186		22
528	Redox Flow Batteries for Energy Storage: A Technology Review. 2018 , 15,		85
527	Design of a Modern Proton-Exchange Membrane Fuel Cell Module for Engineering Education. 2018 ,		1
526	Von funktionellen Flüssigkristallen zur nächsten Generation von Materialien. 2018 , 130, 4438-4455		24
525	Impact of the Solid Interface on Proton Conductivity in Nafion Thin Films. 2018 , 34, 15483-15489		16
524	Hydration and Ionic Conductivity of Model Cation and Anion-Conducting Ionomers in Buffer Solutions (Phosphate, Acetate, Citrate). 2018 , 122, 12009-12016		7
523	Proton-Conductive Polymer Thin Films by Molecular Orientation and Organized Structure. 2018 , 75, 576-587		1
522	Influence of Rubbery versus Glassy Backbone Dynamics on Multiscale Transport in Polymer Membranes. 2018 , 51, 9222-9233		15
521	Design and Optimization of a Hyper-Branched Polyimide Proton Exchange Membrane with Ultra-High Methanol-Permeation Resistivity for Direct Methanol Fuel Cells Applications. 2018 , 10,		3
520	Revealing Hexadecyltrimethylammonium Chloride (HDTA) Intercalated Bentonite in Sulfonated Poly(ether ether ketone) as Nanocomposite Membrane Electrolyte for Direct Methanol Fuel Cells. 2018 , 165, F1358-F1368		1
519	Proton Conductions. 2018 , 1-34		

518	Investigation of Deuterium Substitution Effects in a Polymer Membrane Using IR Fourier Spectrometry. 2018 , 125, 337-342	5
517	Proton Conductivity of Composite Polyelectrolyte Membranes with Metal-Organic Frameworks for Fuel Cell Applications. 2018 , 6, 1801146	55
516	Tuning anhydrous proton conduction in single-ion polymers by crystalline ion channels. 2018 , 9, 5029	25
515	Studies on the photoelectric properties of crosslinked-poly(acrylamide co-acrylic acid) for photo detector applications. 2018 , 11, 842-846	3
514	Effect of nitroxide spin probes on the transport properties of Nafion membranes. 2018 , 20, 26660-26674	4
513	Inkjet-printed unipolar n-type transistors on polymer substrates based on dicyanomethylene-substituted diketopyrrolopyrrole quinoidal compounds. 2018 , 63, 267-275	6
512	Highly proton conductive porous membranes based on polybenzimidazole/ lignin blends for high temperatures proton exchange membranes: Preparation, characterization and morphology- proton conductivity relationship. 2018 , 43, 19681-19690	22
511	Sulfophenylated Terphenylene Copolymer Membranes and Ionomers. 2018 , 11, 4033-4043	24
510	Enhanced proton conductivity and relative selectivity of sulfonated poly(arylene ether ketone sulfone) proton exchange membranes by using triazole-grafted 3-Glycidyloxypropyltrimethoxysilane. 2018 , 291, 49-63	12
509	Hydrogen generation by the hydrolysis of mechanochemically activated aluminum-tin-indium composites in pure water. 2018 , 43, 21398-21413	34
508	Ultrafast vibrational relaxation and energy dissipation of hydrated excess protons in polar solvents. 2018 , 713, 111-116	4
507	Structural and transport phenomena of urocanate-based proton carrier in sulfonated poly(ether ether ketone) membrane composite. 2018 , 56, 1625-1635	4
506	Non-precious nanostructured materials by electrospinning and their applications for oxygen reduction in polymer electrolyte membrane fuel cells. 2018 , 408, 17-27	32
505	High-Performance La _{0.5} Ba _{0.5} Co _{1/3} Mn _{1/3} Fe _{1/3} O ₃ ∕BaZr _{1-x} Y _x O ₃ ∕Cathode Composites via an Exsolution Mechanism for Protonic Ceramic Fuel Cells. 2018 , 6, 83	10
504	Performance mapping of cation exchange membranes for hydrogen-bromine flow batteries for energy storage. <i>Journal of Membrane Science</i> , 2018 , 566, 406-414	9.6 16
503	A novel sPEEK nanocomposite membrane with well-controlled sPOSS aggregation in tunable nanochannels for fast proton conduction. 2018 , 10, 18217-18227	12
502	Sulfonated Polyimide/Ionic Liquid Composite Membranes for CO ₂ Separation: Transport Properties in Relation to Their Nanostructures. 2018 , 51, 7112-7120	31
501	Equilibrium ion partitioning between aqueous salt solutions and inhomogeneous ion exchange membranes. 2018 , 446, 31-41	24

500	End-group cross-linked sulfonated poly(arylene ether sulfone) via thiol-ene click reaction for high-performance proton exchange membrane. 2018 , 401, 20-28		27
499	Relationship between Proton Transport and Morphology of Perfluorosulfonic Acid Membranes: A Reactive Molecular Dynamics Approach. 2018 , 122, 5922-5932		30
498	Analysis of Inkjet Printed Catalyst Coated Membranes for Polymer Electrolyte Electrolyzers. 2018 , 165, F543-F552		13
497	Custom-made sulfonated poly (ether sulfone) nanocomposite proton exchange membranes using exfoliated molybdenum disulfide nanosheets for DMFC applications. 2018 , 147, 48-55		34
496	Oxygen Evolution Catalysts Based on Ir-Ti Mixed Oxides with Templated Mesopore Structure: Impact of Ir on Activity and Conductivity. 2018 , 11, 2367-2374		19
495	Progress and prospects in reverse electrodialysis for salinity gradient energy conversion and storage. 2018 , 225, 290-331		150
494	Morphology of Hydrated Nafion through a Quantitative Cluster Analysis: A Case Study Based on Dissipative Particle Dynamics Simulations. 2018 , 122, 13130-13139		15
493	Permselective SPEEK/Nafion Composite-Coated Separator as a Potential Polysulfide Crossover Barrier Layer for Li-S Batteries. 2018 , 10, 19721-19729		60
492	2.12 Electrolytic Materials. 2018 , 329-367		2
491	Modification of Nafion with silica nanoparticles in supercritical carbon dioxide for electrochemical applications. <i>Journal of Membrane Science</i> , 2018 , 564, 106-114	9.6	11
490	High ionic selectivity of low permeable organic composite membrane with amphiphilic polymer for vanadium redox flow batteries. 2018 , 324, 69-76		31
489	A simple model for the response of an anion-exchange membrane to variation in concentration and pH of bathing solution. <i>Journal of Membrane Science</i> , 2018 , 567, 127-138	9.6	19
488	Phosphonic acid-based membranes as proton conductors prepared by a pulsed plasma enhanced chemical vapor deposition technique. 2018 , 660, 506-515		7
487	Fabrication and Characterization of a Thin, Double-sided Air Breathing Micro Fuel Cell. 2018 , 18, 499-508		4
486	Effect of phosphotungstic acid blending on properties of sulfonated poly(ether ether ketone)/poly(ethylene glycol) crosslinked membranes. 2018 , 135, 46667		4
485	Fuel cells. 2018 , 107-220		7
484	Permselectivity and ion-conductivity of grafted cation-exchange membranes based on UV-oxidized polymethylpenten and sulfonated polystyrene. 2018 , 207, 329-335		30
483	A magnetic resonance and electrochemical study of the role of polymer mobility in supporting hydrogen transport in perfluorosulfonic acid membranes. 2018 , 20, 19098-19109		3

482	Quaternized aryl ether-free polyaromatics for alkaline membrane fuel cells: synthesis, properties, and performance in a topical review. 2018 , 6, 15456-15477		110
481	Poly(arylene alkylene)s with pendant N-spirocyclic quaternary ammonium cations for anion exchange membranes. 2018 , 6, 16537-16547		83
480	Ion Diffusion Coefficients in Ion Exchange Membranes: Significance of Counterion Condensation. 2018 , 51, 5519-5529		73
479	Mesoscale modeling of sulfonated polyimides copolymer membranes: Effect of sequence distributions. <i>Journal of Membrane Science</i> , 2018 , 564, 146-158	9.6	10
478	Biopolymer Electrolytes for Fuel Cell Applications. 2018 , 151-166		10
477	Experimental and modeling study of blended membranes for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2018 , 564, 308-316	9.6	7
476	Polystyrene Foamed with Supercritical CO ₂ as Possible Model System of the Membrane Materials for Flow Batteries. 2018 , 60, 507-514		2
475	Dynamics of Nafion membrane swelling in HO/DO mixtures as studied using FTIR technique. 2018 , 148, 124901		17
474	Electrophoretic fabrication of proton exchange membranes in fuel cells. <i>Journal of Membrane Science</i> , 2018 , 565, 179-185	9.6	4
473	Nanocomposite Proton Exchange Membranes Incorporating Phosphotungstic Acid Anchored on Imidazole-Functionalized Halloysite Nanotubes. 2018 , 165, F951-F958		17
472	Proton Conduction in Tröger's Base-Linked Poly(crown ether)s. 2018 , 10, 25303-25310		16
471	Synthesis and characterization of block copolymer and comparative study with random copolymer via superacid-catalyzed reaction. 2018 , 43, 11862-11871		9
470	An approach to increase the permselectivity and mono-valent ion selectivity of cation-exchange membranes by introduction of amorphous zirconium phosphate nanoparticles. <i>Journal of Membrane Science</i> , 2018 , 563, 777-784	9.6	22
469	A vitamin C fuel cell with a non-bonded cathodic interface. 2018 , 2, 1813-1819		8
468	Resistance and Permselectivity of 3D-Printed Micropatterned Anion-Exchange Membranes. 2019 , 11, 26298-26306		12
467	Fabrication and characterization of supported dual acidic ionic liquids for polymer electrolyte membrane fuel cell applications. 2019 , 12, 1011-1023		7
466	Lyotropic ordering for high proton conductivity in sulfonated semialiphatic polyimide thin films. 2019 , 51, 31-39		10
465	Novel cross-linked membranes based on polybenzimidazole and polymeric ionic liquid with improved proton conductivity for HT-PEMFC applications. 2019 , 95, 185-194		25

464	Preparation and performance of nanoparticle-reinforced chitosan proton-exchange membranes for fuel-cell applications. 2019 , 136, 46904		11
463	Pore size tuning of Nafion membranes by UV irradiation for enhanced proton conductivity for fuel cell applications. 2019 , 44, 23762-23774		18
462	Composite Membranes for High Temperature PEM Fuel Cells and Electrolysers: A Critical Review. 2019 , 9,		68
461	A facile and efficient synthesis of new fluoroalkylsulfonates and the corresponding tetrabutylammonium salts. 2019 , 60, 150966		1
460	Studies and Synthesizes Sulfonylimided Poly(phenylene) Membranes by Super Acid-Catalyzed Reaction for PEMFC. 2019 ,		
459	Molecular Modeling of Structure and Dynamics of Nafion Protonation States. 2019 , 123, 6882-6891		14
458	Functional group configuration influences salt transport in desalination membrane materials. <i>Journal of Membrane Science</i> , 2019 , 590, 117295	9.6	12
457	Non-Fluorinated Polymer Composite Proton Exchange Membranes for Fuel Cell Applications - A Review. 2019 , 20, 2016-2053		31
456	Investigation of an aqueous rechargeable battery consisting of manganese tin redox chemistries for energy storage. 2019 , 437, 226918		8
455	Polyurethane ionomers based on amino ethers of -phosphoric acid.. 2019 , 9, 18599-18608		6
454	Aligned Proton-Conducting Graphene Sheets via Block Copolymer Supramolecular Assembly and Their Application for Highly Transparent Moisture-Sensing Conductive Coating. 2019 , 4, 7523-7531		3
453	Thermally crosslinked sulfonated polybenzimidazole membranes and their performance in high temperature polymer electrolyte fuel cells. <i>Journal of Membrane Science</i> , 2019 , 588, 117218	9.6	24
452	Synthesis and properties of novel poly(arylene ether)s with densely sulfonated units based on carbazole derivative. <i>Journal of Membrane Science</i> , 2019 , 589, 117230	9.6	18
451	Study of Annealed Aquivion Ionomers with the INCA Method □ 2019 , 9,		5
450	Nucleation and Growth of Cavities in Hydrated Nafion Membranes under Tensile Strain: A Molecular Dynamics Study. 2019 , 123, 28958-28968		11
449	Alkaline Anion-Exchange Membrane Fuel Cells: Challenges in Electrocatalysis and Interfacial Charge Transfer. 2019 , 119, 11945-11979		134
448	Investigating the influence of the side-chain pendants of perfluorosulfonic acid membranes in a PEMFC by molecular dynamics simulations. 2019 , 21, 100625		14
447	Serum circSETDB1 is a promising biomarker for predicting response to platinum-taxane-combined chemotherapy and relapse in high-grade serous ovarian cancer. 2019 , 12, 7451-7457		28

- 446 Compositional Engineering of LaBaCoO-(1-x) BaZrYO (x = 0.6, 0.7, 0.8 and x = 0.5, 0.6, 0.7) Nanocomposite Cathodes for Protonic Ceramic Fuel Cells. **2019**, 12, 2
- 445 Scaling limit of the local time of the reflected (1,2)-random walk. **2019**, 155, 108578
- 444 Localized Electrochemical Impedance Measurements on Nafion Membranes: Observation and Analysis of Spatially Diverse Proton Transport Using Atomic Force Microscopy. **2019**, 91, 11678-11686 7
- 443 Selective ion transport through hydrated cation and anion exchange membranes I. The effect of specific interactions. *Journal of Membrane Science*, **2019**, 592, 117372 9.6 27
- 442 Comprehensive Picture of Water Dynamics in Nafion Membranes at Different Levels of Hydration. **2019**, 123, 8313-8324 14
- 441 Nanocomposite membrane electrolyte of polyaminobenzene sulfonic acid grafted single walled carbon nanotubes with sulfonated polyether ether ketone for direct methanol fuel cell. **2019**, 44, 27564-27574¹³
- 440 Effect of Bromine Complexing Agents on Membrane Performance in Hydrogen Bromine Flow Batteries. **2019**, 166, A3004-A3010 11
- 439 Carbon Nanocomposite Membrane Electrolytes for Direct Methanol Fuel Cells-A Concise Review. **2019**, 9, 24
- 438 Preparation and Properties of Hybrid Silane-crosslinked Sulfonated Poly(aryl ether ketone)s as Proton Exchange Membranes. **2019**, 35, 937-944 1
- 437 Anisotropic Proton Conductivity of Poly(aspartic acid) Thin Films. **2019**, 17, 953-958 1
- 436 Polyoxometalate-Polymer Hybrid Materials as Proton Exchange Membranes for Fuel Cell Applications. **2019**, 24, 28
- 435 Molecular dynamics simulations of microstructure and transport properties of sulfonated poly-p-phenoxybenzoyl-1,4-phenylene membrane and their comparisons to sulfonated poly(ether ether ketone) membrane. **2019**, 21, 100642
- 434 Experimental parameter uncertainty in proton exchange membrane fuel cell modeling. Part I: Scatter in material parameterization. **2019**, 438, 227018 14
- 433 External reinforcement of hydrocarbon membranes by a three-dimensional interlocking interface for mechanically durable polymer electrolyte membrane fuel cells. **2019**, 415, 44-49 7
- 432 Introducing planar hydrophobic groups into an alkyl-sulfonated rigid polyimide and how this affects morphology and proton conductivity. **2019**, 300, 333-340 7
- 431 Composite Membranes of PVDF Nanofibers Impregnated with Nafion for Increased Fuel Concentrations in Direct Methanol Fuel Cells. **2019**, 19, 43-50 9
- 430 Bisphenol A based carbon-carbon coupled poly(arylene)s from dibenzoyl-dichlorobenzene via Ni(II) catalyzed and condensation polymerization for PEMFC. **2019**, 44, 21090-21100 2
- 429 Multiblock copolymers of sulfonated PSU/PPSU Poly(ether sulfone)s as solid electrolytes for proton exchange membrane fuel cells. **2019**, 302, 428-440 12

428	Silver Nanoparticles and Its Polymer Nanocomposites Synthesis, Optimization, Biomedical Usage, and Its Various Applications. 2019 , 331-373		14
427	Polymer Nanocomposites in Biomedical Engineering. 2019 ,		7
426	Using neutron methods SANS and PGAA to study evolution of structure and composition of alkali-doped polybenzimidazole membranes. <i>Journal of Membrane Science</i> , 2019 , 577, 12-19	9.6	12
425	Proton transfer in hydrogen-bonded degenerate systems of water and ammonia in metal-organic frameworks. 2019 , 10, 16-33		147
424	Protonic Conduction of Partially-Substituted CsH ₂ PO ₄ and the Applicability in Electrochemical Devices. 2019 , 9,		6
423	Non-invasive macroscopic and molecular quantification of water in Nafion [®] and SPEEK Proton Exchange Membranes using terahertz spectroscopy. <i>Journal of Membrane Science</i> , 2019 , 588, 117183	9.6	2
422	Gyroid structured aqua-sheets with sub-nanometer thickness enabling 3D fast proton relay conduction. 2019 , 10, 6245-6253		24
421	Physicochemical properties of Aquivion/fluorine grafted sepiolite electrolyte membranes for use in PEMFC. 2019 , 319, 933-946		8
420	SPEEK-based proton exchange membranes modified with MOF-encapsulated ionic liquid. 2019 , 236, 121792		26
419	New Materials and Flow Field Design for Middle-Temperature Direct Methanol Fuel Cell with Low Cathode Pressure. 2019 , 19, 256-267		0
418	Comprehensive analytical model for polarization curve of a PEM fuel cell and experimental validation. 2019 , 206, 96-117		8
417	Conduction and Excess Charge in Silicate Glass/Air Interfaces. 2019 , 35, 7703-7712		5
416	Research trends in proton exchange membrane fuel cells during 2008-2018: A bibliometric analysis. 2019 , 5, e01724		26
415	Effects of covalent bond interactions on properties of polyimide grafting sulfonated polyvinyl alcohol proton exchange membrane for vanadium redox flow battery applications. 2019 , 433, 126680		27
414	Multiscale water dynamics in model Anion Exchange Membranes for Alkaline Membrane Fuel Cells. <i>Journal of Membrane Science</i> , 2019 , 586, 240-247	9.6	6
413	Advanced Porous Membranes with Tunable Morphology Regulated by Ionic Strength of Nonsolvent for Flow Battery. 2019 , 11, 24107-24113		27
412	In-plane distribution of water inside Nafion [®] thin film analyzed by neutron reflectivity at temperature of 80 °C and relative humidity of 30%-80% based on 4-layered structural model. 2019 , 58, SIID01		13
411	Poly(ether ketone) composite membranes by electrospinning for fuel cell applications. 2019 , 434, 226733		10

410	Sulfonated polysulfone proton exchange membrane influenced by a varied sulfonation degree for vanadium redox flow battery. <i>Journal of Membrane Science</i> , 2019 , 584, 173-180	9.6	42
409	Effects of water nanochannel diameter on proton transport in proton-exchange membranes. 2019 , 57, 867-878		15
408	Fabrication and characterization of sulfonated polybenzimidazole/sulfonated imidized graphene oxide hybrid membranes for high temperature proton exchange membrane fuel cells. 2019 , 136, 47892		21
407	Sulfonated poly(ether ether ketone) membrane for quinone-based organic flow batteries. <i>Journal of Membrane Science</i> , 2019 , 584, 246-253	9.6	13
406	A Novel Method for Humidity-Dependent Through-Plane Impedance Measurement for Proton Conducting Polymer Membranes. 2019 , 9,		4
405	Correlated interfacial water transport and proton conductivity in perfluorosulfonic acid membranes. 2019 , 116, 8715-8720		25
404	Hydrated Excess Protons in Acetonitrile/Water Mixtures: Solvation Species and Ultrafast Proton Motions. 2019 , 10, 2287-2294		15
403	Structure-Property Relationships in Hybrid Cellulose Nanofibrils/Nafion-Based Ionic Polymer-Metal Composites. 2019 , 12,		10
402	Ni nanoparticles supported on carbon nanosheets with tunable N doping content for hydrogen oxidation reaction. 2019 , 728, 19-24		8
401	Identifying Different Adsorption States of Methanol on ZnO(101 0): A Scanning Tunneling Microscopy and Density Functional Theory Study. 2019 , 123, 9105-9111		5
400	Phosphoric Acid Diethylmethylammonium Trifluoromethanesulfonate-Based Electrolytes for Nonhumidified Intermediate Temperature Fuel Cells. 2019 , 11, 13761-13767		4
399	Dealloyed PtNi-CoreShell Nanocatalysts Enable Significant Lowering of Pt Electrode Content in Direct Methanol Fuel Cells. 2019 , 9, 3764-3772		42
398	Synthesis and Characterization of Phenolphthalein-Containing Sulfonated Poly(arylene ether phosphine oxide)s by Direct Polycondensation for Proton Exchange Membrane. 2019 , 57, 1097-1104		5
397	Novel proton exchange membranes based on PVC for microbial fuel cells (MFCs). 2019 , 39, 360-367		6
396	Atomically Thin Metal Films on Foreign Substrates: From Lattice Mismatch to Electrocatalytic Activity. 2019 , 9, 3467-3481		20
395	Effect of counter ions on physical properties of imidazole-based proton conductors. 2019 , 306, 575-589		8
394	An aqueous manganese-copper battery for large-scale energy storage applications. 2019 , 423, 203-210		27
393	A Comparative Study on Physiochemical, Thermomechanical, and Electrochemical Properties of Sulfonated Poly(Ether Ether Ketone) Block Copolymer Membranes with and without Fe O Nanoparticles. 2019 , 11,		11

392	Carbon-Coated and Interfacial-Functionalized Mixed-Phase Mo Ti O Nanotubes as Highly Active and Durable PtRu Catalyst Support for Methanol Electrooxidation. 2019 , 14, 1549-1556	2
391	Anodic Oxidation of Butan-1-ol on Reduced Graphene Oxide-Supported Pd-Ag Nanoalloy for Fuel Cell Application. 2019 , 4, 4658-4670	13
390	Hybrid inorganic-organic proton-conducting membranes based on SPEEK doped with WO ₃ nanoparticles for application in vanadium redox flow batteries. 2019 , 309, 311-325	79
389	Synthesis of nickel catalyzed sulfonated poly (phenylenebenzophenone)s from primarily sulfonated monomer for proton exchange membranes. 2019 , 44, 11311-11320	8
388	Sulfo-Phenylated Polyphenylenes Containing Sterically Hindered Pyridines. 2019 , 52, 2548-2559	17
387	Targeted filling of silica in Nafion by a modified in situ sol-gel method for enhanced fuel cell performance at elevated temperatures and low humidity. 2019 , 55, 5499-5502	15
386	Structure and proton conduction in sulfonated poly(ether ether ketone) semi-permeable membranes: a multi-scale computational approach. 2019 , 21, 9362-9375	2
385	Sulfonation of blocky brominated PEEK to prepare hydrophilic-hydrophobic blocky copolymers for efficient proton conduction. 2019 , 336, 47-56	5
384	Preparation of polymer electrolyte membranes based on poly(phenylene oxide) with different side chain lengths of phosphonic acid. 2019 , 57, 1180-1188	10
383	Nanomaterial-incorporated sulfonated poly(ether ether ketone) (SPEEK) based proton-conducting membranes: properties and applications. 2019 , 227-252	0
382	Evolution of the Interfacial Structure of a Catalyst Ink with the Quality of the Dispersing Solvent: A Contrast Variation Small-Angle and Ultrasmall-Angle Neutron Scattering Investigation. 2019 , 11, 9934-9946	35
381	Biomimetic Polyelectrolytes Based on Polymer Nanosheet Films and Their Proton Conduction Mechanism. 2019 , 35, 3302-3307	7
380	Confinement of functionalized graphene oxide in sulfonated poly (ether ether ketone) nanofibers by coaxial electrospinning for polymer electrolyte membranes. 2019 , 44, 7494-7504	17
379	Pendant dual-sulfonated poly(arylene ether ketone) multi-block copolymer membranes for enhanced proton conductivity at reduced water swelling. <i>Journal of Membrane Science</i> , 2019 , 578, 103-110	14
378	High Dimensional Stability and Alcohol Resistance Aromatic Poly(aryl ether ketone) Polyelectrolyte Membrane Synthesis and Characterization. 2019 , 2, 1646-1656	19
377	Sublayered Structures of Hydrated Nafion [®] Thin Film Formed by Casting on Pt Substrate Analyzed by X-ray Absorption Spectroscopy under Ambient Conditions and Neutron Reflectometry at Temperature of 80°C and Relative Humidity of 30-80%. 2019 , 87, 270-275	12
376	Study of the luminescence from polymeric membrane swollen in water with various content of deuterium; isotopic effects. 2019 , 1348, 012030	1
375	The research of time dependence polymeric membrane swelling in water with various deuterium content. 2019 , 1348, 012035	

374	The modification of PETF-membranes by Langmuir-Blodgett films of Nafion. 2019 , 699, 012029		
373	Fluorocarbon-Based Ionomers with Single Acid and Multiacid Side Chains at Nanothin Interfaces. 2019 , 123, 30871-30884		10
372	Highly proton conductive membranes based on carboxylated cellulose nanofibres and their performance in proton exchange membrane fuel cells. 2019 , 7, 25032-25039		19
371	Achieving efficient and inexpensive vanadium flow battery by combining CexZr1-xO2 electrocatalyst and hydrocarbon membrane. 2019 , 356, 622-631		104
370	Modification of Nafion membrane by polyaniline providing uniform polymer distribution throughout the membrane. 2019 , 297, 423-432		6
369	Investigation, modeling, and optimization of parameters affecting sulfonated polyether ether ketone membrane-electrode assembly. 2019 , 44, 1096-1109		14
368	Modelling of Ion Transport in Electromembrane Systems: Impacts of Membrane Bulk and Surface Heterogeneity. 2019 , 9, 25		25
367	Water content, relative permittivity, and ion sorption properties of polymers for membrane desalination. <i>Journal of Membrane Science</i> , 2019 , 574, 24-32	9.6	20
366	Nanocomposite proton exchange membranes based on phosphotungstic acid immobilized by polydopamine-coated halloysite nanotubes. 2019 , 73, 242-249		22
365	Recent advances in additive-enhanced polymer electrolyte membrane properties in fuel cell applications: An overview. 2019 , 43, 2756-2794		75
364	Ultrafast methanol sensing properties of nano-spindle like In2O3 hierarchical structures with oxygen vacancies. 2019 , 45, 7295-7301		11
363	Impact of Hydration and Sulfonation on the Morphology and Ionic Conductivity of Sulfonated Poly(phenylene) Proton Exchange Membranes. 2019 , 52, 857-876		37
362	Effect of aminated nanocrystal cellulose on proton conductivity and dimensional stability of proton exchange membranes. 2019 , 466, 691-702		33
361	Pt decorated Ti3C2 MXene for enhanced methanol oxidation reaction. 2019 , 45, 2411-2417		38
360	Fabrication of blend polymer electrolyte membrane with poly (amide imide)-sulfonated poly (ether ether ketone) for microbial fuel cell. 2019 , 6, 025519		3
359	Blend proton exchange membranes with high performance based on sulfonated poly(arylene ether phosphine oxide)s and poly(vinylidene fluoride). 2019 , 54, 5176-5186		4
358	A facile synthesis of graphene nanoribbon-quantum dot hybrids and their application for composite electrolyte membrane in direct methanol fuel cells. 2019 , 297, 267-280		40
357	Anion exchange membrane prepared from imidazolium grafted poly(arylene ether ketone) with enhanced durability for vanadium redox flow battery. 2019 , 71, 361-368		15

356	Semi-interpenetrating polymer networks toward sulfonated poly(ether ether ketone) membranes for high concentration direct methanol fuel cell. 2019 , 30, 299-304		15
355	Proton Exchange Membrane Fuel Cells: High-Temperature, Low-Humidity Operation. 2019 , 455-476		
354	Nano-ordered aromatic/alicyclic polybenzimidazole blend membranes. 2020 , 146, 104312		2
353	Covalent grafting of polystyrene sulfonic acid on graphene oxide nanoplatelets to form a composite membrane electrolyte with sulfonated poly(ether ether ketone) for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2020 , 595, 117484	9.6	19
352	Current Scenario of Poly (2,5-Benzimidazole) (ABPBI) as Prospective PEM for Application in HT-PEMFC. 2020 , 60, 267-317		16
351	Dielectric Permittivity Properties of Hydrated Polymers: Measurement and Connection to Ion Transport Properties. 2020 , 59, 5205-5217		9
350	Branched poly(biphenylene-co-sulfone)ether ion exchange membranes containing perfluorocyclobutane groups for fuel cell applications. 2020 , 137, 48373		1
349	Hydroxide ion conducting polymer electrolytes and their applications in solid supercapacitors: A review. 2020 , 24, 6-21		61
348	Recent advances in membrane technologies for hydrogen purification. 2020 , 45, 7313-7338		72
347	Proton conductivity of PCMOF2 in different temperatures and external electric fields: an insight from molecular dynamics simulation. 2020 , 22, 100741		
346	Isotope Effect on Diffusion in Nafion Studied by NMR Diffusometry. 2020 , 51, 145-153		3
345	Sulfonated polyaryletherketone with pendant benzimidazole groups for proton exchange membranes. <i>Journal of Membrane Science</i> , 2020 , 597, 117626	9.6	8
344	A mesh-free method for interface problems using the deep learning approach. 2020 , 400, 108963		15
343	Planar polymer electrolyte membrane fuel cells: powering portable devices from hydrogen. 2020 , 4, 439-468		21
342	Cross-correlated humidity-dependent structural evolution of Nafion thin films confined on a platinum substrate. 2020 , 16, 1190-1200		13
341	Ion mobility and partition determine the counter-ion selectivity of ion exchange membranes. <i>Journal of Membrane Science</i> , 2020 , 597, 117645	9.6	21
340	Charge delocalization effects on Nafion structure and water /proton dynamics in hydrated environments. 2020 , 504, 112340		0
339	Nafion Ionomer Dispersion in Mixtures of 1-Propanol and Water Based on the Martini Coarse-Grained Model. 2020 , 58, 487-499		11

- 338 In situ long-term membrane performance evaluation of hydrogen-bromine flow batteries. **2020**, 27, 101068 8
- 337 Transport and Morphology of a Proton Exchange Membrane Based on a Doubly Functionalized Perfluorosulfonic Imide Side Chain Perfluorinated Polymer. **2020**, 32, 38-59 16
- 336 Development of multi-well-based electrochemical dissolved oxygen sensor array. **2020**, 306, 127465 6
- 335 Side Chain Engineering of Sulfonated Poly(arylene ether)s for Proton Exchange Membranes. **2020**, 38, 644-652 5
- 334 Sulfonated poly(ether ether ketone)/polyimide acid-base hybrid membranes for vanadium redox flow battery applications. **2020**, 26, 2467-2475 9
- 333 Self-standing Substrates. **2020**, 1 1
- 332 Perfluorosulfonyl Imide versus Perfluorosulfonic Acid Ionomers in Proton-Exchange Membrane Fuel Cells at Low Relative Humidity. **2020**, 13, 590-600 4
- 331 Detrimental effect of Ce⁴⁺ ion on the Pt/C catalyst in polymer electrolyte membrane fuel cells. **2020**, 448, 227447 3
- 330 Simple and Effective Cross-Linking Technology for the Preparation of Cross-Linked Membranes Composed of Highly Sulfonated Poly(ether ether ketone) and Poly(arylene ether sulfone) for Fuel Cell Applications. **2020**, 3, 10495-10505 10
- 329 100th Anniversary of Macromolecular Science Viewpoint: Block Copolymers with Tethered Acid Groups: Challenges and Opportunities. **2020**, 9, 1527-1541 7
- 328 Sulfonated poly(fluorenyl ether ketone)/Sulfonated Zirconium phosphate Nanocomposite membranes for proton exchange membrane fuel cells. **2020**, 3, 498-507 22
- 327 Interaction of Several Toxic Heterocarbonyl Gases with Polypyrrole as a Potential Gas Sensor. **2020**, 8, 84 3
- 326 Transition between Different Diffusion Regimes and Its Relationship with Structural Properties in Nafion by High Field Diffusion NMR in Combination with Small-Angle X-ray and Neutron Scattering. **2020**, 124, 8943-8950 1
- 325 Electrocatalytic water splitting using organic polymer materials-based hybrid catalysts. **2020**, 45, 562-568 4
- 324 The role of excited states in deciphering molecules and materials: time-resolved electronic spectroscopic studies. **2020**, 521-562
- 323 Non-precious nickel-based catalysts for hydrogen oxidation reaction in alkaline electrolyte. **2020**, 121, 106871 4
- 322 A Review of Proton Conductivity in Cellulosic Materials. **2020**, 8, 6
- 321 Effects of the Chemical Treatment on the Physical-Chemical and Electrochemical Properties of the Commercial Nafion[®] NR212 Membrane. **2020**, 13, 3

320	Techno-Economic Analysis of a Kilo-Watt Scale Hydrogen-Bromine Flow Battery System for Sustainable Energy Storage. 2020 , 8, 1492	8
319	Functionalized Single-Walled Carbon Nanohorns to Reinforce Sulfonated Poly(ether ether ketone) Electrolyte for Direct Methanol Fuel Cells. 2020 , 7, 3632-3636	1
318	Methanol and proton transport through chitosan-phosphotungstic acid membranes for direct methanol fuel cell. 2020 , 44, 11550-11563	4
317	Cross-Linked SPEEK/PEGAPTEOS-Modified CaTiO ₃ Perovskites for Efficient AcidBase Cation-Exchange Membrane Fuel Cell. 2020 , 34, 10087-10099	11
316	Water Management of PEM Fuel Cell Systems Based on the Humidity Distribution in the Anode Gas Channels. 2020 , 20, 477-486	5
315	Microwave-assisted solvothermal preparation of Zr-BDC for modification of proton exchange membranes made of SPEEK/PBI blends. 2020 , 55, 14938-14952	6
314	Flexible blend polymer electrolyte membranes with excellent conductivity for fuel cells. 2020 , 45, 27611-27621	5
313	Titanium Dioxide Grafted on Graphene Oxide: Hybrid Nanofiller for Effective and Low-Cost Proton Exchange Membranes. 2020 , 10,	5
312	Biogas-based fuels as renewable energy in the transport sector: an overview of the potential of using CBG, LBG and other vehicle fuels produced from biogas. 2020 , 1-13	12
311	CdPS nanosheets-based membrane with high proton conductivity enabled by Cd vacancies. 2020 , 370, 596-600	36
310	Glassy polymers: Historical findings, membrane applications, and unresolved questions regarding physical aging. 2020 , 211, 123176	18
309	Sulfonated poly(fluorene ether ketone) (SPFEK)/Zirconium phosphate (ZrP) nanocomposite membranes for fuel cell applications. 2020 , 3, 546-550	14
308	Ionomers From Kraft Lignin for Renewable Energy Applications. 2020 , 8, 690	4
307	Structural features of proton-conducting metal organic and covalent organic frameworks. 2020 , 22, 6425-6443	12
306	Synthesis and Characterization of Anion-Exchange Membranes Using Semicrystalline Triblock Copolymers in Ordered and Disordered States. 2020 , 53, 8548-8561	5
305	Highly selective sulfonated poly(ether ether ketone)/polyvinylpyrrolidone hybrid membranes for vanadium redox flow batteries. 2020 , 55, 16822-16835	7
304	Multi-phenyl structured aromatic hydrocarbon polymer. 2020 , 55, 139-146	
303	Sulfonic Group-Functionalized Graphene Oxide-Filled Self-Cross-Linked Sulfonated Poly(ether ether ketone) Membranes with Excellent Mechanical Property and Selectivity. 2020 , 34, 11429-11437	4

302	Synthesis and characterization of heteropolyacid (H3PW12O40) embedded poly (vinyl alcohol)-g-acrylamide copolymeric membranes and their evaluation for proton exchange membrane fuel cells. 2020 , 3, 846-852	1
301	Optical Sensing and Imaging of pH Values: Spectroscopies, Materials, and Applications. 2020 , 120, 12357-12489	13
300	Sol-gel route: An original strategy to chemically stabilize proton exchange membranes for fuel cell. 2020 , 462, 228164	3
299	Recent advances in the synthesis of imidazoles. 2020 , 18, 3950-3964	25
298	Ab initio studies of the effect of the fluorination on deprotonation reaction of the benzene sulfonic acid. 2020 , 26, 127	0
297	Synthesis and characterization of sulfonated poly(ether ether ketone)/zinc cobalt oxide composite membranes for fuel cell applications. 2020 , 32, 984-991	2
296	Recent Progress in the Development of Aromatic Polymer-Based Proton Exchange Membranes for Fuel Cell Applications. 2020 , 12,	27
295	Bio-analogue L-lysine lined arrangement on nanofibers with superior proton-conduction for proton exchange membrane. 2020 , 348, 115289	5
294	Tailoring the Proton Conductivity and Microstructure of Block Copolymers by Counter-cation-Selective Membrane Fabrication. 2020 , 124, 13071-13081	2
293	Proton Transport in Metal-Organic Frameworks. 2020 , 120, 8416-8467	173
292	Transport Properties and Mechanical Features of Sulfonated Polyether Ether Ketone/Organosilica Layered Materials Nanocomposite Membranes for Fuel Cell Applications. 2020 , 10,	10
291	Influence of water content on alkali metal chloride transport in cross-linked Poly(ethylene glycol) diacrylate.2. Ion diffusion. 2020 , 192, 122316	11
290	Optimal thermal treatment conditions for durability improvement of highly sulfonated poly(ether ether ketone) membrane for polymer electrolyte fuel cell applications. 2020 , 45, 13441-13458	14
289	Anhydrous Purely Organic Solid-State Proton Conductors: Effects of Molecular Dynamics on the Proton Conductivity of Imidazolium Hydrogen Dicarboxylates. 2020 , 89, 051008	5
288	Vanadium Redox Flow Batteries. 2020 , 1-33	3
287	Silica based hybrid organic-inorganic materials for PEMFC application. 2020 , 45, 16698-16707	1
286	Chemically Stable Sulfonated Polytriazoles Containing Trifluoromethyl and Phosphine Oxide Moieties for Proton Exchange Membranes. 2020 , 2, 2967-2979	15
285	The genuine ac-to-dc proton conductivity crossover of nafion and polymer dielectric relaxations as a fuel cell polarization loss. 2020 , 871, 114357	1

284	Highly-performing and low-cost nanostructured membranes based on Polysulfone and layered doubled hydroxide for high-temperature proton exchange membrane fuel cells. 2020 , 471, 228440	14
283	SPEEK-Tin dioxide proton conducting membranes: Effect of modifying agent of tin dioxide particles surface. 2020 , 137, 49507	2
282	Synthesis and applicability study of novel poly(dopamine)-modified carbon nanotubes based polymer electrolyte membranes for direct methanol fuel cell. 2020 , 8, 104118	16
281	Synthesis and structural properties of sulfonated poly ether ether ketone (SPEEK) and Poly ether ether ketone (PEEK). 2020 ,	2
280	Sulfonated co-poly(ether imide)s with alkyne groups: Fabrication of crosslinked membranes and studies on PEM properties including MFC performance. 2020 , 60, 2097-2110	2
279	Ultra-low vanadium ion permeable electrolyte membrane for vanadium redox flow battery by pore filling of PTFE substrate. 2020 , 31, 105-114	16
278	Elucidating the Proton Transport Pathways in Liquid Imidazole with First-Principles Molecular Dynamics. 2020 , 11, 6156-6163	8
277	Sulfonated polyethersulfone/polyetheretherketone blend as high performing and cost-effective electrolyte membrane for direct methanol fuel cells. 2020 , 159, 336-345	10
276	Biofunctionalized nanofiber hybrid proton exchange membrane based on acid-base ion-nanochannels with superior proton conductivity. 2020 , 452, 227839	14
275	All-Hydrocarbon MEA for PEM Water Electrolysis Combining Low Hydrogen Crossover and High Efficiency. 2020 , 10, 1903995	42
274	Membrane materials for energy production and storage. 2020 , 92, 1147-1157	18
273	Nanoporous thin films in optical waveguide spectroscopy for chemical analytics. 2020 , 412, 3299-3315	6
272	Progress on highly proton-conductive polymer thin films with organized structure and molecularly oriented structure. 2020 , 21, 79-91	17
271	Electronic and Optical Properties of Polypyrrole as a Toxic Carbonyl Gas Sensor. 2020 , 163-179	
270	Enhancement of service life of polymer electrolyte fuel cells through application of nanodispersed ionomer. 2020 , 6, eaaw0870	25
269	Characterization of MK-40 Membrane Modified by Layers of Cation Exchange and Anion Exchange Polyelectrolytes. 2020 , 10,	10
268	Modification of PPy-NW Anode by Carbon Dots for High-performance Mini-microbial Fuel Cells. 2020 , 20, 203-211	5
267	Composite Polymers Development and Application for Polymer Electrolyte Membrane Technologies-A Review. 2020 , 25,	26

266	Nafion-based cation-exchange membranes for direct methanol fuel cells. 2020 , 13-36		1
265	Advanced carbon nanocomposite membrane electrolytes for direct methanol fuel-cell applications. 2020 , 107-134		
264	Electrochemistry, reaction mechanisms, and reaction kinetics in direct methanol fuel cells. 2020 , 443-494		3
263	Sulfonated Poly(ether sulfone) based sulfonated molybdenum sulfide composite membranes and their applications in salt removal and alkali recovery. <i>Journal of Membrane Science</i> , 2020 , 603, 118043	9.6	8
262	Non-destructive fabrication of Nafion/silica composite membrane via swelling-filling modification strategy for high temperature and low humidity PEM fuel cell. 2020 , 153, 935-939		25
261	Robust sulfonated poly (ether ether ketone) nanochannels for high-performance osmotic energy conversion. 2020 , 7, 1349-1359		35
260	Fabrication of electrospun sulfonated poly(ether sulfone) nanofibers with amino modified SiO ₂ nanosphere for optimization of nanochannels in proton exchange membrane. 2020 , 349, 115300		16
259	Facilitating Proton Transport with Enhanced Water Conservation Membranes for Direct Methanol Fuel Cells. 2020 , 8, 5880-5890		11
258	Low temperature electrochemical production of hydrogen using membranes. 2020 , 171-202		
257	Nanostructured graphene materials utilization in fuel cells and batteries: A review. 2020 , 29, 101386		22
256	Barrier properties of sulfonated polysulfone/layered double hydroxides nanocomposite membrane for direct methanol fuel cell operating at high methanol concentrations. 2020 , 45, 20647-20658		22
255	Conductivity, permeability, and stability properties of chemically tailored poly(phenylene oxide) membranes for Li ⁺ conductive non-aqueous redox flow battery separators. 2020 , 460, 228107		12
254	Methanol crossover reduction and power enhancement of methanol fuel cells with polyvinyl alcohol coated Nafion membranes. 2021 , 35, 344-351		3
253	Stabilizing phosphotungstic acid in Nafion membrane via targeted silica fixation for high-temperature fuel cell application. 2021 , 46, 4301-4308		3
252	Preparation of sulfonated polyimide/polyvinyl alcohol composite membrane for vanadium redox flow battery applications. 2021 , 78, 4183-4204		3
251	Carbon nanotube, graphene oxide and montmorillonite as conductive fillers in polymer electrolyte membrane for fuel cell: an overview. 2021 , 45, 1309-1346		14
250	Effective ion mobility in anion exchange ionomers: Relations with hydration, porosity, tortuosity, and percolation. <i>Journal of Membrane Science</i> , 2021 , 617, 118622	9.6	12
249	Structure and properties of sulfonated poly(arylene ether)s with densely sulfonated segments containing mono-, di- and tri-tetraphenylmethane as proton exchange membrane. <i>Journal of Membrane Science</i> , 2021 , 620, 118856	9.6	9

248	High methanol resistant polyelectrolyte membrane based on semi-crystalline Poly(ether ketone) with densely sulfonated side chain for direct methanol fuel cell. 2021 , 482, 228982	5
247	Sulfonated aromatic polymer as a future proton exchange membrane: A review of sulfonation and crosslinking methods. 2021 , 137, 110471	21
246	Overcoming undesired fuel crossover: Goals of methanol-resistant modification of polymer electrolyte membranes. 2021 , 138, 110660	11
245	Nanofiber hybrid membranes: progress and application in proton exchange membranes. 2021 , 9, 3729-3766	17
244	Reinforced Polymer Blend Membranes with Liposome-Like Morphology for Polymer Electrolyte Membrane Fuel Cells Operating under Low-Humidity Conditions. 2021 , 23, 2001174	1
243	Gyroid nanostructured soft membranes formed by controlling the degree of crosslinking polymerization of bicontinuous cubic liquid-crystalline monomers. 2021 , 53, 463-470	5
242	Two-dimensional material separation membranes for renewable energy purification, storage, and conversion. 2021 , 6, 193-211	19
241	On the evolution of sulfonated polyphenylenes as proton exchange membranes for fuel cells. 2021 , 2, 4966-5005	13
240	Defect Chemistry and Hydrogen Transport in La/Sr-Based Oxyhydrides. 2021 , 125, 2250-2256	1
239	Simple practical method for synthesis of trisubstituted imidazoles: an efficient copper catalyzed multicomponent reaction.. 2021 , 11, 21955-21963	2
238	Defining sulfonation limits of poly(ether-ether-ketone) for energy-efficient dehumidification. 2021 , 9, 17740-17748	1
237	Self-diffusion micromechanism in Nafion studied by H NMR relaxation dispersion. 2021 , 154, 034904	4
236	Diffusivity and free anion concentration of ionic liquid composite polybenzimidazole membranes.. 2021 , 11, 26379-26390	1
235	Three-Dimensional Fine Structure of Nanometer-Scale Nafion Thin Films. 2021 , 3, 1078-1086	3
234	Proton Conductivity in {Mo ₇₂ Fe ₃₀ }-Type Keplerate. 2021 , 2021, 734-739	1
233	Separator Design Variables and Recommended Characterization Methods for Viable Lithium Sulfur Batteries. 2021 , 6, 2001136	10
232	Co-tri MOF-impregnated Aquivion [®] composites as proton exchange membranes for fuel cell applications. 2021 , 27, 1653-1666	3
231	Polymer Electrolytes with High Ionic Concentration for Fuel Cells and Electrolyzers. 2021 , 3, 1250-1270	28

230	Proton Conductive Membranes from Covalently Cross-Linked Poly(Acrylate)/Silica Interpenetrating Networks. 2021 , 306, 2000776		
229	High-Performance Fuel Cell Operable at 120 °C Using Polyphenylene Ionomer Membranes with Improved Interfacial Compatibility. 2021 , 13, 15366-15372		8
228	Exploring the Structure-Performance Relationship of Sulfonated Polysulfone Proton Exchange Membrane by a Combined Computational and Experimental Approach. 2021 , 13,		3
227	Optimal method for preparing sulfonated polyaryletherketones with high ion exchange capacity by acid-catalyzed crosslinking for proton exchange membrane fuel cells. 2021 , 59, 706-720		0
226	Acetobacter Biofilm: Electronic Characterization and Reactive Transduction of Pressure. 2021 , 7, 1651-1662		3
225	Polyaryletherketone in energy conversion and storage devices is a highly tailorable material with versatile properties. 2021 , 70, 1026		0
224	Effect of Increased Ionic Liquid Uptake via Thermal Annealing on Mechanical Properties of Polyimide-Poly(ethylene glycol) Segmented Block Copolymer Membranes. 2021 , 26,		0
223	Structure-Property Relationships in Single-Ion Conducting Multiblock Copolymers: A Phase Diagram and Ionic Conductivities. 2021 , 54, 4269-4279		7
222	On-demand hydrogen generation by the hydrolysis of ball-milled aluminum composites: A process overview. 2021 , 46, 35790-35790		9
221	Cycle behaviour of hydrogen bromine redox flow battery cells with bromine complexing agents. 2021 , 495, 229820		6
220	Polybenzimidazoles as proton exchange membrane in fuel cell applications. 095400832110142		0
219	Preparation of Perfluorosulfonated Ionomer Nanofibers by Solution Blow Spinning. 2021 , 11,		2
218	Towards performance improved anion exchange membrane: Cross-linking with multi-cations oligomer modified graphene oxide. 2021 , 46, 23855-23855		5
217	Model of confined water self-diffusion and its application to proton-exchange membranes. 2021 , 27, 2717-2721		1
216	Low-cost wire-electrospun sulfonated poly(ether ether ketone)/poly(vinylidene fluoride) blend membranes for hydrogen-bromine flow batteries. <i>Journal of Membrane Science</i> , 2021 , 628, 119258	9.6	1
215	Wire based electrospun composite short side chain perfluorosulfonic acid/polyvinylidene fluoride membranes for hydrogen-bromine flow batteries. 2021 , 497, 229812		0
214	Porous polypropylene membrane for CO ₂ electro-reduction in organic medium. 2021 , 27, 3639-3645		0
213	Sulfonated poly(ether ether ketone) reinforced with polystyrene sulfonic acid functionalized micelle templated mesoporous MCM-41 for direct methanol fuel cells. 2021 , 46, 20640-20649		3

212	Investigation on sulphonated zinc oxide nanorod incorporated sulphonated poly (1,4-phenylene ether ether sulfone) nanocomposite membranes for improved performance of microbial fuel cell. 2021 , 46, 22134-22148		4
211	Energy related ion transports in coordination polymers.		1
210	A Chemistry and Microstructure Perspective on Ion-Conducting Membranes for Redox Flow Batteries. 2021 , 60, 24770-24798		10
209	A Chemistry and Microstructure Perspective on Ion-Conducting Membranes for Redox Flow Batteries. 2021 , 133, 24974		0
208	Composite polymer electrolyte membrane decorated with porous titanium oxide nanotubes for fuel cell operating under low relative humidity. 2021 , 384, 138407		3
207	Improved proton conduction of sulfonated poly (ether ether ketone) membrane by sulfonated covalent organic framework nanosheets. 2021 , 46, 26550-26559		2
206	Role of UV irradiated Nafion in power enhancement of hydrogen fuel cells. 2021 , 46, 25596-25607		2
205	Combining Manning's theory and the ionic conductivity experimental approach to characterize selectivity of cation exchange membranes. <i>Journal of Membrane Science</i> , 2021 , 629, 119263	9.6	5
204	Recent advances in designing and tailoring nanofiber composite electrolyte membranes for high-performance proton exchange membrane fuel cells. 2021 , 46, 25225-25251		8
203	The relationship between charge and molecular dynamics in viscous acid hydrates. 2021 , 155, 014505		0
202	The 2-Propanol Fuel Cell: A Review from the Perspective of a Hydrogen Energy Economy. 2021 , 9, 2100164		2
201	Emissions Evaluation of Methanol-Gasoline Blend in Spark Ignition Engine. 2021 ,		
200	Construction of Proton Transport Highways Induced by Polarity-Driving in Proton Exchange Membranes to Enhance the Performance of Fuel Cells. 2021 , 13, 40673-40684		1
199	Controlled Water Uptake in Fuel Cell Membranes with Dual Chemistry Confinement. 2021 , 33, 6662-6670		2
198	Engineering Catalyst Layers for Next-Generation Polymer Electrolyte Fuel Cells: A Review of Design, Materials, and Methods. 2021 , 11, 2101025		14
197	Rapid and simple assembly of a thin microfluidic fuel cell stack by gas-assisted thermal bonding. 2021 , 295, 117011		3
196	Linking interfacial energies with proton conductivity in sulfonated poly (ether ether ketone) nanocomposite. 2021 , 230, 124067		4
195	Synergetic proton-conducting effect of sulfonated PEEK-MO ₂ -CNT membranes for PEMFC applications. 2021 , 27, 4859		1

194	ePTFE reinforced, sulfonated aromatic polymer membranes enable durable, high-temperature operable PEMFCs. 2021 , 24, 102962		6
193	Synergistic Effect of Polydopamine-Modified CaZrO ₃ Perovskite and Hydroxylated SPEEK on AcidBase Cation Exchange Membrane Fuel Cells.		1
192	Aqueous ion partitioning in Nafion: Applicability of Manning's counter-ion condensation theory. <i>Journal of Membrane Science</i> , 2021 , 638, 119687	9.6	5
191	Recent progress on transition metal oxides as advanced materials for energy conversion and storage. 2021 , 42, 317-369		21
190	Hydrocarbon-based Pemion proton exchange membrane fuel cells with state-of-the-art performance. 2021 , 5, 3687-3699		13
189	Polymers for Electrolyte Membrane Fuel Cells. 2021 ,		
188	Fuel Cells. 235-242		1
187	Polymeric Membranes for Gas Separation, Water Purification and Fuel Cell Technology. 2451-2491		5
186	Tetrafluoroaryl Phosphonic Acid Functionalized Polyphosphazenes Synthesis, Characterization, and Evaluation of Proton Conductivity. 2020 , 2020, 4401-4408		1
185	A review of progressive advanced polymer nanohybrid membrane in fuel cell application. 2020 , 44, 8255-8295	20	
184	Proton Conduction in PEMs: Complexity, Cooperativity and Connectivity. 2009 , 385-412		10
183	Coupled Proton and Water Transport in Polymer Electrolyte Membranes. 2009 , 123-155		1
182	Encyclopedia of Sustainability Science and Technology. 2012 , 7756-7777		1
181	Encyclopedia of Sustainability Science and Technology. 2012 , 8328-8347		5
180	PEM Fuel Cells: Materials and Design Development Challenges. 2012 , 173-193		1
179	Application of Sustainable Nanocomposites in Membrane Technology. 2019 , 935-960		4
178	Conducting Polymer Membranes and Their Applications. 2020 , 147-176		4
177	Organic/Inorganic and Sulfated Zirconia Nanocomposite Membranes for Proton-Exchange Membrane Fuel Cells. 2017 , 219-240		1

176	Structure and Transport Properties of Polymer Electrolyte Membranes Probed at Microscopic Scales. 2013 , 163-193	1
175	SiO ₂ /Sulfonated PEEK Doped with Dodecatungstophosphoric Acid Hybrid Materials [Preparation and Properties. 2004 , 876-881	1
174	Highly selective SPEEK/ENR blended polymer electrolyte membranes for direct methanol fuel cell. 2020 , 17, 100427	4
173	Influence of Ionomer Loading and Substrate Wettability on the Morphology of Ionomer Thin Films Using Coarse-Grained Solvent Evaporation Simulations. 2021 , 54, 115-125	9
172	Mechanism of Methanol Decomposition over Single-Site Pt/CeO Catalyst: A DRIFTS Study. 2021 , 143, 60-64	14
171	Kinetics of Polyelectrolyte Gels. 2020 , 87,	7
170	Modifications of Separators for LiS Batteries with Improved Electrochemical Performance. 2020 , 56, 365-377	8
169	Proton-Conducting Membranes for Fuel Cells. 2008 , 759-820	1
168	Modification of Sulfonated Poly(Ether Ether Ketone) for DMFC Application. 2012 , 409-448	3
167	Development and Modification of a PEMFC Electrode by Using a Hydrocarbon Ionomer for High Utilization of Catalyst. 2007 , 40, 773-779	2
166	Synthesis and Properties of Sulfonated Poly[(4-phenoxybenzoyl)-1,4-phenylene-co-anthraquinone]. 2013 , 70, 16-22	1
165	Effect of Uniaxial Deformation on Structure and Transport in Hydrated Nafion 117: Molecular Dynamics Simulation Study. 2015 , 4, 20150018	7
164	Estudo das propriedades térmicas de filmes poliméricos compostos de Speek, derivados do benzoimidazol e éido fosforogstico. 2008 , 18, 178-186	4
163	Laser Photoluminescence Spectroscopy of the Subsurface Microstructure in a Nafion Polymer Membrane in Deuterated Water. 2019 , 48-65	1
162	Protonic conductors for proton exchange membrane fuel cells: An overview. 2002 , 56, 264-272	2
161	Enhanced Proton Conductivity in Sulfonated Poly(ether ether ketone) Membranes by Incorporating Sodium Dodecyl Benzene Sulfonate. 2019 , 11,	17
160	STUDIES ON SPEEK/PES-C AND SPEEK/SPES-C BLEND PROTON-EXCHANGE MEMBRANES. 2009 , 009, 45-52	4
159	DIRECT SYNTHESIS AND PROPTIES OF SULFONATED POLY(ARYLENE ETHER SULFONE) COPOLYMERS FOR PROTON EXCHANGE MEMBRANES IN FUELCELLS. 2009 , 009, 375-380	1

158	SYNTHESIS, MOLECULAR DESIGN AND PROPERTIES OF POLY(ARYLENE ETHER KETONE) RESINS. 2013 , 013, 705-721	1
157	Estudio comparativo de las diferentes tecnologías de celdas de combustible. 2013 , 52, 105-117	4
156	Tetrasulfonated Poly(arylene biphenylsulfone ether) Block Copolymer and Its Composite Membrane Containing Highly Sulfonated Blocks. 2012 , 33, 375-376	6
155	Proton Conducting Membrane Based on Crosslinked Sulfonated Polyimide for Direct Methanol Fuel Cell. 2009 , 12, 245-250	4
154	Synthesis and Properties of Electroconductive Polymeric Composite Material Based on Polypyrrole. 2012 , 2012, 1-7	9
153	Proton Conducting Electrolyte Membranes Synthesized through Amphiphilic Organic/Inorganic Hybrid Macromolecules Development Trends of Direct Methanol Fuel Cells. 2002 , 70, 920-923	5
152	Addition of Ionic Conductivity to Engineering Polymers by Means of Polypyrrole. 2002 , 70, 994-997	1
151	Mechanical Properties of Sulfonated Poly (Ether Ether Ketone) Nanocomposite Membranes. 2014 , 5, 181-185	23
150	A Review on Ion-Exchange Membranes Fouling during Electrodialysis Process in Food Industry, Part 2: Influence on Transport Properties and Electrochemical Characteristics, Cleaning and Its Consequences. 2021 , 11,	4
149	A Study to Enhance the Nitrate-Nitrogen Removal Rate without Dismantling the NF Module by Building a PFSA Ionomer-Coated NF Module. 2021 , 11,	1
148	How does processing in supercritical carbon dioxide influence the Nafion film properties?. 2021 , 299, 1863	
147	Recent developments in high-temperature proton conducting polymer electrolyte membranes. 2005 , 433-441	
146	References. 2005 , 405-440	
145	Fuel Cells for Intermediate Temperature Operations. 2006 , 43, 751-757	2
144	Materials for Proton Exchange Membrane Fuel Cells. 2007 , 251-309	
143	Section Preface. 2008 , 341-347	
142	Sulfonated Poly(Ether-Ether-Ketone) Polymer Membranes for Fuel Cells. 2008 , 45, 55-60	0
141	STUDY ON SYNTHESIS AND PERFORMANCES OF SULFONATED POLY(ARYLENE ETHER KETONE SULFONE) COPOLYMERS FOR PROTON EXCHANGE MEMBRANES MATERIAL. 2009 , 007, 868-874	

- 140 SULFONATED POLY(ETHER ETHER KETONE)/ZIRCONIUM TRICARBOXYBUTYL-PHOSPHONATE COMPOSITE PROTON-EXCHANGE MEMBRANES FOR DIRECT METHANOL FUEL CELLS. **2009**, 007, 337-342
- 139 Molecular-Level Modeling of the Structure and Proton Transport within the Membrane Electrode Assembly of Hydrogen Proton Exchange Membrane Fuel Cells. **2010**, 133-202
- 138 Synthesis and Characterization of Materials Harmonized with the Environment-Proton Conductive Silica-Based Hybrid Membranes for Fuel Cells at Intermediate Temperatures. 15-22
- 137 Sodium Diffusion Through Aluminum-Doped Zeolite BEA System: Effect of Water Solvation. **2011**, 47-63
- 136 Fuel Cells for Automotive Applications. **2011**, 71-102 1
- 135 Preparation and Characteristic Studies of Sulfonated Poly (vinyl alcohol) Composite Membranes Containing Aluminum Silicate for PEMFC. **2011**, 20, 171-177
- 134 Transport and Electro-Optical Properties in Polymeric Self-Assembled Systems. 1471-1514
- 133 Inorganic-Based Proton Exchange Membranes for H₂/O₂ Fuel Cells. **2012**, 37-58
- 132 Contribution of Nanoclays to the Barrier Properties of SPEEK/Cloisite15A \square Nanocomposite Membrane for DMFC Application. 251-265
- 131 PROTON EXCHANGE SULFONATED POLY(ETHER ETHER KETONE)/FUNCTIONALIZED SILICA COMPOSITE MEMBRANES IN DMFCs. **2012**, 012, 640-647
- 130 Proton Conductive Metal-Organic Frameworks. **2013**, 61, 46-54
- 129 Ion Exchange Membranes for Low Temperature Fuel Cells. 435-476
- 128 Polyphosphazene Membranes. **2015**, 271-314
- 127 Sulfonated Poly(Ether Sulfone) Membranes. **2015**, 133-200
- 126 Aliphatic Polymer Electrolyte Membranes. **2015**, 449-493
- 125 Sulfonated Poly(Ether Ketone) Membranes. **2015**, 201-246
- 124 Development of Polymer Electrolyte Membranes Using Dipole-dipole Interaction for Fuel Cell Applications. **2015**, 59, 413-422
- 123 Encyclopedia of Nanotechnology. **2016**, 2473-2485 0

104	New aspects of vapochromic metal complexes: Cooperative phenomena in functions and structures. 2022 , 51, 100477	4
103	Hydride-ion-conducting KNiF-type Ba-Li oxyhydride solid electrolyte.. 2022 ,	2
102	Transport phenomena in polymer electrolyte membrane fuel cells. 2022 , 341-368	
101	The Effect of Sulfated Zirconia and Zirconium Phosphate Nanocomposite Membranes on Fuel-Cell Efficiency.. 2022 , 14,	2
100	Advanced Functional Liquid Crystals.. 2022 , e2109063	13
99	High anti-interference ability induced by the SP/SiO/ImIL composite film on IrO pH electrodes.. 2022 , 1197, 339489	
98	On-Demand Hydrogen Generation by the Hydrolysis of Ball-Milled Aluminum-Bismuth-Zinc Composites.. 2022 , 15,	2
97	Fully Hydrocarbon Membrane Electrode Assemblies for Proton Exchange Membrane Fuel Cells and Electrolyzers: An Engineering Perspective. 2103559	3
96	Approaches towards the development of heteropolyacid-based high temperature membranes for PEM fuel cells. 2021 ,	8
95	Influence of vanillic acid immobilization in Nafion membranes on intramembrane diffusion and structural properties.. 2022 ,	0
94	Prospects on utilization of biopolymer materials for ion exchange membranes in fuel cells. 2022 , 15, 253-275	2
93	Nanomembranes in fuel cells. 2022 , 285-347	
92	Development of Low-Cost Microbial Fuel Cell for Converting Waste to Electricity and Abating Pollution. 2022 , 167-198	
91	The Hydrolysis of Ball-Milled AluminumBismuthNickel Composites for On-Demand Hydrogen Generation. 2022 , 15, 2356	0
90	Synthesis and characterization of poly(5'-hexyloxy-1',4-biphenyl)-b-poly(2',4'-bispropoxysulfonate-1',4-biphenyl) with high ion exchange capacity for fuel cell applications.. 2022 ,	0
89	Sulfonated and Fluorinated Aromatic Terpolymers as Proton Conductive Membranes: Synthesis, Structure, and Properties.	0
88	Preparation and performance of sulfonated poly(ether ether ketone) membranes enhanced with ammonium ionic liquid and graphene oxide. 095400832110699	0
87	Construction and effect of intramolecular hydrogen bond on solvent resistance of polymeric membranes and their application in impermeable membranes. 2022 , 107, 302-312	1

86	Counterion Mobility in Ion-Exchange Membranes: Spatial Effect and Valency-Dependent Electrostatic Interaction.	3
85	Membrane fouling in aqueous redox flow batteries. 2022 , 527, 231180	1
84	Effect of doping polyethylene oxide on the properties of Nafion-IPMC actuators.	0
83	Comb-shaped sulfonated poly(aryl ether sulfone) proton exchange membrane for fuel cell applications. 2022 ,	0
82	Nano-Composite Filler of Heteropolyacid-Imidazole Modified Mesoporous Silica for High Temperature PEMFC at Low Humidity.. 2022 , 12,	0
81	Ceramic-Electrolyte Glucose Fuel Cell for Implantable Electronics.. 2022 , e2109075	3
80	Ionomer-free electrocatalyst using acid-grafted carbon black as a proton-conductive support. 2022 , 529, 231192	0
79	Proton conduction in ionic crystals based on polyoxometalates. 2022 , 462, 214524	8
78	Electrochemical Characterization of Novel Polyantimonic-Acid-Based Proton Conductors for Low- and Intermediate-Temperature Fuel Cells. 2021 , 11, 11877	0
77	Elucidating the Water and Methanol Dynamics in Sulfonated Polyether Ether Ketone Nanocomposite Membranes Bearing Layered Double Hydroxides.. 2022 , 12,	0
76	Optimized step-growth polymerization of water-insoluble, highly sulfonated poly(phenylene sulfone).	
75	High performance poly(isatin alkyl-terphenyl)s proton exchange membranes with flexible alkylsulfonated side groups. 095400832210895	
74	Data_Sheet_1.pdf. 2020 ,	
73	Effects of Interactions between Speek or Nafion Ionomers and Bilirubin Oxidase on O2 Enzymatic Reduction.	
72	Switched Proton Conduction in Metal-Organic Frameworks.	2
71	Current progression in graphene-based membranes for low temperature fuel cells. 2022 ,	0
70	An overview of proton exchange membranes for fuel cells: Materials and manufacturing. 2022 ,	1
69	Phosphorus-Containing Fluoro-Sulfonated Polytriazole Membranes with High Proton Conductivity: Understanding Microstructural and Thermomechanical Behaviors as a Function of Degree of Sulfonation. 2200031	

68	Current Challenges and Perspectives of Polymer Electrolyte Membranes.		8
67	Materials selection for choosing the best composite blend polymeric membrane for hydrogen/oxygen proton exchange membrane fuel cell. 2022 , 538, 231566		0
66	From radial to unidirectional water pumping in zeta-potential modulated Nafion nanostructures.. 2022 , 13, 2812		1
65	Constructing foldable and stretchable proton exchange membranes through spin coating technology. 2022 , 360, 119421		2
64	Para Fluoro-Thiol Clicked Diblock-Copolymer Self-Assembly: Towards a New Paradigm for Highly Proton-Conductive Membranes.		
63	Coarse-Grained Modeling of Ion-Containing Polymers.		0
62	Current status and future perspectives of proton exchange membranes for hydrogen fuel cells. 2022 , 135204		2
61	Mobility of Li ⁺ , Na ⁺ , Cs ⁺ Cations in Sulfonation-Exchange Membranes Based on Polyethylene and Grafted Sulfonated Polystyrene Studied by NMR Relaxation. 2022 , 4, 189-194		1
60	High Performance Nanocomposite Proton Exchange Membranes Based on the Nanohybrids Formed by Chemically Bonding Phosphotungstic Acid with Covalent Organic Frameworks.		
59	Cellulose Nanocrystals Crosslinked with Sulfosuccinic Acid as Sustainable Proton Exchange Membranes for Electrochemical Energy Applications. 2022 , 12, 658		1
58	Anion Exchange Membranes for Fuel Cells Based on Quaternized Polystyrene-b-poly(ethylene-co-butylene)-b-polystyrene Triblock Copolymers with Spacer-Sidechain Design. 2022 , 14, 2860		1
57	Novel Trends in Proton Exchange Membrane Fuel Cells. 2022 , 15, 4949		3
56	Effects of interactions between SPEEK or Nafion ionomers and bilirubin oxidase on O ₂ enzymatic reduction. 2022 , 426, 140787		
55	para fluoro-thiol clicked diblock-copolymer self-assembly: Towards a new paradigm for highly proton-conductive membranes. <i>Journal of Membrane Science</i> , 2022 , 659, 120796	9.6	1
54	Advances in perfluorosulfonic acid-based proton exchange membranes for fuel cell applications: A review. 2022 , 100372		1
53	Cross-linking of poly (ether ether ketone) and its sulfonated form: A spectroscopic study. 2022 , 29,		0
52	Proton Conductivity Amelioration of Sulfonated Poly Ether Sulfone Octyl Sulfonamide via the Incorporation of Montmorillonite.		0
51	Ultrafast Charge Relocation Dynamics in Enol-Keto Tautomerization Monitored with a Local Soft-X-ray Probe. 8254-8263		0

- 50 Anhydrous Proton Conductivity in HAp-Collagen Composite. **2022**, 6, 236 ○
- 49 Anodic TiO₂ nanotubes: A promising material for energy conversion and storage. **2022**, 29, 101613 ○
- 48 Functionalized nanoclays for improved properties of composite proton exchange membranes. **2022**, 549, 232083 ○
- 47 Anion-functionalized interfacial layer for stable Zn metal anodes. **2022**, 103, 107751 1
- 46 Reinforced gel-state polybenzimidazole hydrogen separators for alkaline water electrolysis. 4
- 45 Modified sulfonated polyphenylsulfone proton exchange membrane with enhanced fuel cell performance: A review. **2022**, ○
- 44 The Influence of Various Cationic Group on Polynorbornene Based Anion Exchange Membranes with Hydrophobic Large Steric Hindrance Arylene Substituent. ○
- 43 Sulfonated Poly(arylene ether sulfone) Multi-Block Copolymers with Selectively Cross-Linked Domains for Proton Exchange Membranes. ○
- 42 Diffusion in Sulfonated Co-Polynaphthoyleneimide Proton Exchange Membranes with Different Ratios of Hydrophilic to Hydrophobic Groups Studied Using SFG NMR. ○
- 41 The Effect of Ion Exchange Poisoning on the Ion Transport and Conduction in Polymer Electrolyte Membranes (PEMs) for Water Electrolysis. **2022**, 169, 094510 ○
- 40 Effect of Covalent Organic Frameworks Containing Different Groups on Properties of Sulfonated Poly(ether ether ketone) Matrix Proton Exchange Membranes. **2022**, 12, 3518 ○
- 39 Properties of Anion Exchange Membranes with a Focus on Water Electrolysis. **2022**, 12, 989 2
- 38 Isotropic Anhydrous Superprotonic Conductivity Cooperated with Installed Imidazolium Molecular Motions in a 3D Hydrogen-Bonded Phosphate Network. ○
- 37 Constructing a long-range proton conduction bridge in sulfonated polyetheretherketone membranes with low DS by incorporating acid-base bi-functionalized metal organic frameworks. **2022**, ○
- 36 Isotropic Anhydrous Superprotonic Conductivity Cooperated with Installed Imidazolium Molecular Motions in a 3D Hydrogen-Bonded Phosphate Network. ○
- 35 Direct carbonate electrolysis into pure syngas. ○
- 34 High performance nanocomposite proton exchange membranes based on the nanohybrids formed by chemically bonding phosphotungstic acid with covalent organic frameworks. **2023**, 554, 232332 ○
- 33 Sulfonated polyether ether ketone composite proton exchange membranes incorporated with a novel hierarchical-structure hybrid nanofiller consisting solid superacid zirconium phosphate and CNTs. ○

- 32 Electromass Transfer in the System Cation Exchange MembraneAmmonium Nitrate Solution **2022**, 12, 1144 ○
- 31 Novel Fabrication Approach by Reversely Coating a Nafion Ionomer on Gas Diffusion Electrodes for High-Performance Membrane Electrode Assemblies. **2022**, 36, 13873-13881 ○
- 30 Synthesis and fabrication of BST/SPVdF-co-HFP composites for proton exchange membrane fuel cell applications. **2022**, 29, ○
- 29 Highly Conductive Solid Polymer Electrolytes by para-Fluoro/Thiol Clicked Diblock Copolymer Self-Assembly: Paving the Way for Nanostructured Materials for Lithium-Ion Conductivity. ○
- 28 Non-pre-treated sulfonated poly(ether ether ketone) membrane as an efficient alternative for Nafion in acidic aqueous organic redox flow batteries. **2023**, 57, 106201 ○
- 27 Evaluation of proton transport and solvation effect in hydrated Nafion membrane with degradation. **2022**, 24, 29024-29033 ○
- 26 Preparation and characterization of new types of sulfonated poly(ether sulfide sulfone) for application in fuel cell. **2023**, 62, 86-98 ○
- 25 Study on Anhydrous Proton Conduction in ImidazoleCollagen Composite. **2022**, 6, 360 ○
- 24 Electrochemical energy storage and conversion: An overview. ○
- 23 Gas Diffusion Layer for Proton Exchange Membrane Fuel Cells: A Review. **2022**, 15, 8800 ○
- 22 Sulfonated poly (ether ketone sulfone) composite membranes containing ZIF-67 coordinate graphene oxide showing high proton conductivity and improved physicochemical properties. **2022**, ○
- 21 Space-Confined Nucleation of Semimetal-Oxo Clusters within a [H7P8W48O184]33Macrocycle: Synthesis, Structure, and Enhanced Proton Conductivity. **2022**, 61, 21024-21034 ○
- 20 Synthesis of Polymer Electrolyte Membranes from Sulfonated Poly(Arylene Ether Ketones) with Partial Substitution of Carboxylate Acid Group. **2022**, 7, ○
- 19 Ion and Water Transport in Ion-Exchange Membranes for Power Generation Systems: Guidelines for Modeling. **2023**, 24, 34 ○
- 18 Silica modified sulphonated Poly(ether ether ketone) proton exchange membranes for DMFC application. **2022**, ○
- 17 Review on Chitosan and Two-Dimensional MoS₂-Based Proton Exchange Membrane for Fuel Cell Application: Advances and Perspectives. ○
- 16 Carbonized Polymer Dots Assemble in Proton-Conducting Channels to Enhance the Conductivity and Selectivity Simultaneously for High-Performance Fuel Cells. 2205291 ○
- 15 Phosphorus-Containing Aromatic Polymers: Synthesis, Structure, Properties and Membrane-Based Applications. **2023**, 101646 1

14	Effect of reduced graphene oxide (rGO) in chitosan/PAA natural zeolite-based polymer electrolyte membranes for direct methanol fuel cell (DMFC) applications. 2023 , 6, 252-259	0
13	Impact of sulfonated poly(ether ether ketone) membranes pretreatments on their physicochemical properties and fuel cell performances.	0
12	Fabrication and characterization of graphene/sulfonated polyether sulfone octyl sulfonamide hybrid film with improved proton conductivity performance.	1
11	Flexible high-capacity and long-cyclability hydrogel batteries enabled by polyvalent vanadium ion redox chemistry. 2023 , 561, 232736	0
10	Sulfonated Poly(Phenylene sulfone) blend membranes finding their way into proton exchange membrane fuel cells. 2023 , 563, 232791	0
9	Proton Exchange Membrane Water Electrolysis Incorporating Sulfo-Phenylated Polyphenylene Catalyst Coated Membranes. 2023 , 170, 024502	0
8	Lyotropic Liquid Crystalline Property and Organized Structure in High Proton-Conductive Sulfonated Semialicyclic Oligoimide Thin Films. 2023 , 8, 7470-7478	0
7	Research on Membranes and Their Associated Processes at the Université Paris-Est Créteil: Progress Report, Perspectives, and National and International Collaborations. 2023 , 13, 252	0
6	Hybrid polymer gels for energy applications.	0
5	Resistance of Ion Exchange Membranes in Aqueous Mixtures of Monovalent and Divalent Ions and the Effect on Reverse Electrodialysis. 2023 , 13, 322	0
4	Effects of microstructure on the retention of proton conductivity of Nafion/SiO ₂ composite membranes at elevated temperatures: An in situ SAXS study. 2023 , 273, 125869	0
3	Synthesis and Characterization of Membranes from Sulfonated Polystyrene Waste and TiO ₂ Fillers (PSS/TiO ₂) as Proton Exchange Membranes. 2023 , 35, 1025-1030	0
2	Multi-Block Copolymer Membranes Consisting of Sulfonated Poly(p-phenylene) and Naphthalene Containing Poly(arylene Ether Ketone) for Proton Exchange Membrane Water Electrolysis. 2023 , 15, 1748	0
1	Electrochemical Study and Mathematical modelling of PVC embedded TTP Composite membrane using TMS theory.	0