CITATION REPORT List of articles citing

A comparison of the efficacy and rate of response to oral and intravenous Vitamin K in reversal of over-anticoagulation with warfarin

DOI: 10.1046/j.1365-2141.2001.03070.x British Journal of Haematology, 2001, 115, 145-9.

Source: https://exaly.com/paper-pdf/32953925/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 162 | The use of vitamin K for reversal of over-warfarinization in children. <i>British Journal of Haematology</i> , 2002 , 118, 924 | 4.5 | 3 |
| 161 | The use of vitamin k for reversal of over-warfarinization in children. <i>British Journal of Haematology</i> , 2002 , 118, 924-925 | 4.5 | 7 |
| 160 | The use of oral vitamin K for reversal of over-warfarinization. <i>British Journal of Haematology</i> , 2002 , 116, 237 | 4.5 | 5 |
| 159 | Vitamin K for the treatment of asymptomatic coagulopathy associated with oral anticoagulant therapy. 2003 , 16, 69-72 | | 7 |
| 158 | A retrospective evaluation of vitamin K1 therapy to reverse the anticoagulant effect of warfarin. 2003 , 23, 1245-50 | | 10 |
| 157 | Reversal of the International Normalized Ratio with recombinant activated factor VII in central nervous system bleeding during warfarin thromboprophylaxis: clinical and biochemical aspects. 2003 , 14, 469-77 | | 154 |
| 156 | Warfarin reversal. 2004 , 57, 1132-9 | | 177 |
| 155 | The pharmacology and management of the vitamin K antagonists: the Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. 2004 , 126, 204S-233S | | 852 |
| 154 | The use of vitamin K in patients on anticoagulant therapy: a practical guide. 2004 , 4, 43-55 | | 38 |
| 153 | Low-dose oral vitamin K therapy for the management of asymptomatic patients with elevated international normalized ratios: a brief review. 2004 , 170, 821-4 | | 19 |
| 152 | Impact of introducing guidelines on anticoagulant reversal. 2005 , 15, 99-105 | | 15 |
| 151 | Emerging medical and surgical management strategies in the evaluation and treatment of intracerebral hemorrhage. 2005 , 80, 420-33 | | 76 |
| 150 | Venous thromboembolism in the ICU and reversal of bleeding on anticoagulants. <i>Critical Care Clinics</i> , 2005 , 21, 497-512 | 4.5 | 10 |
| 149 | Treatment of coumarin-associated coagulopathy: a systematic review and proposed treatment algorithms. 2006 , 4, 1853-63 | | 100 |
| 148 | Guidelines on oral anticoagulation (warfarin): third edition2005 update. <i>British Journal of Haematology</i> , 2006 , 132, 277-85 | 4.5 | 306 |
| 147 | Reversal of asymptomatic over-anticoagulation by orally administered vitamin K. <i>British Journal of Haematology</i> , 2006 , 133, 331-6 | 4.5 | 25 |
| 146 | Management of coagulopathy in the setting of acute neurosurgical disease and injury. 2006 , 5, 141-52 | | 4 |

(2009-2006)

| 145 | warfarin: the need for a more tailored dosing regimen. 2006 , 77, 457-62 | 35 |
|-----|--|------|
| 144 | Reversal of elevated international normalized ratios and bleeding with low-dose recombinant activated factor VII in patients receiving warfarin. 2006 , 26, 1091-8 | 59 |
| 143 | Timing of fresh frozen plasma administration and rapid correction of coagulopathy in warfarin-related intracerebral hemorrhage. <i>Stroke</i> , 2006 , 37, 151-5 | 205 |
| 142 | Efficacy of warfarin reversal in orthopedic trauma surgery patients. 2007 , 21, 26-30 | 29 |
| 141 | Guidelines on the insertion and management of central venous access devices in adults. 2007, 29, 261-78 | 188 |
| 140 | Surgical delay in acute admissions on warfarin: are we doing enough?. 2007 , 61, 1233 | |
| 139 | The role of blood transfusion in the management of upper and lower intestinal tract bleeding. 2008 , 22, 355-71 | 10 |
| 138 | Warfarin reversal in anticoagulant-associated intracerebral hemorrhage. 2008 , 9, 277-83 | 46 |
| 137 | Vitamin K-induced modification of coagulation phenotype in VKORC1 homozygous deficiency. 2008 , 6, 797-803 | 14 |
| 136 | [Acid-related diseases. In anticoagulated patients with active gastrointestinal bleeding due to peptic ulcer and an INR of 6, should plasma be transfused, parenteral vitamin K be administered, or both measures?]. 2008 , 31, 622-3 | |
| 135 | What is the evidence for the off-label use of recombinant factor VIIa (rFVIIa) in the acute reversal of warfarin? ASH evidence-based review 2008. 2008 , 36-8 | 44 |
| 134 | Outpatient management of oral vitamin K antagonist therapy: defining and measuring high-quality management. 2008 , 6, 57-70 | 51 |
| 133 | Pharmacology and management of the vitamin K antagonists: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th Edition). 2008 , 133, 160S-198S | 1648 |
| 132 | Reducing the risk of thromboembolic events. 2008 , 3, 248-263 | 1 |
| 131 | Effectiveness and safety of a management protocol to correct over-anticoagulation with oral vitamin K: a retrospective study of 1,043 cases. 2009 , 27, 340-7 | 26 |
| 130 | Adherence to guidelines for the management of excessive warfarin anticoagulation. 2009, 27, 379-84 | 4 |
| 129 | Emergency reversal of antithrombotic treatment. 2009 , 4, 137-45 | 40 |
| 128 | Warfarin and intracranial haemorrhage. 2009 , 23, 1-9 | 43 |

| 127 | Bench-to-bedside review: Optimising emergency reversal of vitamin K antagonists in severe haemorrhage - from theory to practice. <i>Critical Care</i> , 2009 , 13, 209 | 10.8 | 56 |
|-----|--|------|------|
| 126 | Management of bleeding in patients on antithrombotics: maintaining the balance between thrombosis and hemorrhage. <i>Expert Review of Hematology</i> , 2009 , 2, 357-60 | 2.8 | O |
| 125 | CORRECTION OF COAGULOPATHY SECONDARY TO ORAL AND PARENTERAL ANTICOAGULANTS. 2009 , 15, 138-157 | | |
| 124 | Letter to the editor. 2009 , 23, 550; author reply 550 | | |
| 123 | Gĥĥalitŝ en chirurgie orthopdique et traumatologique du grand ĝe (rachis exclu). 2010 , 5, 1-13 | | 2 |
| 122 | Reversal of vitamin K antagonists prior to urgent surgery. 2010 , 57, 458-67 | | 15 |
| 121 | Warfarin anticoagulation reversal: management of the asymptomatic and bleeding patient. 2010 , 29, 171-81 | | 52 |
| 120 | Managing anticoagulated patients during neuraxial anaesthesia. <i>British Journal of Haematology</i> , 2010 , 149, 195-208 | 4.5 | 44 |
| 119 | Emergency reversal of anticoagulation and antiplatelet therapies in neurosurgical patients. 2010 , 112, 307-18 | | 67 |
| 118 | Generalidades en cirugã ortopàica y traumatolĝica en grandes ancianos (excluida la columna vertebral). 2010 , 2, 1-13 | | |
| 117 | Guidelines for the management of spontaneous intracerebral hemorrhage: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. <i>Stroke</i> , 2010 , 41, 2108-29 | 6.7 | 1187 |
| 116 | Treatment of warfarin-associated coagulopathy with vitamin K. <i>Expert Review of Hematology</i> , 2011 , 4, 657-65; quiz 666-7 | 2.8 | 33 |
| 115 | Prothrombin complex concentrates for reversal of vitamin K antagonists: assessing the risks. 2011 , 106, 389-90 | | 4 |
| 114 | Accidents des traitements anticoagulants oraux. 2011 , 6, 1-6 | | 1 |
| 113 | How I treat warfarin-associated coagulopathy in patients with intracerebral hemorrhage. <i>Blood</i> , 2011 , 117, 6091-9 | 2.2 | 54 |
| 112 | Guidelines on oral anticoagulation with warfarin - fourth edition. <i>British Journal of Haematology</i> , 2011 , 154, 311-24 | 4.5 | 399 |
| 111 | Short-term warfarin reversal for elective surgeryusing low-dose intravenous vitamin K: safe, reliable and convenient*. <i>British Journal of Haematology</i> , 2011 , 154, 626-34 | 4.5 | 32 |
| 110 | Australian and New Zealand Society for Geriatric Medicine. Position statementorthogeriatric care. 2011 , 30, 162-9 | | 11 |

| 109 | Appropriate blood component usage. 2011 , 6, 249-256 | 2 |
|----------------------|---|----------------|
| 108 | Influence of timing and oral anticoagulant/antiplatelet therapy on outcomes of patients affected by hip fractures. 2011 , 37, 511-8 | 5 |
| 107 | Reversal of warfarin: case-based practice recommendations. 2012 , 125, 2944-7 | 30 |
| 106 | Transitions of care in anticoagulation management for patients with atrial fibrillation. 2012 , 40, 20-7 | 1 |
| 105 | Vitamin K dosing to reverse warfarin based on INR, route of administration, and home warfarin dose in the acute/critical care setting. 2012 , 46, 1617-26 | 28 |
| 104 | Challenges and controversies in the medical management of primary and antithrombotic-related intracerebral hemorrhage. 2012 , 5, 43-56 | 9 |
| 103 | Controversies in neurosciences critical care. 2012 , 30, 369-83 | 1 |
| 102 | Accidenti dei trattamenti anticoagulanti orali. 2012 , 16, 1-6 | |
| 101 | Intracranial hemorrhage. 2012 , 30, 771-94 | 138 |
| | | |
| 100 | Study of Octaplex dosing accuracy: an in vitro analysis. 2012 , 107, 248-52 | 1 |
| 100 99 | Study of Octaplex dosing accuracy: an in vitro analysis. 2012 , 107, 248-52 Clinical experience with oral versus intravenous vitamin K for warfarin reversal. <i>Transfusion</i> , 2013 , 53, 491-8; quiz 490 | 23 |
| | Clinical experience with oral versus intravenous vitamin K for warfarin reversal. <i>Transfusion</i> , 2013 , | |
| 99 | Clinical experience with oral versus intravenous vitamin K for warfarin reversal. <i>Transfusion</i> , 2013 , 53, 491-8; quiz 490 | 23 |
| 99 98 | Clinical experience with oral versus intravenous vitamin K for warfarin reversal. <i>Transfusion</i> , 2013 , 53, 491-8; quiz 490 Managing bleeding in anticoagulated patients in the emergency care setting. 2013 , 45, 467-77 Rapid reversal of warfarin-associated hemorrhage in the emergency department by prothrombin | 23 |
| 99 98 97 | Clinical experience with oral versus intravenous vitamin K for warfarin reversal. <i>Transfusion</i> , 2013 , 53, 491-8; quiz 490 Managing bleeding in anticoagulated patients in the emergency care setting. 2013 , 45, 467-77 Rapid reversal of warfarin-associated hemorrhage in the emergency department by prothrombin complex concentrates. 2013 , 62, 616-626.e8 | 23 20 14 |
| 99 98 97 96 | Clinical experience with oral versus intravenous vitamin K for warfarin reversal. <i>Transfusion</i> , 2013 , 53, 491-8; quiz 490 Managing bleeding in anticoagulated patients in the emergency care setting. 2013 , 45, 467-77 Rapid reversal of warfarin-associated hemorrhage in the emergency department by prothrombin complex concentrates. 2013 , 62, 616-626.e8 Design, synthesis and anticoagulant activity of new flexible calix[8]arene sulfonic acids. 2013 , 16, 672-678 | 23 20 14 |
| 99 98 97 96 | Clinical experience with oral versus intravenous vitamin K for warfarin reversal. <i>Transfusion</i> , 2013 , 53, 491-8; quiz 490 Managing bleeding in anticoagulated patients in the emergency care setting. 2013 , 45, 467-77 Rapid reversal of warfarin-associated hemorrhage in the emergency department by prothrombin complex concentrates. 2013 , 62, 616-626.e8 Design, synthesis and anticoagulant activity of new flexible calix[8]arene sulfonic acids. 2013 , 16, 672-678 Warfarin reversal: schism between clinical practice and published guidelines. <i>Transfusion</i> , 2013 , 53, 476-92.9 | 23 20 14 |

| 91 | Symptomatic intracerebral hemorrhage in acute ischemic stroke after thrombolysis with intravenous recombinant tissue plasminogen activator: a review of natural history and treatment. 2014 , 71, 1181-5 | | 111 |
|----|---|------|-----|
| 90 | Neck of femur fractures in the over 90s: a select group of patients who require prompt surgical intervention for optimal results. 2014 , 15, 13-9 | | 21 |
| 89 | An evidence-based warfarin management protocol reduces surgical delay in hip fracture patients. 2014 , 15, 21-7 | | 30 |
| 88 | Toxin-induced coagulopathy. 2014 , 32, 53-78 | | 2 |
| 87 | Treatment of acute subdural hematoma. 2014 , 16, 275 | | 17 |
| 86 | Management of anticoagulant-related intracranial hemorrhage: an evidence-based review. <i>Critical Care</i> , 2014 , 18, 223 | 10.8 | 11 |
| 85 | Use of plasma in the management of central nervous system bleeding: evidence-based consensus recommendations. 2014 , 31, 66-90 | | 5 |
| 84 | Potential antidotes for reversal of old and new oral anticoagulants. 2014 , 133 Suppl 2, S158-66 | | 35 |
| 83 | New strategies for effective treatment of vitamin K antagonist-associated bleeding. 2015 , 13 Suppl 1, S180-6 | | 10 |
| 82 | Preoperative warfarin reversal for early hip fracture surgery. 2015 , 23, 33-6 | | 10 |
| 81 | An Evaluation of Intravenous Vitamin K for Warfarin Reversal: Are Guideline Recommendations Being Followed?. <i>Hospital Pharmacy</i> , 2015 , 50, 018-024 | 1.1 | 3 |
| 80 | Less Is More: Low-dose Prothrombin Complex Concentrate Effective in Acute Care Surgery Patients. 2015 , 81, 646-50 | | 8 |
| 79 | Antidotes for novel oral anticoagulants: current status and future potential. 2015 , 35, 1736-45 | | 105 |
| 78 | Safety, tolerability, and efficacy of idarucizumab for the reversal of the anticoagulant effect of dabigatran in healthy male volunteers: a randomised, placebo-controlled, double-blind phase 1 trial. 2015 , 386, 680-90 | | 269 |
| 77 | An evaluation of intravenous vitamin k for warfarin reversal: are guideline recommendations being followed?. <i>Hospital Pharmacy</i> , 2015 , 50, 18-24 | 1.1 | 3 |
| 76 | Perioperatively acquired disorders of coagulation. <i>Current Opinion in Anaesthesiology</i> , 2015 , 28, 113-22 | 2.9 | 20 |
| 75 | Reversal of warfarin anticoagulation for urgent surgical procedures. 2015 , 62, 634-49 | | 13 |
| 74 | Reversal of anticoagulant effects in patients with intracerebral hemorrhage. 2015 , 15, 504 | | 5 |

| 73 | Minimizing bleeding risk in patients receiving direct oral anticoagulants for stroke prevention. 2016 , 9, 337-347 | | 12 |
|--|---|-------------------|----------------|
| 72 | When to stop, how to reverse, and when to restart antithrombotic drugs periendoscopically in nonvariceal upper gastrointestinal bleeding. 2016 , 18, 177-186 | | |
| 71 | Reversing vitamin K antagonists: making the old new again. 2016 , 2016, 605-611 | | 6 |
| 70 | Management of novel oral anticoagulants in emergency and trauma surgery. 2016 , 14, 234-9 | | 5 |
| 69 | NOAC monitoring, reversal agents, and post-approval safety and effectiveness evaluation: A cardiac safety research consortium think tank. 2016 , 177, 74-86 | | 34 |
| 68 | Assessing the Rationale and Effectiveness of Frozen Plasma Transfusions: An Evidence-based Review. 2016 , 30, 561-72 | | 9 |
| 67 | Four-factor prothrombin complex concentrate for life-threatening bleeds or emergent surgery: A retrospective evaluation. <i>Journal of Critical Care</i> , 2016 , 36, 166-172 | 4 | 22 |
| 66 | Pre-operative PCC for non-bleeding patients on warfarin. 2016 , 139, 158-9 | | 2 |
| 65 | Guideline for Reversal of Antithrombotics in Intracranial Hemorrhage: A Statement for Healthcare Professionals from the Neurocritical Care Society and Society of Critical Care Medicine. 2016 , 24, 6-46 | | 422 |
| | | | |
| 64 | Therapies for Hemorrhagic Transformation in Acute Ischemic Stroke. 2017 , 19, 1 | | 16 |
| 63 | Therapies for Hemorrhagic Transformation in Acute Ischemic Stroke. 2017 , 19, 1 Rapid response to intravenous vitamin K may obviate the need to transfuse prothrombin complex concentrates. <i>Transfusion</i> , 2017 , 57, 1885-1890 | 2.9 | 16 |
| | Rapid response to intravenous vitamin K may obviate the need to transfuse prothrombin complex | 2.9 | |
| 63 | Rapid response to intravenous vitamin K may obviate the need to transfuse prothrombin complex concentrates. <i>Transfusion</i> , 2017 , 57, 1885-1890 Treatment and Outcome of Hemorrhagic Transformation After Intravenous Alteplase in Acute Ischemic Stroke: A Scientific Statement for Healthcare Professionals From the American Heart Association/American Stroke Association. <i>Stroke</i> , 2017 , 48, e343-e361 Efficacy and safety of a 4-factor prothrombin complex concentrate for rapid vitamin K antagonist reversal in Japanese patients presenting with major bleeding or requiring urgent surgical or invasive procedures: a prospective, open-label, single-arm phase 3b study. <i>International Journal of</i> | | 8 |
| 63 | Rapid response to intravenous vitamin K may obviate the need to transfuse prothrombin complex concentrates. <i>Transfusion</i> , 2017 , 57, 1885-1890 Treatment and Outcome of Hemorrhagic Transformation After Intravenous Alteplase in Acute Ischemic Stroke: A Scientific Statement for Healthcare Professionals From the American Heart Association/American Stroke Association. <i>Stroke</i> , 2017 , 48, e343-e361 Efficacy and safety of a 4-factor prothrombin complex concentrate for rapid vitamin K antagonist reversal in Japanese patients presenting with major bleeding or requiring urgent surgical or | 6.7 | 8 |
| 63 62 61 | Rapid response to intravenous vitamin K may obviate the need to transfuse prothrombin complex concentrates. <i>Transfusion</i> , 2017 , 57, 1885-1890 Treatment and Outcome of Hemorrhagic Transformation After Intravenous Alteplase in Acute Ischemic Stroke: A Scientific Statement for Healthcare Professionals From the American Heart Association/American Stroke Association. <i>Stroke</i> , 2017 , 48, e343-e361 Efficacy and safety of a 4-factor prothrombin complex concentrate for rapid vitamin K antagonist reversal in Japanese patients presenting with major bleeding or requiring urgent surgical or invasive procedures: a prospective, open-label, single-arm phase 3b study. <i>International Journal of Assessment of the efficacy of a novel tailored vitamin</i> K dosing regimen in lowering the International Normalised Ratio in over-anticoagulated patients: a randomised clinical trial. <i>British</i> | 6.7 | 8 |
| 63 62 61 | Rapid response to intravenous vitamin 'K may obviate the need to transfuse prothrombin complex concentrates. <i>Transfusion</i> , 2017 , 57, 1885-1890 Treatment and Outcome of Hemorrhagic Transformation After Intravenous Alteplase in Acute Ischemic Stroke: A Scientific Statement for Healthcare Professionals From the American Heart Association/American Stroke Association. <i>Stroke</i> , 2017 , 48, e343-e361 Efficacy and safety of a 4-factor prothrombin complex concentrate for rapid vitamin K antagonist reversal in Japanese patients presenting with major bleeding or requiring urgent surgical or invasive procedures: a prospective, open-label, single-arm phase 3b study. <i>International Journal of Memotology</i> , 2017 , 1777-786 Assessment of the efficacy of a novel tailored vitamin K dosing regimen in lowering the International Normalised Ratio in over-anticoagulated patients: a randomised clinical trial. <i>British Journal of Haematology</i> , 2017 , 178, 800-809 | 6.7 2.3 4.5 | 8 244 18 |
| 6362616059 | Rapid response to intravenous vitamin K may obviate the need to transfuse prothrombin complex concentrates. <i>Transfusion</i> , 2017 , 57, 1885-1890 Treatment and Outcome of Hemorrhagic Transformation After Intravenous Alteplase in Acute Ischemic Stroke: A Scientific Statement for Healthcare Professionals From the American Heart Association/American Stroke Association. <i>Stroke</i> , 2017 , 48, e343-e361 Efficacy and safety of a 4-factor prothrombin complex concentrate for rapid vitamin K antagonist reversal in Japanese patients presenting with major bleeding or requiring urgent surgical or invasive procedures: a prospective, open-label, single-arm phase 3b study. <i>International Journal of</i> Assessment of the efficacy of a novel tailored vitamin K dosing regimen in lowering the International Normalised Ratio in over-anticoagulated patients: a randomised clinical trial. <i>British Journal of Haematology</i> , 2017 , 178, 800-809 Administration of Injectable Vitamin K Orally. <i>Hospital Pharmacy</i> , 2017 , 52, 645-649 Recognition and Management of Hemostatic Disorders in Critically Ill Patients Needing to Undergo | 6.7 2.3 4.5 | 8 244 18 |

| 55 | Vitamin K antagonists and emergencies. European Journal of Emergency Medicine, 2018, 25, 378-386 | 2.3 | 2 |
|----|---|------|----|
| 54 | Anticoagulation Reversal. 2018 , 105-131 | | |
| 53 | Major publications in the critical care pharmacotherapy literature: January-December 2016. <i>Journal of Critical Care</i> , 2018 , 43, 327-339 | 4 | 3 |
| 52 | Utility of 4-Factor Prothrombin Complex Concentrate in Trauma and Acute-Care Surgical Patients. Journal of Osteopathic Medicine, 2018 , 118, 789-797 | 0.8 | 1 |
| 51 | Standardised Warfarin Reversal Expedites Time to Theatre for Fractured Neck of Femur Surgery and Improves Mortality Rates: A Matched Cohort Study. <i>Advances in Orthopedics</i> , 2018 , 2018, 4791214 | 2.1 | 3 |
| 50 | Prothrombin complex concentrate versus placebo, no intervention, or other interventions in critically bleeding patients associated with oral anticoagulant administration: a protocol for a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. | 3 | 2 |
| 49 | Hematologic Problems in the Surgical Patient: Bleeding and Thrombosis. 2018 , 2304-2312.e4 | | 2 |
| 48 | The reversal of anticoagulation in clinical practice . <i>Clinical Medicine</i> , 2018 , 18, 314-319 | 1.9 | 16 |
| 47 | American College of SurgeonsPGuidelines for the Perioperative Management of Antithrombotic Medication. <i>Journal of the American College of Surgeons</i> , 2018 , 227, 521-536.e1 | 4.4 | 55 |
| 46 | Prothrombin Complex Concentrates are Superior to Fresh Frozen Plasma for Emergency Reversal of Vitamin K Antagonists: A Meta-Analysis in 2606 Subjects. <i>Drugs</i> , 2019 , 79, 1557-1565 | 12.1 | 5 |
| 45 | Emergency Reversal of Anticoagulation. Western Journal of Emergency Medicine, 2019, 20, 770-783 | 3.3 | 15 |
| 44 | Effect of vitamin K administration on rate of warfarin reversal. <i>Transfusion</i> , 2019 , 59, 1202-1208 | 2.9 | 7 |
| 43 | Hematological Management of Neurocritical Care Patients. 2019 , 217-239 | | |
| 42 | Reversal of oral anticoagulation in patients with acute intracerebral hemorrhage. <i>Critical Care</i> , 2019 , 23, 206 | 10.8 | 27 |
| 41 | Prothrombin complex concentrate for vitamin K antagonist reversal in acute bleeding settings: efficacy and safety. <i>Expert Review of Hematology</i> , 2019 , 12, 525-540 | 2.8 | 1 |
| 40 | Reversing anticoagulation in the hemorrhaging patient. <i>Current Opinion in Anaesthesiology</i> , 2019 , 32, 206-212 | 2.9 | 1 |
| 39 | Treatment of bleeding complications in patients on anticoagulant therapy. <i>Blood</i> , 2019 , 133, 425-435 | 2.2 | 31 |
| 38 | Outpatient Oral Anticoagulant Therapy. 2019 , 747-777 | | 1 |

21

20

Hematologic Interventions for Acute Central Nervous System Disease. 2019, 778-801 37 36 Proximal femur fractures in patients taking anticoagulants. EFORT Open Reviews, 2020, 5, 699-706 5.5 Prise en charge priopratoire de la fracture du col du finur en urgence sous anticoagulants et 0.1 35 antiagrgants plaquettaires: gestion des antivitamines K. Anesthale & Ranimation, 2020, 6, 589-592 The effect of vitamin K on prothrombin time in critically ill patients: an observational registry study. 34 Journal of Intensive Care, 2021, 9, 11 How do you manage ANTICOagulant therapy in neurosurgery? The ANTICO survey of the Italian 33 3.1 2 Society of Neurosurgery (SINCH). BMC Neurology, 2021, 21, 98 Anticoagulation for Atrial Fibrillation and Prosthetic Cardiac Valves. 2007, 737-746 32 Post-Cholecystectomy Mirizzi Syndrome: A Case Report and Review of the Literature. American 31 1.3 2 Journal of Case Reports, **2019**, 20, 1290-1298 Real world usage of PCC to "rapidly" correct warfarin induced coagulopathy. Blood Transfusion, 16 3.6 **2013**, 11, 500-5 Superwarfarin (Long-Acting Anticoagulant Rodenticides) Poisoning: from Pathophysiology to 29 7.3 11 Laboratory-Guided Clinical Management. Clinical Biochemist Reviews, 2019, 40, 175-185 Korean clinical practice guideline for perioperative red blood cell transfusion from Korean Society 28 3.8 10 of Anesthesiologists. Korean Journal of Anesthesiology, 2019, 72, 91-118 Anticoagulation Management in the Surgical Patient. 2007, 223-232 27 26 Anticoagulants. 2007, 1051-1064 Outpatient Anticoagulant Therapy. 2007, 661-671 25 Hemorrhagic Complications of Anticoagulants in Hospitalized Patients. 291-330 24 Arteriovenous Malformations: Evidence-Based Medicine, Diagnosis, Treatment, and Complications. 23 2013, 579-590 Classes of Drugs and Blood Products for Acute Reversal of Anticoagulant Effect. 2016, 227-242 A Retrospective Evaluation of Vitamin K1 Therapy for Managing Supratherapeutic International

Normalized Ratio in Non-Bleeding Patients Treated with Warfarin Bi. Journal of Korean Society of

Health-System Pharmacists, 2016, 33, 333-340

Pharmacologic Reversal Agents. 2018, 109-122

 \circ

| 19 | Prise en charge himostatique des himorragies cribrales sous anticoagulants oraux. <i>Medecine Intensive Reanimation</i> , 2019 , 28, 363-370 | 0.1 | |
|----|---|-----|----|
| 18 | Combination Therapy Using Prothrombin Complex Concentrate and Vitamin K in Anticoagulated Patients with Traumatic Intracranial Hemorrhage Prevents Progressive Hemorrhagic Injury: A Historically Controlled Study. <i>Neurologia Medico-Chirurgica</i> , 2021 , 61, 47-54 | 2.6 | |
| 17 | Outbreak of mass poisoning with anticoagulant rodenticides. <i>Gematologiya I Transfuziologiya</i> , 2020 , 65, 174-189 | 0.4 | 1 |
| 16 | Are femoral fracture patients taking NOACs more complicated than those with warfarin or antiplatelet?. LO SCALPELLO-OTODI Educational, 2020, 34, 117-122 | Ο | |
| 15 | Reversal strategies and outcomes in patients with atrial fibrillation and warfarin-associated intracranial hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020 , 29, 104903 | 2.8 | |
| 14 | Hemostatic Adjuncts in Orthopedic Surgery: Innovations in Technique, Technology, and Biosurgical Applications. | | O |
| 13 | Recommendations for the use of antithrombin concentrates and prothrombin complex concentrates. <i>Blood Transfusion</i> , 2009 , 7, 325-34 | 3.6 | 32 |
| 12 | Three or four factor prothrombin complex concentrate for emergency anticoagulation reversal?. <i>Blood Transfusion</i> , 2011 , 9, 117-9 | 3.6 | 37 |
| 11 | Care transitions in anticoagulation management for patients with atrial fibrillation: an emphasis on safety. <i>Ochsner Journal</i> , 2013 , 13, 419-27 | 1.5 | 7 |
| 10 | Interrupting anticoagulation in patients with nonvalvular atrial fibrillation. <i>P and T</i> , 2014 , 39, 858-80 | 1.4 | 6 |
| 9 | Price-Performance Ratio Analysis Of Enteral Vitamin K Formulations. <i>P and T</i> , 2018 , 43, 168-170 | 1.4 | |
| 8 | Intravenous phytonadione administered orally in reducing warfarin-related coagulopathy. <i>Clinical Toxicology</i> , 2021 , 1-3 | 2.9 | |
| 7 | Effect of Direct Oral Anticoagulants on Treatment of Geriatric Hip Fracture Patients: An Analysis of 15,099 Patients of the AltersTraumaRegister DGU <i>Medicina (Lithuania)</i> , 2022 , 58, | 3.1 | О |
| 6 | Recommendations from the ICM-VTE: General <i>Journal of Bone and Joint Surgery - Series A</i> , 2022 , 104, 4-162 | 5.6 | O |
| 5 | Management of Coagulopathy in Bleeding Patients Journal of Clinical Medicine, 2021, 11, | 5.1 | 3 |
| 4 | Anticoagulants: dose control methods and inhibitors. <i>Obstetrics, Gynecology and Reproduction</i> , 2022 , 16, 158-175 | 0.5 | O |
| 3 | Application of fresh frozen plasma transfusion in the management of excessive warfarin-associated anticoagulation. <i>Blood Science</i> , 2022 , 4, 57-64 | 0.9 | |
| 2 | A Historical Perspective on the Reversal of Anticoagulants. | | O |

Management of Antithrombotic Drugs in Patients with Isolated Traumatic Brain Injury: An Intersociety Consensus Document.

О