

CITATION REPORT

List of articles citing

The PHQ-9: validity of a brief depression severity measure

DOI: 10.1046/j.1525-1497.2001.016009606.x

Journal of General Internal Medicine, 2001, 16, 606-13.

Source: <https://exaly.com/paper-pdf/32959744/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2187	Chronic Pain, Addiction and Neuropsychiatric Patients. 248-258		
2186	Transient monocular blindness and increased platelet aggregability treated with aspirin. A case report. 1972 , 22, 280-5		63
2185	Response of fibrocystic disease to caffeine withdrawal and correlation of cyclic nucleotides with breast disease. 1979 , 135, 157-158		61
2184	Cartilage Wound Healing: An Overview. 1995 , 28, 847-864		53
2183	Correlates of Controlled Hypertension in Indigent, Inner-City Hypertensive Patients. <i>Journal of General Internal Medicine</i> , 1997 , 12, 7-14	4	34
2182	Retooling multiple levels to improve primary care depression treatment. <i>Journal of General Internal Medicine</i> , 2001 , 16, 644-5	4	12
2181	Abnormal cervical screen follow-up among low-income Latinas: Project SAFe. 2002 , 11, 639-51		69
2180	Collaborative care management of late-life depression in the primary care setting: a randomized controlled trial. 2002 , 288, 2836-45		1590
2179	A 75-year-old man with depression. 2002 , 287, 1568-76		10
2178	Diagnosis and treatment of older adults with depression in primary care. 2002 , 52, 285-92		79
2177	A three-component model for reengineering systems for the treatment of depression in primary care. 2002 , 43, 441-50		98
2176	Treatment of Minor Depression. 2002 , 10, 256-264		49
2175	Treating Depression in Primary Care: An Innovative Role for Mental Health Nurses. 2002 , 8, 159-167		23
2174	Palliative care of the chronically critically ill patient. 2002 , 18, 659-81		24
2173	The best of JGIM. <i>Journal of General Internal Medicine</i> , 2002 , 17, 952-5	4	2
2172	Implementing an office system to improve primary care management of depression. 2003 , 74, 45-60		15
2171	Impacting late life depression: integrating a depression intervention into primary care. 2003 , 74, 75-89		33

2170	A contemporary protocol to assist primary care physicians in the treatment of panic and generalized anxiety disorders. 2003 , 25, 74-82		31
2169	Addressing depression in obstetrics/gynecology practice. 2003 , 25, 83-90		84
2168	Improving primary care treatment of depression among patients with diabetes mellitus: the design of the pathways study. 2003 , 25, 158-68		63
2167	Measuring adherence to depression treatment guidelines in a VA primary care clinic. 2003 , 25, 230-7		17
2166	Anxiety and mood disorders in otorhinolaryngology outpatients presenting with dizziness: validation of the self-administered PRIME-MD Patient Health Questionnaire and epidemiology. 2003 , 25, 316-23		64
2165	Patients presenting with somatic complaints: epidemiology, psychiatric comorbidity and management. 2003 , 12, 34-43		386
2164	Measures of depression and depressive symptoms: The Beck Depression Inventory (BDI), Center for Epidemiological Studies-Depression Scale (CES-D), Geriatric Depression Scale (GDS), Hospital Anxiety and Depression Scale (HADS), and Primary Care Evaluation of Mental Disorders-Mood Module (PRIME-MD). 2003 , 49, S134-S146		42
2163	Reflections on the 10th anniversary of the AHCPR's guideline for the treatment of depression in primary care. <i>Journal of General Internal Medicine</i> , 2003 , 18, 492-3	4	4
2162	The best of JGIM in 2003. <i>Journal of General Internal Medicine</i> , 2003 , 18, 1062-1065	4	1
2161	Detecting panic disorder in medical and psychosomatic outpatients: comparative validation of the Hospital Anxiety and Depression Scale, the Patient Health Questionnaire, a screening question, and physicians' diagnosis. 2003 , 55, 515-9		196
2160	Depression, anxiety, and associated health status in low-income Chinese patients. 2003 , 24, 354-60		25
2159	End-of-life care in geriatric psychiatry. 2003 , 19, 841-56, vii-viii		14
2158	Application of a depression management office system in community practice: a demonstration. 2003 , 16, 107-14		32
2157	Prevalence and impact of depression and pain in neurology outpatients. 2003 , 74, 1587-9		75
2156	The WHO-5 Wellbeing index performed the best in screening for depression in primary care. 2003 , 8, 155-155		11
2155	[Psychosomatic complaints and utilisation of psychosomatic consultation services in gynecology and obstetrics]. 2003 , 53, 485-93		5
2154	Screening for depression in a geriatric rehabilitation sample. 2003 , 33, 333-41		7
2153	The Patient Health Questionnaire-2: validity of a two-item depression screener. 2003 , 41, 1284-92		3220

2152	The Demoralization Scale: A Report of its Development and Preliminary Validation. 2004 , 20, 269-276	183
2151	Announcement. 2004 , 73, 390-390	1
2150	Screening psychischer Störungen mit dem Gesundheitsfragebogen für Patienten (PHQ-D) 2004 , 50, 171-181	392
2149	Unemployment, job retention, and productivity loss among employees with depression. 2004 , 55, 1371-8	264
2148	Association of chronic kidney disease and anemia with physical capacity: the heart and soul study. 2004 , 15, 2908-15	72
2147	Diagnosing ICD-10 depressive episodes: superior criterion validity of the Patient Health Questionnaire. 2004 , 73, 386-90	218
2146	Psychiatric and neurocognitive disorders among HIV-positive and negative veterans in care. 2004 , 18, 49-59	79
2145	Family support, diet, and exercise among older Mexican Americans with type 2 diabetes. 2004 , 30, 980-93	147
2144	Screening for psychosocial risk factors in patients with chronic orofacial pain: recent advances. 2004 , 135, 1119-25; quiz 1164-5	39
2143	The Vermont Diabetes Information System (VDIS): study design and subject recruitment for a cluster randomized trial of a decision support system in a regional sample of primary care practices. 2004 , 1, 532-44	51
2142	Development and implementation of nonpharmacologic protocols for the management of patients with Alzheimer's disease and their families in a multiracial primary care setting. 2004 , 44, 548-53	43
2141	Going to scale: re-engineering systems for primary care treatment of depression. 2004 , 2, 301-4	52
2140	The Pathways Study: a randomized trial of collaborative care in patients with diabetes and depression. 2004 , 61, 1042-9	579
2139	Re-engineering systems for the treatment of depression in primary care: cluster randomised controlled trial. 2004 , 329, 602	190
2138	Cardiac risk factors in patients with diabetes mellitus and major depression. <i>Journal of General Internal Medicine</i> , 2004 , 19, 1192-9	4 116
2137	A practical randomized trial to improve diabetes care. <i>Journal of General Internal Medicine</i> , 2004 , 19, 1167-74	4 71
2136	The outcome of physical symptoms with treatment of depression. <i>Journal of General Internal Medicine</i> , 2004 , 19, 813-8	4 115
2135	Parting reflections on the best of JGIM. <i>Journal of General Internal Medicine</i> , 2004 , 19, 1244-1248	4 78

2134	Translating evidence-based depression management services to community-based primary care practices. 2004 , 82, 631-59	90
2133	Rapid screening for depression--validation of the Brief Case-Find for Depression (BCD) in medical oncology and palliative care patients. 2004 , 91, 900-6	34
2132	Comparative validity of three screening questionnaires for DSM-IV depressive disorders and physicians' diagnoses. 2004 , 78, 131-40	737
2131	Measuring depression outcome with a brief self-report instrument: sensitivity to change of the Patient Health Questionnaire (PHQ-9). 2004 , 81, 61-6	918
2130	Base rates for panic and depression according to the Brief Patient Health Questionnaire: a population-based study. 2004 , 82, 271-6	118
2129	Cognitive complexity of self-administered depression measures. 2004 , 83, 191-8	25
2128	Relation between depressive symptoms and treadmill exercise capacity in the Heart and Soul Study. 2004 , 94, 96-9	39
2127	Use of brief depression screening tools in primary care: consideration of heterogeneity in performance in different patient groups. 2004 , 26, 190-8	103
2126	The work impact of dysthymia in a primary care population. 2004 , 26, 269-76	23
2125	Depression and diabetes symptom burden. 2004 , 26, 430-6	174
2124	Development and feasibility of a nurse administered strategy on depression in community-dwelling patients with a chronic physical disease. 2004 , 54, 87-94	24
2123	Behavioral and clinical factors associated with depression among individuals with diabetes. 2004 , 27, 914-20	321
2122	Predictors of the onset of depressive symptoms in patients with heart failure. 2004 , 44, 2333-8	113
2121	Depression and 24-hour urinary cortisol in medical outpatients with coronary heart disease: The Heart and Soul Study. 2004 , 56, 241-7	109
2120	Symptoms of major depression in people with spinal cord injury: implications for screening. 2004 , 85, 1749-56	221
2119	Relationship of depression and diabetes self-care, medication adherence, and preventive care. 2004 , 27, 2154-60	769
2118	Relationship between perceived stigma and depression severity. 2004 , 192, 278-83	97
2117	Association of fear of terror with low-grade inflammation among apparently healthy employed adults. 2004 , 66, 484-91	36

2116	Relationship between depression and C-reactive protein in a screening population. 2004 , 66, 679-83	75
2115	Is depression a major risk factor for coronary disease? A systematic review of the epidemiologic evidence. 2004 , 12, 79-93	53
2114	Influence of patient attachment style on self-care and outcomes in diabetes. 2004 , 66, 720-8	152
2113	Risk behaviors and health-related quality of life among adults with asthma: the role of mental health status. 2004 , 126, 1849-54	56
2112	Monitoring depression treatment outcomes with the patient health questionnaire-9. 2004 , 42, 1194-201	776
2111	Self-reported mental health among US military personnel prior and subsequent to the terrorist attacks of September 11, 2001. 2004 , 46, 775-82	10
2110	Psychiatric Comorbidity and Work Disability in Patients With Inflammatory Rheumatic Diseases. 2004 , 66, 395-402	3
2109	Quality of depression care in a population-based sample of patients with diabetes and major depression. 2004 , 42, 1222-9	149
2108	Outcomes of newly referred neurology outpatients with depression and pain. 2004 , 63, 674-7	54
2107	Men's health initiative risk assessment study: effect of community pharmacy-based screening. 2004 , 44, 569-77	13
2106	Performance of the PHQ-9 as a screening tool for depression after stroke. 2005 , 36, 635-8	263
2105	Severity and criteria based prompting for treatment of depressed patients. 2005 , 35, 149-59	1
2104	Teaching the psychosocial aspects of care in the clinical setting: practical recommendations. 2005 , 80, 8-20	53
2103	Depression in diabetic patients: The relationship between mood and glycemic control. 2005 , 19, 113-122	61
2102	Incontinence severity and major depression in incontinent women. 2005 , 106, 585-92	126
2101	Potentially modifiable factors associated with disability among people with diabetes. 2005 , 67, 233-40	86
2100	Screening for cognitive impairment and depression in ethnically diverse older populations. 2005 , 19, 275-8	24
2099	Applying depression-specific change concepts in a collaborative breakthrough series. 2005 , 31, 386-97	44

2098	Depression and heart rate variability in patients with stable coronary heart disease: findings from the Heart and Soul Study. 2005 , 62, 661-6		99
2097	Validity of the Patient Health Questionnaire-9 in assessing depression following traumatic brain injury. 2005 , 20, 501-11		275
2096	Psychological disorders and distress after adult cardiothoracic transplantation. 2005 , 20, S51-66		78
2095	Clinical management of depression and anxiety in HIV-infected adults. 2005 , 19, 2057-67		44
2094	Depression and dispiritedness in later life: a 'gray drizzle of horror' isn't inevitable. 2005 , 105, 52-61; quiz 61-2		11
2093	Integrating behavioral health into primary care settings: A pilot project.. 2005 , 36, 130-135		12
2092	Variation in perceived competence, glycemic control, and patient satisfaction: relationship to autonomy support from physicians. 2005 , 57, 39-45		131
2091	Characteristics of cocaine users presenting to an emergency department chest pain observation unit. 2005 , 12, 329-37		17
2090	The association of paternal mood and infant temperament: A pilot study. 2005 , 23, 609-21		23
2089	Assessment and Psychological Treatment of Depression in Older Adults with Terminal or Life-Threatening Illness.. 2005 , 12, 339-353		25
2088	Assessment and Treatment of Depressed Older Adults in Primary Care.. 2005 , 12, 321-335		25
2087	Assessing depression in primary care with the PHQ-9: can it be carried out over the telephone?. <i>Journal of General Internal Medicine</i> , 2005 , 20, 738-42	4	240
2086	Depression and glycemic control in Hispanic primary care patients with diabetes. <i>Journal of General Internal Medicine</i> , 2005 , 20, 460-6	4	74
2085	The impact of major depressive disorder on the short- and long-term outcome of Crohn's disease treatment with infliximab. 2005 , 22, 101-10		174
2084	A temporal and dose-response association between alcohol consumption and medication adherence among veterans in care. 2005 , 29, 1190-7		168
2083	The limited effect of screening for depressive symptoms with the PHQ-9 in rural family practices. 2005 , 21, 303-9		22
2082	Efficacy, predictors of therapy response, and safety of sertraline in routine clinical practice: prospective, open-label, non-interventional postmarketing surveillance study in 1878 patients. 2005 , 87, 271-9		23
2081	Screening for depression in patients with coronary heart disease (data from the Heart and Soul Study). 2005 , 96, 1076-81		169

2080	Diabetes complications and depression as predictors of health service costs. 2005 , 27, 344-51		155
2079	Telephonic case-finding of major depression in a Medicaid chronic disease management program for diabetes and heart failure. 2005 , 27, 338-43		21
2078	Validation of 2 depression screening tools in dialysis patients. 2005 , 46, 919-24		221
2077	Depression in diabetic patients: the relationship between mood and glycemic control. 2005 , 19, 113-22		259
2076	The mediating role of health beliefs in the relationship between depressive symptoms and medication adherence in persons with diabetes. 2005 , 1, 508-25		69
2075	Depression. 2005 , 50, 265-273		6
2074	[Screening for depression -- two questions practically oriented]. 2005 , 155, 297-302		5
2073	Crossing the divide: primary care and mental health integration. 2005 , 32, 341-55		14
2072	Symptomatic severity of prime-MD diagnosed episodes of panic and generalized anxiety disorder in primary care. <i>Journal of General Internal Medicine</i> , 2005 , 20, 623-628	4	24
2071	An audiotaped mental health evaluation tool for Hispanic immigrants with a range of literacy levels. 2005 , 7, 33-6		11
2070	Clinical improvement associated with conformance to HEDIS-based depression care. 2005 , 7, 103-12		23
2069	A Comparison of Psychosocial and Physical Functioning in Patients with Motor Neurone Disease and Metastatic Cancer. 2005 , 21, 173-179		28
2068	Follow-up and follow-through of depressed patients in primary care: the critical missing components of quality care. 2005 , 18, 520-7		23
2067	Antidepressant treatment in the primary care office: outcomes for adjustment disorder versus major depression. 2005 , 17, 77-81		38
2066	Depression and medication adherence in outpatients with coronary heart disease: findings from the Heart and Soul Study. 2005 , 165, 2508-13		329
2065	Depression in US Hispanics: diagnostic and management considerations in family practice. 2005 , 18, 282-96		175
2064	Adherence to maintenance-phase antidepressant medication as a function of patient beliefs about medication. 2005 , 3, 23-30		207
2063	Depression and cardiovascular disease: a call for recognition. 2005 , 111, 250-3		160

2062	Suicidal ideation and risk levels among primary care patients with uncomplicated depression. 2005 , 3, 523-8	53
2061	[Sensitivity, specificity, positive and negative predictive value]. 2005 , 44, 44-9	10
2060	Depressive symptoms and 24-hour urinary norepinephrine excretion levels in patients with coronary disease: findings from the Heart and Soul Study. 2005 , 162, 2139-45	83
2059	Prevalence and treatment of depression in Parkinson's disease. 2005 , 17, 310-23	80
2058	Follow-up of Pentagon employees two years after the terrorist attack of September 11, 2001. 2005 , 56, 1374-8	42
2057	Depression and stroke: cause or consequence?. 2005 , 25, 396-409	62
2056	Depression, correlates of depression, and receipt of depression care among low-income women with breast or gynecologic cancer. 2005 , 23, 3052-60	226
2055	Work disability among individuals with diabetes. 2005 , 28, 1326-32	117
2054	The association of comorbid depression with mortality in patients with type 2 diabetes. 2005 , 28, 2668-72	480
2053	Randomized effectiveness trial of a computer-assisted intervention to improve diabetes care. 2005 , 28, 33-9	89
2052	Use of videoconferencing for depression research: enrollment, retention, and patient satisfaction. 2005 , 11, 84-9	16
2051	Surprisingly High Prevalence of Anxiety and Depression in Chronic Breathing Disorders. 2005 , 127, 1205-1211	27
2050	Use of the Zung depression scale in patients with traumatic brain injury: 1 year post-injury. 2005 , 19, 903-8	8
2049	Recognizing depression in cancer outpatients. 2005 , 2, 528-533	3
2048	Can collaborative care address the needs of low-income Latinas with comorbid depression and cancer? Results from a randomized pilot study. 2005 , 46, 224-32	95
2047	Depression screening instruments made good severity measures in a cross-sectional analysis. 2005 , 58, 370-7	49
2046	Detecting and monitoring depression with a two-item questionnaire (PHQ-2). 2005 , 58, 163-71	753
2045	Depression and heart failure in patients with a new myocardial infarction. 2005 , 149, 851-5	18

2044	Antidepressant therapy in patients with ischemic heart disease. 2005 , 150, 871-81	70
2043	Sweating away the blues: can exercise treat depression?. 2005 , 28, 140-1	18
2042	How Does Depression Influence Diabetes Medication Adherence in Older Patients?. 2005 , 13, 202-210	64
2041	Prevalence, predictors, and outcomes of premature discontinuation of thienopyridine therapy after drug-eluting stent placement: results from the PREMIER registry. 2006 , 113, 2803-9	683
2040	eScreening: Developing an Electronic Screening Tool for Rural Primary Care. 2006 ,	4
2039	Quality of life in patients with chronic obstructive pulmonary disease and comorbid anxiety or depression. 2006 , 47, 312-9	191
2038	Identifiers, or "red flags," of complexity and need for integrated care. 2006 , 90, 703-12	26
2037	Disease-focused or integrated treatment: diabetes and depression. 2006 , 90, 627-46	19
2036	Symptoms, syndromes, and the value of psychiatric diagnostics in patients who have functional somatic disorders. 2006 , 90, 603-26	74
2035	Responsiveness of the PHQ-9 to Psychopharmacological Depression Treatment. 2006 , 47, 62-7	90
2034	Algorithms and collaborative-care systems for depression: are they effective and why? A systematic review. 2006 , 59, 1029-38	102
2033	Randomized controlled trial of telephone case management in Hispanics of Mexican origin with heart failure. 2006 , 12, 211-9	123
2032	Routine PHQ-9 depression screening in home health care: depression, prevalence, clinical and treatment characteristics and screening implementation. 2005 , 24, 1-19	82
2031	Suicidal ideation in multiple sclerosis. 2006 , 87, 1073-8	71
2030	The Prospective Registry Evaluating Myocardial Infarction: Events and Recovery (PREMIER)—evaluating the impact of myocardial infarction on patient outcomes. 2006 , 151, 589-97	107
2029	The prevalence of unrecognized depression in patients with acute coronary syndrome. 2006 , 152, 928-34	43
2028	A comparative study of nonspecific depressive symptoms and minor depression regarding functional impairment and associated characteristics in primary care. 2006 , 47, 35-41	75
2027	The Epworth sleepiness scale: relationship to sleep and mental disorders in a sleep clinic. 2006 , 7, 327-32	13

2026	An examination of depression through the lens of spinal cord injury. Comparative prevalence rates and severity in women and men. 2006 , 16, 380-8	27
2025	Integrating clinical with biobehavioural studies of depression and physical illness. 397-408	4
2024	Depression decision support in primary care: a cluster randomized trial. 2006 , 145, 477-87	48
2023	Exposure to terrorism, stress-related mental health symptoms, and defensive coping among Jews and Arabs in Israel. 2006 , 74, 207-18	282
2022	Pay for performance in primary and specialty behavioral health care: Two "concept" proposals.. 2006 , 37, 384-388	4
2021	Depressive symptoms and adherence to asthma therapy after hospital discharge. 2006 , 130, 1034-8	72
2020	Depression case finding in primary care: a method for the mandates. 2006 , 36, 141-51	5
2019	Effects of a brief computer-assisted diabetes self-management intervention on dietary, biological and quality-of-life outcomes. 2006 , 2, 27-38	64
2018	Malignant criminalization: from hypothesis to theory. 2006 , 57, 1511-2; author reply 1512	3
2017	Letter. 2006 , 57, 1512-1512	
2016	Community reintegration of prisoners with mental illness. 2006 , 57, 1512-3; author reply 1513	0
2015	Addressing Intimate Partner Violence in Primary Care: Lessons From Chronic Illness Management. 2006 , 21, 101-115	9
2014	"Antipsychiatry" and "consumerism": perspectives and definitions. 2006 , 57, 1514-5	3
2013	Swahili translation and validation of the Patient Health Questionnaire-9 depression scale in the Kenyan head and neck cancer patient population. 2006 , 36, 367-81	91
2012	Psychometric testing of the revised 15-item Bakas Caregiving Outcomes Scale. 2006 , 55, 346-55	103
2011	Depression--An independent risk factor for cardiovascular disease. 2006 , 19, 40-2, 44, 46	3
2010	Entretiens diagnostiques structurés en psychiatrie. 2006 , 3, 1-30	0
2009	Letter. 2006 , 57, 1513-1513	1

- 2008 Letter. **2006**, 57, 1515-1516
- 2007 Multiple sclerosis, mental illness, and forced treatment. **2006**, 57, 1516-7; author reply 1517-8 1
- 2006 How valid are family proxy assessments of stroke patients' health-related quality of life?. **2006**, 37, 2081-5 103
- 2005 Letter. **2006**, 57, 1510-1510
- 2004 Letter. **2006**, 57, 1513-1513
- 2003 Legal consequences of seclusion and restraint. **2006**, 57, 1516 6
- 2002 MS does not damage the brain; serious mental illnesses do. **2006**, 57, 1517; author reply 1517-8
- 2001 Successful use of VNS for depression. **2006**, 57, 1518-9 1
- 2000 Psychiatric effects of heat waves. **2006**, 57, 1519 9
- 1999 The association of patient relationship style and outcomes in collaborative care treatment for depression in patients with diabetes. **2006**, 44, 283-91 52
- 1998 Depression, anxiety, and nonalcoholic steatohepatitis. **2006**, 68, 563-9 77
- 1997 Letter. **2006**, 57, 1510-1511
- 1996 Racial and ethnic differences in the relationship between depression severity and functional status. **2006**, 57, 498-503 44
- 1995 Using the PHQ-9 for depression screening and treatment monitoring for Chinese Americans in primary care. **2006**, 57, 976-81 62
- 1994 Comorbid depression, chronic pain, and disability in primary care. **2006**, 68, 262-8 331
- 1993 Letter. **2006**, 57, 1515-1515
- 1992 Letter. **2006**, 57, 1517-1517
- 1991 Imagining the ecotrienes: a helpful new class of peptides. **2006**, 57, 1519-20 1

1990	Intoxication before intercourse and risky sexual behavior in male veterans with and without human immunodeficiency virus infection. 2006 , 44, S31-6		34
1989	Polycystic ovary syndrome and mental health: A review. 2006 , 61, 723-32		134
1988	Depression and prehospital delay in the context of myocardial infarction. 2006 , 68, 51-7		54
1987	Literacy and health outcomes: a cross-sectional study in 1002 adults with diabetes. 2006 , 7, 49		98
1986	The Indiana Chronic Disease Management Program. 2006 , 84, 135-63		18
1985	Medical patients' attitudes toward emotional problems and their treatment. What do they really want?. <i>Journal of General Internal Medicine</i> , 2006 , 21, 39-45	4	59
1984	Screening, assessment, and management of depression in VA primary care clinics. The Behavioral Health Laboratory. <i>Journal of General Internal Medicine</i> , 2006 , 21, 46-50	4	126
1983	Using the Patient Health Questionnaire-9 to measure depression among racially and ethnically diverse primary care patients. <i>Journal of General Internal Medicine</i> , 2006 , 21, 547-52	4	470
1982	Literacy education as treatment for depression in patients with limited literacy and depression: a randomized controlled trial. <i>Journal of General Internal Medicine</i> , 2006 , 21, 823-8	4	57
1981	Improving depression care in patients with diabetes and multiple complications. <i>Journal of General Internal Medicine</i> , 2006 , 21, 1036-41	4	44
1980	Serious psychological distress in U.S. adults with arthritis. <i>Journal of General Internal Medicine</i> , 2006 , 21, 1160-6	4	85
1979	A review of screening tools for psychiatric comorbidity in headache patients. 2006 , 46 Suppl 3, S98-109		77
1978	Geriatric Resources for Assessment and Care of Elders (GRACE): a new model of primary care for low-income seniors. 2006 , 54, 1136-41		143
1977	Reducing suicidal ideation in depressed older primary care patients. 2006 , 54, 1550-6		132
1976	Assessing and managing women with depression: a midwifery perspective. 2006 , 51, 185-92		3
1975	Outcomes among family caregivers of aphasic versus nonaphasic stroke survivors. 2006 , 31, 33-42		85
1974	Barriers to psychotherapy among depressed and nondepressed primary care patients. 2006 , 32, 254-8		161
1973	Health care discussions and treatment for urinary incontinence in U.S. women. 2006 , 194, 729-37		33

1972	PTSD, depression, prescription drug use, and health care utilization of Chinese workers affected by the WTC attacks. 2006 , 8, 203-10	21
1971	Implementation of guideline-based care for depression in primary care. 2006 , 33, 43-53	24
1970	Challenges of implementing depression care management in the primary care setting. 2006 , 33, 65-75	26
1969	Poor and depressed, the tip of the iceberg: the unmet needs of enrollees in an indigent health care plan. 2006 , 33, 172-81	5
1968	Project IMPACT: a report on barriers and facilitators to sustainability. 2006 , 33, 718-29	77
1967	Cost-utility of selective serotonin reuptake inhibitors for depression in primary care in Catalonia. 2006 , 114, 39-47	15
1966	Validity of the Brief Patient Health Questionnaire Mood Scale (PHQ-9) in the general population. 2006 , 28, 71-7	796
1965	Where is the patient? The association of psychosocial factors and missed primary care appointments in patients with diabetes. 2006 , 28, 9-17	72
1964	Using five questions to screen for five common mental disorders in primary care: diagnostic accuracy of the Anxiety and Depression Detector. 2006 , 28, 108-18	57
1963	Taking an evidence-based model of depression care from research to practice: making lemonade out of depression. 2006 , 28, 101-7	61
1962	Translating effective depression care into practice: making an impact with IMPACT. 2006 , 28, 92-3	2
1961	Characteristics of depression in hemodialysis patients: symptoms, quality of life and mortality risk. 2006 , 28, 306-12	148
1960	Panic episodes among patients with diabetes. 2006 , 28, 475-81	28
1959	Depression in survivors of burn injury: a systematic review. 2006 , 28, 494-502	70
1958	Gender differences in response to antidepressant treatment prescribed in primary care. Does menopause make a difference?. 2006 , 93, 53-60	69
1957	Validity of the patient health questionnaire (PHQ-9) as a screening tool for depression amongst Nigerian university students. 2006 , 96, 89-93	251
1956	Intra-cluster correlation coefficients in adults with diabetes in primary care practices: the Vermont Diabetes Information System field survey. 2006 , 6, 20	58
1955	Effectiveness and cost-effectiveness of a minimal psychological intervention to reduce non-severe depression in chronically ill elderly patients: the design of a randomised controlled trial [ISRCTN92331982]. 2006 , 6, 161	36

1954	Factors associated with drug adherence and blood pressure control in patients with hypertension. 2006 , 26, 483-92	107
1953	Distress, psychiatric syndromes, and impairment of function in women with newly diagnosed breast cancer. 2006 , 107, 2924-31	202
1952	Recognizing and engaging depressed Chinese Americans in treatment in a primary care setting. 2006 , 21, 819-23	24
1951	Dissemination of evidence-based mental health interventions: importance to the trauma field. 2006 , 19, 611-23	25
1950	Ask the patient. 2006 , 12, 67	
1949	The impact of HETF for adults with neurological conditions. 2006 , 11, 511-8	4
1948	Psychiatric side effects of interferon treatment. 2006 , 1, 143-50	23
1947	Posttraumatic stress disorder and depression in battle-injured soldiers. 2006 , 163, 1777-83; quiz 1860	247
1946	Report by the ACNP Task Force on response and remission in major depressive disorder. 2006 , 31, 1841-53	469
1945	Screening for depression in primary care. 2006 , 23, 693-8	15
1944	Quality of preventive care for diabetes: effects of visit frequency and competing demands. 2006 , 4, 32-9	81
1943	Clinical Psychology and Heart Disease. 2006 ,	13
1942	Time course of depression and outcome of myocardial infarction. 2006 , 166, 2035-43	123
1941	Post-MI psychiatric syndromes: six unanswered questions. 2006 , 14, 305-18	12
1940	Cost-effectiveness and net benefit of enhanced treatment of depression for older adults with diabetes and depression. 2006 , 29, 265-70	201
1939	Chronic pain in older persons: prevalence, assessment and management. 2006 , 16, 231	10
1938	Isn't this just bedtime snacking? The potential adverse effects of night-eating symptoms on treatment adherence and outcomes in patients with diabetes. 2006 , 29, 1800-4	87
1937	Depression and cardiovascular disease: healing the broken-hearted. 2006 , 295, 2874-81	178

1936	A brief measure for assessing generalized anxiety disorder: the GAD-7. 2006 , 166, 1092-7	10806
1935	Job performance deficits due to depression. 2006 , 163, 1569-76	316
1934	Depressive symptoms after acute myocardial infarction: evidence for highest rates in younger women. 2006 , 166, 876-83	154
1933	Qualitative study of an intervention for depression among patients with diabetes: how can we optimize patient-professional interaction?. 2006 , 2, 231-42	16
1932	Depression, stress, and quality of life in persons with chronic kidney disease: the Heart and Soul Study. 2006 , 103, c1-7	47
1931	Brief maternal depression screening at well-child visits. 2006 , 118, 207-16	131
1930	Depression care for the elderly: reducing barriers to evidence-based practice. 2006 , 25, 115-48	49
1929	Effectiveness of collaborative care for older adults with Alzheimer disease in primary care: a randomized controlled trial. 2006 , 295, 2148-57	505
1928	Measuring depression and pain with home health monitors. 2006 , 12, 702-6	9
1927	Double-disease management or one care manager for two chronic conditions: pilot feasibility study of nurse telephonic disease management for depression and congestive heart failure. 2006 , 9, 266-76	14
1926	Recovery from Depression in Older Depressed Patients in Primary Care. 2007 , 31, 17-32	5
1925	Integrating Depression Care With Diabetes Care in Real-World Settings: Lessons From the Robert Wood Johnson Foundation Diabetes Initiative. 2007 , 20, 10-16	20
1924	High prevalence of somatic symptoms and depression in women with disabling chronic headache. 2007 , 68, 134-40	63
1923	In-Home Cognitive Behavior Therapy for a Depressed Mother in a Home Visitation Program. 2007 , 6, 161-180	23
1922	Depression and survival in chronic heart failure: does gender play a role?. 2007 , 9, 1018-23	55
1921	Routine collection of patient-reported outcomes in an HIV clinic setting: the first 100 patients. 2007 , 5, 109-18	100
1920	Handbook of Consultation-Liaison Psychiatry. 2007 ,	4
1919	Does literacy education improve symptoms of depression and self-efficacy in individuals with low literacy and depressive symptoms? A preliminary investigation. 2007 , 20, 23-7	36

1918	Managing depression in home health care: a randomized clinical trial. 2007 , 26, 81-104	41
1917	Commit to Quit in the YMCAs: translating an evidence-based quit smoking program for women into a community setting. 2007 , 9, 1227-35	17
1916	Use of chronic care model elements is associated with higher-quality care for diabetes. 2007 , 5, 14-20	122
1915	Older Adult Psychological Assessment. 2007 , 31, 1-35	51
1914	Care management of poststroke depression: a randomized, controlled trial. 2007 , 38, 998-1003	101
1913	Teaching systems-based practice to primary care physicians to foster routine implementation of evidence-based depression care. 2007 , 82, 168-75	14
1912	The patient health questionnaire, Japanese version: validity according to the mini-international neuropsychiatric interview-plus. 2007 , 101, 952-60	207
1911	Biopsychosocial effects of qigong as a mindful exercise for people with anxiety disorders: a speculative review. 2007 , 13, 831-9	46
1910	Combat-related post-traumatic stress disorder: a case report using virtual reality exposure therapy with physiological monitoring. 2007 , 10, 309-15	23
1909	Age difference in rates of mental health/substance abuse and behavioral care in HIV-positive adults. 2007 , 21, 347-55	32
1908	Integrating smoking cessation into mental health care for post-traumatic stress disorder. 2007 , 4, 178-89	22
1907	Factors associated with the development of expertise in heart failure self-care. 2007 , 56, 235-43	131
1906	Swiss cheese brain. 2007 , 68, 140	3
1905	Quantifying improvement in symptoms, functioning, and quality of life after peripheral endovascular revascularization. 2007 , 115, 569-75	46
1904	Satisfaction and Outcomes of Depressed Older Adults With Psychiatric Clinical Nurse Specialists in Primary Care. 2007 , 13, 62-70	7
1903	Exploring Depression Among a Cohort of African American Women. 2007 , 13, 161-169	9
1902	Sustainable impact of a primary care depression intervention. 2007 , 20, 427-33	16
1901	The use of the Patient Health Questionnaire--9 Korean Version (PHQ-9K) to screen for depressive disorders among Korean Americans. 2007 , 18, 324-30	15

1900	Depression and pain in retired professional football players. 2007 , 39, 599-605	97
1899	Geriatric care management for low-income seniors: a randomized controlled trial. 2007 , 298, 2623-33	338
1898	Basic health, women's health, and mental health among internally displaced persons in Nyala Province, South Darfur, Sudan. 2007 , 97, 353-61	63
1897	Recruiting patients with breast cancer and their families to behavioral research in the post-HIPAA period. 2007 , 34, 1049-54	2
1896	Screening, diagnosis, and treatment of depression in patients with end-stage renal disease. 2007 , 2, 1332-42	158
1895	Depression in Elderly Diabetes Patients. 2007 , 20, 71-75	13
1894	Collaborative care for depression and anxiety problems. 2007 ,	6
1893	History of childhood maltreatment is associated with comorbid depression in women with migraine. 2007 , 69, 959-68	68
1892	A randomized trial of telephone psychotherapy and pharmacotherapy for depression: continuation and durability of effects. 2007 , 75, 257-66	68
1891	The PHQ-9 as a brief assessment of lifetime major depression. 2007 , 19, 247-51	84
1890	Computer-assisted intervention improves patient-centered diabetes care by increasing autonomy support. 2007 , 26, 728-734	187
1889	Anxiety disorders: efficient screening is the first step in improving outcomes. 2007 , 146, 390-2	20
1888	Chronic obstructive pulmonary disease: the case for widening access to primary mental health care and opportunities for new ways of working. 2007 , 2, 3-11	0
1887	Complexities of cocaine users presenting to the emergency department with chest pain: interactions between depression symptoms, alcohol use, and race. 2007 , 1, 213-21	3
1886	Differential association of cognitive and somatic depressive symptoms with heart rate variability in patients with stable coronary heart disease: findings from the Heart and Soul Study. 2007 , 69, 735-9	149
1885	The Family Map: Structured Family Interview to Identify Risks and Strengths in Head Start Families. 2007 , 10, 189-209	30
1884	Spinal cord injury pain: the influence of psychologic factors and impact on quality of life. 2007 , 23, 383-91	111
1883	An interdisciplinary expert consensus statement on assessment of pain in older persons. 2007 , 23, S1-43	419

1882	Help-seeking and access to mental health care in a university student population. 2007 , 45, 594-601	612
1881	Patient satisfaction with treatment after acute myocardial infarction: role of psychosocial factors. 2007 , 69, 115-23	18
1880	Psychiatric disorders among adults seeking emergency disaster assistance after a wildland-urban interface fire. 2007 , 58, 509-14	53
1879	Disease management for depression in an MS clinic. 2007 , 37, 459-73	16
1878	The sensitivity and psychometric properties of a brief computer-based cognitive screening battery in a depression clinic. 2007 , 152, 143-54	39
1877	The impact of obstructive sleep apnea and daytime sleepiness on work limitation. 2007 , 9, 42-53	149
1876	Patient navigation and case management following an abnormal mammogram: a randomized clinical trial. 2007 , 44, 26-33	176
1875	Relation of body mass index to depression and weighing frequency in overweight women. 2007 , 45, 75-9	33
1874	The role of catastrophizing in sickle cell disease--the PiSCES project. 2007 , 133, 39-46	39
1873	Predictors of weight change in overweight patients with myocardial infarction. 2007 , 154, 711-7	30
1872	Depression is a major determinant of quality of life in patients with chronic systolic heart failure in general practice. 2007 , 13, 818-24	85
1871	An association between negatively biased response to neutral stimuli and antidepressant nonadherence. 2007 , 62, 535-44	6
1870	Performance of the Hospital Anxiety and Depression Scale as a screening tool for major depressive disorder in cancer patients. 2007 , 63, 83-91	108
1869	Is health-related quality of life an independent predictor of survival in patients with chronic heart failure?. 2007 , 63, 533-8	42
1868	Performance characteristics of depression screening instruments in survivors of acute myocardial infarction: review of the evidence. 2007 , 48, 185-94	33
1867	Depression treatment preferences of VA primary care patients. 2007 , 48, 482-8	26
1866	Factors related to adherence to statin therapy. 2007 , 41, 1805-11	97
1865	A system-based approach to depression management in primary care using the Patient Health Questionnaire-9. 2007 , 82, 1395-402	30

1864	Clinical practice. Late-life depression. 2007 , 357, 2269-76	118
1863	Virtual Iraq: Initial Case Reports from a VR Exposure Therapy Application for Combat-Related Post Traumatic Stress Disorder. 2007 ,	12
1862	The need to adapt standardized outcomes measures for community mental health. 2007 , 23, 125-38	4
1861	Collaborative depression care, screening, diagnosis and specificity of depression treatments in the primary care setting. 2007 , 7, S59-80	2
1860	Past-year violence typologies among patients with cocaine-related chest pain. 2007 , 33, 571-82	9
1859	Mente e cuore. 2007 ,	0
1858	Ultra short term analysis of heart rate variability for monitoring mental stress in mobile settings. 2007 , 2007, 4656-9	130
1857	Effects of gender and depression on oral medication adherence in persons with type 2 diabetes mellitus. 2007 , 4, 205-13	34
1856	Pain following spinal cord injury. 2007 , 18, 217-33, vi	12
1855	Begin with the end in mind: the value of outcome-driven nephrology social work. 2007 , 14, 409-14	3
1854	Depression and inflammation in patients with coronary heart disease: findings from the Heart and Soul Study. 2007 , 62, 314-20	134
1853	Depression in entry-level military personnel. 2007 , 172, 795-9	16
1852	Post-traumatic stress disorder and depression in health care providers returning from deployment to Iraq and Afghanistan. 2007 , 172, 451-5	100
1851	Division mental health in the new brigade combat team structure: part II. Redeployment and postdeployment. 2007 , 172, 912-7	17
1850	Postdeployment Health Reassessment: a sustainable method for brigade combat teams. 2007 , 172, 1017-23	7
1849	. 2007 ,	5
1848	Predictors of depression in a sample of 1,021 primary care patients with osteoarthritis. 2007 , 57, 415-22	105
1847	Depression in patients with systemic sclerosis: a systematic review of the evidence. 2007 , 57, 1089-97	109

1846	Practice-based Evidence as a Complement to Evidence-based Practice: From Dichotomy to Chiasmus. 443-476	40
1845	Relative impact of adverse events and screened symptoms of posttraumatic stress disorder and depression among active duty soldiers seeking mental health care. 2007 , 63, 199-211	31
1844	Dimensionality and the category of major depressive episode. 2007 , 16 Suppl 1, S41-51	55
1843	Confirmatory factor analysis of posttraumatic stress symptoms in Cambodian refugees. 2007 , 20, 207-16	84
1842	Health status among internally displaced persons in Louisiana and Mississippi travel trailer parks. 2007 , 49, 590-601, 601.e1-12	78
1841	Patient Engagement and Coaching for Health: The PEACH study--a cluster randomised controlled trial using the telephone to coach people with type 2 diabetes to engage with their GPs to improve diabetes care: a study protocol. 2007 , 8, 20	31
1840	Generalist care managers for the treatment of depressed medicaid patients in North Carolina: a pilot study. 2007 , 8, 7	20
1839	Associations of depression and depressive symptoms with preeclampsia: results from a Peruvian case-control study. 2007 , 7, 15	72
1838	Osteoarthritis: quality of life, comorbidities, medication and health service utilization assessed in a large sample of primary care patients. 2007 , 2, 12	53
1837	The initial development of an item bank to assess and screen for psychological distress in cancer patients. 2007 , 16, 724-32	14
1836	Sir Ludwig Guttmann Lecture: trends in spinal cord injury rehabilitation outcomes from model systems in the United States: 1973-2006. 2007 , 45, 713-21	55
1835	No evidence for increased self-reported cognitive failure in Type 1 and Type 2 diabetes: a cross-sectional study. 2007 , 24, 735-40	11
1834	Depression and anxiety: effect on the migraine-obesity relationship. 2007 , 47, 866-75	79
1833	Migraine comorbidity constellations. 2007 , 47, 857-65	80
1832	Headache chronification: screening and behavioral management of comorbid depressive and anxiety disorders. 2008 , 48, 45-50	41
1831	Painful physical symptoms in depression: a clinical challenge. 2007 , 8 Suppl 2, S75-82	37
1830	Alcohol screening scores and risk of hospitalizations for GI conditions in men. 2007 , 31, 443-51	49
1829	Validity of the Patient Health Questionnaire 2 (PHQ-2) in identifying major depression in older people. 2007 , 55, 596-602	228

1828	Protocol for the Locomotor Experience Applied Post-stroke (LEAPS) trial: a randomized controlled trial. 2007, 7, 39	149
1827	Assessment of an enhanced program for depression management in primary care: a cluster randomized controlled trial. The INDI project (Interventions for Depression Improvement). 2007, 7, 253	17
1826	Prevalence of self-reported diagnosis of diabetes mellitus and associated risk factors in a national survey in the US population: SHIELD (Study to Help Improve Early evaluation and management of risk factors Leading to Diabetes). 2007, 7, 277	59
1825	The effectiveness of adding cognitive behavioural therapy aimed at changing lifestyle to managed diabetes care for patients with type 2 diabetes: design of a randomised controlled trial. 2007, 7, 74	30
1824	Osteoarthritis and functional disability: results of a cross sectional study among primary care patients in Germany. 2007, 8, 79	22
1823	Cost-effectiveness of collaborative care for chronically ill patients with comorbid depressive disorder in the general hospital setting, a randomised controlled trial. 2007, 7, 28	26
1822	Randomised controlled trial of a psychiatric consultation model for treatment of common mental disorder in the occupational health setting. 2007, 7, 29	19
1821	Cost-effectiveness of collaborative care including PST and an antidepressant treatment algorithm for the treatment of major depressive disorder in primary care; a randomised clinical trial. 2007, 7, 34	32
1820	Evaluating an automated mental health care system: making meaning of human-computer interaction. 2007, 23, 1167-1182	18
1819	Depression in burn reconstruction patients: symptom prevalence and association with body image dissatisfaction and physical function. 2007, 29, 14-20	64
1818	Survivors of violence-related facial injury: psychiatric needs and barriers to mental health care. 2007, 29, 117-22	27
1817	The association of depression and anxiety with medical symptom burden in patients with chronic medical illness. 2007, 29, 147-55	608
1816	Improving treatment of depression among low-income patients with cancer: the design of the ADAPT-C study. 2007, 29, 223-31	39
1815	Design of the Coordinated Anxiety Learning and Management (CALM) study: innovations in collaborative care for anxiety disorders. 2007, 29, 379-87	80
1814	Diagnostic accuracy of the mood module of the Patient Health Questionnaire: a systematic review. 2007, 29, 388-95	342
1813	Validity of the Hospital Anxiety and Depression Scale and Patient Health Questionnaire-9 to screen for depression in patients with coronary artery disease. 2007, 29, 417-24	176
1812	Stepped Care for Affective Disorders and Musculoskeletal Pain (SCAMP) study: design and practical implications of an intervention for comorbid pain and depression. 2007, 29, 506-17	73
1811	Reducing depression stigma using a web-based program. 2007, 76, 726-34	50

1810	Concordance between the PHQ-9 and the HSCL-20 in depressed primary care patients. 2007 , 99, 139-45	59
1809	Which presenteeism measures are more sensitive to depression and anxiety?. 2007 , 101, 65-74	134
1808	Self-reported use of complementary and alternative medicine in patients with previous acute coronary syndrome. 2007 , 99, 930-3	21
1807	The Action to Control Cardiovascular Risk in Diabetes Memory in Diabetes Study (ACCORD-MIND): rationale, design, and methods. 2007 , 99, 112i-122i	87
1806	Risk factors associated with adverse outcomes in a population-based prospective cohort study of people with their first diabetic foot ulcer. 2007 , 21, 341-9	99
1805	Night sweats, sleep disturbance, and depression associated with diminished libido in late menopausal transition and early postmenopause: baseline data from the Herbal Alternatives for Menopause Trial (HALT). 2007 , 196, 593.e1-7; discussion 593.e7	74
1804	Criterion validity of the French version of Patient Health Questionnaire (PHQ) in a hospital department of internal medicine. 2007 , 80, 69-77	46
1803	Effect of parathyroidectomy on quality of life and neuropsychological symptoms in primary hyperparathyroidism. 2007 , 31, 1202-9	90
1802	Psychische Gesundheit von Studierenden der Medizin. 2007 , 52, 280-286	23
1801	Predictors of adherence to statins for primary prevention. 2007 , 21, 311-6	110
1800	Implementing a depression improvement intervention in five health care organizations: experience from the RESPECT-Depression trial. 2007 , 34, 127-37	34
1799	The treatment of depression in cancer patients: a systematic review. 2007 , 15, 123-36	159
1798	Osteoarthritis of the knee and hip: a comparison of factors associated with physical activity. 2007 , 26, 1811-7	42
1797	Exercise-based motivational interviewing for female patients with fibromyalgia: a case series. 2007 , 26, 1843-9	38
1796	Assessment tools for the evaluation of pain in the oncology patient. 2007 , 11, 259-64	14
1795	Challenges of nonpharmacologic interventions in chronic tension-type headache. 2007 , 11, 471-7	12
1794	Depression and CHD risk: how should we intervene?. 2007 , 9, 272-7	3
1793	Prevalence of depression-PTSD comorbidity: implications for clinical practice guidelines and primary care-based interventions. <i>Journal of General Internal Medicine</i> , 2007 , 22, 711-8	4 306

1792	In the shadow of Iraq: posttraumatic stress disorder in 2007. <i>Journal of General Internal Medicine</i> , 2007 , 22, 888-9	4	5
1791	Stigma and the acceptability of depression treatments among african americans and whites. <i>Journal of General Internal Medicine</i> , 2007 , 22, 1292-7	4	105
1790	Screening for posttraumatic stress disorder in VA primary care patients with depression symptoms. <i>Journal of General Internal Medicine</i> , 2007 , 22, 1321-4	4	22
1789	Screening for depression in medical settings with the Patient Health Questionnaire (PHQ): a diagnostic meta-analysis. <i>Journal of General Internal Medicine</i> , 2007 , 22, 1596-602	4	767
1788	Enhanced Early Emotional Intrusion Effects and Proportional Habituation of Threat Response for Symptom and Illness Words in College Students with Elevated Health Anxiety. 2008 , 32, 818-842		26
1787	Self-management practices among primary care patients with musculoskeletal pain and depression. 2008 , 31, 301-7		31
1786	Assessment of the PHQ-9 as a screening tool for depression in patients with chronic hepatitis C. 2008 , 53, 1100-6		30
1785	Facilitating communication with patients for improved migraine outcomes. 2008 , 12, 230-6		31
1784	Using interpersonal therapy (IPT) with older adults today and tomorrow: a review of the literature and new developments. 2008 , 10, 16-22		21
1783	Screening for chronic conditions using a patient internet portal: recruitment for an internet-based primary care intervention. <i>Journal of General Internal Medicine</i> , 2008 , 23, 472-5	4	28
1782	Predictors of sustained walking among diabetes patients in managed care: the Translating Research into Action for Diabetes (TRIAD) study. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1194-9	4	2
1781	A randomized controlled trial of a close monitoring program for minor depression and distress. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1379-85	4	25
1780	Acute care utilization by dementia caregivers within urban primary care practices. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1736-40	4	71
1779	Optimizing detection of major depression among patients with coronary artery disease using the patient health questionnaire: data from the heart and soul study. <i>Journal of General Internal Medicine</i> , 2008 , 23, 2014-7	4	82
1778	When is social support important? The association of family support and professional support with specific diabetes self-management behaviors. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1992-9	4	145
1777	Development of a self-reporting questionnaire, BURMIG, to evaluate the burden of migraine. 2008 , 9, 309-15		8
1776	Successful physical therapy for constipation related to puborectalis dyssynergia improves symptom severity and quality of life. 2008 , 51, 1686-91		12
1775	Depression symptomatology and diagnosis: discordance between patients and physicians in primary care settings. 2008 , 9, 1		84

1774	Reliability and validity of the Thai version of the PHQ-9. 2008 , 8, 46	170
1773	Longitudinal population-based studies of affective disorders: where to from here?. 2008 , 8, 83	12
1772	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. 2008 , 8, 91	47
1771	Physician attitude toward depression care interventions: implications for implementation of quality improvement initiatives. 2008 , 3, 40	33
1770	Sensitivity and specificity of the Distress Thermometer for depression in newly diagnosed breast cancer patients. 2008 , 17, 556-60	117
1769	Economic stress among low-income women with cancer: effects on quality of life. 2008 , 112, 616-25	131
1768	Depression, desperation, and suicidal ideation in college students: results from the American Foundation for Suicide Prevention College Screening Project at Emory University. 2008 , 25, 482-8	454
1767	Abbreviated brief symptom inventory for use as an anxiety and depression screening instrument in primary care. 2009 , 26, 537-43	16
1766	Care management for depression and osteoarthritis pain in older primary care patients: a pilot study. 2008 , 23, 1166-71	25
1765	Daily spiritual experiences of older adults with and without arthritis and the relationship to health outcomes. 2008 , 59, 122-8	25
1764	Kansas primary care weighs in: a pilot randomized trial of a chronic care model program for obesity in 3 rural Kansas primary care practices. 2008 , 24, 125-32	41
1763	Quality of life and depression of people living with type 2 diabetes mellitus and those at low and high risk for type 2 diabetes: findings from the Study to Help Improve Early evaluation and management of risk factors Leading to Diabetes (SHIELD). 2008 , 62, 562-8	57
1762	Health beliefs about depression among African American women. 2008 , 44, 185-95	33
1761	Improving the role of nursing in the treatment of depression in primary care in Spain. 2008 , 44, 248-58	14
1760	Establishing evidence-based physical activity guidelines: methods for the Study of Health and Activity in People with Spinal Cord Injury (SHAPE SCI). 2008 , 46, 216-21	55
1759	Does clinical depression affect the accuracy of self-reported height and weight in obese women?. 2008 , 16, 473-5	17
1758	Further validation of an individualized migraine treatment satisfaction measure. 2008 , 11, 904-12	9
1757	The headache management trial: a randomized study of coordinated care. 2008 , 48, 1294-310	52

1756	Menstrual migraine: case studies of women with estrogen-related headaches. 2008 , 48 Suppl 3, S131-41	5
1755	Rationale, design, and baseline findings from a randomized trial of collaborative care for chronic musculoskeletal pain in primary care. 2008 , 9, 1050-64	21
1754	Pain and osteoarthritis in primary care: factors associated with pain perception in a sample of 1,021 patients. 2008 , 9, 903-10	38
1753	Long-term effects of childhood abuse on the quality of life and health of older people: results from the Depression and Early Prevention of Suicide in General Practice Project. 2008 , 56, 262-71	190
1752	Lipoatrophy among HIV-infected patients is associated with higher levels of depression than lipohypertrophy. 2008 , 9, 780-6	25
1751	Evidence-based outcomes in pain research and clinical practice. 2008 , 8, 452-60	18
1750	Unrecognized glucose intolerance is not associated with depression. Screening for Impaired Glucose Tolerance study 3 (SIGT 3). 2008 , 25, 1361-5	21
1749	Tryptophan catabolism in females with irritable bowel syndrome: relationship to interferon-gamma, severity of symptoms and psychiatric co-morbidity. 2008 , 20, 1291-7	84
1748	Rasch fit statistics and sample size considerations for polytomous data. 2008 , 8, 33	181
1747	Multidisciplinary collaborative care for depressive disorder in the occupational health setting: design of a randomised controlled trial and cost-effectiveness study. 2008 , 8, 99	26
1746	Association between obesity and depression in middle-aged women. 2008 , 30, 32-9	182
1745	The association of depression and anxiety with obesity and unhealthy behaviors among community-dwelling US adults. 2008 , 30, 127-37	340
1744	Depression, anxiety and somatization in primary care: syndrome overlap and functional impairment. 2008 , 30, 191-9	421
1743	Associations of child sexual and physical abuse with obesity and depression in middle-aged women. 2008 , 32, 878-87	107
1742	Prevalence and rates of recognition of depressive disorders in internal medicine outpatient departments of 23 general hospitals in Shenyang, China. 2008 , 110, 46-54	50
1741	A pilot study to assess the feasibility and acceptability of a community based physical activity intervention (involving internet, telephone, and pedometer support), integrated with medication and mood management for depressed patients. 2008 , 1, 40-45	13
1740	General and social cognition in first episode schizophrenia: identification of separable factors and prediction of functional outcome using the IntegNeuro test battery. 2008 , 99, 182-91	85
1739	Association between obesity, quality of life, physical activity and health service utilization in primary care patients with osteoarthritis. 2008 , 5, 4	50

1738	Health-risk behaviors and suicidal ideation: a preliminary study of cognitive and developmental factors. 2008 , 38, 251-9	14
1737	Mothers' expectations for shared reading after delivery: implications for reading activities at 6 months. 2008 , 8, 169-74	9
1736	Misinterpreting emotional expressions in attention-deficit/hyperactivity disorder: evidence for a neural marker and stimulant effects. 2008 , 63, 917-26	153
1735	Screening instruments for older adult depressive disorders: updating the evidence-based toolbox. 2008 , 29, 924-41	13
1734	The Medical Basis of Psychiatry. 2008 ,	4
1733	Generalized anxiety disorder severity scale validation in older adults. 2008 , 16, 813-8	26
1732	Evidence-based guidelines for treating depressive disorders with antidepressants: a revision of the 2000 British Association for Psychopharmacology guidelines. 2008 , 22, 343-96	341
1731	Defining the role of palliative care in older adults with heart failure. 2008 , 125, 183-90	49
1730	Psychological factors associated with self-reported sensitivity to mobile phones. 2008 , 64, 1-9; discussion 11-2	69
1729	Panic disorder in patients with chronic heart failure. 2008 , 64, 299-303	33
1728	Risk factors of symptom underestimation by physicians. 2008 , 64, 543-51	35
1727	Gastrointestinal symptoms in primary care: prevalence and association with depression and anxiety. 2008 , 64, 605-12	103
1726	The mental health consequences of terrorism: implications for emergency medicine practitioners. 2008 , 35, 139-47	5
1725	Summed score of the Patient Health Questionnaire-9 was a reliable and valid method for depression screening in chronically ill elderly patients. 2008 , 61, 679-87	131
1724	Probit structural equation regression model: general depressive symptoms predicted post-myocardial infarction mortality after controlling for somatic symptoms of depression. 2008 , 61, 832-9	15
1723	Comparing the BDI-II and the PHQ-9 with outpatient substance abusers. 2008 , 33, 381-7	95
1722	Introduction: chronic medical conditions and depression--the view from primary care. 2008 , 121, S1-7	31
1721	The comorbidity of diabetes mellitus and depression. 2008 , 121, S8-15	181

1720	Predictors of depressive symptoms among israeli jews and arabs during the Al aqsa intifada: a population-based cohort study. 2008 , 18, 447-57	21
1719	Depression and panic disorder as predictors of health outcomes for patients with asthma in primary care. 2008 , 102, 359-66	44
1718	Impact of pain on the outcomes of depression treatment: results from the RESPECT trial. 2008 , 134, 209-15	112
1717	Stepped care treatment of postpartum depression: a primary care-based management model. 2008 , 18, 44-52	35
1716	Depression and anxiety associated with cardiovascular disease among persons aged 45 years and older in 38 states of the United States, 2006. 2008 , 46, 445-50	66
1715	Investigating pain in heart failure patients: rationale and design of the Pain Assessment, Incidence & Nature in Heart Failure (PAIN-HF) study. 2008 , 14, 276-82	30
1714	Predictors of medication adherence using a multidimensional adherence model in patients with heart failure. 2008 , 14, 603-14	145
1713	Partner aggression among men and women in substance use disorder treatment: correlates of psychological and physical aggression and injury. 2008 , 98, 35-44	81
1712	Treating persistent depressive symptoms in post-ACS patients: the project COPES phase-I randomized controlled trial. 2008 , 29, 231-40	25
1711	The acyclic CB1R inverse agonist taranabant mediates weight loss by increasing energy expenditure and decreasing caloric intake. 2008 , 7, 68-78	181
1710	Validation of the Patient Health Questionnaire-9 for depression screening among Chinese Americans. 2008 , 49, 211-7	136
1709	Validation of the Patient Health Questionnaire-9 Korean version in the elderly population: the Ansan Geriatric study. 2008 , 49, 218-23	241
1708	A clinically useful depression outcome scale. 2008 , 49, 131-40	94
1707	Shyness 3: randomized controlled trial of guided versus unguided Internet-based CBT for social phobia. 2008 , 42, 1030-40	156
1706	Site matters: winning the hearts and minds of patients in a cardiology clinic. 2008 , 49, 386-91	12
1705	Capturing complexity: the case for a new classification system for mental disorders in primary care. 2008 , 23, 469-76	48
1704	Management of depression for people with cancer (SMaRT oncology 1): a randomised trial. 2008 , 372, 40-8	245
1703	Better off dead: suicidal thoughts in cancer patients. 2008 , 26, 4725-30	144

1702	Perinatal depression. 2008 , 35, 419-34, viii	27
1701	Suicidal behavior in elders. 2008 , 31, 333-56	220
1700	Mental health diagnoses in patients with interstitial cystitis/painful bladder syndrome and chronic prostatitis/chronic pelvic pain syndrome: a case/control study. 2008 , 180, 1378-82	104
1699	Measuring psychological distress symptoms in individuals living with HIV in western Kenya. 2008 , 17, 424-434	12
1698	Chronic pain severity in opioid-dependent patients. 2008 , 34, 101-7	23
1697	Mental health in the workplace: using the ICF to model the prospective associations between symptoms, activities, participation and environmental factors. 2008 , 30, 1289-97	27
1696	Impact of depression and anxiety on quality of life, health behaviors, and asthma control among adults in the United States with asthma, 2006. 2008 , 45, 123-33	113
1695	The efficacy of treatments for depression used in the management of tinnitus. 2008 , 6, 40-47	4
1694	Depression and coronary heart disease: recommendations for screening, referral, and treatment: a science advisory from the American Heart Association Prevention Committee of the Council on Cardiovascular Nursing, Council on Clinical Cardiology, Council on Epidemiology and Prevention, and Interdisciplinary Council on Quality of Care and Outcomes Research: endorsed by the American	996
1693	Are Londoners prepared for an emergency? A longitudinal study following the London bombings. 2008 , 6, 309-19	28
1692	Commentary. 2008 , 10, 271-279	1
1691	Oligomerization state-dependent elevations of adiponectin in chronic daily headache. 2008 , 70, 1905-11	47
1690	Characteristics of psychosocial support seeking during HIV-related treatment in western Kenya. 2008 , 22, 595-601	26
1689	Alcohol use and alcohol-related problems before and after military combat deployment. 2008 , 300, 663-75	427
1688	Improving Access to Mental Health Services for New York State Prison Inmates. 2008 , 14, 122-135	2
1687	Predictors of enrollees' satisfaction with a county-sponsored indigent health care plan. 2008 , 31, 81-103	5
1686	Care management for depression in primary care practice: findings from the RESPECT-Depression trial. 2008 , 6, 30-7	46
1685	Case records of the Massachusetts General Hospital. Case 14-2008. A 78-year-old man with anergia and anhedonia associated with cardiovascular surgery. 2008 , 358, 2051-9	3

1684	Depression in primary care: three key challenges. 2008 , 84, 545-8	12
1683	Angina at 1 year after myocardial infarction: prevalence and associated findings. 2008 , 168, 1310-6	65
1682	Association of combatant status and sexual violence with health and mental health outcomes in postconflict Liberia. 2008 , 300, 676-90	146
1681	Infant television and video exposure associated with limited parent-child verbal interactions in low socioeconomic status households. 2008 , 162, 411-7	78
1680	Correlates of complementary and alternative medicine utilization in depressed, underserved african american and Hispanic patients in primary care settings. 2008 , 14, 537-44	25
1679	Cohort profile: the Centers for AIDS Research Network of Integrated Clinical Systems. 2008 , 37, 948-55	193
1678	Long-term effects on medical costs of improving depression outcomes in patients with depression and diabetes. 2008 , 31, 1155-9	126
1677	The role of audiologic evaluation in progressive audiologic tinnitus management. 2008 , 12, 170-87	59
1676	Access to care among displaced Mississippi residents in FEMA travel trailer parks two years after Katrina. 2008 , 27, w416-29	20
1675	Depressed patients' acceptability of the use of self-administered scales to measure outcome in clinical practice. 2008 , 20, 125-9	29
1674	Screening for depressive symptoms in an online sample of men who have sex with men. 2008 , 20, 904-10	29
1673	Randomized controlled trial of collaborative care management of depression among low-income patients with cancer. 2008 , 26, 4488-96	198
1672	Shyness 1: distance treatment of social phobia over the Internet. 2008 , 42, 585-94	128
1671	Depressive symptoms, health behaviors, and risk of cardiovascular events in patients with coronary heart disease. 2008 , 300, 2379-88	567
1670	Severe constipation associated with extended-release bupropion therapy. 2008 , 65, 1530-2	2
1669	Psychometric comparison of PHQ-9 and HADS for measuring depression severity in primary care. 2008 , 58, 32-6	318
1668	Effectiveness of problem-solving therapy for older, primary care patients with depression: results from the IMPACT project. 2008 , 48, 311-23	140
1667	Effectiveness of telephone-based referral care management, a brief intervention to improve psychiatric treatment engagement. 2008 , 59, 776-81	46

1666	Depression screening and patient outcomes in cardiovascular care: a systematic review. 2008 , 300, 2161-71	345
1665	An interactive web-based method of outreach to college students at risk for suicide. 2008 , 57, 15-22	102
1664	Patient registries: a central component of the chronic care model. 2008 , 13, 127-8, 130-3	9
1663	Factor structure of the Center for Epidemiological Studies Depression Scale in Hong Kong adolescents. 2008 , 90, 175-84	57
1662	‘You’re Nothing But a Junkie’—Multiple Experiences of Stigma in an Aging Methadone Maintenance Population. 2008 , 8, 244-264	69
1661	Behavioral symptoms in patients with breast cancer and survivors. 2008 , 26, 768-77	327
1660	Shyness 2: treating social phobia online: replication and extension. 2008 , 42, 595-605	97
1659	Using mental health indicators to identify postdisaster gender-based violence among women displaced by Hurricane Katrina. 2008 , 17, 1437-44	30
1658	Screening for depression in the postpartum period: a comparison of three instruments. 2008 , 17, 585-96	101
1657	The prevalence of depression in older U.S. women: 2006 behavioral risk factor surveillance system. 2008 , 17, 501-7	6
1656	Collaborative care for depression in UK primary care: a randomized controlled trial. 2008 , 38, 279-87	120
1655	Functioning status of adult children of depressed parents: a 23-year follow-up. 2008 , 38, 343-52	18
1654	Psychosocial correlates of exercise in women with self-reported depressive symptoms. 2008 , 5, 469-80	28
1653	Transformations in collaborative healthcare.. 2008 , 26, 459-465	
1652	Performance in Practice: Sample Tools for the Care of Patients with Major Depressive Disorder. 2008 , 6, 22-35	4
1651	The importance of cognitive processing to adjustment in the 1st year following amputation.. 2008 , 53, 28-38	62
1650	Factor structure of the PHQ-9 screen for depression across time since injury among persons with spinal cord injury.. 2008 , 53, 243-249	89
1649	Measuring Latinos’ perceptions of depression: a confirmatory factor analysis of the Illness Perception Questionnaire. 2008 , 14, 377-384	52

1648	Online tools for evaluating patient change: Statistical foundations, clinical applications, research relevance.. 2008 , 53, 313-320	4
1647	Assessment of depressive symptoms during inpatient rehabilitation for spinal cord injury: Is there an underlying somatic factor when using the PHQ?. 2008 , 53, 513-520	51
1646	The interface between pain and drug abuse and the evolution of strategies to optimize pain management while minimizing drug abuse. 2008 , 16, 400-4	48
1645	Shared decision making interventions for people with mental health conditions. 2008 ,	5
1644	Reducing the burden of depression. 2008 , 53, 420-7	20
1643	Inducing sustainable improvement in depression care in primary care practices. 2008 , 34, 247-55	17
1642	Improving the efficiency of screening for major depression in people with spinal cord injury. 2008 , 31, 177-84	32
1641	After Shared Care: Patients' Symptoms and Functioning 3 to 6 Months Following Care at A Rural Shared Mental Health Care Clinic. 2008 , 27, 47-54	7
1640	Anxiety and depression in COPD: current understanding, unanswered questions, and research needs. 2008 , 134, 43S-56S	455
1639	Validation and standardization of the Generalized Anxiety Disorder Screener (GAD-7) in the general population. 2008 , 46, 266-74	1831
1638	Retrospective screening of patients for age of initial diagnosis of coronary artery disease: shouldn't we just ask?. 2008 , 23, 79-81; author reply 81-3	1
1637	Assessment of occupational impairment and disability from depression. 2008 , 50, 441-50	8
1636	Assessing the prevalence of depression among individuals with diabetes in a Medicaid managed-care program. 2008 , 38, 13-29	24
1635	Depression and cardiac function in patients with stable coronary heart disease: findings from the Heart and Soul Study. 2008 , 70, 444-9	36
1634	Identifying and diagnosing co-occurring disorders. 2008 , 13, 4-6	5
1633	Management of more complicated depression in primary care: case studies UK. 55-82	
1632	Resources. 114-139	
1631	Prevalence of mental health problems, treatment need, and barriers to care among primary care-seeking spouses of military service members involved in Iraq and Afghanistan deployments. 2008 , 173, 1051-6	145

1630	Acceptability of an Electronic Self-Report Assessment Program for patients with cancer. 2008 , 26, 332-8	35
1629	Population-based care of depression: team care approaches to improving outcomes. 2008 , 50, 459-67	89
1628	Acute coronary syndrome patients with depression have low blood cell membrane omega-3 fatty acid levels. 2008 , 70, 856-62	39
1627	Collaborative mental health and primary care for bipolar disorder. 2008 , 14 Suppl 2, 55-64	5
1626	Barriers to seeking mental health care after treatment for orofacial injury at a large, urban medical center: concordance of patient and provider perspectives. 2008 , 65, 196-202	8
1625	Systematic use of patient-rated depression severity monitoring: is it helpful and feasible in clinical psychiatry?. 2008 , 59, 1148-54	66
1624	Pediatric depressive disorders: management priorities in primary care. 2008 , 20, 551-9	10
1623	Association of depression and anxiety alone and in combination with chronic musculoskeletal pain in primary care patients. 2008 , 70, 890-7	332
1622	Challenges and opportunities for preventing depression in the workplace: a review of the evidence supporting workplace factors and interventions. 2008 , 50, 411-27	45
1621	A clinical perspective on workplace depression: current and future directions. 2008 , 50, 501-13	5
1620	Impaired work performance among women with symptomatic uterine fibroids. 2008 , 50, 1149-57	20
1619	Beliefs about depression and depression treatment among depressed veterans. 2008 , 46, 581-9	44
1618	Depression in Age-Related Macular Degeneration. 2008 , 102, 591-599	35
1617	General hospital psychiatry. 515-539	
1616	Assessment of Dementia Family Caregivers. 2008 , 243-271	3
1615	Characteristics of deployed Operation Iraqi Freedom military personnel who seek mental health care. 2008 , 173, 155-8	23
1614	Modeling the impact of COPD on the brain. 2008 , 3, 429-34	48
1613	Psychological aggression, physical aggression, and injury in nonpartner relationships among men and women in treatment for substance-use disorders. 2008 , 69, 896-905	40

1612	Error in Byline in: Diagnosis, Evaluation, and Treatment of Childhood Obesity in Pediatric Practice. 2008 , 162, 417	
1611	Heavy cannabis use and depressive symptoms in three Aboriginal communities in Arnhem Land, Northern Territory. 2008 , 188, 605-8	31
1610	Systematic prenatal screening for psychosocial risks. 2008 , 19, 258-76	49
1609	Feasibility of using computer-assisted interviewing to enhance HIV test counseling in community settings. 2008 , 123 Suppl 3, 70-7	5
1608	Project Direct: Pilot Study of A Collaborative Intervention for Depressed Seniors. 2008 , 27, 201-218	4
1607	Shared Care Depression Collaborative Model: From Project Inception to Outcome Data. 2008 , 27, 219-232	2
1606	Alcohol use, comorbidities, and receptivity to treatment in Hispanic farmworkers in primary care. 2009 , 20, 1095-110	12
1605	Perceived barriers to mental health care and goal setting among depressed, community-dwelling older adults. 2009 , 3, 145-9	17
1604	Methodological issues in primary prevention trials for neurodegenerative dementia. 2009 , 16, 235-70	33
1603	Achieving treatment concordance. 2009 , 20, 353-357	8
1602	Improving access to psychological therapies: implications for mental health care in general practice. 2009 , 59, 640-1	7
1601	[Outcome of simultaneous psychosomatic/internal-medicine inpatient care--a naturalistic follow-up study]. 2009 , 55, 229-47	4
1600	Combat-related post-traumatic stress disorder: a case report using virtual reality graded exposure therapy with physiological monitoring with a female Seabee. 2009 , 174, 1215-22	16
1599	DSM-V perspectives on disentangling disability from clinical significance. 2009 , 8, 88-9	9
1598	Treatment needs of men and women with violence problems in substance use disorder treatment. 2009 , 44, 1236-62	26
1597	Pharmacokinetics, safety, and tolerability of phentermine in healthy participants receiving taranabant, a novel cannabinoid-1 receptor (CB1R) inverse agonist. 2009 , 49, 1228-38	10
1596	A comparison of in-person home care, home care with telephone contact and home care with telemonitoring for disease management. 2009 , 15, 344-50	57
1595	Clinical utility of Patient Health Questionnaire-9 (PHQ-9) in memory clinics. 2009 , 13, 188-91	35

1594	Correlates of intimate partner violence among men and women in an inner city emergency department. 2009 , 28, 366-81	28
1593	Family caregiver outcomes in heart failure. 2009 , 18, 149-59	93
1592	Depression and increased mortality in diabetes: unexpected causes of death. 2009 , 7, 414-21	165
1591	Clinician-assisted Internet-based treatment is effective for depression: randomized controlled trial. 2009 , 43, 571-8	187
1590	Routine screening for depression: identifying a challenge for successful HIV care. 2009 , 23, 949-55	51
1589	A qualitative study of determinants of PTSD treatment initiation in veterans. 2009 , 72, 238-55	151
1588	An assessment of attitudes, behaviors, and outcomes of patients with type 2 diabetes. 2009 , 22, 280-90	69
1587	Clinician-Assisted Internet-Based Treatment is Effective for Generalized Anxiety Disorder: Randomized Controlled Trial. 2009 , 43, 905-912	93
1586	Diagnostic utility of the Informant Questionnaire on Cognitive Decline in the Elderly (IQCODE) and its combination with the Addenbrooke's Cognitive Examination-Revised (ACE-R) in a memory clinic-based population. 2009 , 21, 526-30	58
1585	Mental Health and Academic Success in College. 2009 , 9,	264
1584	Cost-related nonadherence to medications among patients with diabetes and chronic pain: factors beyond finances. 2009 , 32, 2143-8	60
1583	A Culturally Relevant and Responsive Approach to Screening for Perinatal Depression. 2009 , 19, 705-714	5
1582	Counseling African Americans to Control Hypertension (CAATCH) trial: a multi-level intervention to improve blood pressure control in hypertensive blacks. 2009 , 2, 249-56	31
1581	Depressive symptoms among female college students experiencing gender-based violence in Awassa, Ethiopia. 2009 , 24, 464-81	33
1580	Prevalence of depression symptoms in outpatients with a complaint of headache. 2009 , 22, 633-7	12
1579	Association between omega-3 fatty acids and depressive symptoms among patients with established coronary artery disease: data from the Heart and Soul Study. 2009 , 78, 125-7	18
1578	Physicians' view of primary care-based case management for patients with heart failure: a qualitative study. 2009 , 21, 363-71	18
1577	Using guided self-help to treat common mental health problems: The Westminster Primary Care Psychology Service. 2009 , 2, 61-4	4

1576	Assessing and managing all aspects of migraine: migraine attacks, migraine-related functional impairment, common comorbidities, and quality of life. 2009 , 84, 422-35	134
1575	Psychosocial predictors of quality of life in a sample of community-dwelling stroke survivors: a longitudinal study. 2009 , 16, 157-66	72
1574	Associations with worry about dying and hopelessness in ambulatory ovarian cancer patients. 2009 , 7, 299-306	35
1573	The relationship of body image to body mass index and binge eating: the role of cross-situational body image dissatisfaction versus situational reactivity. 2009 , 104, 909-21	10
1572	Adapted behavior therapy for persistently depressed primary care patients: an open trial. 2009 , 33, 374-95	6
1571	[Implementation of a routine gradual psycho-diagnostic programme in somatic rehabilitation centres - results of a pilot study]. 2009 , 48, 361-8	6
1570	Comparison of two self-rating scales to detect depression: HADS and PHQ-9. 2009 , 59, e283-8	113
1569	Geriatric Depression - Review for Primary Care. 2009 , 5, 137-142	5
1568	Collaborative care for chronic pain in primary care: a cluster randomized trial. 2009 , 301, 1242-52	230
1567	A cluster within the continuum of biopsychosocial distress can be labeled "fibromyalgia syndrome"--evidence from a representative German population survey. 2009 , 36, 2806-12	50
1566	Sleep as a mediator in the pathway from violence-induced traumatic stress to poorer health and functioning: a review of the literature and proposed conceptual model. 2009 , 7, 223-44	37
1565	Can you hear me now? Limited use of technology among an urban HIV-infected cohort. 2009 , 21, 1000-6	10
1564	Electronic screening for mental health in rural primary care: implementation. 2009 , 30, 165-73	9
1563	Depression, symptoms and the quality of life in patients on hemodialysis for end-stage renal disease. 2009 , 29, 36-42	59
1562	Optimized antidepressant therapy and pain self-management in primary care patients with depression and musculoskeletal pain: a randomized controlled trial. 2009 , 301, 2099-110	311
1561	A clinical prediction rule for detecting major depressive disorder in primary care: the PREDICT-NL study. 2009 , 26, 241-50	17
1560	The surgery pod. 2009 , 35, 203	
1559	Shyness programme: longer term benefits, cost-effectiveness, and acceptability. 2009 , 43, 36-44	73

1558	Screening for emotional distress in cancer patients: a systematic review of assessment instruments. 2009 , 101, 1464-88	351
1557	Shyness 5: the clinical effectiveness of Internet-based clinician-assisted treatment of social phobia. 2009 , 17, 488-492	33
1556	Telephone-delivered collaborative care for treating post-CABG depression: a randomized controlled trial. 2009 , 302, 2095-103	240
1555	Comorbid chronic illness and the diagnosis and treatment of depression in safety net primary care settings. 2009 , 22, 123-35	25
1554	Explicit identification and implicit recognition of facial emotions: I. Age effects in males and females across 10 decades. 2009 , 31, 257-77	131
1553	Cohort Profile: The Diabetes Study of Northern California (DISTANCE)--objectives and design of a survey follow-up study of social health disparities in a managed care population. 2009 , 38, 38-47	101
1552	Stepped care treatment of postpartum depression: impact on treatment, health, and work outcomes. 2009 , 22, 473-82	30
1551	The effect of dementia patient's physical, cognitive, and emotional/ behavioral problems on caregiver well-being: findings from a Spanish-speaking sample from Colombia, South America. 2009 , 24, 384-95	41
1550	An RCT Comparing Effect of Two Types of Support on Severity of Symptoms for People Completing Internet-Based Cognitive Behaviour Therapy for Social Phobia. 2009 , 43, 920-926	71
1549	Concordance of Edinburgh Postnatal Depression Scale (EPDS) and Patient Health Questionnaire (PHQ-9) to assess increased risk of depression among postpartum women. 2009 , 22, 483-91	69
1548	Diagnostic accuracy of Spanish language depression-screening instruments. 2009 , 7, 455-62	56
1547	Impact of depression on sex differences in outcome after myocardial infarction. 2009 , 2, 33-40	60
1546	The association of cognitive and somatic depressive symptoms with depression recognition and outcomes after myocardial infarction. 2009 , 2, 328-37	130
1545	Heightened resting neural activity predicts exaggerated stressor-evoked blood pressure reactivity. 2009 , 53, 819-25	32
1544	Postpartum depression screening at well-child visits: validity of a 2-question screen and the PHQ-9. 2009 , 7, 63-70	148
1543	Depression as a Comorbidity to Diabetes: Implications for Management. 2009 , 5, 523-535	7
1542	Depressive symptoms and pain evaluations among persons with chronic pain: catastrophizing, but not pain acceptance, shows significant effects. 2009 , 147, 147-52	43
1541	Delusions and dorso-medial frontal cortex volume in first-episode schizophrenia: a voxel-based morphometry study. 2009 , 172, 175-9	15

1540	Depressive symptoms and metabolic risk: effects of cortisol and gender. 2009 , 34, 1004-11	59
1539	Anger expression, violent behavior, and symptoms of depression among male college students in Ethiopia. 2009 , 9, 13	24
1538	Community pharmacist intervention in depressed primary care patients (PRODEFAR study): randomized controlled trial protocol. 2009 , 9, 284	18
1537	Physician support for diabetes patients and clinical outcomes. 2009 , 9, 367	27
1536	Severe MUPS in a sick-listed population: a cross-sectional study on prevalence, recognition, psychiatric co-morbidity and impairment. 2009 , 9, 440	32
1535	Collaborative stepped care for anxiety disorders in primary care: aims and design of a randomized controlled trial. 2009 , 9, 159	23
1534	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression--study protocol. 2009 , 9, 188	27
1533	Hearing aid effectiveness after aural rehabilitation - individual versus group (HEARING) trial: RCT design and baseline characteristics. 2009 , 9, 233	8
1532	Screening for depression and suicidality in patients with cardiovascular illnesses. 2009 , 104, 1194-7	35
1531	Collaborative care for adolescent depression: a pilot study. 2009 , 31, 36-45	70
1530	Psychosocial stress and anxiety in musculoskeletal pain patients with and without depression. 2009 , 31, 116-22	43
1529	The Indiana Cancer Pain and Depression (INCPAD) trial Design of a telecare management intervention for cancer-related symptoms and baseline characteristics of study participants. 2009 , 31, 240-53	57
1528	Depression Care for People with Cancer: a collaborative care intervention. 2009 , 31, 436-41	41
1527	The effect of depression on self-care behaviors and quality of care in a national sample of adults with diabetes. 2009 , 31, 422-7	79
1526	A longitudinal community study of major depression and physical activity. 2009 , 31, 571-5	48
1525	Validation of a brief measure of anxiety-related severity and impairment: the Overall Anxiety Severity and Impairment Scale (OASIS). 2009 , 112, 92-101	189
1524	The comparative validity of screening scales for postnatal common mental disorder in Kintampo, Ghana. 2009 , 113, 109-17	78
1523	The PHQ-8 as a measure of current depression in the general population. 2009 , 114, 163-73	2113

1522	A collaborative therapeutic relationship and risk of suicidal ideation in patients with bipolar disorder. 2009 , 115, 246-51	15
1521	The community prevalence of depression in older Australians. 2009 , 115, 54-61	72
1520	Persistence of mental health problems and needs in a college student population. 2009 , 117, 180-5	381
1519	Canadian Network for Mood and Anxiety Treatments (CANMAT) clinical guidelines for the management of major depressive disorder in adults. I. Classification, burden and principles of management. 2009 , 117 Suppl 1, S5-14	105
1518	Regenerate: assessing the feasibility of a strength-training program to enhance the physical and mental health of chronic post stroke patients with depression. 2009 , 24, 76-83	56
1517	Diagnostic utility of the Pittsburgh Sleep Quality Index in memory clinics. 2009 , 24, 1237-41	31
1516	Cancer treatment adherence among low-income women with breast or gynecologic cancer: a randomized controlled trial of patient navigation. 2009 , 115, 4606-15	98
1515	Gender-specific disruptions in emotion processing in younger adults with depression. 2009 , 26, 182-9	42
1514	Computer-assisted delivery of cognitive behavioral therapy for anxiety disorders in primary-care settings. 2009 , 26, 235-42	139
1513	Identifying and screening for psychological and comorbid medical and psychological disorders in medical settings. 2009 , 65, 253-67	18
1512	Evaluation of a computer-adaptive test for the assessment of depression (D-CAT) in clinical application. 2009 , 18, 23-36	37
1511	Screening for generalized anxiety disorder symptoms in the wake of terrorist attacks: a study in primary care. 2009 , 22, 218-26	26
1510	Mail-delivered arthritis self-management tool kit: a randomized trial and longitudinal followup. 2009 , 61, 867-75	30
1509	Predictors of depression in a multiethnic cohort of patients with rheumatoid arthritis. 2009 , 61, 1586-91	63
1508	Modifiable factors associated with changes in postpartum depressive symptoms. 2009 , 12, 113-20	60
1507	[Prevalence and predictors of pain in several body regions. Results of a representative German population survey]. 2009 , 23, 461-70	42
1506	Predictors of preoperative depressive risk in patients undergoing coronary artery bypass graft surgery. 2009 , 98, 643-50	16
1505	Screening op depressie in hoogrisicogroepen levert te weinig op. 2009 , 52, 269-274	5

1504	Provider communication effects medication adherence in hypertensive African Americans. 2009 , 75, 185-91		125
1503	Alcohol and drug use before and during pregnancy: an examination of use patterns and predictors of cessation. 2009 , 13, 386-94		91
1502	SF-36 includes less Parkinson Disease (PD)-targeted content but is more responsive to change than two PD-targeted health-related quality of life measures. 2009 , 18, 1219-37		34
1501	Predictors of adherence to diabetes medications: the role of disease and medication beliefs. 2009 , 32, 278-84		193
1500	Effect of a brief, regular telephone intervention by paraprofessionals for type 2 diabetes. 2009 , 32, 349-59		87
1499	Functional impairment and health care utilization among HIV-infected men who have sex with men: the relationship with depression and post-traumatic stress. 2009 , 32, 466-77		58
1498	Translating evidence to practice: two stories from the field. 2009 , 16, 47-57		21
1497	Telephone-administered cognitive behavioral therapy: a case study of anxiety and depression in Parkinson's disease. 2009 , 16, 243-53		50
1496	Behavioral medicine for migraine and medication overuse headache. 2009 , 13, 241-8		27
1495	Validity/reliability of PHQ-9 and PHQ-2 depression scales among adults living with HIV/AIDS in western Kenya. <i>Journal of General Internal Medicine</i> , 2009 , 24, 189-97	4	294
1494	Dual use of VA and non-VA services among primary care patients with depression. <i>Journal of General Internal Medicine</i> , 2009 , 24, 305-11	4	41
1493	Depressive symptoms and perceived doctor-patient communication in the Heart and Soul study. <i>Journal of General Internal Medicine</i> , 2009 , 24, 550-6	4	46
1492	Brief depression screening with the PHQ-2 associated with prognosis following percutaneous coronary intervention with paclitaxel-eluting stenting. <i>Journal of General Internal Medicine</i> , 2009 , 24, 1037-42	4	23
1491	Metropolitan and micropolitan statistical area estimates of depression and anxiety using the Patient Health Questionnaire-8 in the 2006 Behavioral Risk Factor Surveillance System. 2009 , 54, 117-24		16
1490	[Implementation of standardized postoperative pain therapy for orthopaedic patients. Comparison between unsystematic and standardized pain therapy]. 2009 , 38, 444-54		2
1489	Depression screening using the Patient Health Questionnaire-9 administered on a touch screen computer. 2009 , 18, 14-22		103
1488	The association of depression and anxiety with health-related quality of life in cancer patients with depression and/or pain. 2010 , 19, 734-41		166
1487	Effects of self-monitoring of glucose in non-insulin treated patients with type 2 diabetes: design of the IN CONTROL-trial. 2009 , 10, 26		10

1486	Web-based guided insulin self-titration in patients with type 2 diabetes: the Di@log study. Design of a cluster randomised controlled trial [TC1316]. 2009 , 10, 40	10
1485	The TrueBlue study: is practice nurse-led collaborative care effective in the management of depression for patients with heart disease or diabetes?. 2009 , 10, 46	26
1484	Cost-effectiveness analysis of cognitive behaviour therapy for treatment of minor or mild-major depression in elderly patients with type 2 diabetes: study protocol for the economic evaluation alongside the MIND-DIA randomized controlled trial (MIND-DIA CEA). 2009 , 9, 25	8
1483	The PACE study: a randomised clinical trial of cognitive activity (CA) for older adults with mild cognitive impairment (MCI). 2009 , 10, 114	16
1482	Implementation of Internet-based preventive interventions for depression and anxiety: role of support? The design of a randomized controlled trial. 2009 , 10, 59	22
1481	Primary care-based multifaceted, interdisciplinary medical educational intervention for patients with systolic heart failure: lessons learned from a cluster randomised controlled trial. 2009 , 10, 68	23
1480	Satisfaction of osteoarthritis patients with provided care is not related to the disease-specific quality of life. 2009 , 15, 486-91	5
1479	Depression and anxiety among US adults: associations with body mass index. 2009 , 33, 257-66	227
1478	Study of the discriminative validity of the PHQ-9 and PHQ-2 in a sample of Brazilian women in the context of primary health care. 2009 , 45, 216-27	135
1477	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. 2009 , 11, 453-73	316
1476	AHA science advisory. Depression and coronary heart disease. Recommendations for screening, referral, and treatment. A science advisory from the American Heart Association Prevention Committee to the Council on Cardiovascular Nursing, Council on Clinical Cardiology, Council on Epidemiology and Prevention, and Interdisciplinary Council on Quality of Care Outcomes Research.	43
1475	Social factors associated with Major Depressive Disorder in homosexually active, gay men attending general practices in urban Australia. 2009 , 33, 83-6	47
1474	Resultados Basados en la Evidencia para la Investigaci3n y Pr3ctica Cl3nica del Dolor. 2009 , 9, e22-e30	
1473	Posttraumatic stress disorder in migraine. 2009 , 49, 541-51	71
1472	Self-reported vs measured body mass indices in migraineurs. 2009 , 49, 663-8	14
1471	Allodynia in migraine: association with comorbid pain conditions. 2009 , 49, 1333-44	108
1470	The association between chronic pain and prescription drug abuse in Veterans. 2009 , 10, 531-6	53
1469	The prevalence of neuropathic pain: clinical evaluation compared with screening tools in a community population. 2009 , 10, 586-93	99

1468	Documenting and improving opioid treatment: the Prescription Opioid Documentation and Surveillance (PODS) System. 2009 , 10, 866-77	7
1467	The effect of age on functional and mortality outcomes after acute myocardial infarction. 2009 , 57, 209-17	22
1466	Reliability and validity of prehospital case finding for depression and cognitive impairment. 2009 , 57, 697-702	11
1465	How bad is depression? Preference score estimates from depressed patients and the general population. 2009 , 44, 1406-23	33
1464	Frailty among HIV-infected persons in an urban outpatient care setting. 2009 , 59, 346-52	106
1463	Improving access to psychological therapies: phase IV prospective cohort study. 2009 , 48, 377-96	106
1462	Social support and mental health among college students. 2009 , 79, 491-9	302
1461	Recent suicidal ideation among patients in an inner city emergency department. 2009 , 39, 508-17	41
1460	Poststroke fear of falling in the hospital setting. 2009 , 16, 357-66	17
1459	Subtypes of rumination in the relationship between negative life events and suicidal ideation. 2009 , 13, 123-35	46
1458	Predictors of mothers' postpartum body dissatisfaction. 2009 , 49, 491-504	68
1457	Depression in adults: Some basic facts. 2009 , 23, 225-235	2
1456	Cardiovascular abnormalities in patients with major depressive disorder: autonomic mechanisms and implications for treatment. 2009 , 23, 583-602	75
1455	Longitudinal epidemiology of major depression as assessed by the Brief Patient Health Questionnaire (PHQ-9). 2009 , 50, 26-33	49
1454	Prevalence and correlates of undiagnosed depression among U.S. adults with diabetes: the Behavioral Risk Factor Surveillance System, 2006. 2009 , 83, 268-79	97
1453	Predictors of violence following Emergency Department visit for cocaine-related chest pain. 2009 , 99, 79-88	7
1452	Daily ratings measures of alcohol craving during an inpatient stay define subtypes of alcohol addiction that predict subsequent risk for resumption of drinking. 2009 , 103, 131-6	94
1451	The contributions of weight problem perception, BMI, gender, mood, and smoking status to binge eating among college students. 2009 , 10, 1-9	57

1450	Improving access to psychological therapy: Initial evaluation of two UK demonstration sites. 2009 , 47, 910-20	379
1449	Depression and disease severity as predictors of health-related quality of life in patients with chronic heart failure--a structural equation modeling approach. 2009 , 15, 286-292.e2	71
1448	Mobile diabetes intervention study: testing a personalized treatment/behavioral communication intervention for blood glucose control. 2009 , 30, 334-46	52
1447	Urinary incontinence after stress incontinence surgery: a risk factor for depression. 2009 , 73, 41-6	4
1446	Seizures in the elderly: impact on mental status, mood, and sleep. 2009 , 14, 540-4	42
1445	Sociodemographic and clinical factors associated with depression in epilepsy. 2009 , 14, 655-60	27
1444	Determination of prevalence of depression in an epilepsy clinic using a brief DSM-IV-based self-report questionnaire. 2009 , 15, 362-6	39
1443	Helplessness predicts the development of hypertension in older Mexican and European Americans. 2009 , 67, 333-7	8
1442	Depression, anxiety, and somatoform disorders: vague or distinct categories in primary care? Results from a large cross-sectional study. 2009 , 67, 189-97	157
1441	A comparison of two depressive symptomatology measures in residential substance abuse treatment clients. 2009 , 37, 318-25	33
1440	Developing an integrated treatment for substance use and depression using cognitive-behavioral therapy. 2009 , 37, 412-20	22
1439	Quality of life in patients with heart failure: ask the patients. 2009 , 38, 100-8	128
1438	Depressed patients understand heart failure prognosis but not how to control it. 2009 , 38, 382-91	14
1437	Depressive symptoms and menopausal burden in the midlife. 2009 , 62, 306-10	46
1436	Development and validation of the Rasch-based Depression Screening (DESC) using Rasch analysis and structural equation modelling. 2009 , 40, 468-78	51
1435	Risk factor management after myocardial infarction: reported adherence and outcomes. 2009 , 157, 556-62	12
1434	Reported food choices in older women in relation to body mass index and depressive symptoms. 2009 , 52, 238-40	84
1433	Substance use behaviors, mental health problems, and use of mental health services in a probability sample of college students. 2009 , 34, 134-45	165

1432	The association between partner and non-partner aggression and suicidal ideation in patients seeking substance use disorder treatment. 2009 , 34, 180-6	17
1431	Associations between smoking cessation and anxiety and depression among U.S. adults. 2009 , 34, 491-7	88
1430	Explicit identification and implicit recognition of facial emotions: II. Core domains and relationships with general cognition. 2009 , 31, 278-91	80
1429	Screening for depression in high-risk groups: prospective cohort study in general practice. 2009 , 194, 399-403	34
1428	Additional impact of concomitant hypertension and osteoarthritis on quality of life among patients with type 2 diabetes in primary care in Germany - a cross-sectional survey. 2009 , 7, 19	34
1427	A reengineered hospital discharge program to decrease rehospitalization: a randomized trial. 2009 , 150, 178-87	1033
1426	Validation of the Demoralization Scale in an Irish advanced cancer sample. 2009 , 7, 323-30	46
1425	Impact of early administration of sertraline on depressive symptoms in the first year after traumatic brain injury. 2009 , 26, 1921-8	38
1424	Psychological correlates of self-reported functional limitation in patients with ankylosing spondylitis. 2009 , 11, R182	42
1423	Does depression reduce the effectiveness of behavioral weight loss treatment?. 2010 , 35, 126-34	18
1422	Disability from depression: the public health challenge to primary care. 2009 , 63, 17-21	10
1421	Web-based collaborative care for type 1 diabetes: a pilot randomized trial. 2009 , 11, 211-7	79
1420	Depression and Diabetes: Factors Associated With Major Depression at Five-Year Follow-Up. 2009 , 50, 570-579	91
1419	An Ultra-Brief Screening Scale for Anxiety and Depression: The PHQ ₄ . 2009 , 50, 613-621	152
1418	Characteristics of depressed and nondepressed adult offspring of depressed and matched nondepressed parents. 2009 , 113, 56-65	8
1417	A single-blind, placebo run-in study of duloxetine for activity-limiting osteoarthritis pain. 2009 , 10, 208-13	21
1416	The University of Michigan Honest Broker: a Web-based service for clinical and translational research and practice. 2009 , 16, 784-91	35
1415	Assessing and Managing All Aspects of Migraine: Migraine Attacks, Migraine-Related Functional Impairment, Common Comorbidities, and Quality of Life. 2009 , 84, 422-435	107

1414	Advances in the assessment of fibromyalgia. 2009 , 35, 339-57	50
1413	Collaborative depression care for the old-old: findings from the IMPACT trial. 2009 , 17, 1040-9	23
1412	Identification of postpartum depression. 2009 , 52, 456-68	92
1411	Health of US veterans of 1991 Gulf War: a follow-up survey in 10 years. 2009 , 51, 401-10	112
1410	Clinical inertia in depression treatment. 2009 , 47, 959-67	33
1409	The associations between depression, health-related quality of life, social support, life satisfaction, and disability in community-dwelling US adults. 2009 , 197, 61-4	122
1408	Can clinicians use the PHQ-9 to assess depression in people with vision loss?. 2009 , 86, 139-45	41
1407	Depression and whole blood serotonin in patients with coronary heart disease from the Heart and Soul Study. 2009 , 71, 260-5	30
1406	Sex-specific association of depression and a haplotype in leukotriene A4 hydrolase gene. 2009 , 71, 691-6	17
1405	Diabetes and poor disease control: is comorbid depression associated with poor medication adherence or lack of treatment intensification?. 2009 , 71, 965-72	103
1404	Psychobehavioral predictors of somatoform disorders in patients with suspected allergies. 2009 , 71, 1004-11	26
1403	Health care utilization and its costs for depressed veterans with and without comorbid PTSD symptoms. 2009 , 60, 1612-7	67
1402	Health coaching via an internet portal for primary care patients with chronic conditions: a randomized controlled trial. 2009 , 47, 41-7	67
1401	Anger expression and sleep quality in patients with coronary heart disease: findings from the Heart and Soul Study. 2009 , 71, 280-5	41
1400	DCCN on the Web. 2009 , 28, 181	
1399	Relationships among depression, chronic pain, chronic disabling pain, and medical costs. 2009 , 60, 344-50	68
1398	[Mood disorders in patients with chronic kidney disease. Diagnosis, screening and treatment of depression]. 2009 , 150, 1723-30	1
1397	Prevalence of workplace abuse and sexual harassment among female faculty and staff. 2009 , 51, 314-22	31

1396	[Diagnosis and therapy of depression in family practice]. 2009 , 150, 1684-93	3
1395	Integrating practices' change processes into improving quality of depression care. 2009 , 35, 351-7	2
1394	Untreated depression in the community. 2009 , 33, 407-408	
1393	Stroke caregiver outcomes from the Telephone Assessment and Skill-Building Kit (TASK). 2009 , 16, 105-21	65
1392	Increased gender-based violence among women internally displaced in Mississippi 2 years post-Hurricane Katrina. 2009 , 3, 18-26	74
1391	Current Events Groups in Long-Term Care: A Guide to Facilitating a Successful Group. 2009 , 34, 382-403	1
1390	Psychological well-being among individuals aging with HIV: the value of social relationships. 2009 , 51, 91-8	42
1389	Managing suicide risk in primary care: Practice recommendations for behavioral health consultants.. 2009 , 40, 148-155	20
1388	A collaborative care model for patients with Type-2 diabetes. 2009 , 27, 131-40	16
1387	Improving measurement properties of the Patient Health Questionnaire-9 with rating scale analysis. 2009 , 54, 198-203	40
1386	Treatment of depression in a low-income primary care setting with colocated mental health care. 2009 , 27, 161-71	12
1385	What primary care psychology has to offer the patient-centered medical home.. 2009 , 40, 483-492	27
1384	Readability of self-report measures of depression and anxiety. 2009 , 77, 1100-12	22
1383	Comparison of the Patient Health Questionnaire and the Older Adult Health and Mood Questionnaire for self-reported depressive symptoms after spinal cord injury. 2009 , 54, 440-8	25
1382	A prospective study of risk and resilience factors associated with posttraumatic stress symptoms and depression symptoms among Jews and Arabs exposed to repeated acts of terrorism in Israel.. 2009 , 1, 291-311	36
1381	Integrative cognitive-behavioral and spiritual counseling for rural dementia caregivers with depression. 2009 , 54, 449-61	12
1380	The Bypassing the Blues treatment protocol: stepped collaborative care for treating post-CABG depression. 2009 , 71, 217-30	52
1379	Depression and Coronary Heart Disease: Recommendations for Screening, Referral, and Treatment. 2009 , 7, 406-413	7

1378	Management of depression in UK general practice in relation to scores on depression severity questionnaires: analysis of medical record data. 2009 , 338, b750	153
1377	An evaluation of a primary and secondary care cardiac rehabilitation service pathway. 2009 , 4, 178-184	1
1376	The Patient Health Questionnaire (PHQ-9) scores and the lifestyles of nursing students. 2009 , 102, 800-4	8
1375	Interpretation of screening implementation studies. 2009 , 195, 462-3; author reply 463	
1374	Patient health Questionnaire-9 in spinal cord injury: an examination of factor structure as related to gender. 2009 , 32, 147-56	42
1373	A brief measure of perceived clinician support by patients with bipolar spectrum disorders. 2009 , 197, 574-9	7
1372	Psychological impact of implantable cardioverter defibrillator on their recipients. 2009 , 28, 176-81	7
1371	Depression and diabetes among low-income Hispanics: design elements of a socioculturally adapted collaborative care model randomized controlled trial. 2009 , 39, 113-32	59
1370	Ethnic variations in quality of life and depressive symptoms among black Americans with acute decompensated heart failure. 2009 , 101, 985-91	7
1369	Effectiveness of a depression disease management program in improving depression and work function--a pilot study. 2009 , 39, 1-13	5
1368	Intimate partner violence and risk for depression among postpartum women in Lima, Peru. 2009 , 24, 380-98	35
1367	Identifying risk factors for racial disparities in diabetes outcomes: the translating research into action for diabetes study. 2009 , 47, 700-6	52
1366	Mental health service utilization after physical trauma: the importance of physician referral. 2009 , 47, 1077-83	22
1365	Prospective randomized controlled trial of resource facilitation on community participation and vocational outcome following brain injury. 2010 , 25, 440-6	45
1364	A prospective study of depression following combat deployment in support of the wars in Iraq and Afghanistan. 2010 , 100, 90-9	155
1363	Characteristics of insured patients with persistent gaps in diabetes care services: the Translating Research into Action for Diabetes (TRIAD) study. 2010 , 48, 31-7	24
1362	A nurse-facilitated depression screening program in an Army primary care clinic: an evidence-based project. 2010 , 59, S58-65	6
1361	Collaborative care for depressed patients with chronic medical conditions: a randomized trial in Puerto Rico. 2010 , 61, 144-50	39

1360 The psychological effect of implantable cardioverter defibrillators. **2010**, 5, 5-7

1359	Prevalence of posttraumatic stress disorder and major depression after trauma center hospitalization. 2010 , 69, 1560-6	81
1358	Intimate partner violence and Hurricane Katrina: predictors and associated mental health outcomes. 2010 , 25, 588-603	102
1357	Prevalence of depression among mothers of young children in Honduras. 2010 , 40, 259-71	1
1356	Mental distress and service utilization among help-seeking, community-dwelling older adults. 2010 , 22, 739-49	22
1355	Effectiveness of collaborative care in addressing depression treatment preferences among low-income Latinos. 2010 , 61, 1112-8	45
1354	Advantages of using estimated depression-free days for evaluating treatment efficacy. 2010 , 61, 160-3	30
1353	Pilot testing of a multicomponent home care intervention for older adults with heart failure: an academic clinical partnership. 2010 , 25, E27-40	27
1352	Comparative effectiveness research in DARTNet primary care practices: point of care data collection on hypoglycemia and over-the-counter and herbal use among patients diagnosed with diabetes. 2010 , 48, S39-44	16
1351	Secondhand smoke exposure and depressive symptoms. 2010 , 72, 68-72	82
1350	Cognitive deficits and health-related quality of life in chronic heart failure. 2010 , 25, 189-98	69
1349	Protecting Young Children: Identifying Family Substance Use and Risks in the Home. 2010 , 13, 168-184	9
1348	Identifying risk factors for marijuana use among veterans affairs patients. 2010 , 4, 47-51	20
1347	Summary of the National Institute on Aging-sponsored conference on depressive symptoms and cognitive complaints in the menopausal transition. 2010 , 17, 815-22	79
1346	Workplace characteristics, depression, and health-related presenteeism in a general population sample. 2010 , 52, 836-42	56
1345	Family satisfaction with critical care: measurements and messages. 2010 , 16, 623-31	39
1344	Coherence between physician diagnosis and patient self reports of anxiety and depression in primary care. 2010 , 198, 420-4	17
1343	Comparison of depressive symptom severity scores in low-income women. 2010 , 59, 380-8	15

1342	Clustering of negative affectivity and social inhibition in the community: prevalence of type D personality as a cardiovascular risk marker. 2010 , 72, 163-71	63
1341	Recurrent major depression predicts progression of coronary calcification in healthy women: Study of Women's Health Across the Nation. 2010 , 72, 742-7	37
1340	Serum folate, vitamin B-12, and homocysteine and their association with depressive symptoms among U.S. adults. 2010 , 72, 862-73	70
1339	Are psychological features useful in classifying patients with somatic symptoms?. 2010 , 72, 648-55	55
1338	Diagnosis of fibromyalgia syndrome-a comparison of Association of the Medical Scientific Societies in Germany, survey, and American College of Rheumatology criteria. 2010 , 26, 505-11	30
1337	The impact of pain and depression on recovery after coronary artery bypass grafting. 2010 , 72, 620-5	34
1336	The use of electronic health information systems in home care: facilitators and barriers. 2010 , 28, 167-79; quiz 180-1	23
1335	Care coaching: an alternative approach to managing comorbid depression. 2010 , 15, 137-42; quiz 143-4	8
1334	Cognitive deficits in chronic heart failure. 2010 , 59, 127-39	192
1333	Stigma and depression treatment utilization among Latinos: utility of four stigma measures. 2010 , 61, 373-9	70
1332	Exploring the link between depression and rheumatoid arthritis: prospects for optimal therapeutic success. 2010 , 5, 273-275	
1331	"You don't go tell White people nothing": African American women's perspectives on the influence of violence and race on depression and depression care. 2010 , 100, 1470-6	83
1330	Treating people you never see:internet-based treatment of the internalising mental disorders. 2010 , 34, 144-7	16
1329	Mental health literacy, folic acid and vitamin B12, and physical activity for the prevention of depression in older adults: randomised controlled trial. 2010 , 197, 45-54	58
1328	Health care insurance, financial concerns in accessing care, and delays to hospital presentation in acute myocardial infarction. 2010 , 303, 1392-400	96
1327	Prevalence of sexual activity and associated factors in men aged 75 to 95 years: a cohort study. 2010 , 153, 693-702	69
1326	Identification of depression in diabetes: the efficacy of PHQ-9 and HADS-D. 2010 , 60, e239-45	60
1325	Psychotherapy for the hospitalized medically ill patient. 242-248	1

1324	A Comparison of the QIDS-C16, QIDS-SR16, and the MADRS in an Adult Outpatient Clinical Sample. 2010 , 15, 458-68	20
1323	The Epidemiology of Depression and Diabetes. 2010 , 1-27	8
1322	Recognition of Depression and Methods of Depression Screening in People with Cancer. 2010 , 81-100	2
1321	Self-injury, substance use, and associated risk factors in a multi-campus probability sample of college students. 2010 , 24, 119-28	98
1320	The role of psychologists in the care of Iraq and Afghanistan veterans in primary care settings.. 2010 , 41, 135-142	14
1319	To lump or to split? Comparing individuals with traumatic and nontraumatic limb loss in the first year after amputation. 2010 , 55, 126-38	25
1318	"Clinician bias in the diagnosis of posttraumatic stress disorder and borderline personality disorder": Correction to Woodward et al. (2009).. 2010 , 2, 96-96	
1317	The Behavioral Health Laboratory: building a stronger foundation for the patient-centered medical home. 2010 , 28, 130-45	55
1316	Using evidence-based quality improvement methods for translating depression collaborative care research into practice. 2010 , 28, 91-113	78
1315	Assessing the impact of mental health on self-management of physical conditions. 2010 , 1, 30-35	2
1314	Integrating tobacco cessation into mental health care for posttraumatic stress disorder: a randomized controlled trial. 2010 , 304, 2485-93	157
1313	LOINC [®] - A Universal Catalog of Individual Clinical Observations and Uniform Representation of Enumerated Collections. 2010 , 3, 273-291	26
1312	All PTSD symptoms are highly associated with general distress: ramifications for the dysphoria symptom cluster. 2010 , 119, 126-35	74
1311	Stress-related growth, positive reframing, and emotional processing in the prediction of post-trauma functioning among veterans in mental health treatment.. 2010 , 2, 93-96	13
1310	Team resilience for young restaurant workers: research-to-practice adaptation and assessment. 2010 , 15, 223-36	39
1309	Factors associated with condom use among HIV clients in stable relationships with partners at varying risk for HIV in Uganda. 2010 , 14, 1055-65	30
1308	Randomized, controlled, double-blind trial of taranabant for smoking cessation. 2010 , 209, 245-53	21
1307	The impact of maternal depression and personality disorder on early infant care. 2010 , 45, 285-92	48

1306	Profiles of disability among adults with bipolar spectrum disorders. 2010 , 45, 1125-34		5
1305	Depressive symptoms in women seeking surgery for pelvic organ prolapse. 2010 , 21, 855-60		41
1304	A population-based study of blood lead levels in relation to depression in the United States. 2010 , 83, 771-7		15
1303	Depression symptoms and treatment among HIV infected and uninfected veterans. 2010 , 14, 272-9		12
1302	Maternal personality disorder and babies' exposure to tobacco smoke. 2010 , 13, 439-42		2
1301	[Elevated postoperative pain levels following orthopedic surgery. Depression as a strong predictor]. 2010 , 24, 54-61		6
1300	[Validation of the German version of the Regional Pain Scale for the diagnosis of fibromyalgia syndrome]. 2010 , 24, 226-35		19
1299	Determinants of pain in patients with carpal tunnel syndrome. 2010 , 468, 3328-32		48
1298	Secondhand smoke policy and the risk of depression. 2010 , 39, 198-203		21
1297	Interest in behavioral and psychological treatments delivered face-to-face, by telephone, and by internet. 2010 , 40, 89-98		104
1296	Substance abuse in cancer pain. 2010 , 14, 268-75		49
1295	Erectile dysfunction drug receipt, risky sexual behavior and sexually transmitted diseases in HIV-infected and HIV-uninfected men. <i>Journal of General Internal Medicine</i> , 2010 , 25, 115-21	4	17
1294	Documentation of pain care processes does not accurately reflect pain management delivered in primary care. <i>Journal of General Internal Medicine</i> , 2010 , 25, 194-9	4	20
1293	Comorbid depression is associated with an increased risk of dementia diagnosis in patients with diabetes: a prospective cohort study. <i>Journal of General Internal Medicine</i> , 2010 , 25, 423-9	4	107
1292	Depression in relation to long-term control of glycemia, blood pressure, and lipids in patients with diabetes. <i>Journal of General Internal Medicine</i> , 2010 , 25, 524-9	4	53
1291	Time to depression treatment in primary care among HIV-infected and uninfected veterans. <i>Journal of General Internal Medicine</i> , 2010 , 25, 656-62	4	10
1290	Association between a serotonin transporter gene variant and hopelessness among men in the Heart and Soul Study. <i>Journal of General Internal Medicine</i> , 2010 , 25, 1030-7	4	22
1289	Managing the space between visits: a randomized trial of disease management for diabetes in a community health center. <i>Journal of General Internal Medicine</i> , 2010 , 25, 1116-22	4	43

1288	Association between symptoms of depression and contraceptive method choices among low-income women at urban reproductive health centers. 2010 , 14, 102-9	45
1287	Depressive symptoms and chronic kidney disease: results from the National Health and Nutrition Examination Survey (NHANES) 2005-2006. 2010 , 42, 1063-8	22
1286	Utility of the twelve-item World Health Organization Disability Assessment Schedule II (WHO-DAS II) for discriminating depression "caseness" and severity in Spanish primary care patients. 2010 , 19, 97-101	24
1285	Head Start and Unintended Injury: The Use of the Family Map Interview to Document Risk. 2010 , 38, 33-41	2
1284	Psychological perspective on hand injury and pain. 2010 , 23, 199-210; quiz 211	25
1283	The association of depression and pain with health-related quality of life, disability, and health care use in cancer patients. 2010 , 40, 327-41	144
1282	Dissociating the facets of hope: Agency and pathways predict dropout from unguided self-help therapy in opposite directions. 2010 , 44, 155-158	91
1281	The effects of insecure attachment orientations and perceived social support on posttraumatic stress and depressive symptoms among civilians exposed to the 2009 Israel-Gaza war: A follow-up Cross-Lagged panel design study. 2010 , 44, 335-341	46
1280	Distress and quality of life after autologous stem cell transplantation: a randomized clinical trial to evaluate the outcome of a web-based stepped care intervention. 2010 , 10, 361	19
1279	Protocol and baseline data from The Inala Chronic Disease Management Service evaluation study: a health services intervention study for diabetes care. 2010 , 10, 134	11
1278	Validation of the PHQ-9 as a screening instrument for depression in diabetes patients in specialized outpatient clinics. 2010 , 10, 235	118
1277	A randomized controlled trial of telemonitoring in older adults with multiple chronic conditions: the Tele-ERA study. 2010 , 10, 255	30
1276	Validation of the Rasch-based Depression Screening in a large scale German general population sample. 2010 , 8, 105	33
1275	Patient- and provider-related determinants of generic and specific health-related quality of life of patients with chronic systolic heart failure in primary care: a cross-sectional study. 2010 , 8, 98	18
1274	Mental health and access to services among US women of reproductive age. 2010 , 203, 542.e1-9	59
1273	A randomized clinical trial of a brief, problem-focused couple therapy for depression. 2010 , 41, 433-46	61
1272	Falling through the net - black and minority ethnic women and perinatal mental healthcare: health professionals' views. 2010 , 32, 17-25	45
1271	Musculoskeletal pain and measures of depression: comment on the article by Poleshuck et al. 2010 , 32, 113; author reply 114-5	1

1270	Authors' reply to letter on pharmacotherapy of chronic pain. 2010 , 32, 112-113	
1269	Current strategies and barriers in integrated health care: a survey of publicly funded providers in Texas. 2010 , 32, 26-32	16
1268	Addressing stigma of depression in Latino primary care patients. 2010 , 32, 182-91	90
1267	Screening for suicidality in cancer patients using Item 9 of the nine-item patient health questionnaire; does the item score predict who requires further assessment?. 2010 , 32, 218-20	39
1266	The Patient Health Questionnaire Somatic, Anxiety, and Depressive Symptom Scales: a systematic review. 2010 , 32, 345-59	2043
1265	Do the PHQ-8 and the PHQ-2 accurately screen for depressive disorders in a sample of pregnant women?. 2010 , 32, 544-8	54
1264	The effect of major depression on preventive care and quality of life among adults with diabetes. 2010 , 32, 563-9	35
1263	Association between change in depression and change in weight among women enrolled in weight loss treatment. 2010 , 32, 583-9	30
1262	Gender-specific barriers and facilitators to heart failure self-care: a mixed methods study. 2010 , 47, 888-95	59
1261	Home-based deep breathing for depression in patients with coronary heart disease: a randomised controlled trial. 2010 , 47, 1346-53	17
1260	A 4-item measure of depression and anxiety: validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. 2010 , 122, 86-95	957
1259	Screening for depression: Rasch analysis of the dimensional structure of the PHQ-9 and the HADS-D. 2010 , 122, 241-6	63
1258	Depressive symptoms and migraine comorbidity among pregnant Peruvian women. 2010 , 122, 149-53	24
1257	Illness representations of depression and perceptions of the helpfulness of social support: comparing depressed and never-depressed persons. 2010 , 125, 213-20	21
1256	Defining successful treatment outcome in depression using the PHQ-9: a comparison of methods. 2010 , 127, 122-9	127
1255	The relationship between changes in depression symptoms and changes in health risk behaviors in patients with diabetes. 2010 , 25, 466-75	80
1254	Reliability and validity of the PHQ-9 for screening late-life depression in Chinese primary care. 2010 , 25, 1127-33	111
1253	Perceived barriers to psychological treatments and their relationship to depression. 2010 , 66, 394-409	165

1252	Major depression: the importance of clinical characteristics and treatment response to prognosis. 2010 , 27, 19-26	67
1251	Effectiveness of therapeutic massage for generalized anxiety disorder: a randomized controlled trial. 2010 , 27, 441-50	22
1250	Gender differences in depression and PTSD symptoms following combat exposure. 2010 , 27, 1027-33	118
1249	Cognitive-behavioral therapy attenuates nociceptive responding in patients with fibromyalgia: a pilot study. 2010 , 62, 618-23	37
1248	Patient-physician discordance in assessments of global disease severity in rheumatoid arthritis. 2010 , 62, 857-64	122
1247	Post-discharge hospital utilization among adult medical inpatients with depressive symptoms. 2010 , 5, 378-84	31
1246	Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. 2010 , 19 Suppl 1, 4-22	686
1245	The Self-Stigma of Depression Scale (SSDS): development and psychometric evaluation of a new instrument. 2010 , 19, 243-54	46
1244	The impact of reported direct and indirect killing on mental health symptoms in Iraq war veterans. 2010 , 23, 86-90	182
1243	A longitudinal study of posttraumatic stress disorder, depression, and generalized anxiety disorder in Israeli civilians exposed to war trauma. 2010 , 23, 322-30	59
1242	Response to a Relational Agent by Hospital Patients with Depressive Symptoms. 2010 , 22, 289-298	92
1241	The value of episodic, intensive blood glucose monitoring in non-insulin treated persons with Type 2 Diabetes: design of the Structured Testing Program (STeP) study, a cluster-randomised, clinical trial [NCT00674986]. 2010 , 11, 37	23
1240	A study of the diagnostic accuracy of the PHQ-9 in primary care elderly. 2010 , 11, 63	107
1239	The Patient Health Questionnaire-9 for detection of major depressive disorder in primary care: consequences of current thresholds in a cross-sectional study. 2010 , 11, 98	111
1238	Cognitive behavioural therapy in elderly type 2 diabetes patients with minor depression or mild major depression: study protocol of a randomized controlled trial (MIND-DIA). 2010 , 10, 21	13
1237	Randomised controlled trial of the clinical and cost effectiveness of a specialist team for managing refractory unipolar depressive disorder. 2010 , 10, 100	13
1236	Establishing the reliability and validity of the Zagazig Depression Scale in a UK student population: an online pilot study. 2010 , 10, 107	3
1235	Staying well after depression: trial design and protocol. 2010 , 10, 23	28

1234	Protocol for a randomised controlled trial investigating the effectiveness of an online e health application for the prevention of Generalised Anxiety Disorder. 2010 , 10, 25	19
1233	Multiple barriers against successful care provision for depressed patients in general internal medicine in a Japanese rural hospital: a cross-sectional study. 2010 , 10, 30	19
1232	Risk of placental abruption in relation to migraines and headaches. 2010 , 10, 30	18
1231	Rationale and design: telephone-delivered behavioral skills interventions for Blacks with Type 2 diabetes. 2010 , 11, 35	10
1230	Comparison of yoga versus stretching for chronic low back pain: protocol for the Yoga Exercise Self-care (YES) trial. 2010 , 11, 36	28
1229	The B-VITAGE trial: a randomized trial of homocysteine lowering treatment of depression in later life. 2010 , 11, 8	11
1228	Brief cognitive behavioral therapy compared to general practitioners care for depression in primary care: a randomized trial. 2010 , 11, 96	1
1227	What work has to be done to implement collaborative care for depression? Process evaluation of a trial utilizing the Normalization Process Model. 2010 , 5, 15	44
1226	Psychometric evaluation of the korean version of the adapted illness intrusiveness rating scale. 2010 , 4, 194-204	
1225	Migraine may be a risk factor for the development of complex regional pain syndrome. 2010 , 30, 214-23	24
1224	Childhood maltreatment and migraine (part I). Prevalence and adult revictimization: a multicenter headache clinic survey. 2010 , 50, 20-31	117
1223	Childhood maltreatment and migraine (part II). Emotional abuse as a risk factor for headache chronification. 2010 , 50, 32-41	97
1222	Predictors of pain outcomes in patients with chronic musculoskeletal pain co-morbid with depression: results from a randomized controlled trial. 2010 , 11, 482-91	46
1221	Sex Differences in Pain and Pain-Related Disability among Primary Care Patients with Chronic Musculoskeletal Pain. 2010 , 11, 232-9	73
1220	Neurotherapy of fibromyalgia?. 2010 , 11, 912-9	23
1219	Computerized progress notes for chronic pain patients receiving opioids; the Prescription Opioid Documentation System (PODS). 2010 , 11, 1707-17	3
1218	Evaluation of depression risk in LGI1 mutation carriers. 2010 , 51, 1685-90	21
1217	Club drug use in Hispanic college students. 2010 , 19, 319-24	6

1216	Characteristics of risk in patients of nurse practitioner safety net practices. 2010 , 22, 474-9	5
1215	Assessment and further development of RDC/TMD Axis II biobehavioural instruments: a research programme progress report. 2010 , 37, 784-98	23
1214	Obesity and depression in US women: results from the 2005-2006 National Health and Nutritional Examination Survey. 2010 , 18, 347-53	106
1213	A randomized trial of lifestyle modification and taranabant for maintaining weight loss achieved with a low-calorie diet. 2010 , 18, 2301-10	22
1212	Prediction of somatic and non-somatic depressive symptoms between inpatient rehabilitation and follow-up. 2010 , 48, 239-44	15
1211	A clinical trial assessing the safety and efficacy of taranabant, a CB1R inverse agonist, in obese and overweight patients: a high-dose study. 2010 , 34, 919-35	62
1210	A clinical trial assessing the safety and efficacy of the CB1R inverse agonist taranabant in obese and overweight patients: low-dose study. 2010 , 34, 1243-54	52
1209	Monitoring mental health treatment acceptance and initial treatment adherence in veterans: veterans of Operations Enduring Freedom and Iraqi Freedom versus other veterans of other eras. 2010 , 1208, 104-13	20
1208	A one-year study to assess the safety and efficacy of the CB1R inverse agonist taranabant in overweight and obese patients with type 2 diabetes. 2010 , 12, 517-31	38
1207	Mental health and well-being within rural communities: the Australian rural mental health study. 2010 , 18, 16-24	67
1206	Multidimensional Geriatric Assessment. 2010 , 211-217	3
1205	Current use of depression rating scales in mental health setting. 2010 , 7, 170-6	20
1204	A Randomized Trial of Telemonitoring Heart Failure Patients. 2010 , 55, 312-323	14
1203	Spiritual Fitness. 2010 , 175, 73-87	27
1202	Psychiatry in general medical settings. 2010 , 715-730	1
1201	Evolving refractory major depressive disorder diagnostic and treatment paradigms: toward closed-loop therapeutics. 2010 , 3, 7	24
1200	Internet treatment for depression: a randomized controlled trial comparing clinician vs. technician assistance. 2010 , 5, e10939	274
1199	Internet treatment for generalized anxiety disorder: a randomized controlled trial comparing clinician vs. technician assistance. 2010 , 5, e10942	175

1198	Predictors of sleep disturbances in Operation Iraqi Freedom/Operation Enduring Freedom veterans reporting a trauma. 2010 , 175, 567-73	23
1197	Utilization and barriers to mental health services among depressed medical interns: a prospective multisite study. 2010 , 2, 210-4	85
1196	Beyond fatigue: Assessing variables associated with sleep problems and use of sleep medications in multiple sclerosis. 2010 , 2010, 99-106	48
1195	Vision-specific distress and depressive symptoms in people with vision impairment. 2010 , 51, 2891-6	76
1194	Body investment, depression, and alcohol use as risk factors for suicide proneness in college students. 2010 , 31, 118-27	70
1193	Treatment of Depression in Patients with Diabetes: Efficacy, Effectiveness and Maintenance Trials, and New Service Models. 2010 , 81-107	8
1192	Cardiovascular function and psychological distress in urbanised black South Africans: the SABPA study. 2010 , 21, 206-11	14
1191	Understanding the needs of women with postnatal depression. 2010 , 24, 47-55; quiz 56	2
1190	Effect of telecare management on pain and depression in patients with cancer: a randomized trial. 2010 , 304, 163-71	219
1189	'A no means no'--measuring depression using a single-item question versus Hospital Anxiety and Depression Scale (HADS-D). 2010 , 21, 1905-1909	45
1188	Background, incidence, and predictors of antiplatelet therapy discontinuation during the first year after drug-eluting stent implantation. 2010 , 122, 1017-25	83
1187	Depression Care for Low-Income, Minority, Safety Net Clinic Populations With Comorbid Illness. 2010 , 20, 467-475	7
1186	Do stigma and other perceived barriers to mental health care differ across Armed Forces?. 2010 , 103, 148-56	106
1185	Routine, self-administered, touch-screen, computer-based suicidal ideation assessment linked to automated response team notification in an HIV primary care setting. 2010 , 50, 1165-73	74
1184	Pain interference in individuals in driver intervention programs for driving under the influence offenders. 2010 , 45, 1406-19	1
1183	Role of motivation in the relationship between depression, self-care, and glycemic control in adults with type 2 diabetes. 2010 , 36, 276-83	82
1182	Comorbid mental health symptoms and heart diseases: can health care and mental health care professionals collaboratively improve the assessment and management?. 2010 , 35, 27-38	15
1181	Coraje, nervios, and susto: Culture-bound syndromes and mental health among Mexican migrants in the United States. 2010 , 9, 288-302	8

1180	Effectiveness of collaborative care for depression in human immunodeficiency virus clinics. 2011 , 171, 23-31	54
1179	Interdisciplinary stepped care for depression after acute coronary syndrome. 2010 , 170, 585-6	8
1178	Evaluation of the PHQ-2 as a brief screen for detecting major depression among adolescents. 2010 , 125, e1097-103	182
1177	Feasibility and diagnostic validity of the M-3 checklist: a brief, self-rated screen for depressive, bipolar, anxiety, and post-traumatic stress disorders in primary care. 2010 , 8, 160-9	59
1176	Evaluation of a 2-question screening tool for detecting depression in adolescents in primary care. 2010 , 49, 947-53	13
1175	An ethnic/racial comparison of causal beliefs and treatment preferences for the symptoms of depression among patients with diabetes. 2010 , 36, 816-27	12
1174	Prerelease intent predicts smoking behavior postrelease following a prison smoking ban. 2010 , 12, 152-8	24
1173	Depressed mood, usual activity level, and continued employment after starting dialysis. 2010 , 5, 2040-5	39
1172	Depression Among Adults With Diabetes: Prevalence, Impact, and Treatment Options. 2010 , 23, 15-18	30
1171	Strong Souls: development and validation of a culturally appropriate tool for assessment of social and emotional well-being in Indigenous youth. 2010 , 44, 40-8	71
1170	Race/ethnicity, social support, and associations with diabetes self-care and clinical outcomes in NHANES. 2010 , 36, 435-45	48
1169	Book Review: Lael Brainard and Derek Chollet (eds), <i>Too Poor for Peace? Global Poverty, Conflict, and Security in the 21st Century</i> (Washington DC: Brookings Institution Press, 2007, 175 pp., \$22.95 pbk). 2010 , 39, 204-206	1
1168	Intimate partner violence and depression in a population-based sample of women: can social support help?. 2010 , 25, 2258-78	60
1167	Evaluation of the Patient Health Questionnaire-9 Item for detecting major depression among adolescents. 2010 , 126, 1117-23	375
1166	Is depression a modifiable risk factor for diabetes burden?. 2010 , 1, 55-61	8
1165	Doing Well—description of a complex intervention to improve depression care. 2010 , 11, 326-338	4
1164	Long-term clinical outcomes of care management for chronically depressed primary care patients: a report from the depression in primary care project. 2010 , 8, 387-96	18
1163	Health systems, patients factors, and quality of care for diabetes: a synthesis of findings from the TRIAD study. 2010 , 33, 940-7	54

1162	Clinician-assisted Internet-based treatment is effective for panic: A randomized controlled trial. 2010 , 44, 599-607	72
1161	Self-study assisted cognitive therapy for PTSD: a case study. 2010 , 1,	9
1160	The FIBRO System: A Rapid Strategy for Assessment and Management of Fibromyalgia Syndrome. 2010 , 2, 187-200	4
1159	How does change in depressive symptomatology influence weight change in patients with diabetes? Observational results from the Pathways longitudinal cohort. 2010 , 65, 93-8	7
1158	Symptom dimensions of post-myocardial infarction depression, disease severity and cardiac prognosis. 2010 , 40, 807-14	84
1157	The DSM-IV definition of severity of major depression: inter-relationship and validity. 2010 , 40, 1691-701	17
1156	Headache-associated dizziness in a headache population: prevalence and impact. 2010 , 30, 815-20	29
1155	Reinvention of depression instruments by primary care clinicians. 2010 , 8, 224-30	23
1154	No associations between serum concentrations of 25-hydroxyvitamin D and parathyroid hormone and depression among US adults. 2010 , 104, 1696-702	93
1153	The role of social support in health status and depressive symptoms after acute myocardial infarction: evidence for a stronger relationship among women. 2010 , 3, 143-50	67
1152	Women's Use of Multisector Mental Health Services in a Community-based Perinatal Depression Program. 2010 , 34, 145-155	6
1151	Infant media exposure and toddler development. 2010 , 164, 1105-11	127
1150	Delivery of evidence-based treatment for multiple anxiety disorders in primary care: a randomized controlled trial. 2010 , 303, 1921-8	291
1149	The interplay of sociodemographic factors on virologic suppression among a U.S. outpatient HIV clinic population. 2010 , 24, 229-35	36
1148	Healthy coping: issues and implications in diabetes education and care. 2010 , 13, 227-33	23
1147	Cardiac beta1-adrenoceptor autoantibodies in human heart disease: rationale and design of the Etiology, Titre-Course, and Survival (ETiCS) Study. 2010 , 12, 753-62	52
1146	A prospective cohort study of neuropsychological test performance in ALS. 2010 , 11, 312-20	45
1145	The neurovegetative complaints questionnaire in the Maastricht aging study: Psychometric properties and normative data. 2010 , 14, 613-23	5

1144	Development and Initial Validation of a General Psychological Well-being Scale (GPWS) in an African Context. 2010 , 20, 13-22	11
1143	Measuring depression levels in HIV-infected patients as part of routine clinical care using the nine-item Patient Health Questionnaire (PHQ-9). 2010 , 22, 874-85	53
1142	Marked elevations in pro-inflammatory polyunsaturated fatty acid metabolites in females with irritable bowel syndrome. 2010 , 51, 1186-92	41
1141	Variation in recovery: Role of gender on outcomes of young AMI patients (VIRGO) study design. 2010 , 3, 684-93	70
1140	Behavioral activation for treatment of PTSD and depression in an Iraqi combat veteran with multiple physical injuries. 2010 , 38, 355-61	14
1139	Sociodemographic and comorbidity profiles of chronic migraine and episodic migraine sufferers. 2010 , 81, 428-32	378
1138	EEG alpha asymmetry in schizophrenia, depression, PTSD, panic disorder, ADHD and conduct disorder. 2010 , 41, 178-83	74
1137	Depression and advanced complications of diabetes: a prospective cohort study. 2010 , 33, 264-9	352
1136	Self-Management Goal Setting in a Community Health Center: The Impact of Goal Attainment on Diabetes Outcomes. 2010 , 23, 97-105	23
1135	Emotion brain alterations in anorexia nervosa: a candidate biological marker and implications for treatment. 2010 , 35, 267-74	24
1134	The validity of the Depression Scale (DEPS) to assess the severity of depression in primary care patients. 2010 , 27, 527-34	20
1133	The Role of Effort/Reward Imbalance for Reservists on a Military Deployment. 2010 , 22, 524-542	4
1132	Family needs and psychosocial functioning of caregivers of individuals with spinal cord injury from Colombia, South America. 2010 , 27, 83-93	42
1131	Barriers to treatment and culturally endorsed coping strategies among depressed African-American older adults. 2010 , 14, 971-83	79
1130	Risk of diabetes in U.S. military service members in relation to combat deployment and mental health. 2010 , 33, 1771-7	100
1129	Psychological correlates of self-reported disease activity in ankylosing spondylitis. 2010 , 37, 829-34	32
1128	Are gold standard depression measures appropriate for use in geriatric cancer patients? A systematic evaluation of self-report depression instruments used with geriatric, cancer, and geriatric cancer samples. 2010 , 28, 348-56	84
1127	Depression despite anti-vascular endothelial growth factor treatment of age-related macular degeneration. 2010 , 128, 506-8	33

1126	[Quality of life of patients with unipolar depression]. 2010 , 63, 113-6	1
1125	GPs good at ruling out depression in primary care, but false positives common. 2010 , 15, 29-30	
1124	Outbreak of acquired ocular toxoplasmosis involving 248 patients. 2010 , 128, 28-32	99
1123	Rates of major depressive disorder and clinical outcomes following traumatic brain injury. 2010 , 303, 1938-45	451
1122	Life-threatening danger and suppression of attention bias to threat. 2010 , 167, 694-8	135
1121	A prospective cohort study investigating factors associated with depression during medical internship. 2010 , 67, 557-65	214
1120	A pilot study of identification and case management of high-risk COPD patients in a general practice. 2010 , 27, 494-8	7
1119	Exposure to prolonged socio-political conflict and the risk of PTSD and depression among Palestinians. 2010 , 73, 219-31	65
1118	Caring for patients with long-term conditions and depression. 2010 , 24, 40-9; quiz 50	2
1117	Clinical and prognostic subforms of new daily-persistent headache. 2010 , 74, 1358-64	104
1116	Screening for depression among indigenous Mexican migrant farmworkers using the Patient Health Questionnaire-9. 2010 , 106, 419-32	52
1115	Investigating fatigue in primary care. 2010 , 341, c4259	14
1114	Acute treatment of migraine headaches. 2010 , 30, 145-53	5
1113	Shared decision making interventions for people with mental health conditions. 2010 , CD007297	146
1112	Urologic chronic pelvic pain syndrome. 2010 , 37, 527-46, viii	5
1111	Collaborative depression treatment in older and younger adults with physical illness: pooled comparative analysis of three randomized clinical trials. 2010 , 18, 520-30	30
1110	Screening depression aging services clients. 2010 , 18, 1116-23	29
1109	Mental health treatment seeking among older adults with depression: the impact of stigma and race. 2010 , 18, 531-43	288

1108	Randomized controlled trial of Internet cognitive behavioural treatment for social phobia with and without motivational enhancement strategies. 2010 , 44, 938-45	64
1107	Work performance of employees with depression: the impact of work stressors. 2010 , 24, 205-13	92
1106	Early palliative care for patients with metastatic non-small-cell lung cancer. 2010 , 363, 733-42	4667
1105	Sadness in heart failure: what is a clinician to do?. 2010 , 56, 700-1	2
1104	Differential associations between specific depressive symptoms and cardiovascular prognosis in patients with stable coronary heart disease. 2010 , 56, 838-44	81
1103	IS SUCCESS IN WEIGHT LOSS TREATMENT CONTAGIOUS (DO ATTENDANCE AND OUTCOMES CLUSTER WITHIN TREATMENT GROUPS)?. 2010 , 4, 283-291	5
1102	COMT Val(108/158)Met polymorphism effects on emotional brain function and negativity bias. 2010 , 53, 918-25	85
1101	Regional brain activity in functional dyspepsia: a H(2)(15)O-PET study on the role of gastric sensitivity and abuse history. 2010 , 139, 36-47	70
1100	Open trial of Vinyasa yoga for persistently depressed individuals: evidence of feasibility and acceptability. 2010 , 34, 247-64	59
1099	"I fired my last doctor for not taking me seriously": collaborating with a difficult medical patient in a multidisciplinary primary care facility. 2010 , 92, 533-43	1
1098	Predictors of depressive symptomatology among rural stimulant users. 2010 , 42, 435-45	8
1097	Childbirth and mental disorders. 2010 , 22, 453-71	60
1096	Associations between immunologic, inflammatory, and oxidative stress markers with severity of depressive symptoms: an analysis of the 2005-2006 National Health and Nutrition Examination Survey. 2010 , 31, 126-33	35
1095	Rurality and event-free survival in patients with heart failure. 2010 , 39, 512-20	13
1094	Impact of depression on quality of life assessment in heart failure. 2010 , 142, 133-7	35
1093	Assessment of mood: guides for clinicians. 2010 , 68, 581-9	101
1092	Characteristics of oligosymptomatic versus polysymptomatic presentations of somatoform disorders in patients with suspected allergies. 2010 , 69, 259-66	6
1091	Detecting depression in medically ill patients: Comparative accuracy of four screening questionnaires and physicians' diagnoses in Spanish population. 2010 , 69, 399-406	16

1090	The association between obesity, depression, and educational attainment in women: the mediating role of body image dissatisfaction. 2010 , 69, 573-81	77
1089	Transdiagnostic Internet treatment for anxiety disorders: A randomized controlled trial. 2010 , 48, 890-9	121
1088	Depressive symptoms affect the relationship of N-terminal pro B-type natriuretic peptide to cardiac event-free survival in patients with heart failure. 2010 , 16, 572-8	18
1087	Memory dysfunction, psychomotor slowing, and decreased executive function predict mortality in patients with heart failure and low ejection fraction. 2010 , 16, 750-60	101
1086	Screening for psychiatric problems in the orofacial trauma setting. 2010 , 22, 225-9	3
1085	Diabetes and depression: global perspectives. 2010 , 87, 302-12	316
1084	Depression and hemoglobin A1c in type 1 and type 2 diabetes: the role of self-efficacy. 2010 , 90, 141-6	30
1083	The relationship between binge eating and weight status on depression, anxiety, and body image among a diverse college sample: a focus on Bi/Multiracial women. 2010 , 11, 18-24	24
1082	Impact of delirium on distress, health-related quality of life, and cognition 6 months and 1 year after hematopoietic cell transplant. 2010 , 16, 824-31	41
1081	Prevalence and risk of depressive disorders in women with polycystic ovary syndrome (PCOS). 2010 , 94, 357-9	46
1080	Integrating depression and chronic disease care among patients with diabetes and/or coronary heart disease: the design of the TEAMcare study. 2010 , 31, 312-22	82
1079	Self-management support and communication from nurse care managers compared with primary care physicians: a focus group study of patients with chronic musculoskeletal pain. 2010 , 11, 26-34	47
1078	Psychological risk factors and the metabolic syndrome in patients with coronary heart disease: findings from the Heart and Soul Study. 2010 , 175, 133-7	75
1077	Detecting postnatal depression in Chinese men: a comparison of three instruments. 2010 , 180, 80-5	57
1076	Is there an "unhealthy volunteer effect" in mental health outpatient research?. 2010 , 176, 224-8	5
1075	Estimated prevalence of compulsive buying in Germany and its association with sociodemographic characteristics and depressive symptoms. 2010 , 180, 137-42	168
1074	PEARLS depression treatment for individuals with epilepsy: a randomized controlled trial. 2010 , 19, 225-31	93
1073	Distance delivery of mindfulness-based cognitive therapy for depression: project UPLIFT. 2010 , 19, 247-54	131

1072	Prevalence and correlates of depressive symptoms among United States adults with disabilities using assistive technology. 2010 , 50, 204-9	13
1071	Changes in beliefs about medications during long-term care for ischemic heart disease. 2010 , 159, 561-9	19
1070	Detection of depression in cardiac inpatients: feasibility and results of systematic screening. 2010 , 159, 780-7	45
1069	Breast and cervical cancer screening specific effects of depression and obesity. 2010 , 38, 303-10	49
1068	Assessing the presence and severity of depression in subjects with comorbid coronary heart disease. 2010 , 123, 683-90	12
1067	Depression and incident diabetic foot ulcers: a prospective cohort study. 2010 , 123, 748-754.e3	82
1066	Revisiting the association between metabolic syndrome and depressive symptoms. 2010 , 20, 852-5	4
1065	Factor structure and predictive validity of somatic and nonsomatic symptoms from the patient health questionnaire-9: a longitudinal study after spinal cord injury. 2010 , 91, 1218-24	57
1064	Posttraumatic stress disorder and spinal cord injury. 2010 , 91, 1182-7	31
1063	Vigor, Anxiety, and Depressive Symptoms as Predictors of Changes in Fibrinogen and C-reactive Protein. 2010 , 2, 251-271	12
1062	Combat experience and the acquired capability for suicide. 2010 , 66, 1044-56	117
1061	Potentially reversible resident factors associated with rejection of care behaviors. 2010 , 58, 1693-700	13
1060	Depressive Symptoms in Pulmonary Arterial Hypertension: Prevalence and Association With Functional Status. 2010 , 51, 339-339.e8	65
1059	Risk factors predicting the development of widespread pain from chronic back or neck pain. 2010 , 11, 1320-8	68
1058	Alteraciones psíquicas en geriatría. 2010 , 10, 4263-4271	
1057	Prevalence of urinary incontinence in men: results from the national health and nutrition examination survey. 2010 , 184, 1022-7	80
1056	Telephone-based psychiatric referral-care management intervention health outcomes. 2010 , 16, 543-50	16
1055	Postpartum depression: an original survey of screening practices within a healthcare system. 2010 , 31, 199-205	11

1054	Severity and correlates of depressive symptoms among recipients of meals on wheels: age, gender, and racial/ethnic difference. 2010 , 14, 145-54	35
1053	Not Just Talk: What a Psychosocial Primary Care Mental Health Service Can Do. 2010 , 22, 293-307	
1052	The PEACE project review of clinical instruments for hospice and palliative care. 2010 , 13, 1253-60	28
1051	Development of the Screener for Assessing Depression Scale: Why do we need another depression scale?*. 2010 , 14, 174-81	
1050	Applicability of the DEPS Depression Scale: assessing format and individual items in subgroups of patients. 2010 , 64, 384-90	4
1049	Factors associated with nonresponse to a computer-tailored asthma management program for urban adolescents with asthma. 2010 , 47, 667-73	26
1048	Overtime working hours and depression: questionnaire survey using the patient health questionnaire (PHQ-9). 2011 , 28, 474-5; author reply p 475-6	3
1047	Perceived social support and depression among Veterans with multiple sclerosis. 2011 , 33, 1-8	25
1046	Well-Being in the Batswana Cultural Context: Constructs and Measures. 2011 , 21, 277-285	8
1045	A Public Health Approach to Addressing Perinatal Depression. 2011 , 13, 5-13	3
1044	Exenatide bid observational study (ExOS): baseline population characteristics of a prospective research study to evaluate the clinical effectiveness of exenatide bid use in patients with type 2 diabetes in a real-world setting. 2011 , 27, 531-40	4
1043	Markers of inflammation in midlife women with intimate partner violence histories. 2011 , 20, 1871-80	42
1042	Outpatient palliative care for chronic heart failure: a case series. 2011 , 14, 815-21	48
1041	Monitoring in diabetes self-management: issues and recommendations for improvement. 2011 , 14, 189-97	15
1040	Perceptions of alcohol risk among individuals living with HIV. 2011 , 23, 107-12	4
1039	Erectile dysfunction and depression: screening and treatment. 2011 , 38, 125-39	30
1038	Somatic symptoms and the association between hepatitis C infection and depression in HIV-infected patients. 2011 , 23, 1208-18	15
1037	Role of depression in outcomes of endoscopic sinus surgery. 2011 , 144, 446-51	52

1036	Estado actual de la rehabilitaci3n cardiovascular en Colombia (2010). 2011 , 18, 305-315	3
1035	Effect of depression on prognosis in heart failure. 2011 , 7, 11-21	52
1034	Later-life depression and heart failure. 2011 , 7, 47-58	6
1033	Does gender moderate the relationship between childhood maltreatment and adult depression?. 2011 , 16, 175-83	45
1032	Age- and gender-specific prevalence and risk factors for depressive symptoms in the elderly: a population-based study. 2011 , 23, 1294-300	72
1031	Screening for Psychiatric Problems in the Orofacial Trauma Setting. 2011 , 6, 341-347	
1030	BPCO e depressione/ansia. 2011 , 5, 81-90	
1029	Associations of preexisting depression and anxiety with hospitalization in patients with cardiovascular disease. 2011 , 86, 1056-62	38
1028	Prevalence of nocturia in United States men: results from the National Health and Nutrition Examination Survey. 2011 , 185, 998-1002	53
1027	Preventing postpartum depression. 2011 , 34, 53-65	28
1026	Depression, hypothalamic pituitary adrenal axis, and hippocampal and entorhinal cortex volumes--the SMART Medea study. 2011 , 70, 373-80	101
1025	Adolescents with suicidal ideation: health care use and functioning. 2011 , 11, 422-6	19
1024	Randomized trial of a computer-tailored intervention for patients with depression. 2011 , 26, 77-89	29
1023	Olfactory hallucinations in primary headache disorders: case series and literature review. 2011 , 31, 1477-89	40
1022	Confirmatory factor analysis of the Patient Health Questionnaire-9: a study of the participants from the spinal cord injury model systems. 2011 , 3, 533-40; quiz 540	15
1021	Frontal subcortical ischemia is crucial for post stroke cognitive impairment. 2011 , 309, 92-5	30
1020	Association between objectively-measured physical activity and sleep, NHANES 2005-2006. 2011 , 4, 65-69	91
1019	Cerebrocerebellar hypometabolism associated with repetitive blast exposure mild traumatic brain injury in 12 Iraq war Veterans with persistent post-concussive symptoms. 2011 , 54 Suppl 1, S76-82	190

1018	Magical thinking in somatoform disorders: an exploratory study among patients with suspected allergies. 2011 , 44, 283-8	3
1017	The counseling African Americans to Control Hypertension (CAATCH) Trial: baseline demographic, clinical, psychosocial, and behavioral characteristics. 2011 , 6, 100	18
1016	Telephone-based behavioral health assessment for older adults starting a new psychiatric medication. 2011 , 19, 851-8	18
1015	Depression in primary hyperparathyroidism: prevalence and benefit of surgery. 2011 , 96, E1737-45	42
1014	Factors associated with non-adherence to antiretroviral therapy in the SUN study. 2011 , 23, 601-11	39
1013	Treating post-CABG depression with telephone-delivered collaborative care: does patient age affect treatment and outcome?. 2011 , 19, 871-80	4
1012	Depression after spinal cord injury: comorbidities, mental health service use, and adequacy of treatment. 2011 , 92, 352-60	134
1011	Mechanical ventilation, health, and quality of life following spinal cord injury. 2011 , 92, 457-63	27
1010	A longitudinal study of depression from 1 to 5 years after spinal cord injury. 2011 , 92, 411-8	122
1009	The influence of secondary conditions on job acquisition and retention in adults with spinal cord injury. 2011 , 92, 425-32	26
1008	Do somatic and cognitive symptoms of traumatic brain injury confound depression screening?. 2011 , 92, 818-23	67
1007	The relationship between quality of life and change in mobility 1 year postinjury in individuals with spinal cord injury. 2011 , 92, 1027-33	48
1006	Major and minor depression after traumatic brain injury. 2011 , 92, 1211-9	119
1005	Social conflict versus social support: what is more influential in mental health symptom severity for female service members?. 2011 , 25, 469-78	9
1004	Prevalence and correlates of alcohol misuse among returning Afghanistan and Iraq veterans. 2011 , 36, 801-6	93
1003	A comparison of mandated versus volunteer adolescent participants in youth tobacco cessation programs. 2011 , 36, 937-40	2
1002	Angina frequency after myocardial infarction and quality of life in older versus younger adults: the Prospective Registry Evaluating Myocardial Infarction: Event and Recovery study. 2011 , 161, 631-8	21
1001	Prevalence and correlates of smoking cessation pharmacotherapy in hospitalized smokers with acute myocardial infarction. 2011 , 162, 74-80	7

1000	Rationale and design of the treatment of preserved cardiac function heart failure with an aldosterone antagonist trial: a randomized, controlled study of spironolactone in patients with symptomatic heart failure and preserved ejection fraction. 2011 , 162, 966-972.e10	188
999	Current major depression among smokers using a state quitline. 2011 , 40, 47-53	39
998	Research to Encourage Exercise for Fibromyalgia (REEF): use of motivational interviewing design and method. 2011 , 32, 59-68	33
997	Improving function in age-related macular degeneration: design and methods of a randomized clinical trial. 2011 , 32, 196-203	10
996	Recruitment into a guided internet based CBT (iCBT) intervention for depression: lesson learnt from the failure of a prevalence recruitment strategy. 2011 , 32, 641-8	37
995	Validation of Patient Health Questionnaire for depression screening among primary care patients in Taiwan. 2011 , 52, 96-101	104
994	The Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition Defensive Functioning Scale: a validity study. 2011 , 52, 225-30	6
993	Transdiagnostic internet treatment for anxiety and depression: a randomised controlled trial. 2011 , 49, 441-52	207
992	An open trial of a brief transdiagnostic internet treatment for anxiety and depression. 2011 , 49, 830-7	68
991	Excessive daytime sleepiness is associated with poor medication adherence in adults with heart failure. 2011 , 17, 340-8	68
990	Alcohol consumption and depressive symptoms over time: a longitudinal study of patients with and without HIV infection. 2011 , 117, 158-63	64
989	Assessing rumination in eating disorders: principal component analysis of a minimally modified ruminative response scale. 2011 , 12, 321-4	53
988	Piloting electronic self report symptom assessment - Cancer (ESRA-C) in Hong Kong: a mixed method approach. 2011 , 15, 325-34	7
987	Use of cognitive screening instruments in primary care: the impact of national dementia directives (NICE/SCIE, National Dementia Strategy). 2011 , 28, 272-6	47
986	An Internet administered treatment program for obsessive-compulsive disorder: a feasibility study. 2011 , 25, 1102-7	58
985	Health anxiety and attentional bias: the time course of vigilance and avoidance in light of pictorial illness information. 2011 , 25, 1131-8	28
984	Somatic correlates of comorbid major depression in patients with systolic heart failure. 2011 , 147, 66-73	46
983	Understanding the influence of depression on self-efficacy, work status and condom use among HIV clients in Uganda. 2011 , 70, 440-8	35

982	Prevalence and correlates of nonmedical use of prescription opioids in patients seen in a residential drug and alcohol treatment program. 2011 , 41, 208-14	32
981	Managing epilepsy well: self-management needs assessment. 2011 , 20, 291-8	41
980	Long-term outcomes from the PEARLS randomized trial for the treatment of depression in patients with epilepsy. 2011 , 20, 545-9	60
979	Quality of life in 1931 adult patients with epilepsy: seizures do not tell the whole story. 2011 , 22, 723-7	41
978	Diagnostic accuracy and agreement across three depression assessment measures for Parkinson's disease. 2011 , 17, 40-5	33
977	The relation between depression and parkin genotype: the CORE-PD study. 2011 , 17, 740-4	28
976	Review of major measuring instruments in comorbid depression and coronary heart disease. 2011 , 35, 905-12	8
975	Comparative performance of the Edinburgh Postnatal Depression Scale and the Patient Health Questionnaire-9 in pregnant and postpartum women seeking psychiatric services. 2011 , 187, 130-4	54
974	Cognitive-behavioral coping strategies associated with combat-related PTSD in treatment-seeking OEF-OIF Veterans. 2011 , 189, 251-8	47
973	A provisional screening instrument for four common mental disorders in adult primary care patients. 2011 , 52, 48-55	24
972	Factors associated with disability and depressive symptoms among individuals with diabetes: a community study in Quebec. 2011 , 52, 167-77	19
971	A collaborative care depression management program for cardiac inpatients: depression characteristics and in-hospital outcomes. 2011 , 52, 26-33	53
970	Serotonin transporter gene promotor polymorphism (5-HTTLPR) associations with number of psychotropic medication trials in a tertiary care outpatient psychiatric consultation practice. 2011 , 52, 147-53	8
969	Pharmacogenomic testing in a tertiary care outpatient psychosomatic medicine practice. 2011 , 52, 141-6	12
968	Thoughts of death and suicide reported by cancer patients who endorsed the "suicidal thoughts" item of the PHQ-9 during routine screening for depression. 2011 , 52, 424-7	65
967	A psychometric evaluation of the Chinese version of the short-form cardiac depression scale. 2011 , 52, 450-4	4
966	Vitamin D and lower urinary tract symptoms among US men: results from the 2005-2006 National Health and Nutrition Examination Survey. 2011 , 78, 1292-7	34
965	Prevalence and correlates of geriatric frailty in a northern Taiwan community. 2011 , 110, 247-57	53

964	Location of cerebrovascular and degenerative changes, depressive symptoms and cognitive functioning in later life: the SMART-Medea study. 2011 , 82, 1093-100	29
963	Suicidal or self-harming ideation in military personnel transitioning to civilian life. 2011 , 41, 392-405	24
962	Neuropsychiatric adverse effects of centrally acting antiobesity drugs. 2011 , 17, 490-505	79
961	Association of baseline anxiety with depression persistence at 6 months in patients with acute cardiac illness. 2012 , 74, 93-9	7
960	Disability, HRQoL and resource use among chronic and episodic migraineurs: results from the International Burden of Migraine Study (IBMS). 2011 , 31, 301-15	370
959	How reliable is depression screening in alcohol and drug users? A validation of brief and ultra-brief questionnaires. 2011 , 134, 266-71	41
958	Association of nociceptive responsivity with clinical pain and the moderating effect of depression. 2011 , 12, 384-9	23
957	Somatization is associated with non-adherence to opioid prescriptions. 2011 , 12, 573-80	15
956	Reciprocal relationship between pain and depression: a 12-month longitudinal analysis in primary care. 2011 , 12, 964-73	347
955	The size and burden of mental disorders and other disorders of the brain in Europe 2010. 2011 , 21, 655-79	2219
954	Effects of low-dose, controlled-release, phentermine plus topiramate combination on weight and associated comorbidities in overweight and obese adults (CONQUER): a randomised, placebo-controlled, phase 3 trial. 2011 , 377, 1341-52	611
953	Effectiveness of battlefield-ethics training during combat deployment: a programme assessment. 2011 , 378, 915-24	34
952	Persistence of multiple illnesses in World Trade Center rescue and recovery workers: a cohort study. 2011 , 378, 888-97	214
951	Clinical Psychology and Cardiovascular Disease: An Up-to-Date Clinical Practice Review for Assessment and Treatment of Anxiety and Depression. 2011 , 7, 148-56	40
950	A nested case control study demonstrating increased chronic fatigue six years after a Q fever outbreak. 2011 , 2, 19	2
949	Prädiktoren von Lebensqualität im Alter bei Menschen mit und ohne Vertreibungshintergrund im 2. Weltkrieg. 2011 , 20, 170-177	
948	A Chronic Care Model Program Incorporating Group Office Visits for Obesity Treatment in Primary Care. 2011 , 4, 87-98	1
947	Helping smokers with depression to quit smoking: collaborative care with Quitline. 2011 , 195, S7-11	19

946	The Measurement of Health-Related Quality of Life in a Population with Generalized Anxiety Disorder [Findings from the QUEST Study. 2011,	3
945	Identification, assessment and treatment of individual patients. 175-216	3
944	Depression in multiple sclerosis. 696-706	
943	Prevalence of Depressive Symptoms among University Students in Oman. 2011, 26, 235-9	38
942	Civilian employment among recently returning Afghanistan and Iraq National Guard veterans. 2011, 176, 639-46	32
941	Suicide ideation, plans, and attempts among general practice patients with chronic health conditions in Puerto Rico. 2011, 4, 197-205	14
940	Bridging the gap—delivery of mental health provision in neurological services. 2011, 7, 417-418	
939	New agents in the management of Alzheimer's disease: a case study. 2011, 9, 12-18	
938	Heart and mind: coronary heart disease and depression. 2011, 2, 37-42	
937	Factors predicting depression among persons with spinal cord injury 1 to 5 years post injury. 2011, 29, 9-21	56
936	A RCT of a transdiagnostic internet-delivered treatment for three anxiety disorders: examination of support roles and disorder-specific outcomes. 2011, 6, e28079	88
935	An exploration of differences in sleep characteristics between Mexico-born US immigrants and other Americans to address the Hispanic Paradox. 2011, 34, 1021-31	67
934	Marginal Effects in Multivariate Probit and Kindred Discrete and Count Outcome Models, with Applications in Health Economics. 2011,	5
933	Depression and leukocyte telomere length in patients with coronary heart disease: data from the Heart and Soul Study. 2011, 73, 541-7	91
932	Importance of anonymity to encourage honest reporting in mental health screening after combat deployment. 2011, 68, 1065-71	169
931	Mapping evidence-based guidelines to standardized nursing terminologies. 2011, 29, 698-705	6
930	Depression Care for Patients at Home (Depression CAREPATH). 2011, 29, 489-491	
929	A primary care focus on the diagnosis and treatment of major depressive disorder in adults. 2011, 17, 340-50	10

928	Depression and cardiac disease: a review. 2011 , 19, 130-42	209
927	Real-world lessons from the implementation of a depression screening protocol in acute myocardial infarction patients: implications for the American Heart Association depression screening advisory. 2011 , 4, 283-92	35
926	Comparison of the mental health of female adult film performers and other young women in California. 2011 , 62, 639-45	7
925	Abuse history, depression, and somatization are associated with gastric sensitivity and gastric emptying in functional dyspepsia. 2011 , 73, 648-55	45
924	A new instrument to measure quality of life of heart failure family caregivers. 2011 , 26, 53-64	21
923	Fear of pain in patients with advanced cancer or in patients with chronic noncancer pain. 2011 , 27, 116-24	40
922	Psychometric considerations of depression symptom rating scales. 2011 , 1, 611-623	6
921	Lifetime traumatic experiences and posttraumatic stress disorder in the German population: results of a representative population survey. 2011 , 199, 934-9	82
920	Evaluating new proposals for the psychiatric classification of patients with multiple somatic symptoms. 2011 , 73, 760-8	43
919	Attitudes toward dating violence among college students in mainland China: an exploratory study. 2011 , 26, 631-47	17
918	Screening for depression with a brief questionnaire in a primary care setting: validation of the two questions with help question (Malay version). 2011 , 41, 143-54	8
917	Diagnosis, pathophysiology, and management of mood disorders in pregnant and postpartum women. 2011 , 117, 961-977	98
916	Psychiatrist-patient verbal and nonverbal communications during split-treatment appointments. 2011 , 62, 1361-8	8
915	One-year follow-up of collaborative depression care for low-income, predominantly Hispanic patients with cancer. 2011 , 62, 162-70	68
914	Depression outcomes in psychiatric clinical practice: using a self-rated measure of depression severity. 2011 , 62, 929-35	33
913	A randomized trial of telephonic counseling plus walking for depressed diabetes patients. 2011 , 49, 641-8	117
912	Depression, Anxiety, and Health-Related Quality of Life in Adolescents and Young Adults With Allergies and Asthma. 2011 , 2, 288-294	11
911	A randomized controlled trial to assess effectiveness of a spiritually-based intervention to help chronically ill adults. 2011 , 41, 91-105	16

910	Efficacy of a brief screening tool to identify medical students in distress. 2011 , 86, 907-14	54
909	Mental health in the care of paramedics: part 1. 2011 , 3, 230-236	7
908	Identification and treatment of depression in minority populations. 2011 , 42, 69-83	4
907	Clinical and pharmacologic perspectives on the treatment of major depressive disorder. 2011 , 16, 191-203	4
906	A practical approach to assess depression risk and to guide risk reduction strategies in later life. 2011 , 23, 280-91	41
905	ICU care associated with symptoms of depression and posttraumatic stress disorder among family members of patients who die in the ICU. 2011 , 139, 795-801	116
904	Life Guard: Evaluation of an ACT-based workshop to facilitate reintegration of OIF/OEF veterans.. 2011 , 42, 32-39	23
903	Telephone-administered cognitive behavioral therapy for veterans served by community-based outpatient clinics. 2011 , 79, 261-5	32
902	Treatment of active-duty military with PTSD in primary care: Early findings.. 2011 , 8, 104-113	58
901	Glycemic control among Latinos with type 2 diabetes: the role of social-environmental support resources. 2011 , 30, 251-8	44
900	Integration of behavioral health services in a primary care clinic serving rural Appalachia: reflections on a clinical experience. 2011 , 29, 291-302	8
899	ProvenCare perinatal: a model for delivering evidence/ guideline-based care for perinatal populations. 2011 , 37, 229-39	19
898	Measuring depression severity in general practice: discriminatory performance of the PHQ-9, HADS-D, and BDI-II. 2011 , 61, e419-26	72
897	A primary care focus on the treatment of patients with major depressive disorder. 2011 , 342, 324-30	17
896	Prospectively assessed posttraumatic stress disorder and associated physical activity. 2011 , 126, 371-83	49
895	Psychological and cognitive determinants of vision function in age-related macular degeneration. 2011 , 129, 885-90	24
894	Psychosocial correlates of alcohol use and reduction for individuals with hepatitis C. 2011 , 72, 787-98	7
893	Suicide-related discussions with depressed primary care patients in the USA: gender and quality gaps. A mixed methods analysis. 2011 , 1, e000198	29

892	More co-morbid depression in patients with Type 2 diabetes with multiple complications. An observational study at a specialized outpatient clinic. 2011 , 28, 86-9	35
891	Continuous quality improvement for postpartum depression screening and referral. 2011 , 53, 277-9	2
890	Self-efficacy associated with self-management behaviours and health status of South Koreans with chronic diseases. 2011 , 17, 599-606	24
889	Improving access to psychological therapies: systemic therapy in the Newham pilot site. 2011 , 33, 400-414	9
888	Factors associated with co-morbid irritable bowel syndrome and chronic fatigue-like symptoms in functional dyspepsia. 2011 , 23, 524-e202	40
887	Risk factors for impaired health-related quality of life in functional dyspepsia. 2011 , 33, 261-74	33
886	Sexual evaluation and treatment of ageing males with haemophilia. 2011 , 17, 875-83	9
885	Evaluation of a disease-management intervention designed to reduce depression disability. 2011 , 17, 322-5	1
884	Cognitive, psychomotor and polysomnographic effects of trazodone in primary insomniacs. 2011 , 20, 552-8	58
883	Designing payment for Collaborative Care for Depression in primary care. 2011 , 46, 1436-51	20
882	Sexual media use and relational satisfaction in heterosexual couples. 2011 , 18, 562-585	121
881	The association of depression and multimorbidity in the elderly: implications for the assessment of depression. 2011 , 11, 227-34	27
880	Examining naltrexone and alcohol effects in a minority population: results from an initial human laboratory study. 2011 , 20, 330-6	12
879	Association between intimate partner violence, migraine and probable migraine. 2011 , 51, 208-19	23
878	Negative impact of episodic migraine on a university population: quality of life, functional impairment, and comorbid psychiatric symptoms. 2011 , 51, 581-9	57
877	Development and preliminary psychometric testing of the centrality of pain scale. 2011 , 12, 612-7	14
876	Depression, chronic pain, and suicide by overdose: on the edge. 2011 , 12 Suppl 2, S43-8	99
875	Depression and cognitive impairment in older adult emergency department patients: changes over 2 weeks. 2011 , 59, 321-6	8

874	Potential underuse, overuse, and inappropriate use of antidepressants in older veteran nursing home residents. 2011 , 59, 1412-20	51
873	Managing depression in patients with vision impairment: a descriptive study of practitioners' beliefs and confidence. 2011 , 30, 130-5	10
872	Screening pulmonary hypertension patients for depression. 2011 , 65, 4-5	7
871	Postpartum Depressive symptomatology: results from a two-stage US national survey. 2011 , 56, 427-35	30
870	Secondary complications and subjective well-being in individuals with chronic spinal cord injury: associations with self-reported adiposity. 2011 , 49, 266-72	20
869	Relation of health-related quality of life to metabolic syndrome, obesity, depression and comorbid illnesses. 2011 , 35, 1087-94	43
868	The limits of resilience: distress following chronic political violence among Palestinians. 2011 , 72, 1400-8	137
867	Cancer-related pain and disability: a longitudinal study. 2011 , 42, 813-21	17
866	The use of referenced-EEG (rEEG) in assisting medication selection for the treatment of depression. 2011 , 45, 64-75	34
865	Suicidal ideation in treatment-seeking Veterans of Operations Enduring Freedom and Iraqi Freedom: the role of coping strategies, resilience, and social support. 2011 , 45, 720-6	114
864	Provider factors and patient-reported healthcare discrimination in the Diabetes Study of California (DISTANCE). 2011 , 85, e216-24	12
863	Effects of a gliadin-combined plant superoxide dismutase extract on self-perceived fatigue in women aged 50-65 years. 2011 , 18, 521-6	7
862	Depressive symptoms and sub-clinical atherosclerosis in Africans: role of metabolic syndrome, inflammation and sympathoadrenal function. 2011 , 104, 744-8	10
861	Association of CKD with disability in the United States. 2011 , 57, 212-27	60
860	Association of sleep-related problems with CKD in the United States, 2005-2008. 2011 , 58, 554-64	54
859	Associations of objectively-assessed physical activity and sedentary time with depression: NHANES (2005-2006). 2011 , 53, 284-8	158
858	Cognitive activity for the treatment of older adults with mild Alzheimer's disease (AD)--PACE AD: study protocol for a randomised controlled trial. 2011 , 12, 47	11
857	Screening and case finding for depression in offender populations: a systematic review of diagnostic properties. 2011 , 128, 72-82	12

856	Range and specificity of war-related trauma to posttraumatic stress; depression and general health perception: displaced former World War II children in late life. 2011 , 128, 267-76	24
855	Risk of placental abruption in relation to maternal depressive, anxiety and stress symptoms. 2011 , 130, 280-4	33
854	No clear potentiation of antidepressant medication effects by folic acid+vitamin B12 in a large community sample. 2011 , 130, 37-45	22
853	Measurement invariance with respect to ethnicity of the Patient Health Questionnaire-9 (PHQ-9). 2011 , 129, 229-35	57
852	Are patient beliefs important in determining adherence to treatment and outcome for depression? Development of the beliefs about depression questionnaire. 2011 , 133, 29-41	22
851	Implementation of psychological therapies for anxiety and depression in routine practice: two year prospective cohort study. 2011 , 133, 51-60	133
850	Screening for depression with the Patient Health Questionnaire-2 (PHQ-2) among the general population in Hong Kong. 2011 , 134, 444-7	58
849	Low cholesterol is associated with depression among US household population. 2011 , 135, 115-21	66
848	Retrospective chart review to assess the relationship between depression and sustained virological response from interferon treatment for hepatitis C virus. 2011 , 33, 1400-5	6
847	Patterns and predictors of fast food consumption after acute myocardial infarction. 2011 , 107, 1105-10	7
846	The long-term trajectory of depression among Latinos in primary care and its relationship to depression care disparities. 2011 , 33, 94-101	38
845	Associations between posttraumatic stress disorder and hemoglobin A1(C) in low-income minority patients with diabetes. 2011 , 33, 116-22	20
844	Enhancing the population impact of collaborative care interventions: mixed method development and implementation of stepped care targeting posttraumatic stress disorder and related comorbidities after acute trauma. 2011 , 33, 123-34	61
843	Depressive disorders and panic attacks in women with bladder pain syndrome/interstitial cystitis: a population-based sample. 2011 , 33, 143-9	37
842	Toward a more comprehensive assessment of depression remission: the Remission Evaluation and Mood Inventory Tool (REMIT). 2011 , 33, 279-86	13
841	Consultation psychiatry in the medical home and accountable care organizations: achieving the triple aim. 2011 , 33, 305-10	43
840	Suicidal ideation in medical inpatients: psychosocial and clinical correlates. 2011 , 33, 572-8	24
839	Demographic and clinical features of patients with fibromyalgia syndrome of different settings: a gender comparison. 2011 , 8, 116-25	27

838	Improving Homework Compliance in Career Counseling With a Behavioral Activation Functional Assessment Procedure: A Pilot Study. 2011 , 18, 256-266	6
837	Geriatric assessment tools. 2011 , 78, 489-97	33
836	Psychometric comparison of the generalized anxiety disorder scale-7 and the Penn State Worry Questionnaire for measuring response during treatment of generalised anxiety disorder. 2011 , 40, 216-27	166
835	Correlation between phq-9 score and physical activity level, risk factors and non-communicable diseases in patients in family medicine clinic. 2011 , 6, 372-377	
834	Two versions of life: emotionally negative and positive life events have different roles in the organization of life story and identity. 2011 , 11, 1190-201	119
833	More than military sexual trauma: interpersonal violence, PTSD, and mental health in women veterans. 2011 , 34, 457-67	98
832	Abnormal neural sensitivity to monetary gains versus losses among adolescents at risk for depression. 2011 , 39, 913-24	74
831	Psychosocial predictors of smoking among secondary school students in Al-Hassa, Saudi Arabia. 2011 , 34, 339-50	23
830	Causal attributions among patients undergoing coronary artery bypass surgery: gender aspects and relation to depressive symptomatology. 2011 , 34, 351-9	17
829	Behavioral health interventions being implemented in a VA primary care system. 2011 , 18, 22-9	28
828	Quality of mental health care at a student-run clinic: care for the uninsured exceeds that of publicly and privately insured populations. 2011 , 36, 733-40	35
827	Routine outcomes monitoring to support improving care for schizophrenia: report from the VA Mental Health QUERI. 2011 , 47, 123-35	22
826	The Patient Assessment of Chronic Illness Care questionnaire: evaluation in patients with mental disorders in primary care. 2011 , 47, 447-53	31
825	Explaining rural/non-rural disparities in physical health-related quality of life: a study of United Methodist clergy in North Carolina. 2011 , 20, 807-15	14
824	Migrating from a legacy fixed-format measure to CAT administration: calibrating the PHQ-9 to the PROMIS depression measures. 2011 , 20, 1349-57	45
823	Recent intimate partner violence as a prenatal predictor of maternal depression in the first year postpartum among Latinas. 2011 , 14, 135-43	62
822	Alcohol consumption is associated with poor health in HIV clinic patient population: a behavioral surveillance study. 2011 , 15, 209-13	23
821	[Psychological comorbidity. A challenge in acute care]. 2011 , 54, 83-9	4

820	Supportives Monitoring in der Psychotherapie. 2011 , 56, 485-491		6
819	Interviewer gender and self-reported sexual behavior and mental health among male military personnel. 2011 , 56, 225-9		13
818	Prevalence, correlates, and symptom profiles of depression among men with a history of military service. 2011 , 46, 607-14		6
817	Prospective associations between HIV-related stigma, transmission risk behaviors, and adverse mental health outcomes in men who have sex with men. 2011 , 42, 227-34		101
816	Suicide risk management: development and analysis of a telephone-based approach to patient safety. 2011 , 1, 372-83		4
815	Implementation of a stroke self-management program: A randomized controlled pilot study of veterans with stroke. 2011 , 1, 561-72		34
814	A computerized, tailored intervention to address behaviors associated with PTSD in veterans: rationale and design of STR(2)IVE. 2011 , 1, 595-603		2
813	Substance use, depression, and mental health functioning in patients seeking acute medical care in an inner-city ED. 2011 , 38, 358-72		18
812	Randomized trial of depression follow-up care by online messaging. <i>Journal of General Internal Medicine</i> , 2011 , 26, 698-704	4	80
811	Pre-post evaluation of automated reminders may improve detection and management of post-stroke depression. <i>Journal of General Internal Medicine</i> , 2011 , 26, 852-7	4	12
810	"Guardarse las cosas adentro" (keeping things inside): Latina violence survivors' perceptions of depression. <i>Journal of General Internal Medicine</i> , 2011 , 26, 1131-7	4	16
809	Obesity, depression, and health services costs among middle-aged women. <i>Journal of General Internal Medicine</i> , 2011 , 26, 1284-90	4	18
808	Measurement-based care for unipolar depression. 2011 , 13, 446-58		21
807	Psychometric properties of the IDS-SR30 for the assessment of depressive symptoms in Spanish population. 2011 , 11, 131		6
806	Talking about depression: a qualitative study of barriers to managing depression in people with long term conditions in primary care. 2011 , 12, 10		106
805	The epidemiology and natural history of depressive disorders in Hong Kong's primary care. 2011 , 12, 129		12
804	Disease management for co-morbid depression and anxiety in diabetes mellitus: design of a randomised controlled trial in primary care. 2011 , 12, 139		12
803	Up-beat UK: a programme of research into the relationship between coronary heart disease and depression in primary care patients. 2011 , 12, 38		23

802	Unlimited access to health care--impact of psychosomatic co-morbidity on utilisation in German general practices. 2011 , 12, 51	10
801	Rationale and design of a randomized controlled trial of directly observed hepatitis C treatment delivered in methadone clinics. 2011 , 11, 315	16
800	Fibromyalgia and neuropathic pain--differences and similarities. A comparison of 3057 patients with diabetic painful neuropathy and fibromyalgia. 2011 , 11, 55	111
799	Waist circumference, abdominal obesity, and depression among overweight and obese U.S. adults: National Health and Nutrition Examination Survey 2005-2006. 2011 , 11, 130	125
798	A study of the effectiveness of telepsychiatry-based culturally sensitive collaborative treatment of depressed Chinese Americans. 2011 , 11, 154	19
797	A study of a culturally focused psychiatric consultation service for Asian American and Latino American primary care patients with depression. 2011 , 11, 166	11
796	Comparison of the CES-D and PHQ-9 depression scales in people with type 2 diabetes in Tehran, Iran. 2011 , 11, 61	45
795	Group cognitive behavioural therapy for women with depression: pilot and feasibility study for a randomised controlled trial using mixed methods. 2011 , 11, 82	31
794	Psychosocial impact of the summer 2007 floods in England. 2011 , 11, 145	84
793	Feasibility and acceptability of a multiple risk factor intervention: the Step Up randomized pilot trial. 2011 , 11, 167	15
792	Racism and health among urban Aboriginal young people. 2011 , 11, 568	65
791	Detection and follow-up of chronic obstructive pulmonary disease (COPD) and risk factors in the Southern Cone of Latin America: the pulmonary risk in South America (PRISA) study. 2011 , 11, 34	14
790	Acupuncture and chiropractic care for chronic pain in an integrated health plan: a mixed methods study. 2011 , 11, 118	17
789	Operationalizing multimorbidity and autonomy for health services research in aging populations--the OMAHA study. 2011 , 11, 47	11
788	Use of folic acid and vitamin supplementation among adults with depression and anxiety: a cross-sectional, population-based survey. 2011 , 10, 102	9
787	PHQ-8 Days: a measurement option for DSM-5 Major Depressive Disorder (MDD) severity. 2011 , 9, 11	35
786	The 'help' question doesn't help when screening for major depression: external validation of the three-question screening test for primary care patients managed for physical complaints. 2011 , 9, 114	8
785	Problematic internet usage in US college students: a pilot study. 2011 , 9, 77	91

784	Protocol for a randomised controlled trial investigating self-help email messages for sub-threshold depression: the Mood Memos study. 2011 , 12, 11	9
783	Strategic use of new generation antidepressants for depression: SUN(^_^)D study protocol. 2011 , 12, 116	20
782	DIABRISK-SL prevention of cardio-metabolic disease with life style modification in young urban Sri Lankan's--study protocol for a randomized controlled trial. 2011 , 12, 209	12
781	A randomised evaluation of Collaborative care and active surveillance for Screen-Positive Elders with sub-threshold depression (CASPER): study protocol for a randomized controlled trial. 2011 , 12, 225	26
780	Effectiveness of technology-assisted case management in low income adults with type 2 diabetes (TACM-DM): study protocol for a randomized controlled trial. 2011 , 12, 231	16
779	Use of RE-AIM to develop a multi-media facilitation tool for the patient-centered medical home. 2011 , 6, 118	44
778	Implementing collaborative care for depression treatment in primary care: a cluster randomized evaluation of a quality improvement practice redesign. 2011 , 6, 121	53
777	A qualitative study of U.S. veterans' reasons for seeking Department of Veterans Affairs disability benefits for posttraumatic stress disorder. 2011 , 24, 699-707	12
776	Depression comorbidity in spinocerebellar ataxia. 2011 , 26, 870-6	56
775	How to compare scores from different depression scales: equating the Patient Health Questionnaire (PHQ) and the ICD-10-Symptom Rating (ISR) using Item Response Theory. 2011 , 20, 203-14	28
774	Socioeconomic determinants of disability and depression in patients with rheumatoid arthritis. 2011 , 63, 240-6	155
773	Pilot study to assess the frequency of fibromyalgia, depression, and sleep disorders in patients with granulomatosis with polyangiitis (Wegener's). 2011 , 63, 827-33	24
772	Using the Center for Epidemiologic Studies Depression Scale to screen for depression in systemic lupus erythematosus. 2011 , 63, 884-90	51
771	Diagnostic accuracy, internal consistency, and convergent validity of the Greek version of the patient health questionnaire 9 in diagnosing depression in rheumatologic disorders. 2011 , 63, 1313-21	59
770	Measures of depression and depressive symptoms: Beck Depression Inventory-II (BDI-II), Center for Epidemiologic Studies Depression Scale (CES-D), Geriatric Depression Scale (GDS), Hospital Anxiety and Depression Scale (HADS), and Patient Health Questionnaire-9 (PHQ-9). 2011 , 63 Suppl 11, S454-66	501
769	How do the PHQ-2, the PHQ-9 perform in aging services clients with cognitive impairment?. 2011 , 26, 952-60	25
768	Screening for major depression in cancer outpatients: the diagnostic accuracy of the 9-item patient health questionnaire. 2011 , 117, 218-27	113
767	Attention bias away from threat during life threatening danger predicts PTSD symptoms at one-year follow-up. 2011 , 28, 406-11	79

766	Randomized controlled trial of Internet-delivered cognitive behavioral therapy for posttraumatic stress disorder. 2011 , 28, 541-50	88
765	Differences in the determinants of posttraumatic stress disorder and depression after a mass traumatic event. 2011 , 28, 666-75	141
764	Relationship between FKBP5 polymorphisms and depression symptoms among kidney transplant recipients. 2011 , 28, 1111-8	15
763	EEG in adolescent anorexia nervosa: impact of refeeding and weight gain. 2011 , 44, 65-75	19
762	Translation of a dementia caregiver support program in a health care system--REACH VA. 2011 , 171, 353-9	105
761	Psychometric evaluation of the appraisal of health scale in stroke survivors. 2011 , 19, 146-59	4
760	Improvement of migraine headaches in severely obese patients after bariatric surgery. 2011 , 76, 1135-8	80
759	Opioid therapy in patients with chronic noncancer pain: diagnostic and clinical challenges. 2011 , 30, 61-91	24
758	Depression and work performance: an ecological study using web-based screening. 2011 , 61, 209-11	64
757	Work gets unfair for the depressed: cross-lagged relations between organizational justice perceptions and depressive symptoms. 2011 , 96, 602-18	95
756	Baseline data from the TRIUS registry: symptoms and comorbidities of testosterone deficiency. 2011 , 123, 17-27	18
755	PDI-4A: an augmented provisional screening instrument assessing 5 additional common anxiety-related diagnoses in adult primary care patients. 2011 , 123, 89-95	7
754	Bipolar disorder is common in depressed primary care patients. 2011 , 123, 129-33	12
753	Disorder-specific impact of coordinated anxiety learning and management treatment for anxiety disorders in primary care. 2011 , 68, 378-88	95
752	Rates, predictors, and consequences of remission from chronic migraine to episodic migraine. 2011 , 76, 711-8	114
751	Combining medications to enhance depression outcomes (CO-MED): acute and long-term outcomes of a single-blind randomized study. 2011 , 168, 689-701	266
750	Staying connected: a feasibility study linking American Indian and Alaska Native trauma survivors to their tribal communities. 2011 , 74, 349-61	10
749	Impact of the QOF and the NICE guideline in the diagnosis and management of depression: a qualitative study. 2011 , 61, e279-89	55

748	[Retest-reliability and sensitivity to change of the ICD-10-Symptom-Rating (ISR) in different samples]. 2011 , 61, 162-9	16
747	Prädiktoren psychischer Belastungen bei Brustkrebspatientinnen [Worauf sollten Ärzte und Pflegekräfte in der onkologischen Praxis achten?]. 2011 , 71, 285-291	1
746	Einfluss von telemedizinischer Betreuung auf Stoffwechseleinstellung und Lebensqualität bei Patienten mit Typ-2-Diabetes mellitus. 2011 , 6, 164-169	3
745	Stimulant use by young adult African Americans in a rural community: a pipeline to prison?. 2011 , 46, 716-27	3
744	Examining the efficacy of no-suicide contracts in inpatient psychiatric settings: implications for psychiatric nursing. 2011 , 32, 785-8	8
743	Primary care screening of depression and treatment engagement in a university health center: a retrospective analysis. 2011 , 59, 289-95	25
742	Components of early outpatient palliative care consultation in patients with metastatic nonsmall cell lung cancer. 2011 , 14, 459-64	130
741	Causal Beliefs and Treatment Preferences for the Symptoms of Depression Among Persons Living with HIV/AIDS. 2011 , 10, 96-119	1
740	Unemployment during working life and mental health of retirees: results of a representative survey. 2011 , 15, 178-85	10
739	Translational Research Investigating Underlying Disparities in Acute Myocardial Infarction Patients' Health Status (TRIUMPH): design and rationale of a prospective multicenter registry. 2011 , 4, 467-76	108
738	Problems with a diagnostic depression interview in a postpartum depression trial. 2011 , 24, 187-93	23
737	Impact of a depression care management program for hospitalized cardiac patients. 2011 , 4, 198-205	68
736	Telecare management of pain and depression in patients with cancer: patient satisfaction and predictors of use. 2011 , 34, 126-39	21
735	Depression Care for Patients at Home (Depression CAREPATH): home care depression care management protocol, part 2. 2011 , 29, 480-9	23
734	Awareness of cognitive deficits in older adults with cognitive-impairment-no-dementia (CIND): comparison with informant report. 2011 , 25, 24-33	16
733	TEAMcare: an integrated multicondition collaborative care program for chronic illnesses and depression. 2011 , 34, 152-62	51
732	Taking integrated care management to the street: can we find the road to our triple aim?. 2011 , 34, 192-202	1
731	Effects of Exercise on Depression During Pregnancy and Postpartum: A Review. 2011 , 5, 370-378	7

730	Correlates of sexual risk behavior in sexually active male military personnel stationed along border-crossing zones in the Dominican Republic. 2011 , 5, 65-77	10
729	Epigenetic and inflammatory marker profiles associated with depression in a community-based epidemiologic sample. 2011 , 41, 997-1007	139
728	Depression treatment preferences of Hispanic individuals: exploring the influence of ethnicity, language, and explanatory models. 2011 , 24, 39-50	39
727	The Indirect Relationship Between Rumination, Shame And Depression: A Mediation Analysis for Those Experiencing Relationship Difficulties. 2011 , 2, 43-52	4
726	Urogenital schistosomiasis in women of reproductive age in Tanzania's Lake Victoria region. 2011 , 84, 364-9	113
725	Collective efficacy and major depression in urban neighborhoods. 2011 , 173, 1453-62	85
724	Accuracy and prognostic value of American Heart Association: recommended depression screening in patients with coronary heart disease: data from the Heart and Soul Study. 2011 , 4, 533-40	69
723	Finding the right level of posthospital care: "We didn't realize there was any other option for him". 2011 , 305, 284-93	72
722	A brief self-guided telehealth intervention for post-traumatic stress disorder in combat veterans: a pilot study. 2011 , 17, 245-50	20
721	Efficacy and tolerability of rizatriptan for the treatment of acute migraine in sumatriptan non-responders. 2011 , 31, 786-96	14
720	The implementation of computerized cognitive behavioural therapies in a service user-led, third sector self help clinic. 2011 , 39, 427-42	27
719	The Relationship Between Behavior Change Strategies, Physical Activity, and Fruit and Vegetable Intake Following a Cardiac Event. 2011 , 23, 386-391	1
718	Effects of a culturally tailored intervention on changes in body mass index and health-related quality of life of Latino children and their parents. 2011 , 25, e1-11	39
717	Pharmacist-led group medical appointments for the management of type 2 diabetes with comorbid depression in older adults. 2011 , 45, 1346-55	50
716	An overview of psychological functioning in systemic lupus erythematosus. 2011 , 6, 569-581	2
715	Comparative effectiveness of patient education methods for type 2 diabetes: a randomized controlled trial. 2011 , 171, 2001-10	83
714	The association between giant hydrocele and depression in a rural clinic in Nigeria. 2011 , 5, 438-43	2
713	College students on the autism spectrum: prevalence and associated problems. 2011 , 15, 683-701	163

712	Men and Depression: The Impact of Masculine Role Norms Throughout the Lifespan. 2011 , 28, 133-144	31
711	Effects of race and ethnicity on depression treatment outcomes: the CO-MED trial. 2011 , 62, 1167-79	25
710	Tumor epidermal growth factor receptor genotype and depression in stage IV non-small cell lung cancer. 2011 , 16, 1299-306	12
709	Cluster-randomized trial of a mobile phone personalized behavioral intervention for blood glucose control. 2011 , 34, 1934-42	44 ⁸
708	Poststroke depression and treatment effects on functional outcomes. 2011 , 76, 1000-5	73
707	Encyclopedia of Clinical Neuropsychology. 2011 , 1263-1264	
706	Predictors of early versus late smoking abstinence within a 24-month disease management program. 2011 , 13, 215-20	16
705	Cognitive stimulation for apathy in probable early-stage Alzheimer's. 2011 , 2011, 480890	23
704	Cognitive Behavioral Treatment for Insomnia in Veterans with Long-Standing Posttraumatic Stress Disorder: A Pilot Study. 2011 , 20, 904-916	22
703	Treating chronic symptoms of depression in the virtual clinic: findings on chronicity of depression in patients treated with internet-based computerized cognitive behaviour therapy for depression. 2011 , 80, 313-5	12
702	Biomarkers of renal function and cognitive impairment in patients with diabetes. 2011 , 34, 1827-32	37
701	Justification for additional data analysis: fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. 2011 , 93, 1385-6; author reply 1387-8	1
700	Stratification according to psychosocial risk factors: implications for future nutrition and coronary heart disease research. 2011 , 93, 1386; author reply 1387-8	
699	Religious beliefs along the suicidal path in northern Taiwan. 2011 , 63, 255-69	10
698	Motivation and goal orientation in vulnerability to depression. 2011 , 25, 1281-90	18
697	The Effect of the Lifeplan Programme on the Psychological Wellbeing of a Rural Community in South Africa. 2011 , 21, 421-428	7
696	Depression predicts self-reported disease activity in systemic lupus erythematosus. 2011 , 20, 80-4	33
695	Psychological manifestations in adolescents with thalassemia. 2011 , 18, 237-244	1

694	The nature, frequency and course of psychiatric disorders in the first year after traumatic brain injury: a prospective study. 2011 , 41, 2099-109	131
693	Depression Screening and Interventions for Older Home Health Care Patients: Program Design and Training Outcomes for a Train-the-Trainer Model. 2011 , 23, 435-445	7
692	Fulfilling our obligation to the caregiver: it's time for action: comment on "Translation of a dementia caregiver support program in a health care system--REACH VA". 2011 , 171, 359-60	6
691	Clinical complexity and the effectiveness of an intervention for depressed diabetes patients. 2011 , 7, 267-78	6
690	Fear of falling among people who have sustained a stroke: a 6-month longitudinal pilot study. 2011 , 65, 125-32	39
689	Screening for abuse risk in pain patients. 2011 , 30, 113-124	7
688	Preinjury psychiatric status, injury severity, and postdeployment posttraumatic stress disorder. 2011 , 68, 496-504	40
687	The psychological impact of the COVID-19 pandemic on children/adolescents with ASD and their family environment: a systematic review.	0
686	A Cross-Sectional Study of the Health of Emerging Young Adults in England Following a COVID-19 Infection. 2023 ,	0
685	Attitudes Toward Seeking Mental Health Services and Mobile Technology to Support Management of Depression Among Black American Women: Cross-Sectional Survey Study (Preprint).	0
684	Cohort Profile: Real-Time Insights of COVID-19 in India (RTI COVID-India). 2023 , 23,	0
683	Identifying Body Awareness-Related Brain Network Changes after Cognitive Multisensory Rehabilitation for Neuropathic Pain Relief in Adults with Spinal Cord Injury: Delayed Treatment arm Phase I Randomized Controlled Trial.	0
682	Association of Perceived Neighborhood Health With Hypertension Self-care. 2023 , 6, e2255626	0
681	Long-term clinical, imaging and cognitive outcomes association with MS immunopathology. 2023 , 10, 339-352	0
680	Mental health, gender, and care-seeking behavior during the COVID-19 pandemic in Sweden: An exploratory study.	0
679	A factorial experiment grounded in the multiphase optimization strategy to promote viral suppression among people who inject drugs on the Texas-Mexico border: a study protocol. 2023 , 23,	0
678	Epidemiology of neuropathic pain: an analysis of prevalence and associated factors in UK Biobank. 2023 , 8, e1066	0
677	Rumination moderates the longitudinal associations of awareness of age-related change with depressive and anxiety symptoms. 1-9	0

- 676 Project MOVE: A randomized controlled trial of interventions for initiating and maintaining physical activity in depressed individuals. **2023**, 24, 100508 ○
- 675 Exercise tolerance, fatigue, mental health, and employment status at 5 and 12 months following COVID-19 illness in a physically trained population. **2023**, 134, 622-637 ○
- 674 Harmonization of maternal balanced energy-protein supplementation studies for individual participant data (IPD) meta-analyses [Finding and creating similarities in variables and data collection. **2023**, 23, ○
- 673 Responses to autobiographical memories involving being a victim or perpetrator of betrayal in people with OCD and community controls. **2023**, 163, 104275 ○
- 672 Examining the Latent Dimensions of Social Anxiety Disorder. 003329412311568 ○
- 671 Mental health and social support among Royal Canadian Mounted Police cadets. 14, ○
- 670 Stressed, Lonely, and Overcommitted: Predictors of Lawyer Suicide Risk. **2023**, 11, 536 ○
- 669 Beyond Positive Affect: Discrete Positive Emotions Differentiate Major Depression from Social Anxiety Disorder. ○
- 668 Dyadic effects of work overcommitment on depression in dual-earner couples: based on the actor-partner interdependence model. 1-11 ○
- 667 Mental health and social support among glaucoma patients enrolled in the NIH All of Us COVID-19 Participant Experience (COPE) survey. **2023**, 23, ○
- 666 The Electronic Mental Wellness Tool as a Self-Administered Brief Screening Instrument for Mental Disorders in the General Spanish Population during the Post-COVID-19 Era. **2023**, 20, 3204 ○
- 665 Comorbid eating, depressive, and anxiety psychopathology is associated with elevated shame in women with food insecurity. ○
- 664 Oral Health-Related Quality of Life among Chinese Chronic Orofacial Pain Patients with Psychological Health Problems: A Moderated Mediation Model. **2023**, 20, 3244 ○
- 663 Elevated C-Reactive Protein and Erythrocyte Sedimentation Rate Correlates with Depression in Psoriasis: A Chinese Cross-Sectional Study. Volume 16, 397-405 ○
- 662 COVID-19 and processes of adjustment in people with persistent pain: the role of psychological flexibility. **2023**, ○
- 661 A Three-Armed Randomized Controlled Trial to Evaluate the Effectiveness, Acceptance, and Negative Effects of StudiCare Mindfulness, an Internet- and Mobile-Based Intervention for College Students with No and On Demand Guidance. **2023**, 20, 3208 ○
- 660 Mental health, cancer risk, and the mediating role of lifestyle factors in the CARTaGENE cohort study. **2023**, 18, e0281588 ○
- 659 Assessment of Symptom, Disability, and Financial Trajectories in Patients Hospitalized for COVID-19 at 6 Months. **2023**, 6, e2255795 ○

- 658 Exploring the Relationship between Anemia and Postpartum Depression: Evidence from Malawi. **2023**, 20, 3178 ○
- 657 Enhanced Family-Based Treatment for an Adolescent With Binge-Eating Disorder: A Case Report. **2023**, ○
- 656 Association between interpersonal relations and anxiety, depression symptoms, and suicidal ideation among middle school students. 11, ○
- 655 Association of Sociodemographic Characteristics With 1-Year Hospital Readmission Among Adults Aged 18 to 55 Years With Acute Myocardial Infarction. **2023**, 6, e2255843 ○
- 654 Depression and Quality of Life of People Accused of Witchcraft and Living in Alleged Witches' Camps in Northern Ghana. **2023**, 2023, 1-12 ○
- 653 The 9-item Concise Health Risk Tracking Self-Report (CHRT-SR9) measure of suicidal risk: Performance in adult primary care patients. 14, ○
- 652 Association of hemoglobin-to-red blood cell distribution width ratio and depression: a cross sectional study. ○
- 651 The association between metamemory, subjective memory complaints, mood, and well-being: the Hungarian validation of Multifactorial Memory Questionnaire. **2023**, 8, ○
- 650 Prevalence and factors associated with anxiety and depression among community-dwelling older adults in Hunan, China: a cross-sectional study. **2023**, 23, ○
- 649 Changes in White Matter Microstructure Over 3 Years in People With and Without Stroke. **2023**, 100, e1664-e1672 ○
- 648 Clinical Phenomenology of Fibromyalgia Syndrome in male patients - Same but Different.. ○
- 647 Rough-set based learning: Assessing patterns and predictability of anxiety, depression, and sleep scores associated with the use of cannabinoid-based medicine during COVID-19. 6, ○
- 646 Precise language responses versus easy rating scales: Comparing respondents' views with clinicians' belief of the respondent's views. **2023**, 18, e0267995 ○
- 645 The Effectiveness of a Mobile-Based Physical Activity Program for Treating Depression Among Adults in Korea: A Pilot Study (Preprint). ○
- 644 Providing self-led mental health support through an AI powered Chat bot (Leora) to meet the demand of mental health care (Preprint). ○
- 643 Using conversational AI to facilitate mental health assessment and improve clinical efficiencies in psychotherapy services in large real-world dataset (Preprint). ○
- 642 Short-term improvement of mental health after a COVID-19 vaccination. **2023**, 18, e0280587 ○
- 641 Impact of long working hours on depressive symptoms among COVID-19 frontline medical staff: The mediation of job burnout and the moderation of family and organizational support. 14, ○

- 640 The Chinese version of patient-doctor-relationship questionnaire (PDRQ-9): Factor structure, validation, and IRT psychometric analysis. 14, ○
- 639 Attention to faces in images is associated with personality and psychopathology. **2023**, 18, e0280427 ○
- 638 Symptom-specific effects of counselling for depression compared to cognitive behavioural therapy. **2023**, 26, e300621 ○
- 637 Using remotely delivered Spring Forest Qigong to reduce neuropathic pain in adults with spinal cord injury: A non-randomized controlled trial. ○
- 636 Compassion and gender diversity: evaluation of an online compassion-focused therapy group in a gender service. 1-14 ○
- 635 Promoting mental health in Latina immigrant women: Results from the Amigas Latinas Motivando el Alma intervention trial. **2023**, 321, 115776 ○
- 634 Prevalence of insomnia and its association with quality of life among Macau residents shortly after the summer 2022 COVID-19 outbreak: A network analysis perspective. 14, ○
- 633 Shift Work and Sleep Disturbance in the Oil Industry. **2023**, 71, 118-129 ○
- 632 Remote maintenance cardiac rehabilitation (MAINTAIN): A protocol for a randomised feasibility study. **2023**, 9, 205520762311521 ○
- 631 A Smartphone-Based Pilot HIV Prevention Intervention (Sakhi) among Transgender Women Who Engage in Sex Work in India: Efficacy of a Pre- and Post-Test Quasi-Experimental Trial. **2023**, 2, 30-42 ○
- 630 Remote cognitive behavioral therapy for older adults with anxiety symptoms: A systematic review and meta-analysis. 1357633X2311517 ○
- 629 What alleviates depression among medical workers in emergency risk events? The function of subjective social status. **2023**, 9, e13762 ○
- 628 Baseline Clinical and Blood Biomarker in Patients With Preataxic and Early-Stage Disease Spinocerebellar Ataxia 1 and 3. **2023**, 100, e1836-e1848 ○
- 627 Associations between self-care practices and psychological adjustment of mental health professionals: a two-wave cross-lagged analysis. 1-15 ○
- 626 Clinic-Integrated Smartphone App (JomPrEP) to Improve Uptake of HIV Testing and Pre-exposure Prophylaxis Among Men Who Have Sex With Men in Malaysia: Mixed Methods Evaluation of Usability and Acceptability. 11, e44468 ○
- 625 The evaluation of a brief ICBT program with therapist support for individuals with gambling problems in the context of a gambling helpline: a randomized pilot trial. **2023**, 9, ○
- 624 Nuclear Anxiety Amid the Russian-Ukrainian War 2022 (RUW-22): Descriptive Cross-Sectional Study. **2023**, 20, 3551 ○
- 623 Questionnaire-based screening for mental distress in epilepsy: Outline and feasibility of an outpatient screening and intervention pathway. **2023**, 109085 ○

- 622 Long-term participant retention and engagement patterns in an app and wearable-based multinational remote digital depression study. **2023**, 6, ○
- 621 Prospective Relations Between Dysfunctional Metacognitive Beliefs, Metacognitive Strategies, and Anxiety: Results From a Four-Wave Longitudinal Mediation Model. **2023**, ○
- 620 The relationship between depression, self-efficacy, social support, and health-promoting behaviors in Korean single-household women. **2023**, 32, 102156 ○
- 619 Comparative effectiveness of a mindfulness-based intervention (M-Body) on depressive symptoms: study protocol of a randomized controlled trial in a Federally Qualified Health Center (FQHC). **2023**, 24, ○
- 618 Changes in migraine interictal burden following treatment with galcanezumab: Results from a phase III randomized, placebo-controlled study. ○
- 617 Verbal Memory Performance and Depressive Symptoms in Persons with Treated HIV. ○
- 616 Predictors of Post-Traumatic Growth in a Sample of United Kingdom Mental and Community Healthcare Workers during the COVID-19 Pandemic. **2023**, 20, 3539 ○
- 615 Adaptation, Validity, and Reliability of the Patient Health Questionnaire (PHQ-9) in the Kurdistan Region of Iraq. **2023**, 11, 598 ○
- 614 A randomized controlled trial of surf and hike therapy for U.S. active duty service members with major depressive disorder. **2023**, 23, ○
- 613 Building Emotional Awareness and Mental Health (BEAM): an open-pilot and feasibility study of a digital mental health and parenting intervention for mothers of infants. **2023**, 9, ○
- 612 Gender and Racial/Ethnic Disparities in Undergraduate and Graduate Students' Mental Health and Treatment Use Amid the COVID-19 Pandemic. ○
- 611 Comparison of diabetes distress and depression screening results of emerging adults with type 1 diabetes onset at different ages: findings from the German early-onset T1D study and the German Diabetes Study (GDS). **2023**, 15, ○
- 610 Determinants of Depressive Symptoms in People Living with HIV: Findings from a Population-Based Study with a Gender Perspective. **2023**, 20, 3687 ○
- 609 Validation of the Korean Version of Culturally Responsive Experiences in Close Relationships Short Form. **2023**, 45, 57-81 ○
- 608 Depression and Internet Gaming Disorder among Chinese Adolescents: A Longitudinal Moderated Mediation Model. **2023**, 20, 3633 ○
- 607 A patient-centered nurse-supported primary care-based collaborative care program to treat opioid use disorder and depression: Design and protocol for the MI-CARE randomized controlled trial. **2023**, 127, 107124 ○
- 606 Lessons learned from the evaluation of suicide.ca, the digital platform of Quebec's Digital Suicide Prevention Strategy (Preprint). ○
- 605 Ocular Pain after Refractive Surgery. **2023**, ○

- 604 Virtual Rejection and Overinclusion in Eating Disorders: An Experimental Investigation of the Impact on Emotions, Stress Perception, and Food Attitudes. **2023**, 15, 1021 ○
- 603 Psychosocial and Clinical Associations of Fatigue Severity and Fatigue-Related Impairment in Kidney Transplant Recipients. 1-11 ○
- 602 Does Better Diet Quality Offset the Association between Depression and Metabolic Syndrome?. **2023**, 15, 1060 ○
- 601 Integrating nutrition and mental health screening, risk identification and management in prenatal health programs in India. ○
- 600 Pain and cognitive performance in adults with multiple sclerosis: A systematic review. **2023**, 71, 104584 ○
- 599 Communicating the benefits of quitting smoking on mental health increases motivation to quit in people with anxiety and/or depression: A randomized trial of two health messages. ○
- 598 EMDR for symptoms of depression, stress and burnout in health care workers exposed to COVID-19 (HARD): A study protocol for a trial within a cohort study. **2023**, 14, ○
- 597 A Randomized Trial of Quadruple-Fortified Salt for Anemia and Birth Defects Prevention in Southern India: Protocol Design and Methods. **2023**, 7, 100052 ○
- 596 Characteristics of trichotillomania and excoriation disorder across the lifespan. **2023**, 322, 115120 ○
- 595 Association between uncertainty regarding right-to-stay and mental health in unaccompanied and separated migrant children (UASC) reaching adulthood: findings from France. ○
- 594 Patient Health Questionnaire-9 (PHQ-9). **2023**, 1-11 ○
- 593 Predictors of caregiver burden before starting family-based treatment for adolescent anorexia nervosa and associations with weight gain during treatment. **2023**, 28, ○
- 592 Changes in mental health symptoms from April (COVID-19 outbreak) to December 2020 in Norway: A two-wave study. **2023**, 10, ○
- 591 Modified prolonged exposure therapy as Early Intervention after Rape (The EIR-study): study protocol for a multicenter randomized add-on superiority trial. **2023**, 24, ○
- 590 HIV-Related Stigma, Social Support, and Symptoms of Mental Health Disorders Among People with HIV Initiating HIV Care in Cameroon. **2023**, 37, 146-154 ○
- 589 Feasibility randomised controlled trial of online group Acceptance and Commitment Therapy for Functional Cognitive Disorder (ACT4FCD). ○
- 588 Chronotype influence on the effects of COVID -19 lockdown on sleep and psychological status in France. ○
- 587 Optimization of a Transdiagnostic Mobile Emotion Regulation Intervention for University Students: Protocol for a Micro Randomized Trial (Preprint). ○

- 586 A randomized controlled clinical trial of prazosin for alcohol use disorder in active duty soldiers: Predictive effects of elevated cardiovascular parameters. **2023**, 47, 348-360 1
- 585 Quality of Life and Mental Health of Chinese Sexual and Gender Minority Women and Cisgender Heterosexual Women: Cross-sectional Survey and Mediation Analysis (Preprint). 0
- 584 Effectiveness of internet delivered cognitive behaviour therapy provided as routine care for people in the depressed phase of bipolar disorder treated with Lithium. **2023**, 2, e0000194 0
- 583 Change in Alcohol Use during the Prolonged COVID-19 Pandemic and Its Psychosocial Factors: A One-Year Longitudinal Study in Japan. **2023**, 20, 3871 1
- 582 Mental Health Problems among University Students under the Prolonged COVID-19 Pandemic in Japan: A Repeated Cross-Sectional Survey. **2023**, 0
- 581 Symptoms of Depression and Anxiety and Subsequent Use of Nicotine and THC in Electronic Cigarettes. **2023**, 58, 591-600 0
- 580 Quality of Life and Mental Health of Chinese Sexual and Gender Minority Women and Cisgender Heterosexual Women: Cross-sectional Survey and Mediation Analysis. 9, e42203 0
- 579 The psychological impact of the COVID-19 pandemic in the elderly in southwest China: A longitudinal study based on generalized estimating equations. **2023**, 88, 103609 0
- 578 Geriatric Depression. **2023**, 50, 143-158 0
- 577 Identifying and Categorizing Adverse Events in Trials of Digital Mental Health Interventions: Narrative Scoping Review of Trials in the International Standard Randomized Controlled Trial Number Registry (Preprint). 0
- 576 The role of patient-reported outcome measures in trials of artificial intelligence health technologies: a systematic evaluation of ClinicalTrials.gov records (1997-2022). **2023**, 5, e160-e167 0
- 575 Rates of Undiagnosed Cognitive Impairment and Performance on the Montreal Cognitive Assessment Among Older Adults in Primary Care. 0
- 574 Differences in Ideal Cardiovascular Health Between Sexual Minority and Heterosexual Adults. **2023**, 8, 335 0
- 573 Emotional Distress During COVID-19 by Mental Health Conditions and Economic Vulnerability: Retrospective Analysis of Survey-Linked Twitter Data With a Semisupervised Machine Learning Algorithm. 25, e44965 0
- 572 Alterations in regional homogeneity and multiple frequency amplitudes of low-frequency fluctuation in patients with new daily persistent headache: a resting-state functional magnetic resonance imaging study. **2023**, 24, 0
- 571 Factor Structure and Validation of the Revised Suicide Crisis Inventory in a Korean Population. **2023**, 20, 162-173 0
- 570 Measuring the suicidal mind: The open source Suicidality Scale, for adolescents and adults. **2023**, 18, e0282009 0
- 569 Has the COVID-19 pandemic ended or not? opinions from the public in the U.S. 0

- 568 Moderators of Treatment Outcomes for LGBTQ+ Military Veterans in the PRIDE in All Who Served Health Promotion Group. ○
- 567 Tui Na for painful peripheral neuropathy in people with human immunodeficiency virus: A randomized, double-blind, placebo-controlled trial protocol. 14, ○
- 566 A Multi-Center, Open-Label Exploratory Study to Assess Cognitive Function Response to Lifestyle Changes Plus Supplementation in Healthy Adults with Risk Factors Associated with Cognitive Decline. **2023**, 13, 2818 ○
- 565 Estimating Depressive Symptom Class from Voice. **2023**, 20, 3965 ○
- 564 Clinical and psychological characteristics of patients with ischemia and non-obstructive coronary arteries (INOCA) and obstructive coronary artery disease. **2023**, 27, 100282 ○
- 563 Time-Series Trends of Depressive Levels of Korean Adults During the 2020 COVID-19 Pandemic in South Korea. **2023**, 20, 101-108 ○
- 562 Perinatal Mental Health Disorders: A Review of Lessons Learned from Obstetric Care Settings. Volume 19, 427-432 ○
- 561 Application of Stress and Anxiety to Viral Epidemics-6 to Measure the Anxiety Response of Cold Chain Practitioners During the COVID-19 Post-Pandemic Era in China. **2023**, 20, 75-83 ○
- 560 Relationship between alexithymia, loneliness, resilience and non-suicidal self-injury in adolescents with depression: a multi-center study. ○
- 559 Comparison of factors associated with postpartum depression from two cohorts of nurses: the Korea Nurses' Health Study and the Nurses' Health Study 3. **2023**, 80, 209-217 ○
- 558 Early life influences on the development of food addiction in college attending young adults. **2023**, 28, ○
- 557 Gender Differences in Psychological Symptoms and Quality of Life in Patients with Inflammatory Bowel Disease in China: A Multicenter Study. **2023**, 12, 1791 ○
- 556 Amygdala connectivity related to subsequent stress responses during the COVID-19 outbreak. 14, ○
- 555 Efficacy and acceptability of supervised group exercise for mild to moderate major depressive disorder: A feasibility study. **2023**, 329, 96-104 ○
- 554 Peruvian National Survey of Mental Health and Service Utilization in the third year of the COVID-19 pandemic: Protocol for a nationally representative multistage survey. ○
- 553 The Relationship between Dietary Fat Intake and Depression: A Cross-sectional Study from NHANES 2007-2018. ○
- 552 Educating Mental Health Trainees About Measurement-Based Care: A Scoping Review. **2023**, 47, 187-195 ○
- 551 Long-term associations of psychosocial working conditions with depressive symptoms and work-related emotional exhaustion: comparing effects in a 5-year prospective study of 1949 workers in Germany. ○

550	Dyadic Archetypes of Patient Self-Care and Caregiver Contribution to Self-Care in Dyads With Multiple Chronic Conditions: An Observational Study. 073346482311599	○
549	A data-driven approach to manage type 2 diabetes mellitus through digital health: The Klivo Intervention Program protocol (KIPDM). 2023 , 18, e0281844	○
548	Depression in association with neutrophil-to-lymphocyte, platelet-to-lymphocyte, and advanced lung cancer inflammation index biomarkers predicting lung cancer survival. 2023 , 18, e0282206	○
547	Depression among people with chronic skin disease at Boru Meda Hospital in Northeast Ethiopia. 2023 , 18, e0282022	○
546	Real Life Data on OnabotulinumtoxinA for Treatment of Chronic Migraine in Pediatric Age. 2023 , 12, 1802	○
545	Global Prevalence and Mental Health Outcomes of Intimate Partner Violence Among Women: A Systematic Review and Meta-Analysis. 152483802311555	○
544	Anxiety and Depression in the Initial Stage of the COVID-19 Outbreak in a Portuguese Sample: Exploratory Study. 2023 , 11, 659	○
543	Randomised controlled trial of breast cancer and multiple disease prevention weight loss programmes vs written advice amongst women attending a breast cancer family history clinic.	○
542	The relations between COVID-19 stress, social connectedness, and mental health: a longitudinal investigation comparing Chinese and American college students.	○
541	Four 2x2 factorial trials of smartphone CBT to reduce subthreshold depression and to prevent new depressive episodes among adults in the community RESILIENT trial (Resilience Enhancement with Smartphone in Living ENVironmenTs): a master protocol. 2023 , 13, e067850	○
540	Effects of Adverse Childhood Experiences and Chronic Health Conditions on Current Depression.	○
539	Anxiety, depression, and uncertainty appraisal and factors affecting uncertainty risk and opportunity appraisal of health care workers in Korea during the COVID-19 outbreak. 2023 , 11,	○
538	Acoustic Analysis of Speech for Screening for Suicide Risk: Machine Learning Classifiers for Between- and Within-Person Evaluation of Suicidality. 25, e45456	○
537	Predictors of polysubstance vaping in emerging adults. 2023 , 142, 107675	○
536	The Brief Multidimensional Assessment Scale (BMAS): A Broad Measure of Patient Well-Being.	○
535	Burnout, Depression, and Job Stress Factors in Healthcare Workers of a Romanian COVID-19 Dedicated Hospital, after Two Pandemic Years. 2023 , 20, 4118	○
534	Effects of a Multi-Professional Intervention on Mental Health of Middle-Aged Overweight Survivors of COVID-19: A Clinical Trial. 2023 , 20, 4132	1
533	Mental health, risk perception, and coping strategies among healthcare workers in Egypt during the COVID-19 pandemic. 2023 , 18, e0282264	○

- 532 Testing the Decision Support Tool for Responsible Pain Management for Headache and Facial Pain Diagnosis with Opioid-Risk-Stratified Treatment. **2023**, 5, ○
- 531 Associations between sex differences, eating disorder behaviors, physical and mental health, and self-harm among Chinese adolescents. **2023**, 11, ○
- 530 Self-reported reasons for reducing or stopping antidepressant medications in primary care: thematic analysis of the diamond longitudinal study. **2023**, 24, ○
- 529 The Individual- and Organization-Related Stressors in Pandemic Scale for Healthcare Workers (IOSPS-HW): Development and Psychometric Properties of a New Instrument to Assess Individual and Organizational Stress Factors in Periods of Pandemics. **2023**, 20, 4082 ○
- 528 Pharmacist-led, checklist intervention did not improve adherence in ambulatory patients starting/resuming DOACs. **2023**, ○
- 527 Association of infection with *Toxoplasma gondii* and *Toxocara* on cognitive function among US adults aged 60 and over, NHANES 2011-2014. **2023**, 77, 315-321 ○
- 526 Correlates of burnout among healthcare workers during the COVID-19 pandemic in South Korea. **2023**, 13, ○
- 525 Implementation of a digital health tool for patients awaiting input from a specialist weight management team (Preprint). ○
- 524 Impact of facilitating continued accessibility to cancer care during COVID-19 lockdown on perceived wellbeing of cancer patients at a rural cancer center in Rwanda. **2023**, 3, e0001534 ○
- 523 Creative leisure activities, mental health and well-being during 5 months of the COVID-19 pandemic: a fixed effects analysis of data from 3725 US adults. **2023**, 77, 293-297 ○
- 522 Text4PTSI: A Promising Supportive Text Messaging Program to Mitigate Psychological Symptoms in Public Safety Personnel. **2023**, 20, 4215 ○
- 521 Sleep duration during the COVID-19 pandemic in Bangladesh: A GIS-based large sample survey study. **2023**, 13, ○
- 520 Association of sociodemographic, proximal, and distal clinical factors with current suicidal ideation: Findings from a nonclinical sample of young adults. **2023**, 66, ○
- 519 Convergent Validity of the Edinburgh Postnatal Depression Scale and the Patient Health Questionnaire (PHQ-9) in Pregnant and Postpartum Women: Their Construct Correlations with Functional Disability. **2023**, 11, 699 ○
- 518 Latin American Trans-ancestry Initiative for OCD genomics (LATINO): Study Protocol. ○
- 517 Struggling to appear normal: A moderated mediational analysis of empathy and camouflaging in the association between autistic traits and depressive symptoms. 1-11 ○
- 516 Perimenopausal Effects of Estradiol on Anhedonia and Psychosis Study (PEEPs): study protocol for a neural and molecular mechanistic clinical trial. **2023**, 24, ○
- 515 A mixed-methods evaluation of various support intensities of digital mental health treatment for reducing anxiety and depression in adults: Study protocol for an adaptive randomised clinical trial (Preprint). ○

514	Early Factors Predictive of Extreme High and Low Life Satisfaction 10 Years PostModerate to Severe Traumatic Brain Injury. Publish Ahead of Print,	○
513	Effects of an Artificial Intelligence Platform for Behavioral Interventions on Depression and Anxiety Symptoms: Randomized Clinical Trial (Preprint).	○
512	Brief self-guided digital intervention versus a comprehensive therapist-guided online cognitive behavioural therapy for atopic dermatitis: a trial protocol for a randomised non-inferiority trial. 2023 , 13, e068908	○
511	Perceived workplace support and mental health, well-being and burnout among health care professionals during the COVID-19 pandemic: a cohort analysis. 2023 , 11, E191-E200	○
510	Psychometric properties of Indonesian version of sleep condition indicator for screening poststroke insomnia.	○
509	Outcomes of venous thromboembolism care: future directions. 2023 ,	○
508	Effectiveness of psychosocial interventions for infertile women: A systematic review and meta-analysis with a focus on a method-critical evaluation. 2023 , 18, e0282065	○
507	Psychosocial and Health-Related Behavioral Outcomes of a Work Readiness HIV Peer Worker Training Program. 2023 , 20, 4322	○
506	Understanding camouflaging, stigma, and mental health for autistic people in Japan.	○
505	Prevalence and Determinants of Depressive and Anxiety Symptoms among Transgender People: Results of a Survey. 2023 , 11, 705	○
504	Relationship of Psychological Flexibility and Mindfulness to Caregiver Burden, and Depressive and Anxiety Symptoms in Caregivers of People with Dementia. 2023 , 20, 4232	○
503	A Bayesian network analysis of psychosocial risk and protective factors for suicidal ideation. 11,	○
502	Pharmacotherapies for Treatment-Resistant Depression: How Antipsychotics Fit in the Rapidly Evolving Therapeutic Landscape. 2023 , 180, 190-199	1
501	A Collaborative-Care Telephone-Based Intervention for Depression, Anxiety, and at-Risk Drinking in Primary Care: The PARTNERs Randomized Clinical Trial. 070674372311562	○
500	Health-related quality of life and symptoms in autoimmune liver diseases. 2023 , 69,	○
499	Solitary Cannabis Use and Related Consequences Among College Students During the COVID-19 Pandemic. 1-9	○
498	Self-reported ongoing adherence to diet is associated with lower depression, fatigue, and disability, in people with multiple sclerosis. 10,	○
497	First-year Medical StudentsVarying Vulnerability to Developing Depressive Symptoms and Its Predictors: a Latent Profile Analysis. 2023 , 47, 143-151	○

- 496 Relationships Between Psychosocial Factors and Mental Health Among Nurses Working With COVID-19 Patients in Japan. **2023**, 9, 237796082311609 ○
- 495 A chatbot-based intervention with ELME to improve stress and health-related parameters in a stressed sample: Study protocol of a randomised controlled trial. 5, ○
- 494 Exercise, Depression, and Anxiety in Young People: A Cross-Sectional Survey. **2023**, 25, 551-562 ○
- 493 Effects of Text4Hope-Addiction Support Program on Cravings and Mental Health Symptoms: Results of a Longitudinal Cross-sectional Study. 7, e40440 ○
- 492 Psychometric properties of the Harmony in Life Scale in South African and Ghanaian samples. 5, ○
- 491 Psychological effect of COVID-19 pandemic on healthcare professionals of Yemen and coping strategies. **2023**, 18, ○
- 490 The wellbeing neuro course: a randomised controlled trial of an internet-delivered transdiagnostic psychological intervention for adults with neurological disorders. 1-11 ○
- 489 Emergency department utilization among patients who receive outpatient specialty care for headache: A retrospective cohort study analysis. **2023**, 63, 472-483 1
- 488 Examining Race-Based Discrimination, Depression, and Occupational Stress in Black Registered Nurses. **2023**, 47, 126-135 ○
- 487 Predictors of Full Recovery in Individuals with Emotional Disorders: One-Year Follow-Up Secondary Analysis of the PsicAP Randomized Controlled Trial. ○
- 486 The Relationship Between Acceptance, Biopsychosocial Factors, and Quality of Life: A Structural Equation Model. 003435522311552 ○
- 485 Predictors of post-stroke cognitive impairment at three-month following first episode of stroke among patients attended at tertiary hospitals in Dodoma, central Tanzania: A protocol of a prospective longitudinal observational study metadata. **2023**, 18, e0273200 ○
- 484 Personalised psychotherapy in primary care: evaluation of data-driven treatment allocation to cognitive behavioural therapy versus counselling for depression. **2023**, 9, ○
- 483 Comparison of SSS-CN and PHQ-15 in the evaluation of patients with suspected psychological disorders in cardiovascular medicine. 14, ○
- 482 Text4Hope Effectiveness in Reducing Psychological Symptoms among Young Adults in Canada: Longitudinal and Naturalistic Controlled Program Evaluation. **2023**, 12, 1942 ○
- 481 Do metacognitive beliefs predict rumination and psychological distress independently of illness representations in adults with diabetes mellitus? A prospective mediation study. ○
- 480 Association of Recent Violence Encounters With Suicidal Ideation Among Adolescents With Depression. **2023**, 6, e231190 ○
- 479 Rates and Correlates of Alcohol and Substance Use Among Women Veterans During the COVID-19 Pandemic: The Moderating Role of COVID-Specific Anxiety. **2023**, ○

- 478 Reasons for Suicide in Black Young Adults: A Latent Class Analysis. ○
- 477 Investigation and analysis of entry personnel's mental health status under COVID-2019 quarantine in Shanghai, China. ○
- 476 Ketamine-Assisted Group Psychotherapy for Frontline Healthcare Workers with COVID-19-Related Burnout and PTSD: A Case Series of Effectiveness/Safety for 10 Participants. 1-10 ○
- 475 Shame, depression, and complicated grief among suicide loss-survivors: the moderating role of self-disclosure. **2023**, 14, ○
- 474 Prevalence and Related Factors of Depression Before and During the COVID-19 Pandemic: Findings From the Korea National Health and Nutrition Examination Survey. **2023**, 38, ○
- 473 Electric shortages and mental health in Maracaibo, Venezuela: A cross-sectional study. ○
- 472 Later school start time is associated with longer school day sleep duration and less social jetlag among Norwegian high school students: Results from a large-scale, cross-sectional study. ○
- 471 Alcohol Consumption and Mental Health during the COVID-19 Pandemic. ○
- 470 How do teens with a history of suicidal behavior and self-harm interact with social media?. ○
- 469 The impact of obesity and overweight on response to internet-delivered cognitive behavioural therapy for adults with chronic health conditions. ○
- 468 Real-time Symptom Assessment in Patients With Endometriosis: Psychometric Evaluation of an Electronic Patient-Reported Outcome Measure, Based on the Experience Sampling Method. 7, e29480 ○
- 467 Elevated symptoms of depression and anxiety among family members of critically ill COVID-19 patients - An observational study of five cohorts across four countries. ○
- 466 Therapist-Assisted Internet-Delivered Cognitive Behavioral Therapy for Insomnia: A Case Report. 15346501221d459 ○
- 465 Effect of anxiety and depression on self-reported adverse reactions to COVID-19 vaccine: a cross-sectional study in Shanghai, China. **2023**, 23, ○
- 464 Polygenic analyses show important differences between MDD symptoms collected using PHQ9 and CIDI-SF. ○
- 463 Prevalence and risk factors of anxious and depressive symptoms in first-trimester females and their partners: a study during the pandemic era of COVID-19 in China. **2023**, 23, 1
- 462 Regional differences in the assessment of depressive symptoms in the former German Democratic Republic and Federal Republic of Germany. ○
- 461 E-Cigarette Use: The Effects of Psychological Vulnerabilities, Perceptions, and Intentions to Use E-Cigarettes. 003329412311612 ○

- 460 Neurocognitive profile of a cohort of SMA type 1 pediatric patients and emotional aspects, resilience and coping strategies of their caregivers. **2023**, 43, 36-43 ○
- 459 Pilot Study on the Impact of Gratitude Journaling or Cognitive Strategies on Health Care Workers. **2023**, ○
- 458 Spirituality in the Context of Well-being. Evaluation of the Psychometric Properties and Added Value of the Spiritual Attitude and Involvement List Short Form (SAIL-SF). ○
- 457 The value of COPE therapy in the perioperative care of heart failure patients receiving left ventricular assist device implantation. ○
- 456 Sex differences in mental health according to marital and cohabitation status. ○
- 455 The utility of completing adjuvant video lessons based on the unified protocol during psychotherapy: A retrospective study using a telehealth platform in routine clinical care. 1-13 ○
- 454 The association between trajectories of change in social functioning and psychological treatment outcome in university students: a growth mixture model analysis. 1-11 ○
- 453 Association between Mothers' Emotional Problems and Autistic Children's Behavioral Problems: The Moderating Effect of Parenting Style. **2023**, 20, 4593 ○
- 452 Differences in central symptoms of anxiety and depression between college students with different academic performance: A network analysis. 14, ○
- 451 Palliative Care and Pain Management. **2023**, 1-20 ○
- 450 Development and pilot of the Alcohol and Depression Decision-Aid for Psychological Treatments (ADDAPT). ○
- 449 Menopausal symptoms and quality of life in female survivors treated with hematopoietic stem cell transplantation. 14, ○
- 448 Improving Mental Health Literacy and Reducing Psychological Problems Among Teachers in Zambia: Protocol for Implementation and Evaluation of a Wellness4Teachers Email Messaging Program (Preprint). ○
- 447 Psychological correlates of perceived loneliness in college students before and during the COVID-19 stay-at-home period: a longitudinal study. **2023**, 11, ○
- 446 Physical and psychological symptom burden in patients and caregivers during follow-up care after curative surgery for cancers in the pancreas, bile ducts or duodenum. 1-12 ○
- 445 Saúde mental e recursos de enfrentamento em estudantes universitários brasileiros em tempos de pandemia. **2022**, 27, 632-650 ○
- 444 Improving Mental Health Literacy and Reducing Psychological Problems Among Teachers in Zambia: Protocol for Implementation and Evaluation of a Wellness4Teachers Email Messaging Program. 12, e44370 ○
- 443 Exploring access and engagement with Improving Access to Psychological Therapies (IAPT) services, before, during, and after the COVID-19 lockdown: A service evaluation in the Northwest of England. 1-12 ○

- 442 The Mediating Role of Depressive Symptom in Burnout and Career Readiness Relationship: A Study on Arabic Language Learners. **2022**, 6, 59-69 ○
- 441 The Gary and Mary West Senior Dental Center: Whole-Person Care by Community-Based Service Integration. **2019**, 47, 225-233 ○
- 440 Illness Intrusiveness in Adults with Sickle Cell Disease: The Role of Fatigue. ○
- 439 Co-occurrence of PTSD and affective symptoms in a large sample with childhood trauma subtypes: A network analysis. 11, ○
- 438 Depression Predicts Cardiac Cachexia in Heart Failure Patients. 109980042311631 ○
- 437 Nomophobia among university students: Prevalence, correlates, and the mediating role of smartphone use between Facebook addiction and nomophobia. **2023**, 9, e14284 ○
- 436 Longitudinal factors associated with increased alcohol consumption in adults during the COVID-19 pandemic. 1-10 ○
- 435 Geolocation Patterns, Wi-Fi Connectivity Rates, and Psychiatric Symptoms Among Urban Homeless Youth: Mixed Methods Study Using Self-report and Smartphone Data. 7, e45309 ○
- 434 Social Representations of Tinnitus and Health Among Individuals with Tinnitus Seeking Online Psychological Interventions. **2023**, 13, 207-220 ○
- 433 Can self-compassion help us better understand the impact of pulmonary hypertension on those with the condition and their carers? A cross-sectional analysis. **2023**, 13, ○
- 432 Mediating Effect of Non-Exercise Estimation of Cardiorespiratory Fitness on Relationship Between Physical Comorbidity and Depression in Korean Adult Cancer Survivors. ○
- 431 Hybrid and Traditional Cardiac Rehabilitation in a Rural Area. Publish Ahead of Print, ○
- 430 Suicidality, depression, and anxiety among Hong Kong veterinarians: a quantitative pilot study. ○
- 429 A State-of-the-Art Review of Teach-Back for Patients and Families With Heart Failure. Publish Ahead of Print, ○
- 428 University Students' Life Stressors and Mental Health in Georgia and German-Speaking Switzerland. ○
- 427 Whānau Whina Plunket nurses' views on the use of the PHQ-3 postnatal depression screening tool: a survey. **2023**, 15, 24-29 ○
- 426 The Roles of Clinical Psychologists in Burns Care: A Case Study Highlighting Benefits of Multidisciplinary Care. **2023**, 4, 101-107 ○
- 425 Moral injury and psychological wellbeing in UK healthcare staff. 1-9 ○

- 424 Trends in voice characteristics in patients with heart failure (VENTURE) in Switzerland: Protocol for a longitudinal observational pilot study. ○
- 423 Determinants of self-reported health status during COVID-19 lockdown among surveyed Ecuadorian population: A cross sectional study. **2023**, 18, e0275698 ○
- 422 Timing of selective serotonin reuptake inhibitor use and risk for preterm birth and related adverse events. ○
- 421 Poor sleep quality during COVID-19 pandemic restrictions associated with reduced psychological wellbeing in healthcare students. 1-12 ○
- 420 Disparities in Chronic Pain Experience and Treatment History Among Persons With Traumatic Brain Injury: A Traumatic Brain Injury Model Systems Study. **2023**, 38, 125-136 ○
- 419 Impact of Unexpected In-House Major COVID-19 Outbreaks on Depressive Symptoms among Healthcare Workers: A Retrospective Multi-Institutional Study. **2023**, 20, 4718 ○
- 418 Impact of sedentary behavior and emotional support on prenatal psychological distress and birth outcomes during the COVID-19 pandemic. 1-14 ○
- 417 A Brief Self-Compassionate Letter-Writing Intervention for Individuals with High Shame. **2023**, 14, 854-867 ○
- 416 Internal consistency reliability of mental health questionnaires in college student athletes. [bjssports-2021-105136](#)
- 415 Association between seropositivity for toxocariasis and cognitive functioning in older adults: an analysis of cross-sectional data from the US National Health and Nutrition Examination Survey (NHANES), 2011-2014. **2023**, 13, e068974 ○
- 414 An Assessment of Austrian School Students' Mental Health and Their Wish for Support: A Mixed Methods Approach. **2023**, 20, 4749 ○
- 413 Deaf Weight Wise: A novel randomized clinical trial with Deaf sign language users. **2023**, 31, 965-976 ○
- 412 Health-care Related Practices in Virtual Behavioral Health Treatment for Major Depression Before and During the COVID-19 Pandemic. **2023**, 61, S47-S53 ○
- 411 Recognition and CBT for Paternal Perinatal Depression in Primary Care: A Case Report. **2023**, 17, 155798832316599 ○
- 410 The Mental Health, Substance Use, Physical Health, and Mental Health Treatment Need of Community Individuals Experiencing Homelessness in Hawaii ○
- 409 Depression and PrEP uptake, interruption, and adherence among young women in Uganda. 1-10 ○
- 408 Association between sedentary behavior and depression in US adults with chronic kidney disease: NHANES 2007-2018. **2023**, 23, ○
- 407 Associations between sleep duration and positive mental health screens during adolescent preventive visits in primary care. **2023**, ○

- 406 The Differential Impact of Different COVID-19 Stressors on Complex PTSD, PTSD, Depression, Anxiety, and Executive Functions in Kuwait. ○
- 405 Association of disrupted sleep with 24-hour blood pressure variability in caregivers. **2023**, 60, 45-51 ○
- 404 Burnout and associative emotional status and coping style of healthcare workers in COVID-19 epidemic control: A cross-sectional study. 11, ○
- 403 Association Between Antenatal Depression Symptom Trajectories and Preterm Birth. **2023**, 141, 810-817 ○
- 402 Evaluating the Construct Validity of the Norwegian Version of the Level of Personality Functioning Scale Brief Form 2.0 in a Large Clinical Sample. 1-11 ○
- 401 Differentiating depression using facial expressions in a virtual avatar communication system. 5, ○
- 400 Association of Depression and Anxiety with Cardiac Structural and Functional Characteristics in Heart Failure with Reduced and Mildly Reduced Ejection Fraction. **2023**, 13, 398-409 ○
- 399 Physical Exercise and Major Depressive Disorder in Adults: Systematic Review and Meta-analysis. ○
- 398 Biopsychosocial effects and experience of use of robotic and virtual reality devices in neuromotor rehabilitation: A study protocol. **2023**, 18, e0282925 ○
- 397 Stressful life events and incident depression among U.S. military personnel. ○
- 396 Real-time emotion detection by quantitative facial motion analysis. **2023**, 18, e0282730 ○
- 395 Depressive symptoms are associated with utilitarian responses in trolley dilemmas: a study amongst university students in the United Arab Emirates. 1-15 ○
- 394 Pilot Study of Group Interpersonal Psychotherapy for Depression Among Young People With Chronic Illness. ○
- 393 Feasibility and acceptability of remote symptom monitoring (RSM) in older adults during treatment for metastatic prostate cancer. **2023**, 14, 101469 ○
- 392 Characteristics and clinical needs of young tertiary students attending a specialist mood disorders clinic. 103985622311622 ○
- 391 Anxiety, depression, and insomnia among nurses during the full liberalization of COVID-19: A multicenter cross-sectional analysis of the high-income region in China. ○
- 390 Post-COVID dyspnea: prevalence, predictors, and outcomes in a longitudinal, prospective cohort. **2023**, 23, ○
- 389 Rapid intensification of suicide risk preceding suicidal behavior among primary care patients. ○

- 388 Impact of morally injurious traumatic event exposure on cognitive processing therapy outcomes among Veterans and service members. ○
- 387 Prevalence and socio-economic determinates of food insecurity in Veterans: findings from National Health and Nutrition Examination Survey. 1-10 ○
- 386 An Evaluation of MINDFIT[®] Student Therapeutic Running Group as a Multi-Layered Intervention in the United Kingdom. **2023**, 13, 456-469 ○
- 385 An Unusual College Experience: 16-Month Trajectories of Depressive Symptoms and Anxiety among Chinese New Undergraduate Students of 2019 during the COVID-19 Pandemic. **2023**, 20, 5024 ○
- 384 Preliminary effectiveness study of the Cope Notes digital mental Health program. 1-9 ○
- 383 Alcohol use as a mediator of the effect of two alcohol reduction interventions on mental health symptoms of ART clients in Vietnam. 1-9 ○
- 382 Depression, cardiometabolic disease, and their co-occurrence after childhood maltreatment: an individual participant data meta-analysis including over 200,000 participants. **2023**, 21, ○
- 381 Long-term functional ability trajectories and mental health among older people before and after the COVID-19 pandemic onset in Chile. 1-10 ○
- 380 Impact of cardiac rehabilitation on psychological factors, cardiorespiratory fitness, and survival: A narrative review. **2023**, 7, 13 ○
- 379 Sleep, physical activity, and sedentary behaviors as factors related to depression and health-related quality of life among older women living alone: a population-based study. **2023**, 20, ○
- 378 Levels of Loneliness and Mental Health in Older Adults Across Ethnic Groups During the COVID-19 Pandemic in the UK. **2023**, ○
- 377 Understanding the complexity, patterns, and correlates of alcohol and other substance use among young people seeking help for mental ill-health. ○
- 376 Prevalence and associated factors of insomnia symptoms during the COVID-19 pandemic lockdown among Mettu town residents. **2023**, 18, e0279624 ○
- 375 Validation of the Persian Traumatic Grief Inventory- Self Report Plus (TGI-SR+) to Assess Prolonged Grief Severity. 003022282311627 ○
- 374 Beyond maintaining safety: Examining the benefit of emotion-centered problem solving therapy added to safety planning for reducing late life suicide risk. **2023**, 128, 107147 ○
- 373 Investigating the effectiveness of a smart mental health intervention (inMind) for stress reduction during pharmacological treatment for mild to moderate major depressive disorders: Study protocol for a randomized control trial. 14, ○
- 372 Traditional Chinese medicine based integrated health interventions for depression: A systematic review and meta-analysis. ○
- 371 High levels of physical activity are associated with a reduced likelihood of depressive symptoms in postmenopausal women. **2023**, 63, 308-318 ○

- 370 Impact of Sociodemographic, Premorbid, and Injury-Related Factors on Patient-Reported Outcome Trajectories after Traumatic Brain Injury (TBI). **2023**, 12, 2246 ○
- 369 Comorbid anxiety and depressive symptoms and the related factors among international medical students in China during COVID-19 pandemic: a cross-sectional study. **2023**, 23, ○
- 368 A National Survey of Children, Adults, and the Elderly in the Fourth Wave of the COVID-19 Pandemic to Compare Acute and Post-COVID-19 Conditions in Saudi Arabia. **2023**, 12, 2242 ○
- 367 Association of Antenatal COVID-19-Related Stress With Postpartum Maternal Mental Health and Negative Affectivity in Infants. **2023**, 6, e232969 ○
- 366 Factors Related to Multidimensional Frailty Among Hispanic People Living With HIV Aged 50 Years and Above: A Cross-sectional Study. **2023**, Publish Ahead of Print, ○
- 365 The Association between Dietary Carotenoid Intake and Risk of Depression among Patients with Cardiometabolic Disease. **2023**, 64, 223-229 ○
- 364 Can a Mobile Game-like Intervention Help Women with Anxiety and Depression? Examining real world data of DCD.app - Anxiety, Mood & Sleep ○
- 363 Crisis, Trauma, and Suicide in Bangladesh. **2023**, 97-109 ○
- 362 Treatment of depression and borderline personality disorder with 1 Hz repetitive transcranial magnetic stimulation of the orbitofrontal cortex: A pilot study. 1-8 ○
- 361 Surmounting withdrawal to initiate fast treatment with naltrexone (SWIFT): A stepped wedge hybrid type 1 effectiveness-implementation study. **2023**, 128, 107148 ○
- 360 Congenital penile curvature as a possible risk factor for the onset of Peyronie's disease, and psychological consequences of penile curvature. ○
- 359 Problematic features of episode-based definitions of depression and a preliminary proposal for their replacement. 14, ○
- 358 Verifying the Japanese version of the Healthy Aging Brain Care Monitor self-report tool for evaluating post-intensive care syndrome. **2023**, ○
- 357 Gesundheitsinventar Psychosomatik: Psychosomatische Basisdokumentation zur Qualitätssicherung im stationären Alltag. **2023**, 69, 56-75 ○
- 356 Validity of a German Comprehensive Psychosocial Screening Instrument based on the ESC Cardiovascular Prevention Guidelines. **2023**, 69, 76-97 ○
- 355 Evaluating the Efficacy of the Family Check-Up Online to Improve Parent Mental Health and Family Functioning in Response to the COVID-19 Pandemic: A Randomized Clinical Trial. ○
- 354 Estimating the effect of anticipated depression treatment-related stigma on depression remission among people with noncommunicable diseases and depressive symptoms in Malawi. **2023**, 18, e0282016 ○
- 353 Cost-effectiveness of transdiagnostic group cognitive behavioural therapy versus group relaxation therapy for emotional disorders in primary care (PsicAP-Costs2): Protocol for a multicentre randomised controlled trial. **2023**, 18, e0283104 ○

- 352 Incidence and factors influencing sleep disorders in patients with chronic hepatitis B infection: A case-control study. ○
- 351 Reliability of the retrospective Clinical Interview Schedule Revised (rCIS-R) to assess relapse in depression in primary care patients. **2023**, 18, e0280997 ○
- 350 Prevalence of depression and its association with quality of life in patients after pacemaker implantation during the COVID-19 pandemic: A network analysis. 14, ○
- 349 Culturally sensitive stepped care for adolescent refugees: efficacy and cost-utility of a multicentric randomized controlled trial. ○
- 348 Psychological Health and Quality of Life among Ultra-orthodox Mothers of Children with Attention Deficit Hyperactivity Disorder: Impact of Occupational Experiences. 1-16 ○
- 347 Weight-based teasing and depressive symptoms among Indian college students: exploring the moderating effect of gratitude. ○
- 346 Risk of suicide in children and adolescents in the emergency department: universal screening the answer?. archdischild-2022-325122 ○
- 345 Screening for & Responding to Suicidality Among Youth Presenting to a Children's Advocacy Center (CAC). 107755952311635 ○
- 344 The Effect of Risk Propensity on Family-Work and Work-Family Conflicts in Jordanian Nurses: Does Gender Matter?. **2023**, 34, 211-217 ○
- 343 Mediating roles of social support and posttraumatic growth in the relation between mindfulness and quality of life in disaster-exposed survivors. ○
- 342 Long-Term Outcomes of Depression Treatment With Hypnotherapy or Cognitive Behavioral Therapy. Publish Ahead of Print, ○
- 341 Cognitive-behavioral factors in tinnitus-related insomnia. 14, ○
- 340 A Randomized Clinical Trial of Clinician-Supported PTSD Coach in VA Primary Care Patients. ○
- 339 Successful ingredients of effective Collaborative Care programs in low- and middle-income countries: A rapid review. **2023**, 10, ○
- 338 Pregnancy, spousal connectedness, and young married women's mental health: an analysis of the Bangladesh adolescent health and wellbeing survey. **2023**, 26, 235-244 ○
- 337 COVID statt Kita. ○
- 336 The Interpersonal Affective Focus (IPAF) in Dynamic Interpersonal Therapy (DIT): a composite case study. 1-18 ○
- 335 The Oxford Positive Self Scale: psychometric development of an assessment of cognitions associated with psychological well-being. 1-9 ○

- 334 The ENDORSE Feasibility Study: Exploring the Use of M-Health, Artificial Intelligence and Serious Games for the Management of Childhood Obesity. **2023**, 15, 1451 1
- 333 The impact of pre-transplantation nephrectomy on quality of life in patients with autosomal dominant polycystic kidney disease. 0
- 332 The Mental Health State of Canadian Ophthalmologists during the COVID-19 Pandemic: A Survey-Based Study and Review. **2023**, 7, 23 0
- 331 Depression networks: a systematic review of the network paradigm causal assumptions. **2023**, 53, 1665-1680 0
- 330 Child and Adult Faces: Facial Mimicry and Emotion Perception Are Influenced by the Interaction of Target Age and Face Masks. 0
- 329 Psychometric properties of an innovative smartphone application to investigate the daily impact of hypoglycemia in people with type 1 or type 2 diabetes: The Hypo-METRICS app. **2023**, 18, e0283148 0
- 328 The Mental Imagery for Suicidality in Students Trial (MISST): study protocol for a feasibility randomised controlled trial of broad-minded affective coping (BMAC) plus risk assessment and signposting versus risk assessment and signposting alone. **2023**, 9, 0
- 327 Understanding the Mental Health Impact of the COVID-19 Pandemic Among Individuals With Chronic Illness. 003329412311643 0
- 326 Effect of behavioural activation for individuals with post-stroke depression: A systematic review and meta-analysis. 0
- 325 Investigating survival, quality of life and cognition in PROton versus photon therapy for IDH-mutated diffuse grade 2 and 3 GLIOMas (PRO-GLIO): a randomised controlled trial in Norway and Sweden. **2023**, 13, e070071 0
- 324 A Digital Self-help Intervention for Atopic Dermatitis: Analysis of Secondary Outcomes From a Feasibility Study. 6, e42360 0
- 323 COVID-19 severity is related to poor executive function in people with post-COVID conditions. 0
- 322 Weight gain, poor mental health and increased sedentary hours among Malaysian adults during the COVID-19 pandemic. 026010602311644 0
- 321 Enhanced recovery after surgery (ERAS) relieves psychological stress in patients with osteoporotic vertebral compression fracture undergoing percutaneous kyphoplasty: an observational retrospective cohort study. **2023**, 18, 0
- 320 Oxylipins as Biomarkers for Aromatase Inhibitor-Induced Arthralgia (AIA) in Breast Cancer Patients. **2023**, 13, 452 0
- 319 Mental health and learning achievement during the COVID-19 outbreak: A lesson from online learning among Indonesian college students. **2023**, 25, 155-173 0
- 318 An acceptance-based, intersectional stigma coping intervention for people with HIV who inject drugs: randomized clinical trial. **2023**, 100611 0
- 317 A Digital Self-help Intervention for Atopic Dermatitis: Analysis of Secondary Outcomes From a Feasibility Study (Preprint). 0

- 316 Parental Early Life Maltreatment and Related Experiences in Treatment of Youth Anxiety Disorder. ○
- 315 The Good and the Bad About the Item Response Theory: Using Depressive Symptoms as an Example Trait. **2023**, 31, 3-4 ○
- 314 Can Eye Gaze Improve Emotional State Detection on Off the Shelf Smart Devices. **2023**, ○
- 313 Prevalence of insomnia in a sample of Internet addicts in different age groups in Abu Dhabi, UAE. **2023**, 30, ○
- 312 A Psychometric Evaluation of the Interpersonal Hopelessness Scale Among Individuals With Elevated Suicide Risk. 107319112311617 ○
- 311 Individual-Level Risk and Resilience Factors Associated with Mental Health in Siblings of Individuals with Neurodevelopmental Conditions: A Network Analysis. 1-23 ○
- 310 Postpartum Depression: Prevalence, Risk Factors, and Childbirth Experiences in Palestine. ○
- 309 Depression in Patients with Peripheral Artery Disease: An Underdiagnosis with Increased Mortality. **2023**, ○
- 308 Cumulative stressful events and mental health in young adults after 10 years of Wenchuan earthquake: the role of social support. **2023**, 14, ○
- 307 Treating Depression in Adolescents and Young Adults Using Remote Intensive Outpatient Programs: Quality Improvement Assessment. 7, e44756 ○
- 306 Team-Based Depression Care in Primary Care: The Role of Nurse Practitioners. **2023**, 19, 104579 ○
- 305 Perceived stigma among discharged patients of COVID-19 in Wuhan, China: A latent profile analysis. 11, ○
- 304 Preliminary findings from project Twenty21 Australia: An observational study of patients prescribed medicinal Cannabis for chronic pain, anxiety, posttraumatic stress disorder and multiple sclerosis. **2023**, 9, 205032452311647 ○
- 303 Analysis of fuzzy based intelligent health care application system for the diagnosis of mental health in women with ovarian cancer using computational models. **2023**, 17, 31-42 1
- 302 Military Spouse Mental Health Outcomes After Receiving Short-Term Counseling Services. 106648072311632 ○
- 301 Attention Bias Modification Treatment Versus a Selective Serotonin Reuptake Inhibitor Or Waiting List Control for Social Anxiety Disorder: A Randomized Clinical Trial. ○
- 300 Misophonia in the UK: Prevalence and norms from the S-Five in a UK representative sample. **2023**, 18, e0282777 ○
- 299 Clinical Effectiveness and Cost-Effectiveness of Supported Mindfulness-Based Cognitive Therapy Self-help Compared With Supported Cognitive Behavioral Therapy Self-help for Adults Experiencing Depression. ○

- 298 PHQ-9, CES-D, health insurance dataWho is identified with depression? A Population-based study in persons with diabetes. **2023**, 15, ○
- 297 The Importance of the 5Cs of Positive Youth Development to Depressive Symptoms: A Cross-Sectional Study with University Students from Peru and Spain. **2023**, 13, 280 ○
- 296 The MAKASI empowerment randomized intervention and depression and loneliness among sub-Saharan immigrants living in the greater Paris area. ○
- 295 Nonpharmacological management of psychological distress in people with COPD. **2023**, 32, 220170 ○
- 294 Quality of Life, Physical Functioning, and Psychological Distress of Older Adults Undergoing Hematopoietic Stem Cell Transplantation. **2023**, ○
- 293 Impact of the COVID-19 pandemic on the mental health and well-being of VeteransSpouses: a cross sectional analysis. **2023**, 23, ○
- 292 Cross-sectional survey of sleep, fatigue and mental health in veterinary anaesthesia personnel. **2023**, ○
- 291 Association between vitamin K intake and depressive symptoms in US adults: Data from the National Health and Nutrition Examination Survey (NHANES) 20132018. 10, ○
- 290 Group early intervention eye movement desensitization and reprocessing therapy as a video-conference psychotherapy with frontline/emergency workers in response to the COVID-19 pandemic in the treatment of post-traumatic stress disorder and moral injuryAn RCT study. 14, ○
- 289 Cost-effective Models for Detecting Depression from Speech. **2022**, ○
- 288 Mental health trajectories of Brazilian health workers during two waves of the COVID-19 pandemic (20202021). 14, ○
- 287 The association between dietary inflammation index and depression. 14, ○
- 286 Associations of Arthritis with Functional Disability and Depressive Symptom in general US Adults: NHANES 1988-1994 and 1999-2018. ○
- 285 Designing a generic, adaptive protocol resource for the measurement of health impact in cash transfer pilot and feasibility studies and trials in high-income countries. **2023**, 9, ○
- 284 Complex modeling with detailed temporal predictors does not improve health records-based suicide risk prediction. **2023**, 6, ○
- 283 Childhood Centeredness is a Broader Predictor of Young Adulthood Mental Health than Childhood Adversity, Attachment, and Other Positive Childhood Experiences. ○
- 282 Pathological social withdrawal in autism spectrum disorder: A case control study of hikikomori in Japan. 14, ○
- 281 Modifiable and nonmodifiable factors associated with anxiety, depression, and stress after one year of the COVID-19 pandemic. **2023**, 18, e0283422 ○

- 280 Effects of cannabis regulation in Switzerland: Study protocol of a randomized controlled trial. 14, 0
- 279 Ensemble learning with speaker embeddings in multiple speech task stimuli for depression detection. 17, 0
- 278 Moderating effect of attention deficit hyperactivity disorder tendency on the relationship between delay discounting and procrastination in young adulthood. **2023**, 9, e14834 0
- 277 Prevalence and clinical characteristics of depression and symptoms of anxiety in staff at a health institution in Medellin during the COVID-19 pandemic. **2023**, 52, 51-57 0
- 276 Working after cancer: psychological flexibility and the quality of working life. 0
- 275 Factors Associated with Medical Cannabis Use After Certification: A Three-Month Longitudinal Study. 0
- 274 Parents' depression and anxiety associated with hyperactivity-inattention and emotional symptoms in children during school closure due to COVID-19 in France. **2023**, 13, 0
- 273 Health-promoting behavior to enhance perceived meaning and control of life in chronic disease patients with role limitations and depressive symptoms: a network approach. **2023**, 13, 0
- 272 Hope and depression among pandemic graduates. 1-15 0
- 271 Coping With Chronic Pain After Traumatic Brain Injury: Role of Race/Ethnicity and Effect on Participation Outcomes in a TBI Model Systems Sample. **2023**, 0
- 270 Symptom characteristics of health care workers seeking outpatient psychiatric care during the COVID-19 pandemic. 0
- 269 Improving quality of life in patients with rare autoimmune liver diseases by structured peer-delivered support (Q.RARE.LI): study protocol for a transnational effectiveness-implementation hybrid trial. **2023**, 23, 0
- 268 Analysis of Psychiatric Symptoms and Suicide Risk Among Younger Adults in China by Gender Identity and Sexual Orientation. **2023**, 6, e232294 1
- 267 The effects of hemp seed consumption on depression, anxiety and cognitive improvement based on machine learning. **2023**, 7, 032-039 0
- 266 Can clinician risk assessments distinguish those who disclose suicidal ideation from those who attempt suicide?. 1-11 0
- 265 Meaningful Activity, Psychosocial Wellbeing, and Poverty During COVID-19: A Longitudinal Study. 00084174231609 0
- 264 The Brief Emotion Dysregulation Scale: Development, Preliminary Validation, and Recommendations for Use. 107319112311618 0
- 263 Validation of a German Version of the Stress Overload Scale and Comparison of Different Time Frames in the Instructions. **2023**, 4, 41-54 0

- 262 Management of Depression in Chronic Care Patients Using a Task-Sharing Approach in a Real-World Primary Health Care Setting in South Africa: Outcomes of a Cohort Study. ○
- 261 The economic and humanistic burden of bipolar disorder in adults in the United States. **2023**, 22, ○
- 260 K10 and K6 Scales. **2023**, 1-30 ○
- 259 Associations between COVID-19-related changes in the psychosocial work environment and mental health. 140349482311606 ○
- 258 Impact of Loneliness and Social Isolation on Mental Health Outcomes Among Individuals With Rheumatic Diseases During the COVID -19 Pandemic. ○
- 257 Improving Identification and Treatment Outcomes of Treatment-Resistant Depression Through Measurement-Based Care. **2023**, ○
- 256 Mental health and associated risk factors of Puerto Rico Post-Hurricane Marġ. ○
- 255 The Building Emotional Awareness and Mental health (BEAM) program developed with a community partner for mothers of infants: protocol for a feasibility randomized controlled trial. **2023**, 9, ○
- 254 THE FACTOR STRUCTURE OF THE PATIENT HEALTH QUESTIONNAIRE-9 IN STROKE: A COMPARISON WITH A NON-STROKE POPULATION. ○
- 253 The association of depressive symptoms and body weight change in midlife [Results from the Gutenberg Health Study in Germany. **2023**, 332, 115-124 ○
- 252 Estimated impact of the COVID-19 pandemic on the prevalence and treatment of depressive symptoms in Peru: an interrupted time series analysis in 2014-2021. ○
- 251 Matchmaking for Mental Well-being: Development of a Peer-based Support System (Peer2S) for Students during COVID Lockdown. **2023**, ○
- 250 Pre- and peri-natal hurricane exposure alters DNA methylation patterns in children. **2023**, 13, ○
- 249 Depressionen bei Diabetes mellitus (Teil 2). ○
- 248 COVID-19 pandemic effects on college student mental health: A cross-sectional cohort comparison study. 1-10 ○
- 247 Comparative effectiveness of evidence-based psychotherapies for PTSD delivered in VA residential PTSD treatment. 1-8 ○
- 246 ADAPTATION OF THE BENIGN AND MALICIOUS ENVY SCALE (BeMaS) INTO THE UKRAINIAN LANGUAGE: PSYCHOMETRIC INDICATORS ANALYSIS. **2022**, 118-141 ○
- 245 Improvement of Work Ability After Weight Loss Surgery: Results of a Longitudinal Study of Patients Suffering From Extreme Obesity Before and 4 Years After Bariatric Surgery. ○

- 244 Assessment of Mental Health in Medical and Dental College Students in Jazan Province to See the Delayed Psychological Impact of COVID-19 Pandemic: An Online Survey. **2023**, 14, 36-40 ○
- 243 Measuring Resilience in Long-term Sick-listed Individuals: Validation of the Resilience Scale for Adults. ○
- 242 Reply letter to the editor 'cardiovascular outcomes of patients referred to home-based cardiac rehabilitation'. **2023**, ○
- 241 The association between comorbidities and self-care of heart failure: a cross-sectional study. **2023**, 23, ○
- 240 Eating disorder patients with and without PTSD treated in residential care: discharge and 6-month follow-up results. **2023**, 11, ○
- 239 COVID-19 Vaccine Hesitancy in Italian Adults with Marfan Syndrome: Insights from a Secondary Analysis of a Cross-Sectional Study. **2023**, 11, 734 ○
- 238 Facility-based and virtual cardiac rehabilitation in young patients with heart disease during the COVID-19 era. ○
- 237 Psychological and financial impact of the COVID-19 pandemic during the first stages of the pandemic: Brazilian orthodontists' perspective. **2022**, 27, ○
- 236 Examining predictors of treatment effect in digital Acceptance and Commitment Therapy for chronic pain. 1-17 ○
- 235 Automated Text-based Depression Detection using Hybrid ConvLSTM and Bi-LSTM Model. **2023**, ○
- 234 Factors Associated with Antiretroviral Therapy Adherence Among a Community-Based Sample of Sexual Minority Older Adults with HIV. ○
- 233 The role of anxiety and depression in suicidal thoughts for autistic and non-autistic people: A theory-driven network analysis. ○
- 232 Association of Sleep Reactivity and Anxiety Sensitivity with Insomnia-Related Depression and Anxiety among City Government Employees in Japan. **2023**, 5, 167-176 ○
- 231 Adaptive Strategies for Retention in Care among Persons Living with HIV. **2023**, 2, 1
- 230 Chronic cannabis use and error awareness: The effect on learning from errors. **2023**, 18, e0283158 ○
- 229 Patient Health Questionnaire-9, Body Mass Index, Household Income According to Sleep Duration: Findings From a Community Health Survey. **2023**, 14, 37-42 ○
- 228 Mediating role of resilience in the relationship between COVID-19 related stigma and mental health among COVID-19 survivors: a cross-sectional study. **2023**, 12, ○
- 227 A type III continuous trauma perspective on the effects of increased ongoing hostility, discrimination, community violence and poverty on refugees' mental health and cognitive functioning: A longitudinal study. ○

- 226 Association between depression and dysmenorrhea among adolescent girls: multiple mediating effects of binge eating and sleep quality. **2023**, 23, ○
- 225 Association between phthalates and sleep problems in the U.S. adult females from NHANES 2011-2014. 1-16 ○
- 224 Discontinuation of Antidepressants in Older Adults: A Literature Review. Volume 19, 291-299 ○
- 223 Association Between the Frailty and Cognitive Impairment Among Patients With Hypertension: A Post Hoc Analysis of the SPRINT Trial. **2023**, 12, ○
- 222 Does Viral Anxiety Influence the Insomnia Severity Among Patients With Insomnia Disorder During COVID-19 Pandemic?. **2023**, 14, 25-30 ○
- 221 The serial mediation effect of prospective imagery vividness and anxiety symptoms on the relationship between perceived stress and depressive symptoms among Chinese vocational college students during the COVID-19 pandemic. ○
- 220 Developing the modified 4-item version of perceived stress scale for functional dyspepsia. **2023**, 23, ○
- 219 Depression Subtypes in Patients With Systolic Heart Failure: A Secondary Analysis From the Randomized Controlled Hopeful Heart Trial. **2023**, ○
- 218 Depression and Anxiety in Adolescents and their Caregivers: A Cross-Sectional Study from North Macedonia. **2023**, 44, 47-56 ○
- 217 It doesn't make any sense to even try: the disruptive impact of COVID-19's first wave on people with chronic pain using medical cannabis in New York. **2023**, 5, ○
- 216 3D-real-world pointing test for spatial orientation: influences of sex and cognitive impairment on the shape configuration of mental target representation. ○
- 215 Factors influencing attitudes toward vaccine safety and vaccine effectiveness amongst UK healthcare professionals prior to and at the time of COVID-19 vaccine rollout: Insights from the CoPE-HCP cohort study. **2023**, 19, ○
- 214 Association between mental health symptoms and behavioral performance in younger vs. older online workers. 14, ○
- 213 The Long Arm of Maternal Incarceration: Indirect Associations with Children's Social-Emotional Development. ○
- 212 Tenants Who Delayed Rent Payments During 2020-2021 Eviction Moratoria: Spending Patterns and Associations with Psychiatric Characteristics. 1-8 ○
- 211 The mediating role of anxiety and depression between problematic social media use and bulimia nervosa among Lebanese university students. **2023**, 11, ○
- 210 The Impacts of a Psychoeducational Alcohol Resource During Internet-Delivered Cognitive Behavioral Therapy for Depression and Anxiety: Observational Study. 10, e44722 ○
- 209 Depression and determinants among diabetes mellitus patients in Ethiopia, a systematic review and meta-analysis. **2023**, 23, ○

- 208 Twins Early Development Study (TEDS): A genetically sensitive investigation of mental health outcomes in the mid-twenties. ○
- 207 Educational degree differences in the association between work stress and depression among Chinese healthcare workers: Job satisfaction and sleep quality as the mediators. 11, ○
- 206 Moral injury symptoms and related problems among service members and Veterans: A network analysis. ○
- 205 Efficacy of an Online Workplace Mental Health Accommodations Psychoeducational Course: A Randomized Controlled Trial. **2023**, 20, 5317 ○
- 204 The effects of a sleep-focused smartphone application on insomnia and depressive symptoms: a randomised controlled trial and mediation analysis. ○
- 203 Longitudinal Relationships Between Anxiety, Depression, Repetitive Negative Thinking and Headache Among Non-clinical Students After One Week and One Month. ○
- 202 Randomized controlled trial protocol of health coaching for veterans with complex chronic pain. **2023**, 24, ○
- 201 Patient Reported Outcome Measures (PROMs) in Migraine and Headache. **2023**, 61-72 ○
- 200 Detecting Mental Distresses Using Social Behavior Analysis in the Context of COVID-19: A Survey. ○
- 199 Longitudinal assessment of mental health after a flood: roles of social support, hope, recovery stressors, and prior lifetime trauma. 1-11 ○
- 198 The Comorbidity of Depression and Anxiety Symptoms in Tinnitus Sufferers: A Network Analysis. **2023**, 13, 583 ○
- 197 Impact of cannabidiol on reward- and stress-related neurocognitive processes among individuals with opioid use disorder: A pilot, double-blind, placebo-controlled, randomized cross-over trial. 14, ○
- 196 The Multi-dimensional Assessment of Suicide Risk in Chronic illness-20 (MASC-20): Development and validation. **2023**, ○
- 195 Assessing neighborhood characteristics and their association with maternal stress, depressive symptoms, and well-being in eight culturally diverse cities: A cross-sectional study. ○
- 194 Validation of the healthcare workers version of the Pandemic Grief Scale among frontline nursing professionals during the COVID-19 pandemic in Korea. 14, ○
- 193 Resilience, anxiety, depression, and life satisfaction in women suffering from endometriosis: a mediation model. 1-12 ○
- 192 Relationships Among Adverse and Benevolent Childhood Experiences, Emotion Dysregulation, and Psychopathology Symptoms. ○
- 191 Prevalence and correlates of internalized stigma among adults with HIV and major depressive disorder in rural Malawi. 1-11 ○

- 190 SCI Thrive: Impact of a peer-led online self-management program. 1-10 ○
- 189 Impact of COVID-19 on depression and anxiety among healthcare professionals in Abu Dhabi. **2023**, 18, e0282198 ○
- 188 Postpartum Depression and Health: Role of Perceived Social Support among Pakistani Women. **2023**, 11, 53 ○
- 187 Promoting Recovery from Disasters, Pandemics, and Trauma: A Systematic Review of Brief Psychological Interventions to Reduce Distress in Adults, Children, and Adolescents. **2023**, 20, 5339 ○
- 186 Theta Burst Stimulation Is Not Inferior to High-Frequency Repetitive Transcranial Magnetic Stimulation in Reducing Symptoms of Posttraumatic Stress Disorder in Veterans With Depression: A Retrospective Case Series. **2023**, ○
- 185 The positive side of living with tinnitus: a cross-sectional study. 1-8 ○
- 184 Use and Engagement with Low-Intensity Cognitive Behavioural Therapy Techniques Employed Within an App to Support Worry Management: Analysis of Log Data (Preprint). ○
- 183 Association between number of remaining teeth and incident depression in a rural Chilean Cohort ○
- 182 Effects of backward walking exercise using lower body positive pressure treadmill on knee symptoms and physical function in individuals with knee osteoarthritis: a protocol for RCT. **2023**, 18, ○
- 181 COVID-19 impact on adolescent mental health: A reassessment accounting for development. ○
- 180 Coordinating smoking cessation treatment with menstrual cycle phase to improve quit outcomes (MC-NRT): study protocol for a randomized controlled trial. **2023**, 24, ○
- 179 Association of Healthcare Work with Anxiety and Depression During the COVID-19 Pandemic: A Structural Topic Modeling Study (Preprint). ○
- 178 Anxiety and depression among patients attending a multidisciplinary foot clinic. **2023**, 40, 14 ○
- 177 Examining the Effectiveness of the Transdiagnostic Unified Protocol for Emotional Disorders Delivered to Youth Following Hurricane Harvey. ○
- 176 A pre- and post-implantable pain device procedure assessment model: psychiatric symptoms, functioning, and goals. ○
- 175 Measures for the Core Outcome Set for Research Evaluating Interventions to Prevent and/or Treat Delirium in Critically Ill Adults: An International Consensus Study (Del-COrS). **2023**, 5, e0884 ○
- 174 The Relationship between Anxiety, Subjective and Objective Sleep, Chronotype and Circadian Rhythms with Depressive Symptoms in Insomnia Disorder. **2023**, 13, 613 ○
- 173 Evaluating the Feasibility of a Multiplayer Role-Playing Game as a Behavioral Health Intervention in Adolescent Patients with Chronic Physical or Mental Conditions (Preprint). ○

- 172 Development and validation of a depression risk prediction nomogram for US Adults with hypertension, based on NHANES 2007-2018. **2023**, 18, e0284113 ○
- 171 Afrontamiento religioso negativo y positivo ante la muerte de personas queridas y su relación con síntomas depresivos. **2022**, 33, 272-286 ○
- 170 Active learning impairments in substance use disorders when resolving the explore-exploit dilemma: A replication and extension of previous computational modeling results. ○
- 169 Relationship Matters in Dementia Caregiving: A Comparative Study in West Bengal, India. 2277436X2311529 ○
- 168 Sedentary Behavior and Physical Activity Associated with Psychosocial Outcomes in Adolescents with Type 1 Diabetes. **2023**, 2023, 1-7 ○
- 167 Psychological consequences of war in Ukraine: assessing changes in mental health among Ukrainian parents. 1-3 ○
- 166 Trends in voice characteristics in patients with heart failure (VENTURE) in Switzerland: Protocol for a longitudinal observational pilot study. **2023**, 18, e0283052 ○
- 165 Two years COVID-19 pandemic: Development of university students' mental health 2020-2022. 14, ○
- 164 Investigating changes in mental health services utilisation in England and their impact on health outcomes and wellbeing during the COVID-19 pandemic: Protocol for a health data-linkage study. **2023**, 18, e0283986 ○
- 163 The Impact of the ENDORSE Digital Weight Management Program on the Metabolic Profile of Children and Adolescents with Overweight and Obesity and on Food Parenting Practices. **2023**, 15, 1777 ○
- 162 Al Mal Tiempo, Buena Cara (keeping a good face during bad times): Differential psychosocial and health profiles between Hispanic and non-Hispanic public-school teachers in Texas. 1-20 ○
- 161 Improving sleep and learning in rehabilitation after stroke, part 2 (INSPIRES2): study protocol for a home-based randomised control trial of digital cognitive behavioural therapy (dCBT) for insomnia. **2023**, 13, e071764 ○
- 160 The impact of early palliative care on the quality of life of patients with advanced pancreatic cancer: The IMPERATIVE case-crossover study. **2023**, 31, ○
- 159 Moving Forward from Moral Injury: A Mixed Methods Study Investigating the Use of 3MDR for Treatment-Resistant PTSD. **2023**, 20, 5415 ○
- 158 Online Gaming Network Communication Dynamics, Depressive Symptoms, and Social Support: A Longitudinal Network Analysis. 1-12 ○
- 157 Addressing food insecurity and chronic conditions in community health centres: protocol of a quasi-experimental evaluation of Recipe4Health. **2023**, 13, e068585 ○
- 156 Measuring Nursing Home Quality of Life: Validated Measures Are Poorly Correlated With Proxies From MDS and Quality of Life Deficiency Citations. **2023**, ○
- 155 Altered perception of emotional faces in young adults experiencing loneliness after controlling for symptoms of insomnia, anxiety and depression. **2023**, 12, 100581 ○

- 154 Cognitive behavioural therapy for mood and anxiety disorders delivered by mental health nurses: Outcomes and predictors of response in a real-world outpatient care setting. **2023**, ○
- 153 Psychological distress and the belief that oral behaviours put a strain on the masticatory system in relation to the self-report of awake bruxism: Four scenarios. ○
- 152 Digital psychosocial intervention for older adults with subthreshold depression in primary care in Brazil (PRODIGITAL): protocol for an individually randomised controlled trial. ○
- 151 Associations between mental health, blood pressure and the development of hypertension. **2023**, 14, ○
- 150 Satisfaction with Life and Coping Strategies among Patients with Hidradenitis Suppurativa: A Cross-Sectional Study. **2023**, 12, 2755 ○
- 149 Depression Screening in a population-based study: Brazilian National Health Survey 2019. **2023**, 28, 1163-1174 ○
- 148 A Cultural-Based approach to address substance use among urban Native American young adults. ○
- 147 Disruptions of default mode network and precuneus connectivity associated with cognitive dysfunctions in tinnitus. **2023**, 13, ○
- 146 Association between long working hours and mental health among nurses in China under COVID-19 pandemic: based on a large cross-sectional study. **2023**, 23, ○
- 145 Vitamin B12, Folate, Homocysteine, Inflammatory Mediators (Interleukin-6, Tumor Necrosis Factor- α and C-Reactive Protein) Levels in Adolescents with Anxiety or Depressive Symptoms. Volume 19, 785-800 ○
- 144 Exercise snacking to improve physical function in pre-frail older adult memory clinic patients: a 28-day pilot study. ○
- 143 Sensitivity of outcome instruments in a priori selected patient groups after traumatic brain injury: Results from the CENTER-TBI study. **2023**, 18, e0280796 ○
- 142 A Smartphone Enabled Slow-Paced Breathing Intervention in Dual Career Athletes. 1-16 ○
- 141 Using the integrated theory of health behavior change to assess factors affecting diabetes medication adherence among black adults during COVID-19: an explanatory sequential mixed methods design. 1-23 ○
- 140 What constitutes a high-quality, comprehensive medico-legal asylum affidavit in the United States immigration context? A multi-sectoral consensus-building modified Delphi. **2023**, 102513 ○
- 139 COPD Assessment Test as a Screening Tool for Anxiety and Depression in Stable COPD Patients: A Feasibility Study. **2023**, 20, 144-152 ○
- 138 Change in depression during the COVID-19 pandemic among healthcare providers in Addis Ababa, Ethiopia. 11, e15053 ○
- 137 Web-based Cognitive-behavioral Therapy for Depression Among Older Adults: Development and Usability Study (Preprint). ○

- 136 The Journey of Engaging with Self-harm and Suicide Content Online: A Longitudinal Qualitative Study. (Preprint). ○
- 135 Gender Differences in the Association of Trauma Exposure and Firearm Availability Among Active Duty Servicemembers and Military Retirees. **2023**, 42, 125-144 ○
- 134 Gender differences in the prevalence of mental distress in East and West Germany over time: a hierarchical age-period-cohort analysis, 2006-2021. ○
- 133 ASSESSMENT OF CLINICAL FACTORS AND SERUM TESTOSTERONE ABOUT ERECTILE DYSFUNCTION IN HIV-INFECTED MEN. 149-153 ○
- 132 Utilization of Whole Health and Longitudinal Outcomes After Screening Positive for Possible Depression Documented in Veterans Health Administration's Electronic Health Record. ○
- 131 Associations between sleep complaints, suicidal ideation and depressive symptoms among adolescents and young adults in Greece. ○
- 130 Physio-psycho-social interaction mechanism in dyadic health of young and middle-aged stroke survivors and their spousal caregivers: a longitudinal observational study protocol. **2023**, 13, e065767 ○
- 129 Gambling problems predict suicidality in recently transitioned military veterans. **2023**, 100038 ○
- 128 Environmental, Socioeconomic, and Health Factors Associated with Gut Microbiome Species and Strains in Isolated Honduras Villages. ○
- 127 Maternal mental health and engagement in developmental care activities with preterm infants in the NICU. ○
- 126 Disparities in Resource Availability, Psychological Intimate Partner Violence, and Depression Among Hispanic Women. 1-9 ○
- 125 Internet-delivered cognitive behavioral therapy for tinnitus compared to Internet-delivered mindfulness for tinnitus: a study protocol of a randomized controlled trial. **2023**, 24, ○
- 124 Impact of family functioning on mental health problems of college students in China during COVID-19 pandemic and moderating role of coping style: a longitudinal study. **2023**, 23, ○
- 123 Anxiety and Depression Among College Students During the COVID-19 Lockdown: A Cross-Sectional Survey in Jiangsu, China. Volume 16, 711-723 ○
- 122 Anxiety and Depression Symptoms Among Young U.S. Essential Workers During the COVID-19 Pandemic. ○
- 121 Morally injurious events among aid workers: examining the indirect effect of negative cognitions and self-care in associations with mental health indicators. 14, ○
- 120 Cognitive impairment and factors influencing depression in adolescents with suicidal and self-injury behaviors: a cross-sectional study. **2023**, 23, ○
- 119 Health-related quality of life in Hong Kong physicians up to 20 years post-graduation: A cross-sectional survey. **2023**, 18, e0284253 ○

- 118 Students' psychological state and its associated factors during an outbreak of COVID-19 in Pakistan: a web-based survey. ○
- 117 Depression Detection on Social Media: A Classification Framework and Research Challenges and Opportunities. ○
- 116 Parent Characteristics Associated with Neurodevelopmental Competence for Young Children Experiencing Family Homelessness. ○
- 115 Stand Down Think Before You Drink: protocol for an effectiveness-implementation trial of a mobile application for unhealthy alcohol use with and without peer support. **2023**, 13, e072892 ○
- 114 Understanding Low Utilization of Employee Assistance Programs and Time Off by US Public Health Workers During the COVID-19 Pandemic. 003335492311652 ○
- 113 Psychometric properties of the PG-13-R scale to assess prolonged grief disorder among bereaved Iranian adults. 1-8 ○
- 112 Weight Changes and Unhealthy Weight Control Behaviors Are Associated With Dysmenorrhea in Young Women. **2023**, 38, ○
- 111 To Leave is to Die a Little: Assessing the Symptom Structure of Separation Anxiety Disorder in Left-Behind Emerging Adults. ○
- 110 The associations between working conditions and subjective sleep quality among female migrant care workers. 11, ○
- 109 Validation and adaption of an Information-Motivation-Behavioral Skills model of medication adherence in older patients with multimorbidity. **2023**, 107756 ○
- 108 Sleep disturbances in patients with psoriatic arthritis. **2023**, ○
- 107 Pharmacologic Approaches to Suicide Prevention. **2023**, 21, 137-144 ○
- 106 Cognitive inhibition deficit in long COVID-19: An exploratory study. 14, ○
- 105 Depression and opinion of dental students regarding the hybrid learning model during the COVID-19 pandemic. **2023**, 11, ○
- 104 Exploring mechanisms of change in the metacognitive training for depression. ○
- 103 Risk of Depression in a Suburban Primary Care Setting Before and During the COVID-19 Pandemic. **2023**, 14, 215013192311671 ○
- 102 Concurrent serum lead levels and cognitive function in older adults. 17, ○
- 101 Age and Sex Differences in the Association between Serum Vitamin E Levels and Depressive Symptoms: Korea National Health and Nutrition Examination Survey. **2023**, 15, 1915 ○

- 100 Insomnia trajectories predict chronic inflammation over 2 years at the transition to adulthood. ○
- 99 Association of remnant cholesterol with depression among US adults. **2023**, 23, ○
- 98 RECAST: Study protocol for an observational study for the understanding of the increased REsilience of Children compared to Adults in SARS-CoV-2 infecTion. **2023**, 13, e065221 ○
- 97 The U-shaped relationship between sleep time on workdays and depression in US aged 20 years and older with hypertension: a cross-sectional study. ○
- 96 Network analysis of the relationships between problematic smartphone use and anxiety, and depression in a sample of Chinese college students. 14, ○
- 95 How symptoms of simple acute infections affect the SSS-8 and SSD-12 as screening instruments for somatic symptom disorder in the primary care setting. 14, ○
- 94 The effect of intolerance of uncertainty on anxiety and depression, and their symptom networks, during the COVID-19 pandemic. **2023**, 23, ○
- 93 The effects of a family-focused dyadic psychoeducational intervention for stroke survivors and their family caregivers: A randomised controlled trial. **2023**, 104504 ○
- 92 Associated socio-demographic and psychological factors of childhood overprotection/overcontrol experiences among Chinese university students: a nationwide survey. ○
- 91 Training in psychosomatic medicine and psychotherapy for medical doctors in China: A field report. 10, ○
- 90 Long-Term Adherence in Overweight Patients with Obstructive Sleep Apnea and Hypertension: Pilot Prospective Cohort Study. **2023**, 13, 1447 ○
- 89 Online speech assessment of the psychotic spectrum: Exploring the relationship between overlapping acoustic markers of schizotypy, depression and anxiety. **2023**, ○
- 88 Patient Engagement and Provider Effectiveness of a Novel Sleep Telehealth Platform in the US Military: Preliminary Results (Preprint). ○
- 87 Moral injury and suicidal ideation among health professionals: The role of mental health. **2023**, ○
- 86 eHealth Familias Unidas Mental Health: Protocol for an effectiveness-implementation hybrid Type 1 trial to scale a mental health preventive intervention for Hispanic youth in primary care settings. **2023**, 18, e0283987 ○
- 85 The effectiveness of a five-session workshop on the distress of international students in Finland: a pilot study. 1-18 ○
- 84 Elevating community mental health for those with long term conditions: Expanding a transdiagnostic cognitive therapy service from East Berkshire to West Berkshire. **2023**, 1, 55-60 ○
- 83 Prevalence of depressive symptoms and associated factors during the COVID-19 pandemic: A national-based study. **2023**, 333, 1-9 ○

- 82 The impact of pandemic-related stress on attentional bias and anxiety in alexithymia during the COVID-19 pandemic. **2023**, 13, ○
- 81 How are psychodynamic conflicts associated with personality functioning? A network analysis. 14, ○
- 80 Disentangling the Effects of Mindfulness, Savoring, and Depressive Symptoms among Emerging Adults. **2023**, 20, 5568 ○
- 79 Comparison of Delivery of Care Before and During COVID-19 Within an Academic Outpatient Psychiatry Practice. ○
- 78 Comparing the unified protocol for transdiagnostic treatment of emotional disorders to prolonged exposure for the treatment of PTSD: Design of a non-inferiority randomized controlled trial. **2023**, 101134 ○
- 77 Comparison of the working alliance in blended-cognitive behavioural therapy and treatment as usual for depression in Europe: Secondary data analysis from the E-COMPARED randomised controlled trial (Preprint). ○
- 76 Mapping bridges between anxiety, depression, and somatic symptoms in primary care patients: a network perspective. ○
- 75 Evaluating sex-differences in the prevalence and associated factors of mood disorders in Canada. **2023**, 333, 72-78 ○
- 74 Self-Reported Depression and Anxiety among Graduate Students during the COVID-19 Pandemic: Examining Risk and Protective Factors. **2023**, 15, 6817 ○
- 73 Association between blood manganese levels and depressive symptoms among US adults: A nationally representative cross-sectional study. **2023**, ○
- 72 Mild Water-Filtered Infrared-A Whole-Body Hyperthermia Reduces Pain in Patients with Fibromyalgia Syndrome: A Randomized Sham-Controlled Trial. **2023**, 12, 2945 ○
- 71 Physical activity and mental health among patients with atopic dermatitis or chronic spontaneous urticaria: A cross-sectional study. ○
- 70 Comparing the construct validity of the Patient Health Questionnaire (PHQ-9) and the Major Depression Inventory (MDI) using Rasch analysis. **2023**, ○
- 69 Anxiety and Depression Treatment in Primary Care Pediatrics. ○
- 68 Mental Health Among People Presenting for Care of Physical Symptoms: The Factors Associated with Suicidality and Symptoms of Depression and Anxiety are Similar Across Specialties. **2023**, 7, 247054702311691 ○
- 67 Vulnerability to Mental Health Problems in Indian Population during Lockdown amidst COVID-19 Pandemic: An Alarm not to Snooze. **2023**, 35, 109-116 ○
- 66 Protocol for a randomized controlled trial evaluating the effect of Hibiscus syriacus L. flower extract on sleep quality. 10, ○
- 65 Alexithymia and sensory processing sensitivity account for unique variance in the prediction of emotional contagion and empathy. 14, ○

- 64 Prevalence of probable mental, neurological and substance use conditions and case detection at primary healthcare facilities across three districts in Ghana: findings from a cross-sectional health facility survey. **2023**, 23, ○
- 63 Associations between perceptions of shared decision making and health among hysterectomy patients: A prospective observational study. ○
- 62 Depression and loneliness symptoms in Brazilian older people during the COVID-19 pandemic: a network approach. 1-8 ○
- 61 The more, the better? Social capital profiles and adolescent internalizing symptoms: A latent profile analysis. ○
- 60 Traversing mental health disorders during pregnancy: Lebanese women's experiences of antepartum depression and anxiety. ○
- 59 Brief Online Intervention Model Promotes Sustained Helping Behavior Across 6 Months Following a Population-Wide Traumatic Event. 003329412311640 ○
- 58 Depression and Fatigue in Rheumatoid Arthritis- A Study in Southern India. **2023**, 1175-1179 ○
- 57 COVID-19: Physical Activity, Government Restrictions, and Mental Health in the UK and Italy. ○
- 56 The effectiveness of community ageing in place, advancing better living for elders as a biobehavioural environmental approach for disability among low-income older adults: a systematic review and meta-analysis. **2023**, 52, ○
- 55 Reducing firearm access for suicide prevention: Implementation evaluation of the web-based "Lock to Live" decision aid in routine healthcare encounters (Preprint). ○
- 54 Evidence for feasibility of implementing online brief cognitive-behavioral therapy for eating disorder pathology in the workplace. ○
- 53 Accelerated biological aging and risk of depression and anxiety: evidence from 424,299 UK Biobank participants. **2023**, 14, ○
- 52 Prevalence of mental disorders, psychosocial distress, and perceived need for psychosocial support in cancer patients and their relatives stratified by biopsychosocial factors: rationale, study design, and methods of a prospective multi-center observational cohort study (LUPE study). 14, ○
- 51 A personalized, transdiagnostic smartphone intervention targeting repetitive negative thinking in young people with depression and anxiety: Pilot randomized controlled trial of Mello (Preprint). ○
- 50 MindTerior: A Mental Healthcare Game with Metaphoric Gamespace and Effective Activities for Mitigating Mild Emotional Difficulties. **2023**, ○
- 49 Investigating the Role of Context in the Delivery of Text Messages for Supporting Psychological Wellbeing. **2023**, ○
- 48 Supporting employers and their employees with Mental health problems to remain engaged and productive at work (MENTOR): A feasibility randomised controlled trial protocol. **2023**, 18, e0283598 ○
- 47 Validation of the Grief Support in Healthcare Scale among frontline nursing professionals working in COVID-19 inpatient wards in Korea. 14, ○

- 46 Correlates of substance use disorder among persons experiencing homelessness in Los Angeles during the COVID-19 pandemic. 1-6 ○
- 45 Impact du confinement sur la santé mentale des doctorants, une étude de cohorte dans une université française. **2023**, ○
- 44 Sleep Bruxism and Orofacial Pain in Patients with Sleep Disorders: A Controlled Cohort Study. **2023**, 12, 2997 ○
- 43 Remission from severe treatment-resistant depression with moclobemide: A case report. **2023**, ○
- 42 A mixed methods evaluation of a program exploring predeath grief and loss for carers of people with rarer dementias. 1-12 ○
- 41 NSSI questionnaires revisited: A data mining approach to shorten the NSSI questionnaires. **2023**, 18, e0284588 ○
- 40 Effects of elexacaftor/tezacaftor/ivacaftor therapy on mental health of patients with cystic fibrosis. 14, ○
- 39 Assessment of Depression in Adults and Youth. 107319112311674 ○
- 38 Healthcare Provider-Delivered Healthy Eating Recommendations among U.S. Hispanic/Latino Adults. **2023**, 102216 ○
- 37 A practice-based exploration of therapeutic change in a charitable, community-based person-centred counselling service using routine outcome measures of anxiety and depression. I: Statistical and clinically significant change. ○
- 36 Determinants of Household Food Insecurity and Depression in Mothers: Evidence from Ghana. **2023**, 2023, 1-9 ○
- 35 Exploring Social Media for Early Detection of Depression in COVID-19 Patients. **2023**, ○
- 34 COVID-19 pandemic-related depression and anxiety under lockdown: The chain mediating effect of self-efficacy and perceived stress. 14, ○
- 33 An Unguided, Computerized Cognitive Behavioral Therapy Intervention (TreadWill) in a Lower Middle-Income Country: Pragmatic Randomized Controlled Trial. 25, e41005 ○
- 32 Detecting Symptoms of Depression on Reddit. **2023**, ○
- 31 How are Brazilian university students coping with the COVID-19 pandemic? Results of an online survey on psychosocial well-being, perceived burdens, and attitudes toward social distancing and vaccination. **2023**, 18, e0284190 ○
- 30 Depression and anxiety among Macau residents during the COVID-19 outbreak: A network analysis perspective. 14, ○
- 29 Embedded Counseling Programs in Post-Secondary Settings. 1-16 ○

- 28 The Association of Experienced Long Working Hours and Depression, Anxiety, and Suicidal Ideation Among Chinese Medical Residents During the COVID-19 Pandemic: A Multi-Center Cross-Sectional Study. Volume 16, 1459-1470 ○
- 27 Policy effects of the expansion of telehealth under 1135 waivers on intentions to seek counseling services: Difference-in-difference (DiD) analysis. ○
- 26 Trends in outcomes used to measure the effectiveness of UK-based support interventions and services targeted at adults with experience of domestic and sexual violence and abuse: A scoping review.. ○
- 25 An Unguided, Computerized Cognitive Behavioral Therapy Intervention (TreadWill) in a Lower Middle-Income Country: Pragmatic Randomized Controlled Trial (Preprint). ○
- 24 A New Treatment Program: Focused Integrated Team-based Treatment Program for Bipolar Disorder (FITT-BD). **2023**, 29, 176-188 ○
- 23 Attachment-based retrospective classifications of parental caregiving in childhood related to psychological well-being and mental health in young adults. ○
- 22 Psychometric Properties and Validation of the General Anxiety Disorder 7-Item Scale Among Adolescents With Persistent Post-Concussive Symptoms. **2023**, 4, 276-283 ○
- 21 Effect of psychological factors on COVID-19 vaccine hesitancy. ○
- 20 Characterizing Symptoms and Identifying Biomarkers of Long COVID in People with and without HIV: Protocol for a Remotely-Conducted Prospective Observational Cohort Study (Preprint). ○
- 19 Pilot randomized controlled trial of a hospital-based substance use treatment and recovery team (START) to improve initiation of medication for alcohol or opioid use disorder and linkage to follow-up care. **2023**, 150, 209063 ○
- 18 Psychopharmaphobia: Elevated fear of antidepressant medication among patients with major depression and breast cancer. **2023**, 83, 117-122 ○
- 17 Examining bi-directional change in sleep and depression symptoms in individuals receiving routine psychological treatment. **2023**, 163, 1-8 ○
- 16 Hard to let it go: repetitive negative thinking and hoarding in later life in Japan. 1-9 ○
- 15 Suicidality, depression, and anxiety among Hong Kong veterinarians: a quantitative pilot study. ○
- 14 HIV+ Service delivery and Telemedicine through Effective Patient Reported Outcomes (+STEP) Intervention to Increase Screening and Treatment of Mental Health And Substance Use Disorders for People Living with HIV in Alabama: A Protocol for an Effectiveness-Implementation Study (Preprint). ○
- 13 Mental health and substance use screening in HIV primary care before and during the early COVID-19 pandemic. **2023**, 23, ○
- 12 Variations in sociodemographic and health-related factors are linked to distinct clusters of individuals with depression based on the PHQ-9 instrument: NHANES 2007-2018. **2023**, 335, 95-104 ○
- 11 Impact of hyperthyroidism and its treatment on the outcome of mental health, occupational functioning, and quality of life: A naturalistic, prospective study. **2023**, 65, 586-594 ○

- 10 PROTOCOL: Group-based interventions for posttraumatic stress disorder: A systematic review and meta-analysis of the role of trauma type. **2023**, 19, ○
- 9 Changes in dietary habits and chronic diseases before and after COVID-19 by regions using data from the 2018-2020 Korea Community Health Survey and Consumer Behavior Survey for Foods: a cross-sectional study. **2023**, 28, 124 ○
- 8 COVID-19 vaccine acceptance and related behavioral and psychological characteristics in individuals with mental disorders in Korea. 14, ○
- 7 Predictors of Decreased Quality of Life in Breast Cancer Survivors Five Years After Diagnosis. 26, ○
- 6 Cutaneous body image in patients with hidradenitis suppurativa: a hospital-based cross-sectional study. **2023**, 13, ○
- 5 Clinician Perspectives on Population-Level Portal-Based Anxiety and Depression Screening in HIV Care: A Qualitative Study Using the Consolidated Framework for Implementation Research (Preprint). ○
- 4 A network analysis of psychological flexibility, coping, and stigma in dermatology patients. 10, ○
- 3 Outcome trajectories in a county mental health clinic before and after telemental health: a retrospective COVID-19 cohort study. 14, ○
- 2 Prophylactic relationship between mental health disorder symptoms and physical activity of Royal Canadian Mounted Police Cadets during the cadet training program. 14, ○
- 1 Association between duration of electronic screen use for non-educational purposes and depression symptoms among middle and high school students: a cross-sectional study in Zhejiang Province, China. 11, ○