
CITATION REPORT List of articles citing



DOI: 10.1046/j.1532-5415.2001.49108.x Journal of the American Geriatrics Society, 2001, 49, 516-22.

Source: https://exaly.com/paper-pdf/32960918/citation-report.pdf

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1155	Trauma in the Elderly. 391-401		
1154	Co-ordinated multidisciplinary approaches for inpatient rehabilitation of older patients with proximal femoral fractures. 2000 , CD000106		42
1153	Acute Delirium in the Elderly Patient. 2001 , 4, 193-199		
1152	Delirium after hip fracture: to be or not to be?. Journal of the American Geriatrics Society, 2001, 49, 678-	9 5.6	21
1151	Current Awareness. 2001 , 16, 923-930		
1150	Preoperative factors associated with postoperative change in confusion assessment method score in hip fracture patients. 2002 , 94, 1628-32, table of contents		30
1149	Managing Acute Delirium in the Intensive Care Unit. 2002 , 9, 260-266		8
1148	Preoperative Factors Associated with Postoperative Change in Confusion Assessment Method Score in Hip Fracture Patients. 2002 , 94, 1628-1632		73
1147	Encephalopathy and stroke after coronary artery bypass grafting: incidence, consequences, and prediction. 2002 , 59, 1422-8		103
1146	Seeing older perioperative patients in 3-D: When your patient is demented, delirious, or depressed. 2002 , 12, 64-71		2
1145	Preoperative and preooperative issuesin the orthopaedic surgical patient. 2002 , 12, 60-63		1
1144	Perioperative management of the hospitalized patient. 2002 , 86, 731-48		15
1143	CME Announcement. 2002 , 59, 1428		
1142	TWICE: A NICHE program at North Memorial Health Care. 2002 , 23, 133-8; quiz 138-9		20
1141	Confusion assessment method in the diagnostics of delirium among aged hospital patients: would it serve better in screening than as a diagnostic instrument?. 2002 , 17, 1112-9		56
1140	Delirium in patients undergoing hematopoietic stem cell transplantation. 2002, 95, 1971-81		80
1139	Delirium severity and psychomotor types: their relationship with outcomes after hip fracture repair. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 850-7	5.6	239

1138	In reply:. Journal of the American Geriatrics Society, 2002 , 50, 589-590	5.6	
1137	Delirium superimposed on dementia: a systematic review. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1723-32	5.6	439
1136	Treatment of delirium in older medical inpatients: a challenge for geriatric specialists. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 2101-3	5.6	13
1135	Older persons in the emergency medical care system. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 2103-5	5.6	3
1134	Reducing Delirium After Hip Fracture. Journal of the American Geriatrics Society, 2002, 50, 589-589	5.6	1
1133	Aspiration Pneumonia and Altered Dental Status. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 589-589	5.6	
1132	Anesthesia, the aging brain, and the surgical patient. 2003 , 50, R60-R64		16
1131	Perioperative care of the patient with hip fracture. Comprehensive Therapy, 2003, 29, 233-43		
1130	[Delirium increases morbidity and length of stay after vascular surgery operations. Results of a prospective study]. 2003 , 74, 931-6		9
1129	[Case management and functional outcome in persons aged 65 years and over with hip fracture]. 2003 , 106, 207-14		3
1128	Cognitive function after anaesthesia in the elderly. 2003 , 17, 259-72		142
1127	Orthopaedic surgery in the elderly. 2003 , 17, 235-44		11
1126	The impact of psychiatric comorbidity on length of stay of medical inpatients. 2003, 25, 14-9		32
1125	The unfavorable nature of preoperative delirium in elderly hip fractured patients. 2003, 36, 67-74		27
1124	Screening for preexisting cognitive impairment in older intensive care unit patients: use of proxy assessment. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 689-93	5.6	64
1123	Hospital readmissions after hospital discharge for hip fracture: surgical and nonsurgical causes and effect on outcomes. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 399-403	5.6	100
1122	A model for managing delirious older inpatients. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1031-5	5.6	125
1121	Perioperative care for the elderly patient. 2003 , 87, 273-89		61

1120 Perioperative anesthesia issues in the elderly. 2003 , 19, 641-56	28
1119 Cognitive impairment in the intensive care unit. 2003 , 24, 727-37	75
The effects of a targeted multicomponent delirium intervention on postdischarge outcomes for hospitalized older adults. 2003 , 114, 383-90	63
Relationship between pain and opioid analgesics on the development of delirium following hip fracture. 2003 , 58, 76-81	509
1116 Perioperative evaluation and care of older gynecology patients. 2003 , 10, 247-252	1
1115 Elderly patients with a hip fracture: the risk for delirium. 2003 , 16, 75-84	57
The development and testing of the PATCOA to assess pain in confused older adults. 2003 , 4, 77-8	26
1113 . 2003 , 82, 159-169	20
Community-acquired pneumonia in very elderly patients: causative organisms, clinical characteristics, and outcomes. 2003 , 82, 159-69	132
1111 Postprocedural Acute Confusion in the Elderly. 2003 , 103, 64UU-64AA3	3
1110 Priorities in perioperative geriatrics. 2003 , 96, 1823-1836	81
1109 Southwestern Internal Medicine Conference. Etiology and management of delirium. 2003 , 325, 20-	-30 50
1108 Evidence-based guidelines for fixing broken hips: an update. 2003 , 179, 489-93	64
1107 Delirium: la confusifi de los clñicos. 2003 , 131, 1051	2
1106 Postoperative cognitive deficits: more questions than answers. 2004 , 21, 85-88	9
1105 Delirium in general hospital inpatients: German developments. 2004 , 26, 128-36	10
Postoperative deliriuma challenge for the orthopedic team. 2004 , 75, 375-7	9
1103 [Incidence and risk factors of delirium after hip surgery]. 2004 , 31, 360-5	20

(2004-2004)

1102	Different C-reactive protein kinetics in post-operative hip-fractured geriatric patients with and without complications. 2004 , 50, 216-22	65
1101	Types and rate of implementation of palliative care team recommendations for care of hospitalized veterans. 2004 , 7, 784-90	15
1100	Delirium: current trends in prevention and treatment. 2004 , 34, 115-21	33
1099	Delirium: behavioural changes before and during the prodromal phase. 2004 , 13, 609-16	38
1098	Early detection and prevention of delirium in older patients with cancer. 2004 , 13, 494-500	23
1097	Functional independence after major abdominal surgery in the elderly. 2004 , 199, 762-72	341
1096	Thoracic surgery in the elderly. 2004 , 199, 773-84	28
1095	The association between delirium and cognitive decline: a review of the empirical literature. 2004 , 14, 87-98	277
1094	Pathogenesis of and management strategies for postoperative delirium after hip fracture: a review. 2004 , 75, 378-89	139
1093	Nieuwe EBP-richtlijn delirium. 2004 , 2, 18-20	
1092	Encephalopathy and Stroke After Coronary Artery Bypass Grafting. 2004, 6, 171-178	7
1091	[Factors affecting quality of care for elderly subjects undergoing surgery for hip fracture: review of the literature]. 2004 , 90, 504-16	4
1090	Delirium in Elderly Patients. 2004 , 12, 7-21	172
1089	Postoperative cognitive function as an outcome of regional anesthesia and analgesia. 2004 , 29, 257-68	48
1088	How do delirium and dementia increase length of stay of elderly general medical inpatients?. 2004 , 45, 235-42	82
1087	Factors affecting the relationship between the timing of psychiatric consultation and general hospital length of stay. 2004 , 45, 470-6	63
1086	Low Incidence of Delirium in Very Old Patients After Surgery for Hip Fractures. 2004 , 12, 306-314	33
1085	Delirium in advanced cancer patients. 2004 , 18, 184-94	149

1084 CPD: Delirium in older people. 2004 , 11, 36-42	4
Family-perceived distress from delirium-related symptoms of terminally ill cancer patients. 2004 , 45, 107-13	100
1082 Orthogeriatric care in patients with fractures of the proximal femur. 2004 , 35-43	25
1081 Assessment and management of the geriatric patient. 2004 , 32, S92-105	92
1080 Postoperative cognitive deficits: more questions than answers. 2004 , 21, 85-8	10
1079 Postoperative Cognitive Function as an Outcome of Regional Anesthesia and Analgesia. 2004 , 29, 257-268	89
Acceptability of ankle tourniquet use in midfoot and forefoot surgery: audit of 1000 cases. 2004 , 25, 788-94	16
1077 Dislocation of primary THA done through a posterolateral approach in the elderly. 2005 , 441, 262-7	51
1076 The value of comprehensive geriatric assessment. 2005 , 6, 2-8	13
Delirium: a process improvement approach to changing prescribing practices in a community teaching hospital. 2005 , 20, 244-50; quiz 251-2	13
1074 The Graying of America. 2005 , 33, 165-174	2
1073 Delirium in elderly people: an update. 2005 , 18, 325-30	40
1072 Delirium: acute cognitive dysfunction in the critically ill. 2005 , 11, 360-8	51
1071 Delirium in the Intensive Care Unit. 2005 , 721-734	1
1070 Pain Relief without Side Effects. 2005, 33, 175-186	2
1069 Sleep Disturbances after Noncardiac Surgery. 2005 , 913-925	
Delirium is associated with poor rehabilitation outcome in elderly patients treated for femoral neck fractures. 2005 , 19, 119-27	99
Ineffective communication of mental status information during care transfer of older adults. 2005 , 20, 1146-50	22

(2005-2005)

1066	Outcomes of infection in nursing home residents with and without early hospital transfer. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 590-6	5.6	92
1065	A multifactorial intervention program reduces the duration of delirium, length of hospitalization, and mortality in delirious patients. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 622-8	5.6	253
1064	Outcomes of older people admitted to postacute facilities with delirium. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 963-9	5.6	202
1063	Haloperidol prophylaxis for elderly hip-surgery patients at risk for delirium: a randomized placebo-controlled study. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1658-66	5.6	502
1062	A model for management of delirious postacute care patients. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1817-25	5.6	32
1061	Are the patients with post-transplant psychiatric consultation different from other medical-surgical consultation inpatients?. 2005 , 59, 19-24		4
1060	Multicomponent intervention strategies for managing delirium in hospitalized older people: systematic review. 2005 , 52, 79-90		146
1059	Detection of delirium in the intensive care unit: comparison of confusion assessment method for the intensive care unit with confusion assessment method ratings. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 495-500	5.6	114
1058	Australian Society for Geriatric Medicine Position Statement No. 5 Orthogeriatric Care âlRevised 2005. 2005 , 24, 178-183		
1057	Quality project to prevent delirium after hip fracture. 2005 , 24, 174-177		24
1056	Medical input, rehabilitation and discharge planning for patients with hip fracture: Why traditional models are not fit for purpose and how things are changing. 2005 , 16, 11-22		3
1055	Postoperative delirium in the older patient. 2005 , 200, 767-73		58
1054	Medical Complications Associated with Total Hip Arthroplasty. 2005 , 16, 88-99		1
1053	Fast, systematic, and continuous delirium assessment in hospitalized patients: the nursing delirium screening scale. 2005 , 29, 368-75		387
1052	Clinical management and prevention of delirium. 2005 , 4, 68-72		O
1051	Clinical presentation of delirium in patients undergoing hematopoietic stem cell transplantation. 2005 , 103, 810-20		74
1050	Een systematisch overzicht van multifactori«le interventies ter primaire preventie van delier bij ouderen. 2005 , 36, 244-250		4
1049	Delirium e demficia no idoso: existem fatores de risco comuns?. 2005 , 32, 113-118		

1048 Behavioral Effects of ICU Medications. **2005**, 40, 387-392

1047	Delirium. 1047-1060		
1046	Coordinated multidisciplinary rehabilitation after hip fracture. 2005 , 27, 1081-90		34
1045	Guided prescription of psychotropic medications for geriatric inpatients. 2005 , 165, 802-7		93
1044	Delirium superimposed on dementia in a community-dwelling managed care population: a 3-year retrospective study of occurrence, costs, and utilization. 2005 , 60, 748-53		81
1043	Delirium in Elderly Patients. 2005 , 3, 320-332		6
1042	Capacity, consent, and selection bias in a study of delirium. 2005 , 31, 137-43		49
1041	Preventing delirium in older people. 2005 , 73-74, 25-34		16
1040	Predicting post-operative delirium in elective orthopaedic patients: the Delirium Elderly At-Risk (DEAR) instrument. 2005 , 34, 169-71		62
1039	Liaison psychiatry for older peoplean overlooked opportunity. 2005 , 34, 205-7		9
1038	Premature death associated with delirium at 1-year follow-up. 2005 , 165, 1657-62		155
1037	[Mental confusion in the elderly]. 2005 , 34, 863-8		3
1036	Association between psychoactive medications and delirium in hospitalized patients: a critical review. 2005 , 46, 302-16		55
1035	The frequency and factors linked to a urinary tract infection coding in patients undergoing hip fracture surgery. <i>Journal of the American Medical Directors Association</i> , 2005 , 6, 316-20	5.9	37
1034	[Interest of the Mini Mental State Examination to detect cognitive defects after cardiac surgery]. 2005 , 24, 1255-61		4
1033	Delirium in older persons. <i>New England Journal of Medicine</i> , 2006 , 354, 1157-65	59.2	1486
1032	Differences in characteristics and outcome of delirium as based on referral patterns. 2006 , 47, 367-75		28
1031	Epidemiologic trends and costs of fragmentation. 2006 , 90, 549-72		36

(2006-2006)

1030 Postoperative delirium in spine surgery. 2006 , 6, 164-9	71
1029 Perioperative management of the geriatric patient. Part III: delirium. 2006 , 102, e13-6	3
1028 Delirium em pacientes crêicos. 2006 , 18, 190	5
Delirium in elderly individuals with hip fracture: causes, incidence, prevalence, and risk factors. 2006, 61, 35-40	36
1026 Surgery in the elderly. 445-464	
1025 Delirium: an update on diagnosis, treatment and prevention. 2006 , 6, 540-3	13
1024 Cerebral perfusion changes in older delirious patients using 99mTc HMPAO SPECT. 2006 , 61, 1294-9	91
Multicomponent geriatric intervention for elderly inpatients with delirium: a randomized, controlled trial. 2006 , 61, 176-81	95
1022 Hip fracturesa joint effort. 2006 , 25, 157-65; quiz 166-7	15
1021 What Is New in Geriatric Anesthesia?. 2006 , 34, 139-150	1
1020 Management of the critically ill geriatric patient. 2006 , 34, S176-82	141
The Frequency of Family Visits Influences the Behavioral and Psychological Symptoms of Dementia (BPSD) of Aged People with Dementia in a Nursing Home. 2006 , 18, 123-126	11
1018 Predicting post-operative delirium in elderly patients undergoing surgery for hip fracture. 2006 , 6, 43-48	28
Perioperative haloperidol usage for delirium management. <i>Journal of the American Geriatrics</i> Society, 2006 , 54, 860-1; author reply 861-3 5.6	3
Perioperative haloperidol to prevent postoperative delirium. <i>Journal of the American Geriatrics</i> Society, 2006 , 54, 861; author reply 861-3	3
Impaired executive function is associated with delirium after coronary artery bypass graft surgery. Journal of the American Geriatrics Society, 2006 , 54, 937-41 5.6	103
1014 Australian Society for Geriatric Medicine. 2006, 25, 104-108	1
1013 Delirium: a new appraisal of an old problem. 2006 , 1, 106-12	18

1012	Delirium, nursing practice and the future. 2006 , 1, 121-7	12
1011	The impact of cognitive impairment on short-term outcomes of hip fracture patients. 2006 , 43, 45-52	20
1010	Inpatient falls and injuries in older patients treated for femoral neck fracture. 2006 , 43, 389-99	28
1009	[Postoperative delirium]. 2006, 77, 858-60; author reply 860	1
1008	Post-operative considerations in hip fracture management. 2006 , 8, 55-62	6
1007	Delirium and cognitive dysfunction in the intensive care unit. 2006 , 4, 55-64	
1006	Delirium in the hospitalized elder and recommendations for practice. 2006 , 27, 151-7	33
1005	The elderly surgical patient and postoperative delirium. 2006 , 203, 752-7	81
1004	Medical considerations in older surgical patients. 2006 , 203, 746-51	33
1003	Osteoporotic fractures in older adults. 2006 , 20, 695-706	55
1002	Care of hospitalized older patients: opportunities for hospital-based physicians. 2006, 1, 42-7	19
1001	Is there a geriatrician in the house? Geriatric care approaches in hospitalist programs. 2006 , 1, 29-35	20
1000	Delirium and cognitive dysfunction in the intensive care unit. 2006 , 27, 210-20	25
999	The spectrum of encephalopathy in critical illness. 2006 , 26, 440-51	24
998	The management of behavioural and psychiatric symptoms in delirium. 2006, 7, 555-61	11
997	Delirium in older persons. <i>New England Journal of Medicine</i> , 2006 , 354, 2509-11; author reply 2509-11 59.2	9
996	Sepsis. 2006 ,	
995	The effect of delirium education on use of target PRN medications in older orthopaedic patients. 2007 , 36, 98-101	5

(2007-2006)

994	Does home treatment affect delirium? A randomised controlled trial of rehabilitation of elderly and care at home or usual treatment (The REACH-OUT trial). 2006 , 35, 53-60	94
993	Delirium in older patients admitted to general internal medicine. 2006 , 19, 83-90	45
992	Prevention, diagnosis and treatment of delirium: staff educational approaches. 2006 , 6, 741-51	6
991	Delirium in older adults with cancer: implications for practice and research. 2006 , 33, 61-78	18
990	Post-operative delirium is associated with poor cognitive outcome and dementia. 2006 , 21, 221-7	83
989	Postoperative delirium after hip fracture. 2006 , 88, 2060-8	68
988	The prevention, diagnosis and management of delirium in older people: concise guidelines. 2006 , 6, 303-8	73
987	Systematic review of antipsychotics for the treatment of hospital-associated delirium in medically or surgically ill patients. 2006 , 40, 1966-73	124
986	Cytokines and C-reactive protein production in hip-fracture-operated elderly patients. 2007, 62, 420-6	157
985	Risk factors for delirium at discharge: development and validation of a predictive model. 2007 , 167, 1406-13	136
985 984	Risk factors for delirium at discharge: development and validation of a predictive model. 2007 , 167, 1406-13 Care coordination for cognitively impaired older adults and their caregivers. 2007 , 26, 57-78	136 58
984	Care coordination for cognitively impaired older adults and their caregivers. 2007 , 26, 57-78 Subtle attentional deficits in the absence of dementia are associated with an increased risk of	58
984	Care coordination for cognitively impaired older adults and their caregivers. 2007 , 26, 57-78 Subtle attentional deficits in the absence of dementia are associated with an increased risk of post-operative delirium. 2007 , 23, 390-4	58
984 983 982	Care coordination for cognitively impaired older adults and their caregivers. 2007, 26, 57-78 Subtle attentional deficits in the absence of dementia are associated with an increased risk of post-operative delirium. 2007, 23, 390-4 Surgery in older people: an update. 2007, 17, 119-137	58
984 983 982 981	Care coordination for cognitively impaired older adults and their caregivers. 2007, 26, 57-78 Subtle attentional deficits in the absence of dementia are associated with an increased risk of post-operative delirium. 2007, 23, 390-4 Surgery in older people: an update. 2007, 17, 119-137 Chapter 12 Delirium. 2007, 30, 285-312	58 29 4
984 983 982 981	Care coordination for cognitively impaired older adults and their caregivers. 2007, 26, 57-78 Subtle attentional deficits in the absence of dementia are associated with an increased risk of post-operative delirium. 2007, 23, 390-4 Surgery in older people: an update. 2007, 17, 119-137 Chapter 12 Delirium. 2007, 30, 285-312 Musculoskeletal rehabilitation: current understandings and future directions. 2007, 86, S19-28	58 29 4

976	[Prevention of delirium in an acute geriatric care unit]. 2007 , 28, 589-93		12
975	Delirium: guidelines for general hospitals. 2007 , 62, 371-83		104
974	Interventions for preventing delirium in hospitalised patients. 2007, CD005563		133
973	Postoperative delirium in old patients with femoral neck fracture: a randomized intervention study. 2007 , 19, 178-86		186
972	Impact of delirium on cognition, distress, and health-related quality of life after hematopoietic stem-cell transplantation. 2007 , 25, 1223-31		58
971	Delirium in older people. 2007 , 334, 842-6		294
970	The future of delirium research: promising but still room for improvement. 2007, 19, 169-71		1
969	[Delirium: screening, assessment and diagnosis]. 2007 , 20, 191-204		11
968	Pediatric hospitalist comanagement of spinal fusion surgery patients. 2007 , 2, 23-30		42
967	Geriatric syndromes: clinical, research, and policy implications of a core geriatric concept. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 780-91	5.6	1050
967 966		5.6	1050 76
	the American Geriatrics Society, 2007 , 55, 780-91	5.6 5.6	Ť
966	the American Geriatrics Society, 2007, 55, 780-91 Recruitment of volunteers to improve vitality in the elderly: the REVIVE study. 2007, 37, 95-100 The effect of age on short-term outcomes after abdominal surgery for pelvic organ prolapse.		76
966 965	the American Geriatrics Society, 2007, 55, 780-91 Recruitment of volunteers to improve vitality in the elderly: the REVIVE study. 2007, 37, 95-100 The effect of age on short-term outcomes after abdominal surgery for pelvic organ prolapse. Journal of the American Geriatrics Society, 2007, 55, 857-63 Quality indicators for hospitalization and surgery in vulnerable elders. Journal of the American	5.6	76 34
966 965 964	Recruitment of volunteers to improve vitality in the elderly: the REVIVE study. 2007, 37, 95-100 The effect of age on short-term outcomes after abdominal surgery for pelvic organ prolapse. Journal of the American Geriatrics Society, 2007, 55, 857-63 Quality indicators for hospitalization and surgery in vulnerable elders. Journal of the American Geriatrics Society, 2007, 55 Suppl 2, S347-58	5.6	76 34 41
966965964963	Recruitment of volunteers to improve vitality in the elderly: the REVIVE study. 2007, 37, 95-100 The effect of age on short-term outcomes after abdominal surgery for pelvic organ prolapse. Journal of the American Geriatrics Society, 2007, 55, 857-63 Quality indicators for hospitalization and surgery in vulnerable elders. Journal of the American Geriatrics Society, 2007, 55 Suppl 2, S347-58 Delirium in acute stroke: a review. 2007, 2, 270-5 Delirium: patient characteristics that predict a missed diagnosis at psychiatric consultation. 2007,	5.6	76 34 41 47
966965964963962	Recruitment of volunteers to improve vitality in the elderly: the REVIVE study. 2007, 37, 95-100 The effect of age on short-term outcomes after abdominal surgery for pelvic organ prolapse. Journal of the American Geriatrics Society, 2007, 55, 857-63 Quality indicators for hospitalization and surgery in vulnerable elders. Journal of the American Geriatrics Society, 2007, 55 Suppl 2, S347-58 Delirium in acute stroke: a review. 2007, 2, 270-5 Delirium: patient characteristics that predict a missed diagnosis at psychiatric consultation. 2007, 29, 442-5	5.6	76 34 41 47

958	Delirium and cognitive dysfunction in the intensive care unit. 2007 , 9, 26-34	14
957	Delirium in hospitalised older persons: review. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 246-51 5.2	6
956	Surgical comanagement: a natural evolution of hospitalist practice. 2008 , 3, 394-7	34
955	Cognitive impairment over the age of 85: hospitalization and mortality. 2008 , 46, 137-45	9
954	Clinical practice guidelines for the management of delirium in older people in Australia. 2008, 27, 150-6	54
953	Functional recovery after hip fracture: the combined effects of depressive symptoms, cognitive impairment, and delirium. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1075-9	167
952	Delirium: challenges for clinical governance. 2008 , 16, 127-33	13
951	Risk factors for intensive care delirium: a systematic review. 2008 , 24, 98-107	95
950	Clinical management and prevention of delirium. 2008, 7, 42-48	3
949	The Medical Basis of Psychiatry. 2008,	4
949	The Medical Basis of Psychiatry. 2008, Financing mental health and substance use disorder care within physical health: a look to the future. 2008, 31, 11-25	11
	Financing mental health and substance use disorder care within physical health: a look to the	
948	Financing mental health and substance use disorder care within physical health: a look to the future. 2008 , 31, 11-25 Educating staff working in long-term care about delirium: the Trojan horse for improving quality of	11
948	Financing mental health and substance use disorder care within physical health: a look to the future. 2008, 31, 11-25 Educating staff working in long-term care about delirium: the Trojan horse for improving quality of care?. 2008, 65, 261-6 Unravelling the pathophysiology of delirium: a focus on the role of aberrant stress responses. 2008,	11 16
948 947 946	Financing mental health and substance use disorder care within physical health: a look to the future. 2008, 31, 11-25 Educating staff working in long-term care about delirium: the Trojan horse for improving quality of care?. 2008, 65, 261-6 Unravelling the pathophysiology of delirium: a focus on the role of aberrant stress responses. 2008, 65, 229-38	11 16 262
948 947 946 945	Financing mental health and substance use disorder care within physical health: a look to the future. 2008, 31, 11-25 Educating staff working in long-term care about delirium: the Trojan horse for improving quality of care?. 2008, 65, 261-6 Unravelling the pathophysiology of delirium: a focus on the role of aberrant stress responses. 2008, 65, 229-38 Systematic approaches to the prevention and management of patients with delirium. 2008, 65, 267-72	11 16 262
948 947 946 945	Financing mental health and substance use disorder care within physical health: a look to the future. 2008, 31, 11-25 Educating staff working in long-term care about delirium: the Trojan horse for improving quality of care?. 2008, 65, 261-6 Unravelling the pathophysiology of delirium: a focus on the role of aberrant stress responses. 2008, 65, 229-38 Systematic approaches to the prevention and management of patients with delirium. 2008, 65, 267-72 Drug treatment of delirium: past, present and future. 2008, 65, 273-82	11 16 262 13

940 Les dlires et confusions aigus postopfatoires. **2008**, 12, 99-106

939	Evaluation and management of the elderly patient at risk for postoperative delirium. 2008 , 24, 667-86, viii	19
938	Medical management of hip fracture. 2008 , 24, 701-19, ix	31
937	Orthogeriatric care for the elderly with hip fractures: where are we?. 2008, 20, 113-22	67
936	Delirium in the intensive care unit. 2008 , 12 Suppl 3, S3	333
935	One-year health care costs associated with delirium in the elderly population. 2008, 168, 27-32	596
934	User's guide to research in palliative care: why is a new series needed?. 2008, 11, 1258-61	14
933	Delirium in the critically ill patient. 2008 , 90, 39-56	16
932	Agitation and delirium at the end of life: "We couldn't manage him". 2008, 300, 2898-910, E1	132
931	Knowledge-to-action cycle. 2008 , 13, 98-100	12
930	Statins and postoperative delirium. 2008 , 179, 627-8	7
929	A survey of old age psychiatry consultation/liaison services in Ireland. 2008 , 25, 66-68	
928	The active management of delirium: improving detection and treatment. 2008, 14, 292-301	29
927	Delirium Prevention for Cognitive, Sensory, and Mobility Impairments. 2008 , 22, 103-113	10
926	Adjunctive haloperidol prophylaxis reduces postoperative delirium severity and duration in at-risk elderly patients. 2008 , 14, 134-7	30
925	Treatment of delirium in supportive and palliative care. <i>Current Opinion in Supportive and Palliative Care</i> , 2008 , 2, 60-6	26
924	The Risk Factors of Delirium in Elderly Patients with Hip Fracture: A Prospective Study. 2008, 20, 293	7
923	Delirium, Sleep, and Mental Health Disturbances in Critical Illness. 2008 , 1531-1546	

922	Themenschwerpunkt: Die Delirbehandlung im Alter. 2008 , 56, 7-12	1
921	Perioperative Care of the Elderly Patient. 2008, 581-604	
920	Delirium masquerading as dementia. 367-376	
919	Medical Complications of Head and Neck Surgery. 2009 , 55-65	1
918	Days of delirium are associated with 1-year mortality in an older intensive care unit population. 2009 , 180, 1092-7	1044
917	Derivation and validation of a preoperative prediction rule for delirium after cardiac surgery. 2009 , 119, 229-36	336
916	Management of delirium. 2009 , 70, 217-21	3
915	Does comparison of performance lead to better care? A pilot observational study in patients admitted for hip fracture in three French public hospitals. 2009 , 21, 321-9	10
914	Factors determining nurses' clinical judgments about hospitalized elderly patients with acute confusion. 2009 , 30, 399-405	9
913	Delirium accelerates cognitive decline in Alzheimer disease. 2009 , 72, 1570-5	336
912	Predicting the onset of delirium in the post-operative patient. 2009 , 38, 368-73	71
911	Implementing geriatric care models: what are we waiting for?. 2009, 30, 204-6	12
910	Effects of an interdisciplinary nurse-led Delirium Prevention and Management Program (DPMP) on nursing workload: a pilot study. 2009 , 46, 804-12	36
909	Cascade iatrogenesis: factors leading to the development of adverse events in hospitalized older adults. 2009 , 46, 1528-35	36
908	Prevention, diagnosis, and management of postoperative delirium in older adults. 2009 , 209, 261-8; quiz 294	50
907	Delirium after coronary artery bypass graft surgery and late mortality. 2010 , 67, 338-44	153
906	Fascia iliaca block prophylaxis for hip fracture patients at risk for delirium: a randomized placebo-controlled study. 2009 , 10, 127-33	135
905	Prediction of postoperative delirium after abdominal surgery in the elderly. 2009 , 23, 51-6	81

904	Delirium in elderly home-treated patients: a prospective study with 6-month follow-up. 2009 , 31, 109-17		22
903	Pharmacological management of delirium in hospitalized adultsa systematic evidence review. 2009 , 24, 848-53		98
902	Peut-on prvenir la confusion chez le sujet ট্র'hospitalis'?. 2009 , 1, 109-113		1
901	Development of services for older patients with falls and fractures in England: successes, failures, lessons and controversies. 2009 , 49 Suppl 2, S7-12		13
900	Delirium unit: our experience. 2009 , 28, 206-10		15
899	A novel interdisciplinary analgesic program reduces pain and improves function in older adults after orthopedic surgery. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1-10	5 .6	62
898	The overlap syndrome of depression and delirium in older hospitalized patients. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1347-53	5 .6	58
897	Patients with solitary infarcts may be more responsive to vascular care. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1958-9	5 .6	
896	Delirium in nursing home residents across care transitions: a preliminary report. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1956-8	5 .6	4
895	An intervention integrated into daily clinical practice reduces the incidence of delirium during hospitalization in elderly patients. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2029-36	5 .6	148
894	Successful models of comprehensive care for older adults with chronic conditions: evidence for the Institute of Medicine's "retooling for an aging America" report. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2328-37	5.6	230
893	Multidisciplinary rehabilitation for older people with hip fractures. 2009 , CD007125		105
892	Delirium in elderly adults: diagnosis, prevention and treatment. 2009 , 5, 210-20		569
891	Postoperative delirium in the elderly surgical patient. 2009 , 27, 451-64, table of contents		68
890	Geriatric ward hospitalization reduced incidence delirium among older medical inpatients. 2009, 17, 760-	8	33
889	Delirium in the intensive care unit. 2009 , 21, 43-58		63
888	Delirium: a clarion call. 2009 , 21, 4-7		5
887	Psychiatrists for medically complex patients: bringing value at the physical health and mental health/substance-use disorder interface. 2009 , 50, 93-107		54

(2010-2009)

886	Postoperative delirium and cognitive dysfunction. 2009 , 103 Suppl 1, i41-46		324
885	Evaluation and management of the elderly patient at risk for postoperative delirium. 2009 , 19, 363-76, vi		2
884	The development of a mental status vital sign for use across the spectrum of care. <i>Journal of the American Medical Directors Association</i> , 2009 , 10, 379-80	5.9	18
883	Delirium prevention and treatment. 2009 , 25, 585-91, x		35
882	Delirium: an emerging frontier in the management of critically ill children. 2009 , 25, 593-614, x		62
881	Non-pharmacological interventions in the prevention of delirium. 2009 , 38, 374-9		32
880	Prevention and management of postoperative delirium. 2009 , 47, 137-49		14
879	Fragility fractures: preoperative, perioperative, and postoperative management. 2009 , 20, 482-489		
878	Mental status and surgical methods in patients with femoral neck fracture. 2009, 28, 305-13		4
877	Rivastigmine for the prevention of postoperative delirium in elderly patients undergoing elective cardiac surgerya randomized controlled trial. 2009 , 37, 1762-8		202
876	Effects of Oxygen Therapy on Postoperative Cognitive Dysfunction in Over 80-Year-Olds Undergoing Femoral Neck Fracture Surgery. 2009 , 58, 47-48		
875	WITHDRAWN: Co-ordinated multidisciplinary approaches for inpatient rehabilitation of older patients with proximal femoral fractures. 2009 , CD000106		8
874	Ask the Expert: Geriatric Psychiatry. 2009 , 7, 36-37		
873	Strategies for Promoting Early Activity in Critically Ill Mechanically Ventilated Patients. <i>AACN Advanced Critical Care</i> , 2009 , 20, 277-289	1	9
872	Strategies for promoting early activity in critically ill mechanically ventilated patients. <i>AACN Advanced Critical Care</i> , 2009 , 20, 277-89	1	42
871	Ask the Expert: Psychosomatic Medicine/Delirium. 2009 , 7, 336-342		O
870	How can delirium best be prevented and managed in older patients in hospital?. 2010 , 182, 465-70		38
869	Potential financial impact of restriction in "never event" and periprocedural hospital-acquired condition reimbursement at a tertiary neurosurgical center: a single-institution prospective study. 2010 , 112, 249-56		43

868	Għfalitŝ en chirurgie orthopdique et traumatologique du grand ĝe (rachis exclu). 2010 , 5, 1-13	2
867	Impaired mobility, ASA status and administration of tramadol are risk factors for postoperative delirium in patients aged 75 years or more after major abdominal surgery. 2010 , 251, 759-65	153
866	Delirium as a predictor of long-term cognitive impairment in survivors of critical illness. 2010 , 38, 1513-20	1289
865	Postoperative delirium: are there modifiable risk factors?. 2010 , 27, 403-5	13
864	Postoperative cognitive dysfunction: toward the Alzheimer's disease pathomechanism hypothesis. 2010 , 22 Suppl 3, 81-9	37
863	Case scenario: postoperative delirium in elderly surgical patients. 2010 , 112, 189-95	18
862	Co-managed care for fragility hip fractures (Rochester model). 2010 , 21, S621-5	84
861	How to optimize patients for geriatric fracture surgery. 2010 , 21, S535-46	24
860	Delir âlakuter Verwirrtheitszustand: Diagnostik, Prllention und Therapie. 2010 , 5, 95-106	
859	[Latin American survey on delirium in critical patients]. 2010 , 34, 495-505	9
858	An interdisciplinary intervention for older Taiwanese patients after surgery for hip fracture improves health-related quality of life. 2010 , 11, 225	25
857	Deliriumawareness, observation and interventions in intensive care units: a national survey of Swedish ICU head nurses. 2010 , 26, 296-303	40
856	Clinical associations of delirium in hospitalized adult patients and the role of on admission presentation. 2010 , 25, 1022-9	8
855	Impact and recognition of cognitive impairment among hospitalized elders. 2010 , 5, 69-75	104
854	Older hip fracture patients: three groups with different needs. 2010 , 10, 65	52
853	A pragmatic study exploring the prevention of delirium among hospitalized older hip fracture patients: Applying evidence to routine clinical practice using clinical decision support. 2010 , 5, 81	24
852	The geriatric floating interdisciplinary transition team. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 364-70	54
851	Randomized trial of a delirium abatement program for postacute skilled nursing facilities. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1019-26	46

(2010-2010)

850	Physician consultation, multidisciplinary care, and 1-year mortality in Medicare recipients hospitalized with hip and lower extremity injuries. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1835-42	5.6	11
849	Vyresnio amlaus pacientlpalhimo funkcijlpooperacinis sutrikimas. 2010 , 46, 169		3
848	Delirium. 2010 , 903-908		
847	Importficia da monitorizati do delirium na unidade de terapia intensiva. 2010 , 22, 274-279		3
846	Evidence-based guidelines for the management of hip fractures in older persons: an update. 2010 , 192, 37-41		134
845	A screening, prevention, and restoration model for saving the injured brain in intensive care unit survivors. 2010 , 38, S683-91		69
844	The future of orthogeriatrics. 2010 , 39, 664-5		6
843	Dementia and hip fractures: development of a pathogenic framework for understanding and studying risk. 2010 , 1, 52-62		69
842	Prevention and clinical management of hip fractures in patients with dementia. 2010 , 1, 63-72		24
841	Analytic reviews: managing the agitated patient in the ICU: sedation, analgesia, and neuromuscular blockade. 2010 , 25, 187-204		9
840	As We Heal the Body, Do We Harm the Brain?. 2010 , 38, 40-46		
839	An intervention for delirium superimposed on dementia based on cognitive reserve theory. 2010 , 14, 232-42		19
838	Does this patient have delirium?: value of bedside instruments. 2010 , 304, 779-86		272
837	Comanagement of hospitalized surgical patients by medicine physicians in the United States. 2010 , 170, 363-8		46
836	An ACE unit with a delirium room may improve function and equalize length of stay among older delirious medical inpatients. 2010 , 65, 1387-92		25
835	Delirium in the older emergency department patient: a quiet epidemic. 2010 , 28, 611-31		73
834	Emergency orthogeriatrics: concepts and therapeutic alternatives. 2010 , 28, 927-49		16
833	Prevalence of delirium on admission to postacute care is associated with a higher number of nursing home deficiencies. <i>Journal of the American Medical Directors Association</i> , 2010 , 11, 253-6	5.9	14

832	Delirium: a cognitive cost of the comfort of procedural sedation in elderly patients?. 2010 , 85, 12-4	14
831	The impact of frailty in the elderly on the outcome of surgery in the aged. 2010 , 44, 229-49	49
830	Hip fractures in older men. 2010 , 26, 311-29	3
829	Sedation depth during spinal anesthesia and the development of postoperative delirium in elderly patients undergoing hip fracture repair. 2010 , 85, 18-26	300
828	Minimizing perioperative sedation to reduce delirium. 2010 , 5, 357-361	1
827	Nursing care, delirium, and pain management for the hospitalized older adult. 2010 , 11, 177-85	24
826	Delirium Training Program for Nurses. 2010 , 51, 106-111	26
825	Administration of Olanzapine to Prevent Postoperative Delirium in Elderly Joint-Replacement Patients: A Randomized, Controlled Trial. 2010 , 51, 409-418	167
824	Generalidades en cirugâ ortopdica y traumatoldica en grandes ancianos (excluida la columna vertebral). 2010 , 2, 1-13	
823	Handbook of Evidence-Based Critical Care. 2010 ,	10
822	Aging, brain disease, and reserve: implications for delirium. 2010 , 18, 117-27	76
821	Drug-induced, dementia-associated and non-dementia, non-drug delirium hospitalizations in the United States, 1998-2005: an analysis of the national inpatient sample. 2010 , 27, 51-61	29
820	Comparison of ICD-9-based, retrospective, and prospective assessments of perioperative complications: assessment of accuracy in reporting. 2011 , 14, 16-22	120
819	Delirium prevention and treatment. 2011 , 29, 721-7	21
818	In-hospital delirium risk assessment, diagnosis and management; medications to avoid. 2011 , 5, 98-102	
817	Syndrome confusionnel postopfatoire. 2011 , 15, 173-179	
816	Preventing postoperative complications in the elderly. 2011 , 29, 83-97	92
815	The evaluation and management of delirium among older persons. 2011 , 95, 555-77, xi	17

814	Delirium in the intensive care unit: a review. 2011 , 29, 749-63	40
813	Hypoactive delirium after cardiac surgery as an independent risk factor for prolonged mechanical ventilation. 2011 , 25, 968-74	84
812	Orthogeriatrics in Taiwan: Overview and experiences. 2011 , 2, 66-70	4
811	Identification and management of in-hospital drug-induced delirium in older patients. 2011, 28, 737-48	49
810	Fractures in the Elderly. 2011 ,	
809	[Post-surgery cognitive disorders: prevention, diagnosis and treatment strategies]. 2011 , 30, e61-3	O
808	Factors associated with recovery from early postoperative delirium. 2011, 26, 231-41	21
807	Individual risk profiles for postoperative delirium after joint replacement surgery. 2011 , 52, 410-6	16
806	Anticipating and managing postoperative delirium and cognitive decline in adults. 2011, 343, d4331	79
805	Delirium: an emerging frontier in the management of critically ill children. 2011 , 29, 729-50	23
804	Delirium. 2011 , 541-554	1
803	Perioperative Medical Management. 2011 , 93-99	2
802	Cognitive changes after surgery and anesthesia. 330-334	O
801	Management of sedation, analgesia, and delirium. 1041-1060	
800	Perioperative implications of surgery in elderly patients with hip fractures: an evidence-based review. 2011 , 21, 192-7	15
799	Delirium in the older adult orthopaedic patient: predisposing, precipitating, and organic factors. 2011 , 30, 231-8; quiz 239-40	5
79 ⁸	Postoperative delirium. part 2: detection, prevention and treatment. 2011 , 28, 723-32	37
797	Review articles: the effects of perioperative and intensive care unit sedation on brain organ dysfunction. 2011 , 112, 1212-7	23

796	Review articles: postoperative delirium: acute change with long-term implications. 2011 , 112, 1202-11		305
795	Postoperative cognitive disorders. 2011 , 17, 376-81		139
794	Synopsis of the National Institute for Health and Clinical Excellence guideline for prevention of delirium. 2011 , 154, 746-51		138
793	A discursive exploration of the practices that shape and discipline nurses' responses to postoperative delirium. 2011 , 18, 325-35		18
79²	Practical guidelines for the acute emergency sedation of the severely agitated older patient. 2011 , 41, 651-7		39
791	Older adults' medication use 6 months before and after hip fracture: a population-based cohort study. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 863-8	5.6	44
790	Effect of an inpatient geriatric consultation team on functional outcome, mortality, institutionalization, and readmission rate in older adults with hip fracture: a controlled trial. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 1299-308	5.6	69
7 ⁸ 9	The importance of delirium: economic and societal costs. <i>Journal of the American Geriatrics Society</i> , 2011 , 59 Suppl 2, S241-3	5.6	240
788	Validation of a medical record-based delirium risk assessment. <i>Journal of the American Geriatrics Society</i> , 2011 , 59 Suppl 2, S289-94	5.6	21
787	Pilot randomized trial of donepezil hydrochloride for delirium after hip fracture. <i>Journal of the American Geriatrics Society</i> , 2011 , 59 Suppl 2, S282-8	5.6	65
786	Predisposing factors for postoperative delirium after hip fracture repair in individuals with and without dementia. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 2306-13	5.6	108
7 ⁸ 5	Evaluating the effectiveness of educational interventions to prevent delirium. 2011 , 30, 175-85		18
784	Australian and New Zealand Society for Geriatric Medicine. Position statementorthogeriatric care. 2011 , 30, 162-9		11
783	Perioperative care of the older patient. 2011 , 44, 187-91		3
782	Neurologische Komplikationen nach herzchirurgischen Operationen. 2011 , 25, 92-98		2
781	Clinical risk factors for recurrent fracture after hip fracture: a prospective study. 2011 , 88, 425-31		8
780	Confusion et agitation en ranimation âlPrise en charge. 2011 , 20, 617-620		
779	Short-term and long-term orthopaedic issues in patients with fragility fractures. 2011 , 469, 2225-36		21

(2011-2011)

778	Effect of in-hospital comprehensive geriatric assessment (CGA) in older people with hip fracture. The protocol of the Trondheim Hip Fracture trial. 2011 , 11, 18	39
777	Impact of a multifaceted program to prevent postoperative delirium in the elderly: the CONFUCIUS stepped wedge protocol. 2011 , 11, 25	29
776	Study protocol for the recreational stimulation for elders as a vehicle to resolve delirium superimposed on dementia (Reserve For DSD) trial. 2011 , 12, 119	13
775	Early postoperative cognitive dysfunction and postoperative delirium after anaesthesia with various hypnotics: study protocol for a randomised controlled trialthe PINOCCHIO trial. 2011 , 12, 170	36
774	Melatonin decreases delirium in elderly patients: a randomized, placebo-controlled trial. 2011, 26, 687-94	181
773	Management and outcomes of delirious patients with hyperactive symptoms in a secured behavioral unit jointly used by geriatricians and pyschogeriatricians. 2011 , 52, 66-70	8
772	Medical consultation and best practices for preoperative evaluation of elderly patients. 2011, 39, 41-51	18
771	A review of recent clinical trials and guidelines on the prevention and management of delirium in hospitalized older patients. 2011 , 39, 96-106	23
770	[latrogenesis]. 2011 , 136, 1169-71	2
769	Delirium in the intensive care unit: assessment and management. <i>AACN Advanced Critical Care</i> , 2011 , 22, 225-37	10
768	Preoperative evaluation of the adult patient undergoing non-cardiac surgery: guidelines from the European Society of Anaesthesiology. 2011 , 28, 684-722	109
767	Who understands delirium?. 2011 , 40, 412-4	34
766	Independent association between preoperative cognitive status and discharge location after cardiac surgery. 2011 , 20, 129-37	21
765	Risk factors of delirium after cardiac surgery: a systematic review. 2011 , 10, 197-204	103
764	Using the Mini-Mental State Examination to screen for delirium in elderly patients with hip fracture. 2011 , 32, 394-400	17
763	A geriatric multidisciplinary and tailor-made hospital-at-home method in nursing home residents with hip fracture. 2011 , 2, 148-54	17
762	Perioperative Medicine. 2011 ,	1
761	Stop Delirium! A complex intervention to prevent delirium in care homes: a mixed-methods feasibility study. 2011 , 40, 90-8	49

760	Hip fracture management for the hospital-based clinician: a review of the evidence and best practices. 2011 , 39, 52-61	14
759	Preoperative assessment in the elderly: evaluation of a new clinical service. 2012 , 57, 212-6	17
758	[Multidimensional geriatric assessment as clinical approach to the multimorbid patient in acute care]. 2012 , 101, 1627-32	4
757	Cognitive Trajectories After Postoperative Delirium. 2012 , 56, 286-287	
756	Postoperative Delirium. 2012 , 56, 286	
755	Prevention and management of postoperative delirium among older patients on an orthopedic surgical unit: a best practice implementation project. 2012 , 27, 146-53	16
754	Evaluacifi de riesgos quirfigicos y manejo post cirugâ del adulto mayor de 80 a ô s. 2012 , 23, 42-48	
753	Postoperative management of hip fractures: interventions associated with improved outcomes. 2012 , 1, 241	28
75 ²	Postoperative delirium: a 76-year-old woman with delirium following surgery. 2012 , 308, 73-81	149
751	Predictors and correlates of dissatisfaction with intensive care. 2012 , 40, 1554-61	48
75°	Interventions for preventing delirium in older people in institutional long term care. 2012,	5
749	Treatment of four psychiatric emergencies in the intensive care unit. 2012 , 40, 2662-70	31
748	Postoperative course after emergency colorectal surgery for secondary peritonitis in the elderly is often complicated by delirium. 2012 , 97, 129-34	6
747	An evaluation of a proactive geriatric trauma consultation service. 2012 , 256, 1098-101	62
746	Postoperative delirium in elderly patients. 2012 , 112, 38-49; quiz 51, 50	11
745	Prodrome of delirium among long-term care residents: what clinical changes can be observed in the two weeks preceding a full-blown episode of delirium?. 2012 , 24, 1855-64	8
744	Treatment of delirium following cardiac surgery. 2012 , 27, 589-93	15
743	Future directions of delirium research and management. 2012 , 26, 395-405	12

742	Acute nursing care of the older adult with fragility hip fracture: An international perspective (Part 1). 2012 , 16, 177-194	29
741	Preventing delirium in an acute hospital using a non-pharmacological intervention. 2012 , 41, 629-34	115
740	Pharmacotherapy has a potential role in both the prevention and treatment of drug-induced delirium. 2012 , 28, 22-26	
739	Cognition in the aging adult. 2012 , 121-152	
738	Cognitive trajectories after postoperative delirium. <i>New England Journal of Medicine</i> , 2012 , 367, 30-9 59.2	700
737	Evidence-based treatment of delirium in patients with cancer. 2012 , 30, 1206-14	125
736	Prevention of delirium in demented hospitalized patients. 2012 , 23, 124-5	19
735	Does using a femoral nerve block for total knee replacement decrease postoperative delirium?. 2012 , 12, 4	26
734	The effect of a pre- and post-operative orthogeriatric service on cognitive function in patients with hip fracture. The protocol of the Oslo Orthogeriatrics Trial. 2012 , 12, 36	33
733	The Hip Fracture Surgery in Elderly Patients (HIPELD) study: protocol for a randomized, multicenter controlled trial evaluating the effect of xenon on postoperative delirium in older patients undergoing hip fracture surgery. 2012 , 13, 180	10
732	Delirium in critically ill patients: epidemiology, pathophysiology, diagnosis and management. 2012 , 72, 1457-71	75
731	Burns in older adults. 2012 , 279-289	
730	An update on delirium in the postoperative setting: prevention, diagnosis and management. 2012 , 26, 327-43	26
729	Preoperative geriatric assessment: comprehensive, multidisciplinary and proactive. 2012 , 23, 487-94	23
728	Factors related to postoperative delirium in patients with lower limb ischaemia: a prospective cohort study. 2012 , 44, 411-5	34
727	Commentary on 'Factors related to postoperative delirium in patients with lower limb ischaemia: a prospective cohort study, Sasajima et al.'. 2012 , 44, 416	
726	Postoperative complications: delirium. 2012 , 92, 409-31, x	20
725	Postoperative delirium in the PACU and intensive care unit. 2012 , 2, 148-155	9

724	[Delirium in the elder patient: update in prevention, diagnosis and treatment]. 2012, 138, 78-84	2
723	Delirium. 2012 , 40, 658-661	4
722	Perioperative and Postoperative Medical Assessment. 2012 , 1545-1555	
721	Valuation du risque de confusion postopfatoire chez le sujet g. Le point de vue du gfiatre. 2012 , 22, F131-F135	
720	Novel risk markers and long-term outcomes of delirium: the successful aging after elective surgery (SAGES) study design and methods. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 818.61910	92
719	Hip fracture management: tailoring care for the older patient. 2012 , 307, 2185-94	120
718	Delirium in postoperative nonventilated intensive care patients: risk factors and outcomes. 2012 , 2, 51	51
717	Delirium. 15-29	
716	Management of delirium in adult critically ill patients: an overview. 2012 , 15, 499-509	12
715	Delirium postoperatorio: Una ventana hacia una mejorâ de la calidad y seguridad en la atencifi de pacientes quirfigicos. 2012 , 64, 297-305	O
714	[Delirium in older medical inpatients: a one year follow up study]. 2012, 140, 847-52	6
713	Rol de enfermerâ en la prevenciß del delirium en ancianos hospitalizados con fractura de cadera. Recomendaciones generales 2012 , 11,	
712	In Reply. 2012 , 117, 1141-1143	
711	Delirium in cardiac patients: A clinical review. 2012 , 7, 111-115	1
710	Cancer surgery in the elderly. 2012, 2012, 303852	22
709	Delirium in hospitalized patients: implications of current evidence on clinical practice and future avenues for researcha systematic evidence review. 2012 , 7, 580-9	<i>75</i>
708	The prevalence, incidence and risk factors for delirium in Dutch nursing homes and residential care homes. 2012 , 27, 709-15	38
707	Screening for cognitive impairment in older general hospital patients: comparison of the Six-Item Cognitive Impairment Test with the Mini-Mental State Examination. 2012 , 27, 755-62	65

(2013-2012)

706	Enhancing care for hospitalized older adults with cognitive impairment: a randomized controlled trial. 2012 , 27, 561-7		46	
705	A brief review of practical preoperative cognitive screening tools. 2012 , 59, 798-804		44	
704	[Acute postoperative confusional syndrome in the elderly patient]. 2012, 90, 75-84		2	
703	A multidisciplinary intervention program improved the outcome after hip fracture for people with dementiasubgroup analyses of a randomized controlled trial. 2012 , 54, e284-9		89	
702	Preventing delirium in older adults with recent hip fracture through multidisciplinary geriatric consultation. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 733-9	5.6	90	
701	Identifying indicators of important diagnostic features of delirium. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1044-50	5.6	13	
700	Managing delirium in the acute care setting: a pilot focus group study. 2012 , 7, 152-62		20	
699	How nurses understand and care for older people with delirium in the acute hospital: a Critical Discourse Analysis. 2012 , 19, 165-76		31	
698	Long-term outcomes in elderly surgical patients. 2012 , 79, 95-106		36	
697	Postoperative delirium: risk factors and management: continuing professional development. 2012 , 59, 304-20		47	
696	Intensive care unit environment may affect the course of delirium. 2013, 39, 481-8		53	
695	Optimal Management of the Elderly Patient with Muscle-Invasive Bladder Cancer. 2013 , 2, 58-65		1	
694	Orthopedic Aspects of Osteoporosis. 2013, 1641-1648		1	
693	Selecting optimal screening items for delirium: an application of item response theory. 2013 , 13, 8		13	
692	Postoperative delirium and cognitive dysfunction. 2013 , 3, 199-204		7	
691	Incidence and predictive factors of delirium in hospitalised neurological patients. 2013 , 28, 356-360			
690	Delirium in older people after proximal femoral fracture repair: role of a preoperative screening cognitive test. 2013 , 32, e91-6		17	
689	Antipsychotic prophylaxis in surgical patients modestly decreases delirium incidencebut not durationin high-incidence samples: a meta-analysis. 2013 , 35, 370-5		32	

688	Perioperative management of delirium and dementia in the geriatric surgical patient. 2013 , 398, 947-55	6
687	Preventing delirium in the intensive care unit. 2013 , 29, 51-65	141
686	Improving delirium care: prevention, monitoring, and assessment. 2013 , 3, 194-202	18
685	Delirium: a key challenge for perioperative care. 2013 , 11, 136-44	28
684	Trait'sur la maladie dâ&lzheimer. 2013 ,	
683	Developing and implementing an integrated delirium prevention system of care: a theory driven, participatory research study. 2013 , 13, 341	45
682	Strategies for prevention of postoperative delirium: a systematic review and meta-analysis of randomized trials. 2013 , 17, R47	105
681	The Perioperative Medicine Consult Handbook. 2013,	1
680	Hip Fracture: Managing the Medically Complex, Older Surgical Patient. 2013, 141-163	
679	Delirium. 2013 , 203-223	
678	Treatment and prevention of postoperative complications in hip fracture patients: infections and delirium. 2013 , 163, 448-54	17
677	[Procedural organisation: surgical and anaesthesiological management in hip fractures]. 2013, 163, 435-41	1
676	Perioperative delirium and its relationship to dementia. 2013 , 43, 108-15	34
675	Hip fracture and urinary incontinenceuse of indwelling catheter postsurgery. 2013 , 27, 632-42	12
674	Does preoperative risk for delirium moderate the effects of postoperative pain and opiate use on postoperative delirium?. 2013 , 21, 946-56	67
673	A plea for an early mobilization after hip fractures. The geriatric point of view. 2013 , 4, 40-42	3
672	Hip Fracture Management. 2013 , 2, e399-e421	1
	[I'm ready to add a simple test for my anesthesia consultation to screen patients at risk to develop	

(2013-2013)

670	Multi-disciplinary care of the patient with acute hip fracture: How to optimise the care for the elderly, traumatised patient at and around the time of the fracture to ensure the best short-term outcome as a foundation for the best long-term outcome. 2013 , 27, 717-30	12
669	Incidence and predictive factors of delirium in hospitalised neurological patients. 2013 , 28, 356-60	7
668	Hip Fracture. 2013 , 2, e552-e560	
667	Acute confusion states, pain, health, functional status and quality of care among patients with hip fracture during hospital stay. 2013 , 17, 120-130	6
666	Abnormal level of arousal as a predictor of delirium and inattention: an exploratory study. 2013 , 21, 1244-53	76
665	What do we really know about the treatment of delirium with antipsychotics? Ten key issues for delirium pharmacotherapy. 2013 , 21, 1223-38	44
664	Cognitive dysfunction in hip fracture patients. 2013 , 44, 153-62	19
663	Prediction of delirium after cardiac surgery and the use of a risk checklist. 2013 , 12, 284-92	38
662	Prophylaxis with antipsychotic medication reduces the risk of post-operative delirium in elderly patients: a meta-analysis. 2013 , 54, 124-31	90
661	[Anesthesia in the elderly]. 2013 , 42, 197-201	6
660	[Anesthesia in the elderly]. 2013, 42, 197-201 Perioperative Management of Patients with Rheumatic Disease. 2013,	2
660	Perioperative Management of Patients with Rheumatic Disease. 2013,	
660 659	Perioperative Management of Patients with Rheumatic Disease. 2013, Postoperative Delirium. 2013, 243-249 Recommendations for the acute and long-term medical management of low-trauma hip fractures.	2
660 659 658	Perioperative Management of Patients with Rheumatic Disease. 2013, Postoperative Delirium. 2013, 243-249 Recommendations for the acute and long-term medical management of low-trauma hip fractures. 2013, 18, 21-32	2
660 659 658	Perioperative Management of Patients with Rheumatic Disease. 2013, Postoperative Delirium. 2013, 243-249 Recommendations for the acute and long-term medical management of low-trauma hip fractures. 2013, 18, 21-32 Postoperative Central Nervous System Changes in Elderly Surgical Patients. 2013, 325-337 Leitlinie der Deutschen Gesellschaft ffi Ernfürungsmedizin (DGEM) in Zusammenarbeit mit der	5
660 659 658 657	Perioperative Management of Patients with Rheumatic Disease. 2013, Postoperative Delirium. 2013, 243-249 Recommendations for the acute and long-term medical management of low-trauma hip fractures. 2013, 18, 21-32 Postoperative Central Nervous System Changes in Elderly Surgical Patients. 2013, 325-337 Leitlinie der Deutschen Gesellschaft ffl Ernflrungsmedizin (DGEM) in Zusammenarbeit mit der GESKES, der AKE und der DGG. 2013, 38, e1-e48 Delirium in an adult acute hospital population: predictors, prevalence and detection. BMJ Open,	2 5 70

Delirium Uncovered. 2013, 14, 53-59 652 \circ The Perioperative Geriatric Consultation. 2013, 43-59 651 Role of comprehensive geriatric assessment in the management of osteoporotic hip fracture in the 650 28 elderly: an overview. **2013**, 35, 758-65 Delirium outcomes in a randomized trial of blood transfusion thresholds in hospitalized older 5.6 649 42 adults with hip fracture. Journal of the American Geriatrics Society, 2013, 61, 1286-95 Clinical decision support system and incidence of delirium in cognitively impaired older adults 648 6 transferred to intensive care. 2013, 22, 257-62 The delirium experience: what is the effect on patients, relatives and staff and what can be done to 117 modify this?. **2013**, 28, 804-12 Decision-making in transcatheter aortic valve replacement: the impact of frailty in older adults with 646 12 aortic stenosis. **2013**, 11, 761-72 645 New horizons in the pathogenesis, assessment and management of delirium. 2013, 42, 667-74 78 In-facility delirium prevention programs as a patient safety strategy: a systematic review. 2013, 644 73 158, 375-80 Predisposing and precipitating factors of delirium after cardiac surgery: a prospective 643 64 observational cohort study. 2013, 257, 1160-7 Prophylaxis with Antipsychotic Medication Reduces the Risk of Post-Operative Delirium in Elderly 642 4 Patients: A Meta-Analysis. 2013, 11, 544-551 Surgery in the elderly, 425-440 641 640 Psychological and emotional reactions to illness and surgery. 465-467 Outcomes of a Geriatric Liaison Intervention to Prevent the Development of Postoperative Delirium in Frail Elderly Cancer Patients: Report on a Multicentre, Randomized, Controlled Trial. 639 63 **2013**, 8, e64834 The internal medicine specialist and the preoperative risk evaluation and management. 2013, 4-12 638 The internist in the surgical setting: results from the Italian FADOI-ER survey. 2013, 32-38 637 Management of postoperative delirium for geriatric patients with hip fracture: A 636 1 quasi-experimental study. 2014, 3, Interrelationship of postoperative delirium and cognitive impairment and their impact on the functional status in older patients undergoing orthopaedic surgery: a prospective cohort study. 635 34 2014, 9, e110339

634	Validation of a consensus method for identifying delirium from hospital records. 2014, 9, e111823	33
633	Use of Benzodiazepines and Haloperidol Among Orthopedic Patients in Postoperative Delirium. A Systematic Review. 2014 , 3, 67-72	1
632	[Postoperative delirium among older people]. 2014 , 142, 481-93	1
631	Using the Chinese version of Memorial Delirium Assessment Scale to describe postoperative delirium after hip surgery. 2014 , 6, 297	17
630	Cognitive impairment and 1-year outcome in elderly patients with hip fracture. 2014 , 20, 1963-8	11
629	Fractures in the Older Person. 2014 , 236-250	
628	[Development and validation of a clinical predictive model for delirium in hospitalized older people]. 2014 , 142, 826-32	3
627	Delirium: actualizacifi en manejo no farmacolĝico. 2014 , 52, 288-297	2
626	. 2014,	1
625	. 2014,	3
625 624	. 2014, Peri-operative management of older people undergoing surgery. 2014, 24, 78-92	3
624	Peri-operative management of older people undergoing surgery. 2014 , 24, 78-92	
624	Peri-operative management of older people undergoing surgery. 2014 , 24, 78-92 Dementia and Systemic Disease. 2014 , 1263-1277	4
624 623 622	Peri-operative management of older people undergoing surgery. 2014 , 24, 78-92 Dementia and Systemic Disease. 2014 , 1263-1277 What is integrated care?. 2014 , 26, 620-8	12
624 623 622	Peri-operative management of older people undergoing surgery. 2014, 24, 78-92 Dementia and Systemic Disease. 2014, 1263-1277 What is integrated care?. 2014, 26, 620-8 [Delirium and dementia]. 2014, 82, 492-501	12
624 623 622 621	Peri-operative management of older people undergoing surgery. 2014, 24, 78-92 Dementia and Systemic Disease. 2014, 1263-1277 What is integrated care?. 2014, 26, 620-8 [Delirium and dementia]. 2014, 82, 492-501 Optimizing perioperative management of geriatric patients with head and neck cancer. 2014, 36, 743-9 The diagnosis, prevalence and outcome of delirium in a cohort of older people with mental health	12 3 13

616	Effect of the overlap syndrome of depressive symptoms and delirium on outcomes in elderly adults with hip fracture: a prospective cohort study. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1640-8 ^{5.6}	24
615	Delirium: a synthesis of current knowledge. 2014 , 14, 192-5	10
614	The efficacy of peri-operative interventions to decrease postoperative delirium in non-cardiac surgery: a systematic review and meta-analysis. 2014 , 69, 259-69	46
613	Long-term postinjury functional recovery: outcomes of geriatric consultation. 2014 , 149, 83-9	52
612	Delirium in trauma. 2014 , 16, 87-92	2
611	Perioperative education in geriatrics. 2014 , 52, 1-13	
610	Geriatric consultation. 2014 , 52, 14-25	O
609	Abstracts and Highlight Papers of the 33rd Annual European Society of Regional Anaesthesia & Pain Therapy (ESRA) Congress 2014. 2014 , 39, e1-e141	2
608	Fracture as an independent risk factor of dementia: a nationwide population-based cohort study. 2014 , 93, e188	15
607	A new future for hip fracture careorthogeriatrician lead in an 'Acute' Hip Unit. 2014 , 14, 591-6	4
606	Preventive effects of ramelteon on delirium: a randomized placebo-controlled trial. 2014, 71, 397-403	226
605	Summary of the panel session at the 38th Annual Surgical Symposium of the Association of VA Surgeons: what is the big deal about frailty?. 2014 , 149, 1191-7	29
604	Barriers and facilitators to implementing delirium rounds in a clinical trial across three diverse hospital settings. 2014 , 23, 201-15	26
603	Cognitive outcome of surgery: is there no place like home?. 2014 , 118, 898-900	9
602	Delirium in the cardiac surgical ICU. 2014 , 27, 117-22	80
601	Cognition, anesthesia, and surgery. 2014 , 52, 42-57	8
600	Neuropsychiatric symptoms and rehabilitation outcomes in patients with hip fracture. 2014 , 93, 562-9	16
599	Attributing the benefits of individual components in a multicomponent intervention: a familiar challenge in comprehensive geriatric care. <i>Journal of the American Medical Directors Association</i> , 5.9 2014 , 15, 381-2	О

598	Ethical challenges and solutions regarding delirium studies in palliative care. 2014 , 48, 259-71	25
597	Postoperative delirium in Parkinson's disease patients following deep brain stimulation surgery. 2014 , 21, 1192-5	30
596	The cost-effectiveness of multi-component interventions to prevent delirium in older people undergoing surgical repair of hip fracture. 2014 , 24, 187-95	17
595	Outcomes of surgery in lung cancer patients with schizophrenia. 2014 , 44, 855-8	6
594	Delirium in elderly people. 2014 , 383, 911-22	1684
593	Pilot trial of Stop Delirium! (PiTStop)a complex intervention to prevent delirium in care homes for older people: study protocol for a cluster randomised controlled trial. 2014 , 15, 47	5
592	Haloperidol prophylaxis does not prevent postoperative delirium in elderly patients: a randomized, open-label prospective trial. 2014 , 44, 2305-13	34
591	Anticholinergic activity in cerebrospinal fluid and serum in individuals with hip fracture with and without delirium. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 94-102	26
590	Delirium. 2014 , 3, e85-e92	2
589	NICE to HELP: operationalizing National Institute for Health and Clinical Excellence guidelines to improve clinical practice. <i>Journal of the American Geriatrics Society,</i> 2014 , 62, 754-61	62
588	Should general anaesthesia be avoided in the elderly?. 2014 , 69 Suppl 1, 35-44	90
587	Interventions for preventing delirium in older people in institutional long-term care. 2014, CD009537	31
586	[Delirium on the ICU: clinical impact, diagnostic workup, and therapy]. 2014 , 109, 129-36	4
585	[Delirium]. 2014 , 55, 775-81	5
584	[Delirium in patients with neurological diseases: diagnosis, management and prognosis]. 2014 , 85, 427-36	8
583	The effect of a pre- and postoperative orthogeriatric service on cognitive function in patients with hip fracture: randomized controlled trial (Oslo Orthogeriatric Trial). 2014 , 12, 63	106
582	Postoperative prevention of falls in older adults with fragility fractures. 2014 , 30, 333-47	11
581	Postoperative delirium: risk factors, prevention, and treatment. 2014 , 28, 1352-60	40

580	[Delirium prevention and treatment in elderly hip fracture]. 2014 , 142, 365-9	12
579	[Orthogeriatric activity in public hospitals of Castilla y Lefi: description and review of the literature]. 2014 , 49, 137-44	8
578	NICHE Solutions âlbeventh in a series: Focus on delirium. 2014 , 35, 82-83	0
577	Management of common postoperative complications: delirium. 2014 , 30, 271-8	13
576	A multifaceted educational intervention to prevent delirium in older inpatients: a before and after study. 2014 , 51, 974-82	41
575	Gender differences in factors associated with delirium severity in older adults with dementia. 2014 , 28, 187-92	10
574	Influence of psychiatric disorders on surgical outcomes and care resource use in Japan. 2014, 36, 523-7	13
573	Pediatric hospital medicine role in the comanagement of the hospitalized surgical patient. 2014 , 61, 653-61	4
57 ²	Improving delirium care through early intervention: from bench to bedside to boardroom. 2014 , 85, 207-13	37
571	The elderly patient. 311-322	1
570	Early Intervention for Delirium. 2014 , 234-254	1
569	Diagnoses of psychiatric disorders in hypothetical patients by non-psychiatric physicians in Japan. 2014 , 47, 65-74	2
568	Orthogeriatric care models and outcomes in hip fracture patients: a systematic review and meta-analysis. 2014 , 28, e49-55	325
567	A Population-Based Care Improvement Initiative for Patients at Risk for Delirium, Alcohol Withdrawal, and Suicide Harm. 2015 , 41, 291-302	4
566	Orthopedic trauma and compartment syndrome. 129-133	
565	Hip fractures and outcomes. 134-139	
564	Identifying Documentation of Delirium in Clinical Notes through Topic Modeling. 2015,	0
563	Prevention of delirium (POD) for older people in hospital: study protocol for a randomised controlled feasibility trial. 2015 , 16, 340	18

(2015-2015)

562	Estimating the effect of incident delirium on short-term outcomes in aged hip fracture patients through propensity score analysis. 2015 , 15, 848-55	22
561	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. 2015 , CD010569	23
560	Delirium After Hip Fracture: Still a Problem. 2015 , 121, 1119-20	4
559	Delirium. 1-6	
558	Optimal setting and care organization in the management of older adults with hip fracture: a narrative review. 2015 , 1,	7
557	Acute care of older patients in the emergency department: strategies to improve patient outcomes. 2015 , 7, 45-54	30
556	Management of Delirium in the Elderly Patients: A Review of Evidence. 2015 , 01,	1
555	Trauma in the elderly. 609-622	
554	Risk Factors and Outcomes for Postoperative Delirium after Major Surgery in Elderly Patients. 2015 , 10, e0136071	136
553	Delirium as a marker of vulnerability in the elderly. 2015 , 1,	2
553 552	Delirium as a marker of vulnerability in the elderly. 2015 , 1, Special populations. 569-593	2
		2 46
552	Special populations. 569-593 The effects of a tailored intensive care unit delirium prevention protocol: A randomized controlled	
552 551	Special populations. 569-593 The effects of a tailored intensive care unit delirium prevention protocol: A randomized controlled trial. 2015, 52, 1423-32	46
55 ² 55 ¹	Special populations. 569-593 The effects of a tailored intensive care unit delirium prevention protocol: A randomized controlled trial. 2015, 52, 1423-32 Orthogeriatrics in the management of frail older patients with a fragility fracture. 2015, 26, 2387-99 Circadian rhythms in anesthesia and critical care medicine: potential importance of circadian	46 53
55 ² 55 ¹ 55 ⁰	Special populations. 569-593 The effects of a tailored intensive care unit delirium prevention protocol: A randomized controlled trial. 2015, 52, 1423-32 Orthogeriatrics in the management of frail older patients with a fragility fracture. 2015, 26, 2387-99 Circadian rhythms in anesthesia and critical care medicine: potential importance of circadian disruptions. 2015, 19, 49-60 Effectiveness of multicomponent nonpharmacological delirium interventions: a meta-analysis. 2015	46 53 35
552 551 550 549 548	Special populations. 569-593 The effects of a tailored intensive care unit delirium prevention protocol: A randomized controlled trial. 2015, 52, 1423-32 Orthogeriatrics in the management of frail older patients with a fragility fracture. 2015, 26, 2387-99 Circadian rhythms in anesthesia and critical care medicine: potential importance of circadian disruptions. 2015, 19, 49-60 Effectiveness of multicomponent nonpharmacological delirium interventions: a meta-analysis. 2015, 175, 512-20 Health economic implications of perioperative delirium in older patients after surgery for a fragility	46 53 35 378

New guidance on the prevention and treatment of postoperative delirium in older adults. **2015**, 36, 83-4

543	Prevention of post-operative delirium in older patients with cancer undergoing surgery. 2015 , 6, 60-9	21
542	Do antipsychotics prevent postoperative delirium? A systematic review and meta-analysis. 2015 , 30, 333-44	39
541	Postoperative Delirium. 2015 , 273-277	
540	American Geriatrics Society abstracted clinical practice guideline for postoperative delirium in older adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 142-50	253
539	Preventing delirium: should non-pharmacological, multicomponent interventions be used? A systematic review and meta-analysis of the literature. 2015 , 44, 196-204	112
538	A multifaceted intervention package to improve the diagnosis and management of delirium. 2014 , 1-6	2
537	Nonpharmacological interventions to prevent delirium: an evidence-based systematic review. 2015 , 35, 39-50; quiz 51	44
536	Evaluation of older Adults with obesity for bariatric surgery: Geriatricians' perspective. 2015 , 6, 45-53	22
535	Postoperative Delirium in the Geriatric Patient. 2015 , 33, 505-16	60
534	Determinants of functional outcome in hip fracture patients: the role of specific neuropsychiatric symptoms. 2015 , 37, 517-22	9
533	[Clinical pathway for hip fracture patients]. 2015 , 50, 161-7	10
532	Quality of Care Delivered Before vs After a Quality-Improvement Intervention for Acute Geriatric Trauma. 2015 , 220, 820-30	24
531	Pharmacologic prevention and treatment of delirium in intensive care patients: A systematic review. 2015 , 30, 799-807	78
530	Developing a Prediction Model for Post-Operative Delirium and Long-Term Outcomes Among Older Patients Receiving Elective Orthopedic Surgery: A Prospective Cohort Study in Taiwan. 2015 , 18, 347-55	13
529	The Geriatric ICU Patient. 2015 , 773-785	
528	Understanding and reducing disability in older adults following critical illness. 2015 , 43, 1265-75	78
527	Does Apolipoprotein E Genotype Increase Risk of Postoperative Delirium?. 2015 , 23, 1029-1037	21

(2016-2015)

526	case-control study. 2015 , 15, 69	26
525	Eiologie und Therapie des Delirs. 2015 , 41, 586-596	
524	Frailty and Organization of Health and Social Care. 2015 , 41, 161-73	2
523	Effect of Delirium and Other Major Complications on Outcomes After Elective Surgery in Older Adults. 2015 , 150, 1134-40	207
522	Is Scheduled Intravenous Acetaminophen Effective in the Pain Management Protocol of Geriatric Hip Fractures?. 2015 , 6, 202-8	30
521	Case 3-2015: preventing adverse outcomes in the very elderly cardiac surgical patients. 2015 , 29, 510-21	Ο
520	Preoperative risk factors for postoperative delirium following hip fracture repair: a systematic review. 2015 , 30, 900-10	96
519	Postoperative delirium in older adults: best practice statement from the American Geriatrics Society. 2015 , 220, 136-48.e1	273
518	Do Postoperative Pain Management Techniques Influence Postoperative Delirium?. 2015 , 5, 10-16	
517	Operative risk stratification in the older adult. 2015 , 95, 149-72	15
516	The Perioperative Medicine Consult Handbook. 2015 ,	2
515	Prevalencia del delirium en pacientes con enfermedad oncolgica avanzada ingresados en una unidad de cuidados paliativos. 2016 , 23, 165-171	2
514	15. Perioperatives Schmerzmanagement. 2016 ,	О
513	Clinical outcome and predictors of adverse events of an enhanced older adult psychiatric liaison service: Rapid Assessment Interface and Discharge (Newport). 2017 , 12, 29-36	9
512	Orthogeriatric care: improving patient outcomes. 2016 , 11, 843-56	38
511	Surgery in the older person: Training needs for the provision of multidisciplinary care. 2016 , 98, 367-70	25
510	Dexmedetomidine for prevention of delirium in elderly patients after non-cardiac surgery. 2016 , 8, E1759-E1	762

508	Appropriate care for older people with cognitive impairment in hospital. 2016 , 205, S12-S15	10
507	Cognitive Impairment in Hospitalized Seniors. 2016 , 1,	5
506	Perioperative medicine for older patients: how do we deliver quality care?. 2016 , 3, 33-36	5
505	DELirium Prediction Based on Hospital Information (Delphi) in General Surgery Patients. 2016 , 95, e3072	36
504	Enhanced Rehabilitation and Care Models for Adults With Dementia Following Hip Fracture Surgery. 2016 , 35, 187-8	2
503	Keine Party auf Station?. 2016 , 24, 276-280	3
502	Perioperative cognitive protection. 2016 , 117, iii52-iii61	36
501	Interdisciplinary management of hip fracture. 2016 , 16, 541-544	15
500	The influence of a history of clinical depression on peri-operative outcomes in elective total shoulder arthroplasty: a ten-year national analysis. 2016 , 98-B, 818-24	43
499	Recognition, management, and prevention of delirium. 2016 , 148-156	
498	Aplicacifi de un programa multidisciplinario para el manejo de fracturas de cadera en el adulto mayor. Incidencia de comorbilidades y su impacto en la oportunidad quirfigica. 2016 , 30, 84-89	1
497	Impact of non-pharmacological interventions on prevention and treatment of delirium in critically ill patients: protocol for a systematic review of quantitative and qualitative research. 2016 , 5, 75	26
496	Preventive strategies and potential therapeutic interventions for delirium in sepsis. 2016 , 44, 190-202	3
495	Predicting delirium after hip fracture with a 2-min cognitive screen: prospective cohort study. 2016 , 45, 713-7	3
494	Mental Health and Older People. 2016,	1
493	The Impact of Delirium After Cardiac Surgical Procedures on Postoperative Resource Use. 2016 , 101, 1663-9	66
492	Clinical effectiveness of orthogeriatric and fracture liaison service models of care for hip fracture patients: population-based longitudinal study. 2016 , 45, 236-42	93
491	Abnormal Mini-Cog Is Associated with Higher Risk of Complications and Delirium in Geriatric Patients with Fracture. 2016 , 98, 742-50	31

490	[Delirium: Concepts, Etiology, and Clinical Management]. 2016 , 84, 233-44		5
489	Risk factors of post-operative delirium after elective vascular surgery in the elderly: A systematic review. 2016 , 35, 1-6		49
488	Influence of Studies Published by the Journal of the American Geriatrics Society: Top 20 Articles from 2000-2015. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 1763-8	5.6	2
487	Loss of melatonin daily rhythmicity is asociated with delirium development in hospitalized older adults. 2016 , 9, 285-288		20
486	Incident delirium in acute geriatric medicine: Are iatrogenic causes really important?. 2016 , 7, 492-496		
485	Orthopedic surgery modulates neuropeptides and BDNF expression at the spinal and hippocampal levels. 2016 , 113, E6686-E6695		42
484	Prevalence, determinants, and prognostic significance of delirium in patients with acute heart failure. 2016 , 222, 521-527		35
483	Risk Evaluation of Postoperative Delirium Using Comprehensive Geriatric Assessment in Elderly Patients with Esophageal Cancer. 2016 , 40, 2705-2712		16
482	Delir: Konzepte, Eiologie und klinisches Management. 2016 , 43, 452-463		3
481	Preventing delirium in dementia: Managing risk factors. 2016 , 92, 35-40		16
480	Management of the Critically Ill Geriatric Patient. 2016 , 743-758		
479	Delirium After Spine Surgery in Older Adults: Incidence, Risk Factors, and Outcomes. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2101-2108	5.6	78
478	Risicoscreening voor delirium bij heupfractuur. 2016 , 11, 8-12		
477	First Place Award Multidisciplinary care of the hip fracture patient: a case control analysis of differing treatment protocols. 2016 , 27, 346-350		3
476	Understanding cognition in older patients with cancer. 2016 , 7, 258-69		36
475	The PiTSTOP study: a feasibility cluster randomized trial of delirium prevention in care homes for older people. 2016 , 45, 652-61		22
474	Non-Pharmacological Interventions to Prevent or Treat Delirium in Older Patients: Clinical Practice Recommendations The SENATOR-ONTOP Series. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 927-93	36 ²	36
473	Review of Postoperative Delirium in Geriatric Patients Undergoing Hip Surgery. 2016 , 7, 100-5		54

472	Characteristics of older people with cognitive impairment attending emergency departments: A descriptive study. 2016 , 19, 118-26	12
47 ¹	Interventions for preventing delirium in hospitalised non-ICU patients. 2016 , 3, CD005563	186
470	Australian and New Zealand Society for Geriatric Medicine Position Statement Abstract: Delirium in older people. 2016 , 35, 292	1
469	A before and after study of a nurse led comprehensive delirium management programme (DemDel) for older acute care inpatients with cognitive impairment. 2016 , 53, 27-38	17
468	Burden of Geriatric Events Among Older Adults Undergoing Major Cancer Surgery. 2016 , 34, 1231-8	49
467	Pilot study of a preventive multicomponent nurse intervention to reduce the incidence and severity of delirium in hospitalized older adults: MID-Nurse-P. 2016 , 86, 86-94	18
466	Neural substrates of vulnerability to postsurgical delirium as revealed by presurgical diffusion MRI. 2016 , 139, 1282-94	62
465	Geriatric assessment in daily oncology practice for nurses and allied health care professionals: Opinion paper of the Nursing and Allied Health Interest Group of the International Society of Geriatric Oncology (SIOG). 2016 , 7, 315-24	36
464	The implementation of a nonpharmacologic protocol to prevent intensive care delirium. 2016 , 31, 206-11	48
463	Dedicated Perioperative Hip Fracture Comanagement Programs are Cost-effective in High-volume Centers: An Economic Analysis. 2016 , 474, 222-33	71
462	[Management of delirium in the intensive care unit: Non-pharmacological therapy options]. 2017 , 112, 320-325	8
461	Views from health professionals on accessing rehabilitation for people with dementia following a hip fracture. 2017 , 16, 1020-1031	17
460	Factors determining eligibility and access to subacute rehabilitation for elderly people with dementia and hip fracture. 2017 , 16, 413-423	13
459	The National Hip Fracture Database (NHFD) - Using a national clinical audit to raise standards of nursing care. 2017 , 26, 3-6	14
458	Association Between Preoperative Malnutrition and Postoperative Delirium After Hip Fracture Surgery in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1222-1228	57
457	Design considerations of a randomized controlled trial of sedation level during hip fracture repair surgery: a strategy to reduce the incidence of postoperative delirium in elderly patients. 2017 , 14, 299-307	12
456	Effect of admission fascia iliaca compartment blocks on post-operative abbreviated mental test scores in elderly fractured neck of femur patients: a retrospective cohort study. 2017 , 17, 2	13
455	Mind Over Matter? The Hidden Epidemic of Cognitive Dysfunction in the Older Surgical Patient. 2017 , 265, 677-691	53

454	Comprehensive Geriatric Assessment for Prevention of Delirium After Hip Fracture: A Systematic Review of Randomized Controlled Trials. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1559-1565 ^{5.6}	30
453	Sepsis Within 30 Days of Geriatric Hip Fracture Surgery. 2017 , 32, 3114-3119	9
452	Acute Brain Failure: Pathophysiology, Diagnosis, Management, and Sequelae of Delirium. 2017 , 33, 461-519	130
451	Effect of a Modified Hospital Elder Life Program on Delirium and Length of Hospital Stay in Patients Undergoing Abdominal Surgery: A Cluster Randomized Clinical Trial. 2017 , 152, 827-834	104
450	Delirium in critically ill patients. 2017 , 141, 449-466	47
449	European Society of Anaesthesiology evidence-based and consensus-based guideline on postoperative delirium. 2017 , 34, 192-214	362
448	The Risk Factors of Postoperative Delirium after Total Knee Arthroplasty. 2017 , 30, 600-605	11
447	Three Decades of Comprehensive Geriatric Assessment: Evidence Coming From Different Healthcare Settings and Specific Clinical Conditions. <i>Journal of the American Medical Directors</i> 5.9 Association, 2017 , 18, 192.e1-192.e11	183
446	Robot-assisted surgery in elderly and very elderly population: our experience in oncologic and general surgery with literature review. 2017 , 29, 55-63	37
445	Association between Cognitive Status before Surgery and Outcomes in Elderly Patients with Hip Fracture in a Dedicated Orthogeriatric Care Pathway. 2017 , 56, 145-156	12
444	Team Approach: Management of Postoperative Delirium in the Elderly Patient with Femoral-Neck Fracture. 2017 , 5, e8	8
443	Delirium. 2017 , 155-185	
442	Cholinergic enhancers for preventing postoperative delirium among elderly patients after hip fracture surgery: A meta-analysis. 2017 , 8, 486-491	1
441	Delirium in Hospitalized Older Adults. <i>New England Journal of Medicine</i> , 2017 , 377, 1456-1466 59.2	355
440	The frail fail: Increased mortality and post-operative complications in orthopaedic trauma patients. 2017 , 48, 2443-2450	27
439	Clinical Assessment and Management of Delirium in the Palliative Care Setting. 2017 , 77, 1623-1643	65
438	The New APGAR SCORE: A Checklist to Enhance Quality of Life in Geriatric Patients with Hip Fracture. 2017 , 99, e77	5
437	Perioperative Gabapentin Does Not Reduce Postoperative Delirium in Older Surgical Patients: A Randomized Clinical Trial. 2017 , 127, 633-644	33

436	Italian intersociety consensus on prevention, diagnosis, and treatment of delirium in hospitalized older persons. 2017 , 8, 293-298		2
435	Incidence, prognostic factors and impact of postoperative delirium after major vascular surgery: A meta-analysis and systematic review. 2017 , 22, 387-397		45
434	Using national hip fracture registries and audit databases to develop an international perspective. 2017 , 48, 2174-2179		54
433	Cutaneous Drug Reactions in the Elderly. 2017 , 34, 655-672		7
432	Delirium. 2017 , 44, 541-559		25
431	Trends in Aging-Related Services During Nephrectomy: Implications for Surgery in an Aging Population. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2290-2296	5.6	1
430	Perceptions of Families of Intensive Care Unit Patients Regarding Involvement in Delirium-Prevention Activities: A Qualitative Study. 2017 , 37, e1-e9		88
429	Perceptions of Family Members, Nurses, and Physicians on Involving Patients' Families in Delirium Prevention. 2017 , 37, 48-57		11
428	Prevention of Postoperative Geriatric Syndromes. 283-289		
427	Prevention and Management of Postoperative Delirium in Elderly Patients Following Elective Spinal Surgery. 2017 , 30, 112-119		46
426	Delirium Following Transcatheter Aortic Valve Replacement: National Inpatient Sample Analysis. 2017 , 31, 1977-1984		16
425	Postoperative delirium in elderly patients is associated with subsequent cognitive impairment. 2017 , 119, 316-323		104
424	Comprehensive geriatric care reduces acute perioperative delirium in elderly patients with hip fractures: A meta-analysis. 2017 , 96, e7361		18
423	Haloperidol prophylaxis for preventing aggravation of postoperative delirium in elderly patients: a randomized, open-label prospective trial. 2017 , 47, 815-826		21
422	Delirium: Time to climb this babylon tower. 2017 , 38, e18-e19		
421	Impact of Delirium After Hip Fracture Surgery on One-Year Mortality in Patients With or Without Dementia: A Case of Effect Modification. 2017 , 25, 308-315		37
420	Pre-Operative Management. 2017 , 63-79		1
419	The Orthogeriatric Approach: Progress Worldwide. 2017 , 1-18		1

418	Translating Delirium Prevention Strategies for Elderly Adults with Hip Fracture into Routine Clinical Care: A Pragmatic Clinical Trial. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 567-573	5.6	28
417	Orthogeriatrics. 2017 ,		4
416	Delirium masquerading as dementia. 435-445		
415	Effectiveness of multi-component interventions on incidence of delirium in hospitalized older patients with hip fracture: a systematic review protocol. 2017 , 15, 259-268		3
414	[Perioperative care of older patients with hip fractures]. 2017, 145, 1437-1446		2
413	Nonpharmacological Interventions Targeted at Delirium Risk Factors, Delivered by Trained Volunteers (Medical and Psychology Students), Reduced Need for Antipsychotic Medications and the Length of Hospital Stay in Aged Patients Admitted to an Acute Internal Medicine Ward: Pilot		20
412	Implementing Nurse-Facilitated Person-Centered Care Approaches for Patients With Delirium Superimposed on Dementia in the Acute Care Setting. 2017 , 43, 21-28		12
411	Surgical frailty assessment: a missed opportunity. 2017 , 17, 99		31
410	Nu-DESC DK: the Danish version of the nursing delirium screening scale (nu-DESC). 2017 , 16, 75		8
409	Cognitive stimulation and occupational therapy for delirium prevention. 2017, 29, 248-252		7
408	Dementia and delirium, the outcomes in elderly hip fracture patients. 2017, 12, 421-430		84
407	Detecting Delirium in Hospitalized Elderly Patients: A Review of Practice Compliance. 2018 , 34, 91-98		
406	Fractures in the Elderly. 2018 ,		1
405	Postoperative delirium. 2018 , 47, e53-e64		42
404	Establishing a proactive geriatrician led comprehensive geriatric assessment in older emergency surgery patients: Outcomes of a pilot study. 2018 , 72, e13096		6
403	Incidence, Risk Factors, and Sequelae of Post-kidney Transplant Delirium. 2018 , 29, 1752-1759		61
402	Effects of a Medication Review on Delirium in Older Hospitalised Patients: A Comparative Retrospective Cohort Study. 2018 , 35, 153-161		9
401	Evidence-Based Practice Guideline: Delirium. 2018 , 44, 14-24		9

400	Comprehensive geriatric assessment for older people admitted to a surgical service. 2018 , 1, CD012485	56
399	Benzodiazepine administration during adult cardiac surgery: a survey of current practice among Canadian anesthesiologists working in academic centres. 2018 , 65, 263-271	11
398	Do Risk Prediction Models for Postoperative Delirium Consider Patients' Preoperative Medication Use?. 2018 , 35, 213-222	5
397	Pre- and postoperative management of risk factors for postoperative delirium: who is in charge and what is its essence?. 2018 , 30, 245-248	5
396	Therapeutic Advances in the Prevention and Treatment of Delirium in the Hospital Setting. 2018 , 25, e3-e14	4
395	Delirium in the Elderly. 2018 , 41, 1-17	58
394	Delirium Prevention: Update on Multidisciplinary, Non-drug Prevention of Delirium Among Hospitalized Elderly. 2018 , 111-123	
393	Quality and Safety. 2018 , 151-181	
392	The hip fracture surgery in elderly patients (HIPELD) study to evaluate xenon anaesthesia for the prevention of postoperative delirium: a multicentre, randomized clinical trial. 2018 , 120, 127-137	25
391	Effectiveness of multicomponent interventions on incidence of delirium in hospitalized older patients with hip fracture: a systematic review. 2018 , 30, 481-492	23
390	Integrating Geriatric Principles into Critical Care Medicine: The Time Is Now. 2018 , 15, 518-522	18
389	Postoperative Cognitive Issues. 59-74	
388	Use of Dexmedetomidine in Cardiothoracic and Vascular Anesthesia. 2018 , 32, 1426-1438	16
387	Development of dementia in patients with femoral neck fracture who experience postoperative delirium-A three-year follow-up study. 2018 , 33, 623-632	21
386	CORR Insights : The Rothman Index is Associated With Postdischarge Adverse Events After Hip Fracture Surgery in Geriatric Patients. 2018 , 476, 1007-1009	O
385	Designing a nurse-delivered delirium bundle: What intensive care unit staff, survivors, and their families think?. 2018 , 31, 174-179	9
384	A Mouse Model of Orthopedic Surgery to Study Postoperative Cognitive Dysfunction and Tissue Regeneration. 2018 ,	17
383	Postoperative Delirium as a Complication of Maxillofacial Surgery. 2018 , 625-634	

382	Perioperative Delirium Protocol for the Older Patient. 2018, 33, 275-280		3
381	Where next for delirium research?. 2018 , 33, 1512-1520		9
380	Preoperative geriatric assessment and tailored interventions in frail older patients with colorectal cancer: a randomized controlled trial. 2018 , 20, 16-25		51
379	Risk factors for mortality in elderly patients with hip fractures: a meta-analysis of 18 studies. 2018 , 30, 323-330		43
378	Italian intersociety consensus on prevention, diagnosis, and treatment of delirium in hospitalized older persons. 2018 , 13, 113-121		15
377	Basic Preoperative Evaluation and Preoperative Management of the Older Patient. 2018 , 53-66		
376	Preoperative Screening. 2018, 34, 95-105		8
375	Geriatric Medicine. 2018,		
374	Hip Fracture in the Elderly Patients: A Sentinel Event. 2018 , 35, 612-619		8
373	Characteristics of Patients With Constant Observers. 2018 , 59, 67-74		7
372	Delirium in Elderly Patients. 2018 ,		
371	A Proactive Approach to High Risk Delirium Patients Undergoing Total Joint Arthroplasty. 2018 , 33, 1	171-117	62
370	Post-operative delirium: a review of diagnosis and treatment strategies. 2018 , 3, 8-8		2
369	Sâdrome confusional. 2018 , 12, 4055-4061		
368	Effect of regional versus general anaesthesia on postoperative delirium in elderly patients undergoing surgery for hip fracture: a systematic review. <i>BMJ Open</i> , 2018 , 8, e020757	3	49
367	Which orthopaedic trauma patients need psychiatry consultation? A single institution pilot survey study. 2018 , 29, 270-274		
366	Delirium detection by a novel bispectral electroencephalography device in general hospital. 2018 , 72, 856-863		24
365	Interprofessional Intervention to Improve Geriatric Consultation Timing on an Acute Medical Service. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 2372-2376	5.6	2

364	The Association of Delirium with Perioperative Complications in Primary Elective Total Hip Arthroplasty. 2018 , 10, 286-291	18
363	Neurocognitive Disorders. 2018 , 139-165	
362	The Robustness of Trials That Guide Evidence-Based Orthopaedic Surgery. 2018 , 100, e85	25
361	Multicomponent Interventions Reduce High-Risk Medications for Delirium in Hospitalized Older Adults. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 1638-1645	10
360	Postoperative delirium in the elderly: the potential neuropathogenesis. 2018, 30, 1287-1295	17
359	Should This Patient Receive Prophylactic Medication to Prevent Delirium?: Grand Rounds Discussion From Beth Israel Deaconess Medical Center. 2018 , 168, 498-505	3
358	The Case for Comanagement and Care Pathways for Osteoporotic Patients with a Hip Fracture. 2018 , 100, 1343-1350	4
357	Risk factors for onset of delirium after neck of femur fracture surgery: a prospective observational study. 2018 , 4, 27	14
356	Identifying older adults at risk of harm following elective surgery: a systematic review and meta-analysis. 2018 , 16, 2	76
355	A contemporary population-based analysis of the incidence, cost, and outcomes of postoperative delirium following major urologic cancer surgeries. 2018 , 36, 341.e15-341.e22	15
354	Epidemiology of Aging, Disability, Frailty and Overall Role of Physiatry. 2018, 1-17	2
353	The Better Assessment of Illness Study for Delirium Severity: Study Design, Procedures, and Cohort Description. 2019 , 65, 20-29	7
352	Quality of care in hospitalized cancer patients before and after implementation of a systematic prevention program for delirium: the DELTA exploratory trial. 2019 , 27, 557-565	9
351	A systematic review of proactive psychiatric consultation on hospital length of stay. 2019 , 60, 120-126	21
350	Initiative for Prevention and Early Identification of Delirium in Medical-Surgical Units: Lessons Learned in the Past Five Years. 2019 , 132, 1421-1430.e8	16
349	Effects of dexamethasone on post-operative cognitive dysfunction and delirium in adults following general anaesthesia: a meta-analysis of randomised controlled trials. 2019 , 19, 113	16
348	Inclusion, characteristics and outcomes of people requiring palliative care in studies of non-pharmacological interventions for delirium: A systematic review. 2019 , 33, 878-899	8
347	Future Directions for Geriatric Anesthesiology. 2019 , 37, 581-592	1

346	Delirium after emergency hip surgery - common and serious, but rarely consented for. 2019 , 10, 228-234	4
345	Multicomponent, nonpharmacological delirium interventions for older inpatients: A´scoping review. 2019 , 52, 229-242	5
344	The prevalence of delirium in patients in Iran: a systematic review and meta-analysis. 2019, 14, FNL34	3
343	Impact of a delirium prevention project among older hospitalized patients who underwent orthopedic surgery: a retrospective cohort study. 2019 , 19, 289	4
342	Delirium Management in the ICU. 2019 , 21, 59	10
341	Prevention of postoperative delirium in elderly patients planned for elective surgery: systematic review and meta-analysis. 2019 , 14, 1095-1117	62
340	48 h for femur fracture treatment: are we choosing the wrong quality index?. 2019 , 20, 11	2
339	Comprehensive Hip Fracture Care Program: Successive Implementation in 3 Hospitals. 2019 , 10, 2151459319	846057
338	Impact of cognitive impairment on the recovery of functional capacity, institutionalization and mortality of elderly patients following hip fracture intervention. 2019 , 50, 23-31	
337	Incidence and predictors of postoperative delirium in the older acute care surgery population: a prospective study. 2019 , 62, 33-38	17
336	Delirium Incidence and Functional Outcomes After Transcatheter and Surgical Aortic Valve Replacement. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1393-1401	16
335	Delirium after hip hemiarthroplasty for proximal femoral fractures in elderly patients: risk factors and clinical outcomes. 2019 , 14, 427-435	34
334	Approach to the risk of delirium in an orthogeriatric unit. 2019 , 152, 298-302	1
333	Developing an Intervention for Fall-Related Injuries in Dementia (DIFRID): an integrated, mixed-methods approach. 2019 , 19, 57	4
332	Dementia in an Acute Hospital Setting: Health Service Research to Profile Patient Characteristics and Predictors of Adverse Clinical Outcomes. 2019 , 4,	3
331	Delirium management: Let's get physical? A systematic review and meta-analysis. 2019 , 38, 231-241	39
330	Recommandation sur lâĦnesthŝie du sujet ট্র': lâĦxemple de fracture de lâĦxtrħit'suprieure du fmur. 2019 , 5, 122-138	6
329	Preoperative geriatric assessment and follow-up of patients older than 75 years undergoing elective surgery for suspected colorectal cancer. 2019 , 10, 709-715	11

328	Antipsychotics for Preventing Delirium in Hospitalized Adults: A Systematic Review. 2019 , 171, 474-484	44
327	The Perioperative Care of Older Patients. 2019 , 116, 63-69	20
326	Non-pharmacological interventions for preventing delirium in hospitalised non-ICU patients. 2019,	5
325	Reducing Risk in Total Joint Arthroplasty: Assessing Mental Health, Mood, and Movement Disorders. 2019 , 34, 193-199	
324	Team Approach: Multidisciplinary Treatment of Hip Fractures in Elderly Patients: Orthogeriatric Care. 2019 , 7, e6	2
323	Delirium in the critically ill patient. 2019 , 167, 357-375	6
322	Primary Prevention to Maintain Cognition and Prevent Acute Delirium Following Orthopaedic Surgery. 2019 , 38, 244-250	3
321	16. Delir und Postoperative kognitive Dysfunktion (POCD). 2019 , 322-348	
320	A daily multidisciplinary assessment of older adults undergoing elective colorectal cancer surgery is associated with reduced delirium and geriatric syndromes. 2019 , 10, 298-303	15
319	Emergency General Surgery in the Elderly. 2019 , 451-463	1
318	Advances in Diagnosis and Management of Cutaneous Adverse Drug Reactions. 2019,	2
317	Aproach to the risk of delirium in an orthogeriatric unit. 2019 , 152, 298-302	
316	The International Collaboration of Orthopaedic Nursing (ICON): Best practice nursing care standards for older adults with fragility hip fracture. 2019 , 32, 3-26	9
315	"Just another piece of paperwork": perceptions of clinicians on delirium screening following hip fracture repair elicited in focus groups. 2019 , 31, 877-884	
314	The effectiveness of non-pharmacological interventions in reducing the incidence and duration of delirium in critically ill patients: a systematic review and meta-analysis. 2019 , 45, 1-12	41
313	Delirium detection using relative delta power based on 1-minute single-channel EEG: a multicentre study. 2019 , 122, 60-68	22
312	Perspectives on the Delirium Experience and Its Burden: Common Themes Among Older Patients, Their Family Caregivers, and Nurses. 2019 , 59, 327-337	39
311	Spinal CCL1/CCR8 regulates phosphorylation of GluA1-containing AMPA receptor in postoperative pain after tibial fracture and orthopedic surgery in mice. 2020 , 154, 20-26	9

(2020-2020)

310	Surgical safety in radical cystectomy: the anesthetist's point of view-how to make a safe procedure safer. 2020 , 38, 1359-1368	9
309	Effect of the Tailored, Family-Involved Hospital Elder Life Program on Postoperative Delirium and Function in Older Adults: A Randomized Clinical Trial. 2020 , 180, 17-25	30
308	Characteristics of Hospitalized Patients Screening Positive for Delirium. 2020 , 37, 142-148	0
307	Family intervention improves outcomes for patients with delirium: Systematic review and meta-analysis. 2020 , 39, 21-30	12
306	Meta-analysis: Effectiveness of Comprehensive Geriatric Care for Elderly Following Hip Fracture Surgery. 2020 , 42, 293-305	5
305	The effect of a multidisciplinary care bundle on the incidence of delirium after hip fracture surgery: a quality improvement study. 2020 , 75, 63-71	21
304	Multidisciplinary quality improvement programme for older patients admitted to a vascular surgery ward. 2020 , 50, 741-748	6
303	Non-pharmacological approaches in the prevention of delirium. 2020 , 11, 71-81	4
302	Delirium in patients with hip fracture is associated with increased heart rate variability. 2020 , 32, 2311-2318	6
301	Hip fracture co-management in the elderly in a tertiary referral hospital: A cohorts study. 2020 , 220, 1-7	1
300	Still Predicting Delirium After All These Years. 2020 , 130, 76-78	1
299	Rehabilitation of Patients With Osteoporotic Fractures. 2020 , 23, 534-538	1
298	[Combined lumbar plexus-sciatic nerve block in the emergency surgery for pertrochanteric fracture: an alternative technique in patients at high risk of anaesthetic complications]. 2020 , 37, 12	
297	Delirium Superimposed on Dementia in Perioperative Period and Intensive Care. 2020 , 9,	Ο
296	S2k-Leitlinie Notfallpsychiatrie. 2020 ,	5
295	Delirium. 2020 , 6, 90	126
294	Effectiveness of a multidisciplinary comprehensive intervention model based on the Hospital Elderly Life Program to prevent delirium in patients with severe acute pancreatitis. 2020 , 9, 2221-2228	3
293	. 2020,	

292	Incidence and predictors of delirium on the intensive care unit after acute myocardial infarction, insight from a retrospective registry. 2021 , 98, 1072-1081		3
291	Multicomponent Interventions for the Prevention of Delirium in Hospitalized Older People: A Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2947-2954	5.6	7
290	Model Testing of the Factors That Influence Performance of Function Focused Care and Function Among Assisted Living Residents 2022 , 41, 401-410		
289	Investigation of ward fidelity to a multicomponent delirium prevention intervention during a multicentre, pragmatic, cluster randomised, controlled feasibility trial. 2020 , 49, 648-655		9
288	Cognitive impairment assessment and interventions to optimize surgical patient outcomes. 2020 , 34, 225-253		6
287	Dementia and Chronic Disease. 2020 ,		
286	An advanced practice nurse-led delirium consultation service reduces delirium severity and length of stay in orthopedic patients: A nonrandomized posttest only evaluation study. 2020 , 56, 804-810		1
285	The Montreal Cognitive Test Intervention: The Relationship Between Cognitive-Impaired Patients and Readmissions. 2020 , 25, 85-91		
284	Incidence and risk factors associated with postoperative delirium following primary elective total hip arthroplasty: a retrospective nationwide inpatient sample database study. 2020 , 20, 343		8
283	Cochrane in CORR ^[] : Comprehensive Geriatric Assessment For Older People Admitted To A Surgical Service. 2020 , 478, 1409-1415		
282	Management of hip fractures among elderly patients at Jordan University Hospital: A cross-sectional study. 2020 , 31, 231-239		1
281	Incidence of and risk factors for postoperative delirium in older adult patients undergoing noncardiac surgery: a prospective study. 2020 , 20, 40		18
280	Incidence, determinants and consequences of delirium in older patients after transcatheter aortic valve implantation. 2020 , 49, 389-394		14
279	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. 2020 , 2, CD010569		15
278	DELIRIUM EN EL ADULTO MAYOR HOSPITALIZADO. 2020 , 31, 28-35		2
277	Hip fracture co-management in the elderly in a tertiary referral hospital: A cohorts study. 2020 , 220, 1-	7	3
276	The applicability and feasibility of occupational therapy in delirium care. 2020, 11, 209-216		2
275	Delirium in the Elderly. 2020 , 36, 183-199		18

(2021-2020)

274	Neurovascular and immune mechanisms that regulate postoperative delirium superimposed on dementia. 2020 , 16, 734-749	28
273	The Association Between Antipsychotic Drug Use and Rehabilitation Outcome in Post-Acute Hip Fractured Patients: A Retrospective Cohort Study. 2021 , 40, 661-669	3
272	Consolidated framework for advancing implementation science for the implementation process and adherence assessment of a non-pharmacological delirium prevention program. 2021 , 36, 302-313	1
271	Where should patients with or at risk of delirium be treated in an acute care system? Comparing the rates of delirium in patients receiving usual care vs alternative care: A systematic review and meta-analysis. 2021 , 75, e13859	2
270	Perioperative Medical Co-management of Patients with Geriatric Hip Fractures. 2021, 15-42	
269	Delirium Triage Screen/Brief Confusion Assessment Method in Adult Orthopaedic and Hematological Patients: A Validation Study. 2021 , 40, 16-22	1
268	Efficacy of Intervention for Prevention of Postoperative Delirium after Spine Surgery. 2021 , 5, 16-21	1
267	Clinical utility of brain computed tomography in prediction of post-stroke delirium. 2021 , 128, 207-213	1
266	Outcome Assessment and Quality Improvement for Geriatric Hip Fractures. 2021, 159-173	
265	Topological data analysis (TDA) enhances bispectral EEG (BSEEG) algorithm for detection of delirium. 2021 , 11, 304	7
264	Does implementation of a tailored intervention increase adherence to a National Safety and Quality Standard? A study to improve delirium care. 2021 , 33,	О
263	PONV and Pain Management. 2021 , 301-306	
262	Implementing a Geriatric Fracture Program in a Mixed Practice Environment Reduces Total Cost and Length of Stay. 2021 , 12, 2151459320987701	О
261	[Evidence-based non-pharmacological delirium prevention on general wards - A systematic literature review]. 2021 , 160, 1-10	1
260	A narrative review of preventive measures for postoperative delirium in older adults. 2021, 30, 367-373	О
259	Impact of an orthogeriatric collaborative care model for older adults with hip fracture in a community hospital setting. 2021 , 64, E211-E217	O
258	The Prevention of Delirium system of care for older patients admitted to hospital for emergency care: the POD research programme including feasibility RCT. 2021 , 9, 1-180	
257	Depicting developing trend and core knowledge of hip fracture research: a bibliometric and visualised analysis. 2021 , 16, 174	3

256	Risk Factors for Delirium after Vascular Surgery: A Systematic Review and Meta-Analysis. <i>Annals of Vascular Surgery</i> , 2021 , 76, 500-513	2
255	Older trauma patients are at high risk of delirium, especially those with underlying dementia or baseline frailty. 2021 , 6, e000639	4
254	Predictors and Sequelae of Postoperative Delirium in a Geriatric Patient Population With Hip Fracture. 2021 , 5,	1
253	Orthogeriatric co-management reduces incidence of delirium in hip fracture patients. 2021 , 32, 2225-2233	2
252	Effectiveness of Interprofessional Consultation-Based Interventions for Delirium: A Scoping Review. 2021 , 7334648211018032	O
251	A bibliometric analysis of orthogeriatric care: top 50 articles. 2021 , 1	O
250	Outcomes Following Implementation of a Hospital-Wide, Multicomponent Delirium Care Pathway. 2021 , 16, 397-403	5
249	Non-pharmacological interventions for preventing delirium in hospitalised non-ICU patients. 2021 , 7, CD013307	4
248	Prevention of postoperative delirium after cardiovascular surgery: A team-based approach. 2021,	4
247	Evaluation of the effectiveness of delirium prevention care protocol for the patients with hip fracture: A randomised controlled study. 2021 ,	O
246	The effect of an educational intervention to improve orthopaedic nurses' knowledge of delirium: A quasi-experimental study. 2021 , 42, 100862	
245	Postoperative delirium mediates 180-day mortality in orthopaedic trauma patients. 2021 , 127, 102-109	O
244	Effects of perioperative interventions for preventing postoperative delirium: A protocol for systematic review and meta-analysis of randomized controlled trials. 2021 , 100, e26662	O
243	Frailty Assessment and Prehabilitation Before Complex Spine Surgery in Patients With Degenerative Spine Disease: A Narrative Review. 2021 ,	O
242	Incidence and predictors of delirium on the intensive care unit in patients with acute kidney injury, insight from a retrospective registry. 2021 , 11, 17260	1
241	Delirium in Frail Older Adults. 2021 , 25, 150-159	2
240	Delirium Reduction by Analgesia Management in Hip Fracture surgery (DRAM-HF): Exploration of perceived facilitators and barriers. 2021 ,	О
239	Effects of Orthogeriatric Care Models on Outcomes of Hip Fracture Patients: A Systematic Review and Meta-Analysis. 2021 , 1	8

(2010-2021)

238	Effect of Covid-19 on best practice care of hip fracture patients: An analysis from the National Hip Fracture Database (NHFD). 2021 , 19, e298-e303	3
237	Delirium in Intensive Care Units: Perceptions of Physicians and Nurses. 2021 , 44, 393-402	
236	Artificial intelligence predicts delirium following cardiac surgery: A case study. 2021 , 75, 110473	1
235	Central Nervous System Risk Assessment: Preventing Postoperative Brain Injury. 2022 , 57-66	
234	Characteristics and Outcomes of Hip Fracture Patients Hospitalized in an Orthogeriatric Unit Versus an Orthopedic Department: A Retrospective Cohort Study. 2021 , 12, 2151459320986299	1
233	Geriatric Orthopedic Surgery. 2021 , 169-182	
232	Postoperative Central Nervous System Dysfunction. 2008, 123-136	2
231	Geriatric Models of Care. 2011 , 253-266	2
230	Drug Usage in Surgical Patients: Preventing Medication-Related Problems. 2011 , 343-358	2
229	Common Perioperative Complications in Older Patients. 2011 , 361-376	5
228	Management of the Hip Fracture Patient. 2013 , 339-360	1
227	Prevention and Management of Perioperative Delirium. 2011 , 101-114	1
226	Rehabilitation Following Hip Fracture. 2021 , 183-222	2
225	Models of Care. 2020 , 411-430	1
224	Nursing Issues in Older Adult Surgery Patients. 2020 , 431-449	1
223	Delirium. 2019 , 27-50	1
222	Stflungsspezifische Versorgung. 2020 , 99-175	1
221	Geriatric Anesthesia. 2010 , 2261-2276	11

220	The older orthopaedic patient: general considerations. 2004 , 425, 44-9	21
219	Measures of executive function and depression identify patients at risk for postoperative delirium. 2009 , 110, 788-95	92
218	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Postoperative Delirium Prevention. 2020 , 130, 1572-1590	74
217	Delirium History and Preoperative Mild Neurocognitive Disorder: An Opportunity for Multidisciplinary Patient-Centered Care. 2018 , 19, 1324-1328	7
216	Risk Factors of Postoperative Delirium in Elderly Patients with Hip Fractures. 2008, 21, 189	13
215	Delirium after Intertrochanteric Fractures of Femur in Elderly Patients. 2011 , 24, 131	8
214	Efficacy of Non-Pharmacological Interventions to Prevent and Treat Delirium in Older Patients: A Systematic Overview. The SENATOR project ONTOP Series. 2015 , 10, e0123090	132
213	Delirium: moving beyond the clinical diagnosis. 2002 , 24, 28-33	2
212	The risk factors associated with delirium after lumbar spine surgery in elderly patients. 2019 , 9, 700-710	12
211	THE INFLUENCE OF COGNITIVE FUNCTION ON OUTCOME AFTER A HIP FRACTURE. 2006 , 88, 2115-2123	1
210	Distinguishing delirium and dementia. 2007 , 3, 33-48	1
		1
209	SF-36 scores predict postoperative delirium after surgery for cervical spondylotic myelopathy. 2019 , 1-6	6
209		
	, 1-6 Models of care for the delivery of secondary fracture prevention after hip fracture: a health service	6
208	Models of care for the delivery of secondary fracture prevention after hip fracture: a health service cost, clinical outcomes and cost-effectiveness study within a region of England. 2016 , 4, 1-170 An intervention to improve outcomes of falls in dementia: the DIFRID mixed-methods feasibility	6 17
208	Models of care for the delivery of secondary fracture prevention after hip fracture: a health service cost, clinical outcomes and cost-effectiveness study within a region of England. 2016 , 4, 1-170 An intervention to improve outcomes of falls in dementia: the DIFRID mixed-methods feasibility study. 2019 , 23, 1-208	6 17 3
208	Models of care for the delivery of secondary fracture prevention after hip fracture: a health service cost, clinical outcomes and cost-effectiveness study within a region of England. 2016, 4, 1-170 An intervention to improve outcomes of falls in dementia: the DIFRID mixed-methods feasibility study. 2019, 23, 1-208 Frailty and Comprehensive Geriatric Assessment. 2020, 35, e16	6 17 3 42

202	Pilot study of a nonpharmacological intervention for delirium superimposed on dementia. 2011 , 4, 161-7	14
201	Identification of Patients With High Mortality Risk and Prediction of Outcomes in Delirium by Bispectral EEG. 2019 , 80,	17
200	Clinical Practice Guidelines for Management of Delirium in Elderly. 2018, 60, S329-S340	28
199	Delirium in the Intensive Care Unit. 2017 , 10, 37-46	37
198	Use of clinical decision support to improve the quality of care provided to older hospitalized patients. 2012 , 3, 94-102	11
197	A quality assurance study to assess the one-day prevalence of delirium in elderly hospitalized patients. 2012 , 15, 2-7	5
196	Risk of Pre-and Post-Operative Delirium and the Delirium Elderly At Risk (DEAR) Tool in Hip Fracture Patients. 2015 , 18, 212-6	24
195	Target-Controlled Anesthesia Reduces Postoperative Delirium in Spinal Surgical Patients: A Prospective Pilot Study. 2021 , 105, 42-48	
194	Indicadores de calidad en atenciñ a fractura de cadera tras la implementaciñ de un equipo de ortogeriatrâ. 2021 , 35, 181-187	
193	Evaluation of the implementation of multidisciplinary fast-track program for acute geriatric hip fractures at a University Hospital in resource-limited settings. 2021 , 21, 548	O
192	It's not "hip" to be delirious. 2002 , 28, 5	
191	Delirium in Elderly Cardiac Patients. 2004 , 11-25	
190	[Postoperative cognitive deficits]. 2006, 134, 331-8	7
189	POSTOPERATIVE DELIRIUM AFTER HIP FRACTURE. 2006 , 88, 2060-2067	2
188	Delirium. 2007 , 359-368	
187	The Delirious Patient. 2007 , 106-120	
186	Delirium. 2007 , 335-344	
185	Het delirium. 2007 , 515-522	

D. 2007, 52-69 184 1 Verwardheid. 2007, 791-798 183 Psychiatric Issues in Medical Consultation. 2007, 381-443 182 Management of Perioperative Pain. 2008, 381-393 181 Medical Management of the Patient with Hip Fracture. 2009, 1819-1831 180 Allgemeine Aspekte. 2009, 1-120 179 178 Analgesia and Sedation. 2010, 85-96 Management of the Critically Ill Geriatric Patient. 2010, 647-657 177 Orthopedic Geriatrics. 2010, 583-586 176 Delirium. 2010, 495-501 175 Organic disorders. 2010, 319-352 174 Surgery and Anesthesia in Old Age. 2010, 230-244 173 Postoperative Delirium after Hip Arthroplasty in the Elderly. 2010, 22, 151 172 3 The assessment and management of agitation and delirium in the general hospital. 2010, 12, PCC.09r00938 171 Postoperative Complications. 2011, 145-168 170 169 Delirium. **2010**, 193-200 Liaison with Medical and Surgical Teams. 2010, 803-809 168 Geriatric Models of Care. 2011, 43-56 167

(2013-2011)

166	Medication Usage in Older Cardiothoracic Surgical Patients. 2011 , 241-257	
165	Investigation and Management of Postoperative Delirium. 2011, 223-228	
164	Delirium After Cardiac Surgery. 2011 , 57-66	
163	Best Rehabilitation Practices. 2011 , 285-296	
162	Postoperative and Critical Care in the Elderly Thoracic Surgery Patient. 2011 , 483-496	
161	Management and Outcomes of Intensive Care in the Geriatric Surgical Patient. 2011 , 377-390	
160	Rehabilitation. 2011 , 229-242	
159	65 Verwardheid. 2011 , 855-862	
158	Spezielle Aspekte der anßthesiologischen Pharmakotherapie. 2011 , 397-425	
157	Preoperative Evaluation of the Older Surgical Patient. 2011 , 267-288	
156	Perioperative care of the rheumatic disease patient. 2011 , 629-641.e3	1
155	Postoperative Delirium. 2011 , 531-542	
154	Proximal Femoral Fractures. 2012 , 15-24	
153	Delirium and Dementia. 2012 , 1078-1090	
152	Delirium. 2012 , 26-36	2
151	Delirium. 2012 , 325-333	
150	Delirium. 835-850	
149	Comanagement Models for the Patient with Joint Disease. 2013 , 397-402	

Spine Surgery: Choosing the Patient and Handling the Surgery. **2013**, 255-272

147	Delirium. 439-450	
146	Major Orthopedic Surgery. 309-323	
145	Perioperative Care of the Geriatric Urology Patient. 2013 , 43-63	
144	[Delirium in elderly patients]. 2013 , 133, 1596-600	3
143	Postoperative Delirium in Mature Patients. 2013 , 38, 28-35	O
142	Surgery for Older Adults with Cancer. 183-203	
141	Comment prvenir la « dpendance iatrogñe » lors de lâflospitalisation dâfin patient atteint de la maladie dâfalzheimer?. 2013 , 327-348	
140	Delirium in the hospital, a narrative review. 2013 , 13, e5643-e5643	
139	Multicomponent interventions in preventing incident delirium in elderly inpatients: a critical appraisal of literature. 2013 , 13, e5822-e5822	
138	Proactive Psychiatric Consultation Services for the General Hospital of the Future. 2014 , 157-181	2
137	An Overview of Hospital-Based Models of Care. 2014, 49-68	1
136	[Post stroke delirium]. 2014 , 114, 19-27	1
135	Anesthesia for the Geriatric Urologic Patient. 2014 , 455-469	
134	Delirium. 2015 , 157-187	
133	[Cerebral dysfunction as a component of multiple organ failure in surgical patients (lecture)]. 2015, 4-16	1
132	Neurotoxicity of Anesthetic Agents for Developing and Adult Brain. 2015, 127-137	
131	New guidance on the prevention and treatment of postoperative delirium in older adults. 2015 , 41, 59-60	

Perioperative care of patients with rheumatic disease. 2015, 554-565 130 Why should hospitals fund delirium research?. 2015, 41, 3-4 129 Delirium. 2016, 1-31 128 Analgesia and Sedation. 2016, 119-130 127 Healthcare Provision in an Aging Societyâ The European Perspective. 2016, 23-44 126 Delirium. 2016, 163-178 125 Perioperative Care of the Geriatric Urology Patient. 2016, 43-63 124 Relationship between Delirium and Clinical Prognosis among Older Patients underwent Femur 123 Fracture Surgery. 2016, 17, 649-656 Geriatric Orthopedic Surgery. 2017, 169-179 122 Kognitive Stflungen. 2017, 73-119 Operative Risk Stratification of the Geriatric Patient. 2017, 107-120 120 Prevention and Treatment of Postoperative Delirium and Postoperative Cognitive Dysfunction. 119 **2017**, 121-132 118 Models of Care. 2017, 1-19 Sedation of the Critically Ill Child. 2017, 537-560 The Problem of Delirium in the Elderly. 2018, 59-81 116 The Perioperative Surgical Home for the Geriatric Population. 2018, 67-72 115 Postoperative Complications. 2018, 129-146 114 Prevention and Management of Perioperative Delirium. 2018, 101-112 113

112	Medication-Related Problems in Surgical Patients. 2018 , 1-29		
111	Multidisciplinary Approaches. 2018 , 307-317		
110	Cutaneous Drug Reactions in the Elderly. 2019 , 185-195		
109	Delirium in the Oldest of Old. 2019 , 287-296		
108	Anesthetic considerations for surgical treatment of geriatric hip fracture. 2019 , 14, 8-18		1
107	Riabilitazione migliorata dopo chirurgia. 2019 , 24, 1-13		
106	Rehabilitaciñ mejorada despuŝ de la cirugâ. 2019 , 45, 1-13		
105	Impacto del deterioro cognitivo en la recuperaciñ de la capacidad funcional, la institucionalizaciñ y la mortalidad de los ancianos intervenidos de fractura de cadera. 2019 , 50, 23-31		
104	Risk factors associated with delirium after cardiovascular surgery and development of a check sheet to screen for postoperative delirium. 2019 , 26, 438-444		
103	Medication-Related Problems in Surgical Patients. 2020 , 159-187		
102	Pre-operative Medical Assessment and Optimisation. 2021 , 95-109		
101	Geriatric Comanagement of Older Vascular Surgery Inpatients Reduces Hospital-Acquired Geriatric Syndromes. <i>Journal of the American Medical Directors Association</i> , 2021 ,	5.9	4
100	Perioperative Optimization of Senior Health in Spine Surgery: Impact on Postoperative Delirium. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 1240-1248	5.6	3
99	Prvention des troubles cognitifs induits par lâlinesthsie. 2020 , 33, 14-18		
98	Postoperative Delirium:The Role of Regional Anesthesia. 2020 , 40, 50-56		
97	Management of Cognitive Function in Older Adults with Dementia. 2020 , 23-37		
96	Pediatric Delirium Assessment, Prevention, and Management. 2020 , 73-92		1
95	Supporting older peoplesâlcare in surgical and oncological services. 2020 , 563-570		

(2017-2021)

94	Screening and detection of delirium in an adult critical care setting: a best practice implementation project. 2021 , 19, 337-346	2
93	Anesthsie pour fracture de lâ¤xtrmit suprieure du fmur. 2020 , 6, 252-261	1
92	Melatonin and melatonin-receptor agonists to prevent delirium in hospitalized older adults: An umbrella review. 2021 , 42, 1562-1568	1
91	Risk factors for postoperative delirium in elderly patients after spinal fusion surgery. 2020 , 15, 275-282	2
90	Delirium in Septic Patients: An Unrecognized Vital Organ Dysfunction. 2006, 136-150	
89	Preoperative Risk Stratification and Methods to Reduce Risk. 2008, 181-196	
88	Anesthesia Considerations for Geriatric Outpatients. 2008, 322-337	O
87	Abdominal Procedures. 2008, 416-428	
86	Syndromes of Brain Dysfunction Presenting with Cognitive Impairment or Behavioral Disturbance: Delirium, Dementia, and Mental Disorders Caused by a General Medical Condition. 2008 , 17-37	
85	Prevention of Delirium in Older Adults With Dementia: A Systematic Literature Review. 2020 , 46, 43-54	1
84	Deliryumdaki Pediatrik Yoʻʻlin Bakʻʻm Hastalarʻʻna Hemlifelik Yaklallmʻʻ. -2020 , 8, 964-972	
83	Out of the furrow and into the fire: where do we go with delirium?. 2002, 167, 763-4	6
82	A gero-informatics tool to enhance the care of hospitalized older adults with cognitive impairment. 2007 , 2, 247-53	12
81	Post-operative delirium after hip fracture treatment - a review of the current literature. 2006 , 3, Doc01	8
80	Medical management in the acute hip fracture patient: a comprehensive review for the internist. 2012 , 12, 101-10	26
79	The clinical significance of delirium in the intensive care unit. 2012 , 2, 1-9	1
78	Delirium management in critically ill patients. 2013 , 2, 23-32	
77	Physician Information Needs in Managing Delirium. 2017 , 2017, 1675-1684	

76	Preventive Intervention to Prevent Delirium in Patients Hospitalized in Intensive Care Unit. 2018 , 13, 142-147		4
75	Simulation Training, Coaching, and Cue Cards Improve Delirium Care. 2016 , 33, 22-28		1
74	Delirium During Acute Events in Nursing Home Patients. <i>Journal of the American Medical Directors Association</i> , 2021 ,	5.9	0
73	Multidisciplinary rehabilitation for older people with hip fractures. 2021 , 11, CD007125		2
72	Non-pharmacological interventions for preventing delirium in hospitalised non-ICU patients. 2021 , 11, CD013307		2
71	Physiotherapists experiences with older adults rehabilitation trajectory after hip fracture: A qualitative study in Western Norway. 2021 , 1-15		
70	Prediction of Postoperative Delirium in Geriatric Hip Fracture Patients: A Clinical Prediction Model Using Machine Learning Algorithms 2021 , 12, 21514593211062277		2
69	Effect of Regional vs General Anesthesia on Incidence of Postoperative Delirium in Older Patients Undergoing Hip Fracture Surgery: The RAGA Randomized Trial 2021 ,		14
68	Postoperative delirium prediction using machine learning models and preoperative electronic health record data 2022 , 22, 8		1
67	Delirium in geriatric patients 2022 , 1		1
66	Evidence-based strategies to reduce the incidence of postoperative delirium: a narrative review 2022 , 77 Suppl 1, 92-101		3
65	Postoperative Delirium Prevention and Novel Cognitive Therapy Interventions. 2022 , 12, 88		Ο
64	Anaesthesia and the older brain: what should we do?. 2022 , 77 Suppl 1, 8-10		1
63	[Delirium-an interdisciplinary challenge] 2022 , 51, 106		
62	Outcomes of a Delirium Prevention Program in Older Persons After Elective Surgery: A Stepped-Wedge Cluster Randomized Clinical Trial 2021 , e216370		4
61	Orthogeriatric Inpatient Management. 2022 , 191-205		
60	Risk Factors of Postoperative Delirium in Elderly Patients With Intertrochanteric Fracture: An Age-Stratified Retrospective Analysis of 2307 Patients 2022 , 13, 21514593221081779		0
59	Prevention of Delirium in The Elderly. 2022 , 123-128		

58 $\,$ Perioperative medical assessment of older adults. **2022**, 1407-1420

57	Models of Care in Geriatric Intensive Care-A Scoping Review on the Optimal Structure of Care for Critically Ill Older Adults Admitted in an ICU 2022 , 4, e0661		O
56	Risk Factor Stratification for Postoperative Delirium: A Retrospective Database Study.		
55	Factors associated with post-operative delirium in hip fracture patients: what should we care European Journal of Medical Research, 2022 , 27, 40	4.8	O
54	Development and testing of a standardized pain interview assessment for use in post-acute care Journal of the American Geriatrics Society, 2022,	5.6	O
53	Applying Evidence-based Principles to Guide Emergency Surgery in Older Adults <i>Journal of the American Medical Directors Association</i> , 2022 ,	5.9	O
52	Head-to-head comparison of 14 prediction models for postoperative delirium in elderly non-ICU patients: an external validation study <i>BMJ Open</i> , 2022 , 12, e054023	3	О
51	Postoperative delirium in older patients with cancer: the role of psychological distress and social support <i>Current Opinion in Supportive and Palliative Care</i> , 2021 , 16,	2.6	1
50	Dellrium VULnerability in GEriatrics (DIVULGE) study: a protocol for a prospective observational study of electroencephalogram associations with incident postoperative delirium <i>BMJ Neurology Open</i> , 2021 , 3, e000199	1.5	
49	Animal-Assisted Interventions in Intensive Care Delirium: A Literature Review. <i>AACN Advanced Critical Care</i> , 2021 , 32, 391-397	1	
48	Emergence from anesthesia. 317-320		
47	Perioperative Care of the Patient with Hip Fracture. <i>Comprehensive Therapy</i> , 2003 , 29, 233-243		
46	Mapping Knowledge Structure and Themes Trends of Post-operative Rehabilitation of Hip Fractures in the Elderly: A Bibliometrics and Visualization Study <i>Frontiers in Surgery</i> , 2022 , 9, 881555	2.3	О
45	Low geriatric nutritional risk index is a risk factor for death within 1 year following hip fracture Journal of Orthopaedic Surgery, 2022 , 30, 10225536221103360	1.4	
44	Cemented or Uncemented Hemiarthroplasty for Hip Fracture. <i>New England Journal of Medicine</i> , 2022 , 386, e59	59.2	
43	Postoperative Pneumonia and Aspiration Pneumonia Following Elderly Hip Fractures. <i>Journal of Nutrition, Health and Aging</i> , 2022 , 26, 732-738	5.2	
42	Locomotive syndrome in cancer patients: a new role of orthopaedic surgeons as a part of comprehensive cancer care. <i>International Journal of Clinical Oncology</i> ,	4.2	O
41	Recognition, Management, and Prevention of Delirium. 2022 , 129-138		

40	Clinical Predictors and Outcomes Associated with Postoperative Delirium Following Infrainguinal Bypass Surgery. <i>Annals of Vascular Surgery</i> , 2022 ,	1.7	
39	Perioperative Hemodynamic Optimization in Patients at Risk for Delirium âlʿA Randomized-Controlled Trial. <i>Frontiers in Medicine</i> , 9,	4.9	
38	Complications and predictors of morbidity for hip fracture surgery in patients with chronic liver disease. <i>HIP International</i> , 112070002211129	1.7	Ο
37	How Should We Identify Patients at Risk for Postoperative Neurocognitive Disorder?. 2023, 49-54		
36	Effect of regional anesthesia on the postoperative delirium: A systematic review and meta-analysis of randomized controlled trials. <i>Frontiers in Surgery</i> , 9,	2.3	1
35	Standardized protocol for hip fracture care leads to similar short-term outcomes despite socioeconomic differences in patient populations: a retrospective cohort study. 2022 , 33, 428-433		
34	Machine Learning $\hat{\mathbf{B}}$ as ed Prediction Models for Delirium: A Systematic Review and Meta-Analysis. 2022 ,		
33	The inter-relationship between delirium and dementia: the importance of delirium prevention.		1
32	Anesthesia for the elderly: Effects of aging on perioperative and postoperative care. 2023, 429-438		0
31	Perioperative Neurocognitive Disorders in Adults Requiring Cardiac Surgery: Screening, Prevention, and Management. 108925322211278		1
30	Reorganizing pharmaceutical care in family medicine groups for seniors with or at risk of major neurocognitive disorders: protocol for a mixed-methods study (Preprint).		0
29	The influence of mode of anaesthesia on perioperative outcomes in people with hip fracture: a prospective cohort study from the National Hip Fracture Database for England, Wales and Northern Ireland. 2022 , 20,		1
28	Melatonin for the prevention of postoperative delirium in older adults: a protocol for a systematic review and meta-analysis. 2022 , 12, e063405		O
27	Reorganizing pharmaceutical care in family medicine groups for seniors with or at risk of major neurocognitive disorders: a mixed-methods study protocol (Preprint).		O
26	Risk factor stratification for postoperative delirium: A retrospective database study. 2022 , 101, e31176	5	0
25	Comprehensive geriatric assessment (CGA) in perioperative care: a systematic review of a complex intervention. 2022 , 12, e062729		O
24	New onset delirium prediction using machine learning and long short-term memory (LSTM) in electronic health record.		1
23	Impact of early mobilization on the duration of delirium in elderly hospitalized patients: A retrospective cohort pilot study. 2022 , 101, e31641		O

22	Platform trials for anaesthesia and perioperative medicine: a narrative review. 2022,	O
21	Post-operative delirium in the patient with hip fracture: The journey from hospital arrival to discharge. 9,	О
20	Postoperative delirium in geriatric patients with hip fractures. 14,	О
19	The high-risk hip fracture patient and the palliative care consult.	O
18	Incremental medical cost of delirium in elderly patients with cognitive impairment: analysis of a nationwide administrative database in Japan. 2022 , 12, e062141	0
17	Association of preoperative prognostic nutritional index with risk of postoperative delirium: A systematic review and meta-analysis. 9,	O
16	Delirium. 2022,	О
15	Hip Fractures in the Elderly: Perioperative Management and Prevention of Medical Complications. 2023 , 36, 39	O
14	Integrated postoperative care model for older colorectal surgery patients improves outcomes and reduces healthcare costs.	О
13	Prevalence and risk factors of delirium in psychiatric patients with critical illness. 2023, 3, 100108	O
12	The Relationship between Delirium and Statin Use According to Disease Severity in Patients in the Intensive Care Unit. 2023 , 21, 179-187	О
11	Leveraging artificial intelligence for the management of postoperative delirium following cardiac surgery. 2023 , 2, e0010	О
10	Delirium-related psychiatric and neurocognitive impairment and the association with post-intensive care syndromeâ narrative review.	О
9	A retrospective analysis of the incidence of postoperative delirium and the importance of database selection for its definition. 2023 , 23,	O
8	Preoperative Risk Factors Associated with Increased Incidence of Postoperative Delirium: Systematic Review of Qualified Clinical Studies. 2023 , 8, 24	О
7	Delirium After Surgery for Proximal Femoral Fractures in the Frail Elderly Patient: Risk Factors and Clinical Outcomes. Volume 18, 193-203	O
6	Neutrophil to lymphocyte ratio and platelet to lymphocyte ratio as prognostic predictors for delirium in critically ill patients: a systematic review and meta-analysis. 2023 , 23,	0
5	Liposomal Bupivacaine Decreases Intravenous Opioid Use in Patients with Hip Fracture: A Modification to a Novel Pain Protocol. 2023 , 31, e246-e255	O

4	Quality contract âprevention of postoperative delirium in the care of elderly patientsâßtudy protocol: a non-randomised, preâpost, monocentric, prospective trial. 2023 , 13, e066709	Ο
3	Pain, Sedation, and Delirium in Critical Illness. 2013 , 99-106.e3	o
2	Does melatonin administration reduce the incidence of postoperative delirium in adults? Systematic review and meta-analysis. 2023 , 13, e069950	О
1	Post hip fracture orthogeriatric careâl Canadian position paper addressing challenges in care and strategies to meet quality indicators.	O