CITATION REPORT List of articles citing

Efficacy of a new collection procedure for preventing bacterial contamination of whole-blood donations

DOI: 10.1046/j.1537-2995.2001.41010074.x Transfusion, 2001, 41, 74-81.

Source: https://exaly.com/paper-pdf/32961334/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
99	Bacterial contamination of platelet concentrates: incidence, significance, and prevention. <i>Seminars in Hematology</i> , 2001 , 38, 20-6	4	41
98	Don't bug me: the problem of bacterial contamination of blood componentschallenges and solutions. <i>Transfusion</i> , 2001 , 41, 1331-4	2.9	57
97	Transfusion-transmitted bacterial infection in the United States, 1998 through 2000. <i>Transfusion</i> , 2001 , 41, 1493-9	2.9	298
96	Bacterial contamination of blood products: factors, options, and insights. <i>Journal of Clinical Apheresis</i> , 2001 , 16, 192-201	3.2	34
95	A Review of Non-Immune Mediated Transfusion Reactions. <i>Laboratory Medicine</i> , 2002 , 33, 380-385	1.6	1
94	[Detection of bacterial contamination in platelet concentrates: perspectives]. <i>Transfusion Clinique Et Biologique</i> , 2002 , 9, 250-7	1.9	3
93	Transfusion-Associated Septic Reactions. <i>Transfusion Alternatives in Transfusion Medicine</i> , 2002 , 4, 17-7	20	
92	Advances in pretransfusion infectious disease testing: ensuring the safety of transfusion therapy. <i>Clinics in Laboratory Medicine</i> , 2002 , 22, 475-90	2.1	9
91	Transfusion medicine for the pediatrician. <i>Pediatric Clinics of North America</i> , 2002 , 49, 1211-38	3.6	7
90	Multivariate analysis of determinants of bacterial contamination of whole-blood donations. <i>Vox Sanguinis</i> , 2002 , 82, 55-60	3.1	20
89	Bacterial contamination of blood components needs to be confirmed. <i>Transfusion</i> , 2002 , 42, 380-1; author reply 381	2.9	6
88	Reply. <i>Transfusion</i> , 2002 , 42, 381-381	2.9	
87	Hemovigilance network in France: organization and analysis of immediate transfusion incident reports from 1994 to 1998. <i>Transfusion</i> , 2002 , 42, 1356-64	2.9	185
86	Electrochemiluminescent detection of bacteria in blood components. <i>Transfusion Medicine</i> , 2002 , 12, 115-23	1.3	15
85	Diversion of first blood volume results in a reduction of bacterial contamination for whole-blood collections. <i>Vox Sanguinis</i> , 2002 , 83, 13-6	3.1	107
84	Le risque bactfien transfusionnel. Revue Francaise Des Laboratoires, 2003, 2003, 33-38		1
83	Three years of haemovigilance in a general university hospital. <i>Transfusion Medicine</i> , 2003 , 13, 63-72	1.3	30

82	International Forum: 6. Vox Sanguinis, 2003, 85, 230-232	3.1	3
81	Prevention of Yersinia enterocolitica, Pseudomonas fluorescens, and Pseudomonas putida outgrowth in deliberately inoculated blood by a novel pathogen-reduction process. <i>Transfusion</i> , 2003 , 43, 135-42	2.9	19
80	Detection of bacteria in WBC-reduced PLT concentrates using percent oxygen as a marker for bacteria growth. <i>Transfusion</i> , 2003 , 43, 1276-85	2.9	50
79	Bacterial contamination of ex vivo processed PBPC products under clean room conditions. <i>Transfusion</i> , 2003 , 43, 1587-95	2.9	19
78	Productos sanguñeos lbiles. <i>EMC - Anestesia-Reanimaci</i> b, 2003 , 29, 1-10	0.1	
77	[Transfusion-transmitted bacterial infection: residual risk and perspectives of prevention]. <i>Transfusion Clinique Et Biologique</i> , 2003 , 10, 192-200	1.9	15
76	[State and perspectives of the French haemovigilance system. Presentation of the data collected over 9 years]. <i>Transfusion Clinique Et Biologique</i> , 2003 , 10, 131-9	1.9	4
75	Bacterial contamination of blood components: risks, strategies, and regulation: joint ASH and AABB educational session in transfusion medicine. <i>Hematology American Society of Hematology Education Program</i> , 2003 , 2003, 575-89	3.1	186
74	Towards the prevention of transfusion-transmitted infectious diseases. <i>Expert Review of Anti-Infective Therapy</i> , 2003 , 1, 267-74	5.5	
73	Inactivation of Gram-negative and Gram-positive bacteria in red cell concentrates using INACTINE PEN110 chemistry. <i>Vox Sanguinis</i> , 2004 , 87, 143-9	3.1	12
72	Influence of blood prestorage conditions and white blood cell filtration on the bacterial load of blood deliberately inoculated with Gram-positive and Gram-negative pathogens. <i>Vox Sanguinis</i> , 2004 , 87, 241-9	3.1	14
71	A novel method for the detection of bacteria in platelet concentrates utilizing oxygen consumption as a marker for bacterial growth. <i>Transfusion Medicine</i> , 2004 , 14, 391-8	1.3	12
70	Detection of bacterial contamination of platelet components: six years' experience with the BacT/ALERT system. <i>Transfusion</i> , 2004 , 44, 1166-73	2.9	71
69	Bacterial contamination of cellular blood components: risks, sources and control. <i>Vox Sanguinis</i> , 2004 , 87 Suppl1, 98-103	3.1	39
68	Relative values of the interventions of diversion and improved donor-arm disinfection to reduce the bacterial risk from blood transfusion. <i>Vox Sanguinis</i> , 2004 , 86, 178-82	3.1	96
67	Impact of manufacturing, irradiation and filtration steps to bacterial contamination of autologous fibrin sealant. <i>Biologicals</i> , 2004 , 32, 165-9	1.8	9
66	Emerging infections in transfusion medicine. Clinics in Laboratory Medicine, 2004, 24, 797-823, viii	2.1	25
65	Bacterial contamination in blood components and preventative strategies: an overview. <i>Transfusion and Apheresis Science</i> , 2004 , 31, 155-63	2.4	30

64	The French Haemovigilance System: organization and results for 2003. <i>Transfusion and Apheresis Science</i> , 2004 , 31, 145-53	2.4	42
63	Produits sanguins labiles. <i>EMC - Anesthesie-Reanimation</i> , 2004 , 1, 1-10		
62	Use of a solid-phase fluorescent cytometric technique for the detection of bacteria in platelet concentrates. <i>Transfusion Medicine</i> , 2005 , 15, 175-83	1.3	16
61	Feasibility of implementing an automated culture system for bacteria screening in platelets in the blood bank routine. <i>Transfusion Medicine</i> , 2005 , 15, 185-95	1.3	19
60	Pall eBDS: an enhanced bacterial detection system for screening platelet concentrates. <i>Transfusion Medicine</i> , 2005 , 15, 259-68	1.3	40
59	Protecting the blood supply from emerging pathogens: the role of pathogen inactivation. <i>Transfusion Medicine Reviews</i> , 2005 , 19, 110-26	7.4	101
58	Bacterial contamination of blood components. Clinical Microbiology Reviews, 2005, 18, 195-204	34	303
57	[Bacterial detection leading to pathogen inactivation]. <i>Transfusion Clinique Et Biologique</i> , 2005 , 12, 142-	9 1.9	2
56	[Towards bacterial detection in labile blood products]. Transfusion Clinique Et Biologique, 2005, 12, 215-	20 9	2
55	[New container of sample: role in the reduction of bacterial contamination of standard platelet units]. <i>Transfusion Clinique Et Biologique</i> , 2006 , 13, 335-40	1.9	
54	Contrles bactfiologiques des produits sanguins labiles. <i>EMC - Biologie Mdicale</i> , 2006 , 1, 1-8		
53	Effects of skin disinfection method, deviation bag, and bacterial screening on clinical safety of platelet transfusions in the Netherlands. <i>Transfusion</i> , 2006 , 46, 476-85	2.9	125
52	Evolution of surveillance methods for detection of bacterial contamination of platelets in a university hospital, 1991 through 2004. <i>Transfusion</i> , 2006 , 46, 719-30	2.9	73
51	Elimination and multiplication of bacteria during preparation and storage of buffy coat-derived platelet concentrates. <i>Transfusion</i> , 2006 , 46, 949-55	2.9	36
50	Bacterial risk reduction by improved donor arm disinfection, diversion and bacterial screening. <i>Transfusion Medicine</i> , 2006 , 16, 381-96	1.3	45
49	[Bacterial contamination: should it be detected or inactivated?]. <i>Transfusion Clinique Et Biologique</i> , 2007 , 14, 81-5	1.9	2
48	THE EFFECT OF DIVERSION OF FIRST BLOOD VOLUME ON THE FREQUENCY OF BACTERIAL CONTAMINATION IN WHOLE BLOOD COLLECTION. <i>Japanese Journal of Transfusion and Cell Therapy</i> , 2007 , 53, 598-601	0.2	4
47	Bacterial screening of apheresis platelets and the residual risk of septic transfusion reactions: the American Red Cross experience (2004-2006). <i>Transfusion</i> , 2007 , 47, 1134-42	2.9	201

(2011-2008)

46	Bacterial contamination of random-donor platelets in a university hospital in the midwestern region of Brazil. <i>Transfusion</i> , 2008 , 48, 282-5	2.9	2
45	Reduction of septic transfusion reactions related to bacteria contamination without implementing bacteria detection. <i>ISBT Science Series</i> , 2008 , 3, 124-132	1.1	11
44	Bacterial contamination of whole-blood-derived platelets: the introduction of sample diversion and prestorage pooling with culture testing in the American Red Cross. <i>Transfusion</i> , 2008 , 48, 2348-55	2.9	52
43	Bacterial contamination in blood and blood components. 87-116		7
42	Prevention of bacterial contamination, including initial flow diversion. ISBT Science Series, 2009, 4, 221-	22191	5
41	Bacterial contamination: effect and limit of initial flow diversion. ISBT Science Series, 2009, 4, 337-341	1.1	
40	Limiting and detecting bacterial contamination of apheresis platelets: inlet-line diversion and increased culture volume improve component safety. <i>Transfusion</i> , 2009 , 49, 1554-63	2.9	95
39	Frequency of bacterial contamination of platelet concentrates before and after introduction of diversion method in Japan. <i>Transfusion</i> , 2009 , 49, 2152-7	2.9	51
38	Transfusion et risques r'siduels. Revue Francophone Des Laboratoires, 2010, 2010, 79-83	О	1
37	Application of the bactericidal activity of epsilon-poly-l-lysine to the storage of human platelet concentrates. <i>Transfusion</i> , 2010 , 50, 932-40	2.9	10
36	Defining "adequate" pathogen reduction performance for transfused blood components. <i>Transfusion</i> , 2010 , 50, 1827-37	2.9	31
35	Transfusion-associated infections: 50 years of relentless challenges and remarkable progress. <i>Transfusion</i> , 2010 , 50, 2080-99	2.9	128
34	Blood safety: bacterial screening of blood products. ISBT Science Series, 2010, 5, 46-51	1.1	2
33	Impact on patient outcome following transfusion of bacterially contaminated platelets: the M.D. Anderson Cancer Center experience. <i>American Journal of Clinical Pathology</i> , 2010 , 134, 207-12	1.9	11
32	Monitoring bacterial contamination of blood components in Germany: effect of contamination reduction measures. <i>Vox Sanguinis</i> , 2011 , 100, 359-66	3.1	23
31	Efficiency of diversion of the first aliquot of blood and prestorage leukoreduction for preventing bacterial contamination in red blood cell concentrates assessed using a rapid polymerase chain reaction-based bacterial detection system. <i>Transfusion Medicine</i> , 2011 , 21, 365-70	1.3	11
30	Skin disinfection with a single-step 2% chlorhexidine swab is more effective than a two-step povidone-iodine method in preventing bacterial contamination of apheresis platelets. <i>Transfusion</i> , 2011 , 51, 531-8	2.9	41
29	Use of hemovigilance data to evaluate the effectiveness of diversion and bacterial detection. <i>Transfusion</i> , 2011 , 51, 1405-11	2.9	34

28	Bacterial contamination of blood products. ISBT Science Series, 2011, 6, 427-431	1.1	1
27	Interventions Implemented to Reduce the Risk of Transmission of Bacteria by Transfusion in the English National Blood Service. <i>Transfusion Medicine and Hemotherapy</i> , 2011 , 38, 255-258	4.2	22
26	Effect of Safety Measures on Bacterial Contamination Rates of Blood Components in Germany. <i>Transfusion Medicine and Hemotherapy</i> , 2011 , 38, 231-235	4.2	9
25	Significant bacterial contamination risk reduction with the use of diversion pouch. <i>Transfusion Medicine</i> , 2012 , 22, 404-8	1.3	12
24	Bacterial skin flora and contamination of blood components: do we defer blood donors wisely?. <i>Vox Sanguinis</i> , 2012 , 103, 93-8	3.1	7
23	[Prevention of bacterial risk: pathogen inactivation/detection of bacteria]. <i>Transfusion Clinique Et Biologique</i> , 2013 , 20, 109-14	1.9	
22	[Control of the bacterial risk of transfusion in France in 2013]. <i>Transfusion Clinique Et Biologique</i> , 2013 , 20, 174-81	1.9	10
21	Transfusion risk reduction: Testing for bacteria. <i>ISBT Science Series</i> , 2013 , 8, 73-79	1.1	3
20	The donor line break cannula: effect on the donation process, blood component quality and transfusion microbiology testing of an important new blood bag safety feature. <i>Transfusion Medicine</i> , 2013 , 23, 219-25	1.3	
19	Bacterial contamination. <i>ISBT Science Series</i> , 2014 , 9, 37-43	1.1	3
19 18	Bacterial contamination. <i>ISBT Science Series</i> , 2014 , 9, 37-43 The international experience of bacterial screen testing of platelet components with an automated microbial detection system: a need for consensus testing and reporting guidelines. <i>Transfusion Medicine Reviews</i> , 2014 , 28, 61-71	7.4	3
	The international experience of bacterial screen testing of platelet components with an automated microbial detection system: a need for consensus testing and reporting guidelines. <i>Transfusion</i>		42
18	The international experience of bacterial screen testing of platelet components with an automated microbial detection system: a need for consensus testing and reporting guidelines. <i>Transfusion Medicine Reviews</i> , 2014 , 28, 61-71 Human polyomavirus 6 DNA in the cerebrospinal fluid of an HIV-positive patient with	7.4	42
18	The international experience of bacterial screen testing of platelet components with an automated microbial detection system: a need for consensus testing and reporting guidelines. <i>Transfusion Medicine Reviews</i> , 2014 , 28, 61-71 Human polyomavirus 6 DNA in the cerebrospinal fluid of an HIV-positive patient with leukoencephalopathy. <i>Journal of Clinical Virology</i> , 2015 , 68, 24-7 Residual risk and retrospective analysis of transfusion-transmitted bacterial infection reported by	7·4 14·5	12
18 17 16	The international experience of bacterial screen testing of platelet components with an automated microbial detection system: a need for consensus testing and reporting guidelines. <i>Transfusion Medicine Reviews</i> , 2014 , 28, 61-71 Human polyomavirus 6 DNA in the cerebrospinal fluid of an HIV-positive patient with leukoencephalopathy. <i>Journal of Clinical Virology</i> , 2015 , 68, 24-7 Residual risk and retrospective analysis of transfusion-transmitted bacterial infection reported by the French National Hemovigilance Network from 2000 to 2008. <i>Transfusion</i> , 2015 , 55, 636-46 Bacterial screening of platelet components by National Health Service Blood and Transplant, an	7·4 14·5 2·9	42 12 32
18 17 16	The international experience of bacterial screen testing of platelet components with an automated microbial detection system: a need for consensus testing and reporting guidelines. <i>Transfusion Medicine Reviews</i> , 2014 , 28, 61-71 Human polyomavirus 6 DNA in the cerebrospinal fluid of an HIV-positive patient with leukoencephalopathy. <i>Journal of Clinical Virology</i> , 2015 , 68, 24-7 Residual risk and retrospective analysis of transfusion-transmitted bacterial infection reported by the French National Hemovigilance Network from 2000 to 2008. <i>Transfusion</i> , 2015 , 55, 636-46 Bacterial screening of platelet components by National Health Service Blood and Transplant, an effective risk reduction measure. <i>Transfusion</i> , 2017 , 57, 1122-1131	7.4 14.5 2.9	42 12 32 49
18 17 16 15	The international experience of bacterial screen testing of platelet components with an automated microbial detection system: a need for consensus testing and reporting guidelines. <i>Transfusion Medicine Reviews</i> , 2014 , 28, 61-71 Human polyomavirus 6 DNA in the cerebrospinal fluid of an HIV-positive patient with leukoencephalopathy. <i>Journal of Clinical Virology</i> , 2015 , 68, 24-7 Residual risk and retrospective analysis of transfusion-transmitted bacterial infection reported by the French National Hemovigilance Network from 2000 to 2008. <i>Transfusion</i> , 2015 , 55, 636-46 Bacterial screening of platelet components by National Health Service Blood and Transplant, an effective risk reduction measure. <i>Transfusion</i> , 2017 , 57, 1122-1131 Prevalence of bacterial contamination in platelet concentrates at the National Center of Blood Transfusion (Mexico). <i>Transfusion Clinique Et Biologique</i> , 2017 , 24, 56-61	7.4 14.5 2.9 2.9	42 12 32 49 3

Durch Blut Bertragbare Infektionskrankheiten. 2004, 599-645 10 1 Reduction of the risk of bacterial contamination of blood components through diversion of the first 3.6 39 9 part of the donation of blood and blood components. Blood Transfusion, 2009, 7, 86-93 ??????????. Japanese Journal of Transfusion and Cell Therapy, 2008, 54, 359-371 8 0.2 5 Bacterial Contamination of Blood and Blood Products an Underestimated Problem. 2002, 51-56 La mdecine transfusionnelle des annès 2000, lipropos dune rforme. Bulletin De LuAcademie 6 0.1 Nationale De Medecine, 2002, 186, 379-392 Unerwäschte Transfusionswirkungen. 2003, 71-94 A FATAL CASE OF SEPSIS CAUSED BY MSSA CONTAMINATION OF PLATELET CONCENTRATE. 0.2 1 4 Japanese Journal of Transfusion and Cell Therapy, **2008**, 54, 38-42 Infectious Agents Transmitted by Transfusion. 696-763 Prevalence of Bacterial Contamination when using a Diversion Pouch during Blood Collection: A 1.3 3 Single Center Study in Malaysia. The Malaysian Journal of Medical Sciences, 2014, 21, 47-53 Longitudinal analysis of annual national hemovigilance data to assess pathogen reduced platelet transfusion trends during conversion to routine universal clinical use and 7-day storage. 2023, 63, 711-723