

CITATION REPORT

List of articles citing

Presence of multiple functional polyadenylation signals and a single nucleotide polymorphism in the 3s untranslated region of the human serotonin transporter gene

DOI: 10.1046/j.1471-4159.1999.721384.x
Journal of Neurochemistry, 1999, 72, 1384-8.

Source: <https://exaly.com/paper-pdf/32968282/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
78	A serotonin transporter gene intron 2 polymorphic region, correlated with affective disorders, has allele-dependent differential enhancer-like properties in the mouse embryo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 15251-5	11.5	311
77	Multimarkerhaplotypes within the serotonin transporter gene suggest evidence of an association with bipolar disorder. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 845-9		36
76	Patterns of variant polyadenylation signal usage in human genes. <i>Genome Research</i> , 2000 , 10, 1001-10	9.7	484
75	Variation of serotonergic gene expression: neurodevelopment and the complexity of response to psychopharmacologic drugs. <i>European Neuropsychopharmacology</i> , 2001 , 11, 457-74	1.2	53
74	Polymorphism of the serotonin transporter: implications for the use of selective serotonin reuptake inhibitors. <i>Molecular Diagnosis and Therapy</i> , 2001 , 1, 153-64		53
73	Monoamine transporter gene structure and polymorphisms in relation to psychiatric and other complex disorders. <i>Pharmacogenomics Journal</i> , 2002 , 2, 217-35	3.5	122
72	Pharmacogenetics in affective disorders. <i>European Journal of Pharmacology</i> , 2002 , 438, 117-28	5.3	44
71	Evidence that variation at the serotonin transporter gene influences susceptibility to attention deficit hyperactivity disorder (ADHD): analysis and pooled analysis. <i>Molecular Psychiatry</i> , 2002 , 7, 908-12	15.1	130
70	Serotonin transporter gene polymorphisms and platelet [3H] paroxetine binding in premenstrual dysphoria. <i>Psychoneuroendocrinology</i> , 2003 , 28, 446-58	5	30
69	Toward a molecular architecture of personality. <i>Behavioural Brain Research</i> , 2003 , 139, 1-20	3.4	206
68	Serotonin transporter gene polymorphisms and mental health. <i>Current Opinion in Psychiatry</i> , 2003 , 16, 215-220	4.9	2
67	Association between a functional polymorphism in the serotonin transporter gene and diarrhoea predominant irritable bowel syndrome in women. <i>Gut</i> , 2004 , 53, 1452-8	19.2	191
66	Serotonin transporter promoter and intron 2 polymorphisms: relationship between allelic variants and gene expression. <i>Biological Psychiatry</i> , 2004 , 55, 1090-4	7.9	198
65	Meta-analysis of serotonin transporter polymorphisms and affective disorders. <i>Psychiatric Genetics</i> , 2004 , 14, 121-9	2.9	215
64	Population-based and family-based studies on the serotonin transporter gene polymorphisms and bipolar disorder: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2005 , 10, 771-81	15.1	157
63	The serotonin transporter gene as a QTL for ADHD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 134B, 42-7	3.5	62
62	Family-based association study of serotonin transporter gene polymorphisms in attention deficit hyperactivity disorder: no evidence for association in UK and Taiwanese samples. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 139B, 11-3	3.5	26

61	Proposed multigenic Composite Inheritance in major depression. <i>Medical Hypotheses</i> , 2005 , 65, 158-72	3.8	7
60	Initial conditions of psychotropic drug response: studies of serotonin transporter long promoter region (5-HTTLPR), serotonin transporter efficiency, cytokine and kinase gene expression relevant to depression and antidepressant outcome. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005 , 29, 1046-61	5.5	21
59	Cloning, expression and characterization of a novel human CAP10-like gene hCLP46 from CD34(+) stem/progenitor cells. <i>Gene</i> , 2006 , 371, 7-15	3.8	25
58	Polymorphism identification, RH mapping, and association analysis with the anxiety trait of the equine serotonin transporter (SLC6A4) gene. <i>Journal of Veterinary Medical Science</i> , 2006 , 68, 619-21	1.1	9
57	Serotonin transporter gene promoter (5-HTTLPR) and intron 2 (VNTR) polymorphisms: a study on Slovenian population of suicide victims. <i>Psychiatric Genetics</i> , 2006 , 16, 187-91	2.9	18
56	Allelic expression of serotonin transporter (SERT) mRNA in human pons: lack of correlation with the polymorphism SERTLPR. <i>Molecular Psychiatry</i> , 2006 , 11, 649-62	15.1	72
55	The molecular genetic architecture of human personality: beyond self-report questionnaires. <i>Molecular Psychiatry</i> , 2006 , 11, 427-45	15.1	307
54	Serotonin transporter, tryptophan hydroxylase, and monoamine oxidase A gene polymorphisms in premenstrual dysphoric disorder. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1254-9	6.4	20
53	No association of serotonin transporter gene (SLC6A4) with schizophrenia and bipolar disorder in Japanese patients: association analysis based on linkage disequilibrium. <i>Journal of Neural Transmission</i> , 2006 , 113, 899-905	4.3	20
52	Serotonin transporter promoter variants: Analysis in Indian autistic and control population. <i>Brain Research</i> , 2006 , 1092, 28-35	3.7	38
51	3RUTR polymorphism of the serotonin transporter gene and sudden infant death syndrome: haplotype analysis. <i>American Journal of Medical Genetics, Part A</i> , 2006 , 140, 1453-7	2.5	20
50	A family-based study of Indian subjects from Kolkata reveals allelic association of the serotonin transporter intron-2 (STin2) polymorphism and attention-deficit-hyperactivity disorder (ADHD). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 361-6	3.5	37
49	What do we know about the serotonergic genetic heterogeneity in attention-deficit/hyperactivity and autistic disorders?. <i>Psychopathology</i> , 2007 , 40, 329-37	3.4	12
48	The serotonin transporter 5-HTTLPR polymorphism and treatment response to nicotine patch: follow-up of a randomized controlled trial. <i>Nicotine and Tobacco Research</i> , 2007 , 9, 225-31	4.9	46
47	Risk for premenstrual dysphoric disorder is associated with genetic variation in ESR1, the estrogen receptor alpha gene. <i>Biological Psychiatry</i> , 2007 , 62, 925-33	7.9	113
46	Sudden Infant Death Syndrome: review of implicated genetic factors. <i>American Journal of Medical Genetics, Part A</i> , 2007 , 143A, 771-88	2.5	100
45	Family-based association study of serotonergic candidate genes and attention-deficit/hyperactivity disorder in a German sample. <i>Journal of Neural Transmission</i> , 2007 , 114, 513-21	4.3	38
44	Population-based association study and contrasting linkage disequilibrium pattern reveal genetic association of SLC6A4 with autism in the Indian population from West Bengal. <i>Brain Research</i> , 2008 , 1240, 12-21	3.7	19

43	Serotonin transporter gene variation in sudden infant death syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 861-5	3.1	45
42	Congenital central hypoventilation syndrome (CCHS) and sudden infant death syndrome (SIDS): kindred disorders of autonomic regulation. <i>Respiratory Physiology and Neurobiology</i> , 2008 , 164, 38-48	2.8	41
41	The genetics of the serotonin transporter and irritable bowel syndrome. <i>Trends in Molecular Medicine</i> , 2008 , 14, 295-304	11.5	33
40	Detailed analysis of the serotonin transporter gene (SLC6A4) shows no association with bipolar disorder in the Northern Swedish population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 585-92	3.5	16
39	Serotonin and dopamine transporter genes do not influence depression in Parkinson's disease. <i>Movement Disorders</i> , 2009 , 24, 111-5	7	19
38	Candidate gene studies of ADHD: a meta-analytic review. <i>Human Genetics</i> , 2009 , 126, 51-90	6.3	727
37	Characterization of a functional polymorphism in the 3'UTR of SLC6A4 and its association with drinking intensity. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 332-9	3.7	45
36	Genetics of attention-deficit hyperactivity disorder (ADHD). <i>Neuropharmacology</i> , 2009 , 57, 590-600	5.5	100
35	No causal role for the G482T and G689T polymorphisms in translation regulation of serotonin transporter (SLC6A4) or association with attention-deficit-hyperactivity disorder (ADHD). <i>Neuroscience Letters</i> , 2009 , 454, 244-8	3.3	8
34	Isolation and molecular characterization of the porcine SLC6A14 gene excludes it as a candidate gene for fat deposition and growth. <i>Journal of Applied Genetics</i> , 2010 , 51, 299-308	2.5	4
33	Estrogen receptor alpha (ESR-1) associations with psychological traits in women with PMDD and controls. <i>Journal of Psychiatric Research</i> , 2010 , 44, 788-94	5.2	22
32	Study of the serotonin transporter (SLC6A4) and BDNF genes in French patients with non syndromic mental deficiency. <i>BMC Medical Genetics</i> , 2010 , 11, 30	2.1	3
31	Association of a polyadenylation polymorphism in the serotonin transporter and panic disorder. <i>Biological Psychiatry</i> , 2010 , 67, 331-8	7.9	49
30	The association between personality, pain threshold and a single nucleotide polymorphism (rs3813034) in the 3' untranslated region of the serotonin transporter gene (SLC6A4). <i>Journal of Clinical Neuroscience</i> , 2010 , 17, 574-8	2.2	17
29	Genetic Organization of the Serotonergic System. <i>Handbook of Behavioral Neuroscience</i> , 2010 , 21, 23-50	0.7	
28	Serotonin transporter polymorphisms and panic disorder. <i>Genome Medicine</i> , 2010 , 2, 40	14.4	12
27	Genetic polymorphism of serotonin transporter 5-HTTLPR: involvement in smoking behaviour. <i>Journal of Genetics</i> , 2011 , 90, 179-85	1.2	17
26	Pharmacogenetic approach at the serotonin transporter gene as a method of reducing the severity of alcohol drinking. <i>American Journal of Psychiatry</i> , 2011 , 168, 265-75	11.9	139

25	Serotonergic modulation of conditioned fear. <i>Scientifica</i> , 2012 , 2012, 821549	2.6	21
24	Serotonin transporter polyadenylation polymorphism modulates the retention of fear extinction memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 5493-8	11.5	66
23	Impaired pre-mRNA processing and altered architecture of 3' untranslated regions contribute to the development of human disorders. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 15681-94	6.3	22
22	Independent effects of 5' and 3' functional variants in the serotonin transporter gene on suicidal behavior in the context of childhood trauma. <i>Journal of Psychiatric Research</i> , 2013 , 47, 900-7	5.2	17
21	Serotonin gene variants are unlikely to play a significant role in the pathogenesis of the sudden infant death syndrome. <i>Respiratory Physiology and Neurobiology</i> , 2013 , 189, 301-14	2.8	16
20	Congenital central hypoventilation syndrome and sudden infant death syndrome: disorders of autonomic regulation. <i>Seminars in Pediatric Neurology</i> , 2013 , 20, 44-55	2.9	20
19	Caloric restriction enhances fear extinction learning in mice. <i>Neuropsychopharmacology</i> , 2013 , 38, 930-7	8.7	30
18	Anxiety-associated alternative polyadenylation of the serotonin transporter mRNA confers translational regulation by hnRNP K. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 11624-9	11.5	36
17	Genetic influences on response to alcohol and response to pharmacotherapies for alcoholism. <i>Pharmacology Biochemistry and Behavior</i> , 2014 , 123, 17-24	3.9	27
16	Alcohol dependence and serotonin transporter functional polymorphisms 5-HTTLPR and rs25531 in an Italian population. <i>Alcohol and Alcoholism</i> , 2015 , 50, 259-65	3.5	12
15	Does serotonin deficit mediate susceptibility to ADHD?. <i>Neurochemistry International</i> , 2015 , 82, 52-68	4.4	44
14	Serotonin transporter variants play a role in anxiety sensitivity in South African adolescents. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 66-75	3.8	5
13	Looking Beyond the 5-HTTLPR Polymorphism: Genetic and Epigenetic Layers of Regulation Affecting the Serotonin Transporter Gene Expression. <i>Molecular Neurobiology</i> , 2017 , 54, 8386-8403	6.2	25
12	Multifaceted Regulations of the Serotonin Transporter: Impact on Antidepressant Response. <i>Frontiers in Neuroscience</i> , 2019 , 13, 91	5.1	14
11	Serotonin transporter untranslated regions influence mRNA abundance and protein expression. <i>Gene Reports</i> , 2020 , 18,	1.4	3
10	Serotonin transporter gene (SLC6A4) variability in patients with recurrent aphthous stomatitis. <i>Archives of Oral Biology</i> , 2020 , 110, 104628	2.8	1
9	Emerging Roles of RNA 3' End Cleavage and Polyadenylation in Pathogenesis, Diagnosis and Therapy of Human Disorders. <i>Biomolecules</i> , 2020 , 10,	5.9	21
8	Population-scale genetic control of alternative polyadenylation and its association with human diseases. <i>Quantitative Biology</i> , 2021 ,	3.9	

7	Human genetics and pharmacology of neurotransmitter transporters. <i>Handbook of Experimental Pharmacology</i> , 2006 , 327-71	3.2	19
6	Regulation of Biogenic Amine Transporters. 2007 , 363-386		2
5	Candidate genes for antidepressant response to selective serotonin reuptake inhibitors. <i>Neuropsychiatric Disease and Treatment</i> , 2005 , 1, 17-35	3.1	22
4	Sudden infant death syndrome: study of genes pertinent to cardiorespiratory and autonomic regulation. 2008 , 85-109		
3	Alternative polyadenylation can regulate post-translational membrane localization. <i>Trends in Cell & Molecular Biology</i> , 2015 , 10, 37-47		6
2	Genetic Polymorphism in the Promoter Region of Serotonin Transporter: Implications for Ethanol Abuse in Children and Adolescents. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2016 , 25, 43-9	0.7	2
1	RNA epitranscriptomics dysregulation: A major determinant for significantly increased risk of ASD pathogenesis. 17,		0