

CITATION REPORT

List of articles citing

The chemical diversity and distribution of glucosinolates and isothiocyanates among plants

DOI: 10.1016/s0031-9422(00)00316-2
Phytochemistry, 2001, 56, 5-51.

Source: <https://exaly.com/paper-pdf/32994799/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|---|----|-----------|
| 2239 | Using isothiocyanate excretion as a biological marker of Brassica vegetable consumption in epidemiological studies: evaluating the sources of variability. 2001 , 4, 837-46 | | 23 |
| 2238 | Phytochemicals from cruciferous plants protect against cancer by modulating carcinogen metabolism. 2001 , 131, 3027S-33S | | 444 |
| 2237 | The ecological genetics of aliphatic glucosinolates. 2001 , 87, 383-91 | | 78 |
| 2236 | Novel indole-type glucosinolates from woad (<i>Isatis tinctoria</i> L.). 2001 , 42, 9015-9017 | | 86 |
| 2235 | The biosynthesis of benzoic acid glucosinolate esters in <i>Arabidopsis thaliana</i> . <i>Phytochemistry</i> , 2001 , 57, 23-32 | 4 | 85 |
| 2234 | ChemInform Abstract: The Chemical Diversity and Distribution of Glucosinolates and Isothiocyanates Among Plants. 2001 , 32, no-no | | 2 |
| 2233 | Analysis of glucosinolates from broccoli and other cruciferous vegetables by hydrophilic interaction liquid chromatography. 2001 , 919, 299-304 | | 60 |
| 2232 | Sequestration of host plant glucosinolates in the defensive hemolymph of the sawfly <i>Athalia rosae</i> . 2001 , 27, 2505-16 | | 110 |
| 2231 | CYP83b1 is the oxime-metabolizing enzyme in the glucosinolate pathway in <i>Arabidopsis</i> . 2001 , 276, 24790-6 | | 121 |
| 2230 | Total intracellular accumulation levels of dietary isothiocyanates determine their activity in elevation of cellular glutathione and induction of Phase 2 detoxification enzymes. 2001 , 22, 1987-92 | | 102 |
| 2229 | Sulforaphane inhibits extracellular, intracellular, and antibiotic-resistant strains of <i>Helicobacter pylori</i> and prevents benzo[a]pyrene-induced stomach tumors. 2002 , 99, 7610-5 | | 630 |
| 2228 | Chapter Thirteen The role of cytochromes P450 in biosynthesis and evolution of glucosinolates. 2002 , 223-248 | | 8 |
| 2227 | Metabolism of sinigrin (2-propenyl glucosinolate) by the human colonic microflora in a dynamic in vitro large-intestinal model. 2002 , 23, 1009-16 | | 128 |
| 2226 | Isolation and Synthesis of 4-Rhamno-Glucosinalbin, the Major Glucosinolate from <i>Moringa Oleifera</i> . 2002 , 415-419 | | 2 |
| 2225 | Brassica, biotransformation and cancer risk: genetic polymorphisms alter the preventive effects of cruciferous vegetables. 2002 , 132, 2991-4 | | 128 |
| 2224 | Isothiocyanates as cancer chemopreventive agents: their biological activities and metabolism in rodents and humans. 2002 , 3, 233-55 | | 330 |
| 2223 | MINERAL CONTENT OF PRIMARY AND SECONDARY INFLORESCENCES OF ELEVEN BROCCOLI CULTIVARS GROWN IN EARLY AND LATE SEASONS. 2002 , 25, 1741-1751 | | 14 |

| | | |
|------|--|-----|
| 2222 | Isolation and structure elucidation of a new thermal breakdown product of glucobrassicin, the parent indole glucosinolate. 2002 , 50, 5185-90 | 16 |
| 2221 | Selective induction of phase II enzymes in the urinary bladder of rats by allyl isothiocyanate, a compound derived from Brassica vegetables. 2002 , 44, 52-9 | 59 |
| 2220 | Research opportunities for bioactive natural constituents in agriculture and food prepared for the 50th anniversary of the Journal of Agricultural and Food Chemistry. 2002 , 50, 6939-42 | 2 |
| 2219 | The effect of post-harvest and packaging treatments on glucoraphanin concentration in broccoli (<i>Brassica oleracea</i> var. <i>italica</i>). 2002 , 50, 7386-91 | 97 |
| 2218 | Influence of temperature and ontogeny on the levels of glucosinolates in broccoli (<i>Brassica oleracea</i> Var. <i>italica</i>) sprouts and their effect on the induction of mammalian phase 2 enzymes. 2002 , 50, 6239-44 | 137 |
| 2217 | Bioavailability and metabolism. 2002 , 23, 39-100 | 205 |
| 2216 | Quantitative determination of dithiocarbamates in human plasma, serum, erythrocytes and urine: pharmacokinetics of broccoli sprout isothiocyanates in humans. 2002 , 316, 43-53 | 296 |
| 2215 | Isothiocyanate release from soil-incorporated Brassica tissues. 2002 , 34, 1683-1690 | 182 |
| 2214 | Investigation of the tuber constituents of maca (<i>Lepidium meyenii</i> Walp.). 2002 , 50, 5621-5 | 99 |
| 2213 | Effects of intact glucosinolates and products produced from glucosinolates in myrosinase-catalyzed hydrolysis on the potato cyst nematode (<i>Globodera rostochiensis</i> Cv. Woll). 2002 , 50, 690-5 | 97 |
| 2212 | Reduced arbuscular mycorrhizal root colonization in <i>Tropaeolum majus</i> and <i>Carica papaya</i> after jasmonic acid application can not be attributed to increased glucosinolate levels. 2002 , 159, 517-523 | 65 |
| 2211 | Cigarette smoking and lung cancer: chemical mechanisms and approaches to prevention. 2002 , 3, 461-9 | 361 |
| 2210 | Glucosinolate research in the Arabidopsis era. 2002 , 7, 263-70 | 459 |
| 2209 | Identification of Arabidopsis mutants with altered glucosinolate profiles based on isothiocyanate bioactivity. 2002 , 162, 143-152 | 16 |
| 2208 | Determination of sinigrin and glucoraphanin in Brassica species using a simple extraction method combined with ion-pair HPLC analysis. 2002 , 96, 27-41 | 52 |
| 2207 | . 2002 , | |
| 2206 | Glucosinolates from <i>Cardaria draba</i> . 2002 , 73, 177-8 | 9 |
| 2205 | Glucosinolates from Maca (<i>Lepidium meyenii</i>). 2002 , 30, 1087-1090 | 41 |

| | | | |
|------|--|---|-----|
| 2204 | Effects of fertilisation on the allyl isothiocyanate profile of above-ground tissues of New Zealand-grown wasabi. 2002 , 82, 1477-1482 | | 27 |
| 2203 | Intact glucosinolate analysis in plant extracts by programmed cone voltage electrospray LC/MS: performance and comparison with LC/MS/MS methods. 2002 , 306, 83-91 | | 103 |
| 2202 | Composition and content of glucosinolates in developing <i>Arabidopsis thaliana</i> . 2002 , 214, 562-71 | | 190 |
| 2201 | Biosynthesis and metabolic engineering of glucosinolates. 2002 , 22, 279-95 | | 92 |
| 2200 | Dietary prevention of carcinogenesis in smokers. 2002 , 252, 577-8 | | |
| 2199 | The chemical world of crucivores: lures, treats and traps. 2002 , 104, 35-42 | | 147 |
| 2198 | Host plant derived feeding deterrence towards ants in the turnip sawfly <i>Athalia rosae</i> . 2002 , 104, 153-157 | | 45 |
| 2197 | Antifungal vapour-phase activity of allyl-isothiocyanate against <i>Penicillium expansum</i> on pears. 2002 , 51, 231-236 | | 82 |
| 2196 | Direct analysis of single leaf disks for chemopreventive glucosinolates. 2002 , 13, 152-7 | | 15 |
| 2195 | Carba-glucotropaeolin: the first non-hydrolyzable glucosinolate analogue, to inhibit myrosinase. 2002 , 43, 2889-2890 | | 8 |
| 2194 | Benzoic acid glucosinolate esters and other glucosinolates from <i>Arabidopsis thaliana</i> . <i>Phytochemistry</i> , 2002 , 59, 663-71 | 4 | 202 |
| 2193 | Chemical defenses of crucifers: elicitation and metabolism of phytoalexins and indole-3-acetonitrile in brown mustard and turnip. <i>Phytochemistry</i> , 2002 , 59, 611-25 | 4 | 59 |
| 2192 | Identification of the major glucosinolate (4-mercaptobutyl glucosinolate) in leaves of <i>Eruca sativa</i> L. (salad rocket). <i>Phytochemistry</i> , 2002 , 61, 25-30 | 4 | 101 |
| 2191 | Composition of the essential oil of <i>Lepidium meyenii</i> (Walp). <i>Phytochemistry</i> , 2002 , 61, 149-55 | 4 | 45 |
| 2190 | Single column approach for the liquid chromatographic separation of polar and non-polar glucosinolates from broccoli sprouts and seeds. 2002 , 966, 227-32 | | 34 |
| 2189 | Comparative physiological responses in Chinese cabbage induced by herbivory and fungal infection. 2002 , 28, 2449-63 | | 43 |
| 2188 | Growth stimulation of ectomycorrhizal fungi by root exudates of Brassicaceae plants: role of degraded compounds of indole glucosinolates. 2003 , 29, 1337-55 | | 33 |
| 2187 | beta-Phenylethyl isothiocyanate-mediated apoptosis in hepatoma HepG2 cells. 2003 , 60, 1489-503 | | 65 |

| | | | |
|------|--|---|-----|
| 2186 | In planta side-chain glucosinolate modification in Arabidopsis by introduction of dioxygenase Brassica homolog BoGSL-ALK. 2003 , 106, 1116-21 | | 90 |
| 2185 | Importance of phase 2 gene regulation in protection against electrophile and reactive oxygen toxicity and carcinogenesis. 2003 , 43, 121-34 | | 230 |
| 2184 | 2-Phenylethylisothiocyanate concentration and microbial community composition in the rhizosphere of canola. 2003 , 35, 445-452 | | 89 |
| 2183 | Cross-enhancement: enhanced biodegradation of isothiocyanates in soils previously treated with metham sodium. 2003 , 35, 1123-1127 | | 45 |
| 2182 | GCMS analysis of volatile hydrolysis products from glucosinolates in <i>Farsetia aegyptia</i> var. <i>ovalis</i> . 2003 , 18, 148-152 | | 29 |
| 2181 | The essential oils of <i>Rinorea subintegrifolia</i> O. Ktze and <i>Drypetes gossweileri</i> S. Moore occurring in Gabon. 2003 , 18, 207-210 | | 11 |
| 2180 | Thioglycoligases: Mutant Glycosidases for Thioglycoside Synthesis. 2003 , 115, 366-368 | | 21 |
| 2179 | Thioglycoligases: mutant glycosidases for thioglycoside synthesis. 2003 , 42, 352-4 | | 124 |
| 2178 | Separation and purification of glucosinolates from crude plant homogenates by high-speed counter-current chromatography. 2003 , 996, 85-93 | | 73 |
| 2177 | Variation of glucosinolate accumulation among different organs and developmental stages of <i>Arabidopsis thaliana</i> . <i>Phytochemistry</i> , 2003 , 62, 471-81 | 4 | 669 |
| 2176 | Glucosinolates, flea beetle resistance, and leaf pubescence as taxonomic characters in the genus <i>Barbarea</i> (Brassicaceae). <i>Phytochemistry</i> , 2003 , 63, 69-80 | 4 | 58 |
| 2175 | Naturally occurring Phe151Leu substitution near a conserved folding module lowers stability of glutathione transferase P1-1. 2003 , 1649, 16-23 | | 10 |
| 2174 | The effect of indole-3-carbinol and sulforaphane on a prostate cancer cell line. 2003 , 73, 154-6 | | 23 |
| 2173 | Translational strategies for cancer prevention in liver. 2003 , 3, 321-9 | | 172 |
| 2172 | Investigation of isothiocyanate yield from flowering and non-flowering tissues of wasabi grown in a flooded system. 2003 , 16, 637-646 | | 9 |
| 2171 | Glucosinolates in vegetative tissues and seeds of twelve cultivars of vegetable turnip rape (<i>Brassica rapa</i> L.). 2003 , 49, 337-346 | | 26 |
| 2170 | Isolation and biochemical characterization of a basic myrosinase from ripe <i>Crambe abyssinica</i> seeds, highly specific for epi-progoitrin. 2003 , 51, 2737-44 | | 43 |
| 2169 | Comparison of isothiocyanate yield from wasabi rhizome tissues grown in soil or water. 2003 , 51, 3586-91 | | 11 |

| | | |
|------|---|-----|
| 2168 | Development of a flow amperometric enzymatic method for the determination of total glucosinolates in real samples. 2003 , 75, 927-34 | 12 |
| 2167 | Elemental sulphur is produced by diverse plant families as a component of defence against fungal and bacterial pathogens. 2003 , 63, 3-16 | 25 |
| 2166 | A paper screening test to assess genetic taste sensitivity to 6-n-propylthiouracil. 2003 , 78, 625-33 | 134 |
| 2165 | GLUCOSINOLATES. 2003 , 2922-2930 | 11 |
| 2164 | Natural antimicrobials in postharvest storage of fresh fruits and vegetables. 2003 , 201-234 | 8 |
| 2163 | The Nitrilase ZmNIT2 converts indole-3-acetonitrile to indole-3-acetic acid. 2003 , 133, 794-802 | 76 |
| 2162 | Requirement of a carbon spacer in benzyl isothiocyanate-mediated cytotoxicity and MAPK activation in head and neck squamous cell carcinoma. 2003 , 24, 1705-12 | 35 |
| 2161 | Allyl isothiocyanate, a constituent of cruciferous vegetables, inhibits proliferation of human prostate cancer cells by causing G2/M arrest and inducing apoptosis. 2003 , 24, 891-7 | 203 |
| 2160 | Metabolic engineering of valine- and isoleucine-derived glucosinolates in Arabidopsis expressing CYP79D2 from Cassava. 2003 , 131, 773-9 | 52 |
| 2159 | Efficacy of sulforaphane in eradicating Helicobacter pylori in human gastric xenografts implanted in nude mice. 2003 , 47, 3982-4 | 61 |
| 2158 | Sulforaphane induces caspase-mediated apoptosis in cultured PC-3 human prostate cancer cells and retards growth of PC-3 xenografts in vivo. 2004 , 25, 83-90 | 272 |
| 2157 | The roles of JNK and apoptotic signaling pathways in PEITC-mediated responses in human HT-29 colon adenocarcinoma cells. 2003 , 24, 1361-7 | 133 |
| 2156 | Effects of Brassica vegetable juice on the induction of apoptosis and aberrant crypt foci in rat colonic mucosal crypts in vivo. 2003 , 24, 491-5 | 68 |
| 2155 | Glucosinolates: Biosynthesis and Metabolism. 2003 , 145-162 | 8 |
| 2154 | Chapter six A novel myrosinase-glucosinolate defense system in, cruciferous specialist aphids. 2003 , 37, 127-142 | 8 |
| 2153 | Glucosinolates in Moringa stenopetala. 2003 , 69, 380-2 | 24 |
| 2152 | Sensitivity of Meloidogyne javanica and Tylenchulus semipenetrans to Isothiocyanates in Laboratory Assays. 2003 , 93, 747-50 | 65 |
| 2151 | Transcription factor Nrf2 is essential for induction of NAD(P)H:quinone oxidoreductase 1, glutathione S-transferases, and glutamate cysteine ligase by broccoli seeds and isothiocyanates. 2004 , 134, 3499S-3506S | 167 |

| | | |
|------|--|-----|
| 2150 | Raphanus sativus (Radish): their chemistry and biology. 2004 , 4, 811-37 | 85 |
| 2149 | Colon cancer proliferating desulfosinigrin in wasabi (<i>Wasabia japonica</i>). 2004 , 48, 207-13 | 8 |
| 2148 | <i>Arabidopsis thaliana</i> leaf-surface extracts are detected by the cabbage root fly (<i>Delia radicum</i>) and stimulate oviposition. 2004 , 29, 192-198 | 12 |
| 2147 | Isolation and structural elucidation of 4-(beta-D-glucopyranosyldisulfanyl)butyl glucosinolate from leaves of rocket salad (<i>Eruca sativa</i> L.) and its antioxidative activity. 2004 , 68, 2444-50 | 43 |
| 2146 | Effectiveness of the defence mechanism of the turnip sawfly, <i>Athalia rosae</i> (Hymenoptera: Tenthredinidae), against predation by lizards. 2004 , 94, 283-9 | 18 |
| 2145 | The antioxidants and pro-antioxidants network: an overview. 2004 , 10, 1677-94 | 266 |
| 2144 | Successful herbivore attack due to metabolic diversion of a plant chemical defense. 2004 , 101, 4859-64 | 375 |
| 2143 | Desulfoglucosinolate sulfotransferases from <i>Arabidopsis thaliana</i> catalyze the final step in the biosynthesis of the glucosinolate core structure. 2004 , 279, 50717-25 | 153 |
| 2142 | Dietary approach to attenuate oxidative stress, hypertension, and inflammation in the cardiovascular system. 2004 , 101, 7094-9 | 231 |
| 2141 | Palatability and tolerance to simulated herbivory in native and introduced populations of <i>Alliaria petiolata</i> (Brassicaceae). 2004 , 91, 856-62 | 70 |
| 2140 | Chapter two The biochemical and molecular origins of aliphatic glucosinolate diversity in <i>Arabidopsis thaliana</i> . 2004 , 38, 19-38 | 1 |
| 2139 | Sulforaphane inhibits growth of a colon cancer cell line. 2004 , 6, 28-31 | 22 |
| 2138 | <i>Arabidopsis</i> glucosyltransferase UGT74B1 functions in glucosinolate biosynthesis and auxin homeostasis. 2004 , 40, 893-908 | 202 |
| 2137 | Interactions between aboveground and belowground induction of glucosinolates in two wild Brassica species. 2004 , 161, 801-810 | 159 |
| 2136 | Nematode suppression with brassicaceous amendments: application based upon glucosinolate profiles. 2004 , 36, 1017-1024 | 105 |
| 2135 | Cancer-preventive isothiocyanates: measurement of human exposure and mechanism of action. 2004 , 555, 173-90 | 230 |
| 2134 | Chemoprevention by isothiocyanates and their underlying molecular signaling mechanisms. 2004 , 555, 191-202 | 212 |
| 2133 | Oral broccoli sprouts for the treatment of <i>Helicobacter pylori</i> infection: a preliminary report. 2004 , 49, 1088-90 | 69 |

| | | | |
|------|---|---|-----|
| 2132 | Biosynthesis of methionine-derived glucosinolates in <i>Arabidopsis thaliana</i> : recombinant expression and characterization of methylthioalkylmalate synthase, the condensing enzyme of the chain-elongation cycle. 2004 , 218, 1026-35 | | 89 |
| 2131 | Determination of two intact glucosinolates in vegetables and Chinese herbs. 2004 , 378, 827-33 | | 8 |
| 2130 | Genetic and environmental effects on glucosinolate content and chemoprotective potency of broccoli. 2004 , 123, 60-65 | | 97 |
| 2129 | Glucosinolates in isa \bar{b} (<i>Tropaeolum tuberosum</i>) tubers: qualitative and quantitative content and changes after maturity. 2004 , 84, 701-706 | | 19 |
| 2128 | Glucosinolate biosynthesis: demonstration and characterization of the condensing enzyme of the chain elongation cycle in <i>Eruca sativa</i> . <i>Phytochemistry</i> , 2004 , 65, 1073-84 | 4 | 38 |
| 2127 | Induction of quinone reductase as a primary screen for natural product anticarcinogens. 2004 , 382, 380-414 | | 75 |
| 2126 | Use of near-infrared spectroscopy for screening the individual and total glucosinolate contents in Indian mustard seed (<i>Brassica juncea</i> L. Czern. & Coss.). 2004 , 52, 3563-9 | | 37 |
| 2125 | Sulforaphane-induced G2/M phase cell cycle arrest involves checkpoint kinase 2-mediated phosphorylation of cell division cycle 25C. 2004 , 279, 25813-22 | | 282 |
| 2124 | Induction of phase II detoxification enzymes in rats by plant-derived isothiocyanates: comparison of allyl isothiocyanate with sulforaphane and related compounds. 2004 , 52, 1867-71 | | 159 |
| 2123 | Correlation of glucosinolate content to myrosinase activity in horseradish (<i>Armoracia rusticana</i>). 2004 , 52, 6950-5 | | 56 |
| 2122 | Profiling glucosinolates, flavonoids, alkaloids, and other secondary metabolites in tissues of <i>Azima tetraantha</i> L. (Salvadoraceae). 2004 , 52, 5856-62 | | 35 |
| 2121 | Metabolic diseases of athletic horses. 2004 , 836-850 | | 2 |
| 2120 | Cell cycle arrest, apoptosis induction and inhibition of nuclear factor kappa B activation in anti-proliferative activity of benzyl isothiocyanate against human pancreatic cancer cells. 2004 , 25, 1701-9 | | 138 |
| 2119 | Allyl-isothiocyanate causes mitotic block, loss of cell adhesion and disrupted cytoskeletal structure in HT29 cells. 2004 , 25, 1409-15 | | 74 |
| 2118 | The "Prochaska" microtiter plate bioassay for inducers of NQO1. 2004 , 382, 243-58 | | 115 |
| 2117 | Glucoraphanin and 4-hydroxyglucobrassicin contents in seeds of 59 cultivars of broccoli, raab, kohlrabi, radish, cauliflower, brussels sprouts, kale, and cabbage. 2004 , 52, 916-26 | | 90 |
| 2116 | Induction of medulloblastoma cell apoptosis by sulforaphane, a dietary anticarcinogen from Brassica vegetables. 2004 , 203, 35-43 | | 59 |
| 2115 | Allylnitrile: generation from cruciferous vegetables and behavioral effects on mice of repeated exposure. 2004 , 42, 453-8 | | 26 |

| | | | |
|------|--|---|-----|
| 2114 | Biosynthesis of the flavour precursors of onion and garlic. 2004 , 55, 1903-18 | | 183 |
| 2113 | Effects of glucosinolates and their enzymatic hydrolysis products via myrosinase on the root-knot nematode <i>Meloidogyne incognita</i> (Kofoid et White) Chitw. 2004 , 52, 6703-7 | | 101 |
| 2112 | Screening crucifer seeds as sources of specific intact glucosinolates using ion-pair high-performance liquid chromatography negative ion electrospray mass spectrometry. 2004 , 52, 428-38 | | 147 |
| 2111 | Dietary isothiocyanates inhibit the growth of human bladder carcinoma cells. 2004 , 134, 2004-10 | | 98 |
| 2110 | Glucosinolate assessment in <i>Brassica oleracea</i> leaves by near-infrared spectroscopy. 2005 , 143, 65-73 | | 21 |
| 2109 | Biotransformation of benzaldehyde-type and acetophenone-type derivatives by <i>Pharbitis nil</i> hairy roots. 2005 , 53, 361-5 | | 39 |
| 2108 | Quantification of glucosinolates in leaves of leaf rape (<i>Brassica napus</i> ssp. <i>pabularia</i>) by near-infrared spectroscopy. <i>Phytochemistry</i> , 2005 , 66, 175-85 | 4 | 78 |
| 2107 | Geographic and evolutionary diversification of glucosinolates among near relatives of <i>Arabidopsis thaliana</i> (Brassicaceae). <i>Phytochemistry</i> , 2005 , 66, 1321-33 | 4 | 108 |
| 2106 | From glycoside hydrolases to thioglycoligases: the synthesis of thioglycosides. 2005 , 16, 321-335 | | 35 |
| 2105 | Quantitative determination of intact glucosinolates in broccoli, broccoli sprouts, Brussels sprouts, and cauliflower by high-performance liquid chromatography-electrospray ionization-tandem mass spectrometry. 2005 , 343, 93-9 | | 152 |
| 2104 | Analysis of glucosinolates, isothiocyanates, and amine degradation products in vegetable extracts and blood plasma by LC-MS/MS. 2005 , 347, 234-43 | | 102 |
| 2103 | The tu8 mutation of <i>Arabidopsis thaliana</i> encoding a heterochromatin protein 1 homolog causes defects in the induction of secondary metabolite biosynthesis. 2005 , 7, 348-57 | | 28 |
| 2102 | Variation in growth pattern and response to slug damage among native and invasive provenances of four perennial Brassicaceae species. 2005 , 93, 322-334 | | 43 |
| 2101 | <i>Arabidopsis</i> IQD1, a novel calmodulin-binding nuclear protein, stimulates glucosinolate accumulation and plant defense. 2005 , 43, 79-96 | | 178 |
| 2100 | Metal hyperaccumulation in plants: mechanisms of defence against insect herbivores. 2005 , 19, 55-66 | | 99 |
| 2099 | Effects of antioxidants and caspase-3 inhibitor on the phenylethyl isothiocyanate-induced apoptotic signaling pathways in human PLC/PRF/5 cells. 2005 , 518, 96-106 | | 23 |
| 2098 | Production of glucosinolate hydrolysis products in <i>Farsetia aegyptia</i> suspension cultures following elicitation. 2005 , 76, 288-95 | | 10 |
| 2097 | Cancer-preventive isothiocyanates: dichotomous modulators of oxidative stress. 2005 , 38, 70-7 | | 83 |

| | | |
|------|--|-----|
| 2096 | Olefinic Isothiocyanates and Iminodithiocarbonates from the Liverwort <i>Corsinia coriandrina</i> . 2005 , 2005, 1184-1188 | 10 |
| 2095 | Analysis of the glucosinolate pattern of <i>Arabidopsis thaliana</i> seeds by capillary zone electrophoresis coupled to electrospray ionization-mass spectrometry. 2005 , 26, 1513-22 | 62 |
| 2094 | Glucoraphanin extraction from <i>Cardaria draba</i> : Part 1. Optimization of batch extraction. 2005 , 80, 985-991 | 18 |
| 2093 | Relationship of climate and genotype to seasonal variation in the glucosinolate-myrosinase system. I. Glucosinolate content in ten cultivars of <i>Brassica oleracea</i> grown in fall and spring seasons. 2005 , 85, 671-681 | 110 |
| 2092 | Effect of benzyl isothiocyanate on tomato fruit infection development by <i>Alternaria alternata</i> . 2005 , 85, 1427-1434 | 31 |
| 2091 | Role of mitogen-activated protein kinases in phenethyl isothiocyanate-induced apoptosis in human prostate cancer cells. 2005 , 43, 130-40 | 31 |
| 2090 | Thiosugars: new perspectives regarding availability and potential biochemical and medicinal applications. 2005 , 69, 237-44 | 96 |
| 2089 | Behavioral and chemosensory responses to a host recognition cue by larvae of <i>Pieris rapae</i> . 2005 , 191, 147-55 | 49 |
| 2088 | Induction of glutathione S-transferase and glutathione by toxic compounds and elicitors in reed canary grass. 2005 , 27, 911-4 | 11 |
| 2087 | Regulation of sulfate uptake and xylem loading of poplar roots (<i>Populus tremula</i> x <i>P. alba</i>). 2005 , 19, 204-212 | 7 |
| 2086 | Les phytonutriments et leur impact sur la santé 2005 , 3, 28-34 | 2 |
| 2085 | Within-plant variation in glucosinolate concentrations of <i>Raphanus sativus</i> across multiple scales. 2005 , 31, 1711-32 | 47 |
| 2084 | beta-Phenylethyl isothiocyanate mediated apoptosis: a proteomic investigation of early apoptotic protein changes. 2005 , 5, 1075-82 | 24 |
| 2083 | Mechanisms of action and antiproliferative properties of <i>Brassica oleracea</i> juice in human breast cancer cell lines. 2005 , 135, 1503-9 | 26 |
| 2082 | Chlorophyll, chlorophyllin and related tetrapyrroles are significant inducers of mammalian phase 2 cytoprotective genes. 2005 , 26, 1247-55 | 85 |
| 2081 | Dietary approach to decrease aging-related CNS inflammation. 2005 , 8, 101-10 | 29 |
| 2080 | Life cycle duration of <i>Meloidogyne incognita</i> and host status of Brassicaceae and Capparaceae selected for glucosinolate content. 2005 , 7, 203-212 | 24 |
| 2079 | Bax and Bak are required for apoptosis induction by sulforaphane, a cruciferous vegetable-derived cancer chemopreventive agent. 2005 , 65, 2035-43 | 116 |

| | | |
|------|--|------|
| 2078 | Effects of glucosinolate-rich broccoli sprouts on urinary levels of aflatoxin-DNA adducts and phenanthrene tetraols in a randomized clinical trial in He Zuo township, Qidong, People's Republic of China. 2005 , 14, 2605-13 | 245 |
| 2077 | Induction of the Nrf2-driven antioxidant response confers neuroprotection during mitochondrial stress in vivo. 2005 , 280, 22925-36 | 216 |
| 2076 | Natural antimicrobials for preserving fresh fruit and vegetables. 2005 , 513-555 | 3 |
| 2075 | Auxin: regulation, action, and interaction. 2005 , 95, 707-35 | 1562 |
| 2074 | GSTP1 and GSTA1 polymorphisms interact with cruciferous vegetable intake in colorectal adenoma risk. 2005 , 14, 2943-51 | 36 |
| 2073 | A small-molecule-inducible Nrf2-mediated antioxidant response provides effective prophylaxis against cerebral ischemia in vivo. 2005 , 25, 10321-35 | 348 |
| 2072 | Caspase-dependent apoptosis induction by phenethyl isothiocyanate, a cruciferous vegetable-derived cancer chemopreventive agent, is mediated by Bak and Bax. 2005 , 11, 2670-9 | 69 |
| 2071 | In vitro allelopathic properties of wild rocket (<i>Diplotaxis tenuifolia</i> DC) extract and of its potential allelochemical S-glucopyranosyl thiohydroximate. 2005 , 1, 51-60 | 3 |
| 2070 | Behavioural responses of diamondback moth <i>Plutella xylostella</i> (Lepidoptera: Plutellidae) to extracts derived from <i>Melia azedarach</i> and <i>Azadirachta indica</i> . 2005 , 95, 457-65 | 32 |
| 2069 | Composition and antibacterial activity of <i>Pseudocytisus integrifolius</i> (Salisb.) essential oil from Algeria. 2005 , 53, 2947-52 | 17 |
| 2068 | Sulforaphane-induced cell death in human prostate cancer cells is initiated by reactive oxygen species. 2005 , 280, 19911-24 | 290 |
| 2067 | Use of isothiocyanates for suppression of Palmer amaranth (<i>Amaranthus palmeri</i>), pitted morningglory (<i>Ipomoea lacunosa</i>), and yellow nutsedge (<i>Cyperus esculentus</i>). 2005 , 53, 884-890 | 53 |
| 2066 | Induction of detoxication enzymes in mice by naturally occurring allyl nitrile. 2005 , 53, 8993-6 | 11 |
| 2065 | Ionic thiocyanate (SCN ⁻) production from 4-hydroxybenzyl glucosinolate contained in <i>Sinapis alba</i> seed meal. 2005 , 53, 8650-4 | 73 |
| 2064 | Technology Transfer and Scale Up of a Potential Cancer-Preventive Plant Dynamic Extraction of Glucoraphanin. 2005 , 28, 1913-1922 | 30 |
| 2063 | Glucosinolates in the subantarctic crucifer Kerguelen cabbage (<i>Pringlea antiscorbutica</i>). 2005 , 68, 234-6 | 17 |
| 2062 | Efficient and solvent-free microwave-accelerated synthesis of isothiocyanates using Lawesson's reagent. 2005 , 26, 155-161 | 13 |
| 2061 | Induction of resistance to gray mold with benzothiadiazole modifies amino acid profile and increases proanthocyanidins in grape: primary versus secondary metabolism. 2005 , 53, 9133-9 | 83 |

| | | |
|------|---|-----|
| 2060 | Pungent products from garlic activate the sensory ion channel TRPA1. 2005 , 102, 12248-52 | 645 |
| 2059 | Uptake and turn-over of glucosinolates sequestered in the sawfly <i>Athalia rosae</i> . 2005 , 35, 1189-98 | 46 |
| 2058 | Analysis of the isothiocyanates present in cabbage leaves extract and their potential application to control <i>Alternaria</i> rot in bell peppers. 2005 , 38, 701-708 | 66 |
| 2057 | Beta-phenylethyl isothiocyanate mediated apoptosis; contribution of Bax and the mitochondrial death pathway. 2005 , 37, 100-19 | 36 |
| 2056 | Formulation of a soil biofungicide for control of damping-off of Chinese cabbage (<i>Brassica chinensis</i>) caused by <i>Rhizoctonia solani</i> . 2005 , 32, 287-294 | 42 |
| 2055 | Red maca (<i>Lepidium meyenii</i>) reduced prostate size in rats. 2005 , 3, 5 | 59 |
| 2054 | The glucosinolate-myrosinase system. New insights into enzyme-substrate interactions by use of simplified inhibitors. 2005 , 3, 1872-9 | 23 |
| 2053 | Direct antioxidant activity of purified glucoerucin, the dietary secondary metabolite contained in rocket (<i>Eruca sativa</i> Mill.) seeds and sprouts. 2005 , 53, 2475-82 | 152 |
| 2052 | Toxicological aspects of the South American herbs cat's claw (<i>Uncaria tomentosa</i>) and Maca (<i>Lepidium meyenii</i>): a critical synopsis. 2005 , 24, 11-35 | 92 |
| 2051 | Extraction and determination of glucosinolates from soil. 2005 , 53, 9663-7 | 14 |
| 2050 | Isolation of 4-methylthio-3-butenyl glucosinolate from <i>Raphanus sativus</i> sprouts (kaiware daikon) and its redox properties. 2005 , 53, 9890-6 | 93 |
| 2049 | Glycosyltransferases of lipophilic small molecules. 2006 , 57, 567-97 | 322 |
| 2048 | Sulphur-Containing Compounds. 25-46 | 9 |
| 2047 | Absorption and Metabolism of Dietary Plant Secondary Metabolites. 303-351 | 34 |
| 2046 | Ontogenic profiling of glucosinolates, flavonoids, and other secondary metabolites in <i>Eruca sativa</i> (salad rocket), <i>Diplotaxis eruroides</i> (wall rocket), <i>Diplotaxis tenuifolia</i> (wild rocket), and <i>Bunias orientalis</i> (Turkish rocket). 2006 , 54, 4005-15 | 140 |
| 2045 | Safety, tolerance, and metabolism of broccoli sprout glucosinolates and isothiocyanates: a clinical phase I study. 2006 , 55, 53-62 | 265 |
| 2044 | A new type of bacterial sulfatase reveals a novel maturation pathway in prokaryotes. 2006 , 281, 22464-70 | 80 |
| 2043 | Evaluation of isothiocyanates as potent inducers of carcinogen-detoxifying enzymes in the urinary bladder: critical nature of in vivo bioassay. 2006 , 54, 223-31 | 26 |

| | | |
|------|---|------|
| 2042 | Mechanism of action of sulforaphane: inhibition of p38 mitogen-activated protein kinase isoforms contributing to the induction of antioxidant response element-mediated heme oxygenase-1 in human hepatoma HepG2 cells. 2006 , 66, 8804-13 | 237 |
| 2041 | ALLELOCHEMICALS AS BIOPESTICIDES FOR MANAGEMENT OF PLANT-PARASITIC NEMATODES. 2006 , 15-29 | 9 |
| 2040 | Pathogen detection, testing, and control in fresh broccoli sprouts. 2006 , 5, 13 | 18 |
| 2039 | Biofumigation and Enhanced Biodegradation: Opportunity and Challenge in Soilborne Pest and Disease Management. 2006 , 25, 235-265 | 291 |
| 2038 | Biology and biochemistry of glucosinolates. 2006 , 57, 303-33 | 1561 |
| 2037 | A scent of therapy: pharmacological implications of natural products containing redox-active sulfur atoms. 2006 , 23, 851-63 | 253 |
| 2036 | Effect of methyl jasmonate on phenolics, isothiocyanate, and metabolic enzymes in radish sprout (<i>Raphanus sativus</i> L.). 2006 , 54, 7263-9 | 117 |
| 2035 | Behavior of glucosinolates in pickling cruciferous vegetables. 2006 , 54, 9430-6 | 39 |
| 2034 | Responses of native and invasive Brassicaceae species to slug herbivory. 2006 , 30, 126-135 | 12 |
| 2033 | The effect of radio frequency heat treatment on nutritional and colloid-chemical properties of different white mustard (<i>Sinapis alba</i> L.) varieties. 2006 , 7, 74-79 | 34 |
| 2032 | The ectopic expression of the rice <i>Osmyb4</i> gene in <i>Arabidopsis</i> increases tolerance to abiotic, environmental and biotic stresses. 2006 , 69, 26-42 | 84 |
| 2031 | Glucosinolate metabolism and its control. 2006 , 11, 89-100 | 521 |
| 2030 | Glucosinolates. 2006 , 583-596 | 2 |
| 2029 | Benzyl isothiocyanate-induced DNA damage causes G2/M cell cycle arrest and apoptosis in human pancreatic cancer cells. 2006 , 136, 2728-34 | 68 |
| 2028 | Activity of <i>Brassica oleracea</i> leaf juice on foodborne pathogenic bacteria. 2006 , 69, 2274-9 | 43 |
| 2027 | . 2006 , | 143 |
| 2026 | Integration of cover crops and fertilizer rates for weed management in celery. 2006 , 54, 326-334 | 10 |
| 2025 | The principal urinary metabolites of dietary isothiocyanates, N-acetylcysteine conjugates, elicit the same anti-proliferative response as their parent compounds in human bladder cancer cells. 2006 , 17, 297-305 | 55 |

| | | |
|------|---|-------|
| 2024 | Effects of isothiocyanates on purple (<i>Cyperus rotundus</i> L.) and yellow nutsedge (<i>Cyperus esculentus</i> L.). 2006 , 6, 131-138 | 19 |
| 2023 | Comparative biochemical characterization of nitrile-forming proteins from plants and insects that alter myrosinase-catalysed hydrolysis of glucosinolates. 2006 , 273, 2432-46 | 106 |
| 2022 | Effect of ammonium: nitrate nutrient ratio on nitrate and glucosinolate contents of hydroponically-grown rocket salad (<i>Eruca sativa</i> Mill.). 2006 , 52, 387-393 | 25 |
| 2021 | Glucosinolate profiles in the seeds, leaves and roots of rocket salad (<i>Eruca sativa</i> Mill.) and anti-oxidative activities of intact plant powder and purified 4-methoxyglucobrassicin. 2006 , 52, 394-400 | 55 |
| 2020 | <i>Arabidopsis</i> myrosinases TGG1 and TGG2 have redundant function in glucosinolate breakdown and insect defense. 2006 , 46, 549-62 | 293 |
| 2019 | DOF transcription factor AtDof1.1 (OBP2) is part of a regulatory network controlling glucosinolate biosynthesis in <i>Arabidopsis</i> . 2006 , 47, 10-24 | 200 |
| 2018 | Thermal degradation of glucosinolates in red cabbage. 2006 , 95, 19-29 | 184 |
| 2017 | Temperature and pressure stability of mustard seed (<i>Sinapis alba</i> L.) myrosinase. 2006 , 97, 263-271 | 70 |
| 2016 | Three 1-thio-beta-D-glucopyranosides from the seeds of <i>Afrostryax lepidophyllus</i> Mildbr. 2006 , 341, 2799-802 | 14 |
| 2015 | Gene expression and glucosinolate accumulation in <i>Arabidopsis thaliana</i> in response to generalist and specialist herbivores of different feeding guilds and the role of defense signaling pathways. <i>Phytochemistry</i> , 2006 , 67, 2450-62 | 4 226 |
| 2014 | Chemical and biological characterisation of nutraceutical compounds of broccoli. 2006 , 41, 1508-22 | 281 |
| 2013 | Glucosinolate survey of cultivated and feral mashua (<i>Tropaeolum tuberosum</i> Ruiz & Pavón) in the Cuzco region of Peru. 2006 , 60, 254-264 | 15 |
| 2012 | Natural Herbicides and Amendments for Organic Weed Control. 2006 , 174-185 | 6 |
| 2011 | Cell death induction by isothiocyanates and their underlying molecular mechanisms. 2006 , 26, 123-34 | 30 |
| 2010 | Many roads lead to "auxin": of nitrilases, synthases, and amidases. 2006 , 8, 326-33 | 41 |
| 2009 | Chlorophyll a fluorescence imaging of ozone-stressed <i>Brassica napus</i> L. plants differing in glucosinolate concentrations. 2006 , 8, 698-705 | 18 |
| 2008 | Cytochromes P450 in the biosynthesis of glucosinolates and indole alkaloids. 2006 , 5, 331-346 | 30 |
| 2007 | Glucosinolate hydrolysis in <i>Lepidium sativum</i> —identification of the thiocyanate-forming protein. 2007 , 63, 49-61 | 95 |

| | | |
|------|--|-----|
| 2006 | Enhanced glucotropaeolin production in hairy root cultures of <i>Tropaeolum majus</i> L. by combining elicitation and precursor feeding. 2006 , 86, 177-186 | 49 |
| 2005 | Glucosinolate and trichome defenses in a natural <i>Arabidopsis lyrata</i> population. 2006 , 32, 2351-73 | 58 |
| 2004 | Activated chemical defense in aplysina sponges revisited. 2006 , 32, 97-123 | 87 |
| 2003 | Sulforaphane induces inhibition of human umbilical vein endothelial cells proliferation by apoptosis. 2006 , 9, 83-91 | 54 |
| 2002 | Influence of cover crops on potential nitrogen availability to succeeding crops in a Southern Piedmont soil. 2006 , 42, 299-307 | 31 |
| 2001 | Chemosensory and behavioural responses of the turnip sawfly, <i>Athalia rosae</i> , to glucosinolates and isothiocyanates. 2006 , 16, 209-218 | 29 |
| 2000 | General occurrence of the glucosinolate glucocochlearin within the <i>Cochlearia</i> genus. 2006 , 341, 2166-9 | 5 |
| 1999 | High pressure and foodsfruit/vegetable juices. 2006 , 77, 386-398 | 68 |
| 1998 | Phenethyl isothiocyanate (PEITC) inhibits growth of ovarian cancer cells by inducing apoptosis: role of caspase and MAPK activation. 2006 , 103, 261-70 | 95 |
| 1997 | A common pathway for metabolism of 4-hydroxybenzylglucosinolate in <i>Pieris</i> and <i>Anthocaris</i> (Lepidoptera: Pieridae). 2006 , 34, 189-198 | 33 |
| 1996 | Evidence for the common occurrence of the glucosinolate glucoputranjivin in the genus <i>Cochlearia</i> . 2006 , 34, 596-598 | 1 |
| 1995 | Composition of the volatile oil from the leaves of <i>Ximenia americana</i> L.. 2006 , 34, 549-553 | 22 |
| 1994 | Response of <i>Drosophila</i> to wasabi is mediated by painless, the fly homolog of mammalian TRPA1/ANKTM1. 2006 , 16, 1034-40 | 125 |
| 1993 | Variability in a taste-receptor gene determines whether we taste toxins in food. 2006 , 16, R792-4 | 148 |
| 1992 | Newly constructed stable reporter cell lines for mechanistic studies on electrophile-responsive element-mediated gene expression reveal a role for flavonoid planarity. 2006 , 72, 217-26 | 41 |
| 1991 | Comparison of growth inhibition profiles and mechanisms of apoptosis induction in human colon cancer cell lines by isothiocyanates and indoles from Brassicaceae. 2006 , 599, 76-87 | 84 |
| 1990 | A review of the influence of postharvest treatments on quality and glucosinolate content in broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) heads. 2006 , 41, 1-8 | 135 |
| 1989 | Changes in glucoraphanin content and quinone reductase activity in broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) florets during cooling and controlled atmosphere storage. 2006 , 42, 176-184 | 30 |

| | | |
|------|--|-----|
| 1988 | Glycine conjugates in a lepidopteran insect herbivore--the metabolism of benzylglucosinolate in the cabbage white butterfly, <i>Pieris rapae</i> . 2006 , 7, 1982-9 | 25 |
| 1987 | Chemical composition of the volatile extracts from <i>Brassica oleracea</i> L. var. <i>botrytis Romanesco</i> cauliflower seeds. 2006 , 21, 107-110 | 16 |
| 1986 | Variation in the content of glucosinolates, hydroxycinnamic acids, carotenoids, total antioxidant capacity and low-molecular-weight carbohydrates in <i>Brassica</i> vegetables. 2006 , 86, 528-538 | 95 |
| 1985 | Purification of major glucosinolates from Brassicaceae seeds and preparation of isothiocyanate and amine metabolites. 2006 , 86, 1271-1280 | 33 |
| 1984 | Effect of nitrogen and sulfur fertilization on glucosinolates in the leaves and roots of broccoli sprouts (<i>Brassica oleracea</i> var. <i>italica</i>). 2006 , 86, 1512-1516 | 89 |
| 1983 | Melatonin content in grape: myth or panacea?. 2006 , 86, 1432-1438 | 113 |
| 1982 | The leaf volatile constituents of <i>Isatis tinctoria</i> by Solid-Phase Microextraction and Gas chromatography/Mass Spectrometry. 2006 , 72, 924-8 | 16 |
| 1981 | Sulforaphane causes autophagy to inhibit release of cytochrome C and apoptosis in human prostate cancer cells. 2006 , 66, 5828-35 | 252 |
| 1980 | Regulation of sulfate assimilation in <i>Arabidopsis</i> and beyond. 2006 , 97, 479-95 | 236 |
| 1979 | The gene controlling the quantitative trait locus EPITHIOSPECIFIER MODIFIER1 alters glucosinolate hydrolysis and insect resistance in <i>Arabidopsis</i> . 2006 , 18, 1524-36 | 197 |
| 1978 | Effects of indole-3-carbinol and phenethyl isothiocyanate on colon carcinogenesis induced by azoxymethane in rats. 2006 , 27, 287-92 | 43 |
| 1977 | Phenethyl isothiocyanate triggers apoptosis in Jurkat cells made resistant by the overexpression of Bcl-2. 2006 , 66, 6772-7 | 25 |
| 1976 | Synthesis of C- and S-Glycosides. 2007 , 647-683 | 3 |
| 1975 | D,L-Sulforaphane-induced cell death in human prostate cancer cells is regulated by inhibitor of apoptosis family proteins and Apaf-1. 2007 , 28, 151-62 | 101 |
| 1974 | Quantitative combination effects between sulforaphane and 3,3'-diindolylmethane on proliferation of human colon cancer cells in vitro. 2007 , 28, 1471-7 | 59 |
| 1973 | Levels and potential health impacts of nutritionally relevant phytochemicals in organic and conventional food production systems. 2007 , 297-329 | 3 |
| 1972 | MAM3 catalyzes the formation of all aliphatic glucosinolate chain lengths in <i>Arabidopsis</i> . 2007 , 144, 60-71 | 146 |
| 1971 | Effects of dietary nicotine on the development of an insect herbivore, its parasitoid and secondary hyperparasitoid over four trophic levels. 2007 , 32, 15-23 | 60 |

| | | |
|------|--|-----|
| 1970 | Essential Oil Composition of Aerial Parts of <i>Sinapis arvensis</i> L. from Algeria. 2007 , 19, 206-208 | 8 |
| 1969 | Novel class of glutathione transferases from cyanobacteria exhibit high catalytic activities towards naturally occurring isothiocyanates. 2007 , 406, 115-23 | 45 |
| 1968 | The cabbage aphid: a walking mustard oil bomb. 2007 , 274, 2271-7 | 130 |
| 1967 | Bioactivity of phytochemicals in some lesser-known plants and their effects and potential applications in livestock and aquaculture production systems. 2007 , 1, 1371-91 | 221 |
| 1966 | High nitrogen during growth reduced glucoraphanin and flavonol content in broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) heads. 2007 , 47, 1498 | 18 |
| 1965 | GSTT1 genotype modifies the association between cruciferous vegetable intake and the risk of myocardial infarction. 2007 , 86, 752-8 | 72 |
| 1964 | Induction of apoptosis by isothiocyanate sulforaphane in human cervical carcinoma HeLa and hepatocarcinoma HepG2 cells through activation of caspase-3. 2007 , | 8 |
| 1963 | Effects of post-harvest storage conditions on the levels of glucosinolates in broccoli sprouts (<i>Brassica oleracea</i> var. <i>italica</i>) grown under different temperature regimes. 2007 , 82, 974-978 | 5 |
| 1962 | Iberin induces cell cycle arrest and apoptosis in human neuroblastoma cells. 2007 , | 4 |
| 1961 | Effect of cooking brassica vegetables on the subsequent hydrolysis and metabolic fate of glucosinolates. 2007 , 66, 69-81 | 109 |
| 1960 | Glucosinolate profiling of seeds and sprouts of <i>B. oleracea</i> varieties used for food. 2007 , 114, 234-242 | 94 |
| 1959 | Antioxidant and Anti-Cancer Activities of Green and Black Tea Polyphenols. 2007 , 215-225 | 5 |
| 1958 | Localisation and quantification of elements within seeds of Cd/Zn hyperaccumulator <i>Thlaspi praecox</i> by micro-PIXE. 2007 , 147, 50-9 | 71 |
| 1957 | Maca: An Andean crop with multi-pharmacological functions. 2007 , 40, 783-792 | 106 |
| 1956 | Host plant-dependent metabolism of 4-hydroxybenzylglucosinolate in <i>Pieris rapae</i> : substrate specificity and effects of genetic modification and plant nitrile hydratase. 2007 , 37, 1119-30 | 20 |
| 1955 | Comparison of total isothiocyanates content in vegetable juices during high pressure treatment, pasteurization and freezing. 2007 , 27, 147-149 | 9 |
| 1954 | Flower vs. leaf feeding by <i>Pieris brassicae</i> : glucosinolate-rich flower tissues are preferred and sustain higher growth rate. 2007 , 33, 1831-44 | 114 |
| 1953 | Identification of new, odor-active thiocarbamates in cress extracts and structure-activity studies on synthesized homologues. 2007 , 55, 1932-8 | 10 |

| | | |
|------|--|-----|
| 1952 | Separation and purification of sulforaphane from broccoli seeds by solid phase extraction and preparative high-performance liquid chromatography. 2007 , 55, 8047-53 | 42 |
| 1951 | Identification and quantification of glucosinolates in sprouts derived from seeds of wild <i>Eruca sativa</i> L. (salad rocket) and <i>Diplotaxis tenuifolia</i> L. (wild rocket) from diverse geographical locations. 2007 , 55, 67-74 | 59 |
| 1950 | Bioactive components of caper (<i>Capparis spinosa</i> L.) from Sicily and antioxidant effects in a red meat simulated gastric digestion. 2007 , 55, 8465-71 | 57 |
| 1949 | Influence of Nitrogen and Sulfur Fertilization on the Mineral Composition of Broccoli Sprouts. 2007 , 30, 1035-1046 | 11 |
| 1948 | Food safety issues of high pressure processed fruit/vegetable juices. 2007 , 27, 157-162 | 1 |
| 1947 | Kinetics of the stability of broccoli (<i>Brassica oleracea</i> Cv. Italica) myrosinase and isothiocyanates in broccoli juice during pressure/temperature treatments. 2007 , 55, 2163-70 | 106 |
| 1946 | Structural elucidation of 4-(cystein-S-yl)butyl glucosinolate from the leaves of <i>Eruca sativa</i> . 2007 , 71, 114-21 | 43 |
| 1945 | Distribution of glucosinolates in some raw and processed Brassica vegetables grown in Croatia. 2007 , 36, 207-216 | 6 |
| 1944 | Sulforaphane mobilizes cellular defenses that protect skin against damage by UV radiation. 2007 , 104, 17500-5 | 165 |
| 1943 | The first naturally occurring aromatic isothiocyanates, rapalexins A and B, are cruciferous phytoalexins. 2007 , 368-70 | 38 |
| 1942 | Glucoraphasatin and glucoraphenin, a redox pair of glucosinolates of brassicaceae, differently affect metabolizing enzymes in rats. 2007 , 55, 5505-11 | 31 |
| 1941 | Broccoli juice treated by high pressure: chemoprotective effects of sulforaphane and indole-3-carbinol. 2007 , 27, 151-156 | 16 |
| 1940 | Sinigrin (2-Propenyl Glucosinolate) Content and Myrosinase Activity in Brassica Vegetables. 2007 , 13, 21-31 | 11 |
| 1939 | Effects of microwave cooking conditions on bioactive compounds present in broccoli inflorescences. 2007 , 55, 10001-7 | 68 |
| 1938 | Metabolic characterization of <i>Brassica rapa</i> leaves by NMR spectroscopy. 2007 , 55, 7936-43 | 76 |
| 1937 | Papaya seed represents a rich source of biologically active isothiocyanate. 2007 , 55, 4407-13 | 83 |
| 1936 | Factors affecting the glucosinolate content of kale (<i>Brassica oleracea acephala</i> group). 2007 , 55, 955-62 | 150 |
| 1935 | Genetic Variation and Metabolism of Glucosinolates. 2007 , 45, 369-415 | 36 |

| | | |
|------|---|-------|
| 1934 | Biochemistry and molecular biology of Arabidopsis-aphid interactions. 2007 , 29, 871-83 | 114 |
| 1933 | Identification of desulphoglucosinolates in Brassicaceae by LC/MS/MS: comparison of ESI and atmospheric pressure chemical ionisation-MS. 2007 , 51, 1537-46 | 30 |
| 1932 | Synthesis of [2,3,4,5,6-2H ₅]phenyl glucosinolate. 2007 , 50, 711-715 | 5 |
| 1931 | Profiling glucosinolates in vegetative and reproductive tissues of four Brassica species of the U-triangle for their biofumigation potential. 2007 , 87, 1586-1594 | 67 |
| 1930 | Antioxidative effects of daikon sprout (<i>Raphanus sativus</i> L.) and ginger (<i>Zingiber officinale</i> Roscoe) in rats. 2007 , 102, 237-242 | 23 |
| 1929 | Improved hydrophilic interaction chromatography method for the identification and quantification of glucosinolates. 2007 , 1154, 469-72 | 53 |
| 1928 | Extraction and analysis of intact glucosinolates--a validated pressurized liquid extraction/liquid chromatography-mass spectrometry protocol for <i>Isatis tinctoria</i> , and qualitative analysis of other cruciferous plants. 2007 , 1166, 142-51 | 82 |
| 1927 | Strong ion-exchange centrifugal partition chromatography as an efficient method for the large-scale purification of glucosinolates. 2007 , 1170, 44-51 | 21 |
| 1926 | Variation of glucosinolates in vegetable crops of <i>Brassica rapa</i> . <i>Phytochemistry</i> , 2007 , 68, 536-45 | 4 196 |
| 1925 | <i>Moringa oleifera</i> : a food plant with multiple medicinal uses. 2007 , 21, 17-25 | 843 |
| 1924 | Naturally occurring glucosinolates in plant extracts of rocket salad (<i>Eruca sativa</i> L.) identified by liquid chromatography coupled with negative ion electrospray ionization and quadrupole ion-trap mass spectrometry. 2007 , 21, 2374-88 | 75 |
| 1923 | Characterisation of glucosinolates using electrospray ion trap and electrospray quadrupole time-of-flight mass spectrometry. 2007 , 18, 306-19 | 47 |
| 1922 | Allelopathy--a natural alternative for weed control. 2007 , 63, 327-48 | 280 |
| 1921 | The R2R3-MYB transcription factor HAG1/MYB28 is a regulator of methionine-derived glucosinolate biosynthesis in <i>Arabidopsis thaliana</i> . 2007 , 51, 247-61 | 296 |
| 1920 | Suppression of <i>Digitaria sanguinalis</i> and <i>Amaranthus palmeri</i> using autumn-sown glucosinolate-producing cover crops in organically grown bell pepper. 2007 , 47, 425-432 | 36 |
| 1919 | In vitro antifungal activity of brassinin, camalexin and two isothiocyanates against the crucifer pathogens <i>Alternaria brassicicola</i> and <i>Alternaria brassicae</i> . 2007 , 56, 296-301 | 72 |
| 1918 | <i>Myzus persicae</i> (green peach aphid) feeding on <i>Arabidopsis</i> induces the formation of a deterrent indole glucosinolate. 2007 , 49, 1008-19 | 273 |
| 1917 | Characterization of seed-specific benzoyloxyglucosinolate mutations in <i>Arabidopsis thaliana</i> . 2007 , 51, 1062-76 | 84 |

| | | |
|------|---|-------|
| 1916 | Transcriptional responses to exposure to the brassicaceous defence metabolites camalexin and allyl-isothiocyanate in the necrotrophic fungus <i>Alternaria brassicicola</i> . 2007 , 8, 195-208 | 66 |
| 1915 | Discovery and development of sulforaphane as a cancer chemopreventive phytochemical. 2007 , 28, 1343-54 | 158 |
| 1914 | Induction of plant responses by a sequestering insect: Relationship of glucosinolate concentration and myrosinase activity. 2007 , 8, 13-25 | 49 |
| 1913 | Dose-response effect of Red Maca (<i>Lepidium meyenii</i>) on benign prostatic hyperplasia induced by testosterone enanthate. 2007 , 14, 460-4 | 37 |
| 1912 | Glucoraphanin and flavonoid levels remain stable during simulated transport and marketing of broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) heads. 2007 , 43, 89-94 | 38 |
| 1911 | Impact of cold storage on glucosinolate levels in seed-sprouts of broccoli, rocket, white radish and kohlrabi. 2007 , 44, 175-178 | 42 |
| 1910 | Metabolism and bioavailability of flavonoids in chemoprevention: current analytical strategies and future prospectus. 2007 , 4, 846-64 | 75 |
| 1909 | Sulfur metabolism in plants: are trees different?. 2007 , 9, 620-37 | 38 |
| 1908 | The effect of sulfur nutrition on plant glucosinolate content: physiology and molecular mechanisms. 2007 , 9, 573-81 | 196 |
| 1907 | Tipping the scales--specifier proteins in glucosinolate hydrolysis. 2007 , 59, 744-51 | 73 |
| 1906 | Emission of oilseed rape volatiles after pollen beetle infestation; behavioural and electrophysiological responses in the parasitoid <i>Phradis morionellus</i> . 2007 , 17, 201-207 | 31 |
| 1905 | Cell- and tissue-specific localization and regulation of the epithiospecifier protein in <i>Arabidopsis thaliana</i> . 2007 , 64, 173-85 | 45 |
| 1904 | Saprophytic and pathogenic behaviour of <i>R. solani</i> AG2-1 (ZG-5) in a soil amended with <i>Diplotaxis tenuifolia</i> or <i>Brassica nigra</i> manures and incubated at different temperatures and soil water content. 2007 , 294, 277-289 | 24 |
| 1903 | Development of an insect herbivore and its pupal parasitoid reflect differences in direct plant defense. 2007 , 33, 1556-69 | 48 |
| 1902 | The desert locust, <i>Schistocerca gregaria</i> , detoxifies the glucosinolates of <i>Schouwia purpurea</i> by desulfation. 2007 , 33, 1542-55 | 52 |
| 1901 | Seasonal variation in glucosinolate content in <i>Brassica oleracea</i> crops grown in northwestern Spain. <i>Phytochemistry</i> , 2008 , 69, 403-10 | 4 157 |
| 1900 | <i>Sinapis</i> phylogeny and evolution of glucosinolates and specific nitrile degrading enzymes. <i>Phytochemistry</i> , 2008 , 69, 2937-49 | 4 57 |
| 1899 | Structure-activity relationships and organ specificity in the induction of GST and NQO1 by alkyl-aryl isothiocyanates. 2008 , 25, 2164-70 | 15 |

| | | |
|------|---|-----|
| 1898 | Glucosinolates in Brassica foods: bioavailability in food and significance for human health. 2008 , 7, 213-229 | 268 |
| 1897 | Effect of domestic processing on bioactive compounds. 2008 , 7, 345-384 | 77 |
| 1896 | <i>Barbarea vulgaris</i> glucosinolate phenotypes differentially affect performance and preference of two different species of lepidopteran herbivores. 2008 , 34, 121-31 | 59 |
| 1895 | Performance of generalist and specialist herbivores and their endoparasitoids differs on cultivated and wild Brassica populations. 2008 , 34, 132-43 | 144 |
| 1894 | Glucosinolate profiles change during the life cycle and mycorrhizal colonization in a Cd/Zn hyperaccumulator <i>Thlaspi praecox</i> (Brassicaceae). 2008 , 34, 1038-44 | 22 |
| 1893 | Activated chemical defense in marine sponges--a case study on <i>Aplysinella rhax</i> . 2008 , 34, 1242-52 | 88 |
| 1892 | Formation of simple nitriles upon glucosinolate hydrolysis affects direct and indirect defense against the specialist herbivore, <i>Pieris rapae</i> . 2008 , 34, 1311-21 | 76 |
| 1891 | Development and characterisation of a <i>Brassica carinata</i> inbred line incorporating genes for low glucosinolate content from <i>B. juncea</i> . 2008 , 164, 365-375 | 15 |
| 1890 | Behavior of mustard seed (<i>Sinapis alba</i> L.) myrosinase during temperature/pressure treatments: a case study on enzyme activity and stability. 2008 , 226, 545-553 | 30 |
| 1889 | Influence of blanching and freezing broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) prior to storage and cooking on glucosinolate concentrations and myrosinase activity. 2008 , 227, 37-44 | 36 |
| 1888 | The cancer chemopreventive actions of phytochemicals derived from glucosinolates. 2008 , 47 Suppl 2, 73-88 | 298 |
| 1887 | The invasive species <i>Alliaria petiolata</i> (garlic mustard) increases soil nutrient availability in northern hardwood-conifer forests. 2008 , 157, 459-71 | 86 |
| 1886 | Constitutive and herbivore-inducible glucosinolate concentrations in oilseed rape (<i>Brassica napus</i>) leaves are not affected by Bt Cry1Ac insertion but change under elevated atmospheric CO ₂ and O ₃ . 2008 , 227, 427-37 | 41 |
| 1885 | Influence of sulfur and nitrogen supply on growth, nutrient status and concentration of benzyl-isothiocyanate in cress (<i>Lepidium sativum</i> L.). 2008 , 88, 2576-2580 | 4 |
| 1884 | Identification, synthesis, and enzymology of non-natural glucosinolate chemopreventive candidates. 2008 , 9, 729-47 | 48 |
| 1883 | Bioactive food components and cancer risk reduction. 2008 , 104, 339-56 | 135 |
| 1882 | Free and bound volatiles of rocket (<i>Eruca sativa</i> Mill.). 2008 , 23, 278-285 | 33 |
| 1881 | Volatile compounds and triacylglycerol composition of original Indian fatty plant oils. 2008 , 110, 127-140 | 11 |

| | | | |
|------|---|---|-----|
| 1880 | Glucosinolates in <i>Diplotaxis</i> and <i>Eruca</i> leaves: diversity, taxonomic relations and applied aspects. <i>Phytochemistry</i> , 2008 , 69, 187-99 | 4 | 68 |
| 1879 | ESP and ESM1 mediate indol-3-acetonitrile production from indol-3-ylmethyl glucosinolate in <i>Arabidopsis</i> . <i>Phytochemistry</i> , 2008 , 69, 663-71 | 4 | 70 |
| 1878 | Phytoalexins and polar metabolites from the oilseeds canola and rapeseed: differential metabolic responses to the biotroph <i>Albugo candida</i> and to abiotic stress. <i>Phytochemistry</i> , 2008 , 69, 894-910 | 4 | 50 |
| 1877 | Determination of the absolute configuration of the glucosinolate methyl sulfoxide group reveals a stereospecific biosynthesis of the side chain. <i>Phytochemistry</i> , 2008 , 69, 2737-42 | 4 | 24 |
| 1876 | Raphanusanin-induced genes and the characterization of RsCSN3, a raphanusanin-induced gene in etiolated radish hypocotyls. <i>Phytochemistry</i> , 2008 , 69, 2781-92 | 4 | 3 |
| 1875 | Revised determination of free and complexed myrosinase activities in plant extracts. 2008 , 46, 506-16 | | 42 |
| 1874 | Thio-functionalised glucosinolates: unexpected transformation of desulfoglucoraphenin. 2008 , 49, 292-295 | | 20 |
| 1873 | To: G. Sivakumar, A. Aliboni, L. Bacchetta (2007). HPLC screening of anti-cancer sulforaphane from important European Brassica species. <i>Food Chemistry</i> , 104 (4), 1761-1764. 2008 , 108, 407-408 | | 1 |
| 1872 | PEITC induces G1 cell cycle arrest on HT-29 cells through the activation of p38 MAPK signaling pathway. 2008 , 10, 277-81 | | 32 |
| 1871 | Cranberries for preventing urinary tract infections. 2008 , CD001321 | | 142 |
| 1870 | Performance of specialist and generalist herbivores feeding on cabbage cultivars is not explained by glucosinolate profiles. 2008 , 127, 218-228 | | 75 |
| 1869 | Reciprocal interactions between the cabbage root fly (<i>Delia radicum</i>) and two glucosinolate phenotypes of <i>Barbarea vulgaris</i> . 2008 , 128, 312-322 | | 22 |
| 1868 | Consumption of cruciferous vegetables and glucosinolates in a Spanish adult population. 2008 , 62, 324-31 | | 30 |
| 1867 | Plant metabolites and nutritional quality of vegetables. 2008 , 73, R48-65 | | 167 |
| 1866 | HAG2/MYB76 and HAG3/MYB29 exert a specific and coordinated control on the regulation of aliphatic glucosinolate biosynthesis in <i>Arabidopsis thaliana</i> . 2008 , 177, 627-642 | | 205 |
| 1865 | Quantitative trait loci for glucosinolate accumulation in <i>Brassica rapa</i> leaves. 2008 , 179, 1017-1032 | | 62 |
| 1864 | Potential Biofumigation Effects of <i>Brassica oleracea</i> var. <i>caulorapa</i> on Growth of Fungi. 2008 , 156, 321-325 | | 16 |
| 1863 | The chemistry behind redox regulation with a focus on sulphur redox systems. 2008 , 133, 469-80 | | 55 |

| | | |
|------|---|-----|
| 1862 | Early season herbivore differentially affects plant defence responses to subsequently colonizing herbivores and their abundance in the field. 2008 , 17, 3352-65 | 189 |
| 1861 | Identification of indole glucosinolate breakdown products with antifeedant effects on <i>Myzus persicae</i> (green peach aphid). 2008 , 54, 1015-26 | 174 |
| 1860 | Regulon organization of <i>Arabidopsis</i> . 2008 , 8, 99 | 80 |
| 1859 | Evaluation of nitrate influence on thyroid volume of adults in a previously iodine-deficient area. 2008 , 211, 186-91 | 15 |
| 1858 | Control of brown rot on stonefruit by synthetic and glucosinolate-derived isothiocyanates. 2008 , 47, 61-67 | 60 |
| 1857 | Cabbage and Kale. 2008 , 119-149 | 3 |
| 1856 | Isothiocyanate concentration in Kohlrabi (<i>Brassica oleracea</i> L. Var. <i>gongylodes</i>) plants as influenced by sulfur and nitrogen supply. 2008 , 56, 8334-42 | 21 |
| 1855 | Anticancer Mechanisms and Researches of Isothiocyanates. 2008 , 6, 325-332 | 8 |
| 1854 | Integrated Management and Biocontrol of Vegetable and Grain Crops Nematodes. 2008 , | 6 |
| 1853 | Cytotoxic and antioxidant activity of 4-methylthio-3-butenyl isothiocyanate from <i>Raphanus sativus</i> L. (Kaiware Daikon) sprouts. 2008 , 56, 875-83 | 119 |
| 1852 | Sulfur-Containing Secondary Metabolites and Their Role in Plant Defense. 2008 , 201-222 | 10 |
| 1851 | S-Glycosylation. 2008 , 661-697 | 3 |
| 1850 | Vegetables I. 2008 , | 15 |
| 1849 | Glucosinolates. 31-51 | 4 |
| 1848 | Nutritional implications of genetic taste variation: the role of PROP sensitivity and other taste phenotypes. 2008 , 28, 367-88 | 220 |
| 1847 | <i>Trichoderma</i> spp. tolerance to <i>Brassica carinata</i> seed meal for a combined use in biofumigation. 2008 , 45, 319-327 | 47 |
| 1846 | Sulforaphane generates reactive oxygen species leading to mitochondrial perturbation for apoptosis in human leukemia U937 cells. 2008 , 62, 637-44 | 68 |
| 1845 | Synthesis and anticancer activity comparison of phenylalkyl isoselenocyanates with corresponding naturally occurring and synthetic isothiocyanates. 2008 , 51, 7820-6 | 78 |

| | | |
|------|---|-----|
| 1844 | Allelochemicals in Plants. 2008 , 63-104 | 14 |
| 1843 | Benzylglucosinolate, benzylisothiocyanate, and myrosinase activity in papaya fruit during development and ripening. 2008 , 56, 9592-9 | 46 |
| 1842 | Kinetics of changes in glucosinolate concentrations during long-term cooking of white cabbage (<i>Brassica oleracea</i> L. ssp. <i>capitata</i> f. <i>alba</i>). 2008 , 56, 2068-73 | 29 |
| 1841 | Ready or Not, Garlic Mustard Is Moving In: <i>Alliaria petiolata</i> as a Member of Eastern North American Forests. 2008 , 58, 426-436 | 98 |
| 1840 | Fe ²⁺ -catalyzed formation of nitriles and thionamides from intact glucosinolates. 2008 , 71, 76-80 | 39 |
| 1839 | Quantification of sulforaphane mercapturic acid pathway conjugates in human urine by high-performance liquid chromatography and isotope-dilution tandem mass spectrometry. 2008 , 21, 1991-6 | 47 |
| 1838 | Use of reverse micelles for the simultaneous extraction of oil, proteins, and glucosinolates from cruciferous oilseeds. 2008 , 56, 1595-601 | 28 |
| 1837 | Sulforaphane induces cell-cycle arrest and apoptosis in cultured human lung adenocarcinoma LTP-A2 cells and retards growth of LTP-A2 xenografts in vivo. 2008 , 71, 1911-4 | 36 |
| 1836 | Consumption of raw cruciferous vegetables is inversely associated with bladder cancer risk. 2008 , 17, 938-44 | 107 |
| 1835 | The biology of Canadian weeds. 3. <i>Lepidium draba</i> L., <i>L. chalepense</i> L., <i>L. appelianum</i> Al-Shehbaz (updated). 2008 , 88, 379-401 | 22 |
| 1834 | Genotype, age, tissue, and environment regulate the structural outcome of glucosinolate activation. 2008 , 147, 415-28 | 85 |
| 1833 | Formation of vegetable flavour. 2008 , 71-102 | 5 |
| 1832 | Rapid analysis of phytochemicals in fruit and vegetables. 2008 , 248-278 | 1 |
| 1831 | The transcript and metabolite networks affected by the two clades of <i>Arabidopsis</i> glucosinolate biosynthesis regulators. 2008 , 148, 2021-49 | 155 |
| 1830 | Genetic networks controlling structural outcome of glucosinolate activation across development. 2008 , 4, e1000234 | 24 |
| 1829 | Growth inhibition of a spectrum of bacterial and fungal pathogens by sulforaphane, an isothiocyanate product found in broccoli and other cruciferous vegetables. 2008 , 74, 747-50 | 32 |
| 1828 | Phytochemicals as protectors against ultraviolet radiation: versatility of effects and mechanisms. 2008 , 74, 1548-59 | 97 |
| 1827 | Role of reactive oxygen intermediates in cellular responses to dietary cancer chemopreventive agents. 2008 , 74, 1570-9 | 88 |

| | | |
|------|--|-----|
| 1826 | Putative mechanisms of action for indole-3-carbinol in the prevention of colorectal cancer. 2008 , 12, 729-38 | 8 |
| 1825 | A novel 2-oxoacid-dependent dioxygenase involved in the formation of the goiterogenic 2-hydroxybut-3-enyl glucosinolate and generalist insect resistance in Arabidopsis,. 2008 , 148, 2096-108 | 99 |
| 1824 | Optimization of Sulforaphane Separation from Broccoli Seeds by Macroporous Resins. 2008 , 43, 609-623 | 14 |
| 1823 | Nonuniform distribution of glucosinolates in Arabidopsis thaliana leaves has important consequences for plant defense. 2008 , 105, 6196-201 | 221 |
| 1822 | Naturally occurring reactive sulfur species, their activity against Caco-2 cells, and possible modes of biochemical action. 2008 , 29, 251-268 | 21 |
| 1821 | Diets, phytochemicals, and chemoprevention of tumorigenesis. 2008 , 5, 95-105 | 5 |
| 1820 | Glucosinolates as undesirable substances in animal feed - Scientific Opinion of the Panel on Contaminants in the Food Chain. 2008 , 6, 590 | 14 |
| 1819 | Overview of health-promoting compounds in fruit and vegetables. 2008 , 3-37 | 6 |
| 1818 | Anticancer and Antimicrobial Activities of .BETA.-Phenylethyl Isothiocyanate in Brassica rapa L.. 2008 , 14, 377-382 | 35 |
| 1817 | Effect of Long Term Storage on Some Nutritive Components and Isothiocyanates Content in Roots of Two Horseradish Types. 2008 , 69, 155-164 | 6 |
| 1816 | Development of Asexual Propagation System via in Vitro Culture in Cardamine yezoensis Maxim. and its Application to Hydroponic Cultivation. 2008 , 77, 270-276 | 2 |
| 1815 | The impact of the absence of aliphatic glucosinolates on insect herbivory in Arabidopsis. 2008 , 3, e2068 | 178 |
| 1814 | Cruciferous vegetables reduce morphological markers of colon cancer risk in dimethylhydrazine-treated rats. 2008 , 138, 526-32 | 23 |
| 1813 | Comparison of Glucosinolate Profiles in Leaf and Seed Tissues of Different Brassica napus Crops. 2008 , 133, 551-558 | 56 |
| 1812 | . 2009 , | 9 |
| 1811 | Wasabi - Japanese Horseradish. 2009 , 43, 433-448 | 8 |
| 1810 | Arabidopsis bile acid:sodium symporter family protein 5 is involved in methionine-derived glucosinolate biosynthesis. 2009 , 50, 1579-86 | 75 |
| 1809 | Omics-based approaches to methionine side chain elongation in Arabidopsis: characterization of the genes encoding methylthioalkylmalate isomerase and methylthioalkylmalate dehydrogenase. 2009 , 50, 1181-90 | 72 |

| | | |
|------|---|-----|
| 1808 | Bioavailability and metabolism of phenolic compounds and glucosinolates. 2009 , 194-229 | 5 |
| 1807 | Estimated dietary intake of thiocyanate from Brassicaceae family in Korean diet. 2009 , 72, 1380-7 | 21 |
| 1806 | Introduction to the Different Classes of Natural Products. 2009 , 3-50 | 24 |
| 1805 | Dietary intake of individual glucosinolates in participants of the EPIC-Heidelberg cohort study. 2009 , 54, 87-96 | 62 |
| 1804 | Chemoprevention by isothiocyanates: molecular basis of apoptosis induction. 2009 , 61, 170-181 | 29 |
| 1803 | The genetic basis of constitutive and herbivore-induced ESP-independent nitrile formation in Arabidopsis. 2009 , 149, 561-74 | 106 |
| 1802 | Cruciferous plants: phytochemical toxicity versus cancer chemoprotection. 2009 , 9, 1470-8 | 15 |
| 1801 | Retraction Notice To: Potential Health Benefits of Broccoli- A Chemico-Biological Overview. 2009 , 9, 749-59 | 75 |
| 1800 | Sekundäre Pflanzenstoffe und Krebs. 2009 , 41, 100-108 | 1 |
| 1799 | 1-Cyano-2,3-epithiopropene is a novel plant-derived chemopreventive agent which induces cytoprotective genes that afford resistance against the genotoxic alpha,beta-unsaturated aldehyde acrolein. 2009 , 30, 1754-62 | 34 |
| 1798 | Human gut bacterial communities are altered by addition of cruciferous vegetables to a controlled fruit- and vegetable-free diet. 2009 , 139, 1685-91 | 114 |
| 1797 | Nitrile-specifier proteins involved in glucosinolate hydrolysis in Arabidopsis thaliana. 2009 , 284, 12057-70 | 98 |
| 1796 | Cultivar effect on Moringa oleifera glucosinolate content and taste: a pilot study. 2009 , 48, 199-211 | 18 |
| 1795 | Nematicidal Efficacy of Biofumigation by Defatted Brassicaceae Meal for Control of Meloidogyne incognita (Kofoid et White) Chitw. on a Full Field Zucchini Crop. 2009 , 33, 349-358 | 41 |
| 1794 | Dietary sulforaphane-rich broccoli sprouts reduce colonization and attenuate gastritis in Helicobacter pylori-infected mice and humans. 2009 , 2, 353-60 | 188 |
| 1793 | The gene controlling the indole glucosinolate modifier1 quantitative trait locus alters indole glucosinolate structures and aphid resistance in Arabidopsis. 2009 , 21, 985-99 | 160 |
| 1792 | Cruciferous vegetable consumption and lung cancer risk: a systematic review. 2009 , 18, 184-95 | 153 |
| 1791 | Disruption of adenosine-5'-phosphosulfate kinase in Arabidopsis reduces levels of sulfated secondary metabolites. 2009 , 21, 910-27 | 159 |

| | | |
|------|---|------|
| 1790 | Modelling the level of the major glucosinolates in broccoli as affected by controlled atmosphere and temperature. 2009 , 53, 1-10 | 15 |
| 1789 | Crossfit analysis: a novel method to characterize the dynamics of induced plant responses. 2009 , 10, 425 | 13 |
| 1788 | Nitrilase enzymes and their role in plant-microbe interactions. 2009 , 2, 441-51 | 74 |
| 1787 | No evidence for an evolution of increased competitive ability for the invasive <i>Lepidium draba</i> . 2009 , 10, 103-112 | 33 |
| 1786 | Oral sulforaphane increases Phase II antioxidant enzymes in the human upper airway. 2009 , 130, 244-51 | 176 |
| 1785 | Biofumigation for Plant Disease Control [From the Fundamentals to the Farming System. 172-195 | 4 |
| 1784 | Glucosinolate Amperometric Bienzyme Biosensor Based on Carbon Nanotubes-Gold Nanoparticles Composite Electrodes. 2009 , 21, 1527-1532 | 6 |
| 1783 | MTBITC mediates cell cycle arrest and apoptosis induction in human HepG2 cells despite its rapid degradation kinetics in the in vitro model. 2009 , 50, 190-200 | 24 |
| 1782 | Antioxidant and pro-oxidant capacities of ITCs. 2009 , 50, 222-37 | 78 |
| 1781 | Character impact odorants from Brassicaceae by aroma extract dilution analysis (AEDA): <i>Brassica cretica</i> and <i>Brassica insularis</i> . 2009 , 24, 88-93 | 10 |
| 1780 | Phenethyl isothiocyanate inhibits STAT3 activation in prostate cancer cells. 2009 , 53, 878-86 | 36 |
| 1779 | Exploring new potential health-promoting vegetables: glucosinolates and sensory attributes of rocket salads and related <i>Diplotaxis</i> and <i>Eruca</i> species. 2009 , 89, 713-722 | 54 |
| 1778 | Towards engineering glucosinolates into non-cruciferous plants. 2009 , 229, 261-70 | 63 |
| 1777 | Evolution of camalexin and structurally related indolic compounds. <i>Phytochemistry</i> , 2009 , 70, 1638-44 | 4 42 |
| 1776 | Evolution of nitrilases in glucosinolate-containing plants. <i>Phytochemistry</i> , 2009 , 70, 1680-6 | 4 50 |
| 1775 | The synthesis of novel hexa- ¹³ C-labelled glucosinolates from [¹³ C ₆]-d-glucose. 2009 , 65, 4871-4876 | 14 |
| 1774 | Transformation of <i>Nasturtium officinale</i> , <i>Barbarea verna</i> and <i>Arabis caucasica</i> for hairy roots and glucosinolate-myrosinase system production. 2009 , 31, 917-21 | 22 |
| 1773 | Methylthioalkylmalate synthases: genetics, ecology and evolution. 2009 , 8, 255-268 | 41 |

| | | |
|------|--|-----|
| 1772 | Indole glucosinolate breakdown and its biological effects. 2009 , 8, 101-120 | 170 |
| 1771 | Root and shoot glucosinolates: a comparison of their diversity, function and interactions in natural and managed ecosystems. 2009 , 8, 171-186 | 145 |
| 1770 | Glucosinolates, isothiocyanates and human health. 2009 , 8, 269-282 | 345 |
| 1769 | Mathematical modelling of aliphatic glucosinolate chain length distribution in <i>Arabidopsis thaliana</i> leaves. 2009 , 8, 39-51 | 15 |
| 1768 | The mustard oil bomb – not so easy to assemble?! Localization, expression and distribution of the components of the myrosinase enzyme system. 2009 , 8, 69-86 | 178 |
| 1767 | Regulation and function of specifier proteins in plants. 2009 , 8, 87-99 | 52 |
| 1766 | Interactions between glucosinolate- and myrosinase-containing plants and the sawfly <i>Athalia rosae</i> . 2009 , 8, 121-134 | 56 |
| 1765 | Herbivore induction of the glucosinolate-myrosinase defense system: major trends, biochemical bases and ecological significance. 2009 , 8, 149-170 | 201 |
| 1764 | Interactive effects of phosphorus supply and light intensity on glucosinolates in pakchoi (<i>Brassica campestris</i> L. ssp. <i>chinensis</i> var. <i>communis</i>). 2009 , 323, 323-333 | 21 |
| 1763 | Identification and Characterization of the Glucosinolate-Myrosinase System in Caper (<i>Capparis ovata</i> Desf.). 2009 , 27, 518-525 | 11 |
| 1762 | Antioxidant activity and total phenolic content of <i>Moringa oleifera</i> leaves in two stages of maturity. 2009 , 64, 303-11 | 288 |
| 1761 | Non-volatile intact indole glucosinolates are host recognition cues for ovipositing <i>Plutella xylostella</i> . 2009 , 35, 1427-36 | 76 |
| 1760 | Suppressing Potato Cyst Nematode, <i>Globodera rostochiensis</i> , with Extracts of Brassicacea Plants. 2009 , 86, 327-333 | 26 |
| 1759 | Microwave-assisted extraction of glucosinolates from <i>Eruca sativa</i> seeds and soil: comparison with existing methods. 2009 , 20, 214-20 | 19 |
| 1758 | The antimicrobial effects of glucosinolates and their respective enzymatic hydrolysis products on bacteria isolated from the human intestinal tract. 2009 , 106, 2086-95 | 112 |
| 1757 | Initial in vitro evaluations of the antibacterial activities of glucosinolate enzymatic hydrolysis products against plant pathogenic bacteria. 2009 , 106, 2096-105 | 67 |
| 1756 | Biological Flora of the British Isles: <i>Coincya monensis</i> (L.) Greuter & Burdet ssp. <i>monensis</i> (<i>Rhynchosinapis monensis</i> (L.) Dandy ex A.R. Clapham) and ssp. <i>cheiranthos</i> (Vill.) Aedo, Leadley & Muñoz Garm. (<i>Rhynchosinapis cheiranthos</i> (Vill.) Dandy). 2009 , 97, 1101-1116 | 0 |
| 1755 | Exogenous glucosinolate produced by <i>Arabidopsis thaliana</i> has an impact on microbes in the rhizosphere and plant roots. 2009 , 3, 1243-57 | 171 |

| | | | |
|------|---|---|-----|
| 1754 | Chemoprevention of lung carcinogenesis in addicted smokers and ex-smokers. 2009 , 9, 476-88 | | 76 |
| 1753 | Differing acceptance of familiar and unfamiliar plant species by an oligophagous beetle. 2009 , 131, 189-199 | | 18 |
| 1752 | Influence of pressure/temperature treatments on glucosinolate conversion in broccoli (<i>Brassica oleracea</i> L. cv <i>Italica</i>) heads. 2009 , 112, 646-653 | | 81 |
| 1751 | Glucosinolate degradation products and other bound and free volatiles in the leaves and roots of radish (<i>Raphanus sativus</i> L.). 2009 , 113, 96-102 | | 94 |
| 1750 | Effect of modified atmosphere packaging on visual quality and glucosinolates of broccoli florets. 2009 , 114, 28-37 | | 90 |
| 1749 | A simple O-sulfated thiohydroximate molecule to be the first micromolar range myrosinase inhibitor. 2009 , 50, 3302-3305 | | 9 |
| 1748 | Metabolic fate of dietary volatile compounds in <i>Pieris brassicae</i> . 2009 , 93, 99-109 | | 7 |
| 1747 | Type and concentration of redox reagents influencing nitrile formation upon myrosinase (<i>Brassica carinata</i>)-catalyzed hydrolysis of glucosibarin. 2009 , 57, 229-236 | | 7 |
| 1746 | Metabolomics-oriented isolation and structure elucidation of 37 compounds including two anthocyanins from <i>Arabidopsis thaliana</i> . <i>Phytochemistry</i> , 2009 , 70, 1017-29 | 4 | 105 |
| 1745 | Differing mechanisms of simple nitrile formation on glucosinolate degradation in <i>Lepidium sativum</i> and <i>Nasturtium officinale</i> seeds. <i>Phytochemistry</i> , 2009 , 70, 1401-9 | 4 | 45 |
| 1744 | Sulforaphane stimulates activation of proapoptotic protein bax leading to apoptosis of endothelial progenitor cells. 2009 , 16, 534-43 | | 16 |
| 1743 | Role of glucosinolates in insect-plant relationships and multitrophic interactions. 2009 , 54, 57-83 | | 645 |
| 1742 | Interactive effects of sulfur and nitrogen supply on the concentration of sinigrin and allyl isothiocyanate in Indian mustard (<i>Brassica juncea</i> L.). 2009 , 57, 3837-44 | | 25 |
| 1741 | Herbicidal activity of glucosinolate degradation products in fermented meadowfoam (<i>Limnanthes alba</i>) seed meal. 2009 , 57, 1821-6 | | 19 |
| 1740 | Updated glucosinolate profile of <i>Dithyrea wislizenii</i> . 2009 , 72, 889-93 | | 17 |
| 1739 | Nutritional traits of bean (<i>Phaseolus vulgaris</i>) seeds from plants chronically exposed to ozone pollution. 2009 , 57, 201-8 | | 38 |
| 1738 | Impact of nitrogen and sulfur fertilization on the composition of glucosinolates in relation to sulfur assimilation in different plant organs of broccoli. 2009 , 57, 9408-17 | | 53 |
| 1737 | Volatile constituents throughout <i>Brassica oleracea</i> L. Var. <i>acephala</i> germination. 2009 , 57, 6795-802 | | 24 |

| | | |
|------|--|-----|
| 1736 | Analysis of phytochemical composition and chemoprotective capacity of rocket (<i>Eruca sativa</i> and <i>Diplotaxis tenuifolia</i>) leafy salad following cultivation in different environments. 2009 , 57, 5227-34 | 55 |
| 1735 | A novel small molecule, LAS-0811, inhibits alcohol-induced apoptosis in VL-17A cells. 2009 , 379, 876-81 | 5 |
| 1734 | Identification of volatile quality markers of ready-to-use lettuce and cabbage. 2009 , 42, 1077-1086 | 37 |
| 1733 | The two non-functional myrosinase genes TGG3 and TGG6 in <i>Arabidopsis</i> are expressed predominantly in pollen. 2009 , 177, 371-375 | 15 |
| 1732 | Bio-protective effects of glucosinolates [A review]. 2009 , 42, 1561-1572 | 173 |
| 1731 | Chemical diversity in <i>Brassica oleracea</i> affects biodiversity of insect herbivores. 2009 , 90, 1863-77 | 103 |
| 1730 | Glycosylation of Secondary Metabolites and Xenobiotics. 2009 , 209-228 | 7 |
| 1729 | Phylum Magnoliophyta (Flowering Plants). 2009 , 1-6 | |
| 1728 | Dietary regulation of P-gp function and expression. 2009 , 5, 789-801 | 30 |
| 1727 | Integrated Management of Fruit Crops Nematodes. 2009 , | 2 |
| 1726 | Screening <i>Brassica</i> species for glucosinolate content. 2009 , 44, 311-6 | 40 |
| 1725 | Inhibitory Effect of Tall Hedge Mustard (<i>Sisymbrium loeselii</i>) Allelochemicals on Rangeland Plants and Arbuscular Mycorrhizal Fungi. 2009 , 57, 386-393 | 26 |
| 1724 | Antiangiogenic and proapoptotic activities of allyl isothiocyanate inhibit ascites tumor growth in vivo. 2009 , 8, 75-87 | 30 |
| 1723 | Plant seeds as sources of potential industrial chemicals, pharmaceuticals, and pest control agents. 2009 , 72, 516-23 | 16 |
| 1722 | Pilot-scale ion-exchange centrifugal partition chromatography: purification of sinalbin from white mustard seeds. 2009 , 32, 1801-7 | 14 |
| 1721 | Glucosinolates in <i>Brassica</i> vegetables: the influence of the food supply chain on intake, bioavailability and human health. 2009 , 53 Suppl 2, S219 | 419 |
| 1720 | Ontogenetic changes of 2-propenyl and 3-indolylmethyl glucosinolates in <i>Brassica carinata</i> leaves as affected by water supply. 2009 , 57, 7259-63 | 72 |
| 1719 | Heat sensitivity of different mustard (<i>Sinapis alba</i> L.) genotype myrosinase enzyme. 2009 , 38, 17-26 | 2 |

| | | |
|------|---|-----|
| 1718 | Some Quality Characteristics Including Isothiocyanates Content of Horseradish Cream as Affected by Storage Period. 2009 , 71, 123-132 | 1 |
| 1717 | Characterization of plant growth promoting bacteria from crops in Bolivia. 2009 , 116, 149-155 | 25 |
| 1716 | Health Promoting Phytochemicals in Vegetables. 2010 , 125-185 | 1 |
| 1715 | Secondary Metabolites in Maca as Affected by Hypocotyl Color, Cultivation History, and Site. 2010 , 102, 431-439 | 22 |
| 1714 | Toxicology and Risk Assessment of Coumarin: Focus on Human Data. 2010 , 272-360 | |
| 1713 | Phytochemicals in cancer prevention and therapy: truth or dare?. 2010 , 2, 517-51 | 131 |
| 1712 | Cabbage Flavor. 2010 , 741-750 | 2 |
| 1711 | Glucosinolates in Brassica and Cancer. 2010 , 3-29 | 3 |
| 1710 | Cancer chemoprevention mechanisms mediated through the Keap1-Nrf2 pathway. 2010 , 13, 1713-48 | 413 |
| 1709 | Analysis of the isothiocyanates present in three Chinese Brassica vegetable seeds and their potential anticancer bioactivities. 2010 , 231, 951-958 | 10 |
| 1708 | The inhibition of autophagy potentiates anti-angiogenic effects of sulforaphane by inducing apoptosis. 2010 , 13, 227-38 | 39 |
| 1707 | Temporal consistency in herbivore responses to glucosinolate polymorphism in populations of wild cabbage (<i>Brassica oleracea</i>). 2010 , 164, 689-99 | 28 |
| 1706 | Characterization and antimicrobial activity of 4-(ED-glucopyranosyl-1- β -L-rhamnopyranosyloxy)-benzyl thiocarboxamide; a novel bioactive compound from <i>Moringa oleifera</i> seed extract. 2010 , 55, 422-6 | 37 |
| 1705 | Sequestration of glucosinolates and iridoid glucosides in sawfly species of the genus <i>Athalia</i> and their role in defense against ants. 2010 , 36, 148-57 | 43 |
| 1704 | Differential effects of indole and aliphatic glucosinolates on lepidopteran herbivores. 2010 , 36, 905-13 | 162 |
| 1703 | How novel are the chemical weapons of garlic mustard in North American forest understories?. 2010 , 12, 3465-3471 | 47 |
| 1702 | Phenethyl isothiocyanate sensitizes androgen-independent human prostate cancer cells to docetaxel-induced apoptosis in vitro and in vivo. 2010 , 27, 722-31 | 34 |
| 1701 | Differential response of normal (PrEC) and cancerous human prostate cells (PC-3) to phenethyl isothiocyanate-mediated changes in expression of antioxidant defense genes. 2010 , 27, 2766-75 | 23 |

| | | |
|------|--|-----|
| 1700 | Breeding of rutabaga (<i>Brassica napus</i> var. <i>napobrassica</i> L. Reichenb.) based on biomarker selection for root maggot resistance (<i>Delia radicum</i> L.). 2010 , 175, 191-205 | 8 |
| 1699 | Antioxidant Activity of Isothiocyanate Extracts from Broccoli. 2010 , 18, 312-321 | 20 |
| 1698 | Glucosinolate preservation in stored Brassicaceae seed meals. 2010 , 46, 98-102 | 12 |
| 1697 | Dealing with the variability in biofumigation efficacy through an epidemiological framework. 2010 , 42, 2044-2057 | 35 |
| 1696 | The characterisation of AOP2: a gene associated with the biosynthesis of aliphatic alkenyl glucosinolates in <i>Arabidopsis thaliana</i> . 2010 , 10, 170 | 42 |
| 1695 | Vegetation complexity: The influence of plant species diversity and plant structures on plant chemical complexity and arthropods. 2010 , 11, 383-395 | 115 |
| 1694 | The isothiocyanate produced from glucomoringin inhibits NF- κ B and reduces myeloma growth in nude mice in vivo. 2010 , 79, 1141-8 | 109 |
| 1693 | Induction of the Nrf2-driven antioxidant response by tert-butylhydroquinone prevents ethanol-induced apoptosis in cranial neural crest cells. 2010 , 80, 144-9 | 62 |
| 1692 | Adenosine-5'-phosphosulfate kinase is essential for <i>Arabidopsis</i> viability. 2010 , 584, 119-23 | 40 |
| 1691 | Characterization of a cinnamoyl derivative from broccoli (<i>Brassica oleracea</i> L. var. <i>italica</i>) florets. 2010 , 81, 1062-6 | 12 |
| 1690 | The efficacy of biofumigant meals and plants to control wireworm populations. 2010 , 31, 245-254 | 40 |
| 1689 | Glucosinolate Chemistry: Synthesis of O-Glycosylated Derivatives of Glucosinalbin. 2010 , 2010, 3657-3664 | 13 |
| 1688 | The Biosynthesis of Volatile Sulfur Flavour Compounds. 2010 , 203-229 | 1 |
| 1687 | Hedge mustard (<i>Sisymbrium officinale</i>): chemical diversity of volatiles and their antimicrobial activity. 2010 , 7, 2023-34 | 32 |
| 1686 | Chemical composition and antimicrobial activity of volatiles from <i>Degenia velebica</i> , a European stenoendemic plant of the Brassicaceae family. 2010 , 7, 2755-65 | 16 |
| 1685 | Palladium-Catalyzed Coupling Reactions of Thioimidate N-Oxides: Access to α -Alkenyl- and α -Aryl-Functionalized Cyclic Nitrones. 2010 , 122, 587-590 | 2 |
| 1684 | Palladium-catalyzed coupling reactions of thioimidate N-oxides: access to α -alkenyl- and α -aryl-functionalized cyclic nitrones. 2010 , 49, 577-80 | 16 |
| 1683 | Collision-induced dissociation mass spectra of glucosinolate anions. 2010 , 45, 272-83 | 26 |

| | | | |
|------|---|---|-----|
| 1682 | Allyl isothiocyanate as a cancer chemopreventive phytochemical. 2010 , 54, 127-35 | | 156 |
| 1681 | Defense mechanisms against toxic phytochemicals in the diet of domestic animals. 2010 , 54, 249-58 | | 16 |
| 1680 | Nutritional value of leafy vegetables of sub-Saharan Africa and their potential contribution to human health: A review. 2010 , 23, 499-509 | | 203 |
| 1679 | Glucoraphasatin: chemistry, occurrence, and biological properties. <i>Phytochemistry</i> , 2010 , 71, 6-12 | 4 | 39 |
| 1678 | Roles for glutathione transferases in plant secondary metabolism. <i>Phytochemistry</i> , 2010 , 71, 338-50 | 4 | 325 |
| 1677 | Glucosinolate biochemical diversity and innovation in the Brassicales. <i>Phytochemistry</i> , 2010 , 71, 2074-86 | 4 | 86 |
| 1676 | Sulforaphane suppresses ultraviolet B-induced inflammation in HaCaT keratinocytes and HR-1 hairless mice. 2010 , 21, 702-9 | | 35 |
| 1675 | Sinigrin suppresses nitric oxide production in rats administered intraperitoneally with lipopolysaccharide. 2010 , 120, 1119-1121 | | 11 |
| 1674 | Simultaneous evaluation of intact glucosinolates and phenolic compounds by UPLC-DAD-MS/MS in <i>Brassica oleracea</i> L. var. <i>botrytis</i> . 2010 , 121, 257-263 | | 55 |
| 1673 | Glucosinolates, glycosidically bound volatiles and antimicrobial activity of <i>Aurinia sinuata</i> (Brassicaceae). 2010 , 121, 1020-1028 | | 38 |
| 1672 | Glucosinolates, volatile constituents and biological activities of <i>Erysimum corinthium</i> Boiss. (Brassicaceae). 2010 , 118, 519-524 | | 54 |
| 1671 | Variation of glucosinolates in vegetable crops of <i>Brassica rapa</i> L. ssp. <i>pekinensis</i> . 2010 , 119, 423-428 | | 81 |
| 1670 | Profiling selected phytochemicals and nutrients in different tissues of the multipurpose tree <i>Moringa oleifera</i> L., grown in Ghana. 2010 , 122, 1047-1054 | | 168 |
| 1669 | Can sulfur fertilisation improve the effectiveness of trap crops for diamondback moth, <i>Plutella xylostella</i> (L.) (Lepidoptera: Plutellidae)? 2010 , 66, 832-8 | | 27 |
| 1668 | Characterization of a novel β -thioglucosidase CpTGG1 in <i>Carica papaya</i> and its substrate-dependent and ascorbic acid-independent O- β -glucosidase activity. 2010 , 52, 879-90 | | 14 |
| 1667 | EVALUATION OF THE ANTIOXIDANT ACTIVITY OF ESSENTIAL OILS FROM CAPER (<i>CAPPARIS SPINOSA</i>) AND SEA FENNEL (<i>CRITHMUM MARITIMUM</i>) BY DIFFERENT METHODS. 2010 , 34, 286-302 | | 28 |
| 1666 | EFFECTS OF STORAGE TEMPERATURE ON THE CONTENTS OF CAROTENOIDS AND GLUCOSINOLATES IN PAKCHOI (<i>BRASSICA RAPA</i> L. SSP. <i>CHINENSIS</i> VAR. <i>COMMUNIS</i>). 2010 , 34, 1186-1204 | | 16 |
| 1665 | Influence of water stress on the glucosinolate profile of <i>Brassica oleracea</i> var. <i>italica</i> and the performance of <i>Brevicoryne brassicae</i> and <i>Myzus persicae</i> . 2010 , 137, 229-236 | | 70 |

| | | |
|------|--|-----|
| 1664 | Broad connections in the Arabidopsis seed metabolic network revealed by metabolite profiling of an amino acid catabolism mutant. 2010 , 61, 579-90 | 73 |
| 1663 | Disease resistance of Arabidopsis to Phytophthora brassicae is established by the sequential action of indole glucosinolates and camalexin. 2010 , 62, 840-51 | 136 |
| 1662 | Glucosinolate-accumulating S-cells in Arabidopsis leaves and flower stalks undergo programmed cell death at early stages of differentiation. 2010 , 64, 456-69 | 79 |
| 1661 | Genes of primary sulfate assimilation are part of the glucosinolate biosynthetic network in Arabidopsis thaliana. 2010 , 62, 1-11 | 113 |
| 1660 | Supercritical fluid chromatography of myrosinase reaction products in ground yellow mustard seed oil. 2010 , 75, C341-5 | 6 |
| 1659 | . 2010 , | |
| 1658 | Glucosinolates and other anti-nutritive compounds in canola meals from varieties cultivated in Egypt and Japan. 2010 , 10, | 2 |
| 1657 | Individual differences in prefrontal cortex activity during perception of bitter taste using fNIRS methodology. 2010 , 35, 801-12 | 20 |
| 1656 | Effect of allyl isothiocyanate (AITC) in both nitrite- and nitrosamine-induced cell death, production of reactive oxygen species, and DNA damage by the single-cell gel electrophoresis (SCGE): does it have any protective effect on HepG2 cells?. 2010 , 29, 305-12 | 1 |
| 1655 | Breakdown products of neoglucobrassicin inhibit activation of Nrf2 target genes mediated by myrosinase-derived glucoraphanin hydrolysis products. 2010 , 391, 1281-93 | 34 |
| 1654 | Genetics and bitter taste responses to goitrin, a plant toxin found in vegetables. 2010 , 35, 685-92 | 62 |
| 1653 | Chemistry and Bioactivity of Essential Oils. 2010 , 203-238 | 33 |
| 1652 | Allyl isothiocyanate-rich mustard seed powder inhibits bladder cancer growth and muscle invasion. 2010 , 31, 2105-10 | 62 |
| 1651 | Phytochemical constituents of Cardamine diphylla. 2010 , 88, 50-55 | 17 |
| 1650 | Regionalverband Südwest Tagung am 02./03.03.09 in Koblenz. 2010 , 64, 1-16 | |
| 1649 | Determination of new biomarkers to monitor the dietary consumption of isothiocyanates. 2010 , 15, 739-45 | 16 |
| 1648 | Coagulation and disinfection in water treatment using Moringa. 2010 , 163, 381-388 | 8 |
| 1647 | Two novel sulfur compounds from the seeds of Raphanus sativus L. 2010 , 12, 113-8 | 6 |

| | | |
|------|---|-----|
| 1646 | Hypolipidemic effect of vegetable and cereal dietary mixtures from Egyptian sources. 2010 , 61, 261-270 | 8 |
| 1645 | Allyl isothiocyanate triggers G2/M phase arrest and apoptosis in human brain malignant glioma GBM 8401 cells through a mitochondria-dependent pathway. 2010 , 24, 449-55 | 32 |
| 1644 | p66Shc is indispensable for phenethyl isothiocyanate-induced apoptosis in human prostate cancer cells. 2010 , 70, 3150-8 | 41 |
| 1643 | Spatial variation in foliar chemicals within radish (<i>Raphanus sativus</i>) plants and their effects on performance of <i>Spodoptera litura</i> . 2010 , 39, 1990-6 | 10 |
| 1642 | Identification of botanical biomarkers in Argentinean <i>Diplotaxis</i> honeys: flavonoids and glucosinolates. 2010 , 58, 12678-85 | 40 |
| 1641 | Chemical Defence in Marine Ecosystems. 2010 , 162-213 | 6 |
| 1640 | Effect of drying conditions on indole glucosinolate level in broccoli. 2010 , 39, 167-174 | 16 |
| 1639 | Molecular gastronomy: a new emerging scientific discipline. 2010 , 110, 2313-65 | 130 |
| 1638 | Determination of glucosinolates in 19 Chinese medicinal plants with spectrophotometry and high-pressure liquid chromatography. 2010 , 24, 1195-205 | 22 |
| 1637 | Glucosinolates, structures and analysis in food. 2010 , 2, 310 | 283 |
| 1636 | Biosynthesis of Cyanogenic Glycosides, Glucosinolates and Non-Protein Amino Acids. 92-181 | 8 |
| 1635 | Defence mechanisms of Brassicaceae: implications for plant-insect interactions and potential for integrated pest management. A review. 2010 , 30, 311-348 | 153 |
| 1634 | Phenolics and antioxidant properties of fruit pulp and cell wall fractions of postharvest banana (<i>Musa acuminata</i> Juss.) cultivars. 2010 , 58, 7991-8003 | 61 |
| 1633 | Electrophiles in foods: the current status of isothiocyanates and their chemical biology. 2010 , 74, 242-55 | 107 |
| 1632 | Variable glucosinolate profiles of <i>Cardamine pratensis</i> (Brassicaceae) with equal chromosome numbers. 2010 , 58, 4693-700 | 27 |
| 1631 | Cooking methods of <i>Brassica rapa</i> affect the preservation of glucosinolates, phenolics and vitamin C. 2010 , 43, 1455-1463 | 119 |
| 1630 | Dietary constituents of broccoli and other cruciferous vegetables: implications for prevention and therapy of cancer. 2010 , 36, 377-83 | 223 |
| 1629 | Preconditioning with subneurotoxic allyl nitrile: protection against allyl nitrile neurotoxicity. 2010 , 48, 750-4 | 4 |

| | | |
|------|---|-----|
| 1628 | Biosynthesis of glucosinolates--gene discovery and beyond. 2010 , 15, 283-90 | 586 |
| 1627 | Allelochemicals for Plant-Plant and Plant-Microbe Interactions. 2010 , 539-561 | 12 |
| 1626 | Impacts of Ultraviolet Radiation on Interactions Between Plants and Herbivorous Insects: A Chemo-Ecological Perspective. 2010 , 305-347 | 24 |
| 1625 | Resistance to aphid vectors of virus disease. 2010 , 76, 179-210 | 18 |
| 1624 | Glucosinolate profile variation of growth stages of wild radish (<i>Raphanus raphanistrum</i>). 2010 , 58, 3309-15 | 25 |
| 1623 | Determination of Glucosinolates and Their Decomposition Products Indoles and Isothiocyanates in Cruciferous Vegetables. 2010 , 40, 202-216 | 25 |
| 1622 | Variation of glucosinolates in wild radish (<i>Raphanus raphanistrum</i>) accessions. 2010 , 58, 11626-32 | 18 |
| 1621 | Biocontrol-Based Integrated Management of Oilseed Rape Pests. 2010 , | 42 |
| 1620 | New biomarkers for monitoring the levels of isothiocyanates in humans. 2010 , 23, 756-65 | 47 |
| 1619 | Collision-induced dissociation of the A + 2 isotope ion facilitates glucosinolates structure elucidation by electrospray ionization-tandem mass spectrometry with a linear quadrupole ion trap. 2010 , 82, 5686-96 | 36 |
| 1618 | Chemoprevention strategies for pancreatic cancer. 2010 , 7, 347-56 | 91 |
| 1617 | Weed Populations, Sweet Corn Yield, and Economics Following Fall Cover Crops. 2011 , 25, 374-384 | 20 |
| 1616 | Glucosinolate and Isothiocyanate Production from Brassicaceae Cover Crops in a Plasticulture Production System. 2011 , 59, 247-254 | 24 |
| 1615 | Development and validation of an LC-MS-MS method for the simultaneous determination of sulforaphane and its metabolites in rat plasma and its application in pharmacokinetic studies. 2011 , 49, 801-6 | 20 |
| 1614 | Inhibition of premature death by isothiocyanates through immune restoration in LP-BM5 leukemia retrovirus-infected C57BL/6 mice. 2011 , 75, 1234-9 | 4 |
| 1613 | Biofumigation for control of pale potato cyst nematodes: activity of brassica leaf extracts and green manures on <i>Globodera pallida</i> in vitro and in soil. 2011 , 59, 7882-90 | 60 |
| 1612 | Mechanisms of action of isothiocyanates in cancer chemoprevention: an update. 2011 , 2, 579-87 | 88 |
| 1611 | Glucosinolates profile of "mugnolo", a variety of <i>Brassica oleracea</i> L. native to southern Italy (Salento). 2011 , 77, 287-92 | 17 |

| | | |
|------|--|-----|
| 1610 | Enhanced glucosinolates in root exudates of <i>Brassica rapa</i> ssp. <i>rapa</i> mediated by salicylic acid and methyl jasmonate. 2011 , 59, 1400-5 | 57 |
| 1609 | Relevance of visual and olfactory cues for host location in the mustard leaf beetle <i>Phaedon cochleariae</i> . 2011 , 36, 68-76 | 23 |
| 1608 | Brassicaceae: Breeding Cole Crops for Organic Agriculture. 2011 , 251-262 | 9 |
| 1607 | Phenological and phytochemical changes correlate with differential interactions of <i>Verticillium dahliae</i> with broccoli and cauliflower. 2011 , 101, 523-34 | 24 |
| 1606 | Defence Mechanisms of Brassicaceae: Implications for Plant-Insect Interactions and Potential for Integrated Pest Management. 2011 , 623-670 | 6 |
| 1605 | Responses of an oligophagous beetle species to rearing for several generations on alternative host-plant species. 2011 , 36, 125-134 | 21 |
| 1604 | Kinetic changes in glucosinolate-derived volatiles by heat-treatment and myrosinase activity in nakajimana (<i>Brassica rapa</i> L. cv. <i>nakajimana</i>). 2011 , 59, 11034-9 | 7 |
| 1603 | Effect of processing on the content of glucobrassicin and its degradation products in broccoli and cauliflower. 2011 , 22, 1348-1356 | 19 |
| 1602 | Rat intestinal microbiota digest desulfosinigrin to form allyl cyanide and 1-cyano-2,3-epithiopropene. 2011 , 44, 1023-1028 | 12 |
| 1601 | Indole-3-carbinol inhibited tobacco smoke carcinogen-induced lung adenocarcinoma in A/J mice when administered during the post-initiation or progression phase of lung tumorigenesis. 2011 , 311, 57-65 | 32 |
| 1600 | Health benefits and possible risks of broccoli - an overview. 2011 , 49, 3287-309 | 175 |
| 1599 | Biological targets of isothiocyanates. 2011 , 1810, 888-94 | 87 |
| 1598 | Stimulation of phagocytosis by sulforaphane. 2011 , 405, 146-51 | 29 |
| 1597 | High pressure processing of swede (<i>Brassica napus</i>): Impact on quality properties. 2011 , 12, 85-92 | 42 |
| 1596 | Optimization of purification conditions of radish (<i>Raphanus sativus</i> L.) anthocyanin-rich extracts using chitosan. 2011 , 44, 2097-2103 | 22 |
| 1595 | Proteomic identification of differentially expressed proteins in <i>Arabidopsis</i> in response to methyl jasmonate. 2011 , 168, 995-1008 | 72 |
| 1594 | Single-cell proteomic analysis of glucosinolate-rich S-cells in <i>Arabidopsis thaliana</i> . 2011 , 54, 413-23 | 38 |
| 1593 | Correlations between disease severity, glucosinolate profiles and total phenolics and <i>Xanthomonas campestris</i> pv. <i>campestris</i> inoculation of different Brassicaceae. 2011 , 129, 503-510 | 26 |

| | | |
|------|--|-----|
| 1592 | Cabbage family affairs: the evolutionary history of Brassicaceae. 2011 , 16, 108-16 | 263 |
| 1591 | Phenethyl isothiocyanate induces Ca ²⁺ movement and cytotoxicity in PC3 human prostate cancer cells. 2011 , 42, 895-901 | 1 |
| 1590 | Allergens and Toxins from Oleaginous Plants: Problems and Solutions. 2011 , | |
| 1589 | . 2011 , | 23 |
| 1588 | Extraction and Identification of Isothiocyanates from Broccoli Seeds. 2011 , 6, 1934578X1100600 | 0 |
| 1587 | Chemical and Antioxidant Properties of Broccoli Growing in Bangladesh. 2011 , 9, 31-37 | 1 |
| 1586 | Endocrinological aspects of dietary habits. 2011 , 22, 29-38 | 1 |
| 1585 | Contents of sulforaphane and total isothiocyanates, antimutagenic activity, and inhibition of clastogenicity in pulp. 2011 , 29, 548-556 | 14 |
| 1584 | The metabolite transporters of the plastid envelope: an update. 2011 , 2, 50 | 59 |
| 1583 | Brassica Seeds: Metabolomics and Biological Potential. 2011 , 83-91 | |
| 1582 | Indian Mustard (<i>Brassica juncea</i> L.) Seeds in Health. 2011 , 671-676 | 2 |
| 1581 | Benzyl isothiocyanate sensitizes human pancreatic cancer cells to radiation by inducing apoptosis. 2011 , 28, 1043-7 | 11 |
| 1580 | Chemistry and Pharmacology of <i>Azadirachta indica</i> . 2011 , 283-314 | 2 |
| 1579 | Biochemistry of Vegetables: Major Classes of Primary (Carbohydrates, Amino Acids, Fatty Acids, Vitamins, and Organic Acids) and Secondary Metabolites (Terpenoids, Phenolics, Alkaloids, and Sulfur-Containing Compounds) in Vegetables. 2011 , 23-58 | 1 |
| 1578 | MORINGA (<i>MORINGA OLEIFERA</i> LAM.): A REVIEW. 2011 , 497-508 | 2 |
| 1577 | PROMOTION OF INDIGENOUS VEGETABLES IN ASIA: CONSERVATION AND USE OF SELECTED CROPS IN INDONESIA, THE PHILIPPINES, AND TAIWAN. 2011 , 397-403 | 5 |
| 1576 | Bioactive Phytochemicals in Vegetables. 2011 , 125-158 | 8 |
| 1575 | Glucosinolates in the new oilseed crop meadowfoam: natural variation in Section <i>Inflexae</i> of <i>Limnanthes</i> , a new glucosinolate in <i>L. floccosa</i> , and QTL analysis in <i>L. alba</i> . 2011 , 130, 352-359 | 7 |

| | | | |
|------|---|---|-----|
| 1574 | The contribution of high pressure carbon dioxide in the inactivation kinetics and structural alteration of myrosinase. 2011 , 46, 1545-1553 | | 9 |
| 1573 | Molecular mechanisms of the Keap1/Nrf2 pathway in stress response and cancer evolution. 2011 , 16, 123-40 | | 993 |
| 1572 | Impact of the unfolded protein response on the pathogenicity of the necrotrophic fungus <i>Alternaria brassicicola</i> . 2011 , 79, 1305-24 | | 47 |
| 1571 | Phylloplane location of glucosinolates in <i>Barbarea</i> spp. (Brassicaceae) and misleading assessment of host suitability by a specialist herbivore. 2011 , 189, 549-56 | | 46 |
| 1570 | Drought changes plant chemistry and causes contrasting responses in lepidopteran herbivores. 2011 , 120, 1732-1740 | | 172 |
| 1569 | A bioinspired look at the glucosinolate metabolic pathway. Structural insights into the reaction of benzyl isothiocyanate and d-glucosamine. 2011 , 67, 7811-7820 | | 5 |
| 1568 | Preparative isolation of glucosinolates from various edible plants by strong ion-exchange centrifugal partition chromatography. 2011 , 83, 15-22 | | 11 |
| 1567 | <i>Moringa oleifera</i> induced potentiation of serotonin release by 5-HT(3) receptors in experimental ulcer model. 2011 , 18, 91-5 | | 17 |
| 1566 | Polymorphisms in TAS2R38 and the taste bud trophic factor, gustin gene co-operate in modulating PROP taste phenotype. 2011 , 104, 1065-71 | | 91 |
| 1565 | Insect herbivore counteradaptations to the plant glucosinolate-myrosinase system. <i>Phytochemistry</i> , 2011 , 72, 1566-75 | 4 | 186 |
| 1564 | A thiocyanate-forming protein generates multiple products upon allylglucosinolate breakdown in <i>Thlaspi arvense</i> . <i>Phytochemistry</i> , 2011 , 72, 1699-709 | 4 | 28 |
| 1563 | Interaction of cruciferous phytoanticipins with plant fungal pathogens: indole glucosinolates are not metabolized but the corresponding desulfo-derivatives and nitriles are. <i>Phytochemistry</i> , 2011 , 72, 2308-16 | 4 | 32 |
| 1562 | Allyl isothiocyanate induced stress response in <i>Caenorhabditis elegans</i> . 2011 , 4, 502 | | 1 |
| 1561 | Management of <i>Sinapis alba</i> subsp. <i>mairei</i> winter cover crop residues for summer weed control in southern Spain. 2011 , 30, 1239-1244 | | 22 |
| 1560 | The caper (<i>Capparis</i> L.): ethnopharmacology, phytochemical and pharmacological properties. 2011 , 82, 93-101 | | 81 |
| 1559 | Synthesis and biological evaluation of a novel class of isatin analogs as dual inhibitors of tubulin polymerization and Akt pathway. 2011 , 19, 6006-14 | | 47 |
| 1558 | Antimicrobial Activity of Volatile Sulfur Compounds in Foods. 2011 , 323-338 | | 9 |
| 1557 | Effect of Slovenian climatic conditions on the development and survival of the root-knot nematode <i>Meloidogyne ethiopica</i> . 2011 , 129, 81-88 | | 23 |

| | | |
|------|--|-------|
| 1556 | Male <i>Phyllotreta striolata</i> (F.) produce an aggregation pheromone: identification of male-specific compounds and interaction with host plant volatiles. 2011 , 37, 85-97 | 32 |
| 1555 | Population-related variation in plant defense more strongly affects survival of an herbivore than its solitary parasitoid wasp. 2011 , 37, 1081-90 | 32 |
| 1554 | Glucosinolate content and nematocidal activity of Brazilian wild mustard tissues against <i>Meloidogyne incognita</i> in tomato. 2011 , 341, 155-164 | 25 |
| 1553 | Impact of hydroxylated and non-hydroxylated aliphatic glucosinolates in <i>Arabidopsis thaliana</i> crosses on plant resistance against a generalist and a specialist herbivore. 2011 , 21, 171-180 | 10 |
| 1552 | Water stress alters aphid-induced glucosinolate response in <i>Brassica oleracea</i> var. <i>italica</i> differently. 2011 , 21, 235-242 | 37 |
| 1551 | The cytoprotective role of the Keap1-Nrf2 pathway. 2011 , 85, 241-72 | 687 |
| 1550 | The impact of biofumigation and chemical fumigation methods on the structure and function of the soil microbial community. 2011 , 61, 201-13 | 68 |
| 1549 | Protein modeling and active site binding mode interactions of myrosinase-sinigrin in <i>Brassica juncea</i> --an in silico approach. 2011 , 29, 740-6 | 17 |
| 1548 | Screening, identification and quantification of glucosinolates in black radish (<i>Raphanus sativus</i> L. <i>niger</i>) based dietary supplements using liquid chromatography coupled with a photodiode array and liquid chromatography-mass spectrometry. 2011 , 1218, 4395-405 | 45 |
| 1547 | <i>Barbarea vulgaris</i> linkage map and quantitative trait loci for saponins, glucosinolates, hairiness and resistance to the herbivore <i>Phyllotreta nemorum</i> . <i>Phytochemistry</i> , 2011 , 72, 188-98 | 4 55 |
| 1546 | Phytochemicals of Brassicaceae in plant protection and human health--influences of climate, environment and agronomic practice. <i>Phytochemistry</i> , 2011 , 72, 538-56 | 4 248 |
| 1545 | Accumulation of glucosinolates and nutrients in pakchoi (<i>Brassica campestris</i> L. ssp. <i>chinensis</i> var. <i>communis</i>) two cultivar plants exposed to sulfur deficiency. 2011 , 52, 121-127 | 2 |
| 1544 | Role of Spectral Studies in Detection of Antibacterial Phytoelements and Phytochemicals of <i>Moringa oleifera</i> . 2011 , 6, 497-502 | 6 |
| 1543 | Optimization of ultrasonic-stimulated solvent extraction of sinigrin from Indian mustard seed (<i>Brassica Juncea</i> L.) using response surface methodology. 2011 , 22, 205-13 | 39 |
| 1542 | Unexpected matrix interactions in liquid secondary ion mass spectrometry of two pyranosyl mercaptans. 2011 , 25, 1399-406 | 3 |
| 1541 | Identification of glucosinolate congeners able to form DNA adducts and to induce mutations upon activation by myrosinase. 2011 , 55, 783-92 | 50 |
| 1540 | Isothiocyanates and Polyphenols. 2011 , 263-272 | 1 |
| 1539 | Glucosinolate Synthesis: a Hydroxamic Acid Approach. 2011 , 2011, 2293-2300 | 15 |

| | | |
|------|--|------|
| 1538 | Phytochemical analysis and antimicrobial activity of <i>Cardaria draba</i> (L.) Desv. volatiles. 2011 , 8, 1170-81 | 27 |
| 1537 | Glucosinolate distribution in aerial parts of <i>Degenia velebatica</i> . 2011 , 8, 2090-6 | 8 |
| 1536 | Glucosinolate profiling and antimicrobial screening of <i>Aurinia leucadea</i> (Brassicaceae). 2011 , 8, 2310-21 | 20 |
| 1535 | Variation of glucosinolates in three edible parts of Chinese kale (<i>Brassica alboglabra</i> Bailey) varieties. 2011 , 124, 941-947 | 77 |
| 1534 | A new antimicrobial glucosinolate autolysis product, 4-isothiocyanatobutanoic acid, from the diffuse wallflower (<i>Erysimum diffusum</i>): Methyl 4-isothiocyanatobutanoate, a long unrecognized artifact of the isolation procedure?. 2011 , 129, 125-130 | 13 |
| 1533 | Synthesis and antiproliferative activity of novel α - and β -alkoxyphosphoryl isothiocyanates. 2011 , 21, 4572-6 | 15 |
| 1532 | Glucosinolates: The synthetic approach. 2011 , 14, 194-210 | 30 |
| 1531 | Development of novel naphthalimide derivatives and their evaluation as potential melanoma therapeutics. 2011 , 46, 3331-8 | 25 |
| 1530 | Identification and quantitative determination of glucosinolates in seeds and edible parts of Korean Chinese cabbage. 2011 , 128, 1115-1120 | 33 |
| 1529 | Glucosinolate content and myrosinase activity evolution in three maca (<i>Lepidium meyenii</i> Walp.) ecotypes during preharvest, harvest and postharvest drying. 2011 , 127, 1576-1583 | 56 |
| 1528 | Isoferuloyl derivatives of five seed glucosinolates in the crucifer genus <i>Barbarea</i> . <i>Phytochemistry</i> , 2011 , 72, 610-23 | 4 31 |
| 1527 | An improved procedure for the preparation of β -hydroximates for glucosinolate synthesis. 2011 , 52, 1605-1607 | 2 |
| 1526 | Using knockout mutants to reveal the growth costs of defensive traits. 2011 , 278, 2598-603 | 94 |
| 1525 | Seasonal effects on bioactive compounds and antioxidant capacity of six economically important brassica vegetables. 2011 , 16, 6816-32 | 60 |
| 1524 | Functional compensation of primary and secondary metabolites by duplicate genes in <i>Arabidopsis thaliana</i> . 2011 , 28, 377-82 | 51 |
| 1523 | Unique defense strategy by the endoplasmic reticulum body in plants. 2011 , 52, 2039-49 | 63 |
| 1522 | Watercress and Water Quality: The Effect of Phenethyl Isothiocyanate on the Mating Behaviour of <i>Gammarus pulex</i> . 2011 , 2011, 1-9 | 1 |
| 1521 | Phenylbutyl isoselenocyanate modulates phase I and II enzymes and inhibits 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone-induced DNA adducts in mice. 2011 , 4, 1884-94 | 16 |

| | | |
|------|---|-----|
| 1520 | Metabolic engineering in <i>Nicotiana benthamiana</i> reveals key enzyme functions in <i>Arabidopsis</i> indole glucosinolate modification. 2011 , 23, 716-29 | 139 |
| 1519 | Oilseed rape seeds with ablated defence cells of the glucosinolate-myrosinase system. Production and characteristics of double haploid MINELESS plants of <i>Brassica napus</i> L. 2011 , 62, 4975-93 | 15 |
| 1518 | Detection of genotoxicants in Brassicales using endogenous DNA as a surrogate target and adducts determined by 32P-postlabelling as an experimental end point. 2011 , 26, 407-13 | 25 |
| 1517 | Cytosolic γ -glutamyl peptidases process glutathione conjugates in the biosynthesis of glucosinolates and camalexin in <i>Arabidopsis</i> . 2011 , 23, 2456-69 | 91 |
| 1516 | Bioavailability of Sulforaphane from two broccoli sprout beverages: results of a short-term, cross-over clinical trial in Qidong, China. 2011 , 4, 384-95 | 144 |
| 1515 | Development of a simple and rapid extraction method of glucosinolates from radish roots. 2011 , 61, 208-211 | 18 |
| 1514 | Distinct redox profiles of selected human prostate carcinoma cell lines: implications for rational design of redox therapy. 2011 , 3, 3557-84 | 28 |
| 1513 | Sulfur Metabolites in Brassicales: From Daily Vegetables to Thiofunctional Chemistry. 2011 , 186, 1130-1136 | 2 |
| 1512 | Use of brassica plants in the phytoremediation and biofumigation processes. 2011 , 12, 7760-71 | 93 |
| 1511 | Influence of NaCl and NaNO ₃ on sinigrin hydrolysis by foodborne bacteria. 2011 , 74, 2162-8 | 11 |
| 1510 | Chemopreventative potential of the cruciferous vegetable constituent phenethyl isothiocyanate in a mouse model of prostate cancer. 2011 , 103, 571-84 | 84 |
| 1509 | Nutraceuticals and Cancer. 2012 , | 5 |
| 1508 | Biomarkers of phenethyl isothiocyanate-mediated mammary cancer chemoprevention in a clinically relevant mouse model. 2012 , 104, 1228-39 | 24 |
| 1507 | Small variation of glucosinolate composition in Japanese cultivars of radish (<i>Raphanus sativus</i> L.) requires simple quantitative analysis for breeding of glucosinolate component. 2012 , 62, 63-70 | 29 |
| 1506 | Control of sulfur partitioning between primary and secondary metabolism in <i>Arabidopsis</i> . 2012 , 3, 163 | 58 |
| 1505 | Real-time analysis of sulfur-containing volatiles in Brassica plants infested with root-feeding <i>Delia radicum</i> larvae using proton-transfer reaction mass spectrometry. 2012 , 2012, pls021 | 35 |
| 1504 | Cancer chemoprevention with dietary isothiocyanates mature for clinical translational research. 2012 , 33, 1833-42 | 135 |
| 1503 | Proteomic analysis of covalent modifications of tubulins by isothiocyanates. 2012 , 142, 1377S-81S | 22 |

| | | |
|------|---|-----|
| 1502 | Chemoprotection against cancer by isothiocyanates: a focus on the animal models and the protective mechanisms. 2013 , 329, 179-201 | 42 |
| 1501 | Molecular basis of electrophilic and oxidative defense: promises and perils of Nrf2. 2012 , 64, 1055-81 | 226 |
| 1500 | Effects of Garlic Mustard (<i>Alliaria petiolata</i>) Removal on the Abundance of Entomopathogenic Fungi. 2012 , 5, 323-329 | 1 |
| 1499 | Biodiesel from alternative oilseed feedstocks: camelina and field pennycress. 2012 , 3, 193-209 | 69 |
| 1498 | Epigenetic and antioxidant effects of dietary isothiocyanates and selenium: potential implications for cancer chemoprevention. 2012 , 71, 237-45 | 28 |
| 1497 | Evaluation of the activity of dhurrin and sorghum towards <i>Meloidogyne incognita</i> . 2012 , 14, 759-769 | 15 |
| 1496 | Mixtures of plant secondary metabolites. 56-77 | 28 |
| 1495 | I. 2012 , 1105-1154 | |
| 1494 | A general and facile one-pot process of isothiocyanates from amines under aqueous conditions. 2012 , 8, 61-70 | 55 |
| 1493 | Comparison of selected bioactive compounds and antioxidative capacity in different broccoli cultivars. 2012 , 41, 221-232 | 4 |
| 1492 | The 1,2-benzenedithiole-based cyclocondensation assay: a valuable tool for the measurement of chemopreventive isothiocyanates. 2012 , 52, 525-32 | 31 |
| 1491 | Enantiomers of an indole alkaloid containing unusual dihydrothiopyran and 1,2,4-thiadiazole rings from the root of <i>Isatis indigotica</i> . 2012 , 14, 5668-71 | 69 |
| 1490 | Metabolic and evolutionary costs of herbivory defense: systems biology of glucosinolate synthesis. 2012 , 196, 596-605 | 117 |
| 1489 | An Overview of Antimicrobial Properties of Different Classes of Phytochemicals. 2012 , 1-32 | 22 |
| 1488 | Novel concepts of broccoli sulforaphanes and disease: induction of phase II antioxidant and detoxification enzymes by enhanced-glucoraphanin broccoli. 2012 , 70, 654-65 | 60 |
| 1487 | Balancing defense and growth Analyses of the beneficial symbiosis between <i>Piriformospora indica</i> and <i>Arabidopsis thaliana</i> . 2012 , 58, 17-28 | 4 |
| 1486 | Inhibition of bladder cancer by broccoli isothiocyanates sulforaphane and erucin: characterization, metabolism, and interconversion. 2012 , 56, 1675-87 | 65 |
| 1485 | Time-related survival effects of two gluconasturtiin hydrolysis products on the terrestrial isopod <i>Porcellio scaber</i> . 2012 , 89, 1084-90 | 9 |

| | | |
|------|---|-----|
| 1484 | Increased sulforaphane concentration in brussels sprout following high hydrostatic pressure treatment. 2012 , 55, 685-687 | 3 |
| 1483 | Keap1-nrf2 signaling: a target for cancer prevention by sulforaphane. 2013 , 329, 163-77 | 215 |
| 1482 | Antimutagenic thio compounds from <i>Sisymbrium officinale</i> . 2012 , 75, 2062-8 | 14 |
| 1481 | Predator mortality depends on whether its prey feeds on organic or conventionally fertilised plants. 2012 , 63, 56-61 | 7 |
| 1480 | Convenient syntheses of novel 1-isothiocyano-alkylphosphonate diphenyl ester derivatives with potential biological activity. 2012 , 53, 5845-5847 | 6 |
| 1479 | <i>Aphanomyces</i> pea root rot disease and control with special reference to impact of Brassicaceae cover crops. 2012 , 1-11 | 3 |
| 1478 | The first isocyanide of plant origin expands functional group diversity in cruciferous phytoalexins: synthesis, structure and bioactivity of isocyalalexin A. 2012 , 10, 3613-6 | 20 |
| 1477 | Protection of humans by plant glucosinolates: efficiency of conversion of glucosinolates to isothiocyanates by the gastrointestinal microflora. 2012 , 5, 603-11 | 121 |
| 1476 | Reduced Ectomycorrhizae on Oak Near Invasive Garlic Mustard. 2012 , 19, 1-24 | 16 |
| 1475 | Detection of DNA adducts originating from 1-methoxy-3-indolylmethyl glucosinolate using isotope-dilution UPLC-ESI-MS/MS. 2012 , 84, 6256-62 | 17 |
| 1474 | Composi  bioactifs des Crucif es : un apport b n fique dans notre quotidien. 2012 , 10, 342-349 | 2 |
| 1473 | Cytotoxicity of benzyl isothiocyanate in normal renal proximal tubular cells and its modulation by glutathione. 2012 , 60, 1887-92 | 6 |
| 1472 | Rapid estimation of glucosinolate thermal degradation rate constants in leaves of Chinese kale and broccoli (<i>Brassica oleracea</i>) in two seasons. 2012 , 60, 7859-65 | 26 |
| 1471 | Investigation of glucosinolate profile and qualitative aspects in sprouts and roots of horseradish (<i>Armoracia rusticana</i>) using LC-ESI-hybrid linear ion trap with Fourier transform ion cyclotron resonance mass spectrometry and infrared multiphoton dissociation. 2012 , 60, 7474-82 | 27 |
| 1470 | Plant defense using toxic inorganic ions: conceptual models of the defensive enhancement and joint effects hypotheses. 2012 , 195, 88-95 | 99 |
| 1469 | Engineering glucosinolates in plants: current knowledge and potential uses. 2012 , 168, 1694-717 | 38 |
| 1468 | Cadmium Accumulation by Plants of Brassicaceae Family and Its Connection with Their Primary and Secondary Metabolism. 2012 , 71-97 | 6 |
| 1467 | Role of Nutraceuticals on Nrf2 and Its Implication in Cancer Prevention. 2012 , 61-75 | |

| | | | |
|------|--|---|----|
| 1466 | Influence of fermentation conditions of <i>Brassica oleracea</i> L. var. <i>capitata</i> on the volatile glucosinolate hydrolysis compounds of sauerkrauts. 2012 , 48, 16-23 | | 25 |
| 1465 | Varietal and processing effects on the volatile profile of rapeseed oils. 2012 , 48, 323-329 | | 32 |
| 1464 | A method for preparation of mustard (<i>Brassica juncea</i>) powder with retained pungency and reduced bitterness. 2012 , 49, 42-47 | | 9 |
| 1463 | Two novel bioactive glucosinolates from Broccoli (<i>Brassica oleracea</i> L. var. <i>italica</i>) florets. 2012 , 22, 5555-8 | | 4 |
| 1462 | Strong ion exchange in centrifugal partition extraction (SIX-CPE): effect of partition cell design and dimensions on purification process efficiency. 2012 , 1247, 18-25 | | 22 |
| 1461 | Pesticide residues in Brassica vegetables and exposure assessment of consumers. 2012 , 25, 561-575 | | 83 |
| 1460 | Natural sulforaphane as a functional chemopreventive agent: including a review of isolation, purification and analysis methods. 2012 , 32, 218-34 | | 33 |
| 1459 | Development and validation of a spectrophotometric method for quantification of total glucosinolates in cruciferous vegetables. 2012 , 60, 1358-62 | | 32 |
| 1458 | Characterization of recombinant nitrile-specifier proteins (NSPs) of <i>Arabidopsis thaliana</i> : dependency on Fe(II) ions and the effect of glucosinolate substrate and reaction conditions. <i>Phytochemistry</i> , 2012 , 84, 7-17 | 4 | 22 |
| 1457 | The dose-dependent influence of zinc and cadmium contamination of soil on their uptake and glucosinolate content in white cabbage (<i>Brassica oleracea</i> var. <i>capitata</i> f. <i>alba</i>). 2012 , 31, 2482-9 | | 43 |
| 1456 | Identification of glucosinolates in capers by LC-ESI-hybrid linear ion trap with Fourier transform ion cyclotron resonance mass spectrometry (LC-ESI-LTQ-FTICR MS) and infrared multiphoton dissociation. 2012 , 47, 1160-9 | | 30 |
| 1455 | Einladung zum Lebensmittelchemikertag in Münster 2012. 2012 , 66, 65-65 | | 2 |
| 1454 | Evolution of specifier proteins in glucosinolate-containing plants. 2012 , 12, 127 | | 53 |
| 1453 | Evaluation of the effects of 80% methanolic leaf extract of <i>Caylusea abyssinica</i> (fresen.) fisch. & Mey. on glucose handling in normal, glucose loaded and diabetic rodents. 2012 , 12, 151 | | 33 |
| 1452 | A review of volatile sulfur-containing compounds from terrestrial plants: biosynthesis, distribution and analytical methods. 2012 , 24, 393-434 | | 61 |
| 1451 | Natural Herbicides as a Safer and More Environmentally Friendly Approach to Weed Control: A Review of the Literature Since 2000. 2012 , 38, 353-396 | | 19 |
| 1450 | Antimicrobial Properties of Organosulfur Compounds. 2012 , 127-156 | | 6 |
| 1449 | <i>Brassica fruticulosa</i> Cyr. and <i>Brassica incana</i> Ten. (Brassicaceae) as Mediterranean traditional wild vegetables: a valuable source of bioactive compounds. 2012 , 24, 539-545 | | 9 |

| | | |
|------|---|-----|
| 1448 | The Plant Family Brassicaceae: An Introduction. 2012 , 1-33 | 6 |
| 1447 | Factors Influencing Glucoraphanin and Sulforaphane Formation in Brassica Plants: A Review. 2012 , 11, 1804-1816 | 55 |
| 1446 | The biology of reactive sulfur species (RSS). 2012 , 59, 98-107 | 156 |
| 1445 | Crucial facts about health benefits of popular cruciferous vegetables. 2012 , 4, 94-106 | 162 |
| 1444 | Identification, quantification and comparison of the principal bioactive compounds and external quality parameters of two broccoli cultivars. 2012 , 4, 465-473 | 35 |
| 1443 | Pharmacokinetics and pharmacodynamics of phase II drug metabolizing/antioxidant enzymes gene response by anticancer agent sulforaphane in rat lymphocytes. 2012 , 9, 2819-27 | 19 |
| 1442 | Inhibition of enzymatic browning of chlorogenic acid by sulfur-containing compounds. 2012 , 60, 3507-14 | 30 |
| 1441 | Glucosinolates: the phytochemicals of nutraceutical importance. 2012 , 9, Article 13 | 13 |
| 1440 | Thermally induced degradation of sulfur-containing aliphatic glucosinolates in broccoli sprouts (<i>Brassica oleracea</i> var. <i>italica</i>) and model systems. 2012 , 60, 2231-41 | 43 |
| 1439 | Primary Liver Cancer. 2012 , | 3 |
| 1438 | Antibacterial effects of glucosinolate-derived hydrolysis products against enterobacteriaceae and enterococci isolated from pig ileum segments. 2012 , 9, 338-45 | 10 |
| 1437 | Turning the 'mustard oil bomb' into a 'cyanide bomb': aromatic glucosinolate metabolism in a specialist insect herbivore. 2012 , 7, e35545 | 50 |
| 1436 | Insecticide resistance mechanisms in the green peach aphid <i>Myzus persicae</i> (Hemiptera: Aphididae) II: Costs and benefits. 2012 , 7, e36810 | 38 |
| 1435 | Effects of <i>fou8/fry1</i> mutation on sulfur metabolism: is decreased internal sulfate the trigger of sulfate starvation response?. 2012 , 7, e39425 | 47 |
| 1434 | Antimicrobial activities of isothiocyanates against <i>Campylobacter jejuni</i> isolates. 2012 , 2, 53 | 47 |
| 1433 | Differential responses of two broccoli (<i>Brassica oleracea</i> L. var <i>Italica</i>) cultivars to salinity and nutritional quality improvement. 2012 , 2012, 291435 | 22 |
| 1432 | Controlled Water Stress to Improve Fruit and Vegetable Postharvest Quality. 2012 , | 10 |
| 1431 | Protection Studies by Antioxidants Using Single Cell Gel Electrophoresis (Comet Assay). 2012 , | 1 |

| | | |
|------|--|-----|
| 1430 | Sulfur and Sulfur Compounds in Plant Defence. 2012 , 7, 1934578X1200700 | 15 |
| 1429 | Molecular Genetics of Glucosinolate Biosynthesis in Brassicas: Genetic Manipulation and Application Aspects. 2012 , | 4 |
| 1428 | Moringa Oleifera Lam. (Sahijan) - A Plant with a Plethora of Diverse Therapeutic Benefits: An Updated Retrospection. 2012 , 01, | 19 |
| 1427 | Influence of the chemical structure on the thermal degradation of the glucosinolates in broccoli sprouts. 2012 , 130, 1-8 | 55 |
| 1426 | Phenethyl isothiocyanate suppresses inhibitor of apoptosis family protein expression in prostate cancer cells in culture and in vivo. 2012 , 72, 1104-16 | 17 |
| 1425 | Myrosinase hydrolysates of Brassica oleraceae L. var. italica reduce the risk of colon cancer. 2012 , 26, 743-7 | 13 |
| 1424 | The molecular basis that unifies the metabolism, cellular uptake and chemopreventive activities of dietary isothiocyanates. 2012 , 33, 2-9 | 93 |
| 1423 | Dietary Phytochemicals and Microbes. 2012 , | 28 |
| 1422 | Altered seed oil and glucosinolate levels in transgenic plants overexpressing the Brassica napus SHOOTMERISTEMLESS gene. 2012 , 63, 4447-61 | 21 |
| 1421 | Bim contributes to phenethyl isothiocyanate-induced apoptosis in breast cancer cells. 2012 , 51, 465-74 | 19 |
| 1420 | Small molecule modulators of Keap1-Nrf2-ARE pathway as potential preventive and therapeutic agents. 2012 , 32, 687-726 | 510 |
| 1419 | Rapid profiling of intact glucosinolates in Arabidopsis leaves by UHPLC-QTOFMS using a charged surface hybrid column. 2012 , 23, 520-8 | 56 |
| 1418 | Structural biology of plant sulfur metabolism: from assimilation to biosynthesis. 2012 , 29, 1138-52 | 44 |
| 1417 | Determination of sinigrin, sinalbin, allyl- and benzyl isothiocyanates by RP-HPLC in mustard powder extracts. 2012 , 47, 293-299 | 26 |
| 1416 | Sulfur-containing secondary metabolites from Arabidopsis thaliana and other Brassicaceae with function in plant immunity. 2012 , 13, 1846-59 | 54 |
| 1415 | Relationships between nitrogen, dry matter accumulation and glucosinolates in Eruca sativa Mills. The applicability of the critical NO ₃ -N levels approach. 2012 , 354, 347-358 | 11 |
| 1414 | Separation of sinigrin from Indian mustard (Brassica juncea L.) seed using macroporous ion-exchange resin. 2012 , 29, 396-403 | 10 |
| 1413 | Plant neighborhood influences colonization of Brassicaceae by specialist and generalist aphids. 2012 , 169, 753-61 | 16 |

| | | |
|------|---|------|
| 1412 | Characterization of metabolite quantitative trait loci and metabolic networks that control glucosinolate concentration in the seeds and leaves of <i>Brassica napus</i> . 2012 , 193, 96-108 | 80 |
| 1411 | Modulation of mouse gastrointestinal motility by allyl isothiocyanate, a constituent of cruciferous vegetables (Brassicaceae): evidence for TRPA1-independent effects. 2012 , 165, 1966-1977 | 36 |
| 1410 | <i>Moringa oleifera</i> leaves extract: a natural antioxidant for retarding lipid peroxidation in cooked goat meat patties. 2012 , 47, 585-591 | 64 |
| 1409 | GLUCOSINOLATE COMPOSITION OF BRASSICA IS AFFECTED BY POSTHARVEST, FOOD PROCESSING AND MYROSINASE ACTIVITY. 2012 , 36, 214-224 | 26 |
| 1408 | Synthetic and green vegetable isothiocyanates target red blood leukemia cancers. 2012 , 83, 255-65 | 11 |
| 1407 | Evaluation of the antioxidant potential of cauliflower (<i>Brassica oleracea</i>) from a glucosinolate content perspective. 2012 , 132, 1003-1009 | 68 |
| 1406 | Effect of water content and temperature on glucosinolate degradation kinetics in broccoli (<i>Brassica oleracea</i> var. <i>italica</i>). 2012 , 132, 2037-2045 | 48 |
| 1405 | Determination of glucosinolates and phenolic compounds in rocket salad by HPLC-DAD/MS: Evaluation of <i>Eruca sativa</i> Mill. and <i>Diplotaxis tenuifolia</i> L. genetic resources. 2012 , 133, 1025-1033 | 55 |
| 1404 | Effects on starch and amylolytic enzymes during <i>Lepidium meyenii</i> Walpers root storage. 2012 , 134, 1461-7 | 9 |
| 1403 | Pitfalls in the desulphation of glucosinolates in a high-throughput assay. 2012 , 134, 2355-61 | 13 |
| 1402 | Role of 4-hydroxynonenal in chemopreventive activities of sulforaphane. 2012 , 52, 2177-85 | 18 |
| 1401 | Development of an <i>Agrobacterium</i> -mediated stable transformation method for industrial oilseed crop <i>Crambe abyssinica</i> BelAnn. 2012 , 37, 457-465 | 20 |
| 1400 | Protective effect of sulforaphane against oxidative stress: recent advances. 2012 , 64, 503-8 | 217 |
| 1399 | Phenethyl isothiocyanate induces death receptor 5 to induce apoptosis in human oral cancer cells via p38. 2012 , 18, 513-9 | 24 |
| 1398 | Possible evolution of alliarinoside biosynthesis from the glucosinolate pathway in <i>Alliaria petiolata</i> . 2012 , 279, 1545-62 | 15 |
| 1397 | Profile and quantification of glucosinolates in <i>Pentadiplandra brazzeana</i> Baillon. <i>Phytochemistry</i> , 2012 , 73, 51-6 | 4 21 |
| 1396 | Broccoli and turnip plants display contrasting responses to belowground induction by <i>Delia radicum</i> infestation and phytohormone applications. <i>Phytochemistry</i> , 2012 , 73, 42-50 | 4 24 |
| 1395 | Establishing the occurrence of major and minor glucosinolates in Brassicaceae by LC-ESI-hybrid linear ion-trap and Fourier-transform ion cyclotron resonance mass spectrometry. <i>Phytochemistry</i> , 2012 , 73, 74-83 | 4 53 |

| | | | |
|------|--|---|-----|
| 1394 | Mass spectrometry imaging of glucosinolates in Arabidopsis flowers and siliques. <i>Phytochemistry</i> , 2012 , 77, 110-8 | 4 | 40 |
| 1393 | Glucosinolate structures in evolution. <i>Phytochemistry</i> , 2012 , 77, 16-45 | 4 | 345 |
| 1392 | Antimicrobial volatile glucosinolate autolysis products from <i>Hornungia petraea</i> (L.) Rchb. (Brassicaceae). 2012 , 5, 351-357 | | 20 |
| 1391 | Microbial production of indolylglucosinolate through engineering of a multi-gene pathway in a versatile yeast expression platform. 2012 , 14, 104-11 | | 157 |
| 1390 | Evaluation of different doses of mashua (<i>Tropaeolum tuberosum</i>) on the reduction of sperm production, motility and morphology in adult male rats. 2012 , 44 Suppl 1, 205-12 | | 6 |
| 1389 | D,L-sulforaphane-induced apoptosis in human breast cancer cells is regulated by the adapter protein p66Shc. 2012 , 113, 599-610 | | 28 |
| 1388 | Assessing natural isothiocyanate air emissions after field incorporation of mustard cover crop. 2012 , 88, 482-5 | | 2 |
| 1387 | Ecotype dependent expression and alternative splicing of epithiospecifier protein (ESP) in <i>Arabidopsis thaliana</i> . 2012 , 78, 361-75 | | 14 |
| 1386 | A new biobased liquid formulation with biofumigant and fertilising properties for drip irrigation distribution. 2013 , 42, 113-118 | | 20 |
| 1385 | Response to bitter substances in primates: roles of diet tendency and weaning age. 2013 , 13, 916-29 | | 7 |
| 1384 | Variation of major glucosinolates in different varieties and lines of rocket salad. 2013 , 54, 206-213 | | 14 |
| 1383 | Sulforaphane and erucin, natural isothiocyanates from broccoli, inhibit bacterial quorum sensing. 2013 , 4, 175-179 | | 57 |
| 1382 | Beneficial effects of <i>Trichoderma</i> genus microbes on qualitative parameters of <i>Brassica rapa</i> L. subsp. <i>sylvestris</i> L. Janch. var. <i>esculenta</i> Hort.. 2013 , 236, 1063-1071 | | 11 |
| 1381 | Application of ultra performance liquid chromatography-photodiode detector-quadrupole/time of flight-mass spectrometry (UPLC-PDA-Q/TOF-MS) method for the characterization of phenolic compounds of <i>Lepidium sativum</i> L. sprouts. 2013 , 236, 699-706 | | 40 |
| 1380 | Nematicidal potential of Brassicaceae. 2013 , 12, 791-802 | | 48 |
| 1379 | Chemistry and classification of phytochemicals. 2013 , 5-48 | | 17 |
| 1378 | Fruit and vegetables. 2013 , 105-137 | | 5 |
| 1377 | Peroxisomes and their Key Role in Cellular Signaling and Metabolism. 2013 , | | 12 |

| | | |
|------|--|-----|
| 1376 | Natural Products in Cancer Prevention and Therapy. 2013 , | 3 |
| 1375 | Synthesis and anti-inflammatory activity of aromatic glucosinolates. 2013 , 21, 5945-54 | 26 |
| 1374 | A total synthesis of (R , S) S -glucoraphanin. 2013 , 69, 8731-8737 | 8 |
| 1373 | Variation in glucosinolates in pak choi cultivars and various organs at different stages of vegetative growth during the harvest period. 2013 , 14, 309-17 | 17 |
| 1372 | Synthesis and structure–activity relationships of aliphatic isothiocyanate analogs as antibiotic agents. 2013 , 22, 3119-3125 | 25 |
| 1371 | Glucosinolates, volatile constituents, and acetylcholinesterase inhibitory activity of <i>Alyssoides utriculata</i> . 2013 , 49, 374-378 | 8 |
| 1370 | AtMYB44 regulates resistance to the green peach aphid and diamondback moth by activating EIN2-affected defences in <i>Arabidopsis</i> . 2013 , 15, 841-50 | 26 |
| 1369 | Hairy roots, callus, and mature plants of <i>Arabidopsis thaliana</i> exhibit distinct glucosinolate and gene expression profiles. 2013 , 115, 45-54 | 15 |
| 1368 | Integration of brassicaceous seed meals into red raspberry production systems. 2013 , 64, 23-31 | 11 |
| 1367 | Preparative separation and purification of sulforaphene from radish seeds by high-speed countercurrent chromatography. 2013 , 136, 309-15 | 28 |
| 1366 | Antioxidant activity of essential oils. 2013 , 61, 10835-47 | 385 |
| 1365 | Benzyl isothiocyanate: double trouble for breast cancer cells. 2013 , 6, 760-3 | 21 |
| 1364 | The broccoli-born isothiocyanate sulforaphane impairs nucleotide excision repair: XPA as one potential target. 2014 , 88, 647-58 | 22 |
| 1363 | Total isothiocyanate yield from raw cruciferous vegetables commonly consumed in the United States. 2013 , 5, 1996-2001 | 47 |
| 1362 | Horseradish (<i>Armoracia rusticana</i>), a neglected medical and condiment species with a relevant glucosinolate profile: a review. 2013 , 60, 1923-1943 | 38 |
| 1361 | Glucosinolates and other seed quality traits of resynthesized <i>Brassica napus</i> L. derived from domesticated and wild <i>Brassica</i> taxa. 2013 , 60, 2273-2282 | 4 |
| 1360 | Growth-inhibitory activity of natural and synthetic isothiocyanates against representative human microbial pathogens. 2013 , 115, 943-54 | 22 |
| 1359 | Antibacterial activity and synergistic effect between watercress extracts, 2-phenylethyl isothiocyanate and antibiotics against 11 isolates of <i>Escherichia coli</i> from clinical and animal source. 2013 , 57, 266-73 | 21 |

| | | | |
|------|--|----|---|
| 1358 | The Response of Arabidopsis to Co-cultivation with Clover. 2013 , 189-201 | 3 | |
| 1357 | Breaking up of Biofilms with Moringa oleifera: Insights into Mechanisms. 2013 , 177-191 | | |
| 1356 | Stimulation of the chemosensory TRPA1 cation channel by volatile toxic substances promotes cell survival of small cell lung cancer cells. 2013 , 85, 426-38 | 39 | |
| 1355 | Sulforaphane and related mustard oils in focus of cancer prevention and therapy. 2013 , 163, 80-8 | 23 | |
| 1354 | Phytochemical characterization and antioxidant properties of baby-leaf watercress produced under organic production system. 2013 , 11, 343-351 | 39 | |
| 1353 | Comprehensive speciation of low-molecular weight selenium metabolites in mustard seeds using HPLC-electrospray linear trap/Orbitrap tandem mass spectrometry. 2013 , 5, 1294-304 | 30 | |
| 1352 | Genotypic variation of the glucosinolate profile in pak choi (<i>Brassica rapa</i> ssp. <i>chinensis</i>). 2013 , 61, 1943-53 | 58 | |
| 1351 | Optimized analysis and quantification of glucosinolates from <i>Camelina sativa</i> seeds by reverse-phase liquid chromatography. 2013 , 43, 119-125 | 59 | |
| 1350 | A novel C-S lyase from the latex-producing plant <i>Taraxacum brevicorniculatum</i> displays alanine aminotransferase and l-cystine lyase activity. 2013 , 170, 33-40 | 2 | |
| 1349 | Advances in Understanding Organic Nitrogen Chemistry in Soils Using State-of-the-art Analytical Techniques. 2013 , 119, 83-151 | 32 | |
| 1348 | Administration of isothiocyanates enhances heat tolerance in <i>Arabidopsis thaliana</i> . 2013 , 69, 71-77 | 39 | |
| 1347 | Synthesis and Nrf2-inducing activity of the isothiocyanates iberiverin, iberin and cheirolin. 2013 , 70, 155-62 | 19 | |
| 1346 | The consequences of alternating diet on performance and food preferences of a specialist leaf beetle. 2013 , 59, 840-7 | 22 | |
| 1345 | Corrigendum to "Glucosinolate structures in evolution" [<i>Phytochemistry</i> 77 (2012) 1645]. <i>Phytochemistry</i> , 2013 , 96, 466-467 | 4 | 4 |
| 1344 | Effects of different cruciferous crops on the fitness of <i>Plutella xylostella</i> (Lepidoptera: Plutellidae). 2013 , 54, 100-105 | 8 | |
| 1343 | Supercritical CO ₂ extraction, chemical characterisation and antioxidant potential of <i>Brassica oleracea</i> var <i>capitata</i> against HO ₂ [•] and ROO ₂ [•] 2013 , 141, 3954-9 | 13 | |
| 1342 | A research approach for quality based design of healthy foods: Dried broccoli as a case study. 2013 , 30, 178-184 | 10 | |
| 1341 | Suppression of spinach wilt disease by biological soil disinfestation incorporated with <i>Brassica juncea</i> plants in association with changes in soil bacterial communities. 2013 , 54, 185-193 | 40 | |

| | | |
|------|--|----|
| 1340 | Dissipation of pure and broccoli-released glucosinolates in soil under high and low moisture content. 2013 , 56, 49-55 | 12 |
| 1339 | Corn oil and milk enhance the absorption of orally administered allyl isothiocyanate in rats. 2013 , 141, 1192-5 | 10 |
| 1338 | Induced changes in bioactive compounds of kailan-hybrid broccoli after innovative processing and storage. 2013 , 5, 133-143 | 42 |
| 1337 | Effects of changes in pH and temperature on the inhibition of Salmonella and Listeria monocytogenes by Allyl isothiocyanate. 2013 , 34, 414-419 | 28 |
| 1336 | Effects of phytohormones and jasmonic acid on glucosinolate content in hairy root cultures of <i>Sinapis alba</i> and <i>Brassica rapa</i> . 2013 , 169, 624-35 | 39 |
| 1335 | Abiotic and Biotic Stress Tolerance in Plants. 2013 , 1-20 | 8 |
| 1334 | A life cycle assessment of pennycress (<i>Thlaspi arvense</i> L.) -derived jet fuel and diesel. 2013 , 55, 87-100 | 73 |
| 1333 | Apoptotic role of natural isothiocyanate from broccoli (<i>Brassica oleracea italica</i>) in experimental chemical lung carcinogenesis. 2013 , 51, 621-8 | 21 |
| 1332 | Redox control of leukemia: from molecular mechanisms to therapeutic opportunities. 2013 , 18, 1349-83 | 96 |
| 1331 | Therapeutic potential of <i>Moringa oleifera</i> extracts against acetaminophen-induced hepatotoxicity in rats. 2013 , 51, 279-88 | 62 |
| 1330 | The biosynthesis of nitrogen-, sulfur-, and high-carbon chain-containing sugars. 2013 , 42, 4377-407 | 68 |
| 1329 | Post SELECT: selenium on trial. 2013 , 5, 163-74 | 28 |
| 1328 | PTPL1 and PKC ϵ contribute to proapoptotic signalling in prostate cancer cells. 2013 , 4, e576 | 12 |
| 1327 | Plant Toxins. 2013 , 435-451 | 6 |
| 1326 | Instability and Structural Change of 4-Methylsulfinyl-3-butenyl Isothiocyanate in the Hydrolytic Process. 2013 , 61, 5097-102 | 19 |
| 1325 | Arbuscular Mycorrhiza in Glucosinolate-Containing Plants: The Story of the Metal Hyperaccumulator <i>Noccaea</i> (<i>Thlaspi</i>) <i>praecox</i> (Brassicaceae). 2013 , 1023-1032 | 1 |
| 1324 | Effect of NaCl treatments on glucosinolate metabolism in broccoli sprouts. 2013 , 14, 124-31 | 57 |
| 1323 | Synthesis and biological evaluation of sulforaphane derivatives as potential antitumor agents. 2013 , 64, 529-39 | 22 |

| | | |
|------|---|-----|
| 1322 | Bioactive Compounds in <i>Moringa oleifera</i> : Isolation, Structure Elucidation, and Their Antiproliferative Properties. 2013 , 203-219 | 1 |
| 1321 | Analysis of total glucosinolates and chromatographically purified benzylglucosinolate in organic and conventional vegetables. 2013 , 50, 247-252 | 20 |
| 1320 | Altered commercial controlled atmosphere storage conditions for Parthenon Broccoli plants (<i>Brassica oleracea</i> L. var. <i>italica</i>). Influence on the outer quality parameters and on the health-promoting compounds. 2013 , 50, 665-672 | 38 |
| 1319 | Evaluation of glucosinolate variation in a collection of turnip (<i>Brassica rapa</i>) germplasm by the analysis of intact and desulfo glucosinolates. 2013 , 61, 3984-93 | 44 |
| 1318 | Carbonyl sulfide hydrolase from <i>Thiobacillus thioparus</i> strain THI115 is one of the β -carbonic anhydrase family enzymes. 2013 , 135, 3818-25 | 69 |
| 1317 | Stability of benzylic-type isothiocyanates in hydrodistillation-mimicking conditions. 2013 , 61, 137-42 | 12 |
| 1316 | Phenethyl isothiocyanate suppresses EGF-stimulated SAS human oral squamous carcinoma cell invasion by targeting EGF receptor signaling. 2013 , 43, 629-37 | 26 |
| 1315 | Senf bombe der Kreuzbl ü ler - pflanzlicher Verteidigungsmechanismus mit therapeutischer Wirkung. 2013 , 45, 4-13 | 1 |
| 1314 | Role of plant peroxisomes in protection against herbivores. 2013 , 69, 315-28 | 6 |
| 1313 | The use of <i>Moringa oleifera</i> in poultry diets. 2013 , 492-496 | 18 |
| 1312 | Metal and flavonol contents of <i>Moringa oleifera</i> grown in South Africa. 2013 , 109, 1-7 | 11 |
| 1311 | The physiological importance of glucosinolates on plant response to abiotic stress in Brassica. 2013 , 14, 11607-25 | 200 |
| 1310 | Genetic analysis of health-related secondary metabolites in a Brassica rapa recombinant inbred line population. 2013 , 14, 15561-77 | 11 |
| 1309 | Human bitter perception correlates with bitter receptor messenger RNA expression in taste cells. 2013 , 98, 1136-43 | 73 |
| 1308 | Glucosinolate degradation products, isothiocyanates, nitriles, and thiocyanates, induce stomatal closure accompanied by peroxidase-mediated reactive oxygen species production in <i>Arabidopsis thaliana</i> . 2013 , 77, 977-83 | 52 |
| 1307 | Four genes encoding MYB28, a major transcriptional regulator of the aliphatic glucosinolate pathway, are differentially expressed in the allopolyploid Brassica juncea. 2013 , 64, 4907-21 | 50 |
| 1306 | Chemoprevention of prostate cancer by d,l-sulforaphane is augmented by pharmacological inhibition of autophagy. 2013 , 73, 5985-95 | 42 |
| 1305 | A Review on the Phytochemical Composition and Potential Medicinal Uses of Horseradish (<i>Armoracia rusticana</i>) Root. 2013 , 29, 261-275 | 19 |

| | | |
|------|---|-----|
| 1304 | Novel bioresources for studies of Brassica oleracea: identification of a kale MYB transcription factor responsible for glucosinolate production. 2013 , 11, 1017-27 | 24 |
| 1303 | Targeted silencing of BjMYB28 transcription factor gene directs development of low glucosinolate lines in oilseed Brassica juncea. 2013 , 11, 855-66 | 58 |
| 1302 | Larval performance of the oriental fruit moth across fruits from primary and secondary hosts. 2013 , 38, 63-70 | 24 |
| 1301 | In vitro and in vivo effects of phenethyl isothiocyanate treatment on vimentin protein expression in cancer cells. 2013 , 65 Suppl 1, 61-7 | 6 |
| 1300 | Kinetics of sulforaphane in mice after consumption of sulforaphane-enriched broccoli sprout preparation. 2013 , 57, 2128-36 | 25 |
| 1299 | Modulation of Nrf2/Keap1 system by Wasabi 6-methylthiohexyl isothiocyanate in ARE-mediated NQO1 expression. 2013 , 57, 854-64 | 17 |
| 1298 | Sulfur-containing metabolites in radishes. Further exploration of glucoraphenin desulfation. 2013 , 34, 48-54 | 6 |
| 1297 | Targeting cancer stem cells with sulforaphane, a dietary component from broccoli and broccoli sprouts. 2013 , 9, 1097-103 | 55 |
| 1296 | Integration of biosynthesis and long-distance transport establish organ-specific glucosinolate profiles in vegetative Arabidopsis. 2013 , 25, 3133-45 | 109 |
| 1295 | Whole genome and tandem duplicate retention facilitated glucosinolate pathway diversification in the mustard family. 2013 , 5, 2155-73 | 65 |
| 1294 | Biology of Pieris Brassicae (Linn.) on Different Brassica Species in the Plains of Punjab. 2013 , 53, 53-59 | 11 |
| 1293 | Candidate genes involved in beneficial or adverse responses to commonly eaten brassica vegetables in a New Zealand Crohn's disease cohort. 2013 , 5, 5046-64 | 6 |
| 1292 | In vivo and in vitro effects of secondary metabolites against Xanthomonas campestris pv. campestris. 2013 , 18, 11131-43 | 30 |
| 1291 | Modulation of protein quality control systems by food phytochemicals. 2013 , 52, 215-27 | 34 |
| 1290 | Extracts of Moringa oleifera Lam. showing inhibitory activity against early steps in the infectivity of HIV-1 lentiviral particles in a viral vector-based screening. 2013 , 12, 4866-4873 | 12 |
| 1289 | Allelochemicals for Plant-Plant and Plant-Microbe Interactions. 2013 , | 2 |
| 1288 | GC-MS Analysis of the Extracts from Korean Cabbage (Brassica campestris L. ssp. pekinensis) and Its Seed. 2013 , 18, 218-21 | 20 |
| 1287 | Non-photochemical quenching capacity in Arabidopsis thaliana affects herbivore behaviour. 2013 , 8, e53232 | 31 |

| | | |
|------|---|-----|
| 1286 | The effects of glucosinolates and their breakdown products on necrotrophic fungi. 2013 , 8, e70771 | 71 |
| 1285 | Health promoting effects of brassica-derived phytochemicals: from chemopreventive and anti-inflammatory activities to epigenetic regulation. 2013 , 2013, 964539 | 77 |
| 1284 | Mechanisms of Nrf2/Keap1-dependent phase II cytoprotective and detoxifying gene expression and potential cellular targets of chemopreventive isothiocyanates. 2013 , 2013, 839409 | 31 |
| 1283 | Glucosinolates in Two Endemic Plants of the Aurinia Genus and their Chemotaxonomic Significance. 2013 , 8, 1934578X1300801 | 4 |
| 1282 | Isothiocyanates. 2013 , | |
| 1281 | Indole-3-Carbinol. 2013 , | |
| 1280 | Determination of goitrogenic metabolites in the serum of male wistar rat fed structurally different glucosinolates. 2014 , 30, 109-16 | 14 |
| 1279 | Bioactive compounds content and total antioxidant activity of two savoy cabbages. 2014 , 32, 549-554 | 8 |
| 1278 | Nutritional, Therapeutic, and Prophylactic Properties of Vigna subterranea and Moringa oleifera. 2014 , | 6 |
| 1277 | Seasonal variation in phytochemicals and antioxidant activities in different tissues of various Broccoli cultivars. 2014 , 13, 604-615 | 25 |
| 1276 | Identification of metabolic QTLs and candidate genes for glucosinolate synthesis in Brassica oleracea leaves, seeds and flower buds. 2014 , 9, e91428 | 36 |
| 1275 | Erucin, the major isothiocyanate in arugula (Eruca sativa), inhibits proliferation of MCF7 tumor cells by suppressing microtubule dynamics. 2014 , 9, e100599 | 28 |
| 1274 | Tissue-Specific Metabolic Profile Study of Using Nuclear Magnetic Resonance Spectroscopy. 2014 , 24, 77-86 | 12 |
| 1273 | Potential of Underutilized Traditional Vegetables and Legume Crops to Contribute to Food and Nutritional Security, Income and More Sustainable Production Systems. 2014 , 6, 319-335 | 198 |
| 1272 | Geo-Assessment of Chemical Composition and Nutritional Evaluation of Moringa oleifera Seeds in Nutrition of Broilers. 2014 , 6, 119 | 3 |
| 1271 | Effect of plant bed type on nematode density and yield of cabbage in two regions of Ghana. 2014 , 6, 145-149 | |
| 1270 | Anti-Diabetic and Anti-Inflammatory Effects of Green and Red Kohlrabi Cultivars (Brassica oleracea var. gongylodes). 2014 , 19, 281-90 | 21 |
| 1269 | . 2014 , | 12 |

| | | |
|------|---|-----|
| 1268 | Evaluation of the effects of selected phytochemicals on quorum sensing inhibition and in vitro cytotoxicity. 2014 , 30, 183-95 | 97 |
| 1267 | Impact of the UPR on the virulence of the plant fungal pathogen <i>A. brassicicola</i> . 2014 , 5, 357-64 | 15 |
| 1266 | An open label pilot study to evaluate the efficacy of Spanish black radish on the induction of phase I and phase II enzymes in healthy male subjects. 2014 , 14, 475 | 5 |
| 1265 | Production of Biomass and Bioactive Compounds Using Bioreactor Technology. 2014 , | 18 |
| 1264 | <i>Solena amplexicaulis</i> induces cell cycle arrest, apoptosis and inhibits angiogenesis in hepatocarcinoma cells and HUVECs. 2014 , 42, 1521-37 | 4 |
| 1263 | Optimized Formation of Benzyl Isothiocyanate by Endogenous Enzyme and its Extraction from <i>Carica Papaya</i> Seed. 2014 , 13, 1303 | 5 |
| 1262 | Berteroin present in cruciferous vegetables exerts potent anti-inflammatory properties in murine macrophages and mouse skin. 2014 , 15, 20686-705 | 12 |
| 1261 | Review of characteristics and uses of the plant <i>Moringa oleifer</i> . 2014 , 22, 309-330 | 2 |
| 1260 | The significance of glucosinolates for sulfur storage in Brassicaceae seedlings. 2014 , 5, 704 | 33 |
| 1259 | Antitrypanosomal isothiocyanate and thiocarbamate glycosides from <i>Moringa peregrina</i> . 2014 , 80, 86-9 | 16 |
| 1258 | Effect of white mustard essential oil on the growth of foodborne pathogens and spoilage microorganisms and the effect of food components on its efficacy. 2014 , 77, 2062-8 | 7 |
| 1257 | Glucosinolate metabolism, functionality and breeding for the improvement of Brassicaceae vegetables. 2014 , 64, 48-59 | 175 |
| 1256 | Influence of temperature, glucose, and iron on sinigrin degradation by <i>Salmonella</i> and <i>Listeria monocytogenes</i> . 2014 , 77, 2133-8 | 7 |
| 1255 | Antimicrobial activity of isothiocyanates from cruciferous plants against methicillin-resistant <i>Staphylococcus aureus</i> (MRSA). 2014 , 15, 19552-61 | 39 |
| 1254 | Benzyl isothiocyanate affects development, hatching and reproduction of the soybean cyst nematode <i>Heterodera glycines</i> . 2014 , 16, 495-504 | 6 |
| 1253 | <i>Brassica oleracea</i> (Italica Group). 2014 , 594-623 | 1 |
| 1252 | Influence of cultivar and fertilizer approach on curly kale (<i>Brassica oleracea</i> L. var. <i>sabellica</i>). 1. Genetic diversity reflected in agronomic characteristics and phytochemical concentration. 2014 , 62, 11393-402 ¹⁸ | |
| 1251 | Reaktivität und Stabilität von Glucosinolaten und ihren Abbauprodukten in Lebensmitteln. 2014 , 126, 11614-11635 | 17 |

| | | |
|------|--|----|
| 1250 | Exploring the effects of isothiocyanates on chemotherapeutic drugs. 2014 , 10, 25-38 | 17 |
| 1249 | The Masking Effect of Sucrose on Perception of Bitter Compounds in Brassica Vegetables. 2014 , 29, 190-200 | 40 |
| 1248 | Exploring the Arabidopsis sulfur metabolome. 2014 , 77, 31-45 | 47 |
| 1247 | Monitoring colour, volatiles in the headspace and enzyme activity to assess the quality of broccoli florets (<i>Brassica oleracea</i> L. italica cv. Bellstar and Legacy) during postharvest storage. 2014 , 49, 280-287 | 4 |
| 1246 | Assessment of Glucosinolates in Chinese Kale by Near-Infrared Spectroscopy. 2014 , 17, 1668-1679 | 14 |
| 1245 | Involvement of the electrophilic isothiocyanate sulforaphane in Arabidopsis local defense responses. 2015 , 167, 251-61 | 33 |
| 1244 | Applied Cell Biology of Sulphur and Selenium in Plants. 2014 , 247-272 | 2 |
| 1243 | Preventive Effects of Broccoli Bioactives: Role on Oxidative Stress and Cancer Risk. 2014 , 115-126 | 3 |
| 1242 | Potential of <i>Moringa oleifera</i> L. as livestock fodder crop: a review. 2014 , 38, 1-14 | 73 |
| 1241 | Germination and electrical conductivity tests on artificially aged seed lots of 2 wall-rocket species. 2014 , 38, 857-864 | 5 |
| 1240 | Associative transcriptomics study dissects the genetic architecture of seed glucosinolate content in <i>Brassica napus</i> . 2014 , 21, 613-25 | 52 |
| 1239 | Preparation and X-ray analysis of potassium (2,3-dichlorophenyl)glucosinolate. 2014 , 70, 588-94 | 2 |
| 1238 | The action of selected isothiocyanates on bacterial biofilm prevention and control. 2014 , 86, 25-33 | 44 |
| 1237 | Inhibitory effect of <i>Raphanobrassica</i> on <i>Helicobacter pylori</i> -induced gastritis in Mongolian gerbils. 2014 , 70, 107-13 | 5 |
| 1236 | The chemical logic of plant natural product biosynthesis. 2014 , 19, 51-8 | 46 |
| 1235 | Wildflower companion plants increase pest parasitism and yield in cabbage fields: Experimental demonstration and call for caution. 2014 , 76, 19-27 | 37 |
| 1234 | Diet dependent experience and physiological state shape the behavior of a generalist herbivore. 2014 , 129, 95-103 | 11 |
| 1233 | Antiinflammatory activity of glucomoringin isothiocyanate in a mouse model of experimental autoimmune encephalomyelitis. 2014 , 95, 160-74 | 71 |

| | | |
|------|---|-----|
| 1232 | Cytotoxic effect of <i>Reseda lutea</i> L.: A case of forgotten remedy. 2014 , 153, 125-32 | 17 |
| 1231 | Sulforaphane protects H9c2 cardiomyocytes from angiotensin II-induced hypertrophy. 2014 , 39, 390-6 | 22 |
| 1230 | Involvement of a glucosinolate (sinigrin) in the regulation of water transport in <i>Brassica oleracea</i> grown under salt stress. 2014 , 150, 145-60 | 25 |
| 1229 | Effects of High Pressure and Heat Treatments on Physicochemical and Gelation Properties of Rapeseed Protein Isolate. 2014 , 7, 1344-1353 | 76 |
| 1228 | Assessing the Impact of High-Pressure Processing on Selected Physical and Biochemical Attributes of White Cabbage (<i>Brassica oleracea</i> L. var. <i>capitata alba</i>). 2014 , 7, 682-692 | 31 |
| 1227 | Diversification times among <i>Brassica</i> (<i>Brassicaceae</i>) crops suggest hybrid formation after 20 million years of divergence. 2014 , 101, 86-91 | 68 |
| 1226 | Consequences of combined herbivore feeding and pathogen infection for fitness of <i>Barbarea vulgaris</i> plants. 2014 , 175, 589-600 | 28 |
| 1225 | High mutagenic activity of juice from pak choi (<i>Brassica rapa</i> ssp. <i>chinensis</i>) sprouts due to its content of 1-methoxy-3-indolylmethyl glucosinolate, and its enhancement by elicitation with methyl jasmonate. 2014 , 67, 10-6 | 36 |
| 1224 | Variation of glucosinolates in 62 varieties of Chinese cabbage (<i>Brassica rapa</i> L. ssp. <i>pekinensis</i>) and their antioxidant activity. 2014 , 58, 93-101 | 49 |
| 1223 | Topsoil drying combined with increased sulfur supply leads to enhanced aliphatic glucosinolates in <i>Brassica juncea</i> leaves and roots. 2014 , 152, 190-6 | 24 |
| 1222 | The effect of cooking on the phytochemical content of vegetables. 2014 , 94, 1057-70 | 187 |
| 1221 | Bottom-up and top-down herbivore regulation mediated by glucosinolates in <i>Brassica oleracea</i> var. <i>acephala</i> . 2014 , 174, 893-907 | 33 |
| 1220 | Monitoring Keap1-Nrf2 interactions in single live cells. 2014 , 32, 1133-44 | 92 |
| 1219 | Improvement of hairy root cultures and plants by changing biosynthetic pathways leading to pharmaceutical metabolites: strategies and applications. 2014 , 32, 1168-79 | 41 |
| 1218 | Direct and indirect chemical defences against insects in a multitrophic framework. 2014 , 37, 1741-52 | 75 |
| 1217 | Applied Plant Cell Biology. 2014 , | 3 |
| 1216 | Insect Detoxification and Sequestration Strategies. 2014 , 77-114 | 60 |
| 1215 | Revisiting Plant-Herbivore Co-Evolution in the Molecular Biology Era. 2014 , 361-384 | 11 |

| | | |
|------|---|-----|
| 1214 | Role of isothiocyanate conjugate of pterostilbene on the inhibition of MCF-7 cell proliferation and tumor growth in Ehrlich ascitic cell induced tumor bearing mice. 2014 , 320, 311-28 | 30 |
| 1213 | Role of Glucosinolates in Plant Stress Tolerance. 2014 , 271-291 | 15 |
| 1212 | 4-Methylthio-butanyl derivatives from the seeds of <i>Raphanus sativus</i> and their biological evaluation on anti-inflammatory and antitumor activities. 2014 , 151, 503-8 | 41 |
| 1211 | Simultaneous determination of sulphoraphane and sulphoraphane nitrile in Brassica vegetables using ultra-performance liquid chromatography with tandem mass spectrometry. 2014 , 25, 141-6 | 6 |
| 1210 | MYB34, MYB51, and MYB122 distinctly regulate indolic glucosinolate biosynthesis in <i>Arabidopsis thaliana</i> . 2014 , 7, 814-28 | 195 |
| 1209 | Glucosinolates redox activities: can they act as antioxidants?. 2014 , 149, 226-32 | 18 |
| 1208 | Control of postharvest grey mould (<i>Botrytis cinerea</i> Per.: Fr.) on strawberries by glucosinolate-derived allyl-isothiocyanate treatments. 2014 , 90, 34-39 | 51 |
| 1207 | Natural product-derived pharmacological modulators of Nrf2/ARE pathway for chronic diseases. 2014 , 31, 109-39 | 232 |
| 1206 | Phytochemicals Biosynthesis, Function and Application. 2014 , | 3 |
| 1205 | Evaluating the Phytochemical Potential of Camelina: An Emerging New Crop of Old World Origin. 2014 , 129-148 | 7 |
| 1204 | Utilization of plant materials for control of soybean cysts nematode. 2014 , 64, 392-397 | |
| 1203 | Reactivity and stability of glucosinolates and their breakdown products in foods. 2014 , 53, 11430-50 | 188 |
| 1202 | Separation and Purification of Sinigrin and Gluconapin from Defatted Indian Mustard Seed Meals by Macroporous Anion Exchange Resin and Medium Pressure Liquid Chromatography. 2014 , 49, 1838-1847 | 2 |
| 1201 | Metabolite profiles of glucosinolates in cabbage varieties (<i>Brassica oleracea</i> var. <i>capitata</i>) by season, color, and tissue position. 2014 , 55, 237-247 | 26 |
| 1200 | Cruciferous vegetables, glutathione S-transferases, and implications of their interaction to colorectal cancer risk: A review. 2014 , 57, 511-517 | 1 |
| 1199 | Pronounced effects of slug herbivory on seedling recruitment of Brassica cultivars and accessions, especially those with low levels of aliphatic glucosinolates. 2014 , 15, 607-615 | 11 |
| 1198 | Medicinal and Aromatic Plants of the Middle-East. 2014 , | 21 |
| 1197 | Extraction of bioactive enriched fractions from <i>Eruca sativa</i> leaves by supercritical CO ₂ technology using different co-solvents. 2014 , 94, 245-251 | 45 |

| | | | |
|------|---|---|----|
| 1196 | Glucosinolate profile and distribution among plant tissues and phenological stages of field-grown horseradish. <i>Phytochemistry</i> , 2014 , 106, 178-187 | 4 | 37 |
| 1195 | Hyperaccumulation of zinc by <i>Noccaea caerulescens</i> results in a cascade of stress responses and changes in the elemental profile. 2014 , 6, 1671-82 | | 15 |
| 1194 | Glucosinolates, myrosinase hydrolysis products, and flavonols found in rocket (<i>Eruca sativa</i> and <i>Diplotaxis tenuifolia</i>). 2014 , 62, 4481-92 | | 67 |
| 1193 | Identification and quantification of protein adducts formed by metabolites of 1-methoxy-3-indolylmethyl glucosinolate in vitro and in mouse models. 2014 , 27, 188-99 | | 14 |
| 1192 | Management of <i>Meloidogyne incognita</i> on tomato with endophytic bacteria and fresh residue of <i>Wasabia japonica</i> . 2014 , 117, 1159-67 | | 13 |
| 1191 | Screening of <i>Nasturtium officinale</i> Extracts for Biological Activities: Implications for Plant Pathogens. 2014 , 4, 19-28 | | 2 |
| 1190 | Development and reproductive potential of diamondback moth (Lepidoptera: Plutellidae) on selected wild crucifer species. 2014 , 43, 69-74 | | 6 |
| 1189 | Hatching of <i>Globodera pallida</i> is inhibited by 2-propenyl isothiocyanate in vitro but not by incorporation of <i>Brassica juncea</i> tissue in soil. 2014 , 84, 6-11 | | 11 |
| 1188 | Profiling of glucosinolates and flavonoids in <i>Rorippa indica</i> (Linn.) Hiern. (Cruciferae) by UHPLC-PDA-ESI/HRMS(n). 2014 , 62, 6118-29 | | 31 |
| 1187 | Hydroxybenzoic acid isomers and the cardiovascular system. 2014 , 13, 63 | | 76 |
| 1186 | Identification and phytotoxicity of a new glucosinolate breakdown product from Meadowfoam (<i>Limnanthes alba</i>) seed meal. 2014 , 62, 7423-9 | | 11 |
| 1185 | Bitter taste genetics--the relationship to tasting, liking, consumption and health. 2014 , 5, 3040-54 | | 19 |
| 1184 | Polyphenols, glucosinolates, dietary fibre and colon cancer: Understanding the potential of specific types of fruit and vegetables to reduce bowel cancer progression. 2014 , 2, 45-67 | | 7 |
| 1183 | Functional relevance of D,L-sulforaphane-mediated induction of vimentin and plasminogen activator inhibitor-1 in human prostate cancer cells. 2014 , 53, 843-52 | | 10 |
| 1182 | Glucosinolates of <i>Lunaria annua</i> : thermal, enzymatic, and chemical degradation. 2014 , 49, 1154-1157 | | 4 |
| 1181 | Isothiocyanates inhibit fungal pathogens of potato in in vitro assays. 2014 , 382, 281-289 | | 13 |
| 1180 | Purification-Free, Small-Scale Synthesis of Isothiocyanates by Reagentless Fragmentation of Polymer-Supported 1,4,2-Oxathiazoles. 2014 , 2014, 1053-1058 | | 13 |
| 1179 | Evolution in an ancient detoxification pathway is coupled with a transition to herbivory in the drosophilidae. 2014 , 31, 2441-56 | | 67 |

| | | |
|------|---|------|
| 1178 | Cloning and characterization of a biotic-stress-inducible glutathione transferase from <i>Phaseolus vulgaris</i> . 2014 , 172, 595-609 | 21 |
| 1177 | Functional identification of genes responsible for the biosynthesis of 1-methoxy-indol-3-ylmethyl-glucosinolate in <i>Brassica rapa</i> ssp. <i>chinensis</i> . 2014 , 14, 124 | 14 |
| 1176 | Pilot study evaluating broccoli sprouts in advanced pancreatic cancer (POUDER trial) - study protocol for a randomized controlled trial. 2014 , 15, 204 | 32 |
| 1175 | White Rust of Crucifers: Biology, Ecology and Management. 2014 , | 12 |
| 1174 | Specific glucosinolate analysis reveals variable levels of epimeric glucobarbarins, dietary precursors of 5-phenyloxazolidine-2-thiones, in watercress types with contrasting chromosome numbers. 2014 , 62, 9586-96 | 27 |
| 1173 | Concentration- and time-dependent effects of isothiocyanates produced from Brassicaceae shoot tissues on the pea root rot pathogen <i>Aphanomyces euteiches</i> . 2014 , 62, 4584-91 | 10 |
| 1172 | Effect of preliminary processing and method of preservation on the content of glucosinolates in kale (<i>Brassica oleracea</i> L. var. <i>acephala</i>) leaves. 2014 , 59, 1003-1008 | 22 |
| 1171 | Soil Organic Nitrogen and Its Contribution to Crop Production. 2014 , 13, 2061-2080 | 39 |
| 1170 | Nutraceuticals and Colon Cancer Prevention. 2014 , 301-338 | |
| 1169 | Genetic and environmental influences on liking and reported intakes of vegetables in Irish children. 2014 , 32, 253-263 | 38 |
| 1168 | Contactless conductivity detection for screening myrosinase substrates by capillary electrophoresis. 2014 , 807, 153-8 | 15 |
| 1167 | Acylated glucosinolates with diverse acyl groups investigated by high resolution mass spectrometry and infrared multiphoton dissociation. <i>Phytochemistry</i> , 2014 , 100, 92-102 | 4 30 |
| 1166 | Synthesis and anti-inflammatory activity of indole glucosinolates. 2014 , 22, 856-64 | 31 |
| 1165 | Split dose fertilization with urea increases glucosinolate contents in white cabbage (<i>Brassica oleracea</i> L. var. <i>capitata</i>) under experimental pot conditions. 2014 , 168, 64-72 | 7 |
| 1164 | Off-target effects of sulforaphane include the derepression of long terminal repeats through histone acetylation events. 2014 , 25, 665-8 | 15 |
| 1163 | Usefulness of Japanese-radish residue in biological soil disinfection to suppress spinach wilt disease accompanying with proliferation of soil bacteria in the Firmicutes. 2014 , 61, 64-73 | 26 |
| 1162 | Food science meets plant science: A case study on improved nutritional quality by breeding for glucosinolate retention during food processing. 2014 , 35, 61-68 | 8 |
| 1161 | Use of phenyl isothiocyanate for biofilm prevention and control. 2014 , 86, 34-41 | 17 |

| | | |
|------|---|-----|
| 1160 | Engineering complex metabolic pathways in plants. 2014 , 65, 187-223 | 101 |
| 1159 | Chemical composition, antimicrobial property and microencapsulation of Mustard (<i>Sinapis alba</i>) seed essential oil by complex coacervation. 2014 , 165, 560-8 | 83 |
| 1158 | Milk prevents the degradation of daikon (<i>Raphanus sativus</i> L.) isothiocyanate and enhances its absorption in rats. 2014 , 161, 176-80 | 7 |
| 1157 | Development of a Novel Functional Soup Rich in Bioactive Sulforaphane Using Broccoli (<i>Brassica oleracea</i> L. ssp. <i>italica</i>) Florets and Byproducts. 2014 , 7, 1310-1321 | 23 |
| 1156 | Evaluation of freshly prepared juice from garlic (<i>Allium sativum</i> L.) as a biopesticide against the maize weevil, <i>Sitophilus zeamais</i> (Motsch.) (Coleoptera: Curculionidae). 2014 , 54, 132-138 | 8 |
| 1155 | Sequential light programs shape kale (<i>Brassica napus</i>) sprout appearance and alter metabolic and nutrient content. 2014 , 1, 8 | 40 |
| 1154 | Bioactive Components in Foods. 2014 , 21-59 | 1 |
| 1153 | Identifying Rates of Meadowfoam (<i>Limnanthes alba</i>) Seed Meal Needed for Suppression of <i>Meloidogyne hapla</i> and <i>Pythium irregulare</i> in Soil. 2014 , 98, 1253-1260 | 1 |
| 1152 | Plant sulfur and Big Data. 2015 , 241, 1-10 | 36 |
| 1151 | Pathogenicity of <i>Phytophthora capsici</i> to Brassica Vegetable Crops and Biofumigation Cover Crops (<i>Brassica</i> spp.). 2015 , 99, 1721-1726 | 6 |
| 1150 | Glucosinolates: Novel Sources and Biological Potential. 2015 , 1-58 | 3 |
| 1149 | Blanching. 2015 , 1-26 | 1 |
| 1148 | Comparative Taste Biology with Special Focus on Birds and Reptiles. 2015 , 957-982 | 13 |
| 1147 | Biofumigation using a wild <i>Brassica oleracea</i> accession with high glucosinolate content affects beneficial soil invertebrates. 2015 , 394, 155-163 | 9 |
| 1146 | Tuscan black kale sprout extract bioactivated with myrosinase: a novel natural product for neuroprotection by inflammatory and oxidative response during cerebral ischemia/reperfusion injury in rat. 2015 , 15, 397 | 13 |
| 1145 | Hygienic characteristics of radishes grown in soil contaminated with <i>Stenotrophomonas maltophilia</i> . 2015 , 2, | 4 |
| 1144 | Synthesis of 5-Cyano-2-Carboethoxythieno[2,3-b]thiophenyl-3,4-Diisothiocyanates and Its Utility IN Heterocyclic Synthesis under Phase Transfer Catalytic Technique. 2015 , 62, 991-999 | 0 |
| 1143 | The glucosinolate metabolite 1-methoxy-3-indolylmethyl alcohol induces a gene expression profile in mouse liver similar to the expression signature caused by known genotoxic hepatocarcinogens. 2015 , 59, 685-97 | 7 |

1142 [Can a sensitizer potency be attenuated?]. **2015**, 57, 144-5

1141 Macroevolutionary patterns of glucosinolate defense and tests of defense-escalation and resource availability hypotheses. **2015**, 208, 915-27 32

1140 The glucosinolate breakdown product indole-3-carbinol acts as an auxin antagonist in roots of *Arabidopsis thaliana*. **2015**, 82, 547-55 66

1139 The bifurcation of the cyanogenic glucoside and glucosinolate biosynthetic pathways. **2015**, 84, 558-73 31

1138 Collard landraces are novel sources of glucoraphanin and other aliphatic glucosinolates. **2015**, 134, 350-355 6

1137 Progesterone 5 β -reductase genes of the Brassicaceae family as function-associated molecular markers. **2015**, 17, 1113-22 8

1136 A Future Crop Biotechnology View of Sulfur and Selenium. **2015**, 293-311

1135 Amiprophosmethyl-induced efficient in vitro production of polyploids in raphanobrassica with the aid of aminoethoxyvinylglycine (AVG) in the culture medium. **2015**, 65, 396-402 8

1134 Molecular Modeling of Myrosinase from *Brassica oleracea*: A Structural Investigation of Sinigrin Interaction. **2015**, 6, 1315-29 5

1133 Sulforaphane (SFN): An Isothiocyanate in a Cancer Chemoprevention Paradigm. **2015**, 2, 141-156 28

1132 *Moringa oleifera*: An underutilized tree in Nigeria with amazing versatility: A review. **2015**, 9, 456-461 29

1131 Comparison of Glucosinolate Profiles in Different Tissues of Nine Brassica Crops. **2015**, 20, 15827-41 88

1130 Pharmacokinetics, Tissue Distribution, and Anti-Lipogenic/Adipogenic Effects of Allyl-Isothiocyanate Metabolites. **2015**, 10, e0132151 28

1129 The conserved transcription factors, MYB115 and MYB118, control expression of the newly evolved benzoyloxy glucosinolate pathway in *Arabidopsis thaliana*. **2015**, 6, 343 24

1128 Glucosinolate-derived isothiocyanates impact mitochondrial function in fungal cells and elicit an oxidative stress response necessary for growth recovery. **2015**, 6, 414 50

1127 The impact of the absence of aliphatic glucosinolates on water transport under salt stress in *Arabidopsis thaliana*. **2015**, 6, 524 38

1126 Atmospheric H₂S and SO₂ as sulfur source for *Brassica juncea* and *Brassica rapa*: impact on the glucosinolate composition. **2015**, 6, 924 13

1125 Biology and morphology of immature stages of *Lixus canescens* (Coleoptera: Curculionidae: Lixinae). **2015**, 4033, 350-62 8

| | | |
|------|--|------|
| 1124 | Study of Maca (<i>Lepidium meyenii</i> Walp.), Andean crop with therapeutic properties. 2015 , 131-140 | 0 |
| 1123 | Long-chain Glucosinolates from <i>Arabis turrata</i> : Enzymatic and Non-enzymatic Degradations. 2015 , 10, 1934578X1501000 | 2 |
| 1122 | Estimating Apparent Nutrient Digestibility of Diets Containing <i>Leucaena leucocephala</i> or <i>Moringa oleifera</i> Leaf Meals for Growing Rabbits by Two Methods. 2015 , 28, 1155-62 | 13 |
| 1121 | Plant Sulfur Compounds and Human Health. 2015 , 281-291 | 3 |
| 1120 | Bioaccessibility of glucoraphanin from broccoli using an in vitro gastrointestinal digestion model. 2015 , 13, 361-365 | 8 |
| 1119 | Multiple hydroxyphenethyl glucosinolate isomers and their tandem mass spectrometric distinction in a geographically structured polymorphism in the crucifer <i>Barbarea vulgaris</i> . <i>Phytochemistry</i> , 2015 , 115, 130-42 | 4 31 |
| 1118 | Genetic analysis of glucosinolate variability in broccoli florets using genome-anchored single nucleotide polymorphisms. 2015 , 128, 1431-47 | 10 |
| 1117 | Antibacterial activity and mode of action of selected glucosinolate hydrolysis products against bacterial pathogens. 2015 , 52, 4737-48 | 56 |
| 1116 | Molecules Best Paper Award 2015. 2015 , 20, 1751-1754 | 78 |
| 1115 | Synergistic inhibition of the seed germination by crude glycerin and defatted oilseed meals. 2015 , 75, 8-14 | 4 |
| 1114 | Suitability of <i>Microtheca ochroloma</i> (Coleoptera: Chrysomelidae) for the Development of the Predator <i>Chrysoperla rufilabris</i> (Neuroptera: Chrysopidae). 2015 , 44, 1220-9 | 4 |
| 1113 | Purification and Characterization of a Novel Redox-Regulated Isoform of Myrosinase (Thioglucoside Glucohydrolase) from <i>Lepidium latifolium</i> L. 2015 , 63, 10218-26 | 8 |
| 1112 | Effect of two liquid formulations based on <i>Brassica carinata</i> co-products in containing powdery mildew on melon. 2015 , 75, 48-53 | 3 |
| 1111 | Control of <i>Salmonella</i> on fresh chicken breasts by Carrageenan/chitosan-based coatings containing allyl isothiocyanate or deodorized Oriental mustard extract plus EDTA. 2015 , 48, 83-8 | 36 |
| 1110 | Isolation and identification of 4-Hamnosyloxy benzyl glucosinolate in <i>Noccaea caerulescens</i> showing intraspecific variation. <i>Phytochemistry</i> , 2015 , 110, 166-71 | 4 33 |
| 1109 | Is there a trade-off between glucosinolate-based organic and inorganic defences in a metal hyperaccumulator in the field?. 2015 , 178, 369-78 | 22 |
| 1108 | Capparid species: A potential source of bioactives and high-value components: A review. 2015 , 67, 81-96 | 45 |
| 1107 | Flavonolignans and other constituents from <i>Lepidium meyenii</i> with activities in anti-inflammation and human cancer cell lines. 2015 , 63, 2458-63 | 62 |

| | | | |
|------|--|---|-----|
| 1106 | Flavor, glucosinolates, and isothiocyanates of nau (Cook's scurvy grass, <i>Lepidium oleraceum</i>) and other rare New Zealand <i>Lepidium</i> species. 2015 , 63, 1833-8 | | 11 |
| 1105 | Optimization of extraction method to obtain a phenolic compounds-rich extract from <i>Moringa oleifera</i> Lam leaves. 2015 , 66, 246-254 | | 130 |
| 1104 | Purification of active myrosinase from plants by aqueous two-phase counter-current chromatography. 2015 , 26, 47-53 | | 15 |
| 1103 | <i>Isatis canescens</i> is a rich source of glucobrassicin and other health-promoting compounds. 2015 , 95, 158-64 | | 11 |
| 1102 | The antibacterial properties of isothiocyanates. 2015 , 161, 229-243 | | 142 |
| 1101 | Utilizing systems biology to unravel stomatal function and the hierarchies underpinning its control. 2015 , 38, 1457-70 | | 23 |
| 1100 | Synergistic interactions between antioxidants used in food preservation. 2015 , 335-347 | | 6 |
| 1099 | Evaluating the impact of sprouting conditions on the glucosinolate content of <i>Brassica oleracea</i> sprouts. <i>Phytochemistry</i> , 2015 , 115, 252-60 | 4 | 40 |
| 1098 | Analysis of plant leaf metabolites reveals no common response to insect herbivory by <i>Pieris rapae</i> in three related host-plant species. 2015 , 66, 2547-56 | | 10 |
| 1097 | The plastic response of <i>Manduca sexta</i> to host and non-host plants. 2015 , 63, 72-85 | | 46 |
| 1096 | Sinigrin degradation and <i>G. pallida</i> suppression in soil cultivated with brassicas under controlled environmental conditions. 2015 , 95, 9-14 | | 6 |
| 1095 | Effect of defatted oilseed meals applied as organic fertilizers on vegetable crop production and environmental impact. 2015 , 75, 54-64 | | 10 |
| 1094 | Thermal and pressure stability of myrosinase enzymes from black mustard (<i>Brassica nigra</i> L. W.D.J. Koch. var. <i>nigra</i>), brown mustard (<i>Brassica juncea</i> L. Czern. var. <i>juncea</i>) and yellow mustard (<i>Sinapsis alba</i> L. subsp. <i>maire</i>) seeds. 2015 , 187, 485-90 | | 36 |
| 1093 | Dirchromones: Cytotoxic Organic Sulfur Compounds Isolated from <i>Dirca palustris</i> . 2015 , 78, 1904-9 | | 11 |
| 1092 | Effect of two bio-based liquid formulations from <i>Brassica carinata</i> in containing red spider mite (<i>Tetranychus urticae</i>) on eggplant. 2015 , 75, 36-41 | | 4 |
| 1091 | The butterfly plant arms-race escalated by gene and genome duplications. 2015 , 112, 8362-6 | | 307 |
| 1090 | Plant defence mechanisms and enzymatic transformation products and their potential applications in food preservation: Advantages and limitations. 2015 , 46, 49-59 | | 20 |
| 1089 | Glucosinolate Diversity in <i>Bretschneidera sinensis</i> of Chinese Origin. 2015 , 78, 2001-6 | | 15 |

| | | |
|------|---|-----|
| 1088 | Glucosinolates in collard greens grown under three soil management practices. 2015 , 50, 368-73 | 2 |
| 1087 | Myrosinase-treated glucoerucin is a potent inducer of the Nrf2 target gene heme oxygenase 1--studies in cultured HT-29 cells and mice. 2015 , 26, 661-6 | 16 |
| 1086 | The radish genome and comprehensive gene expression profile of tuberous root formation and development. 2015 , 5, 10835 | 110 |
| 1085 | Mechanisms of activation of the transcription factor Nrf2 by redox stressors, nutrient cues, and energy status and the pathways through which it attenuates degenerative disease. 2015 , 88, 108-146 | 483 |
| 1084 | Sulforaphane rescues memory dysfunction and synaptic and mitochondrial alterations induced by brain iron accumulation. 2015 , 301, 542-52 | 24 |
| 1083 | Phytomelatonin: Searching for Plants with High Levels for Use as a Natural Nutraceutical. 2015 , 46, 519-545 | 5 |
| 1082 | Efficacy of Brassica juncea granulated seed meal against Melolontha grubs. 2015 , 70, 260-265 | 8 |
| 1081 | Glucosinolate profiles in Cardamine fauriei and effect of light quality on glucosinolate concentration. 2015 , 189, 12-16 | 17 |
| 1080 | Sulforaphane protects against acetaminophen-induced hepatotoxicity. 2015 , 80, 193-200 | 63 |
| 1079 | 4-Methylthiobutyl isothiocyanate (Erucin) from rocket plant dichotomously affects the activity of human immunocompetent cells. 2015 , 22, 369-78 | 3 |
| 1078 | Biological activity of various radish species. 2015 , 15, 105-111 | 12 |
| 1077 | Preparation and characterization of inclusion complex of benzyl isothiocyanate extracted from papaya seed with β -cyclodextrin. 2015 , 184, 99-104 | 41 |
| 1076 | The potential of Crotalaria juncea L. as a summer green manure crop in comparison to Brassicaceae catch crops for management of Meloidogyne incognita in the Mediterranean area. 2015 , 142, 829-841 | 9 |
| 1075 | Dietary Glucosinolates Sulforaphane, Phenethyl Isothiocyanate, Indole-3-Carbinol/3,3'-Diindolylmethane: Anti-Oxidative Stress/Inflammation, Nrf2, Epigenetics/Epigenomics and Cancer Chemopreventive Efficacy. 2015 , 1, 179-196 | 115 |
| 1074 | Allelopathy for weed control in agricultural systems. 2015 , 72, 57-65 | 280 |
| 1073 | Coselected genes determine adaptive variation in herbivore resistance throughout the native range of Arabidopsis thaliana. 2015 , 112, 4032-7 | 77 |
| 1072 | Indole Glucosinolate Biosynthesis Limits Phenylpropanoid Accumulation in Arabidopsis thaliana. 2015 , 27, 1529-46 | 70 |
| 1071 | Regulatory and Biosynthetic Mechanisms Underlying Plant Chemical Defense Responses to Biotic Stresses. 2015 , 117-146 | 0 |

| | | |
|------|---|----|
| 1070 | Brassicaceae cover crops reduce <i>Aphanomyces</i> pea root rot without suppressing genetic potential of microbial nitrogen cycling. 2015 , 392, 227-238 | 9 |
| 1069 | Oviposition Behavior of the Pollen Beetle (<i>Meligethes aeneus</i>): A Functional Study. 2015 , 28, 107-119 | 10 |
| 1068 | The fusion of genomes leads to more options: A comparative investigation on the desulfo-glucosinolate sulfotransferases of <i>Brassica napus</i> and homologous proteins of <i>Arabidopsis thaliana</i> . 2015 , 91, 10-9 | 8 |
| 1067 | Preparation of Pyranose-Based Thioimidate N-Oxides (TINOs). 2015 , 2015, 2411-2427 | 3 |
| 1066 | The Formation, Structure and Activity of Phytochemicals. 2015 , | 2 |
| 1065 | Aphids Pick Their Poison: Selective Sequestration of Plant Chemicals Affects Host Plant Use in a Specialist Herbivore. 2015 , 41, 956-64 | 19 |
| 1064 | The effect of indole-3-carbinol on PIN1 and PIN2 in <i>Arabidopsis</i> roots. 2015 , 10, e1062200 | 12 |
| 1063 | Regulators and Pathway Enzymes That Contribute to Chemical Diversity in Phenylpropanoid and Aromatic Alkaloid Metabolism in Plant Immunity. 2015 , 137-162 | 1 |
| 1062 | Glucosinolate Accumulation and Related Gene Expression in Pak Choi (<i>Brassica rapa</i> L. ssp. <i>chinensis</i> var. <i>communis</i> [N. Tsen & S.H. Lee] Hanelt) in Response to Insecticide Application. 2015 , 63, 9683-9 | 8 |
| 1061 | Characterization of glutathione transferases involved in the pathogenicity of <i>Alternaria brassicicola</i> . 2015 , 15, 123 | 23 |
| 1060 | Associations Between Glucosinolates, White Rust, and Plant Defense Activators in Brassica Plants: A Review. 2015 , 21, 297-313 | 7 |
| 1059 | Allyl isothiocyanate induces stomatal closure in <i>Vicia faba</i> . 2015 , 79, 1737-42 | 16 |
| 1058 | An overview on neuroprotective effects of isothiocyanates for the treatment of neurodegenerative diseases. 2015 , 106, 12-21 | 73 |
| 1057 | A novel impact of a novel weapon: allelochemicals in <i>Alliaria petiolata</i> disrupt the legume-rhizobia mutualism. 2015 , 17, 2779-2791 | 12 |
| 1056 | Metabolism of Glucosinolates and Their Hydrolysis Products in Insect Herbivores. 2015 , 163-194 | 9 |
| 1055 | Broccoli seed extract: Genotoxicity and subchronic toxicity studies. 2015 , 73, 442-51 | 9 |
| 1054 | Brassicaceae: a rich source of health improving phytochemicals. 2015 , 14, 1019-1033 | 65 |
| 1053 | Interactions Between a Belowground Herbivore and Primary and Secondary Root Metabolites in Wild Cabbage. 2015 , 41, 696-707 | 15 |

| | | |
|------|--|----|
| 1052 | Organic Amendments and Soil Suppressiveness in Plant Disease Management. 2015, | 13 |
| 1051 | Novel glucosinolate composition lacking 4-methylthio-3-butenyl glucosinolate in Japanese white radish (<i>Raphanus sativus</i> L.). 2015, 128, 2037-46 | 17 |
| 1050 | A mechanistic perspective on process-induced changes in glucosinolate content in Brassica vegetables: a review. 2015, 55, 823-38 | 68 |
| 1049 | Control of <i>Rhizoctonia solani</i> damping-off disease after soil amendment with dry tissues of Brassica results from increase in Actinomycetes population. 2015, 82, 21-30 | 19 |
| 1048 | Brassica Composition and Food Processing. 2015, 17-25 | 9 |
| 1047 | 4(β -rhamnosyloxy)-benzyl isothiocyanate, a bioactive phytochemical that attenuates secondary damage in an experimental model of spinal cord injury. 2015, 23, 80-8 | 36 |
| 1046 | Identification and quantification of glucosinolate and flavonol compounds in rocket salad (<i>Eruca sativa</i> , <i>Eruca vesicaria</i> and <i>Diplotaxis tenuifolia</i>) by LC-MS: highlighting the potential for improving nutritional value of rocket crops. 2015, 172, 852-61 | 94 |
| 1045 | In vitro activity of glucosinolates and their degradation products against brassica-pathogenic bacteria and fungi. 2015, 81, 432-40 | 62 |
| 1044 | Application of <i>Lactobacillus plantarum</i> Lb9 as starter culture in caper berry fermentation. 2015, 60, 788-794 | 20 |
| 1043 | Decreased sulforaphene concentration and reduced myrosinase activity of radish (<i>Raphanus sativus</i> L.) root during cold storage. 2015, 100, 219-225 | 26 |
| 1042 | Interactive effects of arbuscular mycorrhizal fungi and intercropping with sesame (<i>Sesamum indicum</i>) on the glucosinolate profile in broccoli (<i>Brassica oleracea</i> var. <i>Italica</i>). 2015, 109, 288-295 | 14 |
| 1041 | Selenium, putrescine, and cadmium influence health-promoting phytochemicals and molecular-level effects on turnip (<i>Brassica rapa</i> ssp. <i>rapa</i>). 2015, 173, 185-93 | 60 |
| 1040 | In vitro metabolic conversion of the organic breakdown products of glucosinolate to goitrogenic thiocyanate anion. 2015, 95, 2244-51 | 4 |
| 1039 | Metabolic Engineering of Aliphatic Glucosinolates in Hairy Root Cultures of <i>Arabidopsis thaliana</i> . 2015, 33, 598-608 | 11 |
| 1038 | Development of a reliable extraction and quantification method for glucosinolates in <i>Moringa oleifera</i> . 2015, 166, 456-464 | 51 |
| 1037 | About Previous Investigations Regarding the Role of Glucosinolates in Controlling Brassica Insect Pests in Slovenia. 2016, | |
| 1036 | Plant Evolution in Response to Abiotic and Biotic Stressors at Bear-edge Range Boundaries. 2016, | 1 |
| 1035 | Effects of Crambe-based products (<i>Crambe abyssinica</i>) on the control of <i>Sitophilus zeamais</i> Motschulsky (Coleoptera: Curculionidae) in stored maize. 2016, 11, 4911-4916 | |

| | | |
|------|--|-----|
| 1034 | Glucosinolate Profiling of <i>Calepina irregularis</i> . 2016 , 11, 1934578X1601100 | 1 |
| 1033 | Cover Crops with Biofumigation Properties for the Suppression of Plant-Parasitic Nematodes: A Review. 2016 , 34, | 5 |
| 1032 | Allyl-isothiocyanate treatment induces a complex transcriptional reprogramming including heat stress, oxidative stress and plant defence responses in <i>Arabidopsis thaliana</i> . 2016 , 17, 740 | 18 |
| 1031 | <i>Arabidopsis</i> Myrosinase Genes AtTGG4 and AtTGG5 Are Root-Tip Specific and Contribute to Auxin Biosynthesis and Root-Growth Regulation. 2016 , 17, | 25 |
| 1030 | Aqueous Extracts from Tunisian <i>Diplotaxis</i> : Phenol Content, Antioxidant and Anti-Acetylcholinesterase Activities, and Impact of Exposure to Simulated Gastrointestinal Fluids. 2016 , 5, | 6 |
| 1029 | EFFECTS OF ASCORBIC ACID AND FERUM IONS CONCENTRATION ON THE HYDROLYSIS OF GLUCOSINOLATE AND MYROSINASE ACTIVITY IN THE WATERCRESS (<i>Nasturtium officinale</i> sp.). 2016 , 78, | 1 |
| 1028 | The Effect of Cover Crops and their Management on Plant-parasitic Nematodes in Vineyards. 2016 , 36, | |
| 1027 | Insect Detoxification of Glucosinolates and Their Hydrolysis Products. 2016 , 80, 199-245 | 33 |
| 1026 | Health Benefits of Glucosinolates. 2016 , 247-279 | 43 |
| 1025 | Natural Phytochemicals in the Treatment and Prevention of Dementia: An Overview. 2016 , 21, 518 | 48 |
| 1024 | Oxidative Stress in Diabetes: Molecular Basis for Diet Supplementation. 2016 , 65-72 | 4 |
| 1023 | <i>Camelina</i> (<i>Camelina sativa</i>). 2016 , 207-230 | 8 |
| 1022 | Complex Environments Interact With Plant Development to Shape Glucosinolate Profiles. 2016 , 80, 15-30 | 12 |
| 1021 | Inoculation of Soil with Plant Growth Promoting Bacteria Producing 1-Aminocyclopropane-1-Carboxylate Deaminase or Expression of the Corresponding Gene in Transgenic Plants Increases Salinity Tolerance in. 2016 , 7, 1966 | 46 |
| 1020 | Bioavailability of Glucosinolates and Their Breakdown Products: Impact of Processing. 2016 , 3, 24 | 109 |
| 1019 | The Role of Glucosinolate Hydrolysis Products from Brassica Vegetable Consumption in Inducing Antioxidant Activity and Reducing Cancer Incidence. 2016 , 4, | 26 |
| 1018 | Identification and Evolution of Functional Alleles of the Previously Described Pollen Specific Myrosinase Pseudogene AtTGG6 in <i>Arabidopsis thaliana</i> . 2016 , 17, 262 | 5 |
| 1017 | Integrating Insect Life History and Food Plant Phenology: Flexible Maternal Choice Is Adaptive. 2016 , 17, | 6 |

| | | |
|------|---|----|
| 1016 | Effects of Brassicaceae Isothiocyanates on Prostate Cancer. 2016 , 21, | 24 |
| 1015 | Cytoprotective Role of Dietary Phytochemicals Against Cancer Development via Induction of Phase II and Antioxidant Enzymes. 2016 , 99-137 | 5 |
| 1014 | Identification of a New Antibacterial Sulfur Compound from Seeds. 2016 , 2016, 9271285 | 12 |
| 1013 | De novo Transcriptome Analysis of <i>Sinapis alba</i> in Revealing the Glucosinolate and Phytochelatin Pathways. 2016 , 7, 259 | 14 |
| 1012 | Modification of Leaf Glucosinolate Contents in <i>Brassica oleracea</i> by Divergent Selection and Effect on Expression of Genes Controlling Glucosinolate Pathway. 2016 , 7, 1012 | 15 |
| 1011 | Two Novel Flavin-Containing Monooxygenases Involved in Biosynthesis of Aliphatic Glucosinolates. 2016 , 7, 1292 | 29 |
| 1010 | Comparative Transcriptome Analyses Reveal a Special Glucosinolate Metabolism Mechanism in Sprouts. 2016 , 7, 1497 | 12 |
| 1009 | Fire and Brimstone: Molecular Interactions between Sulfur and Glucosinolate Biosynthesis in Model and Crop Brassicaceae. 2016 , 7, 1735 | 17 |
| 1008 | Glucosinolates from the Brassica Vegetables and Their Health Effects. 2016 , 248-255 | 6 |
| 1007 | How specialized volatiles respond to chronic and short-term physiological and shock heat stress in <i>Brassica nigra</i> . 2016 , 39, 2027-42 | 35 |
| 1006 | Inhibition of mitochondrial fusion is an early and critical event in breast cancer cell apoptosis by dietary chemopreventative benzyl isothiocyanate. 2016 , 30, 67-77 | 35 |
| 1005 | Glucosinolate composition of Colombian accessions of mashua (<i>Tropaeolum tuberosum</i> Ruiz & Pavón), structural elucidation of the predominant glucosinolate and assessment of its antifungal activity. 2016 , 96, 4702-4712 | 10 |
| 1004 | Sulforaphane Inhibits c-Myc-Mediated Prostate Cancer Stem-Like Traits. 2016 , 117, 2482-95 | 25 |
| 1003 | The impact of high pressure on glucosinolate profile and myrosinase activity in seedlings from Brussels sprouts. 2016 , 38, 342-348 | 17 |
| 1002 | Bioavailability and metabolism of benzyl glucosinolate in humans consuming Indian cress (<i>Tropaeolum majus</i> L.). 2016 , 60, 652-60 | 11 |
| 1001 | Improved analysis of sinigrin in Ethiopian mustard. 2016 , 51, 690-699 | 2 |
| 1000 | Plant genotype affects the quality of oilseed rape (<i>Brassica napus</i>) for adults and larvae of the pollen beetle (<i>Meligethes aeneus</i>). 2016 , 41, 202-209 | 4 |
| 999 | Effects of different secondary metabolite profiles in plant defense syndromes on specialist and generalist herbivores. 2016 , 19, 97-103 | 8 |

| | | |
|-----|--|-----|
| 998 | The green peach aphid <i>Myzus persicae</i> perform better on pre-infested Chinese cabbage <i>Brassica pekinensis</i> by enhancing host plant nutritional quality. 2016 , 6, 21954 | 27 |
| 997 | Central Metabolic Responses to Ozone and Herbivory Affect Photosynthesis and Stomatal Closure. 2016 , 172, 2057-2078 | 22 |
| 996 | Preparation and handling of fresh-cut root vegetables. 2016 , 77-90 | 3 |
| 995 | Adverse effects of brassica green manures on encysted eggs, infective second-stage juveniles and the reproduction of <i>Globodera rostochiensis</i> . 2016 , 123, 225-233 | 5 |
| 994 | - Chemoprevention of Lung Cancer by Ginseng. 2016 , 518-551 | 3 |
| 993 | Anti-Inflammatory Botanical Dietary Supplements for Women's Health: Role in Breast Cancer Prevention?. 2016 , 552-571 | |
| 992 | Natural compounds: an alternative in postharvest disease control. 2016 , 385-390 | 0 |
| 991 | Diversity of Kale (<i>Brassica oleracea</i> var. <i>sabellica</i>): Glucosinolate Content and Phylogenetic Relationships. 2016 , 64, 3215-25 | 34 |
| 990 | Effect of cooking on the contents of glucosinolates and their degradation products in selected Brassica vegetables. 2016 , 23, 412-422 | 38 |
| 989 | Easy Method for the Approximate Quantitation of 4-Methylthio-3-Butenyl Isothiocyanate of Daikon (<i>Raphanus sativus</i> L.). 2016 , 19, 993-999 | 2 |
| 988 | Sulforaphene identified from radish (<i>Raphanus sativus</i> L.) seeds possesses antimicrobial properties against multidrug-resistant bacteria and methicillin-resistant <i>Staphylococcus aureus</i> . 2016 , 24, 131-141 | 16 |
| 987 | Bioavailability and in vivo metabolism of intact glucosinolates. 2016 , 24, 450-460 | 18 |
| 986 | Decay control in the postharvest system: Role of microbial and plant volatile organic compounds. 2016 , 122, 70-81 | 126 |
| 985 | GLS-Finder: A Platform for Fast Profiling of Glucosinolates in Brassica Vegetables. 2016 , 64, 4407-15 | 19 |
| 984 | Sulfation pathways in plants. 2016 , 259, 23-30 | 33 |
| 983 | Synthesis of a 3-Thiomannoside. 2016 , 18, 1748-51 | 7 |
| 982 | Impacts of root symbiotic associations on interspecific variation in sugar exudation rates and rhizosphere microbial communities: a comparison among four plant families. 2016 , 399, 345-356 | 18 |
| 981 | Antimicrobial activity of plant-food by-products: A review focusing on the tropics. 2016 , 189, 32-49 | 66 |

| | | |
|-----|--|----|
| 980 | Exogenous 3,3'-diindolylmethane increases <i>Brassica napus</i> L. seedling shoot growth through modulation of superoxide and hydrogen peroxide content. 2016 , 196-197, 93-8 | 9 |
| 979 | Allyl Isothiocyanate Induces Cell Toxicity by Multiple Pathways in Human Breast Cancer Cells. 2016 , 44, 415-37 | 15 |
| 978 | Comparative analysis of MYB28 homologs and development of a MYB28-specific marker in <i>Brassica napus</i> L.. 2016 , 36, 1 | 3 |
| 977 | Glucosinolates profile, volatile constituents, antimicrobial, and cytotoxic activities of <i>Lobularia libyca</i> . 2016 , 54, 3257-3263 | 17 |
| 976 | Heat Shock Factor 1 Is a Substrate for p38 Mitogen-Activated Protein Kinases. 2016 , 36, 2403-17 | 44 |
| 975 | Colonization dynamic of various crop residues by <i>Fusarium graminearum</i> monitored through real-time PCR measurements. 2016 , 121, 1394-1405 | 7 |
| 974 | Red Maca (<i>Lepidium meyenii</i>) did not affect cell viability despite increased androgen receptor and prostate-specific antigen gene expression in the human prostate cancer cell line LNCaP. 2016 , 48, 922-6 | 4 |
| 973 | Processing and Preparation of Brassica Vegetables and the Fate of Glucosinolates. 2016 , 1-23 | |
| 972 | ¿Debe cultivar el árbol milagro, <i>Moringa oleifera</i> , en México? Un análisis de su distribución potencial. 2016 , 87, 1089-1102 | 1 |
| 971 | Lipid oxidation in mayonnaise and the role of natural antioxidants: A review. 2016 , 56, 88-102 | 57 |
| 970 | Les constituants spécifiques des Alliaceae. 2016 , 14, 149-153 | 1 |
| 969 | The Effect of Plant Within-Species Variation on Aphid Ecology. 2016 , 162-180 | 6 |
| 968 | 3-Butenyl isothiocyanate: a hydrolytic product of glucosinolate as a potential cytotoxic agent against human cancer cell lines. 2016 , 53, 3437-3445 | 15 |
| 967 | Flower power and the mustard bomb: Comparative analysis of gene and genome duplications in glucosinolate biosynthetic pathway evolution in Cleomaceae and Brassicaceae. 2016 , 103, 1212-22 | 21 |
| 966 | Comparative analysis of individual glucosinolates, phytochemicals, and antioxidant activities in broccoli breeding lines. 2016 , 57, 392-403 | 8 |
| 965 | Sulfur metabolism and its manipulation in crops. 2016 , 43, 623-629 | 10 |
| 964 | Notes ethnobotanique et phytopharmacologique sur <i>Cakile maritima</i> Scop. 2016 , 1 | 2 |
| 963 | Trabala Vishnou Gigantina Yang (Lepidoptera: Lasiocampidae) Larval Fitness on six Sympatric Plant Species in Sea-Buckthorn Forest. 2016 , 29, 591-604 | 2 |

| | | | |
|-----|--|---|-----|
| 962 | Evaluation of the composition of L. seed oil extracted with supercritical CO. 2016 , 11, 110-116 | | 26 |
| 961 | Sulforaphane Regulates NFE2L2/Nrf2-Dependent Xenobiotic Metabolism Phase II and Phase III Enzymes Differently in Human Colorectal Cancer and Untransformed Epithelial Colon Cells. 2016 , 68, 1338-1348 | | 21 |
| 960 | Sulforaphane induces adipocyte browning and promotes glucose and lipid utilization. 2016 , 60, 2185-2197 | | 38 |
| 959 | Antimicrobial Activity of the Glucosinolates. 2016 , 1-26 | | 1 |
| 958 | Neuroprotective Effects of Glucosinolates. 2016 , 1-25 | | |
| 957 | Analysis and Quantification of Glucosinolates. 2016 , 1, 385-409 | | 28 |
| 956 | Glucosinolate diversity within a phylogenetic framework of the tribe Cardamineae (Brassicaceae) unraveled with HPLC-MS/MS and NMR-based analytical distinction of 70 desulfoglucosinolates. <i>Phytochemistry</i> , 2016 , 132, 33-56 | 4 | 42 |
| 955 | Genome of the Asian longhorned beetle (<i>Anoplophora glabripennis</i>), a globally significant invasive species, reveals key functional and evolutionary innovations at the beetle-plant interface. 2016 , 17, 227 | | 161 |
| 954 | Glucosinolate biosynthesis in <i>Eruca sativa</i> . 2016 , 109, 452-466 | | 13 |
| 953 | Genetics and Breeding of Brassica Crops. 2016 , 1-26 | | 1 |
| 952 | Genome-wide Expression Analysis and Metabolite Profiling Elucidate Transcriptional Regulation of Flavonoid Biosynthesis and Modulation under Abiotic Stresses in Banana. 2016 , 6, 31361 | | 23 |
| 951 | Efficacy of aqueous extracts of black alder (<i>Alnus glutinosa</i> GAERTN.) and black elderberry (<i>Sambucus nigra</i> L.) in reducing the occurrence of <i>Phyllotreta</i> spp., some lepidopteran pests and diamondback moth parasitoids on white cabbage. 2016 , 85, 377-388 | | 1 |
| 950 | Cataloging the <i>Brassica napus</i> seed metabolome. 2016 , 2, | | 4 |
| 949 | Characterization of the watercress (<i>Nasturtium officinale</i> R. Br.; Brassicaceae) transcriptome using RNASeq and identification of candidate genes for important phytonutrient traits linked to human health. 2016 , 17, 378 | | 20 |
| 948 | Identification and quantification of glucosinolates in Korean leaf mustard germplasm (<i>Brassica juncea</i> var. <i>integrifolia</i>) by liquid chromatography-electrospray ionization/tandem mass spectrometry. 2016 , 242, 1479-1484 | | 15 |
| 947 | Influence of nitrogen and sulfur fertilization on glucosinolate content and composition of horseradish plants harvested at different developmental stages. 2016 , 38, 1 | | 6 |
| 946 | Potential for oilseed rape resistance in pollen beetle control. 2016 , 10, 463-475 | | 13 |
| 945 | Community structure and abundance of insects in response to early-season aphid infestation in wild cabbage populations. 2016 , 41, 378-388 | | 13 |

| | | |
|-----|--|----|
| 944 | An Update on Potential Perspectives of Glucosinolates on Protection against Microbial Pathogens and Endocrine Dysfunctions in Humans. 2016 , 56, 2231-49 | 7 |
| 943 | Metabolomic Technologies for Improving the Quality of Food: Practice and Promise. 2016 , 7, 413-38 | 62 |
| 942 | Changes in Sulforaphane and Selenocysteine Methyltransferase Transcript Levels in Broccoli Treated with Sodium Selenite. 2016 , 34, 807-814 | 9 |
| 941 | Influence of amphetamine, β -aminobutyric acid, and fosmidomycin on metabolic, transcriptional variations and determination of their biological activities in turnip (<i>Brassica rapa</i> ssp. <i>rapa</i>). 2016 , 103, 181-192 | 6 |
| 940 | Volatile-mediated foraging behaviour of three parasitoid species under conditions of dual insect herbivore attack. 2016 , 111, 197-206 | 44 |
| 939 | Oviposition preference of aphidophagous hoverflies toward oviposition site quality: The presence of intra- and interspecific competitor, glucosinolate content, and prey species. 2016 , 19, 275-280 | 4 |
| 938 | Iron depletion in HCT116 cells diminishes the upregulatory effect of phenethyl isothiocyanate on heme oxygenase-1. 2016 , 297, 22-31 | 3 |
| 937 | Volatiles from biofumigant plants have a direct effect on carpogenic germination of sclerotia and mycelial growth of <i>Sclerotinia sclerotiorum</i> . 2016 , 401, 213-229 | 16 |
| 936 | Anticancer activity of glucomoringin isothiocyanate in human malignant astrocytoma cells. 2016 , 110, 1-7 | 51 |
| 935 | Stability of glucosinolates and glucosinolate degradation products during storage of boiled white cabbage. 2016 , 203, 340-347 | 18 |
| 934 | Cyanide detoxification in an insect herbivore: Molecular identification of β -cyanoalanine synthases from <i>Pieris rapae</i> . 2016 , 70, 99-110 | 33 |
| 933 | Brassicacea-based management strategies as an alternative to combat nematode pests: A synopsis. 2016 , 80, 21-41 | 41 |
| 932 | A mode of action of glucosinolate-derived isothiocyanates: Detoxification depletes glutathione and cysteine levels with ramifications on protein metabolism in <i>Spodoptera littoralis</i> . 2016 , 71, 37-48 | 46 |
| 931 | Anti-inflammatory and anti-proliferative activities of the wild edible cruciferous: <i>Diplotaxis simplex</i> . 2016 , 54, 2111-8 | 4 |
| 930 | Concentrations of thiocyanate and goitrin in human plasma, their precursor concentrations in brassica vegetables, and associated potential risk for hypothyroidism. 2016 , 74, 248-58 | 71 |
| 929 | A simple and efficient <i>Agrobacterium tumefaciens</i> -mediated plant transformation of <i>Brassica rapa</i> ssp. <i>pekinensis</i> . 2016 , 6, 88 | 14 |
| 928 | New nodes and edges in the glucosinolate molecular network revealed by proteomics and metabolomics of <i>Arabidopsis myb28/29</i> and <i>cyp79B2/B3</i> glucosinolate mutants. 2016 , 138, 1-19 | 21 |
| 927 | Root Glucosinolate Profiles for Screening of Radish (<i>Raphanus sativus</i> L.) Genetic Resources. 2016 , 64, 61-70 | 27 |

| | | |
|-----|--|-----|
| 926 | Effects of light quality on main health-promoting compounds and antioxidant capacity of Chinese kale sprouts. 2016 , 196, 1232-8 | 101 |
| 925 | Bioactive compounds from mustard flours for the control of patulin production in wheat tortillas. 2016 , 66, 101-107 | 13 |
| 924 | Quality of cabbage during long term steaming; phytochemical, texture and colour evaluation. 2016 , 65, 421-427 | 12 |
| 923 | Marking and retention of harlequin bug, <i>Murgantia histrionica</i> (Hahn) (Hemiptera: Pentatomidae), on pheromone-baited and unbaited plants. 2016 , 89, 21-29 | 10 |
| 922 | Distribution of glucosinolates in camelina seed fractions by HPLC-ESI-MS/MS. 2017 , 119, 1600040 | 2 |
| 921 | Quantification and bioaccessibility of intact glucosinolates in broccoli and Savoy cabbage. 2017 , 61, 40-46 | 11 |
| 920 | Chemical composition and antifungal activity of <i>Carica papaya</i> Linn. seed essential oil against <i>Candida</i> spp. 2017 , 64, 350-354 | 14 |
| 919 | A simple spectrophotometric method for estimating total glucosinolates in mustard de-oiled cake. 2017 , 20, 3274-3281 | 33 |
| 918 | Direct determination of total isothiocyanate content in broccoli using attenuated total reflectance infrared Fourier transform spectroscopy. 2017 , 61, 47-51 | 10 |
| 917 | Investigation of isothiocyanate release from electrospun modified poly(L-lactic acid)/mustard powder composite fibers. 2017 , 49, 449-456 | 10 |
| 916 | The Transcription Factor MYB29 Is a Regulator of. 2017 , 173, 1824-1843 | 36 |
| 915 | A 2-Oxoglutarate-Dependent Dioxygenase Mediates the Biosynthesis of Glucoraphasatin in Radish. 2017 , 173, 1583-1593 | 37 |
| 914 | Allyl isothiocyanate shows promise as a naturally produced suppressant of the potato cyst nematode, <i>Globodera pallida</i> , in biofumigation systems. 2017 , 19, 389-402 | 7 |
| 913 | Potential protective role of nitric oxide and Hsp70 linked to functional foods in the atherosclerosis. 2017 , 29, 36-45 | 2 |
| 912 | Overexpression of Brassica napus Myrosinase-Associated Protein 1 improved Sclerotinia tolerance in Arabidopsis. 2017 , | 2 |
| 911 | Glucosinolates and Respective Derivatives (Isothiocyanates) from Plants. 2017 , 3-22 | 7 |
| 910 | Neuroprotective effect of <i>Moringa oleifera</i> leaf extract on aluminium-induced temporal cortical degeneration. 2017 , 32, 1437-1447 | 23 |
| 909 | The mechanism of deterioration of the glucosinolate-myrosinase system in radish roots during cold storage after harvest. 2017 , 233, 60-68 | 19 |

| | | |
|-----|--|-----|
| 908 | Enzymatic Carbon-Sulfur Bond Formation in Natural Product Biosynthesis. 2017 , 117, 5521-5577 | 260 |
| 907 | Root and shoot glucosinolate allocation patterns follow optimal defence allocation theory. 2017 , 105, 1256-1266 | 24 |
| 906 | Sprouts, Microgreens and Baby Leaf Vegetables. 2017 , 403-432 | 24 |
| 905 | Poly(lactic-co-glycolic acid) nanoparticles for sustained release of allyl isothiocyanate: characterization, in vitro release and biological activity. 2017 , 34, 231-242 | 15 |
| 904 | Design, synthesis, and identification of a novel naphthalamide-isoselenocyanate compound NISC-6 as a dual Topoisomerase-II and Akt pathway inhibitor, and evaluation of its anti-melanoma activity. 2017 , 135, 282-295 | 13 |
| 903 | Metabolic profiling of glucosinolates and their hydrolysis products in a germplasm collection of <i>Brassica rapa</i> turnips. 2017 , 100, 392-403 | 39 |
| 902 | Wounding of <i>Arabidopsis</i> leaves induces indole-3-carbinol-dependent autophagy in roots of <i>Arabidopsis thaliana</i> . 2017 , 91, 779-787 | 13 |
| 901 | Oviposition Preference for Young Plants by the Large Cabbage Butterfly (<i>Pieris brassicae</i>) Does not Strongly Correlate with Caterpillar Performance. 2017 , 43, 617-629 | 7 |
| 900 | <i>Moringa oleifera</i> : a review of the medicinal potential. 2017 , 209-224 | 12 |
| 899 | <i>Moringa</i> a vegetable tree for improved nutrition, health and income of smallholder farmers. 2017 , 309-316 | 1 |
| 898 | The potential of moringa in climate change, sustainable livelihood and food security a review. 2017 , 455-466 | 2 |
| 897 | Sulforaphane sensitizes human cholangiocarcinoma to cisplatin via the downregulation of anti-apoptotic proteins. 2017 , 37, 3660-3666 | 6 |
| 896 | Influence of Different Cooking Methods on the Concentration of Glucosinolates and Vitamin C in Broccoli. 2017 , 10, 1387-1411 | 30 |
| 895 | Variation of glucosinolates on position orders of flower buds in turnip rape (<i>Brassica napus</i>). 2017 , 24, 1562-1566 | 5 |
| 894 | Spasmolytic, antimicrobial and cytotoxic activities of 5-phenylpentyl isothiocyanate, a new glucosinolate autolysis product from horseradish (<i>Armoracia rusticana</i> P. Gaertn., B. Mey. & Scherb., Brassicaceae). 2017 , 232, 329-339 | 28 |
| 893 | Hydroxyl and Methoxyl Derivatives of Benzylglucosinolate in <i>Lepidium densiflorum</i> with Hydrolysis to Isothiocyanates and non-Isothiocyanate Products: Substitution Governs Product Type and Mass Spectral Fragmentation. 2017 , 65, 3167-3178 | 14 |
| 892 | Impact of the invasive painted bug <i>Bagrada hilaris</i> on physiological traits of its host <i>Brassica oleracea</i> var <i>botrytis</i> . 2017 , 11, 649-658 | 10 |
| 891 | Fruits and Vegetables. 2017 , 51-82 | 1 |

| | | |
|-----|--|----|
| 890 | Emerging technology for increasing glucosinolates in arugula and mustard greens. 2017 , 52, 466-469 | 1 |
| 889 | Ligand activation of the Ah receptor contributes to gastrointestinal homeostasis. 2017 , 2, 15-23 | 44 |
| 888 | Novel phosphonate analogs of sulforaphane: Synthesis, in vitro and in vivo anticancer activity. 2017 , 132, 63-80 | 22 |
| 887 | Quality Evaluation of <i>Lepidium meyenii</i> (Maca) Based on HPLC and LC-MS Analysis of its Glucosinolates from Roots. 2017 , 10, 2143-2151 | 2 |
| 886 | Stabilized sulforaphane for clinical use: Phytochemical delivery efficiency. 2017 , 61, 1600766 | 45 |
| 885 | Glycosides. 2017 , 101-161 | 21 |
| 884 | Proposed Method for Estimating Health-Promoting Glucosinolates and Hydrolysis Products in Broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) Using Relative Transcript Abundance. 2017 , 65, 301-308 | 4 |
| 883 | Breeding for Aphid Resistance in Rapeseed Mustard. 2017 , 171-199 | 2 |
| 882 | Oviposition Preferences of <i>Plutella xylostella</i> are Influenced by the Type of Plant Induction and Glucosinolate Hydrolysis Profiles. 2017 , 30, 507-518 | 1 |
| 881 | Synergistic toxicity of epigallocatechin-3-gallate and diethyldithiocarbamate, a lethal encounter involving redox-active copper. 2017 , 113, 143-156 | 12 |
| 880 | Genetic Profile of Glucosinolate Biosynthesis. 2017 , 137-150 | 1 |
| 879 | Two goitrogenic 1,3-oxazolidine-2-thione derivatives from Brassicales taxa: Challenging identification, occurrence and immunomodulatory effects. 2017 , 110, 94-108 | 10 |
| 878 | Recent Advances in Bioactivities of Common Food Biocompounactives. 2017 , 541-594 | 2 |
| 877 | Recent Advances in Phytochemicals in Fruits and Vegetables. 2017 , 1323-1356 | 3 |
| 876 | Phytochemicals in Organic and Conventional Fruits and Vegetables. 2017 , 1305-1322 | 1 |
| 875 | Insect-Plant Interrelationships. 2017 , 1-44 | |
| 874 | Green synthesis, characterization and antibacterial activity of silver nanoparticles from root extract of <i>Lepidium draba</i> weed. 2017 , 10, 324-330 | 25 |
| 873 | Thiol-reducing agents prevent sulforaphane-induced growth inhibition in ovarian cancer cells. 2017 , 61, 1368321 | 4 |

| | | |
|-----|--|----|
| 872 | Gamma radiation treatment activates glucomoringin synthesis in <i>Moringa oleifera</i> . 2017 , 27, 569-575 | 5 |
| 871 | Evaluation of Seasonal Variations in the Glucosinolate Content in Leaves and Roots of Four European Horseradish (<i>Armoracia rusticana</i>) Landraces. 2017 , 67, 301-308 | 12 |
| 870 | Transcriptional responses to short-term and long-term host plant experience and parasite load in an oligophagous beetle. 2017 , 26, 6370-6383 | 20 |
| 869 | Enhanced sensitivity and metabolite coverage with remote laser ablation electrospray ionization-mass spectrometry aided by coaxial plume and gas dynamics. 2017 , 142, 3157-3164 | 9 |
| 868 | Challenges of developing a valid dietary glucosinolate database. 2017 , 64, 78-84 | 17 |
| 867 | The spitting image of plant defenses: Effects of plant secondary chemistry on the efficacy of caterpillar regurgitant as an anti-predator defense. 2017 , 7, 6304-6313 | 5 |
| 866 | A Straightforward Method for Glucosinolate Extraction and Analysis with High-pressure Liquid Chromatography (HPLC). 2017 , | 32 |
| 865 | Antioxidant and anti-inflammatory effects of cauliflower leaf powder-enriched diet against LPS induced toxicity in rabbits. 2017 , 8, 3288-3296 | 10 |
| 864 | High resolution mass spectrometry studies of sulforaphane and indole-3-carbinol in broccoli. 2017 , 237, 566-573 | 20 |
| 863 | Metabolic Changes during Storage of <i>Brassica napus</i> Seeds under Moist Conditions and the Consequences for the Sensory Quality of the Resulting Virgin Oil. 2017 , 65, 11073-11084 | 4 |
| 862 | Rhizosphere Microorganisms: Application of Plant Beneficial Microbes in Biological Control of Weeds. 2017 , 391-430 | 5 |
| 861 | Selenium treatment differentially affects sulfur metabolism in high and low glucosinolate producing cultivars of broccoli (<i>Brassica oleracea</i> L.). 2017 , 121, 176-186 | 16 |
| 860 | Insights into the species-specific metabolic engineering of glucosinolates in radish (<i>Raphanus sativus</i> L.) based on comparative genomic analysis. 2017 , 7, 16040 | 21 |
| 859 | Structure, Evolution and Functional Roles of Plant Glutathione Transferases. 2017 , 195-213 | 6 |
| 858 | Omics Meets Phytonutrients in Vegetable Brassicas: For Nutritional Quality Breeding. 2017 , 3, 247-254 | 9 |
| 857 | Diversity of monosaccharides in marine macroalgae from the Eastern Mediterranean Sea. 2017 , 28, 118-127 | 30 |
| 856 | Sulforaphane protects MLE-12 lung epithelial cells against oxidative damage caused by ambient air particulate matter. 2017 , 8, 4555-4562 | 12 |
| 855 | Hydroalcoholic extract from <i>Lepidium meyenii</i> (Black Maca) root exerts wound healing activity in Streptozotocin-induced diabetic rats. 2017 , 19, 75-81 | 3 |

| | | |
|-----|---|----|
| 854 | Investigation on the relationship between the integrity of food matrix and nutrient extraction yield of broccoli. 2017 , 85, 170-174 | 7 |
| 853 | Discrimination between Synthetically Administered and Endogenous Thiouracil Based on Monitoring of Urine, Muscle, and Thyroid Tissue: An in Vivo Study in Young and Adult Bovines. 2017 , 65, 6231-6239 | 4 |
| 852 | Do glucosinolate hydrolysis products reduce nitrous oxide emissions from urine affected soil?. 2017 , 603-604, 370-380 | 12 |
| 851 | Genomic adaptation to agricultural environments: cabbage white butterflies (<i>Pieris rapae</i>) as a case study. 2017 , 18, 412 | 9 |
| 850 | Development of an efficient glucosinolate extraction method. 2017 , 13, 17 | 44 |
| 849 | PP2A-B γ modulates foliar trans-methylation capacity and the formation of 4-methoxy-indol-3-yl-methyl glucosinolate in <i>Arabidopsis</i> leaves. 2017 , 89, 112-127 | 17 |
| 848 | Disruption of host-seeking behaviour by the salmon louse, <i>Lepeophtheirus salmonis</i> , using botanically derived repellents. 2017 , 40, 495-505 | 4 |
| 847 | Effects of salt stress imposed during two growth phases on cauliflower production and quality. 2017 , 97, 1552-1560 | 22 |
| 846 | The Enzymology of Organic Transformations: A Survey of Name Reactions in Biological Systems. 2017 , 56, 3446-3489 | 44 |
| 845 | Die Enzymologie organischer Umwandlungen: Namensreaktionen in biologischen Systemen. 2017 , 129, 3498-3542 | 14 |
| 844 | Genome-wide association analysis reveals distinct genetic architectures for single and combined stress responses in <i>Arabidopsis thaliana</i> . 2017 , 213, 838-851 | 44 |
| 843 | [Potential protective role of nitric oxide and Hsp70 linked to functional foods in the atherosclerosis]. 2017 , 29, 36-45 | 7 |
| 842 | Heavy metal (hyper)accumulation in leaves of <i>Arabidopsis halleri</i> is accompanied by a reduced performance of herbivores and shifts in leaf glucosinolate and element concentrations. 2017 , 133, 78-86 | 37 |
| 841 | The Mixolab Rheological Properties and Dough Microstructure of Defatted Mustard Seed-Wheat Composite Flours. 2017 , 41, e13130 | 5 |
| 840 | Mitochondrial dysfunction in cancer chemoprevention by phytochemicals from dietary and medicinal plants. 2017 , 47, 147-153 | 25 |
| 839 | Screening of some biological activities of <i>Alyssum fulvescens</i> var. <i>fulvescens</i> known as eye madwort. 2017 , 68, 310-320 | 3 |
| 838 | Allyl nitrile: Toxicity and health effects. 2017 , 59, 104-111 | 11 |
| 837 | The effects of plant density and irrigation on phenolic content in cauliflower. 2017 , 44, 178-185 | 5 |

| | | |
|-----|--|-----|
| 836 | Evaluation of the Nutritional Quality of Chinese Kale (<i>Brassica alboglabra</i> Bailey) Using UHPLC-Quadrupole-Orbitrap MS/MS-Based Metabolomics. 2017 , 22, | 22 |
| 835 | Molecular Characterization of MYB28 Involved in Aliphatic Glucosinolate Biosynthesis in Chinese Kale (var. Bailey). 2017 , 8, 1083 | 13 |
| 834 | Glucosinolate Profiles in Cabbage Genotypes Influence the Preferential Feeding of Diamondback Moth (). 2017 , 8, 1244 | 21 |
| 833 | Alters Glucosinolate Profiles in Blackleg Disease-Resistant and -Susceptible Cabbage Lines. 2017 , 8, 1769 | 13 |
| 832 | How Glucosinolates Affect Generalist Lepidopteran Larvae: Growth, Development and Glucosinolate Metabolism. 2017 , 8, 1995 | 58 |
| 831 | Possible Interactions between the Biosynthetic Pathways of Indole Glucosinolate and Auxin. 2017 , 8, 2131 | 42 |
| 830 | Brassica-Derived Plant Bioactives as Modulators of Chemopreventive and Inflammatory Signaling Pathways. 2017 , 18, | 50 |
| 829 | Bioactivity of Olive Oil Phenols in Neuroprotection. 2017 , 18, | 121 |
| 828 | Glucosinolate-Derived Isothiocyanates Inhibit Arabidopsis Growth and the Potency Depends on Their Side Chain Structure. 2017 , 18, | 23 |
| 827 | Rapid and Cost-Effective Quantification of Glucosinolates and Total Phenolic Content in Rocket Leaves by Visible/Near-Infrared Spectroscopy. 2017 , 22, | 13 |
| 826 | d,l-Sulforaphane Induces ROS-Dependent Apoptosis in Human Gliomablastoma Cells by Inactivating STAT3 Signaling Pathway. 2017 , 18, | 21 |
| 825 | The Nutritional Composition of Maca in Hypocotyls (<i>Lepidium meyenii</i> Walp.) Cultivated in Different Regions of China. 2017 , 2017, 1-8 | 9 |
| 824 | Rapid Separation of Indole Glucosinolates in Roots of Chinese Cabbage (Subsp. <i>Pekinensis</i>) by High-Performance Liquid Chromatography with Diode Array Detection. 2017 , 2017, 5125329 | 11 |
| 823 | Role of Sulforaphane in Protection of Gastrointestinal Tract Against <i>H. pylori</i> and NSAID-Induced Oxidative Stress. 2017 , 23, 4066-4075 | 21 |
| 822 | Occurrence of urea-based soluble epoxide hydrolase inhibitors from the plants in the order Brassicales. 2017 , 12, e0176571 | 8 |
| 821 | Testing the optimal defense hypothesis in nature: Variation for glucosinolate profiles within plants. 2017 , 12, e0180971 | 18 |
| 820 | Chemopreventive glucosinolate accumulation in various broccoli and collard tissues: Microfluidic-based targeted transcriptomics for by-product valorization. 2017 , 12, e0185112 | 13 |
| 819 | Biology, Ecology, and Management of <i>Microtheca ochroloma</i> (Coleoptera: Chrysomelidae) in Organic Crucifer Production. 2017 , 8, | 4 |

| | | |
|-----|--|----|
| 818 | The Environmental Fluctuations of some Bioactive Nutraceutical Compounds in <i>Zilla spinosa</i> Inhabiting Arid Habitats. 2017 , 9, 494-502 | |
| 817 | Proximate Composition, Amino and Fatty Acid Profiles and Element Compositions of Four Different <i>Moringa</i> Species. 2017 , 9, 46 | 8 |
| 816 | Comparative evaluation of the antimicrobial profile of <i>Moringa</i> leaf and seed oil extracts against resistant strains of wound pathogens in orthopedic hospitals. 2017 , 11, 1484-1494 | 1 |
| 815 | Factors Influencing the Phenotypic Characterization of the Oral Marker, PROP. 2017 , 9, | 42 |
| 814 | Dietary Phytochemicals in Neurodegenerative Disease. 2017 , 361-391 | 4 |
| 813 | Chemical Structure, Quality Indices and Bioactivity of Essential Oil Constituents. 2017 , | 11 |
| 812 | Origin and evolution of transporter substrate specificity within the NPF family. 2017 , 6, | 48 |
| 811 | <i>Moringa oleifera</i> (Shajna): the wonderful indigenous medicinal plant. 2017 , 3, 20-30 | 5 |
| 810 | Isothiocyanates: Translating the Power of Plants to People. 2018 , 62, e1700965 | 77 |
| 809 | The intrinsic quality of brassicaceous vegetables: How secondary plant metabolites are affected by genetic, environmental, and agronomic factors. 2018 , 233, 460-478 | 51 |
| 808 | New highlights on the health-improving effects of sulforaphane. 2018 , 9, 2589-2606 | 38 |
| 807 | Different vegetative growth stages of Kimchi cabbage (<i>Brassica rapa</i> L.) exhibit specific glucosinolate composition and content. 2018 , 59, 355-362 | 4 |
| 806 | Usual Cruciferous Vegetable Consumption and Ovarian Cancer: A Case-Control Study. 2018 , 70, 678-683 | 1 |
| 805 | Phenylbutyl isoselenocyanate induces reactive oxygen species to inhibit androgen receptor and to initiate p53-mediated apoptosis in LNCaP prostate cancer cells. 2018 , 57, 1055-1066 | 9 |
| 804 | Brassicales phylogeny inferred from 72 plastid genes: A reanalysis of the phylogenetic localization of two paleopolyploid events and origin of novel chemical defenses. 2018 , 105, 463-469 | 39 |
| 803 | Taste and Flavor Perceptions of Glucosinolates, Isothiocyanates, and Related Compounds. 2018 , 62, e1700990 | 53 |
| 802 | Biochemistry of Vegetables. 2018 , 47-82 | 1 |
| 801 | Bioactive Phytochemicals in Vegetables. 2018 , 181-222 | 4 |

| | | |
|-----|---|----|
| 800 | Correction to: In Vitro-In Vivo Dose Response of Ursolic Acid, Sulforaphane, PEITC, and Curcumin in Cancer Prevention. 2018 , 20, 27 | 4 |
| 799 | A roadmap for breeding orphan leafy vegetable species: a case study of (Cleomaceae). 2018 , 5, 2 | 38 |
| 798 | Macro- and Secondary Elements and Their Role in Human Health. 2018 , 257-315 | |
| 797 | Glucosinolate and carotenoid content of white- and yellow-flowering rapeseed grown for human consumption as sprouts and seedlings under light emitting diodes. 2018 , 244, 1121-1131 | 15 |
| 796 | Suppression of NLRP3 inflammasome by oral treatment with sulforaphane alleviates acute gouty inflammation. 2018 , 57, 727-736 | 43 |
| 795 | Allyl Isothiocyanate Ameliorates Obesity by Inhibiting Galectin-12. 2018 , 62, e1700616 | 11 |
| 794 | Understanding plant–arthropod interactions in multitrophic communities to improve conservation biological control: useful traits and metrics. 2018 , 91, 943-955 | 24 |
| 793 | In Vitro-In Vivo Dose Response of Ursolic Acid, Sulforaphane, PEITC, and Curcumin in Cancer Prevention. 2017 , 20, 19 | 27 |
| 792 | Priming plant resistance by activation of redox-sensitive genes. 2018 , 122, 171-180 | 54 |
| 791 | Chromatographic column evaluation for the untargeted profiling of glucosinolates in cauliflower by means of ultra-high performance liquid chromatography coupled to high resolution mass spectrometry. 2018 , 179, 792-802 | 26 |
| 790 | Brassinosteroids regulate glucosinolate biosynthesis in <i>Arabidopsis thaliana</i> . 2018 , 163, 450-458 | 14 |
| 789 | Phenethyl Isothiocyanate, a Dual Activator of Transcription Factors NRF2 and HSF1. 2018 , 62, e1700908 | 24 |
| 788 | Midge (Diptera: Cecidomyiidae) injury to Brassicaceae in field trials in northeastern Saskatchewan, Canada. 2018 , 150, 637-651 | 3 |
| 787 | Oviposition preference of three lepidopteran species is not affected by previous aphid infestation in wild cabbage. 2018 , 166, 402-411 | 1 |
| 786 | Control of <i>Salmonella enterica</i> and <i>Listeria monocytogenes</i> in hummus using allyl isothiocyanate. 2018 , 278, 73-80 | 24 |
| 785 | Lineage-specific evolution of flavin-containing monooxygenases involved in aliphatic glucosinolate side-chain modification. 2018 , 56, 92-104 | 3 |
| 784 | Extraction, profiling and bioactivity analysis of volatile glucosinolates present in oil extract of var.. 2018 , 24, 399-409 | 17 |
| 783 | Exposure of kale root to NaCl and NaSeO increases isothiocyanate levels and Nrf2 signalling without reducing plant root growth. 2018 , 8, 3999 | 8 |

| | | |
|-----|---|----|
| 782 | Emerging Roles of Carbonyl Sulfide in Chemical Biology: Sulfide Transporter or Gasotransmitter?. 2018 , 28, 1516-1532 | 41 |
| 781 | Cruciferous vegetables and colorectal cancer prevention through microRNA regulation: A review. 2018 , 58, 2026-2038 | 29 |
| 780 | Finish line plant-insect interactions mediated by insect feeding mode and plant interference: a case study of Brassica interactions with diamondback moth and turnip aphid. 2018 , 25, 690-702 | 1 |
| 779 | Effects of <i>Moringa oleifera</i> leaves as a substitute for alfalfa meal on nutrient digestibility, growth performance, carcass trait, meat quality, antioxidant capacity and biochemical parameters of rabbits. 2018 , 102, 194-203 | 15 |
| 778 | Thermally Induced Generation of Desirable Aroma-Active Compounds from the Glucosinolate Sinigrin. 2018 , 66, 2485-2490 | 7 |
| 777 | Modeling food matrix effects on chemical reactivity: Challenges and perspectives. 2018 , 58, 2814-2828 | 32 |
| 776 | Screening and identification of major phytochemical compounds in seeds, sprouts and leaves of Tuscan black kale <i>Brassica oleracea</i> (L.) ssp <i>acephala</i> (DC) var. <i>sabellica</i> L. 2018 , 32, 1617-1626 | 16 |
| 775 | Microbiota: a mediator to transform glucosinolate precursors in cruciferous vegetables to the active isothiocyanates. 2018 , 98, 1255-1260 | 37 |
| 774 | Localization of the glucosinolate biosynthetic enzymes reveals distinct spatial patterns for the biosynthesis of indole and aliphatic glucosinolates. 2018 , 163, 138-154 | 32 |
| 773 | Antitumor activity of <i>Lepidium latifolium</i> and identification of the epithionitrile 1-cyano-2,3-epithiopropene as its major active component. 2018 , 57, 347-360 | 14 |
| 772 | Brassica vegetables as sources of epithionitriles: Novel secondary products formed during cooking. 2018 , 245, 564-569 | 15 |
| 771 | Synthesis of aromatic and indole alpha-glucosinolates. 2018 , 455, 45-53 | 10 |
| 770 | Exploiting natural variation for accelerating discoveries in plant specialized metabolism. 2018 , 17, 17-36 | 6 |
| 769 | Isobutyl Isothiocyanate is a Potent Heat Tolerance Enhancer for <i>Arabidopsis</i> . 2018 , 56, 121-126 | 1 |
| 768 | Crop Systems, Quality and Protection of <i>Diplotaxis tenuifolia</i> . 2018 , 8, 55 | 29 |
| 767 | The Impact of Effective Microorganisms (EM) and Organic and Mineral Fertilizers on the Growth and Mycorrhizal Colonization of <i>Fagus sylvatica</i> and <i>Quercus robur</i> Seedlings in a Bare-Root Nursery Experiment. 2018 , 9, 597 | 7 |
| 766 | Revisiting Plant-Herbivore Co-Evolution in the Molecular Biology Era. 2018 , 361-384 | 2 |
| 765 | Review on Anti-Cancer Activity in Wild Plants of the Middle East. 2018 , 25, 4656-4670 | 10 |

| | | |
|-----|---|----|
| 764 | Crucifers and related vegetables and supplements for neurologic disorders: what is the evidence?. 2018 , 21, 451-457 | 11 |
| 763 | Nutritional characterization and shelf-life of packaged microgreens. 2018 , 9, 5629-5640 | 46 |
| 762 | Synthesis and anti-glioblastoma effects of artemisinin-isothiocyanate derivatives.. 2018 , 8, 40974-40983 | 4 |
| 761 | Biosynthesis of Cyanogenic Glycosides, Glucosinolates and Non-Protein Amino Acids. 2018 , 92-181 | 3 |
| 760 | Chemical Defence in Marine Ecosystems (From APR Volume 39). 2018 , 162-213 | 1 |
| 759 | Functional Characterization of BoaMYB51s as Central Regulators of Indole Glucosinolate Biosynthesis in var. Bailey. 2018 , 9, 1599 | 3 |
| 758 | Combination effect of allyl isothiocyanate and hoof trimming on bovine digital dermatitis. 2018 , 80, 1080-10853 | |
| 757 | Indole-3-carbinol: a plant hormone combatting cancer. 2018 , 7, | 24 |
| 756 | Iron is a centrally bound cofactor of specifier proteins involved in glucosinolate breakdown. 2018 , 13, e0205755 | 16 |
| 755 | MORINGA OLEIFERA - A NEVER DIE TREE: AN OVERVIEW. 2018 , 11, 57 | 5 |
| 754 | Determination and quantification of sinigrin glucosinolates in Alternaria solani susceptible tomato (Solanum lycopersicum) leaves treated with moringa (Moringa oleifera) leaf extract. 2018 , 51, 432-444 | 2 |
| 753 | Biofumigation: Opportunities and Challenges for Control of Soilborne Diseases in Nursery Production. 2018 , 19, 332-337 | 13 |
| 752 | Glucosinolate Profiling and Expression Analysis of Glucosinolate Biosynthesis Genes Differentiate White Mold Resistant and Susceptible Cabbage Lines. 2018 , 19, | 10 |
| 751 | Physiological relevance of covalent protein modification by dietary isothiocyanates. 2018 , 62, 11-19 | 18 |
| 750 | Dynamic transcriptomes of resistant and susceptible peach lines after infestation by green peach aphids (Myzus persicae Sülzer) reveal defence responses controlled by the Rm3 locus. 2018 , 19, 846 | 9 |
| 749 | One Pathway Is Not Enough: The Cabbage Stem Flea Beetle Uses Multiple Strategies to Overcome the Glucosinolate-Myrosinase Defense in Its Host Plants. 2018 , 9, 1754 | 24 |
| 748 | Antiproliferative, Proapoptotic, Antioxidant and Antimicrobial Effects of Sinapis nigra L. and Sinapis alba L. Extracts. 2018 , 23, | 13 |
| 747 | Altered Glucosinolate Profiles and Expression of Glucosinolate Biosynthesis Genes in Ringspot-Resistant and Susceptible Cabbage Lines. 2018 , 19, | 10 |

| | | |
|-----|--|----|
| 746 | Distribution of glucosinolate and pungent odors in rapeseed oils from raw and microwaved seeds. 2018 , 21, 2296-2308 | 17 |
| 745 | Effect of Forage <i>Moringa oleifera</i> L. (<i>moringa</i>) on Animal Health and Nutrition and Its Beneficial Applications in Soil, Plants and Water Purification. 2018 , 8, 145 | 32 |
| 744 | Case Study for Trait-Related Gene Evolution: Glucosinolates. 2018 , 199-222 | 3 |
| 743 | Hydrogen Sulfide (H ₂ S) Releasing Capacity of Isothiocyanates from Lam. 2018 , 23, | 12 |
| 742 | Ascorbic Acid and Glucosinolate Levels in New Czech Cabbage Cultivars: Effect of Production System and Fungal Infection. 2018 , 23, | 7 |
| 741 | Can Incorporating Brassica Tissues into Soil Reduce Nitrification Rates and Nitrous Oxide Emissions?. 2018 , 47, 1436-1444 | 1 |
| 740 | <i>Moringa oleifera</i> and their phytonanoparticles: Potential antiproliferative agents against cancer. 2018 , 108, 457-466 | 48 |
| 739 | Composition analysis and antioxidant activity of essential oils, lipids and polysaccharides in different phenotypes of <i>Lepidium meyenii</i> . 2018 , 1099, 25-33 | 2 |
| 738 | Phytochemical investigations of <i>Aethionema armenum</i> Boiss. (Brassicaceae). 2018 , 81, 37-41 | 0 |
| 737 | Comparative proteomics analysis of whitetop (<i>Lepidium draba</i> L.) seedlings in response to exogenous glucose. 2018 , 120, 2458-2465 | 9 |
| 736 | Progress on the Chemical Constituents Derived from Glucosinolates in Maca (<i>Lepidium meyenii</i>). 2018 , 8, 405-412 | 21 |
| 735 | Plant domestication decreases both constitutive and induced chemical defences by direct selection against defensive traits. 2018 , 8, 12678 | 33 |
| 734 | Evaluation of a sicilian black broccoli extract on in vitro cell models. 2018 , 135-142 | 5 |
| 733 | Insect Detoxification and Sequestration Strategies. 2018 , 77-114 | 13 |
| 732 | Bioherbicidal Potential of Rhizosphere Microorganisms for Ecofriendly Weed Management. 2018 , 331-376 | 9 |
| 731 | The Diversity of Chemoprotective Glucosinolates in Moringaceae (<i>Moringa</i> spp.). 2018 , 8, 7994 | 28 |
| 730 | Wild and domesticated <i>Moringa oleifera</i> differ in taste, glucosinolate composition, and antioxidant potential, but not myrosinase activity or protein content. 2018 , 8, 7995 | 25 |
| 729 | Locally and systemically induced glucosinolates follow optimal defence allocation theory upon root herbivory. 2018 , 32, 2127-2137 | 9 |

| | | |
|-----|---|----|
| 728 | Application of plant extracts to improve the shelf-life, nutritional and health-related properties of ready-to-eat meat products. 2018 , 145, 245-255 | 95 |
| 727 | Differentiating Antiproliferative and Chemopreventive Modes of Activity for Electron-Deficient Aryl Isothiocyanates against Human MCF-7 Cells. 2018 , 13, 1695-1710 | 3 |
| 726 | Bifunctional mannoside-glucosinolate glycoconjugates as enzymatically triggered isothiocyanates and FimH ligands. 2018 , 16, 4900-4913 | 9 |
| 725 | Limitations of Existing Weed Control Practices Necessitate Development of Alternative Techniques Based on Biological Approaches. 2018 , 147, 239-280 | 33 |
| 724 | Cruciferous Vegetables, Isothiocyanates, and Bladder Cancer Prevention. 2018 , 62, e1800079 | 66 |
| 723 | Biotechnological approaches in glucosinolate production. 2018 , 60, 1231-1248 | 25 |
| 722 | Ecological and Phylogenetic Relationships Shape the Peripheral Olfactory Systems of Highly Specialized Gall Midges (Cecidomyiidae). 2018 , 9, 323 | 3 |
| 721 | The Knockout Mutant for () Is Defective in Callose Deposition, Bacterial Pathogen Defense and Auxin Content, But Shows an Increased Stem Lignification. 2018 , 9, 19 | 23 |
| 720 | Vegetables. 2018 , 173-229 | |
| 719 | Status and utilisation of <i>Moringa oleifera</i> Lam: A review. 2018 , 26, 137 | 23 |
| 718 | Isothiocyanates: An Overview of Their Antimicrobial Activity against Human Infections. 2018 , 23, | 85 |
| 717 | EMethylsulfanylalkyl Glucosinolates: A General Synthetic Pathway. 2018 , 23, | 3 |
| 716 | Nutraceutical or Pharmacological Potential of <i>Moringa oleifera</i> Lam. 2018 , 10, | 97 |
| 715 | Protective Effect of Glucosinolates Hydrolytic Products in Neurodegenerative Diseases (NDDs). 2018 , 10, | 25 |
| 714 | Seasonal and herbivore-induced dynamics of foliar glucosinolates in wild cabbage (). 2018 , 28, 77-89 | 15 |
| 713 | How cadmium affects the fitness and the glucosinolate content of oilseed rape plantlets. 2018 , 155, 185-194 | 21 |
| 712 | Extended darkness induces internal turnover of glucosinolates in <i>Arabidopsis thaliana</i> leaves. 2018 , 13, e0202153 | 11 |
| 711 | Effect of Microwave and High-Pressure Processing on Quality of an Innovative Broccoli Hummus. 2018 , 11, 1464-1477 | 19 |

| | | | |
|-----|---|---|----|
| 710 | Isothiocyanates from Brassica Vegetables-Effects of Processing, Cooking, Mastication, and Digestion. 2018 , 62, e1701069 | | 45 |
| 709 | Bioactive Potential of Andean Fruits, Seeds, and Tubers. 2018 , 84, 287-343 | | 24 |
| 708 | Glucosinolate turnover in Brassicales species to an oxazolidin-2-one, formed via the 2-thione and without formation of thioamide. <i>Phytochemistry</i> , 2018 , 153, 79-93 | 4 | 13 |
| 707 | Engineering of Biomass Accumulation and Secondary Metabolite Production in Plant Cell and Tissue Cultures. 2018 , 169-194 | | 4 |
| 706 | Pro-oxidant versus anti-oxidant effects of seeds aglycone extracts of and ., in vitro, and on neutrophil nitro-oxidative functions. 2019 , 56, 5492-5499 | | 1 |
| 705 | Simultaneous determination of macaenes and macamides in maca using an HPLC method and analysis using a chemometric method (HCA) to distinguish maca origin. 2019 , 29, 702-709 | | 6 |
| 704 | A Strategy to Deliver Precise Oral Doses of the Glucosinolates or Isothiocyanates from Leaves for Use in Clinical Studies. 2019 , 11, | | 22 |
| 703 | Rain downpours affect survival and development of insect herbivores: the specter of climate change?. 2019 , 100, e02819 | | 15 |
| 702 | Cultivar-specific plant odour preferences of a generalist aphid parasitoid <i>Aphidius colemani</i> and a possible mechanism for maternal priming of resistance to toxic plant chemistry. 2019 , 44, 1-10 | | |
| 701 | Mycorrhizal, nutritional and virgin olive oil parameters affected by groundcovers. 2019 , 182, 815-823 | | 1 |
| 700 | Bioavailability of Sulforaphane Following Ingestion of Glucoraphanin-Rich Broccoli Sprout and Seed Extracts with Active Myrosinase: A Pilot Study of the Effects of Proton Pump Inhibitor Administration. 2019 , 11, | | 28 |
| 699 | Influence of Cooking Methods on Glucosinolates and Isothiocyanates Content in Novel Cruciferous Foods. 2019 , 8, | | 35 |
| 698 | Nitrogenous phytoconstituents of genus <i>Moringa</i> : spectrophotometrical and pharmacological characteristics. 2019 , 28, 1591-1600 | | |
| 697 | High-resolution mass spectrometry-based metabolomics reveal the disruption of jasmonic pathway in <i>Arabidopsis thaliana</i> upon copper oxide nanoparticle exposure. 2019 , 693, 133443 | | 15 |
| 696 | Compatibility Potential of Brassica Species and Mustard Seed Meal with <i>Pseudomonas fluorescens</i> for Biological Control of Soilborne Plant Diseases. 2019 , 217-231 | | 1 |
| 695 | High-Temperature Stress and Metabolism of Secondary Metabolites in Plants. 2019 , 391-484 | | 5 |
| 694 | Bioherbicidal activity of <i>Eruca sativa</i> fresh shoot aqueous extract for the management of two annual weeds associating <i>Pisum sativum</i> plants. 2019 , 43, | | 1 |
| 693 | Natural and Synthetic Isothiocyanates Possess Anticancer Potential Against Liver and Prostate Cancer. 2019 , 39, 3469-3485 | | 3 |

| | | |
|-----|--|----|
| 692 | Exploring the basis of 2-propenyl and 3-butenyl glucosinolate synthesis by QTL mapping and RNA-sequencing in <i>Brassica juncea</i> . 2019 , 14, e0220597 | 4 |
| 691 | Nutritional Quality and Effect on Disease Prevention of Vegetables. 2019 , | 3 |
| 690 | Phenethyl isothiocyanate induces IPEC-J2 cells cytotoxicity and apoptosis via S-G/M phase arrest and mitochondria-mediated Bax/Bcl-2 pathway. 2019 , 226, 108574 | 5 |
| 689 | The optimal mixing ratio of and meal improve nematode effects. 2019 , 14, 1678369 | 5 |
| 688 | Nutritional Quality Improvement in Plants. 2019 , | 1 |
| 687 | Induced production of indol-3-ylmethyl glucosinolates in hairy roots of Chinese cabbage (<i>Brassica rapa</i> subsp. <i>pekinensis</i>): perspectives to enhance the content of bioactive compounds. 2019 , 49-56 | 1 |
| 686 | Hydroxyl Radical Scavenging of Indole-3-Carbinol: A Mechanistic and Kinetic Study. 2019 , 4, 19375-19381 | 12 |
| 685 | Natural Variation of Glucosinolates and Their Breakdown Products in Broccoli (var) Seeds. 2019 , 67, 12528-12537 | 18 |
| 684 | Molecular signatures of selection associated with host plant differences in <i>Pieris</i> butterflies. 2019 , 28, 4958-4970 | 7 |
| 683 | Comparative study of proximate, mineral and phytochemical analysis of the leaves of <i>Ocimum gratissimum</i> , <i>Vernonia amygdalina</i> and <i>Moringa oleifera</i> . 2019 , 13, 351-356 | 2 |
| 682 | Evaluating the allelopathic potentiality of seed powder of two Brassicaceae plants in controlling <i>Orobanche ramosa</i> parasitizing <i>Lycopersicon esculentum</i> Mill. plants. 2019 , 43, | 0 |
| 681 | Formulation of Broccoli Sprout Powder in Gastro-Resistant Capsules Protects against the Acidic pH of the Stomach In Vitro but Does Not Increase Isothiocyanate Bioavailability In Vivo. 2019 , 8, | 1 |
| 680 | In vitro study on the nematicidal effect of different plant extracts on <i>Pratylenchus penetrans</i> and <i>Meloidogyne chitwoodi</i> . 2019 , 72, 8945-8952 | 1 |
| 679 | Variation in Performance and Resistance to Parasitism of Populations. 2019 , 10, | 0 |
| 678 | Atypical Myrosinase as a Mediator of Glucosinolate Functions in Plants. 2019 , 10, 1008 | 26 |
| 677 | Contribution of Nrf2 Modulation to the Mechanism of Action of Analgesic and Anti-inflammatory Drugs in Pre-clinical and Clinical Stages. 2018 , 9, 1536 | 52 |
| 676 | Inhibiting plasmid mobility: The effect of isothiocyanates on bacterial conjugation. 2019 , 53, 629-636 | 10 |
| 675 | Phytochemical Profile and Therapeutic Properties of Leafy Vegetables. 2019 , 627-660 | |

| | | |
|-----|---|----|
| 674 | Bioactive Food Components in the Prevention of Cardiovascular Diseases. 2019 , 137-157 | |
| 673 | Plant-Insect Interaction: The Saga of Molecular Coevolution. 2019 , 1-27 | 1 |
| 672 | New diaryl π (isothiocyanato)alkylphosphonates and their mercapturic acids as potential antibacterial agents. 2019 , 219, 264-271 | 1 |
| 671 | Pre- and post-ingestive defenses affect larval feeding on a lethal invasive host plant. 2019 , 167, 292-305 | 5 |
| 670 | Changing substrate specificity and iteration of amino acid chain elongation in glucosinolate biosynthesis through targeted mutagenesis of methylthioalkylmalate synthase 1. 2019 , 39, | 14 |
| 669 | Fruits of wild and semi-domesticated Diospyros tree species have contrasting phenological, metabolic, and antioxidant activity profiles. 2019 , 99, 6020-6031 | 8 |
| 668 | Crucifer-legume cover crop mixtures for biocontrol: Toward a new multi-service paradigm. 2019 , 55-139 | 14 |
| 667 | A transcriptome analysis reveals a role for the indole GLS-linked auxin biosynthesis in secondary dormancy in rapeseed (<i>Brassica napus</i> L.). 2019 , 19, 264 | 7 |
| 666 | Genetic architecture of glucosinolate variation in <i>Brassica napus</i> . 2019 , 240, 152988 | 19 |
| 665 | Inimitable Paul Talalay (1923-2019). 2019 , 40, 359-361 | |
| 664 | 3,4-dimethoxybenzyl isothiocyanate enhances doxorubicin efficacy in LoVoDX doxorubicin-resistant colon cancer and attenuates its toxicity in vivo. 2019 , 231, 116530 | 4 |
| 663 | Heterogeneity of cough hypersensitivity mediated by TRPV1 and TRPA1 in patients with chronic refractory cough. 2019 , 20, 112 | 25 |
| 662 | Pharmacogenetics of Brassica-Derived Compounds. 2019 , 847-857 | 0 |
| 661 | Chemodiversity of the Glucosinolate-Myrosinase System at the Single Cell Type Resolution. 2019 , 10, 618 | 25 |
| 660 | Rapid multi-element characterization of microgreens via total-reflection X-ray fluorescence (TXRF) spectrometry. 2019 , 296, 86-93 | 11 |
| 659 | Chemical Analysis of (Maca) and Its Effects on Redox Status and on Reproductive Biology in Stallions. 2019 , 24, | 17 |
| 658 | Remobilization and fate of sulphur in mustard. 2019 , 124, 471-480 | 4 |
| 657 | Metabolic profiling reveals glucose and fructose accumulation in <i>gcr1</i> knock-out mutant of <i>Arabidopsis</i> . 2019 , 62, | 4 |

| | | |
|-----|--|----|
| 656 | Insecticidal Properties of Capsaicinoids and Glucosinolates Extracted from and. 2019 , 10, | 8 |
| 655 | Monochromatic lights-induced trends in antioxidant and antidiabetic polyphenol accumulation in in vitro callus cultures of <i>Lepidium sativum</i> L. 2019 , 196, 111505 | 17 |
| 654 | Effect of salinity (NaCl) on plant growth, nutrient content, and glucosinolate hydrolysis products trends in rocket genotypes. 2019 , 141, 30-39 | 32 |
| 653 | Differential regulation of host plant adaptive genes in <i>Pieris</i> butterflies exposed to a range of glucosinolate profiles in their host plants. 2019 , 9, 7256 | 8 |
| 652 | Comparative transcriptome analyses of genes involved in sulforaphane metabolism at different treatment in Chinese kale using full-length transcriptome sequencing. 2019 , 20, 377 | 10 |
| 651 | Coevolution: Plant-herbivore interactions and secondary metabolites of plants. 2019 , 1-31 | 1 |
| 650 | Influence of three different soil types on the interaction of two strains of <i>Trichoderma harzianum</i> with <i>Brassica rapa</i> subsp. <i>sylvestris</i> cv. <i>esculenta</i> , under soil mineral fertilization. 2019 , 350, 11-18 | 9 |
| 649 | The Role of Isothiocyanates as Cancer Chemo-Preventive, Chemo-Therapeutic and Anti-Melanoma Agents. 2019 , 8, | 48 |
| 648 | A Review of Defined Oxidative Balance Scores Relative to Their Components and Impact on Health Outcomes. 2019 , 11, | 18 |
| 647 | Identification Of -Acetyl--(3-Cyano-2-(Methylsulfanyl)Propyl-Cysteine as a Major Human Urine Metabolite from the Epithionitrile 1-Cyano-2,3-Epithiopropene, the Main Glucosinolate Hydrolysis Product from Cabbage. 2019 , 11, | 6 |
| 646 | Postharvest variation of major glucosinolate and their hydrolytic products in <i>Brassicoraphanus</i> BB1 2019 , 154, 70-78 | 11 |
| 645 | Selenepezil, a Selenium-Containing Compound, Exerts Neuroprotective Effect via Modulation of the Keap1-Nrf2-ARE Pathway and Attenuates A β -Induced Cognitive Impairment in Vivo. 2019 , 10, 2903-2914 | 19 |
| 644 | Interspecific Differences in the Larval Performance of <i>Pieris</i> Butterflies (Lepidoptera: Pieridae) Are Associated with Differences in the Glucosinolate Profiles of Host Plants. 2019 , 19, | 5 |
| 643 | Evolution of Glucosinolate Diversity via Whole-Genome Duplications, Gene Rearrangements, and Substrate Promiscuity. 2019 , 70, 585-604 | 26 |
| 642 | Effects of <i>Maerua subcordata</i> (Gilg) DeWolf on electrophile-responsive element (EpRE)-mediated gene expression in vitro. 2019 , 14, e0215155 | 2 |
| 641 | Current Review of the Modulatory Effects of LED Lights on Photosynthesis of Secondary Metabolites and Future Perspectives of Microgreen Vegetables. 2019 , 67, 6075-6090 | 49 |
| 640 | Development of a Bioactive Sauce Based on Oriental Mustard Flour with Antifungal Properties for Pita Bread Shelf Life Improvement. 2019 , 24, | 16 |
| 639 | Effects of Light-Emitting Diodes on the Accumulation of Glucosinolates and Phenolic Compounds in Sprouting Canola (L.). 2019 , 8, | 30 |

| | | |
|-----|--|----|
| 638 | De novo production of benzyl glucosinolate in <i>Escherichia coli</i> . 2019 , 54, 24-34 | 15 |
| 637 | Transcriptome reveals the gene expression patterns of sulforaphane metabolism in broccoli florets. 2019 , 14, e0213902 | 6 |
| 636 | Separate Pathways Contribute to the Herbivore-Induced Formation of 2-Phenylethanol in Poplar. 2019 , 180, 767-782 | 9 |
| 635 | Variations in the glucosinolates of the individual edible parts of three stem mustards (). 2019 , 6, 182054 | 9 |
| 634 | Postharvest storage and cooking techniques affect the stability of glucosinolates and myrosinase activity of Andean mashua tubers (<i>Tropaeolum tuberosum</i>). 2019 , 54, 2387-2395 | 5 |
| 633 | Isothiocyanates and Glucosinolates from (<i>L.</i>) Scop. ("the Singers' Plant"): Isolation and in Vitro Assays on the Somatosensory and Pain Receptor TRPA1 Channel. 2019 , 24, | 7 |
| 632 | Seed glucosinolate yield is maximized by higher rates of sulfur nutrition than required for seed yield in condiment mustard (<i>Brassica juncea</i> L.). 2019 , 14, e0213429 | 4 |
| 631 | The structure of <i>Trametes versicolor</i> glutathione transferase Omega 3S bound to its conjugation product glutathionyl-phenethylthiocarbamate reveals plasticity of its active site. 2019 , 28, 1143-1150 | 2 |
| 630 | Non-enzymatic transformations of dietary 2-hydroxyalkenyl and aromatic glucosinolates in the stomach of monogastrics. 2019 , 291, 77-86 | 5 |
| 629 | Determination of glucosinolates in broccoli-based dietary supplements by cyclodextrin-mediated capillary zone electrophoresis. 2019 , 78, 138-149 | 10 |
| 628 | AKT-dependent sugar addiction by benzyl isothiocyanate in breast cancer cells. 2019 , 58, 996-1007 | 7 |
| 627 | Role of Krüppel-like Factor 4-p21 Axis in Breast Cancer Stem-like Cell Inhibition by Benzyl Isothiocyanate. 2019 , 12, 125-134 | 13 |
| 626 | The effect of rearing history and aphid density on volatile-mediated foraging behaviour of <i>Diaeretiella rapae</i> . 2019 , 44, 255-264 | 3 |
| 625 | Current Research Developments on the Processing and Improvement of the Nutritional Quality of Rapeseed (<i>Brassica napus</i> L.). 2019 , 121, 1800045 | 10 |
| 624 | Substituent effects on antioxidant activity of monosubstituted indole-3-carbinols: A DFT study. 2019 , 57, 728-734 | |
| 623 | Ethnomedicine and ethnobotany of <i>Maerua subcordata</i> (Gilg) DeWolf. 2019 , 6, | 3 |
| 622 | Scribbling the Cat: A Case of the "Miracle" Plant,. 2019 , 8, | 14 |
| 621 | Natural Bioactive Compounds As Protectors Of Mitochondrial Dysfunction In Cardiovascular Diseases And Aging. 2019 , 24, | 18 |

| | | |
|-----|---|----|
| 620 | Analysis of Primary Metabolites in Cabbage (var.) Varieties Correlated with Antioxidant Activity and Taste Attributes by Metabolic Profiling. 2019 , 24, | 3 |
| 619 | Plant Biotic Interactions. 2019 , | 8 |
| 618 | Same Difference? Low and High Glucosinolate Varieties Show Similar Responses Upon Feeding by Two Specialist Root Herbivores. 2019 , 10, 1451 | 6 |
| 617 | Health-promoting phytochemicals and antioxidant capacity in different organs from six varieties of Chinese kale. 2019 , 9, 20344 | 18 |
| 616 | Hormonal changes, semen quality and variance in reproductive activity outcomes of post pubertal rabbits fed Moringa oleifera Lam. leaf powder. 2019 , 233, 80-86 | 10 |
| 615 | Slightly Acidic Electrolyzed Water Treatment Enhances the Main Bioactive Phytochemicals Content in Broccoli Sprouts via Changing Metabolism. 2019 , 67, 606-614 | 7 |
| 614 | Phytochemical and Health-Beneficial Progress of Turnip (Brassica rapa). 2019 , 84, 19-30 | 28 |
| 613 | Simultaneous direct determination of 15 glucosinolates in eight Brassica species by UHPLC-Q-Orbitrap-MS. 2019 , 282, 127-133 | 26 |
| 612 | Significant variation for seed oil content, fatty acid profile, and seed weight in natural populations of field pennycress (Thlaspi arvense L.). 2019 , 129, 261-268 | 14 |
| 611 | Evaluation of 2-Thiothiazolidine-4-Carboxylic Acid, a Common Metabolite of Isothiocyanates, as a Potential Biomarker of Cruciferous Vegetable Intake. 2019 , 63, e1801029 | 5 |
| 610 | Prenatal therapeutics and programming of cardiovascular function. 2019 , 139, 261-272 | 3 |
| 609 | Isothiocyanates, Epigenetics, and Cancer Prevention. 2019 , 149-168 | 1 |
| 608 | Analysis of ambient temperature-responsive transcriptome in shoot apical meristem of heat-tolerant and heat-sensitive broccoli inbred lines during floral head formation. 2019 , 19, 3 | 10 |
| 607 | Relationship between conversion rate of glucosinolates to isothiocyanates/indoles and genotoxicity of individual parts of Brassica vegetables. 2019 , 245, 383-400 | 13 |
| 606 | Isothiocyanate from Broccoli, Sulforaphane, and Its Properties. 2019 , 22, 121-126 | 88 |
| 605 | Plant adaptation and speciation studied by population genomic approaches. 2019 , 61, 12-24 | 7 |
| 604 | Cruciferous (Brassicaceae) Vegetables. 2019 , 195-202 | 11 |
| 603 | Broccoli consumption affects the human gastrointestinal microbiota. 2019 , 63, 27-34 | 50 |

| | | |
|-----|---|----|
| 602 | Bottom-up effects of Brassica genotypes on performance of diamondback moth, <i>Plutella xylostella</i> (Lepidoptera: Plutellidae). 2019 , 115, 135-141 | 7 |
| 601 | Cell lines from diamondback moth exhibiting differential susceptibility to baculovirus infection and expressing midgut genes. 2019 , 26, 251-262 | 6 |
| 600 | Kale (var.) as a superfood: Review of the scientific evidence behind the statement. 2019 , 59, 2411-2422 | 76 |
| 599 | Determination of indole-type phytonutrients in cruciferous vegetables. 2020 , 34, 2554-2557 | 4 |
| 598 | Antimicrobial and antihelminthic impacts of black cumin, pawpaw and mustard seeds in livestock production and health. 2020 , 94, 1255-1268 | 12 |
| 597 | Mechanism of selective anticancer activity of isothiocyanates relies on differences in DNA damage repair between cancer and healthy cells. 2020 , 59, 1421-1432 | 21 |
| 596 | Phytochemical, nutraceutical and pharmacological attributes of a functional crop <i>Moringa oleifera</i> Lam: An overview. 2020 , 129, 209-220 | 31 |
| 595 | Plant glucosinolate content increases susceptibility to diamondback moth (Lepidoptera: Plutellidae) regardless of its diet. 2020 , 93, 491-506 | 8 |
| 594 | Effect of Brassica crop-based biofumigation on soilborne disease suppression in woody ornamentals. 2020 , 42, 94-106 | 8 |
| 593 | Local/traditional uses, secondary metabolites and biological activities of Mashua (<i>Tropaeolum tuberosum</i> Ruiz & Pavón). 2020 , 247, 112152 | 17 |
| 592 | Targeting hallmarks of cancer with a food-system-based approach. 2020 , 69, 110563 | 8 |
| 591 | Review of <i>Moringa oleifera</i> as forage meal (leaves plus stems) intended for the feeding of non-ruminant animals. 2020 , 260, 114338 | 8 |
| 590 | Effect of Salinity Stress on Enzymes Activity, Ions Concentration, Oxidative Stress Parameters, Biochemical Traits, Content of Sulforaphane, and CYP79F1 Gene Expression Level in <i>Lepidium draba</i> Plant. 2020 , 39, 1075-1094 | 5 |
| 589 | Expression profiles of glucosinolate biosynthetic genes in turnip (<i>Brassica rapa</i> var. <i>rapa</i>) at different developmental stages and effect of transformed flavin-containing monooxygenase genes on hairy root glucosinolate content. 2020 , 100, 1064-1071 | 5 |
| 588 | Growth and glucosinolate profiles of a common Asian green leafy vegetable, <i>Brassica rapa</i> subsp. <i>chinensis</i> var. <i>parachinensis</i> (choy sum), under LED lighting. 2020 , 261, 108922 | 16 |
| 587 | High-intensity pulsed electric fields or thermal treatment of broccoli juice: the effects of processing on minerals and free amino acids. 2020 , 246, 539-548 | 10 |
| 586 | The metabolic formation profiles of macamides accompanied by the conversion of glucosinolates in maca (<i>Lepidium meyenii</i>) during natural air drying. 2020 , 55, 2428-2440 | 4 |
| 585 | Rapid measurement of indole levels in Brassica vegetables using one millilitre binary organic extraction solvent and capillary electrophoresis-UV analysis. 2020 , 31, 522-530 | 1 |

| | | | |
|-----|--|----|-----|
| 584 | Impact of Agrobacterium-infiltration and transient overexpression of BroMYB28 on glucoraphanin biosynthesis in broccoli leaves. 2020 , 14, 373-380 | 2 | |
| 583 | Investigation of the glucosinolates in <i>Hesperis matronalis</i> L. and <i>Hesperis laciniata</i> All.: Unveiling 4'-O-Et-apiofuranosylglucomatronalin. 2020 , 488, 107898 | 4 | |
| 582 | Urban soil phytomanagement for Zn and Cd in situ removal, greening, and Zn-rich biomass production taking care of snail exposure. 2020 , 27, 3187-3201 | 10 | |
| 581 | Different sources of glucosinolates and their derivatives. 2020 , 143-180 | 1 | |
| 580 | Plant responses to ozone: Effects of different ozone exposure durations on plant growth and biochemical quality of <i>Brassica campestris</i> L. ssp. <i>chinensis</i> . 2020 , 262, 108921 | 8 | |
| 579 | In Silico Study of the Radical Scavenging Activities of Natural Indole-3-Carbinols. 2020 , 60, 316-321 | 16 | |
| 578 | Effective methods of biofumigation: a meta-analysis. 2020 , 446, 379-392 | 13 | |
| 577 | Assessment of changes in growth traits, oxidative stress parameters, and enzymatic and non-enzymatic antioxidant defense mechanisms in <i>Lepidium draba</i> plant under osmotic stress induced by polyethylene glycol. 2020 , 257, 459-473 | 19 | |
| 576 | Sulforaphane and sulforaphene: Two potential anticancer compounds from glucosinolates. 2020 , 281-312 | 1 | |
| 575 | Differential expression of major genes involved in the biosynthesis of aliphatic glucosinolates in intergeneric <i>Baemoochae</i> (Brassicaceae) and its parents during development. 2020 , 102, 171-184 | 13 | |
| 574 | The dilemma of Good and Bad Glucosinolates and the potential to regulate their content. 2020 , 1-45 | 2 | |
| 573 | Glucosinolate structural diversity, identification, chemical synthesis and metabolism in plants. <i>Phytochemistry</i> , 2020 , 169, 112100 | 4 | 150 |
| 572 | Liquiritin elicitation can increase the content of medicinally important glucosinolates and phenolic compounds in Chinese kale plants. 2020 , 100, 1616-1624 | 14 | |
| 571 | Gut microbiota degrades toxic isothiocyanates in a flea beetle pest. 2020 , 29, 4692-4705 | 11 | |
| 570 | Is There Such a Thing as "Anti-Nutrients"? A Narrative Review of Perceived Problematic Plant Compounds. 2020 , 12, | 35 | |
| 569 | Glucosinolates: Natural Occurrence, Biosynthesis, Accessibility, Isolation, Structures, and Biological Activities. 2020 , 25, | 25 | |
| 568 | A sulfotransferase gene BnSOT-like1 has a minor genetic effect on seed glucosinolate content in <i>Brassica napus</i> . 2020 , 8, 855-865 | 2 | |
| 567 | The Molecular Basis of Host Selection in a Crucifer-Specialized Moth. 2020 , 30, 4476-4482.e5 | 13 | |

| | | |
|-----|---|----|
| 566 | Chemical composition, antibacterial and antioxidant activities of oils obtained by different extraction methods from <i>Lepidium sativum</i> L. seeds. 2020 , 156, 112876 | 6 |
| 565 | Eco-friendly fabric modification based on AgNPs@Moringa for mosquito repellent applications. 2020 , 27, 8429-8442 | 7 |
| 564 | Bioactive Molecules in Plant Defense. 2020 , | 1 |
| 563 | Less Is More: a Mutation in the Chemical Defense Pathway of <i>Erysimum cheiranthoides</i> (Brassicaceae) Reduces Total Cardenolide Abundance but Increases Resistance to Insect Herbivores. 2020 , 46, 1131-1143 | 1 |
| 562 | A Lesson Learnt from Food Chemistry-Elevated Temperature Triggers the Antioxidant Action of Two Edible Isothiocyanates: Erucin and Sulforaphane. 2020 , 9, | 3 |
| 561 | Methods for assessing cough sensitivity. 2020 , 12, 5224-5237 | 3 |
| 560 | Attenuation of Nrf2/Keap1/ARE in Alzheimer's Disease by Plant Secondary Metabolites: A Mechanistic Review. 2020 , 25, | 28 |
| 559 | Physiological and Oxidative Stress Responses of Lettuce to Cleomside A: A Thiohydroximate, as a New Allelochemical from L. 2020 , 25, | 2 |
| 558 | Glucosinolate Content in Brassica Genetic Resources and Their Distribution Pattern within and between Inner, Middle, and Outer Leaves. 2020 , 9, | 4 |
| 557 | The Diurnal Rhythm of <i>Brassica napus</i> L. Influences Contents of Sulfur-Containing Defense Compounds and Occurrence of Vascular Occlusions during an Infection with <i>Verticillium longisporum</i> . 2020 , 10, 1227 | 3 |
| 556 | Relationship between mustard pungency and allyl-isothiocyanate content: A comparison of sensory and chemical evaluations. 2020 , 85, 2728-2736 | 4 |
| 555 | Inhibition of Drug Resistance Mechanisms Improves the Benzyl Isothiocyanate-Induced Anti-Proliferation in Human Colorectal Cancer Cells. 2020 , 6, 306-314 | 2 |
| 554 | A review of properties, nutritional and pharmaceutical applications of <i>Moringa oleifera</i> : integrative approach on conventional and traditional Asian medicine. 2020 , 20, 495-515 | 25 |
| 553 | Alters Glucosinolate Accumulation and Expression of Aliphatic and Indolic Glucosinolate Biosynthesis Genes in Blackleg Disease-Resistant and -Susceptible Cabbage Lines at the Seedling Stage. 2020 , 11, 1134 | 5 |
| 552 | Effects of cooking methods on total isothiocyanate yield from cruciferous vegetables. 2020 , 8, 5673-5682 | 7 |
| 551 | Glucosinolate Profile and Glucosinolate Biosynthesis and Breakdown Gene Expression Manifested by Black Rot Disease Infection in Cabbage. 2020 , 9, | 3 |
| 550 | Young shoots of red cabbage are a better source of selected nutrients and glucosinolates in comparison to the vegetable at full maturity. 2020 , 246, 2505-2515 | 14 |
| 549 | Association Mapping of Seed Quality Traits Under Varying Conditions of Nitrogen Application in L. Czern & Coss. 2020 , 11, 744 | 8 |

| | | |
|-----|--|----|
| 548 | Mechanisms Underlying Biological Effects of Cruciferous Glucosinolate-Derived Isothiocyanates/Indoles: A Focus on Metabolic Syndrome. 2020 , 7, 111 | 21 |
| 547 | Glucosinolates and Isothiocyanates from <i>Moringa oleifera</i> : Chemical and Biological Approaches. 2020 , 75, 447-457 | 12 |
| 546 | Stomatal response to isothiocyanates in <i>Arabidopsis thaliana</i> . 2020 , 71, 6921-6931 | 3 |
| 545 | The Plant Family Brassicaceae: Introduction, Biology, And Importance. 2020 , 1-43 | 3 |
| 544 | Regulation of Selenium/Sulfur Interactions to Enhance Chemopreventive Effects: Lessons to Learn from Brassicaceae. 2020 , 25, | 4 |
| 543 | Allelopathic potential of white cabbage on some plants. 2020 , 66, 559-563 | 2 |
| 542 | Toxicity of Canola-Derived Glucosinolate Degradation Products in Pigs-A Review. 2020 , 10, | 4 |
| 541 | Phytochemistry and biological activity of mustard (<i>Brassica juncea</i>): a review. 2020 , 18, 704-718 | 10 |
| 540 | Effects of rhizosphere sulfur concentration on sulfur content and sulfate transporter gene expression in Japanese heirloom vegetables of the Brassicaceae family. 2020 , 66, 854-863 | |
| 539 | Invited Review: Glucosinolates Might Result in Low Methane Emissions From Ruminants Fed Brassica Forages. 2020 , 7, 588051 | 2 |
| 538 | Experience may outweigh cue similarity in maintaining a persistent host-plant-based evolutionary trap. 2020 , 90, e01412 | 5 |
| 537 | Phytochemical profile and functionality of Brassicaceae species. 2020 , 36, 100606 | 4 |
| 536 | Indian Mustard (<i>Brassica juncea</i> L.) Seeds in Health. 2020 , 357-364 | 4 |
| 535 | Assessment of changes in the content of sulforaphane and expression levels of CYP79F1 and myrosinase genes and proteomic profile of <i>Lepidium draba</i> plant under water-deficit stress induced by polyethylene glycol. 2020 , 42, 1 | 5 |
| 534 | Breast Cancer Prevention-Is there a Future for Sulforaphane and Its Analogs?. 2020 , 12, | 10 |
| 533 | Study of solvent effect on the stability of isothiocyanate iberin, a breakdown product of glucoiberin. 2020 , 92, 103515 | 5 |
| 532 | Altered rainfall patterns reduce plant fitness and disrupt interactions between below- and aboveground insect herbivores. 2020 , 11, e03127 | 1 |
| 531 | Natural control of plant pathogens through glucosinolates: an effective strategy against fungi and oomycetes. 2020 , 19, 1045-1059 | 21 |

| | | |
|-----|---|----|
| 530 | Uncovering the biofumigant capacity of allyl isothiocyanate from several Brassicaceae crops against Fusarium pathogens in maize. 2020 , 100, 5476-5486 | 5 |
| 529 | Functional Ingredients From Species: Overview and Perspectives. 2020 , 21, | 36 |
| 528 | Impact of Three Natural Oily Extracts as Pulp Additives on the Mechanical, Optical, and Antifungal Properties of Paper Sheets Made from and Wood Branches. 2020 , 13, | 7 |
| 527 | Effect of heat processing on oxazolidine of Capparis masaikai L.f.. 2020 , 44, e14447 | |
| 526 | Cover Crop Diversity as a Tool to Mitigate Vine Decline and Reduce Pathogens in Vineyard Soils. 2020 , 12, 128 | 6 |
| 525 | 2-Phenylethyl Isothiocyanate Exerts Antifungal Activity against by Affecting Membrane Integrity and Mycotoxin Production. 2020 , 12, | 6 |
| 524 | Biofumigation: An alternative strategy for the control of plant parasitic nematodes. 2020 , 19, 1680-1690 | 16 |
| 523 | Volatile Profile of Wall Rocket Baby-Leaves (<i>Diplotaxis erucooides</i>) Grown under Greenhouse: Main Compounds and Genotype Diversity. 2020 , 10, 802 | 3 |
| 522 | Intact Glucosinolate Determination in Brassica Vegetables Using Anion Exchange Cleanup and HILIC (Hydrophilic Interaction Liquid Chromatography) HPLC Chromatography. 2020 , 13, 1817-1828 | 1 |
| 521 | Associational effects of plant ontogeny on damage by a specialist insect herbivore. 2020 , 193, 593-602 | 2 |
| 520 | Glutamine as an Ammonia Donor in Catabolism of the Glucosinolate, Sinalbin, in Biosynthesis of 4-Hydroxybenzylamine. 2020 , 83, 179-184 | 1 |
| 519 | Hierarchical and Dynamic Regulation of Defense-Responsive Specialized Metabolism by WRKY and MYB Transcription Factors. 2019 , 10, 1775 | 8 |
| 518 | Plant-Insect Interaction: The Saga of Molecular Coevolution. 2020 , 19-45 | 6 |
| 517 | Enhanced bioactive compound production in broccoli cells due to coronatine and methyl jasmonate is linked to antioxidative metabolism. 2020 , 248, 153136 | 8 |
| 516 | Exploring glucosinolates diversity in Brassicaceae: a genomic and chemical assessment for deciphering abiotic stress tolerance. 2020 , 150, 151-161 | 10 |
| 515 | Plant Disease Management Strategies for Sustainable Agriculture through Traditional and Modern Approaches. 2020 , | 14 |
| 514 | Comparative Analysis of the Metabolic Profiles of Yellow- versus Black-Seeded Rapeseed Using UPLC-HESI-MS/MS and Transcriptome Analysis. 2020 , 68, 3033-3049 | 11 |
| 513 | Impacts of Root Metabolites on Soil Nematodes. 2019 , 10, 1792 | 32 |

| | | |
|-----|---|----|
| 512 | Benzyl isothiocyanate fumigation inhibits growth, membrane integrity and mycotoxin production in .. 2020 , 10, 1829-1837 | 9 |
| 511 | Carbon source dependent-anaerobic soil disinfestation (ASD) mitigates the sclerotial germination of <i>Sclerotinia sclerotiorum</i> . 2020 , 45, 13-24 | 2 |
| 510 | <i>Sisymbrium officinale</i> , the Plant of Singers: A Review of Its Properties and Uses. 2020 , 86, 307-311 | 2 |
| 509 | Indolic glucosinolate pathway provides resistance to mycorrhizal fungal colonization in a non-host Brassicaceae. 2020 , 11, e03100 | 6 |
| 508 | Performance of cabbage stem flea beetle larvae (<i>Psylliodes chrysocephala</i>) in brassicaceous plants and the effect of glucosinolate profiles. 2020 , 168, 200-208 | 4 |
| 507 | Effects of dietary fish meal replacement by fermented moringa (<i>Moringa oleifera</i> Lam.) leaves on growth performance, nonspecific immunity and disease resistance against <i>Aeromonas hydrophila</i> in juvenile gibel carp (<i>Carassius auratus gibelio</i> var. CAS III). 2020 , 102, 430-439 | 16 |
| 506 | Legacy of a Butterfly's Parental Microbiome in Offspring Performance. 2020 , 86, | 9 |
| 505 | Profiling of Individual Desulfo-Glucosinolate Content in Cabbage Head (var.) Germplasm. 2020 , 25, | 11 |
| 504 | The interaction between β Lactoglobulin and allyl-isothiocyanate. 2020 , 36, 100600 | 6 |
| 503 | Stability and bioaccessibility during ex vivo digestion of glucoraphenin and glucoraphasatin from <i>Matthiola incana</i> (L.) R. Br.. 2020 , 90, 103483 | 2 |
| 502 | Characterization and potential use of <i>Diplotaxis eruroides</i> as food ingredient for a sustainable modern cuisine and comparison with commercial mustards and wasabis. 2020 , 246, 1429-1438 | 4 |
| 501 | Effects of biofumigant crop termination methods on suppression of plant-parasitic nematodes. 2020 , 154, 103595 | 8 |
| 500 | Aryl hydrocarbon Receptor activation during in vitro and in vivo digestion of raw and cooked broccoli (<i>brassica oleracea</i> var. <i>Italica</i>). 2020 , 11, 4026-4037 | 4 |
| 499 | Toxicity of canola-derived glucosinolates in pigs fed resistant starch-based diets. 2020 , 98, | 3 |
| 498 | Feeding behavior of <i>Brevicoryne brassicae</i> in resistant and susceptible collard greens genotypes: interactions among morphological and chemical factors. 2020 , 168, 228-239 | 6 |
| 497 | -Derived Anticancer Agents: Towards a Green Approach to Beat Cancer. 2020 , 12, | 19 |
| 496 | Micropropagation of <i>Cleome dendroides</i> (Cleomaceae), an endemic Brazilian species, as a source of glucosinolates. 2021 , 155, 281-290 | 1 |
| 495 | Characterization of glucosinolates in 80 broccoli genotypes and different organs using UHPLC-Triple-TOF-MS method. 2021 , 334, 127519 | 18 |

| | | |
|-----|--|----|
| 494 | Evaluation of the QuEChERS method for the determination of phenolic compounds in yellow (Brassica alba), brown (Brassica juncea), and black (Brassica nigra) mustard seeds. 2021 , 340, 128162 | 8 |
| 493 | Small molecules regulating reactive oxygen species homeostasis for cancer therapy. 2021 , 41, 342-394 | 40 |
| 492 | Harvesting at the end of the day extends postharvest life of kale (Brassica oleracea var. sabellica). 2021 , 276, 109757 | 4 |
| 491 | Effect of sulforaphane on apoptosis, reactive oxygen species and lipids peroxidation of human sperm during cryopreservation. 2021 , 99, 122-130 | 4 |
| 490 | Effect of cold plasma and elicitors on bioactive contents, antioxidant activity and cytotoxicity of Thai rat-tailed radish microgreens. 2021 , 101, 1685-1698 | 6 |
| 489 | Neuroprotective potential of isothiocyanates in an in vitro model of neuroinflammation. 2021 , 29, 561-571 | 9 |
| 488 | Metabolomics in plant-microbe interactions in the roots. 2021 , 98, 133-161 | 1 |
| 487 | Chemical defence in Brassicaceae against pollen beetles revealed by metabolomics and flower bud manipulation approaches. 2021 , 44, 519-534 | 2 |
| 486 | Meadowfoam Breeding. 2021 , 187-245 | |
| 485 | . 2021 , | |
| 484 | Cardenolide and glucosinolate accumulation in shoot cultures of Erysimum crepidifolium Rchb.. 2021 , 57, 427-434 | 1 |
| 483 | A green approach to improve the antibacterial properties of cellulose based fabrics using Moringa oleifera extract in presence of silver nanoparticles. 2021 , 28, 549-564 | 16 |
| 482 | Effect of different durations of moderate ozone exposure on secondary metabolites of Brassica campestris L. ssp. chinensis. 2021 , 96, 110-120 | 2 |
| 481 | Antioxidant-rich natural fruit and vegetable products and human health. 2021 , 24, 41-67 | 32 |
| 480 | Deciphering the Role of Phytoanticipins, Phytoalexins, and Polyphenols in Plant-Insect Defense. 2021 , 305-335 | 0 |
| 479 | Emerging approaches to manipulate the plant microbiome and implications. 2021 , 63-68 | |
| 478 | Full Issue PDF. 2021 , 1, 1-74 | |
| 477 | Investigating the Anticancer Activity and Characterization of Bioactive Constituents of Moricandia sinaica (Boiss.) Boiss through In Vitro and In Silico Approaches in Triple-Negative Breast Cancer Cell Line. 2021 , 11, 1244 | 2 |

| | | |
|-----|---|----|
| 476 | Complex formation of silver(I) ions with a glucosinolate derivative: structural and mechanistic insights into myrosinase-mimicking C-S bond cleavage. 2021 , 50, 8292-8296 | |
| 475 | Synthesis of C- and S-Glycosides. 2021 , 160-199 | 1 |
| 474 | Glucosinolates. 2021 , 41-77 | 1 |
| 473 | Isothiocyanate Derivatives of Glucosinolates as Efficient Natural Fungicides. 2021 , 1, 40-50 | 4 |
| 472 | Medicinal and Therapeutic Properties of Moringa. 2021 , 31-39 | |
| 471 | Genetic Mapping, Quantitative Trait Analysis, and Gene Cloning in Brassica oleracea. 2021 , 7-22 | |
| 470 | Consequences of 'no-choice, fixed time' reciprocal host plant switches on nutrition and gut serine protease gene expression in Pieris brassicae L. (Lepidoptera: Pieridae). 2021 , 16, e0245649 | 0 |
| 469 | Comparative study of antioxidant and anticancer activities and HPTLC quantification of rutin in white radish (<i>Raphanus sativus</i> L.) leaves and root extracts grown in Saudi Arabia. 2021 , 19, 408-416 | 5 |
| 468 | Small Functional Foods: Comparative Phytochemical and Nutritional Analyses of Five Microgreens of the Brassicaceae Family. 2021 , 10, | 11 |
| 467 | Plant-Based Phenolic Molecules as Natural Preservatives in Comminuted Meats: A Review. 2021 , 10, | 24 |
| 466 | An integrated analytical approach based on enhanced fragment ions interrogation and modified Kendrick mass defect filter data mining for in-depth chemical profiling of glucosinolates by ultra-high-pressure liquid chromatography coupled with Orbitrap high resolution mass spectrometry. 2021 , 1639, 461903 | 2 |
| 465 | Multiple indole glucosinolates and myrosinases defend <i>Arabidopsis</i> against <i>Tetranychus urticae</i> herbivory. | 1 |
| 464 | The toxicity of nitrile and epithionitrile derivatives of glucosinolates from swedes (in human and bovine liver cells. 2021 , 69, 165-173 | 1 |
| 463 | Environmental Conditions and Agronomical Factors Influencing the Levels of Phytochemicals in Brassica Vegetables Responsible for Nutritional and Sensorial Properties. 2021 , 11, 1927 | 6 |
| 462 | A story from the Miocene: Clock-dated phylogeny of <i>L.</i> (<i>Sisymbrieae</i> , Brassicaceae). 2021 , 11, 2573-2595 | 3 |
| 461 | Glucosinolates in Vegetables: Characterization and Factors That Influence Distribution, Content, and Intake. 2021 , 12, 485-511 | 15 |
| 460 | The Anti-Inflammatory Properties of Phytochemicals and Their Effects on Epigenetic Mechanisms Involved in TLR4/NF- κ B-Mediated Inflammation. 2021 , 12, 606069 | 18 |
| 459 | A review of scientific results on uses of moringa-based leaf products. 2021 , 121-134 | 1 |

| | | |
|-----|--|----|
| 458 | Allelopathic Effects of Three Herb Species on <i>Phytophthora cinnamomi</i> , a Pathogen Causing Severe Oak Decline in Mediterranean Wood Pastures. 2021 , 12, 285 | 3 |
| 457 | The Challenges of Designing and Implementing Clinical Trials With Broccoli Sprouts and Turning Evidence Into Public Health Action. 2021 , 8, 648788 | 7 |
| 456 | Current analytical methods for determination of glucosinolates in vegetables and human tissues. 2021 , 1643, 462060 | 5 |
| 455 | Evaluation of biological activities of and isolation of a new glucosinolate derived compound. 2021 , 76, 375-382 | 1 |
| 454 | Fine mapping of the major QTLs for biochemical variation of sulforaphane in broccoli florets using a DH population. 2021 , 11, 9004 | 3 |
| 453 | Effects of in vivo treatment of mice with sulforaphane on repair of DNA pyridyloxylbutylation. 2021 , 454, 152753 | 3 |
| 452 | Green extraction techniques from fruit and vegetable waste to obtain bioactive compounds-A review. 2021 , 1-21 | 14 |
| 451 | Biosynthesis of Sinapigliadioside, an Antifungal Isothiocyanate from <i>Burkholderia</i> Symbionts. 2021 , 22, 1920-1924 | 5 |
| 450 | The Roles of Cruciferae Glucosinolates in Disease and Pest Resistance. 2021 , 10, | 6 |
| 449 | A Generalist Feeding on Brassicaceae: It Does Not Get Any Better with Selection. 2021 , 10, | 5 |
| 448 | Variation of Glucosinolate Contents in Clubroot-Resistant and -Susceptible Cultivars in Response to Virulence of. 2021 , 10, | 2 |
| 447 | Randomized controlled trial of an adjunctive sulforaphane nutraceutical in schizophrenia. 2021 , 231, 142-144 | 5 |
| 446 | Nontoxic dose of Phenethyl isothiocyanate ameliorates deoxynivalenol-induced cytotoxicity and inflammation in IPEC-J2 cells. 2021 , 136, 66-73 | 2 |
| 445 | Influence of foliar Methyl-jasmonate biostimulation on exudation of glucosinolates and their effect on root pathogens of broccoli plants under salinity condition. 2021 , 282, 110027 | 3 |
| 444 | Biosynthesis of Natural Products. | 2 |
| 443 | Synthesis of Isothiocyanates Using DMT/NMM/TsO as a New Desulfurization Reagent. 2021 , 26, | 2 |
| 442 | Controlling the quality of maca (<i>Lepidium meyenii</i>) dietary supplements: Development of compendial procedures for the determination of intact glucosinolates in maca root powder products. 2021 , 199, 114063 | 0 |
| 441 | Diagnosis and Surgical Management of Cholecystolithiasis in Two Adult Inland Bearded Dragons (<i>Pogona vitticeps</i>). 2021 , 31, | |

| | | | |
|-----|---|---|---|
| 440 | Glukosinolatlardan hidrolize edilen sulforafanın potansiyel etkileri ve Nrf2-Keap-1 sinyal yollarıyla ilişkisi. | | |
| 439 | Glucosinolate profiles and phylogeny in Barbarea compared to other tribe Cardamineae (Brassicaceae) and Reseda (Resedaceae), based on a library of ion trap HPLC-MS/MS data of reference desulfoglucosinolates. <i>Phytochemistry</i> , 2021 , 185, 112658 | 4 | 5 |
| 438 | Synthesis and regulation of auxin and abscisic acid in maize. 2021 , 16, 1891756 | | 3 |
| 437 | Comparison of glucosinolate diversity in the crucifer tribe Cardamineae and the remaining order Brassicales highlights repetitive evolutionary loss and gain of biosynthetic steps. <i>Phytochemistry</i> , 2021 , 185, 112668 | 4 | 6 |
| 436 | Protective Effect of Isothiocyanates from Cruciferous Vegetables on Breast Cancer: Epidemiological and Preclinical Perspectives. 2021 , 21, 1413-1430 | | 5 |
| 435 | Metabolic and biotransformation effects on dietary glucosinolates, their bioavailability, catabolism and biological effects in different organisms. 2021 , 54, 107784 | | 6 |
| 434 | Multiple indole glucosinolates and myrosinases defend Arabidopsis against Tetranychus urticae herbivory. 2021 , 187, 116-132 | | 2 |
| 433 | Sulforaphene: Formation, Stability, Separation, Purification, Determination and Biological Activities. 1-10 | | 1 |
| 432 | Effect of continuous white light illumination on glucosinolate metabolism during postharvest storage of broccoli. 2021 , 145, 111302 | | 2 |
| 431 | Current Knowledge and Challenges on the Development of a Dietary Glucosinolate Database in the United States. 2021 , 5, nzab102 | | 1 |
| 430 | Irrigation timing as a glucosinolate alteration factor in radish (<i>Raphanus sativus</i> L.) (Gya Labuk and Tsentay Labuk) in the Indian Trans-Himalayan region of Ladakh. 2021 , 100, 103904 | | 1 |
| 429 | The evolution of coevolution in the study of species interactions. 2021 , 75, 1594-1606 | | 2 |
| 428 | Mechanism and kinetic study for the reaction of allyl cyanide with Cl atom in the presence of O ₂ . 2021 , 1201, 113286 | | 1 |
| 427 | Dead-end ultrafiltration of rich glucosinolates juice extracted from mustard defatted meal: Effects of operating conditions on permeate quality and membrane fouling. 2021 , 128, 133-142 | | 1 |
| 426 | Horseradish Essential Oil as a Promising Anti-Algal Product for Prevention of Phytoplankton Proliferation and Biofouling. 2021 , 10, | | |
| 425 | Glucosinolate-Enriched Fractions from Maca () Exert Myrosinase-Dependent Cytotoxic Effects against HepG2/C3A and HT29 Tumor Cell Lines. 2021 , 1-16 | | 1 |
| 424 | Investigation of glucosinolates in the desert plant <i>Ochradenus baccatus</i> (Brassicales: Resedaceae). Unveiling glucoochradenin, a new arabinosylated glucosinolate. <i>Phytochemistry</i> , 2021 , 187, 112760 | 4 | 2 |
| 423 | Effects of Glucosinolate-Derived Isothiocyanates on Fungi: A Comprehensive Review on Direct Effects, Mechanisms, Structure-Activity Relationship Data and Possible Agricultural Applications. 2021 , 7, | | 6 |

| | | |
|-----|---|----|
| 422 | Proteomic analysis validates previous findings on wounding-responsive plant hormone signaling and primary metabolism contributing to the biosynthesis of secondary metabolites based on metabolomic analysis in harvested broccoli (<i>Brassica oleracea</i> L. var. <i>italica</i>). 2021 , 145, 110388 | 11 |
| 421 | Impact of the genetic diversity of three cyst nematodes on the effectiveness of root exudates to induce hatching. 2021 , 161, 553 | |
| 420 | Effects of Amendment with Various Vermicomposts on the Soil Fertility, Growth of <i>Brassica chinensis</i> L., and Resistance of <i>Spodoptera litura</i> Fabricius larvae. 2021 , 13, 9441 | 1 |
| 419 | Cruciferous vegetables as functional foods: effects of selenium biofortification. 1-20 | 1 |
| 418 | Engineering insect resistance using plant specialized metabolites. 2021 , 70, 115-121 | 2 |
| 417 | Antioxidant activity of two edible isothiocyanates: Sulforaphane and erucin is due to their thermal decomposition to sulfenic acids and methylsulfinyl radicals. 2021 , 353, 129213 | 7 |
| 416 | Nutritional metabolites in <i>Brassica rapa</i> subsp. <i>chinensis</i> var. <i>parachinensis</i> (choy sum) at three different growth stages: Microgreen, seedling and adult plant. 2021 , 357, 129535 | 7 |
| 415 | In Vitro Effects of Leaf Extracts from on the Growth of Two Entomopathogenic Fungi. 2021 , 7, | 1 |
| 414 | Ethanollic Extract of Leaves Enhances the Quality Characteristics and Shelf-Life of Vacuum-Packed Pork Patty during Refrigeration Storage. 2021 , 26, 357-365 | 0 |
| 413 | Biologically Active Compounds in Mustard Seeds: A Toxicological Perspective. 2021 , 10, | 7 |
| 412 | Genome- and transcriptome-wide association studies reveal the genetic basis and the breeding history of seed glucosinolate content in <i>Brassica napus</i> . 2021 , | 9 |
| 411 | Structural Studies of Aliphatic Glucosinolate Chain-Elongation Enzymes. 2021 , 10, | 0 |
| 410 | Interactions between Biofumigants and Soil Microbiota: Causes and Impacts. 2021 , 69, 11538-11553 | 0 |
| 409 | Metabolic Fate of Dietary Glucosinolates and Their Metabolites: A Role for the Microbiome. 2021 , 8, 748433 | 2 |
| 408 | Sulforaphane-loaded hyaluronic acid-ploxamer hybrid hydrogel enhances cartilage protection in osteoarthritis models. 2021 , 128, 112345 | 3 |
| 407 | Targeted Metabolic and In-Silico Analyses Highlight Distinct Glucosinolates and Phenolics Signatures in Korean Rapeseed Cultivars. 2021 , 10, | 0 |
| 406 | Research Advances in Allelopathy of Volatile Organic Compounds (VOCs) of Plants. 2021 , 7, 278 | 7 |
| 405 | Berteroin ameliorates lipid accumulation through AMPK-mediated regulation of hepatic lipid metabolism and inhibition of adipocyte differentiation. 2021 , 282, 119668 | 1 |

| | | |
|-----|---|----|
| 404 | A comprehensive review on the biotechnological intervention for deciphering the pharmacological and other multifarious properties of miracle tree <i>Moringa oleifera</i> . 2021 , 170, 113807 | 1 |
| 403 | Influence of chemical fumigation and biofumigation on soil nitrogen cycling processes and nitrifier and denitrifier abundance. 2021 , 162, 108421 | 3 |
| 402 | Glucosinolate variation among organs, growth stages and seasons suggests its dominant accumulation in sexual over asexual-reproductive organs in white radish. 2022 , 291, 110617 | 3 |
| 401 | Impact of the <i>Brassica oleracea</i> Genome on Breeding and Crop Improvement. 2021 , 107-133 | |
| 400 | Recent advances in chemical ecology: complex interactions mediated by molecules. 2021 , 85, 33-41 | 2 |
| 399 | Radish (<i>Raphanus sativus</i> L.): Breeding for Higher Yield, Better Quality and Wider Adaptability. 2021 , 275-304 | 0 |
| 398 | Eat Your Broccoli: Oxidative Stress, NRF2, and Sulforaphane in Chronic Kidney Disease. 2021 , 13, | 10 |
| 397 | Glucosinolates. 1-8 | 4 |
| 396 | Phytochemical Changes of Fresh-Cut Fruits and Vegetables in Controlled and Modified Atmosphere Packaging. 101-140 | 2 |
| 395 | Role of Natural Products in Nature: Plant-Insect Interactions. 2009 , 321-347 | 5 |
| 394 | Health Benefits of Dietary Plant Natural Products. 2009 , 385-403 | 1 |
| 393 | Role of Sulfur for Plant Production in Agricultural and Natural Ecosystems. 2008 , 417-435 | 17 |
| 392 | Olive Nematodes and their control. 2009 , 275-315 | 5 |
| 391 | Brassicaceae in Agriculture. 2011 , 33-65 | 63 |
| 390 | Inducers of Enzymes That Protect Against Carcinogens and Oxidants. 2004 , 3-20 | 2 |
| 389 | Chemoprevention by Isothiocyanates. 2004 , 21-35 | 11 |
| 388 | Plant Metabolites Involved in Plant-Pathogen Interactions. 2019 , 61-84 | 4 |
| 387 | Conventional and Modern Technologies for the Management of Post-Harvest Diseases. 2020 , 137-172 | 6 |

| | | |
|-----|---|----|
| 386 | Dietary Fiber in Fruits and Vegetables. 2020 , 123-152 | 1 |
| 385 | The Chemopreventive Power of Isothiocyanates. 2020 , 271-318 | 2 |
| 384 | Chemical and biological mechanisms of phytochemical activation of Nrf2 and importance in disease prevention. 2013 , 43, 121-155 | 20 |
| 383 | Impact of Green Manure and Vermicompost on Soil Suppressiveness, Soil Microbial Populations, and Plant Growth in Conditions of Organic Agriculture of Northern Temperate Climate. 2015 , 381-399 | 4 |
| 382 | Glucosinolates: Novel Sources and Biological Potential. 2017 , 3-60 | 10 |
| 381 | Processing and Preparation of Brassica Vegetables and the Fate of Glucosinolates. 2017 , 407-429 | 2 |
| 380 | Investigation of Glucosinolates by Mass Spectrometry. 2017 , 431-461 | 5 |
| 379 | Antimicrobial Activity of the Glucosinolates. 2017 , 249-274 | 8 |
| 378 | Genetics and Breeding of Brassica Crops. 2017 , 61-86 | 6 |
| 377 | Neuroprotective Effects of Glucosinolates. 2017 , 275-299 | 2 |
| 376 | The Investigation of Glucosinolates by Mass Spectrometry. 2016 , 1-32 | 3 |
| 375 | At the Crossroads of Metal Hyperaccumulation and Glucosinolates: Is There Anything Out There?. 2010 , 139-161 | 4 |
| 374 | Optimizing Earthworm Sampling in Ecosystems. 2011 , 19-38 | 20 |
| 373 | Diplotaxis. 2011 , 137-147 | 2 |
| 372 | Eruca. 2011 , 149-160 | 6 |
| 371 | Chemoprevention of Hepatic Cancer in Aflatoxin Endemic Areas. 2012 , 339-365 | 1 |
| 370 | Influence of Moisture Stress on Growth, Development, Physiological Process and Quality of Fruits and Vegetables and Its Management Strategies. 2014 , 125-148 | 1 |
| 369 | Crop Location by Oilseed Rape Pests and Host Location by Their Parasitoids. 2010 , 215-244 | 17 |

| | | |
|-----|---|----|
| 368 | Slow but Steady Progress in Cancer Chemoprevention with Phenethyl Isothiocyanate: Fulfilled Promises and Translational Challenges. 2012 , 231-258 | 3 |
| 367 | Host plant derived feeding deterrence towards ants in the turnip sawfly <i>Athalia rosae</i> . 2002 , 153-157 | 2 |
| 366 | The chemical world of crucivores: lures, treats and traps. 2002 , 35-42 | 2 |
| 365 | Biorational, Environmentally Safe Methods for the Control of Soil Pathogens and Pests in Israel. 2016 , 273-291 | 1 |
| 364 | General Introduction to Glucosinolates. 2016 , 80, 1-14 | 18 |
| 363 | Selective and eco-friendly recovery of glucosinolates from mustard seeds (<i>Brassica juncea</i>) using process optimization and innovative pretreatment (high voltage electrical discharges). 2020 , 124, 11-23 | 8 |
| 362 | A chromosome-level reference genome of non-heading Chinese cabbage [<i>Brassica campestris</i> (syn. <i>Brassica rapa</i>) ssp. <i>chinensis</i>]. 2020 , 7, 212 | 14 |
| 361 | Biomarker Exploration in Human Peripheral Blood Mononuclear Cells for Monitoring Sulforaphane Treatment Responses in Autism Spectrum Disorder. 2020 , 10, 5822 | 25 |
| 360 | Brassicaceae transcriptomes reveal convergent evolution of super-accumulation of sinigrin. 2020 , 3, 779 | 2 |
| 359 | Chapter 6:Mass Spectrometry in Phytonutrient Research. 163-234 | 1 |
| 358 | Changes in the quality and secondary metabolites of kohlrabi during storage. 2014 , 21, 601-608 | 2 |
| 357 | Plant genetic effects on microbial hubs impact fitness across field trials. | 8 |
| 356 | Evolution of olfactory receptors tuned to mustard oils in herbivorous Drosophilidae. | 1 |
| 355 | Antiproliferation effect of sulforaphene isolated from radish (<i>Raphanus sativus</i> L.) seeds on A549 cells. 2020 , 63, | 7 |
| 354 | Cancer Chemoprevention with Sulforaphane, a Dietary Isothiocyanate. 2004 , 121-141 | 4 |
| 353 | Biochemistry, physiology and bioengineering of bioactive compounds from plants used as dietary supplements. 2003 , 105-170 | 1 |
| 352 | The Isothiocyanate Sulforaphane Induces the Phase 2 Response by Signaling of the Keap1/Nrf2/ARE Pathway. 2008 , | 2 |
| 351 | Anti-Inflammatory and Antioxidant Effects of Repeated Exposure to Cruciferous Allyl Nitrile in Sensitizer-Induced Ear Edema in Mice. 2016 , 22, 20-6 | 1 |

| | | |
|-----|---|----|
| 350 | Effects of Artificial Light Sources on Growth and Glucosinolate Contents of Hydroponically Grown Kale in Plant Factory. 2016 , 25, 77-82 | 5 |
| 349 | Allyl isothiocyanate that induces GST and UGT expression confers oxidative stress resistance on <i>C. elegans</i> , as demonstrated by nematode biosensor. 2010 , 5, e9267 | 31 |
| 348 | Stabilization of Nrf2 protein by D3T provides protection against ethanol-induced apoptosis in PC12 cells. 2011 , 6, e16845 | 29 |
| 347 | QTL analysis using SNP markers developed by next-generation sequencing for identification of candidate genes controlling 4-methylthio-3-butenyl glucosinolate contents in roots of radish, <i>Raphanus sativus</i> L. 2013 , 8, e53541 | 36 |
| 346 | Verticillium suppression is associated with the glucosinolate composition of <i>Arabidopsis thaliana</i> leaves. 2013 , 8, e71877 | 29 |
| 345 | The IQD gene family in soybean: structure, phylogeny, evolution and expression. 2014 , 9, e110896 | 27 |
| 344 | Overexpression of Three Glucosinolate Biosynthesis Genes in <i>Brassica napus</i> Identifies Enhanced Resistance to <i>Sclerotinia sclerotiorum</i> and <i>Botrytis cinerea</i> . 2015 , 10, e0140491 | 32 |
| 343 | Sulforaphane Bioavailability from Glucoraphanin-Rich Broccoli: Control by Active Endogenous Myrosinase. 2015 , 10, e0140963 | 93 |
| 342 | Herbivore Diet Breadth and Host Plant Defense Mediate the Tri-Trophic Effects of Plant Toxins on Multiple Coccinellid Predators. 2016 , 11, e0155716 | 5 |
| 341 | Irreversible Inhibition of Glutathione S-Transferase by Phenethyl Isothiocyanate (PEITC), a Dietary Cancer Chemopreventive Phytochemical. 2016 , 11, e0163821 | 19 |
| 340 | Biochemical characterization and anti-inflammatory properties of an isothiocyanate-enriched moringa (<i>Moringa oleifera</i>) seed extract. 2017 , 12, e0182658 | 71 |
| 339 | Influence of prey host plant on a generalist aphidophagous predator: <i>Episyrphus balteatus</i> (Diptera: Syrphidae). 2002 , 99, 561-564 | 25 |
| 338 | Do cover crops enhance soil greenhouse gas losses during high emission moments under temperate Central Europe conditions?. 2018 , 68, 171-187 | 5 |
| 337 | Potential use of essential oils to enhance heat tolerance in plants. 2020 , 75, 225-231 | 4 |
| 336 | Glucosinolates and the prevention of cancer. 2004 , 615-627 | 3 |
| 335 | Differences in host-plant related chemical communication of the flea beetles <i>Phyllotreta cruciferae</i> Goeze and <i>Ph. vittula</i> Redtenbacher (Coleoptera, Chrysomelidae). 2007 , 42, 343-352 | 3 |
| 334 | Biofumigation: A control method for the soil-borne diseases. 2017 , 10, 453-460 | 4 |
| 333 | Management of Charcoal Rot of Mungbean by Two <i>Trichoderma</i> Species and Dry Biomass of <i>Coronopus didymus</i> . 2018 , 36, | 3 |

- 332 6-n-propylthiouracil (PROP) taster status in Brazilian adults. **2012**, 32, 673-678 3
- 331 Histomorphological characterization of Moringa- oleifera oil and walnut oil on cadmium induced lateral geniculate body damage in adult wistar rats (*Rattus novergicus*). **2018**, 3, 001-007 2
- 330 Glucosinolate analysis of wild rocket [*Diplotaxis tenuifolia* (L.) DC] from different Slovenian regions cultivated on two growing systems. **2015**, 80, 199-207 5
- 329 Biofumigation - An effective tool in enhancing yield of capsicum by suppressing soil-borne pathogens and augmenting biopesticide under protected cultivation in India. **2020**, 34, 59-65 1
- 328 Thioredoxin plays a key role in retinal neuropathy prior to endothelial damage in diabetic mice. **2017**, 8, 61350-61364 14
- 327 Garlic mustard as a potential driver of change in soil microbial community metabolism under controlled conditions. **2019**, 90, 218 1
- 326 The potential effect of Moringa oleifera leaves extract on vascular endothelial growth factor expression in Wistar rat oral cancer cells. **2019**, 52, 71 1
- 325 Selenium Increases Sulfur Uptake and Regulates Glucosinolate Metabolism in Rapid-cycling *Brassica oleracea*. **2007**, 132, 14-19 29
- 324 Control of *Globodera* spp. Using *Brassica juncea* Seed Meal and Seed Meal Extract. **2018**, 49, 437-445 8
- 323 Overcoming Glucosinolate-Myrosinase-Isothiocyanate Defense System by Plant Pathogenic Fungi. 19-27 3
- 322 Sulfur-containing Secondary Metabolites as Neuroprotective Agents. **2020**, 27, 4421-4436 12
- 321 Phytochemical-Mediated Glioma Targeted Treatment: Drug Resistance and Novel Delivery Systems. **2020**, 27, 599-629 4
- 320 Chemical Aspects of Biological Activity of Isothiocyanates and Indoles, the Products of Glucosinolate Decomposition. **2019**, 25, 1717-1728 5
- 319 Camelina sativa Oil and Camelina Cake as Sources of Polyunsaturated Fatty Acids in the Diets of Laying Hens: Effect on Hen Performance, Fatty Acid Profile of Yolk Lipids, and Egg Sensory Quality. **2020**, 20, 1365-1377 5
- 318 Productivity, nutritional and functional qualities of perennial wall-rocket: Effects of pre-harvest factors. **2019**, 31, 71-80 4
- 317 Glucosinolate Profiles in Cabbage (*Brassica oleracea* var. *capitata*) Cultivars and Their Effect on the Induction of a Phase II Detoxification Enzyme. **2011**, 80, 499-505 3
- 316 Sulforaphane Protects against Brain Diseases: Roles of Cytoprotective Enzymes. **2017**, 4, 17
- 315 Level of glucosinolates in Brassicaceae vegetables harvested during autumn and winter in Japan. **2014**, 25, 121-130 4

| | | |
|-----|---|-----|
| 314 | Challenges and Opportunities of Light-Emitting Diode (LED) as Key to Modulate Antioxidant Compounds in Plants. A Review. 2020 , 10, | 17 |
| 313 | Hydrogen sulfide protects colon cancer cells from chemopreventative agent beta-phenylethyl isothiocyanate induced apoptosis. 2005 , 11, 3990-7 | 72 |
| 312 | Chemical Composition and Antimicrobial Activity of Essential Oil of <i>Moricandia arvensis</i> L. (DC.). 2011 , 10, 342-346 | 3 |
| 311 | Effect of Supplementation of <i>Moringa oleifera</i> Leaf Meal in Broiler Chicken Feed. 2014 , 13, 208-213 | 8 |
| 310 | Evaluation of Antibacterial Potential of Crude Extract of <i>Moringa oleifera</i> seed on Orthopaedics Wound Isolates and Characterization of Phenylmethanamine and Benzyl Isothiocyanate Derivatives. 2012 , 6, 383-394 | 7 |
| 309 | Metabolism of Glucotropaeolin from <i>Tropaeolum majus</i> L. (<i>Nasturtium</i>) and the Bioavailability of Benzyl-Isothiocyanates in Growing Pigs. 2014 , 04, 180-190 | 1 |
| 308 | Development of a Performant Method for Glucocapparin Determination in <i>Boscia senegalensis</i> Lam Ex. Poir.: A Study of the Variability. 2013 , 04, 104-110 | 4 |
| 307 | Variability in Glucosinolate Content among <i>Camelina</i> Species. 2014 , 05, 294-298 | 14 |
| 306 | Nutritional Quality and Health Benefits of Vegetables: A Review. 2012 , 03, 1354-1374 | 49 |
| 305 | Nutritional Quality and Effect on Disease Prevention of Vegetables. 2019 , 10, 369-402 | 9 |
| 304 | Effect of methyl jasmonate on the glucosinolate contents and whole genome expression in <i>Brassica oleracea</i> . 2019 , 46, 189-204 | 2 |
| 303 | Metabolic engineering of aliphatic glucosinolates in Chinese cabbage plants expressing <i>Arabidopsis</i> MAM1, CYP79F1, and CYP83A1. 2008 , 41, 472-8 | 38 |
| 302 | Changes in Nutrient Levels of Aqueous Extracts from Radish (<i>Raphanus sativus</i> L.) Root during Liquefaction by Heat and Non-heat Processing. 2012 , 30, 409-416 | 5 |
| 301 | Variation of Glucosinolate Contents among Domestic Broccoli (<i>Brassica oleracea</i> L. var. <i>italica</i>) Accessions. 2012 , 30, 743-750 | 8 |
| 300 | Variation of Glucosinolate Composition during Seedling and Growth Stages of <i>Brassica rapa</i> L. ssp. <i>pekinensis</i> . 2014 , 32, 730-738 | 10 |
| 299 | Effect of Developmental Stages on Glucosinolate Contents in Kale (<i>Brassica oleracea</i> var. <i>acephala</i>). 2015 , 33, 177-185 | 6 |
| 298 | Cruciferous vegetables: dietary phytochemicals for cancer prevention. 2013 , 14, 1565-70 | 90 |
| 297 | Health benefits of <i>Moringa oleifera</i> . 2014 , 15, 8571-6 | 152 |

| | | |
|-----|--|----|
| 296 | Independent evolution of ancestral and novel defenses in a genus of toxic plants (, Brassicaceae). 2020, 9, | 21 |
| 295 | A gustatory receptor tuned to the steroid plant hormone brassinolide in (Lepidoptera: Plutellidae). 2020, 9, | 5 |
| 294 | Variations of glucosinolates in kale leaves (<i>Brassica oleracea</i> var. <i>acephala</i>) treated with drought-stress in autumn and spring seasons. 2015, 42, 167-175 | 3 |
| 293 | Impact of Cooking Method on Bioactive Compound Content and Antioxidant Capacity of Cabbage. 2015, 47, 184-190 | 11 |
| 292 | Anticancer Activity and Quantitative Analysis of Glucosinolates from Green and Red Leaf Mustard. 2011, 24, 362-366 | 9 |
| 291 | Determination of Bioactive Compounds and Anti-cancer Effect from Extracts of Korean Cabbage and Cabbage. 2012, 25, 259-265 | 17 |
| 290 | Microevolution of <i>Pieris</i> butterfly genes involved in host-plant adaptation along a host-plant community cline. | |
| 289 | An Overview of Registered Clinical Trials on Glucosinolates and Human Health: The Current Situation. 2021, 8, 730906 | 7 |
| 288 | Identification of distinctive physiological and molecular responses to salt stress among tolerant and sensitive cultivars of broccoli (<i>Brassica oleracea</i> var. <i>Italica</i>). 2021, 21, 488 | 3 |
| 287 | Genetic Resources of Brassicas. 2022, 285-337 | 1 |
| 286 | Cardioprotective effect of allyl isothiocyanate in a rat model of doxorubicin acute toxicity. 2021, 1-10 | 0 |
| 285 | Bitter taste receptors: Genes, evolution and health.. 2021, 9, 431-447 | 4 |
| 284 | Transcriptome and Proteome Conjoint Analysis Revealed That Exogenous Sulfur Regulates Glucosinolate Synthesis in Cabbage. 2021, 10, | 0 |
| 283 | Food-borne glucosinolates and cancer. 2003, 45-64 | |
| 282 | ???????????????????? ????2004, 26, 253-258 | 1 |
| 281 | Biochemical Genetics of Glucosinolate Biosynthesis in Brassica. 2004, 317-338 | |
| 280 | Why Fruits and Vegetables Are Good for Health. 2005, 333-396 | |
| 279 | Brassicacene Interactions and Cancer Risk. 2006, 237-268 | |

- 278 Mechanisms for Cancer-Protective Effects of Bioactive Dietary Components in Fruits and Vegetables. **2007**, 1187-1218 2
- 277 Cervical Cancer. **2009**,
- 276 Cruciferous Vegetables and Biological Activity of Isothiocyanates and Indoles. **2011**, 1-30
- 275 Cruciferous Vegetable-Derived Isothiocyanates and Cancer Prevention. 147-170
- 274 Repeated Exposure to Cruciferous Allyl Nitrile Protects against Chemically Induced Skin Inflammation in the Mouse. **2012**, 03, 1037-1042
- 273 Menopause. **2013**, 1586-1608
- 272 Metabolic Engineering of Selected Secondary Metabolites. **2014**, 509-536
- 271 *Eruca sativa*, a Tasty Salad Herb with Health-Promoting Properties. **2014**, 269-279
- 270 Macronutrient Use Efficiency of Sulfur in *Arabidopsis thaliana*. **2014**, 51-91 1
- 269 Biochemistry of Host-Pathogen Interaction. **2014**, 193-202
- 268 A Word on Redox. **2014**, 97-116
- 267 Resistance. **2016**, 175-210
- 266 Antibacterial activity of isothiocyanates from cruciferous vegetables against pathogenic bacteria in olive flounder. **2015**, 22, 886-892 0
- 265 Impact of the Glucosinolate Sinigrin on Bacterial Communities in *Pieris rapae*. **2016**, 06, 566-573
- 264 Effect of Feeding Dry *Moringa oleifera* Leaves on the Performance of Suckling Buffalo Calves. **2016**, 11, 32-39 0
- 263 Protected Cultivation. **2016**, 210-219
- 262 Glucosinolate biosynthesis and functional roles. **2016**, 157-183
- 261 Metabolic engineering and synthetic biology of plant secondary metabolism. **2016**, 315-360

- 260 The Effect of Sulfur Nutrition on Glucosinolate Patterns and Their Breakdown Products in Vegetable Crops. **2017**, 61-73
- 259 Bioactive Food Components in the Prevention of Cardiovascular Diseases. **2018**, 1-21 1
- 258 Antioxidant and anticancer activities of Brassica rapa: a review. **2018**, 3, 1
- 257 Report on Preference for Wasabi and Pungency among Young Japanese People. **2018**, 17, 219-229 0
- 256 Effects of Electro-conductivity on Growth of Beet and Turnip in the Reclaimed Land Soil. **2018**, 37, 197-206 1
- 255 The in vitro toxicity of nitrile and epithionitrile derivatives of glucosinolates from rutabaga in human and bovine liver cells. 1
- 254 Notes ethnobotanique et phytopharmacologique sur Cakile maritima Scop. **2018**, 16, S197-S202 1
- 253 Development of Brassica Oilseed Crops with Low Antinutritional Glucosinolates and Rich in Anticancer Glucosinolates. **2019**, 271-287
- 252 Allelopathic Effects of Mustard (*Sinapis arvensis*) on Germination, Morphological and Biochemical Characteristics of Barley (*Hordeum vulgare*). **2019**, 5, 59-71
- 251 Determination of glucosinolate contents in Brassica germplasm collections and inter- & intra-leaves distribution pattern using UPLC-MS/MS Multiple Reaction Monitoring scan mode. 2
- 250 Molecular signatures of selection associated with host-plant differences in *Pieris* butterflies.
- 249 Hierarchical and dynamic regulation of defense-responsive specialized metabolism by WRKY and MYB transcription factors.
- 248 Exploring the basis of 2-propenyl and 3-butenyl glucosinolate synthesis by QTL mapping and RNA-sequencing in *Brassica juncea*.
- 247 Antimicrobial Action of *Raphanus raphanistrum* subsp. *sativus* (radish) Extracts against Foodborne Bacteria Present in Various Milk Products: A Preliminary Study. **2019**, 37, 187-195 1
- 246 Rapid and independent evolution of ancestral and novel defenses in a genus of toxic plants (*Erysimum*, Brassicaceae). 1
- 245 An integrative approach to investigate natural variation in the accumulation of aliphatic glucosinolates in *Arabidopsis thaliana*.
- 244 Saponin-Detoxifying Enzymes. **2020**, 47-58 1
- 243 Less Is More: A Mutation in the Chemical Defense Pathway of *Erysimum cheiranthoides* (Brassicaceae) Reduces Total Cardenolide Abundance but Increases Resistance to Insect Herbivores.

| | | |
|-----|---|----|
| 242 | Bazı Endemik ve Doğal Isatis Türlerine Ait Kök ve Gövde Ekstraktlarının Biyoaktivitesi ile Tohum Yağlarının Analizi. | 0 |
| 241 | Identification of growth inhibitor of <i>Sclerotinia sclerotiorum</i> in Indian mustard leaf. 2020 , 9, 28-36 | |
| 240 | Conventional and Innovative Processing in the Stability of Glucosinolates. 2022 , 411-460 | |
| 239 | Effect of <i>Moringa oleifera</i> seeds powder on performance and immunity of broiler chicks. 2020 , 5, 896-910 | 3 |
| 238 | Nematicidal effect of cruciferous bio-fumigants against the root-knot nematode, infesting okra. 2020 , 52, 1-7 | 1 |
| 237 | <i>Moringa oleifera</i> Lam. (Moringaceae). 2020 , 1221-1237 | |
| 236 | Menopause. 2020 , 1549-1569.e5 | |
| 235 | Coevolution: Plant-Herbivore Interactions and Secondary Metabolites of Plants. 2020 , 47-76 | 0 |
| 234 | Protective Effect of <i>Lepidium sativum</i> against 2, 4-Dichlorophenoxyacetic Acid Hepatotoxicity: An Electron Microscopic Study. 2020 , 10, 825-833 | |
| 233 | The dual allelopathic capacity of two Brassicaceae plants seed powder in controlling <i>Orobanche crenata</i> infesting <i>Pisum sativum</i> as well as stimulating its growth and yield. 2020 , 44, | 1 |
| 232 | Tissue-specific distribution of primary and secondary metabolites of <i>Baemoochae</i> (<i>Brassicoraphanus</i>) and its changes as a function of developmental stages. 2021 , 150, 110796 | 1 |
| 231 | Sustainable Methods For Management Of Cyst Nematodes. 2008 , 221-237 | 4 |
| 230 | Benzyl Isothiocyanate Produced by Garden Cress (<i>Lepidium sativum</i>) Prevents Accumulation of Hepatic Lipids. 2020 , 66, 481-487 | 0 |
| 229 | <i>Brassica oleracea</i> complex species in Sicily: diversity, uses and conservation strategies. 2020 , 61-68 | 0 |
| 228 | Iberin induces cell cycle arrest and apoptosis in human neuroblastoma cells. 2007 , 19, 353-61 | 22 |
| 227 | Short and long-term physiological responses of male and female rats to two dietary levels of pre-gelatinized maca (<i>Lepidium peruvianum chacon</i>). 2006 , 2, 13-28 | 7 |
| 226 | Therapeutic Effects of Pre-Gelatinized Maca (<i>Lepidium Peruvianum Chacon</i>) used as a Non-Hormonal Alternative to HRT in Perimenopausal Women - Clinical Pilot Study. 2006 , 2, 143-59 | 12 |
| 225 | Hormone-Balancing Effect of Pre-Gelatinized Organic Maca (<i>Lepidium peruvianum Chacon</i>): (I) Biochemical and Pharmacodynamic Study on Maca using Clinical Laboratory Model on Ovariectomized Rats. 2006 , 2, 260-72 | 4 |

| | | |
|-----|---|----|
| 224 | Ocular lesions in the inmates of leprosy rehabilitation centre. 2006 , 2, 289-94 | 2 |
| 223 | Hormone-Balancing Effect of Pre-Gelatinized Organic Maca (<i>Lepidium peruvianum</i> Chacon): (III) Clinical responses of early-postmenopausal women to Maca in double blind, randomized, Placebo-controlled, crossover configuration, outpatient study. 2006 , 2, 375-94 | 6 |
| 222 | In vitro studies of phenethyl isothiocyanate against the growth of LN229 human glioma cells. 2015 , 8, 4269-76 | 10 |
| 221 | Synergistic effect of allyl isothiocyanate (AITC) on cisplatin efficacy in vitro and in vivo. 2015 , 5, 2516-30 | 7 |
| 220 | Control of spp. Using Seed Meal and Seed Meal Extract. 2017 , 49, 437-445 | 2 |
| 219 | Determination of the Effect of Different Ground Mustard Seeds on Quality Characteristics of Meatballs. 2018 , 38, 530-543 | 3 |
| 218 | Triggers Apoptosis, Combats Oxidative Stress and Inhibits Growth of Ehrlich Ascites Carcinoma Mouse Model. 2018 , 17, 1328-1338 | 2 |
| 217 | Antimicrobial Potential of Naturally Occurring Bioactive Secondary Metabolites. 2021 , 13, 155-162 | 0 |
| 216 | The Impact of Domestic Cooking Methods on Myrosinase Stability, Glucosinolates and Their Hydrolysis Products in Different Cabbage () Accessions.. 2021 , 10, | 1 |
| 215 | Genotypic variation of glucosinolates and their breakdown products in mustard (<i>Brassica juncea</i>) seeds. 2021 , 294, 110765 | 2 |
| 214 | Postharvest Treatment of Chinese Kale (<i>Brassica oleracea</i> var. <i>alboglabra</i>) by Pulse Light to Removal of Microbial Load, Pesticide Residue and Integrity of Physicochemical Quality and Phytochemical Constituent. | |
| 213 | Three in One: The Potential of By-Products against Economic Waste, Environmental Hazard, and Metabolic Disruption in Obesity.. 2021 , 13, | 1 |
| 212 | Targeting Bone Metastases Signaling Pathway Using Seed Nutri-miRs: A Cross Kingdom Approach. 2021 , 1-18 | 2 |
| 211 | Influence of Cabbage () Accession and Growing Conditions on Myrosinase Activity, Glucosinolates and Their Hydrolysis Products.. 2021 , 10, | 1 |
| 210 | Protective effects of broccoli extracts and sulforaphane against hydrogen peroxide induced oxidative stress in B16 cells. 2021 , 87, 104833 | 1 |
| 209 | Quantification of glucosinolates in nozawana (<i>Brassica rapa</i> L.) and evaluation via single- and multi-laboratory validation studies. 2021 , 27, 897-906 | |
| 208 | of Host Resistance to Hemibiotrophs and. 2021 , 233-348 | |
| 207 | Biometabolomics of Disease Resistance to. 2021 , 349-494 | |

- 206 Identifying Key Metabolites Associated with Glucosinolate Biosynthesis in Response to Nitrogen Management Strategies in Two Rapeseed () Varieties.. **2022**, 0
- 205 An efficient *Agrobacterium tumefaciens*-mediated transformation of apical meristem in radish (*Raphanus sativus* L.) using a needle perforation. **2022**, 148, 305 0
- 204 Porcine in vitro fermentation characteristics of canola co-products in neutral and acidic fermentation medium pH. **2022**, 284, 115188 0
- 203 The combined effect of nitrogen and biochar amendments on the yield and glucosinolate contents of the Chinese cabbage. **2022**, 34, 101799 1
- 202 Impact of heat stress of varying severity on papaya (*Carica papaya*) leaves: Major changes in stress volatile signatures, but surprisingly small enhancements of total emissions. **2022**, 195, 104777 0
- 201 Comparative responses of glucosinolates in *Baemoochae* and its parent plants, radish and Chinese cabbage, during development. **2022**, 295, 110870
- 200 Effects of an introduced mustard, *Thlaspi arvense*, on soil fungal communities in subalpine meadows. **2022**, 56, 101135 0
- 199 OPTIMIZATION OF ULTRASONIC ASSISTED EXTRACTION OF ANTIOXIDANTS FROM MORINGA OLEIFERA LAM. LEAVES USING RESPONSE SURFACE METHODOLOGY. **2019**, 56, 32-38
- 198 Induction of Irritation and Inflammation in a 3D Innervated Tissue Model of the Human Cornea. **2020**, 6, 6886-6895 0
- 197 Isolation and Purification of Mustard Glucosinolates by Macroporous Anion-Exchange Resin: Process Optimization and Kinetics Modelling. **2022**, 10, 191
- 196 Chinese Cabbage Changes Its Release of Volatiles to Defend against .. **2022**, 13, 0
- 195 Glucosinolates. **2022**, 233-243
- 194 Glucosinolates and its Role in Mitigating Abiotic and Biotic Stress in Brassicaceae. 0
- 193 Discovery of Biomarkers and Potential Mechanisms of Agarwood Incense Smoke Intervention by Untargeted Metabolomics and Network Pharmacology.. **2022**, 16, 265-278 1
- 192 Novel molecules as the emerging trends in cancer treatment: an update.. **2022**, 39, 20 0
- 191 Application Potential of Plant-Derived Medicines in Prevention and Treatment of Platinum-Induced Peripheral Neurotoxicity.. **2021**, 12, 792331
- 190 *Arabidopsis* Glutathione-S-Transferases and Function in Aliphatic Glucosinolate Biosynthesis.. **2021**, 12, 816233 2
- 189 Production strategies management to minimize root rot disease in field pea grown on infected southwestern Saskatchewan soils. 1-21

| | | |
|-----|---|---|
| 188 | Therapeutic Effect of Moringa Oleifera: A Review. 2021 , 5, | 1 |
| 187 | Biological activities of Moringa seeds oil. 2022 , 55-75 | |
| 186 | Development of glucoraphanin-rich broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) by CRISPR/Cas9-mediated DNA-free BolMYB28 editing. 2022 , 16, 123-132 | 0 |
| 185 | Beneficial Health Effects of Glucosinolates-Derived Isothiocyanates on Cardiovascular and Neurodegenerative Diseases.. 2022 , 27, | 6 |
| 184 | The Effect of Glucosinolates on the Growth and Development of <i>Helicoverpa armigera</i> Larvae and the Expression of Midgut Sulfatase Genes. 2022 , 12, 306 | |
| 183 | Antioxidant Activity of Edible Isothiocyanates. 2022 , 277-303 | 1 |
| 182 | How do trained panelists characterize baby leafy greens? A comparison of descriptive analysis and Napping.. 2021 , | |
| 181 | Evolution of olfactory receptors tuned to mustard oils in herbivorous <i>Drosophilidae</i> .. 2021 , | 3 |
| 180 | Biotechnological approach for improvement of species as valuable oilseed plants for industrial purposes.. 2022 , 12, 7168-7178 | |
| 179 | Role of Plant Secondary Metabolites as Anticancer and Chemopreventive Agents. 2022 , 97-119 | |
| 178 | Plant Secondary Metabolites: Functions in Plants and Pharmacological Importance. 2022 , 437-457 | |
| 177 | Genetic Modification of <i>Brassica juncea</i> : Current Scenario and Future Prospects. 2022 , 171-196 | |
| 176 | Metabolite Characteristics Analysis of Siliques and Effects of Lights on the Accumulation of Glucosinolates in Siliques of Rapeseed.. 2022 , 13, 817419 | |
| 175 | Melatonin in : Role in Postharvest and Interesting Phytochemicals.. 2022 , 27, | 2 |
| 174 | Insights into glucosinolate accumulation and metabolic pathways in <i>Isatis indigotica</i> Fort.. 2022 , 22, 78 | 2 |
| 173 | Therapeutic Effect of Moringa Oleifera: A Review. 2022 , 5, | 0 |
| 172 | Identification of Potential Genes Encoding Protein Transporters in Glucosinolate (GSL) Metabolism.. 2022 , 12, | 0 |
| 171 | The Investigation of Phenylalanine, Glucosinolate, Benzylisothiocyanate (BITC) and Cyanogenic Glucoside of Papaya Fruits (<i>Carica papaya</i> L. cv. <i>Manung No. 2</i>) under Different Development Stages between Seasons and Their Correlation with Bitter Taste. 2022 , 8, 198 | 1 |

| | | |
|-----|--|---|
| 170 | Effect of Sulfur-Enriched Vermicompost on the Growth of <i>Brassica chinensis</i> L. and the Spodoptera litura Fabricius Larvae Feeding. 2022 , 12, 494 | 0 |
| 169 | Multi-Functional Development and Utilization of Rapeseed: Comprehensive Analysis of the Nutritional Value of Rapeseed Sprouts.. 2022 , 11, | 1 |
| 168 | Assessment of Methodological Pipelines for the Determination of Isothiocyanates Derived from Natural Sources.. 2022 , 11, | 0 |
| 167 | Sulforaphane and Its Bifunctional Analogs: Synthesis and Biological Activity.. 2022 , 27, | 0 |
| 166 | Genetic and Physiological Responses to Heat Stress in .. 2022 , 13, 832147 | 1 |
| 165 | Sulfur compounds: From plants to humans and their role in chronic disease prevention.. 2022 , 1-23 | 0 |
| 164 | Microevolution of Pieris butterfly genes involved in host-plant adaptation along a host-plant community cline.. 2022 , | 1 |
| 163 | The recent advances of glucosinolates and their metabolites: Metabolism, physiological functions and potential application strategies.. 2022 , 1-18 | 1 |
| 162 | Dissecting Protein-Protein Interaction Networks of <i>Arabidopsis thaliana</i> and <i>Arabidopsis halleri</i> to Get Insights into Heavy Metal Tolerance Strategies. 2021 , 11, | |
| 161 | Effect of a sulforaphane supplement on muscle soreness and damage induced by eccentric exercise in young adults: A pilot study.. 2021 , 9, e15130 | 2 |
| 160 | Glucosinolates with their Hydrolysis Products from Two Cruciferous Plants with Study of Antidiabetic Activity Based on Molecular Docking. 2021 , 14, 2047-2062 | |
| 159 | Transcriptomic and metabolic analyses revealed the modulatory effect of vernalization on glucosinolate metabolism in radish (<i>Raphanus sativus</i> L.).. 2021 , 11, 24023 | 0 |
| 158 | Advances in Multi-Omics Approaches for Molecular Breeding of Black Rot Resistance in L.. 2021 , 12, 742553 | 0 |
| 157 | Analysis of the Sensory Characteristics of Broccoli from Jeju Island & Its Protein Fractions. 2021 , 50, 1333-1343 | 0 |
| 156 | Natural Food Toxins as Anti-Nutritional Factors in Plants and Their Reduction Strategies. 2021 , 217-248 | 1 |
| 155 | Identification and Quantification of Glucosinolates and Phenolics in a Large Panel of Highlight Valuable Genetic Resources for Chemical Ecology and Breeding.. 2022 , | 0 |
| 154 | Antioxidant-Rich Vegetables: Impact on Human Health. | 0 |
| 153 | In vitro Anti-Leishmanial Activity of Glucosinolate Fraction from <i>Alyssum linifolium</i> Steph. ex. Willd (Brassicaceae). 2022 , 0-0 | |

152 Optimization of Heterologous Glucoraphanin Production .. **2022,**

o

151 Image_1.tif. **2018,**

150 Image_2.tif. **2018,**

149 Image_3.tif. **2018,**

148 Image_4.tif. **2018,**

147 Table_1.docx. **2018,**

146 Table_2.docx. **2018,**

145 Table_3.docx. **2018,**

144 Table_4.docx. **2018,**

143 Table_5.docx. **2018,**

142 DataSheet_1.pdf. **2020,**

141 Image_1.jpg. **2020,**

140 Image_2.jpeg. **2020,**

139 Image_3.jpg. **2020,**

138 Image_4.jpg. **2020,**

137 Image_5.jpeg. **2020,**

136 Image_6.jpg. **2020,**

135 Image_7.jpg. **2020,**

134 Image_8.jpg. **2020**,

133 Image_9.jpg. **2020**,

132 Table_1.xlsx. **2020**,

131 Table_2.xlsx. **2020**,

130 Table_3.xlsx. **2020**,

129 Data_Sheet_1.PDF. **2019**,

128 DataSheet_1.docx. **2020**,

127 Data_Sheet_1.PDF. **2018**,

126 DataSheet_1.pdf. **2019**,

125 Table_1.pdf. **2019**,

124 Image_1.jpg. **2018**,

123 Table_1.docx. **2018**,

122 Table_2.docx. **2018**,

121 Natural products as bioactive agents in the prevention of dementia.. **2022**,

120 Antimicrobial potential of naturally occurring bioactive secondary metabolites. **2021**, 13, 155

1

119 Caterpillars, Plant Chemistry, and Parasitoids in Natural vs. Agroecosystems. **2022**, 395-423

118 Glucosinolate-Myrosinase System and Its Role in Specialist and Generalist Insect Herbivores. **2022**, 117-143

117 Mutualistic Plant Associations Related to Insect Resistance. **2022**, 1-42

| | | |
|-----|--|---|
| 116 | Phenolic and Volatile Composition and Antioxidant Properties of the Leaf Extract of subsp. () Growing Wild in Sicily (Italy).. 2022 , 27, | 1 |
| 115 | Use of and By-Products in Diets for Dairy Cows: A Review.. 2022 , 12, | 4 |
| 114 | Sulfated phenolic acids in plants.. 2022 , 255, 124 | 0 |
| 113 | Volatile Flavor Compounds of (L.) Gaertn. Before and After Different Dehydration Treatments.. 2022 , 9, 884086 | 0 |
| 112 | Effects of Plant Hormones, Metal Ions, Salinity, Sugar, and Chemicals Pollution on Glucosinolate Biosynthesis in Cruciferous Plant.. 2022 , 13, 856442 | |
| 111 | Hepatoprotective potential of the n-butanol extract of <i>Moricandia arvensis</i> from Algeria against doxorubicin induced toxicity in Wistar albino rats. | |
| 110 | Phytochemical Characterization of Twenty-Seven Peruvian Mashua (<i>Tropaeolum tuberosum</i> Ruiz & Pav.) Morphotypes and the Effect of Postharvest Methyl Jasmonate Application on the Accumulation of Antioxidants. 2022 , 8, 471 | |
| 109 | The Impact of Cereal Grain Composition on the Health and Disease Outcomes. 2022 , 9, | 5 |
| 108 | Activity of <i>Lepidium meyenii</i> Walp (purple maca) in immunosuppressed <i>Oryctolagus cuniculus</i> (albino rabbits). 2022 , 69, 501-507 | |
| 107 | Organosulfur compounds (allyl sulfide, indoles). 2022 , 417-426 | |
| 106 | Variation in Glucosinolate Accumulation among Different Sprout and Seedling Stages of Broccoli (<i>Brassica oleracea</i> var. <i>italica</i>). 2022 , 11, 1563 | 1 |
| 105 | Potato Cyst Nematode Management Strategies: Current Situation and Promising Approaches. 2022 , 2, 415-425 | |
| 104 | Optimization and validation of analytical RP-HPLC methods for the quantification of glucosinolates and isothiocyanates in <i>Nasturtium officinale</i> R. Br and <i>Brassica oleracea</i> . 2022 , 113668 | 1 |
| 103 | Pharmacological, nutritional and antimicrobial uses of <i>Moringa oleifera</i> Lam. leaves in poultry nutrition: an updated knowledge. 2022 , 102031 | 0 |
| 102 | The Role of Organosulfur Compounds as Nrf2 Activators and Their Antioxidant Effects. 2022 , 11, 1255 | 3 |
| 101 | Further insight into decreases in seed glucosinolate content based on QTL mapping and RNA-seq in <i>Brassica napus</i> L. | 1 |
| 100 | <i>Brassica carinata</i> Seed Meal as Soil Amendment and Potential Biofumigant. 2022 , 2, 233-246 | 0 |
| 99 | The secret life of insect-associated microbes and how they shape insect-plant interactions. | 2 |

- 98 Development of a quantification method for routine analysis of glucosinolates and camalexin in brassicaceous small-sized samples by simultaneous extraction prior to liquid chromatography determination. **2022**, 1205, 123348
- 97 Variation in DNA methylation and response to short-term herbivory in *Thlaspi arvense*. **2022**, 293, 152106 0
- 96 The hypolipidemic, anti-inflammatory and antioxidant effect of Kavolı aqueous extract, a mixture of *Brassica oleracea* leaves, in a rat model of NAFLD. **2022**, 167, 113261
- 95 Supplementation of cooked broccoli with exogenous moringa myrosinase enhanced isothiocyanate formation. **2022**, 395, 133651 0
- 94 Proteasome-mediated degradation of cell division cycle 25C and cyclin-dependent kinase 1 in phenethyl isothiocyanate-induced G2-M-phase cell cycle arrest in PC-3 human prostate cancer cells. **2004**, 3, 567-576 27
- 93 The dietary isothiocyanate sulforaphane targets pathways of apoptosis, cell cycle arrest, and oxidative stress in human pancreatic cancer cells and inhibits tumor growth in severe combined immunodeficient mice. **2004**, 3, 1239-1248 32
- 92 Effects of Cruciferous Vegetable Consumption on Urinary Metabolites of the Tobacco-Specific Lung Carcinogen 4-(Methylnitrosamino)-1-(3-Pyridyl)-1-Butanone in Singapore Chinese. **2004**, 13, 997-1004 13
- 91 Optimization of ultrasound-assisted extraction of naturally occurring glucosinolates from by-products of *Camelina sativa* L. and their effect on human colorectal cancer cell line. 9, 1
- 90 The Burden of Cancer, Government Strategic Policies, and Challenges in Pakistan: A Comprehensive Review. 9, 2
- 89 Plant genetic effects on microbial hubs impact host fitness in repeated field trials. **2022**, 119, 0
- 88 Are isothiocyanates and polyphenols from Brassicaceae vegetables emerging as preventive/therapeutic strategies for NAFLD? The landscape of recent preclinical findings. **2022**, 13, 8348-8362 1
- 87 Gut Effect on Phytochemicals. **2022**, 101-123
- 86 Essential Oils and Melatonin as Functional Ingredients in Dogs. **2022**, 12, 2089 2
- 85 Reduced glucosinolate content in oilseed rape (*Brassica napus* L.) by random mutagenesis of BnMYB28 and BnCYP79F1 genes.
- 84 Non-targeted Metabolite Profiling to Evaluate the Drying Process Effect in the Peruvian Maca Actives Through Principal Component Analysis.
- 83 Indigo dyeing from *Isatis tinctoria* L.: From medieval to modern use. **2022**, 110675
- 82 Nucleo-cytoplasmic interactions affecting biological performance of *Lipaphis erysimi* in *Brassica juncea*. 13,
- 81 Effects of nanocarbon solution treatment on the nutrients and glucosinolate metabolism in broccoli. **2022**, 15, 100429 0

| | | |
|----|--|---|
| 80 | Building comprehensive glucosinolate profiles for brassica varieties. 2023 , 251, 123814 | |
| 79 | Acylsugar protection of <i>Nicotiana benthamiana</i> confers mortality and transgenerational fitness costs in <i>Spodoptera litura</i> . 13, | 0 |
| 78 | Jasmonate mediated inducible accumulation of indole glucosinolates confers resistance against <i>Alternaria</i> blight disease in cruciferous wild species <i>Diplotaxis eruroides</i> . 2022 , 122, 101904 | 0 |
| 77 | Non-chemical Management of the Citrus Nematode, <i>Tylenchulus semipenetrans</i> (Nematoda: Tylenchulidae). 2022 , 217-245 | 0 |
| 76 | Vegetable and Herb Disease Management in Protected Culture. 2022 , 1-50 | 0 |
| 75 | An Experimental and Theoretical Study on Essential Oil of <i>Aethionema sancakense</i> : Characterization, Molecular Properties and RDG Analysis. 2022 , 27, 6129 | 5 |
| 74 | Phytochemistry, Biological Activities, Therapeutic Potential, and Socio-Economic Value of the Caper Bush (<i>Capparis Spinosa</i> L.). | 1 |
| 73 | Genome-wide association studies of seed metabolites identify loci controlling specialized metabolites in <i>Arabidopsis thaliana</i> . | 0 |
| 72 | Glucosinolates and Omega-3 Fatty Acids from Mustard Seeds: Phytochemistry and Pharmacology. 2022 , 11, 2290 | 1 |
| 71 | The isothiocyanate sulforaphane induces respiratory burst oxidase homologue D-dependent reactive oxygen species production and regulates expression of stress response genes. 2022 , 6, | 0 |
| 70 | Variation Characteristics of Glucosinolate Contents in Leaf Mustard (<i>Brassica juncea</i>). 2022 , 12, 2287 | 0 |
| 69 | Germination, Growth, and Secondary Metabolite Contents of Radish Sprouts (<i>Raphanus sativus</i> L.) as Affected by Plasma Activated Water Process Time. | 0 |
| 68 | Economic and Eco-friendly Alternatives for the Efficient and Safe Management of Wheat Diseases. 2022 , 183-202 | 0 |
| 67 | Quantitative trait loci analysis of glucosinolate, sugar, and organic acid concentrations in <i>Eruca vesicaria</i> subsp. <i>sativa</i> . 2022 , 2, | 0 |
| 66 | An inducible gene from glycoside hydrolase one family of <i>Plutella xylostella</i> decreases larval survival when feeding on host plant. 13, | 0 |
| 65 | Cover Crops as Reservoirs for Young Vine Decline Pathogens. 2022 , 12, 2422 | 0 |
| 64 | Understanding the Complex Functional Interplay between Glucosinolates and Cyanogenic Glycosides in <i>Carica papaya</i> . 2022 , 12, 2508 | 0 |
| 63 | Defense versus growth trade-offs: Insights from glucosinolates and their catabolites. | 0 |

| | | |
|----|--|---|
| 62 | A comprehensive review of effects of electrolyzed water and plasma-activated water on growth, chemical compositions, microbiological safety and postharvest quality of sprouts. 2022 , 129, 449-462 | 1 |
| 61 | Effects of Pre-Harvest Supplemental UV-A Light on Growth and Quality of Chinese Kale. 2022 , 27, 7763 | 0 |
| 60 | Concurrent anthropogenic air pollutants enhance recruitment of a specialist parasitoid. 2022 , 289, | 1 |
| 59 | Soil Degradation Due to Conversion from Natural to Plantation Forests in Indonesia. 2022 , 13, 1913 | 0 |
| 58 | Perspective Chapter: Capitalizing on the Host Suitability of Brassica Biofumigant Crops to Root-Knot Nematodes (<i>Meloidogyne</i> spp.) in Agroecosystems - A Review on the Factors Affecting Biofumigation. | 0 |
| 57 | A steamed broccoli sprout diet preparation that reduces colitis via the gut microbiota. 2022 , 109215 | 0 |
| 56 | Anticarcinogenic Effects of Isothiocyanates on Hepatocellular Carcinoma. 2022 , 23, 13834 | 1 |
| 55 | Chemoinformatics-driven classification of Angiosperms using sulfur-containing compounds and machine learning algorithm. 2022 , 18, | 0 |
| 54 | The Impacts of the Emerging Climate Change on Broccoli (<i>Brassica oleracea</i> L. var. <i>italica</i> Plenck.) Crop. 2022 , 8, 1032 | 0 |
| 53 | Evaluation of the Effects of Process Conditions on the Extraction of Glucosinolates from Broccoli Sprouts. 2022 , 8, 1090 | 0 |
| 52 | The action of phytochemicals in biofilm control. | 0 |
| 51 | Broccoli products supplemented beers provide a sustainable source of dietary sulforaphane. 2023 , 51, 102259 | 1 |
| 50 | Food toxins. 2022 , | 0 |
| 49 | Pollen beetle offspring is more parasitized under moderate nitrogen fertilization of oilseed rape due to more attractive volatile signal. 2022 , 12, | 0 |
| 48 | Targeting Class I Histone Deacetylases in Human Uterine Leiomyosarcoma. 2022 , 11, 3801 | 1 |
| 47 | A Below Ground Chemical Fight for Phosphate and Habitat - Interactions of <i>Camelina sativa</i> (L.) Crantz with Microorganisms. | 0 |
| 46 | Assessment of the Nutritional and Antioxidant Properties of Five Brassicaceae (Cruciferae) Vegetable By-Products. 2022 , 51, 1166-1170 | 0 |
| 45 | Evaluation of the Biological Activity of Glucosinolates and Their Enzymolysis Products Obtained from <i>Lepidium meyenii</i> Walp. (Maca). 2022 , 23, 14756 | 1 |

- 44 Soil microbiota promotes early developmental stages of *Phelipanche ramosa* L. Pomel during plant parasitism on *Brassica napus* L.. ○
- 43 Comparative analysis of active components and antioxidant activities of Brussels sprouts (*Brassica oleracea* var. *gemmifera*) and cabbage (*Brassica oleracea* var. *capitata*). **2022**, 65, 413-419 ○
- 42 You are what you eat: fungal metabolites and host plant affect the susceptibility of diamondback moth to entomopathogenic fungi. 10, e14491 ○
- 41 Carbonyl sulfide (COS) emissions in two agroecosystems in central France. **2022**, 17, e0278584 ○
- 40 ApCYP4C6 participates in the metabolism of glucosinolates in pea aphids *Acyrtosiphon pisum*. **2022**, 102030 ○
- 39 Glucosinolates of *Sisymbrium officinale* and *S. orientale*. **2022**, 27, 8431 2
- 38 Glucosinolate degradation products of *Aurinia leucadea* (Guss.) K.Koch and *Lepidium draba* L. from Croatia. 1-5 ○
- 37 Interplay between Cruciferous Vegetables and the Gut Microbiome: A Multi-Omic Approach. **2023**, 15, 42 ○
- 36 Eco-Efficient Quantification of Glucosinolates in Camelina Seed, Oil, and Defatted Meal: Optimization, Development, and Validation of a UPLC-DAD Method. **2022**, 11, 2441 ○
- 35 Changes in phenylalanine and glucosinolate concentrations in the leaves of kimchi cabbage colonized by *Heteroconium chaetospora*. ○
- 34 Identification of Distinctive Primary Metabolites Influencing Broccoli (*Brassica oleracea*, var. *Italica*) Taste. **2023**, 12, 339 ○
- 33 Nanoformulations applied to the delivery of sulforaphane. **2023**, 327-341 ○
- 32 Effectiveness of Endophytic and Rhizospheric Bacteria from *Moringa* spp. in Controlling *Pythium aphanidermatum* Damping-Off of Cabbage. **2023**, 12, 668 ○
- 31 Anti-fungal activities of aqueous and alcoholic leaf extracts of *Moringa oleifera* Lam. on *Candida albicans* isolated from diabetic foot infections. **2023**, ○
- 30 Glucosinolates, a natural chemical arsenal: More to tell than the myrosinase story. 14, ○
- 29 Microbes-mediated sulphur cycling in soil: Impact on soil fertility, crop production and environmental sustainability. **2023**, 271, 127340 ○
- 28 Age-specific allocation of glucosinolates within plant reproductive tissues. **2023**, 331, 111690 ○
- 27 Genome-Wide Association Study of Glucosinolate Metabolites (mGWAS) in *Brassica napus* L.. **2023**, 12, 639 ○

| | | |
|----|--|---|
| 26 | At the core of salinity: convergent and divergent transcriptome response pathways to neutral and alkaline salinity in natural populations of <i>Arabidopsis thaliana</i> . | ○ |
| 25 | Reduced glucosinolate content in oilseed rape (<i>Brassica napus</i> L.) by random mutagenesis of BnMYB28 and BnCYP79F1 genes. 2023 , 13, | 1 |
| 24 | Benzyl isothiocyanate attenuates activation of the NLRP3 inflammasome in Kupffer cells and improves diet-induced steatohepatitis. 2023 , 462, 116424 | ○ |
| 23 | Glucosinolates in Wild-Growing <i>Reseda</i> spp. from Croatia. 2023 , 28, 1753 | ○ |
| 22 | Electrochemical Isothiocyanation of Primary Amines. 2023 , 25, 1147-1150 | ○ |
| 21 | Glucosinolate Biosynthetic Genes of Cabbage: Genome-Wide Identification, Evolution, and Expression Analysis. 2023 , 14, 476 | ○ |
| 20 | Anti-microbial activity and biofilm inhibition of <i>Streptococcus mutans</i> by <i>Coriandrum sativum</i> essential oil and isothiocyanates. | ○ |
| 19 | Bioaccessibility and Potential Biological Activities of Lutein, Glucosinolates, and Phenolic Compounds Accumulated in Kale Sprouts Treated with Selenium, Sulfur, and Methyl Jasmonate. 2023 , 3, 404-413 | ○ |
| 18 | History of Secondary Metabolites: From Ancient Myths to Modern Scientific Validation. 2023 , 3-18 | ○ |
| 17 | Non-Alkaloid Nitrogen Containing Compounds. 2023 , 331-362 | ○ |
| 16 | Identification and in vitro enzymatic activity analysis of the AOP2 gene family associated with glucosinolate biosynthesis in Tumorous stem mustard (<i>Brassica juncea</i> var. <i>tumida</i>). 14, | ○ |
| 15 | Developing multifunctional crops by engineering Brassicaceae glucosinolate pathways. 2023 , 100565 | ○ |
| 14 | The Dual Performance of <i>Moringa Oleifera</i> Seeds as Eco-Friendly Natural Coagulant and as an Antimicrobial for Wastewater Treatment: A Review. 2023 , 15, 4280 | ○ |
| 13 | LED Technology Applied to Plant Development for Promoting the Accumulation of Bioactive Compounds: A Review. 2023 , 12, 1075 | ○ |
| 12 | Decoding the evolution of aromatic volatile compounds and key odorants in Suancai (a Chinese traditional fermented vegetable) during fermentation using stir bar sorptive extraction, gas chromatography, olfactometry, mass spectrometry. 2023 , 178, 114611 | ○ |
| 11 | Bioactivity of brassica seed meals and its compounds as ecofriendly larvicides against mosquitoes. 2023 , 13, | ○ |
| 10 | Direction of <i>Alliaria petiolata</i> (garlic mustard) leachate's effect on early litter mass loss is dependent upon saprotrophic community composition. 2023 , 94, | ○ |
| 9 | Sulforaphane-Loaded Nanomedicines Applications: Trends on Inflammatory Diseases and Cancer Treatment. 2023 , 323-340 | ○ |

- 8 Systematic Review on the Metabolic Interest of Glucosinolates and Their Bioactive Derivatives for Human Health. **2023**, 15, 1424
- 7 Spiroleiferthione A and Oleiferthione A: Two Unusual Isothiocyanate-Derived Thioketone Alkaloids from *Moringa oleifera* Lam. Seeds. **2023**, 16, 452
- 6 Variation in glucosinolates and the formation of functional degradation products in two Brassica species during spontaneous fermentation. **2023**, 6, 100493
- 5 Indole-3-Carbinol: Occurrence, Health-Beneficial Properties, and Cellular/Molecular Mechanisms. **2023**, 14, 347-366
- 4 Transcriptomics integrated with metabolomics reveals the mechanism of CaCl₂-HCl electrolyzed water-induced glucosinolate biosynthesis in broccoli sprouts. **2023**, 1-20
- 3 Insights into the Occurrence, Fate, Impacts, and Control of Food Additives in Food Waste Anaerobic Digestion: A Review.
- 2 The Role of Rocket (*Eruca sativa*) as Dietary Supplementation to Enhance Fish Nutrition and Health: A Review. **2023**, 1158, 052004
- 1 Fast RP-HPLC Method for Analysis of Glucosinolates and Phenolics in *Moringa stenopetala* Leaf Powder Preparations.