

# Electromagnetic interference shielding effectiveness of

Carbon

39, 279-285

DOI: [10.1016/s0008-6223\(00\)00184-6](https://doi.org/10.1016/s0008-6223(00)00184-6)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Effect of processing parameters, applied pressure and temperature on the electrical resistivity of rubber-based conductive composites. Carbon, 2002, 40, 807-816.	5.4	136
3	Surface area of compressed expanded graphite. Carbon, 2002, 40, 2713-2718.	5.4	64
4	Title is missing!. Journal of Materials Science, 2002, 37, 1839-1843.	1.7	91
5	Catalytic graphitization of hardwood acetic acid lignin with nickel acetate. Journal of Wood Science, 2003, 49, 188-192.	0.9	36
6	Improving colloidal graphite for electromagnetic interference shielding using 0.1 $\mu$ m diameter carbon filaments. Carbon, 2003, 41, 1313-1315.	5.4	43
7	Electromagnetic wave absorption properties of carbon microcoils/PMMA composite beads in W bands. Carbon, 2003, 41, 2658-2660.	5.4	143
8	Reliable study of digital IC circuits with margin voltage among variable DC power supply, electromagnetic interference and conducting wire antenna. Microelectronics Reliability, 2003, 43, 2001-2009.	0.9	10
9	Impact of electromagnetic radiation induced by conducting wire antenna on optical fiber communication systems. Optics Communications, 2003, 223, 81-89.	1.0	11
10	Study of the effects of microwave interference on MOSFET devices in CMOS integrated circuits. , 0, , .		1
11	Electromagnetic wave absorption property of carbon microcoils in 12-110 GHz region. Journal of Applied Physics, 2003, 94, 2325-2330.	1.1	133
12	High electromagnetic shielding effectiveness of polyaniline-polyurethane composites in the microwave band. International Journal of Applied Electromagnetics and Mechanics, 2004, 19, 203-206.	0.3	11
13	The Residual Electrostatic Voltage of Laminated Nonwovens with Different Surface Patterns. Textile Reseach Journal, 2004, 74, 383-386.	1.1	3
14	Characterizations of enriched metallic single-walled carbon nanotubes in polymer composite. Materials Research Society Symposia Proceedings, 2004, 856, BB4.10.1.	0.1	0
15	Electrical Conductivity and Electromagnetic Interference Shielding of Multi-walled Carbon Nanotube Filled Polymer Composites. Materials Research Society Symposia Proceedings, 2004, 858, 255.	0.1	2
16	Effect of some service conditions on the electrical resistivity of conductive styrene-butadiene rubber-carbon black composites. Journal of Applied Polymer Science, 2004, 92, 2179-2188.	1.3	40
17	New directions for non-fuel uses of anthracites. Fuel Processing Technology, 2004, 85, 1373-1392.	3.7	25
18	Effects of microwave interference on the operational parameters of n-channel enhancement mode MOSFET devices in CMOS integrated circuits. Solid-State Electronics, 2004, 48, 1795-1799.	0.8	26
19	The influence of heat treatment on electroless-nickel coated fibre (ENCF) on the mechanical properties and EMI shielding of ENCF reinforced ABS polymeric composites. Surface and Coatings Technology, 2004, 184, 123-132.	2.2	62

#	ARTICLE	IF	CITATIONS
20	Design of radar absorbing structures using glass/epoxy composite containing carbon black in X-band frequency ranges. Composites Part B: Engineering, 2004, 35, 49-56.	5.9	333
21	Electronic Devices. , 2004, , 321-355.		0
22	Modelling of exfoliated graphite. Progress in Materials Science, 2005, 50, 93-179.	16.0	242
23	Zeolite-carbon composites prepared from industrial wastes: (II) evaluation of the adaptability as environmental materials. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2005, 404, 274-280.	2.6	21
24	Numerical simulation and experimental investigation for design of a carbon fiber tow pneumatic spreading system. Carbon, 2005, 43, 2514-2529.	5.4	11
25	Reply to discussion by Peter J. Tumidajski of the paper "Colloidal graphite as an admixture in cement and as a coating on cement for electromagnetic interference shielding": Cement and Concrete Research, 2005, 35, 616-617.	4.6	1
26	Modifying the Electronic Character of Single-Walled Carbon Nanotubes Through Anisotropic Polymer Interaction: A Raman Study. Advanced Functional Materials, 2005, 15, 1183-1187.	7.8	18
27	Pastes for electromagnetic interference shielding. Journal of Electronic Materials, 2005, 34, 1255-1258.	1.0	10
28	Radiotechnical properties of metallized fabrics. , 0, , .		2
29	Electromagnetic interference shielding effectiveness of carbon nanofiber/LCP composites. Composites Part A: Applied Science and Manufacturing, 2005, 36, 691-697.	3.8	303
30	Electromagnetic Interference (EMI) Shielding of Single-Walled Carbon Nanotube Epoxy Composites. Nano Letters, 2006, 6, 1141-1145.	4.5	1,106
31	Electrical conductivity and dielectric properties of multiwalled carbon nanotube and alumina composites. Applied Physics Letters, 2006, 89, 133122.	1.5	197
32	Effect of Nanoparticles and Ion Implantation on the Electromagnetic Shielding of Glass-Epoxy Composites. Journal of Composite Materials, 2006, 40, 175-188.	1.2	23
33	Electromagnetic wave absorption properties of carbon powder from catalysed carbon black in X and Ku bands. Journal Physics D: Applied Physics, 2006, 39, 1960-1962.	1.3	24
34	Complex permittivity and microwave absorption properties of a composite dielectric absorber. Composites Part A: Applied Science and Manufacturing, 2006, 37, 2148-2154.	3.8	184
35	Calcination Effects on the Properties of Gallium-Doped Zinc Oxide Powders. Journal of the American Ceramic Society, 2006, 89, 2440-2443.	1.9	52
36	The mechanical properties of MWNT/PMMA nanocomposites fabricated by modified injection molding. Composite Structures, 2006, 76, 406-410.	3.1	47
37	Fabrication and design of multi-layered radar absorbing structures of MWNT-filled glass/epoxy plain-weave composites. Composite Structures, 2006, 76, 397-405.	3.1	153

#	ARTICLE	IF	CITATIONS
38	Fabrication of radar absorbing structure (RAS) using GFR-nano composite and spring-back compensation of hybrid composite RAS shells. <i>Composite Structures</i> , 2006, 75, 571-576.	3.1	39
39	Microwave absorbing properties of activated carbon-fiber felt screens (vertical-arranged carbon) Tj ETQq1 1 0.784314 rgBT /Overlock Advanced Technology, 2006, 127, 207-211.	1.7	94
40	Mats and Fabrics for Electromagnetic Interference Shielding. <i>Journal of Materials Engineering and Performance</i> , 2006, 15, 295-298.	1.2	36
41	Kinetics of thermal degradation and thermo-oxidative degradation of conductive styrene-butadiene rubber-carbon black composites. <i>Journal of Materials Science</i> , 2006, 41, 4777-4789.	1.7	20
42	Numerical analysis of effects of thickness on electromagnetic wave absorption properties of CPCCB/paraffin wax composite. <i>Applied Physics B: Lasers and Optics</i> , 2006, 83, 629-633.	1.1	6
43	Large-scale preparation of needle-like zinc oxide with high electrical conductivity. <i>Materials Letters</i> , 2006, 60, 3133-3136.	1.3	8
44	Absorbing properties and structural design of microwave absorbers based on W-type La-doped ferrite and carbon fiber composites. <i>Journal of Magnetism and Magnetic Materials</i> , 2006, 301, 325-330.	1.0	111
45	Effect of a coupling agent on the electromagnetic and mechanical properties of carbon black/acrylonitrile-butadiene-styrene composites. <i>Journal of Applied Polymer Science</i> , 2006, 102, 1839-1843.	1.3	9
46	Multifunctional Carbon Nanofibers with Conductive, Magnetic and Superhydrophobic Properties. <i>ChemPhysChem</i> , 2006, 7, 336-341.	1.0	78
47	EMI Shielding Effectiveness of Carbon Nanotube BuckyPaper Nanocomposite/Foam Sandwich Structures. , 2006, , 261.		1
48	Polymer/CNTs Composites for Electronic Packaging. , 2006, , .		5
49	Absorption and Shielding Effect of Electromagnetic Wave at GHz Frequency by Multi-walled Carbon Nanotube/Polymer Composites. , 2006, , .		4
50	Fabrication of Radar Absorbing Structure and Evaluation of Radar Cross Section: Case Study of Hybrid Shells. <i>Journal of Composite Materials</i> , 2007, 41, 1375-1387.	1.2	7
51	Metal Coated Functionalized Single-Walled Carbon Nanotubes for Composites Application. <i>Materials Science Forum</i> , 2007, 561-565, 655-658.	0.3	6
52	Synthesis and crystal structure of n-diamond. <i>International Materials Reviews</i> , 2007, 52, 131-151.	9.4	43
53	Surface Modification of Ag Coated Cu Conductive Metal Powder for Conductive Silicone Sealant Gasket Paste. <i>Materials Science Forum</i> , 2007, 534-536, 933-936.	0.3	6
54	Study on the electromagnetic properties of mwcnts/gf/epoxy composites. , 2007, , .		0
55	Electromagnetic shielding effectiveness of aluminum alloy-fly ash composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2007, 38, 186-191.	3.8	88

#	ARTICLE	IF	CITATIONS
56	Electromagnetic and microwave absorption properties of (Co <sub>2</sub> +Si <sup>4+</sup> ) substituted barium hexaferrites and its polymer composite. <i>Journal of Applied Physics</i> , 2007, 101, 074105.	1.1	119
57	Protection Against Electrostatic and Electromagnetic Phenomena. , 2007, , 63-83.		9
59	Broad Band Electromagnetic Absorption of Flexible Foils in the Microwave Range. , 2007, , .		0
60	Energy efficient graphite-polyurethane electrically conductive coatings for thermally actuated smart materials. <i>Smart Materials and Structures</i> , 2007, 16, S187-S195.	1.8	4
61	Carbon Fiber-Based Grid Array Interconnects. <i>IEEE Transactions on Components and Packaging Technologies</i> , 2007, 30, 716-723.	1.4	5
62	Development, characterization and optimization of dielectric radar absorbent materials as flexible sheets for use at X-band. , 2007, , .		1
63	Shielding Effectiveness Evaluation of Metallized and Polypyrrole-coated Fabrics. <i>Journal of Thermoplastic Composite Materials</i> , 2007, 20, 241-254.	2.6	62
64	Electromagnetic interference shielding effect of nanocomposites with carbon nanotube and shape memory polymer. <i>Composites Science and Technology</i> , 2007, 67, 2973-2980.	3.8	266
65	Double percolation in the electrical conduction in carbon fiber reinforced cement-based materials. <i>Carbon</i> , 2007, 45, 263-267.	5.4	121
66	Partial replacement of carbon fiber by carbon black in multifunctional cement-matrix composites. <i>Carbon</i> , 2007, 45, 505-513.	5.4	162
67	Reflection and absorption contributions to the electromagnetic interference shielding of single-walled carbon nanotube/polyurethane composites. <i>Carbon</i> , 2007, 45, 821-827.	5.4	665
68	The influence of single-walled carbon nanotube structure on the electromagnetic interference shielding efficiency of its epoxy composites. <i>Carbon</i> , 2007, 45, 1614-1621.	5.4	524
69	Insulator conductor transition in low-density polyethylene-graphite composites. <i>European Polymer Journal</i> , 2007, 43, 573-585.	2.6	42
70	Electromagnetic losses in carbon-epoxy composites. <i>Materials Science and Engineering C</i> , 2007, 27, 1007-1009.	3.8	11
71	Lightweight electromagnetic shields using optimized polyaniline composites in the microwave band. <i>Polymers for Advanced Technologies</i> , 2007, 18, 257-262.	1.6	67
72	Study on the graphite nanosheets/resin shielding coatings. <i>Progress in Organic Coatings</i> , 2007, 59, 101-105.	1.9	52
73	Double-layer microwave absorber based on ferrite and short carbon fiber composites. <i>Materials Chemistry and Physics</i> , 2007, 105, 268-272.	2.0	85
74	Influence of short carbon fiber content on mechanical and dielectric properties of Cfiber/Si <sub>3</sub> N <sub>4</sub> composites. <i>Scripta Materialia</i> , 2007, 57, 309-312.	2.6	30

#	ARTICLE	IF	CITATIONS
75	Studies on electromagnetic interference shielding characteristics of metal nanoparticle- and carbon nanostructure-filled polymer composites in the Ku-band frequency. <i>Micro and Nano Letters</i> , 2007, 2, 85.	0.6	39
76	Microwave shielding of transparent and conducting single-walled carbon nanotube films. <i>Applied Physics Letters</i> , 2007, 90, 183119.	1.5	155
77	Single Sheet Functionalized Graphene by Oxidation and Thermal Expansion of Graphite. <i>Chemistry of Materials</i> , 2007, 19, 4396-4404.	3.2	3,276
78	Towards cost-efficient EMI shielding materials using carbon nanostructure-based nanocomposites. <i>Nanotechnology</i> , 2007, 18, 345701.	1.3	156
79	Electromagnetic interfering shielding of aluminum alloyâ€“cenospheres composite. <i>Journal of Materials Science</i> , 2007, 42, 2633-2636.	1.7	45
80	Complex permittivity, complex permeability and microwave absorption properties of ferriteâ€“polymer composites. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 309, 20-24.	1.0	310
81	Electromagnetic interference shielding of carbon nanotube/ethylene vinyl acetate composites. <i>Journal of Materials Science</i> , 2008, 43, 1920-1925.	1.7	113
82	Combined Use of Magnetic and Electrically Conductive Fillers in a Polymer Matrix for Electromagnetic Interference Shielding. <i>Journal of Electronic Materials</i> , 2008, 37, 1088-1094.	1.0	40
83	Impedance analysis and electromagnetic interference shielding effectiveness of conductive carbon black reinforced microcellular EPDM rubber vulcanizates. <i>Polymer Composites</i> , 2008, 29, 465-472.	2.3	43
84	Effect of a carbon black surface treatment on the microwave properties of poly(ethylene Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.3	11
85	Preparation of fine Ni particles and their shielding effectiveness for electromagnetic interference. <i>Journal of Applied Polymer Science</i> , 2008, 110, 569-577.	1.3	18
86	Effect of carbon fiber dispersion on the mechanical properties of carbon fiber-reinforced cement-based composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 487, 52-57.	2.6	134
87	Effect of chemical vapor deposition treatment of carbon fibers on the reflectivity of carbon fiber-reinforced cement-based composites. <i>Composites Science and Technology</i> , 2008, 68, 1105-1114.	3.8	56
88	Characteristics of an electromagnetic wave absorbing composite structure with a conducting polymer electromagnetic bandgap (EBC) in the X-band. <i>Composites Science and Technology</i> , 2008, 68, 2485-2489.	3.8	87
89	Amorphous carbon-matrix composites with interconnected carbon nano-ribbon networks for electromagnetic interference shielding. <i>Carbon</i> , 2008, 46, 461-465.	5.4	61
90	Efficient microwave energy absorption by carbon nanotubes. <i>Carbon</i> , 2008, 46, 1935-1941.	5.4	112
91	Nanostructured carbon black filled polypropylene/polystyrene blends containing styreneâ€“butadieneâ€“styrene copolymer: Influence of morphology on electrical resistivity. <i>European Polymer Journal</i> , 2008, 44, 1931-1939.	2.6	63
92	Influence of CVI treatment of carbon fibers on the electromagnetic interference of CFRC composites. <i>Cement and Concrete Composites</i> , 2008, 30, 478-485.	4.6	42

#	ARTICLE	IF	CITATIONS
93	Optimum injection molding processing condition on EMI shielding effectiveness of stainless steel fiber filled polycarbonate composite. International Communications in Heat and Mass Transfer, 2008, 35, 744-749.	2.9	55
94	Microwave properties of graphite nanoplatelet/epoxy composites. Journal of Applied Physics, 2008, 104, .	1.1	64
95	Electrophysical properties of electroconducting papers and cardboards treated with colloid-graphite solutions. Materials Chemistry and Physics, 2008, 108, 39-44.	2.0	8
96	Fabrication and optimization of radar absorbing structures composed of glass/carbon fibers/epoxy laminate composites filled with carbon nanotubes. Optoelectronic and Microelectronic Materials and Devices (COMMAD), Conference on, 2008, , .	0.0	0
97	Influence of uniaxial tension on the microwave absorption properties of filled polymers. Journal of Applied Physics, 2008, 104, .	1.1	50
98	Dielectric relaxation in carbon black-epoxy composite materials. Journal of Applied Physics, 2008, 103, .	1.1	74
99	Measurement of polarized nano-material (PNM) for microwave applications. , 2008, , .		4
100	Effect of chemical vapor infiltration treatment on the wave-absorbing performance of carbon fiber/cement composites. International Journal of Minerals, Metallurgy, and Materials, 2008, 15, 808-815.	0.2	5
101	MODIFIED EXFOLIATED GRAPHITE AS A MATERIAL FOR SHIELDING AGAINST ELECTROMAGNETIC RADIATION. International Journal of Nanoscience, 2008, 07, 263-268.	0.4	9
102	High electromagnetic adsorption at radiofrequency by impedance matched carbon nanotube composites. Journal of Materials Chemistry, 2008, 18, 4616.	6.7	8
103	Shielding properties of carbon nanotubes - amorphous composite coatings. , 2008, , .		1
104	FABRICATION, MORPHOLOGY, AND STRUCTURE OF ELECTROSPUN PAN-BASED CARBON NANOFIBERS. Journal of Polymer Engineering, 2008, 28, .	0.6	8
105	Electrochemical Corrosion Behavior of Nickel-Coated Carbon Fiber Materials in Various Electrolytic Media. Journal of the Electrochemical Society, 2008, 155, C427.	1.3	16
106	Polypyrrole-coated Nonwovens for Electromagnetic Shielding. Journal of Industrial Textiles, 2008, 38, 55-68.	1.1	60
107	Mechanical fatigue and dielectric relaxation of carbon black/polymer composites. Journal of Applied Physics, 2008, 104, .	1.1	37
108	High frequency electromagnetic interference shielding behaviors of Ti3SiC2 <sup>^</sup> Al2O3 composites. Journal of Applied Physics, 2008, 103, .	1.1	27
109	Shielding Materials. , 0, , 21-41.		1
112	Enhanced dielectric constants and shielding effectiveness of, uniformly dispersed, functionalized carbon nanotube composites. Applied Physics Letters, 2009, 94, .	1.5	95

#	ARTICLE	IF	CITATIONS
113	Polypyrrole/Al <sub>2</sub> O <sub>3</sub> nanocomposites: preparation, characterisation and electromagnetic shielding properties. <i>Journal of Experimental Nanoscience</i> , 2009, 4, 213-219.	1.3	31
114	Microwave properties of single-walled carbon nanotubes films below percolation threshold. <i>Applied Physics Letters</i> , 2009, 94, 233112.	1.5	3
115	Large-scale preparation of porous ultrathin Ga-doped ZnO nanoneedles from 3D basic zinc carbonate superstructures. <i>Nanotechnology</i> , 2009, 20, 085611.	1.3	9
116	Investigation of the Effects of Injection Molding Processing Parameters on Conductive Polymeric Composites for Electromagnetic Interference Shielding Effectiveness. <i>Polymer-Plastics Technology and Engineering</i> , 2009, 48, 216-220.	1.9	12
117	Electromagnetic Interference Shielding Effectiveness of New Conducting Polymer Composite. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2009, 47, 71-75.	1.2	36
118	Investigation of the electromagnetic interference shielding of titanium carbide coated nanoreinforced liquid crystalline polymer. <i>Journal of Applied Physics</i> , 2009, 105, 103511.	1.1	14
119	High-temperature microwave absorption and evolutionary behavior of multiwalled carbon nanotube nanocomposite. <i>Scripta Materialia</i> , 2009, 61, 201-204.	2.6	204
120	Onion-like carbon based polymer composite films in microwaves. <i>Solid State Sciences</i> , 2009, 11, 1762-1767.	1.5	18
121	Physical, optical, and electrical properties of a new conducting polymer. <i>Journal of Materials Science</i> , 2009, 44, 3682-3686.	1.7	44
122	Improved Electromagnetic Interference Shielding Properties of MWCNT/PMMA Composites Using Layered Structures. <i>Nanoscale Research Letters</i> , 2009, 4, 327-34.	3.1	208
123	Effect of multi-walled carbon nanotube dispersion on the electrical, morphological and rheological properties of polycarbonate/multi-walled carbon nanotube composites. <i>Macromolecular Research</i> , 2009, 17, 863-869.	1.0	58
124	Influence of carbon-based nanofillers on the electrical and dielectric properties of ethylene vinyl acetate nanocomposites. <i>Polymer Composites</i> , 2010, 31, 218-225.	2.3	13
125	Single-walled carbon nanotube/poly(methyl methacrylate) composites for electromagnetic interference shielding. <i>Polymer Engineering and Science</i> , 2009, 49, 1627-1634.	1.5	191
126	Nano-scaled onion-like carbon: Prospective material for microwave coatings. <i>Metamaterials</i> , 2009, 3, 148-156.	2.2	28
127	Millimeter wave electromagnetic interference shielding by coating expanded polystyrene particles with a copper film using magnetron sputtering. <i>Vacuum</i> , 2009, 83, 1438-1441.	1.6	25
128	The electromagnetic shielding of Ni films deposited on cenosphere particles by magnetron sputtering method. <i>Journal of Magnetism and Magnetic Materials</i> , 2009, 321, 2890-2895.	1.0	66
129	Electrical, morphological and rheological properties of carbon nanotube composites with polyethylene and poly(phenylene sulfide) by melt mixing. <i>Chemical Engineering Science</i> , 2009, 64, 4649-4656.	1.9	69
130	Development of electromagnetic shielding materials from the conductive blends of polyaniline and polyaniline-clay nanocomposite-EVA: Preparation and properties. <i>Composites Science and Technology</i> , 2009, 69, 358-364.	3.8	105



#	ARTICLE	IF	CITATIONS
131	Composite electromagnetic interference shielding materials for aerospace applications. <i>Composite Structures</i> , 2009, 91, 467-472.	3.1	158
132	Study of dielectric properties of styrene-acrylonitrile graphite sheets composites in low and high frequency region. <i>European Polymer Journal</i> , 2009, 45, 1777-1784.	2.6	94
133	A review of vapor grown carbon nanofiber/polymer conductive composites. <i>Carbon</i> , 2009, 47, 2-22.	5.4	978
134	The use of carbon/dielectric fiber woven fabrics as filters for electromagnetic radiation. <i>Carbon</i> , 2009, 47, 1896-1904.	5.4	58
135	Electromagnetic interference shielding mechanisms of CNT/polymer composites. <i>Carbon</i> , 2009, 47, 1738-1746.	5.4	1,274
136	Electromagnetic interference shielding effectiveness of carbon-based materials prepared by screen printing. <i>Carbon</i> , 2009, 47, 1905-1910.	5.4	185
137	The influence of synergistic stabilization of carbon black and clay on the electrical and mechanical properties of epoxy composites. <i>Carbon</i> , 2009, 47, 3128-3136.	5.4	112
138	Carbon Nanotubes and Microwaves: Interactions, Responses, and Applications. <i>ACS Nano</i> , 2009, 3, 3819-3824.	7.3	270
139	Modeling of the Electrical Percolation of Mixed Carbon Fillers in Polymer-Based Composites. <i>Macromolecules</i> , 2009, 42, 459-463.	2.2	164
140	Reflectance and absorbance of all-dielectric metamaterial composites with fractal boundaries: A numerical investigation. <i>Journal of Applied Physics</i> , 2009, 105, 024110.	1.1	9
141	An Analysis of the Effect of Multiple Layers in the Multi-Objective Design of Conducting Polymer Composites. <i>Materials and Manufacturing Processes</i> , 2009, 24, 350-357.	2.7	14
142	Physical Properties of Carbon Nanotube-Ceramic Nanocomposites. , 0, , 169-184.		0
143	The applicability of graphite/metal-oxide composite particles for electromagnetic interference shielding in an acrylic sheet. <i>Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A/Chung-kuo Kung Ch'eng Hsueh K'uan</i> , 2009, 32, 513-518.	0.6	1
144	Electromagnetic interference shielding properties of carbon nanotube buckypaper composites. <i>Nanotechnology</i> , 2009, 20, 415702.	1.3	128
145	Interaction of vertically oriented carbon nanotubes in solid monolith with millimeter waves. , 2010, , .		0
146	Effect of short carbon fibers and MWCNTs on microwave absorbing properties of polyester composites containing nickel-coated carbon fibers. <i>Composites Science and Technology</i> , 2010, 70, 102-109.	3.8	145
147	Conducting carbon black filled NR/ IIR blend vulcanizates: Assessment of the dependence of physical and mechanical properties and electromagnetic interference shielding on variation of filler loading. <i>Journal of Polymer Research</i> , 2010, 17, 53-62.	1.2	30
148	Immobilization of silver nanoparticles on silica microspheres. <i>Journal of Nanoparticle Research</i> , 2010, 12, 199-207.	0.8	25

#	ARTICLE	IF	CITATIONS
149	Effect of chemical vapor infiltration of SiC on the mechanical and electromagnetic properties of Si <sub>3</sub> N <sub>4</sub> /SiC ceramic. <i>Scripta Materialia</i> , 2010, 63, 657-660.	2.6	97
150	New PTCR thermistors, switching current, and electromagnetic shielding effectiveness from nanosized vanadium sesquioxides ceramic reinforced epoxy resin nanocomposites. <i>Journal of Applied Polymer Science</i> , 2010, 115, 817-825.	1.3	17
151	Electrical, dielectric, and electromagnetic shielding properties of polypropylene/graphite composites. <i>Journal of Applied Polymer Science</i> , 2010, 115, 1306-1314.	1.3	96
152	Study on dispersion and electrical property of multi-walled carbon nanotubes/low-density polyethylene nanocomposites. <i>Materials &amp; Design</i> , 2010, 31, 1676-1683.	5.1	26
153	The influence of carbon nanotube aspect ratio on the foam morphology of MWNT/PMMA nanocomposite foams. <i>Polymer</i> , 2010, 51, 2368-2375.	1.8	156
154	Highly conductive, melt processable polymer composites based on nickel and low melting eutectic metal. <i>Polymer</i> , 2010, 51, 2954-2958.	1.8	33
155	Improved mechanical properties of carbon nanotube/polymer composites through the use of carboxyl-epoxide functional group linkages. <i>Polymer</i> , 2010, 51, 5071-5077.	1.8	140
156	Microwave absorbing properties of double-layer cementitious composites containing Mn/Zn ferrite. <i>Cement and Concrete Composites</i> , 2010, 32, 726-730.	4.6	87
157	X-Band microwave characterization of carbon-based nanocomposite material, absorption capability comparison and RAS design simulation. <i>Composites Science and Technology</i> , 2010, 70, 400-409.	3.8	429
158	Electrical conductivity of ion-doped graphite/polyethersulphone composites. <i>Composites Science and Technology</i> , 2010, 70, 1544-1549.	3.8	23
159	Conductive CNF-reinforced hybrid composites by injection moulding. <i>Composite Structures</i> , 2010, 92, 1416-1422.	3.1	42
160	The effects of temperature and frequency on the dielectric properties, electromagnetic interference shielding and microwave-absorption of short carbon fiber/silica composites. <i>Carbon</i> , 2010, 48, 788-796.	5.4	1,582
161	An Investigation of the Electromagnetic Shielding Effectiveness of Ethylene Vinyl Acetate Elastomer Reinforced with Carbon Nanofillers. <i>Polymers and Polymer Composites</i> , 2010, 18, 59-65.	1.0	11
162	Polyaniline/Graphite Nanosheets Composites and its Conducting Properties. <i>Polymers and Polymer Composites</i> , 2010, 18, 23-29.	1.0	0
163	Effect of Hollow Structure on the Electromagnetic Interfering (EMI) Shielding of Aluminum-Cenospheres Composites. <i>Advanced Materials Research</i> , 2010, 97-101, 1760-1763.	0.3	1
164	Study on Electromagnetic Shielding Effectiveness of Nickel Fiber-Filled Cement. <i>Advanced Materials Research</i> , 0, 168-170, 997-1000.	0.3	1
165	Electromagnetic Shielding Effectiveness of Cement-Matrix Composite Containing Nickel Fiber. <i>Advanced Materials Research</i> , 0, 177, 570-573.	0.3	4
166	Investigation of Electromagnetic Interference Shielding Effectiveness of Cement-Based Composites Filled with Carbon Materials. <i>Advanced Materials Research</i> , 0, 168-170, 1021-1024.	0.3	0

#	ARTICLE	IF	CITATIONS
167	Textile Composite Materials for EMC. Journal of Reinforced Plastics and Composites, 2010, 29, 2992-3005.	1.6	11
168	Electromagnetic Shielding Properties of Super Fiber-Reinforced Composites. Advanced Materials Research, 2010, 123-125, 65-68.	0.3	3
169	Dispersion, Mechanical and Thermal Properties of Epoxy Resin Composites Filled with the Nanometer Carbon Black. Polymer-Plastics Technology and Engineering, 2010, 49, 916-920.	1.9	18
170	Measurement of Electromagnetic Shielding Effectiveness of the Composite Carbon Fibers/Nickel Thin Film. Key Engineering Materials, 2010, 437, 580-583.	0.4	1
172	Determination of electromagnetic shielding performance of plain knitting and 1X1 rib structures with coaxial test fixture relating to ASTM D4935. Journal of the Textile Institute, 2010, 101, 890-897.	1.0	43
173	A New Measuring Method Suitable for Measuring Shielding Efficiency of Composite Materials with Carbon Fibers. , 2010, , .		1
174	Modeling of microwave absorbing structure using winning particle optimization applied on electrically conductive nanostructured composite material. , 2010, , .		6
175	Fabrication of Extrinsicly Conductive Silicone Rubbers with High Elasticity and Analysis of Their Mechanical and Electrical Characteristics. Polymers, 2010, 2, 200-210.	2.0	33
176	Electromagnetic wave absorption properties of Fe <sub>73</sub> Si <sub>16</sub> B <sub>7</sub> Nb <sub>3</sub> Cu <sub>1</sub> -based composites mixed with fine charcoal powder. Physica Scripta, 2010, T139, 014045.	1.2	0
177	Exceptional electromagnetic interference shielding properties of ferromagnetic microwires enabled polymer composites. Journal of Applied Physics, 2010, 108, .	1.1	69
178	Electromagnetic interference (EMI) shielding of carbon nanostructured films. , 2010, , .		7
179	Development of electromagnetic shielding materials from the conductive blends of polystyrene polyaniline-clay nanocomposite. Composites Part A: Applied Science and Manufacturing, 2010, 41, 1647-1652.	3.8	56
180	Intrinsic electromagnetic radiation shielding/absorbing characteristics of polyaniline-coated transparent thin films. Synthetic Metals, 2010, 160, 1838-1842.	2.1	84
181	Polyaniline nanocomposites via chemical oxidative polymerization in the presence of functional MCM-48 as in situ dopant. Synthetic Metals, 2010, 160, 2244-2249.	2.1	9
182	Electromagnetic properties of carbon-based nanocomposites: The effect of filler and resin characteristics. , 2010, , .		6
183	Enhanced Electromagnetic Interference Shielding Through the Use of Functionalized Carbon-Nanotube-Reactive Polymer Composites. IEEE Nanotechnology Magazine, 2010, 9, 464-469.	1.1	109
184	Electromagnetic absorbing nanocomposites including carbon fibers, nanotubes and graphene Nanoplatelets. , 2010, , .		13
185	Dielectric properties of a novel high absorbing onion-like-carbon based polymer composite. Diamond and Related Materials, 2010, 19, 91-99.	1.8	29

#	ARTICLE	IF	CITATIONS
186	Composite Material Structure and Processing. Engineering Materials and Processes, 2010, , 1-34.	0.2	5
187	Polyaniline-based nanocomposites: preparation, properties and applications. , 2010, , 187-243.		3
188	Morphologyâ€“Property Relationship in Rubber-Based Nanocomposites: Some Recent Developments. Advances in Polymer Science, 2010, , 1-83.	0.4	15
189	Preparation and properties of conductive polymer doped with Ag-coated glass fiber for EMI shielding. , 2011, , .		0
190	Effect of a Filler Surface Treatment on the Properties of Conductive Silicone Rubber Filled with Ag-Coated Cu Flakes for EMI Shielding. Advanced Materials Research, 2011, 287-290, 15-20.	0.3	1
191	Hybrid nanocomposite coatings for corrosion protection of low carbon steel: A substrate-integrated and scalable activeâ€“passive approach. Journal of Materials Research, 2011, 26, 837-844.	1.2	11
192	Characterization and Carbonization of Highly Oriented Poly(diiododiacetylene) Nanofibers. Macromolecules, 2011, 44, 2626-2631.	2.2	30
193	Electromagnetic modelling and experimental characterization of carbon-based nanocomposites. , 2011, , .		1
194	Eco-efficient Construction and Building Materials. , 2011, , .		51
195	A REVIEW OF THE APPLICATIONS OF NANOCARBON POLYMER COMPOSITES. Nano, 2011, 06, 185-203.	0.5	79
196	Room-Temperature Carbonization of Poly(diiododiacetylene) by Reaction with Lewis Bases. Journal of the American Chemical Society, 2011, 133, 19274-19277.	6.6	50
197	Broadband Electromagnetic Absorbers Using Carbon Nanostructure-Based Composites. IEEE Transactions on Microwave Theory and Techniques, 2011, 59, 2633-2646.	2.9	225
198	Electromagnetic interference shielding/absorbing characteristics of CNT-embedded epoxy composites. Composites Part A: Applied Science and Manufacturing, 2011, 42, 1110-1118.	3.8	128
199	Wireless strain measurement for structural testing and health monitoring of carbon fiber composites. Composites Part A: Applied Science and Manufacturing, 2011, 42, 1263-1274.	3.8	39
200	Improving electrical conductivity and mechanical properties of high density polyethylene through incorporation of paraffin wax coated exfoliated graphene nanoplatelets and multi-wall carbon nano-tubes. Composites Part A: Applied Science and Manufacturing, 2011, 42, 1840-1849.	3.8	50
201	Stress tunable microwave absorption of ferromagnetic microwires for sensing applications. Journal of Alloys and Compounds, 2011, 509, 9508-9512.	2.8	32
202	Dielectric properties at microwave frequencies of poly( $\epsilon$ -caprolactone)/CNF films and electrospun mats. Synthetic Metals, 2011, 161, 911-918.	2.1	5
203	ELECTRICAL CONDUCTIVITY AND ELECTROMAGNETIC SHIELDING EFFECTIVENESS OF SILICONE RUBBER FILLED WITH FERRITE AND GRAPHITE POWDERS. Progress in Electromagnetics Research M, 2011, 21, 93-104.	0.5	61

#	ARTICLE	IF	CITATIONS
204	Preparation and Applicability of Vinyl Alcohol Group Containing Polymer/MWNT Nanocomposite Using a Simple Saponification Method. , 2011, , .		1
205	Polymer/Carbon Nanotube Nanocomposites. , 0, , .		59
206	The effect of thermal treatments on the mechanical and electrical properties of nickel-coated carbon fibre composites. Polish Journal of Chemical Technology, 2011, 13, 16-19.	0.3	1
207	Stress tunable properties of ferromagnetic microwires and their multifunctional composites. Journal of Applied Physics, 2011, 109, 07A310.	1.1	21
208	Electromagnetic interference shielding of carbon nanotube macrofilms. Scripta Materialia, 2011, 64, 809-812.	2.6	104
209	Electromagnetic interference shielding behavior of poly(trimethylene terephthalate)/multi-walled carbon nanotube composites. Composites Science and Technology, 2011, 71, 1563-1568.	3.8	195
210	Super-high-frequency shielding properties of excimer-laser-synthesized-single-wall-carbon-nanotubes/polyurethane nanocomposite films. Journal of Applied Physics, 2011, 109, 084313.	1.1	10
211	Highly electrically conductive and high performance EMI shielding nanowire/polymer nanocomposites by miscible mixing and precipitation. Journal of Materials Chemistry, 2011, 21, 829-836.	6.7	241
212	Dispersions of carbon nanotubes/polyhedral oligomeric silsesquioxanes hybrids in polymer: the mechanical, electrical and EMI shielding properties. Journal of Materials Science, 2011, 46, 2324-2330.	1.7	44
213	Development of high performance EMI shielding material from EVA, NBR, and their blends: effect of carbon black structure. Journal of Materials Science, 2011, 46, 3989-3999.	1.7	160
214	Electrical conductivity and shielding effectiveness of poly(trimethylene terephthalate)/multiwalled carbon nanotube composites. Journal of Materials Science, 2011, 46, 6416-6423.	1.7	105
215	Enhancing the electrical and thermal stability of metallic fiber-filled polymer composites by adding tin-lead alloy. Polymer Bulletin, 2011, 67, 1105-1110.	1.7	5
216	High electrically conductive polyaniline/partially phosphorylated poly(vinyl alcohol) composite films via aqueous dispersions. Macromolecular Research, 2011, 19, 883-890.	1.0	18
217	Radiofrequency Shielding by Polypyrrole-Coated Nano and Regular Fibrous Mats. Journal of Electronic Materials, 2011, 40, 2256-2263.	1.0	5
218	Inorganic nanotubes reinforced polyvinylidene fluoride composites as low-cost electromagnetic interference shielding materials. Nanoscale Research Letters, 2011, 6, 137.	3.1	102
219	Studies on preparation of HDPE/CB composites including a novel oriented structure by the microwave heating and their characterization. Polymers for Advanced Technologies, 2011, 22, 811-816.	1.6	2
220	Electromagnetic interference shielding of cellulose triacetate/multiwalled carbon nanotube composite films. Polymer Composites, 2011, 32, 438-444.	2.3	19
221	Morphology, resistivity, and thermal behavior of EVOH/carbon black and EVOH/graphite composites prepared by simple saponification method. Polymer Composites, 2011, 32, 714-726.	2.3	13

#	ARTICLE	IF	CITATIONS
222	High performance EMI shielding materials based on short carbon fiber-filled ethylene vinyl acetate copolymer, acrylonitrile butadiene copolymer, and their blends. <i>Polymer Composites</i> , 2011, 32, 1790-1805.	2.3	66
223	Multifunctional Porous Materials Through Ferrofluids. <i>Advanced Materials</i> , 2011, 23, 5224-5228.	11.1	42
224	Preparation of polyaniline/phosphorylated poly(vinyl alcohol) nanoparticles and their aqueous redispersion stability. <i>AIChE Journal</i> , 2011, 57, 599-605.	1.8	12
225	Synthesis and microwave characterization of expanded graphite/novolac phenolic resin composite for microwave absorber applications. <i>Composites Part B: Engineering</i> , 2011, 42, 1291-1297.	5.9	55
226	Preparation and properties of cobalt oxides coated carbon fibers as microwave-absorbing materials. <i>Applied Surface Science</i> , 2011, 257, 7678-7683.	3.1	80
227	Conduction noise absorption by fiber-reinforced epoxy composites with carbon nanotubes. <i>Journal of Magnetism and Magnetic Materials</i> , 2011, 323, 587-591.	1.0	15
228	Optimization of electromagnetic matching of carbonyl iron/BaTiO <sub>3</sub> composites for microwave absorption. <i>Journal of Magnetism and Magnetic Materials</i> , 2011, 323, 600-606.	1.0	100
229	Superhydrophobic and conductive carbon nanofiber/PTFE composite coatings for EMI shielding. <i>Journal of Colloid and Interface Science</i> , 2011, 353, 311-315.	5.0	115
230	The manufacture and investigation of multi-walled carbon nanotube/polypyrrole/EVA nano-polymeric composites for electromagnetic interference shielding. <i>Thin Solid Films</i> , 2011, 519, 4765-4773.	0.8	25
231	Magnetic properties of ceramics from the pyrolysis of metallocene-based polymers doped with palladium. <i>Journal of Applied Physics</i> , 2011, 109, .	1.1	13
232	Microwave effective permittivity of carbon black filled polymers: Comparison of mixing law and effective medium equation predictions. <i>Journal of Applied Physics</i> , 2011, 110, .	1.1	18
233	ABS Fabrics Chemically Plated by Cu/Ni-P as Electromagnetic Shielding Material. <i>Advanced Materials Research</i> , 2011, 306-307, 385-388.	0.3	0
234	The experimental determination of the onset of electrical and thermal conductivity percolation thresholds in carbon nanotube-polymer composites. <i>Materials Research Society Symposia Proceedings</i> , 2011, 1312, 1.	0.1	16
235	Electromagnetic properties of polymer-carbon nanotube composites. , 2011, , 329-346.		7
236	Effectiveness of Low Frequency Electromagnetic Shielding of Concrete with the Functionally Primitives Materials of Short Carbon Fibers and Graphite. <i>Advanced Materials Research</i> , 2011, 189-193, 4297-4303.	0.3	1
237	Preparation and Properties of Nanocomposites Consist of Carbon Black N220 and Epoxy Resin. <i>Advanced Materials Research</i> , 0, 308-310, 820-823.	0.3	0
238	ABS Fabrics Chemically Plated by Cu/Ni-P as Electromagnetic Shielding Material. <i>Advanced Materials Research</i> , 0, 328-330, 1086-1089.	0.3	0
239	Binders and Concretes. , 2011, , 75-129.		2

#	ARTICLE	IF	CITATIONS
240	The influence of carbon nanotube structure on complex permittivity and determination of filler density by microwave techniques. <i>Journal of Applied Physics</i> , 2011, 110, 024902.	1.1	7
241	Three-layer microwave absorber using cement-based composites. <i>Magazine of Concrete Research</i> , 2011, 63, 157-162.	0.9	14
242	New Composite Materials, Obtained from Ashes Wastes, with Potential Applications for Electromagnetic Shielding. <i>Materials Science Forum</i> , 0, 672, 245-250.	0.3	0
243	Measurement and modelling of conduction in carbon fibre-cement composites. <i>Advances in Cement Research</i> , 2011, 23, 221-226.	0.7	4
244	Electrodeposition of Nickel onto 12K Carbon Fibre Tow in a Continuous Manner. <i>Croatica Chemica Acta</i> , 2012, , 1-8.	0.1	6
245	Gradient transparent RF housing for simultaneous PET/MRI using carbon fiber composites. , 2012, , .		16
247	A review and analysis of microwave absorption in polymer composites filled with carbonaceous particles. <i>Journal of Applied Physics</i> , 2012, 111, 061301.	1.1	996
248	Electrical and thermal properties of graphite/polyaniline composites. <i>Journal of Solid State Chemistry</i> , 2012, 196, 309-313.	1.4	25
249	Graphite nano-platelet-based composites for microwave absorbing small enclosures. , 2012, , .		1
250	Biomorphic porous graphitic carbon for electromagnetic interference shielding. <i>Journal of Materials Chemistry</i> , 2012, 22, 21183.	6.7	68
251	Carbon nanostructure enhanced reinforcements in electromagnetic compatibility applications. , 2012, , .		0
252	Polyolefin-based polymer nanocomposites. , 2012, , 181-215.		5
253	Electrical properties and EMI shielding characteristics of multiwalled carbon nanotubes filled carbon black-high density polyethylene nanocomposites. <i>Composite Interfaces</i> , 2012, 19, 121-133.	1.3	15
254	Polymer nanocomposite coatings. , 2012, , 605-638.		19
255	Light, multi-layer, screening textiles with a high capacity for absorbing electromagnetic fields in the high frequency range. <i>International Journal of Materials Research</i> , 2012, 103, 638-642.	0.1	6
256	Electromagnetic interference shielding effectiveness of nanoreinforced polymer composites deposited with conductive metallic thin films. <i>Thin Solid Films</i> , 2012, 520, 6547-6550.	0.8	24
257	Effect of heat treatment on electromagnetic shielding effectiveness of ZK60 magnesium alloy. <i>Materials &amp; Design</i> , 2012, 42, 327-333.	5.1	63
258	Preparation and characterization of a kind of magnetic carbon fibers used as electromagnetic shielding materials. <i>Journal of Alloys and Compounds</i> , 2012, 514, 35-39.	2.8	50

#	ARTICLE	IF	CITATIONS
259	Fabrication and characterization of NBR/MWCNT composites by latex technology. <i>Polymer Composites</i> , 2012, 33, 1586-1592.	2.3	13
261	Electromagnetic interference shielding effectiveness of monolayer graphene. <i>Nanotechnology</i> , 2012, 23, 455704.	1.3	194
262	Quantitative methods for correlating dispersion and electrical conductivity in conductor-polymer nanostrand composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2012, 43, 1939-1946.	3.8	11
263	Dielectric and microwave-absorption properties of the partially carbonized PAN cloth/epoxy-silicone composites. <i>Composites Part B: Engineering</i> , 2012, 43, 2980-2984.	5.9	11
264	Characterization of a microwave absorbent prepared by coprecipitation reaction of iron oxide on the surface of graphite nanosheet. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2012, 177, 1734-1740.	1.7	7
265	The role of thermal stabilization on the structure and mechanical properties of polyacrylonitrile precursor fibers. <i>Fibers and Polymers</i> , 2012, 13, 855-863.	1.1	33
266	Dielectric properties of Si <sub>3</sub> N <sub>4</sub> -SiCN composite ceramics in X-band. <i>Ceramics International</i> , 2012, 38, 6015-6020.	2.3	69
267	Comparative study of electromagnetic interference shielding properties of injection molded versus compression molded multi-walled carbon nanotube/polystyrene composites. <i>Carbon</i> , 2012, 50, 5126-5134.	5.4	408
268	Thermal and Spectral Dielectric Properties of Polypyrrole/Polymethylmethacrylate Composites. <i>Spectroscopy Letters</i> , 2012, 45, 477-481.	0.5	6
269	A material with high electromagnetic radiation shielding effectiveness fabricated using multi-walled carbon nanotubes wrapped with poly(ether sulfone) in a poly(ether ether ketone) matrix. <i>Journal of Materials Chemistry</i> , 2012, 22, 21232.	6.7	94
270	Using Magnetic Susceptibility in Realtime Battery Monitoring: One Solution for Micro-Hybrid, Hybrid and Electric Automobiles. , 0, , .		1
271	THE USE OF DIELECTRIC MIXTURE EQUATIONS TO ANALYZE THE DIELECTRIC PROPERTIES OF A MIXTURE OF RUBBER TIRE DUST AND RICE HUSKS IN A MICROWAVE ABSORBER. <i>Progress in Electromagnetics Research</i> , 2012, 129, 559-578.	1.6	22
272	Mechanical properties and thermal behaviour of LLDPE/MWNTs nanocomposites. <i>Materials Research</i> , 2012, 15, 1050-1056.	0.6	21
273	Flexible Transparent PES/Silver Nanowires/PET Sandwich-Structured Film for High-Efficiency Electromagnetic Interference Shielding. <i>Langmuir</i> , 2012, 28, 7101-7106.	1.6	257
274	Electrical properties and electromagnetic interference shielding effectiveness of multiwalled carbon nanotubes-reinforced EMA nanocomposites. <i>Polymer Composites</i> , 2012, 33, 897-903.	2.3	70
275	Effect of stabilization of the electrospun polyacrylonitrile fibers on electromagnetic properties of carbon fibers. <i>EPJ Applied Physics</i> , 2012, 57, 30402.	0.3	1
276	Nanostructured Hybrid Transparent Conductive Films with Antibacterial Properties. <i>ACS Nano</i> , 2012, 6, 5157-5163.	7.3	139
277	Dielectric analysis of high-density polyethylene-graphite composites for capacitor and EMI shielding application. <i>Journal of Applied Polymer Science</i> , 2012, 125, E610.	1.3	25



#	ARTICLE	IF	CITATIONS
278	Effect of nanosized carbon black on the morphology, transport, and mechanical properties of rubbery epoxy and silicone composites. <i>Journal of Applied Polymer Science</i> , 2012, 126, 641-652.	1.3	35
279	Temperature, atomic oxygen and outgassing effects on dielectric parameters and electrical properties of nanostructured composite carbon-based materials. <i>Acta Astronautica</i> , 2012, 76, 127-135.	1.7	24
280	Dynamic mechanical behavior of flexible graphite made from exfoliated graphite. <i>Carbon</i> , 2012, 50, 283-289.	5.4	30
281	Preparation of low density carbon foams by foaming molten sucrose using an aluminium nitrate blowing agent. <i>Carbon</i> , 2012, 50, 1999-2009.	5.4	80
282	Carbon materials for structural self-sensing, electromagnetic shielding and thermal interfacing. <i>Carbon</i> , 2012, 50, 3342-3353.	5.4	507
283	Effect of MnO <sub>2</sub> additive on the dielectric and electromagnetic interference shielding properties of sintered cement-based ceramics. <i>Ceramics International</i> , 2012, 38, 671-678.	2.3	39
284	Dielectric, electromagnetic absorption and interference shielding properties of porous yttria-stabilized zirconia/silicon carbide composites. <i>Ceramics International</i> , 2012, 38, 2421-2427.	2.3	119
285	Effects of diameter and hollow structure on the microwave absorption properties of short carbon fibers. <i>Ceramics International</i> , 2012, 38, 4867-4873.	2.3	77
286	Fast preparation of activated carbon from oil sands coke using microwave-assisted activation. <i>Fuel</i> , 2012, 95, 178-182.	3.4	37
287	Materials selection for electronic enclosures in space environment considering electromagnetic interference effect. <i>Advances in Space Research</i> , 2012, 49, 586-593.	1.2	5
288	Highly conductive graphite/carbon fiber/cellulose composite papers. <i>Composites Science and Technology</i> , 2012, 72, 616-623.	3.8	51
289	Influence of silica fume additions on electromagnetic interference shielding effectiveness of multi-walled carbon nanotube/cement composites. <i>Construction and Building Materials</i> , 2012, 30, 480-487.	3.2	109
290	Magnetic nanocomposites based on hydrogenated epoxy resin. <i>Materials Chemistry and Physics</i> , 2012, 132, 618-624.	2.0	21
291	Low temperature charge transport and microwave absorption of carbon coated iron nanoparticles/polymer composite films. <i>Materials Research Bulletin</i> , 2012, 47, 1529-1532.	2.7	7
292	Synthesis of zinc oxide particles coated multiwalled carbon nanotubes: Dielectric properties, electromagnetic interference shielding and microwave absorption. <i>Materials Research Bulletin</i> , 2012, 47, 1747-1754.	2.7	122
293	Effect of oxyfluorination on electromagnetic interference shielding of polypyrrole-coated multi-walled carbon nanotubes. <i>Journal of Industrial and Engineering Chemistry</i> , 2012, 18, 392-398.	2.9	58
294	Optimization of Multilayer Shields Made of Composite Nanostructured Materials. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2012, 54, 60-69.	1.4	85
295	Carbon Onion Composites for EMC Applications. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2012, 54, 6-16.	1.4	44

#	ARTICLE	IF	CITATIONS
296	Microwave Frequency Characteristics of Magnetically Functionalized Carbon Nanotube Arrays. IEEE Transactions on Electromagnetic Compatibility, 2012, 54, 70-80.	1.4	3
297	The effect of sulfonation treatment on the structure and properties of isotactic polypropylene fibers prior to the carbonization stage. Journal of Applied Polymer Science, 2012, 123, 3375-3389.	1.3	9
298	Reduction in percolation threshold of injection molded high-density polyethylene/exfoliated graphene nanoplatelets composites by solid state ball milling and solid state shear pulverization. Journal of Applied Polymer Science, 2012, 124, 525-535.	1.3	70
299	Hopping conduction on carbon black/styrene-butadiene-styrene composites. Journal of Materials Science, 2012, 47, 860-865.	1.7	11
300	Lowering the percolation threshold of polymer matrix composite by using raspberry-like carbon black/polystyrene composite particles. Journal of Materials Science, 2012, 47, 1289-1295.	1.7	12
301	Synthesis of urethane acrylate based electromagnetic interference shielding materials. Journal of Applied Polymer Science, 2013, 127, 4957-4966.	1.3	4
302	Influences of compatibilization and compounding process on electrical conduction and thermal stabilities of carbon black-filled immiscible polypropylene/polystyrene blends. Polymer International, 2013, 62, 238-245.	1.6	14
303	Electrical transport in carbon black-epoxy resin composites at different temperatures. Journal of Applied Physics, 2013, 114, .	1.1	28
304	How to achieve high electrical conductivity in aligned carbon nanotube polymer composites. Carbon, 2013, 64, 150-157.	5.4	30
305	Expanded graphite-nanoferrite-fly ash composites for shielding of electromagnetic pollution. Journal of Alloys and Compounds, 2013, 557, 244-251.	2.8	68
306	Effect of silver incorporation into PVDF-barium titanate composites for EMI shielding applications. Materials Research Bulletin, 2013, 48, 1681-1687.	2.7	148
307	Tensile, Electrical Conductivity, and Morphological Properties of Carbon Black-Filled Epoxy Composites. International Journal of Polymer Analysis and Characterization, 2013, 18, 329-338.	0.9	28
308	Adsorption of Aqueous Azo Dye Using Waste Carbon Fiber Activated by Microwaves and Potassium Hydroxide. Advanced Materials Research, 0, 699, 572-577.	0.3	0
309	Electromagnetic wave absorbing properties of multi-walled carbon nanotube/cement composites. Construction and Building Materials, 2013, 46, 98-103.	3.2	111
310	Effect of carbon nanofiber reinforcement on electromagnetic interference shielding effectiveness of syntactic foam. Journal of Materials Science, 2013, 48, 7757-7763.	1.7	50
311	Temperature dependent microwave attenuation behavior for carbon-nanotube/silica composites. Carbon, 2013, 65, 124-139.	5.4	1,009
312	Study on Fe <sub>3</sub> O <sub>4</sub> /polyaniline electromagnetic composite hollow spheres prepared against sulfonated polystyrene colloid template. Colloid and Polymer Science, 2013, 291, 1713-1720.	1.0	12
313	Electrical, rheological and electromagnetic interference shielding properties of thermoplastic polyurethane/carbon nanotube composites. Polymer International, 2013, 62, 1477-1484.	1.6	110

#	ARTICLE	IF	CITATIONS
314	Viscoelastic behavior of the cell wall of exfoliated graphite. Carbon, 2013, 61, 305-312.	5.4	36
315	Fabrication and characterization of nano/amorphous dual-phase FINEMET microwires. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2013, 178, 1483-1490.	1.7	15
316	Characteristics of the electromagnetic interference shielding effectiveness of Al-doped ZnO thin films deposited by atomic layer deposition. Applied Surface Science, 2013, 269, 92-97.	3.1	75
317	Effects of thermal oxidation on electromagnetic interference shielding properties of SiCf/SiC composites. Ceramics International, 2013, 39, 4281-4286.	2.3	32
318	Synergistic effects of carbon nanotubes and exfoliated graphite nanoplatelets for electromagnetic interference shielding and soundproofing. Journal of Applied Polymer Science, 2013, 130, 3947-3951.	1.3	25
319	Polymer composites with enhanced wave absorption properties based on modified graphite and polyvinylidene fluoride. Journal of Materials Chemistry A, 2013, 1, 7031.	5.2	105
320	A novel method for reduction of stray loss in induction motor. , 2013, , .		3
321	Improved nanoindentation and microwave shielding properties of modified MWCNT reinforced polyurethane composites. Journal of Materials Chemistry A, 2013, 1, 9138.	5.2	282
322	Lightweight and Flexible Graphene Foam Composites for High Performance Electromagnetic Interference Shielding. Advanced Materials, 2013, 25, 1296-1300.	11.1	1,703
323	Enhanced electromagnetic interference shielding effectiveness of polyaniline functionalized carbon nanotubes filled polystyrene composites. Journal of Nanoparticle Research, 2013, 15, 1.	0.8	116
324	Fabrication and microwave absorption properties of BaTiO <sub>3</sub> nanotube/polyaniline hybrid nanomaterials. Polymer Composites, 2013, 34, 265-273.	2.3	36
325	Enhanced electromagnetic interference shielding in ZK60 magnesium alloy by aging precipitation. Journal of Physics and Chemistry of Solids, 2013, 74, 872-878.	1.9	47
326	Synthesis and dielectric relaxation behavior of metallic Bi <sub>2</sub> Te <sub>3</sub> nanotubes. Materials Letters, 2013, 108, 25-28.	1.3	5
327	Influence of shear deformation on the electrical and rheological properties of combined filler networks in polymer melts: Carbon nanotubes and carbon black in polycarbonate. Polymer, 2013, 54, 5865-5874.	1.8	45
328	Impedance characteristics and conductivity of CNT/ABS nanocomposites. Journal Physics D: Applied Physics, 2013, 46, 385305.	1.3	67
329	Dielectric and Electromagnetic Wave Absorbing Properties of Two Types of SiC Fibres with Different Compositions. Journal of Materials Science and Technology, 2013, 29, 55-58.	5.6	46
330	Electrochemical study of Ni deposition on carbon microfiber. Electrochimica Acta, 2013, 94, 252-258.	2.6	12
331	Analyzing the Electromagnetic Performances of Composite Materials With the FDTD Method. IEEE Transactions on Antennas and Propagation, 2013, 61, 2646-2654.	3.1	10

#	ARTICLE	IF	CITATIONS
332	Superior electromagnetic interference shielding and dielectric properties of carbon nanotube composites through the use of high aspect ratio CNTs and three-roll milling. <i>Organic Electronics</i> , 2013, 14, 1531-1537.	1.4	79
333	Alignment of graphene sheets in wax composites for electromagnetic interference shielding improvement. <i>Nanotechnology</i> , 2013, 24, 115708.	1.3	87
334	Nanosized barium hexaferrite in novolac phenolic resin as microwave absorber for X-band application. <i>Journal of Magnetism and Magnetic Materials</i> , 2013, 342, 92-99.	1.0	47
335	Effect of aspect ratio on strain sensing capacity of carbon fiber reinforced cement composites. <i>Materials &amp; Design</i> , 2013, 51, 1085-1094.	5.1	141
336	Conversion of Industrial Bio-Waste into Useful Nanomaterials. <i>ACS Sustainable Chemistry and Engineering</i> , 2013, 1, 619-626.	3.2	30
337	Design of multi-functional dual hole patterned carbon nanotube composites with superhydrophobicity and durability. <i>Nano Research</i> , 2013, 6, 389-398.	5.8	45
338	Facile Preparation of Lightweight Microcellular Polyetherimide/Graphene Composite Foams for Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 2677-2684.	4.0	692
339	Improved dielectric properties and highly efficient and broadened bandwidth electromagnetic attenuation of thickness-decreased carbon nanosheet/wax composites. <i>Journal of Materials Chemistry C</i> , 2013, 1, 1846.	2.7	98
340	Evidence of percolation related power law behavior in the thermal conductivity of nanotube/polymer composites. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	27
342	Carbon Fibers. , 2013, , 143-154.		9
343	Designing of multiwalled carbon nanotubes reinforced polyurethane composites as electromagnetic interference shielding materials. <i>Journal of Polymer Research</i> , 2013, 20, 1.	1.2	90
344	Effects of passivation on the properties of Ni-P alloy coating deposited on CFs reinforced PEEK. <i>Surface and Coatings Technology</i> , 2013, 232, 269-274.	2.2	19
345	Electrical, dielectric and microwave-absorption properties of polymer derived SiC ceramics in X band. <i>Journal of Alloys and Compounds</i> , 2013, 565, 66-72.	2.8	163
346	Electromagnetic properties of pyrolytic carbon-Si <sub>3</sub> N <sub>4</sub> ceramics with gradient PyC distribution. <i>Journal of the European Ceramic Society</i> , 2013, 33, 647-651.	2.8	29
347	Synthesis and electromagnetic properties of U-type hexaferrites Ba <sub>4</sub> B <sub>2</sub> Fe <sub>36</sub> O <sub>60</sub> (B: Co, Ni, Cu). <i>Journal of Magnetism and Magnetic Materials</i> , 2013, 325, 63-68.	1.0	30
348	Fe <sub>3</sub> O <sub>4</sub> /carbon composite nanofiber absorber with enhanced microwave absorption performance. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2013, 178, 1-9.	1.7	102
349	Influence of spatial configurations on electromagnetic interference shielding of ordered mesoporous carbon/ordered mesoporous silica/silica composites. <i>Scientific Reports</i> , 2013, 3, 3252.	1.6	40
350	Graphene nanoribbon/PVA composite as EMI shielding material in the X band. <i>Nanotechnology</i> , 2013, 24, 455705.	1.3	98

#	ARTICLE	IF	CITATIONS
351	Effect of Expanded Temperature on Microstructure of Carbon Nanotubes/Expanded Graphite Composites. <i>Advanced Materials Research</i> , 2013, 716, 373-378.	0.3	0
352	Designing of conducting polymer composites for shielding of microwave radiations. , 2013, , .		0
353	Effects of Particle Size of Copper on the Electrical Property and Hardness of Copper/Graphite/Carbon Fiber/Phenolic Resin Composites. <i>Advanced Materials Research</i> , 0, 661, 120-123.	0.3	2
354	Preparation and Microstructure of Two Kinds of Exfoliated Graphite. <i>Advanced Materials Research</i> , 0, 706-708, 211-214.	0.3	0
355	Expanded graphite/Novolac phenolic resin composite as single layer electromagnetic wave absorber for x-band applications. <i>Proceedings of SPIE</i> , 2013, , .	0.8	1
356	Effects of the Mould Temperature on the Properties of Graphite/Carbon Fiber/Copper/Phenolic Resin Composites. <i>Applied Mechanics and Materials</i> , 0, 470, 31-34.	0.2	0
357	Preparation and electrical property evaluation of vapor-grown carbon nanofibers reinforced natural rubber composites. <i>Journal of Industrial Textiles</i> , 2013, 42, 340-350.	1.1	5
358	Microwave curing of epoxy polymers reinforced with carbon nanotubes. <i>Journal of Applied Polymer Science</i> , 2013, 129, 2754-2764.	1.3	24
359	Synthesis and electromagnetic interference shielding effectiveness of ordered mesoporous carbon filled poly(methyl methacrylate) composite films. <i>RSC Advances</i> , 2013, 3, 23715.	1.7	24
360	Microwave absorption properties of helical carbon nanofibers-coated carbon fibers. <i>AIP Advances</i> , 2013, 3, .	0.6	21
361	EMI Shielding Effectiveness of PP/Conductive Fiber Composites for Automotive Interior Parts. , 0, , .		0
362	Preparation, Characterization and Applicability of Covalently Functionalized MWNT. , 0, , .		1
363	Permittivity and Electromagnetic Interference Shielding Investigations of Activated Charcoal Loaded Acrylic Coating Compositions. <i>Journal of Polymers</i> , 2014, 2014, 1-7.	0.9	22
364	A Methodology for Quantitatively Characterizing the Dispersion of Nanostructures in Polymers and Composites. <i>Materials Research Letters</i> , 2014, 2, 166-175.	4.1	23
365	RF shielding performance of thin flexible graphene nanoplatelets-based papers. , 2014, , .		3
366	Investigation of Shielding Materials Impact on the Effectiveness of UAV FSO Communication Systems. <i>Materials Science Forum</i> , 0, 792, 311-315.	0.3	1
367	Study on Optimal Condition of Activated Carbon Prepared by Microwave Heating from Shot Coke. <i>Advanced Materials Research</i> , 0, 936, 1809-1815.	0.3	0
368	Technical feasibility of a new approach to electromagnetic interference (EMI) shielding of injection molded parts using in-mold coated (IMC) nanopaper. <i>Journal of Polymer Engineering</i> , 2014, 34, 739-746.	0.6	5

#	ARTICLE	IF	CITATIONS
369	Electromagnetic Wave Shielding Effectiveness Based on Carbon Microcoil-Polyurethane Composites. <i>Journal of Nanomaterials</i> , 2014, 2014, 1-6.	1.5	12
370	Virtual metal model for fast computation of shielding effectiveness of blended electromagnetic interference shielding fabric. <i>International Journal of Applied Electromagnetics and Mechanics</i> , 2014, 44, 87-97.	0.3	19
371	Low-Phosphorus Electroless Nickel-Coated Carbon Fibers. <i>Advanced Materials Research</i> , 2014, 910, 86-89.	0.3	1
372	Polyaromatic-hydrocarbon-based carbon copper composites for the suppression of electromagnetic pollution. <i>Journal of Materials Chemistry A</i> , 2014, 2, 16632-16639.	5.2	39
373	EMI shielding and conductivity of carbon nanotube-polymer composites at terahertz frequency. <i>Optics Letters</i> , 2014, 39, 1541.	1.7	54
374	Electromagnetic wave absorption characteristics of multiwalled carbon nanocoils. <i>Japanese Journal of Applied Physics</i> , 2014, 53, 045102.	0.8	11
375	Frequency selective microwave absorption induced by controlled orientation of graphene-like nanoplatelets in thin polymer films. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	20
376	Electromagnetic interference shielding properties of electroless nickel-coated carbon fiber paper reinforced epoxy composites. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2014, 29, 1165-1169.	0.4	17
377	Analysis of the electromagnetic shielding behavior of stainless steel filament and PET/SS hybrid yarn incorporated conductive woven fabrics. <i>Fibers and Polymers</i> , 2014, 15, 2423-2427.	1.1	20
378	Application of Electrospun Nanofibers in Electromagnetic Interference Shielding. <i>Nanostructure Science and Technology</i> , 2014, , 497-525.	0.1	3
379	Influence of applying microwave radiation on the LDPE/MWCNTs nanocomposite. <i>Polymer Composites</i> , 2014, 35, 2036-2042.	2.3	11
380	Engineering and Applications of Carbon Materials. , 2014, , 219-525.		22
381	Electromagnetic properties of Siâ€“Câ€“N based ceramics and composites. <i>International Materials Reviews</i> , 2014, 59, 326-355.	9.4	499
382	Carbon Coils-Polyurethane Composites for the Shielding Materials of Electromagnetic Interference. <i>Advances in Science and Technology</i> , 0, , .	0.2	0
383	Preparation and Characterization of Conductive Filler Used for Electromagnetic Shielding Materials. <i>Applied Mechanics and Materials</i> , 0, 492, 268-272.	0.2	6
384	EMI Shielding Effectiveness of Polyvinyl Chloride and Carbon Fiber Composites in Building Construction. <i>Advanced Materials Research</i> , 0, 895, 452-459.	0.3	3
385	Fabrication of lightweight, flexible polyetherimide/nickel composite foam with electromagnetic interference shielding effectiveness reaching 103â€“dB. <i>Journal of Cellular Plastics</i> , 2014, 50, 537-550.	1.2	15
386	Preparation and Microstructure of Exfoliated Graphite with Large Expanding Volume by Two-Step Intercalation. <i>Advanced Materials Research</i> , 0, 852, 101-105.	0.3	5

#	ARTICLE	IF	CITATIONS
387	Flexible graphene/polymer composite films in sandwich structures for effective electromagnetic interference shielding. <i>Carbon</i> , 2014, 66, 67-76.	5.4	473
388	Microwave absorption properties of dielectric La <sub>1.5</sub> Sr <sub>0.5</sub> NiO <sub>4</sub> ultrafine particles. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2014, 186, 101-105.	1.7	15
389	Effect of length of carbon nanotubes on electromagnetic interference shielding and mechanical properties of their reinforced epoxy composites. <i>Journal of Nanoparticle Research</i> , 2014, 16, 1.	0.8	61
390	Synthesis and characterization of polyaniline/partially phosphorylated poly(vinyl alcohol) nanoparticles. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2014, 32, 35-42.	2.0	8
391	Simple, convenient, and nondestructive electromagnetic characterization technique for composite and multiscale hybrid samples at microwave frequencies. <i>Microwave and Optical Technology Letters</i> , 2014, 56, 504-509.	0.9	4
392	Facile preparation and extraordinary microwave absorption properties of carbon fibers coated with nanostructured crystalline SnO <sub>2</sub> . <i>Materials Research Bulletin</i> , 2014, 53, 123-131.	2.7	8
393	Effects of needle-punching and thermo-bonding on mechanical and EMI shielding properties of puncture-resisting composites reinforced with fabrics. <i>Fibers and Polymers</i> , 2014, 15, 315-321.	1.1	13
394	Mechanical and electrical properties of multiwall carbon nanotube/polycarbonate composites for electrostatic discharge and electromagnetic interference shielding applications. <i>RSC Advances</i> , 2014, 4, 13839.	1.7	157
396	Dielectric and microwave absorption properties of polymer derived SiCN ceramics annealed in N <sub>2</sub> atmosphere. <i>Journal of the European Ceramic Society</i> , 2014, 34, 589-598.	2.8	160
397	Electromagnetic interference shielding effectiveness of MWCNT filled poly(ether sulfone) and poly(ether imide) nanocomposites. <i>Polymer Engineering and Science</i> , 2014, 54, 2560-2570.	1.5	32
398	Synergistic effect of magnetite nanoparticles and carbon nanofibres in electromagnetic absorbing composites. <i>Carbon</i> , 2014, 74, 63-72.	5.4	82
399	Nanocomposites based on transition metal oxides in polyvinyl alcohol for EMI shielding application. <i>Polymer Bulletin</i> , 2014, 71, 497-513.	1.7	59
400	Interface-derived extraordinary viscous behavior of exfoliated graphite. <i>Carbon</i> , 2014, 68, 646-652.	5.4	34
401	ZnO nanostructures grown on carbon fibers: Morphology control and microwave absorption properties. <i>Journal of Alloys and Compounds</i> , 2014, 593, 7-15.	2.8	31
402	Flexible electromagnetic interference shields made of silver flakes, carbon nanotubes and nitrile butadiene rubber. <i>Carbon</i> , 2014, 68, 118-124.	5.4	113
403	Nano-scale and micron-scale manganese dioxide vs corresponding paraffin composites for electromagnetic interference shielding and microwave absorption. <i>Materials Research Bulletin</i> , 2014, 51, 277-286.	2.7	22
404	Flexible EMI shielding materials derived by melt blending PVDF and ionic liquid modified MWNTs. <i>Materials Research Express</i> , 2014, 1, 035003.	0.8	74
405	Poly(vinylidene fluoride)-Based Flexible and Lightweight Materials for Attenuating Microwave Radiations. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 21151-21160.	4.0	94

#	ARTICLE	IF	CITATIONS
406	Mechanical and electrical properties of high performance MWCNT/polycarbonate composites prepared by an industrial viable twin screw extruder with back flow channel. RSC Advances, 2014, 4, 64649-64658.	1.7	51
407	Electrical and EMI shielding characterization of multiwalled carbon nanotube/polystyrene composites. Journal of Applied Polymer Science, 2014, 131, .	1.3	56
408	Structure and Optical Properties of Multilayers Carbon Nanotubes/PEEK Nanocomposites. Advances in Polymer Technology, 2014, 33, .	0.8	6
409	Highly conductive and flexible polymer composites with improved mechanical and electromagnetic interference shielding performances. Nanoscale, 2014, 6, 3796-3803.	2.8	111
410	Microwave radial dielectric properties of carbon fiber bundle: Modeling, validation and application. Carbon, 2014, 79, 538-543.	5.4	20
411	Reduced graphene oxides: the thinnest and most lightweight materials with highly efficient microwave attenuation performances of the carbon world. Nanoscale, 2014, 6, 5754-5761.	2.8	347
412	Cu-Ni alloy decorated graphite layers for EMI suppression. RSC Advances, 2014, 4, 23202.	1.7	15
413	Assessing the critical concentration of NH <sub>2</sub> terminal groups on the surface of MWNTs towards chain scission of PC in PC/SAN blends: effect on dispersion, electrical conductivity and EMI shielding. RSC Advances, 2014, 4, 18842.	1.7	48
414	Radio frequency identification (RFID) based corrosion monitoring sensors Part 2 – Application and testing of coating materials. Corrosion Engineering Science and Technology, 2014, 49, 695-704.	0.7	11
415	Multifunctional, robust, light-weight, free-standing MWCNT/phenolic composite paper as anodes for lithium ion batteries and EMI shielding material. RSC Advances, 2014, 4, 33168-33174.	1.7	60
416	Electromagnetic interference shielding properties of butyl rubber-single walled carbon nanotube composites. Composites Science and Technology, 2014, 101, 139-144.	3.8	103
417	Electromagnetic Interference (EMI) Transparent Shielding of Reduced Graphene Oxide (RGO) Interleaved Structure Fabricated by Electrophoretic Deposition. ACS Applied Materials & Interfaces, 2014, 6, 17647-17653.	4.0	157
418	The electromagnetic interference shielding of silicone rubber filled with nickel coated carbon fiber. Polymer Testing, 2014, 38, 53-56.	2.3	62
419	A high performance electromagnetic interference shielding epoxy composite with multiple conductive networks in the matrix. Journal of Polymer Research, 2014, 21, 1.	1.2	11
420	Sintering of nanoscale silver coated textiles, a new approach to attain conductive fabrics for electromagnetic shielding. Materials Chemistry and Physics, 2014, 147, 815-822.	2.0	32
421	Selective reduction of graphite oxide: a novel approach. RSC Advances, 2014, 4, 53055-53059.	1.7	12
422	Accurate Characterization of Both Thin and Thick Magnetic Films Using a Shorted Microstrip. IEEE Transactions on Magnetics, 2014, 50, 1-10.	1.2	2
423	Beta-manganese dioxide nanorods for sufficient high-temperature electromagnetic interference shielding in X-band. Applied Physics A: Materials Science and Processing, 2014, 116, 1779-1783.	1.1	28



#	ARTICLE	IF	CITATIONS
424	Facile synthesis of Ag-reduced graphene oxide hybrids and their application in electromagnetic interference shielding. <i>Applied Physics A: Materials Science and Processing</i> , 2014, 116, 25-32.	1.1	33
425	Microwave absorption properties of carbon fibers with carbon coils of different morphologies (double microcoils and single nanocoils) grown on them. <i>Journal of Materials Science</i> , 2014, 49, 4379-4386.	1.7	32
426	Synthesis and microwave absorption properties of SiC nanowires reinforced SiOC ceramic. <i>Journal of the European Ceramic Society</i> , 2014, 34, 257-266.	2.8	222
427	Zener Tunneling in Polymer Nanocomposites with Carbonaceous Fillers. , 2014, , 377-406.		2
428	Potential and prospective implementation of carbon nanotubes on next generation aircraft and space vehicles: A review of current and expected applications in aerospace sciences. <i>Progress in Aerospace Sciences</i> , 2014, 70, 42-68.	6.3	189
429	Ku-band EMI shielding effectiveness and dielectric properties of Polyaniline-Y2O3 composites. <i>Polymer Science - Series A</i> , 2014, 56, 366-372.	0.4	19
430	Enhanced magnetic properties of substituted Sr-hexaferrite nanoparticles synthesized by co-precipitation method. <i>Ceramics International</i> , 2014, 40, 4945-4952.	2.3	129
431	Synthesis and microwave absorption characterization of SiO <sub>2</sub> coated Fe <sub>3</sub> O <sub>4</sub> â€“MWCNT composites. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 24069-24075.	1.3	53
432	Ultra-light carbon nanotube sponge as an efficient electromagnetic shielding material in the GHz range. <i>Physica Status Solidi - Rapid Research Letters</i> , 2014, 8, 698-704.	1.2	78
433	EMI shielding performance of nanocomposites with MWCNTs, nanosized Fe <sub>3</sub> O <sub>4</sub> and Fe. <i>Composites Part B: Engineering</i> , 2014, 63, 34-40.	5.9	134
434	Multiwalled carbon nanotubesâ€“BaTiO <sub>3</sub> /silica composites with high complex permittivity and improved electromagnetic interference shielding at elevated temperature. <i>Journal of the European Ceramic Society</i> , 2014, 34, 2229-2237.	2.8	64
435	Fabrication and electromagnetic interference shielding effectiveness of carbon nanotube reinforced carbon fiber/pyrolytic carbon composites. <i>Carbon</i> , 2014, 68, 501-510.	5.4	178
436	Electromagnetic interference shielding behaviors of carbon fibers-reinforced polypropylene matrix composites: II. Effects of filler length control. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 3901-3904.	2.9	57
437	Highly ordered porous carbon/wax composites for effective electromagnetic attenuation and shielding. <i>Carbon</i> , 2014, 77, 130-142.	5.4	271
438	Ethylene-vinyl Acetate Thermoplastic Copolymers Filled with Multiwall Carbon Nanotubes: Effect of Hydrothermal Ageing on Mechanical, Thermal, and Electrical Properties. <i>Macromolecular Materials and Engineering</i> , 2014, 299, 41-50.	1.7	10
439	Facile fabrication of ultrathin graphene papers for effective electromagnetic shielding. <i>Journal of Materials Chemistry C</i> , 2014, 2, 5057-5064.	2.7	159
440	Molecular modeling of the mechanical behavior of carbon fiber-amine functionalized multiwall carbon nanotube/epoxy composites. <i>New Carbon Materials</i> , 2014, 29, 132-142.	2.9	30
441	Encapsulation of <sup>57</sup> Fe <sub>2</sub> O <sub>3</sub> decorated reduced graphene oxide in polyaniline coreâ€“shell tubes as an exceptional tracker for electromagnetic environmental pollution. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3581-3593.	5.2	258

#	ARTICLE	IF	CITATIONS
442	Interfacial Engineering of Carbon Nanofiberâ€“Grapheneâ€“Carbon Nanofiber Heterojunctions in Flexible Lightweight Electromagnetic Shielding Networks. ACS Applied Materials & Interfaces, 2014, 6, 10516-10523.	4.0	198
443	Lightweight and Flexible Reduced Graphene Oxide/Water-Borne Polyurethane Composites with High Electrical Conductivity and Excellent Electromagnetic Interference Shielding Performance. ACS Applied Materials & Interfaces, 2014, 6, 10667-10678.	4.0	226
444	Freezingâ€“thawing effects on electromagnetic wave reflectivity of carbon fiber cement based composites. Construction and Building Materials, 2014, 64, 288-292.	3.2	34
445	Improved dielectric and electromagnetic interference shielding properties of ferrocene-modified polycarbosilane derived SiC/C composite ceramics. Journal of the European Ceramic Society, 2014, 34, 2187-2201.	2.8	117
446	Electrical percolation, morphological and dispersion properties of MWCNT/PMMA nanocomposites. Materials Research, 2014, 17, 127-132.	0.6	35
448	Raman Spectroscopy: Carbon Nanotubeâ€“Polymer Composites. , 0, , 4136-4146.		0
450	Microwave axial dielectric properties of carbon fiber. Scientific Reports, 2015, 5, 14927.	1.6	28
451	Effects of Rare Earth on Microstructure and Mechanical Properties of Al-3.2Mg Alloy. Materials Science Forum, 0, 817, 192-197.	0.3	4
452	Electromagnetic characterization of ceramic material produced with natural zeolite. Materials Science in Semiconductor Processing, 2015, 38, 352-356.	1.9	2
453	Electrical conductivity and electromagnetic interference shielding effectiveness of carbon black/sisal fiber/polyamide/polypropylene composites. Journal of Applied Polymer Science, 2015, 132, .	1.3	16
455	Mild functionalization of carbon nanotubes filled epoxy composites: Effect on electromagnetic interferences shielding effectiveness. Journal of Applied Polymer Science, 2015, 132, .	1.3	11
456	Thermoset composites functionalized with carbon nanofiber sheets for <scp>EMI</scp> shielding. Journal of Applied Polymer Science, 2015, 132, .	1.3	102
457	Improving electrical conductivity of poly methyl methacrylate by utilization of carbon nanotube and CO<sub>2</sub> laser. Journal of Applied Polymer Science, 2015, 132, .	1.3	19
459	Radiation losses in the microwave K<sub>u</sub> band in magneto-electric nanocomposites. Beilstein Journal of Nanotechnology, 2015, 6, 1700-1707.	1.5	15
460	Reinforcement of Polyethylene Terephthalate via Addition of Carbon-Based Materials. , 2015, , 41-64.		2
461	Tailoring the dispersion of multiwall carbon nanotubes in co-continuous PVDF/ABS blends to design materials with enhanced electromagnetic interference shielding. Journal of Materials Chemistry A, 2015, 3, 7974-7985.	5.2	109
462	Electromagnetic interference shielding properties of nickel-coated carbon fiber veil/acid-functionalized MWCNTs/epoxy multiscale composites. Journal of Reinforced Plastics and Composites, 2015, 34, 1029-1039.	1.6	18
463	Graphene Nanocomposites for Electromagnetic Induction Shielding. , 2015, , 345-372.		2

#	ARTICLE	IF	CITATIONS
464	Highly efficient electromagnetic interference shielding using graphite nanoplatelet/poly(3,4-ethylenedioxythiophene)â€“poly(styrenesulfonate) composites with enhanced thermal conductivity. RSC Advances, 2015, 5, 43765-43771.	1.7	109
465	Carbon nanostructure composite for electromagnetic interference shielding. Pramana - Journal of Physics, 2015, 84, 1099-1116.	0.9	87
466	Graphene-graphene oxide-graphene hybrid nanopapers with superior mechanical, gas barrier and electrical properties. AIP Advances, 2015, 5, .	0.6	16
467	Reduced graphene oxide (RGO) modified spongelike polypyrrole (PPy) aerogel for excellent electromagnetic absorption. Journal of Materials Chemistry A, 2015, 3, 14358-14369.	5.2	373
468	Temperature-dependent dielectric and microwave absorption properties of SiC /SiCâ€“Al <sub>2</sub> O <sub>3</sub> composites modified by thermal cross-linking procedure. Journal of the European Ceramic Society, 2015, 35, 2991-3003.	2.8	82
469	Tailored electrical conductivity, electromagnetic shielding and thermal transport in polymeric blends with graphene sheets decorated with nickel nanoparticles. Physical Chemistry Chemical Physics, 2015, 17, 14922-14930.	1.3	76
470	Engineering nanostructured polymer blends with controlled nanoparticle location for excellent microwave absorption: a compartmentalized approach. Nanoscale, 2015, 7, 11334-11351.	2.8	98
471	A 3D microstructure based resistor network model for the electrical resistivity of unidirectional carbon composites. Composite Structures, 2015, 134, 740-749.	3.1	32
472	Microwave reflection loss of magnetic/dielectric nanocomposites of BaFe <sub>12</sub> O <sub>19</sub> /TiO <sub>2</sub> . Materials Chemistry and Physics, 2015, 167, 145-151.	2.0	20
473	Sandwich composites of polyurethane reinforced with poly(3,4-ethylene dioxythiophene)-coated multiwalled carbon nanotubes with exceptional electromagnetic interference shielding properties. RSC Advances, 2015, 5, 75229-75238.	1.7	18
474	Synthesis of Co-doped Sr-hexaferrites by Sol-gel Auto-combustion and its Electrical Characterization. Materials Today: Proceedings, 2015, 2, 5548-5551.	0.9	3
475	Synthesis and Characterization of Rare Earth Elements Substituted X-type Hexagonal Ferrites. Materials Today: Proceedings, 2015, 2, 5462-5467.	0.9	1
476	Electromagnetic interference shielding properties of carbonyl iron powder-carbon fiber felt/epoxy resin composites with different layer angle. Materials Letters, 2015, 142, 242-245.	1.3	30
477	Dielectric property determination of hybrid Al <sub>2</sub> O <sub>3</sub> -filled MWCNT buckypaper by the rectangular cavity perturbation technique. Applied Physics A: Materials Science and Processing, 2015, 119, 211-217.	1.1	3
478	High yield synthesis of electrolyte heating assisted electrochemically exfoliated graphene for electromagnetic interference shielding applications. RSC Advances, 2015, 5, 19074-19081.	1.7	47
479	Self assembled polyaniline nanofibers with enhanced electromagnetic shielding properties. RSC Advances, 2015, 5, 20459-20466.	1.7	72
480	Infrared-transparent films based on conductive graphene network fabrics for electromagnetic shielding. Carbon, 2015, 87, 206-214.	5.4	79
481	Electromagnetic interference shielding properties of polymer-grafted carbon nanotube composites with high electrical resistance. Carbon, 2015, 85, 363-371.	5.4	94

#	ARTICLE	IF	CITATIONS
482	Trapping of microwave radiation in hollow polypyrrole microsphere through enhanced internal reflection: A novel approach. <i>Scientific Reports</i> , 2015, 5, 7638.	1.6	84
483	Cellulose composite aerogel for highly efficient electromagnetic interference shielding. <i>Journal of Materials Chemistry A</i> , 2015, 3, 4983-4991.	5.2	269
484	High-temperature dielectric and microwave absorption properties of Si <sub>3</sub> N <sub>4</sub> @SiC/SiO <sub>2</sub> composite ceramics. <i>Journal of Materials Science</i> , 2015, 50, 1478-1487.	1.7	91
485	Effect of Covalent Modification of Graphene Nanosheets on the Electrical Property and Electromagnetic Interference Shielding Performance of a Water-Borne Polyurethane Composite. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 2817-2826.	4.0	151
486	Polyimide/graphene composite foam sheets with ultrahigh thermostability for electromagnetic interference shielding. <i>RSC Advances</i> , 2015, 5, 24342-24351.	1.7	227
487	A Digital Preclinical PET/MRI Insert and Initial Results. <i>IEEE Transactions on Medical Imaging</i> , 2015, 34, 2258-2270.	5.4	97
488	Rapid computation model for accurate evaluation of electromagnetic interference shielding effectiveness of fabric with hole based on equivalent coefficient. <i>International Journal of Applied Electromagnetics and Mechanics</i> , 2015, 47, 177-185.	0.3	11
489	High-temperature dielectric and electromagnetic interference shielding properties of SiCf/SiC composites using Ti <sub>3</sub> SiC <sub>2</sub> as inert filler. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015, 77, 195-203.	3.8	75
490	Hybrid Nanocomposite Material for EMI Shielding in Spacecrafts. <i>Advanced Materials Research</i> , 0, 1101, 46-50.	0.3	10
491	Lightweight and solution processible thin sheets of poly(o-toluidine)-carbon fiber-novolac composite for EMI shielding. <i>RSC Advances</i> , 2015, 5, 55059-55065.	1.7	21
492	Outstanding electromagnetic interference shielding of silver nanowires: comparison with carbon nanotubes. <i>RSC Advances</i> , 2015, 5, 56590-56598.	1.7	88
493	Large-area reduced graphene oxide thin film with excellent thermal conductivity and electromagnetic interference shielding effectiveness. <i>Carbon</i> , 2015, 94, 494-500.	5.4	386
494	Microwave absorbers designed from PVDF/SAN blends containing multiwall carbon nanotubes anchored cobalt ferrite via a pyrene derivative. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12413-12426.	5.2	81
495	Microstructure, electromagnetic shielding effectiveness and mechanical properties of Mg@Zn@Cu@Zr alloys. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2015, 197, 67-74.	1.7	64
496	Electromagnetic interference shielding behaviors of Zn-based conducting oxide films prepared by atomic layer deposition. <i>Thin Solid Films</i> , 2015, 583, 226-232.	0.8	9
497	Effect of Ti <sub>3</sub> SiC <sub>2</sub> addition on microwave absorption property of Ti <sub>3</sub> SiC <sub>2</sub> /cordierite coatings. <i>Surface and Coatings Technology</i> , 2015, 270, 39-46.	2.2	29
498	Polarization enhanced multi-grain-boundary dendritic micro@nano structure $\hat{\pm}$ -Fe for electromagnetic absorption applications: synthesis and characterization. <i>RSC Advances</i> , 2015, 5, 25266-25272.	1.7	5
499	Improvement in electromagnetic interference shielding effectiveness of cement composites using carbonaceous nano/micro inerts. <i>Construction and Building Materials</i> , 2015, 85, 208-216.	3.2	109

#	ARTICLE	IF	CITATIONS
500	Asymmetric Ni/PVC films for high-performance electromagnetic interference shielding. Chinese Journal of Polymer Science (English Edition), 2015, 33, 899-907.	2.0	23
501	Electromagnetic shielding response of UV-induced polypyrrole/silver coated wool. Fibers and Polymers, 2015, 16, 585-592.	1.1	53
502	Enhanced electromagnetic shielding behavior of multi-walled carbon nanotube entrenched poly (3,4-ethylenedioxythiophene) nanocomposites. Composites Science and Technology, 2015, 114, 94-102.	3.8	68
503	Investigation on the current efficiency of Ni/graphite powders fabricated by electroplating. Russian Journal of Electrochemistry, 2015, 51, 236-243.	0.3	3
504	Mesocarbon microsphere composites with Fe <sub>3</sub> O <sub>4</sub> nanoparticles for outstanding electromagnetic interference shielding effectiveness. RSC Advances, 2015, 5, 43279-43289.	1.7	29
505	Polymer nanocomposite foam filled with carbon nanomaterials as an efficient electromagnetic interference shielding material. RSC Advances, 2015, 5, 43036-43057.	1.7	119
506	Tuning three-dimensional textures with graphene aerogels for ultra-light flexible graphene/texture composites of effective electromagnetic shielding. Carbon, 2015, 93, 151-160.	5.4	213
507	Graphene oxide-deposited carbon fiber/cement composites for electromagnetic interference shielding application. Construction and Building Materials, 2015, 84, 66-72.	3.2	143
508	Enhanced Electromagnetic Interference Shielding of Mg-Zn-Zr Alloy by Ce Addition. Acta Metallurgica Sinica (English Letters), 2015, 28, 492-498.	1.5	23
509	Excellent electromagnetic interference shielding and mechanical properties of high loading carbon-nanotubes/polymer composites designed using melt recirculation equipped twin-screw extruder. Carbon, 2015, 89, 308-317.	5.4	160
510	Highly conductive multilayer-graphene paper as a flexible lightweight electromagnetic shield. Carbon, 2015, 89, 260-271.	5.4	122
511	Effect of helium gas pressure on dc conduction mechanism and EMI shielding properties of nanocrystalline carbon thin films. Materials Chemistry and Physics, 2015, 158, 10-17.	2.0	9
512	Synthesis of Conductive Polyurethane/Graphite Composites for Electromagnetic Interference Shielding. Journal of Electronic Materials, 2015, 44, 4255-4268.	1.0	10
513	Fabrication and application of carbon nanotubes/cellulose composite paper. Vacuum, 2015, 122, 135-142.	1.6	53
514	Nanoscale Electromagnetic Compatibility: Quantum Coupling and Matching in Nanocircuits. IEEE Transactions on Electromagnetic Compatibility, 2015, 57, 1645-1654.	1.4	24
515	A facile hydrothermal synthesis of MnO <sub>2</sub> nanorod-reduced graphene oxide nanocomposites possessing excellent microwave absorption properties. RSC Advances, 2015, 5, 88979-88988.	1.7	113
516	Tailored graphene based polyurethane composites for efficient electrostatic dissipation and electromagnetic interference shielding applications. RSC Advances, 2015, 5, 97349-97358.	1.7	78
517	Mechanical and electromagnetic shielding properties of carbon fiber reinforced silicon carbide matrix composites. Carbon, 2015, 95, 10-19.	5.4	176

#	ARTICLE	IF	CITATIONS
518	Resistivity optimization and properties of silver nanoparticles-filled alcohol-soluble conductive coating based on acrylic resin. <i>High Performance Polymers</i> , 2015, 27, 930-938.	0.8	4
519	Sulfur doped graphene/polystyrene nanocomposites for electromagnetic interference shielding. <i>Composite Structures</i> , 2015, 133, 1267-1275.	3.1	121
520	Electrically conductive and electromagnetic interference shielding of polyethylene composites with devisable carbon nanotube networks. <i>Journal of Materials Chemistry C</i> , 2015, 3, 9369-9378.	2.7	227
521	Fabrics and their composites for electromagnetic shielding applications. <i>Textile Progress</i> , 2015, 47, 87-161.	1.3	28
522	Temperature dependence of the electromagnetic and microwave absorption properties of polyimide/Ti <sub>3</sub> SiC <sub>2</sub> composites in the X band. <i>RSC Advances</i> , 2015, 5, 86656-86664.	1.7	21
523	An efficient strategy to develop microwave shielding materials with enhanced attenuation constant. <i>RSC Advances</i> , 2015, 5, 89461-89471.	1.7	21
524	Electromagnetic shielding properties of nano carbon filled silicone rubber composites. , 2015, , .		3
525	High elasticity and conductivity of elastomer composites with arrayed carbon nanotubes as nanosprings. <i>Composites Science and Technology</i> , 2015, 118, 78-84.	3.8	26
526	Modified nano-magnetite coated carbon fibers magnetic and microwave properties. <i>Applied Surface Science</i> , 2015, 356, 1086-1095.	3.1	48
527	Designing of carbon nanotube/polymer composites using melt recirculation approach: Effect of aspect ratio on mechanical, electrical and EMI shielding response. <i>Materials and Design</i> , 2015, 88, 269-277.	3.3	108
528	Temperature dependent electrical conductivity and microwave absorption properties of composites based on multi-wall carbon nanotubes and phthalocyanine polymer. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 8008-8016.	1.1	10
529	Electromagnetic interference shielding effectiveness of Al/SiC composite foams. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 7530-7536.	1.1	18
530	Application of nano material for shielding power-frequency electromagnetic field. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015, 87, 012013.	0.3	1
531	Superhydrophobization of cotton fabric with multiwalled carbon nanotubes for durable electromagnetic interference shielding. <i>Fibers and Polymers</i> , 2015, 16, 2158-2164.	1.1	48
532	Effect of glass fiber on the electrical resistivities of polyoxymethylene/maleic anhydride-grafted polyethylene/multiwalled carbon nanotube composites. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	2
533	Electrically conductive polycarbonate/carbon nanotube composites toughened with micron-scale voids. <i>Carbon</i> , 2015, 82, 195-204.	5.4	60
534	Electrical properties of polyvinylidene fluoride (PVDF)/multi-walled carbon nanotube (MWCNT) semi-transparent composites: Modelling of DC conductivity. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015, 69, 30-39.	3.8	118
535	Magnetic and conductive graphene papers toward thin layers of effective electromagnetic shielding. <i>Journal of Materials Chemistry A</i> , 2015, 3, 2097-2107.	5.2	208

#	ARTICLE	IF	CITATIONS
536	Preparation and characterization of graphene paper for electromagnetic interference shielding. Carbon, 2015, 82, 353-359.	5.4	155
537	Elastomeric behavior of exfoliated graphite, as shown by instrumented indentation testing. Carbon, 2015, 81, 505-513.	5.4	14
538	Barium ferrite decorated reduced graphene oxide nanocomposite for effective electromagnetic interference shielding. Physical Chemistry Chemical Physics, 2015, 17, 1610-1618.	1.3	184
539	Microstructure, electromagnetic shielding effectiveness and mechanical properties of Mgâ€“Znâ€“Yâ€“Zr alloys. Materials & Design, 2015, 65, 360-369.	5.1	91
540	Development of BaAlxFe12âˆ“xO19-NPR nanocomposite as an efficient absorbing material in the X-band. Journal of Magnetism and Magnetic Materials, 2015, 374, 516-524.	1.0	11
541	Electromagnetic interference shielding boards produced using Tetra Paks waste and iron fiber. Journal of Material Cycles and Waste Management, 2015, 17, 391-398.	1.6	13
542	Carbon Nanotube Composites as Electromagnetic Shielding Materials in GHz Range. , 0, ,		22
543	Physical Non-Contact Communication between Microscopic Aquatic Species: Novel Experimental Evidences for an Interspecies Information Exchange. Journal of Biophysics, 2016, 2016, 1-5.	0.8	5
544	Effects of Carbonization Temperature and Component Ratio on Electromagnetic Interference Shielding Effectiveness of Woodceramics. Materials, 2016, 9, 540.	1.3	25
545	Dielectric Characteristics and Microwave Absorption of Graphene Composite Materials. Materials, 2016, 9, 825.	1.3	54
546	Synchronously Tailoring Strain Sensitivity and Electrical Stability of Silicone Elastomer Composites by the Synergistic Effect of a Dual Conductive Network. Polymers, 2016, 8, 100.	2.0	10
547	Scalable Fabrication of Natural-Fiber Reinforced Composites with Electromagnetic Interference Shielding Properties by Incorporating Powdered Activated Carbon. Materials, 2016, 9, 10.	1.3	36
548	Preparation and the electromagnetic interference shielding in the X-band of carbon foams with Ni-Zn ferrite additive. Journal of the European Ceramic Society, 2016, 36, 3939-3946.	2.8	36
549	Rubber composite materials with the effects of electromagnetic shielding. Polymer Composites, 2016, 37, 2933-2939.	2.3	22
550	Improvement in Mechanical Properties and Electromagnetic Interference Shielding Effectiveness of PVAâ€“Based Composites: Synergistic Effect Between Graphene Nanoâ€“Sheets and Multiâ€“Walled Carbon Nanotubes. Macromolecular Materials and Engineering, 2016, 301, 199-211.	1.7	36
551	Highâ€“Performance Epoxy Nanocomposites Reinforced with Threeâ€“Dimensional Carbon Nanotube Sponge for Electromagnetic Interference Shielding. Advanced Functional Materials, 2016, 26, 447-455.	7.8	579
552	Thermoplastic polyvinyl alcohol/multiwalled carbon nanotube composites: Preparation, mechanical properties, thermal properties, and electromagnetic shielding effectiveness. Journal of Applied Polymer Science, 2016, 133, .	1.3	20
553	Carbon composite foams with improved strength and electromagnetic absorption from sucrose and multi-walled carbon nanotube. Materials Chemistry and Physics, 2016, 181, 538-548.	2.0	31

#	ARTICLE	IF	CITATIONS
554	Lightweight and Anisotropic Porous MWCNT/WPU Composites for Ultrahigh Performance Electromagnetic Interference Shielding. <i>Advanced Functional Materials</i> , 2016, 26, 303-310.	7.8	697
555	A robust approach to the design of an electromagnetic shield based on pyrolytic carbon. <i>AIP Advances</i> , 2016, 6, .	0.6	5
556	Electromagnetic interference shielding effectiveness of polypropylene/conducting fiber composites. <i>AIP Conference Proceedings</i> , 2016, , .	0.3	6
557	Lightweight graphene nanoplatelet/boron carbide composite with high EMI shielding effectiveness. <i>AIP Advances</i> , 2016, 6, .	0.6	20
558	Electromagnetic Shielding Effectiveness of a Hybrid Carbon Nanotube/Glass Fiber Reinforced Polymer Composite. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2016, 138, .	0.8	20
559	Reliable real-time wireless sensor networks using spatial diversity. , 2016, , .		3
560	Microwave radiation absorbers based on corrugated composites with carbon fibers. <i>Technical Physics</i> , 2016, 61, 1880-1884.	0.2	10
561	Ultrahigh Oxidation Resistance and High Electrical Conductivity in Copper-Silver Powder. <i>Scientific Reports</i> , 2016, 6, 39650.	1.6	42
562	A theory of electrical conductivity, dielectric constant, and electromagnetic interference shielding for lightweight graphene composite foams. <i>Journal of Applied Physics</i> , 2016, 120, .	1.1	64
563	Enhanced absorption of microwave radiations through flexible polyvinyl alcohol-carbon black/barium hexaferrite composite films. <i>Journal of Applied Physics</i> , 2016, 120, .	1.1	44
564	Simultaneous realization of electromagnetic interference shielding, hydrophobic qualities, and strong antibacterial activity for transparent electronic devices. <i>Current Applied Physics</i> , 2016, 16, 1642-1648.	1.1	11
565	Dual percolation behaviors of electrical and thermal conductivity in metal-ceramic composites. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	52
566	Technical Note: Dosimetric effects of couch position variability on treatment plan quality with an MRI-guided Co-60 radiation therapy machine. <i>Medical Physics</i> , 2016, 43, 4514-4519.	1.6	0
567	Experimental and computational study of shielding effectiveness of polycarbonate carbon nanocomposites. <i>Journal of Applied Physics</i> , 2016, 120, .	1.1	26
568	Layer-structured silver nanowire/polyaniline composite film as a high performance X-band EMI shielding material. <i>Journal of Materials Chemistry C</i> , 2016, 4, 4193-4203.	2.7	138
569	Synergistic effect of MWNT/fly ash incorporation on the EMI shielding/absorbing characteristics of cementitious materials. <i>Construction and Building Materials</i> , 2016, 115, 651-661.	3.2	50
570	Hierarchically porous carbon foams from pickering high internal phase emulsions. <i>Carbon</i> , 2016, 101, 253-260.	5.4	86
571	Synthesis of multi-walled carbon nanotube/doped barium hexaferrite nanocomposites: An investigation of structural, magnetic and microwave absorption properties. <i>Ceramics International</i> , 2016, 42, 14342-14349.	2.3	49



#	ARTICLE	IF	CITATIONS
572	In-situ synthesis of hierarchically porous and polycrystalline carbon nanowires with excellent microwave absorption performance. <i>Carbon</i> , 2016, 107, 36-45.	5.4	158
573	EMI shielding of MWCNT/ABS nanocomposites in contrast to graphite/ABS composites and MWCNT/PS nanocomposites. <i>RSC Advances</i> , 2016, 6, 45049-45058.	1.7	32
574	Fabrication of a multifunctional graphene/polyvinylphosphonic acid/cotton nanocomposite via facile spray layer-by-layer assembly. <i>RSC Advances</i> , 2016, 6, 23288-23299.	1.7	77
576	Lightweight and Easily Foldable MCMB-MWCNTs Composite Paper with Exceptional Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 10600-10608.	4.0	188
577	High performance electromagnetic wave absorbers derived from PC/SAN blends containing multiwall carbon nanotubes and Fe <sub>3</sub> O <sub>4</sub> decorated onto graphene oxide sheets. <i>RSC Advances</i> , 2016, 6, 37633-37645.	1.7	46
578	Morphologies and electromagnetic interference shielding performances of microcellular epoxy/multi-wall carbon nanotube nanocomposite foams. <i>Composites Science and Technology</i> , 2016, 129, 70-78.	3.8	101
579	Electrodynamics of Graphene/Polymer Multilayers in the GHz Frequency Domain. <i>NATO Science for Peace and Security Series B: Physics and Biophysics</i> , 2016, , 45-67.	0.2	2
580	Synthesis and investigation of microwave characteristics of polypyrrole nanostructures prepared via self-reactive flower-like MnO <sub>2</sub> template. <i>Synthetic Metals</i> , 2016, 215, 142-149.	2.1	25
581	Electromagnetic interference shielding effectiveness of carbon foam containing in situ grown silicon carbide nanowires. <i>Ceramics International</i> , 2016, 42, 11330-11340.	2.3	63
582	Continuous carbon fiber polymer matrix composites in unprecedented antiferroelectric coupling providing exceptionally high through-thickness electric permittivity. <i>Journal of Materials Science</i> , 2016, 51, 6913-6932.	1.7	10
583	Carbon nanotube scaffolds with controlled porosity as electromagnetic absorbing materials in the gigahertz range. <i>Nanoscale</i> , 2016, 8, 10724-10730.	2.8	42
584	Microstructure, Mechanical Properties and Electromagnetic Shielding Effectiveness of Mg-Y-Zr-Nd Alloy. <i>Rare Metal Materials and Engineering</i> , 2016, 45, 13-17.	0.8	20
585	Exceptional microwave absorption in soft polymeric nanocomposites facilitated by engineered nanostructures. <i>Journal of Materials Chemistry C</i> , 2016, 4, 4954-4966.	2.7	47
586	Electrically Conductive Polymer Nanocomposites with High Thermal Conductivity. , 2016, , 255-280.		0
587	Conclusions and research needs for the future. , 2016, , 169-174.		0
588	Electromagnetic interference shielding with 2D transition metal carbides (MXenes). <i>Science</i> , 2016, 353, 1137-1140.	6.0	3,688
589	A flexible sandwich graphene/silver nanowires/graphene thin film for high-performance electromagnetic interference shielding. <i>RSC Advances</i> , 2016, 6, 101283-101287.	1.7	55
590	Fe <sub>3</sub> C/helical carbon nanotube hybrid: Facile synthesis and spin-induced enhancement in microwave-absorbing properties. <i>Composites Part B: Engineering</i> , 2016, 107, 51-58.	5.9	76

#	ARTICLE	IF	CITATIONS
591	Polycarbonate Composites Containing Carbon Encapsulated $\text{Fe}_3\text{O}_4$ Nanoparticles as Efficient Microwave Absorbers with a Large Bandwidth. <i>ChemistrySelect</i> , 2016, 1, 3829-3838.	0.7	9
592	Cellulosic Graphene Biocomposites for Versatile High-Performance Flexible Electronic Applications. <i>Advanced Electronic Materials</i> , 2016, 2, 1600245.	2.6	39
593	Nano-carbon: preparation, assessment, and applications for $\text{NH}_3$ gas sensor and electromagnetic interference shielding. <i>RSC Advances</i> , 2016, 6, 97266-97275.	1.7	32
594	Effects of SiC fibers on microwave absorption and electromagnetic interference shielding properties of SiCf/SiCN composites. <i>Ceramics International</i> , 2016, 42, 19237-19244.	2.3	52
595	High shielding effectiveness of multilayer graphene oxide aerogel film/polymer composites. <i>RSC Advances</i> , 2016, 6, 92168-92174.	1.7	32
596	Synthesis and shielding properties of PVP-stabilized-AgNPs-based graphene nanohybrid in the Ku band. <i>Synthetic Metals</i> , 2016, 221, 86-94.	2.1	24
597	Superior EMI shielding performance of thermally stable carbon nanofiber/poly(ether-ketone) composites in 26.5–40 GHz frequency range. <i>Journal of Materials Science</i> , 2016, 51, 9705-9715.	1.7	36
598	Evaluation of electromagnetic shielding effectiveness of multi-axial fabrics and their reinforced PES composites. <i>Bulletin of Materials Science</i> , 2016, 39, 963-970.	0.8	7
599	High electrical conductivity and anisotropy of aligned carbon nanotube nanocomposites reinforced by silicon carbonitride. <i>Scripta Materialia</i> , 2016, 124, 21-25.	2.6	37
600	Radiation losses in microwave Ku region by conducting pyrrole/barium titanate and barium hexaferrite based nanocomposites. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 420, 336-342.	1.0	26
601	Preparation and Properties of $\text{Si}_3\text{N}_4$ -SiC Radar Wave-Absorbing Nanocomposites. <i>Key Engineering Materials</i> , 0, 697, 462-466.	0.4	7
602	Segregated poly(vinylidene fluoride)/MWCNTs composites for high-performance electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 90, 606-613.	3.8	126
603	Microwave-Absorbing Polymer-Derived Ceramics from Cobalt-Coordinated Poly(dimethylsilylene)diacetylenes. <i>Journal of Physical Chemistry C</i> , 2016, 120, 18721-18732.	1.5	112
604	Microwave properties of natural rubber based composites comprising conductive carbon black/silica hybrid fillers. <i>Journal of Polymer Research</i> , 2016, 23, 1.	1.2	7
605	High porosity scaffold composites of graphene and carbon nanotubes as microwave absorbing materials. <i>Journal of Materials Chemistry C</i> , 2016, 4, 8575-8582.	2.7	53
607	Radio frequency shielding behaviour of silane treated $\text{Fe}_2\text{O}_3$ /E-glass fibre reinforced epoxy hybrid composite. <i>Applied Physics A: Materials Science and Processing</i> , 2016, 122, 1.	1.1	42
608	Hyperporous Carbons from Hypercrosslinked Polymers. <i>Advanced Materials</i> , 2016, 28, 9804-9810.	11.1	201
609	Excellent Microwave Absorption and Electromagnetic Interference Shielding Based on Reduced Graphene Oxide@ $\text{MoS}_2$ /Poly(Vinylidene Fluoride) Composites. <i>ChemPlusChem</i> , 2016, 81, 1305-1311.	1.3	53

#	ARTICLE	IF	CITATIONS
610	Tuning the Shape Anisotropy and Electromagnetic Screening Ability of Ultrahigh Magnetic Polymer and Surfactant-Capped FeCo Nanorods and Nanocubes in Soft Conducting Composites. ACS Applied Materials & Interfaces, 2016, 8, 26285-26297.	4.0	57
611	Fabrication and Electromagnetic Wave-Absorbing Property of Si <sub>3</sub> N <sub>4</sub> Ceramics with Gradient Pyrolytic Carbon Distribution. Journal of Electronic Materials, 2016, 45, 3624-3628.	1.0	10
612	Three-dimensional macro-structures of two-dimensional nanomaterials. Chemical Society Reviews, 2016, 45, 5541-5588.	18.7	280
613	Fabrication and high-performance microwave absorption of Ni@SnO <sub>2</sub> @PPy Core-Shell composite. Synthetic Metals, 2016, 220, 347-355.	2.1	36
614	Enhanced Microwave Absorption Properties of Carbon Black/Silicone Rubber Coating by Frequency-Selective Surface. Journal of Electronic Materials, 2016, 45, 5017-5023.	1.0	6
615	Lightweight, flexible and ultra-thin sandwich architectures for screening electromagnetic radiation. RSC Advances, 2016, 6, 70018-70024.	1.7	16
616	Investigation of microwave healing performance of electrically conductive carbon fiber modified asphalt mixture beams. Construction and Building Materials, 2016, 126, 1012-1019.	3.2	68
617	Three-dimensional and highly ordered porous carbon@MnO <sub>2</sub> composite foam for excellent electromagnetic interference shielding efficiency. RSC Advances, 2016, 6, 100713-100722.	1.7	53
618	Construction of a carbon fiber based layer-by-layer (LbL) assembly – a smart approach towards effective EMI shielding. RSC Advances, 2016, 6, 112614-112619.	1.7	29
619	Thermally conductive plastics for innovative thermal management solutions. , 2016, , .		1
620	Thermally Annealed Anisotropic Graphene Aerogels and Their Electrically Conductive Epoxy Composites with Excellent Electromagnetic Interference Shielding Efficiencies. ACS Applied Materials & Interfaces, 2016, 8, 33230-33239.	4.0	269
621	Hybrid boron nitride-natural fiber composites for enhanced thermal conductivity. Scientific Reports, 2016, 6, 34726.	1.6	55
622	Cyber-Attacks Based in Electromagnetic Effects. IEEE Latin America Transactions, 2016, 14, 2838-2845.	1.2	3
623	Deoxyribonucleic acid (DNA)-Ni-nanostrands composites for EMI shielding. , 2016, , .		0
624	Dielectric and microwave properties of elastomer composites loaded with carbon@silica hybrid fillers. Journal of Applied Polymer Science, 2016, 133, .	1.3	6
625	Transparent conductive Ta/Al/Ta-grid electrode for optoelectronic and electromagnetic interference shielding applications. Thin Solid Films, 2016, 612, 350-357.	0.8	19
626	Conductive nickel/carbon fiber composites prepared via an electroless plating route. Journal of Materials Science: Materials in Electronics, 2016, 27, 5686-5690.	1.1	11
627	Engineering carbon fibers with dual coatings of FeCo and CuO towards enhanced microwave absorption properties. Journal of Alloys and Compounds, 2016, 687, 334-341.	2.8	41

#	ARTICLE	IF	CITATIONS
628	Mechanical and electrical characterization of carbon nanofibers produced from water soluble precursors. <i>Materials Today Communications</i> , 2016, 7, 134-139.	0.9	11
629	Enhanced Electromagnetic Interference Shielding in a Au@MWCNT Composite Nanostructure Dispersed PVDF Thin Films. <i>Journal of Physical Chemistry C</i> , 2016, 120, 13771-13778.	1.5	89
630	Effects of Cerium and Lanthanum on the Corrosion Behavior of Al-3.0Åwt.%Mg Alloy. <i>Journal of Materials Engineering and Performance</i> , 2016, 25, 1122-1128.	1.2	18
631	Carbon nanofibers based nanocomposites for electromagnetic shielding applications <sup>1</sup>. <i>IEEE Electromagnetic Compatibility Magazine</i> , 2016, 5, 77-79.	0.1	1
632	Multiwalled carbon nanotube-filled ethylene acrylic elastomer nanocomposites: Influence of ionic liquids on the mechanical, dynamic mechanical, and dielectric properties. <i>Polymer Composites</i> , 2016, 37, 2568-2580.	2.3	17
633	A facile method to improving the electromagnetic interference shielding of a free-standing and foldable carbon nanotube mat. <i>RSC Advances</i> , 2016, 6, 62485-62490.	1.7	18
634	Lightweight, Flexible, High-Performance Carbon Nanotube Cables Made by Scalable Flow Coating. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 4903-4910.	4.0	38
635	Emerging trends in graphene carbon based polymer nanocomposites and applications. <i>Reviews in Chemical Engineering</i> , 2016, 32, .	2.3	71
636	Effect of synthesis catalyst on structure of nitrogen-doped carbon nanotubes and electrical conductivity and electromagnetic interference shielding of their polymeric nanocomposites. <i>Carbon</i> , 2016, 98, 358-372.	5.4	202
637	3D network porous polymeric composites with outstanding electromagnetic interference shielding. <i>Composites Science and Technology</i> , 2016, 125, 22-29.	3.8	127
638	Excellent Electromagnetic Absorption Capability of Ni/Carbon Based Conductive and Magnetic Foams Synthesized via a Green One Pot Route. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 1468-1477.	4.0	241
639	Microwave absorption properties of polyaniline-Fe <sub>3</sub> O <sub>4</sub> /ZnO-polyester nanocomposite: Preparation and optimization. <i>Applied Surface Science</i> , 2016, 366, 210-218.	3.1	55
640	Ultrathin carbon foams for effective electromagnetic interference shielding. <i>Carbon</i> , 2016, 100, 375-385.	5.4	177
641	Electromagnetic interference shielding effectiveness of carbon fiber reinforced multilayered (PyC@SiC) <sub>n</sub> matrix composites. <i>Ceramics International</i> , 2016, 42, 986-988.	2.3	16
642	Toward multi-functional polymer composites through selectively distributing functional fillers. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 82, 20-33.	3.8	11
643	Polymer composites made of multi-walled carbon nanotubes and graphene nano-sheets: Effects of sandwich structures on their electromagnetic interference shielding effectiveness. <i>Composites Part B: Engineering</i> , 2016, 89, 424-431.	5.9	93
644	Polymers with Nano-Encapsulated Functional Polymers. , 2016, , 125-154.		6
645	Graphene nanosheets/BaTiO <sub>3</sub> ceramics as highly efficient electromagnetic interference shielding materials in the X-band. <i>Journal of Materials Chemistry C</i> , 2016, 4, 371-375.	2.7	167

#	ARTICLE	IF	CITATIONS
646	Compressible Graphene-Coated Polymer Foams with Ultralow Density for Adjustable Electromagnetic Interference (EMI) Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 8050-8057.	4.0	448
647	A strategy to achieve enhanced electromagnetic interference shielding at ultra-low concentration of multiwall carbon nanotubes in PI±MSAN/PMMA blends in the presence of a random copolymer PS-r-PMMA. <i>RSC Advances</i> , 2016, 6, 26959-26966.	1.7	10
648	Graphene foam/carbon nanotube/poly(dimethyl siloxane) composites for exceptional microwave shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 85, 199-206.	3.8	171
649	Superior plant based carbon fibers from electrospun poly-(caffeyl alcohol) lignin. <i>Carbon</i> , 2016, 103, 372-383.	5.4	56
650	Thin Oriented Polymer Carbon Nanotube Composites for Microwave Absorption. <i>Materials Today: Proceedings</i> , 2016, 3, 491-496.	0.9	7
651	Effect of fluorination on the mechanical behavior and electromagnetic interference shielding of MWCNT/epoxy composites. <i>Applied Surface Science</i> , 2016, 369, 189-195.	3.1	38
652	Synergic effect of graphene and MWCNT fillers on electromagnetic shielding properties of graphene±MWCNT/ABS nanocomposites. <i>RSC Advances</i> , 2016, 6, 18257-18265.	1.7	26
653	PET/MRI: Technical Challenges and Recent Advances. <i>Nuclear Medicine and Molecular Imaging</i> , 2016, 50, 3-12.	0.6	33
654	Electro-chemo-biomimetics from conducting polymers: fundamentals, materials, properties and devices. <i>Journal of Materials Chemistry B</i> , 2016, 4, 2069-2085.	2.9	51
655	Electromagnetic interference shielding and electrical properties of nanocomposites based on poly(styrene-b-ethylene-ran-butylene-b-styrene) and carbon nanotubes. <i>European Polymer Journal</i> , 2016, 77, 43-53.	2.6	65
656	Microcellular graphene foam for improved broadband electromagnetic interference shielding. <i>Carbon</i> , 2016, 102, 154-160.	5.4	326
657	Simultaneously reinforcing and toughening of polylactide/carbon fiber composites via adding small amount of soft poly(ether)urethane. <i>Composites Science and Technology</i> , 2016, 127, 54-61.	3.8	28
658	Phthalonitrile-Based Carbon Foam with High Specific Mechanical Strength and Superior Electromagnetic Interference Shielding Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 7422-7430.	4.0	189
659	Composites of nanosized strontium titanate epoxy resin as microwave absorber. <i>Journal of Electromagnetic Waves and Applications</i> , 2016, 30, 366-374.	1.0	5
660	High frequency millimetre wave absorbers derived from polymeric nanocomposites. <i>Polymer</i> , 2016, 84, 398-419.	1.8	191
661	Electromagnetic response of magnetic graphene hybrid fillers and their evolutionary behaviors. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 2760-2772.	1.1	10
662	Electromagnetic interference shielding performance of epoxy composites filled with multiwalled carbon nanotubes/manganese zinc ferrite hybrid fillers. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 401, 472-478.	1.0	100
663	A structural study and magnetic properties of electrospun carbon/manganese ferrite (C/MnFe <sub>2</sub> O <sub>4</sub> ) composite nanofibers. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 401, 436-442.	1.0	21

#	ARTICLE	IF	CITATIONS
664	Processing and characterization of conductive composites based on poly(styrene-b-ethylene-ran-butylene-b-styrene) (SEBS) and carbon additives: A comparative study of expanded graphite and carbon black. <i>Composites Part B: Engineering</i> , 2016, 84, 236-247.	5.9	94
665	Thin and flexible multi-walled carbon nanotube/waterborne polyurethane composites with high-performance electromagnetic interference shielding. <i>Carbon</i> , 2016, 96, 768-777.	5.4	301
666	Influence of multi-walled carbon nanotubes (MWCNTs) volume percentage on the magnetic and microwave absorbing properties of BaMg 0.5 Co 0.5 TiFe 10 O 19 /MWCNTs nanocomposites. <i>Materials Research Bulletin</i> , 2016, 73, 261-267.	2.7	39
667	Fabrication and electromagnetic properties of novel FeNi alloy-coated flake graphite prepared by electroless plating. <i>Journal of Alloys and Compounds</i> , 2016, 656, 51-57.	2.8	33
668	A novel structure of Ferro-Aluminum based sandwich composite for magnetic and electromagnetic interference shielding. <i>Materials and Design</i> , 2016, 89, 71-77.	3.3	66
669	Microwave absorption properties of FeCo-coated carbon fibers with varying morphologies. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 399, 252-259.	1.0	98
670	Co-doped ZnOâ€“PVA Nanocomposite for EMI Shielding. <i>Polymer-Plastics Technology and Engineering</i> , 2016, 55, 149-157.	1.9	14
671	A review of exfoliated graphite. <i>Journal of Materials Science</i> , 2016, 51, 554-568.	1.7	205
672	Carbon black/ polyurethane nanocomposite-coated fabric for microwave attenuation in X & Ku-band (8â€“18â€%GHz) frequency range. <i>Journal of Industrial Textiles</i> , 2016, 46, 510-529.	1.1	34
673	The novel frequency selective fabric and application research. <i>Journal of Industrial Textiles</i> , 2016, 46, 143-159.	1.1	25
674	Graphene nanoplate and multiwall carbon nanotubeâ€“embedded polycarbonate hybrid composites: High electromagnetic interference shielding with low percolation threshold. <i>Polymer Composites</i> , 2016, 37, 2058-2069.	2.3	49
675	New route for development of electromagnetic shielding based on cellulosic nanofibers. <i>Journal of Industrial Textiles</i> , 2017, 46, 1598-1615.	1.1	16
676	Characterization of hybrid fillers based on carbon black of different types obtained by impregnation. <i>Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications</i> , 2017, 231, 584-599.	0.7	4
677	Polyurethane foam-based radar absorbing sandwich structures to evade detection. <i>Journal of Sandwich Structures and Materials</i> , 2017, 19, 647-658.	2.0	12
678	Effect of processing methods on electrical percolation and electromagnetic shielding of PC/MWCNTs nanocomposites. <i>Polymer Composites</i> , 2017, 38, E269.	2.3	20
679	Mechanistic Insight into the Critical Concentration of Barium Hexaferrite and the Conductive Polymeric Phase with Respect to Synergistically Electromagnetic Interference (EMI) Shielding. <i>ChemistrySelect</i> , 2017, 2, 830-841.	0.7	47
680	Electromagnetic interference shielding performance and electromagnetic properties of wood-plastic nanocomposite with graphene nanoplatelets. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 6704-6711.	1.1	28
681	Silicon carbide nano-fibers in-situ grown on carbon fibers for enhanced microwave absorption properties. <i>Ceramics International</i> , 2017, 43, 5628-5634.	2.3	117

#	ARTICLE	IF	CITATIONS
682	Conductive fabrics made of polypropylene/multi-walled carbon nanotube coated polyester yarns: Mechanical properties and electromagnetic interference shielding effectiveness. <i>Composites Science and Technology</i> , 2017, 141, 74-82.	3.8	65
683	A comparative study on electromagnetic interference shielding behaviors of chemically reduced and thermally reduced graphene aerogels. <i>Journal of Colloid and Interface Science</i> , 2017, 492, 112-118.	5.0	37
684	Synthesis and electromagnetic interference shielding of cellulose-derived carbon aerogels functionalized with $\text{Fe}_2\text{O}_3$ and polypyrrole. <i>Carbohydrate Polymers</i> , 2017, 161, 158-165.	5.1	56
685	Exfoliation/dispersion of low-temperature expandable graphite in nanocellulose matrix by wet co-milling. <i>Carbohydrate Polymers</i> , 2017, 157, 1434-1441.	5.1	22
686	Information theory based metrics for the characterization and influence of reinforcing matrix phases in polymeric composites. , 2017, , .		0
687	High-performance near-field electromagnetic wave attenuation in ultra-thin and transparent graphene films. <i>2D Materials</i> , 2017, 4, 025003.	2.0	36
688	A study on EMI shielding enhancement behaviors of Ni-plated CFs-reinforced polymer matrix composites by post heat treatment. <i>Applied Surface Science</i> , 2017, 415, 55-60.	3.1	40
689	Polydopamine decoration on 3D graphene foam and its electromagnetic interference shielding properties. <i>Journal of Colloid and Interface Science</i> , 2017, 493, 327-333.	5.0	86
690	A complete carbon counter electrode for high performance quasi solid state dye sensitized solar cell. <i>Journal of Power Sources</i> , 2017, 343, 412-423.	4.0	33
691	Graphene oxide co-doped with dielectric and magnetic phases as an electromagnetic wave suppressor. <i>Materials Chemistry Frontiers</i> , 2017, 1, 1229-1244.	3.2	18
692	Rational Design of Multilayer Ultrathin Nano-Structure by Coupling of Soft Conducting Nanocomposite with Ferrites and Porous Structures for Screening Electromagnetic Radiation. <i>ChemistrySelect</i> , 2017, 2, 1094-1101.	0.7	9
693	The effects of MWCNT length on the mechanical, crystallization and electromagnetic interference shielding effectiveness of PP/MWCNT composites. <i>Journal of Polymer Research</i> , 2017, 24, 1.	1.2	14
694	New insight on the interfacial interaction between multiwalled carbon nanotubes and elastomers. <i>Composites Science and Technology</i> , 2017, 142, 214-220.	3.8	33
695	Smart Contact Lenses with Graphene Coating for Electromagnetic Interference Shielding and Dehydration Protection. <i>ACS Nano</i> , 2017, 11, 5318-5324.	7.3	202
696	Remarkable microwave absorption performance of graphene at a very low loading ratio. <i>Composites Part B: Engineering</i> , 2017, 114, 395-403.	5.9	145
697	Three-dimensional printing of highly conductive polymer nanocomposites for EMI shielding applications. <i>Materials Today Communications</i> , 2017, 11, 112-118.	0.9	138
698	Fabrication and assessment of a thin flexible surface coating made of pristine graphene for lightning strike protection. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2017, 216, 31-40.	1.7	47
699	A new approach to microwave food research: Analyzing the electromagnetic response of basic amino acids. <i>Innovative Food Science and Emerging Technologies</i> , 2017, 41, 100-108.	2.7	19

#	ARTICLE	IF	CITATIONS
700	The importance of the electrical contact between specimen and testing fixture in evaluating the electromagnetic interference shielding effectiveness of carbon materials. <i>Carbon</i> , 2017, 117, 427-436.	5.4	40
701	Facile approach to fabricate waterborne polyaniline nanocomposites with environmental benignity and high physical properties. <i>Scientific Reports</i> , 2017, 7, 43694.	1.6	34
702	Absorption modulation of FSS-polymer nanocomposites through incorporation of conductive nanofillers. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	1.1	8
703	Structural effects in a composite nonwoven fabric on EMI shielding. <i>Materials and Design</i> , 2017, 120, 354-362.	3.3	60
704	Investigation of electromagnetic shielding and absorbing capabilities of cementitious composites with waste metallic chips. <i>Journal of Microwave Power and Electromagnetic Energy</i> , 2017, 51, 31-42.	0.4	15
705	Electromagnetic interference shielding properties and mechanisms of chemically reduced graphene aerogels. <i>Applied Surface Science</i> , 2017, 412, 529-536.	3.1	81
706	Graphite reinforced polyvinylidene fluoride composites an efficient and sustainable solution for electromagnetic pollution. <i>Composites Part B: Engineering</i> , 2017, 123, 271-278.	5.9	58
707	Fabrication of Conductive Silver Microtubes Using Natural Catkin as a Template. <i>ACS Omega</i> , 2017, 2, 1738-1745.	1.6	19
708	Phase specific dispersion of functional nanoparticles in soft nanocomposites resulting in enhanced electromagnetic screening ability dominated by absorption. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 467-479.	1.3	30
709	Unique Multilayered Assembly Consisting of "Flower-Like" Ferrite Nanoclusters Conjugated with MWCNT as Millimeter Wave Absorbers. <i>Journal of Physical Chemistry C</i> , 2017, 121, 13998-14009.	1.5	51
710	Carbon Nanotube "Multilayered Graphene Edge Plane Core" Shell Hybrid Foams for Ultrahigh Performance Electromagnetic Interference Shielding. <i>Advanced Materials</i> , 2017, 29, 1701583.	11.1	560
712	Lightweight, multifunctional microcellular PMMA/Fe <sub>3</sub> O <sub>4</sub> @MWCNTs nanocomposite foams with efficient electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017, 100, 128-138.	3.8	214
713	FeCo-Anchored Reduced Graphene Oxide Framework-Based Soft Composites Containing Carbon Nanotubes as Highly Efficient Microwave Absorbers with Excellent Heat Dissipation Ability. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 19202-19214.	4.0	132
714	Polymer Nanocomposites for Electronics, Dielectrics, and Microwave Applications. , 2017, , 25-36.		1
715	Graphene paper for exceptional EMI shielding performance using large-sized graphene oxide sheets and doping strategy. <i>Carbon</i> , 2017, 122, 74-81.	5.4	195
716	Thermophysical and Microwave Shielding Properties of La <sub>0.5</sub> Sr <sub>0.5</sub> CoO <sub>3</sub> and its Composite with Epoxy. <i>Journal of Electronic Materials</i> , 2017, 46, 5158-5167.	1.0	11
717	Effect of silica fume and colloidal graphite additions on the EMI shielding effectiveness of nickel fiber cement based composites. <i>Construction and Building Materials</i> , 2017, 150, 825-832.	3.2	19
718	Flexible, Ultrathin, and High-Efficiency Electromagnetic Shielding Properties of Poly(Vinylidene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 4.08 264	4.08	264



#	ARTICLE	IF	CITATIONS
719	Stiff, Thermally Stable and Highly Anisotropic Wood-Derived Carbon Composite Monoliths for Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 21371-21381.	4.0	148
720	Electrical conductivity enhancement in thermoplastic polyurethane-graphene nanoplatelet composites by stretch-release cycles. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	32
721	One-Pot Sintering Strategy for Efficient Fabrication of High-Performance and Multifunctional Graphene Foams. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 13323-13330.	4.0	40
722	Carbon foams with a triplex pore structure by compression molding of molten sucrose+NaCl powder pastes. <i>Carbon</i> , 2017, 118, 545-555.	5.4	21
723	High-temperature electromagnetic interference shielding of layered Ti <sub>3</sub> AlC <sub>2</sub> ceramics. <i>Scripta Materialia</i> , 2017, 134, 47-51.	2.6	29
724	The influence of gradient and sandwich configurations on the electromagnetic interference shielding performance of multilayered thermoplastic polyurethane/graphene composite foams. <i>Composites Science and Technology</i> , 2017, 138, 209-216.	3.8	179
725	Design of efficient microwave absorbers based on multi-layered polyaniline nanofibers and polyaniline nanofibers/Li <sub>0.35</sub> Zn <sub>0.3</sub> Fe <sub>2.35</sub> O <sub>4</sub> nanocomposite. <i>Synthetic Metals</i> , 2017, 223, 49-57.	2.1	29
726	Effectiveness of Polystyrene/Carbon Nanotube Composite in Electromagnetic Interference Shielding Materials: A Review. <i>Polymer-Plastics Technology and Engineering</i> , 2017, 56, 1027-1042.	1.9	37
727	Synergistic interactions between silver decorated graphene and carbon nanotubes yield flexible composites to attenuate electromagnetic radiation. <i>Nanotechnology</i> , 2017, 28, 025201.	1.3	29
728	Absorption-Dominated Electromagnetic Wave Suppressor Derived from Ferrite-Doped Cross-Linked Graphene Framework and Conducting Carbon. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 3030-3039.	4.0	169
729	Construction of three-dimensional graphene interfaces into carbon fiber textiles for increasing deposition of nickel nanoparticles: flexible hierarchical magnetic textile composites for strong electromagnetic shielding. <i>Nanotechnology</i> , 2017, 28, 045710.	1.3	34
730	Electrically conducting graphene-based polyurethane nanocomposites for microwave shielding applications in the Ku band. <i>Journal of Materials Science</i> , 2017, 52, 1546-1560.	1.7	59
731	Endogenous physical regulation of population density in the freshwater protozoan <i>Paramecium caudatum</i> . <i>Scientific Reports</i> , 2017, 7, 13800.	1.6	11
732	Electrical, thermal, mechanical and electromagnetic interference shielding properties of PANI/FMWCNT/TPU composites. <i>Progress in Organic Coatings</i> , 2017, 113, 168-174.	1.9	37
733	Obtaining of Magnetic Polymeric Fibers with Additives of Magnetite Nanoparticle. <i>Procedia Manufacturing</i> , 2017, 12, 28-32.	1.9	6
734	Graphene-Based Sandwich Structures for Frequency Selectable Electromagnetic Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 36119-36129.	4.0	135
735	Screen printed silver patterns on La <sub>0.5</sub> Sr <sub>0.5</sub> CoO <sub>3</sub> -Epoxy composite as a strategy for many-fold increase in EMI shielding. <i>Surface and Coatings Technology</i> , 2017, 330, 34-41.	2.2	22
736	Electromagnetic and wave absorbing properties of Fe-doped polymer-derived SiCN ceramics. <i>RSC Advances</i> , 2017, 7, 46215-46220.	1.7	21

#	ARTICLE	IF	CITATIONS
737	Microwave Enhancement of Autocatalytic Growth of Nanometals. ACS Nano, 2017, 11, 9957-9967.	7.3	22
738	Encapsulation of Barium Ferrite and Reduced Graphene Oxide in poly(o-aminotoluidine) as a Barrier for Electromagnetic Radiations. Crystal Research and Technology, 2017, 52, 1700117.	0.6	1
739	Electromagnetic wave suppressors derived from crosslinked polymer composites containing functional particles: Potential and key challenges. Nano Structures Nano Objects, 2017, 12, 130-146.	1.9	52
740	Polymer and ceramic nanocomposites for aerospace applications. Applied Nanoscience (Switzerland), 2017, 7, 519-548.	1.6	160
741	Effect of processing method on microstructure, electrical conductivity and electromagnetic wave interference (EMI) shielding performance of carbon nanofiber filled thermoplastic polyurethane composites. Journal of Polymer Research, 2017, 24, 1.	1.2	18
742	Ultrahigh molecular weight polyethylene composites with segregated nickel conductive network for highly efficient electromagnetic interference shielding. Materials Letters, 2017, 209, 353-356.	1.3	38
743	Correlation between mechanical dissipation and improved X-band electromagnetic shielding capabilities of amine functionalized graphene/thermoplastic polyurethane composites. European Polymer Journal, 2017, 95, 520-538.	2.6	45
744	Theoretical prediction and experimental verification on EMI shielding effectiveness of dielectric composites using complex permittivity. Ceramics International, 2017, 43, 16736-16743.	2.3	14
745	Radio-frequency characterization of multi-walled carbon nanotube/poly-lactic acid composites. Materials Today: Proceedings, 2017, 4, 6548-6552.	0.9	1
746	Electromagnetic screening in soft conducting composite-containing ferrites: the key role of size and shape anisotropy. Materials Chemistry Frontiers, 2017, 1, 2574-2589.	3.2	26
747	Nanoelectromagnetic of the N-doped single wall carbon nanotube in the extremely high frequency band. Nanoscale, 2017, 9, 14192-14200.	2.8	8
748	Ultralight and Flexible Polyurethane/Silver Nanowire Nanocomposites with Unidirectional Pores for Highly Effective Electromagnetic Shielding. ACS Applied Materials & Interfaces, 2017, 9, 32211-32219.	4.0	158
749	Bifunctional Hybrid Composites from Collagen Biowastes for Heterogeneous Applications. ACS Omega, 2017, 2, 5260-5270.	1.6	17
750	Electromagnetic interference shielding cotton fabrics with high electrical conductivity and electrical heating behavior via layer-by-layer self-assembly route. RSC Advances, 2017, 7, 42641-42652.	1.7	72
751	Lightweight, thermally insulating and stiff carbon honeycomb-induced graphene composite foams with a horizontal laminated structure for electromagnetic interference shielding. Carbon, 2017, 123, 223-232.	5.4	91
752	Graphene Derivatives Doped with Nickel Ferrite Nanoparticles as Excellent Microwave Absorbers in Soft Nanocomposites. ChemistrySelect, 2017, 2, 5984-5999.	0.7	14
753	Controlled morphology of MWCNTs driven by polymer-grafted nanoparticles for enhanced microwave absorption. Journal of Materials Chemistry C, 2017, 5, 8436-8443.	2.7	50
754	An X-band theory of electromagnetic interference shielding for graphene-polymer nanocomposites. Journal of Applied Physics, 2017, 122, .	1.1	36

#	ARTICLE	IF	CITATIONS
755	Microstructure Design of Lightweight, Flexible, and High Electromagnetic Shielding Porous Multiwalled Carbon Nanotube/Polymer Composites. <i>Small</i> , 2017, 13, 1701388.	5.2	163
756	Silver nanowire/carbon nanotube/cellulose hybrid papers for electrically conductive and electromagnetic interference shielding elements. <i>Composites Science and Technology</i> , 2017, 150, 45-53.	3.8	83
757	Enhanced electromagnetic interference shielding of carbon fiber/cement composites by adding ferroferric oxide nanoparticles. <i>Construction and Building Materials</i> , 2017, 151, 575-581.	3.2	44
758	Graphene analogues as emerging materials for screening electromagnetic radiations. <i>Nano Structures Nano Objects</i> , 2017, 11, 94-101.	1.9	36
759	Salt leached viable porous Fe <sub>3</sub> O <sub>4</sub> decorated polyaniline “SWCNH/PVDF composite spectacles as an admirable electromagnetic shielding efficiency in extended Ku-band region. <i>Composites Part B: Engineering</i> , 2017, 129, 210-220.	5.9	52
760	Lightweight flexible carbon nanotube/polyaniline films with outstanding EMI shielding properties. <i>Journal of Materials Chemistry C</i> , 2017, 5, 8694-8698.	2.7	75
761	Magnetic, electrically conductive and lightweight graphene/iron pentacarbonyl porous films enhanced with chitosan for highly efficient broadband electromagnetic interference shielding. <i>Composites Science and Technology</i> , 2017, 151, 71-78.	3.8	58
762	Ultralow percolation threshold and enhanced electromagnetic interference shielding in poly( <i>l</i> -lactide)/multi-walled carbon nanotube nanocomposites with electrically conductive segregated networks. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9359-9369.	2.7	322
763	Enhanced electromagnetic interference shielding properties of carbon fiber veil/Fe <sub>3</sub> O <sub>4</sub> nanoparticles/epoxy multiscale composites. <i>Materials Research Express</i> , 2017, 4, 126303.	0.8	34
764	Hollow Semiconductor Nanospheres-Anchored Graphene Oxide Sheets for Effective Microwave Absorption. <i>ChemistrySelect</i> , 2017, 2, 10840-10847.	0.7	10
765	Highly Stretchable and Transparent Electromagnetic Interference Shielding Film Based on Silver Nanowire Percolation Network for Wearable Electronics Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 44609-44616.	4.0	270
766	Thin and Flexible Fe-Si-B/Ni-Cu-P Metallic Glass Multilayer Composites for Efficient Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 42192-42199.	4.0	76
767	Utilization of Stainless-steel Furnace Dust as an Admixture for Synthesis of Cement-based Electromagnetic Interference Shielding Composites. <i>Scientific Reports</i> , 2017, 7, 15368.	1.6	25
768	Easily fabricated and lightweight PPy/PDA/AgNW composites for excellent electromagnetic interference shielding. <i>Nanoscale</i> , 2017, 9, 18318-18325.	2.8	137
769	Cobalt Catalyst Grown Carbon Nanotube/Poly(Vinylidene Fluoride) Nanocomposites: Effect of Synthesis Temperature on Morphology, Electrical Conductivity and Electromagnetic Interference Shielding. <i>ChemistrySelect</i> , 2017, 2, 10271-10284.	0.7	34
770	Fluffy and Ordered Graphene Multilayer Films with Improved Electromagnetic Interference Shielding over X-Band. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 22408-22419.	4.0	64
771	Single-source-precursor synthesis and electromagnetic properties of novel RGO-SiCN ceramic nanocomposites. <i>Journal of Materials Chemistry C</i> , 2017, 5, 7950-7960.	2.7	48
772	Recent trends in multi-layered architectures towards screening electromagnetic radiation: challenges and perspectives. <i>Journal of Materials Chemistry C</i> , 2017, 5, 7390-7403.	2.7	108

#	ARTICLE	IF	CITATIONS
773	Synthesis of hollow Cu <sub>1.8</sub> S nano-cubes for electromagnetic interference shielding. <i>Nanoscale</i> , 2017, 9, 10961-10965.	2.8	31
774	Influence of rare earth (Ce and La) addition on the performance of Al-3.0 wt%Mg alloy. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2017, 32, 611-618.	0.4	25
775	Tunable electromagnetic shielding properties of conductive poly(vinylidene fluoride)/Ni chain composite films with negative permittivity. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6954-6961.	2.7	139
776	Thin and lightweight radar-absorbing structure containing glass fabric coated with silver by sputtering. <i>Composite Structures</i> , 2017, 160, 1171-1177.	3.1	39
777	Development of porous and electrically conductive activated carbon web for effective EMI shielding applications. <i>Carbon</i> , 2017, 111, 439-447.	5.4	120
778	Electromagnetic Interference Shielding of Polymer/Nanodiamond, Polymer/Carbon Nanotube, and Polymer/Nanodiamond@Carbon Nanotube Nanobifiller Composite: A Review. <i>Polymer-Plastics Technology and Engineering</i> , 2017, 56, 347-363.	1.9	23
779	Rational design of core-shell Co@C microspheres for high-performance microwave absorption. <i>Carbon</i> , 2017, 111, 722-732.	5.4	649
780	Enhancement of microwaves absorption properties of CuFe <sub>2</sub> O <sub>4</sub> magnetic nanoparticles embedded in MgO matrix. <i>Journal of Alloys and Compounds</i> , 2017, 696, 711-717.	2.8	47
781	A novel fluorophore@spacer@receptor to conjugate MWNTs and ferrite nanoparticles to design an ultra-thin shield to screen electromagnetic radiation. <i>Materials Chemistry Frontiers</i> , 2017, 1, 132-145.	3.2	33
782	The effect of ZnO, Fe <sub>3</sub> O <sub>4</sub> and graphene oxide nanostructures on the microwave absorbing properties of polystyrene composites. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 1028-1037.	1.1	17
783	Nanofillers in Polymers. , 2017, , 47-86.		22
784	Biopolymer Composites for Electromagnetic Interference Shielding. , 2017, , 255-275.		1
785	Corrosion behavior of Al-3.0 wt%Mg alloy in NaCl solution under magnetic field. <i>Rare Metals</i> , 2017, 36, 627-634.	3.6	15
786	Multilayered graphene-carbon nanotube-iron oxide three-dimensional heterostructure for flexible electromagnetic interference shielding film. <i>Carbon</i> , 2017, 111, 248-257.	5.4	203
787	Mechanical and electromagnetic shielding performance of carbon fiber reinforced multilayered (PyC-SiC) <sub>n</sub> matrix composites. <i>Carbon</i> , 2017, 111, 299-308.	5.4	100
788	Experimental Studies of Electromagnetic Wave Attenuation by Flame and Smoke in Structure Fire. <i>Fire Technology</i> , 2017, 53, 5-27.	1.5	12
790	Reprint of Graphene foam/carbon nanotube/poly(dimethyl siloxane) composites for exceptional microwave shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017, 92, 190-197.	3.8	51
791	Nanomaterials for filtering electromagnetic noise. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
792	Microwave absorbing properties of Biocompatible polymer blend films. Materials Today: Proceedings, 2017, 4, 9571-9575.	0.9	0
793	Experimental analysis of electrical properties of composite materials. AIP Conference Proceedings, 2017, , .	0.3	7
794	Conducting Polyurethane Composites. , 2017, , 365-399.		3
795	Potential of Nanocellulose Composite for Electromagnetic Shielding. MATEC Web of Conferences, 2017, 140, 01034.	0.1	3
796	Double band switchable metamaterial absorber using double square loop. , 2017, , .		1
797	Materiales compuestos de matriz polimÃ©rica usados para el blindaje de interferencia electromagnÃ©tica. Ciencia E IngenierÃa Neogranadina, 2017, 27, 5-26.	0.1	2
798	Smart and Economic Conductive Textile for Electromagnetic Interference Shielding. Procedia Engineering, 2017, 216, 93-100.	1.2	7
799	MWCNT Coated Free-Standing Carbon Fiber Fabric for Enhanced Performance in EMI Shielding with a Higher Absolute EMI SE. Materials, 2017, 10, 1350.	1.3	30
800	Modelos de percolaÃ§Ã£o elÃ©trica aplicados para compÃ³sitos polimÃ©ricos condutores. Polimeros, 2017, 27, 1-13.	0.2	9
801	Recent Advances in Conjugated Polymer-Based Microwave Absorbing Materials. Polymers, 2017, 9, 29.	2.0	107
802	Design Optimisation of a Magnetic Field Based Soft Tactile Sensor. Sensors, 2017, 17, 2539.	2.1	22
803	Microwave absorbing properties of MWCNT/carbon black-PU nano-composites. , 2017, , .		3
804	TUNING OF MICROWAVE ABSORPTION PROPERTIES AND ELECTROMAGNETIC INTERFERENCE (EMI) SHIELDING EFFECTIVENESS OF NANOSIZE CONDUCTING BLACK-SILICONE RUBBER COMPOSITES OVER 8-18 GHZ. Progress in Electromagnetics Research M, 2017, 58, 193-204.	0.5	18
805	Effect of Silica Phase on Certain Properties of Natural Rubber Based Composites Reinforced by Carbon Black/Silica Hybrid Fillers. Progress in Rubber, Plastics and Recycling Technology, 2017, 33, 221-242.	0.8	3
806	NaCl leached sustainable porous flexible Fe <sub>3</sub> O <sub>4</sub> decorated RGO-polyaniline/PVDF composite for durable application against electromagnetic pollution. EXPRESS Polymer Letters, 2017, 11, 419-433.	1.1	23
807	Enhanced Microwave Absorption of Quartic Layered Epoxy-Mwcnt Composite for Radar Applications. Advanced Composites Letters, 2017, 26, 096369351702600.	1.3	8
808	Direct Growth of Edge-Rich Graphene with Tunable Dielectric Properties in Porous Si <sub>3</sub> N <sub>4</sub> Ceramic for Broadband High-Performance Microwave Absorption. Advanced Functional Materials, 2018, 28, 1707205.	7.8	425
809	Effect of Coral-Shaped Yttrium Iron Garnet Particles on the EMI Shielding Behaviour of Yttrium Iron Garnet-Polyaniline-Wax Composites. ChemistrySelect, 2018, 3, 2120-2130.	0.7	46

#	ARTICLE	IF	CITATIONS
810	Tailored distribution of nanoparticles in bi-phasic polymeric blends as emerging materials for suppressing electromagnetic radiation: challenges and prospects. <i>Journal of Materials Chemistry C</i> , 2018, 6, 3120-3142.	2.7	73
811	Mechanical Property and Electromagnetic Interference Shielding Effectiveness of Mortar Produced with Radiation-Proof Cloths. <i>Journal of Materials in Civil Engineering</i> , 2018, 30, 04018020.	1.3	1
812	Multifunctional BiFeO <sub>3</sub> composites: Absorption attenuation dominated effective electromagnetic interference shielding and electromagnetic absorption induced by multiple dielectric and magnetic relaxations. <i>Composites Science and Technology</i> , 2018, 159, 240-250.	3.8	90
813	Engineering novel synthetic strategy to develop mesocarbon microbeads for multi-functional applications. <i>Materials Research Express</i> , 2018, 5, 045011.	0.8	3
814	Excellent Electromagnetic Interference Shielding and High Electrical Conductivity of Compatibilized Polycarbonate/Polypropylene Carbon Nanotube Blend Nanocomposites. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 4287-4297.	1.8	90
815	Graphene aerogel films with expansion enhancement effect of high-performance electromagnetic interference shielding. <i>Carbon</i> , 2018, 135, 44-51.	5.4	129
816	Synthesis, characterization and dielectric properties of one-step pyrolyzed / activated resorcinol-formaldehyde based carbon aerogels for electromagnetic interference shielding applications. <i>Materials Chemistry and Physics</i> , 2018, 213, 492-501.	2.0	33
817	Effect of defects on electromagnetic interference shielding effectiveness of magnesium. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 9728-9739.	1.1	15
818	Recent progress in the modification of carbon materials and their application in composites for electromagnetic interference shielding. <i>Journal of Materials Science</i> , 2018, 53, 8699-8719.	1.7	56
819	PVDF/PS/HDPE/MWCNTs/Fe <sub>3</sub> O <sub>4</sub> nanocomposites: Effective and lightweight electromagnetic interference shielding material through the synergetic effect of MWCNTs and Fe <sub>3</sub> O <sub>4</sub> nanoparticles. <i>Current Applied Physics</i> , 2018, 18, 388-396.	1.1	37
821	Ultrafast Self-Healable Interfaces in Polyurethane Nanocomposites Designed Using Diels-Alder "Click" as an Efficient Microwave Absorber. <i>ACS Omega</i> , 2018, 3, 1137-1146.	1.6	54
822	Suppressing Electromagnetic Radiation by Trapping Ferrite Nanoparticles and Carbon Nanotubes in Hierarchical Nanoporous Structures Designed by Crystallization-Induced Phase Separation. <i>ChemistrySelect</i> , 2018, 3, 1189-1201.	0.7	23
823	Analyses of the mechanical, electrical, and electromagnetic shielding properties of thermoplastic composites doped with conductive nanofillers. <i>Journal of Composite Materials</i> , 2018, , 002199831773782.	1.2	1
824	Analyses of the mechanical, electrical and electromagnetic shielding properties of thermoplastic composites doped with conductive nanofillers. <i>Journal of Composite Materials</i> , 2018, 52, 1423-1432.	1.2	10
825	Aqueous Dispersion of Carbon Fibers and Expanded Graphite Stabilized from the Addition of Cellulose Nanocrystals to Produce Highly Conductive Cellulose Composites. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 3291-3298.	3.2	33
826	Ultralight and Highly Elastic Graphene/Lignin-Derived Carbon Nanocomposite Aerogels with Ultrahigh Electromagnetic Interference Shielding Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 8205-8213.	4.0	160
827	PET System Technology Designs for Achieving Simultaneous PET/MRI. , 2018, , 1-26.		4
828	A Review Featuring Fabrication, Properties and Applications of Carbon Nanotubes (CNTs) Reinforced Polymer and Epoxy Nanocomposites. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2018, 36, 445-461.	2.0	57

#	ARTICLE	IF	CITATIONS
829	SiC nanofibers modified Si <sub>3</sub> N <sub>4</sub> ceramics for improved electromagnetic interference shielding in X-band. <i>Ceramics International</i> , 2018, 44, 2249-2254.	2.3	25
830	Carbon foams from emulsion-templated reduced graphene oxide polymer composites: electrodes for supercapacitor devices. <i>Journal of Materials Chemistry A</i> , 2018, 6, 1840-1849.	5.2	70
831	Microwave absorption properties of GO nanosheets-BaFe <sub>12</sub> O <sub>19</sub> -NiO nanocomposites based on epoxy resin: optimization using Taguchi methodology. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 4583-4595.	1.1	13
832	Electromagnetic interference shielding of polycarbonate/GNP nanocomposites in X-band. <i>Materials Chemistry and Physics</i> , 2018, 206, 251-258.	2.0	31
833	Carbon material-nanoferrite composite for radiation shielding in microwave frequency. <i>Integrated Ferroelectrics</i> , 2018, 186, 40-48.	0.3	5
834	Microwave-shielding behavior of silanized Cu and Cu-Fe <sub>3</sub> O <sub>4</sub> compound particle-reinforced epoxy resin composite in E-, F-, I-, and J-band frequencies. <i>Polymer Bulletin</i> , 2018, 75, 4207-4225.	1.7	63
835	Lightweight, flexible and strong core-shell non-woven fabrics covered by reduced graphene oxide for high-performance electromagnetic interference shielding. <i>Carbon</i> , 2018, 130, 59-68.	5.4	150
836	Simultaneously improving the mechanical strength and electromagnetic interference shielding of carbon/carbon composites by electrophoretic deposition of SiC nanowires. <i>Journal of Materials Chemistry C</i> , 2018, 6, 5888-5899.	2.7	46
837	Constructing highly oriented segregated structure towards high-strength carbon nanotube/ultrahigh-molecular-weight polyethylene composites for electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018, 110, 237-245.	3.8	93
838	Lightweight reduced graphene oxide-Fe <sub>3</sub> O <sub>4</sub> nanoparticle composite in the quest for an excellent electromagnetic interference shielding material. <i>Nanotechnology</i> , 2018, 29, 245203.	1.3	31
839	Hydro-sensitive sandwich structures for self-tunable smart electromagnetic shielding. <i>Chemical Engineering Journal</i> , 2018, 344, 342-352.	6.6	90
840	An approach to prepare mechanically robust full IPN strengthened conductive cotton fabric for high strain tolerant electromagnetic interference shielding. <i>Chemical Engineering Journal</i> , 2018, 344, 138-154.	6.6	151
841	Porous Co-C Core-Shell Nanocomposites Derived from Co-MOF-74 with Enhanced Electromagnetic Wave Absorption Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 11333-11342.	4.0	335
842	Influence of NiFe Alloy Nanopowder on Electromagnetic and Microwave Absorption Properties of MWCNT/Epoxy Composite. <i>Advances in Polymer Technology</i> , 2018, 37, 622-628.	0.8	25
843	Investigating mechanical, dielectric, and electromagnetic interference shielding properties of polymer blends and three component hybrid composites based on polyvinyl alcohol, polyaniline, and few layer graphene. <i>Polymer Composites</i> , 2018, 39, 3686-3695.	2.3	26
844	The electrical conductivity and EMI shielding properties of polyurethane foam/silicone rubber/carbon black/nanographite hybrid composites. <i>Polymer Composites</i> , 2018, 39, 3452-3460.	2.3	43
845	Improved sand erosion resistance and mechanical properties of multifunctional carbon nanofiber nanopaper-enhanced fiber reinforced epoxy composites. <i>Advances in Polymer Technology</i> , 2018, 37, 1878-1885.	0.8	14
846	Zinc oxide-graphene based composite layers for electromagnetic interference shielding in the GHz frequency range. <i>Thin Solid Films</i> , 2018, 651, 152-157.	0.8	17

#	ARTICLE	IF	CITATIONS
847	Single walled carbon nano tube @Polyaniline core@shell/polyurethane polymer composite for electromagnetic interference shielding. <i>Polymer Composites</i> , 2018, 39, 4104-4114.	2.3	13
848	Electromagnetic Shielding Effectiveness of Layered Polymer Nanocomposites. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2018, 60, 376-384.	1.4	20
849	Tailoring electrical and thermal properties of polymethyl methacrylate@carbon nanotubes composites through polyaniline and dodecyl benzene sulphonic acid impregnation. <i>Polymer Composites</i> , 2018, 39, E1052.	2.3	6
850	An approach to widen the electromagnetic shielding efficiency in PDMS/ferrous ferric oxide decorated RGO@SWCNH composite through pressure induced tunability. <i>Chemical Engineering Journal</i> , 2018, 335, 501-509.	6.6	67
851	Electrical conductivity and electromagnetic interference shielding of epoxy nanocomposite foams containing functionalized multi-wall carbon nanotubes. <i>Applied Surface Science</i> , 2018, 428, 7-16.	3.1	85
852	From blackness to invisibility @ Carbon nanotubes role in the attenuation of and shielding from radio waves for stealth technology. <i>Carbon</i> , 2018, 126, 31-52.	5.4	114
853	Electromagnetic Interaction Between Spherical Aerogels of Multi-Walled Carbon Nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2018, 255, 1700256.	0.7	13
854	Epoxy composite foams with excellent electromagnetic interference shielding and heat resistance performance. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46013.	1.3	30
855	Improved microwave absorbing property provided by the filler's alternating lamellar distribution of carbon nanotube/ carbonyl iron/ poly (vinyl chloride) composites. <i>Composites Science and Technology</i> , 2018, 158, 175-185.	3.8	49
856	Gadolinium-doped strontium titanate for high-efficiency electromagnetic interference shielding. <i>Journal of Alloys and Compounds</i> , 2018, 733, 33-39.	2.8	25
857	Synergism between carbon materials and Ni chains in flexible poly(vinylidene fluoride) composite films with high heat dissipation to improve electromagnetic shielding properties. <i>Carbon</i> , 2018, 127, 469-478.	5.4	169
858	Low eddy current RF shielding enclosure designs for 3T MR applications. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1745-1752.	1.9	31
859	Preparation and Characterisation of Natural Rubber Composites Comprising Hybrid Fillers of Activated Carbon / in situ Synthesised Magnetite. <i>Journal of Rubber Research (Kuala Lumpur, Malaysia)</i> , 2018, 21, 94-118.	0.4	3
860	Non-contact RF Characterization of Reinforced Carbon Fiber Composite Materials. , 2018, , .		0
861	FABRICATION OF ELASTOMER BLENDS INVOLVING CORE (POLYSTYRENE)@SHELL (POLYANILINE) APPROACH, THEIR CHARACTERIZATION AND APPLICATIONS IN ELECTROMAGNETIC SHIELDING. <i>Rubber Chemistry and Technology</i> , 2018, 91, 97-119.	0.6	6
862	DEVELOPMENT AND EVALUATION OF BAFE12O19-PANI-MWCNT COMPOSITE FOR ELECTROMAGNETIC INTERFERENCE (EMI) SHIELDING. <i>Progress in Electromagnetics Research C</i> , 2018, 80, 55-64.	0.6	1
863	Lightning Strike Protection and EMI Shielding of Fiber Reinforced Composite Using Gold and Silver Nanofilms. , 2018, , .		1
864	Boron carbide composites with highly aligned graphene nanoplatelets: light-weight and efficient electromagnetic interference shielding materials at high temperatures. <i>RSC Advances</i> , 2018, 8, 39314-39320.	1.7	11



#	ARTICLE	IF	CITATIONS
865	Design of MWCNT bucky paper reinforced PANIâ€“DBSAâ€“DVB composites with superior electrical and mechanical properties. Journal of Materials Chemistry C, 2018, 6, 12396-12406.	2.7	25
867	To study the effect of MWCNT incorporated into PVDF-Graphite composites for EMI shielding applications. Materials Today: Proceedings, 2018, 5, 15348-15353.	0.9	11
869	The Usage of Conducting Wire Sphere Models for the Estimation of Electrophysical Properties of Multiwalled Carbon Nanotube Spherical Aerogels. Physica Status Solidi (B): Basic Research, 2018, 255, 1800193.	0.7	5
870	Electromagnetic interference shielding properties of graphene/MWCNT hybrid buckypaper. Micro and Nano Letters, 2018, 13, 1252-1254.	0.6	6
871	Determining Carbon Fiber Composite Loading with Flip-Chip Measurements to 110 GHz. , 2018, , .		0
872	Effects of the Carbon Fiber-Carbon Microcoil Hybrid Formation on the Effectiveness of Electromagnetic Wave Shielding on Carbon Fibers-Based Fabrics. Materials, 2018, 11, 2344.	1.3	17
873	Robust and Flexible Cellulose Nanofiber/Multiwalled Carbon Nanotube Film for High-Performance Electromagnetic Interference Shielding. Industrial & Engineering Chemistry Research, 2018, 57, 17152-17160.	1.8	62
874	Shielding effectiveness and bandgaps of interpenetrating phase composites based on the Schwarz Primitive surface. Journal of Applied Physics, 2018, 124, .	1.1	14
875	An Innovated Application of Reutilize Copper Smelter Slag for Cement-based Electromagnetic Interference Composites. Scientific Reports, 2018, 8, 16155.	1.6	19
876	Electrical conductivity and microwave characteristics of HCl and HClO4-doped polyaniline synthesized through chemical oxidative continuous polymerization process at various polymerization temperatures. AIP Conference Proceedings, 2018, , .	0.3	3
877	Fabrication and characterization of ABS/rGO nano- composites for EMI shielding application. AIP Conference Proceedings, 2018, , .	0.3	0
887	Effects of carbon fiber modification with multiwall CNT on the electrical conductivity and EMI shielding effectiveness of polycarbonate/carbon fiber/CNT composites. Journal of Applied Polymer Science, 2019, 136, 47302.	1.3	29
889	Exploring the Capability of HAADF-STEM Techniques to Characterize Graphene Distribution in Nanocomposites by Simulations. Journal of Nanomaterials, 2018, 2018, 1-12.	1.5	0
891	Effect of N2 flow rate on electromagnetic interference shielding effectiveness of TiNx films. Applied Physics A: Materials Science and Processing, 2018, 124, 1.	1.1	2
892	Flexible Poly(vinyl alcohol)/Reduced Graphene Oxide Coated Carbon Composites for Electromagnetic Interference Shielding. ACS Applied Nano Materials, 2018, 1, 5854-5864.	2.4	42
893	High Electromagnetic Interference Shielding Effectiveness of Carbon Nanotubeâ€“Cellulose Composite Films with Layered Structures. Macromolecular Materials and Engineering, 2018, 303, 1800377.	1.7	34
894	Highly Electrically Conductive Three-Dimensional Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/i> </sub> MXene/Reduced Graphene Oxide Hybrid Aerogels with Excellent Electromagnetic Interference Shielding Performances. ACS Nano, 2018, 12, 11193-11202.	7.3	671
895	Cement paint composite as pollution tracker for electromagnetic radiations. Materials Research Express, 2018, 5, 125602.	0.8	2

#	ARTICLE	IF	CITATIONS
896	Electroless silver plated flexible graphite felt prepared by dopamine functionalization and applied for electromagnetic interference shielding. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 558, 538-547.	2.3	25
897	Overview of carbon nanostructures and nanocomposites for electromagnetic wave shielding. <i>Carbon</i> , 2018, 140, 696-733.	5.4	574
898	Ultrathin, highly anticorrosive and hydrophobic film for metal protection based on a composite organosilicon structure. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 558, 359-366.	2.3	11
899	Robust thermally insulating carbon-gehlenite composite foams from newspaper waste and sucrose by filter-pressing. <i>Materials and Design</i> , 2018, 160, 65-73.	3.3	8
900	Layer-by-Layer Assembly of Cross-Functional Semi-Transparent MXene-Carbon Nanotubes Composite Films for Next-Generation Electromagnetic Interference Shielding. <i>Advanced Functional Materials</i> , 2018, 28, 1803360.	7.8	407
901	Development, design and applications of structural capacitors. <i>Applied Energy</i> , 2018, 231, 89-101.	5.1	42
902	Improvement of the mechanical and physical properties of cement pastes and mortars through the addition isotatic graphite. <i>Construction and Building Materials</i> , 2018, 189, 898-905.	3.2	15
903	A highly efficient and heat-resistant electromagnetic interference shielding carbon nanotube/poly(phenylene sulfide) composite <i>via</i> sinter molding. <i>Journal of Materials Chemistry C</i> , 2018, 6, 10760-10766.	2.7	57
904	Efficient electromagnetic interference shielding and radar absorbing properties of ultrathin and flexible polymer-carbon nanotube composite films. <i>Materials Research Express</i> , 2018, 5, 115304.	0.8	18
905	Phase transition and anomalous rheological properties of graphene oxide-carbon nanotube acrylonitrile butadiene styrene hybrid composites. <i>Composites Part B: Engineering</i> , 2018, 154, 337-350.	5.9	29
906	Barium Nano Ferrite material for suppression of electromagnetic noise generated from Mobile Phones. , 2018, , .		1
907	Does the Processing Method Resulting in Different States of an Interconnected Network of Multiwalled Carbon Nanotubes in Polymeric Blend Nanocomposites Affect EMI Shielding Properties?. <i>ACS Omega</i> , 2018, 3, 5771-5782.	1.6	58
908	Design and simulation of novel laparoscopic renal denervation system: a feasibility study. <i>International Journal of Hyperthermia</i> , 2018, 35, 9-18.	1.1	11
909	Morphology, mechanical properties and electromagnetic shielding effectiveness of poly(styrene- <i>b</i> -ethylene- <i>ran</i> - <i>b</i> -styrene)/carbon nanotube nanocomposites; effects of maleic anhydride, carbon nanotube loading and processing method. <i>Polymer International</i> , 2018, 67, 1229-1240.	1.6	11
910	Dependences of microstructure on electromagnetic interference shielding properties of nano-layered Ti <sub>3</sub> AlC <sub>2</sub> ceramics. <i>Scientific Reports</i> , 2018, 8, 7935.	1.6	24
911	A review of porous lightweight composite materials for electromagnetic interference shielding. <i>Composites Part B: Engineering</i> , 2018, 149, 188-197.	5.9	364
912	Numerical Study on Density Gradient Carbon-Carbon Composite for Vertical Launching System. <i>International Journal of Aeronautical and Space Sciences</i> , 2018, 19, 72-79.	1.0	4
913	1.3 Pitch Precursor-Based Carbon Fibers. , 2018, , 41-65.		7

#	ARTICLE	IF	CITATIONS
914	Electrical and Electromagnetic Properties of CNT/Polymer Composites. , 2018, , 233-258.		4
915	A carbon-fabric/polycarbonate sandwiched film with high tensile and EMI shielding comprehensive properties: An experimental study. Composites Part B: Engineering, 2018, 152, 8-16.	5.9	48
916	Structure-property relationships of thermoset nanocomposites. , 2018, , 231-276.		6
917	Electromagnetic interference (EMI) shielding performance of lightweight metal decorated carbon nanostructures dispersed in flexible polyvinylidene fluoride films. New Journal of Chemistry, 2018, 42, 12945-12953.	1.4	34
918	Excellent EMI shielding performance and thermal insulating properties in lightweight, multifunctional carbon-cenosphere composite foams. Composites Part A: Applied Science and Manufacturing, 2018, 112, 475-484.	3.8	70
919	Transparent broadband metamaterial absorber enhanced by water-substrate incorporation. Optics Express, 2018, 26, 15665.	1.7	99
920	A review of the interfacial characteristics of polymer nanocomposites containing carbon nanotubes. RSC Advances, 2018, 8, 28048-28085.	1.7	163
921	Microstructure and electromagnetic wave absorption properties of RGO-SiBCN composites via PDC technology. Ceramics International, 2018, 44, 18759-18769.	2.3	45
922	Synergistic effect of carbon nanotube and graphene nanoplates on the mechanical, electrical and electromagnetic interference shielding properties of polymer composites and polymer composite foams. Chemical Engineering Journal, 2018, 353, 381-393.	6.6	245
923	Autonomous Transmission Line Inspection and Fault Detection System. , 2018, , .		3
924	Influence of recycled slag aggregates on the conductivity and strain sensing capacity of carbon fiber reinforced cement mortars. Construction and Building Materials, 2018, 184, 311-319.	3.2	40
925	Metal-organic framework derived cobalt phosphosulfide with ultrahigh microwave absorption properties. Nanotechnology, 2018, 29, 405703.	1.3	30
926	High-Temperature Stable and Metal-Free Electromagnetic Wave-Absorbing SiBCN Ceramics Derived from Carbon-Rich Hyperbranched Polyborosilazanes. ACS Applied Materials & Interfaces, 2018, 10, 28051-28061.	4.0	121
927	Three-dimensional graphene-based polymer nanocomposites: preparation, properties and applications. Nanoscale, 2018, 10, 14788-14811.	2.8	162
928	A facile approach to fabricating silver-coated cotton fiber non-woven fabrics for ultrahigh electromagnetic interference shielding. Applied Surface Science, 2018, 458, 236-244.	3.1	155
929	Research on high electromagnetic interference shielding effectiveness of a foldable buckypaper/polyacrylonitrile composite film via interface reinforcing. Composites Part A: Applied Science and Manufacturing, 2018, 113, 132-140.	3.8	30
930	Tuning microwave absorption properties by hybridizing heterogeneous components for core@shell structural Fe@SiC flakes. Journal of Magnetism and Magnetic Materials, 2018, 462, 46-52.	1.0	11
931	The evaluation of electromagnetic shielding properties of CFRP/metal mesh hybrid woven laminated composites. Journal of Composite Materials, 2018, 52, 3819-3829.	1.2	8

#	ARTICLE	IF	CITATIONS
932	Coreâ€“Multishell Heterostructure with Excellent Heat Dissipation for Electromagnetic Interference Shielding. ACS Applied Materials & Interfaces, 2018, 10, 30762-30773.	4.0	108
933	Recent advances in electromagnetic interference shielding properties of metal and carbon filler reinforced flexible polymer composites: A review. Composites Part A: Applied Science and Manufacturing, 2018, 114, 49-71.	3.8	554
934	Physical Insight into the Mechanism of Electromagnetic Shielding in Polymer Nanocomposites Containing Multiwalled Carbon Nanotubes and Inverse-Spinel Ferrites. Journal of Physical Chemistry C, 2018, 122, 19425-19437.	1.5	27
935	Microstructure and Electromagnetic Shielding Properties of Mg-Zn-Ce-Y-Zr Alloys. Journal of Materials Engineering and Performance, 2018, 27, 4722-4731.	1.2	8
936	Largely enhanced mechanical property of segregated carbon nanotube/poly(vinylidene fluoride) composites with high electromagnetic interference shielding performance. Composites Science and Technology, 2018, 167, 260-267.	3.8	74
937	Conductive textiles. , 2018, , 305-334.		5
938	3D printed honeycomb spacers: Tailoring sandwich structures for enhanced electromagnetic shielding. Journal of Reinforced Plastics and Composites, 2018, 37, 1072-1082.	1.6	9
939	GHz permittivity of carbon black and polyaniline with styreneâ€“butadieneâ€“styrene composites. Polymer Bulletin, 2019, 76, 615-626.	1.7	5
940	Enhanced (X-band) microwave shielding properties of pure magnesium by addition of diamagnetic titanium micro-particulates. Journal of Alloys and Compounds, 2019, 770, 473-482.	2.8	28
941	Depositing CNTs on the interface and surface of C/PyC/SiCs for tunable mechanical and electromagnetic properties. Ceramics International, 2019, 45, 23411-23417.	2.3	11
942	Mussel-Inspired Self-Healing Polyurethane with â€œFlower-likeâ€•Magnetic MoS <sub>2</sub> as Efficient Microwave Absorbers. ACS Applied Polymer Materials, 2019, 1, 2417-2429.	2.0	42
943	A Study on the Magnetic Dispersion of the Conductive Particles of Anchoring-Polymer-Layer Anisotropic Conductive Films and Its Fine-Pitch Interconnection Properties. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2019, 9, 1235-1243.	1.4	5
944	Well-dispersed carbon nanotube/polymer composite films and application to electromagnetic interference shielding. Journal of Industrial and Engineering Chemistry, 2019, 80, 190-196.	2.9	21
945	Embedded Wireless Sensor Systems for Resin Flow Monitoring in Glass and Carbon Fiber Composites. IEEE Sensors Journal, 2019, 19, 10654-10661.	2.4	6
946	Carbon nanotube (CNT) incorporated cementitious composites for functional construction materials: The state of the art. Composite Structures, 2019, 227, 111244.	3.1	95
947	Development of scanning electron microscope-compatible multiaxial miniature testing system. Measurement Science and Technology, 2019, 30, 105902.	1.4	6
948	Advanced Compressible and Elastic 3D Monoliths beyond Hydrogels. Advanced Functional Materials, 2019, 29, 1904472.	7.8	69
949	Stretched graphene nanosheets formed the â€œobstacle wallsâ€•in melamine sponge towards effective electromagnetic interference shielding applications. Materials and Design, 2019, 182, 108029.	3.3	46

#	ARTICLE	IF	CITATIONS
950	Induced crystallization behavior and EMW absorption properties of CVI SiCN ceramics modified with carbon nanowires. <i>Chemical Engineering Journal</i> , 2019, 378, 122213.	6.6	24
951	Investigation on pitch derived mesocarbon spheres based metal composites for highly efficient electromagnetic interference shielding. <i>Composites Part B: Engineering</i> , 2019, 175, 107168.	5.9	14
952	Ultrastrong and conductive MXene/cellulose nanofiber films enhanced by hierarchical nano-architecture and interfacial interaction for flexible electromagnetic interference shielding. <i>Journal of Materials Chemistry C</i> , 2019, 7, 9820-9829.	2.7	186
953	Effects of upgrading temperature on electromagnetic shielding properties of three-dimensional graphene/SiBCN/SiC ceramic composites. <i>Ceramics International</i> , 2019, 45, 21278-21285.	2.3	15
954	Low-Melting-Point Alloy Continuous Network Construction in a Polymer Matrix for Thermal Conductivity and Electromagnetic Shielding Enhancement. <i>ACS Applied Polymer Materials</i> , 2019, 1, 2006-2014.	2.0	33
955	Ceramic based multi walled carbon nanotubes composites for highly efficient electromagnetic interference shielding. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 13381-13388.	1.1	9
956	Graphene/Polyelectrolyte Layer-by-Layer Coatings for Electromagnetic Interference Shielding. <i>ACS Applied Nano Materials</i> , 2019, 2, 5272-5281.	2.4	40
957	Layered composites composed of multi-walled carbon nanotubes/manganese dioxide/carbon fiber cloth for microwave absorption in the X-band. <i>RSC Advances</i> , 2019, 9, 19217-19225.	1.7	25
958	Swelling and electrical properties of LLDPE reinforced by SWCNTs nanocomposites for radiation and sensors applications. <i>Journal of Thermoplastic Composite Materials</i> , 2022, 35, 416-446.	2.6	1
959	Frequency-selective and tunable electromagnetic shielding effectiveness via the sandwich structure of silicone rubber/graphene composite. <i>Composites Science and Technology</i> , 2019, 184, 107847.	3.8	80
960	Protection of carbon fiber surfaces with silicon-based ceramic coating. <i>Journal of the Ceramic Society of Japan</i> , 2019, 127, 331-334.	0.5	2
963	2D Metal Carbides and Nitrides (MXenes)., 2019, , .		240
964	Ultrathin 2D Nanomaterials for Electromagnetic Interference Shielding. <i>Advanced Materials Interfaces</i> , 2019, 6, 1901454.	1.9	75
965	Structural Ceramics Modified with Technogenic Isostatic Nanographite. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 603, 032070.	0.3	1
966	Geopolymer Concrete for Radiation Shielding Application. <i>Materials Science Forum</i> , 0, 966, 41-47.	0.3	7
967	<p></p>Skeletal muscle mass to visceral fat area ratio is an important determinant associated with type 2 diabetes and metabolic syndrome</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 1399-1407.	1.1	19
968	Aligned carbon nanotube/carbon (CNT/C) composites with exceptionally high electrical conductivity at elevated temperature to 400 Å°C. <i>Materials Research Express</i> , 2019, 6, 116302.	0.8	10
969	Self-healing graphene oxide-based composite for electromagnetic interference shielding. <i>Carbon</i> , 2019, 155, 499-505.	5.4	60

#	ARTICLE	IF	CITATIONS
970	Phase transformation and carbon precipitation of coal fly ash magnetospheres during a CVD process for microwave adsorption. <i>Ceramics International</i> , 2019, 45, 18980-18987.	2.3	8
971	Continuous dyeing of graphene on cotton fabric: Binder-free approach for electromagnetic shielding. <i>Applied Surface Science</i> , 2019, 496, 143636.	3.1	34
972	Transient response prediction of nickel coated carbon fiber composite subjected to high altitude electromagnetic pulse. <i>Composite Structures</i> , 2019, 226, 111307.	3.1	8
973	Effect of ultrasonic treatment on the properties of multiwalled carbon nanotubes "polymethylmethacrylate composites: Effect of applied voltage and pressure on conductivity of the composites. <i>EXPRESS Polymer Letters</i> , 2019, 13, 1057-1070.	1.1	3
974	Simultaneous improvement of mechanical properties and electromagnetic interference shielding performance in eco-friendly polylactide composites via reactive blending and MWCNTs induced morphological optimization. <i>Composites Part B: Engineering</i> , 2019, 178, 107452.	5.9	29
975	Polymer/Graphene Composites via Spinodal Decomposition of Miscible Polymer Blends. <i>Macromolecules</i> , 2019, 52, 7625-7637.	2.2	28
976	Tunable CoNi microstructures in flexible multilayered polymer films can shield electromagnetic radiation. <i>Composites Part B: Engineering</i> , 2019, 177, 107283.	5.9	33
977	Ultrathin flexible graphene films with high thermal conductivity and excellent EMI shielding performance using large-sized graphene oxide flakes. <i>RSC Advances</i> , 2019, 9, 1419-1427.	1.7	45
978	Nanocarbons: Preparation, assessments, and applications in structural engineering, spintronics, gas sensing, EMI shielding, and cloaking in X-band. , 2019, , 171-285.		12
979	Morphology and magnetic traits of strontium nanohexaferrites: Effects of manganese/yttrium co-substitution. <i>Journal of Rare Earths</i> , 2019, 37, 732-740.	2.5	72
980	Hybrid polymer composites for EMI shielding application- a review. <i>Materials Research Express</i> , 2019, 6, 082008.	0.8	69
981	Lightweight Ti <sub>2</sub> CT <sub>x</sub> MXene/Poly(vinyl alcohol) Composite Foams for Electromagnetic Wave Shielding with Absorption-Dominated Feature. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 10198-10207.	4.0	488
982	Super-elastic carbon-bonded carbon fibre composites impregnated with carbon aerogel for high-temperature thermal insulation. <i>Advances in Applied Ceramics</i> , 2019, 118, 292-299.	0.6	18
983	A comparative study on electromagnetic interference shielding effectiveness of carbon nanofiber and nanofibrillated cellulose composites. <i>Synthetic Metals</i> , 2019, 247, 285-297.	2.1	26
984	Processing-Mediated Different States of Dispersion of Multiwalled Carbon Nanotubes in PDMS Nanocomposites Influence EMI Shielding Performance. <i>ACS Omega</i> , 2019, 4, 1781-1790.	1.6	38
985	Hybrid composite mats composed of amorphous carbon, zinc oxide nanorods and nickel zinc ferrite for tunable electromagnetic interference shielding. <i>Composites Part B: Engineering</i> , 2019, 164, 447-457.	5.9	42
986	Salisbury Screen Terahertz Absorber Formed with an Insulator: 4-N,N-Dimethylamino-4-methyl-stilbazolium Tosylate (DAST). <i>ACS Omega</i> , 2019, 4, 1.6 9204-9210.	1.6	11
987	Ultra-light 3D reduced graphene oxide aerogels decorated with cobalt ferrite and zinc oxide perform excellent electromagnetic interference shielding effectiveness. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019, 123, 232-241.	3.8	63

#	ARTICLE	IF	CITATIONS
988	Compromise between magnetic shielding and mechanical strength of thin Al/Steel/Al sandwiches produced by cold roll bonding: Experimental and numerical approaches. <i>Journal of Alloys and Compounds</i> , 2019, 798, 67-81.	2.8	14
989	Electrical and Self-Sensing Properties of Alkali-Activated Slag Composite with Graphite Filler. <i>Materials</i> , 2019, 12, 1616.	1.3	28
990	Nitrogen-Sulfur Co-Doped Reduced Graphene Oxide-Nickel Oxide Nanoparticle Composites for Electromagnetic Interference Shielding. <i>ACS Applied Nano Materials</i> , 2019, 2, 4626-4636.	2.4	94
991	Recent Advances in Polymer and Polymer Composites for Electromagnetic Interference Shielding: Review and Future Prospects. <i>Polymer Reviews</i> , 2019, 59, 687-738.	5.3	153
992	Review on the Electrical Resistance/Conductivity of Carbon Fiber Reinforced Polymer. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2390.	1.3	84
993	Enhanced electromagnetic shielding property of cf/mullite composites fabricated by spark plasma sintering. <i>Ceramics International</i> , 2019, 45, 18988-18993.	2.3	13
994	Enhancing absorption dominated microwave shielding in Co@PVPDF nanocomposites through improved magnetization and graphitization of the Co@C-nanoparticles. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 15595-15608.	1.3	57
995	Carbon Nanotube versus Graphene Nanoribbon: Impact of Nanofiller Geometry on Electromagnetic Interference Shielding of Polyvinylidene Fluoride Nanocomposites. <i>Polymers</i> , 2019, 11, 1064.	2.0	32
996	Fabrication of Reduced Graphene Oxide/Silver Nanoparticles Decorated Conductive Cotton Fabric for High Performing Electromagnetic Interference Shielding and Antibacterial Application. <i>Fibers and Polymers</i> , 2019, 20, 1161-1171.	1.1	140
997	Template-Free Synthesis of "Wool-Ball"-Like Hollow CuS Structures Can Effectively Suppress Electromagnetic Radiation: A Mechanistic Insight. <i>Journal of Physical Chemistry C</i> , 2019, 123, 17136-17147.	1.5	14
998	Effect of electroless nickel plating on electromagnetic interference shielding effectiveness of pitch-based carbon papers/epoxy composites. <i>Functional Composites and Structures</i> , 2019, 1, 035001.	1.6	4
999	Stealth technology: Methods and composite materials—A review. <i>Polymer Composites</i> , 2019, 40, 4457-4472.	2.3	74
1000	Effects of oxidation temperature on microstructure and EMI shielding performance of layered SiC/PyC porous ceramics. <i>Journal of the European Ceramic Society</i> , 2019, 39, 4527-4534.	2.8	14
1001	Structuring dense three-dimensional sheet-like skeleton networks in biomass-derived carbon aerogels for efficient electromagnetic interference shielding. <i>Carbon</i> , 2019, 152, 316-324.	5.4	76
1002	An investigation of structural and magnetic properties of Ce-Nd doped strontium hexaferrite nanoparticles as a microwave absorbent. <i>Materials Chemistry and Physics</i> , 2019, 235, 121722.	2.0	44
1003	Comparative Investigation into the Electromagnetic Wave Shielding Effectiveness of Different Type Carbon-Based Fabrics. <i>Key Engineering Materials</i> , 0, 803, 81-87.	0.4	0
1004	A novel material for EMI shielding based on carbon nano materials. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0
1005	Carbon materials and their composites for electromagnetic interference shielding effectiveness in X-band. <i>Carbon</i> , 2019, 152, 159-187.	5.4	365

#	ARTICLE	IF	CITATIONS
1006	Conducting La <sub>0.5</sub> Sr <sub>0.5</sub> CoO <sub>3</sub> foams for harsh condition microwave shielding. Journal of Industrial and Engineering Chemistry, 2019, 78, 330-337.	2.9	10
1007	Organic Thin Paper of Cellulose Nanofiber/Polyaniline Doped with (±)-10-Camphorsulfonic Acid Nanohybrid and Its Application to Electromagnetic Shielding. ACS Omega, 2019, 4, 9446-9452.	1.6	23
1008	Highly oriented three-dimensional structures of Fe <sub>3</sub> O <sub>4</sub> decorated CNTs/reduced graphene oxide foam/epoxy nanocomposites against electromagnetic pollution. Composites Science and Technology, 2019, 181, 107683.	3.8	157
1009	Enhanced microwave absorption and suppressed reflection of polypyrrole-cobalt ferrite-graphene nanocomposite in X-band. Journal of Alloys and Compounds, 2019, 797, 1190-1197.	2.8	54
1010	Rational design of carbon shell-encapsulated cobalt nanospheres to enhance microwave absorption performance. Progress in Natural Science: Materials International, 2019, 29, 88-93.	1.8	24
1011	A comparative study of physico-mechanical and electrical properties of polymer-carbon nanofiber in wet and melt mixing methods. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2019, 245, 95-106.	1.7	33
1012	Enhanced mechanical properties of multiwalled carbon nanotubes/thermoplastic polyurethane nanocomposites. Nanomaterials and Nanotechnology, 2019, 9, 184798041984085.	1.2	18
1013	Polymer Nanocomposites and Multilayer Nanocomposite Films by Coextrusion. , 2019, , 201-234.		0
1014	Selective electromagnetic interference shielding performance and superior mechanical strength of conductive polymer composites with oriented segregated conductive networks. Chemical Engineering Journal, 2019, 373, 556-564.	6.6	147
1015	Electromagnetic shielding effectiveness of carbon fibre reinforced composites. Composites Part B: Engineering, 2019, 173, 106906.	5.9	126
1016	π-π stacking interface design for improving the strength and electromagnetic interference shielding of ultrathin and flexible water-borne polymer/sulfonated graphene composites. Carbon, 2019, 149, 679-692.	5.4	87
1017	Hierarchical carbon nanowires network modified PDCs-SiCN with improved microwave absorption performance. Ceramics International, 2019, 45, 14238-14248.	2.3	36
1018	Investigation of microstructure, electrical behavior, and EMI shielding effectiveness of silicone rubber/carbon black/nanographite hybrid composites. Polymer Composites, 2019, 40, 4056-4066.	2.3	33
1019	Dielectric properties of porous SiC/Si <sub>3</sub> N <sub>4</sub> ceramics by polysilazane immersion-pyrolysis. Progress in Natural Science: Materials International, 2019, 29, 184-189.	1.8	18
1020	Nitrogen doping as a fundamental way to enhance the EMI shielding behavior of cobalt particle-embedded carbonaceous nanostructures. New Journal of Chemistry, 2019, 43, 5568-5580.	1.4	49
1021	Anisotropic MXene Aerogels with a Mechanically Tunable Ratio of Electromagnetic Wave Reflection to Absorption. Advanced Optical Materials, 2019, 7, 1900267.	3.6	245
1022	Carbon nanowires reinforced porous SiO <sub>2</sub> /3Al <sub>2</sub> O <sub>3</sub> ·2SiO <sub>2</sub> ceramics with tunable electromagnetic absorption properties. Ceramics International, 2019, 45, 11316-11324.	2.3	9
1023	Synergistic influence of micropore architecture and TiO <sub>2</sub> coating on the microwave absorption properties of Co nanoparticles. Journal of Materials Science: Materials in Electronics, 2019, 30, 5620-5630.	1.1	5



#	ARTICLE	IF	CITATIONS
1024	Significantly enhanced electromagnetic interference shielding in Al <sub>2</sub> O <sub>3</sub> ceramic composites incorporated with highly aligned non-woven carbon fibers. <i>Ceramics International</i> , 2019, 45, 12672-12676.	2.3	17
1025	Multi-layered stack consisting of PVDF nanocomposites with flow-induced oriented MWCNT structure can suppress electromagnetic radiation. <i>Composites Part B: Engineering</i> , 2019, 166, 749-757.	5.9	45
1026	Highly Transparent and Broadband Electromagnetic Interference Shielding Based on Ultrathin Doped Ag and Conducting Oxides Hybrid Film Structures. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 11782-11791.	4.0	88
1027	Electromagnetic interference shielding effectiveness of sputtered NiFe/Cu multi-layer thin film at high frequencies. <i>Thin Solid Films</i> , 2019, 677, 130-136.	0.8	23
1028	PVC bead assisted selective dispersion of MWCNT for designing efficient electromagnetic interference shielding PVC/MWCNT nanocomposite with very low percolation threshold. <i>Composites Part B: Engineering</i> , 2019, 167, 377-386.	5.9	39
1029	Room-temperature production of silver-nanofiber film for large-area, transparent and flexible surface electromagnetic interference shielding. <i>Npj Flexible Electronics</i> , 2019, 3, .	5.1	155
1030	High conductive and mechanical robust carbon nanotubes/waterborne polyurethane composite films for efficient electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019, 121, 411-417.	3.8	98
1031	Electromagnetic shielding property of carbon fiber felt made of different types of short-chopped carbon fibers. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019, 121, 289-298.	3.8	52
1032	Enhanced electromagnetic interference shielding effectiveness of hybrid fillers by segregated structure. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	7
1033	Study of metallic thin films on epoxy matrix as protective barrier to ultraviolet radiation. <i>Surface and Coatings Technology</i> , 2019, 367, 41-48.	2.2	13
1034	Ultrathin nitrogen-doping graphene films for flexible and stretchable EMI shielding materials. <i>Journal of Materials Science</i> , 2019, 54, 7165-7179.	1.7	47
1035	Overcoming the Pixel-Density Limit in Plasmonic Absorbing Structure for Broadband Absorption Enhancement. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019, 18, 674-678.	2.4	6
1036	Graphene-Based Materials toward Microwave and Terahertz Absorbing Stealth Technologies. <i>Advanced Optical Materials</i> , 2019, 7, 1801318.	3.6	208
1037	Concrete with nanomaterials and fibers for self-monitoring of strain and cracking subjected to flexure. , 2019, , 261-279.		0
1038	Lightweight graphite membranes with excellent electromagnetic interference shielding effectiveness and thermal conductivity. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 6734-6744.	1.1	5
1039	Ultrathin MXene/Calcium Alginate Aerogel Film for High-Performance Electromagnetic Interference Shielding. <i>Advanced Materials Interfaces</i> , 2019, 6, 1802040.	1.9	219
1040	Static and dynamic conductivity of nanostructured carbonaceous shungite geomaterials. <i>Materials Chemistry and Physics</i> , 2019, 226, 195-203.	2.0	19
1041	Anisotropic thermal conductivity and electromagnetic interference shielding of epoxy nanocomposites based on magnetic driving reduced graphene oxide@Fe <sub>3</sub> O <sub>4</sub> . <i>Composites Science and Technology</i> , 2019, 174, 1-10.	3.8	119

#	ARTICLE	IF	CITATIONS
1042	Recent advances in carbon-based polymer nanocomposites for electromagnetic interference shielding. <i>Progress in Materials Science</i> , 2019, 103, 319-373.	16.0	490
1043	Megahertz-wave-transmitting conducting polymer electrode for device-to-device integration. <i>Nature Communications</i> , 2019, 10, 653.	5.8	15
1044	Electrical Properties and Electromagnetic Interference Shielding Effectiveness of Interlayered Systems Composed by Carbon Nanotube Filled Carbon Nanofiber Mats and Polymer Composites. <i>Nanomaterials</i> , 2019, 9, 238.	1.9	36
1045	Light weight, ultrathin, and "thermally-clickable" self-healing MWNT patch as electromagnetic interference suppressor. <i>Chemical Engineering Journal</i> , 2019, 366, 72-82.	6.6	48
1046	Electromagnetic Wave Absorption Properties of Cobalt-Containing Polymer-Derived SiCN Ceramics. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 678, 012047.	0.3	4
1047	Study of Mechanical Properties and EMI Shielding Behaviour of Al6061 Hybrid Metal Matrix Composites. <i>International Journal of Surface Engineering and Interdisciplinary Materials Science</i> , 2019, 7, 48-63.	0.2	3
1048	Effect of granulometric distribution on electromagnetic shielding effectiveness for polymeric composite based on natural graphite. <i>Science and Engineering of Composite Materials</i> , 2019, 26, 531-539.	0.6	5
1049	Study on Shielding Effectiveness of Multilayer Electromagnetic Shielding Fabrics Containing Multiple Wave-absorbing Fibers. , 2019, , .		2
1050	Shielding effectiveness studies of NiCuZn ferrite-polyaniline nanocomposites for EMI suppression applications. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	5
1051	Effect of Incident Area Size on Estimation of EMI Shielding Effectiveness for Ultra-High Performance Concrete With Carbon Nanotubes. <i>IEEE Access</i> , 2019, 7, 183105-183117.	2.6	20
1053	Fe/N-Codoped Hollow Carbonaceous Nanospheres Anchored on Reduced Graphene Oxide for Microwave Absorption. <i>ACS Applied Nano Materials</i> , 2019, 2, 8063-8074.	2.4	40
1054	Buckled AgNW/MXene hybrid hierarchical sponges for high-performance electromagnetic interference shielding. <i>Nanoscale</i> , 2019, 11, 22804-22812.	2.8	106
1055	Lightweight and flexible MXene/CNF/silver composite membranes with a brick-like structure and high-performance electromagnetic-interference shielding. <i>RSC Advances</i> , 2019, 9, 29636-29644.	1.7	78
1056	Towards light weight multifunctional hybrid composite housing for satellite electronics. <i>Materials Research Express</i> , 2019, 6, 125629.	0.8	9
1057	Macroporous epoxy-carbon fiber structures with a sacrificial 3D printed polymeric mesh suppresses electromagnetic radiation. <i>Chemical Engineering Journal</i> , 2019, 357, 384-394.	6.6	62
1058	Enhanced electromagnetic interference shielding with low reflection induced by heterogeneous double-layer structure in BiFeO <sub>3</sub> /BaFe <sub>7</sub> (MnTi) <sub>2.5</sub> O <sub>19</sub> composite. <i>Journal of Alloys and Compounds</i> , 2019, 772, 99-104.	2.8	24
1059	Effect of the pyrolytic carbon (PyC) content on the dielectric and electromagnetic interference shielding properties of layered SiC/PyC porous ceramics. <i>Ceramics International</i> , 2019, 45, 5637-5647.	2.3	13
1060	A review of multifunctional polymer-matrix structural composites. <i>Composites Part B: Engineering</i> , 2019, 160, 644-660.	5.9	114

#	ARTICLE	IF	CITATIONS
1061	Shielding Analysis of Uniaxial Anisotropic Multilayer Structure by Impedance Network Boundary Condition Method. IEEE Transactions on Antennas and Propagation, 2019, 67, 2462-2469.	3.1	1
1062	Flexible, Thin Composite Film to Enhance the Electromagnetic Compatibility of Biomedical Electronic Devices. IEEE Transactions on Electromagnetic Compatibility, 2019, 61, 1033-1041.	1.4	17
1063	Magnesium-iron micro-composite for enhanced shielding of electromagnetic pollution. Composites Part B: Engineering, 2019, 163, 150-157.	5.9	33
1064	Novel 3D network porous graphene nanoplatelets /Fe <sub>3</sub> O <sub>4</sub> /epoxy nanocomposites with enhanced electromagnetic interference shielding efficiency. Composites Science and Technology, 2019, 169, 103-109.	3.8	61
1065	Functional nanocomposites from sustainable regenerated cellulose aerogels: A review. Chemical Engineering Journal, 2019, 359, 459-475.	6.6	177
1066	Application of PI/MWCNT Nanocomposite for AC Corona Discharge Reduction. IEEE Transactions on Plasma Science, 2019, 47, 680-687.	0.6	6
1067	Nanotechnology: Applications in Energy, Drug and Food. , 2019, , .		8
1068	Nanomaterials: Electromagnetic Wave Energy Loss. , 2019, , 73-97.		3
1069	Preparation, development, outcomes, and application versatility of carbon fiber-based polymer composites: a review. Advanced Composites and Hybrid Materials, 2019, 2, 214-233.	9.9	189
1070	X-ray absorption anomaly of well-characterized multiwall carbon nanotubes. Carbon, 2019, 145, 209-217.	5.4	6
1071	Mitigating the electromagnetic radiation by coupling use of waste cathode-ray tube glass and graphene oxide on cement composites. Composites Part B: Engineering, 2019, 168, 25-33.	5.9	30
1072	Microwave absorption characterization and wettability of magnetic nano iron oxide/recycled PET nanofibers web. Journal of the Textile Institute, 2019, 110, 989-999.	1.0	11
1073	Structural Development and Multiscale Design Optimization of Additively Manufactured UAV with Blended Wing Body Configuration Employing Lattice Materials. , 2019, , .		1
1074	The investigation of the electromagnetic shielding effectiveness of multi-layered nanocomposite materials from reduced graphene oxide-doped P(AN-VAc) nanofiber mats/PP spunbond. Journal of Composite Materials, 2019, 53, 1541-1553.	1.2	11
1075	Diglycidyl ether of bisphenol A/chitosanâ€‹i>graft</i>â€‹polyaniline composites with electromagnetic interference shielding properties: Synthesis, characterization, and curing kinetics. Polymer Engineering and Science, 2019, 59, 372-381.	1.5	17
1076	Dualâ€‹Functional Graphene Composites for Electromagnetic Shielding and Thermal Management. Advanced Electronic Materials, 2019, 5, 1800558.	2.6	183
1077	Constructing multiple interfaces in polydimethylsiloxane/multi-walled carbon nanotubes nanocomposites by the incorporation of cotton fibers for high-performance electromagnetic interference shielding and mechanical enhancement. Applied Surface Science, 2019, 466, 657-665.	3.1	82
1078	Electrical Conductivity of Polymerâ€‹Carbon Composites: Effects of Different Factors. Springer Series on Polymer and Composite Materials, 2019, , 159-210.	0.5	5

#	ARTICLE	IF	CITATIONS
1079	Lightweight, high electrical and thermal conducting carbon-rGO composites foam for superior electromagnetic interference shielding. <i>Composites Part B: Engineering</i> , 2019, 160, 131-139.	5.9	86
1080	Interference and shielding. , 2019, , 499-526.		0
1081	Electromagnetic interference shielding MWCNT-Fe <sub>3</sub> O <sub>4</sub> @Ag/epoxy nanocomposites with satisfactory thermal conductivity and high thermal stability. <i>Carbon</i> , 2019, 141, 506-514.	5.4	413
1082	Biomimetic Graphite Foils with High Foldability and Conductivity. <i>Small Methods</i> , 2019, 3, 1800282.	4.6	1
1083	ZrO <sub>2</sub> functionalized graphene Oxide/SEBS-Based nanocomposites for efficient electromagnetic interference shielding applications. <i>Journal of Vinyl and Additive Technology</i> , 2019, 25, E130.	1.8	11
1084	Synergistic effect of graphene/multiwalled carbon nanotube hybrid fillers on mechanical, electrical and EMI shielding properties of polycarbonate/ethylene methyl acrylate nanocomposites. <i>Composites Part B: Engineering</i> , 2019, 159, 378-388.	5.9	145
1085	Effect of fiber lay-up configuration on the electromagnetic interference shielding effectiveness of continuous carbon fiber polymer-matrix composite. <i>Carbon</i> , 2019, 141, 685-691.	5.4	59
1086	The Effect of Stitching with Conductive and Nonconductive Materials on the Mode I Interlaminar Fracture Toughness of Carbon Fiber Composites. <i>Polymer Composites</i> , 2019, 40, E1252.	2.3	7
1087	Scalable development of a multi-phase thermal management system with superior EMI shielding properties. <i>Composites Part B: Engineering</i> , 2019, 158, 206-217.	5.9	23
1089	Enhancement of shielding effectiveness for electromagnetic wave radiation using carbon nanocoil-carbon microcoil hybrid materials. <i>Applied Surface Science</i> , 2019, 477, 264-270.	3.1	14
1090	Electromagnetic interference shielding effectiveness of composites based on polyurethane derived from castor oil and nanostructured carbon fillers. <i>Polymer Composites</i> , 2019, 40, E78.	2.3	15
1091	Comparison of two unit cell models and simulation results of high-pass woven fabrics. <i>Journal of Industrial Textiles</i> , 2019, 48, 1097-1110.	1.1	9
1092	Electromagnetic interference shielding of stitched carbon fiber composites. <i>Journal of Industrial Textiles</i> , 2020, 49, 773-790.	1.1	14
1093	Improvement of mechanical and physical properties of carbon fiber-reinforced polyamide composites by applying different surface coatings for short carbon fiber. <i>Journal of Thermoplastic Composite Materials</i> , 2020, 33, 541-553.	2.6	12
1094	Lightweight and flexible graphene/SiC-nanowires/ poly(vinylidene fluoride) composites for electromagnetic interference shielding and thermal management. <i>Carbon</i> , 2020, 156, 58-66.	5.4	138
1095	“Trigger-free” self-healable electromagnetic shielding material assisted by co-doped graphene nanostructures. <i>Chemical Engineering Journal</i> , 2020, 382, 122816.	6.6	34
1096	High-efficiency electromagnetic interference shielding realized in nacre-mimetic graphene/polymer composite with extremely low graphene loading. <i>Carbon</i> , 2020, 157, 570-577.	5.4	153
1097	Microstructure, mechanical and EMI shielding performance in open cell austenitic stainless steel foam made through PU foam template. <i>Materials Chemistry and Physics</i> , 2020, 241, 122273.	2.0	20

#	ARTICLE	IF	CITATIONS
1098	Magnetic CoFe alloy@C nanocomposites derived from ZnCo-MOF for electromagnetic wave absorption. <i>Chemical Engineering Journal</i> , 2020, 383, 123096.	6.6	173
1099	Lightweight open cell aluminum foam for superior mechanical and electromagnetic interference shielding properties. <i>Materials Chemistry and Physics</i> , 2020, 240, 122274.	2.0	50
1100	Nickel Nanoparticle-Filled High-Performance Polymeric Nanocomposites for EMI Shielding Applications. <i>Journal of Electronic Materials</i> , 2020, 49, 1630-1637.	1.0	16
1101	Carbonized Charcoal-Loaded PVDF Polymer Composite: A Promising EMI Shielding Material. <i>Arabian Journal for Science and Engineering</i> , 2020, 45, 465-474.	1.7	6
1102	Effects of environmental exposures on carbon fiber epoxy composites protected by metallic thin films. <i>Journal of Composite Materials</i> , 2020, 54, 167-177.	1.2	12
1103	Investigation of mechanical, thermal and electrical properties of hybrid composites reinforced with multi-walled carbon nanotubes and fused silica particles. <i>Carbon Letters</i> , 2020, 30, 353-365.	3.3	7
1104	Multifunctions of Polymer Nanocomposites: Environmental Remediation, Electromagnetic Interference Shielding, And Sensing Applications. <i>ChemNanoMat</i> , 2020, 6, 174-184.	1.5	112
1105	Dielectric and microwave absorption properties of fluoride-doped MWCNT/Si <sub>3</sub> N <sub>4</sub> composite. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 2918-2925.	1.1	11
1106	Controlled reduction of graphene oxide laminate and its applications for ultra-wideband microwave absorption. <i>Carbon</i> , 2020, 160, 307-316.	5.4	40
1107	Reduced graphene oxide/zinc oxide coated wearable electrically conductive cotton textile for high microwave absorption. <i>Composites Science and Technology</i> , 2020, 188, 107994.	3.8	87
1108	Achieve high performance microwave shielding in poly( $\mu$ -caprolactone)/multi-wall carbon nanotube composites via balancing absorption in conductive domains and multiple scattering at interfaces. <i>Applied Surface Science</i> , 2020, 508, 145178.	3.1	46
1109	Multilayer WPU conductive composites with controllable electro-magnetic gradient for absorption-dominated electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020, 129, 105692.	3.8	177
1110	Waste-derived glass-ceramics fired in nitrogen: Stabilization and functionalization. <i>Construction and Building Materials</i> , 2020, 232, 117265.	3.2	5
1111	Thermally Conducting Polymer Composites with EMI Shielding: A review. <i>Journal of Electronic Materials</i> , 2020, 49, 1749-1764.	1.0	54
1112	Structural, dielectric and magnetic studies on polyaniline-decorated Ni <sub>0.5</sub> Cu <sub>0.5</sub> Fe <sub>2</sub> O <sub>4</sub> nanoferrites for electromagnetic interference shielding applications. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	1.1	7
1113	Flexible and robust silver coated non-woven fabric reinforced waterborne polyurethane films for ultra-efficient electromagnetic shielding. <i>Composites Part B: Engineering</i> , 2020, 184, 107745.	5.9	70
1114	Facile Preparation of Electromagnetic Interference Shielding Materials Enabled by Constructing Interconnected Network of Multi-walled Carbon Nanotubes in a Miscible Polymeric Blend. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2020, 38, 593-598.	2.0	9
1115	Electromagnetic interference shielding of carbon nanotube-fluoropolymer elastomer composites with layered structure. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2020, 28, 267-271.	1.0	6

#	ARTICLE	IF	CITATIONS
1116	3D graphene/ carbon nanotubes/ polydimethylsiloxane composites as high-performance electromagnetic shielding material in X-band. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020, 129, 105712.	3.8	63
1117	Lightweight and stiff carbon foams derived from rigid thermosetting polyimide foam with superior electromagnetic interference shielding performance. <i>Carbon</i> , 2020, 158, 45-54.	5.4	139
1118	Enhanced electrical and electromagnetic interference shielding properties of uniformly dispersed carbon nanotubes filled composite films via solvent-free process using ring-opening polymerization of cyclic butylene terephthalate. <i>Polymer</i> , 2020, 186, 122030.	1.8	22
1119	Fabrication of core-shell structured TiO <sub>2</sub> @Sb-SnO <sub>2</sub> with improved electroconductivity. <i>Journal of Materials Science</i> , 2020, 55, 3871-3883.	1.7	15
1120	Self-templating graphene network composites by flame carbonization for excellent electromagnetic interference shielding. <i>Composites Part B: Engineering</i> , 2020, 182, 107615.	5.9	39
1121	Influence of Zinc Oxide Nanoparticles on the Optical, Dielectric and Electromagnetic Interference Shielding Performance of Polystyrene Films. <i>International Journal of Surface Engineering and Interdisciplinary Materials Science</i> , 2020, 8, 13-24.	0.2	0
1122	Excellent electromagnetic wave absorption of MOF/SiBCN nanomaterials at high temperature. <i>Chinese Journal of Aeronautics</i> , 2021, 34, 277-291.	2.8	15
1123	Graphene Films for Flexible EMI Shielding Materials with Cross-Linked Structure via Reaction with Diamine Monomers. <i>Nano</i> , 2020, 15, 2050157.	0.5	1
1124	Exceptional electromagnetic shielding efficiency of silver coated carbon fiber fabrics via a roll-to-roll spray coating process. <i>Journal of Materials Chemistry C</i> , 2020, 8, 11070-11078.	2.7	25
1125	Fabrication of an efficient vanadium redox flow battery electrode using a free-standing carbon-loaded electrospun nanofibrous composite. <i>Scientific Reports</i> , 2020, 10, 11153.	1.6	16
1126	Segregated poly(arylene sulfide sulfone)/graphene nanoplatelet composites for electromagnetic interference shielding prepared by the partial dissolution method. <i>RSC Advances</i> , 2020, 10, 20817-20826.	1.7	8
1127	Current trends in spinel based modified polymer composite materials for electromagnetic shielding. <i>Materials Today Chemistry</i> , 2020, 17, 100346.	1.7	16
1128	Transition of charge transport phenomena from 3D to 1D hopping at low temperatures in polyaniline/graphene composites. <i>Journal of Applied Physics</i> , 2020, 128, .	1.1	9
1129	A Comprehensive Review on Carbon-Based Polymer Nanocomposite Foams as Electromagnetic Interference Shields and Piezoresistive Sensors. <i>ACS Applied Electronic Materials</i> , 2020, 2, 2318-2350.	2.0	82
1130	Polymer-Assisted Fabrication of Silver Nanowire Cellular Monoliths: Toward Hydrophobic and Ultraflexible High-Performance Electromagnetic Interference Shielding Materials. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 38584-38592.	4.0	38
1131	Ranking Broadband Microwave Absorption Performance of Multilayered Polymer Nanocomposites Containing Carbon and Metallic Nanofillers. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	4
1132	Magnetic shielding of a thin Al/steel/Al composite. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2020, 39, 595-609.	0.5	5
1133	Enhanced Electromagnetic Wave Shielding Effectiveness of Carbon-Based Nonwoven Fabrics by H <sub>2</sub> Plasma Treatment. <i>Key Engineering Materials</i> , 2020, 834, 120-126.	0.4	0

#	ARTICLE	IF	CITATIONS
1134	Complex permittivity and permeability properties analysis of NiCuZn Ferrite-Polymer nanocomposites for EMI suppressor applications. Journal of Physics: Conference Series, 2020, 1495, 012001.	0.3	3
1135	Morphological, optical and AC electrical properties of polyaniline emeraldine salt/poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	8.9	10
1136	High-temperature electromagnetic wave absorption properties of C <sub>f</sub> /SiCNFs/Si <sub>3</sub> N <sub>4</sub> composites. Journal of the American Ceramic Society, 2020, 103, 6822-6832.	1.9	66
1137	Mechanical and electromagnetic performance of cement based composites containing different replacement levels of ground granulated blast furnace slag, fly ash, silica fume and rice husk ash. Cement and Concrete Research, 2020, 136, 106177.	4.6	77
1138	Spherical glassy carbon/AlN microwave attenuating composite ceramics with high thermal conductivity and strong attenuation. Ceramics International, 2020, 46, 21505-21516.	2.3	17
1139	Electromagnetic Shielding Effectiveness of X-Type Hexaferrite-C3N4 Binary Nanofiller-Incorporated Poly(vinylidene fluoride) Multiphase Composites. Journal of Physical Chemistry C, 2020, 124, 19396-19405.	1.5	11
1140	Tailoring the performance of mechanically robust highly conducting Silver/3D graphene aerogels with superior electromagnetic shielding effectiveness. Diamond and Related Materials, 2020, 109, 108043.	1.8	11
1141	CNT Conductive Epoxy Composite Metamaterials: Design, Fabrication, and Characterization. Materials, 2020, 13, 4749.	1.3	8
1142	Electromagnetic shielding properties of carbon fibre reinforced cementitious composites. Construction and Building Materials, 2020, 260, 120439.	3.2	32
1143	Fabrication strategies of polymer-based electromagnetic interference shielding materials. Advanced Industrial and Engineering Polymer Research, 2020, 3, 149-159.	2.7	28
1144	Three dimension phenolic resin derived carbon-CNTs hybrid foam for fire retardant and effective electromagnetic interference shielding. Composites Part C: Open Access, 2020, 2, 100020.	1.5	11
1145	EMI shielding and dynamic mechanical analysis of graphene oxide-carbon nanotube-acrylonitrile butadiene styrene hybrid composites. Polymer Testing, 2020, 91, 106839.	2.3	52
1146	Enhancement of EMI shielding effectiveness of flexible Co <sub>2</sub> U-type hexaferrite (Ba <sub>4</sub> Co <sub>2</sub> Fe <sub>36</sub> O <sub>60</sub> )-poly(vinylidene fluoride) heterostructure composite materials: An improved radar absorbing material to combat against electromagnetic pollution. Journal of Applied Physics, 2020, 128,	1.1	12
1147	Enhancement of Electromagnetic Wave Shielding Effectiveness of Carbon Fibers via Chemical Composition Transformation Using H <sub>2</sub> Plasma Treatment. Nanomaterials, 2020, 10, 1611.	1.9	3
1148	Multifunctional Graphene Composites for Electromagnetic Shielding and Thermal Management at Elevated Temperatures. Advanced Electronic Materials, 2020, 6, 2000520.	2.6	78
1149	The long-range π-conjugation between electron-rich species and multiwall carbon nanotubes influences the fluorescence lifetime and electromagnetic shielding. Nanoscale Advances, 2020, 2, 4464-4472.	2.2	1
1150	Metal and Metal Matrix 2D Nanomaterial Composites: Attractive Alternatives for EMI Shielding Applications. ACS Symposium Series, 2020, , 347-373.	0.5	2
1151	Sustainable Lightweight Biochar-Based Composites with Electromagnetic Shielding Properties. ACS Omega, 2020, 5, 32490-32497.	1.6	21

#	ARTICLE	IF	CITATIONS
1152	Electromagnetic Shielding Performance of Different Metallic Coatings Deposited by Arc Thermal Spray Process. <i>Materials</i> , 2020, 13, 5776.	1.3	23
1153	Methods of Protecting Buildings against HPM Radiation—A Review of Materials Absorbing the Energy of Electromagnetic Waves. <i>Materials</i> , 2020, 13, 5509.	1.3	17
1154	Cotton Science and Processing Technology. <i>Textile Science and Clothing Technology</i> , 2020, , .	0.4	14
1155	Interfacial metallization in segregated poly (lactic acid)/poly ( $\mu$ -caprolactone)/multi-walled carbon nanotubes composites for enhancing electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020, 139, 106116.	3.8	57
1156	Conductive Wood for High-Performance Structural Electromagnetic Interference Shielding. <i>Chemistry of Materials</i> , 2020, 32, 5280-5289.	3.2	117
1157	A review of polyvinylidene fluoride (PVDF), polyurethane (PU), and polyaniline (PANI) composites-based materials for electromagnetic interference shielding. <i>Journal of Thermoplastic Composite Materials</i> , 2022, 35, 1790-1810.	2.6	25
1158	Graphene Epoxy-Based Composites as Efficient Electromagnetic Absorbers in the Extremely High-Frequency Band. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 28635-28644.	4.0	53
1159	Preparation of polyimide/multi-walled carbon nanotubes composite aerogels with anisotropic properties. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49357.	1.3	13
1160	Multilayer structured PANI/MXene/CF fabric for electromagnetic interference shielding constructed by layer-by-layer strategy. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 601, 125047.	2.3	82
1161	Filler-Free Conducting Polymers as a New Class of Transparent Electromagnetic Interference Shields. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 28596-28606.	4.0	50
1162	Unique carbon nanofiber@ Co/C aerogel derived bacterial cellulose embedded zeolitic imidazolate frameworks for high-performance electromagnetic interference shielding. <i>Carbon</i> , 2020, 167, 575-584.	5.4	92
1163	A large-area AgNW-modified textile with high-performance electromagnetic interference shielding. <i>Npj Flexible Electronics</i> , 2020, 4, .	5.1	58
1164	Lightweight carbon-red mud hybrid foam toward fire-resistant and efficient shield against electromagnetic interference. <i>Scientific Reports</i> , 2020, 10, 9913.	1.6	15
1165	Microstructures and electrothermal characterization of aromatic poly(azomethine ether)-derived carbon films. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49345.	1.3	3
1166	Influence of oxyfluorinated graphite on fluorinated ethylene-propylene composites as bipolar plates. <i>Carbon Letters</i> , 2020, 30, 345-352.	3.3	15
1167	Polymeric blends as EMI shielding materials. , 2020, , 145-164.		1
1168	Hybrid polymeric nanocomposites with EMI shielding applications. , 2020, , 227-236.		8
1169	EMI shielding of metals, alloys, and composites. , 2020, , 341-355.		14



#	ARTICLE	IF	CITATIONS
1170	High-temperature electromagnetic interference shielding materials. , 2020, , 379-390.		5
1171	Superior and highly absorbed electromagnetic interference shielding performance achieved by designing the reflection-absorption-integrated shielding compartment with conductive wall and lossy core. Chemical Engineering Journal, 2020, 393, 124644.	6.6	87
1172	Theory of EMI shielding. , 2020, , 9-25.		17
1173	Control of the Length of $\text{Fe}_{73.5}\text{Si}_{13.5}\text{Nb}_3\text{Cu}_1\text{B}_9$ Microwires to Be Used for Magnetic and Microwave Absorbing Purposes. ACS Applied Materials & Interfaces, 2020, 12, 15644-15656.	4.0	23
1174	Graphene-based free-standing bendable films: designs, fabrications, and applications. Materials Today Advances, 2020, 6, 100060.	2.5	26
1175	Fused Deposition Modeling 3D Printing of Novel Poly(vinyl alcohol)/Graphene Nanocomposite with Enhanced Mechanical and Electromagnetic Interference Shielding Properties. Industrial & Engineering Chemistry Research, 2020, 59, 8066-8077.	1.8	54
1176	Flexible and Ultrathin Waterproof Cellular Membranes Based on High-Conjunction Metal-Wrapped Polymer Nanofibers for Electromagnetic Interference Shielding. Advanced Materials, 2020, 32, e1908496.	11.1	234
1177	Structuring Hierarchically Porous Architecture in Biomass-Derived Carbon Aerogels for Simultaneously Achieving High Electromagnetic Interference Shielding Effectiveness and High Absorption Coefficient. ACS Applied Materials & Interfaces, 2020, 12, 18840-18849.	4.0	102
1178	Biodegradable Poly (lactic acid)/Poly (ethylene glycol) Reinforced Multi-Walled Carbon Nanotube Nanocomposite Fabrication, Characterization, Properties, and Applications. Polymers, 2020, 12, 427.	2.0	38
1179	Anisotropic electromagnetic interference shielding properties of polymer-based composites with magnetically-responsive aligned $\text{Fe}_3\text{O}_4$ decorated reduced graphene oxide. European Polymer Journal, 2020, 127, 109595.	2.6	41
1180	Carbon nanotubes (CNTs) in ultra-high performance concrete (UHPC): Dispersion, mechanical properties, and electromagnetic interference (EMI) shielding effectiveness (SE). Cement and Concrete Research, 2020, 131, 106017.	4.6	179
1181	Enhanced electromagnetic wave absorption properties of a novel $\text{SiC}$ nanowires reinforced $\text{SiO}_2/3\text{Al}_2\text{O}_3 \cdot 2\text{SiO}_2$ porous ceramic. Ceramics International, 2020, 46, 22474-22481.	2.3	20
1182	Electromagnetic Interference Shielding by Transparent Graphene/Nickel Mesh Films. ACS Applied Nano Materials, 2020, 3, 7474-7481.	2.4	33
1183	Filler size effect in graphite/paraffine wax composite on electromagnetic interference shielding performance. Korean Journal of Chemical Engineering, 2020, 37, 1623-1630.	1.2	4
1184	Effect of sorted, homogeneous electronic grade single-walled carbon nanotube on the electromagnetic shielding effectiveness. Carbon, 2020, 167, 523-529.	5.4	12
1185	Reduced graphene oxide bubbles with tunable electromagnetic shielding effectiveness. Scripta Materialia, 2020, 187, 407-412.	2.6	11
1186	Mechanically robust, UV screener core "double-shell nanostructures provide enhanced shielding for EM radiations over wide angle of incidence. Nanoscale, 2020, 12, 15775-15790.	2.8	10
1187	Effect of fiber feeding route upon extrusion process on the electromagnetic, mechanical, and thermal properties of nickel-coated carbon fiber/polypropylene composites. Composites Part B: Engineering, 2020, 187, 107861.	5.9	19

#	ARTICLE	IF	CITATIONS
1188	Lightweight Electromagnetic Interference Shielding Materials and Their Mechanisms. , 0, , .		8
1189	Electromagnetic Wave-Absorbing Property and Mechanism of Cementitious Composites with Different Types of Nano Titanium Dioxide. <i>Journal of Materials in Civil Engineering</i> , 2020, 32, .	1.3	14
1190	Does the Type of Polymer and Carbon Nanotube Structure Control the Electromagnetic Shielding in Melt-Mixed Polymer Nanocomposites?. <i>Journal of Composites Science</i> , 2020, 4, 9.	1.4	10
1191	Highly Stretchable Polymer Composite with Strain-Enhanced Electromagnetic Interference Shielding Effectiveness. <i>Advanced Materials</i> , 2020, 32, e1907499.	11.1	242
1192	Light-weight and high-efficiency electromagnetic wave shielding properties based on waste straw porous carbon. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 4963-4971.	1.1	10
1193	The optimization of nanocomposite coating with polyaniline coated carbon nanotubes on fabrics for exceptional electromagnetic interference shielding. <i>Diamond and Related Materials</i> , 2020, 104, 107757.	1.8	39
1194	Electromagnetic Shielding Performance of Carbon Black Mixed Concrete with Zn-Al Metal Thermal Spray Coating. <i>Materials</i> , 2020, 13, 895.	1.3	20
1195	Superhigh Electromagnetic Interference Shielding of Ultrathin Aligned Pristine Graphene Nanosheets Film. <i>Advanced Materials</i> , 2020, 32, e1907411.	11.1	310
1196	A composite with a gradient distribution of graphene and its anisotropic electromagnetic reflection. <i>RSC Advances</i> , 2020, 10, 3314-3318.	1.7	3
1197	Thermoplastic polymer composites for EMI shielding applications. , 2020, , 73-99.		10
1198	Porous materials for EMI shielding. , 2020, , 287-314.		12
1199	Electromagnetic shielding using ceramic materials. , 2020, , 315-331.		5
1200	Ultralight, Flexible, and Biomimetic Nanocellulose/Silver Nanowire Aerogels for Electromagnetic Interference Shielding. <i>ACS Nano</i> , 2020, 14, 2927-2938.	7.3	254
1201	MXene/Polymer Membranes: Synthesis, Properties, and Emerging Applications. <i>Chemistry of Materials</i> , 2020, 32, 1703-1747.	3.2	429
1202	Multi-layer silver nanowire/polyethylene terephthalate mesh structure for highly efficient transparent electromagnetic interference shielding. <i>Nanotechnology</i> , 2020, 31, 185303.	1.3	32
1203	2.5 D carbon/carbon composites modified by in situ grown hafnium carbide nanowires for enhanced electromagnetic shielding properties and oxidation resistance. <i>Carbon</i> , 2020, 161, 331-340.	5.4	37
1204	Axial Alignment of Carbon Nanotubes on Fibers To Enable Highly Conductive Fabrics for Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 7477-7485.	4.0	60
1205	Nanoinfiltration for Enhancing Microwave Attenuation in Polystyrene-Nanoparticle Composites. <i>ACS Applied Nano Materials</i> , 2020, 3, 1872-1880.	2.4	8

#	ARTICLE	IF	CITATIONS
1206	Carbon fiber-based polymer composite via ceramization toward excellent electromagnetic interference shielding performance and high temperature resistance. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020, 131, 105769.	3.8	30
1207	Constructing nanopores in poly(oxymethylene)/multi-wall carbon nanotube nanocomposites via poly(L-lactide) assisting for improving electromagnetic interference shielding. <i>Journal of Colloid and Interface Science</i> , 2020, 565, 536-545.	5.0	64
1208	Silver nanowires intercalating Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene composite films with excellent flexibility for electromagnetic interference shielding. <i>Journal of Materials Chemistry C</i> , 2020, 8, 3120-3126.	2.7	71
1209	Graphene/Carbon Nanotube Hybrid Nanocomposites: Effect of Compression Molding and Fused Filament Fabrication on Properties. <i>Polymers</i> , 2020, 12, 101.	2.0	45
1210	Ni@nylon mesh/PP composites with a novel tree-ring structure for enhancing electromagnetic shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020, 131, 105798.	3.8	25
1211	SiC/rGO Core-Shell Nanowire as a Lightweight, Highly Efficient Gigahertz Electromagnetic Wave Absorber. <i>ACS Applied Electronic Materials</i> , 2020, 2, 473-482.	2.0	32
1212	Effect of weight percentage of B <sub>4</sub> C reinforcement on physical and mechanical properties of polyamide 6/polystyrene composites. <i>Journal of Taibah University for Science</i> , 2020, 14, 131-138.	1.1	10
1213	Electromagnetic interference shielding effectiveness of ferrocene-based polyimidazole/carbon material composites. <i>Polymer Composites</i> , 2020, 41, 2068-2081.	2.3	15
1214	Enhancement of Corona Onset Voltage Using PI/MWCNT Nanocomposite on HV Conductor. <i>IEEE Transactions on Plasma Science</i> , 2020, 48, 1122-1129.	0.6	9
1215	Effect of morphology and role of conductivity of embedded metallic nanoparticles on electromagnetic interference shielding of PVDF-carbonaceous-nanofiller composites. <i>Carbon</i> , 2020, 164, 357-368.	5.4	67
1216	Evolution of the structural, dielectric and electrical transport properties of Bi <sub>2</sub> Te <sub>3</sub> nano-sticks synthesized via polyol and solvothermal routes. <i>Physica B: Condensed Matter</i> , 2020, 588, 412183.	1.3	5
1217	Zr doped Barium hexaferrite nanoplatelets and RGO fillers embedded Polyvinylidene fluoride composite films for electromagnetic interference shielding applications. <i>Polymer Testing</i> , 2020, 86, 106504.	2.3	51
1218	Macro-aligned carbon Nanotube-Polymer matrix by dielectrophoresis and transferring process. <i>Journal of Materials Research and Technology</i> , 2020, 9, 4550-4557.	2.6	8
1219	Electromagnetic shielding behavior of heat-treated Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene accompanied by structural and phase changes. <i>Carbon</i> , 2020, 165, 150-162.	5.4	52
1220	Polypyrrole and cellulose nanofiber based composite films with improved physical and electrical properties for electromagnetic shielding applications. <i>Carbohydrate Polymers</i> , 2020, 240, 116304.	5.1	68
1221	Dependence of electromagnetic interference shielding ability of conductive polymer composite foams with hydrophobic properties on cellular structure. <i>Journal of Materials Chemistry C</i> , 2020, 8, 7401-7410.	2.7	70
1222	Emerging trends in poly(methyl methacrylate) containing carbonaceous reinforcements-Carbon nanotube, carbon black, and carbon fiber. <i>Journal of Plastic Film and Sheeting</i> , 2020, 36, 409-429.	1.3	18
1223	Rational design of two-dimensional nanofillers for polymer nanocomposites toward multifunctional applications. <i>Progress in Materials Science</i> , 2021, 115, 100708.	16.0	150

#	ARTICLE	IF	CITATIONS
1224	Fabrication of radiation crosslinked and MWCNT reinforced ethylene acrylic elastomer nanocomposites: Evaluation of mechanical, dynamic mechanical, thermal and dielectric properties. <i>Materials Today: Proceedings</i> , 2021, 41, 203-210.	0.9	3
1225	Study on optical phonon vibration and gamma ray shielding properties of composite geopolymer fly ash-metal. <i>Radiation Physics and Chemistry</i> , 2021, 180, 109250.	1.4	17
1226	Recent advance in electromagnetic shielding of MXenes. <i>Chinese Chemical Letters</i> , 2021, 32, 620-634.	4.8	16
1227	Carbonyl iron powders as absorption material for microwave interference shielding: A review. <i>Journal of Alloys and Compounds</i> , 2021, 853, 157251.	2.8	121
1228	Flexible Nanoporous Silver Membranes with Unprecedented High Effectiveness for Electromagnetic Interference Shielding. <i>Journal of Industrial and Engineering Chemistry</i> , 2021, 93, 245-252.	2.9	24
1229	Nanoelectromagnetic of a highly conductive 2D transition metal carbide (MXene)/Graphene nanoplatelets composite in the EHF M-band frequency. <i>Carbon</i> , 2021, 173, 528-539.	5.4	28
1230	Nanocellulose-based composites. , 2021, , 15-29.		11
1231	Carbon fiber reinforced polymer metallization via a conductive silver nanowires polyurethane coating for electromagnetic shielding. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50146.	1.3	6
1232	Electromagnetic interference shielding response of multiwall carbon nanotube/polypropylene nanocomposites prepared via melt processing technique. <i>Polymer Composites</i> , 2021, 42, 1148-1154.	2.3	22
1233	Fabrication of heterostructure composites of Ni-Zn-Cu-Ferrite-C <sub>3</sub> N <sub>4</sub> -Poly(vinylidene fluoride) films for the enhancement of electromagnetic interference shielding effectiveness. <i>Chemical Engineering Journal</i> , 2021, 420, 127683.	6.6	18
1234	Flexible papers derived from polypyrrole deposited cellulose nanofibers for enhanced electromagnetic interference shielding in gigahertz frequencies. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50262.	1.3	35
1235	High reliable electromagnetic interference shielding carbon cloth with superamphiphobicity and environmental suitability. <i>Carbon</i> , 2021, 174, 110-122.	5.4	31
1236	Electromagnetic interference shielding anisotropy enhanced by CFRP laminated structures. <i>Composites Science and Technology</i> , 2021, 203, 108616.	3.8	34
1237	Mechanically strong, thermally conductive and flexible graphene composite paper for exceptional electromagnetic interference shielding. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2021, 263, 114893.	1.7	19
1238	Electromagnetic Interference Shielding Properties of BaCo <sub>2</sub> Fe <sub>16</sub> O <sub>27</sub> Nanoplatelets and RGO Reinforced PVDF Polymer Composite Flexible Films. <i>Advanced Materials Interfaces</i> , 2021, 8, 2001810.	1.9	33
1239	Electromagnetic wave absorption properties of MWCNTs-COOH/cement composites with different shapes of chiral, armchair and zigzag. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2021, 29, 386-393.	1.0	14
1240	Phenolic resin reinforcement: A new strategy for hollow NiCo@C microboxes against electromagnetic pollution. <i>Carbon</i> , 2021, 174, 673-682.	5.4	78
1241	Single-walled carbon nanotube filled thermoplastic polyurethane nanocomposites: Influence of ionic liquid on dielectric properties. <i>Materials Today: Proceedings</i> , 2021, 41, 216-222.	0.9	6



#	ARTICLE	IF	CITATIONS
1260	Multiwalled Carbon Nanotube Buckypaper/Polyacrylonitrile Nanofiber Composite Membranes for Electromagnetic Interference Shielding. ACS Applied Nano Materials, 2021, 4, 729-738.	2.4	29
1261	Influence of Zinc Oxide Nanoparticles on the Optical, Dielectric and Electromagnetic Interference Shielding Performance of Polystyrene Films. , 2021, , 1080-1092.		0
1262	Effect of bamboo-like carbon nanotubes on morphology, electrical properties, and thermal conductivity of poly(ether-ketone) matrix nanocomposites. Polymer-Plastics Technology and Materials, 2021, 60, 1292-1307.	0.6	3
1263	Core-Shell Nanomaterials for Microwave Absorption and Electromagnetic Interference Shielding: A Review. ACS Applied Nano Materials, 2021, 4, 949-972.	2.4	114
1264	Porous carbon/graphite nanosheet/ferromagnetic nanoparticle composite absorbents with adjustable electromagnetic properties. Nanotechnology, 2021, 32, 205707.	1.3	10
1266	Electrically Insulating Flexible Films with Quasi-1D van der Waals Fillers as Efficient Electromagnetic Shields in the GHz and Sub-THz Frequency Bands. Advanced Materials, 2021, 33, e2007286.	11.1	51
1267	Modification of carbon fiber by magnetite particles. IOP Conference Series: Materials Science and Engineering, 2021, 1047, 012051.	0.3	5
1268	Comparative study on pyrolytic transformation mechanism of ANFs-derived carbon membrane for electromagnetic interference shielding application. Journal of Materials Science: Materials in Electronics, 2021, 32, 7090-7105.	1.1	6
1269	Development and current situation of flexible and transparent EM shielding materials. Journal of Materials Science: Materials in Electronics, 2021, 32, 25603-25630.	1.1	20
1270	Multi-Response Optimisation for the Development of an Activated Carbon Web as Interlining for Higher Electrical Conductivity and EMI Shielding Using Grey Relational Analysis. Fibres and Textiles in Eastern Europe, 2021, 29, 57-65.	0.2	1
1271	Synergistic effects of graphene nanoplatelets on X-band electromagnetic interference shielding, thermal expansion and thermal stability of poly(ether-ketone) based nanocomposites. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2021, 265, 115038.	1.7	13
1272	Numerical study of thermal effect in silicone rubber filled with carbonyl iron powder under microwave radiation. Journal of Materials Science, 2021, 56, 10264-10281.	1.7	2
1273	Sustainable Double-Network Structural Materials for Electromagnetic Shielding. Nano Letters, 2021, 21, 2532-2537.	4.5	83
1274	Reduced Graphene Oxide/Fe <sub>3</sub> O <sub>4</sub> /Polyaniline Ternary Composites as a Superior Microwave Absorber in the Shielding of Electromagnetic Pollution. ACS Omega, 2021, 6, 9164-9175.	1.6	49
1275	Experimental Installation for Determination of Attenuation Coefficient of Permanent Magnetic Field by Protective Materials. Pribory I Metody Izmerenij, 2021, 12, 7-12.	0.1	0
1276	Advances in MXene Films: Synthesis, Assembly, and Applications. Transactions of Tianjin University, 2021, 27, 217-247.	3.3	66
1277	EMI Shielding and Mechanical Properties of Polycarbonate Nanocomposites Containing CNT Composite Powder. Fibers and Polymers, 2021, 22, 1704.	1.1	4
1278	A comparative study on the influences of whisker and conventional carbon nanotubes on the electrical and thermal conductivity of polyether ether ketone composites. Journal of Applied Polymer Science, 2021, 138, 50720.	1.3	8

#	ARTICLE	IF	CITATIONS
1279	Evaluation of microstructure and conductivity of two-phase materials by the scanning spreading resistance microscopy (the case of shungite). <i>Ultramicroscopy</i> , 2021, 222, 113212.	0.8	6
1280	Radially grown carbon nanomaterials on hollow glass microspheres and their application in composite foams with excellent electromagnetic interference shielding. <i>Polymer Composites</i> , 2021, 42, 3786-3798.	2.3	8
1281	Electromagnetic interference shielding performance of carbon nanostructure reinforced, 3D printed polymer composites. <i>Journal of Materials Science</i> , 2021, 56, 11769-11788.	1.7	18
1282	Fabrication of hollow microhemisphere-like polypyrrole and carbon dielectric materials by sol-gel template method for enhanced microwave absorption. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 10991-11003.	1.1	8
1283	Multifunctional Shape-Stabilized Phase Change Materials with Enhanced Thermal Conductivity and Electromagnetic Interference Shielding Effectiveness for Electronic Devices. <i>Macromolecular Materials and Engineering</i> , 2021, 306, 2100055.	1.7	14
1284	MXenes for polymer matrix electromagnetic interference shielding composites: A review. <i>Composites Communications</i> , 2021, 24, 100653.	3.3	291
1285	M-Type Barium Hexaferrite-Based Nanocomposites for EMI Shielding Application: a Review. <i>Journal of Superconductivity and Novel Magnetism</i> , 2021, 34, 1019-1045.	0.8	40
1286	Simultaneous improvement of electromagnetic shielding effectiveness and corrosion resistance in magnesium alloys by electropulsing. <i>Materials Characterization</i> , 2021, 174, 111042.	1.9	13
1287	Role of graphitization-controlled conductivity in enhancing absorption dominated EMI shielding behavior of pyrolysis-derived Fe <sub>3</sub> C@C-PVDF nanocomposites. <i>Materials Chemistry and Physics</i> , 2021, 263, 124429.	2.0	18
1288	Soft liquid-metal/elastomer foam with compression-adjustable thermal conductivity and electromagnetic interference shielding. <i>Chemical Engineering Journal</i> , 2021, 410, 128288.	6.6	85
1289	Additively manufactured metastructure design for broadband radar absorption. <i>Beni-Suef University Journal of Basic and Applied Sciences</i> , 2021, 10, .	0.8	10
1290	Thermally insulating robust carbon composite foams with high EMI shielding from natural cotton. <i>Journal of Materials Science and Technology</i> , 2021, 94, 113-122.	5.6	28
1291	Review on the electromagnetic interference shielding properties of carbon based materials and their novel composites: Recent progress, challenges and prospects. <i>Carbon</i> , 2021, 176, 88-105.	5.4	328
1292	Mechanical, durability, depolluting and electrical properties of multifunctional mortars prepared with commercial or waste carbon-based fillers. <i>Construction and Building Materials</i> , 2021, 283, 122768.	3.2	6
1293	A comprehensive investigation on the chemical structure character of spinnable pitch for improving and optimizing the oxidative stabilization of coal tar pitch-based fiber. <i>Polymer</i> , 2021, 224, 123737.	1.8	5
1294	Thermal and dielectric properties of carbon nanotubes/graphite/polyester ternary composites. <i>Journal of Composite Materials</i> , 2021, 55, 3741-3750.	1.2	9
1295	Sandwich-structural Ni/Fe <sub>3</sub> O <sub>4</sub> /Ni/cellulose paper with a honeycomb surface for improved absorption performance of electromagnetic interference. <i>Carbohydrate Polymers</i> , 2021, 260, 117840.	5.1	32
1296	Demonstration of Tunable Shielding Effectiveness in GHz and THz Bands for Flexible Graphene/Ion Gel/Graphene Film. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5133.	1.3	8

#	ARTICLE	IF	CITATIONS
1297	Hierarchical Porous Carbon Nanotube Skeleton Supported Polydimethylsiloxane Composite with Electrical Continuity for High Performance Electromagnetic Shielding. <i>Advanced Materials Technologies</i> , 2021, 6, 2100013.	3.0	8
1298	Vitrimer chemistry enables epoxy nanocomposites with mechanical robustness and integrated conductive segregated structure for high performance electromagnetic interference shielding. <i>Composites Part B: Engineering</i> , 2021, 215, 108782.	5.9	51
1299	Experimental investigations on metallization in laser-sintered PA12 part using RF sputtering. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	1.1	1
1300	Study on the Morphological and Flexural Properties of RF Sputtered Copper Thin Film for PA12 Part. <i>Journal of the Institution of Engineers (India): Series C</i> , 2021, 102, 1059.	0.7	0
1301	Mechanical, Thermal and Electromagnetic Shielding Effectiveness of MWCN-ABS Films. <i>Transactions on Electrical and Electronic Materials</i> , 2022, 23, 228-236.	1.0	3
1302	Polyaniline-based nanocomposites for electromagnetic interference shielding applications: A review. <i>Journal of Thermoplastic Composite Materials</i> , 2023, 36, 1717-1761.	2.6	20
1303	A Suggested Vacuum Bagging Process for the Fabrication of Single-Walled Carbon Nanotube/Epoxy Composites That Maximize Electromagnetic Interference Shielding Effectiveness. <i>Polymers</i> , 2021, 13, 1867.	2.0	6
1304	Tailoring conductive network nanostructures of ZIF-derived cobalt-decorated N-doped graphene/carbon nanotubes for microwave absorption applications. <i>Journal of Colloid and Interface Science</i> , 2021, 591, 463-473.	5.0	65
1305	Construction, mechanism and prospective of conductive polymer composites with multiple interfaces for electromagnetic interference shielding: A review. <i>Carbon</i> , 2021, 177, 377-402.	5.4	405
1306	Bi-continuous conductive network induced by in-situ phase separation in epoxy composites with enhanced electromagnetic interference shielding performance. <i>Reactive and Functional Polymers</i> , 2021, 164, 104918.	2.0	6
1307	Study on gamma radiation attenuation and non-ionizing shielding effectiveness of niobium-reinforced novel polymer composite. <i>Nuclear Engineering and Technology</i> , 2022, 54, 283-292.	1.1	40
1308	Recent Advances in Design and Fabrication of Nanocomposites for Electromagnetic Wave Shielding and Absorbing. <i>Materials</i> , 2021, 14, 4148.	1.3	31
1309	Polymer-based EMI shielding composites with 3D conductive networks: A mini-review. <i>SusMat</i> , 2021, 1, 413-431.	7.8	212
1310	Preparation Methods for Graphene Metal and Polymer Based Composites for EMI Shielding Materials: State of the Art Review of the Conventional and Machine Learning Methods. <i>Metals</i> , 2021, 11, 1164.	1.0	21
1311	Ultrabroadband microwave absorber based on 3D water microchannels. <i>Photonics Research</i> , 2021, 9, 1391.	3.4	27
1312	Conducting Polymeric Composites Based on Intrinsically Conducting Polymers as Electromagnetic Interference Shielding/Microwave Absorbing Materials—A Review. <i>Journal of Composites Science</i> , 2021, 5, 173.	1.4	45
1313	Bio-carbon/FexOy composite materials with a wideband electromagnetic wave absorption. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 20856-20866.	1.1	8
1314	Effects of Graphite on Electrically Conductive Cementitious Composite Properties: A Review. <i>Materials</i> , 2021, 14, 4798.	1.3	11



#	ARTICLE	IF	CITATIONS
1315	Electromagnetic shielding effectiveness of amorphous metallic spheroidal- and flake-based magnetodielectric composites. <i>Journal of Materials Science and Technology</i> , 2021, 83, 256-263.	5.6	13
1316	Ultralow loading mussel-inspired conductive hybrid as highly effective modifier for function-engineered poly(lactic acid) composites. <i>International Journal of Biological Macromolecules</i> , 2021, 185, 513-524.	3.6	6
1317	pH triggered hydrogen bonding for preparing mechanically strong, electromagnetic interference shielding and thermally conductive waterborne polymer/graphene@polydopamine composites. <i>Carbon</i> , 2021, 181, 212-224.	5.4	45
1318	Mechanical and Electromagnetic Shielding Properties of Carbon Foam. <i>Advanced Engineering Materials</i> , 2021, 23, 2100452.	1.6	21
1319	Polymeric textile-based electromagnetic interference shielding materials, their synthesis, mechanism and applications – A review. <i>Journal of Industrial Textiles</i> , 2022, 51, 7293S-7358S.	1.1	14
1320	Effect of processing conditions on electromagnetic shielding and electrical resistivity of injection-molded polybutylene terephthalate compounds. <i>Polymer Engineering and Science</i> , 2021, 61, 2576-2588.	1.5	2
1321	Graphene and Iron Reinforced Polymer Composite Electromagnetic Shielding Applications: A Review. <i>Polymers</i> , 2021, 13, 2580.	2.0	38
1322	Fabrication of highly flexible electromagnetic interference shielding polyimide carbon black composite using hot-pressing method. <i>Composites Part B: Engineering</i> , 2021, 221, 109010.	5.9	58
1323	Electromagnetic shielding effectiveness of lightweight and flexible ultrathin shungite plates. <i>Current Applied Physics</i> , 2021, 29, 97-106.	1.1	10
1324	Enhancing the electromagnetic interference shielding of flexible films with reduced graphene oxide-based coatings. <i>Progress in Organic Coatings</i> , 2021, 158, 106341.	1.9	11
1325	Poly(vinyl alcohol)/MXene biomimetic aerogels with tunable mechanical properties and electromagnetic interference shielding performance controlled by pore structure. <i>Polymer</i> , 2021, 230, 124101.	1.8	36
1326	Controlled Vertically Aligned Structures in Polymer Composites: Natural Inspiration, Structural Processing, and Functional Application. <i>Advanced Materials</i> , 2021, 33, e2103495.	11.1	62
1327	Recent advances in electromagnetic interference shielding properties of carbon-fibre-reinforced polymer composites – a topical review. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 24585-24643.	1.1	44
1328	Synthesis of Nickel Spinel Ferrites Nanoparticles Coated with Thermally Reduced Graphene Oxide for EMI Shielding in the Microwave, UV, and NIR Regions. <i>Polymers</i> , 2021, 13, 3316.	2.0	10
1329	Effective lightweight, flexible and ultrathin PVDF/rGO/Ba <sub>2</sub> Co <sub>2</sub> Fe <sub>12</sub> O <sub>22</sub> composite films for electromagnetic interference shielding applications. <i>Nanotechnology</i> , 2021, 32, 475707.	1.3	8
1330	Tuning of structural, elastic, luminescence, magnetic, and multiferroic properties of rare earth Ce <sup>3+</sup> -substituted strontium hexaferrite Ceramic magnetic nanomaterials for its industrial applications. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	1.1	5
1331	High Frequency Electromagnetic Shielding by Biochar-Based Composites. <i>Nanomaterials</i> , 2021, 11, 2383.	1.9	25
1332	Carbon-fiber reinforcements for epoxy composites with electromagnetic radiation protection – prediction of electromagnetic shielding ability. <i>Composites Science and Technology</i> , 2021, 215, 109029.	3.8	14

#	ARTICLE	IF	CITATIONS
1333	Dual-functional carbonized loofah@GNSs-CNTs reinforced by cyanate ester composite with highly efficient electromagnetic interference shielding and thermal management. <i>Composites Part B: Engineering</i> , 2021, 223, 109132.	5.9	35
1334	Cellulose-derived flexible carbonized paper for high-performance electromagnetic interference shielding. <i>Carbon Trends</i> , 2021, 5, 100085.	1.4	3
1335	Flexible liquid metal/cellulose nanofiber composites film with excellent thermal reliability for highly efficient and broadband EMI shielding. <i>Chemical Engineering Journal</i> , 2021, 422, 129962.	6.6	71
1336	TTF-TCNQ derived N,S-codoped carbon with multiple macropores for excellent electromagnetic wave adsorption. <i>Synthetic Metals</i> , 2021, 280, 116877.	2.1	11
1337	Hybrid shell of MXene and reduced graphene oxide assembled on PMMA bead core towards tunable thermoconductive and EMI shielding nanocomposites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021, 149, 106574.	3.8	56
1338	Synergy-induced tunable electromagnetic response and enhanced shielding efficiency in carbon black- and carbonyl iron-reinforced polydimethylsiloxane composites. <i>Materials Research Bulletin</i> , 2021, 142, 111415.	2.7	6
1339	Aramid nanofiber-derived carbon aerogel film with skin-core structure for high electromagnetic interference shielding and solar-thermal conversion. <i>Carbon</i> , 2021, 184, 562-570.	5.4	74
1340	A one-step graphene induction strategy enables in-situ controllable growth of silver nanowires for electromagnetic interference shielding. <i>Carbon</i> , 2021, 183, 809-819.	5.4	10
1341	Multifunctional epoxy nanocomposites reinforced by two-dimensional materials: A review. <i>Carbon</i> , 2021, 185, 57-81.	5.4	88
1342	Superparamagnetic nanoarchitectures: Multimodal functionalities and applications. <i>Journal of Magnetism and Magnetic Materials</i> , 2021, 538, 168300.	1.0	20
1343	Coexistence of Zn and Fe ions influenced magnetic and microwave shielding properties of Zn-doped SrFe <sub>12</sub> O <sub>19</sub> ferrites. <i>Journal of Magnetism and Magnetic Materials</i> , 2021, 537, 168195.	1.0	22
1344	Achieving flexible and durable electromagnetic interference shielding fabric through lightweight and mechanically strong aramid fiber wrapped in highly conductive multilayer metal. <i>Applied Surface Science</i> , 2021, 565, 150577.	3.1	28
1345	Electromagnetic interference shielding performance and mechanism of Fe/Al modified SiC /SiC composites. <i>Journal of Alloys and Compounds</i> , 2021, 887, 161359.	2.8	10
1346	A novel MOF-driven self-decomposition strategy for CoO@N/C-Co/Ni-NiCo <sub>2</sub> O <sub>4</sub> multi-heterostructure composite as high-performance electromagnetic wave absorbing materials. <i>Chemical Engineering Journal</i> , 2021, 426, 131667.	6.6	48
1347	Electromagnetic properties of graphene aerogels made by freeze-casting. <i>Chemical Engineering Journal</i> , 2022, 428, 131337.	6.6	24
1349	K- and W-Band Free-Space Characterizations of Highly Conductive Radar Absorbing Materials. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-10.	2.4	13
1350	Gypsum-Fiber Radioprotective Facing Materials. <i>Lecture Notes in Civil Engineering</i> , 2021, , 372-381.	0.3	4
1351	Intrinsically Conducting Polymer Nanocomposites in Shielding of Electromagnetic Pollution. , 2021, , 167-215.		0

#	ARTICLE	IF	CITATIONS
1352	A review of recent advances in the preparation of polyaniline-based composites and their electromagnetic absorption properties. <i>Journal of Materials Science</i> , 2021, 56, 5449-5478.	1.7	30
1353	Highly flexible electromagnetic interference shielding films based on ultrathin Ni/Ag composites on paper substrates. <i>Journal of Materials Science</i> , 2021, 56, 5570-5580.	1.7	13
1354	Hierarchical Porous Film with Layer-by-Layer Assembly of 2D Copper Nanosheets for Ultimate Electromagnetic Interference Shielding. <i>ACS Nano</i> , 2021, 15, 829-839.	7.3	85
1355	Composites, Multifunctional. , 2009, , 1283-1302.		2
1356	Chlorosulphonated Polyethylene and Its Composites for Electronic Applications. <i>Springer Series on Polymer and Composite Materials</i> , 2016, , 229-259.	0.5	10
1357	Electromagnetic Interference (EMI) Shielding Effectiveness (SE) of Polymer-Carbon Composites. <i>Springer Series on Polymer and Composite Materials</i> , 2019, , 339-368.	0.5	10
1358	Graphene-based 3D lightweight cellular structures: Synthesis and applications. <i>Korean Journal of Chemical Engineering</i> , 2020, 37, 189-208.	1.2	10
1359	Homogeneous silver nanoparticles decorating 3D carbon nanotube sponges as flexible high-performance electromagnetic shielding composite materials. <i>Carbon</i> , 2020, 165, 404-411.	5.4	51
1360	Enhancing durability of 3D printed polymer structures by metallization. <i>Journal of Materials Science and Technology</i> , 2020, 53, 185-191.	5.6	26
1361	Polyaniline-MnO <sub>2</sub> composites prepared in-situ during oxidative polymerization of aniline for supercapacitor applications. <i>Materials Today: Proceedings</i> , 2020, 29, 1013-1019.	0.9	21
1362	Review of carbon-based electromagnetic shielding materials: film, composite, foam, textile. <i>Textile Reseach Journal</i> , 2021, 91, 1167-1183.	1.1	32
1363	Material Analysis and Application for Radio Frequency Electromagnetic Wave Shielding. <i>Acta Physica Polonica A</i> , 2016, 129, 635-638.	0.2	7
1364	Change of transmission characteristics of FSSs in hybrid composites due to residual stresses. <i>Steel and Composite Structures</i> , 2015, 19, 1501-1510.	1.3	1
1365	Electromagnetic Characteristics of Cement Matrix Materials with Carbon Nanotubes. <i>ACI Materials Journal</i> , 2012, 109, .	0.3	3
1366	Conductive Concrete for Electromagnetic Shielding Applications. <i>Advances in Civil Engineering Materials</i> , 2014, 3, 270-290.	0.2	12
1367	Efficacy of Net Epoxy Resin for Electromagnetic Shielding in X-Band Frequency Range. <i>Health Scope</i> , 2016, 5, .	0.4	4
1368	Study on the Magnetic Shield Effect of Carbon-based Materials at Extremely Low Frequency. <i>KEPCO Journal on Electric Power and Energy</i> , 2015, 1, 15-20.	0.1	1
1369	An Overview of Electrically Conductive Polymer Nanocomposites toward Electromagnetic Interference Shielding. <i>Engineered Science</i> , 2018, , .	1.2	81

#	ARTICLE	IF	CITATIONS
1370	Novel method of polymer/low-melting-point metal alloy/light metal fiber composite fabrication. EXPRESS Polymer Letters, 2016, 10, 526-536.	1.1	8
1371	Robust Design of PC/ABS Filled with Nano Carbon Black for Electromagnetic Shielding Effectiveness and Surface Resistivity. Processes, 2020, 8, 616.	1.3	8
1372	Anisotropic Dielectric Properties of Short Carbon Fiber Composites. Wuji Cailiao Xuebao/Journal of Inorganic Materials, 2013, 27, 1223-1227.	0.6	4
1373	Funci3n de apantallamiento de interferencia electromagn3tica de pastas de cemento con materiales carbonosos y cenizas volantes procesadas. Materiales De Construccion, 2010, 60, 21-32.	0.2	22
1374	Performance Analysis of Electromagnetic Interference Shielding Based on Carbon Nanomaterials Used in AMS/RF IC Design. Advances in Computer and Electrical Engineering Book Series, 2015, , 268-294.	0.2	10
1375	The Characteristic Changes of Electromagnetic Wave Absorption in Fe-based Nanocrystalline P/M Sheets Mixed with Ball-Milled Carbon Nanotubes. Journal of Korean Powder Metallurgy Institute, 2009, 16, 424-430.	0.2	1
1376	Experimental Data for Study on the Shielding Effect of Electromagnetic Wave. Engineering, 2011, 03, 771-777.	0.4	5
1377	Preparation and Microwave Absorbing Characteristics of Multi-Walled Carbon Nanotube/Chiral-Polyaniline Composites. Open Journal of Polymer Chemistry, 2014, 04, 62-72.	1.8	14
1378	Investigation of the Electromagnetic Shielding Effectiveness of Needle Punched Nonwoven Fabrics Produced from Stainless Steel and Carbon Fibres. Fibres and Textiles in Eastern Europe, 2018, 26, 94-100.	0.2	9
1379	Properties of Activated Carbon Blacks Filled SBR Rubber Composites. Carbon Letters, 2008, 9, 115-120.	3.3	21
1380	Electromagnetic Interference Shielding Properties of CO<sub>2</sub>-Activated Carbon Black Filled Polymer Coating Materials. Carbon Letters, 2008, 9, 298-302.	3.3	19
1381	Electromagnetic interference shielding characteristics for orientation angle and number of plies of carbon fiber reinforced plastic. Carbon Letters, 2014, 15, 268-276.	3.3	18
1382	Investigation of Thermal Stability of Epoxy Composite Reinforced with Multi-Walled Carbon Nanotubes and Micrometer-Sized Silica Particles. Composites Research, 2016, 29, 306-314.	0.1	2
1383	Electromagnetic Interference Shielding Effectiveness and Mechanical Properties of MWCNT-reinforced Polypropylene Nanocomposites. Porrima, 2012, 36, 494-499.	0.0	5
1384	Large-scale preparation of graphene oxide film and its application for electromagnetic interference shielding. RSC Advances, 2021, 11, 33302-33308.	1.7	7
1385	Multispectral electromagnetic shielding using ultra-thin metal-metal oxide decorated hybrid nanofiber membranes. Communications Materials, 2021, 2, .	2.9	13
1386	Fiber reinforced thermoplastics compounds for electromagnetic interference shielding applications. Journal of Reinforced Plastics and Composites, 2022, 41, 206-214.	1.6	6
1387	Flexible Copper3Graphene Nanoplates on Ceramic Supports for Radiofrequency Electronics with Electromagnetic Interference Shielding and Thermal Management Capacity. ACS Applied Nano Materials, 2021, 4, 11841-11848.	2.4	4

#	ARTICLE	IF	CITATIONS
1388	Ultrafine Cellulose Nanofiber-Assisted Physical and Chemical Cross-Linking of MXene Sheets for Electromagnetic Interference Shielding. <i>Small Methods</i> , 2021, 5, e2100889.	4.6	59
1389	Hydroiodic acid and microwave reduced graphene oxide/PES-C films for flexible EMI shielding materials. <i>Diamond and Related Materials</i> , 2021, 120, 108645.	1.8	6
1391	Comparison of Electromagnetic Shielding in GFR-Nano Composites. <i>Ceramic Engineering and Science Proceedings</i> , 0, , 103-111.	0.1	0
1393	Design and Manufacturing of Multiscale Hybrid Composites for Electromagnetic Interference Shielding. <i>Journal of the Korean Society for Composite Materials</i> , 2011, 24, 25-30.	0.3	1
1394	Utilization of Fly Ash - A Waste Byproduct of Coal for Shielding Application. <i>Journal of Environmental Nanotechnology</i> , 2013, 2, 74-82.	0.1	4
1395	Electrical properties of fiber and carbon nanotube reinforced polymer composites. , 2013, , .		1
1396	Size Effect of Particulate Filler on Electrical Resistivity of Carbon Nanotube Polymer Composites: Transition of Excluded Volume Effects. <i>International Symposium on Microelectronics</i> , 2014, 2014, 000268-000271.	0.3	0
1397	Effect of Fluorination of Carbon Nanotubes on Physico-chemical and EMI Shielding Properties of Polymer Composites. <i>Porrime</i> , 2015, 39, 114-121.	0.0	2
1398	A comparison of electrical properties of carbon nanotube-loaded resins. <i>International Journal of Computational Methods and Experimental Measurements</i> , 2015, 3, 89-100.	0.1	1
1399	Characterization of multifunctional nanocomposites with respect to their electrical properties. <i>WIT Transactions on State-of-the-art in Science and Engineering</i> , 2015, , 211-224.	0.0	0
1400	Electronic Applications of Chloroprene Rubber and Its Composites. <i>Springer Series on Polymer and Composite Materials</i> , 2016, , 279-304.	0.5	3
1401	Influence of Ion Beam and Carbon Black Filler Type on the Mechanical and Physico-Chemical Properties of Butadiene Acrylonitrile Rubber (NBR). <i>International Journal of Science and Engineering Applications</i> , 2016, 5, 95-106.	0.1	0
1402	Chapter 7 Cement-Based Electromagnetic Functional Materials. , 2016, , 273-344.		0
1403	Investigation of Mechanical and Electrical Properties of Hybrid Composites Reinforced with Carbon Nanotubes and Micrometer-Sized Silica Particles. <i>Transactions of the Korean Society of Mechanical Engineers, A</i> , 2016, 40, 1037-1046.	0.1	1
1404	Multiwalled Carbon Nanotubes. , 2017, , 97-120.		0
1405	INFLUENCE OF SONICATION ASSISTED DISPERSION METHOD ON THE MECHANICAL AND ELECTRICAL PROPERTIES OF NYLON 66/NANO-COPPER NANOCOMPOSITE. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2017, 79, .	0.3	0
1406	ELECTROMAGNETIC CHARACTERIZATION OF PSU/CARBON BLACK MULTIFUNCTIONAL COMPOSITES. , 0, , .		0
1407	Effects of Morphologies of Carbon Nanomaterials on Conductivity of Composites Containing Copper/Carbon Nanomaterial Hybrid Fillers. <i>Journal of Korean Powder Metallurgy Institute</i> , 2018, 25, 435-440.	0.2	0

#	ARTICLE	IF	CITATIONS
1408	Lightweight Nanocomposites Polymers for Shielding Application. Advances in Chemical and Materials Engineering Book Series, 2019, , 206-233.	0.2	0
1409	Electromagnetic Interference Shielding Using MXenes and Their Composites. , 2019, , 399-416.		1
1410	Aeronautical Impact of Epoxy/Carbon Nanotube Nanocomposite. Advances in Chemical and Materials Engineering Book Series, 2019, , 80-102.	0.2	1
1411	Improving the electrical conductivity of multi-phase polymer composites via plasticizer assisted nanoparticle dispersion. , 2019, , .		0
1412	Video Information Propagation Interruption Monitoring System Based on Electromagnetic Interference. Advances in Intelligent Systems and Computing, 2020, , 1150-1157.	0.5	0
1413	Dielectric Properties of Polymer Composites with Nanocarbon Allotropes. Current Applied Polymer Science, 2019, 3, 85-97.	0.2	0
1414	Tekstil Kompozitlerinin Elektromanyetik Kalkanlama Testlerinin Yapılaşmasında Kullanılmak Üzere Ekonomik Bir Kutu-Test Düzeneğinin Geliştirilmesi. European Journal of Science and Technology, 0, , 852-859.	0.5	2
1415	Variation of the Stirring Condition for Ultrasonic Agitation of CNT(JT-20A Model). Journal of Power System Engineering, 2019, 23, 56-62.	0.4	0
1416	Microwave-Responsive Nanomaterials for Catalysis. Springer Series in Materials Science, 2020, , 65-91.	0.4	2
1418	Enhancement in Electromagnetic Wave Shielding Effectiveness through the Formation of Carbon Nanofiber Hybrids on Carbon-Based Nonwoven Fabrics. Nanomaterials, 2021, 11, 2910.	1.9	3
1419	Advanced Chemical Applications of Modified Cotton. Textile Science and Clothing Technology, 2020, , 501-527.	0.4	1
1420	Engineering of dielectric composites on electromagnetic and microwave absorbing properties for operation in the X-band. Journal of Advanced Dielectrics, 2021, 11, 2150001.	1.5	3
1421	Preliminary Investigation into Shielding Materials for the Electromagnetic Pulse Generated by Laser-Plasma Interaction Based on SGIII. , 2020, , .		0
1422	Ultra-High Molecular Weight Polyethylene and Graphene Oxide (UHMWPE/GO) Nano Composites for EMI Shielding. , 2021, , 1-26.		0
1423	Wollastanit/PANI/Kolemanit Kompozitlerin Elektromanyetik Kalkanlama Etkinliği. European Journal of Science and Technology, 0, , .	0.5	2
1424	Ultrathin freestanding PDA-Doped rGO/MWCNT composite paper for electromagnetic interference shielding applications. Chemical Engineering Journal, 2022, 430, 132808.	6.6	13
1425	The development of factory monitoring in high radio frequency interference using Arduino. AIP Conference Proceedings, 2020, , .	0.3	0
1426	Structural Health Monitoring of Composite Materials. Archives of Computational Methods in Engineering, 2022, 29, 1997-2017.	6.0	8

#	ARTICLE	IF	CITATIONS
1427	Transparent electromagnetic shielding film based on additive electrohydrodynamic jet printing technology. , 2020, , .		1
1428	Progress in Electrospun Polymer Composite Fibers for Microwave Absorption and Electromagnetic Interference Shielding. ACS Applied Electronic Materials, 2021, 3, 4657-4680.	2.0	38
1429	Mechanically Robust Flexible Multilayer Aramid Nanofibers and MXene Film for High-Performance Electromagnetic Interference Shielding and Thermal Insulation. Nanomaterials, 2021, 11, 3041.	1.9	9
1430	Tailoring Electromagnetic Interference Shielding Performance of Conductive Nanocomposite Coating Using Textile Substrates. Advanced Materials Interfaces, 2021, 8, 2101089.	1.9	12
1431	Properties of Multiwalled Carbon Nanotube-Reinforced Alumina Composites Produced Following the Sol-Spray Technique. Journal of Electronic Materials, 2022, 51, 684-691.	1.0	0
1432	Review of the Effects of Supplementary Cementitious Materials and Chemical Additives on the Physical, Mechanical and Durability Properties of Hydraulic Concrete. Materials, 2021, 14, 7270.	1.3	13
1433	Simultaneously enhanced mechanical properties and electromagnetic interference shielding performance of a graphene nanosheets (GNSs) reinforced magnesium matrix composite by GNSs induced laminated structure. Journal of Alloys and Compounds, 2022, 898, 162847.	2.8	14
1434	Providing a Specified Level of Electromagnetic Shielding with Nickel Thin Films Formed by DC Magnetron Sputtering. Coatings, 2021, 11, 1455.	1.2	7
1435	Flexible and flame-retarding phosphorylated MXene/polypropylene composites for efficient electromagnetic interference shielding. Journal of Materials Science and Technology, 2022, 111, 66-75.	5.6	68
1436	Enhanced electromagnetic interference shielding properties of phenolic resin derived lightweight carbon foam decorated with electrospun zinc oxide nanofibers. Materials Today Communications, 2022, 30, 103055.	0.9	15
1437	Solvent-Free Conductive Coatings Containing Chemically Coupled Particles for Functional Textiles. ACS Applied Electronic Materials, 2021, 3, 5402-5414.	2.0	5
1438	Ionic Liquid Driven Enhancement in the Electromagnetic Interference Shielding Effectiveness of poly(methyl methacrylate) Based Composite Materials Filled with Hybrid Silver-coated Glass Microfibers. Macromolecular Materials and Engineering, 0, , 2100759.	1.7	4
1439	Electromagnetic interference shielding epoxy composites with satisfactory thermal conductivity and electrical insulation performance enabled by low-melting-point alloy layered structure. Composites Part B: Engineering, 2022, 232, 109611.	5.9	29
1440	Flexible and durable poly para-phenylene terephthalamide fabric constructed by polydopamine and corrugated Co-Ni-P alloy with reflection characteristic for electromagnetic interference shielding. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2022, 637, 128223.	2.3	12
1442	Electromagnetic Interference Shielding Assessment From Mixing Formulae. , 2020, , .		1
1443	Understanding the dielectric properties and electromagnetic shielding efficiency of zirconia filled epoxy-MWCNT composites. Engineering Research Express, 2022, 4, 015008.	0.8	7
1444	Plastics in Electromagnetic Shielding. , 2022, , .		0
1445	MXene-based multifunctional polymer composites for electromagnetic interference shielding applications. , 2022, , 649-686.		2

#	ARTICLE	IF	CITATIONS
1446	Multifunctional Magnetic Nanocomposite Encapsulant for Electromagnetic Interference Shielding in Power Electronics. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , 2022, , .	1.2	1
1447	Lightweight and Highly Compressible Expandable Polymer Microsphere/Silver Nanowire Composites for Wideband Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 5940-5950.	4.0	31
1448	Radar-Absorbing Structures with Reduced Graphene Oxide Papers Fabricated Under Various Processing Parameters. <i>Journal of Electronic Materials</i> , 2022, 51, 985-994.	1.0	5
1449	Improved mechanical and EMI shielding properties of PLA/PCL composites by controlling distribution of PIL-modified CNTs. <i>Advanced Composites and Hybrid Materials</i> , 2022, 5, 991-1002.	9.9	17
1450	Preparation and properties of multi-walled carbon nanotube reinforced alumina composites by sol-spray method. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2022, 71, 018801.	0.2	0
1451	Evaluation, fabrication and dynamic performance regulation of green EMI-shielding materials with low reflectivity: A review. <i>Composites Part B: Engineering</i> , 2022, 233, 109652.	5.9	108
1452	Tailoring the internal structure of porous copper film via size-controlled copper nanosheets for electromagnetic interference shielding. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2022, 278, 115611.	1.7	5
1453	High strength composites of carbon fiber sheets-veneers sandwich-structure for electromagnetic interference shielding materials. <i>Progress in Organic Coatings</i> , 2022, 165, 106736.	1.9	10
1454	A journey of thermoplastic elastomer nanocomposites for electromagnetic shielding applications: from bench to transitional research. <i>Materials Advances</i> , 2022, 3, 2670-2691.	2.6	25
1455	Predicting Percolation Threshold Value of EMI SE for Conducting Polymer Composite Systems Through Different Sigmoidal Models. <i>Journal of Electronic Materials</i> , 2022, 51, 1788-1803.	1.0	4
1456	Cheap, Large-Scale, and High-Performance Graphite-Based Flexible Thermoelectric Materials and Devices with Supernormal Industry Feasibility. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 8066-8075.	4.0	16
1457	PREPARATION AND MECHANICAL-ELECTRICAL PERFORMANCE OF CARBON FIBRE SENSING CONCRETE. <i>Ceramics - Silikaty</i> , 2021, , 28-35.	0.2	1
1459	Recent advancements in the electromagnetic interference shielding performance of nanostructured materials and their nanocomposites: a review. <i>Journal of Materials Chemistry A</i> , 2022, 10, 7431-7496.	5.2	67
1460	PVB coating efficiently improves the high stability of EMI shielding fabric with Cu/Ni. <i>Advanced Composites and Hybrid Materials</i> , 2022, 5, 71-82.	9.9	18
1461	A Study on the Possibility of Using Iron Scale in the Construction of Electromagnetic Field Shields. <i>Energies</i> , 2022, 15, 1332.	1.6	5
1462	Effect of Surface Pretreatment and Plating Time on Electromagnetic Shielding Reliability of Electroless Plated Copper Layer Conductors. <i>ACS Applied Electronic Materials</i> , 2022, 4, 1019-1028.	2.0	8
1463	Aqueous MXene/Xanthan Gum Hybrid Inks for Screen Printing Electromagnetic Shielding, Joule Heater, and Piezoresistive Sensor. <i>Small</i> , 2022, 18, e2107087.	5.2	48
1464	Dielectric Properties of Hybrid Polyethylene Composites Containing Cobalt Nanoparticles and Carbon Nanotubes. <i>Materials</i> , 2022, 15, 1876.	1.3	4



#	ARTICLE	IF	CITATIONS
1465	A Study on Carbon Fiber Composites with Low-Melting-Point Polyester Nonwoven Fabric Reinforcement: A Highly Effective Electromagnetic Wave Shield Textile Material. <i>Polymers</i> , 2022, 14, 1181.	2.0	6
1466	Tunable Electromagnetic Interference Shielding Properties of Binary Thermoplastic Composites Prepared by Reactive Microencapsulation. <i>ACS Applied Polymer Materials</i> , 2022, 4, 3482-3490.	2.0	3
1467	3D Microstructured Frequency Selective Surface Based on Carbonized Polyimide Films for Terahertz Applications. <i>Advanced Optical Materials</i> , 2022, 10, .	3.6	5
1468	Dual fire-alarm LBL safeguarding coatings with flame-retardant, EMI shielding and antibacterial properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 643, 128763.	2.3	8
1469	Asymmetric layered structural design with metal microtube conductive network for absorption-dominated electromagnetic interference shielding. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 643, 128781.	2.3	8
1470	Evaluation of electromagnetic shielding properties of high-performance continuous carbon fiber composites fabricated by robotic 3D printing. <i>Additive Manufacturing</i> , 2022, 54, 102733.	1.7	8
1471	Electromagnetic interference shielding films with enhanced absorption using double percolation of poly (methyl methacrylate) beads and CIP/MWCNT/TPU composite channel. <i>Materials Today Communications</i> , 2022, 31, 103401.	0.9	6
1472	Multilayer structured CNF/rGO aerogels and rGO film composites for efficient electromagnetic interference shielding. <i>Carbohydrate Polymers</i> , 2022, 286, 119306.	5.1	34
1473	Three-dimensional macroporous hybrid carbon aerogel with heterogeneous structure derived from MXene/cellulose aerogel for absorption-dominant electromagnetic interference shielding and excellent thermal insulation performance. <i>Journal of Colloid and Interface Science</i> , 2022, 619, 96-105.	5.0	52
1474	A review on electromagnetic shielding magnesium alloys. <i>Journal of Magnesium and Alloys</i> , 2021, 9, 1906-1921.	5.5	75
1475	Light-weight carbon fiber/silver-coated hollow glass spheres/epoxy composites as highly effective electromagnetic interference shielding material. <i>Journal of Reinforced Plastics and Composites</i> , 2022, 41, 497-508.	1.6	3
1476	Exploring the effect of block copolymer architecture and concentration on the microstructure, electrical conductivity and rheological properties of PP/PS blend nanocomposites. <i>Functional Composite Materials</i> , 2022, 3, .	0.9	3
1477	Polymer nanocomposites based on graphite nanoplatelets (GNPs): a review on thermal-electrical conductivity, mechanical and barrier properties. <i>Journal of Materials Science</i> , 2022, 57, 7425-7480.	1.7	15
1479	Comparison of Electromagnetic Shielding in Cfr-Nano Composites. <i>Ceramic Engineering and Science Proceedings</i> , 0, , 363-371.	0.1	0
1480	Spinel ferrite and MXene-based magnetic novel nanocomposites: an innovative high-performance electromagnetic interference shielding and microwave absorber. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2023, 48, 441-479.	6.8	6
1481	Facile and Green Process to Synthesize a Three-Dimensional Network Few-Layer Graphene/Carbon Nanotube Composite for Electromagnetic Interference Shielding. <i>Polymers</i> , 2022, 14, 1892.	2.0	2
1482	Polymeric blends and nanocomposites for high performance EMI shielding and microwave absorbing applications. <i>Composite Interfaces</i> , 2022, 29, 1505-1547.	1.3	10
1483	Carbon black incorporated carbon nanofiber based polydimethylsiloxane composite for electromagnetic interference shielding. <i>Carbon Trends</i> , 2022, 8, 100177.	1.4	22

#	ARTICLE	IF	CITATIONS
1484	Electromagnetic Interference Shielding with Electrospun Nanofiber Mats—A Review of Production, Physical Properties and Performance. <i>Fibers</i> , 2022, 10, 47.	1.8	14
1485	A Hollow Hybrid Separated Structure Based on Ni/Pani-Fe <sub>3</sub> O <sub>4</sub> Constructed for an Ultra-Efficient Electromagnetic Interference Shielding and Hydrophobic Ppta Fabric. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1486	Evaluation of Electromagnetic Pulse Shielding Performance of Carbon Fiber-Mixed Cement Paste. <i>International Journal of Concrete Structures and Materials</i> , 2022, 16, .	1.4	2
1487	Tailoring of EMI shielding properties of polyaniline with MWCNTs embedment in X-band (8.2–12.4 GHz). <i>Journal of Physics and Chemistry of Solids</i> , 2022, 169, 110867.	1.9	12
1488	A design methodology for an EM wave absorber with a sub-skin depth periodic pattern using Ni deposition. <i>Advanced Composite Materials</i> , 2023, 32, 97-106.	1.0	1
1489	Synergistic effect of 2D TiC and 1D CNT towards absorption-dominant high-performance electromagnetic interference shielding in 3D macroporous carbon aerogel. <i>Carbon</i> , 2022, 197, 40-51.	5.4	32
1490	Thermal insulating and fire-retardant lightweight carbon-slag composite foams towards absorption dominated electromagnetic interference shielding. <i>Sustainable Materials and Technologies</i> , 2022, 33, e00453.	1.7	5
1491	Microwave absorption performance of M-type hexagonal ferrite and MXene composite in Ka and V bands (5G mmWave frequency bands). <i>Journal of Magnetism and Magnetic Materials</i> , 2022, 560, 169523.	1.0	15
1492	Bioinspired MXene/polyurethane plastic films with exceptional flexibility and toughness for electromagnetic interference shielding. <i>Materials Research Bulletin</i> , 2022, 154, 111939.	2.7	10
1493	Microwave absorption of ferrite/carbon nanocomposites. , 2022, , 435-519.		0
1494	Preparation of nanocarbon-coated glass fibre/phenolic composites for EMI shielding. <i>Bulletin of Materials Science</i> , 2022, 45, .	0.8	1
1495	Electromagnetic radiation of hybrid vehicles. <i>Vehicle and Electronics Innovative Technologies</i> , 2022, , 40-47.	0.0	0
1496	Recent Advances in Polymer Nanocomposites for Electromagnetic Interference Shielding: A Review. <i>ACS Omega</i> , 2022, 7, 25921-25947.	1.6	35
1497	Multifunctional Carbon-Based Hybrid Foams for Shape-Stabilization of Phase Change Materials, Thermal Energy Storage, and Electromagnetic Interference Shielding Functions. <i>Micro</i> , 2022, 2, 390-409.	0.9	2
1498	General strategy for ultrabroadband and wide-angle absorbers via multidimensional design of functional motifs. <i>Photonics Research</i> , 2022, 10, 2202.	3.4	3
1499	Shielding Effectiveness Measurements of Drywall Panel Coated with Biochar Layers. <i>Electronics (Switzerland)</i> , 2022, 11, 2312.	1.8	3
1500	Radio-Absorbing Materials Based on Polymer Composites and Their Application to Solving the Problems of Electromagnetic Compatibility. <i>Polymers</i> , 2022, 14, 3026.	2.0	10
1501	Facile synthesis of ultra-lightweight Ni/NiO/Ni P foams with hollow sandwich micro-tubes for absorption-dominated electromagnetic interference shielding. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 651, 129764.	2.3	4

#	ARTICLE	IF	CITATIONS
1502	Electromagnetic interference shielding thermoplastic composites reinforced with carbon based hybrid materials: a review. <i>Composite Interfaces</i> , 2022, 29, 1413-1470.	1.3	2
1503	Modeling and Optimum Design of Carbon Nanotube/Polyvinyl Alcohol Hybrid Nanofibers as Electromagnetic Interference Shielding Material. <i>Integrating Materials and Manufacturing Innovation</i> , 0, , .	1.2	0
1504	From waste to wealth: A critical review on advanced materials for EMI shielding. <i>Journal of Applied Polymer Science</i> , 2022, 139, .	1.3	12
1505	Electromagnetic interference shielding of thermally exfoliated graphene/polyurethane composite foams. <i>Journal of Applied Polymer Science</i> , 2022, 139, .	1.3	3
1506	Flexible carbon fiber-based composites for electromagnetic interference shielding. <i>Rare Metals</i> , 2022, 41, 3612-3629.	3.6	37
1507	Highly Crystalline Graphene Foams Based on Capillarity and Deintercalation Sewing. <i>Chemistry of Materials</i> , 2022, 34, 7424-7433.	3.2	0
1508	Lightweight and High Mechanical Strength Silver Nanowire/Hydroxypropyl Methylcellulose Electromagnetic Interference Shielding Composite. <i>ACS Applied Electronic Materials</i> , 2022, 4, 4605-4611.	2.0	1
1509	Hierarchical CoNi alloys toward microwave absorption application: Chain-like versus particle-like. <i>Journal of Alloys and Compounds</i> , 2022, 926, 166854.	2.8	22
1510	A hollow hybrid separated structure based on Ni/Pani-Fe <sub>3</sub> O <sub>4</sub> constructed for an ultra-efficient electromagnetic interference shielding and hydrophobic PPTA fabric. <i>Journal of Alloys and Compounds</i> , 2022, 925, 166666.	2.8	11
1511	Electrical impedance behaviour of carbon fibre reinforced cement-based sensors at different moisture contents. <i>Construction and Building Materials</i> , 2022, 353, 129049.	3.2	15
1512	Electrospun carbon fibers embedded with core-shell TiC@TiO <sub>2</sub> nanostructures and their epoxy composites for potential EMI shielding in the Ku band. <i>Nano Structures Nano Objects</i> , 2022, 32, 100912.	1.9	7
1513	Microstructure properties of cementitious mortars with selected additives for electromagnetic waves absorbing applications. <i>Cement and Concrete Composites</i> , 2022, 134, 104732.	4.6	10
1514	3D printing lamellar Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene/graphene hybrid aerogels for enhanced electromagnetic interference shielding performance. <i>RSC Advances</i> , 2022, 12, 24980-24987.	1.7	2
1515	Fabrication and characterization of Fe <sub>2</sub> O <sub>3</sub> @PEFB/PTFE nanocomposites for microwave shielding applications. <i>Polymer Engineering and Science</i> , 2022, 62, 3577-3588.	1.5	5
1516	Printable Aligned Single-Walled Carbon Nanotube Film with Outstanding Thermal Conductivity and Electromagnetic Interference Shielding Performance. <i>Nano-Micro Letters</i> , 2022, 14, .	14.4	46
1517	Investigation on electromagnetic shielding and mechanical properties of zirconia graded carbon fiber/epoxy nanocomposite. <i>Polymer Composites</i> , 2022, 43, 8795-8806.	2.3	5
1518	Boost in the Electromagnetic Shielding Effectiveness of Polystyrene-Polyaniline Composites by Addition of Carbon Nanofibers. <i>Arabian Journal for Science and Engineering</i> , 2023, 48, 1009-1019.	1.7	3
1519	Highly Flexible Fabrics/Epoxy Composites with Hybrid Carbon Nanofillers for Absorption-Dominated Electromagnetic Interference Shielding. <i>Nano-Micro Letters</i> , 2022, 14, .	14.4	27

#	ARTICLE	IF	CITATIONS
1520	Role of carbonaceous fillers in electromagnetic interference shielding behavior of polymeric composites: A review. <i>Polymer Composites</i> , 2022, 43, 7701-7723.	2.3	27
1521	Magnetic manipulation of discontinuous ferromagnetic fibers in viscous fluids: Dynamics of single fiber alignment. <i>Polymer Composites</i> , 0, , .	2.3	1
1522	A Robust, Flexible, Hydrophobic, and Multifunctional Pressure Sensor Based on an MXene/Aramid Nanofiber (ANF) Aerogel Film. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 47075-47088.	4.0	31
1523	Graphene and MXene-based porous structures for multifunctional electromagnetic interference shielding. <i>Nano Research</i> , 2023, 16, 1387-1413.	5.8	28
1524	Electromagnetic shielding characteristics of carbon and glass fiber composites. <i>Journal of Innovative Science and Engineering (JISE)</i> , 0, , .	0.7	1
1525	Mechanical properties of mortar and concrete incorporated with concentrated graphene oxide, functionalized carbon nanotube, nano silica hybrid aqueous solution. <i>Case Studies in Construction Materials</i> , 2023, 18, e01603.	0.8	3
1527	Shielding Effectiveness of Zeolite: Chopped Strands Composites for Radar and Wider Frequency Applications. <i>European Journal of Science and Technology</i> , 0, , .	0.5	0
1528	Electrophysical Properties and Structure of Natural Disordered sp <sup>2</sup> Carbon. <i>Nanomaterials</i> , 2022, 12, 3797.	1.9	3
1529	Analysis of electromagnetic shielding performance of waste rubber powder-based flexible composites. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 24434-24446.	1.1	3
1530	MXene-Based Porous Monoliths. <i>Nanomaterials</i> , 2022, 12, 3792.	1.9	3
1531	Facile fabrication of novel high-performance electromagnetic interference shielding nickel foam. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2023, 656, 130352.	2.3	5
1532	Carbon nanotube-vertical edge rich graphene hybrid sponge as multifunctional reinforcements for high performance epoxy composites. <i>Carbon</i> , 2023, 201, 871-880.	5.4	17
1533	Highly dispersed graphene nanoplatelets in polypropylene composites by employing high-shear stress for enhanced dielectric properties and frequency-selective electromagnetic interference shielding capability. <i>Composites Communications</i> , 2023, 37, 101409.	3.3	9
1534	Ferromagnetic resonance of hollow micron-sized magnetic cylinders. <i>Applied Physics Letters</i> , 2022, 121, .	1.5	2
1535	Effect of electric arc furnace slag and magnetite materials on electromagnetic shielding properties in cementitious composites. <i>Magazine of Concrete Research</i> , 0, , 1-28.	0.9	0
1536	MXene-incorporated 1D/2D nano-carbons for electromagnetic shielding: A review. <i>Carbon</i> , 2023, 203, 542-560.	5.4	28
1537	Cognizing the electromagnetic shielding performance of ultrafine magnetite (Fe <sub>3</sub> O <sub>4</sub> ) and a few layers of carbon black nanocomposite in the X-band region. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2023, 288, 116166.	1.7	8
1538	Progress and roadmap for graphene films in electromagnetic interference shielding. , 2023, 2, 11-38.		3

#	ARTICLE	IF	CITATIONS
1539	Recent advancements in electromagnetic interference shielding of polymer and mxene nanocomposites. <i>Polymer-Plastics Technology and Materials</i> , 2023, 62, 19-53.	0.6	28
1540	Effects of Shielding Materials on EMI Performance for 5G Wi-Fi Applications. , 2022, , .		0
1541	ELECTRODYNAMIC CHARACTERISTICS OF A VOLUME RADIO-ABSORBING MATERIAL BASED ON NANOCARBON. , 2022, 39, 47-52.		0
1543	Green Materials for Radiation Shielding: An Overview. , 2023, , 299-336.		1
1544	Development of milled carbon fibre-based GFRP composites and their effect on microwave and structural properties. <i>Bulletin of Materials Science</i> , 2022, 45, .	0.8	0
1545	Ultrafine cellulose nanocrystal-reinforced MXene biomimetic composites for multifunctional electromagnetic interference shielding. <i>Science China Materials</i> , 2023, 66, 1597-1606.	3.5	19
1546	Enhancement of Electromagnetic Wave Shielding Effectiveness by the Incorporation of Carbon Nanofibers into Carbon Microcoils Hybrid into Commercial Carbon Paste for Heating Films. <i>Molecules</i> , 2023, 28, 870.	1.7	1
1547	Transparent broadband absorber based on a multilayer ITO conductive film. <i>Optics Express</i> , 2023, 31, 3731.	1.7	4
1548	Carbon-based aerogels and foams for electromagnetic interference shielding: A review. <i>Carbon</i> , 2023, 205, 10-26.	5.4	41
1549	Electronics, optical, and thermal management applications of nanocomposites in aeronautics. , 2023, , 187-209.		0
1550	Aeronautical nanocomposites for lightning strike prevention, radiation shielding, and stealth features. , 2023, , 139-164.		0
1551	Atomic Molecular Engineering Tailoring Graphene Microlaminates to Tune Multifunctional Antennas. <i>Advanced Functional Materials</i> , 2023, 33, .	7.8	54
1552	Flexible, ultrathin and light films from one-dimensional nanostructures of polypyrrole and cellulose nanofibers for high performance electromagnetic interference shielding. <i>Carbohydrate Polymers</i> , 2023, 309, 120662.	5.1	5
1553	EMI shielding applications of PANI-Ferrite nanocomposite materials: A review. <i>Synthetic Metals</i> , 2023, 295, 117338.	2.1	18
1554	Heterogeneous stacking strategy towards carbon aerogel for thermal management and electromagnetic interference shielding. <i>Chemical Engineering Journal</i> , 2023, 465, 142839.	6.6	10
1555	Health monitoring of C60 smart concrete based on self-sensing. <i>Materials Today Communications</i> , 2023, 35, 105834.	0.9	1
1556	PANI-wrapped BaFe <sub>2</sub> O <sub>7</sub> and SrFe <sub>2</sub> O <sub>7</sub> with rGO composite materials for electromagnetic interference shielding applications. <i>Heliyon</i> , 2023, 9, e13648.	1.4	8
1557	Microwave absorption theory and recent advances in microwave absorbers by polymer-based nanocomposites (carbons, oxides, sulfides, metals, and alloys). <i>Inorganic Chemistry Communication</i> , 2023, 149, 110407.	1.8	9

#	Article Title	IF	CITATIONS
1558	Highly effective electromagnetic interference shielding composites with solvent-dispersed uniformly aligned graphene nanosheets enabled by strong intrinsic diamagnetism under magnetic field. Materials Today Physics, 2023, 31, 100985.	0.9	4
1559	Effects of Surface Treatment Conditions on the Bonding Strength and Electromagnetic Pulse Shielding of Concrete Using the 85Zn-15Al Arc Thermal Metal Spraying Method. Materials, 2023, 16, 1372.	1.3	4
1561	Effect of Fiber Side-Feeding on Various Properties of Nickel-Coated Carbon-Fiber-Reinforced Polyamide 6 Composites Prepared by a Twin-Screw Extrusion Process. Journal of Composites Science, 2023, 7, 68.	1.4	1
1562	Superior EMI shielding effectiveness of light weight and stretchable X-type hexaferrite-poly(vinylidene fluoride) composites. Journal of Applied Physics, 2023, 124, 170508.	1.0	5
1563	Progressive Review of Functional Nanomaterials-Based Polymer Nanocomposites for Efficient EMI Shielding. Journal of Composites Science, 2023, 7, 77.	1.4	6
1565	Graphitized and flexible porous textile updated from waste cotton for wearable electromagnetic interference shielding. Carbon, 2023, 207, 144-153.	5.4	16
1566	Textile fabrics and ferrite-loaded composite materials for electromagnetic-shielding applications. Journal of Applied Physics, 2023, 124, 313-332.		0
1567	Magnetic properties of Ni-coated fibers in a polymer matrix for electro-magnetic interference shielding applications. Journal of Applied Physics, 2023, 133, 085108.	1.1	1
1568	Graphene nanoplatelets/polydimethylsiloxane electromagnetic shielding composites based on bipolar pulsed electric field-induced alignment. Journal of Applied Physics, 2023, 133, 095105.	1.1	0
1569	Textile Fabrics as Electromagnetic Shielding Materials: A Review of Preparation and Performance. Fibers, 2023, 11, 29.	1.8	9
1570	Evolution of Surface Engineering in the Development of Textile-Based EMI Shields: A Review. ACS Applied Electronic Materials, 2023, 5, 1947-1969.	2.0	1
1571	Design and advanced manufacturing of electromagnetic interference shielding materials. Materials Today, 2023, 66, 245-272.	8.3	40
1572	Analysis of Shielding Effectiveness against Electromagnetic Interference (EMI) for Metal-Coated Polymeric Materials. Polymers, 2023, 15, 1911.	2.0	2
1573	Carbon fabric composites with NiCo compounds: Structure evolution and EMI shielding performance. Applied Surface Science, 2023, 627, 157275.	3.1	3
1577	Recent Advances in Graphene Oxide-Ferrite Hybrid Framework as Radar Absorbing Material. Advanced Structured Materials, 2023, 10, 263-286.	0.3	0
1582	Ferrite Nanocomposites for EMI Shielding Applications. Materials Horizons, 2023, 10, 133-149.	0.3	0
1588	Preparation and Pressure Sensitivity Extraction of Flexible MWCNT-PDMS Pressure Sensors. Journal of Applied Physics, 2022, 123, 174301.		0

#	ARTICLE	IF	CITATIONS
1598	Polyurea nanocomposites. , 2023, , 107-130.		0
1606	Advanced Aramid Fibrous Materials: Fundamentals, Advances, and Beyond. Advanced Fiber Materials, 0, , .	7.9	1
1611	Experimental Validation of the Embedded Anisotropic Thin Layer Model in the Massively Parallel Computer Codes JEMS-FDTD. , 2023, , .		0
1614	Polymer Nanocomposites and Multilayer Nanocomposite Films by Coextrusion. , 2019, , 201-234.		0
1634	Electromagnetic (EM radiation) interference shielding material epicenter to carbon filler-based composite. , 2024, , 155-194.		0
1635	Advanced material for EMI shielding. , 2024, , 195-226.		0
1639	Electromagnetic (EM radiation) interference shielding materials: Metals and alloys, 2D materials, polymers, and carbon-based materials and their characterization. , 2024, , 99-135.		0
1640	A review on radiation shielding materials based on low-strength chemical wastes and nanomaterials. , 2024, , 227-250.		1
1646	Measurement techniques for electromagnetic interference shielding and microwave absorption in porous nanocomposites. , 2024, , 41-57.		0
1647	Biodegradable polymer-based nanocomposite foams for electromagnetic interference shielding. , 2024, , 179-219.		0
1648	Intrinsically conducting polymer-based nanocomposite aerogels for electromagnetic interference shielding. , 2024, , 389-401.		0